

2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Rick Scott
Governor

H. Frank Farmer, Jr., M.D., Ph.D.
State Surgeon General

**2010 Florida BRFSS Data Report
Table of Contents**

Introduction	i
Alcohol Consumption	1
Arthritis	2
Asthma	3
Cancer Screening/Colorectal	4
Cancer Screening/Prostate	5
Cancer Screening/Women's Health	7
Cardiovascular Disease	9
Cholesterol Awareness	10
Diabetes	11
Disability	15
Family Planning	16
Health Care Access & Coverage	17
Health Status & Quality of Life	19
HIV/AIDS	23
Hypertension Awareness & Control	24
Immunization	25
Injury Prevention	27
Oral Health	29
Overweight & Obesity	31
Reactions To Race	32
Tobacco Use & Exposure	33
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

Introduction

The Florida Department of Health is pleased to release the 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey of Florida adults is the only source of state-specific, population-based estimates of the prevalence of various health and health risk behaviors. The purpose of this survey of Florida residents aged 18 and older is to gather information regarding personal health behaviors, selected medical conditions, and the prevalence of preventive health care practices among Florida adults.

The 2010 BRFSS is the third time the county-level survey has been conducted. It was previously conducted in 2002 and 2007. The 2010 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes.

Over 35,000 interviews were completed statewide in the 2010 calendar year, with a target sample size of 500 completed surveys in each county.

Okeechobee County has 39,757 adults in the county, and had 484 adults respond to the 2010 county-level BRFSS survey.

The 2010 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2007 county-level survey are included for comparison purposes. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

The prevalence rates in this report are adjusted, or "weighted" to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county as well as age and sex based on 2010 population estimates. Forty-four records were further adjusted during the weighting process.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	13.7	8.3	19.1	15.0	14.0	16.0	14.3
SEX	Men	20.0	10.5	29.4	19.8	18.0	21.6	19.1
	Women	6.5	3.5	9.4	10.5 *	9.6	11.4	8.6
RACE/ETHNICITY	Non-Hisp. White	12.2	6.7	17.7	16.4	15.3	17.5	14.8
	Non-Hisp. Black				8.2	5.8	10.6	
	Hispanic	26.7	3.4	50.0	15.3	11.3	19.3	14.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.1	7.3	26.9	20.9	19.0	22.8	20.6
	Non-Hisp. White Women	6.7	3.4	10.0	12.2 *	11.1	13.3	9.5
	Non-Hisp. Black Men				12.2	7.3	17.0	
	Non-Hisp. Black Women				5.2	3.4	7.1	
	Hispanic Men				23.0	15.8	30.2	18.2
	Hispanic Women				7.8	4.7	10.9	6.3
AGE GROUP	18-44	20.1	9.3	30.8	20.9	18.8	23.1	16.7
	45-64	12.1	4.0	20.2	14.4	12.9	15.9	13.8
	65 & Older	5.2	1.9	8.6	6.8	6.0	7.6	10.2
EDUCATION LEVEL	<High School	9.6	0.2	19.1	11.6	8.6	14.6	7.7
	H.S. / GED	10.6	2.9	18.3	15.5	13.5	17.5	18.1
	>High School	18.6	9.3	28.0	15.2	14.0	16.5	15.9
ANNUAL INCOME	<\$25,000	9.8	0.9	18.6	12.1	10.0	14.2	14.4
	\$25,000-\$49,999	10.4	3.1	17.7	13.4	11.2	15.7	11.4
	\$50,000 or More	26.7	12.9	40.5	18.6	17.0	20.3	23.4
MARITAL STATUS	Married/Couple	13.8	7.1	20.6	14.7	13.5	15.9	11.3
	Not Married/Couple	13.5	4.5	22.6	15.5	13.6	17.3	19.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who have been told they have some form of arthritis

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	38.2	31.7	44.7	32.0	30.8	33.1	27.8
SEX	Men	32.0	22.1	42.0	26.5	24.8	28.1	21.0
	Women	45.5	38.1	52.8	37.0	35.6	38.5	35.8
RACE/ETHNICITY	Non-Hisp. White	41.8	34.5	49.2	36.4	35.1	37.6	37.9
	Non-Hisp. Black				25.0	21.2	28.8	
	Hispanic	4.6	0.0	9.6	18.3 *	15.0	21.6	5.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.9	26.2	49.7	30.7	28.9	32.6	34.1
	Non-Hisp. White Women	46.3	38.4	54.1	41.6	40.0	43.2	41.4
	Non-Hisp. Black Men				20.2	14.1	26.2	
	Non-Hisp. Black Women				28.4	23.6	33.3	
	Hispanic Men				10.7	6.8	14.6	1.0
	Hispanic Women				25.5	20.6	30.5	13.6
AGE GROUP	18-44	16.7	7.3	26.1	11.9	10.3	13.4	8.0
	45-64	46.5	34.8	58.3	33.5	31.7	35.4	39.0
	65 & Older	60.5	52.6	68.3	59.6	57.9	61.4	52.3
EDUCATION LEVEL	<High School	28.2	16.1	40.3	36.9	32.2	41.7	15.5
	H.S. / GED	44.1	32.3	56.0	36.2	33.9	38.5	33.2
	>High School	35.9	27.3	44.5	29.9	28.6	31.2	32.8
ANNUAL INCOME	<\$25,000	42.6	29.5	55.6	39.6	37.1	42.1	26.4
	\$25,000-\$49,999	33.6	23.4	43.7	32.6	30.3	34.9	34.7
	\$50,000 or More	31.5	18.3	44.7	27.0	25.3	28.7	21.3
MARITAL STATUS	Married/Couple	34.9	26.9	43.0	31.6	30.2	33.1	27.8
	Not Married/Couple	44.4	33.5	55.3	32.7	30.9	34.5	27.8

Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	18.6	14.1	23.1	14.9	14.0	15.7	15.2
SEX	Men	13.8	7.6	19.9	12.6	11.4	13.8	12.5
	Women	24.4	18.2	30.5	17.0 *	15.9	18.1	18.4
RACE/ETHNICITY	Non-Hisp. White	20.4	15.2	25.5	16.3	15.4	17.2	19.6
	Non-Hisp. Black				13.2	10.4	15.9	
	Hispanic	2.4	0.0	6.3	9.8 *	7.2	12.4	5.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.6	9.0	24.1	13.9	12.5	15.2	18.6
	Non-Hisp. White Women	24.8	18.3	31.2	18.7	17.5	19.9	20.6
	Non-Hisp. Black Men				9.5	6.0	12.9	
	Non-Hisp. Black Women				15.8	11.8	19.8	
	Hispanic Men				7.8	4.0	11.5	2.4
	Hispanic Women				11.8	8.3	15.3	10.8
AGE GROUP	18-44	4.8	0.3	9.3	4.9	3.9	6.0	6.8
	45-64	24.6	15.4	33.8	17.4	16.0	18.8	24.0
	65 & Older	31.4	24.3	38.6	25.9	24.3	27.6	20.3
EDUCATION LEVEL	<High School	19.4	9.0	29.9	21.1	17.3	24.9	10.1
	H.S. / GED	19.5	11.6	27.4	17.4	15.6	19.2	20.8
	>High School	17.4	11.4	23.3	13.2	12.3	14.2	13.5
ANNUAL INCOME	<\$25,000	24.1	14.3	33.9	23.1	21.1	25.1	19.2
	\$25,000-\$49,999	13.5	7.5	19.6	14.1	12.5	15.7	18.0
	\$50,000 or More	11.0	5.0	17.1	10.6	9.4	11.8	4.7
MARITAL STATUS	Married/Couple	18.1	12.2	23.9	13.6	12.6	14.6	14.1
	Not Married/Couple	19.5	12.6	26.4	17.2	15.8	18.6	17.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who currently have asthma

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.4	4.9	11.9	8.3	7.6	9.0	7.8
SEX	Men	7.3	1.6	13.0	6.5	5.4	7.6	6.5
	Women	9.7	6.2	13.3	10.0	9.2	10.9	9.3
RACE/ETHNICITY	Non-Hisp. White	9.5	5.3	13.7	8.3	7.6	9.0	9.6
	Non-Hisp. Black				8.0	5.8	10.1	
	Hispanic	2.2	0.0	5.8	9.9*	6.8	12.9	2.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.4	2.2	16.7	6.1	5.1	7.1	9.4
	Non-Hisp. White Women	9.5	5.8	13.2	10.3	9.3	11.3	9.8
	Non-Hisp. Black Men				4.7	2.1	7.3	
	Non-Hisp. Black Women				10.5	7.3	13.6	
	Hispanic Men				10.5	5.1	15.9	0.0
	Hispanic Women				9.2	6.3	12.2	6.1
AGE GROUP	18-44	7.0	0.0	14.2	8.8	7.3	10.4	7.4
	45-64	10.4	5.4	15.4	7.8	6.8	8.7	9.5
	65 & Older	7.6	4.0	11.3	8.5	7.5	9.4	5.8
EDUCATION LEVEL	<High School	3.9	0.3	7.5	11.2*	8.8	13.6	7.8
	H.S. / GED	9.9	3.0	16.8	8.9	7.5	10.4	11.7
	>High School	8.6	4.6	12.7	7.8	6.9	8.7	3.6
ANNUAL INCOME	<\$25,000	9.4	2.7	16.1	12.9	10.9	14.9	14.0
	\$25,000-\$49,999	4.2	1.0	7.5	7.5	6.3	8.7	4.6
	\$50,000 or More	12.2	3.0	21.4	6.2	5.2	7.1	3.8
MARITAL STATUS	Married/Couple	9.0	4.1	13.8	7.0	6.2	7.8	5.1
	Not Married/Couple	7.4	3.4	11.5	10.7	9.4	12.1	12.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	13.5	8.0	19.0	14.7	13.8	15.7	20.9
SEX	Men	17.0	7.4	26.5	16.5	14.9	18.0	27.7
	Women	10.2	4.6	15.9	13.2	12.0	14.3	15.1
RACE/ETHNICITY	Non-Hisp. White	12.9	7.0	18.7	15.1	14.1	16.1	20.6
	Non-Hisp. Black				17.6	12.9	22.4	
	Hispanic				9.8	6.1	13.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.1	6.8	27.5	17.4	15.7	19.1	27.7
	Non-Hisp. White Women	8.8	3.4	14.2	13.0	11.9	14.1	14.7
	Non-Hisp. Black Men				13.3	8.3	18.3	
	Non-Hisp. Black Women				20.3	13.4	27.1	
	Hispanic Men				11.2	4.3	18.2	
	Hispanic Women				8.8	4.9	12.6	
AGE GROUP	45-64	14.2	5.2	23.2	11.3	10.0	12.6	20.4
	65 & Older	12.6	7.3	17.9	19.1	17.8	20.5	21.3
EDUCATION LEVEL	<High School	8.2	1.1	15.3	11.9	8.6	15.1	18.7
	H.S. / GED	17.7	6.9	28.5	15.4	13.5	17.3	25.2
	>High School	11.1	4.9	17.3	14.7	13.6	15.9	16.8
ANNUAL INCOME	<\$25,000	20.6	7.0	34.1	14.7	12.8	16.6	32.1
	\$25,000-\$49,999	10.8	3.8	17.7	15.8	14.0	17.7	19.6
	\$50,000 or More	10.4	0.5	20.2	13.7	12.1	15.4	17.1
MARITAL STATUS	Married/Couple	13.4	5.4	21.3	14.7	13.5	16.0	17.3
	Not Married/Couple	13.5	7.3	19.8	14.7	13.2	16.2	27.3

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	47.7	40.5	54.9	56.4	54.9	57.9	50.8
SEX	Men	48.5	36.2	60.7	57.3	54.9	59.7	54.3
	Women	47.0	39.0	54.9	55.6	53.7	57.4	47.8
RACE/ETHNICITY	Non-Hisp. White	47.8	40.2	55.3	57.6 *	56.1	59.0	52.2
	Non-Hisp. Black				57.3	51.0	63.6	
	Hispanic				48.8	41.9	55.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	49.7	36.8	62.5	58.8	56.4	61.2	56.9
	Non-Hisp. White Women	46.0	37.8	54.1	56.5 *	54.7	58.3	48.3
	Non-Hisp. Black Men				54.4	43.7	65.2	
	Non-Hisp. Black Women				59.1	51.4	66.9	
	Hispanic Men				52.8	40.9	64.7	
	Hispanic Women				45.7	37.6	53.8	
AGE GROUP	45-64	42.4	31.3	53.5	49.3	47.1	51.6	41.8
	65 & Older	54.1	46.2	62.0	65.3 *	63.7	67.0	58.5
EDUCATION LEVEL	<High School	40.0	22.6	57.3	45.4	39.3	51.5	40.5
	H.S. / GED	44.9	32.8	57.0	51.5	48.7	54.4	55.2
	>High School	53.0	43.1	63.0	59.7	57.9	61.5	50.4
ANNUAL INCOME	<\$25,000	43.0	29.5	56.4	46.4	43.6	49.3	56.5
	\$25,000-\$49,999	48.6	37.8	59.4	55.8	53.0	58.6	47.6
	\$50,000 or More	38.9	22.1	55.6	61.7 *	59.2	64.2	46.0
MARITAL STATUS	Married/Couple	47.9	38.2	57.5	59.0	57.1	60.9	48.7
	Not Married/Couple	47.3	36.9	57.6	51.6	49.3	53.8	54.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Prostate

Percentage of men 50 years of age and older who received a PSA test in the past two years

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	66.4	53.9	78.9	72.6	70.2	75.0	72.3
RACE/ETHNICITY	Non-Hisp. White	70.3	57.7	83.0	74.7	72.4	77.0	75.2
	Non-Hisp. Black				67.0	57.1	77.0	
	Hispanic				60.7	48.0	73.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.3	57.7	83.0	74.7	72.4	77.0	75.2
	Non-Hisp. Black Men				67.0	57.1	77.0	
	Hispanic Men				60.7	48.0	73.3	
AGE GROUP	45-64	54.7	33.7	75.7	63.9	60.2	67.5	64.0
	65 & Older	81.3	71.0	91.7	84.5	82.3	86.7	78.6
EDUCATION LEVEL	<High School				52.9	40.8	65.0	
	H.S. / GED	66.4	45.0	87.8	68.4	63.6	73.3	75.6
	>High School	71.6	56.2	87.1	75.9	73.2	78.7	77.2
ANNUAL INCOME	<\$25,000	47.2	23.5	71.0	60.7	55.2	66.1	78.2
	\$25,000-\$49,999	71.5	53.8	89.2	75.4	71.5	79.3	71.2
	\$50,000 or More				77.3	73.8	80.8	70.0
MARITAL STATUS	Married/Couple	80.0	66.9	93.1	74.2	71.3	77.2	69.4
	Not Married/Couple	40.3	22.8	57.9	67.4 *	63.3	71.4	80.3 *

Percentage of men 50 years of age and older who received a digital rectal exam in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	45.5	33.1	58.0	48.5	46.1	50.8	58.3
RACE/ETHNICITY	Non-Hisp. White	47.7	34.6	60.8	50.4	48.0	52.9	60.1
	Non-Hisp. Black				41.9	31.3	52.4	
	Hispanic				39.8	29.0	50.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.7	34.6	60.8	50.4	48.0	52.9	60.1
	Non-Hisp. Black Men				41.9	31.3	52.4	
	Hispanic Men				39.8	29.0	50.6	
AGE GROUP	45-64	40.6	20.6	60.6	41.9	38.4	45.4	62.5
	65 & Older	52.2	39.7	64.6	57.7	55.1	60.3	55.1
EDUCATION LEVEL	<High School				31.8	23.4	40.2	
	H.S. / GED	52.9	30.7	75.1	42.0	37.2	46.8	63.9
	>High School	46.8	32.3	61.2	52.3	49.4	55.1	63.5
ANNUAL INCOME	<\$25,000	38.0	14.7	61.3	36.3	31.7	40.9	65.1
	\$25,000-\$49,999	38.4	21.8	55.1	45.8	41.5	50.1	56.6
	\$50,000 or More	68.5	48.2	88.7	55.2	51.4	58.9	56.2
MARITAL STATUS	Married/Couple	54.9	39.4	70.4	50.3	47.4	53.1	54.9
	Not Married/Couple	27.2	13.5	40.9	42.9	38.7	47.2	68.0 *

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Prostate

Percentage of men 50 years of age and older who have been told they have prostate cancer

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	7.9	3.5	12.3	7.3	6.4	8.3	
RACE/ETHNICITY	Non-Hisp. White	8.5	3.6	13.4	7.7	6.6	8.7	
	Non-Hisp. Black				6.1	2.9	9.3	
	Hispanic				6.2	1.8	10.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.5	3.6	13.4	7.7	6.6	8.7	
	Non-Hisp. Black Men				6.1	2.9	9.3	
	Hispanic Men				6.2	1.8	10.6	
AGE GROUP	45-64	2.8	0.0	7.0	2.6	1.7	3.5	
	65 & Older	14.6	6.6	22.6	13.9	12.1	15.7	
EDUCATION LEVEL	<High School				4.8	2.5	7.2	
	H.S. / GED	7.3	0.2	14.5	6.4	4.7	8.1	
	>High School	8.2	1.7	14.7	7.9	6.7	9.2	
ANNUAL INCOME	<\$25,000	6.3	0.1	12.4	6.8	5.0	8.6	
	\$25,000-\$49,999	14.1	2.5	25.7	10.0	7.6	12.3	
	\$50,000 or More	6.6	0.0	14.1	6.3	4.9	7.6	
MARITAL STATUS	Married/Couple	8.3	2.2	14.4	6.8	5.8	7.9	
	Not Married/Couple	7.2	1.6	12.7	8.9	6.7	11.0	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Women's Health

Percentage of women 40 years of age and older who received a mammogram in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	52.9	45.5	60.2	61.9	60.2	63.5	55.4
RACE/ETHNICITY	Non-Hisp. White	52.5	44.8	60.1	61.8	60.1	63.4	57.7
	Non-Hisp. Black				66.6	60.2	72.9	
	Hispanic				59.8	53.1	66.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	52.5	44.8	60.1	61.8	60.1	63.4	57.7
	Non-Hisp. Black Women				66.6	60.2	72.9	
	Hispanic Women				59.8	53.1	66.5	
AGE GROUP	18-44				47.1	41.7	52.5	
	45-64	52.1	41.2	63.1	61.5	59.1	64.0	52.7
	65 & Older	58.6	48.7	68.5	68.8	66.9	70.7	60.5
EDUCATION LEVEL	<High School	31.9	16.6	47.3	53.9 *	47.4	60.3	45.2
	H.S. / GED	57.3	46.0	68.6	60.3	57.3	63.3	54.4
	>High School	57.0	45.7	68.3	63.6	61.6	65.7	61.2
ANNUAL INCOME	<\$25,000	49.2	36.1	62.2	51.3	48.1	54.6	53.3
	\$25,000-\$49,999	50.9	38.3	63.4	60.2	56.6	63.9	50.7
	\$50,000 or More	57.9	39.3	76.5	67.7	65.0	70.4	62.5
MARITAL STATUS	Married/Couple	53.7	44.2	63.3	64.1	62.0	66.3	56.6
	Not Married/Couple	51.4	40.2	62.6	58.3	55.8	60.7	53.8

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	58.2	51.0	65.5	61.5	59.9	63.0	55.3
RACE/ETHNICITY	Non-Hisp. White	58.2	50.5	66.0	62.3	60.7	63.8	57.5
	Non-Hisp. Black				63.9	58.5	69.3	
	Hispanic				59.5	54.0	65.0	49.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	58.2	50.5	66.0	62.3	60.7	63.8	57.5
	Non-Hisp. Black Women				63.9	58.5	69.3	
	Hispanic Women				59.5	54.0	65.0	49.3
AGE GROUP	18-44	61.4	46.3	76.4	56.6	53.6	59.6	57.9
	45-64	59.2	48.4	70.0	66.4	64.0	68.8	52.5
	65 & Older	51.7	41.8	61.7	59.9	57.9	62.0	54.3
EDUCATION LEVEL	<High School	46.1	28.6	63.6	41.3	35.4	47.2	49.4
	H.S. / GED	59.4	48.4	70.3	55.2	52.3	58.1	50.6
	>High School	62.5	50.9	74.0	66.4	64.5	68.2	62.9
ANNUAL INCOME	<\$25,000	50.4	36.8	63.9	48.2	45.2	51.2	50.6
	\$25,000-\$49,999	58.5	46.2	70.8	60.1	56.8	63.3	54.8
	\$50,000 or More	70.2	54.2	86.3	72.1	69.8	74.5	68.1
MARITAL STATUS	Married/Couple	56.7	48.1	65.3	64.8	62.8	66.7	60.2
	Not Married/Couple	61.0	48.1	73.9	56.1	53.7	58.6	46.9

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Women's Health

Percentage of women 18 years of age and older who received a Pap test in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	58.0	48.9	67.2	57.1	55.2	59.0	55.1
RACE/ETHNICITY	Non-Hisp. White	55.5	45.3	65.7	56.4	54.4	58.3	53.6
	Non-Hisp. Black				62.0	55.8	68.3	
	Hispanic				61.3	55.2	67.4	56.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	55.5	45.3	65.7	56.4	54.4	58.3	53.6
	Non-Hisp. Black Women				62.0	55.8	68.3	
	Hispanic Women				61.3	55.2	67.4	56.5
AGE GROUP	18-44	65.2	49.7	80.8	59.3	56.2	62.5	62.2
	45-64	58.3	45.7	70.8	63.0	60.0	66.0	45.1
	65 & Older	31.1	18.2	43.9	38.2	35.3	41.2	48.7
EDUCATION LEVEL	<High School	58.9	39.6	78.3	45.8	38.1	53.4	55.4
	H.S. / GED	59.4	44.9	74.0	48.3	44.6	52.1	52.5
	>High School	56.7	42.5	70.9	61.6	59.4	63.8	57.1
ANNUAL INCOME	<\$25,000	51.9	33.6	70.2	44.5	40.7	48.2	62.9
	\$25,000-\$49,999	63.1	48.8	77.5	54.9	50.9	58.9	44.2
	\$50,000 or More	60.9	42.6	79.3	67.5	64.7	70.4	66.5
MARITAL STATUS	Married/Couple	53.7	43.3	64.1	61.1	58.8	63.5	55.7
	Not Married/Couple	66.0	49.0	83.0	50.3	47.3	53.4	54.1

Percentage of women who have had a hysterectomy

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	31.1	24.9	37.2	26.2	24.9	27.5	29.3
RACE/ETHNICITY	Non-Hisp. White	34.3	27.4	41.2	29.0	27.6	30.3	33.4
	Non-Hisp. Black				23.7	18.8	28.6	
	Hispanic				17.8	13.9	21.7	13.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	34.3	27.4	41.2	29.0	27.6	30.3	33.4
	Non-Hisp. Black Women				23.7	18.8	28.6	
	Hispanic Women				17.8	13.9	21.7	13.8
AGE GROUP	18-44	10.2	2.9	17.5	6.6	5.2	8.1	6.9
	45-64	28.4	18.4	38.4	29.6	27.3	31.9	38.8
	65 & Older	63.6	54.5	72.7	47.2 *	45.1	49.3	52.6
EDUCATION LEVEL	<High School	28.9	14.0	43.8	29.9	25.0	34.7	21.9
	H.S. / GED	36.3	25.9	46.7	30.3	28.0	32.7	36.6
	>High School	27.5	18.8	36.3	24.2	22.6	25.8	26.7
ANNUAL INCOME	<\$25,000	36.7	24.7	48.7	29.7	27.2	32.2	29.9
	\$25,000-\$49,999	29.6	18.6	40.6	28.5	25.6	31.4	30.6
	\$50,000 or More	20.7	8.5	32.8	22.0	20.0	24.0	17.6
MARITAL STATUS	Married/Couple	30.5	22.8	38.2	25.1	23.4	26.8	29.1
	Not Married/Couple	31.9	21.6	42.2	28.1	26.2	29.9	29.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.2	2.6	5.8	3.5	3.1	3.9	4.2
SEX	Men	5.0	2.4	7.6	3.8	3.2	4.5	3.4
	Women	3.3	1.7	4.8	3.3	2.8	3.8	5.2
RACE/ETHNICITY	Non-Hisp. White	4.9	3.0	6.7	3.8	3.3	4.2	5.5
	Non-Hisp. Black				4.0	2.4	5.6	
	Hispanic	0.4	0.0	1.1	1.5	0.6	2.3	0.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.9	2.6	9.1	3.9	3.3	4.6	5.1
	Non-Hisp. White Women	3.7	1.8	5.6	3.6	3.0	4.2	5.8
	Non-Hisp. Black Men				3.7	1.5	6.0	
	Non-Hisp. Black Women				4.2	2.0	6.4	
	Hispanic Men				1.6	0.2	3.1	0.4
	Hispanic Women				1.3	0.5	2.1	0.0
AGE GROUP	18-44				1.0	0.5	1.4	0.9
	45-64	3.2	0.4	5.9	3.3	2.5	4.1	4.3
	65 & Older	13.5	8.7	18.3	8.1	7.1	9.0	10.8
EDUCATION LEVEL	<High School	3.3	0.4	6.3	7.3	4.8	9.8	3.0
	H.S. / GED	4.0	1.6	6.4	4.6	3.7	5.5	5.8
	>High School	4.8	2.1	7.4	2.7	2.3	3.1	3.5
ANNUAL INCOME	<\$25,000	6.0	2.3	9.7	6.1	5.0	7.3	5.2
	\$25,000-\$49,999	4.6	1.9	7.4	3.6	2.8	4.4	5.1
	\$50,000 or More	1.1	0.0	2.5	1.8	1.3	2.2	2.2
MARITAL STATUS	Married/Couple	2.9	1.4	4.3	3.1	2.6	3.5	4.3
	Not Married/Couple	7.0	3.3	10.7	4.4	3.6	5.1	3.9

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	14.8	10.9	18.6	10.2 *	9.5	10.8	14.2
SEX	Men	14.4	8.3	20.6	11.5	10.5	12.5	14.4
	Women	15.2	11.0	19.4	8.9 *	8.1	9.7	14.0
RACE/ETHNICITY	Non-Hisp. White	16.7	12.1	21.3	11.4 *	10.7	12.1	17.9
	Non-Hisp. Black				7.8	5.8	9.7	
	Hispanic	0.4	0.0	1.1	6.0 *	4.1	7.8	4.9 *
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.9	10.1	25.6	13.0	11.9	14.1	19.8
	Non-Hisp. White Women	15.4	11.0	19.8	9.9 *	9.0	10.8	16.2
	Non-Hisp. Black Men				6.3	3.8	8.9	
	Non-Hisp. Black Women				8.9	6.0	11.7	
	Hispanic Men				6.7	3.6	9.7	5.6
	Hispanic Women				5.3	3.1	7.5	3.6
AGE GROUP	18-44	3.8	0.0	9.0	2.3	1.6	3.0	4.8
	45-64	11.8	5.4	18.1	8.9	7.9	10.0	13.0
	65 & Older	38.4	30.9	45.8	24.8 *	23.4	26.3	34.8
EDUCATION LEVEL	<High School	14.1	6.9	21.3	17.4	13.8	21.1	12.0
	H.S. / GED	17.0	9.6	24.5	11.8	10.5	13.1	15.9
	>High School	12.7	8.1	17.3	8.7	8.0	9.3	14.4
ANNUAL INCOME	<\$25,000	20.8	11.5	30.0	16.4	14.8	18.0	17.1
	\$25,000-\$49,999	14.3	8.7	19.8	11.2	9.9	12.4	15.3
	\$50,000 or More	6.3	2.5	10.1	5.6	4.9	6.3	9.2
MARITAL STATUS	Married/Couple	12.5	7.5	17.4	9.3	8.5	10.1	14.6
	Not Married/Couple	19.6	13.3	25.8	11.7 *	10.6	12.8	13.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percentage of adults who have diagnosed high blood cholesterol

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	40.4	33.5	47.2	38.6	37.4	39.8	35.6
SEX	Men	38.8	27.5	50.0	39.7	37.7	41.7	32.3
	Women	42.2	35.1	49.3	37.5	36.0	39.0	38.6
RACE/ETHNICITY	Non-Hisp. White	46.7	39.0	54.3	41.2	39.9	42.5	39.5
	Non-Hisp. Black				33.3	28.7	38.0	
	Hispanic	2.8	0.0	5.8	30.3 *	26.1	34.5	13.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.5	33.7	59.2	43.2	41.1	45.3	39.0
	Non-Hisp. White Women	46.9	39.1	54.7	39.4	37.8	40.9	39.9
	Non-Hisp. Black Men				31.4	23.8	38.9	
	Non-Hisp. Black Women				34.8	28.9	40.6	
	Hispanic Men				29.6	22.9	36.3	
	Hispanic Women				31.0	25.9	36.1	
AGE GROUP	18-44	15.6	7.0	24.2	17.9	16.0	19.8	14.9
	45-64	52.4	40.6	64.2	43.7	41.6	45.8	38.5
	65 & Older	62.7	55.0	70.3	61.1	59.5	62.8	51.2
EDUCATION LEVEL	<High School	26.4	14.4	38.4	39.6	34.8	44.3	27.9
	H.S. / GED	42.1	30.0	54.3	39.6	37.2	42.0	43.1
	>High School	44.0	34.5	53.5	38.2	36.7	39.7	34.2
ANNUAL INCOME	<\$25,000	41.2	27.4	55.1	41.3	38.8	43.8	34.2
	\$25,000-\$49,999	40.1	29.5	50.6	39.3	36.7	41.8	51.3
	\$50,000 or More	40.0	26.2	53.9	36.6	34.6	38.5	22.5
MARITAL STATUS	Married/Couple	40.3	31.4	49.3	39.6	38.1	41.2	36.5
	Not Married/Couple	40.4	30.2	50.7	36.9	34.9	38.9	33.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diagnosed diabetes

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	11.3	6.2	16.3	10.4	9.8	11.1	11.2
SEX	Men	14.2	5.3	23.1	11.7	10.6	12.7	12.4
	Women	7.8	4.9	10.7	9.2	8.4	10.0	9.7
RACE/ETHNICITY	Non-Hisp. White	13.8	7.6	19.9	10.1	9.4	10.7	14.9
	Non-Hisp. Black				13.1	10.7	15.5	
	Hispanic				9.6	7.2	12.1	3.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.7	6.7	28.7	12.0	10.9	13.2	19.1
	Non-Hisp. White Women	9.3	5.9	12.8	8.2	7.5	8.9	11.1
	Non-Hisp. Black Men				12.6	8.6	16.5	
	Non-Hisp. Black Women				13.5	10.6	16.4	
	Hispanic Men				9.5	5.9	13.1	3.1
	Hispanic Women				9.8	6.5	13.0	3.4
AGE GROUP	18-44	2.6	0.0	7.5	3.6	2.8	4.5	1.4
	45-64	15.2	4.0	26.5	11.6	10.4	12.7	16.1
	65 & Older	20.0	13.9	26.1	19.2	17.9	20.5	24.9
EDUCATION LEVEL	<High School	7.6	2.1	13.0	15.4	12.8	18.1	8.7
	H.S. / GED	13.9	3.8	24.0	11.7	10.5	13.0	15.7
	>High School	10.0	4.3	15.7	9.3	8.5	10.1	8.4
ANNUAL INCOME	<\$25,000	14.7	2.2	27.2	14.8	13.3	16.2	16.8
	\$25,000-\$49,999	13.6	5.7	21.5	11.2	9.7	12.7	9.4
	\$50,000 or More	3.8	0.4	7.3	7.3	6.4	8.3	7.1
MARITAL STATUS	Married/Couple	12.9	5.6	20.2	9.8	9.0	10.6	9.5
	Not Married/Couple	8.1	4.7	11.4	11.6	10.5	12.6	13.9

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	70.9	51.4	90.5	62.1	58.9	65.3	73.6
SEX	Men	69.6	42.4	96.8	57.2	52.4	61.9	77.2
	Women	73.9	57.6	90.3	68.0	64.1	71.8	68.2
RACE/ETHNICITY	Non-Hisp. White	70.2	50.2	90.3	62.7	59.4	66.1	74.8
	Non-Hisp. Black				65.7	56.7	74.7	
	Hispanic				54.9	42.1	67.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				58.2	53.2	63.1	81.4
	Non-Hisp. White Women	73.6	57.1	90.1	69.1	65.1	73.1	64.4
	Non-Hisp. Black Men				68.0	52.3	83.7	
	Non-Hisp. Black Women				64.1	53.4	74.8	
	Hispanic Men				39.6	21.6	57.5	
	Hispanic Women				69.6	55.7	83.4	
AGE GROUP	18-44				51.8	39.6	63.9	
	45-64				61.7	56.6	66.7	68.1
	65 & Older	63.5	46.8	80.2	65.6	62.1	69.2	75.1
EDUCATION LEVEL	<High School				61.3	52.4	70.3	
	H.S. / GED	58.2	20.7	95.8	60.8	54.9	66.8	76.4
	>High School				62.9	58.7	67.0	75.9
ANNUAL INCOME	<\$25,000				70.5	66.1	75.0	74.0
	\$25,000-\$49,999				58.0	51.0	64.9	
	\$50,000 or More				56.6	50.0	63.2	
MARITAL STATUS	Married/Couple	68.8	43.6	93.9	61.7	57.4	66.1	72.2
	Not Married/Couple	78.2	61.6	94.8	62.6	58.1	67.2	75.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	76.8	55.9	97.7	75.6	72.6	78.6	81.6
SEX	Men				74.3	69.8	78.8	85.7
	Women				77.3	73.6	81.0	75.5
RACE/ETHNICITY	Non-Hisp. White	78.0	56.6	99.3	77.6	74.5	80.7	82.4
	Non-Hisp. Black				70.9	61.0	80.8	
	Hispanic				70.5	58.1	82.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				76.2	71.8	80.7	
	Non-Hisp. White Women				79.5	75.7	83.2	77.0
	Non-Hisp. Black Men				62.7	45.1	80.4	
	Non-Hisp. Black Women				77.2	67.6	86.8	
	Hispanic Men				67.3	48.5	86.1	
	Hispanic Women				74.0	58.8	89.1	
AGE GROUP	18-44				62.2	49.9	74.4	
	45-64				76.5	71.8	81.1	79.6
	65 & Older	75.2	57.4	93.0	79.3	76.1	82.5	83.1
EDUCATION LEVEL	<High School				68.6	58.9	78.3	
	H.S. / GED				72.0	66.3	77.8	79.5
	>High School				78.6	74.8	82.3	
ANNUAL INCOME	<\$25,000				75.0	70.3	79.6	92.4
	\$25,000-\$49,999				76.0	69.5	82.4	
	\$50,000 or More				76.5	70.5	82.5	
MARITAL STATUS	Married/Couple				78.9	75.1	82.7	74.1
	Not Married/Couple	71.0	48.5	93.5	70.3	65.5	75.1	90.8

Percentage of adults with diabetes who had an annual foot exam

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	76.9	61.9	91.8	72.2	69.2	75.2	81.1
SEX	Men				73.9	69.6	78.2	83.8
	Women	54.0	34.8	73.2	70.2	66.2	74.1	77.2
RACE/ETHNICITY	Non-Hisp. White	76.3	60.8	91.8	73.6	70.5	76.7	82.7
	Non-Hisp. Black				76.5	67.9	85.2	
	Hispanic				59.8	47.1	72.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				76.2	71.9	80.6	84.4
	Non-Hisp. White Women	53.3	34.0	72.7	69.9	65.8	74.0	80.2
	Non-Hisp. Black Men				70.1	53.5	86.7	
	Non-Hisp. Black Women				81.0	72.9	89.1	
	Hispanic Men				57.5	38.8	76.2	
	Hispanic Women				62.2	45.6	78.7	
AGE GROUP	18-44				63.4	52.0	74.8	
	45-64				72.3	67.5	77.1	91.8
	65 & Older	70.9	53.9	88.0	75.2	71.8	78.6	73.9
EDUCATION LEVEL	<High School				69.7	61.5	77.8	
	H.S. / GED				65.8	60.1	71.4	83.0
	>High School				76.1	72.3	79.8	74.9
ANNUAL INCOME	<\$25,000				69.6	64.9	74.4	86.7
	\$25,000-\$49,999				68.9	62.3	75.5	
	\$50,000 or More				77.1	71.2	83.0	
MARITAL STATUS	Married/Couple	82.5	66.8	98.2	75.1	71.3	79.0	78.1
	Not Married/Couple	58.6	38.0	79.2	67.8	63.2	72.4	84.9

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	80.2	67.1	93.2	70.2	67.0	73.4	64.5
SEX	Men				72.8	68.6	77.1	55.0
	Women	49.4	30.8	68.0	67.1	62.3	71.9	79.4
RACE/ETHNICITY	Non-Hisp. White	79.6	66.1	93.2	70.8	67.5	74.1	61.6
	Non-Hisp. Black				72.3	64.0	80.5	
	Hispanic				63.4	49.8	77.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				72.1	67.4	76.9	51.8
	Non-Hisp. White Women	48.7	30.0	67.4	68.9	64.7	73.2	77.6
	Non-Hisp. Black Men				72.2	58.5	86.0	
	Non-Hisp. Black Women				72.3	62.2	82.5	
	Hispanic Men				72.3	56.1	88.5	
	Hispanic Women				55.0	35.6	74.5	
AGE GROUP	18-44				58.3	47.0	69.6	
	45-64				64.3	58.8	69.8	45.0
	65 & Older	72.5	56.0	89.0	80.2	76.9	83.5	84.5
EDUCATION LEVEL	<High School				62.4	53.9	70.8	
	H.S. / GED	85.2	70.0	00.0	64.5	58.9	70.1	52.7
	>High School				74.6	70.3	78.9	73.4
ANNUAL INCOME	<\$25,000				67.5	62.9	72.1	61.0
	\$25,000-\$49,999				67.3	59.1	75.6	
	\$50,000 or More				77.1	71.4	82.7	
MARITAL STATUS	Married/Couple	88.2	76.4	00.0	72.1	67.7	76.5	73.3
	Not Married/Couple	56.5	36.1	76.9	67.3	62.8	71.8	54.8

Percentage of adults with diabetes who ever had diabetes self-management education

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	56.1	33.7	78.4	55.1	51.9	58.3	38.4
SEX	Men	58.1	27.2	89.0	55.4	50.7	60.0	28.7
	Women	51.4	32.4	70.3	54.8	50.4	59.2	53.1
RACE/ETHNICITY	Non-Hisp. White	56.3	33.8	78.9	56.5	53.0	59.9	40.2
	Non-Hisp. Black				56.4	47.1	65.7	
	Hispanic				45.0	31.5	58.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				56.5	51.5	61.4	30.4
	Non-Hisp. White Women	51.4	32.5	70.3	56.5	52.0	60.9	55.9
	Non-Hisp. Black Men				57.8	41.8	73.8	
	Non-Hisp. Black Women				55.4	44.3	66.5	
	Hispanic Men				37.4	18.9	55.9	
	Hispanic Women				52.1	34.3	69.9	
AGE GROUP	18-44				53.8	41.7	65.8	
	45-64				58.1	52.8	63.3	28.9
	65 & Older	36.3	21.1	51.5	52.6	48.9	56.3	50.5
EDUCATION LEVEL	<High School				47.1	38.3	55.9	
	H.S. / GED	72.5	47.7	97.3	46.9	41.4	52.4	28.6
	>High School				60.9	56.6	65.2	42.2
ANNUAL INCOME	<\$25,000				50.2	45.3	55.1	30.9
	\$25,000-\$49,999				54.9	47.9	62.0	
	\$50,000 or More				60.8	54.1	67.5	
MARITAL STATUS	Married/Couple	61.7	34.8	88.6	59.1	54.7	63.4	42.0
	Not Married/Couple	37.5	19.6	55.4	48.9	44.4	53.5	34.4

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	49.3	45.0	53.6	50.0	49.0	50.9	54.4
SEX	Men				50.2	48.7	51.6	54.2
	Women	57.7	52.8	62.7	49.7 *	48.4	51.0	54.6
RACE/ETHNICITY	Non-Hisp. White	49.1	40.1	58.0	51.9	50.8	53.0	54.9
	Non-Hisp. Black				44.8	42.0	47.7	
	Hispanic				45.3	42.3	48.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				51.7	50.1	53.2	55.1
	Non-Hisp. White Women	57.6	52.6	62.7	52.2	50.7	53.7	54.5
	Non-Hisp. Black Men				43.4	38.2	48.6	
	Non-Hisp. Black Women				45.8	42.7	48.9	
	Hispanic Men				45.9	41.0	50.7	
	Hispanic Women				44.8	41.0	48.6	
AGE GROUP	18-44				31.0	28.7	33.2	
	45-64				45.7	44.7	46.8	51.3
	65 & Older	62.9	59.9	65.9	60.4	59.4	61.4	59.5
EDUCATION LEVEL	<High School				49.4	46.6	52.2	
	H.S. / GED	47.0	33.4	60.7	50.0	48.2	51.9	52.8
	>High School				50.1	48.8	51.3	57.1
ANNUAL INCOME	<\$25,000				50.0	48.4	51.6	53.3
	\$25,000-\$49,999				51.0	49.1	52.9	
	\$50,000 or More				48.0	46.1	50.0	
MARITAL STATUS	Married/Couple	46.3	36.1	56.4	49.3	48.1	50.5	54.2
	Not Married/Couple	59.3	56.0	62.6	50.9 *	49.4	52.5	54.6

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	29.5	23.8	35.2	24.3	23.3	25.3	21.4
SEX	Men	25.8	17.1	34.4	23.0	21.4	24.6	19.6
	Women	33.8	27.1	40.6	25.5 *	24.2	26.7	23.5
RACE/ETHNICITY	Non-Hisp. White	34.2	27.7	40.8	26.2 *	25.1	27.3	28.7
	Non-Hisp. Black				22.0	18.3	25.7	
	Hispanic	6.1	0.0	16.8	17.2	13.8	20.6	5.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.0	19.7	40.2	24.3	22.6	25.9	30.3
	Non-Hisp. White Women	39.0	31.5	46.5	28.0 *	26.6	29.4	27.3
	Non-Hisp. Black Men				22.0	15.7	28.2	
	Non-Hisp. Black Women				22.0	17.6	26.4	
	Hispanic Men				17.1	11.3	22.9	3.3
	Hispanic Women				17.3	13.7	21.0	8.7
AGE GROUP	18-44	16.0	7.1	24.9	16.6	14.8	18.4	11.7
	45-64	36.6	26.2	46.9	26.6	25.0	28.3	29.7
	65 & Older	41.6	34.1	49.0	32.3 *	30.8	33.9	29.3
EDUCATION LEVEL	<High School	25.3	12.9	37.7	28.7	24.8	32.6	12.8
	H.S. / GED	30.3	20.7	39.9	25.3	23.4	27.2	26.8
	>High School	30.3	22.0	38.6	23.4	22.2	24.6	22.4
ANNUAL INCOME	<\$25,000	38.7	26.8	50.5	38.5	36.0	40.9	22.1
	\$25,000-\$49,999	25.2	15.7	34.7	23.6	21.6	25.6	24.1
	\$50,000 or More	22.2	11.6	32.8	16.2	14.9	17.5	13.3
MARITAL STATUS	Married/Couple	26.7	19.9	33.6	21.4	20.2	22.6	19.7
	Not Married/Couple	35.0	25.0	44.9	29.4	27.6	31.3	24.3

Percentage of adults who use special equipment because of a health problem

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	12.5	8.5	16.6	9.3	8.7	9.8	8.2
SEX	Men	14.0	7.3	20.7	9.0	8.1	9.9	8.0
	Women	10.8	7.0	14.6	9.5	8.7	10.2	8.4
RACE/ETHNICITY	Non-Hisp. White	14.8	9.9	19.7	10.0	9.3	10.6	11.0
	Non-Hisp. Black				12.0	9.3	14.7	
	Hispanic	2.6	0.0	7.0	4.4	3.0	5.8	1.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.9	8.5	25.2	9.8	8.8	10.9	12.1
	Non-Hisp. White Women	12.5	7.9	17.0	10.1	9.3	10.9	10.0
	Non-Hisp. Black Men				12.0	7.8	16.2	
	Non-Hisp. Black Women				12.0	8.5	15.6	
	Hispanic Men				4.0	1.7	6.3	1.4
	Hispanic Women				4.8	3.2	6.3	0.7
AGE GROUP	18-44	7.1	0.3	13.9	3.1	2.4	3.8	1.6
	45-64	11.4	4.7	18.1	9.5	8.5	10.6	9.5
	65 & Older	24.1	17.7	30.6	18.7	17.4	19.9	19.0
EDUCATION LEVEL	<High School	12.9	5.0	20.7	12.8	10.5	15.0	9.2
	H.S. / GED	15.9	8.0	23.7	10.4	9.2	11.6	8.6
	>High School	9.0	4.7	13.3	8.4	7.7	9.1	7.1
ANNUAL INCOME	<\$25,000	19.1	9.9	28.3	17.1	15.5	18.7	11.7
	\$25,000-\$49,999	7.4	2.0	12.8	8.1	7.0	9.2	6.6
	\$50,000 or More	7.2	1.2	13.2	4.9	4.1	5.6	3.1
MARITAL STATUS	Married/Couple	11.8	6.5	17.1	7.6	6.9	8.2	7.9
	Not Married/Couple	14.2	8.3	20.1	12.3	11.2	13.4	8.8

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Family Planning

Percentage of females less than 45 years old or males less than 60 years old who report that they or their partner take measures to prevent pregnancy

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	60.4	49.2	71.6	56.2	54.1	58.4	
SEX	Men	58.5	44.4	72.6	51.3	48.5	54.1	
	Women	65.7	49.2	82.3	66.8	63.7	69.9	
RACE/ETHNICITY	Non-Hisp. White	64.7	52.2	77.1	57.7	55.3	60.0	
	Non-Hisp. Black				53.9	47.1	60.7	
	Hispanic				55.9	49.2	62.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	63.9	48.5	79.2	52.2	49.2	55.2	
	Non-Hisp. White Women	67.1	47.1	87.2	70.8	67.4	74.2	
	Non-Hisp. Black Men				49.9	40.4	59.5	
	Non-Hisp. Black Women				60.1	51.4	68.9	
	Hispanic Men				50.3	41.3	59.3	
	Hispanic Women				66.2	57.7	74.8	
AGE GROUP	18-44	56.8	43.0	70.5	60.6	57.9	63.3	
	45-64	69.0	52.2	85.8	47.3 *	43.4	51.2	
EDUCATION LEVEL	<High School				51.5	43.7	59.4	
	H.S. / GED	60.4	42.4	78.3	53.5	49.3	57.7	
	>High School	69.5	53.3	85.7	57.9	55.2	60.6	
ANNUAL INCOME	<\$25,000	59.8	40.2	79.5	46.8	42.2	51.4	
	\$25,000-\$49,999	52.3	31.4	73.2	56.7	52.0	61.4	
	\$50,000 or More	72.7	54.8	90.6	64.0	60.9	67.1	
MARITAL STATUS	Married/Couple	67.3	54.5	80.0	66.1	63.5	68.7	
	Not Married/Couple	45.5	25.9	65.1	38.8	35.2	42.4	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	68.6	61.6	75.6	83.0 *	81.9	84.1	69.0
SEX	Men	64.7	53.6	75.8	81.7 *	79.9	83.5	65.1
	Women	73.3	66.0	80.6	84.2 *	82.9	85.5	73.6
RACE/ETHNICITY	Non-Hisp. White	74.3	66.6	81.9	87.3 *	86.3	88.2	82.7
	Non-Hisp. Black				76.1	71.7	80.4	
	Hispanic	17.4	1.0	33.9	70.3 *	66.1	74.6	44.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.2	57.7	82.7	85.4 *	83.8	87.1	80.0
	Non-Hisp. White Women	78.8	71.0	86.5	89.0 *	87.9	90.0	85.2
	Non-Hisp. Black Men				70.7	63.0	78.5	
	Non-Hisp. Black Women				80.1	75.4	84.8	
	Hispanic Men				72.0	65.0	78.9	49.8
	Hispanic Women				68.7	63.6	73.8	33.4
AGE GROUP	18-44	53.2	40.5	65.9	73.0 *	70.7	75.3	48.7
	45-64	69.2	57.5	81.0	83.4 *	81.8	85.0	78.8
	65 & Older	94.3	90.7	97.8	98.0	97.1	98.8	97.3
EDUCATION LEVEL	<High School	39.2	24.5	54.0	64.4 *	59.6	69.2	56.5
	H.S. / GED	64.3	52.0	76.5	76.5	74.3	78.8	58.8
	>High School	84.5	76.8	92.3	87.9	86.7	89.1	90.1
ANNUAL INCOME	<\$25,000	52.1	39.0	65.2	64.2	61.5	66.8	57.8
	\$25,000-\$49,999	74.2	63.3	85.1	81.7	79.4	84.1	70.3
	\$50,000 or More	84.3	72.8	95.9	95.4	94.5	96.3	91.1
MARITAL STATUS	Married/Couple	73.1	64.6	81.6	87.4 *	86.2	88.5	76.6
	Not Married/Couple	59.1	47.5	70.7	75.0 *	72.9	77.1	56.3

Percentage of adults who have a personal doctor

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	74.6	68.1	81.1	81.7	80.6	82.8	68.1
SEX	Men	65.8	55.2	76.5	78.7 *	76.9	80.5	65.4
	Women	85.0	79.4	90.6	84.5	83.3	85.8	71.3 *
RACE/ETHNICITY	Non-Hisp. White	79.5	73.0	86.0	84.6	83.6	85.6	80.0
	Non-Hisp. Black				79.2	75.1	83.3	
	Hispanic	45.6	23.3	67.9	70.7	66.4	75.0	44.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.1	62.3	83.9	81.2	79.4	82.9	77.1
	Non-Hisp. White Women	86.7	80.5	92.9	87.9	86.8	89.0	82.6
	Non-Hisp. Black Men				75.5	68.5	82.6	
	Non-Hisp. Black Women				82.0	77.2	86.7	
	Hispanic Men				68.1	61.1	75.2	50.0
	Hispanic Women				73.2	68.2	78.3	32.6
AGE GROUP	18-44	61.5	48.7	74.3	67.5	65.2	69.9	51.4
	45-64	77.9	68.7	87.0	86.2	84.8	87.7	79.7
	65 & Older	92.3	88.4	96.2	96.0	95.4	96.6	87.0
EDUCATION LEVEL	<High School	70.6	55.5	85.7	68.0	63.2	72.8	52.5
	H.S. / GED	69.6	58.3	80.9	76.8	74.5	79.1	64.9
	>High School	81.4	72.8	90.0	85.3	84.1	86.6	84.6
ANNUAL INCOME	<\$25,000	62.0	48.8	75.2	71.0	68.4	73.6	62.0
	\$25,000-\$49,999	82.8	74.5	91.1	80.8	78.4	83.1	66.5
	\$50,000 or More	80.5	68.2	92.8	89.0	87.7	90.3	85.7
MARITAL STATUS	Married/Couple	76.8	69.0	84.6	85.3	84.1	86.5	70.5
	Not Married/Couple	69.9	58.3	81.4	75.3	73.2	77.4	64.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor at least once in the past year due to cost

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	22.8	17.2	28.4	17.3	16.2	18.3	23.1
SEX	Men	21.1	12.4	29.9	15.4	13.8	17.0	24.1
	Women	24.9	18.4	31.3	19.1	17.8	20.4	21.8
RACE/ETHNICITY	Non-Hisp. White	22.7	16.4	28.9	13.6 *	12.7	14.5	15.0
	Non-Hisp. Black				21.8	17.8	25.8	
	Hispanic	25.2	8.0	42.4	29.5	25.3	33.7	36.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.3	11.4	31.2	12.1	10.7	13.6	14.0
	Non-Hisp. White Women	24.2	17.1	31.3	15.0 *	13.8	16.1	16.0
	Non-Hisp. Black Men				24.8	17.5	32.1	
	Non-Hisp. Black Women				19.6	15.4	23.7	
	Hispanic Men				24.3	17.7	30.9	31.3
	Hispanic Women				34.5	29.3	39.7	47.3
AGE GROUP	18-44	28.7	17.5	39.9	25.3	23.1	27.5	36.8
	45-64	24.6	16.0	33.2	17.6	16.1	19.1	16.7
	65 & Older	8.9	4.3	13.5	4.3	3.3	5.2	2.9
EDUCATION LEVEL	<High School	30.4	16.1	44.7	31.2	26.7	35.7	25.7
	H.S. / GED	27.5	17.5	37.5	21.7	19.5	23.9	28.4
	>High School	15.1	8.6	21.6	13.9	12.7	15.1	14.8
ANNUAL INCOME	<\$25,000	29.9	18.9	41.0	36.1	33.4	38.7	29.5
	\$25,000-\$49,999	23.9	13.5	34.2	18.6	16.5	20.7	25.6
	\$50,000 or More	12.6	2.9	22.3	6.0	5.0	7.0	8.2
MARITAL STATUS	Married/Couple	21.6	14.7	28.5	14.0	12.8	15.2	20.1
	Not Married/Couple	25.6	16.1	35.1	23.2	21.2	25.2	28.0

Percentage of adults who had a medical checkup in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	68.2	61.7	74.6	69.7	68.5	71.0	70.0
SEX	Men	64.6	54.1	75.1	66.5	64.5	68.5	67.4
	Women	72.3	65.6	78.9	72.8	71.3	74.3	73.1
RACE/ETHNICITY	Non-Hisp. White	71.3	64.5	78.2	71.6	70.4	72.9	70.2
	Non-Hisp. Black				71.9	67.5	76.2	
	Hispanic	48.7	26.1	71.3	59.4	54.8	64.1	66.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.2	58.0	80.5	68.4	66.4	70.4	66.2
	Non-Hisp. White Women	73.6	66.3	80.9	74.7	73.3	76.1	73.8
	Non-Hisp. Black Men				64.6	57.1	72.1	
	Non-Hisp. Black Women				77.4	72.5	82.2	
	Hispanic Men				56.6	49.1	64.1	66.0
	Hispanic Women				62.2	56.7	67.7	66.3
AGE GROUP	18-44	55.3	42.6	67.9	53.8	51.3	56.2	60.2
	45-64	71.4	62.3	80.6	72.3	70.5	74.1	73.4
	65 & Older	85.7	80.3	91.2	90.3	89.4	91.2	85.1
EDUCATION LEVEL	<High School	62.4	46.8	78.0	59.9	55.1	64.6	69.3
	H.S. / GED	67.2	56.5	77.9	67.3	64.9	69.6	71.5
	>High School	71.3	62.0	80.6	71.9	70.4	73.4	69.4
ANNUAL INCOME	<\$25,000	58.5	45.6	71.4	63.0	60.4	65.7	72.2
	\$25,000-\$49,999	68.5	57.8	79.2	70.5	68.0	73.0	68.5
	\$50,000 or More	76.7	65.0	88.4	73.5	71.6	75.4	74.1
MARITAL STATUS	Married/Couple	71.8	64.2	79.4	72.0	70.5	73.5	69.6
	Not Married/Couple	61.6	50.2	73.0	65.6	63.4	67.8	70.8

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good to excellent overall health

		2010 County			2010 State			2007 County	
		Measure	95% CI		Measure	95% CI		Measure	
	ALL	Overall	77.7	72.6	82.8	82.9	82.0	83.7	75.3
	SEX	Men	77.6	69.2	85.9	83.5	82.1	84.9	74.6
		Women	77.9	72.6	83.1	82.3	81.2	83.4	76.0
	RACE/ETHNICITY	Non-Hisp. White	77.1	71.4	82.9	84.2 *	83.4	85.1	74.9
		Non-Hisp. Black				79.8	76.4	83.2	
		Hispanic	83.4	67.9	98.8	79.3	76.1	82.6	72.9
	SEX BY RACE/ETHNICITY	Non-Hisp. White Men	76.4	66.8	86.1	84.4	83.0	85.7	71.6
		Non-Hisp. White Women	77.9	72.4	83.5	84.1	83.1	85.2	77.9
		Non-Hisp. Black Men				81.6	76.2	87.0	
		Non-Hisp. Black Women				78.4	74.1	82.7	
		Hispanic Men				81.8	76.9	86.8	77.1
		Hispanic Women				76.9	72.8	81.1	64.6
	AGE GROUP	18-44	87.4	78.9	95.9	89.6	88.3	91.0	81.0
		45-64	72.6	63.5	81.7	81.1	79.6	82.6	70.1
		65 & Older	69.9	62.7	77.1	75.3	73.8	76.8	70.8
	EDUCATION LEVEL	<High School	69.0	55.4	82.6	63.1	58.8	67.5	70.3
		H.S. / GED	73.8	64.1	83.4	76.6	74.6	78.5	71.6
		>High School	85.2	80.1	90.2	87.7	86.8	88.6	83.6
	ANNUAL INCOME	<\$25,000	63.6	52.0	75.2	66.4	64.1	68.7	68.3
		\$25,000-\$49,999	86.0	80.2	91.9	84.2	82.5	85.9	77.3
		\$50,000 or More	89.7	81.2	98.3	92.7	91.8	93.6	93.4
	MARITAL STATUS	Married/Couple	79.3	72.6	86.0	85.6	84.6	86.6	75.8
		Not Married/Couple	75.5	67.8	83.1	77.9	76.3	79.5	74.6

Percentage of adults who are "very satisfied" or "satisfied" with their lives

		2010 County			2010 State			2007 County	
		Measure	95% CI		Measure	95% CI		Measure	
	ALL	Overall	97.8	96.6	99.0	93.1 *	92.4	93.8	91.2 *
	SEX	Men	98.5	96.9	00.0	92.3 *	91.1	93.5	91.7 *
		Women	97.0	95.2	98.9	93.7 *	93.0	94.5	90.7 *
	RACE/ETHNICITY	Non-Hisp. White	97.9	96.6	99.2	93.0 *	92.2	93.7	89.0 *
		Non-Hisp. Black				92.1	89.2	94.9	
		Hispanic	97.8	94.2	00.0	94.9	92.8	97.1	97.3
	SEX BY RACE/ETHNICITY	Non-Hisp. White Men	98.3	96.5	00.0	92.5 *	91.2	93.7	87.0 *
		Non-Hisp. White Women	97.3	95.5	99.2	93.4 *	92.5	94.4	90.9 *
		Non-Hisp. Black Men				90.5	85.2	95.8	
		Non-Hisp. Black Women				93.3	90.3	96.2	
		Hispanic Men				94.1	90.2	98.0	00.0
		Hispanic Women				95.8	94.0	97.5	92.0
	AGE GROUP	18-44	99.4	98.3	00.0	92.9 *	91.5	94.2	93.4 *
		45-64	96.5	93.9	99.2	91.3 *	90.1	92.5	84.1 *
		65 & Older	97.0	94.8	99.1	96.4	95.9	97.0	95.9
	EDUCATION LEVEL	<High School	98.2	96.0	00.0	86.6 *	83.1	90.0	96.1
		H.S. / GED	98.0	96.3	99.7	92.2 *	90.8	93.5	87.9 *
		>High School	97.4	95.2	99.5	94.1 *	93.3	94.9	91.2 *
	ANNUAL INCOME	<\$25,000	95.4	92.2	98.5	85.1 *	83.1	87.1	91.0
		\$25,000-\$49,999	99.2	98.1	00.0	94.1 *	92.7	95.5	92.4 *
		\$50,000 or More	100.0	00.0	00.0	97.0 *	96.3	97.7	97.5 *
	MARITAL STATUS	Married/Couple	99.0	98.0	99.9	95.7 *	95.1	96.4	93.9 *
		Not Married/Couple	95.4	92.4	98.4	88.1 *	86.6	89.7	86.6

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who always or usually receive the social and emotional support they need

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	78.6	73.0	84.3	79.5	78.4	80.6	71.4
SEX	Men	76.4	67.0	85.8	77.9	76.0	79.8	69.7
	Women	81.3	76.2	86.5	81.1	79.8	82.3	73.5
RACE/ETHNICITY	Non-Hisp. White	80.2	74.8	85.7	82.7	81.7	83.7	78.1
	Non-Hisp. Black				69.7	65.4	74.1	
	Hispanic	77.9	59.9	95.8	73.4	68.7	78.1	51.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	79.3	70.3	88.3	81.1	79.4	82.8	76.8
	Non-Hisp. White Women	81.3	75.7	86.8	84.1	83.0	85.3	79.3
	Non-Hisp. Black Men				70.2	62.8	77.6	
	Non-Hisp. Black Women				69.4	64.2	74.6	
	Hispanic Men				68.9	60.8	77.0	50.2
	Hispanic Women				77.6	72.9	82.4	55.3
AGE GROUP	18-44	80.3	69.4	91.2	79.4	77.2	81.7	68.2
	45-64	79.5	71.3	87.8	79.8	78.1	81.5	75.8
	65 & Older	74.8	67.6	81.9	79.4	77.8	80.9	72.1
EDUCATION LEVEL	<High School	79.5	68.1	90.9	58.2 *	53.3	63.2	60.4
	H.S. / GED	72.9	62.2	83.5	74.5	72.3	76.7	70.4
	>High School	84.3	77.8	90.7	83.8	82.5	85.1	81.5
ANNUAL INCOME	<\$25,000	63.9	50.8	76.9	63.8	61.2	66.4	62.2
	\$25,000-\$49,999	81.8	74.0	89.7	79.8	77.4	82.2	71.9
	\$50,000 or More	92.1	85.4	98.8	88.6	87.2	90.1	86.9
MARITAL STATUS	Married/Couple	78.1	70.4	85.7	84.6	83.4	85.9	73.6
	Not Married/Couple	79.8	72.7	86.8	70.2 *	68.1	72.3	67.6

Percentage of adults with good physical health

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	84.9	80.4	89.4	87.4	86.6	88.2	85.0
SEX	Men	85.3	78.0	92.6	88.4	87.2	89.6	85.0
	Women	84.5	79.7	89.2	86.5	85.5	87.4	84.9
RACE/ETHNICITY	Non-Hisp. White	83.5	78.3	88.7	87.0	86.2	87.8	81.9
	Non-Hisp. Black				87.6	84.6	90.5	
	Hispanic				89.9	87.6	92.3	90.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.3	74.5	92.1	87.8	86.6	89.1	80.2
	Non-Hisp. White Women	83.7	78.5	89.0	86.2	85.2	87.3	83.5
	Non-Hisp. Black Men				86.6	81.5	91.7	
	Non-Hisp. Black Women				88.3	84.9	91.8	
	Hispanic Men				93.4	89.8	96.9	90.8
	Hispanic Women				86.7	83.7	89.7	90.6
AGE GROUP	18-44	92.0	85.3	98.7	92.4	91.2	93.6	90.4
	45-64	78.6	69.9	87.3	85.0	83.7	86.4	79.9
	65 & Older	83.0	77.2	88.8	83.8	82.6	84.9	81.1
EDUCATION LEVEL	<High School	81.3	70.9	91.7	78.5	75.2	81.9	87.7
	H.S. / GED	81.5	72.9	90.1	83.9	82.3	85.6	80.5
	>High School	89.6	84.7	94.4	89.7	88.9	90.6	87.3
ANNUAL INCOME	<\$25,000	72.8	61.8	83.8	76.1	74.0	78.2	81.3
	\$25,000-\$49,999	90.5	85.7	95.3	88.1	86.5	89.7	87.4
	\$50,000 or More	95.7	91.8	99.5	93.3	92.4	94.2	94.6
MARITAL STATUS	Married/Couple	85.8	80.0	91.7	89.5	88.7	90.4	86.6
	Not Married/Couple	82.8	75.9	89.6	83.5	82.0	85.0	82.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good mental health

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	86.8	82.4	91.2	88.2	87.4	89.0	85.6
SEX	Men	88.1	81.0	95.2	89.2	87.9	90.5	87.3
	Women	85.2	80.5	89.9	87.2	86.2	88.2	83.5
RACE/ETHNICITY	Non-Hisp. White	85.3	80.3	90.3	88.5	87.7	89.3	84.5
	Non-Hisp. Black				90.9	88.5	93.3	
	Hispanic	93.8	82.0	00.0	85.3	81.9	88.6	92.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.4	79.0	95.7	89.7	88.4	90.9	86.3
	Non-Hisp. White Women	83.1	77.8	88.4	87.4	86.3	88.4	82.8
	Non-Hisp. Black Men				92.6	89.1	96.1	
	Non-Hisp. Black Women				89.6	86.2	92.9	
	Hispanic Men				86.6	81.1	92.1	93.1
	Hispanic Women				84.0	80.1	87.8	90.2
AGE GROUP	18-44	86.8	78.7	94.8	87.3	85.7	88.9	85.7
	45-64	83.6	75.9	91.2	86.5	85.2	87.8	80.5
	65 & Older	91.8	87.8	95.9	92.6	91.6	93.7	91.7
EDUCATION LEVEL	<High School	82.9	71.4	94.4	78.0	74.0	81.9	90.4
	H.S. / GED	82.0	73.6	90.5	86.4	84.8	88.1	81.2
	>High School	93.3	89.6	96.9	90.0	89.0	90.9	86.1
ANNUAL INCOME	<\$25,000	71.9	60.4	83.4	77.3	75.1	79.5	79.7
	\$25,000-\$49,999	93.3	89.0	97.6	88.8	87.2	90.4	89.4
	\$50,000 or More	94.4	90.0	98.8	93.9	92.9	94.8	90.8
MARITAL STATUS	Married/Couple	85.7	79.8	91.6	90.7	89.8	91.6	89.5
	Not Married/Couple	90.0	85.0	95.0	83.5	81.9	85.1	79.0

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	6.0	4.1	7.8	5.2	4.9	5.5	7.4
SEX	Men	6.3	2.9	9.8	5.6	5.0	6.2	8.7
	Women	5.6	3.9	7.3	4.9	4.5	5.2	6.1
RACE/ETHNICITY	Non-Hisp. White	6.2	4.1	8.3	5.0	4.7	5.3	7.0
	Non-Hisp. Black				5.3	4.1	6.6	
	Hispanic				5.8	4.6	6.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.3	2.4	10.1	5.3	4.8	5.9	8.0
	Non-Hisp. White Women	6.2	4.2	8.1	4.8	4.5	5.1	6.0
	Non-Hisp. Black Men				6.0	3.7	8.3	
	Non-Hisp. Black Women				4.9	3.5	6.3	
	Hispanic Men				6.9	4.6	9.3	
	Hispanic Women				5.0	4.0	6.0	
AGE GROUP	18-44	3.9	0.8	7.0	3.8	3.3	4.4	6.0
	45-64	8.2	4.7	11.6	6.1	5.6	6.7	9.9
	65 & Older	6.4	4.2	8.5	5.7	5.2	6.1	7.1
EDUCATION LEVEL	<High School	5.7	1.8	9.6	7.7	6.4	9.0	6.1
	H.S. / GED	7.6	4.0	11.3	6.0	5.4	6.6	10.1
	>High School	4.2	2.5	5.8	4.5	4.1	4.9	5.5
ANNUAL INCOME	<\$25,000	11.0	6.8	15.1	8.3	7.6	9.0	11.0
	\$25,000-\$49,999	3.9	1.9	6.0	4.8	4.1	5.4	4.6
	\$50,000 or More	2.1	0.6	3.6	2.9	2.6	3.3	2.3
MARITAL STATUS	Married/Couple	6.3	3.5	9.1	4.4	4.0	4.7	6.2
	Not Married/Couple	5.3	3.5	7.2	6.4	5.8	6.9	9.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		2010 County			2010 State			2007 County Measure
		Measure	95% CI	95% CI	Measure	95% CI	95% CI	
ALL	Overall	4.5	3.3	5.6	4.1	3.9	4.3	4.9
SEX	Men	4.2	2.3	6.1	3.8	3.5	4.1	5.0
	Women	4.9	3.6	6.1	4.4	4.2	4.6	4.8
RACE/ETHNICITY	Non-Hisp. White	5.0	3.6	6.4	4.2	4.0	4.4	6.0
	Non-Hisp. Black				4.0	3.2	4.7	
	Hispanic				3.6	3.0	4.3	2.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.8	2.5	7.2	4.0	3.6	4.3	6.9
	Non-Hisp. White Women	5.2	3.8	6.6	4.5	4.2	4.7	5.2
	Non-Hisp. Black Men				4.1	2.8	5.4	
	Non-Hisp. Black Women				3.8	3.1	4.6	
	Hispanic Men				2.8	1.7	3.8	2.5
	Hispanic Women				4.4	3.7	5.2	3.0
AGE GROUP	18-44	2.8	1.0	4.6	2.8	2.5	3.2	3.2
	45-64	6.0	3.7	8.2	4.7	4.4	5.0	6.5
	65 & Older	5.0	3.6	6.4	5.1	4.8	5.4	6.2
EDUCATION LEVEL	<High School	4.9	2.4	7.3	6.6	5.8	7.5	3.9
	H.S. / GED	5.3	3.0	7.6	5.0	4.6	5.4	6.2
	>High School	3.5	2.4	4.7	3.5	3.3	3.7	4.4
ANNUAL INCOME	<\$25,000	7.4	4.4	10.5	7.2	6.7	7.7	5.7
	\$25,000-\$49,999	3.0	1.8	4.2	4.0	3.6	4.4	4.7
	\$50,000 or More	2.0	1.0	3.0	2.5	2.3	2.7	2.3
MARITAL STATUS	Married/Couple	4.4	2.8	5.9	3.5	3.3	3.7	4.5
	Not Married/Couple	4.8	3.3	6.3	5.2	4.9	5.6	5.5

Average number of unhealthy mental days in the past 30 days

		2010 County			2010 State			2007 County Measure
		Measure	95% CI	95% CI	Measure	95% CI	95% CI	
ALL	Overall	4.0	2.9	5.2	3.8	3.6	4.0	4.5
SEX	Men	3.3	1.4	5.2	3.4	3.1	3.8	3.9
	Women	4.8	3.6	6.1	4.1	3.8	4.3	5.3
RACE/ETHNICITY	Non-Hisp. White	4.5	3.2	5.9	3.7	3.5	3.9	5.1
	Non-Hisp. Black				3.3	2.6	3.9	
	Hispanic	1.6	0.0	4.1	4.2	3.4	5.0	2.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.7	1.4	6.0	3.4	3.1	3.7	4.6
	Non-Hisp. White Women	5.4	4.0	6.8	4.0	3.8	4.3	5.5
	Non-Hisp. Black Men				2.7	1.7	3.6	
	Non-Hisp. Black Women				3.7	2.9	4.6	
	Hispanic Men				3.5	2.3	4.8	1.7
	Hispanic Women				4.9	3.9	5.8	3.4
AGE GROUP	18-44	4.0	1.9	6.1	4.1	3.7	4.5	4.6
	45-64	4.9	2.8	7.1	4.3	3.9	4.6	6.0
	65 & Older	2.5	1.4	3.7	2.4	2.1	2.7	2.5
EDUCATION LEVEL	<High School	5.2	2.3	8.1	6.7	5.7	7.7	3.3
	H.S. / GED	5.2	2.9	7.5	4.3	3.9	4.7	5.5
	>High School	2.3	1.3	3.2	3.2	3.0	3.5	4.5
ANNUAL INCOME	<\$25,000	7.7	4.6	10.7	6.8	6.3	7.4	5.8
	\$25,000-\$49,999	2.4	1.2	3.6	3.7	3.2	4.1	3.8
	\$50,000 or More	2.1	0.9	3.4	2.2	2.0	2.4	3.0
MARITAL STATUS	Married/Couple	4.3	2.7	5.9	3.1	2.9	3.4	3.4
	Not Married/Couple	3.3	2.0	4.6	5.0	4.6	5.3	6.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percentage of adults less than 65 years of age who have ever been tested for HIV

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	49.6	40.6	58.5	48.4	46.8	50.0	42.2
SEX	Men	49.8	35.9	63.7	45.3	42.7	47.8	30.7
	Women	49.3	39.7	58.9	51.5	49.5	53.5	57.0
RACE/ETHNICITY	Non-Hisp. White	44.4	34.1	54.6	42.4	40.7	44.1	41.9
	Non-Hisp. Black				67.0	61.9	72.0	
	Hispanic	61.9	38.8	85.0	56.2	51.0	61.4	35.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.3	29.0	61.5	40.6	37.9	43.2	34.3
	Non-Hisp. White Women	43.2	32.5	53.9	44.4	42.2	46.5	48.9
	Non-Hisp. Black Men				58.6	49.7	67.5	
	Non-Hisp. Black Women				73.7	68.4	78.9	
	Hispanic Men				52.4	44.0	60.8	13.0
	Hispanic Women				59.9	53.7	66.1	77.7
AGE GROUP	18-44	60.0	47.3	72.6	57.0	54.5	59.6	51.8
	45-64	37.8	25.0	50.6	40.6	38.5	42.7	26.9
EDUCATION LEVEL	<High School	56.1	37.0	75.1	47.7	41.5	54.0	41.6
	H.S. / GED	50.3	34.8	65.7	43.8	40.7	46.9	42.2
	>High School	46.1	34.1	58.1	50.3	48.3	52.3	43.2
ANNUAL INCOME	<\$25,000	55.3	38.7	72.0	54.7	51.3	58.1	39.6
	\$25,000-\$49,999	46.0	30.3	61.8	51.5	48.0	55.1	47.0
	\$50,000 or More	50.5	33.9	67.2	46.1	43.7	48.5	41.5
MARITAL STATUS	Married/Couple	51.0	39.9	62.0	46.9	44.9	48.9	40.5
	Not Married/Couple	46.5	31.6	61.3	51.3	48.5	54.2	45.3

Percentage of adults less than 65 years who think they can get AIDS virus from mosquitos

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	22.0	14.1	30.0	19.2	17.8	20.6	
SEX	Men	22.3	10.0	34.6	20.6	18.4	22.8	
	Women	21.7	12.7	30.6	17.8	16.1	19.5	
RACE/ETHNICITY	Non-Hisp. White	15.0	8.2	21.9	17.4	16.0	18.9	
	Non-Hisp. Black				27.5	22.4	32.5	
	Hispanic				21.5	17.0	25.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.7	3.1	24.3	19.4	17.1	21.8	
	Non-Hisp. White Women	16.6	8.5	24.6	15.5	13.7	17.3	
	Non-Hisp. Black Men				30.9	21.6	40.2	
	Non-Hisp. Black Women				25.0	19.5	30.5	
	Hispanic Men				20.9	13.8	28.0	
	Hispanic Women				22.0	16.4	27.6	
AGE GROUP	18-44	26.4	13.3	39.5	20.9	18.6	23.1	
	45-64	17.3	9.7	24.9	17.8	16.1	19.6	
EDUCATION LEVEL	<High School	50.3	29.9	70.7	42.2	34.9	49.5	
	H.S. / GED	22.8	8.8	36.9	28.9	25.5	32.3	
	>High School	9.5	2.9	16.0	13.8	12.4	15.3	
ANNUAL INCOME	<\$25,000	31.4	14.7	48.0	31.2	27.7	34.7	
	\$25,000-\$49,999	22.2	7.9	36.4	21.1	18.0	24.2	
	\$50,000 or More	6.4	0.4	12.3	11.8	10.2	13.5	
MARITAL STATUS	Married/Couple	19.9	10.8	29.1	15.9	14.4	17.4	
	Not Married/Couple	26.2	11.1	41.3	25.3	22.5	28.0	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	42.1	35.1	49.0	34.3	33.1	35.4	29.8
SEX	Men	48.5	37.0	60.0	36.5	34.6	38.4	31.4
	Women	34.5	28.0	41.1	32.2	30.8	33.6	28.1
RACE/ETHNICITY	Non-Hisp. White	47.0	39.3	54.6	35.4 *	34.2	36.6	32.8 *
	Non-Hisp. Black				41.7	37.0	46.4	
	Hispanic	5.4	0.0	11.3	24.8 *	21.0	28.6	22.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	56.1	43.6	68.5	38.2 *	36.2	40.1	36.9
	Non-Hisp. White Women	36.8	29.6	43.9	32.8	31.4	34.2	28.9
	Non-Hisp. Black Men				40.1	32.2	47.9	
	Non-Hisp. Black Women				42.9	37.1	48.7	
	Hispanic Men				26.9	20.6	33.2	26.1
	Hispanic Women				22.8	18.3	27.3	16.6
AGE GROUP	18-44	18.6	7.8	29.4	13.2	11.7	14.8	10.4
	45-64	52.9	41.3	64.4	36.8 *	34.9	38.8	43.9
	65 & Older	63.7	56.0	71.3	61.7	60.1	63.4	51.3
EDUCATION LEVEL	<High School	20.5	11.0	30.0	40.7 *	36.0	45.5	29.8
	H.S. / GED	50.7	38.4	63.0	38.5	36.2	40.8	28.0 *
	>High School	41.5	32.1	51.0	32.0	30.6	33.4	32.2
ANNUAL INCOME	<\$25,000	42.7	28.9	56.5	42.5	40.0	45.1	35.1
	\$25,000-\$49,999	40.0	29.4	50.7	36.4	34.0	38.8	37.1
	\$50,000 or More	40.2	26.1	54.3	28.0	26.3	29.8	15.7 *
MARITAL STATUS	Married/Couple	38.8	29.8	47.7	33.5	32.0	34.9	34.8
	Not Married/Couple	48.6	37.4	59.9	35.9	33.9	37.8	21.7 *

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who received a flu shot in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	35.1	28.6	41.6	36.5	35.4	37.7	36.9
SEX	Men	36.3	25.7	46.9	35.4	33.5	37.2	41.3
	Women	33.7	27.2	40.2	37.6	36.2	39.0	31.8
RACE/ETHNICITY	Non-Hisp. White	37.5	30.2	44.7	41.2	39.9	42.4	35.1
	Non-Hisp. Black				24.0	20.4	27.6	
	Hispanic	21.1	4.6	37.6	25.2	21.2	29.3	37.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	40.8	28.6	52.9	38.7	36.7	40.7	35.9
	Non-Hisp. White Women	33.8	27.0	40.5	43.5 *	42.0	45.1	34.3
	Non-Hisp. Black Men				25.1	18.6	31.5	
	Non-Hisp. Black Women				23.2	19.1	27.2	
	Hispanic Men				26.7	20.0	33.4	44.7
	Hispanic Women				23.8	19.2	28.4	23.0
AGE GROUP	18-44	23.7	13.1	34.2	22.3	20.2	24.4	18.4
	45-64	32.7	21.1	44.3	32.9	31.1	34.7	43.7
	65 & Older	60.2	52.7	67.8	65.3	63.7	67.0	65.9
EDUCATION LEVEL	<High School	26.0	13.1	38.9	29.7	25.5	33.8	39.5
	H.S. / GED	38.8	27.2	50.5	32.8	30.7	34.9	42.5
	>High School	35.0	26.3	43.7	38.8	37.4	40.3	28.7
ANNUAL INCOME	<\$25,000	36.2	23.0	49.4	32.1	29.9	34.3	47.9
	\$25,000-\$49,999	34.4	24.4	44.4	38.0	35.5	40.5	43.1
	\$50,000 or More	32.6	20.0	45.2	37.3	35.4	39.2	21.2
MARITAL STATUS	Married/Couple	36.8	28.2	45.3	37.5	36.0	38.9	34.2
	Not Married/Couple	31.8	22.9	40.7	34.7	32.8	36.7	41.4

Percentage of adults age 65 and older who received a flu shot in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	60.2	52.7	67.7	65.3	63.7	66.9	65.9
SEX	Men	63.1	51.5	74.7	67.0	64.4	69.6	64.8
	Women	57.8	48.0	67.5	64.1	62.0	66.1	66.8
RACE/ETHNICITY	Non-Hisp. White	61.4	53.8	69.0	69.6	68.1	71.1	66.1
	Non-Hisp. Black				41.3	32.8	49.9	
	Hispanic				44.5	34.6	54.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	65.2	53.5	77.0	70.6	68.2	73.0	65.4
	Non-Hisp. White Women	58.2	48.3	68.0	68.9	67.0	70.8	66.8
	Non-Hisp. Black Men				43.4	30.5	56.3	
	Non-Hisp. Black Women				40.2	29.1	51.3	
	Hispanic Men				50.5	34.1	66.9	
	Hispanic Women				38.9	28.1	49.7	
AGE GROUP	65 & Older	60.2	52.7	67.7	65.3	63.7	66.9	65.9
EDUCATION LEVEL	<High School	44.2	24.7	63.7	55.2	48.5	62.0	67.2
	H.S. / GED	62.5	51.5	73.5	61.8	58.8	64.9	60.3
	>High School	62.9	51.4	74.3	68.8	66.9	70.7	73.1
ANNUAL INCOME	<\$25,000	49.0	35.7	62.3	57.1	53.9	60.4	71.8
	\$25,000-\$49,999	65.5	53.1	77.9	66.9	63.8	70.0	61.5
	\$50,000 or More				71.1	68.1	74.0	
MARITAL STATUS	Married/Couple	60.7	50.6	70.8	67.3	65.1	69.5	68.2
	Not Married/Couple	59.5	48.6	70.3	62.4	60.0	64.7	62.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	33.5	27.2	39.7	30.6	29.5	31.7	30.1
SEX	Men	31.2	21.6	40.9	30.5	28.6	32.3	32.1
	Women	36.1	29.0	43.3	30.8	29.5	32.1	27.7
RACE/ETHNICITY	Non-Hisp. White	36.2	29.3	43.2	35.1	33.9	36.3	32.5
	Non-Hisp. Black				18.8	15.5	22.1	
	Hispanic				19.2	15.6	22.9	26.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.7	24.5	46.9	35.1	33.1	37.0	33.2
	Non-Hisp. White Women	36.8	29.3	44.4	35.2	33.8	36.6	31.9
	Non-Hisp. Black Men				14.2	9.1	19.2	
	Non-Hisp. Black Women				22.1	17.7	26.4	
	Hispanic Men				20.7	14.4	27.0	32.7
	Hispanic Women				17.8	14.0	21.7	13.2
AGE GROUP	18-44	27.9	15.8	40.0	14.3	12.4	16.2	8.8 *
	45-64	18.5	10.4	26.6	20.4	18.8	21.9	36.8
	65 & Older	67.6	60.3	74.9	69.9	68.4	71.5	63.7
EDUCATION LEVEL	<High School	24.8	11.9	37.7	32.7	28.4	37.1	34.4
	H.S. / GED	33.0	22.6	43.4	30.2	28.2	32.3	28.4
	>High School	36.8	27.6	46.0	30.5	29.2	31.9	28.4
ANNUAL INCOME	<\$25,000	37.1	24.5	49.7	36.7	34.2	39.1	40.5
	\$25,000-\$49,999	38.1	27.1	49.1	32.5	30.3	34.8	28.2
	\$50,000 or More	24.7	13.5	36.0	23.8	22.1	25.4	21.3
MARITAL STATUS	Married/Couple	32.1	24.3	39.9	29.0	27.7	30.4	30.3
	Not Married/Couple	36.2	25.9	46.5	33.6	31.7	35.6	29.8

Percentage of adults age 65 and older who have ever received a pneumonia vaccination

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	67.6	60.3	74.9	69.9	68.4	71.5	63.7
SEX	Men	64.3	52.2	76.5	69.4	66.9	71.9	60.0
	Women	70.2	61.6	78.9	70.3	68.4	72.3	67.0
RACE/ETHNICITY	Non-Hisp. White	68.4	61.1	75.8	72.9	71.4	74.3	65.8
	Non-Hisp. Black				49.1	40.0	58.2	
	Hispanic				57.5	47.6	67.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	66.7	54.4	79.0	71.6	69.2	74.0	63.6
	Non-Hisp. White Women	69.8	61.0	78.7	73.8	72.0	75.6	67.8
	Non-Hisp. Black Men				36.5	24.6	48.4	
	Non-Hisp. Black Women				55.3	44.0	66.6	
	Hispanic Men				68.7	54.4	82.9	
	Hispanic Women				48.0	35.9	60.1	
AGE GROUP	65 & Older	67.6	60.3	74.9	69.9	68.4	71.5	63.7
EDUCATION LEVEL	<High School	53.4	32.8	74.1	64.7	58.3	71.1	62.3
	H.S. / GED	76.3	67.0	85.6	67.2	64.3	70.0	62.4
	>High School	63.1	50.9	75.3	72.4	70.6	74.3	66.9
ANNUAL INCOME	<\$25,000	68.8	56.5	81.0	68.2	65.2	71.2	66.0
	\$25,000-\$49,999	74.2	62.7	85.8	70.4	67.6	73.3	63.5
	\$50,000 or More				70.7	67.7	73.7	
MARITAL STATUS	Married/Couple	67.6	57.6	77.7	70.4	68.3	72.4	63.3
	Not Married/Couple	67.5	57.3	77.7	69.4	67.1	71.6	64.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults who, in the past 30 days, drove a vehicle after consuming too many alcoholic beverages

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	1.4	0.0	3.4	1.9	1.5	2.3	
SEX	Men	2.1	0.0	5.9	3.0	2.2	3.9	
	Women	0.5	0.0	1.1	0.8	0.5	1.1	
RACE/ETHNICITY	Non-Hisp. White	1.6	0.0	4.2	2.1	1.7	2.6	
	Non-Hisp. Black				0.5	0.2	0.9	
	Hispanic				2.3	0.3	4.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.6	0.0	7.4	3.3	2.5	4.1	
	Non-Hisp. White Women	0.6	0.0	1.3	1.0	0.6	1.4	
	Non-Hisp. Black Men				0.7	0.0	1.4	
	Non-Hisp. Black Women				0.4	0.0	0.8	
	Hispanic Men				4.1	0.2	7.9	
	Hispanic Women				0.5	0.0	1.3	
AGE GROUP	18-44	0.4	0.0	1.0	3.1 *	2.0	4.2	
	45-64	3.0	0.0	8.4	1.6	1.1	2.1	
	65 & Older	0.2	0.0	0.5	0.5	0.3	0.8	
EDUCATION LEVEL	<High School	0.6	0.0	1.8	1.3	0.0	2.9	
	H.S. / GED	0.1	0.0	0.3	1.5 *	0.8	2.1	
	>High School	3.0	0.0	7.9	2.1	1.5	2.7	
ANNUAL INCOME	<\$25,000				2.0	0.7	3.3	
	\$25,000-\$49,999	0.9	0.0	1.9	1.1	0.7	1.6	
	\$50,000 or More	4.3	0.0	12.2	2.3	1.7	2.9	
MARITAL STATUS	Married/Couple	1.7	0.0	4.8	1.7	1.1	2.2	
	Not Married/Couple	0.6	0.0	1.4	2.3 *	1.6	3.0	

Percentage of adults 45 years of age and older who had a fall-related injury in the past 3 months

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	6.3	3.7	8.9	5.7	5.1	6.4	
SEX	Men	4.9	1.5	8.4	5.0	4.0	6.0	
	Women	7.7	3.9	11.6	6.3	5.5	7.1	
RACE/ETHNICITY	Non-Hisp. White	6.3	3.5	9.1	5.9	5.2	6.7	
	Non-Hisp. Black				5.7	3.1	8.2	
	Hispanic				2.8	1.5	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.8	1.1	8.5	5.1	4.0	6.2	
	Non-Hisp. White Women	7.8	3.7	11.9	6.7	5.8	7.6	
	Non-Hisp. Black Men				4.9	0.0	9.8	
	Non-Hisp. Black Women				6.2	3.4	8.9	
	Hispanic Men				1.4	0.0	2.9	
	Hispanic Women				3.9	1.9	6.0	
AGE GROUP	45-64	3.8	1.3	6.3	6.1	5.2	7.1	
	65 & Older	10.6	5.3	15.9	5.1	4.4	5.8	
EDUCATION LEVEL	<High School	14.7	4.0	25.4	9.1	5.5	12.7	
	H.S. / GED	8.5	3.6	13.4	6.7	5.3	8.2	
	>High School	2.0	0.0	4.1	5.0 *	4.3	5.6	
ANNUAL INCOME	<\$25,000	10.2	3.8	16.6	9.9	8.3	11.5	
	\$25,000-\$49,999	8.1	3.0	13.3	5.4	4.0	6.9	
	\$50,000 or More				3.7	2.8	4.5	
MARITAL STATUS	Married/Couple	5.6	2.4	8.8	5.0	4.2	5.7	
	Not Married/Couple	7.6	3.1	12.0	7.2	6.1	8.3	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults who "always" or "nearly always" used seat belts when driving or riding in a car

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	90.7	86.7	94.6	95.6 *	95.0	96.1	
SEX	Men	91.3	85.9	96.6	94.3	93.4	95.2	
	Women	89.9	84.3	95.5	96.8 *	96.1	97.4	
RACE/ETHNICITY	Non-Hisp. White	91.8	87.6	96.1	95.9	95.4	96.5	
	Non-Hisp. Black				93.9	92.0	95.9	
	Hispanic	87.3	74.7	00.0	96.2	94.4	97.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	92.4	86.6	98.2	94.4	93.5	95.4	
	Non-Hisp. White Women	91.2	85.1	97.3	97.3	96.8	97.8	
	Non-Hisp. Black Men				92.9	89.5	96.3	
	Non-Hisp. Black Women				94.7	92.5	96.9	
	Hispanic Men				96.3	94.4	98.2	
	Hispanic Women				96.0	93.0	99.0	
AGE GROUP	18-44	86.0	77.5	94.6	92.7	91.4	94.0	
	45-64	93.5	89.2	97.7	97.1	96.6	97.7	
	65 & Older	94.1	90.5	97.7	97.3	96.8	97.8	
EDUCATION LEVEL	<High School	87.4	76.0	98.9	90.4	87.5	93.3	
	H.S. / GED	89.9	83.3	96.5	93.9	92.7	95.1	
	>High School	92.7	88.0	97.4	96.8	96.2	97.4	
ANNUAL INCOME	<\$25,000	89.4	82.3	96.5	93.7	92.6	94.7	
	\$25,000-\$49,999	87.4	78.0	96.8	95.2	93.9	96.4	
	\$50,000 or More	93.8	88.8	98.8	97.0	96.2	97.8	
MARITAL STATUS	Married/Couple	92.5	88.4	96.5	96.4	95.8	97.0	
	Not Married/Couple	87.0	78.6	95.3	94.0	93.0	95.1	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who visited a dentist or a dental clinic in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	52.4	45.5	59.2	64.7 *	63.5	65.9	
SEX	Men	50.9	39.9	61.8	64.0 *	62.1	66.0	
	Women	54.2	46.9	61.4	65.3 *	63.8	66.8	
RACE/ETHNICITY	Non-Hisp. White	53.9	46.4	61.3	68.2 *	67.0	69.4	
	Non-Hisp. Black				55.2	50.7	59.7	
	Hispanic	39.8	17.8	61.9	58.1	53.6	62.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	51.1	39.0	63.2	66.4 *	64.5	68.4	
	Non-Hisp. White Women	57.0	49.2	64.8	69.9 *	68.4	71.3	
	Non-Hisp. Black Men				53.8	46.0	61.5	
	Non-Hisp. Black Women				56.3	50.9	61.7	
	Hispanic Men				61.9	54.8	69.0	
	Hispanic Women				54.5	49.0	60.0	
AGE GROUP	18-44	52.5	39.8	65.2	60.0	57.6	62.4	
	45-64	48.1	37.0	59.3	66.1 *	64.3	68.0	
	65 & Older	58.6	51.1	66.2	69.4 *	67.9	71.0	
EDUCATION LEVEL	<High School	29.7	16.1	43.3	36.3	31.7	40.9	
	H.S. / GED	47.0	35.3	58.7	54.1	51.8	56.5	
	>High School	66.7	57.8	75.6	72.3	70.8	73.7	
ANNUAL INCOME	<\$25,000	39.8	27.0	52.5	43.1	40.6	45.6	
	\$25,000-\$49,999	44.7	33.8	55.7	62.2 *	59.6	64.7	
	\$50,000 or More	77.2	65.0	89.5	78.8	77.0	80.5	
MARITAL STATUS	Married/Couple	56.3	47.6	65.1	69.0 *	67.6	70.5	
	Not Married/Couple	43.8	32.9	54.7	56.8	54.6	58.9	

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	59.2	52.4	66.0	53.0	51.7	54.2	
SEX	Men	59.3	48.5	70.2	51.8	49.7	53.8	
	Women	59.0	51.7	66.4	54.1	52.6	55.6	
RACE/ETHNICITY	Non-Hisp. White	59.6	52.2	67.0	52.1	50.8	53.4	
	Non-Hisp. Black				62.4	57.8	67.0	
	Hispanic	53.1	31.3	75.0	48.9	44.3	53.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	60.2	48.1	72.3	52.2	50.0	54.3	
	Non-Hisp. White Women	58.9	50.9	66.8	52.0	50.5	53.6	
	Non-Hisp. Black Men				58.2	50.4	65.9	
	Non-Hisp. Black Women				65.6	60.2	71.0	
	Hispanic Men				45.7	38.3	53.1	
	Hispanic Women				52.1	46.6	57.6	
AGE GROUP	18-44	42.2	29.5	54.8	34.5	32.2	36.8	
	45-64	64.9	54.7	75.1	56.0	54.0	58.1	
	65 & Older	80.1	73.9	86.3	77.2	75.8	78.7	
EDUCATION LEVEL	<High School	65.3	49.7	80.9	70.1	65.0	75.1	
	H.S. / GED	68.5	57.8	79.1	63.0	60.6	65.4	
	>High School	47.2	37.9	56.5	47.0	45.4	48.5	
ANNUAL INCOME	<\$25,000	72.3	61.3	83.3	68.4	65.8	71.0	
	\$25,000-\$49,999	58.8	47.2	70.5	60.2	57.5	62.9	
	\$50,000 or More	39.2	25.8	52.6	40.7	38.7	42.6	
MARITAL STATUS	Married/Couple	55.7	47.1	64.4	51.6	50.0	53.2	
	Not Married/Couple	65.8	54.9	76.7	55.6	53.4	57.8	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who had their teeth cleaned in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	47.7	40.9	54.5	60.9 *	59.6	62.1	
SEX	Men	46.8	35.9	57.7	59.5	57.5	61.5	
	Women	48.8	41.7	55.9	62.2 *	60.7	63.7	
RACE/ETHNICITY	Non-Hisp. White	47.5	40.1	54.8	64.2 *	63.0	65.4	
	Non-Hisp. Black				49.6	45.1	54.2	
	Hispanic	46.9	24.7	69.1	57.0	52.4	61.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.7	33.7	57.6	62.3 *	60.3	64.3	
	Non-Hisp. White Women	49.4	41.9	57.0	66.0 *	64.5	67.5	
	Non-Hisp. Black Men				45.5	37.8	53.2	
	Non-Hisp. Black Women				52.7	47.3	58.2	
	Hispanic Men				57.7	50.4	65.0	
	Hispanic Women				56.2	50.8	61.6	
AGE GROUP	18-44	51.3	38.6	64.0	57.3	54.9	59.7	
	45-64	39.1	28.6	49.7	62.0 *	60.1	63.9	
	65 & Older	55.4	47.8	63.0	64.3	62.6	65.9	
EDUCATION LEVEL	<High School	28.7	15.1	42.3	28.3	23.8	32.8	
	H.S. / GED	41.5	30.1	53.0	49.4	47.0	51.8	
	>High School	61.6	52.4	70.8	69.3	67.8	70.7	
ANNUAL INCOME	<\$25,000	32.6	20.3	45.0	35.7	33.2	38.2	
	\$25,000-\$49,999	44.1	33.2	55.0	58.2 *	55.6	60.8	
	\$50,000 or More	72.8	60.2	85.4	76.7	75.0	78.5	
MARITAL STATUS	Married/Couple	54.8	46.1	63.5	65.4 *	63.9	66.9	
	Not Married/Couple	34.0	23.7	44.2	52.6 *	50.4	54.7	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	35.5	28.9	42.2	37.8	36.6	39.0	29.2
SEX	Men	38.4	27.7	49.1	43.8	41.8	45.8	32.6
	Women	31.9	25.2	38.6	31.8	30.4	33.3	25.0
RACE/ETHNICITY	Non-Hisp. White	33.1	26.2	39.9	37.9	36.7	39.2	31.5
	Non-Hisp. Black				36.3	31.9	40.8	
	Hispanic				37.3	32.7	41.8	26.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.6	24.4	46.9	45.5	43.4	47.5	37.9
	Non-Hisp. White Women	30.0	23.2	36.7	30.5	29.0	31.9	25.2
	Non-Hisp. Black Men				34.9	27.8	41.9	
	Non-Hisp. Black Women				37.5	31.8	43.1	
	Hispanic Men				39.7	32.4	47.0	27.4
	Hispanic Women				34.8	29.4	40.2	25.6
AGE GROUP	18-44	41.6	28.2	55.0	33.8	31.5	36.2	26.6
	45-64	27.7	18.2	37.2	39.3 *	37.2	41.3	28.5
	65 & Older	38.9	31.3	46.5	41.5	39.8	43.1	35.2
EDUCATION LEVEL	<High School	44.5	27.3	61.8	31.7	27.5	35.9	22.2
	H.S. / GED	28.6	18.3	39.0	37.5	35.2	39.9	31.0
	>High School	39.4	30.0	48.8	38.7	37.1	40.2	32.7
ANNUAL INCOME	<\$25,000	34.1	21.4	46.7	34.5	32.1	37.0	28.1
	\$25,000-\$49,999	33.6	22.6	44.6	38.0	35.5	40.6	24.8
	\$50,000 or More	44.4	30.3	58.4	40.4	38.4	42.5	32.4
MARITAL STATUS	Married/Couple	37.1	28.6	45.5	40.2	38.6	41.7	29.1
	Not Married/Couple	32.5	21.7	43.3	33.5	31.5	35.5	29.3

Percentage of adults who are obese

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.1	31.0	45.2	27.2 *	26.1	28.4	34.4
SEX	Men	39.1	27.8	50.3	29.8	27.9	31.7	33.0
	Women	36.9	29.6	44.2	24.7 *	23.3	26.1	36.1
RACE/ETHNICITY	Non-Hisp. White	38.0	30.2	45.8	25.2 *	24.0	26.3	37.5
	Non-Hisp. Black				42.7	38.1	47.3	
	Hispanic				29.2	25.0	33.4	29.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	41.3	28.8	53.9	28.6	26.7	30.5	41.7
	Non-Hisp. White Women	34.0	26.4	41.6	21.8 *	20.5	23.1	33.4
	Non-Hisp. Black Men				45.3	37.5	53.0	
	Non-Hisp. Black Women				40.7	35.3	46.2	
	Hispanic Men				31.2	24.4	38.0	21.5
	Hispanic Women				27.2	22.1	32.3	45.0
AGE GROUP	18-44	34.7	22.0	47.4	26.9	24.7	29.0	32.5
	45-64	46.0	34.1	57.9	30.6 *	28.6	32.5	36.3
	65 & Older	31.0	23.7	38.3	22.2 *	20.8	23.7	35.0
EDUCATION LEVEL	<High School	38.1	22.2	53.9	37.7	33.1	42.3	35.0
	H.S. / GED	44.5	32.2	56.8	29.0 *	26.8	31.1	32.1
	>High School	31.5	22.4	40.6	25.4	24.0	26.8	36.4
ANNUAL INCOME	<\$25,000	38.0	24.0	52.0	31.7	29.3	34.0	33.6
	\$25,000-\$49,999	41.0	29.4	52.6	28.9	26.4	31.3	34.6
	\$50,000 or More	29.8	16.3	43.2	24.4	22.6	26.3	35.2
MARITAL STATUS	Married/Couple	36.6	27.5	45.7	27.4	25.9	28.8	38.6
	Not Married/Couple	41.0	30.2	51.8	27.0 *	25.2	28.9	27.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	73.6	67.9	79.3	65.0 *	63.8	66.2	63.6
SEX	Men	77.5	68.7	86.2	73.6	71.7	75.5	65.6
	Women	68.8	62.4	75.2	56.5 *	55.0	58.1	61.1
RACE/ETHNICITY	Non-Hisp. White	71.1	65.1	77.1	63.1 *	61.9	64.4	69.1
	Non-Hisp. Black				79.1	75.3	82.8	
	Hispanic				66.4	61.9	71.0	55.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	77.0	68.0	85.9	74.1	72.2	75.9	79.6
	Non-Hisp. White Women	64.0	56.9	71.1	52.2 *	50.6	53.9	58.5
	Non-Hisp. Black Men				80.1	74.1	86.2	
	Non-Hisp. Black Women				78.2	73.5	82.9	
	Hispanic Men				70.9	63.4	78.4	48.9
	Hispanic Women				62.0	56.6	67.5	70.5
AGE GROUP	18-44	76.3	64.8	87.9	60.7 *	58.2	63.2	59.0
	45-64	73.7	65.2	82.2	69.8	68.0	71.7	64.8
	65 & Older	69.9	63.2	76.6	63.7	62.2	65.3	70.2
EDUCATION LEVEL	<High School	82.6	72.5	92.8	69.4	64.6	74.2	57.2
	H.S. / GED	73.1	63.0	83.3	66.5	64.2	68.7	63.1
	>High School	70.9	63.2	78.6	64.1	62.5	65.6	69.2
ANNUAL INCOME	<\$25,000	72.1	60.2	83.9	66.2	63.7	68.7	61.7
	\$25,000-\$49,999	74.6	65.9	83.3	66.9	64.3	69.4	59.4
	\$50,000 or More	74.1	62.9	85.3	64.8	62.9	66.8	67.6
MARITAL STATUS	Married/Couple	73.7	66.1	81.2	67.5	66.1	69.0	67.7
	Not Married/Couple	73.5	65.5	81.5	60.5 *	58.4	62.7	56.3

Reactions to Race

Percentage of adults who think they would get better medical care if they belonged to a different race/ethnic group

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	14.7	9.4	19.9	10.8	9.9	11.7	
SEX	Men	12.5	4.3	20.7	10.8	9.3	12.2	
	Women	17.1	10.9	23.4	10.9	9.8	11.9	
RACE/ETHNICITY	Non-Hisp. White	15.7	9.7	21.8	8.0 *	7.2	8.7	
	Non-Hisp. Black				26.8	22.5	31.2	
	Hispanic				11.3	7.9	14.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.9	4.3	23.6	7.4	6.3	8.5	
	Non-Hisp. White Women	17.7	10.6	24.8	8.5 *	7.5	9.5	
	Non-Hisp. Black Men				31.7	23.8	39.7	
	Non-Hisp. Black Women				23.6	18.7	28.6	
	Hispanic Men				11.1	5.3	16.8	
	Hispanic Women				11.4	7.9	14.9	
AGE GROUP	18-44	20.4	9.1	31.7	13.7	11.9	15.5	
	45-64	12.0	5.6	18.5	11.2	9.8	12.6	
	65 & Older	8.3	3.9	12.8	5.6	4.7	6.5	
EDUCATION LEVEL	<High School	27.2	11.5	42.8	20.6	16.5	24.7	
	H.S. / GED	17.2	7.4	27.0	13.9	12.1	15.8	
	>High School	7.5	3.7	11.3	8.5	7.5	9.5	
ANNUAL INCOME	<\$25,000	15.2	5.8	24.6	21.2	18.6	23.8	
	\$25,000-\$49,999	21.9	10.8	33.0	11.7	9.9	13.5	
	\$50,000 or More	9.4	0.4	18.4	4.9	4.0	5.7	
MARITAL STATUS	Married/Couple	13.4	7.3	19.5	9.4	8.3	10.4	
	Not Married/Couple	17.3	7.4	27.1	13.5	11.8	15.1	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	18.4	13.0	23.7	17.1	16.1	18.1	20.4
SEX	Men	18.6	9.9	27.4	18.4	16.7	20.0	19.4
	Women	18.0	12.9	23.2	16.0	14.9	17.0	21.6
RACE/ETHNICITY	Non-Hisp. White	16.9	11.8	21.9	18.4	17.4	19.5	23.4
	Non-Hisp. Black				13.7	10.9	16.5	
	Hispanic	14.2	0.0	29.6	13.8	10.1	17.5	9.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.4	5.5	21.3	17.9	16.3	19.6	21.4
	Non-Hisp. White Women	20.8	14.8	26.8	18.9	17.6	20.2	25.3
	Non-Hisp. Black Men				19.0	13.4	24.5	
	Non-Hisp. Black Women				9.7	7.3	12.0	
	Hispanic Men				18.9	12.2	25.6	14.0
	Hispanic Women				8.8	6.1	11.6	1.5
AGE GROUP	18-44	22.5	11.5	33.5	20.5	18.4	22.5	21.3
	45-64	18.3	10.9	25.6	19.2	17.7	20.7	22.1
	65 & Older	10.5	6.2	14.7	8.4	7.5	9.3	16.6
EDUCATION LEVEL	<High School	22.7	10.1	35.4	28.3	24.4	32.3	15.1
	H.S. / GED	22.2	12.4	32.1	24.3	22.2	26.4	27.5
	>High School	12.6	6.7	18.6	12.9	11.8	14.0	17.4
ANNUAL INCOME	<\$25,000	23.0	12.1	34.0	26.5	24.2	28.8	24.1
	\$25,000-\$49,999	22.1	12.3	31.9	18.0	15.9	20.2	21.5
	\$50,000 or More	8.3	3.2	13.3	11.7	10.3	13.0	17.5
MARITAL STATUS	Married/Couple	15.3	9.1	21.5	14.3	13.2	15.4	18.3
	Not Married/Couple	24.8	15.1	34.5	22.3	20.4	24.1	24.0

Percentage of adults who are former smokers

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	31.0	24.5	37.6	29.8	28.7	30.9	25.7
SEX	Men	37.3	26.6	48.1	33.4	31.6	35.2	26.6
	Women	23.5	18.1	28.9	26.5	25.2	27.7	24.6
RACE/ETHNICITY	Non-Hisp. White	36.5	29.0	43.9	34.1	32.9	35.3	35.9
	Non-Hisp. Black				16.2	13.0	19.4	
	Hispanic	9.4	1.3	17.5	22.0 *	18.3	25.7	5.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.7	33.4	57.9	36.7	34.8	38.7	41.7
	Non-Hisp. White Women	26.1	20.0	32.2	31.6	30.2	33.0	30.6
	Non-Hisp. Black Men				19.1	13.6	24.7	
	Non-Hisp. Black Women				13.9	10.1	17.7	
	Hispanic Men				28.3	21.8	34.8	5.8
	Hispanic Women				15.8	12.4	19.2	5.6
AGE GROUP	18-44	16.3	6.7	26.0	16.9	15.2	18.6	13.1
	45-64	39.2	27.3	51.1	30.8	29.0	32.7	31.1
	65 & Older	43.6	36.0	51.2	48.5	46.9	50.2	44.5
EDUCATION LEVEL	<High School	17.9	7.4	28.3	29.2	25.2	33.2	14.6
	H.S. / GED	36.1	24.3	47.9	29.9	27.9	32.0	28.8
	>High School	31.0	22.4	39.5	29.9	28.5	31.3	31.8
ANNUAL INCOME	<\$25,000	32.0	19.0	45.0	27.5	25.4	29.5	19.6
	\$25,000-\$49,999	23.9	15.7	32.1	31.2	29.0	33.5	25.8
	\$50,000 or More	37.3	23.0	51.6	30.7	28.9	32.5	31.0
MARITAL STATUS	Married/Couple	34.9	26.2	43.7	32.1	30.7	33.5	28.4
	Not Married/Couple	23.4	16.1	30.6	25.9	24.3	27.6	20.9

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	50.6	43.8	57.4	53.0	51.8	54.3	53.9
SEX	Men	44.0	33.3	54.7	48.2	46.2	50.3	54.0
	Women	58.5	51.6	65.3	57.6	56.1	59.1	53.8
RACE/ETHNICITY	Non-Hisp. White	46.7	39.4	54.0	47.5	46.2	48.8	40.6
	Non-Hisp. Black				70.1	66.1	74.1	
	Hispanic	76.4	59.4	93.4	64.2	59.7	68.8	84.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	41.0	29.4	52.5	45.4	43.3	47.5	36.9
	Non-Hisp. White Women	53.1	45.5	60.7	49.5	47.9	51.0	44.1
	Non-Hisp. Black Men				61.9	54.7	69.0	
	Non-Hisp. Black Women				76.4	72.2	80.7	
	Hispanic Men				52.8	45.3	60.3	80.2
	Hispanic Women				75.4	71.1	79.6	92.9
AGE GROUP	18-44	61.2	48.6	73.8	62.6	60.3	65.0	65.6
	45-64	42.6	31.9	53.2	50.0	48.0	52.0	46.9
	65 & Older	45.9	38.3	53.5	43.0	41.4	44.7	38.9
EDUCATION LEVEL	<High School	59.4	44.4	74.4	42.4	37.6	47.3	70.2
	H.S. / GED	41.6	30.5	52.8	45.7	43.4	48.1	43.7
	>High School	56.4	47.2	65.6	57.2	55.7	58.8	50.7
ANNUAL INCOME	<\$25,000	45.0	32.3	57.7	46.0	43.5	48.6	56.3
	\$25,000-\$49,999	54.0	43.0	65.1	50.7	48.1	53.4	52.6
	\$50,000 or More	54.4	40.3	68.6	57.7	55.7	59.7	51.6
MARITAL STATUS	Married/Couple	49.8	41.2	58.4	53.6	52.1	55.2	53.2
	Not Married/Couple	51.8	41.3	62.4	51.8	49.7	53.9	55.1

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	53.9	37.4	70.4	60.1	57.0	63.2	60.8
SEX	Men				61.0	55.9	66.1	60.1
	Women	54.4	38.4	70.4	59.1	55.7	62.6	61.5
RACE/ETHNICITY	Non-Hisp. White	54.8	38.2	71.3	57.6	54.6	60.7	56.7
	Non-Hisp. Black				71.9	61.7	82.0	
	Hispanic				60.7	45.7	75.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				57.3	52.4	62.2	51.2
	Non-Hisp. White Women	54.0	37.3	70.6	57.9	54.2	61.7	61.0
	Non-Hisp. Black Men				72.8	57.5	88.2	
	Non-Hisp. Black Women				70.4	59.7	81.1	
	Hispanic Men				60.7	39.7	81.8	
	Hispanic Women				60.5	44.7	76.4	
AGE GROUP	18-44				63.3	57.8	68.9	71.7
	45-64	54.0	32.5	75.5	58.8	54.7	62.9	53.5
	65 & Older				53.1	47.6	58.6	45.8
EDUCATION LEVEL	<High School				61.2	53.6	68.7	60.3
	H.S. / GED	48.7	23.5	73.9	61.0	56.2	65.9	54.6
	>High School	61.8	36.5	87.1	59.1	54.5	63.8	71.7
ANNUAL INCOME	<\$25,000	53.4	26.0	80.8	63.7	59.0	68.3	63.7
	\$25,000-\$49,999				55.8	48.7	62.9	52.0
	\$50,000 or More				57.0	51.0	62.9	
MARITAL STATUS	Married/Couple	54.1	31.2	76.9	61.1	57.0	65.2	65.6
	Not Married/Couple	53.8	30.2	77.4	59.1	54.3	63.9	54.7

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Clinical Breast Exam	A medical exam where a doctor, nurse, or other health professional feels the breasts for lumps.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Behavior Groups	Those who have had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
HIV	Human immunodeficiency virus (HIV) is a retrovirus that causes acquired immunodeficiency syndrome (AIDS), a condition in humans in which the immune system begins to fail, leading to life-threatening opportunistic infections.
Hysterectomy	An operation to remove the uterus (womb) in women.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Mammogram	An x-ray of each breast to look for breast cancer.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Myocardial Infarction	Commonly known as a heart attack, is the interruption of blood supply to a part of the heart, causing heart cells to die.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Retinopathy	A complication of diabetes that results from damage to the blood vessels of the light-sensitive tissue at the back of the eye (retina).
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Tobacco Cessation Services	Medical and/or psychobehavioral treatment that seeks to reduce or eliminate the use of tobacco products.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

AOCBC-11. Reduce hip fractures among older adults

AOCBC-9. Increase the proportion of adults with chronic joint symptoms who have seen a health care provider for their symptoms

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-3. Reduce stroke deaths

HDS-13. Increase the proportion of adults with elevated LDL cholesterol who have been advised by a health care provider regarding cholesterol-lowering management including lifestyle changes and, if indicated, medication

HDS-12. Increase the proportion of adults with hypertension whose blood pressure is under control

HDS-11. Increase the proportion of adults with hypertension who are taking the prescribed medications to lower their blood pressure

HDS-4. Increase the proportion of adults who have had their blood pressure measured within the preceding two years and can state whether their blood pressure was normal or high

HDS-2. Reduce coronary heart disease deaths

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-5. Reduce the proportion of persons in the population with hypertension

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Diabetes

- D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education
- V-5.2. Reduce visual impairment due to diabetic retinopathy
- D-1. Reduce the annual number of new cases of diagnosed diabetes in the population
- D-5. Improve glycemic control among the population with diagnosed diabetes
- D-8. Increase the proportion of persons with diagnosed diabetes who have at least an annual dental examination
- D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination
- D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination
- D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year
- D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

Disability

- DH-17. Increase the proportion of adults with disabilities who report sufficient social and emotional support

Exercise

- PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity
- PA-2. Increase the proportion of adults who meet current Federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Family Planning

- FP-1. Increase the proportion of pregnancies that are intended

Healthcare Access

- AHS-1. Increase the proportion of persons with health insurance
- AHS-3. Increase the proportion of persons with a usual primary care provider
- AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

HIV/AIDS

- HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Immunization

IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-1. Reduce, eliminate, or maintain elimination of cases of vaccine-preventable diseases

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

OA-11. Reduce the rate of emergency department visits due to falls among older adults

Oral Health

OH-4. Reduce the proportion of adults who have ever had a permanent tooth extracted because of dental caries or periodontal disease

OH-7. Increase the proportion of children, adolescents, and adults who used the oral health care system in the past year

Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

Sleep

SH-4. Increase the proportion of adults who get sufficient sleep

Substance Abuse

SA-19. Reduce the past-year nonmedical use of prescription drugs

Tobacco Use & Exposure

TU-6. Increase smoking cessation during pregnancy

TU-1. Reduce tobacco use by adults

TU-4. Increase smoking cessation attempts by adult smokers

TU-5. Increase recent smoking cessation success by adult smokers

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Bo (Bonnie) Yu, M.A.S., M.A
Kimberly Cohen, JD, MSW
Cizao Ren, M.D., M.S., PhD.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org