

FLORIDA

2010 Calculated Variables Report

Behavioral Risk Factor Surveillance System

March 29, 2011



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 1: HEALTH STATUS

TABLE 1: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34975	14,720,176	26679	82.9	82.1-83.7	8296	17.1	16.3-17.9
Male	12990	7,145,629	9900	83.5	82.1-84.9	3090	16.5	15.1-17.9
Female	21985	7,574,548	16779	82.3	81.1-83.5	5206	17.7	16.5-18.9
White/Non-Hisp	28492	10,068,690	22137	84.2	83.4-85.0	6355	15.8	15.0-16.6
Black or Afr. Am./Non-Hisp	2638	1,508,669	1852	79.8	76.5-83.1	786	20.2	16.9-23.5
Oth. Race/Non-Hisp.	653	463,448	469	86.8	81.7-91.9	184	13.2	08.1-18.3
MultiRacial/Non-Hisp.	533	198,245	340	79.1	72.0-86.2	193	20.9	13.8-28.0
Hispanic	1942	2,205,933	1377	79.3	76.0-82.6	565	20.7	17.4-24.0
18-24	858	976,126	779	92.3	88.6-96.0	79	7.7	04.0-11.4
25-34	2252	1,555,354	1963	89.4	87.2-91.6	289	10.6	08.4-12.8
35-44	3608	2,787,505	3039	88.8	86.8-90.8	569	11.2	09.2-13.2
45-54	5828	3,798,271	4445	82.5	80.3-84.7	1383	17.5	15.3-19.7
55-64	7874	2,144,179	5739	78.6	76.6-80.6	2135	21.4	19.4-23.4
65+	14220	3,340,528	10426	75.3	73.7-76.9	3794	24.7	23.1-26.3
Less Than H.S.	3553	1,102,013	1823	63.1	58.8-67.4	1730	36.9	32.6-41.2
H.S. or G.E.D.	11363	3,917,044	8161	76.6	74.6-78.6	3202	23.4	21.4-25.4
Some Post-H.S.	9880	4,157,587	7758	83.8	82.2-85.4	2122	16.2	14.6-17.8
College Graduate	10074	5,481,256	8861	90.6	89.4-91.8	1213	9.4	08.2-10.6
Less than \$15,000	4413	1,278,286	2199	58.6	54.9-62.3	2214	41.4	37.7-45.1
\$15,000- 24,999	6227	2,178,577	4119	71.0	68.3-73.7	2108	29.0	26.3-31.7
\$25,000- 34,999	3777	1,309,626	2897	82.5	80.0-85.0	880	17.5	15.0-20.0
\$35,000- 49,999	4590	1,819,343	3811	85.5	83.1-87.9	779	14.5	12.1-16.9
\$50,000- 74,999	4407	2,034,040	3845	88.9	86.9-90.9	562	11.1	09.1-13.1
\$75,000+	6161	4,015,571	5715	94.7	93.7-95.7	446	5.3	04.3-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 1: HEALTH STATUS

TABLE 2: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12990	7,145,629	9900	83.5	82.1-84.9	3090	16.5	15.1-17.9
White/Non-Hisp	10669	4,908,994	8207	84.4	83.0-85.8	2462	15.6	14.2-17.0
Black or Afr. Am./Non-Hisp	809	655,973	593	81.6	76.1-87.1	216	18.4	12.9-23.9
Oth. Race/Non-Hisp.	300	263,135	218	87.2	79.6-94.8	82	12.8	05.2-20.4
Hispanic	691	1,086,667	509	81.8	76.9-86.7	182	18.2	13.3-23.1
18-24	376	582,010	343	92.8	87.9-97.7	33	7.2	02.3-12.1
25-34	761	760,594	656	89.2	85.7-92.7	105	10.8	07.3-14.3
35-44	1301	1,418,992	1114	90.2	87.5-92.9	187	9.8	07.1-12.5
45-54	2188	1,844,479	1683	82.1	78.8-85.4	505	17.9	14.6-21.2
55-64	2945	1,027,325	2111	79.1	76.2-82.0	834	20.9	18.0-23.8
65+	5340	1,473,404	3924	75.6	73.1-78.1	1416	24.4	21.9-26.9
Less Than H.S.	1309	548,490	710	65.9	59.2-72.6	599	34.1	27.4-40.8
H.S. or G.E.D.	3944	1,873,260	2817	78.6	75.5-81.7	1127	21.4	18.3-24.5
Some Post-H.S.	3361	1,900,878	2585	83.8	81.3-86.3	776	16.2	13.7-18.7
College Graduate	4327	2,789,067	3753	90.0	88.4-91.6	574	10.0	08.4-11.6
Less than \$15,000	1352	545,313	654	59.1	52.2-66.0	698	40.9	34.0-47.8
\$15,000- 24,999	2119	982,257	1336	71.4	66.9-75.9	783	28.6	24.1-33.1
\$25,000- 34,999	1358	619,620	1010	83.6	80.1-87.1	348	16.4	12.9-19.9
\$35,000- 49,999	1837	832,481	1480	85.1	81.2-89.0	357	14.9	11.0-18.8
\$50,000- 74,999	1839	1,028,810	1561	87.5	84.4-90.6	278	12.5	09.4-15.6
\$75,000+	2989	2,295,558	2734	94.2	92.8-95.6	255	5.8	04.4-07.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 1: HEALTH STATUS

TABLE 3: ADULTS WITH GOOD OR BETTER HEALTH (_RFHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Good or Better Health			Fair or Poor Health		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21985	7,574,548	16779	82.3	81.1-83.5	5206	17.7	16.5-18.9
White/Non-Hisp	17823	5,159,696	13930	84.1	83.1-85.1	3893	15.9	14.9-16.9
Black or Afr. Am./Non-Hisp	1829	852,696	1259	78.4	74.1-82.7	570	21.6	17.3-25.9
Oth. Race/Non-Hisp.	353	200,313	251	86.4	80.3-92.5	102	13.6	07.5-19.7
MultiRacial/Non-Hisp.	313	105,905	196	82.8	74.8-90.8	117	17.2	09.2-25.2
Hispanic	1251	1,119,265	868	76.9	72.8-81.0	383	23.1	19.0-27.2
18-24	482	394,116	436	91.6	86.1-97.1	46	8.4	02.9-13.9
25-34	1491	794,760	1307	89.6	86.9-92.3	184	10.4	07.7-13.1
35-44	2307	1,368,513	1925	87.4	84.9-89.9	382	12.6	10.1-15.1
45-54	3640	1,953,793	2762	82.9	80.4-85.4	878	17.1	14.6-19.6
55-64	4929	1,116,854	3628	78.2	75.7-80.7	1301	21.8	19.3-24.3
65+	8880	1,867,123	6502	75.0	73.2-76.8	2378	25.0	23.2-26.8
Less Than H.S.	2244	553,523	1113	60.4	54.9-65.9	1131	39.6	34.1-45.1
H.S. or G.E.D.	7419	2,043,785	5344	74.7	72.2-77.2	2075	25.3	22.8-27.8
Some Post-H.S.	6519	2,256,709	5173	83.8	82.0-85.6	1346	16.2	14.4-18.0
College Graduate	5747	2,692,190	5108	91.2	89.8-92.6	639	8.8	07.4-10.2
Less than \$15,000	3061	732,973	1545	58.2	53.9-62.5	1516	41.8	37.5-46.1
\$15,000- 24,999	4108	1,196,320	2783	70.6	67.1-74.1	1325	29.4	25.9-32.9
\$25,000- 34,999	2419	690,005	1887	81.5	77.8-85.2	532	18.5	14.8-22.2
\$35,000- 49,999	2753	986,862	2331	85.8	83.1-88.5	422	14.2	11.5-16.9
\$50,000- 74,999	2568	1,005,229	2284	90.4	88.2-92.6	284	9.6	07.4-11.8
\$75,000+	3172	1,720,013	2981	95.3	93.9-96.7	191	4.7	03.3-06.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)	
1	MALES AND FEMALES	7
2	MALES ONLY	8
3	FEMALES ONLY	9

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	20410	11,244,649	15938	78.5	77.1-79.9	4472	21.5	20.1-22.9
Male	7563	5,620,547	5869	77.5	75.3-79.7	1694	22.5	20.3-24.7
Female	12847	5,624,103	10069	79.5	77.9-81.1	2778	20.5	18.9-22.1
White/Non-Hisp	15749	7,255,453	12701	82.9	81.5-84.3	3048	17.1	15.7-18.5
Black or Afr. Am./Non-Hisp	1928	1,294,627	1441	73.3	68.4-78.2	487	26.7	21.8-31.6
Oth. Race/Non-Hisp.	482	411,921	358	78.0	70.6-85.4	124	22.0	14.6-29.4
MultiRacial/Non-Hisp.	374	174,742	249	70.9	61.5-80.3	125	29.1	19.7-38.5
Hispanic	1552	1,935,549	943	67.2	62.5-71.9	609	32.8	28.1-37.5
18-24	841	950,577	540	62.8	55.9-69.7	301	37.2	30.3-44.1
25-34	2256	1,556,072	1565	71.5	67.6-75.4	691	28.5	24.6-32.4
35-44	3611	2,793,521	2744	77.3	74.4-80.2	867	22.7	19.8-25.6
45-54	5832	3,800,343	4558	82.4	80.2-84.6	1274	17.6	15.4-19.8
55-64	7870	2,144,136	6531	85.1	83.3-86.9	1339	14.9	13.1-16.7
Less Than H.S.	1980	794,320	1111	53.1	47.0-59.2	869	46.9	40.8-53.0
H.S. or G.E.D.	6309	2,896,594	4482	69.3	66.4-72.2	1827	30.7	27.8-33.6
Some Post-H.S.	6017	3,197,154	4842	78.1	75.4-80.8	1175	21.9	19.2-24.6
College Graduate	6060	4,325,222	5480	89.9	88.3-91.5	580	10.1	08.5-11.7
Less than \$15,000	2737	979,518	1539	55.3	50.4-60.2	1198	44.7	39.8-49.6
\$15,000- 24,999	3218	1,559,796	1862	50.1	45.8-54.4	1356	49.9	45.6-54.2
\$25,000- 34,999	2009	908,699	1477	66.6	60.9-72.3	532	33.4	27.7-39.1
\$35,000- 49,999	2697	1,351,108	2263	80.9	77.4-84.4	434	19.1	15.6-22.6
\$50,000- 74,999	2936	1,643,754	2712	89.4	86.7-92.1	224	10.6	07.9-13.3
\$75,000+	4520	3,490,308	4366	97.4	96.6-98.2	154	2.6	01.8-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 2: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7563	5,620,547	5869	77.5	75.3-79.7	1694	22.5	20.3-24.7
White/Non-Hisp	5910	3,689,141	4715	81.1	78.9-83.3	1195	18.9	16.7-21.1
Black or Afr. Am./Non-Hisp	588	573,491	442	68.6	60.2-77.0	146	31.4	23.0-39.8
Hispanic	537	956,369	332	69.4	61.8-77.0	205	30.6	23.0-38.2
18-24	364	566,182	219	62.3	52.5-72.1	145	37.7	27.9-47.5
25-34	762	754,681	487	68.2	61.7-74.7	275	31.8	25.3-38.3
35-44	1304	1,424,057	989	76.0	71.5-80.5	315	24.0	19.5-28.5
45-54	2190	1,846,731	1695	82.0	78.5-85.5	495	18.0	14.5-21.5
55-64	2943	1,028,896	2479	86.6	84.1-89.1	464	13.4	10.9-15.9
Less Than H.S.	758	429,635	406	53.1	44.3-61.9	352	46.9	38.1-55.7
H.S. or G.E.D.	2371	1,488,152	1670	68.0	63.5-72.5	701	32.0	27.5-36.5
Some Post-H.S.	2075	1,549,790	1679	77.2	72.5-81.9	396	22.8	18.1-27.5
College Graduate	2338	2,136,969	2102	89.4	87.0-91.8	236	10.6	08.2-13.0
Less than \$15,000	897	455,522	486	55.5	47.3-63.7	411	44.5	36.3-52.7
\$15,000- 24,999	1145	743,022	625	47.1	39.8-54.4	520	52.9	45.6-60.2
\$25,000- 34,999	698	443,293	482	58.6	49.4-67.8	216	41.4	32.2-50.6
\$35,000- 49,999	983	602,700	814	78.5	72.4-84.6	169	21.5	15.4-27.6
\$50,000- 74,999	1100	827,701	995	87.0	82.5-91.5	105	13.0	08.5-17.5
\$75,000+	2025	1,968,871	1947	97.2	96.0-98.4	78	2.8	01.6-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 3: RESPONDENTS AGED 18-64 THAT HAVE ANY FORM OF HEALTH CARE COVERAGE (_HCVU65)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Have health care coverage			Do not have health care coverage		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	12847	5,624,103	10069	79.5	77.9-81.1	2778	20.5	18.9-22.1
White/Non-Hisp	9839	3,566,312	7986	84.7	83.3-86.1	1853	15.3	13.9-16.7
Black or Afr. Am./Non-Hisp	1340	721,136	999	77.0	71.5-82.5	341	23.0	17.5-28.5
Oth. Race/Non-Hisp.	267	181,798	202	80.4	70.8-90.0	65	19.6	10.0-29.2
Hispanic	1015	979,180	611	65.2	59.5-70.9	404	34.8	29.1-40.5
18-24	477	384,395	321	63.7	54.5-72.9	156	36.3	27.1-45.5
25-34	1494	801,391	1078	74.6	70.3-78.9	416	25.4	21.1-29.7
35-44	2307	1,369,464	1755	78.6	75.3-81.9	552	21.4	18.1-24.7
45-54	3642	1,953,612	2863	82.9	80.2-85.6	779	17.1	14.4-19.8
55-64	4927	1,115,240	4052	83.8	81.3-86.3	875	16.2	13.7-18.7
Less Than H.S.	1222	364,685	705	53.1	45.3-60.9	517	46.9	39.1-54.7
H.S. or G.E.D.	3938	1,408,442	2812	70.6	67.1-74.1	1126	29.4	25.9-32.9
Some Post-H.S.	3942	1,647,364	3163	79.0	76.1-81.9	779	21.0	18.1-23.9
College Graduate	3722	2,188,253	3378	90.4	88.2-92.6	344	9.6	07.4-11.8
Less than \$15,000	1840	523,996	1053	55.1	49.6-60.6	787	44.9	39.4-50.4
\$15,000- 24,999	2073	816,774	1237	52.9	47.6-58.2	836	47.1	41.8-52.4
\$25,000- 34,999	1311	465,406	995	74.1	67.6-80.6	316	25.9	19.4-32.4
\$35,000- 49,999	1714	748,408	1449	82.8	78.7-86.9	265	17.2	13.1-21.3
\$50,000- 74,999	1836	816,053	1717	91.9	89.2-94.6	119	8.1	05.4-10.8
\$75,000+	2495	1,521,436	2419	97.7	96.7-98.7	76	2.3	01.3-03.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 5: EXERCISE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 5: EXERCISE

TABLE 1: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	35018	14,729,585	24750	76.0	75.0-77.0	10268	24.0	23.0-25.0	
Male	13007	7,147,423	9665	79.3	77.7-80.9	3342	20.7	19.1-22.3	
Female	22011	7,582,163	15085	72.8	71.4-74.2	6926	27.2	25.8-28.6	
White/Non-Hisp	28510	10,069,133	20374	77.5	76.5-78.5	8136	22.5	21.5-23.5	
Black or Afr. Am./Non-Hisp	2650	1,506,631	1735	70.6	66.5-74.7	915	29.4	25.3-33.5	
Oth. Race/Non-Hisp.	655	463,994	467	76.3	69.2-83.4	188	23.7	16.6-30.8	
MultiRacial/Non-Hisp.	528	198,110	364	78.5	70.5-86.5	164	21.5	13.5-29.5	
Hispanic	1951	2,217,118	1321	72.3	68.4-76.2	630	27.7	23.8-31.6	
18-24	858	976,126	680	84.9	80.6-89.2	178	15.1	10.8-19.4	
25-34	2258	1,562,353	1755	79.7	76.4-83.0	503	20.3	17.0-23.6	
35-44	3612	2,793,488	2668	78.0	75.5-80.5	944	22.0	19.5-24.5	
45-54	5820	3,792,888	4077	75.1	72.6-77.6	1743	24.9	22.4-27.4	
55-64	7879	2,146,199	5522	74.2	72.0-76.4	2357	25.8	23.6-28.0	
65+	14253	3,340,649	9801	72.1	70.5-73.7	4452	27.9	26.3-29.5	
Less Than H.S.	3569	1,105,127	1941	63.5	59.2-67.8	1628	36.5	32.2-40.8	
H.S. or G.E.D.	11370	3,919,730	7292	69.0	66.8-71.2	4078	31.0	28.8-33.2	
Some Post-H.S.	9893	4,161,045	7170	74.7	72.7-76.7	2723	25.3	23.3-27.3	
College Graduate	10081	5,482,816	8273	84.4	83.0-85.8	1808	15.6	14.2-17.0	
Less than \$15,000	4427	1,286,335	2483	64.2	60.7-67.7	1944	35.8	32.3-39.3	
\$15,000- 24,999	6233	2,179,715	3866	65.7	62.8-68.6	2367	34.3	31.4-37.2	
\$25,000- 34,999	3776	1,311,631	2617	70.4	66.7-74.1	1159	29.6	25.9-33.3	
\$35,000- 49,999	4593	1,820,129	3378	75.6	72.9-78.3	1215	24.4	21.7-27.1	
\$50,000- 74,999	4409	2,033,814	3444	79.5	76.6-82.4	965	20.5	17.6-23.4	
\$75,000+	6167	4,014,242	5218	87.1	85.3-88.9	949	12.9	11.1-14.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 5: EXERCISE

TABLE 2: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	13007	7,147,423	9665	79.3	77.7-80.9	3342	20.7	19.1-22.3
White/Non-Hisp	10674	4,910,177	7978	81.0	79.6-82.4	2696	19.0	17.6-20.4
Black or Afr. Am./Non-Hisp	815	652,030	578	73.9	67.0-80.8	237	26.1	19.2-33.0
Hispanic	693	1,090,917	515	76.2	69.9-82.5	178	23.8	17.5-30.1
18-24	376	582,010	321	90.5	85.6-95.4	55	9.5	04.6-14.4
25-34	764	761,014	625	83.8	78.9-88.7	139	16.2	11.3-21.1
35-44	1302	1,423,371	1004	81.8	78.3-85.3	298	18.2	14.7-21.7
45-54	2179	1,841,194	1568	74.8	70.7-78.9	611	25.2	21.1-29.3
55-64	2949	1,030,359	2149	79.0	76.3-81.7	800	21.0	18.3-23.7
65+	5357	1,470,632	3936	76.2	73.8-78.6	1421	23.8	21.4-26.2
Less Than H.S.	1314	549,466	765	67.8	61.5-74.1	549	32.2	25.9-38.5
H.S. or G.E.D.	3940	1,868,064	2678	72.8	69.5-76.1	1262	27.2	23.9-30.5
Some Post-H.S.	3368	1,904,089	2539	79.1	75.8-82.4	829	20.9	17.6-24.2
College Graduate	4335	2,791,831	3646	86.3	84.1-88.5	689	13.7	11.5-15.9
Less than \$15,000	1357	551,468	810	69.1	63.2-75.0	547	30.9	25.0-36.8
\$15,000- 24,999	2124	983,117	1358	70.8	66.3-75.3	766	29.2	24.7-33.7
\$25,000- 34,999	1355	621,397	962	72.1	66.0-78.2	393	27.9	21.8-34.0
\$35,000- 49,999	1840	834,643	1382	77.7	73.8-81.6	458	22.3	18.4-26.2
\$50,000- 74,999	1840	1,029,519	1464	80.3	75.4-85.2	376	19.7	14.8-24.6
\$75,000+	2995	2,295,560	2591	88.8	86.4-91.2	404	11.2	08.8-13.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 5: EXERCISE

TABLE 3: ADULTS THAT REPORT DOING PHYSICAL ACTIVITY OR EXERCISE DURING THE PAST 30 DAYS OTHER THAN THEIR REGULAR JOB (_TOTINDA)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	22011	7,582,163	15085	72.8	71.4-74.2	6926	27.2	25.8-28.6	
White/Non-Hisp	17836	5,158,956	12396	74.3	72.9-75.7	5440	25.7	24.3-27.1	
Black or Afr. Am./Non-Hisp	1835	854,602	1157	68.0	63.1-72.9	678	32.0	27.1-36.9	
Oth. Race/Non-Hisp.	354	200,328	248	78.1	69.3-86.9	106	21.9	13.1-30.7	
Hispanic	1258	1,126,201	806	68.5	63.6-73.4	452	31.5	26.6-36.4	
18-24	482	394,116	359	76.5	68.9-84.1	123	23.5	15.9-31.1	
25-34	1494	801,339	1130	75.7	71.4-80.0	364	24.3	20.0-28.6	
35-44	2310	1,370,117	1664	74.0	70.5-77.5	646	26.0	22.5-29.5	
45-54	3641	1,951,694	2509	75.4	72.5-78.3	1132	24.6	21.7-27.5	
55-64	4930	1,115,840	3373	69.8	66.9-72.7	1557	30.2	27.3-33.1	
65+	8896	1,870,017	5865	68.8	66.8-70.8	3031	31.2	29.2-33.2	
Less Than H.S.	2255	555,662	1176	59.2	53.5-64.9	1079	40.8	35.1-46.5	
H.S. or G.E.D.	7430	2,051,666	4614	65.6	63.1-68.1	2816	34.4	31.9-36.9	
Some Post-H.S.	6525	2,256,956	4631	71.0	68.6-73.4	1894	29.0	26.6-31.4	
College Graduate	5746	2,690,985	4627	82.5	80.5-84.5	1119	17.5	15.5-19.5	
Less than \$15,000	3070	734,866	1673	60.5	56.4-64.6	1397	39.5	35.4-43.6	
\$15,000- 24,999	4109	1,196,599	2508	61.5	57.8-65.2	1601	38.5	34.8-42.2	
\$25,000- 34,999	2421	690,233	1655	68.9	64.4-73.4	766	31.1	26.6-35.6	
\$35,000- 49,999	2753	985,486	1996	73.7	70.0-77.4	757	26.3	22.6-30.0	
\$50,000- 74,999	2569	1,004,295	1980	78.6	75.3-81.9	589	21.4	18.1-24.7	
\$75,000+	3172	1,718,681	2627	84.8	82.4-87.2	545	15.2	12.8-17.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 7: ORAL HEALTH CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)	
1 MALES AND FEMALES	15
2 MALES ONLY	16
3 FEMALES ONLY	17
ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)	
4 MALES AND FEMALES	18
5 MALES ONLY	19
6 FEMALES ONLY	20
ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)	
7 MALES AND FEMALES	21
8 MALES ONLY	22
9 FEMALES ONLY	23

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 1: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34475	14,601,447	11747	47.0	45.6-48.4	22728	53.0	51.6-54.4
Male	12833	7,095,065	4315	48.2	46.2-50.2	8518	51.8	49.8-53.8
Female	21642	7,506,382	7432	45.9	44.3-47.5	14210	54.1	52.5-55.7
White/Non-Hisp	28085	9,983,092	9752	47.9	46.5-49.3	18333	52.1	50.7-53.5
Black or Afr. Am./Non-Hisp	2626	1,499,870	628	37.6	33.1-42.1	1998	62.4	57.9-66.9
Oth. Race/Non-Hisp.	644	455,584	223	46.5	38.3-54.7	421	53.5	45.3-61.7
MultiRacial/Non-Hisp.	519	196,405	150	47.8	37.8-57.8	369	52.2	42.2-62.2
Hispanic	1917	2,201,740	813	51.1	46.4-55.8	1104	48.9	44.2-53.6
18-24	854	967,289	685	79.4	73.9-84.9	169	20.6	15.1-26.1
25-34	2254	1,554,140	1494	71.5	67.8-75.2	760	28.5	24.8-32.2
35-44	3600	2,789,723	2005	57.3	54.2-60.4	1595	42.7	39.6-45.8
45-54	5796	3,786,039	2356	48.3	45.4-51.2	3440	51.7	48.8-54.6
55-64	7790	2,127,552	2315	36.1	33.7-38.5	5475	63.9	61.5-66.3
65+	13863	3,262,750	2773	22.8	21.4-24.2	11090	77.2	75.8-78.6
Less Than H.S.	3476	1,085,566	536	29.9	24.8-35.0	2940	70.1	65.0-75.2
H.S. or G.E.D.	11173	3,880,974	2798	37.0	34.6-39.4	8375	63.0	60.6-65.4
Some Post-H.S.	9739	4,123,434	3424	46.0	43.5-48.5	6315	54.0	51.5-56.5
College Graduate	9987	5,451,957	4960	58.4	56.4-60.4	5027	41.6	39.6-43.6
Less than \$15,000	4344	1,271,448	801	25.0	21.7-28.3	3543	75.0	71.7-78.3
\$15,000- 24,999	6140	2,159,515	1381	35.5	32.0-39.0	4759	64.5	61.0-68.0
\$25,000- 34,999	3724	1,296,345	1005	38.1	33.6-42.6	2719	61.9	57.4-66.4
\$35,000- 49,999	4550	1,809,805	1527	41.0	37.7-44.3	3023	59.0	55.7-62.3
\$50,000- 74,999	4384	2,030,285	1870	49.8	46.5-53.1	2514	50.2	46.9-53.5
\$75,000+	6121	3,982,768	3377	64.2	61.8-66.6	2744	35.8	33.4-38.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 2: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12833	7,095,065	4315	48.2	46.2-50.2	8518	51.8	49.8-53.8
White/Non-Hisp	10548	4,879,691	3528	47.8	45.6-50.0	7020	52.2	50.0-54.4
Black or Afr. Am./Non-Hisp	806	647,407	216	41.8	34.0-49.6	590	58.2	50.4-66.0
Hispanic	679	1,085,530	303	54.3	46.9-61.7	376	45.7	38.3-53.1
18-24	372	573,173	310	82.1	74.8-89.4	62	17.9	10.6-25.2
25-34	762	753,903	513	72.5	66.6-78.4	249	27.5	21.6-33.4
35-44	1298	1,421,832	760	57.9	52.8-63.0	538	42.1	37.0-47.2
45-54	2176	1,838,649	913	48.1	43.6-52.6	1263	51.9	47.4-56.4
55-64	2916	1,024,568	832	35.9	32.2-39.6	2084	64.1	60.4-67.8
65+	5233	1,444,949	957	21.7	19.2-24.2	4276	78.3	75.8-80.8
Less Than H.S.	1289	545,406	235	35.1	27.1-43.1	1054	64.9	56.9-72.9
H.S. or G.E.D.	3893	1,855,850	1002	40.0	36.1-43.9	2891	60.0	56.1-63.9
Some Post-H.S.	3318	1,892,256	1133	48.0	43.7-52.3	2185	52.0	47.7-56.3
College Graduate	4286	2,767,737	1930	56.4	53.5-59.3	2356	43.6	40.7-46.5
Less than \$15,000	1338	549,164	267	25.4	19.5-31.3	1071	74.6	68.7-80.5
\$15,000- 24,999	2094	977,393	473	40.8	34.7-46.9	1621	59.2	53.1-65.3
\$25,000- 34,999	1338	613,513	331	39.8	32.2-47.4	1007	60.2	52.6-67.8
\$35,000- 49,999	1817	827,794	518	38.5	33.4-43.6	1299	61.5	56.4-66.6
\$50,000- 74,999	1825	1,025,482	684	47.4	42.1-52.7	1141	52.6	47.3-57.9
\$75,000+	2967	2,268,063	1530	61.8	58.3-65.3	1437	38.2	34.7-41.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 3: ADULTS AGED 18+ THAT HAVE HAD PERMANENT TEETH EXTRACTED (_EXTETH2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21642	7,506,382	7432	45.9	44.3-47.5	14210	54.1	52.5-55.7
White/Non-Hisp	17537	5,103,401	6224	48.0	46.4-49.6	11313	52.0	50.4-53.6
Black or Afr. Am./Non-Hisp	1820	852,463	412	34.4	28.9-39.9	1408	65.6	60.1-71.1
Hispanic	1238	1,116,210	510	47.9	42.4-53.4	728	52.1	46.6-57.6
18-24	482	394,116	375	75.6	67.0-84.2	107	24.4	15.8-33.0
25-34	1492	800,237	981	70.6	66.1-75.1	511	29.4	24.9-33.9
35-44	2302	1,367,891	1245	56.7	52.8-60.6	1057	43.3	39.4-47.2
45-54	3620	1,947,390	1443	48.6	44.9-52.3	2177	51.4	47.7-55.1
55-64	4874	1,102,985	1483	36.3	33.4-39.2	3391	63.7	60.8-66.6
65+	8630	1,817,801	1816	23.6	21.8-25.4	6814	76.4	74.6-78.2
Less Than H.S.	2187	540,160	301	24.8	19.1-30.5	1886	75.2	69.5-80.9
H.S. or G.E.D.	7280	2,025,124	1796	34.2	31.5-36.9	5484	65.8	63.1-68.5
Some Post-H.S.	6421	2,231,177	2291	44.2	41.7-46.7	4130	55.8	53.3-58.3
College Graduate	5701	2,684,220	3030	60.5	57.8-63.2	2671	39.5	36.8-42.2
Less than \$15,000	3006	722,284	534	24.7	20.8-28.6	2472	75.3	71.4-79.2
\$15,000- 24,999	4046	1,182,122	908	31.1	27.4-34.8	3138	68.9	65.2-72.6
\$25,000- 34,999	2386	682,832	674	36.6	31.3-41.9	1712	63.4	58.1-68.7
\$35,000- 49,999	2733	982,011	1009	43.1	39.0-47.2	1724	56.9	52.8-61.0
\$50,000- 74,999	2559	1,004,803	1186	52.2	48.1-56.3	1373	47.8	43.7-51.9
\$75,000+	3154	1,714,705	1847	67.4	64.3-70.5	1307	32.6	29.5-35.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 4: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13863	3,262,750	11498	86.7	85.5-87.9	2365	13.3	12.1-14.5
Male	5233	1,444,949	4324	88.1	86.5-89.7	909	11.9	10.3-13.5
Female	8630	1,817,801	7174	85.5	83.9-87.1	1456	14.5	12.9-16.1
White/Non-Hisp	12211	2,675,971	10238	87.4	86.4-88.4	1973	12.6	11.6-13.6
Black or Afr. Am./Non-Hisp	678	189,905	495	81.8	76.1-87.5	183	18.2	12.5-23.9
Hispanic	359	256,341	300	85.7	79.4-92.0	59	14.3	08.0-20.6
65+	13863	3,262,750	11498	86.7	85.5-87.9	2365	13.3	12.1-14.5
Less Than H.S.	1501	293,848	890	66.1	60.0-72.2	611	33.9	27.8-40.0
H.S. or G.E.D.	4831	961,233	3805	82.7	80.7-84.7	1026	17.3	15.3-19.3
Some Post-H.S.	3654	897,294	3156	87.8	85.8-89.8	498	12.2	10.2-14.2
College Graduate	3838	1,095,516	3618	94.7	93.1-96.3	220	5.3	03.7-06.9
Less than \$15,000	1616	294,248	1103	72.4	67.1-77.7	513	27.6	22.3-32.9
\$15,000- 24,999	2889	592,713	2174	78.0	75.1-80.9	715	22.0	19.1-24.9
\$25,000- 34,999	1718	386,262	1437	87.2	84.5-89.9	281	12.8	10.1-15.5
\$35,000- 49,999	1836	446,654	1611	89.2	86.8-91.6	225	10.8	08.4-13.2
\$50,000- 74,999	1429	375,052	1312	92.1	88.4-95.8	117	7.9	04.2-11.6
\$75,000+	1593	500,334	1523	97.2	96.0-98.4	70	2.8	01.6-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 5: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5233	1,444,949	4324	88.1	86.7-89.5	909	11.9	10.5-13.3
White/Non-Hisp	4615	1,175,015	3846	88.4	86.8-90.0	769	11.6	10.0-13.2
Black or Afr. Am./Non-Hisp	218	68,856	154	83.4	75.6-91.2	64	16.6	08.8-24.4
Hispanic	143	125,119	123	91.8	85.5-98.1	20	8.2	01.9-14.5
65+	5233	1,444,949	4324	88.1	86.7-89.5	909	11.9	10.5-13.3
H.S. or G.E.D.	1521	361,268	1167	83.0	79.7-86.3	354	17.0	13.7-20.3
Some Post-H.S.	1228	332,555	1033	87.9	85.2-90.6	195	12.1	09.4-14.8
College Graduate	1925	623,993	1804	95.5	94.1-96.9	121	4.5	03.1-05.9
Less than \$15,000	441	94,610	303	76.2	67.4-85.0	138	23.8	15.0-32.6
\$15,000- 24,999	939	227,855	650	75.5	70.4-80.6	289	24.5	19.4-29.6
\$25,000- 34,999	643	170,253	504	85.4	80.9-89.9	139	14.6	10.1-19.1
\$35,000- 49,999	837	223,195	718	89.5	86.0-93.0	119	10.5	07.0-14.0
\$50,000- 74,999	723	195,130	652	93.5	91.3-95.7	71	6.5	04.3-08.7
\$75,000+	946	316,715	904	96.6	94.8-98.4	42	3.4	01.6-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 6: ADULTS AGED 65+ WHO HAVE HAD ALL THEIR NATURAL TEETH EXTRACTED (_ALTETH2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8630	1,817,801	7174	85.5	83.9-87.1	1456	14.5	12.9-16.1
White/Non-Hisp	7596	1,500,956	6392	86.7	85.1-88.3	1204	13.3	11.7-14.9
Black or Afr. Am./Non-Hisp	460	121,049	341	80.8	73.2-88.4	119	19.2	11.6-26.8
Hispanic	216	131,222	177	79.9	69.9-89.9	39	20.1	10.1-30.1
65+	8630	1,817,801	7174	85.5	83.9-87.1	1456	14.5	12.9-16.1
Less Than H.S.	962	173,774	586	66.6	59.0-74.2	376	33.4	25.8-41.0
H.S. or G.E.D.	3310	599,965	2638	82.5	80.1-84.9	672	17.5	15.1-19.9
Some Post-H.S.	2426	564,739	2123	87.7	85.2-90.2	303	12.3	09.8-14.8
College Graduate	1913	471,522	1814	93.6	90.3-96.9	99	6.4	03.1-09.7
Less than \$15,000	1175	199,637	800	70.6	64.1-77.1	375	29.4	22.9-35.9
\$15,000- 24,999	1950	364,858	1524	79.5	75.8-83.2	426	20.5	16.8-24.2
\$25,000- 34,999	1075	216,010	933	88.6	85.3-91.9	142	11.4	08.1-14.7
\$35,000- 49,999	999	223,459	893	88.9	85.8-92.0	106	11.1	08.0-14.2
\$50,000- 74,999	706	179,921	660	90.6	83.3-97.9	46	9.4	02.1-16.7
\$75,000+	647	183,619	619	98.3	97.5-99.1	28	1.7	00.9-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 7: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34979	14,716,507	22007	66.4	65.2-67.6	12972	33.6	32.4-34.8
Male	13004	7,138,718	7971	65.6	63.6-67.6	5033	34.4	32.4-36.4
Female	21975	7,577,788	14036	67.2	65.8-68.6	7939	32.8	31.4-34.2
White/Non-Hisp	28489	10,068,100	18470	69.5	68.3-70.7	10019	30.5	29.3-31.7
Black or Afr. Am./Non-Hisp	2648	1,505,214	1405	56.9	52.4-61.4	1243	43.1	38.6-47.6
Oth. Race/Non-Hisp.	652	461,461	370	61.4	53.4-69.4	282	38.6	30.6-46.6
MultiRacial/Non-Hisp.	531	197,868	262	50.5	40.5-60.5	269	49.5	39.5-59.5
Hispanic	1944	2,208,562	1075	62.0	57.7-66.3	869	38.0	33.7-42.3
18-24	853	970,157	494	61.7	55.0-68.4	359	38.3	31.6-45.0
25-34	2259	1,555,892	1254	58.7	54.4-63.0	1005	41.3	37.0-45.6
35-44	3610	2,793,608	2184	64.3	61.2-67.4	1426	35.7	32.6-38.8
45-54	5831	3,797,348	3485	66.7	64.0-69.4	2346	33.3	30.6-36.0
55-64	7873	2,137,090	4968	69.2	67.0-71.4	2905	30.8	28.6-33.0
65+	14219	3,344,057	9371	70.9	69.3-72.5	4848	29.1	27.5-30.7
Less Than H.S.	3546	1,104,240	1140	37.2	32.5-41.9	2406	62.8	58.1-67.5
H.S. or G.E.D.	11354	3,913,920	6265	56.7	54.3-59.1	5089	43.3	40.9-45.7
Some Post-H.S.	9891	4,156,298	6471	67.1	64.9-69.3	3420	32.9	30.7-35.1
College Graduate	10084	5,487,777	8074	79.0	77.2-80.8	2010	21.0	19.2-22.8
Less than \$15,000	4422	1,284,543	1572	39.8	35.9-43.7	2850	60.2	56.3-64.1
\$15,000- 24,999	6230	2,179,670	2975	48.3	45.0-51.6	3255	51.7	48.4-55.0
\$25,000- 34,999	3771	1,310,509	2287	62.0	58.1-65.9	1484	38.0	34.1-41.9
\$35,000- 49,999	4589	1,817,886	3154	66.5	63.2-69.8	1435	33.5	30.2-36.8
\$50,000- 74,999	4414	2,030,419	3330	73.0	69.9-76.1	1084	27.0	23.9-30.1
\$75,000+	6169	4,016,212	5229	83.7	81.7-85.7	940	16.3	14.3-18.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

TABLE 8: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13004	7,138,718	7971	65.6	63.6-67.6	5033	34.4	32.4-36.4
White/Non-Hisp	10675	4,911,437	6684	67.9	65.9-69.9	3991	32.1	30.1-34.1
Black or Afr. Am./Non-Hisp	813	648,955	432	54.5	46.9-62.1	381	45.5	37.9-53.1
Hispanic	690	1,083,586	394	63.8	56.7-70.9	296	36.2	29.1-43.3
18-24	375	579,154	225	61.8	52.4-71.2	150	38.2	28.8-47.6
25-34	763	753,878	402	59.2	52.1-66.3	361	40.8	33.7-47.9
35-44	1303	1,423,524	751	63.5	58.8-68.2	552	36.5	31.8-41.2
45-54	2187	1,846,292	1237	65.5	61.4-69.6	950	34.5	30.4-38.6
55-64	2945	1,022,978	1823	68.3	64.8-71.8	1122	31.7	28.2-35.2
65+	5352	1,474,071	3473	70.5	68.0-73.0	1879	29.5	27.0-32.0
Less Than H.S.	1314	549,869	395	38.6	31.2-46.0	919	61.4	54.0-68.8
H.S. or G.E.D.	3943	1,869,506	2042	54.3	50.4-58.2	1901	45.7	41.8-49.6
Some Post-H.S.	3364	1,901,523	2085	65.0	61.1-68.9	1279	35.0	31.1-38.9
College Graduate	4335	2,791,955	3424	79.1	76.6-81.6	911	20.9	18.4-23.4
Less than \$15,000	1362	552,548	445	40.5	33.2-47.8	917	59.5	52.2-66.8
\$15,000- 24,999	2122	982,854	890	45.7	40.0-51.4	1232	54.3	48.6-60.0
\$25,000- 34,999	1352	621,153	733	59.7	53.0-66.4	619	40.3	33.6-47.0
\$35,000- 49,999	1838	832,820	1182	62.6	57.5-67.7	656	37.4	32.3-42.5
\$50,000- 74,999	1839	1,023,017	1322	69.2	64.1-74.3	517	30.8	25.7-35.9
\$75,000+	2997	2,297,415	2482	82.6	79.9-85.3	515	17.4	14.7-20.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 7: ORAL HEALTH

**TABLE 9: ADULTS THAT HAVE VISITED A DENTIST, DENTAL HYGIENIST OR DENTAL CLINIC WITHIN THE PAST YEAR (_DENVST1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21975	7,577,788	14036	67.2	65.8-68.6	7939	32.8	31.4-34.2
White/Non-Hisp	17814	5,156,662	11786	71.0	69.6-72.4	6028	29.0	27.6-30.4
Black or Afr. Am./Non-Hisp	1835	856,259	973	58.7	53.4-64.0	862	41.3	36.0-46.6
Hispanic	1254	1,124,975	681	60.2	54.9-65.5	573	39.8	34.5-45.1
18-24	478	391,003	269	61.5	52.5-70.5	209	38.5	29.5-47.5
25-34	1496	802,014	852	58.3	53.4-63.2	644	41.7	36.8-46.6
35-44	2307	1,370,084	1433	65.0	61.3-68.7	874	35.0	31.3-38.7
45-54	3644	1,951,056	2248	67.8	64.5-71.1	1396	32.2	28.9-35.5
55-64	4928	1,114,111	3145	70.0	67.3-72.7	1783	30.0	27.3-32.7
65+	8867	1,869,986	5898	71.3	69.5-73.1	2969	28.7	26.9-30.5
Less Than H.S.	2232	554,371	745	35.8	29.9-41.7	1487	64.2	58.3-70.1
H.S. or G.E.D.	7411	2,044,415	4223	58.8	56.1-61.5	3188	41.2	38.5-43.9
Some Post-H.S.	6527	2,254,775	4386	68.9	66.5-71.3	2141	31.1	28.7-33.5
College Graduate	5749	2,695,822	4650	78.8	76.3-81.3	1099	21.2	18.7-23.7
Less than \$15,000	3060	731,996	1127	39.3	35.0-43.6	1933	60.7	56.4-65.0
\$15,000- 24,999	4108	1,196,816	2085	50.4	46.5-54.3	2023	49.6	45.7-53.5
\$25,000- 34,999	2419	689,356	1554	64.1	59.4-68.8	865	35.9	31.2-40.6
\$35,000- 49,999	2751	985,066	1972	69.8	65.5-74.1	779	30.2	25.9-34.5
\$50,000- 74,999	2575	1,007,403	2008	76.7	73.2-80.2	567	23.3	19.8-26.8
\$75,000+	3172	1,718,797	2747	85.1	82.4-87.8	425	14.9	12.2-17.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 9: ASTHMA CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)	
1 MALES AND FEMALES	21
2 MALES ONLY	22
3 FEMALES ONLY	23
ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)	
4 MALES AND FEMALES	24
5 MALES ONLY	25
6 FEMALES ONLY	26
COMPUTED ASTHMA STATUS (_ASTHMST)	
7 MALES AND FEMALES	27
8 MALES ONLY	28
9 FEMALES ONLY	29

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 1: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35003	14,730,909	29950	86.2	85.2-87.2	5053	13.8	12.8-14.8
Male	13005	7,149,177	11552	87.4	85.8-89.0	1453	12.6	11.0-14.2
Female	21998	7,581,732	18398	85.1	84.1-86.1	3600	14.9	13.9-15.9
White/Non-Hisp	28499	10,071,409	24466	86.5	85.5-87.5	4033	13.5	12.5-14.5
Black or Afr. Am./Non-Hisp	2650	1,512,458	2227	87.5	84.6-90.4	423	12.5	09.6-15.4
Oth. Race/Non-Hisp.	653	463,071	559	88.3	82.0-94.6	94	11.7	05.4-18.0
MultiRacial/Non-Hisp.	527	193,192	421	87.8	83.1-92.5	106	12.2	07.5-16.9
Hispanic	1950	2,216,870	1641	83.2	79.7-86.7	309	16.8	13.3-20.3
18-24	852	972,354	684	76.0	69.3-82.7	168	24.0	17.3-30.7
25-34	2259	1,563,677	1879	82.5	79.0-86.0	380	17.5	14.0-21.0
35-44	3605	2,787,667	3089	87.6	85.6-89.6	516	12.4	10.4-14.4
45-54	5819	3,796,906	4919	87.8	86.0-89.6	900	12.2	10.4-14.0
55-64	7874	2,146,561	6673	86.5	84.9-88.1	1201	13.5	11.9-15.1
65+	14256	3,345,348	12413	88.0	86.8-89.2	1843	12.0	10.8-13.2
Less Than H.S.	3569	1,101,875	2835	84.0	81.1-86.9	734	16.0	13.1-18.9
H.S. or G.E.D.	11372	3,918,024	9799	85.7	83.9-87.5	1573	14.3	12.5-16.1
Some Post-H.S.	9876	4,163,638	8377	83.9	81.9-85.9	1499	16.1	14.1-18.1
College Graduate	10079	5,484,965	8844	88.7	87.3-90.1	1235	11.3	09.9-12.7
Less than \$15,000	4424	1,286,047	3493	79.9	76.6-83.2	931	20.1	16.8-23.4
\$15,000- 24,999	6233	2,181,669	5266	82.9	80.0-85.8	967	17.1	14.2-20.0
\$25,000- 34,999	3778	1,309,954	3230	87.0	84.3-89.7	548	13.0	10.3-15.7
\$35,000- 49,999	4585	1,818,631	3980	86.5	84.3-88.7	605	13.5	11.3-15.7
\$50,000- 74,999	4408	2,035,021	3862	86.9	84.4-89.4	546	13.1	10.6-15.6
\$75,000+	6162	4,014,992	5513	89.4	87.8-91.0	649	10.6	09.0-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 2: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13005	7,149,177	11552	87.4	85.8-89.0	1453	12.6	11.0-14.2
White/Non-Hisp	10676	4,911,722	9508	88.5	87.1-89.9	1168	11.5	10.1-12.9
Black or Afr. Am./Non-Hisp	815	656,840	706	88.1	83.0-93.2	109	11.9	06.8-17.0
MultiRacial/Non-Hisp.	215	87,293	185	91.3	84.8-97.8	30	8.7	02.2-15.2
Hispanic	692	1,090,721	604	81.6	75.3-87.9	88	18.4	12.1-24.7
18-24	373	579,000	296	69.3	59.5-79.1	77	30.7	20.9-40.5
25-34	762	761,650	655	83.4	77.3-89.5	107	16.6	10.5-22.7
35-44	1299	1,418,768	1165	88.8	85.9-91.7	134	11.2	08.3-14.1
45-54	2185	1,845,931	1937	90.7	88.2-93.2	248	9.3	06.8-11.8
55-64	2948	1,029,642	2617	88.9	86.5-91.3	331	11.1	08.7-13.5
65+	5358	1,475,343	4812	90.0	88.4-91.6	546	10.0	08.4-11.6
Less Than H.S.	1312	545,133	1118	84.4	79.7-89.1	194	15.6	10.9-20.3
H.S. or G.E.D.	3943	1,870,516	3513	86.6	83.5-89.7	430	13.4	10.3-16.5
Some Post-H.S.	3364	1,906,629	2961	85.0	81.5-88.5	403	15.0	11.5-18.5
College Graduate	4336	2,792,926	3914	90.1	88.1-92.1	422	9.9	07.9-11.9
Less than \$15,000	1357	551,952	1146	83.0	77.1-88.9	211	17.0	11.1-22.9
\$15,000- 24,999	2123	983,022	1864	83.9	78.6-89.2	259	16.1	10.8-21.4
\$25,000- 34,999	1359	621,734	1215	90.1	86.0-94.2	144	9.9	05.8-14.0
\$35,000- 49,999	1839	833,583	1633	87.2	83.9-90.5	206	12.8	09.5-16.1
\$50,000- 74,999	1840	1,029,388	1665	87.8	83.7-91.9	175	12.2	08.1-16.3
\$75,000+	2992	2,296,363	2713	90.1	87.7-92.5	279	9.9	07.5-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 3: ADULTS WHO HAVE EVER BEEN TOLD THEY HAVE ASTHMA (_LTASTHM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21998	7,581,732	18398	85.1	84.1-86.1	3600	14.9	13.9-15.9
White/Non-Hisp	17823	5,159,687	14958	84.6	83.4-85.8	2865	15.4	14.2-16.6
Black or Afr. Am./Non-Hisp	1835	855,618	1521	87.0	83.7-90.3	314	13.0	09.7-16.3
Oth. Race/Non-Hisp.	351	199,388	292	94.0	91.3-96.7	59	6.0	03.3-08.7
MultiRacial/Non-Hisp.	312	105,899	236	84.9	78.4-91.4	76	15.1	08.6-21.6
Hispanic	1258	1,126,149	1037	84.7	81.0-88.4	221	15.3	11.6-19.0
18-24	479	393,354	388	85.9	79.8-92.0	91	14.1	08.0-20.2
25-34	1497	802,027	1224	81.5	78.0-85.0	273	18.5	15.0-22.0
35-44	2306	1,368,899	1924	86.4	83.9-88.9	382	13.6	11.1-16.1
45-54	3634	1,950,975	2982	85.0	82.6-87.4	652	15.0	12.6-17.4
55-64	4926	1,116,919	4056	84.2	82.0-86.4	870	15.8	13.6-18.0
65+	8898	1,870,005	7601	86.5	84.9-88.1	1297	13.5	11.9-15.1
Less Than H.S.	2257	556,742	1717	83.6	79.9-87.3	540	16.4	12.7-20.1
H.S. or G.E.D.	7429	2,047,507	6286	85.0	83.0-87.0	1143	15.0	13.0-17.0
Some Post-H.S.	6512	2,257,009	5416	83.0	81.0-85.0	1096	17.0	15.0-19.0
College Graduate	5743	2,692,039	4930	87.3	85.5-89.1	813	12.7	10.9-14.5
Less than \$15,000	3067	734,095	2347	77.6	73.9-81.3	720	22.4	18.7-26.1
\$15,000- 24,999	4110	1,198,647	3402	82.1	79.2-85.0	708	17.9	15.0-20.8
\$25,000- 34,999	2419	688,221	2015	84.2	80.7-87.7	404	15.8	12.3-19.3
\$35,000- 49,999	2746	985,048	2347	86.0	83.3-88.7	399	14.0	11.3-16.7
\$50,000- 74,999	2568	1,005,634	2197	86.0	83.3-88.7	371	14.0	11.3-16.7
\$75,000+	3170	1,718,630	2800	88.4	86.2-90.6	370	11.6	09.4-13.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 4: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34814	14,663,626	31440	91.7	90.9-92.5	3374	8.3	07.5-09.1
Male	12954	7,124,350	12116	93.5	92.3-94.7	838	6.5	05.3-07.7
Female	21860	7,539,276	19324	90.0	89.2-90.8	2536	10.0	09.2-10.8
White/Non-Hisp	28345	10,017,553	25651	91.7	90.9-92.5	2694	8.3	07.5-09.1
Black or Afr. Am./Non-Hisp	2636	1,509,375	2346	92.0	89.8-94.2	290	8.0	05.8-10.2
Oth. Race/Non-Hisp.	650	462,823	582	95.4	92.9-97.9	68	4.6	02.1-07.1
MultiRacial/Non-Hisp.	522	191,776	448	90.7	86.6-94.8	74	9.3	05.2-13.4
Hispanic	1941	2,210,026	1748	90.1	87.0-93.2	193	9.9	06.8-13.0
18-24	845	967,527	759	88.0	82.5-93.5	86	12.0	06.5-17.5
25-34	2250	1,556,674	2011	89.2	86.5-91.9	239	10.8	08.1-13.5
35-44	3583	2,775,295	3267	93.4	91.8-95.0	316	6.6	05.0-08.2
45-54	5788	3,774,707	5184	92.8	91.4-94.2	604	7.2	05.8-08.6
55-64	7830	2,139,075	7002	91.3	90.1-92.5	828	8.7	07.5-09.9
65+	14181	3,331,986	12905	91.5	90.5-92.5	1276	8.5	07.5-09.5
Less Than H.S.	3539	1,091,404	2979	88.8	86.4-91.2	560	11.2	08.8-13.6
H.S. or G.E.D.	11326	3,907,594	10250	91.1	89.7-92.5	1076	8.9	07.5-10.3
Some Post-H.S.	9813	4,142,094	8831	90.1	88.5-91.7	982	9.9	08.3-11.5
College Graduate	10030	5,460,133	9284	93.8	92.8-94.8	746	6.2	05.2-07.2
Less than \$15,000	4387	1,271,916	3676	86.1	83.4-88.8	711	13.9	11.2-16.6
\$15,000- 24,999	6194	2,171,860	5504	87.7	85.0-90.4	690	12.3	09.6-15.0
\$25,000- 34,999	3763	1,307,142	3381	91.6	89.6-93.6	382	8.4	06.4-10.4
\$35,000- 49,999	4567	1,807,213	4211	93.2	91.6-94.8	356	6.8	05.2-08.4
\$50,000- 74,999	4395	2,030,682	4054	92.4	90.6-94.2	341	7.6	05.8-09.4
\$75,000+	6138	4,002,529	5778	94.5	93.3-95.7	360	5.5	04.3-06.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 5: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	12954	7,124,350	12116	93.5	92.3-94.7	838	6.5	05.3-07.7
White/Non-Hisp	10635	4,892,935	9954	93.9	92.9-94.9	681	6.1	05.1-07.1
Black or Afr. Am./Non-Hisp	811	655,442	752	95.3	92.8-97.8	59	4.7	02.2-07.2
Oth. Race/Non-Hisp.	302	263,683	277	95.4	91.5-99.3	25	4.6	00.7-08.5
MultiRacial/Non-Hisp.	214	86,781	199	94.3	88.4-0100	15	5.7	00.0-11.6
Hispanic	689	1,088,235	643	89.5	84.0-95.0	46	10.5	05.0-16.0
18-24	372	577,825	343	86.0	77.6-94.4	29	14.0	05.6-22.4
25-34	761	761,441	709	91.3	86.4-96.2	52	8.7	03.8-13.6
35-44	1292	1,411,558	1240	95.3	93.1-97.5	52	4.7	02.5-06.9
45-54	2175	1,837,115	2032	95.2	93.4-97.0	143	4.8	03.0-06.6
55-64	2934	1,026,651	2733	93.9	92.5-95.3	201	6.1	04.7-07.5
65+	5340	1,470,917	4982	93.3	91.9-94.7	358	6.7	05.3-08.1
Less Than H.S.	1305	541,735	1165	91.0	87.9-94.1	140	9.0	05.9-12.1
H.S. or G.E.D.	3933	1,868,895	3672	92.1	89.6-94.6	261	7.9	05.4-10.4
Some Post-H.S.	3349	1,898,235	3118	92.0	89.3-94.7	231	8.0	05.3-10.7
College Graduate	4317	2,781,512	4114	95.9	94.7-97.1	203	4.1	02.9-05.3
Less than \$15,000	1349	546,849	1192	90.1	85.8-94.4	157	9.9	05.6-14.2
\$15,000- 24,999	2113	977,837	1944	87.8	82.5-93.1	169	12.2	06.9-17.5
\$25,000- 34,999	1355	620,873	1261	93.9	91.7-96.1	94	6.1	03.9-08.3
\$35,000- 49,999	1833	830,419	1728	95.1	92.9-97.3	105	4.9	02.7-07.1
\$50,000- 74,999	1839	1,029,143	1750	94.4	92.0-96.8	89	5.6	03.2-08.0
\$75,000+	2981	2,291,488	2854	95.8	94.2-97.4	127	4.2	02.6-05.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 6: ADULTS WHO HAVE BEEN TOLD THEY CURRENTLY HAVE ASTHMA (_CASTHMA)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	21860	7,539,276	19324	90.0	89.2-90.8	2536	10.0	09.2-10.8
White/Non-Hisp	17710	5,124,619	15697	89.7	88.7-90.7	2013	10.3	09.3-11.3
Black or Afr. Am./Non-Hisp	1825	853,933	1594	89.5	86.4-92.6	231	10.5	07.4-13.6
Oth. Race/Non-Hisp.	348	199,141	305	95.3	92.9-97.7	43	4.7	02.3-07.1
MultiRacial/Non-Hisp.	308	104,994	249	87.7	81.6-93.8	59	12.3	06.2-18.4
Hispanic	1252	1,121,790	1105	90.8	87.9-93.7	147	9.2	06.3-12.1
18-24	473	389,702	416	91.0	85.7-96.3	57	9.0	03.7-14.3
25-34	1489	795,233	1302	87.2	84.1-90.3	187	12.8	09.7-15.9
35-44	2291	1,363,737	2027	91.3	89.1-93.5	264	8.7	06.5-10.9
45-54	3613	1,937,592	3152	90.5	88.5-92.5	461	9.5	07.5-11.5
55-64	4896	1,112,425	4269	88.9	87.1-90.7	627	11.1	09.3-12.9
65+	8841	1,861,069	7923	90.2	88.8-91.6	918	9.8	08.4-11.2
Less Than H.S.	2234	549,669	1814	86.6	83.1-90.1	420	13.4	09.9-16.9
H.S. or G.E.D.	7393	2,038,699	6578	90.1	88.5-91.7	815	9.9	08.3-11.5
Some Post-H.S.	6464	2,243,859	5713	88.4	86.6-90.2	751	11.6	09.8-13.4
College Graduate	5713	2,678,622	5170	91.7	90.3-93.1	543	8.3	06.9-09.7
Less than \$15,000	3038	725,067	2484	83.1	79.6-86.6	554	16.9	13.4-20.4
\$15,000- 24,999	4081	1,194,023	3560	87.6	85.2-90.0	521	12.4	10.0-14.8
\$25,000- 34,999	2408	686,270	2120	89.5	86.6-92.4	288	10.5	07.6-13.4
\$35,000- 49,999	2734	976,794	2483	91.6	89.2-94.0	251	8.4	06.0-10.8
\$50,000- 74,999	2556	1,001,539	2304	90.3	87.9-92.7	252	9.7	07.3-12.1
\$75,000+	3157	1,711,041	2924	92.8	91.0-94.6	233	7.2	05.4-09.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 7: COMPUTED ASTHMA STATUS (_ASTHMST)

Denominator excludes: Respondents not reporting they have been told they have asthma

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Current		N	Former		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	34814	14,663,626	3374	8.3	07.5-09.1	1490	5.0	04.4-05.6	29950	86.6	85.6-87.6
Male	12954	7,124,350	838	6.5	05.3-07.7	564	5.8	04.6-07.0	11552	87.7	86.1-89.3
Female	21860	7,539,276	2536	10.0	09.2-10.8	926	4.3	03.7-04.9	18398	85.6	84.6-86.6
White/Non-Hisp	28345	10,017,553	2694	8.3	07.5-09.1	1185	4.8	04.2-05.4	24466	87.0	86.0-88.0
Black or Afr. Am./Non-Hisp	2636	1,509,375	290	8.0	05.8-10.2	119	4.4	02.2-06.6	2227	87.6	84.7-90.5
Oth. Race/Non-Hisp.	650	462,823	68	4.6	02.1-07.1	23	7.0	00.9-13.1	559	88.4	82.1-94.7
MultiRacial/Non-Hisp.	522	191,776	74	9.3	05.2-13.4	27	2.2	00.6-03.8	421	88.4	83.9-92.9
Hispanic	1941	2,210,026	193	9.9	06.8-13.0	107	6.7	04.3-09.1	1641	83.4	79.9-86.9
18-24	845	967,527	86	12.0	06.5-17.5	75	11.6	06.7-16.5	684	76.4	69.7-83.1
25-34	2250	1,556,674	239	10.8	08.1-13.5	132	6.4	04.0-08.8	1879	82.8	79.3-86.3
35-44	3583	2,775,295	316	6.6	05.0-08.2	178	5.4	04.0-06.8	3089	88.0	86.0-90.0
45-54	5788	3,774,707	604	7.2	05.8-08.6	265	4.5	03.3-05.7	4919	88.3	86.5-90.1
55-64	7830	2,139,075	828	8.7	07.5-09.9	329	4.6	03.4-05.8	6673	86.8	85.2-88.4
65+	14181	3,331,986	1276	8.5	07.5-09.5	492	3.2	02.6-03.8	12413	88.4	87.2-89.6
Less Than H.S.	3539	1,091,404	560	11.2	08.8-13.6	144	4.0	02.0-06.0	2835	84.8	81.9-87.7
H.S. or G.E.D.	11326	3,907,594	1076	8.9	07.5-10.3	451	5.1	03.9-06.3	9799	86.0	84.2-87.8
Some Post-H.S.	9813	4,142,094	982	9.9	08.3-11.5	454	5.7	04.3-07.1	8377	84.4	82.4-86.4
College Graduate	10030	5,460,133	746	6.2	05.2-07.2	440	4.7	03.7-05.7	8844	89.1	87.9-90.3
Less than \$15,000	4387	1,271,916	711	13.9	11.2-16.6	183	5.3	02.9-07.7	3493	80.8	77.5-84.1
\$15,000- 24,999	6194	2,171,860	690	12.3	09.6-15.0	238	4.4	03.0-05.8	5266	83.3	80.4-86.2
\$25,000- 34,999	3763	1,307,142	382	8.4	06.4-10.4	151	4.4	02.4-06.4	3230	87.2	84.5-89.9
\$35,000- 49,999	4567	1,807,213	356	6.8	05.2-08.4	231	6.1	04.5-07.7	3980	87.1	84.9-89.3
\$50,000- 74,999	4395	2,030,682	341	7.6	05.8-09.4	192	5.3	03.3-07.3	3862	87.1	84.6-89.6
\$75,000+	6138	4,002,529	360	5.5	04.3-06.7	265	4.9	03.7-06.1	5513	89.7	88.1-91.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 8: COMPUTED ASTHMA STATUS (_ASTHMST)

**Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12954	7,124,350	838	6.5	05.3-07.7	564	5.8	04.6-07.0	11552	87.7	86.1-89.3
White/Non-Hisp	10635	4,892,935	681	6.1	05.1-07.1	446	5.0	04.0-06.0	9508	88.9	87.5-90.3
Black or Afr. Am./Non-Hisp	811	655,442	59	4.7	02.2-07.2	46	7.0	02.5-11.5	706	88.3	83.2-93.4
Oth. Race/Non-Hisp.	302	263,683	25	4.6	00.7-08.5						
MultiRacial/Non-Hisp.	214	86,781	15	5.7	00.0-11.6	14	2.4	00.0-04.9	185	91.9	85.4-98.4
Hispanic	689	1,088,235	46	10.5	05.0-16.0	39	7.7	03.8-11.6	604	81.8	75.5-88.1
18-24	372	577,825	29	14.0	05.6-22.4	47	16.6	08.8-24.4	296	69.4	59.6-79.2
25-34	761	761,441	52	8.7	03.8-13.6	54	7.8	03.5-12.1	655	83.5	77.4-89.6
35-44	1292	1,411,558	52	4.7	02.5-06.9	75	6.1	03.9-08.3	1165	89.2	86.3-92.1
45-54	2175	1,837,115	143	4.8	03.0-06.6	95	4.1	02.1-06.1	1937	91.1	88.6-93.6
55-64	2934	1,026,651	201	6.1	04.7-07.5	116	4.7	02.7-06.7	2617	89.2	86.8-91.6
65+	5340	1,470,917	358	6.7	05.3-08.1	170	3.0	02.0-04.0	4812	90.2	88.6-91.8
Less Than H.S.	1305	541,735	140	9.0	05.9-12.1	47	6.1	02.6-09.6	1118	84.9	80.2-89.6
H.S. or G.E.D.	3933	1,868,895	261	7.9	05.4-10.4	159	5.4	03.2-07.6	3513	86.6	83.5-89.7
Some Post-H.S.	3349	1,898,235	231	8.0	05.3-10.7	157	6.6	04.1-09.1	2961	85.4	81.9-88.9
College Graduate	4317	2,781,512	203	4.1	02.9-05.3	200	5.5	03.9-07.1	3914	90.4	88.4-92.4
Less than \$15,000	1349	546,849	157	9.9	05.6-14.2	46	6.3	01.6-11.0	1146	83.8	77.9-89.7
\$15,000- 24,999	2113	977,837	169	12.2	06.9-17.5	80	3.5	01.7-05.3	1864	84.4	78.9-89.9
\$25,000- 34,999	1355	620,873	94	6.1	03.9-08.3	46	3.7	00.2-07.2	1215	90.2	86.1-94.3
\$35,000- 49,999	1833	830,419	105	4.9	02.7-07.1	95	7.6	04.9-10.3	1633	87.5	84.2-90.8
\$50,000- 74,999	1839	1,029,143	89	5.6	03.2-08.0	85	6.6	03.1-10.1	1665	87.8	83.7-91.9
\$75,000+	2981	2,291,488	127	4.2	02.6-05.8	141	5.6	03.8-07.4	2713	90.3	87.9-92.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 9: ASTHMA

TABLE 9: COMPUTED ASTHMA STATUS (_ASTHMST)

**Denominator excludes: Respondents not reporting they have been told they have asthma
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Current			Former			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21860	7,539,276	2536	10.0	09.2-10.8	926	4.3	03.7-04.9	18398	85.6	84.6-86.6
White/Non-Hisp	17710	5,124,619	2013	10.3	09.3-11.3	739	4.5	03.7-05.3	14958	85.2	84.0-86.4
Black or Afr. Am./Non-Hisp	1825	853,933	231	10.5	07.4-13.6	73	2.4	01.2-03.6	1521	87.2	83.9-90.5
Oth. Race/Non-Hisp.	348	199,141	43	4.7	02.3-07.1	13	1.3	00.1-02.5	292	94.1	91.4-96.8
MultiRacial/Non-Hisp.	308	104,994	59	12.3	06.2-18.4	13	2.0	00.0-04.0	236	85.6	79.1-92.1
Hispanic	1252	1,121,790	147	9.2	06.3-12.1	68	5.7	03.3-08.1	1037	85.1	81.4-88.8
18-24	473	389,702	57	9.0	03.7-14.3	28	4.3	01.0-07.6	388	86.7	80.6-92.8
25-34	1489	795,233	187	12.8	09.7-15.9	78	5.0	03.0-07.0	1224	82.2	78.7-85.7
35-44	2291	1,363,737	264	8.7	06.5-10.9	103	4.6	03.0-06.2	1924	86.7	84.2-89.2
45-54	3613	1,937,592	461	9.5	07.5-11.5	170	4.8	03.2-06.4	2982	85.6	83.2-88.0
55-64	4896	1,112,425	627	11.1	09.3-12.9	213	4.4	03.0-05.8	4056	84.5	82.3-86.7
65+	8841	1,861,069	918	9.8	08.4-11.2	322	3.3	02.3-04.3	7601	86.9	85.3-88.5
Less Than H.S.	2234	549,669	420	13.4	09.9-16.9	97	2.0	00.8-03.2	1717	84.6	80.9-88.3
H.S. or G.E.D.	7393	2,038,699	815	9.9	08.3-11.5	292	4.8	03.4-06.2	6286	85.4	83.4-87.4
Some Post-H.S.	6464	2,243,859	751	11.6	09.8-13.4	297	4.9	03.9-05.9	5416	83.5	81.5-85.5
College Graduate	5713	2,678,622	543	8.3	06.9-09.7	240	4.0	03.0-05.0	4930	87.7	85.9-89.5
Less than \$15,000	3038	725,067	554	16.9	13.4-20.4	137	4.5	02.7-06.3	2347	78.5	74.8-82.2
\$15,000- 24,999	4081	1,194,023	521	12.4	10.0-14.8	158	5.2	03.0-07.4	3402	82.4	79.3-85.5
\$25,000- 34,999	2408	686,270	288	10.5	07.6-13.4	105	5.0	02.8-07.2	2015	84.5	81.0-88.0
\$35,000- 49,999	2734	976,794	251	8.4	06.0-10.8	136	4.9	03.1-06.7	2347	86.7	84.0-89.4
\$50,000- 74,999	2556	1,001,539	252	9.7	07.3-12.1	107	3.9	02.3-05.5	2197	86.4	83.7-89.1
\$75,000+	3157	1,711,041	233	7.2	05.4-09.0	124	3.9	02.7-05.1	2800	88.8	86.6-91.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 11: TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)	
1	MALES AND FEMALES	31
2	MALES ONLY	32
3	FEMALES ONLY	33
	ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)	
4	MALES AND FEMALES	34
5	MALES ONLY	35
6	FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 11: TOBACCO USE

TABLE 1: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34920	14,700,343	4697	12.0	11.2-12.8	1578	5.2	04.4-06.0	11934	29.8	28.6-31.0	16711	53.0	51.8-54.2
Male	12978	7,140,775	1823	12.3	11.1-13.5	573	6.0	04.8-07.2	5584	33.4	31.6-35.2	4998	48.2	46.2-50.2
Female	21942	7,559,568	2874	11.6	10.8-12.4	1005	4.3	03.7-04.9	6350	26.5	25.3-27.7	11713	57.6	56.2-59.0
White/Non-Hisp	28434	10,046,719	4018	14.0	13.0-15.0	1222	4.5	03.9-05.1	10354	34.1	32.9-35.3	12840	47.5	46.1-48.9
Black or Afr. Am./Non-Hisp	2646	1,511,587	226	7.9	05.7-10.1	154	5.8	04.0-07.6	544	16.2	13.1-19.3	1722	70.1	66.2-74.0
Oth. Race/Non-Hisp.	651	463,090	106	7.6	04.3-10.9	38	5.4	00.9-09.9	178	19.6	12.9-26.3	329	67.4	59.6-75.2
MultiRacial/Non-Hisp.	531	198,009	111	20.7	11.9-29.5	39	8.9	04.0-13.8	154	25.2	15.8-34.6	227	45.1	35.3-54.9
Hispanic	1940	2,207,758	174	6.2	04.2-08.2	89	7.6	04.3-10.9	443	22.0	18.3-25.7	1234	64.2	59.7-68.7
18-24	852	975,320	149	12.2	08.1-16.3	67	9.4	04.5-14.3	61	5.7	02.6-08.8	575	72.7	66.4-79.0
25-34	2253	1,562,543	406	13.8	11.4-16.2	148	7.0	03.7-10.3	381	17.7	14.6-20.8	1318	61.5	57.2-65.8
35-44	3603	2,783,953	638	13.2	11.0-15.4	200	6.7	04.9-08.5	688	20.4	17.9-22.9	2077	59.8	56.7-62.9
45-54	5826	3,790,559	1231	14.7	12.9-16.5	382	5.3	04.1-06.5	1488	27.0	24.5-29.5	2725	53.0	50.1-55.9
55-64	7858	2,134,995	1206	13.1	11.5-14.7	417	4.6	03.6-05.6	2745	37.7	35.3-40.1	3490	44.7	42.3-47.1
65+	14192	3,334,709	1038	6.4	05.6-07.2	350	2.0	01.6-02.4	6465	48.5	46.9-50.1	6339	43.0	41.4-44.6
Less Than H.S.	3555	1,103,773	773	20.6	17.3-23.9	240	7.7	05.0-10.4	1135	29.2	25.3-33.1	1407	42.4	37.5-47.3
H.S. or G.E.D.	11341	3,908,735	1885	18.2	16.2-20.2	586	6.1	04.9-07.3	3801	29.9	27.9-31.9	5069	45.7	43.3-48.1
Some Post-H.S.	9864	4,158,484	1397	12.7	11.3-14.1	464	5.9	04.1-07.7	3595	32.0	29.8-34.2	4408	49.3	46.9-51.7
College Graduate	10057	5,473,051	631	5.2	04.4-06.0	284	3.3	02.5-04.1	3365	28.3	26.5-30.1	5777	63.3	61.3-65.3
Less than \$15,000	4419	1,280,840	993	21.6	18.7-24.5	385	10.2	07.5-12.9	1299	25.4	22.1-28.7	1742	42.8	38.9-46.7
\$15,000- 24,999	6216	2,176,033	1098	17.4	15.0-19.8	323	5.9	03.7-08.1	2114	28.7	26.0-31.4	2681	47.9	44.6-51.2
\$25,000- 34,999	3764	1,307,107	527	13.6	11.2-16.0	188	6.9	03.2-10.6	1352	31.2	27.7-34.7	1697	48.3	44.0-52.6
\$35,000- 49,999	4583	1,810,389	600	12.3	10.3-14.3	160	4.0	02.8-05.2	1667	31.2	28.3-34.1	2156	52.5	49.2-55.8
\$50,000- 74,999	4401	2,032,508	465	11.1	09.1-13.1	135	4.3	02.7-05.9	1590	33.0	29.9-36.1	2211	51.6	48.3-54.9
\$75,000+	6151	4,004,669	436	6.6	05.4-07.8	174	3.1	02.1-04.1	2088	29.5	27.1-31.9	3453	60.7	58.2-63.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 11: TOBACCO USE

TABLE 2: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12978	7,140,775	1823	12.3	11.1-13.5	573	6.0	04.8-07.2	5584	33.4	31.6-35.2	4998	48.2	46.2-50.2
White/Non-Hisp	10654	4,902,716	1516	13.6	12.2-15.0	420	4.3	03.3-05.3	4803	36.7	34.7-38.7	3915	45.4	43.2-47.6
Black or Afr. Am./Non-Hisp	815	657,500	100	11.3	07.0-15.6	61	7.7	04.0-11.4	239	19.1	13.6-24.6	415	61.9	54.8-69.0
Oth. Race/Non-Hisp.	300	262,789	52	8.2	02.9-13.5	13	7.6	00.0-15.2						
MultiRacial/Non-Hisp.	219	92,130				21	16.3	06.5-26.1						
Hispanic	688	1,088,257	69	7.3	03.8-10.8	42	11.6	05.3-17.9	218	28.3	21.8-34.8	359	52.8	45.4-60.2
18-24	375	581,343	71	11.9	06.4-17.4	40	13.1	05.5-20.7	23	5.8	01.1-10.5	241	69.1	59.9-78.3
25-34	763	761,882	157	13.9	10.2-17.6	72	11.1	04.8-17.4	137	18.8	13.5-24.1	397	56.2	48.9-63.5
35-44	1300	1,422,671	228	14.4	10.9-17.9	75	7.4	04.7-10.1	293	23.1	19.0-27.2	704	55.1	50.2-60.0
45-54	2186	1,846,586	486	15.2	12.3-18.1	132	5.3	03.1-07.5	607	29.2	25.1-33.3	961	50.3	45.8-54.8
55-64	2938	1,018,960	471	12.4	09.9-14.9	148	4.7	03.1-06.3	1262	43.2	39.5-46.9	1057	39.7	36.0-43.4
65+	5337	1,470,512	403	6.1	04.7-07.5	105	1.3	00.9-01.7	3233	60.4	57.9-62.9	1596	32.3	29.8-34.8
Less Than H.S.	1311	547,661	311	20.5	15.4-25.6	93	10.8	05.7-15.9	549	35.9	29.2-42.6	358	32.7	25.1-40.3
H.S. or G.E.D.	3936	1,870,004	754	20.7	17.4-24.0	197	6.6	04.6-08.6	1719	33.1	29.6-36.6	1266	39.6	35.7-43.5
Some Post-H.S.	3357	1,903,827	489	12.0	09.6-14.4	153	8.0	04.5-11.5	1516	34.7	30.8-38.6	1199	45.4	41.1-49.7
College Graduate	4326	2,785,367	264	5.2	04.0-06.4	128	3.3	02.1-04.5	1776	32.3	29.6-35.0	2158	59.1	56.2-62.0
Less than \$15,000	1358	550,230	330	21.5	16.2-26.8	117	11.8	06.5-17.1	522	32.4	26.1-38.7	389	34.4	27.3-41.5
\$15,000- 24,999	2118	981,963	433	20.3	15.8-24.8	122	8.2	03.9-12.5	908	31.9	27.2-36.6	655	39.5	33.8-45.2
\$25,000- 34,999	1353	620,656	218	14.5	10.4-18.6	71	10.2	02.8-17.6	631	34.2	28.3-40.1	433	41.1	34.2-48.0
\$35,000- 49,999	1838	831,227	244	12.6	09.5-15.7	58	4.7	02.7-06.7	850	36.0	31.3-40.7	686	46.8	41.7-51.9
\$50,000- 74,999	1832	1,027,746	193	11.3	08.2-14.4	49	4.1	01.6-06.6	826	38.2	33.1-43.3	764	46.3	41.0-51.6
\$75,000+	2988	2,288,101	210	7.1	05.1-09.1	91	3.1	01.7-04.5	1176	31.3	28.0-34.6	1511	58.4	54.9-61.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 11: TOBACCO USE

**TABLE 3: FOUR-LEVEL SMOKER STATUS: EVERYDAY SMOKER, SOMEDAY SMOKER, FORMER SMOKER, NON-SMOKER (_SMOKER3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Smoke everyday			Smoke some days			Former smoker			Never smoked		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21942	7,559,568	2874	11.6	10.8-12.4	1005	4.3	03.7-04.9	6350	26.5	25.3-27.7	11713	57.6	56.2-59.0
White/Non-Hisp	17780	5,144,002	2502	14.3	13.1-15.5	802	4.6	03.8-05.4	5551	31.6	30.2-33.0	8925	49.5	47.9-51.1
Black or Afr. Am./Non-Hisp	1831	854,087	126	5.4	03.6-07.2	93	4.3	02.7-05.9	305	13.9	10.2-17.6	1307	76.4	72.1-80.7
Oth. Race/Non-Hisp.	351	200,301	54	6.8	03.5-10.1	25	2.5	00.9-04.1	71	7.7	03.8-11.6	201	82.9	77.2-88.6
MultiRacial/Non-Hisp.	312	105,879	58	17.9	07.9-27.9	18	2.5	00.3-04.7						
Hispanic	1252	1,119,501	105	5.2	03.4-07.0	47	3.7	01.5-05.9	225	15.8	12.3-19.3	875	75.4	71.1-79.7
18-24	477	393,977	78	12.6	06.7-18.5	27	3.8	00.1-07.5	38	5.6	02.7-08.5	334	78.1	70.8-85.4
25-34	1490	800,661	249	13.7	10.8-16.6	76	3.1	01.7-04.5	244	16.6	13.3-19.9	921	66.5	62.2-70.8
35-44	2303	1,361,282	410	12.0	09.8-14.2	125	5.9	03.9-07.9	395	17.4	14.7-20.1	1373	64.6	61.1-68.1
45-54	3640	1,943,973	745	14.3	12.1-16.5	250	5.3	03.7-06.9	881	24.9	22.0-27.8	1764	55.5	52.0-59.0
55-64	4920	1,116,035	735	13.7	11.7-15.7	269	4.5	03.5-05.5	1483	32.6	29.9-35.3	2433	49.2	46.3-52.1
65+	8855	1,864,197	635	6.6	05.6-07.6	245	2.7	02.1-03.3	3232	39.2	37.2-41.2	4743	51.5	49.3-53.7
Less Than H.S.	2244	556,112	462	20.7	16.4-25.0	147	4.7	03.1-06.3	586	22.6	18.3-26.9	1049	52.0	46.3-57.7
H.S. or G.E.D.	7405	2,038,731	1131	15.9	13.9-17.9	389	5.7	04.3-07.1	2082	27.0	24.6-29.4	3803	51.4	48.7-54.1
Some Post-H.S.	6507	2,254,657	908	13.4	11.8-15.0	311	4.2	03.2-05.2	2079	29.8	27.6-32.0	3209	52.6	50.1-55.1
College Graduate	5731	2,687,684	367	5.1	04.1-06.1	156	3.3	02.3-04.3	1589	24.1	21.9-26.3	3619	67.6	65.1-70.1
Less than \$15,000	3061	730,610	663	21.7	18.2-25.2	268	8.9	06.4-11.4	777	20.1	17.0-23.2	1353	49.2	44.9-53.5
\$15,000- 24,999	4098	1,194,071	665	15.0	12.6-17.4	201	4.0	02.8-05.2	1206	26.1	23.2-29.0	2026	54.8	51.1-58.5
\$25,000- 34,999	2411	686,451	309	12.7	10.0-15.4	117	3.9	02.3-05.5	721	28.5	24.2-32.8	1264	54.8	49.9-59.7
\$35,000- 49,999	2745	979,162	356	12.0	09.5-14.5	102	3.5	02.1-04.9	817	27.2	23.9-30.5	1470	57.4	53.3-61.5
\$50,000- 74,999	2569	1,004,761	272	10.9	08.5-13.3	86	4.5	02.3-06.7	764	27.7	24.4-31.0	1447	56.9	53.0-60.8
\$75,000+	3163	1,716,568	226	5.9	04.5-07.3	83	3.1	01.7-04.5	912	27.1	24.4-29.8	1942	63.8	60.7-66.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 11: TOBACCO USE

TABLE 4: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34920	14,700,343	28645	82.9	81.9-83.9	6275	17.1	16.1-18.1
Male	12978	7,140,775	10582	81.6	79.8-83.4	2396	18.4	16.6-20.2
Female	21942	7,559,568	18063	84.0	83.0-85.0	3879	16.0	15.0-17.0
White/Non-Hisp	28434	10,046,719	23194	81.6	80.6-82.6	5240	18.4	17.4-19.4
Black or Afr. Am./Non-Hisp	2646	1,511,587	2266	86.3	83.6-89.0	380	13.7	11.0-16.4
Oth. Race/Non-Hisp.	651	463,090	507	87.0	81.7-92.3	144	13.0	07.7-18.3
MultiRacial/Non-Hisp.	531	198,009	381	70.3	61.1-79.5	150	29.7	20.5-38.9
Hispanic	1940	2,207,758	1677	86.2	82.5-89.9	263	13.8	10.1-17.5
18-24	852	975,320	636	78.5	72.6-84.4	216	21.5	15.6-27.4
25-34	2253	1,562,543	1699	79.2	75.5-82.9	554	20.8	17.1-24.5
35-44	3603	2,783,953	2765	80.1	77.6-82.6	838	19.9	17.4-22.4
45-54	5826	3,790,559	4213	80.0	77.8-82.2	1613	20.0	17.8-22.2
55-64	7858	2,134,995	6235	82.3	80.5-84.1	1623	17.7	15.9-19.5
65+	14192	3,334,709	12804	91.6	90.6-92.6	1388	8.4	07.4-09.4
Less Than H.S.	3555	1,103,773	2542	71.7	67.8-75.6	1013	28.3	24.4-32.2
H.S. or G.E.D.	11341	3,908,735	8870	75.7	73.5-77.9	2471	24.3	22.1-26.5
Some Post-H.S.	9864	4,158,484	8003	81.3	79.3-83.3	1861	18.7	16.7-20.7
College Graduate	10057	5,473,051	9142	91.5	90.3-92.7	915	8.5	07.3-09.7
Less than \$15,000	4419	1,280,840	3041	68.2	64.5-71.9	1378	31.8	28.1-35.5
\$15,000- 24,999	6216	2,176,033	4795	76.6	73.7-79.5	1421	23.4	20.5-26.3
\$25,000- 34,999	3764	1,307,107	3049	79.5	75.4-83.6	715	20.5	16.4-24.6
\$35,000- 49,999	4583	1,810,389	3823	83.7	81.3-86.1	760	16.3	13.9-18.7
\$50,000- 74,999	4401	2,032,508	3801	84.6	82.1-87.1	600	15.4	12.9-17.9
\$75,000+	6151	4,004,669	5541	90.3	88.7-91.9	610	9.7	08.1-11.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 5: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12978	7,140,775	10582	81.6	80.0-83.2	2396	18.4	16.8-20.0
White/Non-Hisp	10654	4,902,716	8718	82.1	80.5-83.7	1936	17.9	16.3-19.5
Black or Afr. Am./Non-Hisp	815	657,500	654	81.0	75.5-86.5	161	19.0	13.5-24.5
Oth. Race/Non-Hisp.	300	262,789	235	84.2	75.4-93.0	65	15.8	07.0-24.6
Hispanic	688	1,088,257	577	81.1	74.4-87.8	111	18.9	12.2-25.6
18-24	375	581,343	264	74.9	66.3-83.5	111	25.1	16.5-33.7
25-34	763	761,882	534	75.0	68.3-81.7	229	25.0	18.3-31.7
35-44	1300	1,422,671	997	78.2	74.1-82.3	303	21.8	17.7-25.9
45-54	2186	1,846,586	1568	79.5	76.2-82.8	618	20.5	17.2-23.8
55-64	2938	1,018,960	2319	82.9	80.2-85.6	619	17.1	14.4-19.8
65+	5337	1,470,512	4829	92.6	91.2-94.0	508	7.4	06.0-08.8
Less Than H.S.	1311	547,661	907	68.6	62.1-75.1	404	31.4	24.9-37.9
H.S. or G.E.D.	3936	1,870,004	2985	72.7	69.2-76.2	951	27.3	23.8-30.8
Some Post-H.S.	3357	1,903,827	2715	80.1	76.2-84.0	642	19.9	16.0-23.8
College Graduate	4326	2,785,367	3934	91.5	89.7-93.3	392	8.5	06.7-10.3
Less than \$15,000	1358	550,230	911	66.7	60.0-73.4	447	33.3	26.6-40.0
\$15,000- 24,999	2118	981,963	1563	71.4	65.9-76.9	555	28.6	23.1-34.1
\$25,000- 34,999	1353	620,656	1064	75.3	67.9-82.7	289	24.7	17.3-32.1
\$35,000- 49,999	1838	831,227	1536	82.7	79.0-86.4	302	17.3	13.6-21.0
\$50,000- 74,999	1832	1,027,746	1590	84.5	80.6-88.4	242	15.5	11.6-19.4
\$75,000+	2988	2,288,101	2687	89.8	87.4-92.2	301	10.2	07.8-12.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 6: ADULTS WHO ARE CURRENT SMOKERS (_RFSMOK3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21942	7,559,568	18063	84.0	83.0-85.0	3879	16.0	15.0-17.0
White/Non-Hisp	17780	5,144,002	14476	81.1	79.7-82.5	3304	18.9	17.5-20.3
Black or Afr. Am./Non-Hisp	1831	854,087	1612	90.3	87.9-92.7	219	9.7	07.3-12.1
Oth. Race/Non-Hisp.	351	200,301	272	90.6	86.7-94.5	79	9.4	05.5-13.3
Hispanic	1252	1,119,501	1100	91.2	88.5-93.9	152	8.8	06.1-11.5
18-24	477	393,977	372	83.6	76.9-90.3	105	16.4	09.7-23.1
25-34	1490	800,661	1165	83.2	79.9-86.5	325	16.8	13.5-20.1
35-44	2303	1,361,282	1768	82.1	79.4-84.8	535	17.9	15.2-20.6
45-54	3640	1,943,973	2645	80.4	77.9-82.9	995	19.6	17.1-22.1
55-64	4920	1,116,035	3916	81.8	79.6-84.0	1004	18.2	16.0-20.4
65+	8855	1,864,197	7975	90.7	89.5-91.9	880	9.3	08.1-10.5
Less Than H.S.	2244	556,112	1635	74.6	70.1-79.1	609	25.4	20.9-29.9
H.S. or G.E.D.	7405	2,038,731	5885	78.4	76.0-80.8	1520	21.6	19.2-24.0
Some Post-H.S.	6507	2,254,657	5288	82.4	80.6-84.2	1219	17.6	15.8-19.4
College Graduate	5731	2,687,684	5208	91.6	90.2-93.0	523	8.4	07.0-09.8
Less than \$15,000	3061	730,610	2130	69.3	65.4-73.2	931	30.7	26.8-34.6
\$15,000- 24,999	4098	1,194,071	3232	80.9	78.4-83.4	866	19.1	16.6-21.6
\$25,000- 34,999	2411	686,451	1985	83.4	80.3-86.5	426	16.6	13.5-19.7
\$35,000- 49,999	2745	979,162	2287	84.5	81.8-87.2	458	15.5	12.8-18.2
\$50,000- 74,999	2569	1,004,761	2211	84.6	81.5-87.7	358	15.4	12.3-18.5
\$75,000+	3163	1,716,568	2854	90.9	89.1-92.7	309	9.1	07.3-10.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
PREFERRED RACE CATEGORY (_PRACE).	
1 MALES AND FEMALES	40
2 MALES ONLY	41
3 FEMALES ONLY	42
MULTIRACIAL RACE CATEGORIZATION (_MRACE).	
4 MALES AND FEMALES	43
5 MALES ONLY	44
6 FEMALES ONLY	45
RACE/ETHNICITY CATEGORIES (RACE2).	
7 MALES AND FEMALES	46
8 MALES ONLY	47
9 FEMALES ONLY	48
WHITE/HISPANIC RACE GROUP (_RACEG2).	
10 MALES AND FEMALES	49
11 MALES ONLY	50
12 FEMALES ONLY	51
FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)	
13 MALES AND FEMALES	52
14 MALES ONLY	53
15 FEMALES ONLY	54
NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).	
16 MALES AND FEMALES	55
17 MALES ONLY	56
18 FEMALES ONLY	57

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).	
19	MALES AND FEMALES	58
20	MALES ONLY	59
21	FEMALES ONLY	60
	ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).	
22	MALES AND FEMALES	61
23	MALES ONLY	62
24	FEMALES ONLY	63
	TWO-LEVEL AGE CATEGORY (_AGE65YR).	
25	MALES AND FEMALES	64
26	MALES ONLY	65
27	FEMALES ONLY	66
	REPORTED HEIGHT IN INCHES (HTIN3).	
28	MALES AND FEMALES	67
29	MALES ONLY	68
30	FEMALES ONLY	69
	REPORTED HEIGHT IN METERS (HTM3).	
31	MALES AND FEMALES	70
32	MALES ONLY	71
33	FEMALES ONLY	72
	REPORTED WEIGHT IN KILOGRAMS (WTKG2).	
34	MALES AND FEMALES	73
35	MALES ONLY	74
36	FEMALES ONLY	75
	BODY MASS INDEX (kilograms per meter-squared) (_BMI4).	
37	MALES AND FEMALES	76
38	MALES ONLY	77
39	FEMALES ONLY	78

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).	
40	MALES AND FEMALES	79
41	MALES ONLY	80
42	FEMALES ONLY	81
	RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).	
43	MALES AND FEMALES	82
44	MALES ONLY	83
45	FEMALES ONLY	84

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 1: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34278	14,209,112	30575	83.9	82.9-84.9	2858	11.8	10.8-12.8	249	2.2	01.8-02.6	57	0.3	00.1-00.5	459	1.4	01.0-01.8	80	0.3	00.1-00.5	
Male	12678	6,865,420	11417	84.7	82.9-86.5	876	10.3	08.9-11.7	119	2.5	01.7-03.3	16	0.3	00.1-00.5	220	2.0	01.2-02.8	30	0.3	00.1-00.5	
Female	21600	7,343,692	19158	83.3	81.9-84.7	1982	13.2	12.0-14.4	130	2.0	01.4-02.6	41	0.3	00.1-00.5	239	1.0	00.8-01.2	50	0.4	00.2-00.6	
18-24	824	921,978	630	68.8	62.1-75.5	138	18.4	13.1-23.7	24	5.1	02.4-07.8	5	0.8	00.0-01.8	20	6.1	01.0-11.2	7	0.6	00.0-01.4	
25-34	2139	1,443,238	1757	75.4	71.3-79.5	305	18.5	14.8-22.2	27	3.8	01.8-05.8	6	0.1	00.0-00.3	32	1.1	00.5-01.7	12	1.0	00.0-02.0	
35-44	3501	2,699,664	2966	82.7	80.2-85.2	401	11.9	09.7-14.1	63	3.4	02.2-04.6	9	0.3	00.1-00.5	50	1.1	00.5-01.7	12	0.6	00.0-01.2	
45-54	5714	3,698,841	4934	82.7	80.3-85.1	596	13.3	11.1-15.5	46	2.0	01.0-03.0	17	0.5	00.1-00.9	107	1.4	00.6-02.2	14	0.1	00.0-00.3	
55-64	7736	2,076,421	6918	88.2	86.4-90.0	628	9.3	07.7-10.9	35	0.8	00.4-01.2	13	0.1	00.1-00.1	125	1.4	00.8-02.0	17	0.2	00.0-00.4	
65+	14078	3,272,152	13122	91.6	90.4-92.8	762	6.8	05.6-08.0	52	0.8	00.4-01.2	7	0.1	00.0-00.3	120	0.6	00.4-00.8	15	0.1	00.1-00.1	
Less Than H.S.	3401	1,001,931	2782	70.9	66.2-75.6	498	21.6	17.3-25.9	12	1.6	00.0-03.2	7	0.4	00.0-01.0	90	5.0	02.3-07.7	12	0.5	00.0-01.1	
H.S. or G.E.D.	11195	3,808,076	9936	83.1	80.9-85.3	1040	13.7	11.7-15.7	42	1.4	00.6-02.2	14	0.2	00.0-00.4	148	1.6	00.8-02.4	15	0.1	00.1-00.1	
Some Post-H.S.	9706	4,015,254	8790	86.0	84.0-88.0	691	10.7	09.1-12.3	41	1.1	00.5-01.7	18	0.2	00.0-00.4	142	1.6	00.6-02.6	24	0.5	00.1-00.9	
College Graduate	9892	5,332,618	9002	85.7	83.9-87.5	615	9.3	07.7-10.9	154	3.8	02.8-04.8	18	0.4	00.0-00.8	74	0.5	00.3-00.7	29	0.4	00.2-00.6	
Less than \$15,000	4305	1,220,914	3472	70.2	66.1-74.3	673	24.1	20.2-28.0	18	2.0	00.8-03.2	5	0.3	00.0-00.7	125	3.3	01.5-05.1	12	0.1	00.1-00.1	
\$15,000- 24,999	6090	2,076,250	5315	82.2	79.3-85.1	614	13.2	10.8-15.6	31	1.0	00.2-01.8	13	0.3	00.0-00.7	102	2.9	00.9-04.9	15	0.3	00.0-00.7	
\$25,000- 34,999	3700	1,254,155	3259	80.8	76.7-84.9	361	16.1	12.2-20.0	16	0.8	00.0-01.6	10	0.3	00.1-00.5	44	1.2	00.0-02.6	10	0.8	00.0-02.0	
\$35,000- 49,999	4522	1,763,850	4095	84.7	82.2-87.2	325	11.8	09.4-14.2	42	2.4	01.2-03.6	5	0.1	00.1-00.1	42	0.6	00.2-01.0	13	0.4	00.0-00.8	
\$50,000- 74,999	4345	1,979,419	3990	85.2	82.5-87.9	269	10.0	07.6-12.4	39	3.3	01.7-04.9	6	0.4	00.0-01.0	31	0.7	00.3-01.1	10	0.4	00.0-00.8	
\$75,000+	6085	3,957,860	5707	88.8	86.8-90.8	239	7.0	05.4-08.6	73	3.0	02.0-04.0	11	0.3	00.1-00.5	49	0.9	00.1-01.7	6	0.1	00.0-00.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 2: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White			N	Black			N	Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)			%	C.I. (95%)		N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12678	6,865,420	11417	84.7	82.9-86.5		876	10.3	08.9-11.7		119	2.5	01.7-03.3		16	0.3	00.1-00.5	220	2.0	01.2-02.8	30	0.3	00.1-00.5
18-24	360	552,483	286	69.6	59.8-79.4		49	17.8	10.4-25.2		11	2.7	00.7-04.7		1	0.3	00.0-00.9	10	9.1	00.9-17.3	3	0.5	00.0-01.3
25-34	716	682,557	587	73.8	66.9-80.7		94	19.1	12.8-25.4		11	3.9	00.8-07.0		2	0.1	00.0-00.3	16	1.4	00.4-02.4	6	1.7	00.0-03.9
35-44	1262	1,379,355	1087	85.2	81.5-88.9		110	8.9	05.8-12.0		33	4.5	02.5-06.5		1	0.1	00.0-00.3	27	1.2	00.4-02.0	4	0.2	00.0-00.6
45-54	2139	1,804,940	1881	84.6	81.1-88.1		186	11.1	08.2-14.0		12	2.0	00.6-03.4		6	0.6	00.0-01.4	50	1.7	00.3-03.1	4	0.1	00.1-00.1
55-64	2881	987,714	2594	89.1	86.7-91.5		193	7.3	05.3-09.3		22	1.3	00.5-02.1		3	0.0	00.0-00.0	64	1.9	00.7-03.1	5	0.2	00.0-00.6
65+	5258	1,427,797	4923	92.1	90.3-93.9		243	5.8	04.2-07.4		29	1.1	00.5-01.7		3	0.2	00.0-00.6	52	0.7	00.3-01.1	8	0.1	00.0-00.3
Less Than H.S.	1253	497,319	1031	73.2	65.9-80.5		154	15.9	10.2-21.6		8	2.5	00.0-05.4		1	0.6	00.0-01.8	55	7.5	02.8-12.2	4	0.3	00.0-00.7
H.S. or G.E.D.	3867	1,801,030	3474	83.6	80.1-87.1		297	12.8	09.7-15.9		13	1.2	00.2-02.2		5	0.1	00.0-00.3	73	2.2	00.6-03.8	5	0.0	00.0-00.0
Some Post-H.S.	3276	1,817,530	2973	86.5	83.2-89.8		218	9.8	07.1-12.5		18	0.9	00.1-01.7		4	0.0	00.0-00.0	52	2.2	00.0-04.4	11	0.6	00.0-01.4
College Graduate	4246	2,720,426	3909	86.6	84.2-89.0		204	7.7	05.7-09.7		80	4.4	03.0-05.8		6	0.5	00.0-01.1	37	0.5	00.3-00.7	10	0.3	00.1-00.5
Less than \$15,000	1309	524,091	1079	70.6	63.2-78.0		157	22.4	15.3-29.5		8	2.1	00.0-04.3		2	0.6	00.0-01.8	61	4.2	00.7-07.7	2	0.1	00.0-00.3
\$15,000- 24,999	2062	926,126	1814	82.5	77.2-87.8		182	10.6	07.3-13.9		11	1.5	00.0-03.3		5	0.1	00.0-00.3	41	5.0	00.5-09.5	9	0.4	00.0-00.8
\$25,000- 34,999	1331	598,464	1189	84.1	78.4-89.8		107	12.0	07.1-16.9		8	0.3	00.0-00.7		1	0.0	00.0-00.0	23	2.3	00.0-05.0	3	1.3	00.0-03.7
\$35,000- 49,999	1802	800,760	1640	87.0	83.3-90.7		119	10.3	06.8-13.8		18	1.8	00.6-03.0					20	0.7	00.1-01.3	5	0.2	00.0-00.4
\$50,000- 74,999	1805	995,156	1657	84.8	80.9-88.7		108	10.1	06.6-13.6		16	3.0	01.0-05.0		2	0.6	00.0-01.8	17	0.9	00.3-01.5	5	0.6	00.0-01.2
\$75,000+	2941	2,261,255	2748	88.7	86.0-91.4		110	6.3	04.1-08.5		46	3.6	02.0-05.2		5	0.3	00.0-00.7	31	1.1	00.0-02.3	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 3: PREFERRED RACE CATEGORY (_PRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White			Black			Asian			Native Hawaiian or Pacific Islander			American Indian or Alaska Native			Multiracial, Other Race or No Preferred Race		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21600	7,343,692	19158	83.3	81.9-84.7	1982	13.2	12.0-14.4	130	2.0	01.4-02.6	41	0.3	00.1-00.5	239	1.0	00.8-01.2	50	0.4	00.2-00.6
18-24	464	369,495	344	67.6	59.2-76.0	89	19.4	12.5-26.3	13	8.8	02.9-14.7	4	1.7	00.0-03.9	10	1.7	00.0-03.5	4	0.9	00.0-02.3
25-34	1423	760,681	1170	76.8	72.3-81.3	211	17.9	13.6-22.2	16	3.8	01.4-06.2	4	0.2	00.0-00.6	16	0.8	00.2-01.4	6	0.5	00.0-01.1
35-44	2239	1,320,309	1879	80.2	76.9-83.5	291	15.0	12.1-17.9	30	2.4	01.2-03.6	8	0.5	00.0-01.1	23	0.9	00.3-01.5	8	1.0	00.0-02.0
45-54	3575	1,893,901	3053	80.8	77.5-84.1	410	15.5	12.2-18.8	34	2.0	00.8-03.2	11	0.3	00.1-00.5	57	1.2	00.4-02.0	10	0.2	00.0-00.4
55-64	4855	1,088,708	4324	87.4	85.0-89.8	435	11.2	08.8-13.6	13	0.3	00.1-00.5	10	0.1	00.0-00.3	61	0.9	00.5-01.3	12	0.2	00.0-00.4
65+	8820	1,844,356	8199	91.3	89.7-92.9	519	7.5	05.9-09.1	23	0.5	00.1-00.9	4	0.0	00.0-00.0	68	0.6	00.2-01.0	7	0.0	00.0-00.0
Less Than H.S.	2148	504,612	1751	68.5	62.2-74.8	344	27.2	21.1-33.3	4	0.7	00.0-01.7	6	0.2	00.0-00.4	35	2.7	00.0-05.4	8	0.6	00.0-01.6
H.S. or G.E.D.	7328	2,007,046	6462	82.6	80.1-85.1	743	14.5	12.1-16.9	29	1.6	00.6-02.6	9	0.3	00.0-00.7	75	1.0	00.4-01.6	10	0.1	00.1-00.1
Some Post-H.S.	6430	2,197,724	5817	85.6	83.4-87.8	473	11.4	09.4-13.4	23	1.3	00.5-02.1	14	0.3	00.1-00.5	90	1.1	00.7-01.5	13	0.3	00.0-00.7
College Graduate	5646	2,612,191	5093	84.7	82.3-87.1	411	11.0	08.8-13.2	74	3.1	01.9-04.3	12	0.3	00.0-00.7	37	0.4	00.2-00.6	19	0.6	00.0-01.2
Less than \$15,000	2996	696,822	2393	69.9	65.6-74.2	516	25.4	21.1-29.7	10	1.9	00.5-03.3	3	0.0	00.0-00.0	64	2.7	01.3-04.1	10	0.1	00.0-00.3
\$15,000- 24,999	4028	1,150,125	3501	82.1	78.8-85.4	432	15.4	12.1-18.7	20	0.6	00.2-01.0	8	0.5	00.0-01.1	61	1.2	00.6-01.8	6	0.3	00.0-00.7
\$25,000- 34,999	2369	655,691	2070	77.8	72.1-83.5	254	19.9	14.2-25.6	8	1.3	00.0-02.7	9	0.5	00.0-01.1	21	0.2	00.0-00.4	7	0.3	00.0-00.7
\$35,000- 49,999	2720	963,090	2455	82.8	79.1-86.5	206	13.1	09.8-16.4	24	2.8	01.0-04.6	5	0.1	00.0-00.3	22	0.6	00.2-01.0	8	0.6	00.0-01.2
\$50,000- 74,999	2540	984,264	2333	85.6	81.9-89.3	161	9.9	06.8-13.0	23	3.6	01.4-05.8	4	0.1	00.0-00.3	14	0.4	00.0-00.8	5	0.3	00.0-00.7
\$75,000+	3144	1,696,605	2959	88.9	86.4-91.4	129	7.8	05.6-10.0	27	2.1	00.9-03.3	6	0.3	00.0-00.7	18	0.8	00.0-01.6	5	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 4: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34277	14,208,374	30197	83.2	82.0-84.4	2804	11.4	10.4-12.4	240	2.2	01.8-02.6	50	0.2	00.0-00.4	408	1.3	00.9-01.7	578	1.8	01.4-02.2
Male	12677	6,864,682	11257	83.7	81.9-85.5	860	10.0	08.6-11.4	115	2.4	01.6-03.2	13	0.2	00.0-00.4	195	1.7	00.9-02.5	237	1.9	01.3-02.5
Female	21600	7,343,692	18940	82.7	81.3-84.1	1944	12.7	11.5-13.9	125	1.9	01.3-02.5	37	0.2	00.0-00.4	213	0.8	00.6-01.0	341	1.7	01.3-02.1
18-24	824	921,978	619	67.2	60.3-74.1	131	17.7	12.6-22.8	22	4.5	02.0-07.0	3	0.3	00.0-00.9	16	6.0	00.9-11.1	33	4.3	01.6-07.0
25-34	2138	1,442,500	1725	74.0	69.9-78.1	298	17.7	14.0-21.4	25	3.8	01.8-05.8	4	0.1	00.0-00.3	27	0.9	00.3-01.5	59	3.6	02.0-05.2
35-44	3501	2,699,664	2921	81.7	79.2-84.2	397	11.7	09.5-13.9	60	3.4	02.2-04.6	8	0.3	00.1-00.5	43	0.7	00.3-01.1	72	2.3	01.1-03.5
45-54	5714	3,698,841	4872	82.2	79.8-84.6	584	12.9	10.7-15.1	46	2.0	01.0-03.0	16	0.5	00.1-00.9	94	1.4	00.6-02.2	102	1.0	00.6-01.4
55-64	7736	2,076,421	6817	87.4	85.6-89.2	617	9.1	07.5-10.7	34	0.8	00.4-01.2	12	0.1	00.1-00.1	112	1.0	00.6-01.4	144	1.6	00.8-02.4
65+	14078	3,272,152	12996	91.2	90.0-92.4	750	6.6	05.6-07.6	51	0.8	00.4-01.2	7	0.1	00.0-00.3	112	0.5	00.3-00.7	162	0.8	00.6-01.0
Less Than H.S.	3400	1,001,193	2711	69.4	64.7-74.1	495	21.2	16.9-25.5	12	1.6	00.0-03.2	5	0.3	00.0-00.9	82	4.5	02.0-07.0	95	3.0	01.6-04.4
H.S. or G.E.D.	11195	3,808,076	9828	82.6	80.4-84.8	1027	13.3	11.3-15.3	39	1.4	00.6-02.2	12	0.1	00.1-00.1	127	1.3	00.5-02.1	162	1.4	00.8-02.0
Some Post-H.S.	9706	4,015,254	8655	84.9	82.9-86.9	669	10.4	08.8-12.0	37	1.0	00.4-01.6	16	0.2	00.0-00.4	127	1.4	00.4-02.4	202	2.1	01.3-02.9
College Graduate	9892	5,332,618	8939	85.0	83.2-86.8	599	8.9	07.5-10.3	152	3.7	02.7-04.7	17	0.4	00.0-00.8	67	0.4	00.2-00.6	118	1.5	00.9-02.1
Less than \$15,000	4305	1,220,914	3392	69.2	65.1-73.3	660	23.1	19.4-26.8	16	1.9	00.7-03.1	4	0.3	00.0-00.7	107	3.1	01.3-04.9	126	2.4	01.2-03.6
\$15,000- 24,999	6090	2,076,250	5218	81.4	78.5-84.3	611	13.1	10.7-15.5	29	1.0	00.2-01.8	12	0.3	00.0-00.7	90	2.7	00.7-04.7	130	1.5	00.9-02.1
\$25,000- 34,999	3699	1,253,417	3215	78.9	74.6-83.2	357	16.1	12.2-20.0	16	0.8	00.0-01.6	8	0.2	00.0-00.4	41	0.7	00.0-01.7	62	3.2	00.8-05.6
\$35,000- 49,999	4522	1,763,850	4055	84.4	81.9-86.9	318	11.4	09.0-13.8	40	2.1	01.1-03.1	5	0.1	00.1-00.1	39	0.6	00.2-01.0	65	1.4	00.6-02.2
\$50,000- 74,999	4345	1,979,419	3962	84.6	81.9-87.3	260	9.8	07.4-12.2	38	3.3	01.7-04.9	6	0.4	00.0-01.0	29	0.5	00.1-00.9	50	1.4	00.8-02.0
\$75,000+	6085	3,957,860	5681	88.1	86.1-90.1	231	6.6	05.0-08.2	72	3.0	02.0-04.0	10	0.3	00.1-00.5	48	0.9	00.1-01.7	43	1.1	00.3-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 5: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12677	6,864,682	11257	83.7	81.9-85.5	860	10.0	08.6-11.4	115	2.4	01.6-03.2	13	0.2	00.0-00.4	195	1.7	00.9-02.5	237	1.9	01.3-02.5
18-24	360	552,483	279	67.2	57.2-77.2	44	16.7	09.4-24.0	10	2.4	00.4-04.4				8	8.9	00.7-17.1	19	4.8	00.7-08.9
25-34	715	681,820	572	71.9	65.0-78.8	91	18.7	12.4-25.0	11	3.9	00.8-07.0	2	0.1	00.0-00.3	14	1.1	00.1-02.1	25	4.3	01.6-07.0
35-44	1262	1,379,355	1066	84.1	80.2-88.0	110	8.9	05.8-12.0	31	4.4	02.4-06.4	1	0.1	00.0-00.3	24	0.7	00.3-01.1	30	1.8	00.2-03.4
45-54	2139	1,804,940	1857	84.3	80.8-87.8	182	10.6	07.7-13.5	12	2.0	00.6-03.4	5	0.6	00.0-01.4	41	1.6	00.4-02.8	42	0.8	00.0-01.6
55-64	2881	987,714	2544	87.7	85.2-90.2	191	7.3	05.3-09.3	21	1.3	00.5-02.1	2	0.0	00.0-00.0	58	1.3	00.7-01.9	65	2.3	00.7-03.9
65+	5258	1,427,797	4880	91.6	89.8-93.4	241	5.7	04.1-07.3	29	1.1	00.5-01.7	3	0.2	00.0-00.6	50	0.7	00.3-01.1	55	0.7	00.3-01.1
Less Than H.S.	1252	496,581	994	70.8	63.5-78.1	153	15.6	09.9-21.3	8	2.5	00.0-05.4	1	0.6	00.0-01.8	50	6.4	01.9-10.9	46	4.0	01.6-06.4
H.S. or G.E.D.	3867	1,801,030	3434	83.1	79.6-86.6	288	12.2	09.3-15.1	11	1.1	00.1-02.1	4	0.0	00.0-00.0	61	1.8	00.2-03.4	69	1.8	00.8-02.8
Some Post-H.S.	3276	1,817,530	2920	85.1	81.6-88.6	213	9.6	07.1-12.1	16	0.8	00.0-01.6	3	0.0	00.0-00.0	47	1.9	00.0-04.1	77	2.6	01.0-04.2
College Graduate	4246	2,720,426	3879	85.9	83.4-88.4	203	7.7	05.7-09.7	80	4.4	03.0-05.8	5	0.5	00.0-01.1	34	0.5	00.3-00.7	45	1.1	00.3-01.9
Less than \$15,000	1309	524,091	1054	69.4	62.0-76.8	153	20.6	13.7-27.5	8	2.1	00.0-04.3	2	0.6	00.0-01.8	52	4.0	00.5-07.5	40	3.2	00.7-05.7
\$15,000- 24,999	2062	926,126	1773	81.8	76.5-87.1	182	10.6	07.3-13.9	10	1.5	00.0-03.3	4	0.1	00.0-00.3	35	4.7	00.2-09.2	58	1.3	00.5-02.1
\$25,000- 34,999	1330	597,726	1159	80.8	74.3-87.3	105	12.0	07.1-16.9	8	0.3	00.0-00.7	1	0.0	00.0-00.0	22	1.4	00.0-03.4	35	5.5	00.8-10.2
\$35,000- 49,999	1802	800,760	1622	86.5	82.8-90.2	116	9.6	06.3-12.9	17	1.8	00.6-03.0				19	0.7	00.1-01.3	28	1.5	00.3-02.7
\$50,000- 74,999	1805	995,156	1648	84.4	80.5-88.3	104	10.0	06.5-13.5	15	3.0	01.0-05.0	2	0.6	00.0-01.8	17	0.9	00.3-01.5	19	1.1	00.3-01.9
\$75,000+	2941	2,261,255	2734	87.9	85.0-90.8	109	6.3	04.1-08.5	46	3.6	02.0-05.2	4	0.3	00.0-00.7	30	1.0	00.0-02.2	18	0.9	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 6: MULTIRACIAL RACE CATEGORIZATION (_MRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21600	7,343,692	18940	82.7	81.3-84.1	1944	12.7	11.5-13.9	125	1.9	01.3-02.5	37	0.2	00.0-00.4	213	0.8	00.6-01.0	341	1.7	01.3-02.1
18-24	464	369,495	340	67.1	58.5-75.7	87	19.1	12.4-25.8	12	7.7	02.2-13.2	3	0.9	00.0-02.3	8	1.6	00.0-03.4	14	3.6	00.5-06.7
25-34	1423	760,681	1153	75.8	71.3-80.3	207	16.8	12.7-20.9	14	3.7	01.3-06.1	2	0.1	00.0-00.3	13	0.6	00.0-01.2	34	3.0	01.4-04.6
35-44	2239	1,320,309	1855	79.3	76.0-82.6	287	14.6	11.7-17.5	29	2.3	01.1-03.5	7	0.5	00.0-01.1	19	0.6	00.0-01.2	42	2.8	01.2-04.4
45-54	3575	1,893,901	3015	80.3	77.0-83.6	402	15.0	11.9-18.1	34	2.0	00.8-03.2	11	0.3	00.1-00.5	53	1.2	00.4-02.0	60	1.2	00.6-01.8
55-64	4855	1,088,708	4273	87.1	84.7-89.5	426	10.6	08.2-13.0	13	0.3	00.1-00.5	10	0.1	00.0-00.3	54	0.8	00.4-01.2	79	1.1	00.3-01.9
65+	8820	1,844,356	8116	90.9	89.3-92.5	509	7.3	05.9-08.7	22	0.5	00.1-00.9	4	0.0	00.0-00.0	62	0.4	00.2-00.6	107	0.8	00.4-01.2
Less Than H.S.	2148	504,612	1717	67.9	61.6-74.2	342	26.7	20.6-32.8	4	0.7	00.0-01.7	4	0.1	00.0-00.3	32	2.6	00.0-05.3	49	2.0	00.6-03.4
H.S. or G.E.D.	7328	2,007,046	6394	82.1	79.6-84.6	739	14.3	11.9-16.7	28	1.6	00.6-02.6	8	0.1	00.0-00.3	66	0.8	00.4-01.2	93	1.1	00.5-01.7
Some Post-H.S.	6430	2,197,724	5735	84.8	82.6-87.0	456	11.1	09.1-13.1	21	1.1	00.3-01.9	13	0.3	00.1-00.5	80	1.0	00.6-01.4	125	1.8	01.2-02.4
College Graduate	5646	2,612,191	5060	84.1	81.6-86.6	396	10.1	07.9-12.3	72	3.0	01.8-04.2	12	0.3	00.0-00.7	33	0.4	00.2-00.6	73	2.0	01.0-03.0
Less than \$15,000	2996	696,822	2338	69.0	64.7-73.3	507	24.9	20.6-29.2	8	1.7	00.3-03.1	2	0.0	00.0-00.0	55	2.5	01.1-03.9	86	1.8	00.8-02.8
\$15,000- 24,999	4028	1,150,125	3445	81.0	77.7-84.3	429	15.2	11.9-18.5	19	0.5	00.1-00.9	8	0.5	00.0-01.1	55	1.1	00.5-01.7	72	1.7	00.9-02.5
\$25,000- 34,999	2369	655,691	2056	77.3	71.6-83.0	252	19.8	14.1-25.5	8	1.3	00.0-02.7	7	0.4	00.0-00.8	19	0.2	00.0-00.4	27	1.1	00.5-01.7
\$35,000- 49,999	2720	963,090	2433	82.6	78.9-86.3	202	13.0	09.7-16.3	23	2.3	00.5-04.1	5	0.1	00.0-00.3	20	0.6	00.2-01.0	37	1.4	00.2-02.6
\$50,000- 74,999	2540	984,264	2314	84.8	81.1-88.5	156	9.6	06.5-12.7	23	3.6	01.4-05.8	4	0.1	00.0-00.3	12	0.2	00.0-00.4	31	1.7	00.5-02.9
\$75,000+	3144	1,696,605	2947	88.4	85.9-90.9	122	7.0	04.8-09.2	26	2.1	00.9-03.3	6	0.3	00.0-00.7	18	0.8	00.0-01.6	25	1.4	00.4-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 7: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	32428	12,268,478	28583	82.3	81.1-83.5	2656	12.3	11.3-13.3	231	2.5	01.9-03.1	47	0.3	00.1-00.5	365	1.0	00.6-01.4	546	1.6	01.2-02.0
Male	12044	5,934,948	10706	82.9	81.1-84.7	816	11.1	09.5-12.7	110	2.8	02.0-03.6	11	0.2	00.0-00.4	178	1.4	00.8-02.0	223	1.6	01.2-02.0
Female	20384	6,333,529	17877	81.6	80.2-83.0	1840	13.5	12.1-14.9	121	2.2	01.6-02.8	36	0.3	00.1-00.5	187	0.7	00.5-00.9	323	1.7	01.3-02.1
18-24	745	741,417	555	67.1	60.2-74.0	124	19.6	13.7-25.5	22	5.6	02.5-08.7	3	0.4	00.0-01.0	10	3.4	00.0-07.1	31	3.9	01.7-06.1
25-34	1907	1,190,526	1522	71.5	67.2-75.8	285	19.7	15.6-23.8	23	4.4	02.0-06.8	2	0.0	00.0-00.0	20	0.9	00.3-01.5	55	3.4	02.0-04.8
35-44	3155	2,187,958	2610	79.3	76.4-82.2	378	13.9	11.4-16.4	59	4.2	02.8-05.6	7	0.3	00.0-00.7	38	0.5	00.3-00.7	63	1.8	01.0-02.6
45-54	5369	3,172,602	4569	80.7	78.2-83.2	558	14.1	11.7-16.5	44	2.3	01.3-03.3	16	0.5	00.1-00.9	86	1.3	00.5-02.1	96	1.1	00.5-01.7
55-64	7414	1,881,242	6533	86.7	84.9-88.5	590	9.5	07.9-11.1	33	0.9	00.5-01.3	12	0.1	00.1-00.1	106	1.0	00.6-01.4	140	1.8	00.8-02.8
65+	13574	3,007,621	12565	91.2	90.0-92.4	695	6.5	05.5-07.5	48	0.8	00.4-01.2	7	0.1	00.0-00.3	103	0.5	00.3-00.7	156	0.8	00.6-01.0
Less Than H.S.	2989	765,877	2366	66.8	61.7-71.9	454	23.0	18.5-27.5	11	2.1	00.1-04.1	5	0.5	00.0-01.3	65	3.9	01.0-06.8	88	3.7	01.9-05.5
H.S. or G.E.D.	10684	3,383,724	9386	81.6	79.4-83.8	978	14.0	12.0-16.0	36	1.5	00.7-02.3	11	0.1	00.1-00.1	118	1.3	00.5-02.1	155	1.5	00.9-02.1
Some Post-H.S.	9259	3,440,288	8258	84.5	82.5-86.5	638	11.5	09.7-13.3	36	1.1	00.5-01.7	16	0.2	00.0-00.4	116	0.9	00.7-01.1	195	1.8	01.2-02.4
College Graduate	9429	4,649,411	8521	83.8	81.8-85.8	574	9.8	08.2-11.4	148	4.3	03.3-05.3	15	0.4	00.0-00.8	64	0.5	00.3-00.7	107	1.2	00.6-01.8
Less than \$15,000	3951	1,001,766	3095	65.4	61.1-69.7	619	26.4	22.1-30.7	16	2.3	00.7-03.9	4	0.3	00.0-00.9	97	2.7	00.7-04.7	120	2.9	01.3-04.5
\$15,000- 24,999	5661	1,634,148	4850	81.2	78.7-83.7	575	14.3	11.9-16.7	27	1.2	00.2-02.2	12	0.4	00.0-00.8	77	1.3	00.7-01.9	120	1.6	01.0-02.2
\$25,000- 34,999	3519	1,063,247	3060	77.7	73.2-82.2	341	18.3	14.0-22.6	15	1.0	00.2-01.8	7	0.2	00.0-00.4	38	0.9	00.0-02.1	58	2.0	00.8-03.2
\$35,000- 49,999	4307	1,521,586	3865	83.2	80.3-86.1	303	12.3	09.8-14.8	36	2.3	01.1-03.5	5	0.1	00.1-00.1	36	0.6	00.2-01.0	62	1.5	00.7-02.3
\$50,000- 74,999	4178	1,786,424	3805	83.3	80.4-86.2	253	10.6	08.1-13.1	37	3.7	02.1-05.3	5	0.4	00.0-01.0	29	0.6	00.2-01.0	49	1.5	00.7-02.3
\$75,000+	5882	3,564,877	5493	87.4	85.2-89.6	220	7.0	05.2-08.8	72	3.3	02.1-04.5	9	0.3	00.0-00.7	47	1.0	00.2-01.8	41	1.0	00.4-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 8: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12044	5,934,948	10706	82.9	81.1-84.7	816	11.1	09.5-12.7	110	2.8	02.0-03.6	11	0.2	00.0-00.4	178	1.4	00.8-02.0	223	1.6	01.2-02.0
18-24	326	449,096	254	69.6	60.0-79.2	40	18.9	10.5-27.3	10	3.0	00.6-05.4				5	5.1	00.0-11.0	17	3.4	01.0-05.8
25-34	645	565,597	515	69.0	61.6-76.4	88	22.3	15.2-29.4	9	4.4	00.7-08.1	1	0.0	00.0-00.0	11	1.1	00.1-02.1	21	3.2	01.4-05.0
35-44	1135	1,104,929	950	81.5	77.2-85.8	105	10.9	07.2-14.6	31	5.5	03.0-08.0				22	0.8	00.4-01.2	27	1.4	00.4-02.4
45-54	2024	1,576,280	1757	83.0	79.3-86.7	173	11.7	08.4-15.0	12	2.3	00.7-03.9	5	0.7	00.0-01.7	38	1.4	00.2-02.6	39	0.9	00.1-01.7
55-64	2776	901,980	2451	87.1	84.4-89.8	185	7.6	05.6-09.6	20	1.4	00.6-02.2	2	0.0	00.0-00.0	54	1.3	00.7-01.9	64	2.5	00.7-04.3
65+	5080	1,308,681	4724	91.7	89.9-93.5	224	5.5	03.9-07.1	27	1.1	00.5-01.7	3	0.3	00.0-00.7	48	0.7	00.3-01.1	54	0.7	00.3-01.1
Less Than H.S.	1122	407,204	886	67.9	60.1-75.7	144	18.4	11.9-24.9	7	3.0	00.0-06.7	1	0.7	00.0-02.1	41	5.4	00.7-10.1	43	4.6	01.9-07.3
H.S. or G.E.D.	3699	1,599,978	3287	82.0	78.3-85.7	274	12.8	09.5-16.1	9	1.2	00.0-02.4	4	0.0	00.0-00.0	59	2.0	00.2-03.8	66	2.0	00.8-03.2
Some Post-H.S.	3129	1,502,198	2791	85.0	81.9-88.1	201	11.3	08.2-14.4	16	1.0	00.0-02.0	3	0.0	00.0-00.0	45	0.9	00.5-01.3	73	1.7	00.9-02.5
College Graduate	4066	2,405,425	3718	85.0	82.5-87.5	194	8.2	06.0-10.4	78	5.0	03.4-06.6	3	0.5	00.0-01.1	32	0.5	00.1-00.9	41	0.7	00.1-01.3
Less than \$15,000	1214	440,929	970	64.7	56.7-72.7	146	24.1	16.5-31.7	8	2.6	00.1-05.1	2	0.7	00.0-02.1	50	4.3	00.2-08.4	38	3.7	00.6-06.8
\$15,000- 24,999	1906	714,327	1643	83.2	78.9-87.5	169	12.3	08.6-16.0	9	1.9	00.0-04.3	4	0.1	00.0-00.3	26	1.2	00.4-02.0	55	1.3	00.7-01.9
\$25,000- 34,999	1265	492,478	1104	80.8	74.5-87.1	101	14.3	08.6-20.0	7	0.4	00.0-00.8	1	0.0	00.0-00.0	21	1.6	00.0-04.0	31	2.9	00.4-05.4
\$35,000- 49,999	1718	695,071	1550	85.9	82.0-89.8	109	10.0	06.5-13.5	15	1.8	00.4-03.2				18	0.8	00.0-01.6	26	1.5	00.3-02.7
\$50,000- 74,999	1736	888,567	1584	82.8	78.5-87.1	101	10.9	07.2-14.6	14	3.3	01.1-05.5	1	0.6	00.0-01.8	17	1.0	00.4-01.6	19	1.3	00.3-02.3
\$75,000+	2842	2,021,586	2645	87.3	84.2-90.4	102	6.7	04.3-09.1	46	4.1	02.3-05.9	3	0.3	00.0-00.7	29	1.1	00.0-02.3	17	0.6	00.0-01.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 9: RACE/ETHNICITY CATEGORIES (RACE2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only			Black only			Asian only			Native Hawaiian or Pacific Islander only			American Indian or Alaska Native only			Multiracial only or Other Race only		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20384	6,333,529	17877	81.6	80.2-83.0	1840	13.5	12.3-14.7	121	2.2	0.1-0.2	36	0.3	0.0-0.5	187	0.7	0.0-0.9	323	1.7	0.1-0.2
18-24	419	292,321	301	63.2	54.0-72.4	84	20.6	13.3-27.9	12	9.7	0.2-16.6	3	1.1	0.0-0.2	5	0.8	0.0-0.2	14	4.6	0.0-0.8
25-34	1262	624,929	1007	73.8	68.9-78.7	197	17.4	13.3-21.5	14	4.4	0.1-0.7	1	0.0	0.0-0.0	9	0.7	0.0-0.1	34	3.6	0.1-0.5
35-44	2020	1,083,029	1660	77.1	73.4-80.8	273	16.9	13.6-20.2	28	2.8	0.1-0.4	7	0.6	0.0-0.1	16	0.3	0.0-0.5	36	2.3	0.0-0.3
45-54	3345	1,596,322	2812	78.4	74.7-82.1	385	16.4	12.9-19.9	32	2.3	0.0-0.3	11	0.4	0.0-0.6	48	1.2	0.0-0.2	57	1.3	0.0-0.2
55-64	4638	979,262	4082	86.3	83.8-88.8	405	11.3	08.9-13.7	13	0.4	0.0-0.8	10	0.1	0.0-0.3	52	0.7	0.0-0.1	76	1.2	0.0-0.2
65+	8494	1,698,940	7841	90.8	89.2-92.4	471	7.3	05.7-08.9	21	0.6	0.0-0.1	4	0.0	0.0-0.0	55	0.4	0.0-0.6	102	0.8	0.0-0.1
Less Than H.S.	1867	358,672	1480	65.6	59.5-71.7	310	28.3	22.4-34.2	4	1.0	0.0-0.2	4	0.2	0.0-0.4	24	2.3	0.0-0.5	45	2.8	0.0-0.4
H.S. or G.E.D.	6985	1,783,746	6099	81.2	78.7-83.7	704	15.1	12.7-17.5	27	1.8	0.0-0.3	7	0.1	0.0-0.1	59	0.6	0.0-0.1	89	1.1	0.0-0.1
Some Post-H.S.	6130	1,938,091	5467	84.2	81.8-86.6	437	11.6	09.6-13.6	20	1.2	0.0-0.2	13	0.3	0.0-0.5	71	0.8	0.0-0.1	122	1.9	0.1-0.2
College Graduate	5363	2,243,986	4803	82.5	79.8-85.2	380	11.5	09.1-13.9	70	3.5	0.2-0.4	12	0.4	0.0-0.8	32	0.4	0.0-0.6	66	1.8	0.0-0.2
Less than \$15,000	2737	560,837	2125	66.0	61.3-70.7	473	28.1	23.4-32.8	8	2.2	0.0-0.4	2	0.0	0.0-0.0	47	1.4	0.0-0.2	82	2.2	0.1-0.3
\$15,000- 24,999	3755	919,821	3207	79.7	76.4-83.0	406	15.8	12.7-18.9	18	0.7	0.0-0.1	8	0.6	0.0-0.1	51	1.4	0.0-0.2	65	1.8	0.1-0.2
\$25,000- 34,999	2254	570,768	1956	75.1	68.8-81.4	240	21.7	15.4-28.0	8	1.5	0.0-0.3	6	0.3	0.0-0.7	17	0.2	0.0-0.4	27	1.3	0.0-0.2
\$35,000- 49,999	2589	826,515	2315	81.0	76.9-85.1	194	14.3	10.6-18.0	21	2.7	0.0-0.4	5	0.1	0.0-0.3	18	0.5	0.0-0.9	36	1.4	0.0-0.2
\$50,000- 74,999	2442	897,856	2221	83.7	79.8-87.6	152	10.3	07.0-13.6	23	4.0	0.1-0.6	4	0.1	0.0-0.3	12	0.2	0.0-0.4	30	1.6	0.0-0.2
\$75,000+	3040	1,543,291	2848	87.5	84.8-90.2	118	7.5	05.1-09.9	26	2.3	0.0-0.3	6	0.3	0.0-0.7	18	0.9	0.0-0.1	24	1.5	0.0-0.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 10: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34381	14,485,982	28583	69.7	68.5-70.9	5798	30.3	29.1-31.5
Male	12737	7,025,865	10706	70.0	67.8-72.2	2031	30.0	27.8-32.2
Female	21644	7,460,118	17877	69.3	67.7-70.9	3767	30.7	29.1-32.3
18-24	851	960,503	555	51.8	44.9-58.7	296	48.2	41.3-55.1
25-34	2231	1,541,079	1522	55.3	50.8-59.8	709	44.7	40.2-49.2
35-44	3561	2,756,725	2610	63.0	59.7-66.3	951	37.0	33.7-40.3
45-54	5755	3,758,303	4569	68.1	65.2-71.0	1186	31.9	29.0-34.8
55-64	7749	2,099,820	6533	77.7	75.3-80.1	1216	22.3	19.9-24.7
65+	13954	3,272,965	12565	83.8	82.2-85.4	1389	16.2	14.6-17.8
Less Than H.S.	3462	1,084,749	2366	47.2	42.5-51.9	1096	52.8	48.1-57.5
H.S. or G.E.D.	11188	3,872,237	9386	71.3	68.8-73.8	1802	28.7	26.2-31.2
Some Post-H.S.	9736	4,095,835	8258	71.0	68.5-73.5	1478	29.0	26.5-31.5
College Graduate	9912	5,379,278	8521	72.4	70.2-74.6	1391	27.6	25.4-29.8
Less than \$15,000	4328	1,261,225	3095	52.0	48.1-55.9	1233	48.0	44.1-51.9
\$15,000- 24,999	6113	2,133,300	4850	62.2	58.7-65.7	1263	37.8	34.3-41.3
\$25,000- 34,999	3723	1,291,014	3060	64.0	59.1-68.9	663	36.0	31.1-40.9
\$35,000- 49,999	4531	1,793,821	3865	70.6	67.1-74.1	666	29.4	25.9-32.9
\$50,000- 74,999	4358	2,005,930	3805	74.2	70.7-77.7	553	25.8	22.3-29.3
\$75,000+	6099	3,974,482	5493	78.4	75.9-80.9	606	21.6	19.1-24.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 11: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12737	7,025,865	10706	70.0	68.0-72.0	2031	30.0	28.0-32.0
18-24	373	579,722	254	53.9	44.1-63.7	119	46.1	36.3-55.9
25-34	753	752,378	515	51.9	44.5-59.3	238	48.1	40.7-55.5
35-44	1280	1,407,228	950	64.0	58.9-69.1	330	36.0	30.9-41.1
45-54	2156	1,824,355	1757	71.7	67.2-76.2	399	28.3	23.8-32.8
55-64	2883	995,455	2451	78.9	75.2-82.6	432	21.1	17.4-24.8
65+	5231	1,437,508	4724	83.5	80.8-86.2	507	16.5	13.8-19.2
Less Than H.S.	1282	537,128	886	51.5	43.9-59.1	396	48.5	40.9-56.1
H.S. or G.E.D.	3878	1,849,506	3287	70.9	66.8-75.0	591	29.1	25.0-33.2
Some Post-H.S.	3295	1,872,881	2791	68.2	63.5-72.9	504	31.8	27.1-36.5
College Graduate	4246	2,737,048	3718	74.7	71.8-77.6	528	25.3	22.4-28.2
Less than \$15,000	1328	543,571	970	52.5	45.2-59.8	358	47.5	40.2-54.8
\$15,000- 24,999	2076	964,263	1643	61.6	55.3-67.9	433	38.4	32.1-44.7
\$25,000- 34,999	1338	613,187	1104	64.9	56.9-72.9	234	35.1	27.1-43.1
\$35,000- 49,999	1807	814,991	1550	73.3	68.0-78.6	257	26.7	21.4-32.0
\$50,000- 74,999	1807	1,015,021	1584	72.5	67.0-78.0	223	27.5	22.0-33.0
\$75,000+	2948	2,270,766	2645	77.8	74.3-81.3	303	22.2	18.7-25.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 12: WHITE/HISPANIC RACE GROUP (_RACEG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Non-White, Multiracial or Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21644	7,460,118	17877	69.3	67.7-70.9	3767	30.7	29.1-32.3
18-24	478	380,781	301	48.5	39.5-57.5	177	51.5	42.5-60.5
25-34	1478	788,701	1007	58.5	53.6-63.4	471	41.5	36.6-46.4
35-44	2281	1,349,497	1660	61.9	58.0-65.8	621	38.1	34.2-42.0
45-54	3599	1,933,948	2812	64.7	60.8-68.6	787	35.3	31.4-39.2
55-64	4866	1,104,365	4082	76.5	73.6-79.4	784	23.5	20.6-26.4
65+	8723	1,835,457	7841	84.1	82.1-86.1	882	15.9	13.9-17.9
Less Than H.S.	2180	547,621	1480	42.9	37.6-48.2	700	57.1	51.8-62.4
H.S. or G.E.D.	7310	2,022,731	6099	71.6	68.7-74.5	1211	28.4	25.5-31.3
Some Post-H.S.	6441	2,222,954	5467	73.4	70.7-76.1	974	26.6	23.9-29.3
College Graduate	5666	2,642,230	4803	70.0	67.1-72.9	863	30.0	27.1-32.9
Less than \$15,000	3000	717,654	2125	51.6	47.3-55.9	875	48.4	44.1-52.7
\$15,000- 24,999	4037	1,169,037	3207	62.7	58.8-66.6	830	37.3	33.4-41.2
\$25,000- 34,999	2385	677,827	1956	63.2	57.5-68.9	429	36.8	31.1-42.5
\$35,000- 49,999	2724	978,830	2315	68.4	63.7-73.1	409	31.6	26.9-36.3
\$50,000- 74,999	2551	990,908	2221	75.9	71.6-80.2	330	24.1	19.8-28.4
\$75,000+	3151	1,703,715	2848	79.3	76.0-82.6	303	20.7	17.4-24.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 13: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34381	14,485,982	28583	69.7	68.5-70.9	2656	10.5	09.7-11.3	656	3.2	02.6-03.8	533	1.4	01.2-01.6	1953	15.3	14.1-16.5
Male	12737	7,025,865	10706	70.0	67.8-72.2	816	9.4	08.0-10.8	302	3.8	03.0-04.6	220	1.3	00.9-01.7	693	15.5	13.5-17.5
Female	21644	7,460,118	17877	69.3	67.7-70.9	1840	11.5	10.3-12.7	354	2.7	02.1-03.3	313	1.4	01.0-01.8	1260	15.1	13.7-16.5
18-24	851	960,503	555	51.8	44.9-58.7	124	15.1	10.4-19.8	36	7.5	03.8-11.2	30	2.8	01.2-04.4	106	22.8	16.1-29.5
25-34	2231	1,541,079	1522	55.3	50.8-59.8	285	15.2	11.9-18.5	46	4.1	02.1-06.1	54	2.6	01.6-03.6	324	22.7	18.2-27.2
35-44	3561	2,756,725	2610	63.0	59.7-66.3	378	11.0	08.8-13.2	104	4.0	02.8-05.2	63	1.4	00.6-02.2	406	20.6	17.5-23.7
45-54	5755	3,758,303	4569	68.1	65.2-71.0	558	11.9	09.7-14.1	149	3.5	02.3-04.7	93	0.9	00.5-01.3	386	15.6	13.1-18.1
55-64	7749	2,099,820	6533	77.7	75.3-80.1	590	8.5	07.1-09.9	155	1.8	01.2-02.4	136	1.6	00.8-02.4	335	10.4	08.4-12.4
65+	13954	3,272,965	12565	83.8	82.2-85.4	695	6.0	05.0-07.0	161	1.4	01.0-01.8	153	0.7	00.5-00.9	380	8.1	06.7-09.5
Less Than H.S.	3462	1,084,749	2366	47.2	42.5-51.9	454	16.3	13.0-19.6	83	4.6	02.1-07.1	86	2.6	01.4-03.8	473	29.4	24.3-34.5
H.S. or G.E.D.	11188	3,872,237	9386	71.3	68.8-73.8	978	12.3	10.5-14.1	168	2.5	01.5-03.5	152	1.3	00.7-01.9	504	12.6	10.6-14.6
Some Post-H.S.	9736	4,095,835	8258	71.0	68.5-73.5	638	9.6	08.0-11.2	172	1.9	01.3-02.5	191	1.5	01.1-01.9	477	16.0	13.5-18.5
College Graduate	9912	5,379,278	8521	72.4	70.2-74.6	574	8.5	07.1-09.9	231	4.5	03.5-05.5	103	1.1	00.7-01.5	483	13.6	11.8-15.4
Less than \$15,000	4328	1,261,225	3095	52.0	48.1-55.9	619	20.9	17.4-24.4	120	4.3	02.3-06.3	117	2.2	01.0-03.4	377	20.6	16.9-24.3
\$15,000- 24,999	6113	2,133,300	4850	62.2	58.7-65.7	575	10.9	08.9-12.9	118	2.2	01.2-03.2	118	1.2	00.8-01.6	452	23.4	19.7-27.1
\$25,000- 34,999	3723	1,291,014	3060	64.0	59.1-68.9	341	15.0	11.3-18.7	60	1.6	00.4-02.8	58	1.7	00.7-02.7	204	17.6	12.9-22.3
\$35,000- 49,999	4531	1,793,821	3865	70.6	67.1-74.1	303	10.4	08.0-12.8	79	2.6	01.4-03.8	60	1.2	00.4-02.0	224	15.2	11.9-18.5
\$50,000- 74,999	4358	2,005,930	3805	74.2	70.7-77.7	253	9.5	07.1-11.9	73	4.2	02.6-05.8	47	1.3	00.7-01.9	180	10.9	08.0-13.8
\$75,000+	6099	3,974,482	5493	78.4	75.9-80.9	220	6.3	04.7-07.9	128	4.1	02.9-05.3	41	0.9	00.3-01.5	217	10.3	08.3-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 14: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12737	7,025,865	10706	70.0	68.0-72.0	816	9.4	08.0-10.8	302	3.8	03.0-04.6	220	1.3	00.9-01.7	693	15.5	13.5-17.5
18-24	373	579,722	254	53.9	44.1-63.7	40	14.6	07.7-21.5	16	6.5	01.6-11.4	16	2.4	00.6-04.2	47	22.5	13.1-31.9
25-34	753	752,378	515	51.9	44.5-59.3	88	16.8	11.1-22.5	21	4.2	01.3-07.1	21	2.4	01.0-03.8	108	24.8	17.0-32.6
35-44	1280	1,407,228	950	64.0	58.9-69.1	105	8.5	05.4-11.6	53	4.9	02.9-06.9	27	1.1	00.3-01.9	145	21.5	16.6-26.4
45-54	2156	1,824,355	1757	71.7	67.2-76.2	173	10.1	07.2-13.0	55	3.8	01.8-05.8	39	0.8	00.0-01.6	132	13.6	09.7-17.5
55-64	2883	995,455	2451	78.9	75.2-82.6	185	6.9	05.1-08.7	76	2.5	01.5-03.5	64	2.3	00.7-03.9	107	9.4	06.3-12.5
65+	5231	1,437,508	4724	83.5	80.8-86.2	224	5.0	03.6-06.4	80	2.0	01.2-02.8	52	0.6	00.2-01.0	151	9.0	06.5-11.5
Less Than H.S.	1282	537,128	886	51.5	43.9-59.1	144	14.0	08.7-19.3	50	6.9	02.4-11.4	42	3.5	01.3-05.7	160	24.2	16.4-32.0
H.S. or G.E.D.	3878	1,849,506	3287	70.9	66.8-75.0	274	11.1	08.2-14.0	72	2.8	01.0-04.6	66	1.7	00.7-02.7	179	13.5	10.2-16.8
Some Post-H.S.	3295	1,872,881	2791	68.2	63.5-72.9	201	9.1	06.6-11.6	65	1.7	00.9-02.5	72	1.3	00.7-01.9	166	19.8	14.9-24.7
College Graduate	4246	2,737,048	3718	74.7	71.8-77.6	194	7.2	05.2-09.2	114	5.3	03.7-06.9	40	0.6	00.2-01.0	180	12.1	09.6-14.6
Less than \$15,000	1328	543,571	970	52.5	45.2-59.8	146	19.5	12.8-26.2	60	6.1	02.0-10.2	38	3.0	00.5-05.5	114	18.9	12.2-25.6
\$15,000- 24,999	2076	964,263	1643	61.6	55.3-67.9	169	9.1	06.2-12.0	40	2.4	00.6-04.2	54	0.9	00.5-01.3	170	25.9	19.2-32.6
\$25,000- 34,999	1338	613,187	1104	64.9	56.9-72.9	101	11.5	06.8-16.2	29	1.6	00.0-03.6	31	2.3	00.3-04.3	73	19.7	11.3-28.1
\$35,000- 49,999	1807	814,991	1550	73.3	68.0-78.6	109	8.5	05.4-11.6	33	2.2	01.0-03.4	26	1.3	00.3-02.3	89	14.7	10.0-19.4
\$50,000- 74,999	1807	1,015,021	1584	72.5	67.0-78.0	101	9.6	06.3-12.9	32	4.4	02.0-06.8	19	1.1	00.3-01.9	71	12.5	07.4-17.6
\$75,000+	2948	2,270,766	2645	77.8	74.3-81.3	102	5.9	03.7-08.1	78	4.8	02.8-06.8	17	0.5	00.1-00.9	106	11.0	08.1-13.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 15: FIVE-LEVEL RACE/ETHNICITY CATEGORY (_RACEGR2.)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		White only, Non-Hispanic			Black only, Non-Hispanic			Other Race only, Non-Hispanic			Multiracial, Non-Hispanic			Hispanic		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21644	7,460,118	17877	69.3	67.7-70.9	1840	11.5	10.3-12.7	354	2.7	02.1-03.3	313	1.4	01.0-01.8	1260	15.1	13.7-16.5
18-24	478	380,781	301	48.5	39.5-57.5	84	15.8	10.1-21.5	20	8.9	03.4-14.4	14	3.5	00.4-06.6	59	23.2	14.2-32.2
25-34	1478	788,701	1007	58.5	53.6-63.4	197	13.8	10.5-17.1	25	4.1	01.7-06.5	33	2.8	01.2-04.4	216	20.8	16.1-25.5
35-44	2281	1,349,497	1660	61.9	58.0-65.8	273	13.6	10.9-16.3	51	3.0	01.8-04.2	36	1.8	00.6-03.0	261	19.7	16.0-23.4
45-54	3599	1,933,948	2812	64.7	60.8-68.6	385	13.5	10.6-16.4	94	3.3	01.9-04.7	54	1.0	00.4-01.6	254	17.5	14.0-21.0
55-64	4866	1,104,365	4082	76.5	73.6-79.4	405	10.0	07.8-12.2	79	1.1	00.7-01.5	72	1.0	00.2-01.8	228	11.3	08.8-13.8
65+	8723	1,835,457	7841	84.1	82.1-86.1	471	6.8	05.4-08.2	81	0.9	00.5-01.3	101	0.8	00.4-01.2	229	7.4	05.8-09.0
Less Than H.S.	2180	547,621	1480	42.9	37.6-48.2	310	18.5	14.2-22.8	33	2.2	00.0-04.6	44	1.8	00.4-03.2	313	34.5	28.0-41.0
H.S. or G.E.D.	7310	2,022,731	6099	71.6	68.7-74.5	704	13.4	11.2-15.6	96	2.2	01.2-03.2	86	1.0	00.4-01.6	325	11.8	09.4-14.2
Some Post-H.S.	6441	2,222,954	5467	73.4	70.7-76.1	437	10.1	08.3-11.9	107	2.1	01.3-02.9	119	1.6	01.0-02.2	311	12.8	10.4-15.2
College Graduate	5666	2,642,230	4803	70.0	67.1-72.9	380	9.7	07.5-11.9	117	3.6	02.4-04.8	63	1.5	00.7-02.3	303	15.1	12.6-17.6
Less than \$15,000	3000	717,654	2125	51.6	47.3-55.9	473	22.0	18.1-25.9	60	2.9	01.3-04.5	79	1.7	00.9-02.5	263	21.9	17.6-26.2
\$15,000- 24,999	4037	1,169,037	3207	62.7	58.8-66.6	406	12.4	09.9-14.9	78	2.1	01.3-02.9	64	1.4	00.6-02.2	282	21.3	17.2-25.4
\$25,000- 34,999	2385	677,827	1956	63.2	57.5-68.9	240	18.3	12.8-23.8	31	1.6	00.2-03.0	27	1.1	00.5-01.7	131	15.8	11.5-20.1
\$35,000- 49,999	2724	978,830	2315	68.4	63.7-73.1	194	12.0	08.9-15.1	46	2.9	01.1-04.7	34	1.2	00.2-02.2	135	15.6	11.1-20.1
\$50,000- 74,999	2551	990,908	2221	75.9	71.6-80.2	152	9.4	06.3-12.5	41	4.0	01.8-06.2	28	1.4	00.4-02.4	109	9.4	06.3-12.5
\$75,000+	3151	1,703,715	2848	79.3	76.0-82.6	118	6.8	04.6-09.0	50	3.1	01.5-04.7	24	1.4	00.4-02.4	111	9.4	06.9-11.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 16: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Four Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34303	14,220,103	33751	98.3	97.9-98.7	524	1.5	01.1-01.9	27	0.2	00.0-00.4	1	0.0	00.0-00.0
Male	12690	6,870,661	12461	98.2	97.6-98.8	219	1.5	00.9-02.1	10	0.3	00.1-00.5			
Female	21613	7,349,442	21290	98.4	98.0-98.8	305	1.5	01.1-01.9	17	0.1	00.1-00.1	1	0.0	00.0-00.0
18-24	825	924,844	793	95.9	93.2-98.6	31	4.0	01.3-06.7	1	0.1	00.0-00.3			
25-34	2144	1,443,025	2088	96.6	95.0-98.2	47	3.0	01.6-04.4	9	0.5	00.1-00.9			
35-44	3507	2,698,692	3438	97.9	96.9-98.9	62	2.0	01.0-03.0	6	0.1	00.0-00.3	1	0.0	00.0-00.0
45-54	5719	3,704,578	5624	99.0	98.6-99.4	91	0.7	00.3-01.1	4	0.2	00.0-00.6			
55-64	7742	2,080,197	7604	98.4	97.6-99.2	133	1.3	00.5-02.1	5	0.3	00.0-00.9			
65+	14082	3,272,156	13924	99.3	99.1-99.5	156	0.7	00.5-00.9	2	0.0	00.0-00.0			
Less Than H.S.	3404	1,003,200	3315	97.1	95.7-98.5	87	2.8	01.4-04.2	2	0.1	00.0-00.3			
H.S. or G.E.D.	11201	3,813,254	11044	98.6	98.0-99.2	151	1.0	00.6-01.4	6	0.3	00.0-00.7			
Some Post-H.S.	9718	4,017,910	9523	98.0	97.2-98.8	187	1.9	01.1-02.7	8	0.2	00.0-00.4			
College Graduate	9896	5,334,506	9786	98.6	98.0-99.2	98	1.3	00.7-01.9	11	0.1	00.0-00.3	1	0.0	00.0-00.0
Less than \$15,000	4307	1,221,928	4186	97.7	96.5-98.9	118	1.8	01.0-02.6	2	0.5	00.0-01.5	1	0.0	00.0-00.0
\$15,000- 24,999	6096	2,075,509	5973	98.6	98.0-99.2	118	1.2	00.8-01.6	5	0.2	00.0-00.4			
\$25,000- 34,999	3706	1,257,906	3644	96.8	94.4-99.2	57	2.6	00.4-04.8	5	0.6	00.0-01.4			
\$35,000- 49,999	4525	1,764,939	4466	98.8	98.0-99.6	57	1.2	00.4-02.0	2	0.0	00.0-00.0			
\$50,000- 74,999	4345	1,980,591	4298	98.7	98.1-99.3	41	1.1	00.5-01.7	6	0.2	00.0-00.4			
\$75,000+	6091	3,959,108	6048	98.9	98.1-99.7	40	1.1	00.3-01.9	3	0.0	00.0-00.0			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 17: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12690	6,870,661	12461	98.2	97.6-98.8	219	1.5	00.9-02.1	10	0.3	00.1-00.5
18-24	360	553,482	342	95.5	91.4-99.6	17	4.3	00.2-08.4	1	0.2	00.0-00.6
25-34	714	680,370	691	96.0	93.5-98.5	21	3.7	01.2-06.2	2	0.3	00.0-00.9
35-44	1264	1,379,657	1234	98.2	96.6-99.8	28	1.7	00.1-03.3	2	0.2	00.0-00.6
45-54	2145	1,808,180	2105	99.2	98.4-0100	39	0.4	00.2-00.6	1	0.3	00.0-00.9
55-64	2886	990,809	2821	97.7	96.1-99.3	62	1.7	00.5-02.9	3	0.6	00.0-01.8
65+	5259	1,427,590	5207	99.4	99.0-99.8	51	0.6	00.2-01.0	1	0.0	00.0-00.0
Less Than H.S.	1252	496,421	1209	96.2	93.8-98.6	43	3.8	01.4-06.2			
H.S. or G.E.D.	3871	1,804,260	3803	98.2	97.2-99.2	63	1.0	00.4-01.6	5	0.7	00.0-01.7
Some Post-H.S.	3282	1,819,348	3207	97.5	95.9-99.1	74	2.4	00.8-04.0	1	0.1	00.0-00.3
College Graduate	4249	2,721,517	4206	99.0	98.2-99.8	39	0.9	00.1-01.7	4	0.1	00.0-00.3
Less than \$15,000	1312	525,127	1273	96.9	94.4-99.4	38	1.9	00.7-03.1	1	1.2	00.0-03.6
\$15,000- 24,999	2061	924,614	2005	98.8	98.2-99.4	54	1.0	00.6-01.4	2	0.2	00.0-00.6
\$25,000- 34,999	1333	601,299	1298	94.6	89.9-99.3	33	4.5	00.2-08.8	2	0.9	00.0-02.7
\$35,000- 49,999	1804	802,002	1779	98.7	97.7-99.7	25	1.3	00.3-02.3			
\$50,000- 74,999	1807	997,470	1788	98.9	98.1-99.7	17	0.9	00.3-01.5	2	0.2	00.0-00.6
\$75,000+	2945	2,261,961	2927	99.1	98.1-0100	17	0.9	00.0-01.9	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 18: NUMBER OF CENSUS RACE CATEGORIES CHOSEN (_CNRACE).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			Two Race Categories			Three Race Categories			Four Race Categories		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21613	7,349,442	21290	98.4	98.0-98.8	305	1.5	01.1-01.9	17	0.1	00.1-00.1	1	0.0	00.0-00.0
18-24	465	371,362	451	96.4	93.3-99.5	14	3.6	00.5-06.7						
25-34	1430	762,656	1397	97.1	95.5-98.7	26	2.4	01.0-03.8	7	0.6	00.0-01.2			
35-44	2243	1,319,035	2204	97.5	95.9-99.1	34	2.4	00.8-04.0	4	0.1	00.0-00.3	1	0.0	00.0-00.0
45-54	3574	1,896,399	3519	98.9	98.3-99.5	52	1.0	00.4-01.6	3	0.1	00.0-00.3			
55-64	4856	1,089,388	4783	99.0	98.2-99.8	71	1.0	00.2-01.8	2	0.0	00.0-00.0			
65+	8823	1,844,566	8717	99.2	98.8-99.6	105	0.8	00.4-01.2	1	0.0	00.0-00.0			
Less Than H.S.	2152	506,779	2106	98.0	96.6-99.4	44	1.8	00.4-03.2	2	0.2	00.0-00.4			
H.S. or G.E.D.	7330	2,008,994	7241	99.0	98.4-99.6	88	1.0	00.4-01.6	1	0.0	00.0-00.0			
Some Post-H.S.	6436	2,198,561	6316	98.3	97.7-98.9	113	1.4	00.8-02.0	7	0.2	00.0-00.4			
College Graduate	5647	2,612,989	5580	98.1	97.1-99.1	59	1.8	00.8-02.8	7	0.1	00.0-00.3	1	0.0	00.0-00.0
Less than \$15,000	2995	696,801	2913	98.2	97.4-99.0	80	1.8	01.0-02.6	1	0.0	00.0-00.0	1	0.0	00.0-00.0
\$15,000- 24,999	4035	1,150,896	3968	98.4	97.6-99.2	64	1.3	00.7-01.9	3	0.2	00.0-00.6			
\$25,000- 34,999	2373	656,607	2346	98.9	98.3-99.5	24	0.9	00.3-01.5	3	0.2	00.0-00.6			
\$35,000- 49,999	2721	962,936	2687	98.8	97.8-99.8	32	1.1	00.1-02.1	2	0.1	00.0-00.3			
\$50,000- 74,999	2538	983,121	2510	98.6	97.6-99.6	24	1.3	00.3-02.3	4	0.2	00.0-00.4			
\$75,000+	3146	1,697,147	3121	98.6	97.6-99.6	23	1.4	00.4-02.4	2	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS

**TABLE 19: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34303	14,220,103	33751	98.3	97.9-98.7	552	1.7	01.3-02.1
Male	12690	6,870,661	12461	98.2	97.6-98.8	229	1.8	01.2-02.4
Female	21613	7,349,442	21290	98.4	98.0-98.8	323	1.6	01.2-02.0
18-24	825	924,844	793	95.9	93.2-98.6	32	4.1	01.4-06.8
25-34	2144	1,443,025	2088	96.6	95.0-98.2	56	3.4	01.8-05.0
35-44	3507	2,698,692	3438	97.9	96.9-98.9	69	2.1	01.1-03.1
45-54	5719	3,704,578	5624	99.0	98.6-99.4	95	1.0	00.6-01.4
55-64	7742	2,080,197	7604	98.4	97.6-99.2	138	1.6	00.8-02.4
65+	14082	3,272,156	13924	99.3	99.1-99.5	158	0.7	00.5-00.9
Less Than H.S.	3404	1,003,200	3315	97.1	95.7-98.5	89	2.9	01.5-04.3
H.S. or G.E.D.	11201	3,813,254	11044	98.6	98.0-99.2	157	1.4	00.8-02.0
Some Post-H.S.	9718	4,017,910	9523	98.0	97.2-98.8	195	2.0	01.2-02.8
College Graduate	9896	5,334,506	9786	98.6	98.0-99.2	110	1.4	00.8-02.0
Less than \$15,000	4307	1,221,928	4186	97.7	96.5-98.9	121	2.3	01.1-03.5
\$15,000- 24,999	6096	2,075,509	5973	98.6	98.0-99.2	123	1.4	00.8-02.0
\$25,000- 34,999	3706	1,257,906	3644	96.8	94.4-99.2	62	3.2	00.8-05.6
\$35,000- 49,999	4525	1,764,939	4466	98.8	98.0-99.6	59	1.2	00.4-02.0
\$50,000- 74,999	4345	1,980,591	4298	98.7	98.1-99.3	47	1.3	00.7-01.9
\$75,000+	6091	3,959,108	6048	98.9	98.1-99.7	43	1.1	00.3-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 20: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12690	6,870,661	12461	98.2	97.6-98.8	229	1.8	01.2-02.4
18-24	360	553,482	342	95.5	91.4-99.6	18	4.5	00.4-08.6
25-34	714	680,370	691	96.0	93.5-98.5	23	4.0	01.5-06.5
35-44	1264	1,379,657	1234	98.2	96.6-99.8	30	1.8	00.2-03.4
45-54	2145	1,808,180	2105	99.2	98.4-0100	40	0.8	00.0-01.6
55-64	2886	990,809	2821	97.7	96.1-99.3	65	2.3	00.7-03.9
65+	5259	1,427,590	5207	99.4	99.0-99.8	52	0.6	00.2-01.0
Less Than H.S.	1252	496,421	1209	96.2	93.8-98.6	43	3.8	01.4-06.2
H.S. or G.E.D.	3871	1,804,260	3803	98.2	97.2-99.2	68	1.8	00.8-02.8
Some Post-H.S.	3282	1,819,348	3207	97.5	95.9-99.1	75	2.5	00.9-04.1
College Graduate	4249	2,721,517	4206	99.0	98.2-99.8	43	1.0	00.2-01.8
Less than \$15,000	1312	525,127	1273	96.9	94.4-99.4	39	3.1	00.6-05.6
\$15,000- 24,999	2061	924,614	2005	98.8	98.2-99.4	56	1.2	00.6-01.8
\$25,000- 34,999	1333	601,299	1298	94.6	89.9-99.3	35	5.4	00.7-10.1
\$35,000- 49,999	1804	802,002	1779	98.7	97.7-99.7	25	1.3	00.3-02.3
\$50,000- 74,999	1807	997,470	1788	98.9	98.1-99.7	19	1.1	00.3-01.9
\$75,000+	2945	2,261,961	2927	99.1	98.1-0100	18	0.9	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 21: NUMBER OF CENSUS RACE CATEGORIES CHOSEN, COLLAPSED (_CNRACEC).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Race Category			More Than One Race Category		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21613	7,349,442	21290	98.4	98.0-98.8	323	1.6	01.2-02.0
18-24	465	371,362	451	96.4	93.3-99.5	14	3.6	00.5-06.7
25-34	1430	762,656	1397	97.1	95.5-98.7	33	2.9	01.3-04.5
35-44	2243	1,319,035	2204	97.5	95.9-99.1	39	2.5	00.9-04.1
45-54	3574	1,896,399	3519	98.9	98.3-99.5	55	1.1	00.5-01.7
55-64	4856	1,089,388	4783	99.0	98.2-99.8	73	1.0	00.2-01.8
65+	8823	1,844,566	8717	99.2	98.8-99.6	106	0.8	00.4-01.2
Less Than H.S.	2152	506,779	2106	98.0	96.6-99.4	46	2.0	00.6-03.4
H.S. or G.E.D.	7330	2,008,994	7241	99.0	98.4-99.6	89	1.0	00.4-01.6
Some Post-H.S.	6436	2,198,561	6316	98.3	97.7-98.9	120	1.7	01.1-02.3
College Graduate	5647	2,612,989	5580	98.1	97.1-99.1	67	1.9	00.9-02.9
Less than \$15,000	2995	696,801	2913	98.2	97.4-99.0	82	1.8	01.0-02.6
\$15,000- 24,999	4035	1,150,896	3968	98.4	97.6-99.2	67	1.6	00.8-02.4
\$25,000- 34,999	2373	656,607	2346	98.9	98.3-99.5	27	1.1	00.5-01.7
\$35,000- 49,999	2721	962,936	2687	98.8	97.8-99.8	34	1.2	00.2-02.2
\$50,000- 74,999	2538	983,121	2510	98.6	97.6-99.6	28	1.4	00.4-02.4
\$75,000+	3146	1,697,147	3121	98.6	97.6-99.6	25	1.4	00.4-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 22: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34770	14,644,217	1797	11.1	10.1-12.1	2975	14.5	13.5-15.5	4608	22.9	21.7-24.1	6802	20.9	19.9-21.9	8530	14.0	13.4-14.6	10058	16.5	15.9-17.1
Male	12964	7,126,034	700	13.2	11.4-15.0	1050	14.8	13.2-16.4	1686	23.0	21.2-24.8	2530	20.6	19.0-22.2	3269	13.7	12.7-14.7	3729	14.6	13.6-15.6
Female	21806	7,518,183	1097	9.2	08.2-10.2	1925	14.3	13.1-15.5	2922	22.7	21.3-24.1	4272	21.1	19.7-22.5	5261	14.3	13.5-15.1	6329	18.4	17.4-19.4
White/Non-Hisp	28354	10,018,564	1201	8.5	07.5-09.5	2036	12.4	11.4-13.4	3523	21.3	20.1-22.5	5428	21.7	20.5-22.9	7259	15.7	14.9-16.5	8907	20.4	19.6-21.2
Black or Afr. Am./Non-Hisp	2630	1,505,450	237	16.0	12.3-19.7	353	17.5	14.2-20.8	422	24.3	20.0-28.6	617	23.0	19.3-26.7	557	11.1	08.9-13.3	444	8.2	06.4-10.0
Oth. Race/Non-Hisp.	651	460,053	53	20.3	12.7-27.9	79	20.2	13.7-26.7	121	24.5	17.2-31.8	165	21.6	14.7-28.5	134	7.3	04.9-09.7	99	6.1	03.4-08.8
MultiRacial/Non-Hisp.	529	197,298	50	20.0	12.2-27.8	66	23.3	14.7-31.9	74	19.4	11.8-27.0	121	18.1	09.1-27.1	105	11.3	05.0-17.6	113	7.9	04.6-11.2
Hispanic	1937	2,208,030	239	17.2	13.1-21.3	393	20.3	16.8-23.8	405	29.9	25.6-34.2	360	16.3	13.2-19.4	306	9.4	07.2-11.6	234	6.9	05.1-08.7
Less Than H.S.	3560	1,103,423	267	16.2	12.5-19.9	309	15.2	11.5-18.9	465	19.7	15.8-23.6	595	16.3	12.6-20.0	741	11.5	09.1-13.9	1183	21.1	18.0-24.2
H.S. or G.E.D.	11325	3,910,659	642	14.4	12.2-16.6	800	12.1	10.5-13.7	1421	20.4	18.2-22.6	2212	21.3	19.3-23.3	2679	12.7	11.5-13.9	3571	19.1	17.7-20.5
Some Post-H.S.	9815	4,134,881	568	14.2	11.8-16.6	909	15.0	13.2-16.8	1257	19.5	17.5-21.5	2029	20.6	18.8-22.4	2443	14.3	13.1-15.5	2609	16.3	15.1-17.5
College Graduate	9980	5,438,718	316	5.3	04.1-06.5	947	15.8	14.2-17.4	1456	28.0	25.8-30.2	1955	21.8	20.0-23.6	2642	15.2	14.0-16.4	2664	14.0	13.0-15.0
Less than \$15,000	4422	1,285,341	235	11.1	08.4-13.8	363	15.7	12.4-19.0	596	18.8	15.5-22.1	1019	22.3	19.0-25.6	997	14.5	12.1-16.9	1212	17.7	15.3-20.1
\$15,000- 24,999	6209	2,170,960	370	14.2	11.1-17.3	471	13.4	10.9-15.9	633	17.8	15.1-20.5	1037	19.0	16.5-21.5	1493	14.7	12.7-16.7	2205	20.9	18.9-22.9
\$25,000- 34,999	3766	1,306,167	216	13.2	08.7-17.7	310	13.4	10.9-15.9	417	20.3	16.4-24.2	627	15.6	12.7-18.5	918	14.7	12.5-16.9	1278	22.9	20.4-25.4
\$35,000- 49,999	4574	1,814,694	226	9.8	07.6-12.0	433	16.2	13.7-18.7	577	21.8	18.5-25.1	877	20.4	17.9-22.9	1204	13.8	12.2-15.4	1257	18.0	16.2-19.8
\$50,000- 74,999	4393	2,026,168	214	8.2	05.8-10.6	473	17.0	14.5-19.5	681	24.5	21.2-27.8	965	22.1	19.4-24.8	1166	15.8	14.0-17.6	894	12.5	10.9-14.1
\$75,000+	6140	3,999,805	201	6.9	05.3-08.5	664	16.1	14.1-18.1	1271	31.6	29.1-34.1	1569	25.3	23.1-27.5	1472	12.2	11.0-13.4	963	7.8	07.0-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 23: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12964	7,126,034	700	13.2	11.4-15.0	1050	14.8	13.2-16.4	1686	23.0	21.2-24.8	2530	20.6	19.0-22.2	3269	13.7	12.7-14.7	3729	14.6	13.6-15.6
White/Non-Hisp	10651	4,897,015	482	9.8	08.2-11.4	722	12.8	11.2-14.4	1306	22.1	20.1-24.1	2050	22.1	20.3-23.9	2774	15.1	13.9-16.3	3317	18.1	16.9-19.3
Black or Afr. Am./Non-Hisp	815	657,023	78	21.7	14.6-28.8	97	17.5	11.6-23.4	128	23.6	16.7-30.5	187	20.9	15.0-26.8	191	10.0	07.1-12.9	134	6.3	03.9-08.7
Oth. Race/Non-Hisp.	301	260,833				43	22.9	13.3-32.5	52	21.1	11.7-30.5				67	8.1	04.8-11.4	47	6.9	03.0-10.8
MultiRacial/Non-Hisp.	219	91,691							31	13.3	05.3-21.3							36	5.0	01.9-08.1
Hispanic	690	1,090,084	88	21.7	14.4-29.0	137	20.3	14.6-26.0	142	29.0	22.1-35.9	127	14.0	09.3-18.7	104	9.2	05.9-12.5	92	5.8	03.3-08.3
Less Than H.S.	1317	551,524	117	19.9	13.4-26.4	130	18.3	12.6-24.0	172	19.8	13.9-25.7	230	16.3	09.6-23.0	254	9.1	06.2-12.0	414	16.7	12.0-21.4
H.S. or G.E.D.	3944	1,873,120	277	18.5	14.8-22.2	315	14.6	11.9-17.3	553	20.1	16.8-23.4	820	21.7	18.4-25.0	895	10.7	08.9-12.5	1084	14.3	12.3-16.3
Some Post-H.S.	3353	1,899,181	214	19.2	14.7-23.7	289	14.5	11.4-17.6	410	20.2	16.5-23.9	710	20.3	17.2-23.4	871	12.7	10.7-14.7	859	13.1	11.5-14.7
College Graduate	4306	2,771,568	89	3.7	02.3-05.1	311	14.4	12.0-16.8	546	27.8	24.7-30.9	765	21.2	18.7-23.7	1237	17.4	15.4-19.4	1358	15.6	14.0-17.2
Less than \$15,000	1362	552,831	72	10.3	06.2-14.4	104	16.9	10.4-23.4	191	21.9	15.8-28.0	353	25.3	19.2-31.4	329	14.1	10.0-18.2	313	11.5	08.8-14.2
\$15,000- 24,999	2118	977,002	138	18.3	12.4-24.2	152	14.6	10.1-19.1	215	16.4	12.3-20.5	387	19.1	14.6-23.6	528	14.5	11.4-17.6	698	17.1	14.4-19.8
\$25,000- 34,999	1355	620,184	91	20.1	11.7-28.5	99	12.3	08.6-16.0	139	18.4	12.7-24.1	224	14.2	10.3-18.1	313	13.3	09.8-16.8	489	21.7	17.8-25.6
\$35,000- 49,999	1839	832,460	89	11.1	07.4-14.8	156	16.4	12.3-20.5	205	19.0	14.3-23.7	309	20.1	16.0-24.2	487	13.4	11.0-15.8	593	20.0	17.1-22.9
\$50,000- 74,999	1838	1,026,525	78	8.3	04.4-12.2	174	16.7	12.8-20.6	242	24.7	19.4-30.0	351	21.2	17.1-25.3	506	15.9	13.2-18.6	487	13.2	11.0-15.4
\$75,000+	2988	2,293,729	89	7.6	05.1-10.1	279	16.2	13.3-19.1	553	30.8	27.1-34.5	700	23.5	20.4-26.6	766	12.9	11.1-14.7	601	9.0	07.6-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 24: ELEVEN-LEVEL AGE CATEGORY (condensed to seven for this report page) (_AGEG5YR).
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-29yrs			30-39yrs			40-49yrs			50-59yrs			60-69yrs			70+yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21806	7,518,183	1097	9.2	08.2-10.2	1925	14.3	13.1-15.5	2922	22.7	21.3-24.1	4272	21.1	19.7-22.5	5261	14.3	13.5-15.1	6329	18.4	17.4-19.4
White/Non-Hisp	17703	5,121,549	719	7.2	06.2-08.2	1314	12.1	10.9-13.3	2217	20.6	19.2-22.0	3378	21.4	20.0-22.8	4485	16.1	15.1-17.1	5590	22.6	21.6-23.6
Black or Afr. Am./Non-Hisp	1815	848,427	159	11.6	08.5-14.7	256	17.6	13.9-21.3	294	24.8	19.5-30.1	430	24.6	19.7-29.5	366	11.9	09.0-14.8	310	9.6	06.9-12.3
Oth. Race/Non-Hisp.	350	199,220				36	16.6	08.2-25.0				96	20.6	12.8-28.4	67	6.2	03.1-09.3	52	5.0	01.7-08.3
MultiRacial/Non-Hisp.	310	105,607										72	15.7	05.7-25.7	54	5.3	01.8-08.8	77	10.5	05.2-15.8
Hispanic	1247	1,117,946	151	12.8	08.9-16.7	256	20.3	16.2-24.4	263	30.8	25.3-36.3	233	18.5	14.4-22.6	202	9.7	07.2-12.2	142	7.9	05.7-10.1
Less Than H.S.	2243	551,899	150	12.6	08.7-16.5	179	12.2	07.3-17.1	293	19.5	14.0-25.0	365	16.4	12.5-20.3	487	13.9	10.4-17.4	769	25.5	21.2-29.8
H.S. or G.E.D.	7381	2,037,539	365	10.6	08.4-12.8	485	9.9	08.3-11.5	868	20.6	18.1-23.1	1392	20.9	18.5-23.3	1784	14.5	12.9-16.1	2487	23.4	21.6-25.2
Some Post-H.S.	6462	2,235,700	354	9.9	07.9-11.9	620	15.4	13.4-17.4	847	18.9	16.7-21.1	1319	21.0	18.8-23.2	1572	15.7	14.1-17.3	1750	19.0	17.4-20.6
College Graduate	5674	2,667,150	227	6.9	05.1-08.7	636	17.2	15.0-19.4	910	28.2	25.5-30.9	1190	22.5	20.1-24.9	1405	13.0	11.6-14.4	1306	12.3	11.1-13.5
Less than \$15,000	3060	732,510	163	11.7	08.2-15.2	259	14.7	11.6-17.8	405	16.4	13.1-19.7	666	20.0	16.3-23.7	668	14.9	12.2-17.6	899	22.3	19.2-25.4
\$15,000- 24,999	4091	1,193,958	232	10.8	07.9-13.7	319	12.4	09.9-14.9	418	18.9	15.4-22.4	650	18.9	15.8-22.0	965	14.9	12.7-17.1	1507	24.1	21.6-26.6
\$25,000- 34,999	2411	685,982	125	6.9	04.5-09.3	211	14.5	10.8-18.2	278	21.9	16.4-27.4	403	16.9	12.8-21.0	605	15.9	13.4-18.4	789	23.9	20.6-27.2
\$35,000- 49,999	2735	982,235	137	8.7	06.2-11.2	277	16.0	12.7-19.3	372	24.3	19.8-28.8	568	20.7	17.4-24.0	717	14.0	11.8-16.2	664	16.3	13.9-18.7
\$50,000- 74,999	2555	999,642	136	8.1	05.6-10.6	299	17.2	14.3-20.1	439	24.3	20.4-28.2	614	23.0	19.5-26.5	660	15.6	13.2-18.0	407	11.8	09.4-14.2
\$75,000+	3152	1,706,076	112	6.0	04.0-08.0	385	16.1	13.6-18.6	718	32.7	29.4-36.0	869	27.8	24.7-30.9	706	11.3	09.7-12.9	362	6.1	05.1-07.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 25: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			<65yrs			≥65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34770	14,644,217	20473	77.1	76.3-77.9	14297	22.9	22.1-23.7	
Male	12964	7,126,034	7593	79.3	78.1-80.5	5371	20.7	19.5-21.9	
Female	21806	7,518,183	12880	75.0	74.0-76.0	8926	25.0	24.0-26.0	
White/Non-Hisp	28354	10,018,564	15789	72.6	71.6-73.6	12565	27.4	26.4-28.4	
Black or Afr. Am./Non-Hisp	2630	1,505,450	1935	86.9	84.5-89.3	695	13.1	10.7-15.5	
Oth. Race/Non-Hisp.	651	460,053	490	90.2	87.1-93.3	161	9.8	06.7-12.9	
MultiRacial/Non-Hisp.	529	197,298	376	88.6	84.3-92.9	153	11.4	07.1-15.7	
Hispanic	1937	2,208,030	1557	88.0	85.6-90.4	380	12.0	09.6-14.4	
Less Than H.S.	3560	1,103,423	1985	72.2	68.5-75.9	1575	27.8	24.1-31.5	
H.S. or G.E.D.	11325	3,910,659	6335	74.7	73.1-76.3	4990	25.3	23.7-26.9	
Some Post-H.S.	9815	4,134,881	6040	77.5	76.1-78.9	3775	22.5	21.1-23.9	
College Graduate	9980	5,438,718	6067	79.6	78.4-80.8	3913	20.4	19.2-21.6	
Less than \$15,000	4422	1,285,341	2746	76.3	73.6-79.0	1676	23.7	21.0-26.4	
\$15,000- 24,999	6209	2,170,960	3234	72.0	69.6-74.4	2975	28.0	25.6-30.4	
\$25,000- 34,999	3766	1,306,167	2010	69.6	66.5-72.7	1756	30.4	27.3-33.5	
\$35,000- 49,999	4574	1,814,694	2702	74.8	72.6-77.0	1872	25.2	23.0-27.4	
\$50,000- 74,999	4393	2,026,168	2944	81.3	79.3-83.3	1449	18.7	16.7-20.7	
\$75,000+	6140	3,999,805	4521	87.4	86.2-88.6	1619	12.6	11.4-13.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 26: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<65yrs			>=65yrs		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12964	7,126,034	7593	79.3	78.1-80.5	5371	20.7	19.5-21.9
White/Non-Hisp	10651	4,897,015	5927	75.5	74.1-76.9	4724	24.5	23.1-25.9
Black or Afr. Am./Non-Hisp	815	657,023	591	89.0	85.9-92.1	224	11.0	07.9-14.1
Oth. Race/Non-Hisp.	301	260,833	221	89.2	84.5-93.9	80	10.8	06.1-15.5
MultiRacial/Non-Hisp.	219	91,691	167	90.6	84.9-96.3	52	9.4	03.7-15.1
Hispanic	690	1,090,084	539	88.2	84.5-91.9	151	11.8	08.1-15.5
Less Than H.S.	1317	551,524	759	77.9	72.8-83.0	558	22.1	17.0-27.2
H.S. or G.E.D.	3944	1,873,120	2387	80.3	77.9-82.7	1557	19.7	17.3-22.1
Some Post-H.S.	3353	1,899,181	2086	81.8	79.6-84.0	1267	18.2	16.0-20.4
College Graduate	4306	2,771,568	2339	77.1	75.1-79.1	1967	22.9	20.9-24.9
Less than \$15,000	1362	552,831	904	82.6	78.5-86.7	458	17.4	13.3-21.5
\$15,000- 24,999	2118	977,002	1152	76.2	72.7-79.7	966	23.8	20.3-27.3
\$25,000- 34,999	1355	620,184	698	71.5	66.6-76.4	657	28.5	23.6-33.4
\$35,000- 49,999	1839	832,460	985	72.5	69.0-76.0	854	27.5	24.0-31.0
\$50,000- 74,999	1838	1,026,525	1103	80.7	78.0-83.4	735	19.3	16.6-22.0
\$75,000+	2988	2,293,729	2026	86.0	84.2-87.8	962	14.0	12.2-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 27: TWO-LEVEL AGE CATEGORY (_AGE65YR).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	<65yrs		N	>=65yrs	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	21806	7,518,183	12880	75.0	74.0-76.0	8926	25.0	24.0-26.0
White/Non-Hisp	17703	5,121,549	9862	69.9	68.7-71.1	7841	30.1	28.9-31.3
Black or Afr. Am./Non-Hisp	1815	848,427	1344	85.3	82.2-88.4	471	14.7	11.6-17.8
Oth. Race/Non-Hisp.	350	199,220	269	91.5	87.2-95.8	81	8.5	04.2-12.8
MultiRacial/Non-Hisp.	310	105,607	209	86.9	80.6-93.2	101	13.1	06.8-19.4
Hispanic	1247	1,117,946	1018	87.8	85.1-90.5	229	12.2	09.5-14.9
Less Than H.S.	2243	551,899	1226	66.4	61.3-71.5	1017	33.6	28.5-38.7
H.S. or G.E.D.	7381	2,037,539	3948	69.6	67.4-71.8	3433	30.4	28.2-32.6
Some Post-H.S.	6462	2,235,700	3954	73.8	72.0-75.6	2508	26.2	24.4-28.0
College Graduate	5674	2,667,150	3728	82.1	80.5-83.7	1946	17.9	16.3-19.5
Less than \$15,000	3060	732,510	1842	71.5	68.0-75.0	1218	28.5	25.0-32.0
\$15,000- 24,999	4091	1,193,958	2082	68.5	65.6-71.4	2009	31.5	28.6-34.4
\$25,000- 34,999	2411	685,982	1312	67.8	63.9-71.7	1099	32.2	28.3-36.1
\$35,000- 49,999	2735	982,235	1717	76.8	74.1-79.5	1018	23.2	20.5-25.9
\$50,000- 74,999	2555	999,642	1841	81.9	79.4-84.4	714	18.1	15.6-20.6
\$75,000+	3152	1,706,076	2495	89.2	87.8-90.6	657	10.8	09.4-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 28: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34797	14,631,204	17	0.0	00.0-00.0	2044	5.1	04.5-05.7	17004	41.1	39.9-42.3	13278	44.8	43.4-46.2	2452	8.9	08.1-09.7	2	0.0	00.0-00.0
Male	12973	7,120,869	2	0.0	00.0-00.0	26	0.2	00.0-00.4	1350	11.8	10.4-13.2	9189	69.9	67.9-71.9	2405	18.1	16.5-19.7	1	0.0	00.0-00.0
Female	21824	7,510,335	15	0.0	00.0-00.0	2018	9.8	08.8-10.8	15654	69.0	67.6-70.4	4089	21.0	19.6-22.4	47	0.2	00.0-00.4	1	0.0	00.0-00.0
White/Non-Hisp	28452	10,055,334	5	0.0	00.0-00.0	1538	4.5	04.1-04.9	13797	39.6	38.4-40.8	11037	46.3	44.9-47.7	2074	9.7	08.7-10.7	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	2630	1,508,374	1	0.0	00.0-00.0	129	3.0	01.8-04.2	1346	44.0	39.5-48.5	978	41.7	37.2-46.2	175	11.2	07.7-14.7	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	649	461,538				72	12.0	06.7-17.3	291	37.7	30.3-45.1	249	44.5	36.1-52.9	37	5.8	02.1-09.5			
MultiRacial/Non-Hisp.	528	195,116				36	8.7	02.0-15.4	226	32.6	23.8-41.4	225	46.4	36.4-56.4	41	12.3	05.4-19.2			
Hispanic	1844	2,147,809	8	0.0	00.0-00.0	215	8.1	06.1-10.1	1015	48.3	43.6-53.0	538	39.5	34.8-44.2	68	4.1	01.7-06.5			
18-24	847	961,899				42	3.3	01.5-05.1	369	35.7	29.2-42.2	349	49.1	42.2-56.0	87	11.9	07.2-16.6			
25-34	2219	1,550,961	2	0.0	00.0-00.0	119	4.4	02.8-06.0	1053	40.0	35.9-44.1	863	45.3	41.0-49.6	182	10.2	07.3-13.1			
35-44	3583	2,764,557	3	0.0	00.0-00.0	168	4.6	03.4-05.8	1614	37.0	34.1-39.9	1489	47.5	44.4-50.6	309	10.9	08.7-13.1			
45-54	5799	3,783,076	4	0.0	00.0-00.0	283	4.5	03.3-05.7	2660	39.0	36.3-41.7	2359	47.2	44.3-50.1	493	9.2	07.2-11.2			
55-64	7850	2,134,720	2	0.0	00.0-00.0	391	4.4	03.4-05.4	3863	42.8	40.4-45.2	3021	43.9	41.5-46.3	572	8.8	07.6-10.0	1	0.1	00.0-00.3
65+	14199	3,332,414	6	0.1	00.1-00.1	1014	7.6	06.6-08.6	7277	47.8	46.2-49.4	5108	38.7	37.1-40.3	793	5.8	05.0-06.6	1	0.0	00.0-00.0
Less Than H.S.	3485	1,064,660	5	0.0	00.0-00.0	335	8.1	05.9-10.3	1806	47.0	42.3-51.7	1133	37.8	33.1-42.5	205	7.1	05.1-09.1	1	0.0	00.0-00.0
H.S. or G.E.D.	11311	3,898,431	7	0.1	00.1-00.1	778	5.8	04.8-06.8	5816	43.2	40.8-45.6	4045	43.1	40.7-45.5	664	7.7	06.1-09.3	1	0.0	00.0-00.0
Some Post-H.S.	9871	4,149,403	4	0.0	00.0-00.0	531	5.5	04.5-06.5	5011	42.4	40.0-44.8	3652	42.5	40.1-44.9	673	9.6	07.8-11.4			
College Graduate	10042	5,465,646	1	0.0	00.0-00.0	390	3.8	03.0-04.6	4330	37.5	35.5-39.5	4415	48.9	46.7-51.1	906	9.7	08.3-11.1			
Less than \$15,000	4381	1,259,074	9	0.2	00.0-00.4	361	8.0	06.0-10.0	2322	47.3	43.4-51.2	1456	37.8	33.9-41.7	233	6.7	04.3-09.1			
\$15,000- 24,999	6203	2,162,697				451	6.7	05.3-08.1	3253	47.3	44.0-50.6	2150	38.6	35.3-41.9	348	7.3	05.5-09.1	1	0.1	00.0-00.3
\$25,000- 34,999	3767	1,303,426	2	0.0	00.0-00.0	225	5.2	03.6-06.8	1922	41.8	37.7-45.9	1395	45.7	41.4-50.0	222	7.2	04.8-09.6	1	0.0	00.0-00.0
\$35,000- 49,999	4593	1,819,091	1	0.0	00.0-00.0	213	4.7	03.5-05.9	2154	42.6	39.5-45.7	1911	44.8	41.5-48.1	314	7.9	06.1-09.7			
\$50,000- 74,999	4412	2,033,382	1	0.0	00.0-00.0	175	3.7	02.5-04.9	1986	38.2	35.1-41.3	1862	47.4	44.1-50.7	388	10.6	07.9-13.3			
\$75,000+	6160	4,013,651				167	3.3	02.3-04.3	2375	32.2	29.8-34.6	2927	52.6	50.1-55.1	691	11.9	10.1-13.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 29: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12973	7,120,869	2	0.0	00.0-00.0	26	0.2	00.0-00.4	1350	11.8	10.4-13.2	9189	69.9	67.9-71.9	2405	18.1	16.5-19.7	1	0.0	00.0-00.0
White/Non-Hisp	10674	4,910,303	1	0.0	00.0-00.0	15	0.2	00.0-00.6	939	8.5	07.3-09.7	7674	71.5	69.5-73.5	2044	19.7	17.9-21.5	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	813	656,341				4	0.2	00.0-00.4	104	14.8	08.9-20.7	539	59.8	52.0-67.6	166	25.2	17.9-32.5			
Oth. Race/Non-Hisp.	299	262,425				1	0.1	00.0-00.3	61	19.7	11.7-27.7	200	70.0	60.2-79.8	37	10.2	03.7-16.7			
MultiRacial/Non-Hisp.	220	92,340							25	4.6	01.5-07.7									
Hispanic	671	1,066,948	1	0.0	00.0-00.0	6	0.1	00.0-00.3	187	23.6	17.3-29.9	414	68.3	61.2-75.4	63	8.0	03.5-12.5			
18-24	374	577,308							42	14.1	07.6-20.6	247	66.5	57.5-75.5	85	19.5	12.1-26.9			
25-34	750	754,818	1	0.0	00.0-00.0	2	0.0	00.0-00.0	68	11.4	06.7-16.1	499	67.7	60.8-74.6	180	20.9	15.0-26.8			
35-44	1298	1,414,729				2	0.0	00.0-00.0	123	11.9	08.2-15.6	869	67.0	62.3-71.7	304	21.0	17.1-24.9			
45-54	2183	1,838,948	1	0.0	00.0-00.0	5	0.4	00.0-01.2	205	9.8	06.9-12.7	1487	71.1	66.8-75.4	485	18.7	15.0-22.4			
55-64	2942	1,023,850				6	0.1	00.0-00.3	281	10.3	07.9-12.7	2090	71.2	67.9-74.5	564	18.1	15.6-20.6	1	0.2	00.0-00.6
65+	5355	1,475,482				11	0.3	00.1-00.5	625	14.6	12.2-17.0	3946	72.2	69.7-74.7	773	13.0	11.4-14.6			
Less Than H.S.	1303	539,080	1	0.0	00.0-00.0	9	0.3	00.1-00.5	254	24.3	16.7-31.9	844	62.0	54.6-69.4	195	13.5	09.8-17.2			
H.S. or G.E.D.	3939	1,864,686	1	0.0	00.0-00.0	5	0.0	00.0-00.0	450	13.5	10.8-16.2	2829	70.4	66.7-74.1	653	16.0	12.9-19.1	1	0.1	00.0-00.3
Some Post-H.S.	3364	1,900,584				6	0.2	00.0-00.4	287	9.2	06.7-11.7	2408	70.0	66.1-73.9	663	20.7	17.2-24.2			
College Graduate	4323	2,784,136				5	0.3	00.0-00.9	348	9.7	07.9-11.5	3080	71.1	68.4-73.8	890	18.9	16.5-21.3			
Less than \$15,000	1350	545,808	1	0.0	00.0-00.0	6	0.3	00.0-00.7	203	18.9	12.4-25.4	921	65.8	58.5-73.1	219	15.0	09.9-20.1			
\$15,000- 24,999	2119	970,044				4	0.1	00.0-00.3	292	17.9	13.2-22.6	1479	65.5	60.0-71.0	343	16.3	12.4-20.2	1	0.2	00.0-00.6
\$25,000- 34,999	1355	619,871	1	0.0	00.0-00.0	4	0.2	00.0-00.4	167	12.9	08.4-17.4	967	71.8	65.7-77.9	216	15.1	10.4-19.8			
\$35,000- 49,999	1842	834,225				2	0.0	00.0-00.0	184	11.6	08.5-14.7	1345	71.2	66.7-75.7	311	17.2	13.5-20.9			
\$50,000- 74,999	1842	1,029,797				2	0.1	00.0-00.3	138	6.9	04.5-09.3	1318	72.1	66.8-77.4	384	20.8	15.7-25.9			
\$75,000+	2992	2,295,504				3	0.4	00.0-01.0	163	6.9	04.9-08.9	2144	72.1	68.8-75.4	682	20.6	17.7-23.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS
TABLE 30: REPORTED HEIGHT IN INCHES (HTIN3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=48in			>48in, <=60in			>60in, <=66in			>66in, <=72in			>72in, <=84in			>84in		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21824	7,510,335	15	0.0	00.0-00.0	2018	9.8	08.8-10.8	15654	69.0	67.6-70.4	4089	21.0	19.6-22.4	47	0.2	00.0-00.4	1	0.0	00.0-00.0
White/Non-Hisp	17778	5,145,031	4	0.0	00.0-00.0	1523	8.5	07.7-09.3	12858	69.1	67.5-70.7	3363	22.2	20.8-23.6	30	0.2	00.0-00.4			
Black or Afr. Am./Non-Hisp	1817	852,032	1	0.1	00.0-00.3	125	5.3	03.1-07.5	1242	66.4	61.1-71.7	439	27.8	22.5-33.1	9	0.4	00.0-00.8	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	350	199,113										49	10.8	03.9-17.7						
MultiRacial/Non-Hisp.	308	102,776													1	0.3	00.0-00.9			
Hispanic	1173	1,080,862	7	0.1	00.1-00.1	209	15.9	12.2-19.6	828	72.6	67.7-77.5	124	11.1	07.6-14.6	5	0.3	00.0-00.7			
18-24	473	384,591				42	8.3	04.2-12.4	327	68.2	59.6-76.8	102	23.1	15.1-31.1	2	0.5	00.0-01.3			
25-34	1469	796,142	1	0.0	00.0-00.0	117	8.6	05.5-11.7	985	67.2	62.7-71.7	364	24.0	20.1-27.9	2	0.1	00.0-00.3			
35-44	2285	1,349,829	3	0.0	00.0-00.0	166	9.3	06.9-11.7	1491	63.3	59.6-67.0	620	27.1	23.6-30.6	5	0.3	00.0-00.7			
45-54	3616	1,944,129	3	0.0	00.0-00.0	278	8.4	06.4-10.4	2455	66.6	63.1-70.1	872	24.7	21.6-27.8	8	0.3	00.1-00.5			
55-64	4908	1,110,870	2	0.0	00.0-00.0	385	8.3	06.5-10.1	3582	72.7	70.0-75.4	931	18.8	16.6-21.0	8	0.1	00.0-00.3			
65+	8844	1,856,933	6	0.1	00.0-00.3	1003	13.4	11.8-15.0	6652	74.2	72.2-76.2	1162	12.2	10.8-13.6	20	0.1	00.1-00.1	1	0.0	00.0-00.0
Less Than H.S.	2182	525,580	4	0.0	00.0-00.0	326	16.2	11.9-20.5	1552	70.3	65.0-75.6	289	13.0	09.3-16.7	10	0.5	00.0-01.3	1	0.0	00.0-00.0
H.S. or G.E.D.	7372	2,033,744	6	0.1	00.0-00.3	773	11.1	09.3-12.9	5366	70.4	67.9-72.9	1216	18.2	15.8-20.6	11	0.2	00.0-00.4			
Some Post-H.S.	6507	2,248,819	4	0.0	00.0-00.0	525	9.9	08.1-11.7	4724	70.5	68.1-72.9	1244	19.3	17.3-21.3	10	0.2	00.0-00.4			
College Graduate	5719	2,681,510	1	0.0	00.0-00.0	385	7.5	06.1-08.9	3982	66.4	63.7-69.1	1335	25.9	23.4-28.4	16	0.2	00.0-00.4			
Less than \$15,000	3031	713,266	8	0.3	00.0-00.7	355	13.9	10.8-17.0	2119	69.1	65.0-73.2	535	16.3	13.2-19.4	14	0.4	00.0-00.8			
\$15,000- 24,999	4084	1,192,653				447	12.0	09.6-14.4	2961	71.2	67.7-74.7	671	16.7	13.6-19.8	5	0.1	00.1-00.1			
\$25,000- 34,999	2412	683,555	1	0.0	00.0-00.0	221	9.8	06.7-12.9	1755	68.1	63.0-73.2	428	22.1	17.2-27.0	6	0.0	00.0-00.0	1	0.0	00.0-00.0
\$35,000- 49,999	2751	984,866	1	0.0	00.0-00.0	211	8.6	06.2-11.0	1970	68.8	64.9-72.7	566	22.5	19.0-26.0	3	0.1	00.0-00.3			
\$50,000- 74,999	2570	1,003,585	1	0.0	00.0-00.0	173	7.5	05.1-09.9	1848	70.3	66.6-74.0	544	22.1	18.8-25.4	4	0.1	00.0-00.3			
\$75,000+	3168	1,718,147				164	7.2	05.2-09.2	2212	66.0	62.7-69.3	783	26.4	23.5-29.3	9	0.4	00.0-00.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 31: REPORTED HEIGHT IN METERS (HTM3).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34797	14,631,204	17	0.0	00.0-00.0	2044	5.1	04.5-05.7	16996	41.0	39.8-42.2	13286	44.9	43.5-46.3	2452	8.9	08.1-09.7	2	0.0	00.0-00.0
Male	12973	7,120,869	2	0.0	00.0-00.0	26	0.2	00.0-00.4	1345	11.6	10.2-13.0	9194	70.0	68.0-72.0	2405	18.1	16.5-19.7	1	0.0	00.0-00.0
Female	21824	7,510,335	15	0.0	00.0-00.0	2018	9.8	08.8-10.8	15651	68.8	67.4-70.2	4092	21.1	19.7-22.5	47	0.2	00.0-00.4	1	0.0	00.0-00.0
White/Non-Hisp	28452	10,055,334	5	0.0	00.0-00.0	1538	4.5	04.1-04.9	13797	39.6	38.4-40.8	11037	46.3	44.9-47.7	2074	9.7	08.7-10.7	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	2630	1,508,374	1	0.0	00.0-00.0	129	3.0	01.8-04.2	1346	44.0	39.5-48.5	978	41.7	37.2-46.2	175	11.2	07.7-14.7	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	649	461,538				72	12.0	06.7-17.3	291	37.7	30.3-45.1	249	44.5	36.1-52.9	37	5.8	02.1-09.5			
MultiRacial/Non-Hisp.	528	195,116				36	8.7	02.0-15.4	226	32.6	23.8-41.4	225	46.4	36.4-56.4	41	12.3	05.4-19.2			
Hispanic	1844	2,147,809	8	0.0	00.0-00.0	215	8.1	06.1-10.1	1008	47.4	42.7-52.1	545	40.4	35.7-45.1	68	4.1	01.7-06.5			
18-24	847	961,899				42	3.3	01.5-05.1	368	34.7	28.4-41.0	350	50.1	43.2-57.0	87	11.9	07.2-16.6			
25-34	2219	1,550,961	2	0.0	00.0-00.0	119	4.4	02.8-06.0	1052	40.0	35.9-44.1	864	45.3	41.0-49.6	182	10.2	07.3-13.1			
35-44	3583	2,764,557	3	0.0	00.0-00.0	168	4.6	03.4-05.8	1611	37.0	34.1-39.9	1492	47.6	44.5-50.7	309	10.9	08.7-13.1			
45-54	5799	3,783,076	4	0.0	00.0-00.0	283	4.5	03.3-05.7	2657	38.7	36.0-41.4	2362	47.5	44.6-50.4	493	9.2	07.2-11.2			
55-64	7850	2,134,720	2	0.0	00.0-00.0	391	4.4	03.4-05.4	3863	42.8	40.4-45.2	3021	43.9	41.5-46.3	572	8.8	07.6-10.0	1	0.1	00.0-00.3
65+	14199	3,332,414	6	0.1	00.1-00.1	1014	7.6	06.6-08.6	7277	47.8	46.2-49.4	5108	38.7	37.1-40.3	793	5.8	05.0-06.6	1	0.0	00.0-00.0
Less Than H.S.	3485	1,064,660	5	0.0	00.0-00.0	335	8.1	05.9-10.3	1803	46.9	42.2-51.6	1136	37.8	33.1-42.5	205	7.1	05.1-09.1	1	0.0	00.0-00.0
H.S. or G.E.D.	11311	3,898,431	7	0.1	00.1-00.1	778	5.8	04.8-06.8	5815	43.2	40.8-45.6	4046	43.2	40.8-45.6	664	7.7	06.1-09.3	1	0.0	00.0-00.0
Some Post-H.S.	9871	4,149,403	4	0.0	00.0-00.0	531	5.5	04.5-06.5	5009	42.0	39.6-44.4	3654	42.9	40.4-45.4	673	9.6	07.8-11.4			
College Graduate	10042	5,465,646	1	0.0	00.0-00.0	390	3.8	03.0-04.6	4328	37.5	35.5-39.5	4417	48.9	46.7-51.1	906	9.7	08.3-11.1			
Less than \$15,000	4381	1,259,074	9	0.2	00.0-00.4	361	8.0	06.0-10.0	2319	46.7	42.8-50.6	1459	38.4	34.5-42.3	233	6.7	04.3-09.1			
\$15,000- 24,999	6203	2,162,697				451	6.7	05.3-08.1	3250	46.9	43.6-50.2	2153	39.0	35.7-42.3	348	7.3	05.5-09.1	1	0.1	00.0-00.3
\$25,000- 34,999	3767	1,303,426	2	0.0	00.0-00.0	225	5.2	03.6-06.8	1921	41.8	37.7-45.9	1396	45.7	41.4-50.0	222	7.2	04.8-09.6	1	0.0	00.0-00.0
\$35,000- 49,999	4593	1,819,091	1	0.0	00.0-00.0	213	4.7	03.5-05.9	2154	42.6	39.5-45.7	1911	44.8	41.5-48.1	314	7.9	06.1-09.7			
\$50,000- 74,999	4412	2,033,382	1	0.0	00.0-00.0	175	3.7	02.5-04.9	1986	38.2	35.1-41.3	1862	47.4	44.1-50.7	388	10.6	07.9-13.3			
\$75,000+	6160	4,013,651				167	3.3	02.3-04.3	2374	32.2	29.8-34.6	2928	52.6	50.1-55.1	691	11.9	10.1-13.7			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 32: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12973	7,120,869	2	0.0	00.0-00.0	26	0.2	00.0-00.4	1345	11.6	10.2-13.0	9194	70.0	68.0-72.0	2405	18.1	16.5-19.7	1	0.0	00.0-00.0
White/Non-Hisp	10674	4,910,303	1	0.0	00.0-00.0	15	0.2	00.0-00.6	939	8.5	07.3-09.7	7674	71.5	69.5-73.5	2044	19.7	17.9-21.5	1	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	813	656,341				4	0.2	00.0-00.4	104	14.8	08.9-20.7	539	59.8	52.0-67.6	166	25.2	17.9-32.5			
Oth. Race/Non-Hisp.	299	262,425				1	0.1	00.0-00.3	61	19.7	11.7-27.7	200	70.0	60.2-79.8	37	10.2	03.7-16.7			
MultiRacial/Non-Hisp.	220	92,340							25	4.6	01.5-07.7									
Hispanic	671	1,066,948	1	0.0	00.0-00.0	6	0.1	00.0-00.3	182	22.7	16.6-28.8	419	69.2	62.1-76.3	63	8.0	03.5-12.5			
18-24	374	577,308							41	12.4	06.5-18.3	248	68.1	59.3-76.9	85	19.5	12.1-26.9			
25-34	750	754,818	1	0.0	00.0-00.0	2	0.0	00.0-00.0	67	11.3	06.6-16.0	500	67.7	60.8-74.6	180	20.9	15.0-26.8			
35-44	1298	1,414,729				2	0.0	00.0-00.0	120	11.9	08.2-15.6	872	67.1	62.4-71.8	304	21.0	17.1-24.9			
45-54	2183	1,838,948	1	0.0	00.0-00.0	5	0.4	00.0-01.2	205	9.8	06.9-12.7	1487	71.1	66.8-75.4	485	18.7	15.0-22.4			
55-64	2942	1,023,850				6	0.1	00.0-00.3	281	10.3	07.9-12.7	2090	71.2	67.9-74.5	564	18.1	15.6-20.6	1	0.2	00.0-00.6
65+	5355	1,475,482				11	0.3	00.1-00.5	625	14.6	12.2-17.0	3946	72.2	69.7-74.7	773	13.0	11.4-14.6			
Less Than H.S.	1303	539,080	1	0.0	00.0-00.0	9	0.3	00.1-00.5	251	24.2	16.6-31.8	847	62.0	54.6-69.4	195	13.5	09.8-17.2			
H.S. or G.E.D.	3939	1,864,686	1	0.0	00.0-00.0	5	0.0	00.0-00.0	449	13.5	10.8-16.2	2830	70.4	66.7-74.1	653	16.0	12.9-19.1	1	0.1	00.0-00.3
Some Post-H.S.	3364	1,900,584				6	0.2	00.0-00.4	286	8.7	06.2-11.2	2409	70.5	66.6-74.4	663	20.7	17.2-24.2			
College Graduate	4323	2,784,136				5	0.3	00.0-00.9	348	9.7	07.9-11.5	3080	71.1	68.4-73.8	890	18.9	16.5-21.3			
Less than \$15,000	1350	545,808	1	0.0	00.0-00.0	6	0.3	00.0-00.7	201	18.9	12.4-25.4	923	65.9	58.6-73.2	219	15.0	09.9-20.1			
\$15,000- 24,999	2119	970,044				4	0.1	00.0-00.3	289	16.9	12.4-21.4	1482	66.5	61.2-71.8	343	16.3	12.4-20.2	1	0.2	00.0-00.6
\$25,000- 34,999	1355	619,871	1	0.0	00.0-00.0	4	0.2	00.0-00.4	167	12.9	08.4-17.4	967	71.8	65.7-77.9	216	15.1	10.4-19.8			
\$35,000- 49,999	1842	834,225				2	0.0	00.0-00.0	184	11.6	08.5-14.7	1345	71.2	66.7-75.7	311	17.2	13.5-20.9			
\$50,000- 74,999	1842	1,029,797				2	0.1	00.0-00.3	138	6.9	04.5-09.3	1318	72.1	66.8-77.4	384	20.8	15.7-25.9			
\$75,000+	2992	2,295,504				3	0.4	00.0-01.0	163	6.9	04.9-08.9	2144	72.1	68.8-75.4	682	20.6	17.7-23.5			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 33: REPORTED HEIGHT IN METERS (HTM3).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<=1.22m (~48in)			>1.22m, <=1.53m (~60in)			>1.53m, <=1.68m (~66in)			>1.68m, <=1.83m (~72in)			>1.83m, <=2.14m (~84in)			>2.14m (~84in)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21824	7,510,335	15	0.0	00.0-00.0	2018	9.8	08.8-10.8	15651	68.8	67.4-70.2	4092	21.1	19.7-22.5	47	0.2	00.0-00.4	1	0.0	00.0-00.0
White/Non-Hisp	17778	5,145,031	4	0.0	00.0-00.0	1523	8.5	07.7-09.3	12858	69.1	67.5-70.7	3363	22.2	20.8-23.6	30	0.2	00.0-00.4			
Black or Afr. Am./Non-Hisp	1817	852,032	1	0.1	00.0-00.3	125	5.3	03.1-07.5	1242	66.4	61.1-71.7	439	27.8	22.5-33.1	9	0.4	00.0-00.8	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	350	199,113										49	10.8	03.9-17.7						
MultiRacial/Non-Hisp.	308	102,776													1	0.3	00.0-00.9			
Hispanic	1173	1,080,862	7	0.1	00.1-00.1	209	15.9	12.2-19.6	826	71.7	66.8-76.6	126	11.9	08.0-15.8	5	0.3	00.0-00.7			
18-24	473	384,591				42	8.3	04.2-12.4	327	68.2	59.6-76.8	102	23.1	15.1-31.1	2	0.5	00.0-01.3			
25-34	1469	796,142	1	0.0	00.0-00.0	117	8.6	05.5-11.7	985	67.2	62.7-71.7	364	24.0	20.1-27.9	2	0.1	00.0-00.3			
35-44	2285	1,349,829	3	0.0	00.0-00.0	166	9.3	06.9-11.7	1491	63.3	59.6-67.0	620	27.1	23.6-30.6	5	0.3	00.0-00.7			
45-54	3616	1,944,129	3	0.0	00.0-00.0	278	8.4	06.4-10.4	2452	66.1	62.6-69.6	875	25.2	22.1-28.3	8	0.3	00.1-00.5			
55-64	4908	1,110,870	2	0.0	00.0-00.0	385	8.3	06.5-10.1	3582	72.7	70.0-75.4	931	18.8	16.6-21.0	8	0.1	00.0-00.3			
65+	8844	1,856,933	6	0.1	00.0-00.3	1003	13.4	11.8-15.0	6652	74.2	72.2-76.2	1162	12.2	10.8-13.6	20	0.1	00.1-00.1	1	0.0	00.0-00.0
Less Than H.S.	2182	525,580	4	0.0	00.0-00.0	326	16.2	11.9-20.5	1552	70.3	65.0-75.6	289	13.0	09.3-16.7	10	0.5	00.0-01.3	1	0.0	00.0-00.0
H.S. or G.E.D.	7372	2,033,744	6	0.1	00.0-00.3	773	11.1	09.3-12.9	5366	70.4	67.9-72.9	1216	18.2	15.8-20.6	11	0.2	00.0-00.4			
Some Post-H.S.	6507	2,248,819	4	0.0	00.0-00.0	525	9.9	08.1-11.7	4723	70.1	67.7-72.5	1245	19.6	17.6-21.6	10	0.2	00.0-00.4			
College Graduate	5719	2,681,510	1	0.0	00.0-00.0	385	7.5	06.1-08.9	3980	66.4	63.7-69.1	1337	25.9	23.4-28.4	16	0.2	00.0-00.4			
Less than \$15,000	3031	713,266	8	0.3	00.0-00.7	355	13.9	10.8-17.0	2118	67.9	63.6-72.2	536	17.4	13.9-20.9	14	0.4	00.0-00.8			
\$15,000- 24,999	4084	1,192,653				447	12.0	09.6-14.4	2961	71.2	67.7-74.7	671	16.7	13.6-19.8	5	0.1	00.1-00.1			
\$25,000- 34,999	2412	683,555	1	0.0	00.0-00.0	221	9.8	06.7-12.9	1754	68.0	62.9-73.1	429	22.1	17.2-27.0	6	0.0	00.0-00.0	1	0.0	00.0-00.0
\$35,000- 49,999	2751	984,866	1	0.0	00.0-00.0	211	8.6	06.2-11.0	1970	68.8	64.9-72.7	566	22.5	19.0-26.0	3	0.1	00.0-00.3			
\$50,000- 74,999	2570	1,003,585	1	0.0	00.0-00.0	173	7.5	05.1-09.9	1848	70.3	66.6-74.0	544	22.1	18.8-25.4	4	0.1	00.0-00.3			
\$75,000+	3168	1,718,147				164	7.2	05.2-09.2	2211	66.0	62.7-69.3	784	26.5	23.6-29.4	9	0.4	00.0-00.8			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 34: REPORTED WEIGHT IN KILOGRAMS (WTKG2).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	33873	14,322,014	445	1.0	00.8-01.2	11075	30.7	29.5-31.9	14891	44.6	43.2-46.0	5742	18.5	17.5-19.5	1405	4.2	03.6-04.8	315	1.0	00.6-01.4
Male	12936	7,106,746	10	0.1	00.1-00.1	1264	11.1	09.5-12.7	6738	51.4	49.4-53.4	3818	29.4	27.6-31.2	881	6.4	05.4-07.4	225	1.7	01.1-02.3
Female	20937	7,215,267	435	1.9	01.5-02.3	9811	50.0	48.4-51.6	8153	37.8	36.2-39.4	1924	7.8	07.0-08.6	524	2.1	01.7-02.5	90	0.3	00.1-00.5
White/Non-Hisp	27621	9,811,882	384	1.0	00.8-01.2	9308	31.2	30.0-32.4	12075	44.2	42.8-45.6	4543	18.6	17.4-19.8	1080	4.2	03.6-04.8	231	0.8	00.6-01.0
Black or Afr. Am./Non-Hisp	2536	1,437,831	5	0.1	00.1-00.1	481	17.1	13.8-20.4	1159	47.1	42.4-51.8	651	26.5	22.2-30.8	192	7.6	05.1-10.1	48	1.6	00.6-02.6
Oth. Race/Non-Hisp.	634	444,375	13	1.8	00.2-03.4	241	48.7	40.3-57.1	262	34.8	27.0-42.6	91	12.5	05.8-19.2	19	1.5	00.3-02.7	8	0.6	00.0-01.2
MultiRacial/Non-Hisp.	518	188,135	2	1.7	00.0-05.0	163	25.1	16.9-33.3				98	19.6	11.4-27.8	22	3.4	01.0-05.8	6	1.1	00.0-02.7
Hispanic	1892	2,190,063	25	1.4	00.4-02.4	685	34.8	30.3-39.3	856	45.9	41.2-50.6	244	13.6	10.5-16.7	66	3.0	01.4-04.6	16	1.3	00.0-03.1
18-24	829	934,920	20	1.7	00.5-02.9	348	40.6	33.7-47.5	344	41.7	35.0-48.4	90	13.0	08.1-17.9	23	2.8	00.6-05.0	4	0.2	00.0-00.4
25-34	2176	1,524,338	25	0.9	00.3-01.5	765	34.5	30.2-38.8	855	38.8	34.5-43.1	367	17.1	13.8-20.4	128	7.0	04.6-09.4	36	1.6	00.6-02.6
35-44	3450	2,697,280	31	0.8	00.2-01.4	1028	26.4	23.7-29.1	1421	44.0	40.7-47.3	718	22.2	19.3-25.1	199	5.4	04.0-06.8	53	1.1	00.5-01.7
45-54	5617	3,703,728	45	0.7	00.1-01.3	1659	27.1	24.6-29.6	2389	45.4	42.5-48.3	1132	20.3	17.9-22.7	322	5.1	03.7-06.5	70	1.3	00.3-02.3
55-64	7594	2,092,889	69	0.6	00.4-00.8	2169	27.7	25.5-29.9	3400	44.5	42.1-46.9	1481	22.3	20.1-24.5	371	3.4	02.6-04.2	104	1.5	00.9-02.1
65+	13966	3,282,656	243	1.3	01.1-01.5	4991	35.4	33.8-37.0	6392	47.6	45.8-49.4	1934	13.4	12.2-14.6	358	2.0	01.6-02.4	48	0.3	00.1-00.5
Less Than H.S.	3475	1,083,022	66	0.9	00.5-01.3	1041	30.3	25.6-35.0	1520	43.4	38.7-48.1	641	18.0	14.5-21.5	153	5.1	03.1-07.1	54	2.3	01.1-03.5
H.S. or G.E.D.	10979	3,809,189	168	1.2	00.8-01.6	3536	30.1	27.9-32.3	4869	43.6	41.2-46.0	1836	20.2	18.0-22.4	470	4.1	03.1-05.1	100	0.8	00.4-01.2
Some Post-H.S.	9565	4,057,245	127	1.2	00.6-01.8	3204	31.0	28.6-33.4	4065	43.1	40.7-45.5	1646	18.3	16.5-20.1	422	5.0	03.8-06.2	101	1.3	00.3-02.3
College Graduate	9770	5,319,404	80	0.6	00.4-00.8	3261	30.8	29.0-32.6	4401	46.7	44.5-48.9	1608	17.6	15.8-19.4	360	3.7	02.9-04.5	60	0.6	00.4-00.8
Less than \$15,000	4333	1,261,287	100	2.5	01.1-03.9	1416	31.3	27.8-34.8	1761	42.0	38.1-45.9	768	18.2	14.9-21.5	219	4.3	02.9-05.7	69	1.8	01.0-02.6
\$15,000- 24,999	6095	2,122,162	97	1.5	00.9-02.1	1956	32.1	28.8-35.4	2705	43.8	40.5-47.1	1015	17.2	14.7-19.7	258	4.5	03.1-05.9	64	0.9	00.3-01.5
\$25,000- 34,999	3674	1,277,174	43	0.8	00.4-01.2	1182	30.6	26.3-34.9	1715	47.5	43.2-51.8	553	16.7	13.4-20.0	148	3.7	02.3-05.1	33	0.7	00.1-01.3
\$35,000- 49,999	4468	1,774,278	36	0.4	00.2-00.6	1347	28.5	25.6-31.4	2072	46.8	43.5-50.1	780	19.1	16.4-21.8	195	4.5	02.9-06.1	38	0.8	00.4-01.2
\$50,000- 74,999	4297	1,983,873	25	0.6	00.2-01.0	1251	27.1	24.4-29.8	1960	45.3	42.0-48.6	839	19.7	17.2-22.2	185	5.5	03.5-07.5	37	1.8	00.0-03.8
\$75,000+	6032	3,950,610	25	0.4	00.2-00.6	1826	28.1	25.9-30.3	2695	46.2	43.7-48.7	1173	20.5	18.3-22.7	268	4.1	03.1-05.1	45	0.7	00.3-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 35: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12936	7,106,746	10	0.1	00.1-00.1	1264	11.1	09.5-12.7	6738	51.4	49.4-53.4	3818	29.4	27.6-31.2	881	6.4	05.4-07.4	225	1.7	01.1-02.3
White/Non-Hisp	10637	4,893,761	8	0.1	00.1-00.1	978	9.2	08.0-10.4	5577	52.3	50.1-54.5	3165	30.4	28.4-32.4	733	6.7	05.7-07.7	176	1.4	01.0-01.8
Black or Afr. Am./Non-Hisp	802	636,906				68	7.0	03.3-10.7	363	43.5	36.1-50.9	286	39.0	31.4-46.6	66	8.4	03.9-12.9	19	2.2	00.4-04.0
Oth. Race/Non-Hisp.	297	262,010	1	0.5	00.0-01.5									16	2.2	00.2-04.2	7	1.0	00.0-02.0	
MultiRacial/Non-Hisp.	219	92,327				29	10.7	02.5-18.9				62	20.9	11.1-30.7	14	5.8	01.1-10.5	6	2.2	00.0-05.3
Hispanic	684	1,086,809	1	0.0	00.0-00.0	101	17.5	10.8-24.2	377	53.1	45.7-60.5	159	22.0	16.3-27.7	34	4.8	01.9-07.7	12	2.5	00.0-05.8
18-24	367	564,898				98	30.5	21.1-39.9	190	48.5	38.9-58.1	59	16.7	09.3-24.1	17	4.1	00.8-07.4	3	0.2	00.0-00.4
25-34	755	755,858	1	0.0	00.0-00.0	79	14.8	07.9-21.7	359	45.9	38.6-53.2	219	27.1	20.8-33.4	67	9.2	05.1-13.3	30	3.0	01.2-04.8
35-44	1294	1,414,746	3	0.0	00.0-00.0	101	7.9	05.4-10.4	596	50.0	44.9-55.1	434	32.1	27.4-36.8	128	8.4	05.9-10.9	32	1.6	00.6-02.6
45-54	2175	1,840,364	1	0.0	00.0-00.0	172	7.4	04.9-09.9	1050	50.1	45.6-54.6	716	32.9	28.8-37.0	188	7.5	05.3-09.7	48	2.2	00.0-04.4
55-64	2933	1,022,202	2	0.1	00.1-00.1	233	7.3	05.3-09.3	1418	49.2	45.5-52.9	977	35.7	32.2-39.2	228	5.2	03.8-06.6	75	2.5	01.5-03.5
65+	5346	1,474,416	2	0.2	00.0-00.4	576	12.1	10.3-13.9	3084	59.4	56.9-61.9	1396	24.1	21.7-26.5	251	3.6	02.8-04.4	37	0.5	00.1-00.9
Less Than H.S.	1307	547,992	3	0.0	00.0-00.0	195	17.7	10.4-25.0	654	47.1	39.7-54.5	346	24.8	18.5-31.1	72	6.5	03.0-10.0	37	3.9	01.5-06.3
H.S. or G.E.D.	3922	1,854,343	2	0.0	00.0-00.0	431	12.6	10.1-15.1	2017	49.4	45.5-53.3	1129	30.8	27.1-34.5	280	6.0	04.2-07.8	63	1.2	00.6-01.8
Some Post-H.S.	3352	1,897,914				283	11.3	07.8-14.8	1650	48.4	44.1-52.7	1087	30.0	26.5-33.5	256	8.0	05.6-10.4	76	2.4	00.4-04.4
College Graduate	4311	2,776,670	5	0.1	00.0-00.3	347	8.3	06.7-09.9	2389	55.7	52.8-58.6	1248	29.1	26.2-32.0	273	5.7	04.3-07.1	49	1.1	00.5-01.7
Less than \$15,000	1351	544,123	3	0.0	00.0-00.0	223	15.8	11.3-20.3	644	50.5	43.4-57.6	355	26.4	20.1-32.7	89	5.1	02.7-07.5	37	2.2	01.0-03.4
\$15,000- 24,999	2118	977,551	2	0.0	00.0-00.0	273	17.8	12.3-23.3	1085	46.3	40.6-52.0	584	27.5	22.6-32.4	135	6.7	04.0-09.4	39	1.7	00.5-02.9
\$25,000- 34,999	1354	621,278				140	14.9	07.3-22.5	738	50.7	43.6-57.8	362	28.1	21.8-34.4	90	5.0	02.8-07.2	24	1.2	00.2-02.2
\$35,000- 49,999	1830	831,291	1	0.1	00.0-00.3	170	11.8	08.3-15.3	966	50.8	45.7-55.9	524	28.5	24.0-33.0	137	7.2	04.1-10.3	32	1.5	00.5-02.5
\$50,000- 74,999	1837	1,029,158	3	0.3	00.0-00.7	115	6.6	04.2-09.0	966	52.4	47.1-57.7	599	29.6	25.1-34.1	123	8.0	04.9-11.1	31	3.3	00.0-07.0
\$75,000+	2994	2,292,582				163	6.4	04.4-08.4	1560	53.8	50.1-57.5	1001	32.3	28.8-35.8	231	6.4	04.6-08.2	39	1.0	00.4-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 36: REPORTED WEIGHT IN KILOGRAMS (WTKG2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		<46kg (~100lbs)			>46kg, <=69kg (~150lbs)			>69kg, <=91kg (~200lbs)			>91kg, <=114kg (~250lbs)			>114kg, <=137kg (~300lbs)			>137kg (~300lbs)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20937	7,215,267	435	1.9	01.5-02.3	9811	50.0	48.4-51.6	8153	37.8	36.2-39.4	1924	7.8	07.0-08.6	524	2.1	01.7-02.5	90	0.3	00.1-00.5
White/Non-Hisp	16984	4,918,121	376	1.9	01.5-02.3	8330	53.2	51.6-54.8	6498	36.1	34.5-37.7	1378	6.9	06.1-07.7	347	1.7	01.3-02.1	55	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	1734	800,924	5	0.1	00.0-00.3	413	25.1	20.2-30.0	796	50.0	44.3-55.7	365	16.7	12.6-20.8	126	6.9	03.8-10.0	29	1.2	00.4-02.0
Oth. Race/Non-Hisp.	337	182,365	12	3.7	00.4-07.0	181	71.0	61.4-80.6	116	22.7	13.7-31.7	24	1.9	00.3-03.5	3	0.5	00.0-01.5	1	0.2	00.0-00.6
MultiRacial/Non-Hisp.	299	95,809	2	3.4	00.0-09.7										8	1.1	00.0-02.5			
Hispanic	1208	1,103,255	24	2.7	00.7-04.7	584	51.8	46.3-57.3	479	38.8	33.3-44.3	85	5.4	03.0-07.8	32	1.2	00.2-02.2	4	0.1	00.1-00.1
18-24	462	370,022	20	4.2	01.3-07.1	250	56.1	46.9-65.3	154	31.2	22.6-39.8	31	7.4	02.9-11.9	6	0.9	00.0-02.1	1	0.2	00.0-00.6
25-34	1421	768,480	24	1.8	00.6-03.0	686	53.8	48.9-58.7	496	31.8	27.3-36.3	148	7.3	04.9-09.7	61	4.9	02.5-07.3	6	0.2	00.0-00.4
35-44	2156	1,282,534	28	1.7	00.5-02.9	927	46.8	42.9-50.7	825	37.3	33.4-41.2	284	11.4	08.7-14.1	71	2.1	01.1-03.1	21	0.7	00.1-01.3
45-54	3442	1,863,364	44	1.5	00.5-02.5	1487	46.5	42.8-50.2	1339	40.9	37.2-44.6	416	7.9	05.9-09.9	134	2.9	01.7-04.1	22	0.4	00.2-00.6
55-64	4661	1,070,687	67	1.1	00.5-01.7	1936	47.2	44.1-50.3	1982	39.9	37.0-42.8	504	9.5	07.5-11.5	143	1.8	01.2-02.4	29	0.5	00.1-00.9
65+	8620	1,808,240	241	2.3	01.9-02.7	4415	54.4	52.2-56.6	3308	38.0	35.8-40.2	538	4.6	03.8-05.4	107	0.6	00.4-00.8	11	0.1	00.1-00.1
Less Than H.S.	2168	535,030	63	1.7	00.9-02.5	846	43.3	37.2-49.4	866	39.6	33.9-45.3	295	11.0	07.7-14.3	81	3.7	02.1-05.3	17	0.7	00.1-01.3
H.S. or G.E.D.	7057	1,954,846	166	2.3	01.5-03.1	3105	46.7	43.8-49.6	2852	38.0	35.3-40.7	707	10.2	08.2-12.2	190	2.3	01.5-03.1	37	0.5	00.1-00.9
Some Post-H.S.	6213	2,159,331	127	2.3	01.3-03.3	2921	48.4	45.9-50.9	2415	38.5	36.0-41.0	559	8.1	06.7-09.5	166	2.3	01.3-03.3	25	0.4	00.2-00.6
College Graduate	5459	2,542,734	75	1.2	00.8-01.6	2914	55.3	52.4-58.2	2012	36.8	33.9-39.7	360	5.1	03.9-06.3	87	1.5	00.7-02.3	11	0.1	00.0-00.3
Less than \$15,000	2982	717,164	97	4.3	01.8-06.8	1193	43.0	38.7-47.3	1117	35.5	31.4-39.6	413	12.1	09.2-15.0	130	3.7	02.3-05.1	32	1.4	00.4-02.4
\$15,000- 24,999	3977	1,144,611	95	2.7	01.5-03.9	1683	44.3	40.6-48.0	1620	41.7	38.0-45.4	431	8.5	06.7-10.3	123	2.5	01.7-03.3	25	0.3	00.1-00.5
\$25,000- 34,999	2320	655,896	43	1.5	00.7-02.3	1042	45.5	40.4-50.6	977	44.4	39.1-49.7	191	5.9	04.1-07.7	58	2.4	00.6-04.2	9	0.3	00.1-00.5
\$35,000- 49,999	2638	942,987	35	0.6	00.2-01.0	1177	43.1	38.8-47.4	1106	43.3	38.8-47.8	256	10.7	07.6-13.8	58	2.0	00.6-03.4	6	0.2	00.0-00.4
\$50,000- 74,999	2460	954,715	22	1.1	00.5-01.7	1136	49.2	45.1-53.3	994	37.6	33.7-41.5	240	9.0	06.3-11.7	62	2.8	00.6-05.0	6	0.3	00.0-00.7
\$75,000+	3038	1,658,028	25	1.0	00.4-01.6	1663	58.0	54.7-61.3	1135	35.6	32.3-38.9	172	4.2	02.8-05.6	37	1.0	00.4-01.6	6	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 37: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	33682	14,236,650	431	1.0	00.8-01.2	11143	34.0	32.8-35.2	12301	37.8	36.6-39.0	6069	17.1	16.1-18.1	3738	10.1	09.3-10.9
Male	12892	7,073,537	72	0.4	00.2-00.6	3208	26.0	24.0-28.0	5703	43.8	41.8-45.8	2647	20.0	18.4-21.6	1262	9.8	08.4-11.2
Female	20790	7,163,113	359	1.6	01.2-02.0	7935	41.9	40.3-43.5	6598	31.8	30.4-33.2	3422	14.3	13.1-15.5	2476	10.4	09.4-11.4
White/Non-Hisp	27561	9,801,182	373	1.1	00.9-01.3	9582	35.8	34.6-37.0	10067	37.9	36.5-39.3	4797	16.1	15.1-17.1	2742	9.1	08.3-09.9
Black or Afr. Am./Non-Hisp	2520	1,434,759	14	0.1	00.1-00.1	453	20.8	17.1-24.5	881	36.3	31.8-40.8	611	24.9	20.8-29.0	561	17.9	14.4-21.4
Oth. Race/Non-Hisp.	629	443,152	8	1.2	00.0-02.4	230	46.4	38.0-54.8	232	39.3	30.9-47.7	98	9.6	05.1-14.1	61	3.5	01.9-05.1
MultiRacial/Non-Hisp.	517	188,122	3	2.4	00.0-05.9	160	32.5	22.9-42.1	189	37.2	27.4-47.0	96	13.5	07.2-19.8	69	14.3	06.7-21.9
Hispanic	1796	2,127,474	23	1.2	00.2-02.2	520	32.3	27.8-36.8	673	37.3	32.8-41.8	350	18.9	15.4-22.4	230	10.3	07.4-13.2
18-24	822	921,332	28	2.6	01.0-04.2	412	55.2	48.3-62.1	224	23.2	17.5-28.9	96	12.4	08.1-16.7	62	6.7	03.6-09.8
25-34	2142	1,513,956	34	1.6	00.6-02.6	787	39.1	34.6-43.6	668	31.2	27.1-35.3	342	14.4	11.7-17.1	311	13.7	10.8-16.6
35-44	3423	2,674,757	34	0.5	00.1-00.9	1094	31.6	28.7-34.5	1170	39.0	35.7-42.3	618	16.5	14.0-19.0	507	12.4	10.2-14.6
45-54	5593	3,692,032	57	1.0	00.4-01.6	1712	29.1	26.6-31.6	1949	39.2	36.3-42.1	1095	20.1	17.7-22.5	780	10.6	08.6-12.6
55-64	7567	2,082,628	71	0.6	00.4-00.8	2162	29.8	27.6-32.0	2789	39.3	36.9-41.7	1524	19.1	17.1-21.1	1021	11.2	09.8-12.6
65+	13900	3,266,846	199	1.0	00.8-01.2	4870	35.3	33.7-36.9	5419	41.5	39.9-43.1	2363	15.9	14.7-17.1	1049	6.4	05.4-07.4
Less Than H.S.	3392	1,043,237	69	1.3	00.5-02.1	951	29.3	24.6-34.0	1095	31.7	27.4-36.0	717	20.5	16.8-24.2	560	17.2	13.5-20.9
H.S. or G.E.D.	10917	3,784,961	143	1.3	00.7-01.9	3390	32.2	30.0-34.4	3976	37.5	35.1-39.9	2066	17.3	15.5-19.1	1342	11.7	10.1-13.3
Some Post-H.S.	9541	4,046,024	122	1.1	00.5-01.7	3165	33.4	31.0-35.8	3425	35.9	33.5-38.3	1752	18.5	16.7-20.3	1077	11.0	09.4-12.6
College Graduate	9754	5,313,725	96	0.7	00.5-00.9	3602	36.3	34.3-38.3	3778	40.8	38.6-43.0	1522	15.3	13.7-16.9	756	6.9	05.9-07.9
Less than \$15,000	4276	1,235,368	94	2.2	00.8-03.6	1367	32.5	29.0-36.0	1283	32.7	28.6-36.8	800	17.2	14.3-20.1	732	15.4	12.7-18.1
\$15,000- 24,999	6057	2,102,256	109	1.5	00.9-02.1	1790	31.8	28.5-35.1	2170	35.6	32.5-38.7	1172	19.2	16.5-21.9	816	11.9	10.1-13.7
\$25,000- 34,999	3663	1,274,196	44	1.2	00.4-02.0	1175	33.7	29.4-38.0	1348	39.5	35.4-43.6	691	16.2	13.5-18.9	405	9.4	07.0-11.8
\$35,000- 49,999	4465	1,773,634	30	0.8	00.2-01.4	1407	31.0	28.1-33.9	1730	37.0	33.9-40.1	821	20.5	17.6-23.4	477	10.7	08.3-13.1
\$50,000- 74,999	4295	1,983,325	36	0.8	00.4-01.2	1380	33.6	30.3-36.9	1636	37.6	34.5-40.7	793	17.0	14.6-19.4	450	11.0	08.3-13.7
\$75,000+	6023	3,947,778	19	0.3	00.1-00.5	2094	35.3	32.8-37.8	2476	41.8	39.3-44.3	1003	15.7	13.7-17.7	431	6.9	05.5-08.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 38: BODY MASS INDEX (kilograms per meter-squared) (BMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12892	7,073,537	72	0.4	00.2-00.6	3208	26.0	24.0-28.0	5703	43.8	41.8-45.8	2647	20.0	18.4-21.6	1262	9.8	08.4-11.2
White/Non-Hisp	10621	4,889,943	55	0.5	00.3-00.7	2682	25.5	23.7-27.3	4738	45.5	43.3-47.7	2146	19.4	17.8-21.0	1000	9.2	08.0-10.4
Black or Afr. Am./Non-Hisp	801	635,973	5	0.1	00.0-00.3	149	19.8	13.7-25.9	323	34.9	27.8-42.0	215	30.2	22.9-37.5	109	15.0	09.1-20.9
Oth. Race/Non-Hisp.	295	260,857	2	0.5	00.0-01.5							44	9.7	04.0-15.4	29	3.5	01.1-05.9
MultiRacial/Non-Hisp.	219	92,327	2	1.5	00.0-04.4							42	11.6	04.7-18.5	24	8.7	02.6-14.8
Hispanic	665	1,063,877	4	0.1	00.1-00.1	153	29.0	21.6-36.4	283	39.7	32.4-47.0	151	20.5	15.0-26.0	74	10.6	05.5-15.7
18-24	366	560,400	7	0.5	00.0-01.1	188	57.4	48.0-66.8	104	22.8	15.0-30.6	45	13.4	07.1-19.7	22	5.8	01.5-10.1
25-34	743	749,938	6	1.2	00.0-02.4	198	29.9	22.5-37.3	300	39.2	32.1-46.3	129	14.2	09.9-18.5	110	15.4	10.3-20.5
35-44	1288	1,405,526	6	0.1	00.1-00.1	280	22.3	18.2-26.4	552	45.9	40.8-51.0	269	20.0	15.9-24.1	181	11.7	08.6-14.8
45-54	2170	1,832,781	11	0.3	00.1-00.5	465	19.2	15.7-22.7	921	45.3	40.8-49.8	523	24.5	20.8-28.2	250	10.8	07.7-13.9
55-64	2924	1,018,183	15	0.3	00.1-00.5	589	21.1	18.0-24.2	1317	45.3	41.6-49.0	657	23.9	20.6-27.2	346	9.4	07.4-11.4
65+	5336	1,472,652	26	0.6	00.2-01.0	1473	27.2	24.8-29.6	2474	49.0	46.3-51.7	1012	17.5	15.5-19.5	351	5.8	04.0-07.6
Less Than H.S.	1292	537,321	21	1.3	00.1-02.5	349	28.5	20.9-36.1	482	33.1	26.6-39.6	277	20.3	15.0-25.6	163	16.8	10.7-22.9
H.S. or G.E.D.	3911	1,844,661	20	0.5	00.1-00.9	999	27.6	24.1-31.1	1666	41.4	37.5-45.3	816	20.7	17.6-23.8	410	9.7	07.3-12.1
Some Post-H.S.	3345	1,889,768	15	0.3	00.1-00.5	763	25.4	21.1-29.7	1439	40.6	36.5-44.7	771	22.5	19.2-25.8	357	11.2	08.3-14.1
College Graduate	4302	2,772,177	16	0.2	00.0-00.4	1083	24.4	21.9-26.9	2098	49.8	46.7-52.9	773	18.0	15.5-20.5	332	7.6	06.0-09.2
Less than \$15,000	1337	538,359	18	1.1	00.3-01.9	432	29.4	23.5-35.3	457	39.2	31.8-46.6	277	18.7	13.4-24.0	153	11.5	07.2-15.8
\$15,000- 24,999	2108	963,439	15	0.2	00.0-00.4	563	30.3	24.4-36.2	879	37.4	32.1-42.7	413	21.9	17.2-26.6	238	10.3	07.2-13.4
\$25,000- 34,999	1350	619,128	13	1.7	00.3-03.1	352	29.7	22.1-37.3	566	41.6	34.9-48.3	288	17.3	12.8-21.8	131	9.7	05.8-13.6
\$35,000- 49,999	1829	830,787	7	0.5	00.0-01.1	434	24.8	20.3-29.3	823	42.0	37.1-46.9	378	22.7	18.2-27.2	187	10.0	06.7-13.3
\$50,000- 74,999	1837	1,029,158	4	0.3	00.0-00.7	424	24.5	19.6-29.4	841	43.6	38.5-48.7	397	20.2	16.3-24.1	171	11.4	06.9-15.9
\$75,000+	2988	2,290,346	1	0.0	00.0-00.0	614	23.5	20.4-26.6	1500	49.1	45.4-52.8	618	19.2	16.3-22.1	255	8.2	06.0-10.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 39: BODY MASS INDEX (kilograms per meter-squared) (_BMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 18			> 18, <= 25			25 >, <= 30			30 >, <= 35			35 >		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20790	7,163,113	359	1.6	01.2-02.0	7935	41.9	40.3-43.5	6598	31.8	30.2-33.4	3422	14.3	13.1-15.5	2476	10.4	09.4-11.4
White/Non-Hisp	16940	4,911,239	318	1.7	01.3-02.1	6900	46.1	44.5-47.7	5329	30.5	29.1-31.9	2651	12.8	11.8-13.8	1742	8.9	07.9-09.9
Black or Afr. Am./Non-Hisp	1719	798,786	9	0.2	00.0-00.4	304	21.6	16.9-26.3	558	37.5	31.8-43.2	396	20.6	16.5-24.7	452	20.1	15.6-24.6
Oth. Race/Non-Hisp.	334	182,295	6	2.2	00.0-04.6				103	25.8	16.6-35.0	54	9.4	02.5-16.3	32	3.3	01.1-05.5
MultiRacial/Non-Hisp.	298	95,795	1	3.3	00.0-09.6												
Hispanic	1131	1,063,598	19	2.4	00.4-04.4	367	35.6	30.3-40.9	390	34.8	29.5-40.1	199	17.2	12.5-21.9	156	10.0	07.1-12.9
18-24	456	360,932	21	5.8	02.1-09.5	224	51.6	42.2-61.0	120	23.8	15.6-32.0	51	10.7	05.6-15.8	40	8.0	03.7-12.3
25-34	1399	764,019	28	2.1	00.3-03.9	589	48.2	43.1-53.3	368	23.3	19.2-27.4	213	14.5	11.0-18.0	201	11.9	08.6-15.2
35-44	2135	1,269,231	28	0.9	00.3-01.5	814	42.0	38.1-45.9	618	31.2	27.5-34.9	349	12.6	10.1-15.1	326	13.2	10.5-15.9
45-54	3423	1,859,251	46	1.7	00.7-02.7	1247	38.8	35.1-42.5	1028	33.3	29.8-36.8	572	15.7	12.8-18.6	530	10.5	08.3-12.7
55-64	4643	1,064,445	56	0.8	00.4-01.2	1573	38.2	35.3-41.1	1472	33.6	30.7-36.5	867	14.5	12.5-16.5	675	13.0	10.8-15.2
65+	8564	1,794,193	173	1.3	00.9-01.7	3397	42.0	40.0-44.0	2945	35.4	33.4-37.4	1351	14.6	13.0-16.2	698	6.8	05.6-08.0
Less Than H.S.	2100	505,916	48	1.3	00.7-01.9	602	30.1	24.4-35.8	613	30.3	25.0-35.6	440	20.7	15.4-26.0	397	17.7	13.6-21.8
H.S. or G.E.D.	7006	1,940,299	123	2.1	01.1-03.1	2391	36.5	33.8-39.2	2310	33.8	31.1-36.5	1250	14.1	12.3-15.9	932	13.5	11.3-15.7
Some Post-H.S.	6196	2,156,256	107	1.8	00.8-02.8	2402	40.5	38.0-43.0	1986	31.8	29.3-34.3	981	15.1	13.1-17.1	720	10.9	09.1-12.7
College Graduate	5452	2,541,548	80	1.2	00.8-01.6	2519	49.3	46.4-52.2	1680	30.9	28.2-33.6	749	12.4	10.2-14.6	424	6.2	04.8-07.6
Less than \$15,000	2939	697,010	76	3.1	00.7-05.5	935	34.9	30.8-39.0	826	27.7	23.8-31.6	523	16.0	12.9-19.1	579	18.4	14.9-21.9
\$15,000- 24,999	3949	1,138,817	94	2.6	01.4-03.8	1227	33.1	29.6-36.6	1291	34.1	30.4-37.8	759	16.9	14.0-19.8	578	13.3	11.1-15.5
\$25,000- 34,999	2313	655,068	31	0.8	00.4-01.2	823	37.5	32.8-42.2	782	37.5	32.2-42.8	403	15.1	11.8-18.4	274	9.1	06.6-11.6
\$35,000- 49,999	2636	942,847	23	1.1	00.1-02.1	973	36.5	32.4-40.6	907	32.6	28.7-36.5	443	18.6	14.5-22.7	290	11.3	08.2-14.4
\$50,000- 74,999	2458	954,168	32	1.4	00.8-02.0	956	43.4	39.3-47.5	795	31.2	27.5-34.9	396	13.5	11.0-16.0	279	10.5	07.6-13.4
\$75,000+	3035	1,657,432	18	0.6	00.2-01.0	1480	51.6	48.1-55.1	976	31.8	28.5-35.1	385	10.8	08.6-13.0	176	5.2	03.6-06.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS

TABLE 40: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	33683	14,236,724	11574	35.0	33.8-36.2	12296	37.8	36.6-39.0	9813	27.2	26.0-28.4
Male	12892	7,073,537	3280	26.4	24.4-28.4	5703	43.8	41.8-45.8	3909	29.8	28.0-31.6
Female	20791	7,163,187	8294	43.5	41.9-45.1	6593	31.8	30.4-33.2	5904	24.7	23.3-26.1
White/Non-Hisp	27562	9,801,257	9955	36.9	35.7-38.1	10062	37.9	36.5-39.3	7545	25.2	24.0-26.4
Black or Afr. Am./Non-Hisp	2520	1,434,759	467	20.9	17.2-24.6	881	36.3	31.8-40.8	1172	42.7	38.0-47.4
Oth. Race/Non-Hisp.	629	443,152	238	47.7	39.3-56.1	232	39.3	30.9-47.7	159	13.0	08.3-17.7
MultiRacial/Non-Hisp.	517	188,122	163	34.9	25.1-44.7	189	37.2	27.4-47.0	165	27.9	18.9-36.9
Hispanic	1796	2,127,474	543	33.6	29.1-38.1	673	37.3	32.8-41.8	580	29.2	24.9-33.5
18-24	822	921,332	440	57.7	50.8-64.6	224	23.2	17.5-28.9	158	19.0	13.9-24.1
25-34	2142	1,513,956	821	40.8	36.3-45.3	668	31.2	27.1-35.3	653	28.0	24.1-31.9
35-44	3423	2,674,757	1128	32.1	29.2-35.0	1169	39.0	35.7-42.3	1126	28.9	26.0-31.8
45-54	5593	3,692,032	1769	30.1	27.6-32.6	1949	39.2	36.3-42.1	1875	30.7	28.0-33.4
55-64	7567	2,082,628	2233	30.4	28.2-32.6	2788	39.3	36.9-41.7	2546	30.3	28.1-32.5
65+	13901	3,266,921	5069	36.3	34.7-37.9	5416	41.5	39.9-43.1	3416	22.2	20.8-23.6
Less Than H.S.	3392	1,043,237	1020	30.6	25.9-35.3	1094	31.7	27.4-36.0	1278	37.7	33.0-42.4
H.S. or G.E.D.	10917	3,784,961	3533	33.5	31.1-35.9	3974	37.5	35.1-39.9	3410	29.0	26.8-31.2
Some Post-H.S.	9542	4,046,099	3287	34.5	32.1-36.9	3423	35.9	33.5-38.3	2832	29.6	27.4-31.8
College Graduate	9754	5,313,725	3698	37.0	35.0-39.0	3778	40.8	38.6-43.0	2278	22.2	20.4-24.0
Less than \$15,000	4277	1,235,443	1461	34.7	31.0-38.4	1283	32.7	28.6-36.8	1533	32.6	28.9-36.3
\$15,000- 24,999	6057	2,102,256	1899	33.3	30.0-36.6	2168	35.6	32.5-38.7	1990	31.1	28.2-34.0
\$25,000- 34,999	3663	1,274,196	1219	34.9	30.6-39.2	1348	39.5	35.4-43.6	1096	25.6	22.3-28.9
\$35,000- 49,999	4465	1,773,634	1437	31.8	28.9-34.7	1730	37.0	33.9-40.1	1298	31.2	27.9-34.5
\$50,000- 74,999	4295	1,983,325	1416	34.4	31.1-37.7	1633	37.6	34.5-40.7	1246	28.0	24.9-31.1
\$75,000+	6023	3,947,778	2113	35.5	33.0-38.0	2476	41.8	39.3-44.3	1434	22.6	20.4-24.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 41: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12892	7,073,537	3280	26.4	24.4-28.4	5703	43.8	41.8-45.8	3909	29.8	28.0-31.6
White/Non-Hisp	10621	4,889,943	2737	25.9	23.9-27.9	4738	45.5	43.3-47.7	3146	28.6	26.6-30.6
Black or Afr. Am./Non-Hisp	801	635,973	154	19.9	13.8-26.0	323	34.9	27.8-42.0	324	45.3	37.5-53.1
Oth. Race/Non-Hisp.	295	260,857							73	13.2	06.9-19.5
MultiRacial/Non-Hisp.	219	92,327							66	20.3	11.1-29.5
Hispanic	665	1,063,877	157	29.1	21.7-36.5	283	39.7	32.4-47.0	225	31.2	24.3-38.1
18-24	366	560,400	195	57.9	48.5-67.3	104	22.8	15.0-30.6	67	19.3	11.9-26.7
25-34	743	749,938	204	31.1	23.7-38.5	300	39.2	32.1-46.3	239	29.7	23.4-36.0
35-44	1288	1,405,526	286	22.3	18.2-26.4	552	45.9	40.8-51.0	450	31.7	27.0-36.4
45-54	2170	1,832,781	476	19.5	16.0-23.0	921	45.3	40.8-49.8	773	35.3	31.0-39.6
55-64	2924	1,018,183	604	21.4	18.3-24.5	1317	45.3	41.6-49.0	1003	33.3	29.8-36.8
65+	5336	1,472,652	1499	27.8	25.4-30.2	2474	49.0	46.3-51.7	1363	23.3	20.9-25.7
Less Than H.S.	1292	537,321	370	29.8	22.2-37.4	482	33.1	26.6-39.6	440	37.1	30.0-44.2
H.S. or G.E.D.	3911	1,844,661	1019	28.1	24.6-31.6	1666	41.4	37.5-45.3	1226	30.4	26.9-33.9
Some Post-H.S.	3345	1,889,768	778	25.7	21.4-30.0	1439	40.6	36.5-44.7	1128	33.7	29.8-37.6
College Graduate	4302	2,772,177	1099	24.6	22.1-27.1	2098	49.8	46.7-52.9	1105	25.5	22.8-28.2
Less than \$15,000	1337	538,359	450	30.5	24.4-36.6	457	39.2	31.8-46.6	430	30.2	23.9-36.5
\$15,000- 24,999	2108	963,439	578	30.5	24.6-36.4	879	37.4	32.1-42.7	651	32.2	27.1-37.3
\$25,000- 34,999	1350	619,128	365	31.4	23.8-39.0	566	41.6	34.9-48.3	419	27.0	21.3-32.7
\$35,000- 49,999	1829	830,787	441	25.3	20.8-29.8	823	42.0	37.1-46.9	565	32.7	27.8-37.6
\$50,000- 74,999	1837	1,029,158	428	24.8	19.9-29.7	841	43.6	38.5-48.7	568	31.6	26.5-36.7
\$75,000+	2988	2,290,346	615	23.5	20.4-26.6	1500	49.1	45.4-52.8	873	27.4	24.1-30.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 42: THREE-LEVEL BODY MASS INDEX CATEGORY (_BMI4CAT).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not Overweight or Obese			Overweight			Obese		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20791	7,163,187	8294	43.5	41.9-45.1	6593	31.8	30.2-33.4	5904	24.7	23.3-26.1
White/Non-Hisp	16941	4,911,314	7218	47.8	46.2-49.4	5324	30.5	29.1-31.9	4399	21.8	20.4-23.2
Black or Afr. Am./Non-Hisp	1719	798,786	313	21.8	17.1-26.5	558	37.5	31.8-43.2	848	40.7	35.2-46.2
Oth. Race/Non-Hisp.	334	182,295				103	25.8	16.6-35.0	86	12.7	05.4-20.0
Hispanic	1131	1,063,598	386	38.0	32.5-43.5	390	34.8	29.5-40.1	355	27.2	22.1-32.3
18-24	456	360,932	245	57.5	48.3-66.7	120	23.8	15.6-32.0	91	18.7	12.2-25.2
25-34	1399	764,019	617	50.3	45.2-55.4	368	23.3	19.2-27.4	414	26.4	22.1-30.7
35-44	2135	1,269,231	842	43.0	39.1-46.9	617	31.2	27.5-34.9	676	25.8	22.3-29.3
45-54	3423	1,859,251	1293	40.5	36.8-44.2	1028	33.3	29.8-36.8	1102	26.2	22.9-29.5
55-64	4643	1,064,445	1629	39.0	36.1-41.9	1471	33.6	30.7-36.5	1543	27.5	24.8-30.2
65+	8565	1,794,268	3570	43.3	41.3-45.3	2942	35.3	33.3-37.3	2053	21.4	19.6-23.2
Less Than H.S.	2100	505,916	650	31.4	25.7-37.1	612	30.3	25.0-35.6	838	38.3	32.4-44.2
H.S. or G.E.D.	7006	1,940,299	2514	38.6	35.9-41.3	2308	33.8	31.1-36.5	2184	27.6	25.1-30.1
Some Post-H.S.	6197	2,156,331	2509	42.3	39.8-44.8	1984	31.8	29.3-34.3	1704	26.0	23.6-28.4
College Graduate	5452	2,541,548	2599	50.5	47.6-53.4	1680	30.9	28.2-33.6	1173	18.7	16.3-21.1
Less than \$15,000	2940	697,084	1011	37.9	33.6-42.2	826	27.7	23.8-31.6	1103	34.4	30.3-38.5
\$15,000- 24,999	3949	1,138,817	1321	35.7	32.0-39.4	1289	34.1	30.4-37.8	1339	30.2	26.7-33.7
\$25,000- 34,999	2313	655,068	854	38.2	33.5-42.9	782	37.5	32.2-42.8	677	24.3	20.4-28.2
\$35,000- 49,999	2636	942,847	996	37.5	33.4-41.6	907	32.6	28.7-36.5	733	29.9	25.4-34.4
\$50,000- 74,999	2458	954,168	988	44.8	40.7-48.9	792	31.2	27.5-34.9	678	24.0	20.5-27.5
\$75,000+	3035	1,657,432	1498	52.2	48.7-55.7	976	31.8	28.5-35.1	561	16.0	13.5-18.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 43: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	33683	14,236,724	11574	35.0	33.8-36.2	22109	65.0	63.8-66.2	
Male	12892	7,073,537	3280	26.4	24.4-28.4	9612	73.6	71.6-75.6	
Female	20791	7,163,187	8294	43.5	41.9-45.1	12497	56.5	54.9-58.1	
White/Non-Hisp	27562	9,801,257	9955	36.9	35.7-38.1	17607	63.1	61.9-64.3	
Black or Afr. Am./Non-Hisp	2520	1,434,759	467	20.9	17.2-24.6	2053	79.1	75.4-82.8	
Oth. Race/Non-Hisp.	629	443,152	238	47.7	39.3-56.1	391	52.3	43.9-60.7	
MultiRacial/Non-Hisp.	517	188,122	163	34.9	25.1-44.7	354	65.1	55.3-74.9	
Hispanic	1796	2,127,474	543	33.6	29.1-38.1	1253	66.4	61.9-70.9	
18-24	822	921,332	440	57.7	50.8-64.6	382	42.3	35.4-49.2	
25-34	2142	1,513,956	821	40.8	36.3-45.3	1321	59.2	54.7-63.7	
35-44	3423	2,674,757	1128	32.1	29.2-35.0	2295	67.9	65.0-70.8	
45-54	5593	3,692,032	1769	30.1	27.6-32.6	3824	69.9	67.4-72.4	
55-64	7567	2,082,628	2233	30.4	28.2-32.6	5334	69.6	67.4-71.8	
65+	13901	3,266,921	5069	36.3	34.7-37.9	8832	63.7	62.1-65.3	
Less Than H.S.	3392	1,043,237	1020	30.6	25.9-35.3	2372	69.4	64.7-74.1	
H.S. or G.E.D.	10917	3,784,961	3533	33.5	31.1-35.9	7384	66.5	64.1-68.9	
Some Post-H.S.	9542	4,046,099	3287	34.5	32.1-36.9	6255	65.5	63.1-67.9	
College Graduate	9754	5,313,725	3698	37.0	35.0-39.0	6056	63.0	61.0-65.0	
Less than \$15,000	4277	1,235,443	1461	34.7	31.0-38.4	2816	65.3	61.6-69.0	
\$15,000- 24,999	6057	2,102,256	1899	33.3	30.0-36.6	4158	66.7	63.4-70.0	
\$25,000- 34,999	3663	1,274,196	1219	34.9	30.6-39.2	2444	65.1	60.8-69.4	
\$35,000- 49,999	4465	1,773,634	1437	31.8	28.9-34.7	3028	68.2	65.3-71.1	
\$50,000- 74,999	4295	1,983,325	1416	34.4	31.1-37.7	2879	65.6	62.3-68.9	
\$75,000+	6023	3,947,778	2113	35.5	33.0-38.0	3910	64.5	62.0-67.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 44: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12892	7,073,537	3280	26.4	24.4-28.4	9612	73.6	71.6-75.6
White/Non-Hisp	10621	4,889,943	2737	25.9	23.9-27.9	7884	74.1	72.1-76.1
Black or Afr. Am./Non-Hisp	801	635,973	154	19.9	13.8-26.0	647	80.1	74.0-86.2
Hispanic	665	1,063,877	157	29.1	21.7-36.5	508	70.9	63.5-78.3
18-24	366	560,400	195	57.9	48.5-67.3	171	42.1	32.7-51.5
25-34	743	749,938	204	31.1	23.7-38.5	539	68.9	61.5-76.3
35-44	1288	1,405,526	286	22.3	18.2-26.4	1002	77.7	73.6-81.8
45-54	2170	1,832,781	476	19.5	16.0-23.0	1694	80.5	77.0-84.0
55-64	2924	1,018,183	604	21.4	18.3-24.5	2320	78.6	75.5-81.7
65+	5336	1,472,652	1499	27.8	25.4-30.2	3837	72.2	69.8-74.6
Less Than H.S.	1292	537,321	370	29.8	22.2-37.4	922	70.2	62.6-77.8
H.S. or G.E.D.	3911	1,844,661	1019	28.1	24.6-31.6	2892	71.9	68.4-75.4
Some Post-H.S.	3345	1,889,768	778	25.7	21.4-30.0	2567	74.3	70.0-78.6
College Graduate	4302	2,772,177	1099	24.6	22.1-27.1	3203	75.4	72.9-77.9
Less than \$15,000	1337	538,359	450	30.5	24.4-36.6	887	69.5	63.4-75.6
\$15,000- 24,999	2108	963,439	578	30.5	24.6-36.4	1530	69.5	63.6-75.4
\$25,000- 34,999	1350	619,128	365	31.4	23.8-39.0	985	68.6	61.0-76.2
\$35,000- 49,999	1829	830,787	441	25.3	20.8-29.8	1388	74.7	70.2-79.2
\$50,000- 74,999	1837	1,029,158	428	24.8	19.9-29.7	1409	75.2	70.3-80.1
\$75,000+	2988	2,290,346	615	23.5	20.4-26.6	2373	76.5	73.4-79.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 45: RISK FACTOR FOR OVERWEIGHT OR OBESE (_RFBMI4).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20791	7,163,187	8294	43.5	41.9-45.1	12497	56.5	54.9-58.1
White/Non-Hisp	16941	4,911,314	7218	47.8	46.2-49.4	9723	52.2	50.6-53.8
Black or Afr. Am./Non-Hisp	1719	798,786	313	21.8	17.1-26.5	1406	78.2	73.5-82.9
Hispanic	1131	1,063,598	386	38.0	32.5-43.5	745	62.0	56.5-67.5
18-24	456	360,932	245	57.5	48.3-66.7	211	42.5	33.3-51.7
25-34	1399	764,019	617	50.3	45.2-55.4	782	49.7	44.6-54.8
35-44	2135	1,269,231	842	43.0	39.1-46.9	1293	57.0	53.1-60.9
45-54	3423	1,859,251	1293	40.5	36.8-44.2	2130	59.5	55.8-63.2
55-64	4643	1,064,445	1629	39.0	36.1-41.9	3014	61.0	58.1-63.9
65+	8565	1,794,268	3570	43.3	41.3-45.3	4995	56.7	54.7-58.7
Less Than H.S.	2100	505,916	650	31.4	25.7-37.1	1450	68.6	62.9-74.3
H.S. or G.E.D.	7006	1,940,299	2514	38.6	35.9-41.3	4492	61.4	58.7-64.1
Some Post-H.S.	6197	2,156,331	2509	42.3	39.8-44.8	3688	57.7	55.2-60.2
College Graduate	5452	2,541,548	2599	50.5	47.6-53.4	2853	49.5	46.6-52.4
Less than \$15,000	2940	697,084	1011	37.9	33.6-42.2	1929	62.1	57.8-66.4
\$15,000- 24,999	3949	1,138,817	1321	35.7	32.0-39.4	2628	64.3	60.6-68.0
\$25,000- 34,999	2313	655,068	854	38.2	33.5-42.9	1459	61.8	57.1-66.5
\$35,000- 49,999	2636	942,847	996	37.5	33.4-41.6	1640	62.5	58.4-66.6
\$50,000- 74,999	2458	954,168	988	44.8	40.7-48.9	1470	55.2	51.1-59.3
\$75,000+	3035	1,657,432	1498	52.2	48.7-55.7	1537	47.8	44.3-51.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
DRINK-OCCASIONS-PER-DAY (DROCDY2_)	
1 MALES AND FEMALES	87
2 MALES ONLY	88
3 FEMALES ONLY	89
BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)	
4 MALES AND FEMALES	90
5 MALES ONLY	91
6 FEMALES ONLY	92
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)	
7 MALES AND FEMALES	93
8 MALES ONLY	94
9 FEMALES ONLY	95
CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKM03)	
10 MALES AND FEMALES	96
11 MALES ONLY	97
12 FEMALES ONLY	98
HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)	
13 MALES AND FEMALES	99
14 MALES ONLY	100
15 FEMALES ONLY	101

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)	
16	MALES ONLY	102
	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)	
17	FEMALES ONLY	103

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
17	ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3) FEMALES ONLY	103

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION
TABLE 1: DRINK-OCCASIONS-PER-DAY (DROCDY2_)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34363	14,447,219	8293	31.6	30.4-32.8	3027	11.6	10.8-12.4	1269	4.2	03.6-04.8	2686	6.8	06.2-07.4	19088	45.8	44.6-47.0
Male	12718	7,007,267	3192	32.5	30.5-34.5	1444	13.9	12.5-15.3	669	5.4	04.6-06.2	1527	9.4	08.4-10.4	5886	38.8	36.8-40.8
Female	21645	7,439,953	5101	30.7	29.3-32.1	1583	9.4	08.4-10.4	600	3.2	02.8-03.6	1159	4.4	04.0-04.8	13202	52.3	50.7-53.9
White/Non-Hisp	27997	9,877,011	6870	31.2	30.0-32.4	2652	13.4	12.4-14.4	1171	5.4	04.8-06.0	2499	8.9	08.1-09.7	14805	41.1	39.9-42.3
Black or Afr. Am./Non-Hisp	2606	1,484,807	532	27.5	23.4-31.6	124	7.2	04.7-09.7	33	1.5	00.7-02.3	42	2.0	00.8-03.2	1875	61.8	57.3-66.3
Oth. Race/Non-Hisp.	638	456,418	130	27.7	20.1-35.3	46	7.9	03.8-12.0	9	2.0	00.0-04.7	35	2.3	00.9-03.7	418	60.0	52.0-68.0
MultiRacial/Non-Hisp.	528	197,484	122	35.1	25.5-44.7	43	7.4	03.5-11.3	13	2.3	00.1-04.5	26	1.2	00.4-02.0	324	53.9	44.1-63.7
Hispanic	1914	2,174,965	522	37.6	32.9-42.3	110	7.4	04.9-09.9	23	1.3	00.5-02.1	43	2.2	00.8-03.6	1216	51.5	46.8-56.2
18-24	848	968,417	278	31.9	25.2-38.6	60	12.1	07.4-16.8	20	2.0	00.4-03.6	10	0.5	00.1-00.9	480	53.5	46.6-60.4
25-34	2238	1,540,517	753	38.9	34.4-43.4	219	12.1	09.6-14.6	46	2.6	01.4-03.8	47	2.5	01.1-03.9	1173	44.0	39.7-48.3
35-44	3562	2,755,800	1188	39.6	36.5-42.7	347	10.0	08.2-11.8	123	4.5	03.3-05.7	118	4.2	02.8-05.6	1786	41.6	38.5-44.7
45-54	5715	3,706,984	1626	33.1	30.4-35.8	599	14.4	12.4-16.4	192	4.6	03.2-06.0	292	5.8	04.4-07.2	3006	42.1	39.2-45.0
55-64	7737	2,098,982	1870	28.9	26.5-31.3	713	11.8	10.2-13.4	340	5.2	04.2-06.2	595	8.2	06.8-09.6	4219	45.9	43.5-48.3
65+	13964	3,269,587	2507	21.7	20.3-23.1	1063	9.2	08.2-10.2	541	4.4	03.8-05.0	1608	13.1	12.1-14.1	8245	51.6	50.0-53.2
Less Than H.S.	3493	1,077,051	485	22.2	17.9-26.5	142	5.0	03.4-06.6	47	0.8	00.4-01.2	146	3.4	02.2-04.6	2673	68.6	64.1-73.1
H.S. or G.E.D.	11198	3,868,913	2260	26.7	24.5-28.9	773	10.0	08.4-11.6	268	3.4	02.2-04.6	689	5.9	04.9-06.9	7208	54.0	51.6-56.4
Some Post-H.S.	9690	4,076,674	2625	33.2	30.7-35.7	874	11.0	09.6-12.4	352	3.4	02.8-04.0	741	6.9	05.7-08.1	5098	45.6	43.2-48.0
College Graduate	9886	5,375,915	2910	35.9	33.7-38.1	1231	14.6	13.0-16.2	599	6.1	05.1-07.1	1102	8.1	07.1-09.1	4044	35.3	33.3-37.3
Less than \$15,000	4370	1,262,481	646	21.9	18.2-25.6	204	6.2	03.8-08.6	67	1.7	00.9-02.5	179	3.6	02.2-05.0	3274	66.6	62.5-70.7
\$15,000- 24,999	6145	2,143,674	1231	25.7	22.6-28.8	361	5.5	04.1-06.9	138	2.4	01.6-03.2	396	6.0	04.6-07.4	4019	60.5	57.2-63.8
\$25,000- 34,999	3736	1,294,065	888	31.6	27.3-35.9	300	11.0	08.1-13.9	100	2.8	01.4-04.2	253	6.0	04.6-07.4	2195	48.7	44.4-53.0
\$35,000- 49,999	4541	1,792,229	1216	33.0	29.7-36.3	448	11.9	09.7-14.1	163	3.1	02.3-03.9	381	5.6	04.6-06.6	2333	46.5	43.2-49.8
\$50,000- 74,999	4359	2,006,046	1340	38.1	34.8-41.4	443	11.5	09.5-13.5	219	4.2	03.2-05.2	392	6.9	05.5-08.3	1965	39.2	35.9-42.5
\$75,000+	6073	3,959,952	1946	37.2	34.7-39.7	941	17.4	15.4-19.4	439	7.9	06.5-09.3	740	9.6	08.0-11.2	2007	28.0	25.6-30.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION
TABLE 2: DRINK-OCCASIONS-PER-DAY (DROCDY2_)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12718	7,007,267	3192	32.5	30.5-34.5	1444	13.9	12.5-15.3	669	5.4	04.6-06.2	1527	9.4	08.4-10.4	5886	38.8	36.8-40.8
White/Non-Hisp	10455	4,821,496	2573	30.5	28.5-32.5	1241	15.4	13.8-17.0	609	6.9	05.7-08.1	1405	12.0	10.6-13.4	4627	35.2	33.2-37.2
Black or Afr. Am./Non-Hisp	794	640,469	212	29.8	22.7-36.9	62	11.5	06.0-17.0	19	2.3	00.9-03.7	30	3.3	00.9-05.7	471	53.2	45.6-60.8
Oth. Race/Non-Hisp.	291	262,543				27	10.9	04.0-17.8	4	0.3	00.0-00.7	16	3.2	00.8-05.6			
MultiRacial/Non-Hisp.	216	91,980				26	10.7	03.1-18.3	7	4.7	00.0-09.4	19	1.8	00.4-03.2			
Hispanic	673	1,062,314	227	45.3	37.7-52.9	62	10.0	05.7-14.3	19	1.7	00.3-03.1	28	3.1	00.4-05.8	337	39.9	32.8-47.0
18-24	369	577,822	123	31.2	21.8-40.6	35	15.4	08.3-22.5	14	2.0	00.4-03.6	5	0.6	00.0-01.4	192	50.8	41.2-60.4
25-34	756	746,169	277	41.2	33.6-48.8	100	12.8	08.7-16.9	27	3.8	01.4-06.2	34	4.0	01.3-06.7	318	38.2	31.3-45.1
35-44	1285	1,407,063	456	41.6	36.5-46.7	178	12.7	09.6-15.8	67	5.6	03.6-07.6	68	6.3	03.9-08.7	516	33.7	29.0-38.4
45-54	2135	1,799,176	611	32.0	27.7-36.3	276	16.9	13.6-20.2	95	6.1	03.6-08.6	187	8.7	06.0-11.4	966	36.3	32.0-40.6
55-64	2874	1,007,266	712	29.4	25.7-33.1	339	15.0	12.3-17.7	174	6.6	04.8-08.4	332	10.7	08.2-13.2	1317	38.4	34.7-42.1
65+	5233	1,437,301	995	22.7	20.3-25.1	508	10.4	09.0-11.8	288	5.4	04.4-06.4	893	18.6	16.6-20.6	2549	42.8	40.1-45.5
Less Than H.S.	1272	534,642	237	27.3	20.4-34.2	89	6.7	04.2-09.2	36	1.4	00.6-02.2	102	5.8	03.3-08.3	808	58.8	51.5-66.1
H.S. or G.E.D.	3873	1,848,040	864	27.6	24.1-31.1	366	11.9	09.2-14.6	150	4.8	02.6-07.0	374	7.9	06.1-09.7	2119	47.8	43.9-51.7
Some Post-H.S.	3286	1,869,810	898	34.3	29.8-38.8	366	13.1	10.6-15.6	160	4.2	03.0-05.4	374	9.2	06.7-11.7	1488	39.2	35.1-43.3
College Graduate	4243	2,731,363	1184	35.6	32.5-38.7	619	17.3	14.9-19.7	321	7.3	05.7-08.9	672	11.1	09.3-12.9	1447	28.7	26.0-31.4
Less than \$15,000	1340	543,512	236	25.1	18.0-32.2	88	10.3	05.0-15.6	43	2.6	01.0-04.2	105	5.8	02.7-08.9	868	56.2	48.8-63.6
\$15,000- 24,999	2080	966,492	454	29.6	23.9-35.3	169	6.7	04.2-09.2	73	2.9	01.3-04.5	219	8.7	06.0-11.4	1165	52.2	46.5-57.9
\$25,000- 34,999	1338	612,289	316	32.1	24.5-39.7	133	15.0	09.5-20.5	53	3.9	01.4-06.4	145	8.8	06.1-11.5	691	40.2	33.7-46.7
\$35,000- 49,999	1818	823,471	477	33.3	28.0-38.6	215	15.3	11.6-19.0	87	4.3	02.7-05.9	225	7.9	05.9-09.9	814	39.1	34.4-43.8
\$50,000- 74,999	1815	1,013,456	525	39.4	33.9-44.9	213	13.4	10.1-16.7	114	4.0	02.8-05.2	229	8.9	06.5-11.3	734	34.3	29.4-39.2
\$75,000+	2947	2,269,193	876	34.3	30.6-38.0	501	17.9	15.2-20.6	249	9.7	07.3-12.1	457	12.0	09.6-14.4	864	26.2	22.9-29.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION
TABLE 3: DRINK-OCCASIONS-PER-DAY (DROCDY2_)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=0.25			>0.25, <=0.50			>0.50, <=0.75			>0.75, <=1.0			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21645	7,439,953	5101	30.7	29.3-32.1	1583	9.4	08.4-10.4	600	3.2	02.8-03.6	1159	4.4	04.0-04.8	13202	52.3	50.7-53.9
White/Non-Hisp	17542	5,055,514	4297	31.8	30.2-33.4	1411	11.6	10.4-12.8	562	4.1	03.5-04.7	1094	5.8	05.2-06.4	10178	46.7	45.1-48.3
Black or Afr. Am./Non-Hisp	1812	844,338	320	25.9	21.2-30.6	62	3.9	02.3-05.5	14	1.0	00.2-01.8	12	1.0	00.0-02.0	1404	68.3	63.4-73.2
Oth. Race/Non-Hisp.	347	193,875				19	3.9	01.0-06.8	5	4.3	00.0-10.6	19	1.0	00.2-01.8			
MultiRacial/Non-Hisp.	312	105,505				17	4.6	01.5-07.7	6	0.3	00.0-00.7	7	0.7	00.0-01.5			
Hispanic	1241	1,112,650	295	30.3	25.2-35.4	48	4.9	02.4-07.4	4	1.0	00.0-02.0	15	1.3	00.3-02.3	879	62.6	57.1-68.1
18-24	479	390,594	155	32.9	24.3-41.5	25	7.1	01.8-12.4	6	2.1	00.0-05.2	5	0.5	00.0-01.1	288	57.4	48.2-66.6
25-34	1482	794,348	476	36.8	32.1-41.5	119	11.4	08.3-14.5	19	1.5	00.5-02.5	13	1.0	00.0-02.0	855	49.4	44.5-54.3
35-44	2277	1,348,737	732	37.5	33.8-41.2	169	7.1	05.3-08.9	56	3.4	02.0-04.8	50	2.0	01.0-03.0	1270	49.9	46.0-53.8
45-54	3580	1,907,808	1015	34.1	30.6-37.6	323	12.0	09.6-14.4	97	3.2	02.0-04.4	105	3.2	02.0-04.4	2040	47.6	43.9-51.3
55-64	4863	1,091,716	1158	28.4	25.7-31.1	374	8.8	07.2-10.4	166	4.0	03.0-05.0	263	6.0	04.6-07.4	2902	52.8	49.9-55.7
65+	8731	1,832,287	1512	20.9	19.3-22.5	555	8.3	07.1-09.5	253	3.6	03.0-04.2	715	8.7	07.7-09.7	5696	58.5	56.5-60.5
Less Than H.S.	2221	542,409	248	17.3	12.2-22.4	53	3.4	01.8-05.0	11	0.2	00.0-00.4	44	1.0	00.6-01.4	1865	78.1	73.0-83.2
H.S. or G.E.D.	7325	2,020,873	1396	25.9	23.4-28.4	407	8.2	06.4-10.0	118	2.2	01.4-03.0	315	4.1	03.1-05.1	5089	59.7	57.0-62.4
Some Post-H.S.	6404	2,206,865	1727	32.2	29.7-34.7	508	9.1	07.5-10.7	192	2.7	02.1-03.3	367	4.9	03.9-05.9	3610	51.0	48.5-53.5
College Graduate	5643	2,644,551	1726	36.3	33.6-39.0	612	11.8	10.0-13.6	278	4.9	03.9-05.9	430	4.9	04.1-05.7	2597	42.1	39.2-45.0
Less than \$15,000	3030	718,969	410	19.4	15.7-23.1	116	3.1	02.1-04.1	24	1.0	00.2-01.8	74	2.0	01.2-02.8	2406	74.4	70.5-78.3
\$15,000- 24,999	4065	1,177,182	777	22.6	19.5-25.7	192	4.4	03.2-05.6	65	1.9	00.9-02.9	177	3.7	02.5-04.9	2854	67.3	63.8-70.8
\$25,000- 34,999	2398	681,776	572	31.1	26.4-35.8	167	7.4	05.2-09.6	47	1.7	00.9-02.5	108	3.4	02.2-04.6	1504	56.4	51.5-61.3
\$35,000- 49,999	2723	968,758	739	32.6	28.7-36.5	233	9.0	06.8-11.2	76	2.1	01.3-02.9	156	3.6	02.6-04.6	1519	52.7	48.4-57.0
\$50,000- 74,999	2544	992,590	815	36.9	32.8-41.0	230	9.6	07.4-11.8	105	4.4	03.0-05.8	163	4.9	03.5-06.3	1231	44.3	40.2-48.4
\$75,000+	3126	1,690,759	1070	41.0	37.7-44.3	440	16.6	14.1-19.1	190	5.6	04.2-07.0	283	6.4	05.0-07.8	1143	30.4	27.3-33.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

**TABLE 4: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34305	14,404,864	31082	86.3	85.3-87.3	3223	13.7	12.7-14.7	
Male	12684	6,978,218	10837	80.8	79.0-82.6	1847	19.2	17.4-21.0	
Female	21621	7,426,646	20245	91.5	90.7-92.3	1376	8.5	07.7-09.3	
White/Non-Hisp	27948	9,846,683	25239	85.3	84.3-86.3	2709	14.7	13.7-15.7	
Black or Afr. Am./Non-Hisp	2591	1,465,716	2416	92.8	90.4-95.2	175	7.2	04.8-09.6	
Oth. Race/Non-Hisp.	637	455,542	586	93.2	89.5-96.9	51	6.8	03.1-10.5	
MultiRacial/Non-Hisp.	528	195,632	461	82.7	75.1-90.3	67	17.3	09.7-24.9	
Hispanic	1907	2,183,329	1725	85.1	81.0-89.2	182	14.9	10.8-19.0	
18-24	836	952,008	662	76.6	70.3-82.9	174	23.4	17.1-29.7	
25-34	2219	1,538,341	1839	79.8	75.7-83.9	380	20.2	16.1-24.3	
35-44	3535	2,719,243	2983	80.7	78.0-83.4	552	19.3	16.6-22.0	
45-54	5709	3,705,524	4947	85.1	82.9-87.3	762	14.9	12.7-17.1	
55-64	7720	2,102,053	6985	90.3	88.9-91.7	735	9.7	08.3-11.1	
65+	13985	3,281,793	13381	95.5	94.7-96.3	604	4.5	03.7-05.3	
Less Than H.S.	3476	1,061,859	3175	89.2	86.3-92.1	301	10.8	07.9-13.7	
H.S. or G.E.D.	11133	3,808,819	10120	85.8	83.8-87.8	1013	14.2	12.2-16.2	
Some Post-H.S.	9697	4,093,318	8778	85.2	83.0-87.4	919	14.8	12.6-17.0	
College Graduate	9903	5,391,076	8918	86.9	85.5-88.3	985	13.1	11.7-14.5	
Less than \$15,000	4351	1,246,462	4026	88.3	85.0-91.6	325	11.7	08.4-15.0	
\$15,000- 24,999	6120	2,115,549	5627	89.1	86.6-91.6	493	10.9	08.4-13.4	
\$25,000- 34,999	3725	1,290,653	3398	86.2	81.9-90.5	327	13.8	09.5-18.1	
\$35,000- 49,999	4524	1,781,183	4088	88.6	86.4-90.8	436	11.4	09.2-13.6	
\$50,000- 74,999	4350	2,006,673	3876	87.1	84.9-89.3	474	12.9	10.7-15.1	
\$75,000+	6080	3,962,576	5206	81.0	78.8-83.2	874	19.0	16.8-21.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	12684	6,978,218	10837	80.8	79.0-82.6	1847	19.2	17.4-21.0
White/Non-Hisp	10425	4,789,925	8882	80.0	78.0-82.0	1543	20.0	18.0-22.0
Black or Afr. Am./Non-Hisp	788	632,414	692	88.5	83.8-93.2	96	11.5	06.8-16.2
Oth. Race/Non-Hisp.	292	261,812	259	90.3	84.0-96.6	33	9.7	03.4-16.0
MultiRacial/Non-Hisp.	218	92,241	173	83.0	73.8-92.2	45	17.0	07.8-26.2
Hispanic	670	1,074,397	565	77.0	69.7-84.3	105	23.0	15.7-30.3
18-24	369	573,094	265	70.0	60.8-79.2	104	30.0	20.8-39.2
25-34	742	744,530	551	72.2	64.8-79.6	191	27.8	20.4-35.2
35-44	1270	1,375,652	983	75.4	70.9-79.9	287	24.6	20.1-29.1
45-54	2139	1,803,487	1709	79.0	75.3-82.7	430	21.0	17.3-24.7
55-64	2866	1,006,454	2438	86.7	84.3-89.1	428	13.3	10.9-15.7
65+	5235	1,445,081	4836	92.8	91.4-94.2	399	7.2	05.8-08.6
Less Than H.S.	1258	520,695	1059	82.7	77.2-88.2	199	17.3	11.8-22.8
H.S. or G.E.D.	3845	1,821,160	3247	80.2	76.7-83.7	598	19.8	16.3-23.3
Some Post-H.S.	3287	1,874,228	2816	78.0	73.7-82.3	471	22.0	17.7-26.3
College Graduate	4250	2,737,598	3675	82.7	80.3-85.1	575	17.3	14.9-19.7
Less than \$15,000	1325	531,954	1156	83.7	77.0-90.4	169	16.3	09.6-23.0
\$15,000- 24,999	2068	937,977	1772	83.1	78.0-88.2	296	16.9	11.8-22.0
\$25,000- 34,999	1331	611,538	1149	78.1	69.9-86.3	182	21.9	13.7-30.1
\$35,000- 49,999	1807	817,076	1555	83.7	79.6-87.8	252	16.3	12.2-20.4
\$50,000- 74,999	1810	1,015,799	1539	83.7	80.2-87.2	271	16.3	12.8-19.8
\$75,000+	2955	2,268,429	2424	76.4	73.1-79.7	531	23.6	20.3-26.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: BINGE DRINKERS (MALES HAVING FIVE OR MORE DRINKS ON ONE OCCASION, FEMALES HAVING FOUR OR MORE DRINKS ON ONE OCCASION) (_RFBING4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21621	7,426,646	20245	91.5	90.7-92.3	1376	8.5	07.7-09.3
White/Non-Hisp	17523	5,056,758	16357	90.3	89.3-91.3	1166	9.7	08.7-10.7
Black or Afr. Am./Non-Hisp	1803	833,302	1724	96.0	94.4-97.6	79	4.0	02.4-05.6
Oth. Race/Non-Hisp.	345	193,731	327	97.1	95.3-98.9	18	2.9	01.1-04.7
Hispanic	1237	1,108,932	1160	93.0	90.1-95.9	77	7.0	04.1-09.9
18-24	467	378,914	397	86.5	81.0-92.0	70	13.5	08.0-19.0
25-34	1477	793,812	1288	86.9	83.8-90.0	189	13.1	10.0-16.2
35-44	2265	1,343,591	2000	86.2	83.5-88.9	265	13.8	11.1-16.5
45-54	3570	1,902,036	3238	90.8	88.8-92.8	332	9.2	07.2-11.2
55-64	4854	1,095,599	4547	93.7	92.3-95.1	307	6.3	04.9-07.7
65+	8750	1,836,712	8545	97.6	97.0-98.2	205	2.4	01.8-03.0
Less Than H.S.	2218	541,164	2116	95.5	93.1-97.9	102	4.5	02.1-06.9
H.S. or G.E.D.	7288	1,987,659	6873	91.0	89.2-92.8	415	9.0	07.2-10.8
Some Post-H.S.	6410	2,219,090	5962	91.2	89.6-92.8	448	8.8	07.2-10.4
College Graduate	5653	2,653,479	5243	91.2	89.6-92.8	410	8.8	07.2-10.4
Less than \$15,000	3026	714,508	2870	91.7	89.0-94.4	156	8.3	05.6-11.0
\$15,000- 24,999	4052	1,177,572	3855	94.0	92.0-96.0	197	6.0	04.0-08.0
\$25,000- 34,999	2394	679,115	2249	93.5	91.3-95.7	145	6.5	04.3-08.7
\$35,000- 49,999	2717	964,107	2533	92.6	90.6-94.6	184	7.4	05.4-09.4
\$50,000- 74,999	2540	990,874	2337	90.5	88.3-92.7	203	9.5	07.3-11.7
\$75,000+	3125	1,694,147	2782	87.2	85.0-89.4	343	12.8	10.6-15.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION

TABLE 7: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34026	14,272,586	11989	43.9	42.5-45.3	1879	6.5	05.9-07.1	859	2.8	02.4-03.2	163	0.4	00.2-00.6	48	0.1	00.1-00.1	19088	46.3	45.1-47.5
Male	12553	6,889,197	4729	45.4	43.2-47.6	1118	9.4	08.2-10.6	644	4.7	03.9-05.5	134	0.7	00.5-00.9	42	0.3	00.1-00.5	5886	39.5	37.5-41.5
Female	21473	7,383,390	7260	42.5	40.9-44.1	761	3.7	03.1-04.3	215	1.0	00.6-01.4	29	0.1	00.1-00.1	6	0.0	00.0-00.0	13202	52.7	51.1-54.3
White/Non-Hisp	27732	9,757,776	10281	46.5	45.1-47.9	1693	7.7	06.9-08.5	778	3.6	03.0-04.2	137	0.5	00.3-00.7	38	0.1	00.1-00.1	14805	41.6	40.4-42.8
Black or Afr. Am./Non-Hisp	2580	1,460,836	613	33.2	28.9-37.5	52	2.8	01.2-04.4	32	0.6	00.2-01.0	6	0.1	00.0-00.3	2	0.3	00.0-00.9	1875	62.8	58.3-67.3
Oth. Race/Non-Hisp.	635	455,615	182	36.7	28.7-44.7	18	1.6	00.2-03.0	6	0.5	00.0-01.3	5	0.5	00.0-01.3	6	0.5	00.1-00.9	418	60.2	52.2-68.2
MultiRacial/Non-Hisp.	520	194,090	149	37.2	27.6-46.8	27	4.3	00.8-07.8	16	3.0	00.6-05.4	4	0.7	00.0-01.9				324	54.8	44.8-64.8
Hispanic	1892	2,154,754	588	42.2	37.5-46.9	60	4.7	02.2-07.2	20	1.1	00.3-01.9	7	0.1	00.1-00.1	1	0.0	00.0-00.0	1216	51.9	47.2-56.6
18-24	830	942,368	276	34.2	27.5-40.9	40	7.5	02.8-12.2	22	2.3	00.3-04.3	10	0.9	00.1-01.7	2	0.0	00.0-00.0	480	55.0	47.9-62.1
25-34	2209	1,509,808	872	47.4	42.9-51.9	105	5.0	03.2-06.8	40	2.5	01.3-03.7	18	0.3	00.1-00.5	1	0.0	00.0-00.0	1173	44.9	40.6-49.2
35-44	3524	2,722,482	1440	47.8	44.7-50.9	173	6.3	04.7-07.9	96	2.7	01.9-03.5	21	0.6	00.2-01.0	8	0.4	00.0-00.8	1786	42.1	39.0-45.2
45-54	5672	3,684,220	2164	46.8	43.9-49.7	293	6.9	05.3-08.5	163	3.5	02.1-04.9	32	0.4	00.0-00.8	14	0.0	00.0-00.0	3006	42.4	39.5-45.3
55-64	7671	2,086,204	2704	43.5	41.1-45.9	445	6.9	05.5-08.3	238	2.9	02.1-03.7	51	0.4	00.2-00.6	14	0.2	00.0-00.4	4219	46.1	43.7-48.5
65+	13832	3,223,903	4436	38.9	37.3-40.5	815	6.3	05.5-07.1	297	2.3	01.9-02.7	30	0.1	00.1-00.1	9	0.0	00.0-00.0	8245	52.3	50.7-53.9
Less Than H.S.	3459	1,044,296	574	23.8	19.7-27.9	94	2.4	01.2-03.6	74	1.9	01.1-02.7	30	1.0	00.2-01.8	14	0.3	00.0-00.7	2673	70.7	66.4-75.0
H.S. or G.E.D.	11071	3,805,528	3053	35.5	33.1-37.9	455	5.6	04.4-06.8	267	3.2	02.0-04.4	65	0.6	00.2-01.0	23	0.2	00.0-00.4	7208	54.9	52.5-57.3
Some Post-H.S.	9589	4,025,854	3663	43.7	41.2-46.2	553	7.4	05.8-09.0	233	2.4	01.6-03.2	36	0.3	00.1-00.5	6	0.0	00.0-00.0	5098	46.2	43.8-48.6
College Graduate	9812	5,348,417	4675	54.0	51.8-56.2	772	7.2	06.2-08.2	285	3.0	02.4-03.6	31	0.2	00.0-00.4	5	0.1	00.0-00.3	4044	35.5	33.5-37.5
Less than \$15,000	4320	1,234,558	811	26.2	22.3-30.1	126	3.3	02.1-04.5	79	1.8	01.0-02.6	22	0.4	00.2-00.6	8	0.1	00.0-00.3	3274	68.1	64.2-72.0
\$15,000- 24,999	6090	2,104,425	1639	30.5	27.6-33.4	237	4.3	02.3-06.3	142	2.7	01.7-03.7	36	0.8	00.4-01.2	17	0.1	00.1-00.1	4019	61.6	58.3-64.9
\$25,000- 34,999	3698	1,274,701	1221	42.3	37.8-46.8	183	5.0	03.2-06.8	75	2.6	01.0-04.2	17	0.4	00.0-00.8	7	0.2	00.0-00.6	2195	49.5	45.2-53.8
\$35,000- 49,999	4506	1,783,150	1764	45.7	42.4-49.0	240	4.7	03.5-05.9	137	2.5	01.7-03.3	29	0.4	00.2-00.6	3	0.0	00.0-00.0	2333	46.7	43.4-50.0
\$50,000- 74,999	4329	1,997,255	1935	51.5	48.2-54.8	289	6.3	04.7-07.9	113	2.3	01.5-03.1	22	0.4	00.0-00.8	5	0.1	00.0-00.3	1965	39.4	36.1-42.7
\$75,000+	6028	3,929,752	3138	56.5	54.0-59.0	629	10.8	09.2-12.4	227	4.1	02.9-05.3	21	0.3	00.1-00.5	6	0.1	00.1-00.1	2007	28.2	25.8-30.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION

TABLE 8: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12553	6,889,197	4729	45.4	43.2-47.6	1118	9.4	08.2-10.6	644	4.7	03.9-05.5	134	0.7	00.5-00.9	42	0.3	00.1-00.5	5886	39.5	37.5-41.5
White/Non-Hisp	10331	4,741,853	3984	46.2	44.0-48.4	984	10.7	09.3-12.1	588	6.1	04.9-07.3	115	0.9	00.5-01.3	33	0.2	00.0-00.4	4627	35.8	33.8-37.8
Black or Afr. Am./Non-Hisp	783	619,394	253	38.6	31.0-46.2	30	4.4	01.3-07.5	22	1.0	00.2-01.8	5	0.3	00.0-00.7	2	0.8	00.0-02.2	471	55.0	47.2-62.8
Oth. Race/Non-Hisp.	289	262,117				13	2.7	00.3-05.1	1	0.6	00.0-01.8	3	0.8	00.0-02.0	5	0.8	00.0-01.6			
MultiRacial/Non-Hisp.	211	88,856				20	7.2	00.1-14.3	13	5.1	00.2-10.0	3	1.5	00.0-04.2						
Hispanic	658	1,051,674	253	49.4	41.8-57.0	47	8.4	03.5-13.3	15	1.8	00.4-03.2	5	0.1	00.0-00.3	1	0.0	00.0-00.0	337	40.3	33.0-47.6
18-24	360	554,588	120	32.7	23.5-41.9	26	10.8	03.4-18.2	13	2.1	00.3-03.9	8	1.4	00.2-02.6	1	0.0	00.0-00.0	192	53.0	43.2-62.8
25-34	740	723,281	308	47.9	40.5-55.3	68	8.0	04.5-11.5	32	4.1	01.6-06.6	13	0.5	00.1-00.9	1	0.0	00.0-00.0	318	39.4	32.3-46.5
35-44	1261	1,378,891	552	50.6	45.5-55.7	110	9.1	06.2-12.0	60	4.2	02.6-05.8	16	1.0	00.4-01.6	7	0.7	00.0-01.5	516	34.4	29.7-39.1
45-54	2112	1,789,576	820	46.7	42.2-51.2	165	9.6	06.9-12.3	120	6.3	03.8-08.8	30	0.8	00.2-01.4	11	0.1	00.1-00.1	966	36.5	32.2-40.8
55-64	2844	1,000,128	1055	45.8	41.9-49.7	236	9.6	07.1-12.1	181	4.8	03.4-06.2	42	0.7	00.3-01.1	13	0.5	00.0-01.1	1317	38.6	34.9-42.3
65+	5177	1,412,819	1850	41.8	39.3-44.3	509	9.6	08.2-11.0	236	4.6	03.6-05.6	24	0.3	00.1-00.5	9	0.1	00.1-00.1	2549	43.5	40.8-46.2
Less Than H.S.	1250	513,730	284	29.0	22.1-35.9	69	3.9	01.7-06.1	52	3.3	01.5-05.1	26	1.9	00.3-03.5	11	0.6	00.0-01.4	808	61.2	53.9-68.5
H.S. or G.E.D.	3813	1,799,966	1164	36.4	32.5-40.3	262	7.8	05.4-10.2	192	5.3	03.1-07.5	55	1.0	00.4-01.6	21	0.5	00.0-01.1	2119	49.0	45.1-52.9
Some Post-H.S.	3239	1,834,438	1250	43.9	39.4-48.4	299	11.5	08.4-14.6	169	3.9	02.3-05.5	27	0.6	00.2-01.0	6	0.1	00.0-00.3	1488	39.9	35.8-44.0
College Graduate	4207	2,717,652	2017	55.3	52.4-58.2	483	10.0	08.2-11.8	231	5.2	04.0-06.4	25	0.5	00.3-00.7	4	0.1	00.0-00.3	1447	28.8	26.1-31.5
Less than \$15,000	1317	521,454	293	31.7	24.1-39.3	68	4.8	02.4-07.2	62	3.7	01.7-05.7	18	0.9	00.3-01.5	8	0.3	00.0-00.7	868	58.6	51.3-65.9
\$15,000- 24,999	2054	940,115	614	33.6	28.3-38.9	140	6.7	02.6-10.8	93	4.4	02.4-06.4	30	1.4	00.6-02.2	12	0.3	00.1-00.5	1165	53.6	47.7-59.5
\$25,000- 34,999	1317	601,980	441	45.7	38.3-53.1	112	7.8	04.5-11.1	52	4.4	01.5-07.3	14	0.7	00.0-01.5	7	0.5	00.0-01.3	691	40.9	34.2-47.6
\$35,000- 49,999	1800	817,269	711	48.8	43.7-53.9	146	7.0	04.8-09.2	105	4.1	02.5-05.7	21	0.7	00.1-01.3	3	0.0	00.0-00.0	814	39.4	34.5-44.3
\$50,000- 74,999	1797	1,009,178	784	53.3	48.0-58.6	164	7.6	04.9-10.3	90	3.6	02.2-05.0	20	0.7	00.1-01.3	5	0.2	00.0-00.6	734	34.4	29.5-39.3
\$75,000+	2921	2,247,333	1440	52.0	48.3-55.7	401	14.2	11.5-16.9	194	6.7	04.5-08.9	17	0.5	00.1-00.9	5	0.1	00.0-00.3	864	26.4	23.1-29.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION

TABLE 9: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER DAY (_DRNKDY3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=1			>1, <=2			>2, <=5			>5, <=10			>10			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21473	7,383,390	7260	42.5	40.9-44.1	761	3.7	03.1-04.3	215	1.0	00.6-01.4	29	0.1	00.1-00.1	6	0.0	00.0-00.0	13202	52.7	51.1-54.3
White/Non-Hisp	17401	5,015,923	6297	46.8	45.2-48.4	709	4.8	04.2-05.4	190	1.2	00.8-01.6	22	0.1	00.0-00.3	5	0.0	00.0-00.0	10178	47.1	45.5-48.7
Black or Afr. Am./Non-Hisp	1797	841,442	360	29.3	24.4-34.2	22	1.7	00.5-02.9	10	0.4	00.0-00.8	1	0.0	00.0-00.0				1404	68.6	63.7-73.5
Oth. Race/Non-Hisp.	346	193,498				5	0.2	00.0-00.6	5	0.5	00.0-01.3	2	0.1	00.1-00.1	1	0.0	00.0-00.0			
MultiRacial/Non-Hisp.	309	105,234				7	1.9	00.0-03.9	3	1.2	00.0-02.8	1	0.1	00.0-00.3						
Hispanic	1234	1,103,081	335	35.3	30.0-40.6	13	1.1	00.1-02.1	5	0.5	00.0-01.1	2	0.0	00.0-00.0				879	63.1	57.6-68.6
18-24	470	387,780	156	36.4	27.4-45.4	14	2.9	00.5-05.3	9	2.6	00.0-06.5	2	0.3	00.0-00.7	1	0.0	00.0-00.0	288	57.8	48.6-67.0
25-34	1469	786,527	564	46.9	42.0-51.8	37	2.2	01.0-03.4	8	0.9	00.1-01.7	5	0.1	00.0-00.3				855	49.9	45.0-54.8
35-44	2263	1,343,591	888	45.0	41.1-48.9	63	3.4	02.0-04.8	36	1.3	00.7-01.9	5	0.2	00.0-00.6	1	0.0	00.0-00.0	1270	50.1	46.2-54.0
45-54	3560	1,894,644	1344	46.8	43.1-50.5	128	4.3	02.9-05.7	43	0.9	00.3-01.5	2	0.0	00.0-00.0	3	0.0	00.0-00.0	2040	47.9	44.2-51.6
55-64	4827	1,086,076	1649	41.3	38.4-44.2	209	4.4	03.4-05.4	57	1.1	00.3-01.9	9	0.1	00.1-00.1	1	0.0	00.0-00.0	2902	53.0	50.1-55.9
65+	8655	1,811,084	2586	36.6	34.6-38.6	306	3.7	03.1-04.3	61	0.5	00.3-00.7	6	0.1	00.1-00.1				5696	59.2	57.2-61.2
Less Than H.S.	2209	530,566	290	18.7	13.8-23.6	25	0.8	00.0-01.6	22	0.4	00.0-00.8	4	0.1	00.0-00.3	3	0.1	00.0-00.3	1865	79.9	75.0-84.8
H.S. or G.E.D.	7258	2,005,563	1889	34.7	32.0-37.4	193	3.6	02.6-04.6	75	1.4	00.6-02.2	10	0.2	00.0-00.4	2	0.0	00.0-00.0	5089	60.2	57.5-62.9
Some Post-H.S.	6350	2,191,416	2413	43.6	41.1-46.1	254	3.9	03.1-04.7	64	1.0	00.4-01.6	9	0.1	00.1-00.1				3610	51.4	48.9-53.9
College Graduate	5605	2,630,765	2658	52.6	49.7-55.5	289	4.3	03.3-05.3	54	0.7	00.3-01.1	6	0.0	00.0-00.0	1	0.0	00.0-00.0	2597	42.3	39.4-45.2
Less than \$15,000	3003	713,104	518	22.2	18.5-25.9	58	2.3	01.1-03.5	17	0.5	00.1-00.9	4	0.0	00.0-00.0				2406	75.0	71.1-78.9
\$15,000- 24,999	4036	1,164,310	1025	28.1	24.8-31.4	97	2.3	01.3-03.3	49	1.3	00.3-02.3	6	0.3	00.0-00.7	5	0.0	00.0-00.0	2854	68.0	64.5-71.5
\$25,000- 34,999	2381	672,721	780	39.2	34.3-44.1	71	2.4	01.2-03.6	23	1.1	00.5-01.7	3	0.0	00.0-00.0				1504	57.2	52.3-62.1
\$35,000- 49,999	2706	965,881	1053	43.1	38.8-47.4	94	2.7	01.7-03.7	32	1.1	00.3-01.9	8	0.2	00.0-00.4				1519	52.8	48.5-57.1
\$50,000- 74,999	2532	988,077	1151	49.7	45.6-53.8	125	4.9	03.3-06.5	23	0.9	00.3-01.5	2	0.0	00.0-00.0				1231	44.5	40.4-48.6
\$75,000+	3107	1,682,418	1698	62.5	59.2-65.8	228	6.3	04.9-07.7	33	0.7	00.3-01.1	4	0.0	00.0-00.0	1	0.0	00.0-00.0	1143	30.5	27.4-33.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION

TABLE 10: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35109	14,762,805	5631	19.0	18.0-20.0	3102	12.5	11.5-13.5	3256	10.9	10.1-11.7	1879	6.2	05.6-06.8	2153	6.5	05.9-07.1	19088	44.8	43.6-46.0
Male	13044	7,164,877	1892	17.0	15.4-18.6	1346	13.6	12.2-15.0	1491	13.0	11.6-14.4	1118	9.0	07.8-10.2	1311	9.4	08.2-10.6	5886	38.0	36.0-40.0
Female	22065	7,597,928	3739	20.9	19.7-22.1	1756	11.4	10.4-12.4	1765	9.0	08.2-09.8	761	3.6	03.2-04.0	842	3.9	03.3-04.5	13202	51.2	49.6-52.8
White/Non-Hisp	28583	10,092,350	4686	18.8	17.8-19.8	2658	13.0	12.0-14.0	2937	13.1	12.1-14.1	1693	7.4	06.6-08.2	1804	7.4	06.6-08.2	14805	40.2	39.0-41.4
Black or Afr. Am./Non-Hisp	2656	1,513,872	355	17.3	14.2-20.4	161	10.2	07.1-13.3	97	4.6	02.8-06.4	52	2.7	01.3-04.1	116	4.6	02.6-06.6	1875	60.6	56.3-64.9
Oth. Race/Non-Hisp.	656	464,010	87	20.4	13.7-27.1	46	9.7	04.4-15.0	49	6.0	02.3-09.7	18	1.6	00.2-03.0	38	3.3	01.5-05.1	418	59.1	51.1-67.1
MultiRacial/Non-Hisp.	533	198,245	83	21.0	13.4-28.6	36	10.3	03.6-17.0	30	5.2	01.5-08.9	27	4.2	00.9-07.5	33	5.7	02.2-09.2	324	53.6	43.8-63.4
Hispanic	1953	2,217,505	327	20.4	16.5-24.3	162	13.3	10.0-16.6	99	7.3	04.8-09.8	60	4.6	02.2-07.0	89	4.0	02.6-05.4	1216	50.5	46.0-55.0
18-24	858	976,126	133	12.8	08.9-16.7	91	11.8	07.1-16.5	52	8.5	04.4-12.6	40	7.3	02.8-11.8	62	6.6	03.3-09.9	480	53.1	46.2-60.0
25-34	2262	1,564,687	411	21.8	17.7-25.9	288	14.7	11.6-17.8	173	9.3	07.1-11.5	105	4.8	03.0-06.6	112	6.2	04.2-08.2	1173	43.3	39.2-47.4
35-44	3617	2,794,950	731	21.4	18.9-23.9	414	14.6	12.2-17.0	295	10.6	08.4-12.8	173	6.2	04.6-07.8	218	6.2	04.6-07.8	1786	41.0	37.9-44.1
45-54	5841	3,802,825	1032	19.5	17.1-21.9	624	14.8	12.6-17.0	508	11.0	09.2-12.8	293	6.7	05.1-08.3	378	7.0	05.4-08.6	3006	41.0	38.3-43.7
55-64	7895	2,150,212	1319	20.2	18.2-22.2	647	10.0	08.6-11.4	738	12.0	10.4-13.6	445	6.7	05.3-08.1	527	6.4	05.4-07.4	4219	44.8	42.4-47.2
65+	14297	3,355,417	1954	16.4	15.2-17.6	1011	8.9	07.9-09.9	1471	12.1	11.1-13.1	815	6.1	05.3-06.9	801	6.3	05.5-07.1	8245	50.3	48.7-51.9
Less Than H.S.	3582	1,108,642	286	9.4	06.7-12.1	157	7.4	04.9-09.9	131	5.6	03.4-07.8	94	2.2	01.2-03.2	241	8.8	06.3-11.3	2673	66.6	62.1-71.1
H.S. or G.E.D.	11405	3,929,786	1489	15.9	14.3-17.5	800	10.8	09.2-12.4	764	7.7	06.5-08.9	455	5.4	04.2-06.6	689	7.1	05.7-08.5	7208	53.2	50.8-55.6
Some Post-H.S.	9917	4,171,320	1798	20.3	18.1-22.5	928	11.3	09.7-12.9	937	10.7	09.1-12.3	553	7.1	05.5-08.7	603	6.1	04.9-07.3	5098	44.6	42.2-47.0
College Graduate	10098	5,490,649	2051	22.5	20.7-24.3	1209	15.6	14.0-17.2	1415	14.6	13.2-16.0	772	7.0	06.0-08.0	607	5.8	05.0-06.6	4044	34.5	32.5-36.5
Less than \$15,000	4444	1,289,003	404	10.7	08.5-12.9	205	9.4	06.5-12.3	202	5.0	02.5-07.5	126	3.2	02.0-04.4	233	6.5	04.3-08.7	3274	65.2	61.3-69.1
\$15,000- 24,999	6251	2,184,090	830	14.4	12.2-16.6	423	9.2	07.0-11.4	386	5.8	04.4-07.2	237	4.1	02.1-06.1	356	7.1	05.5-08.7	4019	59.4	56.1-62.7
\$25,000- 34,999	3785	1,312,740	591	19.9	16.0-23.8	325	10.5	08.0-13.0	305	10.7	07.8-13.6	183	4.9	03.1-06.7	186	6.0	04.2-07.8	2195	48.0	43.7-52.3
\$35,000- 49,999	4600	1,821,953	830	20.2	17.5-22.9	459	13.6	11.1-16.1	475	10.9	09.1-12.7	240	4.6	03.4-05.8	263	5.0	03.8-06.2	2333	45.7	42.4-49.0
\$50,000- 74,999	4417	2,037,200	921	24.2	21.3-27.1	498	14.4	11.9-16.9	516	11.9	09.9-13.9	289	6.2	04.6-07.8	228	4.7	03.5-05.9	1965	38.6	35.3-41.9
\$75,000+	6172	4,018,481	1286	21.8	19.6-24.0	867	17.2	15.2-19.2	985	16.2	14.4-18.0	629	10.6	09.0-12.2	398	6.6	05.2-08.0	2007	27.6	25.2-30.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION

TABLE 11: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13044	7,164,877	1892	17.0	15.4-18.6	1346	13.6	12.0-15.2	1491	13.0	11.6-14.4	1118	9.0	07.8-10.2	1311	9.4	08.2-10.6	5886	38.0	36.0-40.0
White/Non-Hisp	10706	4,921,414	1530	15.9	14.3-17.5	1128	13.5	11.9-15.1	1326	15.1	13.5-16.7	984	10.3	08.9-11.7	1111	10.7	09.3-12.1	4627	34.5	32.5-36.5
Black or Afr. Am./Non-Hisp	816	657,511	120	15.4	10.5-20.3	80	13.5	07.6-19.4	53	7.5	03.8-11.2	30	4.1	01.2-07.0	62	7.7	03.6-11.8	471	51.8	44.2-59.4
Oth. Race/Non-Hisp.	302	263,683	37	17.8	09.2-26.4	29	13.2	04.6-21.8	25	6.2	01.5-10.9	13	2.7	00.3-05.1	22	2.8	00.8-04.8			
MultiRacial/Non-Hisp.	220	92,340				15	5.4	00.1-10.7	14	5.8	00.3-11.3	20	6.9	00.0-13.8	25	10.1	02.7-17.5			
Hispanic	693	1,090,917	127	21.9	15.2-28.6	73	15.7	10.4-21.0	53	10.0	05.3-14.7	47	8.1	03.4-12.8	56	5.5	03.0-08.0	337	38.8	31.9-45.7
18-24	376	582,010	51	10.0	05.1-14.9	39	11.3	04.6-18.0	30	10.0	03.9-16.1	26	10.2	02.9-17.5	38	8.1	03.4-12.8	192	50.5	40.9-60.1
25-34	765	762,660	115	19.3	12.0-26.6	120	16.0	10.5-21.5	73	10.1	06.8-13.4	68	7.6	04.3-10.9	71	9.6	05.7-13.5	318	37.4	30.5-44.3
35-44	1305	1,424,282	238	19.8	15.9-23.7	179	15.6	11.9-19.3	135	13.7	09.8-17.6	110	8.9	06.2-11.6	127	8.9	06.2-11.6	516	33.3	28.6-38.0
45-54	2192	1,847,741	335	16.8	13.3-20.3	249	15.5	12.2-18.8	236	13.0	10.1-15.9	165	9.3	06.6-12.0	241	10.1	07.4-12.8	966	35.3	31.2-39.4
55-64	2955	1,030,903	439	18.0	14.9-21.1	275	12.0	09.6-14.4	341	14.4	11.7-17.1	236	9.3	06.9-11.7	347	8.8	07.0-10.6	1317	37.5	34.0-41.0
65+	5371	1,478,437	704	15.8	13.8-17.8	478	10.1	08.5-11.7	668	14.0	12.4-15.6	509	9.2	07.8-10.6	463	9.2	07.6-10.8	2549	41.6	38.9-44.3
Less Than H.S.	1321	551,600	114	8.7	05.0-12.4	84	8.5	04.2-12.8	86	9.8	05.7-13.9	69	3.7	01.7-05.7	160	12.3	08.0-16.6	808	57.0	49.7-64.3
H.S. or G.E.D.	3957	1,875,775	467	14.1	11.6-16.6	346	11.7	09.0-14.4	351	9.2	07.0-11.4	262	7.5	05.3-09.7	412	10.5	08.0-13.0	2119	47.0	43.1-50.9
Some Post-H.S.	3374	1,909,168	534	17.9	14.2-21.6	366	12.2	09.7-14.7	350	12.1	09.2-15.0	299	11.1	08.0-14.2	337	8.4	06.2-10.6	1488	38.4	34.5-42.3
College Graduate	4342	2,794,361	774	20.3	17.8-22.8	544	16.7	14.2-19.2	699	16.9	14.5-19.3	483	9.8	08.0-11.6	395	8.4	06.8-10.0	1447	28.0	25.5-30.5
Less than \$15,000	1366	553,312	124	10.1	06.2-14.0	80	11.7	06.4-17.0	89	8.0	02.3-13.7	68	4.5	02.3-06.7	137	10.4	06.1-14.7	868	55.2	47.9-62.5
\$15,000- 24,999	2129	984,156	262	13.9	10.4-17.4	192	11.2	07.5-14.9	160	6.9	04.4-09.4	140	6.4	02.5-10.3	210	10.3	07.4-13.2	1165	51.2	45.5-56.9
\$25,000- 34,999	1360	622,054	175	18.5	11.1-25.9	132	10.2	06.7-13.7	134	15.5	09.8-21.2	112	7.6	04.3-10.9	116	8.6	05.1-12.1	691	39.5	33.0-46.0
\$35,000- 49,999	1843	834,728	289	17.2	12.7-21.7	200	17.4	12.9-21.9	222	13.2	10.1-16.3	146	6.9	04.9-08.9	172	6.8	05.0-08.6	814	38.6	33.9-43.3
\$50,000- 74,999	1842	1,029,797	313	21.4	16.7-26.1	227	16.5	12.2-20.8	244	14.3	11.2-17.4	164	7.5	05.0-10.0	160	6.5	04.5-08.5	734	33.7	28.8-38.6
\$75,000+	2998	2,297,739	533	18.5	15.8-21.2	404	15.6	12.7-18.5	503	16.7	14.2-19.2	401	13.9	11.4-16.4	293	9.4	07.0-11.8	864	25.9	22.6-29.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION

TABLE 12: CALCULATED TOTAL NUMBER OF ALCOHOLIC BEVERAGES CONSUMED PER MONTH (_DRNKMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		>0, <=5			>5, <=15			>15, <=30			>30, <=60			>60			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	22065	7,597,928	3739	20.9	19.7-22.1	1756	11.4	10.4-12.4	1765	9.0	08.2-09.8	761	3.6	03.2-04.0	842	3.9	03.3-04.5	13202	51.2	49.6-52.8
White/Non-Hisp	17877	5,170,936	3156	21.6	20.2-23.0	1530	12.5	11.3-13.7	1611	11.2	10.2-12.2	709	4.7	04.1-05.3	693	4.3	03.7-04.9	10178	45.7	44.1-47.3
Black or Afr. Am./Non-Hisp	1840	856,360	235	18.7	14.8-22.6	81	7.7	04.6-10.8	44	2.4	01.0-03.8	22	1.7	00.5-02.9	54	2.1	00.9-03.3	1404	67.4	62.5-72.3
Oth. Race/Non-Hisp.	354	200,328				17	5.0	01.5-08.5	24	5.8	00.0-11.9	5	0.2	00.0-00.6	16	4.0	01.1-06.9			
MultiRacial/Non-Hisp.	313	105,905							16	4.6	00.0-09.5	7	1.9	00.0-03.9	8	1.8	00.0-03.6			
Hispanic	1260	1,126,588	200	19.0	14.7-23.3	89	10.9	07.2-14.6	46	4.7	02.3-07.1	13	1.1	00.1-02.1	33	2.6	01.0-04.2	879	61.8	56.5-67.1
18-24	482	394,116	82	17.0	10.7-23.3	52	12.5	06.0-19.0	22	6.3	01.6-11.0	14	2.8	00.4-05.2	24	4.5	00.4-08.6	288	56.9	47.7-66.1
25-34	1497	802,027	296	24.1	19.8-28.4	168	13.4	10.1-16.7	100	8.5	05.8-11.2	37	2.2	01.0-03.4	41	2.9	01.5-04.3	855	48.9	44.0-53.8
35-44	2312	1,370,668	493	23.2	20.1-26.3	235	13.5	10.8-16.2	160	7.4	05.6-09.2	63	3.4	02.0-04.8	91	3.4	02.2-04.6	1270	49.1	45.2-53.0
45-54	3649	1,955,084	697	22.1	19.2-25.0	375	14.1	11.6-16.6	272	9.1	07.1-11.1	128	4.2	03.0-05.4	137	4.0	02.6-05.4	2040	46.4	42.7-50.1
55-64	4940	1,119,309	880	22.2	19.7-24.7	372	8.1	06.7-09.5	397	9.8	08.2-11.4	209	4.3	03.3-05.3	180	4.2	03.0-05.4	2902	51.5	48.6-54.4
65+	8926	1,876,979	1250	16.9	15.5-18.3	533	7.9	06.7-09.1	803	10.5	09.3-11.7	306	3.6	03.0-04.2	338	4.0	03.2-04.8	5696	57.1	55.1-59.1
Less Than H.S.	2261	557,042	172	10.0	06.1-13.9	73	6.3	03.2-09.4	45	1.4	00.6-02.2	25	0.8	00.2-01.4	81	5.3	02.6-08.0	1865	76.1	71.0-81.2
H.S. or G.E.D.	7448	2,054,011	1022	17.5	15.3-19.7	454	10.0	08.0-12.0	413	6.3	05.1-07.5	193	3.5	02.5-04.5	277	3.9	02.9-04.9	5089	58.7	56.0-61.4
Some Post-H.S.	6543	2,262,151	1264	22.3	20.1-24.5	562	10.5	08.7-12.3	587	9.4	08.0-10.8	254	3.8	03.0-04.6	266	4.2	03.2-05.2	3610	49.8	47.3-52.3
College Graduate	5756	2,696,289	1277	24.8	22.4-27.2	665	14.4	12.4-16.4	716	12.2	10.6-13.8	289	4.2	03.4-05.0	212	3.2	02.4-04.0	2597	41.3	38.6-44.0
Less than \$15,000	3078	735,691	280	11.1	08.6-13.6	125	7.6	04.7-10.5	113	2.8	02.0-03.6	58	2.2	01.2-03.2	96	3.6	02.2-05.0	2406	72.7	68.8-76.6
\$15,000- 24,999	4122	1,199,933	568	14.8	12.4-17.2	231	7.6	05.4-09.8	226	4.9	03.9-05.9	97	2.2	01.2-03.2	146	4.5	02.9-06.1	2854	66.0	62.5-69.5
\$25,000- 34,999	2425	690,686	416	21.1	17.4-24.8	193	10.8	07.3-14.3	171	6.3	04.3-08.3	71	2.4	01.4-03.4	70	3.7	02.1-05.3	1504	55.7	50.8-60.6
\$35,000- 49,999	2757	987,224	541	22.8	19.5-26.1	259	10.4	07.9-12.9	253	8.9	06.9-10.9	94	2.7	01.7-03.7	91	3.5	02.1-04.9	1519	51.7	47.4-56.0
\$50,000- 74,999	2575	1,007,403	608	27.1	23.4-30.8	271	12.2	09.8-14.6	272	9.4	07.4-11.4	125	4.8	03.2-06.4	68	2.9	01.7-04.1	1231	43.6	39.5-47.7
\$75,000+	3174	1,720,742	753	26.2	23.1-29.3	463	19.4	16.5-22.3	482	15.5	13.3-17.7	228	6.2	04.8-07.6	105	2.9	01.9-03.9	1143	29.8	26.7-32.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 13: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDHRV3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34026	14,272,586	32195	94.8	94.2-95.4	1831	5.2	04.6-05.8	
Male	12553	6,889,197	11733	94.3	93.3-95.3	820	5.7	04.7-06.7	
Female	21473	7,383,390	20462	95.2	94.6-95.8	1011	4.8	04.2-05.4	
White/Non-Hisp	27732	9,757,776	26070	93.3	92.5-94.1	1662	6.7	05.9-07.5	
Black or Afr. Am./Non-Hisp	2580	1,460,836	2518	97.9	96.9-98.9	62	2.1	01.1-03.1	
Oth. Race/Non-Hisp.	635	455,615	613	98.4	97.2-99.6	22	1.6	00.4-02.8	
MultiRacial/Non-Hisp.	520	194,090	493	95.3	92.4-98.2	27	4.7	01.8-07.6	
Hispanic	1892	2,154,754	1851	98.2	97.2-99.2	41	1.8	00.8-02.8	
18-24	830	942,368	782	95.5	93.1-97.9	48	4.5	02.1-06.9	
25-34	2209	1,509,808	2113	96.1	94.7-97.5	96	3.9	02.5-05.3	
35-44	3524	2,722,482	3336	94.6	93.4-95.8	188	5.4	04.2-06.6	
45-54	5672	3,684,220	5335	93.8	92.4-95.2	337	6.2	04.8-07.6	
55-64	7671	2,086,204	7159	94.2	93.2-95.2	512	5.8	04.8-06.8	
65+	13832	3,223,903	13190	95.4	94.8-96.0	642	4.6	04.0-05.2	
Less Than H.S.	3459	1,044,296	3316	96.4	95.0-97.8	143	3.6	02.2-05.0	
H.S. or G.E.D.	11071	3,805,528	10523	94.1	92.9-95.3	548	5.9	04.7-07.1	
Some Post-H.S.	9589	4,025,854	9060	95.2	94.2-96.2	529	4.8	03.8-05.8	
College Graduate	9812	5,348,417	9202	94.6	93.8-95.4	610	5.4	04.6-06.2	
Less than \$15,000	4320	1,234,558	4153	96.3	95.1-97.5	167	3.7	02.5-04.9	
\$15,000- 24,999	6090	2,104,425	5798	95.2	94.0-96.4	292	4.8	03.6-06.0	
\$25,000- 34,999	3698	1,274,701	3528	95.5	93.9-97.1	170	4.5	02.9-06.1	
\$35,000- 49,999	4506	1,783,150	4243	95.6	94.6-96.6	263	4.4	03.4-05.4	
\$50,000- 74,999	4329	1,997,255	4064	94.8	93.6-96.0	265	5.2	04.0-06.4	
\$75,000+	6028	3,929,752	5546	92.8	91.4-94.2	482	7.2	05.8-08.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 14: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDRHV3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	12553	6,889,197	11733	94.3	93.3-95.3	820	5.7	04.7-06.7
White/Non-Hisp	10331	4,741,853	9595	92.7	91.5-93.9	736	7.3	06.1-08.5
Black or Afr. Am./Non-Hisp	783	619,394	754	97.9	96.1-99.7	29	2.1	00.3-03.9
Oth. Race/Non-Hisp.	289	262,117	280	97.8	95.8-99.8	9	2.2	00.2-04.2
MultiRacial/Non-Hisp.	211	88,856	195	93.4	87.7-99.1	16	6.6	00.9-12.3
Hispanic	658	1,051,674	637	98.1	96.5-99.7	21	1.9	00.3-03.5
18-24	360	554,588	338	96.5	94.3-98.7	22	3.5	01.3-05.7
25-34	740	723,281	694	95.3	92.8-97.8	46	4.7	02.2-07.2
35-44	1261	1,378,891	1178	94.1	92.1-96.1	83	5.9	03.9-07.9
45-54	2112	1,789,576	1951	92.8	90.3-95.3	161	7.2	04.7-09.7
55-64	2844	1,000,128	2608	94.0	92.6-95.4	236	6.0	04.6-07.4
65+	5177	1,412,819	4908	95.0	94.0-96.0	269	5.0	04.0-06.0
Less Than H.S.	1250	513,730	1161	94.2	91.7-96.7	89	5.8	03.3-08.3
H.S. or G.E.D.	3813	1,799,966	3545	93.3	91.1-95.5	268	6.7	04.5-08.9
Some Post-H.S.	3239	1,834,438	3037	95.3	93.7-96.9	202	4.7	03.1-06.3
College Graduate	4207	2,717,652	3947	94.2	92.8-95.6	260	5.8	04.4-07.2
Less than \$15,000	1317	521,454	1229	95.1	92.9-97.3	88	4.9	02.7-07.1
\$15,000- 24,999	2054	940,115	1919	93.9	91.7-96.1	135	6.1	03.9-08.3
\$25,000- 34,999	1317	601,980	1244	94.4	91.3-97.5	73	5.6	02.5-08.7
\$35,000- 49,999	1800	817,269	1671	95.2	93.6-96.8	129	4.8	03.2-06.4
\$50,000- 74,999	1797	1,009,178	1682	95.4	93.8-97.0	115	4.6	03.0-06.2
\$75,000+	2921	2,247,333	2705	92.7	90.5-94.9	216	7.3	05.1-09.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: HEAVY DRINKERS (ADULT MEN HAVING MORE THAN TWO DRINKS PER DAY AND ADULT WOMEN HAVING MORE THAN ONE DRINK PER DAY) (_RFDHRV3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21473	7,383,390	20462	95.2	94.6-95.8	1011	4.8	04.2-05.4
White/Non-Hisp	17401	5,015,923	16475	93.8	93.0-94.6	926	6.2	05.4-07.0
Black or Afr. Am./Non-Hisp	1797	841,442	1764	97.9	96.7-99.1	33	2.1	00.9-03.3
Oth. Race/Non-Hisp.	346	193,498	333	99.2	98.4-0100	13	0.8	00.0-01.6
MultiRacial/Non-Hisp.	309	105,234	298	96.9	94.4-99.4	11	3.1	00.6-05.6
Hispanic	1234	1,103,081	1214	98.4	97.2-99.6	20	1.6	00.4-02.8
18-24	470	387,780	444	94.2	89.7-98.7	26	5.8	01.3-10.3
25-34	1469	786,527	1419	96.7	95.3-98.1	50	3.3	01.9-04.7
35-44	2263	1,343,591	2158	95.1	93.5-96.7	105	4.9	03.3-06.5
45-54	3560	1,894,644	3384	94.7	93.3-96.1	176	5.3	03.9-06.7
55-64	4827	1,086,076	4551	94.4	93.0-95.8	276	5.6	04.2-07.0
65+	8655	1,811,084	8282	95.7	94.9-96.5	373	4.3	03.5-05.1
Less Than H.S.	2209	530,566	2155	98.6	97.8-99.4	54	1.4	00.6-02.2
H.S. or G.E.D.	7258	2,005,563	6978	94.8	93.4-96.2	280	5.2	03.8-06.6
Some Post-H.S.	6350	2,191,416	6023	95.0	94.0-96.0	327	5.0	04.0-06.0
College Graduate	5605	2,630,765	5255	95.0	94.0-96.0	350	5.0	04.0-06.0
Less than \$15,000	3003	713,104	2924	97.2	96.0-98.4	79	2.8	01.6-04.0
\$15,000- 24,999	4036	1,164,310	3879	96.1	94.7-97.5	157	3.9	02.5-05.3
\$25,000- 34,999	2381	672,721	2284	96.4	95.0-97.8	97	3.6	02.2-05.0
\$35,000- 49,999	2706	965,881	2572	95.9	94.5-97.3	134	4.1	02.7-05.5
\$50,000- 74,999	2532	988,077	2382	94.1	92.3-95.9	150	5.9	04.1-07.7
\$75,000+	3107	1,682,418	2841	93.0	91.4-94.6	266	7.0	05.4-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 16: ADULT MEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN TWO DRINKS PER DAY) (_RFDRMN3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	No		N	Yes	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	12553	6,889,197	11733	94.3	93.3-95.3	820	5.7	04.7-06.7
White/Non-Hisp	10331	4,741,853	9595	92.7	91.5-93.9	736	7.3	06.1-08.5
Black or Afr. Am./Non-Hisp	783	619,394	754	97.9	96.1-99.7	29	2.1	00.3-03.9
Oth. Race/Non-Hisp.	289	262,117	280	97.8	95.8-99.8	9	2.2	00.2-04.2
MultiRacial/Non-Hisp.	211	88,856	195	93.4	87.7-99.1	16	6.6	00.9-12.3
Hispanic	658	1,051,674	637	98.1	96.5-99.7	21	1.9	00.3-03.5
18-24	360	554,588	338	96.5	94.3-98.7	22	3.5	01.3-05.7
25-34	740	723,281	694	95.3	92.8-97.8	46	4.7	02.2-07.2
35-44	1261	1,378,891	1178	94.1	92.1-96.1	83	5.9	03.9-07.9
45-54	2112	1,789,576	1951	92.8	90.3-95.3	161	7.2	04.7-09.7
55-64	2844	1,000,128	2608	94.0	92.6-95.4	236	6.0	04.6-07.4
65+	5177	1,412,819	4908	95.0	94.0-96.0	269	5.0	04.0-06.0
Less Than H.S.	1250	513,730	1161	94.2	91.7-96.7	89	5.8	03.3-08.3
H.S. or G.E.D.	3813	1,799,966	3545	93.3	91.1-95.5	268	6.7	04.5-08.9
Some Post-H.S.	3239	1,834,438	3037	95.3	93.7-96.9	202	4.7	03.1-06.3
College Graduate	4207	2,717,652	3947	94.2	92.8-95.6	260	5.8	04.4-07.2
Less than \$15,000	1317	521,454	1229	95.1	92.9-97.3	88	4.9	02.7-07.1
\$15,000- 24,999	2054	940,115	1919	93.9	91.7-96.1	135	6.1	03.9-08.3
\$25,000- 34,999	1317	601,980	1244	94.4	91.3-97.5	73	5.6	02.5-08.7
\$35,000- 49,999	1800	817,269	1671	95.2	93.6-96.8	129	4.8	03.2-06.4
\$50,000- 74,999	1797	1,009,178	1682	95.4	93.8-97.0	115	4.6	03.0-06.2
\$75,000+	2921	2,247,333	2705	92.7	90.5-94.9	216	7.3	05.1-09.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 17: ADULT WOMEN THAT ARE HEAVY DRINKERS (HAVING MORE THAN ONE DRINK PER DAY) (_RFDRWM3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		No			Yes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21473	7,383,390	20462	95.2	94.6-95.8	1011	4.8	04.2-05.4
White/Non-Hisp	17401	5,015,923	16475	93.8	93.0-94.6	926	6.2	05.4-07.0
Black or Afr. Am./Non-Hisp	1797	841,442	1764	97.9	96.7-99.1	33	2.1	00.9-03.3
Oth. Race/Non-Hisp.	346	193,498	333	99.2	98.4-0100	13	0.8	00.0-01.6
MultiRacial/Non-Hisp.	309	105,234	298	96.9	94.4-99.4	11	3.1	00.6-05.6
Hispanic	1234	1,103,081	1214	98.4	97.2-99.6	20	1.6	00.4-02.8
18-24	470	387,780	444	94.2	89.7-98.7	26	5.8	01.3-10.3
25-34	1469	786,527	1419	96.7	95.3-98.1	50	3.3	01.9-04.7
35-44	2263	1,343,591	2158	95.1	93.5-96.7	105	4.9	03.3-06.5
45-54	3560	1,894,644	3384	94.7	93.3-96.1	176	5.3	03.9-06.7
55-64	4827	1,086,076	4551	94.4	93.0-95.8	276	5.6	04.2-07.0
65+	8655	1,811,084	8282	95.7	94.9-96.5	373	4.3	03.5-05.1
Less Than H.S.	2209	530,566	2155	98.6	97.8-99.4	54	1.4	00.6-02.2
H.S. or G.E.D.	7258	2,005,563	6978	94.8	93.4-96.2	280	5.2	03.8-06.6
Some Post-H.S.	6350	2,191,416	6023	95.0	94.0-96.0	327	5.0	04.0-06.0
College Graduate	5605	2,630,765	5255	95.0	94.0-96.0	350	5.0	04.0-06.0
Less than \$15,000	3003	713,104	2924	97.2	96.0-98.4	79	2.8	01.6-04.0
\$15,000- 24,999	4036	1,164,310	3879	96.1	94.7-97.5	157	3.9	02.5-05.3
\$25,000- 34,999	2381	672,721	2284	96.4	95.0-97.8	97	3.6	02.2-05.0
\$35,000- 49,999	2706	965,881	2572	95.9	94.5-97.3	134	4.1	02.7-05.5
\$50,000- 74,999	2532	988,077	2382	94.1	92.3-95.9	150	5.9	04.1-07.7
\$75,000+	3107	1,682,418	2841	93.0	91.4-94.6	266	7.0	05.4-08.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 14: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)	
1	MALES AND FEMALES	105
2	MALES ONLY	106
3	FEMALES ONLY	107
	ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUM02)	
4	MALES AND FEMALES	108
5	MALES ONLY	109
6	FEMALES ONLY	110

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 14: IMMUNIZATION

TABLE 1: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	13912	3,250,196	9016	65.6	64.0-67.2	4896	34.4	32.8-36.0
Male	5216	1,428,435	3448	67.3	64.8-69.8	1768	32.7	30.2-35.2
Female	8696	1,821,762	5568	64.3	62.3-66.3	3128	35.7	33.7-37.7
White/Non-Hisp	12242	2,663,915	8181	70.0	68.4-71.6	4061	30.0	28.4-31.6
Black or Afr. Am./Non-Hisp	672	185,623	291	41.6	33.0-50.2	381	58.4	49.8-67.0
Hispanic	365	257,301	192	44.1	34.1-54.1			
65+	13912	3,250,196	9016	65.6	64.0-67.2	4896	34.4	32.8-36.0
Less Than H.S.	1532	297,684	851	55.7	48.8-62.6	681	44.3	37.4-51.2
H.S. or G.E.D.	4839	944,429	3041	61.9	59.0-64.8	1798	38.1	35.2-41.0
Some Post-H.S.	3682	910,268	2421	65.3	62.4-68.2	1261	34.7	31.8-37.6
College Graduate	3818	1,081,553	2682	72.4	69.9-74.9	1136	27.6	25.1-30.1
Less than \$15,000	1634	294,917	908	53.5	47.4-59.6	726	46.5	40.4-52.6
\$15,000- 24,999	2896	593,466	1764	59.1	55.4-62.8	1132	40.9	37.2-44.6
\$25,000- 34,999	1719	387,572	1124	64.8	60.3-69.3	595	35.2	30.7-39.7
\$35,000- 49,999	1835	443,233	1267	69.3	65.2-73.4	568	30.7	26.6-34.8
\$50,000- 74,999	1426	371,014	1019	71.3	66.8-75.8	407	28.7	24.2-33.2
\$75,000+	1585	494,561	1117	71.4	67.7-75.1	468	28.6	24.9-32.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 2: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	5216	1,428,435	3448	67.3	64.8-69.8	1768	32.7	30.2-35.2	
White/Non-Hisp	4599	1,167,403	3120	71.0	68.6-73.4	1479	29.0	26.6-31.4	
65+	5216	1,428,435	3448	67.3	64.8-69.8	1768	32.7	30.2-35.2	
H.S. or G.E.D.	1504	346,349	946	61.3	55.6-67.0	558	38.7	33.0-44.4	
Some Post-H.S.	1237	340,113	830	66.0	61.1-70.9	407	34.0	29.1-38.9	
College Graduate	1914	617,790	1355	72.5	68.8-76.2	559	27.5	23.8-31.2	
\$15,000- 24,999	933	226,041	576	59.2	52.1-66.3	357	40.8	33.7-47.9	
\$25,000- 34,999	640	168,797	416	67.9	60.5-75.3	224	32.1	24.7-39.5	
\$35,000- 49,999	833	218,420	583	68.6	62.3-74.9	250	31.4	25.1-37.7	
\$50,000- 74,999	720	194,760	511	70.9	65.0-76.8	209	29.1	23.2-35.0	
\$75,000+	946	316,471	659	72.0	67.1-76.9	287	28.0	23.1-32.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 3: ADULTS AGED 65+ WHO HAVE HAD A FLU SHOT WITHIN THE PAST YEAR (_FLSHOT4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8696	1,821,762	5568	64.3	62.3-66.3	3128	35.7	33.7-37.7
White/Non-Hisp	7643	1,496,512	5061	69.2	67.2-71.2	2582	30.8	28.8-32.8
65+	8696	1,821,762	5568	64.3	62.3-66.3	3128	35.7	33.7-37.7
Less Than H.S.	991	180,597	545	51.6	43.4-59.8	446	48.4	40.2-56.6
H.S. or G.E.D.	3335	598,079	2095	62.2	58.7-65.7	1240	37.8	34.3-41.3
Some Post-H.S.	2445	570,156	1591	64.9	61.4-68.4	854	35.1	31.6-38.6
College Graduate	1904	463,763	1327	72.2	68.7-75.7	577	27.8	24.3-31.3
Less than \$15,000	1189	200,146	679	55.3	48.4-62.2	510	44.7	37.8-51.6
\$15,000- 24,999	1963	367,425	1188	59.0	54.5-63.5	775	41.0	36.5-45.5
\$25,000- 34,999	1079	218,775	708	62.4	56.7-68.1	371	37.6	31.9-43.3
\$35,000- 49,999	1002	224,813	684	69.9	64.4-75.4	318	30.1	24.6-35.6
\$50,000- 74,999	706	176,255	508	71.7	64.6-78.8	198	28.3	21.2-35.4
\$75,000+	639	178,091	458	70.3	64.2-76.4	181	29.7	23.6-35.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 4: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	13452	3,116,542	9342	69.9	68.3-71.5		4110	30.1	28.5-31.7	
Male	4957	1,340,939	3387	69.4	66.9-71.9		1570	30.6	28.1-33.1	
Female	8495	1,775,604	5955	70.3	68.3-72.3		2540	29.7	27.7-31.7	
White/Non-Hisp	11863	2,578,703	8460	72.9	71.3-74.5		3403	27.1	25.5-28.7	
Black or Afr. Am./Non-Hisp	645	176,173	317	49.1	40.1-58.1		328	50.9	41.9-59.9	
Hispanic	341	224,356	180	57.5	47.5-67.5		161	42.5	32.5-52.5	
65+	13452	3,116,542	9342	69.9	68.3-71.5		4110	30.1	28.5-31.7	
Less Than H.S.	1485	290,395	933	64.7	58.2-71.2		552	35.3	28.8-41.8	
H.S. or G.E.D.	4691	904,736	3163	67.2	64.3-70.1		1528	32.8	29.9-35.7	
Some Post-H.S.	3573	872,033	2559	71.5	68.8-74.2		1014	28.5	25.8-31.2	
College Graduate	3664	1,034,490	2663	73.2	70.7-75.7		1001	26.8	24.3-29.3	
Less than \$15,000	1588	284,368	1025	65.0	59.3-70.7		563	35.0	29.3-40.7	
\$15,000- 24,999	2808	569,368	1928	69.8	66.3-73.3		880	30.2	26.7-33.7	
\$25,000- 34,999	1667	369,952	1162	69.5	65.4-73.6		505	30.5	26.4-34.6	
\$35,000- 49,999	1780	429,423	1266	71.2	67.1-75.3		514	28.8	24.7-32.9	
\$50,000- 74,999	1382	359,057	985	73.8	69.7-77.9		397	26.2	22.1-30.3	
\$75,000+	1521	468,458	1061	68.3	64.0-72.6		460	31.7	27.4-36.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 14: IMMUNIZATION

TABLE 5: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	4957	1,340,939	3387	69.4	66.9-71.9		1570	30.6	28.1-33.1	
White/Non-Hisp	4382	1,110,088	3065	71.6	69.1-74.1		1317	28.4	25.9-30.9	
65+	4957	1,340,939	3387	69.4	66.9-71.9		1570	30.6	28.1-33.1	
H.S. or G.E.D.	1438	321,354	947	65.2	59.9-70.5		491	34.8	29.5-40.1	
Some Post-H.S.	1180	318,647	818	69.4	64.5-74.3		362	30.6	25.7-35.5	
College Graduate	1804	577,931	1289	73.0	69.5-76.5		515	27.0	23.5-30.5	
\$15,000- 24,999	896	214,052	577	66.9	60.4-73.4		319	33.1	26.6-39.6	
\$25,000- 34,999	608	156,606	422	70.9	64.4-77.4		186	29.1	22.6-35.6	
\$35,000- 49,999	801	211,949	572	72.4	66.7-78.1		229	27.6	21.9-33.3	
\$50,000- 74,999	685	182,605	483	72.8	67.1-78.5		202	27.2	21.5-32.9	
\$75,000+	894	291,502	603	66.7	61.0-72.4		291	33.3	27.6-39.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 6: ADULTS AGED 65+ WHO HAVE EVER HAD A PNEUMONIA VACCINATION (_PNEUMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 64 or younger

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	8495	1,775,604	5955	70.3	68.3-72.3	2540	29.7	27.7-31.7
White/Non-Hisp	7481	1,468,615	5395	73.8	72.0-75.6	2086	26.2	24.4-28.0
65+	8495	1,775,604	5955	70.3	68.3-72.3	2540	29.7	27.7-31.7
Less Than H.S.	969	174,470	611	63.9	56.3-71.5	358	36.1	28.5-43.7
H.S. or G.E.D.	3253	583,382	2216	68.2	64.9-71.5	1037	31.8	28.5-35.1
Some Post-H.S.	2393	553,385	1741	72.8	69.7-75.9	652	27.2	24.1-30.3
College Graduate	1860	456,560	1374	73.4	69.7-77.1	486	26.6	22.9-30.3
Less than \$15,000	1167	196,224	767	67.5	61.0-74.0	400	32.5	26.0-39.0
\$15,000- 24,999	1912	355,316	1351	71.6	67.5-75.7	561	28.4	24.3-32.5
\$25,000- 34,999	1059	213,347	740	68.5	63.2-73.8	319	31.5	26.2-36.8
\$35,000- 49,999	979	217,474	694	70.1	64.4-75.8	285	29.9	24.2-35.6
\$50,000- 74,999	697	176,452	502	74.8	68.7-80.9	195	25.2	19.1-31.3
\$75,000+	627	176,955	458	71.0	64.9-77.1	169	29.0	22.9-35.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 16: SEATBELT USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)	
1	MALES AND FEMALES	112
2	MALES ONLY	113
3	FEMALES ONLY	114
	ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)	
4	MALES AND FEMALES	115
5	MALES ONLY	116
6	FEMALES ONLY	117

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 16: SEATBELT USE

**TABLE 1: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34031	14,216,163	32374	95.6	95.0-96.2	1657	4.4	03.8-05.0
Male	12623	6,890,119	11780	94.3	93.3-95.3	843	5.7	04.7-06.7
Female	21408	7,326,044	20594	96.8	96.2-97.4	814	3.2	02.6-03.8
White/Non-Hisp	27802	9,784,994	26524	95.9	95.3-96.5	1278	4.1	03.5-04.7
Black or Afr. Am./Non-Hisp	2542	1,428,392	2356	93.9	91.9-95.9	186	6.1	04.1-08.1
Oth. Race/Non-Hisp.	623	440,162	578	88.9	81.8-96.0	45	11.1	04.0-18.2
MultiRacial/Non-Hisp.	521	186,247	489	95.8	92.5-99.1	32	4.2	00.9-07.5
Hispanic	1864	2,123,389	1783	96.2	94.4-98.0	81	3.8	02.0-05.6
18-24	827	958,979	717	87.4	82.7-92.1	110	12.6	07.9-17.3
25-34	2202	1,515,784	1990	92.2	89.8-94.6	212	7.8	05.4-10.2
35-44	3498	2,645,148	3249	94.9	93.5-96.3	249	5.1	03.7-06.5
45-54	5654	3,681,504	5393	96.9	96.1-97.7	261	3.1	02.3-03.9
55-64	7689	2,078,393	7369	97.5	96.9-98.1	320	2.5	01.9-03.1
65+	13853	3,230,926	13357	97.3	96.9-97.7	496	2.7	02.3-03.1
Less Than H.S.	3441	1,052,268	3166	90.4	87.5-93.3	275	9.6	06.7-12.5
H.S. or G.E.D.	11001	3,757,567	10365	93.9	92.7-95.1	636	6.1	04.9-07.3
Some Post-H.S.	9652	4,031,164	9205	95.9	94.9-96.9	447	4.1	03.1-05.1
College Graduate	9842	5,320,120	9547	97.5	96.7-98.3	295	2.5	01.7-03.3
Less than \$15,000	4311	1,244,081	4002	92.8	90.8-94.8	309	7.2	05.2-09.2
\$15,000- 24,999	6055	2,086,369	5700	94.2	92.8-95.6	355	5.8	04.4-07.2
\$25,000- 34,999	3675	1,250,010	3489	95.3	93.3-97.3	186	4.7	02.7-06.7
\$35,000- 49,999	4489	1,767,318	4275	95.1	93.5-96.7	214	4.9	03.3-06.5
\$50,000- 74,999	4311	1,968,801	4136	95.9	94.5-97.3	175	4.1	02.7-05.5
\$75,000+	6033	3,927,252	5843	97.5	96.5-98.5	190	2.5	01.5-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 16: SEATBELT USE

TABLE 2: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12623	6,890,119	11780	94.3	93.3-95.3	843	5.7	04.7-06.7
White/Non-Hisp	10404	4,775,865	9720	94.4	93.4-95.4	684	5.6	04.6-06.6
Black or Afr. Am./Non-Hisp	772	604,994	710	92.9	89.6-96.2	62	7.1	03.8-10.4
MultiRacial/Non-Hisp.	212	82,217	192	91.3	84.0-98.6	20	8.7	01.4-16.0
Hispanic	663	1,049,456	623	96.3	94.3-98.3	40	3.7	01.7-05.7
18-24	360	573,478	302	85.5	79.0-92.0	58	14.5	08.0-21.0
25-34	742	747,554	642	89.8	85.9-93.7	100	10.2	06.3-14.1
35-44	1255	1,332,564	1128	93.9	91.9-95.9	127	6.1	04.1-08.1
45-54	2126	1,795,975	1994	95.8	94.2-97.4	132	4.2	02.6-05.8
55-64	2871	990,039	2710	97.0	96.0-98.0	161	3.0	02.0-04.0
65+	5198	1,418,247	4937	97.0	96.2-97.8	261	3.0	02.2-03.8
Less Than H.S.	1258	520,511	1120	89.7	85.6-93.8	138	10.3	06.2-14.4
H.S. or G.E.D.	3809	1,789,605	3484	91.3	88.9-93.7	325	8.7	06.3-11.1
Some Post-H.S.	3292	1,851,291	3081	94.5	92.9-96.1	211	5.5	03.9-07.1
College Graduate	4219	2,699,060	4053	97.0	96.0-98.0	166	3.0	02.0-04.0
Less than \$15,000	1325	532,617	1205	92.8	90.1-95.5	120	7.2	04.5-09.9
\$15,000- 24,999	2049	927,380	1887	92.7	90.3-95.1	162	7.3	04.9-09.7
\$25,000- 34,999	1314	591,631	1213	93.0	89.3-96.7	101	7.0	03.3-10.7
\$35,000- 49,999	1801	809,880	1669	92.1	89.2-95.0	132	7.9	05.0-10.8
\$50,000- 74,999	1790	990,231	1683	94.2	91.8-96.6	107	5.8	03.4-08.2
\$75,000+	2935	2,250,954	2799	96.4	94.8-98.0	136	3.6	02.0-05.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 16: SEATBELT USE

TABLE 3: ALWAYS OR NEARLY ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21408	7,326,044	20594	96.8	96.2-97.4	814	3.2	02.6-03.8
White/Non-Hisp	17398	5,009,129	16804	97.3	96.9-97.7	594	2.7	02.3-03.1
Black or Afr. Am./Non-Hisp	1770	823,399	1646	94.7	92.5-96.9	124	5.3	03.1-07.5
Oth. Race/Non-Hisp.	335	186,643	308	92.4	86.7-98.1	27	7.6	01.9-13.3
MultiRacial/Non-Hisp.	309	104,030	297	99.4	98.8-0100	12	0.6	00.0-01.2
Hispanic	1201	1,073,933	1160	96.0	93.1-98.9	41	4.0	01.1-06.9
18-24	467	385,501	415	90.1	83.6-96.6	52	9.9	03.4-16.4
25-34	1460	768,230	1348	94.5	92.1-96.9	112	5.5	03.1-07.9
35-44	2243	1,312,584	2121	95.9	94.1-97.7	122	4.1	02.3-05.9
45-54	3528	1,885,529	3399	98.0	97.2-98.8	129	2.0	01.2-02.8
55-64	4818	1,088,354	4659	97.9	97.1-98.7	159	2.1	01.3-02.9
65+	8655	1,812,679	8420	97.6	97.0-98.2	235	2.4	01.8-03.0
Less Than H.S.	2183	531,758	2046	91.0	86.9-95.1	137	9.0	04.9-13.1
H.S. or G.E.D.	7192	1,967,962	6881	96.3	95.3-97.3	311	3.7	02.7-04.7
Some Post-H.S.	6360	2,179,873	6124	97.1	96.1-98.1	236	2.9	01.9-03.9
College Graduate	5623	2,621,060	5494	98.0	97.0-99.0	129	2.0	01.0-03.0
Less than \$15,000	2986	711,464	2797	92.8	90.3-95.3	189	7.2	04.7-09.7
\$15,000- 24,999	4006	1,158,988	3813	95.4	94.0-96.8	193	4.6	03.2-06.0
\$25,000- 34,999	2361	658,379	2276	97.3	95.7-98.9	85	2.7	01.1-04.3
\$35,000- 49,999	2688	957,438	2606	97.6	96.2-99.0	82	2.4	01.0-03.8
\$50,000- 74,999	2521	978,570	2453	97.8	96.6-99.0	68	2.2	01.0-03.4
\$75,000+	3098	1,676,298	3044	99.0	98.4-99.6	54	1.0	00.4-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 16: SEATBELT USE

TABLE 4: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34031	14,216,163	29570	88.4	87.6-89.2	4461	11.6	10.8-12.4
Male	12623	6,890,119	10454	85.0	83.6-86.4	2169	15.0	13.6-16.4
Female	21408	7,326,044	19116	91.5	90.5-92.5	2292	8.5	07.5-09.5
White/Non-Hisp	27802	9,784,994	24284	88.8	88.0-89.6	3518	11.2	10.4-12.0
Black or Afr. Am./Non-Hisp	2542	1,428,392	2075	84.6	81.5-87.7	467	15.4	12.3-18.5
Oth. Race/Non-Hisp.	623	440,162	535	86.5	79.4-93.6	88	13.5	06.4-20.6
MultiRacial/Non-Hisp.	521	186,247	442	88.4	81.9-94.9	79	11.6	05.1-18.1
Hispanic	1864	2,123,389	1654	89.1	86.2-92.0	210	10.9	08.0-13.8
18-24	827	958,979	562	73.8	67.5-80.1	265	26.2	19.9-32.5
25-34	2202	1,515,784	1700	82.3	78.8-85.8	502	17.7	14.2-21.2
35-44	3498	2,645,148	2923	86.5	84.3-88.7	575	13.5	11.3-15.7
45-54	5654	3,681,504	4898	90.3	88.7-91.9	756	9.7	08.1-11.3
55-64	7689	2,078,393	6707	91.7	90.5-92.9	982	8.3	07.1-09.5
65+	13853	3,230,926	12502	92.6	91.8-93.4	1351	7.4	06.6-08.2
Less Than H.S.	3441	1,052,268	2866	81.1	77.2-85.0	575	18.9	15.0-22.8
H.S. or G.E.D.	11001	3,757,567	9450	85.9	83.9-87.9	1551	14.1	12.1-16.1
Some Post-H.S.	9652	4,031,164	8398	89.1	87.7-90.5	1254	10.9	09.5-12.3
College Graduate	9842	5,320,120	8770	90.9	89.7-92.1	1072	9.1	07.9-10.3
Less than \$15,000	4311	1,244,081	3662	86.6	84.2-89.0	649	13.4	11.0-15.8
\$15,000- 24,999	6055	2,086,369	5158	84.3	81.8-86.8	897	15.7	13.2-18.2
\$25,000- 34,999	3675	1,250,010	3156	87.7	85.2-90.2	519	12.3	09.8-14.8
\$35,000- 49,999	4489	1,767,318	3877	87.4	85.0-89.8	612	12.6	10.2-15.0
\$50,000- 74,999	4311	1,968,801	3749	88.2	85.8-90.6	562	11.8	09.4-14.2
\$75,000+	6033	3,927,252	5396	91.5	89.9-93.1	637	8.5	06.9-10.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 16: SEATBELT USE

TABLE 5: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12623	6,890,119	10454	85.0	83.6-86.4	2169	15.0	13.6-16.4
White/Non-Hisp	10404	4,775,865	8623	84.9	83.3-86.5	1781	15.1	13.5-16.7
Black or Afr. Am./Non-Hisp	772	604,994	615	80.5	74.6-86.4	157	19.5	13.6-25.4
MultiRacial/Non-Hisp.	212	82,217	174	88.2	80.6-95.8	38	11.8	04.2-19.4
Hispanic	663	1,049,456	563	87.9	83.4-92.4	100	12.1	07.6-16.6
18-24	360	573,478	231	69.4	60.4-78.4	129	30.6	21.6-39.6
25-34	742	747,554	512	77.3	71.2-83.4	230	22.7	16.6-28.8
35-44	1255	1,332,564	960	82.2	78.7-85.7	295	17.8	14.3-21.3
45-54	2126	1,795,975	1768	88.1	85.7-90.5	358	11.9	09.5-14.3
55-64	2871	990,039	2414	89.9	87.9-91.9	457	10.1	08.1-12.1
65+	5198	1,418,247	4511	91.1	89.7-92.5	687	8.9	07.5-10.3
Less Than H.S.	1258	520,511	979	77.7	71.8-83.6	279	22.3	16.4-28.2
H.S. or G.E.D.	3809	1,789,605	3062	80.4	76.9-83.9	747	19.6	16.1-23.1
Some Post-H.S.	3292	1,851,291	2716	85.8	83.3-88.3	576	14.2	11.7-16.7
College Graduate	4219	2,699,060	3658	88.8	87.0-90.6	561	11.2	09.4-13.0
Less than \$15,000	1325	532,617	1071	86.1	82.2-90.0	254	13.9	10.0-17.8
\$15,000- 24,999	2049	927,380	1663	78.6	73.7-83.5	386	21.4	16.5-26.3
\$25,000- 34,999	1314	591,631	1053	82.7	78.0-87.4	261	17.3	12.6-22.0
\$35,000- 49,999	1801	809,880	1475	82.3	78.4-86.2	326	17.7	13.8-21.6
\$50,000- 74,999	1790	990,231	1478	83.5	79.4-87.6	312	16.5	12.4-20.6
\$75,000+	2935	2,250,954	2537	89.2	86.8-91.6	398	10.8	08.4-13.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 16: SEATBELT USE

TABLE 6: ALWAYS WEAR SEAT BELTS CALCULATED VARIABLE (_RFSEAT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21408	7,326,044	19116	91.5	90.5-92.5	2292	8.5	07.5-09.5
White/Non-Hisp	17398	5,009,129	15661	92.4	91.6-93.2	1737	7.6	06.8-08.4
Black or Afr. Am./Non-Hisp	1770	823,399	1460	87.6	84.5-90.7	310	12.4	09.3-15.5
Oth. Race/Non-Hisp.	335	186,643	285	90.5	84.4-96.6	50	9.5	03.4-15.6
MultiRacial/Non-Hisp.	309	104,030	268	88.5	78.5-98.5	41	11.5	01.5-21.5
Hispanic	1201	1,073,933	1091	90.3	86.2-94.4	110	9.7	05.6-13.8
18-24	467	385,501	331	80.4	73.0-87.8	136	19.6	12.2-27.0
25-34	1460	768,230	1188	87.0	83.7-90.3	272	13.0	09.7-16.3
35-44	2243	1,312,584	1963	90.9	88.5-93.3	280	9.1	06.7-11.5
45-54	3528	1,885,529	3130	92.4	90.4-94.4	398	7.6	05.6-09.6
55-64	4818	1,088,354	4293	93.4	92.0-94.8	525	6.6	05.2-08.0
65+	8655	1,812,679	7991	93.9	92.9-94.9	664	6.1	05.1-07.1
Less Than H.S.	2183	531,758	1887	84.5	79.6-89.4	296	15.5	10.6-20.4
H.S. or G.E.D.	7192	1,967,962	6388	90.9	89.1-92.7	804	9.1	07.3-10.9
Some Post-H.S.	6360	2,179,873	5682	91.9	90.3-93.5	678	8.1	06.5-09.7
College Graduate	5623	2,621,060	5112	93.1	91.5-94.7	511	6.9	05.3-08.5
Less than \$15,000	2986	711,464	2591	86.9	83.8-90.0	395	13.1	10.0-16.2
\$15,000- 24,999	4006	1,158,988	3495	89.0	86.5-91.5	511	11.0	08.5-13.5
\$25,000- 34,999	2361	658,379	2103	92.2	89.8-94.6	258	7.8	05.4-10.2
\$35,000- 49,999	2688	957,438	2402	91.7	89.2-94.2	286	8.3	05.8-10.8
\$50,000- 74,999	2521	978,570	2271	93.0	91.0-95.0	250	7.0	05.0-09.0
\$75,000+	3098	1,676,298	2859	94.6	93.0-96.2	239	5.4	03.8-07.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 18: WOMENS HEALTH CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
1 WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y) FEMALES ONLY	119
2 WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y) FEMALES ONLY	120
3 WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32) FEMALES ONLY	121

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 18: WOMENS HEALTH

TABLE 1: WOMEN RESPONDENTS AGED 40+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_RFMAM2Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	18023	5,487,646	13425	77.1	75.7-78.5	4598	22.9	21.5-24.3
White/Non-Hisp	15088	3,952,653	11272	77.6	76.2-79.0	3816	22.4	21.0-23.8
Black or Afr. Am./Non-Hisp	1324	573,174	1026	78.5	72.8-84.2	298	21.5	15.8-27.2
Hispanic	791	712,744	571	74.8	68.7-80.9	220	25.2	19.1-31.3
40-44	1220	765,371	704	61.4	56.1-66.7	516	38.6	33.3-43.9
45-54	3504	1,861,354	2411	76.4	73.5-79.3	1093	23.6	20.7-26.5
55-64	4776	1,078,291	3559	79.0	76.5-81.5	1217	21.0	18.5-23.5
65+	8523	1,782,630	6751	83.4	82.0-84.8	1772	16.6	15.2-18.0
Less Than H.S.	1817	394,434	1145	66.8	60.7-72.9	672	33.2	27.1-39.3
H.S. or G.E.D.	6209	1,522,378	4506	74.0	71.3-76.7	1703	26.0	23.3-28.7
Some Post-H.S.	5294	1,600,243	3960	75.7	73.2-78.2	1334	24.3	21.8-26.8
College Graduate	4668	1,952,782	3791	83.0	80.8-85.2	877	17.0	14.8-19.2
Less than \$15,000	2519	513,226	1562	66.5	61.6-71.4	957	33.5	28.6-38.4
\$15,000- 24,999	3403	875,291	2355	66.7	62.4-71.0	1048	33.3	29.0-37.6
\$25,000- 34,999	2012	513,638	1465	73.9	68.8-79.0	547	26.1	21.0-31.2
\$35,000- 49,999	2246	711,655	1743	78.5	74.8-82.2	503	21.5	17.8-25.2
\$50,000- 74,999	2070	730,758	1671	79.9	76.2-83.6	399	20.1	16.4-23.8
\$75,000+	2578	1,284,564	2186	84.6	82.1-87.1	392	15.4	12.9-17.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 18: WOMENS HEALTH

TABLE 2: WOMEN RESPONDENTS AGED 50+ THAT HAVE HAD A MAMMOGRAM IN THE PAST TWO YEARS (_MAM502Y)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

Denominator excludes: Respondents who are male

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	15212	3,848,972	11662	80.4	79.0-81.8	3550	19.6	18.2-21.0
White/Non-Hisp	12942	2,935,897	9928	80.7	79.3-82.1	3014	19.3	17.9-20.7
Black or Afr. Am./Non-Hisp	1046	372,623	835	80.4	74.1-86.7	211	19.6	13.3-25.9
Hispanic	545	386,988	419	78.8	71.9-85.7	126	21.2	14.3-28.1
50-54	1913	988,051	1352	76.5	72.6-80.4	561	23.5	19.6-27.4
55-64	4776	1,078,291	3559	79.0	76.5-81.5	1217	21.0	18.5-23.5
65+	8523	1,782,630	6751	83.4	82.0-84.8	1772	16.6	15.2-18.0
Less Than H.S.	1535	289,954	1018	71.6	65.9-77.3	517	28.4	22.7-34.1
H.S. or G.E.D.	5386	1,127,004	4029	78.6	76.1-81.1	1357	21.4	18.9-23.9
Some Post-H.S.	4471	1,194,604	3448	79.0	76.3-81.7	1023	21.0	18.3-23.7
College Graduate	3789	1,227,025	3147	85.7	83.5-87.9	642	14.3	12.1-16.5
Less than \$15,000	2132	398,631	1382	70.1	64.8-75.4	750	29.9	24.6-35.2
\$15,000- 24,999	2999	658,529	2166	73.0	69.1-76.9	833	27.0	23.1-30.9
\$25,000- 34,999	1746	372,667	1316	78.9	74.6-83.2	430	21.1	16.8-25.4
\$35,000- 49,999	1889	483,412	1510	81.4	77.7-85.1	379	18.6	14.9-22.3
\$50,000- 74,999	1643	492,881	1385	85.2	81.9-88.5	258	14.8	11.5-18.1
\$75,000+	1881	739,526	1636	88.2	85.7-90.7	245	11.8	09.3-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 18: WOMENS HEALTH

TABLE 3: WOMEN RESPONDENTS AGED 18+ THAT HAVE HAD A PAP TEST IN THE PAST THREE YEARS (_RFPAP32)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	12994	5,286,161	9904	80.4	78.8-82.0	3090	19.6	18.0-21.2
White/Non-Hisp	10396	3,481,207	7871	80.8	79.4-82.2	2525	19.2	17.8-20.6
Black or Afr. Am./Non-Hisp	1088	618,211	895	82.1	76.8-87.4	193	17.9	12.6-23.2
Hispanic	914	858,331	732	83.1	78.2-88.0	182	16.9	12.0-21.8
18-24	453	382,801	339	60.0	50.2-69.8	114	40.0	30.2-49.8
25-34	1395	723,252	1226	87.5	84.2-90.8	169	12.5	09.2-15.8
35-44	1928	1,183,343	1650	86.1	83.2-89.0	278	13.9	11.0-16.8
45-54	2418	1,394,927	1948	87.4	84.9-89.9	470	12.6	10.1-15.1
55-64	2754	674,054	2136	79.4	75.5-83.3	618	20.6	16.7-24.5
65+	4046	927,784	2605	65.9	63.2-68.6	1441	34.1	31.4-36.8
Less Than H.S.	1185	367,156	772	73.3	67.4-79.2	413	26.7	20.8-32.6
H.S. or G.E.D.	4038	1,342,519	2868	73.4	70.1-76.7	1170	26.6	23.3-29.9
Some Post-H.S.	3815	1,523,828	2944	79.3	76.8-81.8	871	20.7	18.2-23.2
College Graduate	3929	2,037,082	3302	87.0	84.6-89.4	627	13.0	10.6-15.4
Less than \$15,000	1707	496,268	1093	67.3	62.0-72.6	614	32.7	27.4-38.0
\$15,000- 24,999	2272	785,371	1557	68.9	64.0-73.8	715	31.1	26.2-36.0
\$25,000- 34,999	1417	445,931	1030	77.2	72.3-82.1	387	22.8	17.9-27.7
\$35,000- 49,999	1687	686,907	1339	81.2	77.1-85.3	348	18.8	14.7-22.9
\$50,000- 74,999	1660	727,356	1413	85.7	82.0-89.4	247	14.3	10.6-18.0
\$75,000+	2192	1,323,430	1992	91.7	89.7-93.7	200	8.3	06.3-10.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y)	
1	MALES ONLY	123

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 19: PROSTATE CANCER SCREENING

TABLE 1: MALE RESPONDENTS AGED 40+ THAT HAVE HAD A PSA TEST IN THE PAST 2 YEARS (_RFPSA2Y)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 40 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	10279	4,660,207	7092	63.0	60.8-65.2	3187	37.0	34.8-39.2
White/Non-Hisp	8685	3,468,724	6128	65.2	62.8-67.6	2557	34.8	32.4-37.2
Black or Afr. Am./Non-Hisp	587	351,800	370	61.8	52.8-70.8	217	38.2	29.2-47.2
Hispanic	423	568,681	225	52.4	43.0-61.8	198	47.6	38.2-57.0
40-44	616	651,879	163	34.1	26.8-41.4	453	65.9	58.6-73.2
45-54	1985	1,692,469	915	51.4	46.7-56.1	1070	48.6	43.9-53.3
55-64	2719	950,278	1947	72.3	68.8-75.8	772	27.7	24.2-31.2
65+	4959	1,365,581	4067	84.5	82.3-86.7	892	15.5	13.3-17.7
Less Than H.S.	929	287,249	481	47.4	37.6-57.2	448	52.6	42.8-62.4
H.S. or G.E.D.	3038	1,107,591	1964	59.5	55.0-64.0	1074	40.5	36.0-45.0
Some Post-H.S.	2649	1,178,310	1849	61.8	57.3-66.3	800	38.2	33.7-42.7
College Graduate	3632	2,076,193	2781	67.6	64.3-70.9	851	32.4	29.1-35.7
Less than \$15,000	1074	360,991	531	53.0	45.6-60.4	543	47.0	39.6-54.4
\$15,000- 24,999	1641	566,739	1002	53.0	46.9-59.1	639	47.0	40.9-53.1
\$25,000- 34,999	1082	385,476	739	62.7	55.6-69.8	343	37.3	30.2-44.4
\$35,000- 49,999	1469	561,879	1063	63.1	56.8-69.4	406	36.9	30.6-43.2
\$50,000- 74,999	1482	703,978	1109	64.8	58.7-70.9	373	35.2	29.1-41.3
\$75,000+	2475	1,634,102	1878	66.8	62.9-70.7	597	33.2	29.3-37.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 20: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFB LDS2).	
1	MALES AND FEMALES	125
2	MALES ONLY	126
3	FEMALES ONLY	127
	RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).	
4	MALES AND FEMALES	128
5	MALES ONLY	129
6	FEMALES ONLY	130

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 1: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBIDS2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	23893	7,079,419	5516	21.1	19.9-22.3	18377	78.9	77.7-80.1
Male	8982	3,295,657	2364	22.6	20.8-24.4	6618	77.4	75.6-79.2
Female	14911	3,783,763	3152	19.9	18.5-21.3	11759	80.1	78.7-81.5
White/Non-Hisp	20376	5,458,191	4695	21.6	20.4-22.8	15681	78.4	77.2-79.6
Black or Afr. Am./Non-Hisp	1494	586,442	413	24.0	18.7-29.3	1081	76.0	70.7-81.3
Oth. Race/Non-Hisp.	365	145,411	83	18.0	10.6-25.4	282	82.0	74.6-89.4
Hispanic	842	678,477	139	16.0	11.3-20.7	703	84.0	79.3-88.7
50-54	3041	1,937,118	412	13.3	10.8-15.8	2629	86.7	84.2-89.2
55-64	7513	2,033,532	1601	19.7	17.9-21.5	5912	80.3	78.5-82.1
65+	13339	3,108,770	3503	27.0	25.4-28.6	9836	73.0	71.4-74.6
Less Than H.S.	2345	502,693	452	18.0	14.1-21.9	1893	82.0	78.1-85.9
H.S. or G.E.D.	7893	1,932,005	1765	21.2	19.0-23.4	6128	78.8	76.6-81.0
Some Post-H.S.	6697	2,003,847	1591	21.1	19.1-23.1	5106	78.9	76.9-80.9
College Graduate	6903	2,620,292	1695	21.7	19.7-23.7	5208	78.3	76.3-80.3
Less than \$15,000	3029	668,850	581	18.6	14.9-22.3	2448	81.4	77.7-85.1
\$15,000- 24,999	4468	1,104,181	1049	21.7	19.2-24.2	3419	78.3	75.8-80.8
\$25,000- 34,999	2685	647,357	678	24.2	20.9-27.5	2007	75.8	72.5-79.1
\$35,000- 49,999	3180	904,178	769	22.1	19.2-25.0	2411	77.9	75.0-80.8
\$50,000- 74,999	2903	971,386	706	20.9	18.2-23.6	2197	79.1	76.4-81.8
\$75,000+	3831	1,728,342	854	19.5	17.0-22.0	2977	80.5	78.0-83.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 2: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBIDS2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8982	3,295,657	2364	22.6	20.8-24.4	6618	77.4	75.6-79.2
White/Non-Hisp	7703	2,578,932	2030	23.4	21.4-25.4	5673	76.6	74.6-78.6
Black or Afr. Am./Non-Hisp	472	223,005	145	19.4	13.3-25.5	327	80.6	74.5-86.7
Hispanic	303	295,373	51	18.1	09.3-26.9	252	81.9	73.1-90.7
50-54	1149	952,539	179	14.4	10.5-18.3	970	85.6	81.7-89.5
55-64	2801	967,709	708	21.5	18.6-24.4	2093	78.5	75.6-81.4
65+	5032	1,375,408	1477	29.0	26.6-31.4	3555	71.0	68.6-73.4
Less Than H.S.	840	223,020	180	16.5	10.8-22.2	660	83.5	77.8-89.2
H.S. or G.E.D.	2612	809,948	715	23.5	19.8-27.2	1897	76.5	72.8-80.2
Some Post-H.S.	2310	823,705	620	21.9	18.8-25.0	1690	78.1	75.0-81.2
College Graduate	3194	1,429,997	844	23.4	20.5-26.3	2350	76.6	73.7-79.5
Less than \$15,000	935	272,958	197	20.3	12.9-27.7	738	79.7	72.3-87.1
\$15,000- 24,999	1520	458,179	445	25.9	21.2-30.6	1075	74.1	69.4-78.8
\$25,000- 34,999	967	280,442	268	23.1	18.4-27.8	699	76.9	72.2-81.6
\$35,000- 49,999	1330	432,598	368	22.8	18.7-26.9	962	77.2	73.1-81.3
\$50,000- 74,999	1286	492,300	336	19.5	15.8-23.2	950	80.5	76.8-84.2
\$75,000+	1978	998,545	477	22.3	18.6-26.0	1501	77.7	74.0-81.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 3: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NOT HAD A BLOOD STOOL TEST IN THE PAST 2 YEARS (_RFBIDS2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	14911	3,783,763	3152	19.9	18.5-21.3	11759	80.1	78.7-81.5
White/Non-Hisp	12673	2,879,259	2665	19.9	18.5-21.3	10008	80.1	78.7-81.5
Black or Afr. Am./Non-Hisp	1022	363,437	268	26.7	19.3-34.1	754	73.3	65.9-80.7
Hispanic	539	383,104	88	14.5	09.4-19.6	451	85.5	80.4-90.6
50-54	1892	984,578	233	12.3	09.0-15.6	1659	87.7	84.4-91.0
55-64	4712	1,065,822	893	18.0	15.6-20.4	3819	82.0	79.6-84.4
65+	8307	1,733,362	2026	25.4	23.4-27.4	6281	74.6	72.6-76.6
Less Than H.S.	1505	279,673	272	19.2	13.9-24.5	1233	80.8	75.5-86.1
H.S. or G.E.D.	5281	1,122,057	1050	19.5	17.0-22.0	4231	80.5	78.0-83.0
Some Post-H.S.	4387	1,180,142	971	20.5	18.1-22.9	3416	79.5	77.1-81.9
College Graduate	3709	1,190,295	851	19.8	17.3-22.3	2858	80.2	77.7-82.7
Less than \$15,000	2094	395,893	384	17.5	13.6-21.4	1710	82.5	78.6-86.4
\$15,000- 24,999	2948	646,002	604	18.8	16.1-21.5	2344	81.2	78.5-83.9
\$25,000- 34,999	1718	366,915	410	25.0	20.5-29.5	1308	75.0	70.5-79.5
\$35,000- 49,999	1850	471,579	401	21.5	17.4-25.6	1449	78.5	74.4-82.6
\$50,000- 74,999	1617	479,086	370	22.3	18.0-26.6	1247	77.7	73.4-82.0
\$75,000+	1853	729,797	377	15.7	12.6-18.8	1476	84.3	81.2-87.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 4: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	24195	7,157,845	17042	68.2	66.8-69.6	7153	31.8	30.4-33.2
Male	9051	3,311,817	6335	67.6	65.2-70.0	2716	32.4	30.0-34.8
Female	15144	3,846,028	10707	68.8	67.0-70.6	4437	31.2	29.4-33.0
White/Non-Hisp	20645	5,524,894	14779	70.1	68.7-71.5	5866	29.9	28.5-31.3
Black or Afr. Am./Non-Hisp	1517	593,814	984	63.7	57.6-69.8	533	36.3	30.2-42.4
Hispanic	846	679,995	521	61.6	54.5-68.7	325	38.4	31.3-45.5
50-54	3049	1,941,777	1435	48.9	45.0-52.8	1614	51.1	47.2-55.0
55-64	7571	2,049,716	5074	69.4	67.0-71.8	2497	30.6	28.2-33.0
65+	13575	3,166,351	10533	79.4	78.0-80.8	3042	20.6	19.2-22.0
Less Than H.S.	2356	506,162	1366	54.1	47.6-60.6	990	45.9	39.4-52.4
H.S. or G.E.D.	7993	1,949,492	5332	63.2	60.5-65.9	2661	36.8	34.1-39.5
Some Post-H.S.	6782	2,022,939	4878	70.0	67.5-72.5	1904	30.0	27.5-32.5
College Graduate	7007	2,658,384	5435	73.5	71.1-75.9	1572	26.5	24.1-28.9
Less than \$15,000	3062	672,524	1762	56.5	51.6-61.4	1300	43.5	38.6-48.4
\$15,000- 24,999	4497	1,110,268	2937	60.6	56.9-64.3	1560	39.4	35.7-43.1
\$25,000- 34,999	2717	657,245	1898	65.3	60.8-69.8	819	34.7	30.2-39.2
\$35,000- 49,999	3214	911,308	2379	70.6	67.1-74.1	835	29.4	25.9-32.9
\$50,000- 74,999	2940	987,667	2182	72.7	69.2-76.2	758	27.3	23.8-30.8
\$75,000+	3878	1,740,554	3043	72.6	69.5-75.7	835	27.4	24.3-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 5: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	9051	3,311,817	6335	67.6	65.2-70.0	2716	32.4	30.0-34.8
White/Non-Hisp	7766	2,590,623	5545	69.8	67.4-72.2	2221	30.2	27.8-32.6
50-54	1150	950,405	515	47.3	41.2-53.4	635	52.7	46.6-58.8
55-64	2825	974,427	1895	70.7	67.2-74.2	930	29.3	25.8-32.8
65+	5076	1,386,985	3925	79.3	76.9-81.7	1151	20.7	18.3-23.1
H.S. or G.E.D.	2618	811,450	1686	59.1	54.0-64.2	932	40.9	35.8-46.0
Some Post-H.S.	2332	826,490	1641	67.4	62.9-71.9	691	32.6	28.1-37.1
College Graduate	3238	1,441,921	2557	75.7	72.6-78.8	681	24.3	21.2-27.4
Less than \$15,000	936	273,509	471	53.6	44.8-62.4	465	46.4	37.6-55.2
\$15,000- 24,999	1512	457,624	946	57.0	50.1-63.9	566	43.0	36.1-49.9
\$25,000- 34,999	981	286,532	668	64.7	58.0-71.4	313	35.3	28.6-42.0
\$35,000- 49,999	1337	430,427	1001	71.1	65.6-76.6	336	28.9	23.4-34.4
\$50,000- 74,999	1300	493,824	966	73.6	68.7-78.5	334	26.4	21.5-31.3
\$75,000+	2006	1,002,813	1576	71.0	66.3-75.7	430	29.0	24.3-33.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 6: RISK FACTOR FOR RESPONDENTS AGED 50 AND OLDER THAT HAVE NEVER HAD A SIGMOIDOSCOPY OR COLONOSCOPY (_RFSIGM2).

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported being less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Not At Risk			At Risk		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	15144	3,846,028	10707	68.8	67.0-70.6	4437	31.2	29.4-33.0
White/Non-Hisp	12879	2,934,271	9234	70.4	68.6-72.2	3645	29.6	27.8-31.4
Black or Afr. Am./Non-Hisp	1041	369,771	684	66.9	59.5-74.3	357	33.1	25.7-40.5
Hispanic	541	383,705	341	59.9	51.7-68.1	200	40.1	31.9-48.3
50-54	1899	991,372	920	50.3	45.4-55.2	979	49.7	44.8-54.6
55-64	4746	1,075,289	3179	68.1	65.2-71.0	1567	31.9	29.0-34.8
65+	8499	1,779,367	6608	79.5	77.7-81.3	1891	20.5	18.7-22.3
Less Than H.S.	1520	283,681	929	59.7	53.0-66.4	591	40.3	33.6-47.0
H.S. or G.E.D.	5375	1,138,042	3646	66.0	62.9-69.1	1729	34.0	30.9-37.1
Some Post-H.S.	4450	1,196,449	3237	71.9	69.0-74.8	1213	28.1	25.2-31.0
College Graduate	3769	1,216,463	2878	70.8	67.3-74.3	891	29.2	25.7-32.7
Less than \$15,000	2126	399,015	1291	58.5	53.0-64.0	835	41.5	36.0-47.0
\$15,000- 24,999	2985	652,644	1991	63.1	58.8-67.4	994	36.9	32.6-41.2
\$25,000- 34,999	1736	370,713	1230	65.8	59.9-71.7	506	34.2	28.3-40.1
\$35,000- 49,999	1877	480,881	1378	70.2	65.7-74.7	499	29.8	25.3-34.3
\$50,000- 74,999	1640	493,843	1216	71.9	67.2-76.6	424	28.1	23.4-32.8
\$75,000+	1872	737,741	1467	74.7	70.6-78.8	405	25.3	21.2-29.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010

SECTION 21: HIV/AIDS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)	
1	MALES AND FEMALES	132
2	MALES ONLY	133
3	FEMALES ONLY	134

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 21: HIV/AIDS

TABLE 1: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	18963	10,405,566	8417	48.4	46.8-50.0	10546	51.6	50.0-53.2
Male	6975	5,196,516	3004	45.3	42.8-47.8	3971	54.7	52.2-57.2
Female	11988	5,209,050	5413	51.5	49.5-53.5	6575	48.5	46.5-50.5
White/Non-Hisp	14649	6,721,059	5915	42.4	40.6-44.2	8734	57.6	55.8-59.4
Black or Afr. Am./Non-Hisp	1793	1,215,333	1151	67.0	61.9-72.1	642	33.0	27.9-38.1
Oth. Race/Non-Hisp.	440	377,487	224	53.5	44.1-62.9	216	46.5	37.1-55.9
Hispanic	1446	1,801,006	786	56.2	50.9-61.5	660	43.8	38.5-49.1
18-24	805	911,935	376	36.6	29.9-43.3	429	63.4	56.7-70.1
25-34	2130	1,478,669	1434	64.6	60.3-68.9	696	35.4	31.1-39.7
35-44	3361	2,523,326	2065	60.0	56.9-63.1	1296	40.0	36.9-43.1
45-54	5414	3,512,728	2395	46.5	43.6-49.4	3019	53.5	50.6-56.4
55-64	7253	1,978,907	2147	30.2	27.8-32.6	5106	69.8	67.4-72.2
Less Than H.S.	1799	708,239	878	47.7	41.4-54.0	921	52.3	46.0-58.6
H.S. or G.E.D.	5830	2,676,681	2365	43.8	40.7-46.9	3465	56.2	53.1-59.3
Some Post-H.S.	5640	2,994,302	2667	48.9	45.8-52.0	2973	51.1	48.0-54.2
College Graduate	5656	3,991,767	2494	51.3	48.8-53.8	3162	48.7	46.2-51.2
Less than \$15,000	2545	915,739	1410	61.6	56.9-66.3	1135	38.4	33.7-43.1
\$15,000- 24,999	2988	1,419,572	1456	50.2	45.7-54.7	1532	49.8	45.3-54.3
\$25,000- 34,999	1878	831,583	824	51.1	45.0-57.2	1054	48.9	42.8-55.0
\$35,000- 49,999	2514	1,271,250	1119	51.8	47.5-56.1	1395	48.2	43.9-52.5
\$50,000- 74,999	2757	1,543,124	1110	47.0	42.9-51.1	1647	53.0	48.9-57.1
\$75,000+	4258	3,264,207	1721	45.7	42.8-48.6	2537	54.3	51.4-57.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 21: HIV/AIDS

TABLE 2: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6975	5,196,516	3004	45.3	42.8-47.8	3971	54.7	52.2-57.2
White/Non-Hisp	5440	3,400,748	2171	40.6	38.1-43.1	3269	59.4	56.9-61.9
Black or Afr. Am./Non-Hisp	547	538,741	336	58.6	49.6-67.6	211	41.4	32.4-50.4
Hispanic	503	896,065	247	52.4	44.0-60.8	256	47.6	39.2-56.0
18-24	352	553,624	109	27.6	18.6-36.6	243	72.4	63.4-81.4
25-34	722	736,255	375	53.1	45.7-60.5	347	46.9	39.5-54.3
35-44	1206	1,252,961	641	55.2	50.1-60.3	565	44.8	39.7-49.9
45-54	2017	1,716,715	922	45.7	41.2-50.2	1095	54.3	49.8-58.8
55-64	2678	936,961	957	35.4	31.7-39.1	1721	64.6	60.9-68.3
Less Than H.S.	683	375,642	282	38.7	29.9-47.5	401	61.3	52.5-70.1
H.S. or G.E.D.	2178	1,368,616	868	40.0	35.1-44.9	1310	60.0	55.1-64.9
Some Post-H.S.	1933	1,455,791	888	45.0	39.7-50.3	1045	55.0	49.7-60.3
College Graduate	2162	1,975,938	961	50.6	46.7-54.5	1201	49.4	45.5-53.3
Less than \$15,000	835	427,806	438	58.0	50.0-66.0	397	42.0	34.0-50.0
\$15,000- 24,999	1053	681,648	480	46.1	38.5-53.7	573	53.9	46.3-61.5
\$35,000- 49,999	903	563,417	405	48.7	41.8-55.6	498	51.3	44.4-58.2
\$50,000- 74,999	1022	770,860	407	45.5	38.8-52.2	615	54.5	47.8-61.2
\$75,000+	1901	1,837,923	773	43.2	38.9-47.5	1128	56.8	52.5-61.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

SECTION 21: HIV/AIDS

TABLE 3: ADULTS AGED 18-64 THAT HAVE EVER BEEN TESTED FOR HIV (_AIDTST2)

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	11988	5,209,050	5413	51.5	49.5-53.5	6575	48.5	46.5-50.5
White/Non-Hisp	9209	3,320,312	3744	44.4	42.2-46.6	5465	55.6	53.4-57.8
Black or Afr. Am./Non-Hisp	1246	676,591	815	73.7	68.4-79.0	431	26.3	21.0-31.6
Hispanic	943	904,942	539	59.9	53.6-66.2	404	40.1	33.8-46.4
18-24	453	358,311	267	50.6	41.2-60.0	186	49.4	40.0-58.8
25-34	1408	742,414	1059	76.0	71.9-80.1	349	24.0	19.9-28.1
35-44	2155	1,270,365	1424	64.7	60.8-68.6	731	35.3	31.4-39.2
45-54	3397	1,796,013	1473	47.2	43.3-51.1	1924	52.8	48.9-56.7
55-64	4575	1,041,946	1190	25.5	22.6-28.4	3385	74.5	71.6-77.4
Less Than H.S.	1116	332,597	596	57.9	49.9-65.9	520	42.1	34.1-50.1
H.S. or G.E.D.	3652	1,308,065	1497	47.7	43.8-51.6	2155	52.3	48.4-56.2
Some Post-H.S.	3707	1,538,511	1779	52.6	49.3-55.9	1928	47.4	44.1-50.7
College Graduate	3494	2,015,829	1533	52.1	48.8-55.4	1961	47.9	44.6-51.2
Less than \$15,000	1710	487,934	972	64.8	59.5-70.1	738	35.2	29.9-40.5
\$15,000- 24,999	1935	737,924	976	54.0	48.7-59.3	959	46.0	40.7-51.3
\$25,000- 34,999	1234	427,313	562	53.4	46.1-60.7	672	46.6	39.3-53.9
\$35,000- 49,999	1611	707,832	714	54.3	48.8-59.8	897	45.7	40.2-51.2
\$50,000- 74,999	1735	772,265	703	48.5	43.6-53.4	1032	51.5	46.6-56.4
\$75,000+	2357	1,426,284	948	49.0	45.3-52.7	1409	51.0	47.3-54.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CALCULATED VARIABLE DATA REPORT, 2010**

End of Calculated Variable Data Report