

FLORIDA

2010 Core Variables Report

Behavioral Risk Factor Surveillance System

May 9, 2011



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 1: HEALTH STATUS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)	
1 MALES AND FEMALES	3
2 MALES ONLY	4
3 FEMALES ONLY	5

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

**TABLE 1: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34975	14,720,176	5603	20.1	19.1-21.1	10350	33.5	32.3-34.7	10726	29.3	28.1-30.5	5450	12.1	11.3-12.9	2846	5.1	04.7-05.5
Male	12990	7,145,629	2080	20.1	18.3-21.9	3817	33.8	31.8-35.8	4003	29.6	27.6-31.6	1989	11.5	10.3-12.7	1101	5.0	04.2-05.8
Female	21985	7,574,548	3523	20.1	18.9-21.3	6533	33.2	31.8-34.6	6723	28.9	27.5-30.3	3461	12.5	11.5-13.5	1745	5.2	04.6-05.8
White/Non-Hisp	28492	10,068,690	4719	20.6	19.4-21.8	8891	36.1	34.9-37.3	8527	27.6	26.4-28.8	4137	10.8	10.0-11.6	2218	5.0	04.6-05.4
Black or Afr. Am./Non-Hisp	2638	1,508,669	285	16.9	13.2-20.6	596	28.7	24.6-32.8	971	34.2	29.9-38.5	557	15.8	12.7-18.9	229	4.4	02.8-06.0
Oth. Race/Non-Hisp.	653	463,448	102	18.9	12.8-25.0	155	28.0	21.1-34.9	212	39.9	31.5-48.3	108	8.0	04.7-11.3	76	5.2	01.1-09.3
MultiRacial/Non-Hisp.	533	198,245	70	18.1	10.5-25.7	110	25.7	16.9-34.5	160	35.3	25.5-45.1	108	13.2	07.1-19.3	85	7.7	03.8-11.6
Hispanic	1942	2,205,933	321	21.1	17.0-25.2	438	28.3	24.0-32.6	618	30.0	25.9-34.1	412	15.0	12.3-17.7	153	5.7	03.9-07.5
18-24	858	976,126	211	29.5	22.6-36.4	312	37.9	31.4-44.4	256	24.9	19.2-30.6	71	7.5	03.8-11.2	8	0.2	00.0-00.4
25-34	2252	1,555,354	550	26.2	22.1-30.3	751	35.0	30.9-39.1	662	28.2	24.5-31.9	230	8.4	06.4-10.4	59	2.2	01.2-03.2
35-44	3608	2,787,505	757	22.7	20.2-25.2	1213	37.5	34.4-40.6	1069	28.6	25.7-31.5	388	7.8	06.2-09.4	181	3.4	02.4-04.4
45-54	5828	3,798,271	1020	20.6	18.2-23.0	1767	33.9	31.2-36.6	1658	28.0	25.3-30.7	848	11.6	09.8-13.4	535	6.0	04.8-07.2
55-64	7874	2,144,179	1135	18.0	16.0-20.0	2258	31.3	29.1-33.5	2346	29.4	27.2-31.6	1330	14.4	12.6-16.2	805	6.9	05.7-08.1
65+	14220	3,340,528	1867	13.4	12.4-14.4	3926	28.8	27.4-30.2	4633	33.1	31.5-34.7	2551	17.8	16.4-19.2	1243	7.0	06.0-08.0
Less Than H.S.	3553	1,102,013	246	11.8	08.1-15.5	515	19.6	15.9-23.3	1062	31.7	27.2-36.2	1010	23.4	19.9-26.9	720	13.5	10.4-16.6
H.S. or G.E.D.	11363	3,917,044	1337	14.6	12.8-16.4	2929	28.9	26.7-31.1	3895	33.0	30.8-35.2	2120	16.8	15.0-18.6	1082	6.7	05.7-07.7
Some Post-H.S.	9880	4,157,587	1558	18.5	16.3-20.7	3106	34.7	32.3-37.1	3094	30.5	28.3-32.7	1439	11.5	10.1-12.9	683	4.7	03.9-05.5
College Graduate	10074	5,481,256	2447	27.1	25.1-29.1	3773	38.5	36.5-40.5	2641	25.0	23.2-26.8	862	6.8	05.8-07.8	351	2.6	02.0-03.2
Less than \$15,000	4413	1,278,286	289	7.1	05.5-08.7	672	19.4	16.1-22.7	1238	32.0	28.3-35.7	1208	24.2	20.9-27.5	1006	17.3	14.6-20.0
\$15,000- 24,999	6227	2,178,577	594	12.0	09.5-14.5	1392	24.5	21.6-27.4	2133	34.5	31.4-37.6	1376	19.8	17.4-22.2	732	9.2	07.6-10.8
\$25,000- 34,999	3777	1,309,626	501	15.6	11.7-19.5	1124	31.0	27.3-34.7	1272	35.9	31.6-40.2	634	13.4	11.0-15.8	246	4.2	03.0-05.4
\$35,000- 49,999	4590	1,819,343	751	18.6	15.9-21.3	1544	36.2	33.1-39.3	1516	30.7	27.8-33.6	571	10.8	08.6-13.0	208	3.7	02.7-04.7
\$50,000- 74,999	4407	2,034,040	885	22.9	20.0-25.8	1609	35.8	32.7-38.9	1351	30.2	27.1-33.3	435	8.1	06.5-09.7	127	3.1	01.7-04.5
\$75,000+	6161	4,015,571	1769	30.6	28.2-33.0	2495	41.9	39.4-44.4	1451	22.2	20.0-24.4	362	4.5	03.5-05.5	84	0.9	00.5-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 2: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12990	7,145,629	2080	20.1	18.3-21.9	3817	33.8	31.8-35.8	4003	29.6	27.6-31.6	1989	11.5	10.3-12.7	1101	5.0	04.2-05.8
White/Non-Hisp	10669	4,908,994	1716	19.8	18.0-21.6	3267	36.6	34.6-38.6	3224	28.0	26.2-29.8	1566	10.7	09.5-11.9	896	4.9	04.1-05.7
Black or Afr. Am./Non-Hisp	809	655,973	106	19.9	13.0-26.8	181	28.4	21.3-35.5	306	33.3	26.2-40.4	151	15.2	09.9-20.5	65	3.1	01.5-04.7
Oth. Race/Non-Hisp.	300	263,135	56	14.4	07.7-21.1	62	26.3	16.5-36.1				51	7.8	03.9-11.7	31	5.0	00.0-11.9
MultiRacial/Non-Hisp.	220	92,340				45	16.2	08.0-24.4							38	10.0	02.6-17.4
Hispanic	691	1,086,667	128	23.1	16.2-30.0	176	27.9	21.2-34.6	205	30.9	23.8-38.0	136	12.4	08.5-16.3	46	5.7	02.6-08.8
18-24	376	582,010	99	32.9	22.9-42.9	146	38.1	29.3-46.9	98	21.9	14.5-29.3	29	7.1	02.2-12.0	4	0.1	00.0-00.3
25-34	761	760,594	187	27.4	20.1-34.7	252	34.3	27.2-41.4	217	27.5	21.4-33.6	80	8.0	05.1-10.9	25	2.8	01.0-04.6
35-44	1301	1,418,992	265	18.8	14.9-22.7	489	40.1	35.2-45.0	360	31.3	26.4-36.2	129	7.1	04.7-09.5	58	2.7	01.1-04.3
45-54	2188	1,844,479	374	20.6	17.1-24.1	656	31.9	27.8-36.0	653	29.6	25.5-33.7	307	11.8	09.1-14.5	198	6.1	04.3-07.9
55-64	2945	1,027,325	409	18.1	15.0-21.2	810	31.9	28.4-35.4	892	29.1	25.8-32.4	507	14.1	11.6-16.6	327	6.8	05.2-08.4
65+	5340	1,473,404	732	13.5	11.9-15.1	1430	29.2	26.8-31.6	1762	32.8	30.3-35.3	931	17.2	15.0-19.4	485	7.2	05.4-09.0
Less Than H.S.	1309	548,490	111	14.1	07.8-20.4	198	20.8	14.7-26.9	401	31.0	23.9-38.1	354	20.5	15.6-25.4	245	13.6	08.1-19.1
H.S. or G.E.D.	3944	1,873,260	446	14.2	11.5-16.9	1020	29.6	25.9-33.3	1351	34.8	31.1-38.5	709	15.0	12.3-17.7	418	6.4	04.8-08.0
Some Post-H.S.	3361	1,900,878	516	19.5	15.4-23.6	1014	35.7	31.6-39.8	1055	28.6	24.7-32.5	517	11.7	09.3-14.1	259	4.5	03.3-05.7
College Graduate	4327	2,789,067	1000	25.8	23.1-28.5	1572	38.0	35.1-40.9	1181	26.3	23.6-29.0	401	7.3	05.9-08.7	173	2.6	01.8-03.4
Less than \$15,000	1352	545,313	94	6.2	03.7-08.7	193	21.5	15.0-28.0	367	31.4	24.5-38.3	346	21.1	15.6-26.6	352	19.9	14.8-25.0
\$15,000- 24,999	2119	982,257	209	12.9	08.2-17.6	448	25.7	20.4-31.0	679	32.8	27.5-38.1	485	19.8	15.9-23.7	298	8.9	06.7-11.1
\$25,000- 34,999	1358	619,620	158	15.9	08.5-23.3	378	29.6	23.7-35.5	474	38.1	31.2-45.0	247	12.1	09.2-15.0	101	4.3	02.5-06.1
\$35,000- 49,999	1837	832,481	271	19.1	14.8-23.4	579	32.5	28.0-37.0	630	33.5	28.8-38.2	258	12.0	08.1-15.9	99	2.8	01.8-03.8
\$50,000- 74,999	1839	1,028,810	336	22.2	17.3-27.1	651	32.7	28.2-37.2	574	32.6	27.5-37.7	203	8.8	06.4-11.2	75	3.7	01.5-05.9
\$75,000+	2989	2,295,558	787	28.3	24.8-31.8	1160	42.8	39.1-46.5	787	23.0	19.9-26.1	211	4.8	03.6-06.0	44	1.0	00.4-01.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 1: HEALTH STATUS**

TABLE 3: WOULD YOU SAY THAT IN GENERAL YOUR HEALTH IS: (GENHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Excellent			Very good			Good			Fair			Poor		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21985	7,574,548	3523	20.1	18.9-21.3	6533	33.2	31.8-34.6	6723	28.9	27.5-30.3	3461	12.5	11.5-13.5	1745	5.2	04.6-05.8
White/Non-Hisp	17823	5,159,696	3003	21.2	19.8-22.6	5624	35.6	34.0-37.2	5303	27.3	25.9-28.7	2571	10.9	09.9-11.9	1322	5.0	04.4-05.6
Black or Afr. Am./Non-Hisp	1829	852,696	179	14.6	10.9-18.3	415	28.9	24.0-33.8	665	34.9	29.6-40.2	406	16.2	12.3-20.1	164	5.4	03.0-07.8
Oth. Race/Non-Hisp.	353	200,313				93	30.3	20.7-39.9				57	8.3	03.0-13.6	45	5.3	02.4-08.2
MultiRacial/Non-Hisp.	313	105,905	43	13.4	04.8-22.0							70	11.5	04.4-18.6	47	5.8	02.1-09.5
Hispanic	1251	1,119,265	193	19.1	14.8-23.4	262	28.6	23.3-33.9	413	29.2	24.5-33.9	276	17.5	13.8-21.2	107	5.6	03.6-07.6
18-24	482	394,116	112	24.6	17.0-32.2	166	37.7	28.5-46.9	158	29.4	21.0-37.8	42	8.0	02.5-13.5	4	0.3	00.0-00.7
25-34	1491	794,760	363	25.1	21.0-29.2	499	35.8	31.3-40.3	445	28.8	24.3-33.3	150	8.7	06.2-11.2	34	1.7	00.7-02.7
35-44	2307	1,368,513	492	26.7	23.2-30.2	724	34.8	31.1-38.5	709	25.9	22.8-29.0	259	8.6	06.2-11.0	123	4.1	02.7-05.5
45-54	3640	1,953,793	646	20.5	17.6-23.4	1111	35.8	32.3-39.3	1005	26.6	23.3-29.9	541	11.3	09.1-13.5	337	5.9	04.3-07.5
55-64	4929	1,116,854	726	17.9	15.7-20.1	1448	30.8	28.1-33.5	1454	29.6	26.9-32.3	823	14.7	12.5-16.9	478	7.0	05.4-08.6
65+	8880	1,867,123	1135	13.3	11.9-14.7	2496	28.5	26.7-30.3	2871	33.2	31.2-35.2	1620	18.2	16.6-19.8	758	6.8	05.8-07.8
Less Than H.S.	2244	553,523	135	9.6	05.7-13.5	317	18.5	14.0-23.0	661	32.4	26.7-38.1	656	26.3	21.4-31.2	475	13.4	10.3-16.5
H.S. or G.E.D.	7419	2,043,785	891	15.0	12.8-17.2	1909	28.3	25.8-30.8	2544	31.4	29.0-33.8	1411	18.4	16.2-20.6	664	6.9	05.5-08.3
Some Post-H.S.	6519	2,256,709	1042	17.7	15.7-19.7	2092	33.9	31.4-36.4	2039	32.2	29.7-34.7	922	11.3	09.9-12.7	424	4.9	03.9-05.9
College Graduate	5747	2,692,190	1447	28.4	25.9-30.9	2201	39.1	36.4-41.8	1460	23.6	21.1-26.1	461	6.3	05.1-07.5	178	2.5	01.7-03.3
Less than \$15,000	3061	732,973	195	7.8	05.6-10.0	479	17.9	14.8-21.0	871	32.5	28.2-36.8	862	26.5	22.6-30.4	654	15.4	12.5-18.3
\$15,000- 24,999	4108	1,196,320	385	11.2	08.7-13.7	944	23.4	20.3-26.5	1454	36.0	32.3-39.7	891	19.9	16.8-23.0	434	9.5	07.3-11.7
\$25,000- 34,999	2419	690,005	343	15.3	11.8-18.8	746	32.3	27.8-36.8	798	33.9	28.8-39.0	387	14.5	11.2-17.8	145	4.1	02.7-05.5
\$35,000- 49,999	2753	986,862	480	18.1	14.8-21.4	965	39.3	35.0-43.6	886	28.4	24.9-31.9	313	9.8	07.6-12.0	109	4.4	02.6-06.2
\$50,000- 74,999	2568	1,005,229	549	23.7	20.2-27.2	958	39.0	34.9-43.1	777	27.7	24.0-31.4	232	7.3	05.5-09.1	52	2.3	01.1-03.5
\$75,000+	3172	1,720,013	982	33.6	30.3-36.9	1335	40.7	37.4-44.0	664	21.1	18.2-24.0	151	4.0	02.8-05.2	40	0.7	00.3-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)	
1 MALES AND FEMALES	7
2 MALES ONLY	8
3 FEMALES ONLY	9
NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)	
4 MALES AND FEMALES	10
5 MALES ONLY	11
6 FEMALES ONLY	12
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)	
7 MALES AND FEMALES	13
8 MALES ONLY	14
9 FEMALES ONLY	15

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 1: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		N	1-2 days		N	3-7 days		N	8-29 days		N	30 days	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	33935	14,317,522	19898	62.6	61.4-63.8	3025	10.2	09.4-11.0	3847	11.4	10.6-12.2	3837	9.0	08.4-09.6	3328	6.9	06.3-07.5
Male	12618	6,951,162	7922	66.6	64.6-68.6	1019	9.5	08.3-10.7	1182	9.7	08.3-11.1	1185	7.2	06.2-08.2	1310	7.1	06.1-08.1
Female	21317	7,366,359	11976	58.8	57.2-60.4	2006	10.9	09.9-11.9	2665	13.0	11.8-14.2	2652	10.8	09.8-11.8	2018	6.6	06.0-07.2
White/Non-Hisp	27762	9,878,550	16445	62.1	60.9-63.3	2491	10.9	10.1-11.7	3099	10.8	10.0-11.6	3004	9.0	08.2-09.8	2723	7.2	06.6-07.8
Black or Afr. Am./Non-Hisp	2537	1,461,663	1431	65.0	60.7-69.3	238	7.3	05.1-09.5	331	11.7	08.6-14.8	342	10.7	08.0-13.4	195	5.3	03.3-07.3
Oth. Race/Non-Hisp.	634	446,781	360	67.2	59.0-75.4	50	10.5	05.2-15.8	59	10.6	03.9-17.3	92	7.8	03.3-12.3	73	3.9	02.3-05.5
MultiRacial/Non-Hisp.	510	195,803	224	55.7	45.9-65.5	45	9.9	04.4-15.4	66	16.6	09.0-24.2	82	8.0	04.5-11.5	93	9.8	05.3-14.3
Hispanic	1824	2,074,343	1037	62.5	58.0-67.0	159	9.2	06.7-11.7	237	14.3	10.6-18.0	232	8.5	06.5-10.5	159	5.6	03.6-07.6
18-24	841	940,780	563	65.1	58.2-72.0	100	11.3	07.8-14.8	112	16.5	10.4-22.6	46	5.2	02.3-08.1	20	2.0	00.0-04.2
25-34	2216	1,543,452	1451	66.0	62.1-69.9	245	11.8	09.3-14.3	279	11.7	09.3-14.1	158	6.7	04.9-08.5	83	3.8	02.4-05.2
35-44	3556	2,729,682	2119	64.9	62.0-67.8	456	12.0	10.0-14.0	441	11.4	09.2-13.6	328	7.4	05.8-09.0	212	4.3	02.9-05.7
45-54	5710	3,704,138	3245	62.0	59.3-64.7	571	10.5	08.7-12.3	609	10.2	08.2-12.2	685	10.0	08.4-11.6	600	7.3	05.9-08.7
55-64	7692	2,094,041	4272	59.2	56.8-61.6	671	9.6	08.2-11.0	864	10.8	09.4-12.2	950	10.5	09.1-11.9	935	9.9	08.3-11.5
65+	13601	3,190,640	8038	61.0	59.4-62.6	954	7.6	06.6-08.6	1513	11.5	10.3-12.7	1645	10.6	09.6-11.6	1451	9.2	08.4-10.0
Less Than H.S.	3292	1,026,521	1428	55.3	50.6-60.0	194	6.3	04.1-08.5	395	9.9	07.4-12.4	669	16.7	13.4-20.0	606	11.8	09.4-14.2
H.S. or G.E.D.	10962	3,744,334	6287	60.2	57.8-62.6	827	8.5	07.1-09.9	1229	11.5	09.9-13.1	1404	11.4	10.0-12.8	1215	8.4	07.2-09.6
Some Post-H.S.	9645	4,067,041	5607	60.8	58.4-63.2	934	10.1	08.7-11.5	1133	12.5	10.5-14.5	1058	9.1	07.9-10.3	913	7.6	06.2-09.0
College Graduate	9939	5,420,972	6515	66.8	64.8-68.8	1061	12.1	10.7-13.5	1088	10.8	09.4-12.2	696	6.0	05.0-07.0	579	4.3	03.5-05.1
Less than \$15,000	4211	1,237,992	1573	43.7	39.6-47.8	265	6.7	04.9-08.5	501	10.4	08.2-12.6	913	20.7	17.4-24.0	959	18.5	15.4-21.6
\$15,000- 24,999	6004	2,076,413	3090	55.6	52.3-58.9	500	8.6	06.8-10.4	739	13.0	10.6-15.4	874	12.3	10.3-14.3	801	10.5	08.7-12.3
\$25,000- 34,999	3664	1,259,589	2137	62.7	58.6-66.8	322	7.9	06.1-09.7	450	12.7	09.2-16.2	432	10.5	08.0-13.0	323	6.1	04.7-07.5
\$35,000- 49,999	4506	1,771,561	2864	62.7	59.4-66.0	421	10.2	08.2-12.2	520	13.2	10.7-15.7	398	7.6	06.0-09.2	303	6.3	04.5-08.1
\$50,000- 74,999	4358	2,018,292	2836	63.3	60.0-66.6	468	12.2	10.0-14.4	516	12.7	10.0-15.4	304	6.5	04.9-08.1	234	5.5	03.9-07.1
\$75,000+	6114	3,986,765	4348	71.7	69.3-74.1	632	11.4	09.6-13.2	560	8.9	07.3-10.5	360	5.5	04.3-06.7	214	2.5	01.9-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 2: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		N	1-2 days		N	3-7 days		N	8-29 days		N	30 days	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	12618	6,951,162	7922	66.6	64.6-68.6	1019	9.5	08.3-10.7	1182	9.7	08.3-11.1	1185	7.2	06.2-08.2	1310	7.1	06.1-08.1
White/Non-Hisp	10404	4,816,279	6541	65.5	63.5-67.5	842	10.6	09.2-12.0	970	8.8	07.6-10.0	964	7.6	06.6-08.6	1087	7.5	06.5-08.5
Black or Afr. Am./Non-Hisp	780	632,964	495	68.3	61.4-75.2	70	7.6	03.7-11.5	78	8.4	04.5-12.3	75	9.1	04.8-13.4	62	6.6	03.1-10.1
Oth. Race/Non-Hisp.	293	262,243				23	9.1	02.6-15.6	18	7.0	00.0-15.8	36	7.4	00.3-14.5	35	3.7	01.5-05.9
MultiRacial/Non-Hisp.	211	90,893				18	5.7	01.4-10.0				35	8.2	02.5-13.9	38	9.5	02.6-16.4
Hispanic	644	1,014,752	416	69.6	62.3-76.9	55	6.0	03.1-08.9	81	15.7	09.4-22.0	47	3.6	01.4-05.8	45	5.1	01.8-08.4
18-24	368	551,580	254	65.2	55.4-75.0	50	12.7	07.4-18.0	43	16.8	07.6-26.0	14	3.1	00.2-06.0	7	2.1	00.0-05.6
25-34	753	753,752	521	74.0	68.5-79.5	70	8.8	05.3-12.3	83	8.5	05.4-11.6	41	4.2	02.2-06.2	38	4.5	02.0-07.0
35-44	1284	1,399,143	871	68.7	64.0-73.4	139	11.3	08.2-14.4	110	10.1	06.8-13.4	92	5.7	03.5-07.9	72	4.3	01.9-06.7
45-54	2132	1,788,948	1318	65.4	61.1-69.7	188	9.5	07.0-12.0	195	8.3	05.6-11.0	201	8.6	06.2-11.0	230	8.2	05.8-10.6
55-64	2867	1,002,202	1700	64.5	61.0-68.0	225	8.7	06.7-10.7	257	8.4	06.6-10.2	307	8.1	06.5-09.7	378	10.4	08.0-12.8
65+	5138	1,416,778	3208	64.3	61.8-66.8	340	7.1	05.7-08.5	489	9.8	08.2-11.4	526	9.4	07.8-11.0	575	9.3	07.9-10.7
Less Than H.S.	1206	515,085	606	59.4	52.1-66.7	77	7.7	03.8-11.6	101	8.0	04.3-11.7	210	14.6	09.3-19.9	212	10.2	07.3-13.1
H.S. or G.E.D.	3815	1,781,945	2324	64.7	61.0-68.4	254	7.6	05.6-09.6	357	10.0	07.5-12.5	401	8.5	06.5-10.5	479	9.2	07.0-11.4
Some Post-H.S.	3280	1,864,294	2032	62.9	58.6-67.2	268	9.1	06.7-11.5	331	11.6	08.1-15.1	303	7.5	05.7-09.3	346	9.0	06.5-11.5
College Graduate	4270	2,756,059	2928	71.7	69.2-74.2	416	11.1	09.1-13.1	393	8.6	07.0-10.2	269	4.7	03.7-05.7	264	4.0	03.0-05.0
Less than \$15,000	1291	532,370	523	47.4	40.1-54.7	62	5.5	02.8-08.2	118	7.7	04.4-11.0	239	16.8	11.5-22.1	349	22.6	16.1-29.1
\$15,000- 24,999	2029	928,260	1101	59.5	54.0-65.0	142	9.0	05.9-12.1	206	11.2	06.7-15.7	274	9.9	07.5-12.3	306	10.5	07.6-13.4
\$25,000- 34,999	1300	590,598	820	68.3	62.0-74.6	93	6.4	04.0-08.8	134	10.8	05.5-16.1	119	7.9	04.6-11.2	134	6.7	04.5-08.9
\$35,000- 49,999	1797	808,565	1188	67.2	62.3-72.1	153	9.8	07.1-12.5	176	9.7	06.4-13.0	142	6.2	04.2-08.2	138	7.1	04.0-10.2
\$50,000- 74,999	1818	1,018,443	1230	64.8	59.5-70.1	185	11.6	08.5-14.7	175	12.1	07.6-16.6	104	4.8	02.4-07.2	124	6.8	04.3-09.3
\$75,000+	2970	2,281,853	2184	74.9	71.8-78.0	266	10.2	07.8-12.6	242	7.9	05.7-10.1	166	4.8	03.4-06.2	112	2.1	01.3-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 3: NOW THINKING ABOUT YOUR PHYSICAL HEALTH, WHICH INCLUDES PHYSICAL ILLNESS AND INJURY, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR PHYSICAL HEALTH NOT GOOD? (PHYSHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21317	7,366,359	11976	58.8	57.2-60.4	2006	10.9	09.9-11.9	2665	13.0	11.8-14.2	2652	10.8	09.8-11.8	2018	6.6	06.0-07.2
White/Non-Hisp	17358	5,062,271	9904	58.8	57.2-60.4	1649	11.2	10.2-12.2	2129	12.7	11.5-13.9	2040	10.3	09.3-11.3	1636	7.0	06.2-07.8
Black or Afr. Am./Non-Hisp	1757	828,699	936	62.6	57.3-67.9	168	7.1	04.9-09.3	253	14.2	09.7-18.7	267	11.9	08.4-15.4	133	4.3	02.5-06.1
Oth. Race/Non-Hisp.	341	184,538				27	12.4	04.0-20.8				56	8.4	03.7-13.1	38	4.1	01.7-06.5
MultiRacial/Non-Hisp.	299	104,910				27	13.6	04.4-22.8				47	7.8	03.5-12.1	55	10.1	04.2-16.0
Hispanic	1180	1,059,591	621	55.6	50.1-61.1	104	12.3	08.2-16.4	156	12.9	09.0-16.8	185	13.1	09.8-16.4	114	6.0	04.0-08.0
18-24	473	389,199	309	64.9	56.1-73.7	50	9.2	05.1-13.3	69	16.0	08.9-23.1	32	8.1	02.6-13.6	13	1.8	00.0-04.0
25-34	1463	789,700	930	58.4	53.5-63.3	175	14.7	10.8-18.6	196	14.7	11.2-18.2	117	9.1	06.2-12.0	45	3.2	01.8-04.6
35-44	2272	1,330,539	1248	60.9	57.2-64.6	317	12.8	10.3-15.3	331	12.8	10.4-15.2	236	9.3	07.1-11.5	140	4.2	02.8-05.6
45-54	3578	1,915,189	1927	58.9	55.2-62.6	383	11.4	08.9-13.9	414	11.9	09.2-14.6	484	11.3	09.1-13.5	370	6.4	04.8-08.0
55-64	4825	1,091,839	2572	54.3	51.4-57.2	446	10.5	08.5-12.5	607	13.0	10.8-15.2	643	12.8	10.6-15.0	557	9.5	07.7-11.3
65+	8463	1,773,862	4830	58.3	56.1-60.5	614	7.9	06.7-09.1	1024	12.9	11.3-14.5	1119	11.6	10.2-13.0	876	9.2	08.0-10.4
Less Than H.S.	2086	511,436	822	51.2	45.3-57.1	117	4.8	02.6-07.0	294	11.9	08.4-15.4	459	18.7	14.4-23.0	394	13.4	10.1-16.7
H.S. or G.E.D.	7147	1,962,388	3963	56.2	53.5-58.9	573	9.3	07.5-11.1	872	12.9	11.1-14.7	1003	13.9	11.7-16.1	736	7.7	06.5-08.9
Some Post-H.S.	6365	2,202,747	3575	59.0	56.5-61.5	666	11.0	09.4-12.6	802	13.2	11.4-15.0	755	10.4	09.0-11.8	567	6.4	05.4-07.4
College Graduate	5669	2,664,914	3587	61.7	59.0-64.4	645	13.2	11.2-15.2	695	13.2	11.0-15.4	427	7.3	05.7-08.9	315	4.6	03.6-05.6
Less than \$15,000	2920	705,622	1050	41.0	36.5-45.5	203	7.7	05.3-10.1	383	12.4	09.5-15.3	674	23.6	19.7-27.5	610	15.3	12.6-18.0
\$15,000- 24,999	3975	1,148,154	1989	52.5	48.6-56.4	358	8.2	06.2-10.2	533	14.5	12.0-17.0	600	14.3	11.6-17.0	495	10.6	08.6-12.6
\$25,000- 34,999	2364	668,991	1317	57.7	52.6-62.8	229	9.3	06.8-11.8	316	14.5	09.8-19.2	313	12.8	09.3-16.3	189	5.7	04.1-07.3
\$35,000- 49,999	2709	962,996	1676	59.0	54.7-63.3	268	10.6	07.9-13.3	344	16.1	12.4-19.8	256	8.7	06.5-10.9	165	5.6	03.8-07.4
\$50,000- 74,999	2540	999,849	1606	61.8	57.7-65.9	283	12.7	09.6-15.8	341	13.2	10.3-16.1	200	8.2	06.0-10.4	110	4.1	02.9-05.3
\$75,000+	3144	1,704,912	2164	67.3	64.0-70.6	366	13.0	10.5-15.5	318	10.2	08.0-12.4	194	6.5	04.7-08.3	102	3.0	02.0-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 4: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	None		N	1-2 days		N	3-7 days		N	8-29 days		N	30 days	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	34197	14,408,785	23358	67.2	66.0-68.4	2487	8.2	07.4-09.0	2975	9.7	08.9-10.5	3071	8.8	08.0-09.6	2306	6.1	05.5-06.7
Male	12730	7,010,550	9500	70.8	68.8-72.8	745	7.7	06.5-08.9	797	7.9	06.7-09.1	928	7.6	06.4-08.8	760	5.9	04.9-06.9
Female	21467	7,398,235	13858	63.7	62.1-65.3	1742	8.7	07.7-09.7	2178	11.4	10.4-12.4	2143	9.9	08.9-10.9	1546	6.3	05.5-07.1
White/Non-Hisp	27932	9,890,861	19318	67.2	66.0-68.4	2011	8.4	07.6-09.2	2350	9.9	09.1-10.7	2407	8.4	07.6-09.2	1846	6.1	05.5-06.7
Black or Afr. Am./Non-Hisp	2582	1,476,111	1665	67.0	62.7-71.3	208	9.6	06.9-12.3	290	11.5	08.6-14.4	265	7.2	05.2-09.2	154	4.6	02.8-06.4
Oth. Race/Non-Hisp.	644	461,861	409	70.0	62.0-78.0	45	7.6	01.9-13.3	61	10.2	05.3-15.1	74	7.8	03.7-11.9	55	4.3	00.4-08.2
MultiRacial/Non-Hisp.	513	196,151	280	53.5	43.5-63.5	45	6.7	03.6-09.8	54	9.7	04.0-15.4	61	16.3	07.7-24.9	73	13.7	07.2-20.2
Hispanic	1862	2,124,729	1212	67.4	63.1-71.7	142	6.5	04.1-08.9	168	8.1	05.9-10.3	198	11.5	08.6-14.4	142	6.4	04.2-08.6
18-24	839	941,894	461	54.1	47.2-61.0	90	14.0	08.1-19.9	131	17.6	12.7-22.5	101	11.5	07.2-15.8	56	2.9	01.5-04.3
25-34	2228	1,546,956	1310	62.8	58.9-66.7	223	9.6	07.4-11.8	267	10.9	08.5-13.3	254	9.5	07.3-11.7	174	7.2	05.4-09.0
35-44	3558	2,746,399	2142	63.5	60.4-66.6	332	8.0	06.4-09.6	410	12.1	10.1-14.1	392	10.2	08.2-12.2	282	6.2	04.6-07.8
45-54	5725	3,715,448	3387	64.4	61.7-67.1	486	8.7	07.1-10.3	572	10.2	08.4-12.0	708	9.5	07.9-11.1	572	7.3	05.9-08.7
55-64	7712	2,104,191	5024	68.1	65.9-70.3	547	7.2	06.0-08.4	695	7.6	06.4-08.8	796	9.2	07.6-10.8	650	7.8	06.4-09.2
65+	13814	3,239,611	10784	78.5	76.9-80.1	786	6.2	05.2-07.2	882	5.9	05.1-06.7	805	5.5	04.7-06.3	557	3.9	02.9-04.9
Less Than H.S.	3362	1,055,713	1912	55.8	50.9-60.7	182	5.1	03.3-06.9	322	12.2	08.5-15.9	510	14.8	11.5-18.1	436	12.1	09.0-15.2
H.S. or G.E.D.	11080	3,775,833	7519	65.4	63.0-67.8	709	7.7	06.3-09.1	958	9.9	08.5-11.3	1085	9.7	08.3-11.1	809	7.4	06.2-08.6
Some Post-H.S.	9714	4,089,332	6493	65.2	62.8-67.6	745	8.7	07.1-10.3	904	9.3	08.1-10.5	882	9.6	08.2-11.0	690	7.2	06.0-08.4
College Graduate	9949	5,437,472	7359	72.0	70.0-74.0	846	8.9	07.7-10.1	788	9.5	08.3-10.7	590	6.4	05.4-07.4	366	3.3	02.7-03.9
Less than \$15,000	4259	1,240,024	2126	48.0	44.1-51.9	262	5.4	03.8-07.0	452	11.9	09.0-14.8	736	19.4	15.9-22.9	683	15.4	12.5-18.3
\$15,000- 24,999	6081	2,123,457	3774	56.4	53.1-59.7	422	8.8	06.3-11.3	582	11.3	09.1-13.5	724	12.8	10.6-15.0	579	10.8	08.6-13.0
\$25,000- 34,999	3715	1,281,374	2557	68.2	64.5-71.9	288	9.2	06.7-11.7	322	7.6	06.0-09.2	309	7.9	06.1-09.7	239	7.2	05.0-09.4
\$35,000- 49,999	4523	1,790,407	3266	67.2	64.1-70.3	336	9.5	07.5-11.5	393	9.9	07.9-11.9	308	7.8	06.0-09.6	220	5.5	03.9-07.1
\$50,000- 74,999	4353	2,010,346	3177	71.1	68.2-74.0	357	8.4	06.6-10.2	378	9.1	07.3-10.9	292	7.2	05.6-08.8	149	4.3	02.9-05.7
\$75,000+	6123	3,993,181	4744	75.9	73.7-78.1	484	8.3	06.9-09.7	458	8.8	07.4-10.2	299	5.2	04.0-06.4	138	1.8	01.2-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 5: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12730	7,010,550	9500	70.8	68.8-72.8	745	7.7	06.5-08.9	797	7.9	06.7-09.1	928	7.6	06.4-08.8	760	5.9	04.9-06.9
White/Non-Hisp	10467	4,831,892	7911	70.7	68.7-72.7	593	7.8	06.6-09.0	621	8.4	07.0-09.8	726	7.0	06.0-08.0	616	6.0	05.0-07.0
Black or Afr. Am./Non-Hisp	797	636,637	573	73.5	66.6-80.4	52	8.5	04.0-13.0	68	9.2	04.3-14.1	67	4.9	02.2-07.6	37	3.9	01.4-06.4
Oth. Race/Non-Hisp.	298	262,833				19	9.7	00.1-19.3	24	9.0	02.3-15.7	32	7.1	01.2-13.0	20	4.6	00.0-11.5
MultiRacial/Non-Hisp.	215	91,346				13	4.4	00.7-08.1	22	6.6	00.9-12.3						
Hispanic	667	1,053,442	476	72.0	65.1-78.9	53	6.7	02.6-10.8	45	5.3	02.6-08.0	59	11.2	06.3-16.1	34	4.8	01.5-08.1
18-24	368	557,976	208	55.1	45.3-64.9	46	15.0	06.4-23.6	62	18.9	11.8-26.0	36	8.6	03.1-14.1	16	2.5	00.7-04.3
25-34	754	757,299	493	67.5	61.4-73.6	68	9.4	05.5-13.3	57	8.3	05.0-11.6	76	8.7	05.6-11.8	60	6.0	03.3-08.7
35-44	1282	1,397,569	889	68.6	63.9-73.3	98	7.6	05.1-10.1	87	7.4	04.9-09.9	124	10.1	06.8-13.4	84	6.3	03.8-08.8
45-54	2140	1,804,008	1435	68.1	64.0-72.2	141	7.7	05.3-10.1	171	9.1	06.4-11.8	209	8.2	06.0-10.4	184	6.9	04.7-09.1
55-64	2887	1,012,246	2075	74.6	71.3-77.9	167	6.1	04.5-07.7	196	5.6	04.2-07.0	232	6.2	04.4-08.0	217	7.6	05.2-10.0
65+	5222	1,443,274	4340	81.5	79.0-84.0	220	5.4	04.0-06.8	221	4.4	03.0-05.8	247	4.4	03.2-05.6	194	4.3	02.5-06.1
Less Than H.S.	1250	533,383	778	52.9	45.3-60.5	62	5.5	02.4-08.6	93	13.3	06.8-19.8	164	13.5	08.6-18.4	153	14.8	08.9-20.7
H.S. or G.E.D.	3848	1,793,763	2783	67.2	63.5-70.9	220	8.5	06.0-11.0	250	8.6	06.4-10.8	330	8.0	05.6-10.4	265	7.6	05.4-09.8
Some Post-H.S.	3315	1,886,089	2453	69.0	64.9-73.1	207	9.0	06.1-11.9	220	7.4	05.4-09.4	243	8.4	06.0-10.8	192	6.1	03.9-08.3
College Graduate	4273	2,770,080	3447	77.7	75.2-80.2	256	6.9	05.3-08.5	233	6.9	05.1-08.7	189	5.6	04.2-07.0	148	3.0	02.2-03.8
Less than \$15,000	1311	538,213	701	45.2	38.3-52.1	59	4.1	02.3-05.9	122	14.8	08.7-20.9	211	20.8	13.9-27.7	218	15.2	10.5-19.9
\$15,000- 24,999	2066	957,135	1363	55.7	49.8-61.6	117	8.5	04.0-13.0	154	11.1	07.6-14.6	224	11.2	07.7-14.7	208	13.5	09.4-17.6
\$25,000- 34,999	1327	602,491	989	72.9	67.2-78.6	91	9.1	04.6-13.6	87	5.7	03.7-07.7	88	5.9	03.7-08.1	72	6.5	03.6-09.4
\$35,000- 49,999	1806	819,010	1405	72.3	67.6-77.0	116	9.3	06.2-12.4	107	6.2	04.0-08.4	106	7.5	04.8-10.2	72	4.7	02.2-07.2
\$50,000- 74,999	1809	1,016,473	1444	75.8	71.3-80.3	104	6.8	04.3-09.3	106	6.8	04.3-09.3	98	6.5	04.0-09.0	57	4.1	01.9-06.3
\$75,000+	2974	2,287,591	2494	80.4	77.5-83.3	185	8.1	05.9-10.3	140	5.8	04.0-07.6	104	4.3	02.7-05.9	51	1.3	00.5-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 6: NOW THINKING ABOUT YOUR MENTAL HEALTH, WHICH INCLUDES STRESS, DEPRESSION, AND PROBLEMS WITH EMOTIONS, FOR HOW MANY DAYS DURING THE PAST 30 DAYS WAS YOUR MENTAL HEALTH NOT GOOD? (MENTHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21467	7,398,235	13858	63.7	62.1-65.3	1742	8.7	07.7-09.7	2178	11.4	10.4-12.4	2143	9.9	08.9-10.9	1546	6.3	05.5-07.1
White/Non-Hisp	17465	5,058,969	11407	63.9	62.3-65.5	1418	8.9	07.9-09.9	1729	11.3	10.3-12.3	1681	9.7	08.7-10.7	1230	6.2	05.4-07.0
Black or Afr. Am./Non-Hisp	1785	839,473	1092	62.1	56.8-67.4	156	10.5	07.2-13.8	222	13.2	09.3-17.1	198	9.0	06.3-11.7	117	5.1	02.6-07.6
Oth. Race/Non-Hisp.	346	199,028	206	70.3	61.1-79.5	26	4.9	01.8-08.0	37	11.9	04.8-19.0	42	8.9	03.2-14.6	35	4.0	01.6-06.4
MultiRacial/Non-Hisp.	298	104,805				32	8.8	03.9-13.7	32	12.5	03.5-21.5	40	12.5	05.4-19.6	39	7.8	01.7-13.9
Hispanic	1195	1,071,286	736	63.0	57.7-68.3	89	6.2	03.7-08.7	123	10.9	07.6-14.2	139	11.8	08.3-15.3	108	8.1	05.6-10.6
18-24	471	383,917	253	52.5	43.1-61.9	44	12.6	05.2-20.0	69	15.7	09.4-22.0	65	15.7	08.8-22.6	40	3.5	01.3-05.7
25-34	1474	789,657	817	58.3	53.6-63.0	155	9.7	07.2-12.2	210	13.4	10.1-16.7	178	10.2	07.3-13.1	114	8.3	05.9-10.7
35-44	2276	1,348,830	1253	58.2	54.3-62.1	234	8.5	06.3-10.7	323	16.9	13.8-20.0	268	10.3	08.1-12.5	198	6.2	04.4-08.0
45-54	3585	1,911,440	1952	60.8	57.3-64.3	345	9.6	07.6-11.6	401	11.2	09.0-13.4	499	10.6	08.4-12.8	388	7.7	05.9-09.5
55-64	4825	1,091,945	2949	62.1	59.2-65.0	380	8.3	06.7-09.9	499	9.5	07.9-11.1	564	12.0	09.6-14.4	433	8.1	06.5-09.7
65+	8592	1,796,337	6444	76.1	74.3-77.9	566	6.9	05.7-08.1	661	7.1	06.1-08.1	558	6.5	05.5-07.5	363	3.5	02.7-04.3
Less Than H.S.	2112	522,329	1134	58.7	53.0-64.4	120	4.8	02.6-07.0	229	11.1	07.6-14.6	346	16.1	11.6-20.6	283	9.3	06.8-11.8
H.S. or G.E.D.	7232	1,982,070	4736	63.6	60.9-66.3	489	6.9	05.5-08.3	708	11.1	09.1-13.1	755	11.3	09.5-13.1	544	7.1	05.7-08.5
Some Post-H.S.	6399	2,203,244	4040	61.9	59.4-64.4	538	8.4	06.8-10.0	684	11.0	09.4-12.6	639	10.6	08.8-12.4	498	8.1	06.5-09.7
College Graduate	5676	2,667,392	3912	66.1	63.4-68.8	590	11.1	09.3-12.9	555	12.1	10.3-13.9	401	7.2	05.8-08.6	218	3.6	02.6-04.6
Less than \$15,000	2948	701,812	1425	50.1	45.6-54.6	203	6.4	03.9-08.9	330	9.7	07.3-12.1	525	18.3	14.8-21.8	465	15.5	12.0-19.0
\$15,000- 24,999	4015	1,166,322	2411	57.0	53.1-60.9	305	8.9	06.0-11.8	428	11.5	09.1-13.9	500	14.1	11.2-17.0	371	8.5	06.7-10.3
\$25,000- 34,999	2388	678,883	1568	64.0	59.1-68.9	197	9.2	06.3-12.1	235	9.4	06.9-11.9	221	9.6	06.7-12.5	167	7.8	04.7-10.9
\$35,000- 49,999	2717	971,397	1861	62.9	58.8-67.0	220	9.8	07.3-12.3	286	13.0	10.1-15.9	202	8.1	05.7-10.5	148	6.3	04.3-08.3
\$50,000- 74,999	2544	993,874	1733	66.3	62.6-70.0	253	10.0	07.8-12.2	272	11.4	09.0-13.8	194	7.8	05.8-09.8	92	4.6	02.8-06.4
\$75,000+	3149	1,705,590	2250	69.9	66.8-73.0	299	8.4	06.8-10.0	318	12.7	10.3-15.1	195	6.5	04.7-08.3	87	2.4	01.6-03.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 7: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	18846	7,719,723	10243	56.1	54.3-57.9	1637	10.9	09.7-12.1	2176	11.9	10.9-12.9	2832	13.0	11.8-14.2	1958	8.1	07.1-09.1
Male	6230	3,399,544	3380	56.6	53.7-59.5	518	10.3	08.5-12.1	638	10.6	09.0-12.2	911	12.3	10.5-14.1	783	10.1	08.3-11.9
Female	12616	4,320,179	6863	55.6	53.6-57.6	1119	11.3	09.9-12.7	1538	12.9	11.5-14.3	1921	13.5	12.1-14.9	1175	6.6	05.8-07.4
White/Non-Hisp	15192	5,328,825	8344	57.2	55.4-59.0	1317	10.3	09.1-11.5	1763	12.5	11.3-13.7	2159	12.0	10.8-13.2	1609	8.0	07.0-09.0
Black or Afr. Am./Non-Hisp	1488	761,349	808	58.9	52.8-65.0	117	7.3	04.8-09.8	179	10.9	07.2-14.6	271	14.8	11.1-18.5	113	8.0	04.1-11.9
Oth. Race/Non-Hisp.	359	221,164				27	15.4	05.8-25.0	44	15.5	07.5-23.5	76	9.6	04.9-14.3	41	7.2	00.0-15.2
MultiRacial/Non-Hisp.	361	132,502				30	9.6	03.7-15.5	34	8.6	01.3-15.9	70	17.2	08.6-25.8	61	7.0	03.1-10.9
Hispanic	1077	1,134,119	547	48.1	41.8-54.4	121	16.4	11.5-21.3	121	10.3	06.8-13.8	197	16.7	12.4-21.0	91	8.5	05.0-12.0
18-24	505	598,620	342	68.7	60.7-76.7	52	12.6	06.5-18.7	63	11.6	06.9-16.3	35	6.4	01.9-10.9	13	0.8	00.2-01.4
25-34	1268	819,018	768	56.9	51.8-62.0	147	13.1	09.4-16.8	150	12.6	08.9-16.3	137	11.6	08.5-14.7	66	5.8	03.1-08.5
35-44	2065	1,465,475	1124	56.2	51.9-60.5	269	14.4	11.3-17.5	247	10.2	07.8-12.6	291	13.0	09.9-16.1	134	6.1	03.6-08.6
45-54	3363	2,038,176	1612	52.4	48.5-56.3	338	11.1	08.7-13.5	400	13.2	10.7-15.7	592	13.2	10.8-15.6	421	10.1	07.7-12.5
55-64	4418	1,131,911	2189	52.5	49.4-55.6	356	8.9	07.1-10.7	522	11.9	09.7-14.1	795	16.1	13.9-18.3	556	10.6	08.8-12.4
65+	7070	1,610,882	4116	58.3	55.9-60.7	457	6.9	05.7-08.1	778	11.7	10.1-13.3	965	13.8	12.0-15.6	754	9.4	08.0-10.8
Less Than H.S.	2348	670,596	1085	53.8	48.1-59.5	111	4.6	03.0-06.2	236	9.9	06.6-13.2	501	18.4	14.7-22.1	415	13.4	09.5-17.3
H.S. or G.E.D.	6231	2,087,655	3409	56.4	53.3-59.5	417	7.7	05.9-09.5	700	10.8	09.0-12.6	1002	15.5	13.1-17.9	703	9.7	07.9-11.5
Some Post-H.S.	5467	2,303,001	2959	55.1	52.0-58.2	493	10.2	08.0-12.4	657	11.8	09.8-13.8	842	14.3	12.1-16.5	516	8.6	06.6-10.6
College Graduate	4748	2,635,624	2759	57.1	54.2-60.0	612	15.8	13.4-18.2	579	13.5	11.3-15.7	480	8.5	06.9-10.1	318	5.2	03.8-06.6
Less than \$15,000	3168	891,260	1237	40.3	35.6-45.0	137	3.8	02.6-05.0	363	10.1	07.7-12.5	815	27.6	23.5-31.7	616	18.3	14.0-22.6
\$15,000- 24,999	3793	1,352,674	1904	50.3	46.0-54.6	280	8.1	05.9-10.3	457	13.6	10.7-16.5	674	17.0	14.1-19.9	478	11.0	08.8-13.2
\$25,000- 34,999	2064	666,814	1188	55.8	50.1-61.5	174	12.7	07.8-17.6	240	10.8	07.9-13.7	281	12.8	09.9-15.7	181	7.9	04.6-11.2
\$35,000- 49,999	2313	989,630	1366	57.2	52.5-61.9	231	12.0	08.7-15.3	270	11.9	09.2-14.6	252	11.3	08.2-14.4	194	7.6	04.9-10.3
\$50,000- 74,999	2132	1,066,215	1307	63.3	58.8-67.8	262	10.4	07.7-13.1	245	13.0	09.9-16.1	209	7.4	05.0-09.8	109	6.0	03.5-08.5
\$75,000+	2569	1,683,211	1612	62.7	59.0-66.4	354	16.4	13.5-19.3	301	12.0	09.5-14.5	207	6.3	04.7-07.9	95	2.6	01.6-03.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 8: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6230	3,399,544	3380	56.6	53.7-59.5	518	10.3	08.5-12.1	638	10.6	09.0-12.2	911	12.3	10.5-14.1	783	10.1	08.3-11.9
White/Non-Hisp	5085	2,401,224	2777	58.1	55.2-61.0	416	10.0	08.2-11.8	531	11.2	09.4-13.0	695	10.8	09.2-12.4	666	9.8	08.0-11.6
Black or Afr. Am./Non-Hisp	387	285,178				25	4.6	01.9-07.3	39	8.8	03.5-14.1	69	13.2	06.7-19.7	32	10.8	03.7-17.9
Oth. Race/Non-Hisp.	154	112,017										36	9.2	03.1-15.3			
MultiRacial/Non-Hisp.	136	59,272				10	6.4	00.3-12.5	14	4.6	00.0-09.9				27	7.7	01.0-14.4
Hispanic	335	476,943				45	15.9	07.7-24.1	29	8.8	03.9-13.7	62	19.4	11.0-27.8	24	12.0	04.4-19.6
18-24	213	344,063				27	15.1	05.9-24.3	30	12.7	06.2-19.2	9	4.7	00.0-10.6	5	0.6	00.0-01.4
25-34	385	340,559	238	59.6	51.0-68.2	39	10.4	05.3-15.5	32	9.5	04.0-15.0	50	12.2	07.3-17.1	26	8.4	02.5-14.3
35-44	625	693,364	361	58.7	51.4-66.0	77	12.7	07.6-17.8	57	8.4	04.7-12.1	79	12.6	07.5-17.7	51	7.7	02.8-12.6
45-54	1111	892,894	556	50.9	44.6-57.2	106	10.1	06.8-13.4	116	12.2	08.5-15.9	164	12.2	08.3-16.1	169	14.5	10.0-19.0
55-64	1478	464,339	731	53.0	47.9-58.1	110	7.8	05.6-10.0	148	9.5	06.6-12.4	257	16.5	13.2-19.8	232	13.2	09.9-16.5
65+	2384	645,039	1336	58.7	54.6-62.8	154	6.8	04.8-08.8	250	10.9	08.4-13.4	349	13.7	11.0-16.4	295	9.9	07.7-12.1
Less Than H.S.	784	335,428	375	57.7	48.7-66.7	38	4.0	01.6-06.4	62	6.3	02.8-09.8	148	15.7	10.4-21.0	161	16.3	09.0-23.6
H.S. or G.E.D.	1995	918,662	1103	58.5	53.2-63.8	107	6.8	04.1-09.5	180	8.4	05.9-10.9	328	14.2	10.5-17.9	277	12.1	08.6-15.6
Some Post-H.S.	1659	987,204	889	55.9	49.8-62.0	143	10.0	06.3-13.7	184	10.3	07.4-13.2	242	13.1	09.2-17.0	201	10.7	06.8-14.6
College Graduate	1772	1,145,917	1002	55.3	50.8-59.8	229	15.4	11.9-18.9	210	14.0	10.7-17.3	190	9.0	06.5-11.5	141	6.3	04.1-08.5
Less than \$15,000	920	382,379	339	36.8	28.4-45.2	30	2.6	01.4-03.8	90	8.3	04.6-12.0	239	27.4	20.1-34.7	222	24.9	16.1-33.7
\$15,000- 24,999	1212	584,112	595	53.2	45.9-60.5	72	5.7	03.3-08.1	135	12.7	08.4-17.0	204	15.1	10.0-20.2	206	13.4	09.5-17.3
\$25,000- 34,999	665	277,718	382	51.8	42.6-61.0				59	7.5	03.8-11.2	94	12.8	08.1-17.5	75	9.4	04.5-14.3
\$35,000- 49,999	838	405,255	495	56.0	48.2-63.8	74	12.4	06.5-18.3	86	10.2	05.9-14.5	92	11.5	06.2-16.8	91	9.9	04.2-15.6
\$50,000- 74,999	800	507,381	493	66.6	59.3-73.9	98	7.7	05.2-10.2	71	9.2	04.9-13.5	77	8.1	04.0-12.2	61	8.3	03.6-13.0
\$75,000+	1081	835,196	669	63.2	57.5-68.9	147	16.6	11.9-21.3	132	12.7	09.0-16.4	88	4.9	02.9-06.9	45	2.6	01.2-04.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 2: HEALTHY DAYS - HEALTH-RELATED QUALITY OF LIFE

TABLE 9: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS DID POOR PHYSICAL OR MENTAL HEALTH KEEP YOU FROM DOING YOUR USUAL ACTIVITIES, SUCH AS SELF-CARE, WORK, OR RECREATION? (POORHLTH)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting no days of poor physical or mental health

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		None			1-2 days			3-7 days			8-29 days			30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	12616	4,320,179	6863	55.6	53.6-57.6	1119	11.3	09.9-12.7	1538	12.9	11.5-14.3	1921	13.5	12.1-14.9	1175	6.6	05.8-07.4
White/Non-Hisp	10107	2,927,601	5567	56.5	54.3-58.7	901	10.4	09.0-11.8	1232	13.5	11.9-15.1	1464	13.0	11.6-14.4	943	6.6	05.8-07.4
Black or Afr. Am./Non-Hisp	1101	476,171	586	56.7	49.3-64.1	92	8.9	05.2-12.6	140	12.2	07.3-17.1	202	15.8	11.1-20.5	81	6.4	01.9-10.9
Oth. Race/Non-Hisp.	205	109,147							28	15.6	06.4-24.8	40	10.0	03.1-16.9	23	4.8	01.1-08.5
MultiRacial/Non-Hisp.	225	73,230				20	12.2	02.8-21.6				47	15.6	06.4-24.8	34	6.4	01.7-11.1
Hispanic	742	657,176	372	51.1	44.0-58.2	76	16.8	10.7-22.9	92	11.3	06.4-16.2	135	14.8	10.5-19.1	67	6.0	03.6-08.4
18-24	292	254,557				25	9.3	02.2-16.4	33	10.0	03.1-16.9	26	8.7	01.4-16.0	8	1.1	00.1-02.1
25-34	883	478,459	530	54.9	48.6-61.2	108	15.0	09.9-20.1	118	14.8	09.9-19.7	87	11.3	07.0-15.6	40	4.0	01.8-06.2
35-44	1440	772,111	763	54.0	49.1-58.9	192	15.9	12.0-19.8	190	11.8	08.7-14.9	212	13.5	10.0-17.0	83	4.8	02.8-06.8
45-54	2252	1,145,282	1056	53.6	48.7-58.5	232	11.9	08.6-15.2	284	14.0	10.7-17.3	428	14.0	11.3-16.7	252	6.6	04.4-08.8
55-64	2940	667,571	1458	52.2	48.3-56.1	246	9.6	07.2-12.0	374	13.6	10.7-16.5	538	15.8	13.1-18.5	324	8.8	06.8-10.8
65+	4686	965,844	2780	58.0	55.1-60.9	303	7.0	05.6-08.4	528	12.2	10.0-14.4	616	13.9	11.7-16.1	459	9.0	07.4-10.6
Less Than H.S.	1564	335,168	710	49.8	43.1-56.5	73	5.1	02.7-07.5	174	13.5	08.0-19.0	353	21.1	16.0-26.2	254	10.4	07.3-13.5
H.S. or G.E.D.	4236	1,168,993	2306	54.8	51.1-58.5	310	8.4	06.2-10.6	520	12.6	10.2-15.0	674	16.4	13.5-19.3	426	7.8	06.2-09.4
Some Post-H.S.	3808	1,315,798	2070	54.6	51.3-57.9	350	10.2	07.8-12.6	473	12.9	10.4-15.4	600	15.2	12.8-17.6	315	7.1	05.5-08.7
College Graduate	2976	1,489,707	1757	58.4	54.5-62.3	383	16.1	13.0-19.2	369	13.1	10.4-15.8	290	8.1	06.3-09.9	177	4.3	02.7-05.9
Less than \$15,000	2248	508,881	898	42.8	37.5-48.1	107	4.7	02.9-06.5	273	11.4	08.3-14.5	576	27.7	22.8-32.6	394	13.4	10.7-16.1
\$15,000- 24,999	2581	768,562	1309	48.2	43.5-52.9	208	10.0	06.7-13.3	322	14.2	10.5-17.9	470	18.4	14.9-21.9	272	9.2	06.5-11.9
\$25,000- 34,999	1399	389,095	806	58.6	51.7-65.5	119	8.5	05.2-11.8	181	13.3	09.0-17.6	187	12.8	08.9-16.7	106	6.8	02.3-11.3
\$35,000- 49,999	1475	584,376	871	58.0	52.3-63.7	157	11.8	08.1-15.5	184	13.0	09.5-16.5	160	11.2	07.5-14.9	103	6.0	03.8-08.2
\$50,000- 74,999	1332	558,833	814	60.3	54.6-66.0	164	12.8	08.3-17.3	174	16.4	11.9-20.9	132	6.7	04.3-09.1	48	3.8	02.2-05.4
\$75,000+	1488	848,015	943	62.2	57.5-66.9	207	16.1	12.4-19.8	169	11.2	07.9-14.5	119	7.7	05.2-10.2	50	2.7	01.3-04.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010**

SECTION 3: HEALTH CARE ACCESS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE? (HLTHPLAN)	
1 MALES AND FEMALES	17
2 MALES ONLY	18
3 FEMALES ONLY	19
DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)	
4 MALES AND FEMALES	20
5 MALES ONLY	21
6 FEMALES ONLY	22
WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)	
7 MALES AND FEMALES	23
8 MALES ONLY	24
9 FEMALES ONLY	25
ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)	
10 MALES AND FEMALES	26
11 MALES ONLY	27
12 FEMALES ONLY	28

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 1: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	35008	14,709,203	30255	83.0	81.8-84.2	4753	17.0	15.8-18.2	
Male	13001	7,135,628	11187	81.7	79.9-83.5	1814	18.3	16.5-20.1	
Female	22007	7,573,574	19068	84.2	83.0-85.4	2939	15.8	14.6-17.0	
White/Non-Hisp	28514	10,065,690	25270	87.3	86.3-88.3	3244	12.7	11.7-13.7	
Black or Afr. Am./Non-Hisp	2643	1,497,654	2125	76.1	71.8-80.4	518	23.9	19.6-28.2	
Oth. Race/Non-Hisp.	648	461,118	514	79.9	73.2-86.6	134	20.1	13.4-26.8	
MultiRacial/Non-Hisp.	531	198,176	403	74.3	65.9-82.7	128	25.7	17.3-34.1	
Hispanic	1947	2,210,298	1314	70.3	66.0-74.6	633	29.7	25.4-34.0	
18-24	841	950,577	540	62.8	55.9-69.7	301	37.2	30.3-44.1	
25-34	2256	1,556,072	1565	71.5	67.6-75.4	691	28.5	24.6-32.4	
35-44	3611	2,793,521	2744	77.3	74.4-80.2	867	22.7	19.8-25.6	
45-54	5832	3,800,343	4558	82.4	80.2-84.6	1274	17.6	15.4-19.8	
55-64	7870	2,144,136	6531	85.1	83.3-86.9	1339	14.9	13.1-16.7	
65+	14264	3,348,836	14026	98.0	97.2-98.8	238	2.0	01.2-02.8	
Less Than H.S.	3569	1,104,439	2636	64.4	59.7-69.1	933	35.6	30.9-40.3	
H.S. or G.E.D.	11367	3,902,634	9436	76.5	74.1-78.9	1931	23.5	21.1-25.9	
Some Post-H.S.	9886	4,161,156	8654	82.9	80.7-85.1	1232	17.1	14.9-19.3	
College Graduate	10081	5,486,014	9449	91.6	90.2-93.0	632	8.4	07.0-09.8	
Less than \$15,000	4427	1,287,636	3166	65.1	61.2-69.0	1261	34.9	31.0-38.8	
\$15,000- 24,999	6232	2,181,013	4806	63.7	60.2-67.2	1426	36.3	32.8-39.8	
\$25,000- 34,999	3783	1,312,704	3219	76.3	72.2-80.4	564	23.7	19.6-27.8	
\$35,000- 49,999	4594	1,814,529	4140	85.6	82.9-88.3	454	14.4	11.7-17.1	
\$50,000- 74,999	4408	2,033,621	4174	91.0	88.6-93.4	234	9.0	06.6-11.4	
\$75,000+	6169	4,014,264	6003	97.7	96.9-98.5	166	2.3	01.5-03.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 2: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	13001	7,135,628	11187	81.7	79.9-83.5		1814	18.3	16.5-20.1	
White/Non-Hisp	10677	4,911,155	9395	85.4	83.8-87.0		1282	14.6	13.0-16.2	
Black or Afr. Am./Non-Hisp	813	646,091	655	70.7	63.1-78.3		158	29.3	21.7-36.9	
Oth. Race/Non-Hisp.	296	261,236	231	78.2	68.4-88.0		65	21.8	12.0-31.6	
Hispanic	691	1,086,028	478	72.0	65.1-78.9		213	28.0	21.1-34.9	
18-24	364	566,182	219	62.3	52.5-72.1		145	37.7	27.9-47.5	
25-34	762	754,681	487	68.2	61.7-74.7		275	31.8	25.3-38.3	
35-44	1304	1,424,057	989	76.0	71.5-80.5		315	24.0	19.5-28.5	
45-54	2190	1,846,731	1695	82.0	78.5-85.5		495	18.0	14.5-21.5	
55-64	2943	1,028,896	2479	86.6	84.1-89.1		464	13.4	10.9-15.9	
65+	5359	1,476,671	5250	97.6	96.0-99.2		109	2.4	00.8-04.0	
Less Than H.S.	1318	551,418	936	61.0	53.4-68.6		382	39.0	31.4-46.6	
H.S. or G.E.D.	3937	1,860,304	3196	73.7	70.0-77.4		741	26.3	22.6-30.0	
Some Post-H.S.	3362	1,904,445	2944	81.1	77.2-85.0		418	18.9	15.0-22.8	
College Graduate	4335	2,792,928	4074	91.7	89.7-93.7		261	8.3	06.3-10.3	
Less than \$15,000	1357	552,417	917	62.8	55.7-69.9		440	37.2	30.1-44.3	
\$15,000- 24,999	2121	982,788	1572	59.4	53.5-65.3		549	40.6	34.7-46.5	
\$25,000- 34,999	1359	622,025	1125	69.7	62.8-76.6		234	30.3	23.4-37.2	
\$35,000- 49,999	1840	833,161	1661	84.3	79.8-88.8		179	15.7	11.2-20.2	
\$50,000- 74,999	1839	1,029,346	1729	89.5	85.8-93.2		110	10.5	06.8-14.2	
\$75,000+	2996	2,293,774	2911	97.5	96.3-98.7		85	2.5	01.3-03.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

**TABLE 3: DO YOU HAVE ANY KIND OF HEALTH CARE COVERAGE, INCLUDING HEALTH INSURANCE, PREPAID PLANS SUCH AS HMOS, OR GOVERNMENT PLANS SUCH AS MEDICARE?
(HLTHPLAN)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	22007	7,573,574	19068	84.2	83.0-85.4	2939	15.8	14.6-17.0
White/Non-Hisp	17837	5,154,535	15875	89.0	88.0-90.0	1962	11.0	10.0-12.0
Black or Afr. Am./Non-Hisp	1830	851,563	1470	80.1	75.4-84.8	360	19.9	15.2-24.6
Oth. Race/Non-Hisp.	352	199,882	283	82.0	73.2-90.8	69	18.0	09.2-26.8
Hispanic	1256	1,124,270	836	68.7	63.6-73.8	420	31.3	26.2-36.4
18-24	477	384,395	321	63.7	54.5-72.9	156	36.3	27.1-45.5
25-34	1494	801,391	1078	74.6	70.3-78.9	416	25.4	21.1-29.7
35-44	2307	1,369,464	1755	78.6	75.1-82.1	552	21.4	17.9-24.9
45-54	3642	1,953,612	2863	82.9	80.2-85.6	779	17.1	14.4-19.8
55-64	4927	1,115,240	4052	83.8	81.3-86.3	875	16.2	13.7-18.7
65+	8905	1,872,165	8776	98.2	97.4-99.0	129	1.8	01.0-02.6
Less Than H.S.	2251	553,021	1700	67.9	62.2-73.6	551	32.1	26.4-37.8
H.S. or G.E.D.	7430	2,042,330	6240	79.1	76.6-81.6	1190	20.9	18.4-23.4
Some Post-H.S.	6524	2,256,711	5710	84.4	82.2-86.6	814	15.6	13.4-17.8
College Graduate	5746	2,693,086	5375	91.6	89.8-93.4	371	8.4	06.6-10.2
Less than \$15,000	3070	735,219	2249	66.8	62.5-71.1	821	33.2	28.9-37.5
\$15,000- 24,999	4111	1,198,225	3234	67.2	63.1-71.3	877	32.8	28.7-36.9
\$25,000- 34,999	2424	690,679	2094	82.3	77.8-86.8	330	17.7	13.2-22.2
\$35,000- 49,999	2754	981,368	2479	86.7	83.6-89.8	275	13.3	10.2-16.4
\$50,000- 74,999	2569	1,004,274	2445	92.6	90.1-95.1	124	7.4	04.9-09.9
\$75,000+	3173	1,720,490	3092	97.9	97.1-98.7	81	2.1	01.3-02.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 4: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34956	14,709,790	27641	73.9	72.7-75.1	2749	7.8	07.2-08.4	4566	18.3	17.1-19.5
Male	12986	7,146,401	9741	70.5	68.5-72.5	1159	8.2	07.0-09.4	2086	21.3	19.5-23.1
Female	21970	7,563,390	17900	77.0	75.6-78.4	1590	7.5	06.7-08.3	2480	15.5	14.3-16.7
White/Non-Hisp	28482	10,072,710	22862	76.1	74.9-77.3	2293	8.5	07.7-09.3	3327	15.4	14.4-16.4
Black or Afr. Am./Non-Hisp	2645	1,510,785	2106	73.4	69.1-77.7	167	5.8	03.8-07.8	372	20.8	16.7-24.9
Oth. Race/Non-Hisp.	651	463,636	508	76.1	68.5-83.7	41	9.8	02.9-16.7	102	14.1	09.0-19.2
MultiRacial/Non-Hisp.	531	198,191	371	61.9	52.1-71.7	53	12.8	05.2-20.4	107	25.4	17.0-33.8
Hispanic	1929	2,195,484	1265	65.3	60.8-69.8	125	5.5	03.5-07.5	539	29.3	25.0-33.6
18-24	849	973,895	447	47.4	40.5-54.3	57	9.6	05.1-14.1	345	42.9	36.0-49.8
25-34	2248	1,555,947	1394	59.9	55.6-64.2	130	6.3	04.1-08.5	724	33.7	29.6-37.8
35-44	3602	2,786,114	2529	65.9	62.8-69.0	201	6.0	04.4-07.6	872	28.1	25.0-31.2
45-54	5812	3,786,569	4434	77.7	75.3-80.1	397	7.0	05.6-08.4	981	15.2	13.0-17.4
55-64	7874	2,147,940	6459	81.8	79.8-83.8	514	7.1	05.9-08.3	901	11.1	09.5-12.7
65+	14238	3,342,492	12119	85.0	83.8-86.2	1421	11.0	10.0-12.0	698	4.0	03.4-04.6
Less Than H.S.	3538	1,095,960	2478	58.2	53.3-63.1	345	9.8	07.1-12.5	715	32.0	27.3-36.7
H.S. or G.E.D.	11346	3,907,526	8870	69.5	67.1-71.9	799	7.3	06.1-08.5	1677	23.2	20.8-25.6
Some Post-H.S.	9894	4,163,963	7942	74.1	71.9-76.3	783	8.2	06.8-09.6	1169	17.7	15.5-19.9
College Graduate	10074	5,481,506	8285	80.0	78.2-81.8	812	7.6	06.6-08.6	977	12.3	10.9-13.7
Less than \$15,000	4407	1,278,603	3148	60.9	56.8-65.0	381	10.8	08.1-13.5	878	28.3	24.4-32.2
\$15,000- 24,999	6212	2,170,232	4657	63.6	60.1-67.1	491	7.0	05.6-08.4	1064	29.5	26.0-33.0
\$25,000- 34,999	3775	1,306,408	2962	70.1	66.0-74.2	290	7.1	05.1-09.1	523	22.7	18.6-26.8
\$35,000- 49,999	4590	1,818,503	3743	76.0	73.1-78.9	327	7.3	05.7-08.9	520	16.7	14.0-19.4
\$50,000- 74,999	4413	2,036,899	3711	80.2	77.3-83.1	304	7.6	05.6-09.6	398	12.1	09.7-14.5
\$75,000+	6164	4,016,093	5249	82.4	80.4-84.4	447	7.1	05.7-08.5	468	10.5	08.9-12.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 5: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12986	7,146,401	9741	70.5	68.5-72.5	1159	8.2	07.0-09.4	2086	21.3	19.5-23.1
White/Non-Hisp	10668	4,917,449	8138	72.7	70.7-74.7	979	8.5	07.3-09.7	1551	18.8	17.0-20.6
Black or Afr. Am./Non-Hisp	813	655,396	606	67.8	60.4-75.2	59	7.8	04.1-11.5	148	24.5	17.4-31.6
Oth. Race/Non-Hisp.	300	263,413							55	14.2	07.3-21.1
Hispanic	682	1,079,119	405	61.9	54.6-69.2	48	6.3	03.2-09.4	229	31.9	24.8-39.0
18-24	374	581,666	161	45.3	35.7-54.9	23	10.2	03.3-17.1	190	44.5	35.1-53.9
25-34	762	758,099	388	51.6	44.3-58.9	50	7.9	04.2-11.6	324	40.5	33.4-47.6
35-44	1301	1,423,309	841	62.7	57.8-67.6	63	4.8	02.6-07.0	397	32.5	27.6-37.4
45-54	2181	1,840,574	1581	77.1	73.4-80.8	156	6.7	04.5-08.9	444	16.1	13.0-19.2
55-64	2946	1,029,571	2336	79.8	76.7-82.9	222	8.2	06.2-10.2	388	12.1	09.6-14.6
65+	5342	1,474,339	4373	82.5	80.5-84.5	640	12.8	11.0-14.6	329	4.7	03.7-05.7
Less Than H.S.	1300	544,064	804	52.4	45.0-59.8	151	10.8	06.5-15.1	345	36.8	29.4-44.2
H.S. or G.E.D.	3939	1,872,057	2851	63.1	59.2-67.0	310	8.0	05.6-10.4	778	28.9	25.0-32.8
Some Post-H.S.	3366	1,903,848	2537	69.6	65.5-73.7	333	9.3	06.9-11.7	496	21.1	17.4-24.8
College Graduate	4333	2,792,527	3518	79.7	77.2-82.2	360	7.2	05.6-08.8	455	13.2	11.0-15.4
Less than \$15,000	1351	551,579	843	54.7	47.6-61.8	144	13.7	08.6-18.8	364	31.7	24.8-38.6
\$15,000- 24,999	2112	977,036	1432	57.3	51.4-63.2	204	7.8	05.4-10.2	476	34.9	29.0-40.8
\$25,000- 34,999	1357	618,854	984	62.3	55.4-69.2	134	9.6	06.1-13.1	239	28.1	21.4-34.8
\$35,000- 49,999	1838	832,798	1427	72.9	68.2-77.6	157	7.5	05.1-09.9	254	19.6	15.3-23.9
\$50,000- 74,999	1840	1,029,538	1477	77.4	72.7-82.1	147	7.5	04.2-10.8	216	15.0	11.3-18.7
\$75,000+	2993	2,296,086	2504	81.4	78.5-84.3	220	6.7	04.7-08.7	269	11.9	09.5-14.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 6: DO YOU HAVE ONE PERSON YOU THINK OF AS YOUR PERSONAL DOCTOR OR HEALTH CARE PROVIDER? (PERSDOC2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, only one			More than one			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21970	7,563,390	17900	77.0	75.6-78.4	1590	7.5	06.7-08.3	2480	15.5	14.3-16.7
White/Non-Hisp	17814	5,155,261	14724	79.3	77.9-80.7	1314	8.6	07.6-09.6	1776	12.1	10.9-13.3
Black or Afr. Am./Non-Hisp	1832	855,389	1500	77.8	72.9-82.7	108	4.2	02.6-05.8	224	18.0	13.3-22.7
Oth. Race/Non-Hisp.	351	200,223	287	79.2	70.0-88.4	17	6.9	00.4-13.4	47	13.9	06.5-21.3
MultiRacial/Non-Hisp.	311	105,851	31	12.9	03.9-21.9	31	12.9	03.9-21.9			
Hispanic	1247	1,116,365	860	68.6	63.5-73.7	77	4.7	02.7-06.7	310	26.8	21.7-31.9
18-24	475	392,229	286	50.7	41.3-60.1	34	8.8	04.1-13.5	155	40.5	31.1-49.9
25-34	1486	797,848	1006	67.8	63.1-72.5	80	4.8	02.8-06.8	400	27.3	22.8-31.8
35-44	2301	1,362,805	1688	69.3	65.6-73.0	138	7.2	05.2-09.2	475	23.5	20.0-27.0
45-54	3631	1,945,995	2853	78.3	75.4-81.2	241	7.3	05.5-09.1	537	14.4	11.7-17.1
55-64	4928	1,118,369	4123	83.6	81.2-86.0	292	6.1	04.7-07.5	513	10.3	08.3-12.3
65+	8896	1,868,153	7746	87.0	85.6-88.4	781	9.5	08.3-10.7	369	3.5	02.7-04.3
Less Than H.S.	2238	551,896	1674	63.9	57.8-70.0	194	8.8	05.5-12.1	370	27.3	21.4-33.2
H.S. or G.E.D.	7407	2,035,469	6019	75.3	72.6-78.0	489	6.7	05.5-07.9	899	18.0	15.5-20.5
Some Post-H.S.	6528	2,260,115	5405	78.0	75.6-80.4	450	7.2	06.0-08.4	673	14.8	12.6-17.0
College Graduate	5741	2,688,979	4767	80.4	78.0-82.8	452	8.1	06.7-09.5	522	11.5	09.5-13.5
Less than \$15,000	3056	727,024	2305	65.7	61.2-70.2	237	8.6	06.1-11.1	514	25.7	21.4-30.0
\$15,000- 24,999	4100	1,193,196	3225	68.7	64.6-72.8	287	6.3	04.7-07.9	588	25.1	21.0-29.2
\$25,000- 34,999	2418	687,554	1978	77.3	72.6-82.0	156	4.9	03.5-06.3	284	17.9	13.2-22.6
\$35,000- 49,999	2752	985,705	2316	78.7	75.0-82.4	170	7.1	04.9-09.3	266	14.2	10.9-17.5
\$50,000- 74,999	2573	1,007,361	2234	83.1	80.0-86.2	157	7.7	05.5-09.9	182	9.2	06.7-11.7
\$75,000+	3171	1,720,007	2745	83.7	81.2-86.2	227	7.7	05.9-09.5	199	8.6	06.6-10.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 7: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	35006	14,714,689	5319	17.3	16.3-18.3		29687	82.7	81.7-83.7	
Male	12999	7,138,331	1595	15.4	13.8-17.0		11404	84.6	83.0-86.2	
Female	22007	7,576,358	3724	19.1	17.7-20.5		18283	80.9	79.5-82.3	
White/Non-Hisp	28516	10,065,930	3745	13.6	12.6-14.6		24771	86.4	85.4-87.4	
Black or Afr. Am./Non-Hisp	2647	1,510,177	586	21.8	17.9-25.7		2061	78.2	74.3-82.1	
Oth. Race/Non-Hisp.	649	450,110	142	17.9	11.4-24.4		507	82.1	75.6-88.6	
MultiRacial/Non-Hisp.	530	198,064	146	24.2	16.2-32.2		384	75.8	67.8-83.8	
Hispanic	1944	2,216,123	586	29.5	25.4-33.6		1358	70.5	66.4-74.6	
18-24	855	973,877	199	26.9	20.2-33.6		656	73.1	66.4-79.8	
25-34	2255	1,560,960	635	25.4	21.9-28.9		1620	74.6	71.1-78.1	
35-44	3610	2,784,256	936	24.6	21.7-27.5		2674	75.4	72.5-78.3	
45-54	5823	3,792,787	1396	18.7	16.5-20.9		4427	81.3	79.1-83.5	
55-64	7873	2,143,407	1410	15.7	13.9-17.5		6463	84.3	82.5-86.1	
65+	14255	3,341,504	704	4.3	03.3-05.3		13551	95.7	94.7-96.7	
Less Than H.S.	3553	1,100,561	988	31.2	26.7-35.7		2565	68.8	64.3-73.3	
H.S. or G.E.D.	11379	3,922,683	1904	21.7	19.5-23.9		9475	78.3	76.1-80.5	
Some Post-H.S.	9884	4,153,331	1551	17.7	15.7-19.7		8333	82.3	80.3-84.3	
College Graduate	10085	5,476,171	854	11.0	09.6-12.4		9231	89.0	87.6-90.4	
Less than \$15,000	4408	1,273,648	1489	35.3	31.4-39.2		2919	64.7	60.8-68.6	
\$15,000- 24,999	6228	2,177,536	1510	36.5	33.0-40.0		4718	63.5	60.0-67.0	
\$25,000- 34,999	3779	1,310,067	589	20.8	17.3-24.3		3190	79.2	75.7-82.7	
\$35,000- 49,999	4592	1,815,977	554	17.0	14.5-19.5		4038	83.0	80.5-85.5	
\$50,000- 74,999	4415	2,036,769	311	9.9	07.7-12.1		4104	90.1	87.9-92.3	
\$75,000+	6167	4,011,895	246	4.0	03.0-05.0		5921	96.0	95.0-97.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 8: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	12999	7,138,331	1595	15.4	13.8-17.0	11404	84.6	83.0-86.2	
White/Non-Hisp	10680	4,910,509	1146	12.1	10.7-13.5	9534	87.9	86.5-89.3	
Black or Afr. Am./Non-Hisp	811	655,130	152	24.8	17.5-32.1	659	75.2	67.9-82.5	
Oth. Race/Non-Hisp.	298	252,352	54	14.0	05.0-23.0	244	86.0	77.0-95.0	
Hispanic	689	1,090,266	161	24.3	17.6-31.0	528	75.7	69.0-82.4	
18-24	375	581,878	68	24.2	15.0-33.4	307	75.8	66.6-85.0	
25-34	760	758,987	194	22.1	16.4-27.8	566	77.9	72.2-83.6	
35-44	1303	1,419,158	252	21.3	16.8-25.8	1051	78.7	74.2-83.2	
45-54	2181	1,839,781	424	15.9	12.8-19.0	1757	84.1	81.0-87.2	
55-64	2944	1,025,320	399	12.1	09.6-14.6	2545	87.9	85.4-90.4	
65+	5358	1,474,807	250	4.7	02.9-06.5	5108	95.3	93.5-97.1	
Less Than H.S.	1307	547,545	331	28.4	21.5-35.3	976	71.6	64.7-78.5	
H.S. or G.E.D.	3947	1,872,639	586	20.9	17.4-24.4	3361	79.1	75.6-82.6	
Some Post-H.S.	3358	1,898,704	396	15.1	11.6-18.6	2962	84.9	81.4-88.4	
College Graduate	4337	2,785,470	268	9.2	07.2-11.2	4069	90.8	88.8-92.8	
Less than \$15,000	1346	543,206	435	35.0	27.7-42.3	911	65.0	57.7-72.3	
\$15,000- 24,999	2122	982,240	465	36.5	30.4-42.6	1657	63.5	57.4-69.6	
\$25,000- 34,999	1356	620,638	167	18.8	13.5-24.1	1189	81.2	75.9-86.5	
\$35,000- 49,999	1840	831,946	183	13.9	10.0-17.8	1657	86.1	82.2-90.0	
\$50,000- 74,999	1840	1,029,366	92	9.4	06.1-12.7	1748	90.6	87.3-93.9	
\$75,000+	2997	2,295,905	82	3.2	01.8-04.6	2915	96.8	95.4-98.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 9: WAS THERE A TIME IN THE PAST 12 MONTHS WHEN YOU NEEDED TO SEE A DOCTOR BUT COULD NOT BECAUSE OF COST? (MEDCOST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	22007	7,576,358	3724	19.1	17.7-20.5	18283	80.9	79.5-82.3	
White/Non-Hisp	17836	5,155,421	2599	15.0	13.8-16.2	15237	85.0	83.8-86.2	
Black or Afr. Am./Non-Hisp	1836	855,047	434	19.6	15.5-23.7	1402	80.4	76.3-84.5	
Oth. Race/Non-Hisp.	351	197,758	88	22.8	13.4-32.2	263	77.2	67.8-86.6	
Hispanic	1255	1,125,856	425	34.5	29.4-39.6	830	65.5	60.4-70.6	
18-24	480	391,999	131	30.9	21.7-40.1	349	69.1	59.9-78.3	
25-34	1495	801,973	441	28.5	24.0-33.0	1054	71.5	67.0-76.0	
35-44	2307	1,365,098	684	28.1	24.6-31.6	1623	71.9	68.4-75.4	
45-54	3642	1,953,006	972	21.3	18.4-24.2	2670	78.7	75.8-81.6	
55-64	4929	1,118,087	1011	19.0	16.6-21.4	3918	81.0	78.6-83.4	
65+	8897	1,866,697	454	3.9	03.1-04.7	8443	96.1	95.3-96.9	
Less Than H.S.	2246	553,016	657	34.0	28.1-39.9	1589	66.0	60.1-71.9	
H.S. or G.E.D.	7432	2,050,044	1318	22.5	20.0-25.0	6114	77.5	75.0-80.0	
Some Post-H.S.	6526	2,254,627	1155	19.9	17.7-22.1	5371	80.1	77.9-82.3	
College Graduate	5748	2,690,701	586	12.8	10.8-14.8	5162	87.2	85.2-89.2	
Less than \$15,000	3062	730,442	1054	35.4	31.1-39.7	2008	64.6	60.3-68.9	
\$15,000- 24,999	4106	1,195,295	1045	36.5	32.6-40.4	3061	63.5	59.6-67.4	
\$25,000- 34,999	2423	689,429	422	22.7	18.2-27.2	2001	77.3	72.8-81.8	
\$35,000- 49,999	2752	984,031	371	19.6	16.1-23.1	2381	80.4	76.9-83.9	
\$50,000- 74,999	2575	1,007,403	219	10.5	08.0-13.0	2356	89.5	87.0-92.0	
\$75,000+	3170	1,715,990	164	5.0	03.6-06.4	3006	95.0	93.6-96.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 10: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34819	14,657,561	26150	69.7	68.5-70.9	3575	12.9	11.9-13.9	2295	8.6	07.8-09.4	2620	8.3	07.5-09.1	179	0.5	00.3-00.7
Male	12935	7,100,419	9421	66.5	64.5-68.5	1314	12.9	11.5-14.3	899	9.6	08.2-11.0	1226	10.5	09.1-11.9	75	0.5	00.3-00.7
Female	21884	7,557,142	16729	72.8	71.4-74.2	2261	13.0	11.8-14.2	1396	7.7	06.7-08.7	1394	6.1	05.3-06.9	104	0.4	00.2-00.6
White/Non-Hisp	28369	10,031,327	21466	71.6	70.4-72.8	2791	11.8	10.8-12.8	1812	7.7	06.9-08.5	2169	8.6	07.8-09.4	131	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	2639	1,500,766	2068	71.9	67.6-76.2	298	13.2	10.1-16.3	148	8.0	05.3-10.7	120	6.3	03.8-08.8	5	0.6	00.0-01.4
Oth. Race/Non-Hisp.	652	463,014	463	71.5	64.1-78.9	74	16.2	09.3-23.1	51	6.2	03.1-09.3	58	5.2	02.3-08.1	6	1.0	00.0-02.2
MultiRacial/Non-Hisp.	522	193,404	353	69.4	60.6-78.2	58	10.0	04.1-15.9	48	9.1	04.4-13.8	62	10.8	05.1-16.5	1	0.8	00.0-02.4
Hispanic	1928	2,196,432	1249	59.4	54.7-64.1	283	17.6	14.1-21.1	191	12.9	09.6-16.2	173	9.0	06.1-11.9	32	1.1	00.1-02.1
18-24	847	967,574	449	44.6	37.7-51.5	180	24.6	18.7-30.5	117	13.9	09.2-18.6	93	16.4	10.3-22.5	8	0.5	00.0-01.1
25-34	2247	1,541,528	1240	52.6	48.3-56.9	379	18.6	15.5-21.7	275	14.4	11.5-17.3	325	13.1	10.6-15.6	28	1.2	00.0-02.4
35-44	3598	2,767,301	2121	57.6	54.5-60.7	600	17.7	15.2-20.2	435	12.7	10.5-14.9	416	11.1	09.1-13.1	26	0.8	00.2-01.4
45-54	5812	3,796,528	3929	70.2	67.7-72.7	706	13.6	11.6-15.6	519	8.4	06.8-10.0	630	7.7	06.3-09.1	28	0.1	00.0-00.3
55-64	7851	2,142,659	5866	76.1	73.9-78.3	791	9.3	08.1-10.5	526	7.5	05.9-09.1	633	6.8	05.4-08.2	35	0.3	00.1-00.5
65+	14133	3,324,427	12294	90.3	89.3-91.3	887	4.7	04.1-05.3	404	2.0	01.6-02.4	495	2.7	02.1-03.3	53	0.3	00.1-00.5
Less Than H.S.	3518	1,097,311	2381	59.9	55.2-64.6	408	13.3	10.0-16.6	308	11.5	07.8-15.2	369	12.8	09.9-15.7	52	2.5	00.7-04.3
H.S. or G.E.D.	11311	3,889,717	8376	67.3	64.9-69.7	1147	13.1	11.3-14.9	729	9.0	07.4-10.6	1001	10.1	08.5-11.7	58	0.6	00.2-01.0
Some Post-H.S.	9850	4,143,563	7453	69.9	67.5-72.3	957	12.5	10.7-14.3	663	8.7	07.1-10.3	738	8.6	07.0-10.2	39	0.2	00.0-00.4
College Graduate	10035	5,464,755	7869	73.5	71.5-75.5	1050	13.1	11.5-14.7	589	7.5	06.3-08.7	499	5.8	04.8-06.8	28	0.2	00.0-00.4
Less than \$15,000	4384	1,279,796	2959	63.8	59.9-67.7	493	11.5	09.1-13.9	382	10.4	07.3-13.5	509	13.0	10.5-15.5	41	1.3	00.1-02.5
\$15,000- 24,999	6194	2,154,190	4466	62.6	59.1-66.1	631	11.9	09.5-14.3	462	12.8	10.1-15.5	596	12.4	09.9-14.9	39	0.3	00.1-00.5
\$25,000- 34,999	3765	1,296,121	2835	68.4	64.3-72.5	370	13.0	10.1-15.9	246	8.0	05.5-10.5	294	10.2	07.7-12.7	20	0.4	00.0-00.8
\$35,000- 49,999	4579	1,814,603	3501	72.0	68.9-75.1	422	11.6	09.4-13.8	293	9.2	06.8-11.6	352	7.2	05.6-08.8	11	0.1	00.1-00.1
\$50,000- 74,999	4404	2,034,609	3386	72.2	69.1-75.3	465	12.0	09.6-14.4	278	9.0	07.0-11.0	260	6.6	05.0-08.2	15	0.2	00.0-00.4
\$75,000+	6148	4,010,084	4871	74.1	71.7-76.5	660	14.4	12.4-16.4	345	6.6	05.4-07.8	266	4.8	03.6-06.0	6	0.1	00.1-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 11: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12935	7,100,419	9421	66.5	64.5-68.5	1314	12.9	11.5-14.3	899	9.6	08.2-11.0	1226	10.5	09.1-11.9	75	0.5	00.3-00.7
White/Non-Hisp	10626	4,883,287	7832	68.4	66.4-70.4	1046	12.7	11.1-14.3	698	7.9	06.7-09.1	1002	10.7	09.3-12.1	48	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	808	646,588	599	64.6	57.2-72.0	88	12.9	08.0-17.8	59	12.3	06.8-17.8	57	8.8	03.9-13.7	5	1.4	00.0-03.4
Oth. Race/Non-Hisp.	300	263,471							19	4.3	01.4-07.2	33	5.7	02.2-09.2	4	0.9	00.0-02.1
MultiRacial/Non-Hisp.	214	89,040				24	6.9	00.6-13.2	24	11.6	04.3-18.9				1	1.7	00.0-05.0
Hispanic	687	1,080,536	416	56.6	49.2-64.0	91	14.4	09.1-19.7	78	16.1	10.2-22.0	87	12.0	06.9-17.1	15	0.9	00.0-01.9
18-24	368	574,180	165	40.2	30.8-49.6	84	23.6	15.6-31.6	57	13.5	07.2-19.8	57	22.0	12.8-31.2	5	0.6	00.0-01.4
25-34	758	741,627	344	50.4	43.1-57.7	116	15.5	10.8-20.2	109	14.9	10.0-19.8	177	18.4	13.7-23.1	12	0.8	00.2-01.4
35-44	1298	1,407,263	688	53.6	48.5-58.7	220	17.9	14.0-21.8	170	13.3	09.6-17.0	206	13.7	10.6-16.8	14	1.4	00.2-02.6
45-54	2180	1,845,223	1365	67.4	63.3-71.5	274	13.4	10.3-16.5	212	9.5	06.8-12.2	316	9.5	07.3-11.7	13	0.2	00.0-00.4
55-64	2943	1,026,856	2185	74.9	71.4-78.4	298	9.4	07.4-11.4	188	8.8	06.1-11.5	256	6.7	04.7-08.7	16	0.2	00.0-00.4
65+	5309	1,466,479	4614	89.8	88.2-91.4	317	4.9	03.9-05.9	158	2.3	01.5-03.1	205	2.9	01.9-03.9	15	0.2	00.0-00.4
Less Than H.S.	1291	544,767	815	55.5	48.1-62.9	136	10.6	06.5-14.7	130	13.8	07.3-20.3	184	17.3	12.0-22.6	26	2.9	00.5-05.3
H.S. or G.E.D.	3923	1,849,248	2750	61.9	58.0-65.8	398	13.6	10.7-16.5	284	11.5	08.8-14.2	467	12.1	09.6-14.6	24	0.8	00.0-01.6
Some Post-H.S.	3355	1,891,343	2473	65.4	61.1-69.7	318	12.2	09.5-14.9	233	10.4	07.5-13.3	317	11.9	08.8-15.0	14	0.1	00.1-00.1
College Graduate	4318	2,781,282	3353	72.4	69.5-75.3	456	13.5	11.1-15.9	249	6.7	05.1-08.3	250	7.2	05.6-08.8	10	0.2	00.0-00.4
Less than \$15,000	1343	550,991	824	57.2	50.1-64.3	149	9.6	06.3-12.9	133	13.2	07.1-19.3	217	17.5	12.8-22.2	20	2.5	00.1-04.9
\$15,000- 24,999	2105	963,309	1462	57.1	51.2-63.0	193	11.6	07.5-15.7	164	14.3	09.6-19.0	271	16.7	11.8-21.6	15	0.2	00.0-00.4
\$25,000- 34,999	1348	606,739	999	66.4	59.7-73.1	116	11.1	07.2-15.0	87	10.0	05.3-14.7	140	12.2	07.7-16.7	6	0.2	00.0-00.4
\$35,000- 49,999	1837	833,918	1370	70.5	65.6-75.4	178	9.2	06.7-11.7	115	10.9	06.8-15.0	168	9.2	06.3-12.1	6	0.2	00.0-00.4
\$50,000- 74,999	1834	1,027,649	1383	70.4	65.5-75.3	188	12.3	08.4-16.2	115	9.4	06.3-12.5	142	7.6	05.2-10.0	6	0.2	00.0-00.6
\$75,000+	2985	2,291,807	2298	71.2	67.7-74.7	349	16.4	13.3-19.5	179	6.4	04.6-08.2	157	6.0	04.2-07.8	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 3: HEALTH CARE ACCESS**

TABLE 12: ABOUT HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DOCTOR FOR A ROUTINE CHECKUP? A ROUTINE CHECKUP IS A GENERAL PHYSICAL EXAM, NOT AN EXAM FOR A SPECIFIC INJURY, ILLNESS, OR CONDITION. (CHECKUP1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-12 months			1-2 years			2-5 years			5 or more years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21884	7,557,142	16729	72.8	71.4-74.2	2261	13.0	11.8-14.2	1396	7.7	06.7-08.7	1394	6.1	05.3-06.9	104	0.4	00.2-00.6
White/Non-Hisp	17743	5,148,040	13634	74.7	73.3-76.1	1745	11.0	10.0-12.0	1114	7.6	06.6-08.6	1167	6.5	05.7-07.3	83	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	1831	854,178	1469	77.4	72.5-82.3	210	13.4	09.3-17.5	89	4.8	02.3-07.3	63	4.4	01.9-06.9			
Oth. Race/Non-Hisp.	352	199,542				40	15.2	07.2-23.2	32	8.6	02.7-14.5	25	4.6	00.0-09.5	2	1.1	00.0-03.3
MultiRacial/Non-Hisp.	308	104,364				34	12.6	03.4-21.8	24	7.0	00.7-13.3	33	6.5	02.4-10.6			
Hispanic	1241	1,115,896	833	62.2	56.7-67.7	192	20.7	15.8-25.6	113	9.7	06.6-12.8	86	6.1	03.4-08.8	17	1.3	00.0-02.9
18-24	479	393,394	284	50.9	41.5-60.3	96	25.9	17.1-34.7	60	14.4	07.1-21.7	36	8.3	02.8-13.8	3	0.4	00.0-01.0
25-34	1489	799,902	896	54.7	49.8-59.6	263	21.5	17.4-25.6	166	13.9	10.4-17.4	148	8.3	06.1-10.5	16	1.6	00.0-03.6
35-44	2300	1,360,038	1433	61.8	57.9-65.7	380	17.5	14.4-20.6	265	12.1	09.6-14.6	210	8.5	06.1-10.9	12	0.2	00.0-00.4
45-54	3632	1,951,306	2564	72.8	69.7-75.9	432	13.8	11.1-16.5	307	7.3	05.5-09.1	314	6.0	04.4-07.6	15	0.1	00.1-00.1
55-64	4908	1,115,803	3681	77.1	74.4-79.8	493	9.2	07.6-10.8	338	6.4	04.8-08.0	377	6.9	04.9-08.9	19	0.4	00.0-00.8
65+	8824	1,857,948	7680	90.7	89.7-91.7	570	4.6	03.8-05.4	246	1.7	01.1-02.3	290	2.6	02.0-03.2	38	0.4	00.2-00.6
Less Than H.S.	2227	552,544	1566	64.2	58.3-70.1	272	15.9	10.8-21.0	178	9.3	05.8-12.8	185	8.4	06.0-10.8	26	2.2	00.0-05.1
H.S. or G.E.D.	7388	2,040,470	5626	72.1	69.4-74.8	749	12.6	10.4-14.8	445	6.7	05.1-08.3	534	8.2	06.2-10.2	34	0.4	00.2-00.6
Some Post-H.S.	6495	2,252,220	4980	73.7	71.3-76.1	639	12.8	10.8-14.8	430	7.3	05.9-08.7	421	5.8	04.6-07.0	25	0.3	00.1-00.5
College Graduate	5717	2,683,473	4516	74.6	72.1-77.1	594	12.6	10.6-14.6	340	8.3	06.5-10.1	249	4.3	03.3-05.3	18	0.2	00.0-00.4
Less than \$15,000	3041	728,805	2135	68.7	64.4-73.0	344	12.9	10.0-15.8	249	8.2	05.5-10.9	292	9.6	06.9-12.3	21	0.5	00.1-00.9
\$15,000- 24,999	4089	1,190,881	3004	67.1	63.2-71.0	438	12.2	09.5-14.9	298	11.6	08.5-14.7	325	8.9	06.4-11.4	24	0.3	00.1-00.5
\$25,000- 34,999	2417	689,382	1836	70.1	65.2-75.0	254	14.6	10.3-18.9	159	6.3	04.3-08.3	154	8.4	05.7-11.1	14	0.6	00.0-01.4
\$35,000- 49,999	2742	980,685	2131	73.2	69.1-77.3	244	13.6	10.3-16.9	178	7.7	05.0-10.4	184	5.4	04.0-06.8	5	0.1	00.1-00.1
\$50,000- 74,999	2570	1,006,961	2003	74.1	70.6-77.6	277	11.7	09.2-14.2	163	8.6	06.2-11.0	118	5.5	03.5-07.5	9	0.2	00.0-00.4
\$75,000+	3163	1,718,276	2573	78.1	75.2-81.0	311	11.7	09.3-14.1	166	7.0	05.2-08.8	109	3.2	02.2-04.2	4	0.1	00.1-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 4: SLEEP CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)	
1 MALES AND FEMALES	30
2 MALES ONLY	31
3 FEMALES ONLY	32

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 4: SLEEP**

TABLE 1: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day		N	2-5 Days		N	6-10 Days		N	11-20 Days		N	21-30 Days		N	NONE	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	34311	14,457,333	1085	3.1	02.7-03.5	7530	24.5	23.3-25.7	3359	11.0	10.2-11.8	4003	13.4	12.6-14.2	4675	14.1	13.1-15.1	13659	33.9	32.7-35.1
Male	12767	7,012,159	372	2.7	02.1-03.3	2656	24.7	22.9-26.5	1101	10.3	08.9-11.7	1300	12.8	11.4-14.2	1587	13.4	12.0-14.8	5751	36.0	34.0-38.0
Female	21544	7,445,175	713	3.5	02.9-04.1	4874	24.3	22.9-25.7	2258	11.6	10.6-12.6	2703	13.9	12.9-14.9	3088	14.7	13.5-15.9	7908	32.0	30.6-33.4
White/Non-Hisp	28015	9,935,358	878	3.1	02.7-03.5	6086	24.4	23.2-25.6	2719	10.9	10.1-11.7	3196	13.2	12.2-14.2	3690	13.9	12.9-14.9	11446	34.4	33.2-35.6
Black or Afr. Am./Non-Hisp	2578	1,475,232	82	3.1	01.7-04.5	668	25.7	21.8-29.6	282	10.7	07.8-13.6	316	15.2	11.9-18.5	357	14.1	10.8-17.4	873	31.1	26.8-35.4
Oth. Race/Non-Hisp.	636	449,954	19	3.0	00.0-06.1	121	22.1	15.2-29.0	56	13.7	07.6-19.8	88	8.1	05.0-11.2	123	15.2	08.7-21.7	229	37.9	29.9-45.9
MultiRacial/Non-Hisp.	520	195,772	18	4.0	00.3-07.7	90	21.7	13.1-30.3	54	18.4	09.4-27.4	81	16.4	09.0-23.8	135	19.6	12.2-27.0	142	19.8	12.7-26.9
Hispanic	1880	2,135,035	65	2.6	01.0-04.2	444	25.9	21.8-30.0	192	10.9	07.6-14.2	251	13.9	11.0-16.8	280	14.7	11.4-18.0	648	32.0	27.7-36.3
18-24	842	968,626	17	2.7	00.0-05.4	205	27.8	21.5-34.1	130	12.6	08.1-17.1	146	20.4	15.3-25.5	110	15.5	09.6-21.4	234	21.0	15.9-26.1
25-34	2224	1,525,167	43	1.3	00.5-02.1	533	24.3	20.6-28.0	287	13.9	10.2-17.6	410	19.2	15.9-22.5	454	18.3	15.4-21.2	497	23.1	19.4-26.8
35-44	3562	2,737,424	99	2.7	01.7-03.7	944	28.1	25.2-31.0	492	14.4	12.2-16.6	574	16.2	13.8-18.6	638	16.0	13.6-18.4	815	22.6	19.9-25.3
45-54	5762	3,760,764	178	3.4	02.4-04.4	1382	26.3	23.8-28.8	697	11.8	10.0-13.6	905	13.4	11.6-15.2	1068	16.1	14.1-18.1	1532	29.0	26.3-31.7
55-64	7771	2,110,183	238	2.9	02.1-03.7	1795	24.8	22.8-26.8	757	9.6	08.2-11.0	933	11.3	09.7-12.9	1167	13.1	11.5-14.7	2881	38.3	35.9-40.7
65+	13823	3,239,396	499	4.1	03.3-04.9	2605	18.5	17.3-19.7	971	6.3	05.5-07.1	1005	7.5	06.5-08.5	1194	8.4	07.4-09.4	7549	55.2	53.6-56.8
Less Than H.S.	3393	1,062,699	91	4.0	01.3-06.7	613	19.3	15.6-23.0	316	7.5	05.1-09.9	431	13.3	10.4-16.2	709	16.9	13.8-20.0	1233	39.1	34.2-44.0
H.S. or G.E.D.	11096	3,773,743	322	2.5	01.9-03.1	2239	23.1	20.9-25.3	1051	9.9	08.5-11.3	1284	13.4	11.8-15.0	1521	14.6	12.8-16.4	4679	36.5	34.3-38.7
Some Post-H.S.	9739	4,114,431	286	2.8	02.0-03.6	2130	22.7	20.5-24.9	967	11.3	09.5-13.1	1236	15.0	13.2-16.8	1415	15.7	13.7-17.7	3705	32.5	30.3-34.7
College Graduate	9988	5,448,030	384	3.5	02.7-04.3	2528	27.7	25.9-29.5	1020	12.3	10.7-13.9	1041	12.2	10.8-13.6	1016	12.0	10.6-13.4	3999	32.2	30.2-34.2
Less than \$15,000	4313	1,255,596	98	1.8	00.8-02.8	739	18.2	14.9-21.5	440	9.1	07.1-11.1	618	15.2	12.7-17.7	1009	21.5	18.2-24.8	1409	34.1	30.2-38.0
\$15,000- 24,999	6090	2,132,141	167	2.0	01.4-02.6	1161	18.9	16.4-21.4	565	10.4	08.6-12.2	777	13.3	11.1-15.5	998	19.3	16.4-22.2	2422	36.2	33.1-39.3
\$25,000- 34,999	3702	1,278,893	118	3.4	02.0-04.8	784	21.3	18.2-24.4	355	10.5	06.8-14.2	413	11.3	08.6-14.0	484	16.0	12.9-19.1	1548	37.5	33.4-41.6
\$35,000- 49,999	4525	1,787,049	157	3.2	02.2-04.2	988	24.9	22.0-27.8	460	11.3	08.9-13.7	535	13.3	10.9-15.7	525	14.5	12.0-17.0	1860	32.8	29.9-35.7
\$50,000- 74,999	4360	2,009,412	138	3.5	02.1-04.9	1105	25.3	22.2-28.4	464	12.4	10.0-14.8	502	13.4	11.0-15.8	481	13.9	11.5-16.3	1670	31.5	28.6-34.4
\$75,000+	6115	3,981,079	233	3.6	02.4-04.8	1668	29.9	27.5-32.3	666	12.3	10.5-14.1	645	13.6	11.8-15.4	572	10.2	08.6-11.8	2331	30.4	28.0-32.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 4: SLEEP**

TABLE 2: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 Day			2-5 Days			6-10 Days			11-20 Days			21-30 Days			NONE		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12767	7,012,159	372	2.7	02.1-03.3	2656	24.7	22.9-26.5	1101	10.3	08.9-11.7	1300	12.8	11.4-14.2	1587	13.4	12.0-14.8	5751	36.0	34.0-38.0
White/Non-Hisp	10521	4,853,741	307	2.9	02.1-03.7	2191	25.2	23.2-27.2	881	9.8	08.4-11.2	1046	12.8	11.2-14.4	1248	13.1	11.7-14.5	4848	36.2	34.2-38.2
Black or Afr. Am./Non-Hisp	792	635,799	16	2.1	00.3-03.9	187	22.4	15.7-29.1	99	13.7	08.2-19.2	84	15.5	09.8-21.2	98	11.5	06.6-16.4	308	34.8	27.5-42.1
Oth. Race/Non-Hisp.	294	259,774	7	0.9	00.0-02.1	51	20.5	11.5-29.5	29	11.7	04.1-19.3	36	5.3	01.8-08.8	54	17.8	07.8-27.8			
MultiRacial/Non-Hisp.	216	90,923	4	3.2	00.0-07.9															
Hispanic	654	1,035,930	26	1.9	00.0-03.9	151	27.0	20.1-33.9	53	10.8	05.3-16.3	80	13.2	08.3-18.1	93	14.2	08.5-19.9	251	33.0	25.9-40.1
18-24	370	577,574	6	3.3	00.0-07.6	93	26.3	17.9-34.7	64	12.2	05.9-18.5	64	21.7	14.3-29.1	47	17.3	08.5-26.1	96	19.2	12.5-25.9
25-34	747	739,059	18	0.8	00.0-01.6	190	26.2	19.9-32.5	89	14.5	07.6-21.4	132	18.7	13.2-24.2	147	15.6	11.3-19.9	171	24.3	18.0-30.6
35-44	1289	1,398,925	37	2.4	00.8-04.0	333	28.5	24.0-33.0	167	13.5	10.0-17.0	207	16.4	12.7-20.1	205	15.3	11.6-19.0	340	23.9	19.6-28.2
45-54	2152	1,817,031	64	2.4	01.2-03.6	532	27.8	23.7-31.9	258	10.9	08.5-13.3	288	12.0	09.5-14.5	362	15.3	12.2-18.4	648	31.6	27.3-35.9
55-64	2909	1,006,823	87	3.1	01.7-04.5	634	24.4	21.1-27.7	252	8.9	06.9-10.9	296	10.0	07.6-12.4	382	10.8	08.6-13.0	1258	42.7	39.0-46.4
65+	5223	1,434,194	159	3.7	02.7-04.7	858	16.1	14.3-17.9	267	4.5	03.3-05.7	309	6.0	04.6-07.4	429	8.1	06.5-09.7	3201	61.6	59.1-64.1
Less Than H.S.	1256	537,355	32	3.9	00.0-08.4	187	17.0	11.3-22.7	104	6.7	03.0-10.4	146	13.2	08.5-17.9	254	17.3	12.2-22.4	533	41.9	34.3-49.5
H.S. or G.E.D.	3859	1,786,430	87	1.9	01.1-02.7	720	22.9	19.4-26.4	324	8.3	06.5-10.1	410	13.1	10.6-15.6	508	15.1	12.2-18.0	1810	38.6	34.9-42.3
Some Post-H.S.	3309	1,879,671	95	2.5	01.3-03.7	700	23.8	19.9-27.7	295	11.3	08.0-14.6	371	14.7	11.6-17.8	429	14.3	11.2-17.4	1419	33.4	29.7-37.1
College Graduate	4297	2,775,671	157	3.1	02.1-04.1	1037	27.9	25.2-30.6	375	11.7	09.5-13.9	371	11.4	09.4-13.4	388	11.0	09.0-13.0	1969	34.8	32.1-37.5
Less than \$15,000	1323	540,877	25	1.1	00.3-01.9	205	17.0	10.9-23.1	114	6.4	04.2-08.6	172	15.0	10.3-19.7	305	21.7	15.8-27.6	502	38.8	31.7-45.9
\$15,000- 24,999	2071	956,571	49	1.9	00.9-02.9	367	19.1	14.8-23.4	154	9.9	06.6-13.2	234	9.2	06.5-11.9	350	21.3	15.8-26.8	917	38.6	33.1-44.1
\$25,000- 34,999	1326	603,590	38	1.3	00.5-02.1	268	19.7	14.6-24.8	104	10.7	03.4-18.0	122	13.1	08.0-18.2	170	16.1	11.4-20.8	624	39.2	32.7-45.7
\$35,000- 49,999	1811	816,105	59	3.6	02.0-05.2	365	24.8	20.3-29.3	170	9.5	06.6-12.4	186	13.2	09.5-16.9	185	13.3	09.4-17.2	846	35.6	31.1-40.1
\$50,000- 74,999	1815	1,011,782	57	2.9	01.3-04.5	401	24.4	19.5-29.3	176	12.0	08.1-15.9	177	13.9	10.2-17.6	182	12.3	08.8-15.8	822	34.5	29.8-39.2
\$75,000+	2969	2,273,670	104	3.5	01.9-05.1	770	29.8	26.3-33.3	294	12.7	10.2-15.2	281	13.3	10.8-15.8	225	8.9	06.7-11.1	1295	31.9	28.4-35.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 4: SLEEP**

TABLE 3: DURING THE PAST 30 DAYS, FOR ABOUT HOW MANY DAYS HAVE YOU FELT YOU DID NOT GET ENOUGH REST OR SLEEP? (QLREST2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 Day		N	2-5 Days		N	6-10 Days		N	11-20 Days		N	21-30 Days		N	NONE	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	21544	7,445,175	713	3.5	02.9-04.1	4874	24.3	22.9-25.7	2258	11.6	10.6-12.6	2703	13.9	12.9-14.9	3088	14.7	13.5-15.9	7908	32.0	30.6-33.4
White/Non-Hisp	17494	5,081,617	571	3.3	02.7-03.9	3895	23.7	22.3-25.1	1838	12.0	11.0-13.0	2150	13.6	12.4-14.8	2442	14.6	13.4-15.8	6598	32.7	31.3-34.1
Black or Afr. Am./Non-Hisp	1786	839,433	66	3.9	01.9-05.9	481	28.2	23.5-32.9	183	8.4	05.7-11.1	232	15.0	10.9-19.1	259	16.2	11.9-20.5	565	28.4	23.1-33.7
Oth. Race/Non-Hisp.	342	190,180	12	5.8	00.0-13.1				27	16.4	06.8-26.0	52	12.0	06.7-17.3	69	11.7	04.6-18.8	112	29.9	20.3-39.5
MultiRacial/Non-Hisp.	304	104,849	14	4.7	00.0-10.4										78	13.6	07.5-19.7	68	16.8	06.8-26.8
Hispanic	1226	1,099,105	39	3.4	01.0-05.8	293	24.9	20.0-29.8	139	11.0	07.3-14.7	171	14.5	11.0-18.0	187	15.2	11.5-18.9	397	31.0	25.9-36.1
18-24	472	391,051	11	1.9	00.0-03.9	112	30.0	20.8-39.2	66	13.3	07.2-19.4	82	18.5	11.6-25.4	63	12.7	06.6-18.8	138	23.6	15.8-31.4
25-34	1477	786,108	25	1.7	00.3-03.1	343	22.5	18.6-26.4	198	13.3	10.0-16.6	278	19.7	16.0-23.4	307	20.8	16.9-24.7	326	22.0	17.7-26.3
35-44	2273	1,338,499	62	3.0	01.8-04.2	611	27.6	24.1-31.1	325	15.5	12.8-18.2	367	16.0	12.9-19.1	433	16.7	14.0-19.4	475	21.1	18.0-24.2
45-54	3610	1,943,733	114	4.3	02.5-06.1	850	24.8	21.7-27.9	439	12.6	10.1-15.1	617	14.8	12.4-17.2	706	16.9	14.2-19.6	884	26.5	23.2-29.8
55-64	4862	1,103,360	151	2.6	01.8-03.4	1161	25.1	22.6-27.6	505	10.2	08.6-11.8	637	12.5	10.5-14.5	785	15.2	13.0-17.4	1623	34.4	31.5-37.3
65+	8600	1,805,202	340	4.4	03.4-05.4	1747	20.5	18.9-22.1	704	7.8	06.8-08.8	696	8.6	07.2-10.0	765	8.6	07.4-09.8	4348	50.2	48.0-52.4
Less Than H.S.	2137	525,344	59	4.0	01.3-06.7	426	21.7	16.8-26.6	212	8.3	05.8-10.8	285	13.3	09.6-17.0	455	16.4	12.7-20.1	700	36.2	30.3-42.1
H.S. or G.E.D.	7237	1,987,313	235	3.1	02.3-03.9	1519	23.2	20.7-25.7	727	11.3	09.3-13.3	874	13.7	11.5-15.9	1013	14.2	12.2-16.2	2869	34.5	32.0-37.0
Some Post-H.S.	6430	2,234,760	191	3.1	02.3-03.9	1430	21.7	19.5-23.9	672	11.2	09.6-12.8	865	15.1	13.1-17.1	986	17.0	14.8-19.2	2286	31.8	29.4-34.2
College Graduate	5691	2,672,359	227	3.9	02.7-05.1	1491	27.6	25.1-30.1	645	13.0	11.0-15.0	670	13.0	11.2-14.8	628	13.1	11.1-15.1	2030	29.5	27.0-32.0
Less than \$15,000	2990	714,719	73	2.3	00.7-03.9	534	19.2	15.9-22.5	326	11.2	08.1-14.3	446	15.3	12.4-18.2	704	21.4	17.7-25.1	907	30.6	26.5-34.7
\$15,000- 24,999	4019	1,175,570	118	2.1	01.1-03.1	794	18.6	15.9-21.3	411	10.8	08.6-13.0	543	16.6	13.5-19.7	648	17.7	14.8-20.6	1505	34.2	30.5-37.9
\$25,000- 34,999	2376	675,303	80	5.3	02.9-07.7	516	22.8	19.1-26.5	251	10.3	07.4-13.2	291	9.7	07.5-11.9	314	15.9	11.8-20.0	924	36.0	30.9-41.1
\$35,000- 49,999	2714	970,945	98	2.8	01.6-04.0	623	25.1	21.2-29.0	290	12.7	09.0-16.4	349	13.4	10.7-16.1	340	15.6	12.3-18.9	1014	30.5	26.8-34.2
\$50,000- 74,999	2545	997,629	81	4.1	01.7-06.5	704	26.3	22.8-29.8	288	12.7	10.0-15.4	325	12.9	10.2-15.6	299	15.5	12.2-18.8	848	28.4	24.9-31.9
\$75,000+	3146	1,707,409	129	3.8	02.4-05.2	898	30.1	27.0-33.2	372	11.9	09.9-13.9	364	14.0	11.6-16.4	347	11.9	09.7-14.1	1036	28.3	25.2-31.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 5: EXERCISE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)	
1 MALES AND FEMALES	34
2 MALES ONLY	35
3 FEMALES ONLY	36

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 1: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	35018	14,729,585	24750	76.0	75.0-77.0	10268	24.0	23.0-25.0	
Male	13007	7,147,423	9665	79.3	77.7-80.9	3342	20.7	19.1-22.3	
Female	22011	7,582,163	15085	72.8	71.4-74.2	6926	27.2	25.8-28.6	
White/Non-Hisp	28510	10,069,133	20374	77.5	76.5-78.5	8136	22.5	21.5-23.5	
Black or Afr. Am./Non-Hisp	2650	1,506,631	1735	70.6	66.5-74.7	915	29.4	25.3-33.5	
Oth. Race/Non-Hisp.	655	463,994	467	76.3	69.2-83.4	188	23.7	16.6-30.8	
MultiRacial/Non-Hisp.	528	198,110	364	78.5	70.5-86.5	164	21.5	13.5-29.5	
Hispanic	1951	2,217,118	1321	72.3	68.4-76.2	630	27.7	23.8-31.6	
18-24	858	976,126	680	84.9	80.6-89.2	178	15.1	10.8-19.4	
25-34	2258	1,562,353	1755	79.7	76.4-83.0	503	20.3	17.0-23.6	
35-44	3612	2,793,488	2668	78.0	75.5-80.5	944	22.0	19.5-24.5	
45-54	5820	3,792,888	4077	75.1	72.6-77.6	1743	24.9	22.4-27.4	
55-64	7879	2,146,199	5522	74.2	72.0-76.4	2357	25.8	23.6-28.0	
65+	14253	3,340,649	9801	72.1	70.5-73.7	4452	27.9	26.3-29.5	
Less Than H.S.	3569	1,105,127	1941	63.5	59.2-67.8	1628	36.5	32.2-40.8	
H.S. or G.E.D.	11370	3,919,730	7292	69.0	66.8-71.2	4078	31.0	28.8-33.2	
Some Post-H.S.	9893	4,161,045	7170	74.7	72.7-76.7	2723	25.3	23.3-27.3	
College Graduate	10081	5,482,816	8273	84.4	83.0-85.8	1808	15.6	14.2-17.0	
Less than \$15,000	4427	1,286,335	2483	64.2	60.7-67.7	1944	35.8	32.3-39.3	
\$15,000- 24,999	6233	2,179,715	3866	65.7	62.8-68.6	2367	34.3	31.4-37.2	
\$25,000- 34,999	3776	1,311,631	2617	70.4	66.7-74.1	1159	29.6	25.9-33.3	
\$35,000- 49,999	4593	1,820,129	3378	75.6	72.9-78.3	1215	24.4	21.7-27.1	
\$50,000- 74,999	4409	2,033,814	3444	79.5	76.6-82.4	965	20.5	17.6-23.4	
\$75,000+	6167	4,014,242	5218	87.1	85.3-88.9	949	12.9	11.1-14.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 2: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13007	7,147,423	9665	79.3	77.7-80.9	3342	20.7	19.1-22.3
White/Non-Hisp	10674	4,910,177	7978	81.0	79.6-82.4	2696	19.0	17.6-20.4
Black or Afr. Am./Non-Hisp	815	652,030	578	73.9	67.0-80.8	237	26.1	19.2-33.0
Hispanic	693	1,090,917	515	76.2	69.9-82.5	178	23.8	17.5-30.1
18-24	376	582,010	321	90.5	85.6-95.4	55	9.5	04.6-14.4
25-34	764	761,014	625	83.8	78.9-88.7	139	16.2	11.3-21.1
35-44	1302	1,423,371	1004	81.8	78.3-85.3	298	18.2	14.7-21.7
45-54	2179	1,841,194	1568	74.8	70.7-78.9	611	25.2	21.1-29.3
55-64	2949	1,030,359	2149	79.0	76.3-81.7	800	21.0	18.3-23.7
65+	5357	1,470,632	3936	76.2	73.8-78.6	1421	23.8	21.4-26.2
Less Than H.S.	1314	549,466	765	67.8	61.5-74.1	549	32.2	25.9-38.5
H.S. or G.E.D.	3940	1,868,064	2678	72.8	69.5-76.1	1262	27.2	23.9-30.5
Some Post-H.S.	3368	1,904,089	2539	79.1	75.8-82.4	829	20.9	17.6-24.2
College Graduate	4335	2,791,831	3646	86.3	84.1-88.5	689	13.7	11.5-15.9
Less than \$15,000	1357	551,468	810	69.1	63.2-75.0	547	30.9	25.0-36.8
\$15,000- 24,999	2124	983,117	1358	70.8	66.3-75.3	766	29.2	24.7-33.7
\$25,000- 34,999	1355	621,397	962	72.1	66.0-78.2	393	27.9	21.8-34.0
\$35,000- 49,999	1840	834,643	1382	77.7	73.8-81.6	458	22.3	18.4-26.2
\$50,000- 74,999	1840	1,029,519	1464	80.3	75.4-85.2	376	19.7	14.8-24.6
\$75,000+	2995	2,295,560	2591	88.8	86.4-91.2	404	11.2	08.8-13.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 5: EXERCISE**

TABLE 3: DURING THE PAST MONTH, OTHER THAN YOUR REGULAR JOB, DID YOU PARTICIPATE IN ANY PHYSICAL ACTIVITIES OR EXERCISES SUCH AS RUNNING, CALISTHENICS, GOLF, GARDENING, OR WALKING FOR EXERCISE? (EXERANY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	22011	7,582,163	15085	72.8	71.4-74.2	6926	27.2	25.8-28.6
White/Non-Hisp	17836	5,158,956	12396	74.3	72.9-75.7	5440	25.7	24.3-27.1
Black or Afr. Am./Non-Hisp	1835	854,602	1157	68.0	63.1-72.9	678	32.0	27.1-36.9
Oth. Race/Non-Hisp.	354	200,328	248	78.1	69.3-86.9	106	21.9	13.1-30.7
Hispanic	1258	1,126,201	806	68.5	63.6-73.4	452	31.5	26.6-36.4
18-24	482	394,116	359	76.5	68.9-84.1	123	23.5	15.9-31.1
25-34	1494	801,339	1130	75.7	71.4-80.0	364	24.3	20.0-28.6
35-44	2310	1,370,117	1664	74.0	70.5-77.5	646	26.0	22.5-29.5
45-54	3641	1,951,694	2509	75.4	72.5-78.3	1132	24.6	21.7-27.5
55-64	4930	1,115,840	3373	69.8	66.9-72.7	1557	30.2	27.3-33.1
65+	8896	1,870,017	5865	68.8	66.8-70.8	3031	31.2	29.2-33.2
Less Than H.S.	2255	555,662	1176	59.2	53.5-64.9	1079	40.8	35.1-46.5
H.S. or G.E.D.	7430	2,051,666	4614	65.6	63.1-68.1	2816	34.4	31.9-36.9
Some Post-H.S.	6525	2,256,956	4631	71.0	68.6-73.4	1894	29.0	26.6-31.4
College Graduate	5746	2,690,985	4627	82.5	80.5-84.5	1119	17.5	15.5-19.5
Less than \$15,000	3070	734,866	1673	60.5	56.4-64.6	1397	39.5	35.4-43.6
\$15,000- 24,999	4109	1,196,599	2508	61.5	57.8-65.2	1601	38.5	34.8-42.2
\$25,000- 34,999	2421	690,233	1655	68.9	64.4-73.4	766	31.1	26.6-35.6
\$35,000- 49,999	2753	985,486	1996	73.7	70.0-77.4	757	26.3	22.6-30.0
\$50,000- 74,999	2569	1,004,295	1980	78.6	75.3-81.9	589	21.4	18.1-24.7
\$75,000+	3172	1,718,681	2627	84.8	82.4-87.2	545	15.2	12.8-17.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 6: DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)	
1	MALES AND FEMALES	38
2	MALES ONLY	39
3	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 6: DIABETES**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		Yes, during pregnancy			N	No		No, pre or borderline diabetes		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35071	14,751,269	5270	10.4	09.8-11.0	245	0.8	00.6-01.0	28961	87.6	86.8-88.4	595	1.2	01.0-01.4
Male	13026	7,157,796	2258	11.7	10.7-12.7				10541	87.3	86.1-88.5	227	1.0	00.6-01.4
Female	22045	7,593,473	3012	9.2	08.4-10.0	245	1.6	01.2-02.0	18420	87.9	86.9-88.9	368	1.3	00.9-01.7
White/Non-Hisp	28553	10,084,141	4071	10.1	09.5-10.7	183	0.9	00.7-01.1	23830	88.0	87.2-88.8	469	1.0	00.8-01.2
Black or Afr. Am./Non-Hisp	2655	1,513,545	581	13.1	10.7-15.5	19	0.5	00.1-00.9	2003	85.3	82.8-87.8	52	1.1	00.5-01.7
Oth. Race/Non-Hisp.	655	463,529	119	8.6	05.5-11.7	6	0.3	00.0-00.7	517	88.2	83.3-93.1	13	2.8	00.0-06.7
MultiRacial/Non-Hisp.	532	198,229	79	10.9	05.6-16.2	6	1.6	00.0-04.3	429	83.8	76.7-90.9	18	3.8	00.0-08.3
Hispanic	1950	2,215,062	272	9.6	07.2-12.0	27	0.9	00.1-01.7	1623	88.2	85.5-90.9	28	1.3	00.3-02.3
18-24	858	976,126	7	0.5	00.0-01.1	7	0.6	00.0-01.4	842	98.9	97.9-99.9	2	0.0	00.0-00.0
25-34	2261	1,564,198	60	2.7	01.5-03.9	63	2.7	01.3-04.1	2122	94.3	92.3-96.3	16	0.3	00.0-00.7
35-44	3616	2,794,330	211	5.2	03.8-06.6	69	1.2	00.8-01.6	3302	93.1	91.5-94.7	34	0.5	00.1-00.9
45-54	5834	3,800,172	633	8.7	07.1-10.3	54	0.9	00.5-01.3	5073	89.4	87.6-91.2	74	1.0	00.4-01.6
55-64	7884	2,148,425	1383	16.5	14.7-18.3	24	0.1	00.1-00.1	6319	81.4	79.6-83.2	158	1.9	01.1-02.7
65+	14281	3,349,887	2936	19.2	17.8-20.6	25	0.1	00.1-00.1	11011	78.5	77.1-79.9	309	2.1	01.7-02.5
Less Than H.S.	3574	1,104,873	787	15.4	12.7-18.1	32	1.6	00.0-03.2	2666	80.6	77.3-83.9	89	2.3	00.5-04.1
H.S. or G.E.D.	11395	3,926,890	1832	11.7	10.3-13.1	54	0.3	00.1-00.5	9288	86.5	85.1-87.9	221	1.5	01.1-01.9
Some Post-H.S.	9905	4,168,179	1457	10.3	09.1-11.5	66	0.8	00.4-01.2	8245	88.0	86.8-89.2	137	0.9	00.5-01.3
College Graduate	10090	5,488,920	1180	8.6	07.4-09.8	93	1.0	00.6-01.4	8671	89.5	88.3-90.7	146	0.9	00.7-01.1
Less than \$15,000	4438	1,288,569	945	18.6	15.9-21.3	34	0.7	00.3-01.1	3357	77.3	74.2-80.4	102	3.3	01.1-05.5
\$15,000- 24,999	6240	2,179,439	1184	12.5	10.9-14.1	36	0.7	00.3-01.1	4885	85.5	83.7-87.3	135	1.3	00.9-01.7
\$25,000- 34,999	3778	1,310,920	571	10.6	08.8-12.4	26	0.7	00.1-01.3	3117	87.7	85.7-89.7	64	1.1	00.7-01.5
\$35,000- 49,999	4594	1,820,584	665	11.7	09.5-13.9	28	0.3	00.1-00.5	3832	87.2	84.8-89.6	69	0.7	00.3-01.1
\$50,000- 74,999	4416	2,036,312	553	10.3	08.3-12.3	35	0.7	00.3-01.1	3772	88.2	86.2-90.2	56	0.8	00.4-01.2
\$75,000+	6171	4,018,000	544	5.8	04.8-06.8	57	1.2	00.6-01.8	5502	92.2	91.0-93.4	68	0.8	00.6-01.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 6: DIABETES**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No, pre or borderline diabetes		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13026	7,157,796	2258	11.7	10.7-12.7	10541	87.3	86.1-88.5	227	1.0	00.6-01.4
White/Non-Hisp	10693	4,917,073	1822	12.0	10.8-13.2	8687	87.1	85.9-88.3	184	0.9	00.7-01.1
Black or Afr. Am./Non-Hisp	815	657,185	180	12.6	08.7-16.5	618	86.6	82.5-90.7	17	0.8	00.2-01.4
Oth. Race/Non-Hisp.	302	263,683	59	9.3	05.0-13.6	238	86.5	78.7-94.3	5	4.2	00.0-11.1
MultiRacial/Non-Hisp.	220	92,340	34	9.9	03.8-16.0	179	88.7	82.4-95.0	7	1.4	00.0-03.2
Hispanic	691	1,088,562	104	9.5	06.0-13.0	579	89.7	86.0-93.4	8	0.8	00.0-01.8
18-24	376	582,010	2	0.0	00.0-00.0	373	99.9	99.9-99.9	1	0.0	00.0-00.0
25-34	764	762,171	16	2.3	00.5-04.1	746	97.4	95.6-99.2	2	0.3	00.0-00.9
35-44	1305	1,424,282	84	6.4	03.9-08.9	1214	93.5	91.0-96.0	7	0.0	00.0-00.0
45-54	2189	1,845,783	256	10.0	07.6-12.4	1908	89.0	86.5-91.5	25	1.0	00.0-02.0
55-64	2948	1,029,583	603	19.1	16.2-22.0	2283	79.0	75.9-82.1	62	1.9	00.7-03.1
65+	5364	1,475,124	1291	23.2	21.0-25.4	3943	74.9	72.7-77.1	130	1.9	01.3-02.5
Less Than H.S.	1316	548,210	269	12.8	09.3-16.3	1012	84.3	79.6-89.0	35	2.8	00.0-06.1
H.S. or G.E.D.	3952	1,874,747	690	11.5	09.3-13.7	3184	87.2	85.0-89.4	78	1.3	00.5-02.1
Some Post-H.S.	3367	1,906,522	624	11.6	09.6-13.6	2688	87.9	85.9-89.9	55	0.5	00.3-00.7
College Graduate	4341	2,794,343	670	11.7	09.9-13.5	3612	87.5	85.7-89.3	59	0.7	00.3-01.1
Less than \$15,000	1364	553,270	284	16.5	12.4-20.6	1046	79.3	74.0-84.6	34	4.1	00.2-08.0
\$15,000- 24,999	2120	980,976	457	14.3	11.4-17.2	1620	84.7	81.6-87.8	43	1.0	00.4-01.6
\$25,000- 34,999	1355	620,266	242	10.8	08.1-13.5	1080	88.1	85.2-91.0	33	1.0	00.4-01.6
\$35,000- 49,999	1843	834,728	345	13.6	10.5-16.7	1467	86.0	82.9-89.1	31	0.4	00.2-00.6
\$50,000- 74,999	1841	1,028,910	301	14.0	10.7-17.3	1517	85.4	82.1-88.7	23	0.6	00.2-01.0
\$75,000+	2998	2,297,739	364	7.7	06.1-09.3	2594	91.7	90.1-93.3	40	0.7	00.3-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 6: DIABETES**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR THAT YOU HAVE DIABETES (DIABETE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		Yes, during pregnancy			N	No		No, pre or borderline diabetes		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)
Female	22045	7,593,473	3012	9.2	08.4-10.0	245	1.6	01.2-02.0	18420	87.9	86.9-88.9	368	1.3	00.9-01.7
White/Non-Hisp	17860	5,167,068	2249	8.2	07.4-09.0	183	1.7	01.1-02.3	15143	88.9	87.9-89.9	285	1.2	01.0-01.4
Black or Afr. Am./Non-Hisp	1840	856,360	401	13.5	10.6-16.4	19	0.8	00.2-01.4	1385	84.3	81.2-87.4	35	1.4	00.6-02.2
Oth. Race/Non-Hisp.	353	199,846	60	7.7	03.6-11.8	6	0.8	00.0-01.6	279	90.5	86.0-95.0	8	1.0	00.0-02.4
MultiRacial/Non-Hisp.	312	105,888	45	11.7	03.5-19.9	6	3.0	00.0-07.9				11	5.8	00.0-14.0
Hispanic	1259	1,126,500	168	9.8	06.5-13.1	27	1.7	00.1-03.3	1044	86.7	82.8-90.6	20	1.8	00.2-03.4
18-24	482	394,116	5	1.1	00.0-02.7	7	1.6	00.0-03.4	469	97.3	94.9-99.7	1	0.0	00.0-00.0
25-34	1497	802,027	44	3.1	01.3-04.9	63	5.2	02.5-07.9	1376	91.3	88.0-94.6	14	0.3	00.0-00.7
35-44	2311	1,370,048	127	3.9	02.5-05.3	69	2.4	01.4-03.4	2088	92.6	90.8-94.4	27	1.1	00.5-01.7
45-54	3645	1,954,389	377	7.6	05.6-09.6	54	1.7	00.9-02.5	3165	89.8	87.4-92.2	49	1.0	00.2-01.8
55-64	4936	1,118,842	780	14.2	12.2-16.2	24	0.2	00.0-00.4	4036	83.7	81.5-85.9	96	1.9	00.9-02.9
65+	8917	1,874,764	1645	16.1	14.5-17.7	25	0.2	00.0-00.4	7068	81.4	79.8-83.0	179	2.3	01.7-02.9
Less Than H.S.	2258	556,663	518	18.0	14.1-21.9	32	3.3	00.2-06.4	1654	76.9	72.2-81.6	54	1.9	00.7-03.1
H.S. or G.E.D.	7443	2,052,143	1142	12.0	10.4-13.6	54	0.6	00.2-01.0	6104	85.8	84.2-87.4	143	1.6	01.0-02.2
Some Post-H.S.	6538	2,261,656	833	9.1	07.7-10.5	66	1.5	00.7-02.3	5557	88.1	86.5-89.7	82	1.3	00.5-02.1
College Graduate	5749	2,694,576	510	5.4	04.0-06.8	93	2.1	01.3-02.9	5059	91.4	89.8-93.0	87	1.0	00.6-01.4
Less than \$15,000	3074	735,300	661	20.1	16.6-23.6	34	1.3	00.5-02.1	2311	75.9	72.0-79.8	68	2.7	00.3-05.1
\$15,000- 24,999	4120	1,198,463	727	11.0	09.2-12.8	36	1.2	00.4-02.0	3265	86.2	84.2-88.2	92	1.6	01.0-02.2
\$25,000- 34,999	2423	690,654	329	10.3	07.8-12.8	26	1.3	00.1-02.5	2037	87.2	84.5-89.9	31	1.2	00.4-02.0
\$35,000- 49,999	2751	985,856	320	10.1	06.8-13.4	28	0.6	00.2-01.0	2365	88.3	85.0-91.6	38	1.0	00.4-01.6
\$50,000- 74,999	2575	1,007,403	252	6.6	05.0-08.2	35	1.4	00.4-02.4	2255	91.0	89.2-92.8	33	1.0	00.4-01.6
\$75,000+	3173	1,720,260	180	3.3	02.1-04.5	57	2.8	01.6-04.0	2908	93.0	91.2-94.8	28	0.9	00.5-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 7: ORAL HEALTH CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS. (LASTDEN3)	
1	MALES AND FEMALES	42
2	MALES ONLY	43
3	FEMALES ONLY	44
	HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)	
4	MALES AND FEMALES	45
5	MALES ONLY	46
6	FEMALES ONLY	47
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)	
7	MALES AND FEMALES	48
8	MALES ONLY	49
9	FEMALES ONLY	50

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 1: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34859	14,636,487	21393	64.7	63.5-65.9	3691	11.5	10.7-12.3	3941	11.2	10.4-12.0	5637	11.6	10.8-12.4	197	1.0	00.6-01.4
Male	12964	7,091,055	7727	64.0	62.0-66.0	1363	11.7	10.3-13.1	1463	10.7	09.5-11.9	2311	12.2	11.0-13.4	100	1.4	00.6-02.2
Female	21895	7,545,432	13666	65.3	63.7-66.9	2328	11.4	10.4-12.4	2478	11.7	10.7-12.7	3326	10.9	09.9-11.9	97	0.7	00.3-01.1
White/Non-Hisp	28416	10,045,614	18048	68.2	67.0-69.4	2846	10.4	09.6-11.2	2980	9.6	08.8-10.4	4443	11.5	10.7-12.3	99	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	2628	1,491,283	1326	55.2	50.7-59.7	380	13.1	10.2-16.0	416	16.4	13.1-19.7	474	13.5	10.4-16.6	32	1.8	00.6-03.0
Oth. Race/Non-Hisp.	648	456,957	357	59.2	51.0-67.4	74	13.4	07.7-19.1	70	11.6	05.9-17.3	138	10.2	06.5-13.9	9	5.6	00.7-10.5
MultiRacial/Non-Hisp.	528	197,812	254	49.6	39.6-59.6	44	17.4	07.8-27.0	83	12.9	07.2-18.6	147	20.2	12.9-27.5			
Hispanic	1932	2,171,428	998	58.1	53.6-62.6	275	14.4	11.3-17.5	309	14.3	11.4-17.2	295	10.1	07.6-12.6	55	3.1	01.1-05.1
18-24	845	960,069	470	59.8	52.9-66.7	119	13.0	08.5-17.5	142	13.0	08.5-17.5	99	11.3	06.8-15.8	15	2.8	00.1-05.5
25-34	2250	1,533,668	1211	56.1	51.8-60.4	309	12.1	09.7-14.5	320	15.5	12.4-18.6	370	13.3	10.8-15.8	40	3.0	00.8-05.2
35-44	3599	2,778,523	2114	62.1	59.0-65.2	468	13.2	10.8-15.6	448	12.4	10.2-14.6	546	11.6	09.6-13.6	23	0.7	00.1-01.3
45-54	5817	3,778,159	3380	65.2	62.5-67.9	664	11.8	09.8-13.8	782	11.2	09.6-12.8	960	10.9	09.3-12.5	31	0.9	00.3-01.5
55-64	7853	2,134,314	4848	67.8	65.6-70.0	819	11.2	09.4-13.0	884	9.9	08.5-11.3	1277	10.9	09.5-12.3	25	0.2	00.0-00.4
65+	14162	3,333,630	9129	69.4	67.8-71.0	1277	9.3	08.3-10.3	1337	8.4	07.4-09.4	2359	12.1	11.1-13.1	60	0.7	00.3-01.1
Less Than H.S.	3524	1,065,441	1065	36.3	31.6-41.0	444	14.2	11.1-17.3	624	18.4	14.9-21.9	1305	27.5	23.8-31.2	86	3.7	02.1-05.3
H.S. or G.E.D.	11301	3,894,722	6016	54.1	51.7-56.5	1356	12.8	11.2-14.4	1528	14.7	12.9-16.5	2339	17.0	15.2-18.8	62	1.3	00.3-02.3
Some Post-H.S.	9868	4,137,505	6303	65.2	63.0-67.4	1079	11.8	10.2-13.4	1080	10.8	09.4-12.2	1373	11.2	09.8-12.6	33	1.0	00.2-01.8
College Graduate	10064	5,484,864	7955	77.6	75.8-79.4	800	9.7	08.3-11.1	693	7.5	06.3-08.7	604	4.9	04.1-05.7	12	0.3	00.0-00.7
Less than \$15,000	4391	1,265,008	1482	37.4	33.5-41.3	545	14.7	12.0-17.4	750	16.4	13.5-19.3	1552	29.1	25.8-32.4	62	2.4	01.0-03.8
\$15,000- 24,999	6213	2,157,246	2844	46.4	43.1-49.7	801	13.9	11.7-16.1	966	16.1	13.7-18.5	1553	21.1	18.6-23.6	49	2.4	00.6-04.2
\$25,000- 34,999	3754	1,296,063	2191	59.1	55.0-63.2	461	13.9	11.4-16.4	478	12.2	09.5-14.9	605	13.5	11.1-15.9	19	1.3	00.0-03.1
\$35,000- 49,999	4575	1,810,250	3077	64.4	61.1-67.7	490	12.6	10.1-15.1	455	12.5	10.1-14.9	541	9.8	07.8-11.8	12	0.6	00.0-01.4
\$50,000- 74,999	4405	2,028,502	3268	71.6	68.5-74.7	423	11.6	09.1-14.1	388	10.8	08.6-13.0	320	5.8	04.4-07.2	6	0.1	00.1-00.1
\$75,000+	6164	4,015,100	5166	82.4	80.4-84.4	437	8.5	06.9-10.1	329	5.9	04.7-07.1	229	3.3	02.3-04.3	3	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 2: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12964	7,091,055	7727	64.0	62.0-66.0	1363	11.7	10.3-13.1	1463	10.7	09.5-11.9	2311	12.2	11.0-13.4	100	1.4	00.6-02.2
White/Non-Hisp	10653	4,900,872	6507	66.4	64.4-68.4	1073	10.8	09.4-12.2	1153	9.8	08.6-11.0	1867	12.5	11.1-13.9	53	0.5	00.1-00.9
Black or Afr. Am./Non-Hisp	807	640,811	416	53.8	46.2-61.4	122	13.3	08.4-18.2	113	16.3	10.4-22.2	146	14.9	09.4-20.4	10	1.7	00.0-04.1
Oth. Race/Non-Hisp.	300	263,298				36	14.6	06.0-23.2	34	12.7	04.7-20.7	68	7.6	03.7-11.5	3	5.5	00.0-12.4
MultiRacial/Non-Hisp.	218	92,089										65	18.4	09.2-27.6			
Hispanic	684	1,055,176	361	61.9	54.8-69.0	87	12.8	08.1-17.5	98	10.3	06.4-14.2	105	10.3	06.4-14.2	33	4.7	01.0-08.4
18-24	372	573,733	210	59.6	50.0-69.2	53	13.9	07.2-20.6	54	10.6	05.3-15.9	48	11.9	05.2-18.6	7	4.0	00.0-08.3
25-34	759	740,391	381	55.9	48.6-63.2	99	10.9	07.2-14.6	106	14.5	09.6-19.4	151	14.7	10.4-19.0	22	4.0	00.0-08.1
35-44	1299	1,414,999	728	61.6	56.7-66.5	166	12.9	09.4-16.4	165	12.6	09.3-15.9	227	12.1	09.2-15.0	13	0.9	00.0-02.1
45-54	2181	1,829,602	1197	64.9	60.8-69.0	266	12.3	09.6-15.0	305	9.3	07.1-11.5	395	12.1	09.6-14.6	18	1.5	00.1-02.9
55-64	2938	1,021,813	1775	67.1	63.6-70.6	333	12.5	09.6-15.4	330	9.6	07.6-11.6	487	10.6	08.8-12.4	13	0.2	00.0-00.4
65+	5336	1,471,696	3378	69.1	66.6-71.6	441	8.8	07.2-10.4	496	9.0	07.0-11.0	995	12.7	10.9-14.5	26	0.4	00.2-00.6
Less Than H.S.	1305	520,912	366	39.1	31.8-46.4	148	14.2	09.1-19.3	218	15.9	10.8-21.0	524	27.4	21.9-32.9	49	3.3	01.1-05.5
H.S. or G.E.D.	3926	1,866,570	1946	51.5	47.6-55.4	485	13.0	10.5-15.5	575	14.8	12.1-17.5	895	18.5	15.4-21.6	25	2.2	00.2-04.2
Some Post-H.S.	3357	1,886,642	2025	63.7	59.8-67.6	400	12.8	10.1-15.5	355	10.0	07.6-12.4	562	12.2	10.0-14.4	15	1.3	00.0-02.7
College Graduate	4328	2,791,065	3365	77.5	74.8-80.2	324	9.5	07.3-11.7	307	7.3	05.7-08.9	324	5.3	04.1-06.5	8	0.4	00.0-01.0
Less than \$15,000	1356	541,360	419	38.6	31.3-45.9	163	14.8	09.7-19.9	213	15.1	10.4-19.8	526	28.5	22.6-34.4	35	3.0	01.0-05.0
\$15,000- 24,999	2118	961,798	840	44.1	38.4-49.8	288	15.3	11.6-19.0	336	11.6	08.9-14.3	633	25.1	20.6-29.6	21	4.0	00.3-07.7
\$25,000- 34,999	1342	611,274	698	58.2	51.5-64.9	163	12.2	08.3-16.1	188	12.8	08.5-17.1	278	14.3	10.8-17.8	15	2.4	00.0-05.9
\$35,000- 49,999	1832	829,368	1140	60.1	55.0-65.2	213	13.0	09.7-16.3	189	13.2	09.5-16.9	280	13.2	09.5-16.9	10	0.5	00.0-01.1
\$50,000- 74,999	1833	1,022,129	1297	68.6	63.5-73.7	183	12.6	08.3-16.9	171	13.0	09.3-16.7	180	5.7	03.9-07.5	2	0.1	00.0-00.3
\$75,000+	2994	2,296,901	2443	80.8	77.9-83.7	218	9.0	06.6-11.4	196	6.4	04.6-08.2	135	3.8	02.4-05.2	2	0.1	00.1-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

**TABLE 3: HOW LONG HAS IT BEEN SINCE YOU LAST VISITED A DENTIST OR A DENTAL CLINIC FOR ANY REASON? INCLUDE VISITS TO DENTAL SPECIALISTS, SUCH AS ORTHODONTISTS.
(LASTDEN3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21895	7,545,432	13666	65.3	63.7-66.9	2328	11.4	10.4-12.4	2478	11.7	10.7-12.7	3326	10.9	09.9-11.9	97	0.7	00.3-01.1
White/Non-Hisp	17763	5,144,741	11541	69.9	68.5-71.3	1773	9.9	08.9-10.9	1827	9.4	08.4-10.4	2576	10.6	09.6-11.6	46	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	1821	850,472	910	56.3	50.8-61.8	258	12.9	09.2-16.6	303	16.6	12.5-20.7	328	12.5	09.2-15.8	22	1.8	00.4-03.2
Oth. Race/Non-Hisp.	348	193,659				38	11.9	05.8-18.0	36	10.1	02.1-18.1	70	13.6	06.7-20.5	6	5.7	00.0-12.4
MultiRacial/Non-Hisp.	310	105,723							47	6.4	02.5-10.3						
Hispanic	1248	1,116,253	637	54.5	49.0-60.0	188	16.0	11.7-20.3	211	18.1	13.8-22.4	190	9.9	06.8-13.0	22	1.5	00.3-02.7
18-24	473	386,336	260	60.2	51.0-69.4	66	11.5	06.2-16.8	88	16.6	09.2-24.0	51	10.5	05.4-15.6	8	1.2	00.0-02.6
25-34	1491	793,277	830	56.3	51.4-61.2	210	13.2	10.1-16.3	214	16.5	12.6-20.4	219	12.0	09.1-14.9	18	2.0	00.2-03.8
35-44	2300	1,363,523	1386	62.7	58.8-66.6	302	13.5	10.6-16.4	283	12.3	09.4-15.2	319	11.0	08.6-13.4	10	0.4	00.0-01.0
45-54	3636	1,948,557	2183	65.5	62.0-69.0	398	11.3	08.8-13.8	477	13.0	10.6-15.4	565	9.8	07.6-12.0	13	0.4	00.0-00.8
55-64	4915	1,112,501	3073	68.5	65.6-71.4	486	10.1	08.1-12.1	554	10.1	08.1-12.1	790	11.1	09.1-13.1	12	0.2	00.0-00.4
65+	8826	1,861,934	5751	69.7	67.7-71.7	836	9.8	08.4-11.2	841	7.8	06.6-09.0	1364	11.7	10.5-12.9	34	1.0	00.2-01.8
Less Than H.S.	2219	544,529	699	33.6	27.9-39.3	296	14.2	10.5-17.9	406	20.7	15.8-25.6	781	27.5	22.6-32.4	37	4.0	01.5-06.5
H.S. or G.E.D.	7375	2,028,153	4070	56.6	53.9-59.3	871	12.7	10.5-14.9	953	14.5	12.3-16.7	1444	15.6	13.6-17.6	37	0.5	00.1-00.9
Some Post-H.S.	6511	2,250,863	4278	66.4	63.9-68.9	679	11.0	09.4-12.6	725	11.5	09.7-13.3	811	10.3	08.7-11.9	18	0.8	00.0-01.6
College Graduate	5736	2,693,799	4590	77.7	75.2-80.2	476	9.9	07.9-11.9	386	7.7	05.9-09.5	280	4.6	03.4-05.8	4	0.2	00.0-00.4
Less than \$15,000	3035	723,647	1063	36.4	32.3-40.5	382	14.7	11.6-17.8	537	17.3	13.8-20.8	1026	29.5	25.4-33.6	27	2.0	00.4-03.6
\$15,000- 24,999	4095	1,195,448	2004	48.3	44.6-52.0	513	12.8	10.3-15.3	630	19.8	16.3-23.3	920	18.0	15.5-20.5	28	1.2	00.4-02.0
\$25,000- 34,999	2412	684,789	1493	59.9	55.0-64.8	298	15.4	11.9-18.9	290	11.7	08.4-15.0	327	12.7	09.4-16.0	4	0.4	00.0-01.0
\$35,000- 49,999	2743	980,881	1937	68.0	63.5-72.5	277	12.4	08.5-16.3	266	12.0	08.9-15.1	261	7.0	05.4-08.6	2	0.7	00.0-01.9
\$50,000- 74,999	2572	1,006,373	1971	74.8	71.1-78.5	240	10.6	08.1-13.1	217	8.6	06.2-11.0	140	6.0	03.8-08.2	4	0.1	00.0-00.3
\$75,000+	3170	1,718,198	2723	84.5	81.8-87.2	219	7.8	05.6-10.0	133	5.1	03.3-06.9	94	2.5	01.5-03.5	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 4: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34475	14,601,447	12784	36.0	34.8-37.2	6319	12.0	11.4-12.6	3625	5.0	04.6-05.4	11747	47.0	45.6-48.4
Male	12833	7,095,065	4790	36.6	34.6-38.6	2373	10.9	09.9-11.9	1355	4.3	03.7-04.9	4315	48.2	46.2-50.2
Female	21642	7,506,382	7994	35.4	33.8-37.0	3946	13.0	12.0-14.0	2270	5.7	05.1-06.3	7432	45.9	44.3-47.5
White/Non-Hisp	28085	9,983,092	10253	33.6	32.4-34.8	5101	12.8	12.0-13.6	2979	5.7	05.3-06.1	9752	47.9	46.5-49.3
Black or Afr. Am./Non-Hisp	2626	1,499,870	1077	43.4	38.9-47.9	627	14.3	11.6-17.0	294	4.6	03.2-06.0	628	37.6	33.1-42.1
Oth. Race/Non-Hisp.	644	455,584	226	39.7	31.7-47.7	117	10.5	05.6-15.4	78	3.4	01.6-05.2	223	46.5	38.3-54.7
MultiRacial/Non-Hisp.	519	196,405	175	33.4	24.0-42.8	121	11.5	06.0-17.0	73	7.3	02.4-12.2	150	47.8	37.8-57.8
Hispanic	1917	2,201,740	783	39.7	35.2-44.2	226	6.9	04.9-08.9	95	2.3	01.5-03.1	813	51.1	46.4-55.8
18-24	854	967,289	161	19.0	13.5-24.5	7	1.1	00.0-02.7	1	0.4	00.0-01.2	685	79.4	73.9-84.9
25-34	2254	1,554,140	643	25.0	21.5-28.5	103	2.8	01.8-03.8	14	0.7	00.0-01.5	1494	71.5	67.8-75.2
35-44	3600	2,789,723	1263	37.0	33.9-40.1	254	5.0	03.6-06.4	78	0.7	00.3-01.1	2005	57.3	54.2-60.4
45-54	5796	3,786,039	2220	37.5	34.8-40.2	884	10.6	09.0-12.2	336	3.5	02.5-04.5	2356	48.3	45.4-51.2
55-64	7790	2,127,552	3127	41.1	38.7-43.5	1537	16.8	15.0-18.6	811	6.0	05.0-07.0	2315	36.1	33.7-38.5
65+	13863	3,262,750	5240	39.9	38.3-41.5	3485	24.0	22.6-25.4	2365	13.3	12.1-14.5	2773	22.8	21.4-24.2
Less Than H.S.	3476	1,085,566	1037	34.0	29.7-38.3	946	21.3	17.6-25.0	957	14.8	12.4-17.2	536	29.9	24.8-35.0
H.S. or G.E.D.	11173	3,880,974	4239	38.4	36.0-40.8	2574	16.7	15.1-18.3	1562	7.9	06.9-08.9	2798	37.0	34.6-39.4
Some Post-H.S.	9739	4,123,434	3785	37.6	35.2-40.0	1741	12.0	10.8-13.2	789	4.4	03.8-05.0	3424	46.0	43.5-48.5
College Graduate	9987	5,451,957	3685	33.4	31.4-35.4	1040	6.7	05.9-07.5	302	1.5	01.1-01.9	4960	58.4	56.4-60.4
Less than \$15,000	4344	1,271,448	1382	39.9	35.8-44.0	1231	21.4	18.5-24.3	930	13.7	11.2-16.2	801	25.0	21.7-28.3
\$15,000- 24,999	6140	2,159,515	2225	36.3	33.2-39.4	1511	18.9	16.5-21.3	1023	9.3	07.9-10.7	1381	35.5	32.0-39.0
\$25,000- 34,999	3724	1,296,345	1512	40.5	36.4-44.6	795	15.5	13.0-18.0	412	5.9	04.7-07.1	1005	38.1	33.6-42.6
\$35,000- 49,999	4550	1,809,805	1856	41.3	38.0-44.6	818	13.3	11.3-15.3	349	4.4	03.4-05.4	1527	41.0	37.7-44.3
\$50,000- 74,999	4384	2,030,285	1755	38.5	35.2-41.8	573	9.2	07.6-10.8	186	2.5	01.5-03.5	1870	49.8	46.5-53.1
\$75,000+	6121	3,982,768	2133	30.0	27.6-32.4	484	4.9	04.1-05.7	127	0.9	00.5-01.3	3377	64.2	61.8-66.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 5: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12833	7,095,065	4790	36.6	34.6-38.6	2373	10.9	09.9-11.9	1355	4.3	03.7-04.9	4315	48.2	46.2-50.2
White/Non-Hisp	10548	4,879,691	3913	35.0	33.0-37.0	1983	12.2	11.0-13.4	1124	5.0	04.2-05.8	3528	47.8	45.6-50.0
Black or Afr. Am./Non-Hisp	806	647,407	320	42.1	34.3-49.9	171	11.6	07.9-15.3	99	4.4	01.9-06.9	216	41.8	34.0-49.6
Oth. Race/Non-Hisp.	296	256,132				55	11.5	03.5-19.5	36	3.6	00.9-06.3			
MultiRacial/Non-Hisp.	212	91,576				40	5.5	02.4-08.6	35	7.2	01.5-12.9			
Hispanic	679	1,085,530	275	39.5	32.2-46.8	73	5.0	02.8-07.2	28	1.2	00.4-02.0	303	54.3	46.9-61.7
18-24	372	573,173	59	17.6	10.3-24.9	3	0.4	00.0-00.8				310	82.1	74.8-89.4
25-34	762	753,903	216	24.9	19.2-30.6	31	2.2	00.8-03.6	2	0.4	00.0-01.2	513	72.5	66.6-78.4
35-44	1298	1,421,832	452	37.9	32.8-43.0	70	3.8	02.0-05.6	16	0.4	00.0-00.8	760	57.9	52.8-63.0
45-54	2176	1,838,649	827	38.8	34.3-43.3	310	9.3	06.9-11.7	126	3.9	02.3-05.5	913	48.1	43.6-52.6
55-64	2916	1,024,568	1207	43.3	39.6-47.0	581	15.4	13.0-17.8	296	5.3	03.9-06.7	832	35.9	32.2-39.6
65+	5233	1,444,949	2002	41.1	38.4-43.8	1365	25.3	22.9-27.7	909	11.9	10.3-13.5	957	21.7	19.2-24.2
Less Than H.S.	1289	545,406	382	35.5	28.6-42.4	323	17.4	12.5-22.3	349	12.1	09.0-15.2	235	35.1	27.1-43.1
H.S. or G.E.D.	3893	1,855,850	1442	38.3	34.4-42.2	893	14.6	12.2-17.0	556	7.1	05.3-08.9	1002	40.0	36.1-43.9
Some Post-H.S.	3318	1,892,256	1268	37.3	33.2-41.4	622	11.0	09.2-12.8	295	3.7	02.7-04.7	1133	48.0	43.7-52.3
College Graduate	4286	2,767,737	1680	35.2	32.3-38.1	526	7.0	05.8-08.2	150	1.4	01.0-01.8	1930	56.4	53.5-59.3
Less than \$15,000	1338	549,164	442	41.5	34.2-48.8	349	19.9	14.8-25.0	280	13.1	08.6-17.6	267	25.4	19.5-31.3
\$15,000- 24,999	2094	977,393	718	35.1	29.8-40.4	509	15.4	12.3-18.5	394	8.6	06.6-10.6	473	40.8	34.7-46.9
\$25,000- 34,999	1338	613,513	520	41.3	34.4-48.2	301	13.2	09.9-16.5	186	5.7	03.9-07.5	331	39.8	32.2-47.4
\$35,000- 49,999	1817	827,794	738	42.3	37.4-47.2	388	15.2	11.9-18.5	173	4.1	02.9-05.3	518	38.5	33.4-43.6
\$50,000- 74,999	1825	1,025,482	748	40.4	35.1-45.7	288	10.3	07.8-12.8	105	1.9	01.3-02.5	684	47.4	42.1-52.7
\$75,000+	2967	2,268,063	1079	31.3	27.8-34.8	285	5.5	04.3-06.7	73	1.4	00.8-02.0	1530	61.8	58.3-65.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 6: HOW MANY OF YOUR PERMANENT TEETH HAVE BEEN REMOVED BECAUSE OF TOOTH DECAY OR GUM DISEASE? INCLUDE TEETH LOST TO INFECTION, BUT DO NOT INCLUDE TEETH LOST FOR OTHER REASONS, SUCH AS INJURY OR ORTHODONTICS. (RMVTETH3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 to 5 teeth removed			6 or more but not all			All			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21642	7,506,382	7994	35.4	33.8-37.0	3946	13.0	12.0-14.0	2270	5.7	05.1-06.3	7432	45.9	44.3-47.5
White/Non-Hisp	17537	5,103,401	6340	32.3	30.9-33.7	3118	13.4	12.4-14.4	1855	6.4	05.8-07.0	6224	48.0	46.4-49.6
Black or Afr. Am./Non-Hisp	1820	852,463	757	44.5	39.0-50.0	456	16.4	12.5-20.3	195	4.8	03.2-06.4	412	34.4	28.9-39.9
Oth. Race/Non-Hisp.	348	199,452				62	9.2	04.9-13.5	42	3.2	01.2-05.2			
MultiRacial/Non-Hisp.	307	104,829				81	16.7	07.1-26.3	38	7.4	00.0-15.2			
Hispanic	1238	1,116,210	508	39.9	34.4-45.4	153	8.8	05.9-11.7	67	3.3	01.7-04.9	510	47.9	42.4-53.4
18-24	482	394,116	102	21.1	13.1-29.1	4	2.2	00.0-05.9	1	1.1	00.0-03.3	375	75.6	67.0-84.2
25-34	1492	800,237	427	25.2	20.9-29.5	72	3.3	01.9-04.7	12	0.9	00.0-02.1	981	70.6	66.1-75.1
35-44	2302	1,367,891	811	36.1	32.2-40.0	184	6.2	04.2-08.2	62	1.1	00.5-01.7	1245	56.7	52.8-60.6
45-54	3620	1,947,390	1393	36.3	32.8-39.8	574	11.9	09.5-14.3	210	3.2	02.2-04.2	1443	48.6	44.9-52.3
55-64	4874	1,102,985	1920	39.1	36.2-42.0	956	18.0	15.6-20.4	515	6.6	05.2-08.0	1483	36.3	33.4-39.2
65+	8630	1,817,801	3238	39.0	37.0-41.0	2120	23.0	21.2-24.8	1456	14.5	12.9-16.1	1816	23.6	21.8-25.4
Less Than H.S.	2187	540,160	655	32.4	26.9-37.9	623	25.4	20.1-30.7	608	17.5	14.0-21.0	301	24.8	19.1-30.5
H.S. or G.E.D.	7280	2,025,124	2797	38.4	35.7-41.1	1681	18.7	16.5-20.9	1006	8.6	07.4-09.8	1796	34.2	31.5-36.9
Some Post-H.S.	6421	2,231,177	2517	37.9	35.4-40.4	1119	12.8	11.4-14.2	494	5.1	04.1-06.1	2291	44.2	41.7-46.7
College Graduate	5701	2,684,220	2005	31.6	28.9-34.3	514	6.4	05.2-07.6	152	1.6	01.0-02.2	3030	60.5	57.8-63.2
Less than \$15,000	3006	722,284	940	38.6	34.3-42.9	882	22.6	19.1-26.1	650	14.1	11.4-16.8	534	24.7	20.8-28.6
\$15,000- 24,999	4046	1,182,122	1507	37.2	33.5-40.9	1002	21.8	18.5-25.1	629	9.9	08.1-11.7	908	31.1	27.4-34.8
\$25,000- 34,999	2386	682,832	992	39.7	34.8-44.6	494	17.6	13.9-21.3	226	6.1	04.5-07.7	674	36.6	31.3-41.9
\$35,000- 49,999	2733	982,011	1118	40.5	36.2-44.8	430	11.7	09.5-13.9	176	4.7	03.3-06.1	1009	43.1	39.0-47.2
\$50,000- 74,999	2559	1,004,803	1007	36.6	32.7-40.5	285	8.2	06.4-10.0	81	3.1	01.3-04.9	1186	52.2	48.1-56.3
\$75,000+	3154	1,714,705	1054	28.2	25.3-31.1	199	4.0	03.0-05.0	54	0.4	00.2-00.6	1847	67.4	64.3-70.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 7: ORAL HEALTH

TABLE 7: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	30985	13,765,969	19412	64.7	63.5-65.9	3305	12.0	11.0-13.0	3278	11.2	10.4-12.0	4417	11.0	10.2-11.8	573	1.1	0.9-01.3
Male	11483	6,700,103	6989	63.0	61.0-65.0	1220	12.7	11.3-14.1	1209	11.2	09.8-12.6	1811	11.7	10.5-12.9	254	1.4	01.0-01.8
Female	19502	7,065,865	12423	66.3	64.7-67.9	2085	11.3	10.1-12.5	2069	11.2	10.0-12.4	2606	10.2	09.2-11.2	319	0.9	00.7-01.1
White/Non-Hisp	25287	9,442,856	16458	68.2	67.0-69.4	2509	10.4	09.6-11.2	2505	9.6	08.8-10.4	3426	10.8	10.0-11.6	389	0.9	00.7-01.1
Black or Afr. Am./Non-Hisp	2309	1,399,853	1143	52.9	48.2-57.6	331	12.8	09.7-15.9	338	17.6	13.9-21.3	406	14.3	11.0-17.6	91	2.4	01.0-03.8
Oth. Race/Non-Hisp.	563	420,003	316	61.1	52.7-69.5	71	14.7	08.8-20.6	46	8.7	03.6-13.8	110	12.3	06.8-17.8	20	3.2	00.0-06.5
MultiRacial/Non-Hisp.	451	181,702				50	20.0	10.4-29.6	61	13.6	06.0-21.2	128	21.8	14.0-29.6	12	0.9	00.0-02.1
Hispanic	1780	2,067,123	943	60.1	55.6-64.6	274	16.9	13.4-20.4	269	13.6	10.5-16.7	251	8.4	06.2-10.6	43	1.0	00.2-01.8
18-24	833	930,764	442	59.0	52.1-65.9	111	12.8	08.3-17.3	150	13.7	09.2-18.2	117	13.2	08.3-18.1	13	1.3	00.0-02.7
25-34	2190	1,493,254	1101	55.5	51.2-59.8	303	12.1	09.7-14.5	302	14.3	11.4-17.2	439	16.5	13.4-19.6	45	1.5	00.5-02.5
35-44	3489	2,747,888	1961	60.4	57.3-63.5	446	13.9	11.5-16.3	410	11.9	09.7-14.1	612	12.5	10.5-14.5	60	1.3	00.5-02.1
45-54	5427	3,611,824	3049	64.1	61.4-66.8	616	12.6	10.6-14.6	687	11.6	09.6-13.6	958	10.8	09.2-12.4	117	0.8	00.4-01.2
55-64	7003	2,000,028	4391	67.4	65.0-69.8	715	11.3	09.5-13.1	774	10.5	08.9-12.1	1009	10.0	08.6-11.4	114	0.9	00.5-01.3
65+	11733	2,867,406	8239	74.3	72.7-75.9	1089	9.6	08.4-10.8	926	7.8	06.6-09.0	1260	7.0	06.2-07.8	219	1.3	00.7-01.9
Less Than H.S.	2498	896,451	760	34.3	29.0-39.6	318	15.0	11.1-18.9	399	19.4	14.5-24.3	785	26.0	21.5-30.5	236	5.3	03.7-06.9
H.S. or G.E.D.	9640	3,527,541	5256	54.4	51.9-56.9	1089	12.4	10.8-14.0	1263	15.1	13.3-16.9	1813	16.2	14.2-18.2	219	1.9	01.1-02.7
Some Post-H.S.	9015	3,909,616	5716	64.9	62.5-67.3	1018	12.2	10.6-13.8	980	11.1	09.5-12.7	1223	11.0	09.6-12.4	78	0.7	00.5-00.9
College Graduate	9750	5,386,583	7635	76.5	74.5-78.5	871	11.0	09.4-12.6	625	7.2	06.0-08.4	582	5.0	04.2-05.8	37	0.3	00.1-00.5
Less than \$15,000	3400	1,073,234	1066	34.3	30.0-38.6	421	15.1	12.0-18.2	544	17.2	13.9-20.5	1177	28.6	24.9-32.3	192	4.9	02.7-07.1
\$15,000- 24,999	5129	1,917,176	2372	44.9	41.4-48.4	674	14.9	12.4-17.4	776	17.3	14.4-20.2	1159	21.0	18.3-23.7	148	1.9	01.1-02.7
\$25,000- 34,999	3317	1,202,662	1963	59.4	55.1-63.7	410	14.3	11.4-17.2	400	11.0	08.8-13.2	490	13.6	10.7-16.5	54	1.7	00.5-02.9
\$35,000- 49,999	4214	1,720,228	2803	63.6	60.1-67.1	488	13.5	10.8-16.2	411	12.2	09.7-14.7	467	9.5	07.5-11.5	45	1.2	00.6-01.8
\$50,000- 74,999	4209	1,975,518	3102	70.5	67.2-73.8	431	12.8	10.1-15.5	362	11.2	08.8-13.6	289	5.1	03.9-06.3	25	0.4	00.0-00.8
\$75,000+	6030	3,970,853	5029	81.6	79.4-83.8	450	9.2	07.6-10.8	311	5.8	04.6-07.0	229	3.4	02.4-04.4	11	0.1	00.1-00.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 8: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	11483	6,700,103	6989	63.0	61.0-65.0	1220	12.7	11.3-14.1	1209	11.2	09.8-12.6	1811	11.7	10.5-12.9	254	1.4	01.0-01.8
White/Non-Hisp	9449	4,630,130	5912	65.8	63.8-67.8	954	11.1	09.7-12.5	955	10.2	08.8-11.6	1452	11.9	10.5-13.3	176	1.1	00.7-01.5
Black or Afr. Am./Non-Hisp	702	606,959	355	48.4	40.4-56.4	94	13.6	08.1-19.1	110	18.9	12.8-25.0	114	15.7	09.4-22.0	29	3.4	00.7-06.1
Oth. Race/Non-Hisp.	262	239,810				33	16.2	07.4-25.0	21	7.4	01.3-13.5	56	11.1	03.1-19.1	15	3.7	00.0-08.6
MultiRacial/Non-Hisp.	180	84,489										54	18.8	08.8-28.8	6	1.3	00.0-03.5
Hispanic	627	1,009,740	348	61.2	53.9-68.5	89	17.1	11.6-22.6	78	11.3	06.4-16.2	91	8.9	05.6-12.2	21	1.4	00.0-02.8
18-24	366	551,568	203	60.2	50.6-69.8	51	13.9	07.0-20.8	55	11.2	05.7-16.7	50	13.0	05.9-20.1	7	1.7	00.0-03.9
25-34	736	718,119	353	57.4	50.3-64.5	91	9.2	05.9-12.5	98	12.7	08.2-17.2	168	18.8	13.5-24.1	26	1.9	00.3-03.5
35-44	1268	1,403,996	671	58.6	53.7-63.5	165	14.8	11.1-18.5	155	12.6	09.5-15.7	252	12.6	09.7-15.5	25	1.4	00.2-02.6
45-54	2028	1,737,654	1082	62.5	58.2-66.8	237	13.4	10.3-16.5	267	11.2	08.3-14.1	384	11.8	09.3-14.3	58	1.2	00.6-01.8
55-64	2620	963,473	1601	64.8	61.1-68.5	287	13.6	10.5-16.7	275	9.9	07.7-12.1	414	10.6	08.6-12.6	43	1.1	00.5-01.7
65+	4392	1,286,798	3025	71.7	68.8-74.6	386	10.2	08.0-12.4	352	9.1	06.9-11.3	536	7.4	06.2-08.6	93	1.6	00.4-02.8
Less Than H.S.	915	466,663	270	31.7	23.9-39.5	101	15.9	09.2-22.6	136	18.6	10.8-26.4	301	27.6	20.7-34.5	107	6.1	03.7-08.5
H.S. or G.E.D.	3323	1,674,384	1669	50.6	46.5-54.7	391	13.6	10.9-16.3	461	15.8	12.9-18.7	718	17.9	14.6-21.2	84	2.2	00.8-03.6
Some Post-H.S.	3038	1,799,459	1809	62.9	58.8-67.0	374	13.1	10.2-16.0	335	11.3	08.8-13.8	482	11.9	09.5-14.3	38	0.8	00.4-01.2
College Graduate	4170	2,741,445	3224	76.1	73.4-78.8	348	11.1	08.9-13.3	272	7.0	05.4-08.6	302	5.2	04.0-06.4	24	0.5	00.0-01.1
Less than \$15,000	1036	462,956	285	31.1	23.3-38.9	123	16.7	10.8-22.6	133	14.8	09.5-20.1	410	29.4	22.7-36.1	85	8.0	03.5-12.5
\$15,000- 24,999	1700	858,527	690	41.9	35.8-48.0	232	17.6	13.1-22.1	259	13.2	08.9-17.5	455	24.9	20.0-29.8	64	2.4	01.0-03.8
\$25,000- 34,999	1144	559,247	605	56.4	49.3-63.5	152	14.3	09.4-19.2	152	12.6	08.9-16.3	212	14.7	10.2-19.2	23	2.1	00.0-04.5
\$35,000- 49,999	1645	788,958	1022	58.4	53.1-63.7	190	13.8	10.1-17.5	166	13.2	09.1-17.3	238	13.1	09.4-16.8	29	1.5	00.5-02.5
\$50,000- 74,999	1726	1,000,993	1202	65.3	60.0-70.6	186	15.1	10.4-19.8	180	14.1	10.4-17.8	148	5.1	03.5-06.7	10	0.5	00.0-01.1
\$75,000+	2918	2,264,123	2379	80.5	77.6-83.4	224	9.3	06.9-11.7	170	6.1	04.3-07.9	136	3.9	02.5-05.3	9	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 7: ORAL HEALTH**

TABLE 9: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR TEETH CLEANED BY A DENTIST OR DENTAL HYGIENIST? (DENCLEAN)

Denominator excludes: Respondents that have never visited a dentist or dental clinic

Denominator excludes: Respondents that have had all of their permanent teeth extracted

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19502	7,065,865	12423	66.3	64.7-67.9	2085	11.3	10.1-12.5	2069	11.2	10.0-12.4	2606	10.2	09.2-11.2	319	0.9	00.7-01.1
White/Non-Hisp	15838	4,812,726	10546	70.6	69.0-72.2	1555	9.7	08.7-10.7	1550	9.2	08.2-10.2	1974	9.8	08.8-10.8	213	0.8	00.6-01.0
Black or Afr. Am./Non-Hisp	1607	792,894	788	56.3	50.6-62.0	237	12.3	08.8-15.8	228	16.6	12.1-21.1	292	13.2	09.7-16.7	62	1.6	00.8-02.4
Oth. Race/Non-Hisp.	301	180,193				38	12.6	06.1-19.1	25	10.5	02.1-18.9	54	13.8	06.4-21.2	5	2.5	00.0-06.8
MultiRacial/Non-Hisp.	271	97,213							35	7.8	02.1-13.5				6	0.5	00.0-01.3
Hispanic	1153	1,057,383	595	59.0	53.5-64.5	185	16.7	12.2-21.2	191	15.8	12.1-19.5	160	7.9	05.2-10.6	22	0.6	00.2-01.0
18-24	467	379,196	239	57.1	47.7-66.5	60	11.2	05.7-16.7	95	17.3	09.7-24.9	67	13.5	07.2-19.8	6	0.8	00.0-01.8
25-34	1454	775,135	748	53.7	48.8-58.6	212	14.8	11.5-18.1	204	15.8	11.9-19.7	271	14.5	11.4-17.6	19	1.2	00.0-02.4
35-44	2221	1,343,892	1290	62.3	58.4-66.2	281	13.0	10.1-15.9	255	11.1	08.6-13.6	360	12.4	09.9-14.9	35	1.2	00.4-02.0
45-54	3399	1,874,170	1967	65.6	62.1-69.1	379	12.0	09.5-14.5	420	12.0	09.6-14.4	574	9.9	07.9-11.9	59	0.5	00.1-00.9
55-64	4383	1,036,555	2790	69.8	66.9-72.7	428	9.2	07.2-11.2	499	11.0	08.8-13.2	595	9.3	07.5-11.1	71	0.7	00.3-01.1
65+	7341	1,580,608	5214	76.4	74.6-78.2	703	9.0	07.8-10.2	574	6.7	05.5-07.9	724	6.8	05.8-07.8	126	1.1	00.7-01.5
Less Than H.S.	1583	429,788	490	37.1	30.2-44.0	217	14.0	10.1-17.9	263	20.3	14.6-26.0	484	24.1	18.4-29.8	129	4.5	02.5-06.5
H.S. or G.E.D.	6317	1,853,158	3587	57.9	55.0-60.8	698	11.2	09.2-13.2	802	14.5	12.1-16.9	1095	14.7	12.5-16.9	135	1.6	01.0-02.2
Some Post-H.S.	5977	2,110,157	3907	66.6	64.1-69.1	644	11.5	09.7-13.3	645	11.0	09.2-12.8	741	10.3	08.9-11.7	40	0.6	00.2-01.0
College Graduate	5580	2,645,138	4411	76.9	74.4-79.4	523	11.0	08.8-13.2	353	7.3	05.7-08.9	280	4.8	03.4-06.2	13	0.1	00.1-00.1
Less than \$15,000	2364	610,279	781	36.7	32.0-41.4	298	13.8	10.7-16.9	411	19.1	15.0-23.2	767	27.9	23.8-32.0	107	2.5	01.1-03.9
\$15,000- 24,999	3429	1,058,649	1682	47.4	43.3-51.5	442	12.8	10.1-15.5	517	20.6	16.7-24.5	704	17.8	15.1-20.5	84	1.5	00.9-02.1
\$25,000- 34,999	2173	643,416	1358	62.0	56.9-67.1	258	14.3	11.0-17.6	248	9.6	07.1-12.1	278	12.7	09.0-16.4	31	1.4	00.0-02.8
\$35,000- 49,999	2569	931,270	1781	68.0	63.5-72.5	298	13.3	09.4-17.2	245	11.4	08.3-14.5	229	6.4	04.8-08.0	16	0.9	00.1-01.7
\$50,000- 74,999	2483	974,525	1900	75.9	72.4-79.4	245	10.4	07.9-12.9	182	8.2	05.8-10.6	141	5.2	03.4-07.0	15	0.3	00.0-00.7
\$75,000+	3112	1,706,730	2650	83.0	80.3-85.7	226	9.0	06.8-11.2	141	5.3	03.5-07.1	93	2.7	01.7-03.7	2	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME "YES", "NO", OR YOU'RE "NOT SURE": (EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)	
1 MALES AND FEMALES	52
2 MALES ONLY	53
3 FEMALES ONLY	54
(EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)	
4 MALES AND FEMALES	55
5 MALES ONLY	56
6 FEMALES ONLY	57
(EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)	
7 MALES AND FEMALES	58
8 MALES ONLY	59
9 FEMALES ONLY	60

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 1: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34832	14,682,125	2993	5.4	05.0-05.8	31839	94.6	94.2-95.0	
Male	12935	7,126,015	1633	6.9	06.1-07.7	11302	93.1	92.3-93.9	
Female	21897	7,556,110	1360	3.9	03.3-04.5	20537	96.1	95.5-96.7	
White/Non-Hisp	28393	10,038,532	2533	5.9	05.5-06.3	25860	94.1	93.7-94.5	
Black or Afr. Am./Non-Hisp	2622	1,508,975	162	3.8	02.4-05.2	2460	96.2	94.8-97.6	
Oth. Race/Non-Hisp.	645	462,369	66	4.9	00.8-09.0	579	95.1	91.0-99.2	
MultiRacial/Non-Hisp.	525	197,939	64	5.3	02.8-07.8	461	94.7	92.2-97.2	
Hispanic	1934	2,204,886	97	3.7	02.1-05.3	1837	96.3	94.7-97.9	
18-24	855	971,055	1	0.0	00.0-00.0	854	100.0	0100-0100	
25-34	2258	1,559,608	17	0.2	00.0-00.4	2241	99.8	99.6-0100	
35-44	3599	2,787,624	58	1.8	00.8-02.8	3541	98.2	97.2-99.2	
45-54	5799	3,785,850	268	3.2	02.4-04.0	5531	96.8	96.0-97.6	
55-64	7837	2,137,818	657	6.8	05.6-08.0	7180	93.2	92.0-94.4	
65+	14152	3,323,462	1975	14.0	12.8-15.2	12177	86.0	84.8-87.2	
Less Than H.S.	3510	1,095,480	533	11.9	08.6-15.2	2977	88.1	84.8-91.4	
H.S. or G.E.D.	11314	3,903,440	1017	5.7	04.9-06.5	10297	94.3	93.5-95.1	
Some Post-H.S.	9853	4,151,149	811	5.4	04.6-06.2	9042	94.6	93.8-95.4	
College Graduate	10048	5,469,649	626	3.7	03.1-04.3	9422	96.3	95.7-96.9	
Less than \$15,000	4363	1,269,173	629	10.4	08.0-12.8	3734	89.6	87.2-92.0	
\$15,000- 24,999	6184	2,164,928	730	7.9	06.7-09.1	5454	92.1	90.9-93.3	
\$25,000- 34,999	3762	1,306,909	318	6.3	04.9-07.7	3444	93.7	92.3-95.1	
\$35,000- 49,999	4578	1,814,430	337	5.4	04.2-06.6	4241	94.6	93.4-95.8	
\$50,000- 74,999	4399	2,030,549	247	3.6	02.6-04.6	4152	96.4	95.4-97.4	
\$75,000+	6168	4,017,031	264	2.6	02.0-03.2	5904	97.4	96.8-98.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 2: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	12935	7,126,015	1633	6.9	06.1-07.7	11302	93.1	92.3-93.9	
White/Non-Hisp	10632	4,896,687	1410	7.7	06.9-08.5	9222	92.3	91.5-93.1	
Black or Afr. Am./Non-Hisp	804	654,942	60	4.3	01.9-06.7	744	95.7	93.3-98.1	
Oth. Race/Non-Hisp.	298	262,838	40	6.9	00.0-13.8	258	93.1	86.2-0100	
MultiRacial/Non-Hisp.	218	92,256	34	6.9	02.2-11.6	184	93.1	88.4-97.8	
Hispanic	684	1,085,941	48	4.3	01.8-06.8	636	95.7	93.2-98.2	
18-24	374	576,967	1	0.0	00.0-00.0	373	100.0	0100-0100	
25-34	762	761,800	8	0.1	00.0-00.3	754	99.9	99.7-0100	
35-44	1299	1,421,447	26	1.7	00.7-02.7	1273	98.3	97.3-99.3	
45-54	2174	1,842,488	130	3.9	02.5-05.3	2044	96.1	94.7-97.5	
55-64	2934	1,024,997	363	10.4	08.0-12.8	2571	89.6	87.2-92.0	
65+	5316	1,460,714	1100	19.6	17.4-21.8	4216	80.4	78.2-82.6	
Less Than H.S.	1289	545,013	245	13.0	07.5-18.5	1044	87.0	81.5-92.5	
H.S. or G.E.D.	3925	1,865,570	497	6.5	05.1-07.9	3428	93.5	92.1-94.9	
Some Post-H.S.	3353	1,901,489	454	7.3	06.1-08.5	2899	92.7	91.5-93.9	
College Graduate	4318	2,779,970	433	5.6	04.6-06.6	3885	94.4	93.4-95.4	
Less than \$15,000	1338	547,514	273	12.6	08.1-17.1	1065	87.4	82.9-91.9	
\$15,000- 24,999	2096	974,627	375	9.7	07.5-11.9	1721	90.3	88.1-92.5	
\$25,000- 34,999	1356	619,335	177	8.3	05.9-10.7	1179	91.7	89.3-94.1	
\$35,000- 49,999	1831	831,409	220	7.3	05.5-09.1	1611	92.7	90.9-94.5	
\$50,000- 74,999	1835	1,028,420	175	4.9	03.5-06.3	1660	95.1	93.7-96.5	
\$75,000+	2994	2,296,289	209	4.0	03.0-05.0	2785	96.0	95.0-97.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE**

**TABLE 3: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER TOLD YOU THAT YOU HAD ANY OF THE FOLLOWING? FOR EACH, TELL ME “YES”, “NO”, OR YOU’RE “NOT SURE”:
(EVER TOLD) YOU HAD A HEART ATTACK, ALSO CALLED A MYOCARDIAL INFARCTION? (CVDINFR4)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	21897	7,556,110	1360	3.9	03.3-04.5	20537	96.1	95.5-96.7	
White/Non-Hisp	17761	5,141,846	1123	4.2	03.6-04.8	16638	95.8	95.2-96.4	
Black or Afr. Am./Non-Hisp	1818	854,033	102	3.5	01.9-05.1	1716	96.5	94.9-98.1	
Oth. Race/Non-Hisp.	347	199,531	26	2.3	00.7-03.9	321	97.7	96.1-99.3	
MultiRacial/Non-Hisp.	307	105,683	30	3.8	01.4-06.2	277	96.2	93.8-98.6	
Hispanic	1250	1,118,945	49	3.2	01.2-05.2	1201	96.8	94.8-98.8	
18-24	481	394,088				481	100.0	0100-0100	
25-34	1496	797,808	9	0.3	00.0-00.7	1487	99.7	99.3-0100	
35-44	2300	1,366,178	32	1.8	00.2-03.4	2268	98.2	96.6-99.8	
45-54	3625	1,943,362	138	2.5	01.5-03.5	3487	97.5	96.5-98.5	
55-64	4903	1,112,821	294	3.4	02.6-04.2	4609	96.6	95.8-97.4	
65+	8836	1,862,748	875	9.6	08.4-10.8	7961	90.4	89.2-91.6	
Less Than H.S.	2221	550,466	288	10.7	06.6-14.8	1933	89.3	85.2-93.4	
H.S. or G.E.D.	7389	2,037,870	520	5.0	04.0-06.0	6869	95.0	94.0-96.0	
Some Post-H.S.	6500	2,249,660	357	3.9	03.1-04.7	6143	96.1	95.3-96.9	
College Graduate	5730	2,689,679	193	1.7	01.1-02.3	5537	98.3	97.7-98.9	
Less than \$15,000	3025	721,659	356	8.7	06.5-10.9	2669	91.3	89.1-93.5	
\$15,000- 24,999	4088	1,190,301	355	6.4	05.0-07.8	3733	93.6	92.2-95.0	
\$25,000- 34,999	2406	687,574	141	4.5	02.9-06.1	2265	95.5	93.9-97.1	
\$35,000- 49,999	2747	983,021	117	3.8	02.2-05.4	2630	96.2	94.6-97.8	
\$50,000- 74,999	2564	1,002,129	72	2.3	01.1-03.5	2492	97.7	96.5-98.9	
\$75,000+	3174	1,720,742	55	0.7	00.5-00.9	3119	99.3	99.1-99.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 4: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	34658	14,641,851	3261	5.5	05.1-05.9		31397	94.5	94.1-94.9	
Male	12846	7,100,927	1613	6.3	05.7-06.9		11233	93.7	93.1-94.3	
Female	21812	7,540,925	1648	4.7	04.1-05.3		20164	95.3	94.7-95.9	
White/Non-Hisp	28232	10,014,646	2810	6.5	05.9-07.1		25422	93.5	92.9-94.1	
Black or Afr. Am./Non-Hisp	2618	1,505,110	154	3.1	01.9-04.3		2464	96.9	95.7-98.1	
Oth. Race/Non-Hisp.	644	461,297	72	5.0	00.9-09.1		572	95.0	90.9-99.1	
MultiRacial/Non-Hisp.	522	198,019	69	5.5	02.8-08.2		453	94.5	91.8-97.2	
Hispanic	1930	2,191,252	87	2.4	01.4-03.4		1843	97.6	96.6-98.6	
18-24	851	962,000	1	0.0	00.0-00.0		850	100.0	0100-0100	
25-34	2255	1,560,679	19	0.7	00.1-01.3		2236	99.3	98.7-99.9	
35-44	3590	2,786,441	56	1.3	00.7-01.9		3534	98.7	98.1-99.3	
45-54	5802	3,790,891	266	3.0	02.2-03.8		5536	97.0	96.2-97.8	
55-64	7798	2,119,456	737	7.6	06.2-09.0		7061	92.4	91.0-93.8	
65+	14027	3,305,907	2164	14.3	13.1-15.5		11863	85.7	84.5-86.9	
Less Than H.S.	3470	1,091,433	438	7.9	05.5-10.3		3032	92.1	89.7-94.5	
H.S. or G.E.D.	11242	3,893,951	1136	6.0	05.2-06.8		10106	94.0	93.2-94.8	
Some Post-H.S.	9824	4,138,676	919	5.9	05.1-06.7		8905	94.1	93.3-94.9	
College Graduate	10019	5,455,710	760	4.2	03.6-04.8		9259	95.8	95.2-96.4	
Less than \$15,000	4335	1,258,559	608	9.0	06.8-11.2		3727	91.0	88.8-93.2	
\$15,000- 24,999	6143	2,166,716	778	8.8	07.4-10.2		5365	91.2	89.8-92.6	
\$25,000- 34,999	3751	1,306,574	372	7.4	05.8-09.0		3379	92.6	91.0-94.2	
\$35,000- 49,999	4565	1,814,517	428	5.6	04.6-06.6		4137	94.4	93.4-95.4	
\$50,000- 74,999	4380	2,024,612	303	3.9	03.1-04.7		4077	96.1	95.3-96.9	
\$75,000+	6154	4,013,046	324	2.7	02.1-03.3		5830	97.3	96.7-97.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE

TABLE 5: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	12846	7,100,927	1613	6.3	05.7-06.9	11233	93.7	93.1-94.3	
White/Non-Hisp	10547	4,882,393	1419	7.6	06.8-08.4	9128	92.4	91.6-93.2	
Black or Afr. Am./Non-Hisp	799	653,794	53	3.2	01.2-05.2	746	96.8	94.8-98.8	
Oth. Race/Non-Hisp.	297	261,808	37	6.7	00.0-13.6	260	93.3	86.4-0100	
MultiRacial/Non-Hisp.	217	92,298	27	5.2	01.1-09.3	190	94.8	90.7-98.9	
Hispanic	682	1,074,483	37	2.0	00.8-03.2	645	98.0	96.8-99.2	
18-24	371	568,026	1	0.0	00.0-00.0	370	100.0	0100-0100	
25-34	762	762,220	4	0.2	00.0-00.4	758	99.8	99.6-0100	
35-44	1294	1,421,916	18	0.9	00.3-01.5	1276	99.1	98.5-99.7	
45-54	2174	1,845,536	114	3.3	01.9-04.7	2060	96.7	95.3-98.1	
55-64	2908	1,013,791	363	9.9	07.7-12.1	2545	90.1	87.9-92.3	
65+	5258	1,451,459	1107	18.5	16.5-20.5	4151	81.5	79.5-83.5	
Less Than H.S.	1273	543,120	177	8.1	04.4-11.8	1096	91.9	88.2-95.6	
H.S. or G.E.D.	3896	1,862,433	492	5.9	04.7-07.1	3404	94.1	92.9-95.3	
Some Post-H.S.	3333	1,885,531	439	6.6	05.4-07.8	2894	93.4	92.2-94.6	
College Graduate	4296	2,776,067	501	6.0	05.0-07.0	3795	94.0	93.0-95.0	
Less than \$15,000	1322	538,932	213	8.8	05.1-12.5	1109	91.2	87.5-94.9	
\$15,000- 24,999	2084	978,588	336	9.6	07.4-11.8	1748	90.4	88.2-92.6	
\$25,000- 34,999	1346	618,119	188	8.8	06.4-11.2	1158	91.2	88.8-93.6	
\$35,000- 49,999	1825	829,705	254	7.1	05.3-08.9	1571	92.9	91.1-94.7	
\$50,000- 74,999	1818	1,024,720	191	4.2	03.0-05.4	1627	95.8	94.6-97.0	
\$75,000+	2987	2,294,440	252	3.9	02.9-04.9	2735	96.1	95.1-97.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE

TABLE 6: (EVER TOLD) YOU HAD ANGINA OR CORONARY HEART DISEASE? (CVDCRHD4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	21812	7,540,925	1648	4.7	04.1-05.3	20164	95.3	94.7-95.9	
White/Non-Hisp	17685	5,132,253	1391	5.5	04.9-06.1	16294	94.5	93.9-95.1	
Black or Afr. Am./Non-Hisp	1819	851,316	101	3.0	01.4-04.6	1718	97.0	95.4-98.6	
Oth. Race/Non-Hisp.	347	199,489	35	2.9	01.1-04.7	312	97.1	95.3-98.9	
MultiRacial/Non-Hisp.	305	105,721	42	5.7	01.8-09.6	263	94.3	90.4-98.2	
Hispanic	1248	1,116,769	50	2.8	01.4-04.2	1198	97.2	95.8-98.6	
18-24	480	393,974				480	100.0	0100-0100	
25-34	1493	798,459	15	1.2	00.0-02.4	1478	98.8	97.6-0100	
35-44	2296	1,364,525	38	1.7	00.5-02.9	2258	98.3	97.1-99.5	
45-54	3628	1,945,355	152	2.8	02.0-03.6	3476	97.2	96.4-98.0	
55-64	4890	1,105,665	374	5.5	04.1-06.9	4516	94.5	93.1-95.9	
65+	8769	1,854,448	1057	11.0	09.8-12.2	7712	89.0	87.8-90.2	
Less Than H.S.	2197	548,314	261	7.8	05.3-10.3	1936	92.2	89.7-94.7	
H.S. or G.E.D.	7346	2,031,518	644	6.2	05.0-07.4	6702	93.8	92.6-95.0	
Some Post-H.S.	6491	2,253,145	480	5.4	04.4-06.4	6011	94.6	93.6-95.6	
College Graduate	5723	2,679,643	259	2.4	01.8-03.0	5464	97.6	97.0-98.2	
Less than \$15,000	3013	719,627	395	9.1	06.6-11.6	2618	90.9	88.4-93.4	
\$15,000- 24,999	4059	1,188,127	442	8.2	06.6-09.8	3617	91.8	90.2-93.4	
\$25,000- 34,999	2405	688,455	184	6.2	04.2-08.2	2221	93.8	91.8-95.8	
\$35,000- 49,999	2740	984,811	174	4.4	03.2-05.6	2566	95.6	94.4-96.8	
\$50,000- 74,999	2562	999,891	112	3.5	02.3-04.7	2450	96.5	95.3-97.7	
\$75,000+	3167	1,718,606	72	1.0	00.4-01.6	3095	99.0	98.4-99.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 7: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	34953	14,724,479	1990	3.5	03.1-03.9	32963	96.5	96.1-96.9
Male	12978	7,147,049	791	3.8	03.2-04.4	12187	96.2	95.6-96.8
Female	21975	7,577,430	1199	3.3	02.7-03.9	20776	96.7	96.1-97.3
White/Non-Hisp	28462	10,059,782	1623	3.8	03.4-04.2	26839	96.2	95.8-96.6
Black or Afr. Am./Non-Hisp	2648	1,512,376	154	4.0	02.4-05.6	2494	96.0	94.4-97.6
Oth. Race/Non-Hisp.	651	463,528	43	3.9	00.0-08.0	608	96.1	92.0-0100
MultiRacial/Non-Hisp.	524	196,994	59	5.6	01.1-10.1	465	94.4	89.9-98.9
Hispanic	1948	2,216,884	60	1.5	00.7-02.3	1888	98.5	97.7-99.3
18-24	858	976,126	4	0.5	00.0-01.5	854	99.5	98.5-0100
25-34	2257	1,562,072	23	1.0	00.0-02.0	2234	99.0	98.0-0100
35-44	3608	2,788,185	61	1.1	00.5-01.7	3547	98.9	98.3-99.5
45-54	5821	3,795,699	194	3.1	02.1-04.1	5627	96.9	95.9-97.9
55-64	7863	2,145,019	411	3.6	02.6-04.6	7452	96.4	95.4-97.4
65+	14211	3,340,248	1281	8.1	07.1-09.1	12930	91.9	90.9-92.9
Less Than H.S.	3555	1,104,007	327	7.3	04.8-09.8	3228	92.7	90.2-95.2
H.S. or G.E.D.	11353	3,916,907	754	4.6	03.6-05.6	10599	95.4	94.4-96.4
Some Post-H.S.	9877	4,162,744	545	3.8	03.0-04.6	9332	96.2	95.4-97.0
College Graduate	10062	5,478,505	358	1.9	01.5-02.3	9704	98.1	97.7-98.5
Less than \$15,000	4405	1,283,452	477	6.9	04.9-08.9	3928	93.1	91.1-95.1
\$15,000- 24,999	6218	2,175,113	517	5.7	04.3-07.1	5701	94.3	92.9-95.7
\$25,000- 34,999	3771	1,310,610	202	3.4	02.2-04.6	3569	96.6	95.4-97.8
\$35,000- 49,999	4586	1,819,805	191	3.7	02.5-04.9	4395	96.3	95.1-97.5
\$50,000- 74,999	4406	2,032,118	150	2.3	01.7-02.9	4256	97.7	97.1-98.3
\$75,000+	6166	4,015,175	120	1.5	00.9-02.1	6046	98.5	97.9-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 8: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	12978	7,147,049	791	3.8	03.2-04.4	12187	96.2	95.6-96.8
White/Non-Hisp	10658	4,906,571	650	3.9	03.3-04.5	10008	96.1	95.5-96.7
Black or Afr. Am./Non-Hisp	812	656,391	47	3.7	01.3-06.1	765	96.3	93.9-98.7
Oth. Race/Non-Hisp.	299	263,209	24	5.7	00.0-12.6	275	94.3	87.4-0100
MultiRacial/Non-Hisp.	216	91,756	25	9.0	00.0-18.0	191	91.0	82.0-0100
Hispanic	691	1,090,692	21	1.6	00.2-03.0	670	98.4	97.0-99.8
18-24	376	582,010	3	0.9	00.0-02.5	373	99.1	97.5-0100
25-34	762	760,110	9	1.7	00.0-03.7	753	98.3	96.3-0100
35-44	1301	1,421,015	20	1.3	00.3-02.3	1281	98.7	97.7-99.7
45-54	2185	1,845,711	80	3.0	01.6-04.4	2105	97.0	95.6-98.4
55-64	2941	1,028,191	160	4.3	02.3-06.3	2781	95.7	93.7-97.7
65+	5334	1,472,032	517	9.3	07.5-11.1	4817	90.7	88.9-92.5
Less Than H.S.	1309	548,791	117	8.4	04.3-12.5	1192	91.6	87.5-95.7
H.S. or G.E.D.	3935	1,868,802	276	5.0	03.6-06.4	3659	95.0	93.6-96.4
Some Post-H.S.	3358	1,905,944	211	4.0	02.6-05.4	3147	96.0	94.6-97.4
College Graduate	4327	2,789,631	182	2.0	01.4-02.6	4145	98.0	97.4-98.6
Less than \$15,000	1349	551,664	163	7.6	03.9-11.3	1186	92.4	88.7-96.1
\$15,000- 24,999	2113	978,055	185	5.3	03.1-07.5	1928	94.7	92.5-96.9
\$25,000- 34,999	1352	620,066	77	3.9	01.7-06.1	1275	96.1	93.9-98.3
\$35,000- 49,999	1836	832,687	96	4.8	03.0-06.6	1740	95.2	93.4-97.0
\$50,000- 74,999	1841	1,029,775	86	2.8	01.6-04.0	1755	97.2	96.0-98.4
\$75,000+	2996	2,297,351	82	1.5	00.9-02.1	2914	98.5	97.9-99.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 8: CARDIOVASCULAR DISEASE PREVALENCE
TABLE 9: (EVER TOLD) YOU HAD A STROKE. (CVDSTRK3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	21975	7,577,430	1199	3.3	02.7-03.9	20776	96.7	96.1-97.3	
White/Non-Hisp	17804	5,153,212	973	3.6	03.0-04.2	16831	96.4	95.8-97.0	
Black or Afr. Am./Non-Hisp	1836	855,985	107	4.2	02.0-06.4	1729	95.8	93.6-98.0	
Oth. Race/Non-Hisp.	352	200,319	19	1.6	00.2-03.0	333	98.4	97.0-99.8	
MultiRacial/Non-Hisp.	308	105,238	34	2.6	01.0-04.2	274	97.4	95.8-99.0	
Hispanic	1257	1,126,192	39	1.3	00.5-02.1	1218	98.7	97.9-99.5	
18-24	482	394,116	1	0.0	00.0-00.0	481	100.0	0100-0100	
25-34	1495	801,962	14	0.4	00.0-00.8	1481	99.6	99.2-0100	
35-44	2307	1,367,171	41	0.9	00.3-01.5	2266	99.1	98.5-99.7	
45-54	3636	1,949,988	114	3.3	01.7-04.9	3522	96.7	95.1-98.3	
55-64	4922	1,116,828	251	2.8	02.0-03.6	4671	97.2	96.4-98.0	
65+	8877	1,868,215	764	7.1	06.1-08.1	8113	92.9	91.9-93.9	
Less Than H.S.	2246	555,216	210	6.2	03.5-08.9	2036	93.8	91.1-96.5	
H.S. or G.E.D.	7418	2,048,104	478	4.2	03.0-05.4	6940	95.8	94.6-97.0	
Some Post-H.S.	6519	2,256,801	334	3.6	02.6-04.6	6185	96.4	95.4-97.4	
College Graduate	5735	2,688,874	176	1.7	01.1-02.3	5559	98.3	97.7-98.9	
Less than \$15,000	3056	731,788	314	6.4	04.4-08.4	2742	93.6	91.6-95.6	
\$15,000- 24,999	4105	1,197,057	332	6.0	04.2-07.8	3773	94.0	92.2-95.8	
\$25,000- 34,999	2419	690,545	125	3.0	02.2-03.8	2294	97.0	96.2-97.8	
\$35,000- 49,999	2750	987,118	95	2.9	01.5-04.3	2655	97.1	95.7-98.5	
\$50,000- 74,999	2565	1,002,343	64	1.7	01.1-02.3	2501	98.3	97.7-98.9	
\$75,000+	3170	1,717,823	38	1.4	00.2-02.6	3132	98.6	97.4-99.8	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 9: ASTHMA CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)	
1	MALES AND FEMALES	62
2	MALES ONLY	63
3	FEMALES ONLY	64
	DO YOU STILL HAVE ASTHMA? (ASTHNOW)	
4	MALES AND FEMALES	65
5	MALES ONLY	66
6	FEMALES ONLY	67

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 1: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	35003	14,730,909	5053	13.8	12.8-14.8		29950	86.2	85.2-87.2	
Male	13005	7,149,177	1453	12.6	11.0-14.2		11552	87.4	85.8-89.0	
Female	21998	7,581,732	3600	14.9	13.9-15.9		18398	85.1	84.1-86.1	
White/Non-Hisp	28499	10,071,409	4033	13.5	12.5-14.5		24466	86.5	85.5-87.5	
Black or Afr. Am./Non-Hisp	2650	1,512,458	423	12.5	09.6-15.4		2227	87.5	84.6-90.4	
Oth. Race/Non-Hisp.	653	463,071	94	11.7	05.4-18.0		559	88.3	82.0-94.6	
MultiRacial/Non-Hisp.	527	193,192	106	12.2	07.5-16.9		421	87.8	83.1-92.5	
Hispanic	1950	2,216,870	309	16.8	13.3-20.3		1641	83.2	79.7-86.7	
18-24	852	972,354	168	24.0	17.3-30.7		684	76.0	69.3-82.7	
25-34	2259	1,563,677	380	17.5	14.0-21.0		1879	82.5	79.0-86.0	
35-44	3605	2,787,667	516	12.4	10.4-14.4		3089	87.6	85.6-89.6	
45-54	5819	3,796,906	900	12.2	10.4-14.0		4919	87.8	86.0-89.6	
55-64	7874	2,146,561	1201	13.5	11.9-15.1		6673	86.5	84.9-88.1	
65+	14256	3,345,348	1843	12.0	10.8-13.2		12413	88.0	86.8-89.2	
Less Than H.S.	3569	1,101,875	734	16.0	13.1-18.9		2835	84.0	81.1-86.9	
H.S. or G.E.D.	11372	3,918,024	1573	14.3	12.5-16.1		9799	85.7	83.9-87.5	
Some Post-H.S.	9876	4,163,638	1499	16.1	14.1-18.1		8377	83.9	81.9-85.9	
College Graduate	10079	5,484,965	1235	11.3	09.9-12.7		8844	88.7	87.3-90.1	
Less than \$15,000	4424	1,286,047	931	20.1	16.8-23.4		3493	79.9	76.6-83.2	
\$15,000- 24,999	6233	2,181,669	967	17.1	14.2-20.0		5266	82.9	80.0-85.8	
\$25,000- 34,999	3778	1,309,954	548	13.0	10.3-15.7		3230	87.0	84.3-89.7	
\$35,000- 49,999	4585	1,818,631	605	13.5	11.3-15.7		3980	86.5	84.3-88.7	
\$50,000- 74,999	4408	2,035,021	546	13.1	10.6-15.6		3862	86.9	84.4-89.4	
\$75,000+	6162	4,014,992	649	10.6	09.0-12.2		5513	89.4	87.8-91.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 2: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	13005	7,149,177	1453	12.6	11.0-14.2	11552	87.4	85.8-89.0	
White/Non-Hisp	10676	4,911,722	1168	11.5	10.1-12.9	9508	88.5	87.1-89.9	
Black or Afr. Am./Non-Hisp	815	656,840	109	11.9	06.8-17.0	706	88.1	83.0-93.2	
MultiRacial/Non-Hisp.	215	87,293	30	8.7	02.2-15.2	185	91.3	84.8-97.8	
Hispanic	692	1,090,721	88	18.4	12.1-24.7	604	81.6	75.3-87.9	
18-24	373	579,000	77	30.7	20.9-40.5	296	69.3	59.5-79.1	
25-34	762	761,650	107	16.6	10.5-22.7	655	83.4	77.3-89.5	
35-44	1299	1,418,768	134	11.2	08.3-14.1	1165	88.8	85.9-91.7	
45-54	2185	1,845,931	248	9.3	06.8-11.8	1937	90.7	88.2-93.2	
55-64	2948	1,029,642	331	11.1	08.7-13.5	2617	88.9	86.5-91.3	
65+	5358	1,475,343	546	10.0	08.4-11.6	4812	90.0	88.4-91.6	
Less Than H.S.	1312	545,133	194	15.6	10.9-20.3	1118	84.4	79.7-89.1	
H.S. or G.E.D.	3943	1,870,516	430	13.4	10.3-16.5	3513	86.6	83.5-89.7	
Some Post-H.S.	3364	1,906,629	403	15.0	11.5-18.5	2961	85.0	81.5-88.5	
College Graduate	4336	2,792,926	422	9.9	07.9-11.9	3914	90.1	88.1-92.1	
Less than \$15,000	1357	551,952	211	17.0	11.1-22.9	1146	83.0	77.1-88.9	
\$15,000- 24,999	2123	983,022	259	16.1	10.8-21.4	1864	83.9	78.6-89.2	
\$25,000- 34,999	1359	621,734	144	9.9	05.8-14.0	1215	90.1	86.0-94.2	
\$35,000- 49,999	1839	833,583	206	12.8	09.5-16.1	1633	87.2	83.9-90.5	
\$50,000- 74,999	1840	1,029,388	175	12.2	08.1-16.3	1665	87.8	83.7-91.9	
\$75,000+	2992	2,296,363	279	9.9	07.5-12.3	2713	90.1	87.7-92.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 3: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD ASTHMA? (ASTHMA2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21998	7,581,732	3600	14.9	13.9-15.9	18398	85.1	84.1-86.1
White/Non-Hisp	17823	5,159,687	2865	15.4	14.2-16.6	14958	84.6	83.4-85.8
Black or Afr. Am./Non-Hisp	1835	855,618	314	13.0	09.7-16.3	1521	87.0	83.7-90.3
Oth. Race/Non-Hisp.	351	199,388	59	6.0	03.3-08.7	292	94.0	91.3-96.7
MultiRacial/Non-Hisp.	312	105,899	76	15.1	08.6-21.6	236	84.9	78.4-91.4
Hispanic	1258	1,126,149	221	15.3	11.6-19.0	1037	84.7	81.0-88.4
18-24	479	393,354	91	14.1	08.0-20.2	388	85.9	79.8-92.0
25-34	1497	802,027	273	18.5	15.0-22.0	1224	81.5	78.0-85.0
35-44	2306	1,368,899	382	13.6	11.1-16.1	1924	86.4	83.9-88.9
45-54	3634	1,950,975	652	15.0	12.6-17.4	2982	85.0	82.6-87.4
55-64	4926	1,116,919	870	15.8	13.6-18.0	4056	84.2	82.0-86.4
65+	8898	1,870,005	1297	13.5	11.9-15.1	7601	86.5	84.9-88.1
Less Than H.S.	2257	556,742	540	16.4	12.7-20.1	1717	83.6	79.9-87.3
H.S. or G.E.D.	7429	2,047,507	1143	15.0	13.0-17.0	6286	85.0	83.0-87.0
Some Post-H.S.	6512	2,257,009	1096	17.0	15.0-19.0	5416	83.0	81.0-85.0
College Graduate	5743	2,692,039	813	12.7	10.9-14.5	4930	87.3	85.5-89.1
Less than \$15,000	3067	734,095	720	22.4	18.7-26.1	2347	77.6	73.9-81.3
\$15,000- 24,999	4110	1,198,647	708	17.9	15.0-20.8	3402	82.1	79.2-85.0
\$25,000- 34,999	2419	688,221	404	15.8	12.3-19.3	2015	84.2	80.7-87.7
\$35,000- 49,999	2746	985,048	399	14.0	11.3-16.7	2347	86.0	83.3-88.7
\$50,000- 74,999	2568	1,005,634	371	14.0	11.3-16.7	2197	86.0	83.3-88.7
\$75,000+	3170	1,718,630	370	11.6	09.4-13.8	2800	88.4	86.2-90.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 4: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4864	1,959,501	3374	62.3	58.6-66.0	1490	37.7	34.0-41.4
Male	1402	875,898	838	53.0	46.3-59.7	564	47.0	40.3-53.7
Female	3462	1,083,603	2536	69.9	66.2-73.6	926	30.1	26.4-33.8
White/Non-Hisp	3879	1,304,159	2694	63.4	59.7-67.1	1185	36.6	32.9-40.3
35-44	494	333,429	316	55.3	46.7-63.9	178	44.7	36.1-53.3
45-54	869	441,884	604	61.9	54.1-69.7	265	38.1	30.3-45.9
55-64	1157	283,038	828	65.6	59.1-72.1	329	34.4	27.9-40.9
65+	1768	387,228	1276	72.8	68.1-77.5	492	27.2	22.5-31.9
H.S. or G.E.D.	1527	548,367	1076	63.7	56.8-70.6	451	36.3	29.4-43.2
Some Post-H.S.	1436	647,336	982	63.6	56.7-70.5	454	36.4	29.5-43.3
College Graduate	1186	595,491	746	56.5	50.2-62.8	440	43.5	37.2-49.8
Less than \$15,000	894	244,319	711	72.3	62.5-82.1	183	27.7	17.9-37.5
\$15,000- 24,999	928	362,782	690	73.4	65.4-81.4	238	26.6	18.6-34.6
\$35,000- 49,999	587	233,919	356	52.7	43.9-61.5	231	47.3	38.5-56.1
\$75,000+	625	414,148	360	52.9	44.7-61.1	265	47.1	38.9-55.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 5: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1402	875,898	838	53.0	46.3-59.7	564	47.0	40.3-53.7
White/Non-Hisp	1127	544,960	681	55.0	48.1-61.9	446	45.0	38.1-51.9
65+	528	143,671	358	69.0	60.8-77.2	170	31.0	22.8-39.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 9: ASTHMA**

TABLE 6: DO YOU STILL HAVE ASTHMA? (ASTHNOW)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting they have been told they have asthma

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3462	1,083,603	2536	69.9	66.4-73.4	926	30.1	26.6-33.6
White/Non-Hisp	2752	759,199	2013	69.5	65.4-73.6	739	30.5	26.4-34.6
Black or Afr. Am./Non-Hisp	304	109,507	231	81.5	73.3-89.7	73	18.5	10.3-26.7
25-34	265	141,199	187	71.9	62.7-81.1	78	28.1	18.9-37.3
35-44	367	181,578	264	65.4	56.2-74.6	103	34.6	25.4-43.8
45-54	631	278,359	461	66.3	57.5-75.1	170	33.7	24.9-42.5
55-64	840	172,111	627	71.7	64.6-78.8	213	28.3	21.2-35.4
65+	1240	243,557	918	75.0	69.1-80.9	322	25.0	19.1-30.9
Less Than H.S.	517	84,499	420	86.9	79.3-94.5	97	13.1	05.5-20.7
H.S. or G.E.D.	1107	298,580	815	67.3	59.7-74.9	292	32.7	25.1-40.3
Some Post-H.S.	1048	370,582	751	70.2	64.3-76.1	297	29.8	23.9-35.7
College Graduate	783	329,327	543	67.4	60.5-74.3	240	32.6	25.7-39.5
Less than \$15,000	691	155,573	554	78.8	71.4-86.2	137	21.2	13.8-28.6
\$15,000- 24,999	679	209,907	521	70.3	60.5-80.1	158	29.7	19.9-39.5
\$50,000- 74,999	359	136,275				107	28.6	18.6-38.6
\$75,000+	357	191,080	233	64.7	55.1-74.3	124	35.3	25.7-44.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 10: DISABILITY CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)	
1	MALES AND FEMALES	69
2	MALES ONLY	70
3	FEMALES ONLY	71
	DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE? (USEEQUIP)	
4	MALES AND FEMALES	72
5	MALES ONLY	73
6	FEMALES ONLY	74

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

TABLE 1: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34874	14,685,143	10939	24.3	23.3-25.3	23935	75.7	74.7-76.7
Male	12955	7,127,726	3957	23.0	21.4-24.6	8998	77.0	75.4-78.6
Female	21919	7,557,418	6982	25.5	24.3-26.7	14937	74.5	73.3-75.7
White/Non-Hisp	28405	10,048,423	9127	26.2	25.2-27.2	19278	73.8	72.8-74.8
Black or Afr. Am./Non-Hisp	2638	1,503,788	691	22.0	18.3-25.7	1947	78.0	74.3-81.7
Oth. Race/Non-Hisp.	649	463,563	220	20.2	13.9-26.5	429	79.8	73.5-86.1
MultiRacial/Non-Hisp.	531	197,658	256	28.5	21.2-35.8	275	71.5	64.2-78.8
Hispanic	1939	2,200,536	427	17.2	13.9-20.5	1512	82.8	79.5-86.1
18-24	853	973,893	108	14.3	08.8-19.8	745	85.7	80.2-91.2
25-34	2252	1,552,947	371	18.3	15.2-21.4	1881	81.7	78.6-84.8
35-44	3597	2,784,552	763	16.4	14.2-18.6	2834	83.6	81.4-85.8
45-54	5812	3,780,847	1837	23.4	21.0-25.8	3975	76.6	74.2-79.0
55-64	7848	2,143,410	2912	32.3	30.1-34.5	4936	67.7	65.5-69.9
65+	14180	3,331,505	4881	32.3	30.7-33.9	9299	67.7	66.1-69.3
Less Than H.S.	3546	1,102,187	1405	28.7	24.8-32.6	2141	71.3	67.4-75.2
H.S. or G.E.D.	11332	3,914,103	3638	25.3	23.3-27.3	7694	74.7	72.7-76.7
Some Post-H.S.	9855	4,147,690	3309	28.4	26.2-30.6	6546	71.6	69.4-73.8
College Graduate	10039	5,466,964	2560	19.6	18.2-21.0	7479	80.4	79.0-81.8
Less than \$15,000	4403	1,280,967	2298	46.3	42.4-50.2	2105	53.7	49.8-57.6
\$15,000- 24,999	6210	2,161,086	2424	33.8	30.9-36.7	3786	66.2	63.3-69.1
\$25,000- 34,999	3759	1,306,171	1135	23.5	20.4-26.6	2624	76.5	73.4-79.6
\$35,000- 49,999	4575	1,817,220	1260	23.7	21.0-26.4	3315	76.3	73.6-79.0
\$50,000- 74,999	4404	2,031,788	1031	19.6	17.2-22.0	3373	80.4	78.0-82.8
\$75,000+	6154	4,010,595	1140	14.4	12.8-16.0	5014	85.6	84.0-87.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

TABLE 2: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12955	7,127,726	3957	23.0	21.4-24.6	8998	77.0	75.4-78.6
White/Non-Hisp	10645	4,901,746	3325	24.3	22.7-25.9	7320	75.7	74.1-77.3
Black or Afr. Am./Non-Hisp	808	648,297	193	22.0	15.7-28.3	615	78.0	71.7-84.3
Oth. Race/Non-Hisp.	298	263,268	101	18.3	09.7-26.9	197	81.7	73.1-90.3
Hispanic	688	1,087,457	135	17.1	11.2-23.0	553	82.9	77.0-88.8
18-24	375	580,669	47	13.8	05.8-21.8	328	86.2	78.2-94.2
25-34	761	752,842	121	17.4	12.3-22.5	640	82.6	77.5-87.7
35-44	1296	1,420,555	255	15.4	11.9-18.9	1041	84.6	81.1-88.1
45-54	2182	1,841,976	659	22.4	18.9-25.9	1523	77.6	74.1-81.1
55-64	2932	1,025,605	1072	31.9	28.6-35.2	1860	68.1	64.8-71.4
65+	5332	1,467,476	1783	31.1	28.6-33.6	3549	68.9	66.4-71.4
Less Than H.S.	1307	546,905	494	28.0	21.7-34.3	813	72.0	65.7-78.3
H.S. or G.E.D.	3929	1,869,768	1259	23.8	20.9-26.7	2670	76.2	73.3-79.1
Some Post-H.S.	3356	1,905,442	1106	28.2	24.5-31.9	2250	71.8	68.1-75.5
College Graduate	4316	2,779,404	1085	17.9	15.7-20.1	3231	82.1	79.9-84.3
Less than \$15,000	1345	546,300	732	51.5	44.4-58.6	613	48.5	41.4-55.6
\$15,000- 24,999	2118	982,980	835	33.2	27.9-38.5	1283	66.8	61.5-72.1
\$25,000- 34,999	1352	618,754	396	23.1	18.2-28.0	956	76.9	72.0-81.8
\$35,000- 49,999	1831	832,417	516	23.5	19.4-27.6	1315	76.5	72.4-80.6
\$50,000- 74,999	1837	1,027,043	436	18.7	15.0-22.4	1401	81.3	77.6-85.0
\$75,000+	2987	2,292,987	570	12.3	10.3-14.3	2417	87.7	85.7-89.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

TABLE 3: ARE YOU LIMITED IN ANY WAY IN ANY ACTIVITIES BECAUSE OF PHYSICAL, MENTAL, OR EMOTIONAL PROBLEMS? (QLACTLM2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	21919	7,557,418	6982	25.5	24.3-26.7	14937	74.5	73.3-75.7	
White/Non-Hisp	17760	5,146,677	5802	28.0	26.6-29.4	11958	72.0	70.6-73.4	
Black or Afr. Am./Non-Hisp	1830	855,491	498	22.0	17.7-26.3	1332	78.0	73.7-82.3	
Oth. Race/Non-Hisp.	351	200,295	119	22.8	14.0-31.6	232	77.2	68.4-86.0	
MultiRacial/Non-Hisp.	311	105,318	143	24.0	15.8-32.2	168	76.0	67.8-84.2	
Hispanic	1251	1,113,079	292	17.3	13.8-20.8	959	82.7	79.2-86.2	
18-24	478	393,224	61	15.2	08.1-22.3	417	84.8	77.7-91.9	
25-34	1491	800,106	250	19.1	15.2-23.0	1241	80.9	77.0-84.8	
35-44	2301	1,363,997	508	17.4	14.7-20.1	1793	82.6	79.9-85.3	
45-54	3630	1,938,871	1178	24.3	21.4-27.2	2452	75.7	72.8-78.6	
55-64	4916	1,117,805	1840	32.7	30.0-35.4	3076	67.3	64.6-70.0	
65+	8848	1,864,028	3098	33.3	31.3-35.3	5750	66.7	64.7-68.7	
Less Than H.S.	2239	555,282	911	29.3	24.6-34.0	1328	70.7	66.0-75.4	
H.S. or G.E.D.	7403	2,044,335	2379	26.7	24.3-29.1	5024	73.3	70.9-75.7	
Some Post-H.S.	6499	2,242,248	2203	28.6	26.4-30.8	4296	71.4	69.2-73.6	
College Graduate	5723	2,687,560	1475	21.3	19.1-23.5	4248	78.7	76.5-80.9	
Less than \$15,000	3058	734,666	1566	42.4	38.1-46.7	1492	57.6	53.3-61.9	
\$15,000- 24,999	4092	1,178,106	1589	34.4	31.1-37.7	2503	65.6	62.3-68.9	
\$25,000- 34,999	2407	687,417	739	23.8	20.1-27.5	1668	76.2	72.5-79.9	
\$35,000- 49,999	2744	984,803	744	23.9	20.4-27.4	2000	76.1	72.6-79.6	
\$50,000- 74,999	2567	1,004,745	595	20.6	17.7-23.5	1972	79.4	76.5-82.3	
\$75,000+	3167	1,717,608	570	17.2	14.7-19.7	2597	82.8	80.3-85.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

**TABLE 4: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEQUIP)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	35064	14,748,240	4931	9.3	08.7-09.9	30133	90.7	90.1-91.3	
Male	13025	7,157,608	1831	9.0	08.0-10.0	11194	91.0	90.0-92.0	
Female	22039	7,590,631	3100	9.5	08.7-10.3	18939	90.5	89.7-91.3	
White/Non-Hisp	28554	10,082,093	3992	10.0	09.4-10.6	24562	90.0	89.4-90.6	
Black or Afr. Am./Non-Hisp	2652	1,512,911	420	12.0	09.3-14.7	2232	88.0	85.3-90.7	
Oth. Race/Non-Hisp.	653	462,916	105	6.6	03.7-09.5	548	93.4	90.5-96.3	
MultiRacial/Non-Hisp.	531	197,794	121	9.7	06.2-13.2	410	90.3	86.8-93.8	
Hispanic	1950	2,216,058	155	4.4	03.0-05.8	1795	95.6	94.2-97.0	
18-24	858	976,126	18	1.9	00.3-03.5	840	98.1	96.5-99.7	
25-34	2261	1,564,603	69	2.2	01.4-03.0	2192	97.8	97.0-98.6	
35-44	3612	2,791,941	204	4.0	02.8-05.2	3408	96.0	94.8-97.2	
45-54	5833	3,797,094	645	8.0	06.6-09.4	5188	92.0	90.6-93.4	
55-64	7883	2,149,399	1191	12.3	10.9-13.7	6692	87.7	86.3-89.1	
65+	14280	3,351,209	2783	18.7	17.5-19.9	11497	81.3	80.1-82.5	
Less Than H.S.	3576	1,107,960	791	12.8	10.4-15.2	2785	87.2	84.8-89.6	
H.S. or G.E.D.	11394	3,927,111	1678	10.4	09.2-11.6	9716	89.6	88.4-90.8	
Some Post-H.S.	9903	4,166,147	1456	10.6	09.4-11.8	8447	89.4	88.2-90.6	
College Graduate	10085	5,484,845	987	6.7	05.9-07.5	9098	93.3	92.5-94.1	
Less than \$15,000	4433	1,286,676	1223	20.7	17.8-23.6	3210	79.3	76.4-82.2	
\$15,000- 24,999	6243	2,182,555	1210	15.0	13.2-16.8	5033	85.0	83.2-86.8	
\$25,000- 34,999	3782	1,312,307	487	9.2	07.2-11.2	3295	90.8	88.8-92.8	
\$35,000- 49,999	4596	1,817,376	477	7.3	06.1-08.5	4119	92.7	91.5-93.9	
\$50,000- 74,999	4415	2,036,776	348	7.1	05.5-08.7	4067	92.9	91.3-94.5	
\$75,000+	6167	4,016,497	331	3.7	02.9-04.5	5836	96.3	95.5-97.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

**TABLE 5: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	13025	7,157,608	1831	9.0	08.0-10.0	11194	91.0	90.0-92.0	
White/Non-Hisp	10693	4,915,740	1509	9.8	08.8-10.8	9184	90.2	89.2-91.2	
Black or Afr. Am./Non-Hisp	814	657,048	121	12.0	07.9-16.1	693	88.0	83.9-92.1	
Oth. Race/Non-Hisp.	301	262,620	51	5.2	02.3-08.1	250	94.8	91.9-97.7	
MultiRacial/Non-Hisp.	219	92,311	52	11.2	04.9-17.5	167	88.8	82.5-95.1	
Hispanic	693	1,090,917	50	4.0	01.6-06.4	643	96.0	93.6-98.4	
18-24	376	582,010	9	0.5	00.0-01.1	367	99.5	98.9-0100	
25-34	765	762,660	27	2.0	00.8-03.2	738	98.0	96.8-99.2	
35-44	1304	1,423,220	78	4.8	02.8-06.8	1226	95.2	93.2-97.2	
45-54	2189	1,843,617	277	9.7	07.5-11.9	1912	90.3	88.1-92.5	
55-64	2949	1,030,751	477	11.9	09.7-14.1	2472	88.1	85.9-90.3	
65+	5362	1,476,508	959	17.1	15.1-19.1	4403	82.9	80.9-84.9	
Less Than H.S.	1320	551,572	281	11.0	08.1-13.9	1039	89.0	86.1-91.9	
H.S. or G.E.D.	3952	1,873,639	586	10.0	08.0-12.0	3366	90.0	88.0-92.0	
Some Post-H.S.	3367	1,905,976	515	10.0	08.0-12.0	2852	90.0	88.0-92.0	
College Graduate	4336	2,792,447	442	7.3	05.9-08.7	3894	92.7	91.3-94.1	
Less than \$15,000	1362	551,943	379	21.6	16.5-26.7	983	78.4	73.3-83.5	
\$15,000- 24,999	2126	983,722	426	13.6	10.9-16.3	1700	86.4	83.7-89.1	
\$25,000- 34,999	1358	621,639	203	9.6	07.1-12.1	1155	90.4	87.9-92.9	
\$35,000- 49,999	1841	832,061	228	8.6	06.4-10.8	1613	91.4	89.2-93.6	
\$50,000- 74,999	1841	1,029,604	179	8.4	05.5-11.3	1662	91.6	88.7-94.5	
\$75,000+	2995	2,296,108	187	3.8	02.8-04.8	2808	96.2	95.2-97.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 10: DISABILITY**

**TABLE 6: DO YOU NOW HAVE ANY HEALTH PROBLEM THAT REQUIRES YOU TO USE SPECIAL EQUIPMENT, SUCH AS A CANE, A WHEELCHAIR, A SPECIAL BED, OR A SPECIAL TELEPHONE?
(USEEQUIP)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	22039	7,590,631	3100	9.5	08.7-10.3	18939	90.5	89.7-91.3	
White/Non-Hisp	17861	5,166,353	2483	10.1	09.3-10.9	15378	89.9	89.1-90.7	
Black or Afr. Am./Non-Hisp	1838	855,863	299	12.0	08.5-15.5	1539	88.0	84.5-91.5	
Oth. Race/Non-Hisp.	352	200,296	54	8.4	03.1-13.7	298	91.6	86.3-96.9	
MultiRacial/Non-Hisp.	312	105,482	69	8.4	04.5-12.3	243	91.6	87.7-95.5	
Hispanic	1257	1,125,141	105	4.8	03.2-06.4	1152	95.2	93.6-96.8	
18-24	482	394,116	9	4.0	00.1-07.9	473	96.0	92.1-99.9	
25-34	1496	801,942	42	2.3	01.1-03.5	1454	97.7	96.5-98.9	
35-44	2308	1,368,722	126	3.2	02.0-04.4	2182	96.8	95.6-98.0	
45-54	3644	1,953,477	368	6.3	04.7-07.9	3276	93.7	92.1-95.3	
55-64	4934	1,118,648	714	12.7	10.7-14.7	4220	87.3	85.3-89.3	
65+	8918	1,874,701	1824	20.0	18.4-21.6	7094	80.0	78.4-81.6	
Less Than H.S.	2256	556,388	510	14.6	11.3-17.9	1746	85.4	82.1-88.7	
H.S. or G.E.D.	7442	2,053,471	1092	10.7	09.3-12.1	6350	89.3	87.9-90.7	
Some Post-H.S.	6536	2,260,171	941	11.1	09.7-12.5	5595	88.9	87.5-90.3	
College Graduate	5749	2,692,398	545	6.1	04.9-07.3	5204	93.9	92.7-95.1	
Less than \$15,000	3071	734,732	844	20.0	16.7-23.3	2227	80.0	76.7-83.3	
\$15,000- 24,999	4117	1,198,834	784	16.0	13.6-18.4	3333	84.0	81.6-86.4	
\$25,000- 34,999	2424	690,668	284	8.8	05.9-11.7	2140	91.2	88.3-94.1	
\$35,000- 49,999	2755	985,315	249	6.3	04.9-07.7	2506	93.7	92.3-95.1	
\$50,000- 74,999	2574	1,007,172	169	5.8	04.2-07.4	2405	94.2	92.6-95.8	
\$75,000+	3172	1,720,389	144	3.7	02.5-04.9	3028	96.3	95.1-97.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 11: TOBACCO USE CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)	
1 MALES AND FEMALES	76
2 MALES ONLY	77
3 FEMALES ONLY	78
DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)	
4 MALES AND FEMALES	79
5 MALES ONLY	80
6 FEMALES ONLY	81
DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)	
7 MALES AND FEMALES	82
8 MALES ONLY	83
9 FEMALES ONLY	84
HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)	
10 MALES AND FEMALES	85
11 MALES ONLY	86
12 FEMALES ONLY	87
DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)	
13 MALES AND FEMALES	88
14 MALES ONLY	89
15 FEMALES ONLY	90

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 1: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34952	14,709,035	18241	47.0	45.8-48.2	16711	53.0	51.8-54.2	
Male	12988	7,145,596	7990	51.8	49.8-53.8	4998	48.2	46.2-50.2	
Female	21964	7,563,439	10251	42.4	41.0-43.8	11713	57.6	56.2-59.0	
White/Non-Hisp	28460	10,053,296	15620	52.6	51.2-54.0	12840	47.4	46.0-48.8	
Black or Afr. Am./Non-Hisp	2646	1,511,587	924	29.9	26.0-33.8	1722	70.1	66.2-74.0	
Oth. Race/Non-Hisp.	651	463,090	322	32.6	24.8-40.4	329	67.4	59.6-75.2	
MultiRacial/Non-Hisp.	532	198,034	305	54.9	45.1-64.7	227	45.1	35.3-54.9	
Hispanic	1943	2,209,796	709	35.8	31.3-40.3	1234	64.2	59.7-68.7	
18-24	853	975,347	278	27.3	21.0-33.6	575	72.7	66.4-79.0	
25-34	2253	1,562,543	935	38.5	34.2-42.8	1318	61.5	57.2-65.8	
35-44	3603	2,783,953	1526	40.2	37.1-43.3	2077	59.8	56.7-62.9	
45-54	5829	3,791,232	3104	47.0	44.1-49.9	2725	53.0	50.1-55.9	
55-64	7873	2,140,166	4383	55.4	53.0-57.8	3490	44.6	42.2-47.0	
65+	14205	3,337,529	7866	57.0	55.4-58.6	6339	43.0	41.4-44.6	
Less Than H.S.	3562	1,105,911	2155	57.6	52.7-62.5	1407	42.4	37.5-47.3	
H.S. or G.E.D.	11351	3,912,210	6282	54.3	51.9-56.7	5069	45.7	43.3-48.1	
Some Post-H.S.	9871	4,159,154	5463	50.7	48.3-53.1	4408	49.3	46.9-51.7	
College Graduate	10064	5,475,444	4287	36.8	34.8-38.8	5777	63.2	61.2-65.2	
Less than \$15,000	4427	1,283,385	2685	57.2	53.3-61.1	1742	42.8	38.9-46.7	
\$15,000- 24,999	6223	2,176,435	3542	52.1	48.8-55.4	2681	47.9	44.6-51.2	
\$25,000- 34,999	3765	1,307,124	2068	51.7	47.4-56.0	1697	48.3	44.0-52.6	
\$35,000- 49,999	4587	1,813,087	2431	47.6	44.3-50.9	2156	52.4	49.1-55.7	
\$50,000- 74,999	4402	2,032,592	2191	48.4	45.1-51.7	2211	51.6	48.3-54.9	
\$75,000+	6155	4,006,467	2702	39.3	36.8-41.8	3453	60.7	58.2-63.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 2: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	12988	7,145,596	7990	51.8	49.8-53.8	4998	48.2	46.2-50.2
White/Non-Hisp	10660	4,905,540	6745	54.7	52.5-56.9	3915	45.3	43.1-47.5
Black or Afr. Am./Non-Hisp	815	657,500	400	38.1	31.0-45.2	415	61.9	54.8-69.0
Hispanic	690	1,090,203	331	47.3	39.9-54.7	359	52.7	45.3-60.1
18-24	375	581,343	134	30.9	21.7-40.1	241	69.1	59.9-78.3
25-34	763	761,882	366	43.8	36.5-51.1	397	56.2	48.9-63.5
35-44	1300	1,422,671	596	44.9	40.0-49.8	704	55.1	50.2-60.0
45-54	2187	1,846,603	1226	49.7	45.2-54.2	961	50.3	45.8-54.8
55-64	2943	1,021,909	1886	60.4	56.7-64.1	1057	39.6	35.9-43.3
65+	5341	1,472,367	3745	67.8	65.3-70.3	1596	32.2	29.7-34.7
Less Than H.S.	1314	549,624	956	67.4	59.8-75.0	358	32.6	25.0-40.2
H.S. or G.E.D.	3940	1,872,571	2674	60.4	56.5-64.3	1266	39.6	35.7-43.5
Some Post-H.S.	3357	1,903,827	2158	54.6	50.3-58.9	1199	45.4	41.1-49.7
College Graduate	4328	2,785,640	2170	40.9	38.0-43.8	2158	59.1	56.2-62.0
Less than \$15,000	1362	552,306	973	65.8	58.7-72.9	389	34.2	27.1-41.3
\$15,000- 24,999	2121	982,207	1466	60.5	54.8-66.2	655	39.5	33.8-45.2
\$25,000- 34,999	1353	620,656	920	58.9	52.0-65.8	433	41.1	34.2-48.0
\$35,000- 49,999	1840	833,708	1154	53.4	48.3-58.5	686	46.6	41.5-51.7
\$50,000- 74,999	1832	1,027,746	1068	53.7	48.4-59.0	764	46.3	41.0-51.6
\$75,000+	2988	2,288,101	1477	41.6	38.1-45.1	1511	58.4	54.9-61.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

**TABLE 3: HAVE YOU SMOKED AT LEAST 100 CIGARETTES IN YOUR ENTIRE LIFE? NOTE: 5 PACKS = 100 CIGARETTES (SMOKE100)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	21964	7,563,439	10251	42.4	41.0-43.8	11713	57.6	56.2-59.0	
White/Non-Hisp	17800	5,147,757	8875	50.6	49.0-52.2	8925	49.4	47.8-51.0	
Black or Afr. Am./Non-Hisp	1831	854,087	524	23.6	19.3-27.9	1307	76.4	72.1-80.7	
Oth. Race/Non-Hisp.	351	200,301	150	17.1	11.4-22.8	201	82.9	77.2-88.6	
Hispanic	1253	1,119,593	378	24.6	20.3-28.9	875	75.4	71.1-79.7	
18-24	478	394,004	144	21.9	14.6-29.2	334	78.1	70.8-85.4	
25-34	1490	800,661	569	33.5	29.2-37.8	921	66.5	62.2-70.8	
35-44	2303	1,361,282	930	35.4	31.9-38.9	1373	64.6	61.1-68.1	
45-54	3642	1,944,629	1878	44.6	41.1-48.1	1764	55.4	51.9-58.9	
55-64	4930	1,118,258	2497	50.9	48.0-53.8	2433	49.1	46.2-52.0	
65+	8864	1,865,162	4121	48.5	46.3-50.7	4743	51.5	49.3-53.7	
Less Than H.S.	2248	556,286	1199	48.0	42.3-53.7	1049	52.0	46.3-57.7	
H.S. or G.E.D.	7411	2,039,639	3608	48.7	46.0-51.4	3803	51.3	48.6-54.0	
Some Post-H.S.	6514	2,255,327	3305	47.5	45.0-50.0	3209	52.5	50.0-55.0	
College Graduate	5736	2,689,804	2117	32.5	30.0-35.0	3619	67.5	65.0-70.0	
Less than \$15,000	3065	731,079	1712	50.8	46.5-55.1	1353	49.2	44.9-53.5	
\$15,000- 24,999	4102	1,194,228	2076	45.2	41.5-48.9	2026	54.8	51.1-58.5	
\$25,000- 34,999	2412	686,468	1148	45.2	40.3-50.1	1264	54.8	49.9-59.7	
\$35,000- 49,999	2747	979,379	1277	42.7	38.6-46.8	1470	57.3	53.2-61.4	
\$50,000- 74,999	2570	1,004,845	1123	43.1	39.2-47.0	1447	56.9	53.0-60.8	
\$75,000+	3167	1,718,366	1225	36.2	33.1-39.3	1942	63.8	60.7-66.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 4: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	18209	6,902,005	4697	25.5	23.9-27.1	1578	11.0	09.6-12.4	11934	63.5	61.7-65.3
Male	7980	3,696,416	1823	23.8	21.4-26.2	573	11.7	09.3-14.1	5584	64.5	61.8-67.2
Female	10229	3,205,589	2874	27.5	25.7-29.3	1005	10.2	08.8-11.6	6350	62.4	60.4-64.4
White/Non-Hisp	15594	5,277,937	4018	26.6	25.0-28.2	1222	8.5	07.3-09.7	10354	64.9	63.1-66.7
Black or Afr. Am./Non-Hisp	924	451,969	226	26.5	20.0-33.0	154	19.3	13.6-25.0	544	54.1	46.7-61.5
MultiRacial/Non-Hisp.	304	108,674	39	16.2	07.4-25.0	39	16.2	07.4-25.0			
Hispanic	706	789,300	174	17.3	11.8-22.8	89	21.2	13.0-29.4	443	61.4	53.2-69.6
25-34	935	601,461	406	35.8	29.7-41.9	148	18.3	10.7-25.9	381	45.9	39.0-52.8
35-44	1526	1,120,320	638	32.9	28.4-37.4	200	16.6	12.7-20.5	688	50.6	45.7-55.5
45-54	3101	1,783,071	1231	31.3	27.8-34.8	382	11.3	08.8-13.8	1488	57.4	53.5-61.3
55-64	4368	1,181,046	1206	23.6	21.1-26.1	417	8.3	06.5-10.1	2745	68.1	65.2-71.0
65+	7853	1,899,162	1038	11.2	09.8-12.6	350	3.6	02.8-04.4	6465	85.2	83.6-86.8
Less Than H.S.	2148	635,343	773	35.8	30.7-40.9	240	13.5	09.0-18.0	1135	50.8	45.3-56.3
H.S. or G.E.D.	6272	2,120,933	1885	33.6	30.5-36.7	586	11.2	09.0-13.4	3801	55.1	52.0-58.2
Some Post-H.S.	5456	2,109,044	1397	25.1	22.6-27.6	464	11.7	08.6-14.8	3595	63.2	59.9-66.5
College Graduate	4280	2,010,297	631	14.0	11.8-16.2	284	9.0	06.8-11.2	3365	77.0	74.3-79.7
Less than \$15,000	2677	732,134	993	37.8	33.1-42.5	385	17.8	13.3-22.3	1299	44.4	39.5-49.3
\$15,000- 24,999	3535	1,132,988	1098	33.5	29.4-37.6	323	11.4	07.7-15.1	2114	55.1	50.8-59.4
\$25,000- 34,999	2067	675,624	527	26.3	21.8-30.8	188	13.3	06.4-20.2	1352	60.4	54.1-66.7
\$35,000- 49,999	2427	860,020	600	25.9	22.0-29.8	160	8.4	06.0-10.8	1667	65.7	61.6-69.8
\$50,000- 74,999	2190	984,397	465	22.9	19.0-26.8	135	9.0	05.7-12.3	1590	68.1	63.6-72.6
\$75,000+	2698	1,571,840	436	16.9	14.0-19.8	174	7.9	05.5-10.3	2088	75.2	71.7-78.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 11: TOBACCO USE

TABLE 5: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	7980	3,696,416	1823	23.8	21.6-26.0	573	11.7	09.3-14.1	5584	64.5	61.8-67.2
White/Non-Hisp	6739	2,678,781	1516	24.9	22.5-27.3	420	7.9	06.3-09.5	4803	67.2	64.7-69.7
Black or Afr. Am./Non-Hisp	400	250,717				61	20.3	11.3-29.3			
Hispanic	329	513,482	69	15.4	08.1-22.7						
25-34	366	333,448	157	31.7	22.9-40.5						
35-44	596	639,032	228	32.1	25.2-39.0	75	16.4	10.5-22.3	293	51.5	44.1-58.9
45-54	1225	917,333	486	30.5	25.0-36.0	132	10.7	06.6-14.8	607	58.8	52.5-65.1
55-64	1881	614,451	471	20.6	16.7-24.5	148	7.8	05.3-10.3	1262	71.6	67.3-75.9
65+	3741	995,783	403	9.0	07.0-11.0	105	1.9	01.3-02.5	3233	89.1	87.1-91.1
Less Than H.S.	953	368,573	311	30.5	23.6-37.4	93	16.1	08.8-23.4	549	53.4	45.4-61.4
H.S. or G.E.D.	2670	1,129,282	754	34.4	29.5-39.3	197	10.9	07.8-14.0	1719	54.8	49.9-59.7
Some Post-H.S.	2158	1,039,303	489	21.9	17.8-26.0	153	14.6	08.5-20.7	1516	63.5	57.4-69.6
College Graduate	2168	1,138,586	264	12.8	09.9-15.7	128	8.1	05.4-10.8	1776	79.1	75.4-82.8
Less than \$15,000	969	361,117	330	32.7	25.3-40.1	117	17.9	10.5-25.3	522	49.3	41.1-57.5
\$15,000- 24,999	1463	593,727	433	33.6	26.9-40.3	122	13.6	06.9-20.3	908	52.8	45.7-59.9
\$25,000- 34,999	920	365,458	218	24.6	17.7-31.5						
\$35,000- 49,999	1152	442,488	244	23.7	18.2-29.2	58	8.8	05.1-12.5	850	67.5	61.4-73.6
\$50,000- 74,999	1068	551,579	193	21.1	15.4-26.8	49	7.7	03.2-12.2	826	71.2	64.5-77.9
\$75,000+	1477	950,835	210	17.2	12.9-21.5	91	7.4	04.3-10.5	1176	75.4	70.3-80.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 11: TOBACCO USE

TABLE 6: DO YOU NOW SMOKE CIGARETTES EVERY DAY, SOME DAYS, OR NOT AT ALL? (SMOKDAY2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	10229	3,205,589	2874	27.5	25.7-29.3	1005	10.2	08.8-11.6	6350	62.4	60.4-64.4
White/Non-Hisp	8855	2,599,156	2502	28.4	26.4-30.4	802	9.1	07.7-10.5	5551	62.6	60.4-64.8
Black or Afr. Am./Non-Hisp	524	201,252	126	22.8	15.5-30.1	93	18.2	11.9-24.5	305	59.0	49.8-68.2
Oth. Race/Non-Hisp.	150	34,269				25	14.8	05.8-23.8			
MultiRacial/Non-Hisp.	161	56,113				18	4.6	00.3-08.9			
Hispanic	377	275,818	105	20.9	14.0-27.8	47	14.9	07.1-22.7	225	64.2	55.2-73.2
25-34	569	268,013	249	40.9	33.5-48.3	76	9.4	05.3-13.5	244	49.7	42.3-57.1
35-44	930	481,288	410	34.0	28.5-39.5	125	16.7	11.6-21.8	395	49.3	43.2-55.4
45-54	1876	865,738	745	32.1	28.0-36.2	250	11.9	08.6-15.2	881	56.0	51.3-60.7
55-64	2487	566,595	735	27.0	23.5-30.5	269	8.8	06.6-11.0	1483	64.2	60.5-67.9
65+	4112	903,379	635	13.7	11.5-15.9	245	5.5	04.1-06.9	3232	80.8	78.4-83.2
Less Than H.S.	1195	266,770	462	43.1	36.2-50.0	147	9.8	06.5-13.1	586	47.1	40.2-54.0
H.S. or G.E.D.	3602	991,651	1131	32.8	29.1-36.5	389	11.7	09.0-14.4	2082	55.6	51.9-59.3
Some Post-H.S.	3298	1,069,742	908	28.2	25.3-31.1	311	8.9	06.9-10.9	2079	62.8	59.5-66.1
College Graduate	2112	871,711	367	15.6	12.7-18.5	156	10.2	07.1-13.3	1589	74.2	70.3-78.1
Less than \$15,000	1708	371,016	663	42.8	36.9-48.7	268	17.6	12.9-22.3	777	39.6	34.1-45.1
\$15,000- 24,999	2072	539,261	665	33.3	28.8-37.8	201	9.0	06.3-11.7	1206	57.7	53.0-62.4
\$25,000- 34,999	1147	310,166	309	28.2	22.7-33.7	117	8.6	05.3-11.9	721	63.2	57.1-69.3
\$35,000- 49,999	1275	417,532	356	28.2	22.9-33.5	102	8.1	05.2-11.0	817	63.7	58.2-69.2
\$50,000- 74,999	1122	432,818	272	25.3	20.2-30.4	86	10.5	05.8-15.2	764	64.2	58.3-70.1
\$75,000+	1221	621,005	226	16.4	12.9-19.9	83	8.7	05.2-12.2	912	74.9	70.4-79.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 7: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	6249	2,504,714	3656	60.1	57.0-63.2	2593	39.9	36.8-43.0
Male	2388	1,303,139	1337	61.0	55.9-66.1	1051	39.0	33.9-44.1
Female	3861	1,201,575	2319	59.1	55.6-62.6	1542	40.9	37.4-44.4
White/Non-Hisp	5218	1,846,672	2968	57.6	54.5-60.7	2250	42.4	39.3-45.5
35-44	834	553,362	504	59.5	52.4-66.6	330	40.5	33.4-47.6
45-54	1609	756,619	958	59.5	54.0-65.0	651	40.5	35.0-46.0
55-64	1618	376,440	956	57.4	52.1-62.7	662	42.6	37.3-47.9
65+	1380	280,466	712	53.1	47.6-58.6	668	46.9	41.4-52.4
Less Than H.S.	1005	311,161	621	61.2	53.8-68.6	384	38.8	31.4-46.2
H.S. or G.E.D.	2462	950,456	1434	61.0	56.1-65.9	1028	39.0	34.1-43.9
Some Post-H.S.	1856	775,842	1093	58.9	52.6-65.2	763	41.1	34.8-47.4
College Graduate	912	460,643	501	59.4	52.7-66.1	411	40.6	33.9-47.3
Less than \$15,000	1370	405,564	892	64.8	58.3-71.3	478	35.2	28.7-41.7
\$15,000- 24,999	1414	501,742	839	62.7	56.2-69.2	575	37.3	30.8-43.8
\$35,000- 49,999	760	295,064	418	55.6	48.0-63.2	342	44.4	36.8-52.0
\$50,000- 74,999	598	311,901	327	58.5	50.3-66.7	271	41.5	33.3-49.7
\$75,000+	609	389,556	327	55.7	47.3-64.1	282	44.3	35.9-52.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 8: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2388	1,303,139	1337	61.0	55.9-66.1	1051	39.0	33.9-44.1	
White/Non-Hisp	1930	878,041	1036	57.3	52.4-62.2	894	42.7	37.8-47.6	
45-54	617	377,900	341	62.8	54.2-71.4	276	37.2	28.6-45.8	
55-64	616	173,916	352	60.1	51.3-68.9	264	39.9	31.1-48.7	
65+	507	108,202	241	52.2	42.8-61.6	266	47.8	38.4-57.2	
H.S. or G.E.D.	949	510,764	509	58.7	51.1-66.3	440	41.3	33.7-48.9	
College Graduate	390	237,796	213	63.4	53.8-73.0	177	36.6	27.0-46.2	
\$15,000- 24,999	553	274,021	328	72.5	63.7-81.3	225	27.5	18.7-36.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 9: DURING THE PAST 12 MONTHS, HAVE YOU STOPPED SMOKING FOR ONE DAY OR LONGER BECAUSE YOU WERE TRYING TO QUIT SMOKING? (STOPSMK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents not reporting having smoked 100 cigarettes in their lifetime

Denominator excludes: Respondents reporting not still smoking cigarettes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3861	1,201,575	2319	59.1	55.6-62.6	1542	40.9	37.4-44.4
White/Non-Hisp	3288	968,631	1932	57.9	54.2-61.6	1356	42.1	38.4-45.8
25-34	323	133,980	209	66.5	57.3-75.7	114	33.5	24.3-42.7
35-44	533	243,665	336	64.8	57.0-72.6	197	35.2	27.4-43.0
45-54	992	378,720	617	56.2	49.3-63.1	375	43.8	36.9-50.7
55-64	1002	202,525	604	55.1	48.6-61.6	398	44.9	38.4-51.4
65+	873	172,264	471	53.8	46.9-60.7	402	46.2	39.3-53.1
Less Than H.S.	602	139,798	375	56.2	46.6-65.8	227	43.8	34.2-53.4
H.S. or G.E.D.	1513	439,692	925	63.7	58.0-69.4	588	36.3	30.6-42.0
Some Post-H.S.	1216	396,999	727	57.4	51.9-62.9	489	42.6	37.1-48.1
College Graduate	522	222,847	288	55.2	46.0-64.4	234	44.8	35.6-54.0
Less than \$15,000	925	222,710	617	62.9	55.1-70.7	308	37.1	29.3-44.9
\$15,000- 24,999	861	227,721	511	51.0	43.6-58.4	350	49.0	41.6-56.4
\$25,000- 34,999	425	114,077	254	64.5	55.1-73.9	171	35.5	26.1-44.9
\$35,000- 49,999	458	151,403	256	55.9	46.3-65.5	202	44.1	34.5-53.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 10: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	11909	4,376,518	793	8.8	07.4-10.2	1407	13.6	12.0-15.2	984	9.8	08.6-11.0	8637	67.0	65.0-69.0	88	0.9	00.5-01.3
Male	5571	2,379,589	331	10.1	07.7-12.5	598	13.7	11.3-16.1	396	9.3	07.5-11.1	4203	66.0	62.9-69.1	43	1.0	00.4-01.6
Female	6338	1,996,929	462	7.4	06.0-08.8	809	13.4	11.6-15.2	588	10.4	08.8-12.0	4434	68.1	65.7-70.5	45	0.7	00.3-01.1
White/Non-Hisp	10333	3,420,426	626	7.0	05.8-08.2	1154	11.8	10.4-13.2	855	10.2	08.8-11.6	7623	70.3	68.3-72.3	75	0.7	00.5-00.9
Black or Afr. Am./Non-Hisp	543	242,918				83	11.6	05.3-17.9	43	5.3	01.4-09.2				6	4.5	00.0-10.0
Oth. Race/Non-Hisp.	178	90,841													1	0.0	00.0-00.0
MultiRacial/Non-Hisp.	154	49,935	15	2.7	00.0-05.6				13	3.8	00.0-08.3				3	1.5	00.0-04.2
Hispanic	443	484,991	52	14.9	08.0-21.8	83	26.0	17.4-34.6	41	9.6	05.3-13.9	265	49.3	39.9-58.7	2	0.3	00.0-00.7
18-24	61	55,890							4	0.5	00.0-01.3	1	6.0	00.0-17.6	4	8.3	00.0-19.5
25-34	379	275,476	70	20.9	12.9-28.9	161	43.1	33.7-52.5	78	20.8	13.2-28.4	62	12.5	07.8-17.2	8	2.8	00.0-07.1
35-44	688	566,598	109	18.1	12.0-24.2	174	24.4	18.3-30.5	109	14.7	10.2-19.2	288	41.9	35.2-48.6	8	0.9	00.1-01.7
45-54	1485	1,021,137	171	9.1	06.0-12.2	254	14.6	11.1-18.1	174	11.3	08.2-14.4	874	64.2	59.1-69.3	12	0.7	00.1-01.3
55-64	2739	803,570	223	6.4	04.8-08.0	378	10.6	08.4-12.8	248	9.6	07.2-12.0	1871	72.8	69.5-76.1	19	0.6	00.0-01.2
65+	6451	1,612,858	187	3.0	02.0-04.0	402	5.1	03.5-06.7	365	5.7	04.5-06.9	5461	85.7	83.7-87.7	36	0.6	00.2-01.0
Less Than H.S.	1132	319,797	134	15.4	09.9-20.9	150	18.5	10.7-26.3	110	9.8	05.3-14.3	734	56.1	48.3-63.9	4	0.1	00.0-00.3
H.S. or G.E.D.	3792	1,167,060	296	11.5	08.4-14.6	478	13.0	10.6-15.4	313	9.7	07.5-11.9	2682	65.3	61.6-69.0	23	0.5	00.1-00.9
Some Post-H.S.	3588	1,329,280	226	9.1	06.4-11.8	446	15.4	12.5-18.3	320	9.6	07.6-11.6	2569	65.0	61.3-68.7	27	0.9	00.3-01.5
College Graduate	3360	1,546,958	134	5.2	03.2-07.2	326	11.4	08.9-13.9	238	10.0	07.6-12.4	2628	72.1	68.6-75.6	34	1.3	00.3-02.3
Less than \$15,000	1297	324,117	158	24.1	16.3-31.9	201	12.5	08.4-16.6	137	13.5	08.6-18.4	795	49.7	42.4-57.0	6	0.2	00.0-00.4
\$15,000- 24,999	2108	620,269	191	15.2	10.1-20.3	257	14.2	10.5-17.9	172	10.4	07.5-13.3	1472	59.5	54.2-64.8	16	0.5	00.1-00.9
\$25,000- 34,999	1350	406,930	73	5.5	02.0-09.0	163	17.5	12.4-22.6	127	11.8	07.7-15.9	978	64.4	58.1-70.7	9	0.9	00.0-02.1
\$35,000- 49,999	1665	564,252	108	8.2	05.1-11.3	193	11.4	08.1-14.7	128	9.6	06.5-12.7	1230	70.5	65.6-75.4	6	0.3	00.0-00.7
\$50,000- 74,999	1590	670,590	97	6.0	04.0-08.0	188	16.2	11.7-20.7	131	8.7	06.0-11.4	1158	68.2	62.9-73.5	16	0.9	00.3-01.5
\$75,000+	2087	1,181,843	91	6.7	04.0-09.4	220	12.3	09.2-15.4	159	10.0	07.3-12.7	1594	69.4	65.1-73.7	23	1.6	00.4-02.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 11: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5571	2,379,589	331	10.1	07.7-12.5	598	13.7	11.3-16.1	396	9.3	07.5-11.1	4203	66.0	62.9-69.1	43	1.0	00.4-01.6
White/Non-Hisp	4792	1,795,449	254	7.2	05.4-09.0	487	11.7	09.7-13.7	353	10.6	08.4-12.8	3660	69.7	66.8-72.6	38	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	238	124,158				33	10.0	02.7-17.3	12	2.2	00.0-04.6				3	7.5	00.0-17.7
MultiRacial/Non-Hisp.	69	15,390	6	6.5	00.0-16.1				7	4.3	00.0-09.2				1	0.2	00.0-00.8
Hispanic	218	307,955							7	4.2	00.0-08.9				1	0.2	00.0-00.6
25-34	136	142,242										17	6.1	02.0-10.2	5	5.0	00.0-13.4
35-44	293	329,217	63	24.3	14.7-33.9	68	26.2	17.0-35.4	48	15.7	09.0-22.4	109	32.9	23.9-41.9	5	0.8	00.0-01.8
45-54	604	536,334	64	10.2	04.9-15.5	105	13.4	08.5-18.3	60	10.4	06.1-14.7	371	65.5	57.7-73.3	4	0.6	00.0-01.6
55-64	1259	439,823	91	5.4	03.4-07.4	160	11.4	07.9-14.9	115	9.4	06.3-12.5	882	73.5	68.8-78.2	11	0.3	00.0-00.7
65+	3227	884,979	74	3.2	01.6-04.8	192	5.0	02.5-07.5	145	5.0	03.2-06.8	2800	86.3	83.2-89.4	16	0.5	00.1-00.9
Less Than H.S.	547	195,140	43	13.0	05.7-20.3				51	9.6	03.5-15.7				1	0.1	00.0-00.3
H.S. or G.E.D.	1716	617,188	123	12.5	07.4-17.6	202	12.7	09.2-16.2	126	9.9	06.6-13.2	1254	64.6	58.7-70.5	11	0.3	00.1-00.5
Some Post-H.S.	1510	657,181	99	12.0	06.9-17.1	180	16.2	11.5-20.9	110	7.7	05.2-10.2	1106	62.9	56.6-69.2	15	1.2	00.0-02.4
College Graduate	1775	900,132	64	6.3	03.2-09.4	150	11.2	07.5-14.9	108	9.9	06.6-13.2	1437	71.0	65.9-76.1	16	1.5	00.0-03.1
Less than \$15,000	520	177,175				84	13.0	06.3-19.7	44	12.2	05.1-19.3				3	0.1	00.0-00.3
\$15,000- 24,999	904	309,831	73	18.6	09.4-27.8	100	10.7	06.4-15.0	64	10.1	05.4-14.8	660	60.0	51.4-68.6	7	0.5	00.0-01.1
\$25,000- 34,999	630	211,176	33	5.3	00.0-10.6	69	20.5	12.1-28.9	46	8.1	02.6-13.6	478	64.8	55.4-74.2	4	1.3	00.0-03.7
\$35,000- 49,999	848	298,122	46	8.5	03.2-13.8	84	9.9	05.6-14.2	56	8.4	03.5-13.3	658	72.8	65.4-80.2	4	0.3	00.0-00.7
\$50,000- 74,999	826	392,740	46	4.9	02.4-07.4	85	16.4	09.3-23.5	59	8.2	04.5-11.9	628	70.0	62.2-77.8	8	0.6	00.0-01.2
\$75,000+	1175	716,554	47	8.4	04.1-12.7	112	13.0	08.5-17.5	80	11.0	07.1-14.9	923	65.7	59.4-72.0	13	1.9	00.0-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 12: HOW LONG HAS IT BEEN SINCE YOU LAST SMOKED CIGARETTES REGULARLY? (LASTSMK1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0-12 months ago			1-5 years ago			5-10 years ago			10+ years ago			Never a regular smoker		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6338	1,996,929	462	7.4	06.0-08.8	809	13.4	11.6-15.2	588	10.4	08.8-12.0	4434	68.1	65.7-70.5	45	0.7	00.3-01.1
White/Non-Hisp	5541	1,624,978	372	6.6	05.2-08.0	667	12.0	10.2-13.8	502	9.8	08.0-11.6	3963	70.9	68.5-73.3	37	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	305	118,760	30	11.5	04.2-18.8				31	8.6	01.3-15.9				3	1.5	00.0-04.2
Oth. Race/Non-Hisp.	71	15,493													1	0.2	00.0-00.6
MultiRacial/Non-Hisp.	85	34,545	9	1.0	00.0-02.2				6	3.6	00.0-09.9				2	2.1	00.0-06.2
Hispanic	225	177,036	27	10.7	04.4-17.0	45	22.5	12.5-32.5	34	19.1	10.9-27.3				1	0.3	00.0-00.9
25-34	243	133,233	45	20.5	11.3-29.7				52	22.8	13.2-32.4	45	19.3	11.1-27.5	3	0.3	00.0-00.7
35-44	395	237,380	46	9.5	05.0-14.0	106	21.9	15.2-28.6	61	13.3	08.2-18.4	179	54.3	46.1-62.5	3	0.9	00.0-01.9
45-54	881	484,803	107	8.0	05.1-10.9	149	16.0	10.9-21.1	114	12.4	08.1-16.7	503	62.8	56.5-69.1	8	0.8	00.0-01.6
55-64	1480	363,747	132	7.7	05.3-10.1	218	9.6	07.2-12.0	133	9.8	06.5-13.1	989	72.0	67.5-76.5	8	0.9	00.0-02.1
65+	3224	727,878	113	2.8	01.8-03.8	210	5.1	03.7-06.5	220	6.5	04.9-08.1	2661	84.9	82.7-87.1	20	0.7	00.3-01.1
Less Than H.S.	585	124,657	91	19.3	11.3-27.3	86	15.9	08.8-23.0	59	10.1	03.2-17.0	346	54.6	44.6-64.6	3	0.1	00.0-00.3
H.S. or G.E.D.	2076	549,872	173	10.4	07.3-13.5	276	13.4	10.3-16.5	187	9.4	06.7-12.1	1428	66.2	61.7-70.7	12	0.7	00.1-01.3
Some Post-H.S.	2078	672,099	127	6.3	04.5-08.1	266	14.6	11.3-17.9	210	11.4	08.7-14.1	1463	67.1	63.0-71.2	12	0.6	00.0-01.2
College Graduate	1585	646,825	70	3.7	01.9-05.5	176	11.6	08.3-14.9	130	10.1	07.0-13.2	1191	73.6	69.1-78.1	18	1.0	00.2-01.8
Less than \$15,000	777	146,942	99	18.2	11.9-24.5	117	11.9	07.4-16.4	93	14.9	08.0-21.8	465	54.7	46.3-63.1	3	0.2	00.0-00.6
\$15,000- 24,999	1204	310,438	118	11.9	08.0-15.8	157	17.8	12.1-23.5	108	10.7	07.0-14.4	812	59.1	52.8-65.4	9	0.6	00.0-01.2
\$25,000- 34,999	720	195,753	40	5.6	01.1-10.1	94	14.3	09.0-19.6	81	15.7	09.4-22.0	500	64.0	55.8-72.2	5	0.4	00.0-00.8
\$35,000- 49,999	817	266,130	62	7.9	04.6-11.2	109	13.0	07.9-18.1	72	10.9	06.6-15.2	572	67.9	61.4-74.4	2	0.3	00.0-00.9
\$50,000- 74,999	764	277,850	51	7.5	04.2-10.8	103	16.0	11.3-20.7	72	9.5	05.8-13.2	530	65.7	59.6-71.8	8	1.2	00.0-02.6
\$75,000+	912	465,289	44	4.2	02.0-06.4	108	11.3	07.6-15.0	79	8.4	04.9-11.9	671	75.0	69.9-80.1	10	1.1	00.1-02.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 13: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35062	14,751,935	585	1.2	01.0-01.4	461	1.3	01.1-01.5	34016	97.6	97.2-98.0
Male	13028	7,160,102	498	2.2	01.8-02.6	343	2.0	01.4-02.6	12187	95.9	95.3-96.5
Female	22034	7,591,833	87	0.2	00.0-00.4	118	0.6	00.4-00.8	21829	99.2	99.0-99.4
White/Non-Hisp	28556	10,085,732	507	1.5	01.3-01.7	353	1.3	00.9-01.7	27696	97.2	96.8-97.6
Black or Afr. Am./Non-Hisp	2651	1,511,906	37	0.4	00.0-00.8	50	2.1	00.7-03.5	2564	97.5	96.1-98.9
Oth. Race/Non-Hisp.	655	463,718	9	0.6	00.0-01.2	13	0.9	00.1-01.7	633	98.4	97.4-99.4
MultiRacial/Non-Hisp.	533	198,245	11	2.4	00.0-04.9	15	4.9	01.2-08.6	507	92.6	88.1-97.1
Hispanic	1947	2,216,288	7	0.1	00.0-00.3	15	0.3	00.1-00.5	1925	99.5	99.1-99.9
18-24	858	976,126	20	1.6	00.2-03.0	26	1.9	00.7-03.1	812	96.5	94.7-98.3
25-34	2260	1,563,019	46	1.6	00.8-02.4	60	2.3	01.1-03.5	2154	96.1	94.7-97.5
35-44	3616	2,794,877	115	1.9	01.3-02.5	62	2.0	01.0-03.0	3439	96.2	95.0-97.4
45-54	5834	3,800,523	138	1.2	00.8-01.6	98	0.9	00.3-01.5	5598	97.9	97.3-98.5
55-64	7885	2,148,891	109	0.7	00.3-01.1	85	0.7	00.5-00.9	7691	98.6	98.2-99.0
65+	14270	3,349,913	156	0.5	00.3-00.7	125	0.8	00.4-01.2	13989	98.7	98.3-99.1
Less Than H.S.	3570	1,104,652	119	2.6	01.4-03.8	101	3.5	01.9-05.1	3350	93.9	91.9-95.9
H.S. or G.E.D.	11391	3,928,003	250	1.8	01.2-02.4	180	1.7	01.1-02.3	10961	96.6	95.8-97.4
Some Post-H.S.	9904	4,167,744	147	1.1	00.7-01.5	94	0.9	00.5-01.3	9663	98.0	97.4-98.6
College Graduate	10091	5,489,145	67	0.5	00.3-00.7	85	0.8	00.4-01.2	9939	98.7	98.3-99.1
Less than \$15,000	4437	1,285,823	91	1.9	00.9-02.9	90	1.6	00.6-02.6	4256	96.4	95.0-97.8
\$15,000- 24,999	6239	2,181,277	99	1.2	00.6-01.8	90	1.5	00.7-02.3	6050	97.3	96.3-98.3
\$25,000- 34,999	3783	1,312,198	61	1.6	00.6-02.6	56	1.6	00.6-02.6	3666	96.7	95.3-98.1
\$35,000- 49,999	4595	1,821,401	95	1.1	00.7-01.5	51	1.0	00.4-01.6	4449	97.9	97.1-98.7
\$50,000- 74,999	4415	2,036,828	67	1.2	00.6-01.8	44	0.9	00.1-01.7	4304	97.9	96.9-98.9
\$75,000+	6168	4,018,132	92	0.9	00.5-01.3	80	1.3	00.7-01.9	5996	97.7	96.9-98.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 14: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13028	7,160,102	498	2.2	01.8-02.6	343	2.0	01.4-02.6	12187	95.9	95.3-96.5
White/Non-Hisp	10697	4,918,858	447	2.8	02.2-03.4	286	2.1	01.5-02.7	9964	95.1	94.3-95.9
Black or Afr. Am./Non-Hisp	815	656,585	13	0.3	00.1-00.5	20	3.3	00.6-06.0	782	96.3	93.4-99.2
Oth. Race/Non-Hisp.	302	263,683	8	1.0	00.0-02.0	9	1.1	00.0-02.3	285	97.9	96.3-99.5
MultiRacial/Non-Hisp.	220	92,340	11	5.2	00.0-10.7	12	8.4	01.5-15.3	197	86.4	77.8-95.0
Hispanic	690	1,089,879	7	0.3	00.0-00.7	9	0.4	00.0-00.8	674	99.3	98.9-99.7
18-24	376	582,010	20	2.7	00.5-04.9	23	2.9	00.9-04.9	333	94.5	91.6-97.4
25-34	764	761,014	43	3.2	01.6-04.8	55	3.6	01.4-05.8	666	93.2	90.5-95.9
35-44	1305	1,424,282	109	3.6	02.4-04.8	47	3.1	01.3-04.9	1149	93.3	91.1-95.5
45-54	2189	1,846,656	112	2.1	01.3-02.9	79	1.7	00.7-02.7	1998	96.2	94.8-97.6
55-64	2953	1,030,865	91	1.3	00.7-01.9	60	1.0	00.6-01.4	2802	97.7	96.9-98.5
65+	5361	1,476,432	122	0.7	00.5-00.9	77	0.9	00.3-01.5	5162	98.4	97.8-99.0
Less Than H.S.	1317	548,653	79	3.7	01.7-05.7	67	5.0	02.6-07.4	1171	91.3	88.2-94.4
H.S. or G.E.D.	3952	1,875,474	225	3.6	02.4-04.8	135	2.6	01.4-03.8	3592	93.8	92.2-95.4
Some Post-H.S.	3370	1,907,896	130	2.2	01.4-03.0	69	1.4	00.4-02.4	3171	96.4	95.2-97.6
College Graduate	4340	2,794,123	62	0.9	00.5-01.3	71	1.4	00.6-02.2	4207	97.7	96.7-98.7
Less than \$15,000	1363	550,592	55	3.5	01.5-05.5	59	1.4	00.6-02.2	1249	95.2	93.0-97.4
\$15,000- 24,999	2126	984,015	85	2.5	01.1-03.9	64	2.9	00.9-04.9	1977	94.6	92.2-97.0
\$25,000- 34,999	1358	621,513	54	2.7	01.1-04.3	44	2.4	01.0-03.8	1260	94.9	92.7-97.1
\$35,000- 49,999	1842	834,384	83	1.9	00.9-02.9	44	2.0	00.6-03.4	1715	96.1	94.5-97.7
\$50,000- 74,999	1841	1,029,427	67	2.4	01.4-03.4	39	1.4	00.0-03.0	1735	96.2	94.4-98.0
\$75,000+	2995	2,297,483	90	1.6	01.0-02.2	66	1.9	00.9-02.9	2839	96.5	95.3-97.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 11: TOBACCO USE**

TABLE 15: DO YOU CURRENTLY USE CHEWING TOBACCO, SNUFF, OR SNUS EVERY DAY, SOME DAYS, OR NOT AT ALL? SNUS (RHYMES WITH 'GOOSE') (USENOW3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Every day			Some days			Not at all		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	22034	7,591,833	87	0.2	00.0-00.4	118	0.6	00.4-00.8	21829	99.2	99.0-99.4
White/Non-Hisp	17859	5,166,874	60	0.2	00.0-00.4	67	0.5	00.3-00.7	17732	99.2	98.8-99.6
Black or Afr. Am./Non-Hisp	1836	855,321	24	0.5	00.0-01.1	30	1.1	00.0-02.3	1782	98.4	97.0-99.8
Oth. Race/Non-Hisp.	353	200,036	1	0.1	00.0-00.3	4	0.7	00.0-01.7	348	99.2	98.2-0100
MultiRacial/Non-Hisp.	313	105,905				3	1.9	00.0-05.6	310	98.1	94.4-0100
Hispanic	1257	1,126,410				6	0.3	00.0-00.7	1251	99.7	99.3-0100
18-24	482	394,116				3	0.6	00.0-01.4	479	99.4	98.6-0100
25-34	1496	802,005	3	0.1	00.1-00.1	5	1.0	00.0-02.2	1488	98.9	97.7-0100
35-44	2311	1,370,594	6	0.1	00.1-00.1	15	0.8	00.2-01.4	2290	99.1	98.5-99.7
45-54	3645	1,953,867	26	0.4	00.0-00.8	19	0.2	00.0-00.4	3600	99.4	99.0-99.8
55-64	4932	1,118,026	18	0.2	00.0-00.4	25	0.4	00.2-00.6	4889	99.4	99.2-99.6
65+	8909	1,873,481	34	0.3	00.1-00.5	48	0.7	00.1-01.3	8827	98.9	98.3-99.5
Less Than H.S.	2253	556,000	40	1.6	00.2-03.0	34	2.0	00.0-04.0	2179	96.4	94.0-98.8
H.S. or G.E.D.	7439	2,052,529	25	0.1	00.1-00.1	45	0.8	00.2-01.4	7369	99.1	98.5-99.7
Some Post-H.S.	6534	2,259,848	17	0.2	00.0-00.4	25	0.4	00.2-00.6	6492	99.3	98.9-99.7
College Graduate	5751	2,695,022	5	0.0	00.0-00.0	14	0.3	00.1-00.5	5732	99.7	99.5-99.9
Less than \$15,000	3074	735,231	36	0.7	00.1-01.3	31	1.9	00.3-03.5	3007	97.4	95.8-99.0
\$15,000- 24,999	4113	1,197,261	14	0.1	00.1-00.1	26	0.4	00.2-00.6	4073	99.5	99.1-99.9
\$25,000- 34,999	2425	690,686	7	0.7	00.0-01.7	12	1.0	00.0-02.2	2406	98.4	96.8-0100
\$35,000- 49,999	2753	987,017	12	0.4	00.0-00.8	7	0.1	00.0-00.3	2734	99.5	99.1-99.9
\$50,000- 74,999	2574	1,007,401				5	0.3	00.0-00.7	2569	99.7	99.3-0100
\$75,000+	3173	1,720,649	2	0.0	00.0-00.0	14	0.6	00.2-01.0	3157	99.4	99.0-99.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS YOUR AGE? (AGE)	
1 MALES AND FEMALES	94
2 MALES ONLY	95
3 FEMALES ONLY	96
ARE YOU HISPANIC OR LATINO? (HISPANC2)	
4 MALES AND FEMALES	97
5 MALES ONLY	98
6 FEMALES ONLY	99
WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)	
7 MALES AND FEMALES	100
8 MALES ONLY	101
9 FEMALES ONLY	102
WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)	
10 MALES AND FEMALES	103
11 MALES ONLY	104
12 FEMALES ONLY	105
HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT? ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)	
13 MALES AND FEMALES	106
14 MALES ONLY	107
15 FEMALES ONLY	108
ARE YOU: (MARITAL STATUS) (MARITAL)	
16 MALES AND FEMALES	109
17 MALES ONLY	110
18 FEMALES ONLY	111
HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)	
19 MALES AND FEMALES	112
20 MALES ONLY	113
21 FEMALES ONLY	114

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)	
22 MALES AND FEMALES	115
23 MALES ONLY	116
24 FEMALES ONLY	117
ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)	
25 MALES AND FEMALES	118
26 MALES ONLY	119
27 FEMALES ONLY	120
IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)	
28 MALES AND FEMALES	121
29 MALES ONLY	122
30 FEMALES ONLY	123
ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)	
31 MALES AND FEMALES	124
32 MALES ONLY	125
33 FEMALES ONLY	126
ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)	
34 MALES AND FEMALES	127
35 MALES ONLY	128
36 FEMALES ONLY	129
WHAT COUNTY DO YOU LIVE IN? (CTYCODE)	
37 MALES AND FEMALES	130
38 MALES ONLY	131
39 FEMALES ONLY	132
WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)	
40 MALES AND FEMALES	133
41 MALES ONLY	134
42 FEMALES ONLY	135

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010**

SECTION 12: DEMOGRAPHICS CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)	
43 MALES AND FEMALES	136
44 MALES ONLY	137
45 FEMALES ONLY	138
HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)	
46 MALES AND FEMALES	139
DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)	
47 FEMALES ONLY	140
THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEM04)	
52 MALES AND FEMALES	145
53 MALES ONLY	146
54 FEMALES ONLY	147
THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEM04)	
55 MALES AND FEMALES	148
56 MALES ONLY	149
57 FEMALES ONLY	150
THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEM04)	
58 MALES AND FEMALES	151
59 MALES ONLY	152
60 FEMALES ONLY	153
THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEM04)	
61 MALES AND FEMALES	154
62 MALES ONLY	155
63 FEMALES ONLY	156
INDICATE SEX OF RESPONDENT. (SEX)	
64 MALES AND FEMALES	157

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
65 MALES ONLY	158
66 FEMALES ONLY	159
TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)	
67 MALES AND FEMALES	160
68 MALES ONLY	161
69 FEMALES ONLY	162

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 1: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34770	14,644,217	858	6.7	05.9-07.5	2262	10.7	09.9-11.5	3617	19.1	18.1-20.1	5841	26.0	24.8-27.2	7895	14.7	13.9-15.5	14297	22.9	22.1-23.7
Male	12964	7,126,034	376	8.2	06.6-09.8	765	10.7	09.3-12.1	1305	20.0	18.2-21.8	2192	25.9	23.9-27.9	2955	14.5	13.3-15.7	5371	20.7	19.5-21.9
Female	21806	7,518,183	482	5.2	04.2-06.2	1497	10.7	09.7-11.7	2312	18.2	17.0-19.4	3649	26.0	24.4-27.6	4940	14.9	14.1-15.7	8926	25.0	24.0-26.0
White/Non-Hisp	28354	10,018,564	555	5.0	04.2-05.8	1522	8.5	07.7-09.3	2610	17.3	16.1-18.5	4569	25.6	24.2-27.0	6533	16.3	15.5-17.1	12565	27.4	26.4-28.4
Black or Afr. Am./Non-Hisp	2630	1,505,450	124	9.6	06.5-12.7	285	15.6	12.3-18.9	378	20.2	16.5-23.9	558	29.6	25.1-34.1	590	11.9	09.7-14.1	695	13.1	10.7-15.5
Oth. Race/Non-Hisp.	651	460,053	36	15.6	08.3-22.9	46	13.9	08.0-19.8	104	23.7	17.0-30.4	149	28.7	20.9-36.5	155	8.2	05.7-10.7	161	9.8	06.7-12.9
MultiRacial/Non-Hisp.	529	197,298	30	13.8	06.5-21.1	54	20.4	13.1-27.7	63	20.1	11.7-28.5	93	17.3	09.5-25.1	136	17.0	08.6-25.4	153	11.4	07.1-15.7
Hispanic	1937	2,208,030	106	9.9	06.6-13.2	324	15.9	12.4-19.4	406	25.8	21.7-29.9	386	26.5	22.2-30.8	335	9.9	07.7-12.1	380	12.0	09.6-14.4
Less Than H.S.	3560	1,103,423	156	11.7	08.2-15.2	264	11.9	08.8-15.0	356	17.3	13.6-21.0	578	21.7	17.2-26.2	631	9.6	07.6-11.6	1575	27.8	24.1-31.5
H.S. or G.E.D.	11325	3,910,659	353	9.8	07.8-11.8	641	9.5	07.9-11.1	1002	16.2	14.2-18.2	1960	26.0	23.6-28.4	2379	13.2	12.0-14.4	4990	25.3	23.7-26.9
Some Post-H.S.	9815	4,134,881	277	8.8	06.8-10.8	702	12.6	10.6-14.6	1034	17.0	15.0-19.0	1645	23.4	21.2-25.6	2382	15.7	14.3-17.1	3775	22.5	21.1-23.9
College Graduate	9980	5,438,718	71	1.7	00.9-02.5	645	9.7	08.5-10.9	1218	23.2	21.2-25.2	1649	28.9	26.7-31.1	2484	16.1	14.9-17.3	3913	20.4	19.2-21.6
Less than \$15,000	4422	1,285,341	109	6.5	04.3-08.7	291	10.9	08.5-13.3	414	18.0	14.5-21.5	891	25.1	21.4-28.8	1041	15.8	13.6-18.0	1676	23.7	21.0-26.4
\$15,000- 24,999	6209	2,170,960	179	9.1	06.2-12.0	421	11.6	09.2-14.0	529	15.8	13.1-18.5	822	20.6	17.7-23.5	1283	14.9	12.9-16.9	2975	28.0	25.6-30.4
\$25,000- 34,999	3766	1,306,167	81	5.0	02.5-07.5	297	15.0	10.9-19.1	336	16.3	13.0-19.6	515	20.3	16.6-24.0	781	13.0	10.8-15.2	1756	30.4	27.3-33.5
\$35,000- 49,999	4574	1,814,694	83	4.6	02.8-06.4	348	13.7	11.3-16.1	497	16.9	14.5-19.3	704	26.1	22.6-29.6	1070	13.6	12.0-15.2	1872	25.2	23.0-27.4
\$50,000- 74,999	4393	2,026,168	74	3.7	01.7-05.7	331	11.0	09.0-13.0	582	21.6	18.7-24.5	827	27.5	24.2-30.8	1130	17.4	15.4-19.4	1449	18.7	16.7-20.7
\$75,000+	6140	3,999,805	91	4.4	02.8-06.0	355	8.4	06.8-10.0	951	25.6	23.2-28.0	1513	33.9	31.4-36.4	1611	15.1	13.7-16.5	1619	12.6	11.4-13.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS
TABLE 2: WHAT IS YOUR AGE? (AGE)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12964	7,126,034	376	8.2	06.6-09.8	765	10.7	09.3-12.1	1305	20.0	18.2-21.8	2192	25.9	23.9-27.9	2955	14.5	13.3-15.7	5371	20.7	19.5-21.9
White/Non-Hisp	10651	4,897,015	254	6.4	05.0-07.8	515	8.0	06.8-09.2	950	18.4	16.6-20.2	1757	26.7	24.5-28.9	2451	16.0	14.8-17.2	4724	24.5	23.1-25.9
Black or Afr. Am./Non-Hisp	815	657,023	40	12.9	06.8-19.0	88	19.2	12.7-25.7	105	18.3	12.0-24.6	173	28.2	21.1-35.3	185	10.5	07.6-13.4	224	11.0	07.9-14.1
Oth. Race/Non-Hisp.	301	260,833				21	12.0	03.8-20.2	53	26.6	16.6-36.6				76	9.6	05.7-13.5	80	10.8	06.1-15.5
MultiRacial/Non-Hisp.	219	91,691	16	15.1	05.3-24.9													52	9.4	03.7-15.1
Hispanic	690	1,090,084	47	12.0	06.5-17.5	108	17.1	11.0-23.2	145	27.7	21.0-34.4	132	22.8	16.3-29.3	107	8.6	05.5-11.7	151	11.8	08.1-15.5
Less Than H.S.	1317	551,524	73	13.9	07.8-20.0	108	14.9	10.2-19.6	146	19.7	13.6-25.8	226	20.6	13.5-27.7	206	8.8	05.9-11.7	558	22.1	17.0-27.2
H.S. or G.E.D.	3944	1,873,120	162	12.9	09.6-16.2	246	11.3	08.6-14.0	382	16.1	13.2-19.0	777	28.6	24.9-32.3	820	11.3	09.5-13.1	1557	19.7	17.3-22.1
Some Post-H.S.	3353	1,899,181	117	12.1	08.4-15.8	229	13.4	09.9-16.9	328	18.3	14.8-21.8	565	23.7	20.0-27.4	847	14.4	12.2-16.6	1267	18.2	16.0-20.4
College Graduate	4306	2,771,568	23	1.0	00.4-01.6	177	7.4	05.6-09.2	444	24.0	21.1-26.9	620	26.9	24.0-29.8	1075	17.8	15.8-19.8	1967	22.9	20.9-24.9
Less than \$15,000	1362	552,831	35	4.8	02.1-07.5	84	11.4	07.1-15.7	128	20.6	13.7-27.5	300	28.6	21.7-35.5	357	17.2	13.3-21.1	458	17.4	13.3-21.5
\$15,000- 24,999	2118	977,002	78	12.5	07.2-17.8	142	12.6	08.3-16.9	162	16.3	11.6-21.0	313	20.1	15.4-24.8	457	14.6	11.5-17.7	966	23.8	20.3-27.3
\$25,000- 34,999	1355	620,184	38	7.6	02.9-12.3	110	19.4	11.6-27.2	107	14.8	09.7-19.9	175	18.2	13.1-23.3	268	11.5	08.4-14.6	657	28.5	23.6-33.4
\$35,000- 49,999	1839	832,460	33	5.2	02.1-08.3	120	13.6	09.9-17.3	191	16.4	12.7-20.1	235	23.5	18.2-28.8	406	13.8	11.3-16.3	854	27.5	24.0-31.0
\$50,000- 74,999	1838	1,026,525	33	4.8	01.5-08.1	115	9.5	06.6-12.4	200	21.8	17.1-26.5	306	26.9	21.6-32.2	449	17.7	14.6-20.8	735	19.3	16.6-22.0
\$75,000+	2988	2,293,729	50	5.6	03.2-08.0	119	6.9	04.7-09.1	420	26.4	22.9-29.9	675	32.2	28.5-35.9	762	15.0	12.8-17.2	962	14.0	12.2-15.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS
TABLE 3: WHAT IS YOUR AGE? (AGE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		18-24			25-34			35-44			45-54			55-64			65+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21806	7,518,183	482	5.2	04.2-06.2	1497	10.7	09.7-11.7	2312	18.2	17.0-19.4	3649	26.0	24.4-27.6	4940	14.9	14.1-15.7	8926	25.0	24.0-26.0
White/Non-Hisp	17703	5,121,549	301	3.6	02.8-04.4	1007	9.0	08.0-10.0	1660	16.3	15.1-17.5	2812	24.4	22.8-26.0	4082	16.5	15.5-17.5	7841	30.1	28.9-31.3
Black or Afr. Am./Non-Hisp	1815	848,427	84	7.1	04.6-09.6	197	12.8	09.5-16.1	273	21.6	17.1-26.1	385	30.8	25.1-36.5	405	13.0	10.1-15.9	471	14.7	11.6-17.8
Oth. Race/Non-Hisp.	350	199,220	20	17.1	07.3-26.9	25	16.3	07.7-24.9	51	20.0	12.0-28.0				79	6.3	03.6-09.0	81	8.5	04.2-12.8
MultiRacial/Non-Hisp.	310	105,607										54	19.1	09.1-29.1	72	10.5	02.1-18.9	101	13.1	06.8-19.4
Hispanic	1247	1,117,946	59	7.9	04.4-11.4	216	14.6	11.1-18.1	261	23.8	19.1-28.5	254	30.2	24.7-35.7	228	11.2	08.5-13.9	229	12.2	09.5-14.9
Less Than H.S.	2243	551,899	83	9.4	05.7-13.1	156	8.9	05.2-12.6	210	14.8	10.3-19.3	352	22.8	17.1-28.5	425	10.5	08.0-13.0	1017	33.6	28.5-38.7
H.S. or G.E.D.	7381	2,037,539	191	7.0	05.0-09.0	395	7.9	06.3-09.5	620	16.3	13.9-18.7	1183	23.5	20.8-26.2	1559	14.9	13.1-16.7	3433	30.4	28.2-32.6
Some Post-H.S.	6462	2,235,700	160	6.0	04.2-07.8	473	11.9	10.1-13.7	706	16.0	14.0-18.0	1080	23.2	20.7-25.7	1535	16.7	15.1-18.3	2508	26.2	24.4-28.0
College Graduate	5674	2,667,150	48	2.4	01.0-03.8	468	12.1	10.3-13.9	774	22.4	20.0-24.8	1029	30.9	28.0-33.8	1409	14.3	12.7-15.9	1946	17.9	16.3-19.5
Less than \$15,000	3060	732,510	74	7.7	04.6-10.8	207	10.6	07.9-13.3	286	16.0	12.7-19.3	591	22.5	18.4-26.6	684	14.7	12.2-17.2	1218	28.5	25.0-32.0
\$15,000- 24,999	4091	1,193,958	101	6.3	03.6-09.0	279	10.7	08.3-13.1	367	15.3	12.2-18.4	509	21.0	17.3-24.7	826	15.2	12.8-17.6	2009	31.5	28.6-34.4
\$25,000- 34,999	2411	685,982	43	2.7	01.1-04.3	187	11.0	08.3-13.7	229	17.6	13.1-22.1	340	22.1	16.6-27.6	513	14.5	11.6-17.4	1099	32.2	28.3-36.1
\$35,000- 49,999	2735	982,235	50	4.0	02.0-06.0	228	13.8	10.7-16.9	306	17.3	14.2-20.4	469	28.3	23.6-33.0	664	13.4	11.4-15.4	1018	23.2	20.5-25.9
\$50,000- 74,999	2555	999,642	41	2.6	00.8-04.4	216	12.6	09.9-15.3	382	21.4	18.1-24.7	521	28.2	24.1-32.3	681	17.1	14.7-19.5	714	18.1	15.6-20.6
\$75,000+	3152	1,706,076	41	2.8	01.2-04.4	236	10.4	08.2-12.6	531	24.5	21.6-27.4	838	36.2	32.9-39.5	849	15.3	13.3-17.3	657	10.8	09.4-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 4: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	34767	14,657,773	1953	15.1	13.9-16.3	32814	84.9	83.7-86.1
Male	12924	7,120,393	693	15.3	13.3-17.3	12231	84.7	82.7-86.7
Female	21843	7,537,380	1260	14.9	13.5-16.3	20583	85.1	83.7-86.5
18-24	857	975,862	106	22.5	15.8-29.2	751	77.5	70.8-84.2
25-34	2258	1,560,221	324	22.5	18.0-27.0	1934	77.5	73.0-82.0
35-44	3591	2,780,672	406	20.5	17.4-23.6	3185	79.5	76.4-82.6
45-54	5808	3,782,632	386	15.5	13.0-18.0	5422	84.5	82.0-87.0
55-64	7834	2,129,570	335	10.3	08.3-12.3	7499	89.7	87.7-91.7
65+	14112	3,322,588	380	8.0	06.6-09.4	13732	92.0	90.6-93.4
Less Than H.S.	3495	1,091,569	473	29.2	24.1-34.3	3022	70.8	65.7-75.9
H.S. or G.E.D.	11284	3,903,499	504	12.5	10.5-14.5	10780	87.5	85.5-89.5
Some Post-H.S.	9862	4,147,276	477	15.8	13.3-18.3	9385	84.2	81.7-86.7
College Graduate	10032	5,457,988	483	13.4	11.6-15.2	9549	86.6	84.8-88.4
Less than \$15,000	4382	1,273,229	377	20.4	16.7-24.1	4005	79.6	75.9-83.3
\$15,000- 24,999	6181	2,170,560	452	23.0	19.3-26.7	5729	77.0	73.3-80.7
\$25,000- 34,999	3759	1,304,490	204	17.5	13.0-22.0	3555	82.5	78.0-87.0
\$35,000- 49,999	4571	1,812,569	224	15.0	11.9-18.1	4347	85.0	81.9-88.1
\$50,000- 74,999	4399	2,029,869	180	10.8	07.9-13.7	4219	89.2	86.3-92.1
\$75,000+	6154	4,003,636	217	10.2	08.2-12.2	5937	89.8	87.8-91.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 5: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	12924	7,120,393	693	15.3	13.3-17.3		12231	84.7	82.7-86.7	
18-24	375	581,746	47	22.5	13.1-31.9		328	77.5	68.1-86.9	
25-34	765	762,660	108	24.5	16.9-32.1		657	75.5	67.9-83.1	
35-44	1292	1,416,263	145	21.3	16.4-26.2		1147	78.7	73.8-83.6	
45-54	2183	1,839,248	132	13.5	09.6-17.4		2051	86.5	82.6-90.4	
55-64	2928	1,019,035	107	9.2	06.1-12.3		2821	90.8	87.7-93.9	
65+	5312	1,467,871	151	8.8	06.3-11.3		5161	91.2	88.7-93.7	
Less Than H.S.	1295	540,497	160	24.0	16.2-31.8		1135	76.0	68.2-83.8	
H.S. or G.E.D.	3924	1,871,291	179	13.3	10.0-16.6		3745	86.7	83.4-90.0	
Some Post-H.S.	3352	1,901,257	166	19.5	14.8-24.2		3186	80.5	75.8-85.2	
College Graduate	4310	2,775,930	180	11.9	09.4-14.4		4130	88.1	85.6-90.6	
Less than \$15,000	1354	550,990	114	18.6	11.9-25.3		1240	81.4	74.7-88.1	
\$15,000- 24,999	2103	979,533	170	25.5	18.8-32.2		1933	74.5	67.8-81.2	
\$25,000- 34,999	1353	620,281	73	19.5	11.3-27.7		1280	80.5	72.3-88.7	
\$35,000- 49,999	1829	828,749	89	14.5	09.8-19.2		1740	85.5	80.8-90.2	
\$50,000- 74,999	1829	1,024,995	71	12.3	07.2-17.4		1758	87.7	82.6-92.8	
\$75,000+	2986	2,288,165	106	10.9	08.0-13.8		2880	89.1	86.2-92.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 6: ARE YOU HISPANIC OR LATINO? (HISPANC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	21843	7,537,380	1260	14.9	13.5-16.3	20583	85.1	83.7-86.5
18-24	482	394,116	59	22.4	13.6-31.2	423	77.6	68.8-86.4
25-34	1493	797,561	216	20.5	16.0-25.0	1277	79.5	75.0-84.0
35-44	2299	1,364,410	261	19.5	15.8-23.2	2038	80.5	76.8-84.2
45-54	3625	1,943,385	254	17.4	13.9-20.9	3371	82.6	79.1-86.1
55-64	4906	1,110,535	228	11.3	08.8-13.8	4678	88.7	86.2-91.2
65+	8800	1,854,718	229	7.4	05.8-09.0	8571	92.6	91.0-94.2
Less Than H.S.	2200	551,072	313	34.3	27.8-40.8	1887	65.7	59.2-72.2
H.S. or G.E.D.	7360	2,032,208	325	11.8	09.4-14.2	7035	88.2	85.8-90.6
Some Post-H.S.	6510	2,246,019	311	12.7	10.3-15.1	6199	87.3	84.9-89.7
College Graduate	5722	2,682,058	303	14.8	12.3-17.3	5419	85.2	82.7-87.7
Less than \$15,000	3028	722,239	263	21.7	17.4-26.0	2765	78.3	74.0-82.6
\$15,000- 24,999	4078	1,191,027	282	20.9	17.0-24.8	3796	79.1	75.2-83.0
\$25,000- 34,999	2406	684,209	131	15.6	11.3-19.9	2275	84.4	80.1-88.7
\$35,000- 49,999	2742	983,820	135	15.5	11.2-19.8	2607	84.5	80.2-88.8
\$50,000- 74,999	2570	1,004,874	109	9.3	06.2-12.4	2461	90.7	87.6-93.8
\$75,000+	3168	1,715,470	111	9.4	06.9-11.9	3057	90.6	88.1-93.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 7: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35109	14,762,805	34553	98.4	98.0-98.8	556	1.6	01.2-02.0
Male	13044	7,164,877	12813	98.3	97.7-98.9	231	1.7	01.1-02.3
Female	22065	7,597,928	21740	98.5	98.1-98.9	325	1.5	01.1-01.9
18-24	858	976,126	826	96.1	93.4-98.8	32	3.9	01.2-06.6
25-34	2262	1,564,687	2206	96.8	95.4-98.2	56	3.2	01.8-04.6
35-44	3617	2,794,950	3548	97.9	96.9-98.9	69	2.1	01.1-03.1
45-54	5841	3,802,825	5743	99.0	98.6-99.4	98	1.0	00.6-01.4
55-64	7895	2,150,212	7757	98.4	97.6-99.2	138	1.6	00.8-02.4
65+	14297	3,355,417	14138	99.3	99.1-99.5	159	0.7	00.5-00.9
Less Than H.S.	3582	1,108,642	3492	97.4	96.2-98.6	90	2.6	01.4-03.8
H.S. or G.E.D.	11405	3,929,786	11247	98.7	98.1-99.3	158	1.3	00.7-01.9
Some Post-H.S.	9917	4,171,320	9720	98.0	97.2-98.8	197	2.0	01.2-02.8
College Graduate	10098	5,490,649	9988	98.6	98.0-99.2	110	1.4	00.8-02.0
Less than \$15,000	4444	1,289,003	4322	97.7	96.5-98.9	122	2.3	01.1-03.5
\$15,000- 24,999	6251	2,184,090	6126	98.6	98.2-99.0	125	1.4	01.0-01.8
\$25,000- 34,999	3785	1,312,740	3723	97.0	94.8-99.2	62	3.0	00.8-05.2
\$35,000- 49,999	4600	1,821,953	4540	98.8	98.0-99.6	60	1.2	00.4-02.0
\$50,000- 74,999	4417	2,037,200	4370	98.7	98.1-99.3	47	1.3	00.7-01.9
\$75,000+	6172	4,018,481	6129	98.9	98.3-99.5	43	1.1	00.5-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 8: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13044	7,164,877	12813	98.3	97.7-98.9	231	1.7	01.1-02.3
18-24	376	582,010	358	95.7	91.8-99.6	18	4.3	00.4-08.2
25-34	765	762,660	742	96.4	94.0-98.8	23	3.6	01.2-06.0
35-44	1305	1,424,282	1275	98.2	96.6-99.8	30	1.8	00.2-03.4
45-54	2192	1,847,741	2151	99.2	98.4-0100	41	0.8	00.0-01.6
55-64	2955	1,030,903	2890	97.8	96.2-99.4	65	2.2	00.6-03.8
65+	5371	1,478,437	5318	99.4	99.0-99.8	53	0.6	00.2-01.0
Less Than H.S.	1321	551,600	1278	96.6	94.4-98.8	43	3.4	01.2-05.6
H.S. or G.E.D.	3957	1,875,775	3888	98.3	97.3-99.3	69	1.7	00.7-02.7
Some Post-H.S.	3374	1,909,168	3298	97.6	96.2-99.0	76	2.4	01.0-03.8
College Graduate	4342	2,794,361	4299	99.0	98.2-99.8	43	1.0	00.2-01.8
Less than \$15,000	1366	553,312	1326	97.0	94.5-99.5	40	3.0	00.5-05.5
\$15,000- 24,999	2129	984,156	2073	98.9	98.3-99.5	56	1.1	00.5-01.7
\$25,000- 34,999	1360	622,054	1325	94.7	90.2-99.2	35	5.3	00.8-09.8
\$35,000- 49,999	1843	834,728	1817	98.7	97.7-99.7	26	1.3	00.3-02.3
\$50,000- 74,999	1842	1,029,797	1823	98.9	98.1-99.7	19	1.1	00.3-01.9
\$75,000+	2998	2,297,739	2980	99.1	98.1-0100	18	0.9	00.0-01.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 9: WHICH ONE OR MORE OF THE FOLLOWING WOULD YOU SAY IS YOUR RACE? MARK ALL THAT APPLY. (MRACE)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Reported Race			Two or More Reported Races		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	22065	7,597,928	21740	98.5	98.1-98.9	325	1.5	01.1-01.9
18-24	482	394,116	468	96.6	93.7-99.5	14	3.4	00.5-06.3
25-34	1497	802,027	1464	97.2	95.8-98.6	33	2.8	01.4-04.2
35-44	2312	1,370,668	2273	97.6	96.2-99.0	39	2.4	01.0-03.8
45-54	3649	1,955,084	3592	98.9	98.3-99.5	57	1.1	00.5-01.7
55-64	4940	1,119,309	4867	99.0	98.2-99.8	73	1.0	00.2-01.8
65+	8926	1,876,979	8820	99.2	98.8-99.6	106	0.8	00.4-01.2
Less Than H.S.	2261	557,042	2214	98.2	96.8-99.6	47	1.8	00.4-03.2
H.S. or G.E.D.	7448	2,054,011	7359	99.0	98.4-99.6	89	1.0	00.4-01.6
Some Post-H.S.	6543	2,262,151	6422	98.3	97.7-98.9	121	1.7	01.1-02.3
College Graduate	5756	2,696,289	5689	98.2	97.2-99.2	67	1.8	00.8-02.8
Less than \$15,000	3078	735,691	2996	98.3	97.5-99.1	82	1.7	00.9-02.5
\$15,000- 24,999	4122	1,199,933	4053	98.4	97.6-99.2	69	1.6	00.8-02.4
\$25,000- 34,999	2425	690,686	2398	98.9	98.3-99.5	27	1.1	00.5-01.7
\$35,000- 49,999	2757	987,224	2723	98.8	97.8-99.8	34	1.2	00.2-02.2
\$50,000- 74,999	2575	1,007,403	2547	98.6	97.6-99.6	28	1.4	00.4-02.4
\$75,000+	3174	1,720,742	3149	98.6	97.6-99.6	25	1.4	00.4-02.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 10: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Black or African American			N	Asian		N	Native Hawaiian or P.I.		N	Am. Indian or Alaskan Native	
	TOTAL	WEIGHTED	N	%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	500	204,858	54	26.0	16.4-35.6	9	3.9	00.0-08.2	7	2.9	01.3-04.5	51	13.2	05.8-20.6
Male	208	108,112				4	2.1	00.0-04.8	3	1.6	00.0-04.3			
Female	292	96,746				5	5.9	00.0-14.1	4	4.3	02.7-05.9	26	10.0	03.3-16.7
35-44	60	45,716				3	2.6	00.0-06.1	1	1.3	00.0-03.8			
45-54	88	32,686							1	0.3	00.0-00.9	13	4.6	00.3-08.9
55-64	127	30,234				1	0.1	00.0-00.3	1	0.4	00.0-01.2			
65+	147	23,038				1	0.2	00.0-00.6						
Less Than H.S.	84	26,357							2	2.4	00.0-06.7			
H.S. or G.E.D.	148	52,419				3	2.7	00.0-07.6	2	8.9	02.8-15.0			
Some Post-H.S.	178	66,652							2	0.8	00.0-02.0	15	11.8	04.4-19.2
College Graduate	89	59,401				2	1.3	00.0-03.3	1	0.2	00.0-00.6	7	3.3	00.0-08.6
Less than \$15,000	114	28,308				2	2.6	01.2-04.0	1	0.2	00.0-00.6	18	8.7	00.9-16.5
\$15,000- 24,999	115	25,112	3	6.7	00.0-17.3	2	2.7	00.0-06.8	1	0.5	00.0-01.5	12	16.1	09.4-22.8
\$25,000- 34,999	53	31,122	4	2.8	00.0-08.1				2	3.1	00.0-08.0			
\$35,000- 49,999	52	18,293										3	4.1	00.0-10.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS

TABLE 11: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	White		Black or African American			N	Asian		Native Hawaiian or P.I.			Am. Indian or Alaskan Native		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	208	108,112				16	18.3	12.4-24.2	4	2.1	00.0-04.8	3	1.6	01.4-01.8			
55-64	60	20,240				2	0.3	00.0-00.7	1	0.1	00.1-00.1	1	0.6	00.2-01.0			
H.S. or G.E.D.	64	31,905							2	4.3	00.0-12.3	1	4.7	02.7-06.7			
Some Post-H.S.	66	35,401	53	70.8	66.1-75.5	5	12.8	11.2-14.4	2	2.5	00.0-06.2	1	0.4	00.4-00.4	5	13.5	10.6-16.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS

TABLE 12: WHICH ONE OF THESE GROUPS WOULD YOU SAY BEST REPRESENTS YOUR RACE? (ORACE2)

Denominator Excludes: Respondents reporting only one race

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Asian		N	Native Hawaiian or P.I.		N	Am. Indian or Alaskan Native	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	292	96,746	5	5.9	00.0-14.1	4	4.3	02.7-05.9	26	10.0	03.5-16.5
45-54	50	19,039							4	2.0	00.0-04.5
65+	100	14,793	1	0.3	00.0-00.9						
H.S. or G.E.D.	84	20,514	1	0.2	00.0-00.6	1	15.4	09.7-21.1			
Some Post-H.S.	112	31,251				1	1.3	00.0-03.8	10	9.8	02.9-16.7
College Graduate	54	38,013	2	2.1	00.0-05.0				4	4.6	00.0-12.6
Less than \$15,000	76	11,903	2	6.1	03.4-08.8	1	0.5	00.0-01.5			
\$15,000- 24,999	66	15,984	1	3.0	00.0-08.9				6	7.7	00.0-17.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 13: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER TOTAL WEIGHTED		Yes, now on active duty N % C.I. (95%)			Yes, active duty last 12 mnths but not now			Yes, active duty in the past but not last 12 mnths			No, training for Reserves or Natl. Guard only			No, never served in military		
						N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34896	14,674,344	92	0.5	00.3-00.7	76	0.5	00.1-00.9	5967	14.1	13.3-14.9	427	1.1	00.9-01.3	28334	83.8	83.0-84.6
Male	12944	7,112,833	75	1.0	00.6-01.4	50	0.9	00.1-01.7	5511	26.9	25.3-28.5	365	1.8	01.4-02.2	6943	69.5	67.7-71.3
Female	21952	7,561,512	17	0.1	00.1-00.1	26	0.1	00.1-00.1	456	2.1	01.7-02.5	62	0.4	00.2-00.6	21391	97.3	96.9-97.7
18-24	855	975,934	5	0.4	00.0-00.8	3	0.6	00.0-01.4	9	0.5	00.1-00.9	9	0.7	00.0-01.7	829	97.8	96.4-99.2
25-34	2254	1,549,853	28	1.6	00.6-02.6	15	2.4	00.0-05.3	103	4.8	03.2-06.4	11	0.6	00.0-01.2	2097	90.5	87.2-93.8
35-44	3601	2,768,702	32	1.3	00.5-02.1	20	0.5	00.1-00.9	264	6.7	05.1-08.3	22	0.7	00.1-01.3	3263	90.8	89.0-92.6
45-54	5827	3,796,794	14	0.3	00.0-00.7	13	0.2	00.0-00.4	650	11.7	09.9-13.5	46	0.9	00.3-01.5	5104	86.9	84.9-88.9
55-64	7852	2,137,978	2	0.0	00.0-00.0	10	0.1	00.0-00.3	1396	20.0	18.0-22.0	94	1.3	00.7-01.9	6350	78.5	76.5-80.5
65+	14175	3,329,546	10	0.1	00.1-00.1	15	0.1	00.1-00.1	3504	27.6	26.2-29.0	243	1.8	01.4-02.2	10403	70.4	69.0-71.8
Less Than H.S.	3550	1,097,954	2	0.1	00.0-00.3	6	0.1	00.0-00.3	308	6.0	04.6-07.4	38	0.7	00.3-01.1	3196	93.1	91.5-94.7
H.S. or G.E.D.	11324	3,887,713	17	0.3	00.0-00.7	18	0.2	00.0-00.4	1729	12.9	11.5-14.3	132	0.9	00.5-01.3	9428	85.5	84.1-86.9
Some Post-H.S.	9865	4,152,092	38	0.8	00.2-01.4	25	0.9	00.0-02.1	1836	16.0	14.4-17.6	97	0.9	00.5-01.3	7869	81.4	79.4-83.4
College Graduate	10053	5,474,965	34	0.6	00.2-01.0	27	0.4	00.2-00.6	2078	15.2	13.8-16.6	159	1.4	01.0-01.8	7755	82.5	81.1-83.9
Less than \$15,000	4409	1,282,439	1	0.2	00.0-00.6	6	0.3	00.0-00.9	484	9.9	07.9-11.9	36	1.2	00.2-02.2	3882	88.4	86.0-90.8
\$15,000- 24,999	6206	2,159,746	3	0.1	00.1-00.1	12	0.3	00.0-00.7	970	12.5	10.9-14.1	73	1.1	00.5-01.7	5148	86.0	84.2-87.8
\$25,000- 34,999	3758	1,303,424	5	0.1	00.0-00.3	6	1.9	00.0-05.4	678	15.5	13.1-17.9	49	1.6	00.4-02.8	3020	80.9	77.0-84.8
\$35,000- 49,999	4578	1,807,610	18	0.5	00.1-00.9	14	0.9	00.1-01.7	971	16.7	14.5-18.9	60	0.9	00.5-01.3	3515	81.0	78.6-83.4
\$50,000- 74,999	4404	2,031,926	24	1.7	00.5-02.9	12	0.2	00.0-00.4	922	16.0	14.0-18.0	54	0.7	00.5-00.9	3392	81.4	79.0-83.8
\$75,000+	6152	4,003,280	35	0.7	00.3-01.1	19	0.2	00.0-00.4	1222	14.8	13.0-16.6	101	1.3	00.7-01.9	4775	83.1	81.3-84.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 14: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mnths but not now			Yes, active duty in the past but not last 12 mnths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12944	7,112,833	75	1.0	00.6-01.4	50	0.9	00.1-01.7	5511	26.9	25.3-28.5	365	1.8	01.4-02.2	6943	69.5	67.9-71.1
18-24	375	581,838	5	0.6	00.0-01.4	3	0.9	00.0-02.3	7	0.6	00.0-01.4	5	1.1	00.0-02.7	355	96.7	94.3-99.1
25-34	760	749,433	23	3.0	01.0-05.0	10	4.7	00.0-10.8	72	7.0	04.3-09.7	5	0.1	00.1-00.1	650	85.3	78.8-91.8
35-44	1298	1,409,443	26	2.2	00.6-03.8	13	0.9	00.1-01.7	210	11.4	08.5-14.3	14	0.7	00.1-01.3	1035	84.8	81.5-88.1
45-54	2188	1,845,718	9	0.5	00.0-01.1	11	0.3	00.0-00.7	531	21.0	17.7-24.3	33	1.6	00.6-02.6	1604	76.6	73.1-80.1
55-64	2929	1,022,951	2	0.0	00.0-00.0	5	0.2	00.0-00.4	1288	39.3	35.8-42.8	84	2.6	01.6-03.6	1550	57.9	54.2-61.6
65+	5316	1,466,866	9	0.1	00.1-00.1	8	0.1	00.0-00.3	3367	60.9	58.2-63.6	223	3.7	02.9-04.5	1709	35.2	32.5-37.9
Less Than H.S.	1307	542,486	1	0.2	00.0-00.6	2	0.2	00.0-00.6	306	12.1	09.2-15.0	34	1.3	00.5-02.1	964	86.2	83.1-89.3
H.S. or G.E.D.	3918	1,849,502	16	0.7	00.0-01.5	12	0.5	00.0-01.1	1628	26.0	23.1-28.9	119	1.7	01.1-02.3	2143	71.1	68.2-74.0
Some Post-H.S.	3350	1,899,325	30	1.5	00.3-02.7	15	1.9	00.0-04.4	1658	31.4	28.1-34.7	75	1.4	00.8-02.0	1572	63.9	60.0-67.8
College Graduate	4319	2,787,546	27	0.9	00.3-01.5	21	0.6	00.2-01.0	1903	27.4	25.0-29.8	137	2.3	01.5-03.1	2231	68.7	66.2-71.2
Less than \$15,000	1347	548,703				2	0.6	00.0-01.8	440	21.5	16.8-26.2	27	1.6	00.4-02.8	878	76.2	71.3-81.1
\$15,000- 24,999	2109	970,418	2	0.1	00.0-00.3	8	0.6	00.0-01.4	888	25.0	21.3-28.7	63	1.7	00.9-02.5	1148	72.6	68.7-76.5
\$25,000- 34,999	1345	617,802	5	0.2	00.0-00.4	4	4.0	00.0-11.3	629	30.4	25.1-35.7	42	2.0	00.6-03.4	665	63.4	56.3-70.5
\$35,000- 49,999	1835	828,708	18	1.1	00.3-01.9	12	2.0	00.4-03.6	900	32.8	28.5-37.1	53	1.9	00.9-02.9	852	62.1	57.6-66.6
\$50,000- 74,999	1836	1,025,785	21	3.3	00.9-05.7	7	0.3	00.1-00.5	849	29.1	25.2-33.0	43	0.7	00.3-01.1	916	66.6	62.1-71.1
\$75,000+	2982	2,284,834	25	0.9	00.3-01.5	13	0.4	00.2-00.6	1143	24.2	21.5-26.9	92	2.1	01.1-03.1	1709	72.4	69.5-75.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 15: HAVE YOU EVER SERVED ON ACTIVE DUTY IN THE UNITED STATES ARMED FORCES, EITHER IN THE REGULAR MILITARY OR IN A NATIONAL GUARD OR MILITARY RESERVE UNIT?
ACTIVE DUTY DOES NOT INCLUDE TRAINING FOR THE RESERVES OR NATIONAL GUARD, BUT DOES INCLUDE ACTIVATION, FOR EXAMPLE, FOR THE PERSIAN GULF WAR. (VETERAN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes, now on active duty			Yes, active duty last 12 mnths but not now			Yes, active duty in the past but not last 12 mnths			No, training for Reserves or Natl. Guard only			No, never served in military		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21952	7,561,512	17	0.1	00.1-00.1	26	0.1	00.1-00.1	456	2.1	01.7-02.5	62	0.4	00.2-00.6	21391	97.3	96.9-97.7
18-24	480	394,097							2	0.3	00.0-00.7	4	0.2	00.0-00.4	474	99.6	99.2-0100
25-34	1494	800,420	5	0.3	00.1-00.5	5	0.3	00.1-00.5	31	2.8	01.2-04.4	6	1.1	00.0-02.3	1447	95.5	93.5-97.5
35-44	2303	1,359,259	6	0.4	00.0-00.8	7	0.1	00.1-00.1	54	1.9	01.1-02.7	8	0.7	00.0-01.7	2228	97.0	95.6-98.4
45-54	3639	1,951,075	5	0.2	00.0-00.4	2	0.0	00.0-00.0	119	2.8	01.8-03.8	13	0.3	00.0-00.7	3500	96.7	95.7-97.7
55-64	4923	1,115,027				5	0.1	00.1-00.1	108	2.3	01.5-03.1	10	0.2	00.0-00.4	4800	97.5	96.7-98.3
65+	8859	1,862,680	1	0.0	00.0-00.0	7	0.0	00.0-00.0	137	1.4	01.0-01.8	20	0.3	00.1-00.5	8694	98.2	97.8-98.6
Less Than H.S.	2243	555,468	1	0.0	00.0-00.0	4	0.1	00.0-00.3	2	0.0	00.0-00.0	4	0.2	00.0-00.4	2232	99.7	99.3-0100
H.S. or G.E.D.	7406	2,038,211	1	0.0	00.0-00.0	6	0.0	00.0-00.0	101	1.1	00.7-01.5	13	0.2	00.0-00.6	7285	98.6	98.0-99.2
Some Post-H.S.	6515	2,252,766	8	0.2	00.0-00.4	10	0.1	00.1-00.1	178	3.1	02.3-03.9	22	0.6	00.2-01.0	6297	96.1	95.1-97.1
College Graduate	5734	2,687,420	7	0.2	00.0-00.4	6	0.1	00.1-00.1	175	2.5	01.9-03.1	22	0.5	00.0-01.1	5524	96.7	95.7-97.7
Less than \$15,000	3062	733,736	1	0.3	00.0-00.9	4	0.1	00.0-00.3	44	1.2	00.4-02.0	9	0.9	00.0-02.3	3004	97.5	95.9-99.1
\$15,000- 24,999	4097	1,189,327	1	0.0	00.0-00.0	4	0.0	00.0-00.0	82	2.4	01.2-03.6	10	0.6	00.0-01.2	4000	97.0	95.6-98.4
\$25,000- 34,999	2413	685,622				2	0.0	00.0-00.0	49	2.1	00.7-03.5	7	1.2	00.0-03.2	2355	96.7	94.3-99.1
\$35,000- 49,999	2743	978,901				2	0.0	00.0-00.0	71	2.9	01.7-04.1	7	0.1	00.0-00.3	2663	97.0	95.8-98.2
\$50,000- 74,999	2568	1,006,141	3	0.1	00.0-00.3	5	0.1	00.0-00.3	73	2.8	01.8-03.8	11	0.6	00.2-01.0	2476	96.4	95.2-97.6
\$75,000+	3170	1,718,445	10	0.4	00.0-00.8	6	0.0	00.0-00.0	79	2.2	01.4-03.0	9	0.2	00.0-00.4	3066	97.2	96.4-98.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS
TABLE 16: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34951	14,693,731	18789	61.4	60.2-62.6	5483	11.3	10.5-12.1	6130	7.5	07.1-07.9	833	2.4	02.0-02.8	3020	14.7	13.5-15.9	696	2.8	02.4-03.2
Male	12981	7,132,978	8017	64.9	62.9-66.9	1964	9.4	08.4-10.4	1103	2.9	02.5-03.3	248	1.8	01.2-02.4	1371	18.0	16.2-19.8	278	2.9	02.3-03.5
Female	21970	7,560,753	10772	58.0	56.4-59.6	3519	13.1	12.1-14.1	5027	11.8	11.0-12.6	585	2.9	02.3-03.5	1649	11.5	10.3-12.7	418	2.8	02.2-03.4
White/Non-Hisp	28485	10,051,001	15802	64.1	62.9-65.3	4392	11.3	10.5-12.1	5252	8.7	08.3-09.1	500	1.5	01.1-01.9	1999	11.5	10.5-12.5	540	2.8	02.4-03.2
Black or Afr. Am./Non-Hisp	2643	1,510,163	946	46.0	41.5-50.5	497	13.8	10.9-16.7	396	6.4	04.8-08.0	166	5.2	03.2-07.2	609	27.8	23.7-31.9	29	0.8	00.2-01.4
Oth. Race/Non-Hisp.	655	463,688	389	66.8	58.8-74.8	101	6.5	02.2-10.8	75	2.6	01.0-04.2	15	2.7	00.2-05.2	61	19.7	12.3-27.1	14	1.7	00.5-02.9
MultiRacial/Non-Hisp.	529	198,042	224	45.3	35.5-55.1	130	19.4	12.3-26.5	82	3.6	02.0-05.2	14	3.6	00.0-07.7	65	23.5	14.1-32.9	14	4.6	00.0-09.5
Hispanic	1942	2,210,747	1092	59.4	54.9-63.9	260	10.1	07.7-12.5	146	3.5	02.3-04.7	118	4.1	02.5-05.7	231	18.3	14.2-22.4	95	4.6	02.8-06.4
18-24	849	971,177	139	9.7	05.2-14.2	15	1.5	00.3-02.7	2	0.0	00.0-00.0	18	0.7	00.3-01.1	606	82.3	77.2-87.4	69	5.8	03.3-08.3
25-34	2254	1,556,154	1277	55.6	51.1-60.1	177	5.3	03.7-06.9	11	0.2	00.0-00.4	108	3.8	02.2-05.4	554	29.7	25.2-34.2	127	5.5	03.9-07.1
35-44	3605	2,789,428	2306	71.3	68.6-74.0	550	10.8	09.0-12.6	40	0.4	00.2-00.6	162	3.6	02.2-05.0	432	10.8	08.8-12.8	115	3.1	02.1-04.1
45-54	5814	3,779,847	3410	68.4	65.9-70.9	1216	14.6	12.8-16.4	230	2.6	01.8-03.4	237	2.8	01.8-03.8	579	8.9	07.3-10.5	142	2.8	01.8-03.8
55-64	7869	2,146,731	4511	65.7	63.5-67.9	1743	16.7	15.1-18.3	841	5.6	04.8-06.4	179	2.3	01.5-03.1	460	7.6	06.2-09.0	135	2.1	01.3-02.9
65+	14256	3,342,679	6976	59.9	58.3-61.5	1746	10.1	09.1-11.1	4939	25.6	24.2-27.0	123	0.8	00.6-01.0	365	2.5	01.9-03.1	107	1.1	00.7-01.5
Less Than H.S.	3567	1,104,837	1471	48.5	43.8-53.2	616	12.2	09.3-15.1	880	11.7	09.7-13.7	158	4.5	02.5-06.5	343	19.7	15.6-23.8	99	3.4	01.6-05.2
H.S. or G.E.D.	11367	3,914,844	5845	56.1	53.7-58.5	1731	11.2	09.8-12.6	2314	8.8	08.0-09.6	306	2.8	02.0-03.6	980	18.0	15.6-20.4	191	3.0	02.0-04.0
Some Post-H.S.	9882	4,158,316	5264	58.1	55.7-60.5	1709	12.4	11.0-13.8	1653	8.2	07.4-09.0	236	2.5	01.7-03.3	821	16.2	13.8-18.6	199	2.6	02.0-03.2
College Graduate	10042	5,456,673	6160	70.5	68.7-72.3	1416	10.3	09.1-11.5	1267	5.2	04.6-05.8	131	1.4	00.8-02.0	863	9.9	08.5-11.3	205	2.7	02.1-03.3
Less than \$15,000	4419	1,283,247	828	23.7	20.4-27.0	1435	27.3	24.0-30.6	1121	12.9	11.1-14.7	266	6.7	04.5-08.9	664	25.3	21.4-29.2	105	4.1	02.5-05.7
\$15,000- 24,999	6239	2,181,840	2348	43.3	40.0-46.6	1242	15.6	13.4-17.8	1678	13.8	12.2-15.4	206	3.6	02.6-04.6	621	19.8	16.7-22.9	144	3.8	02.4-05.2
\$25,000- 34,999	3774	1,308,437	1848	53.9	49.6-58.2	686	13.5	11.1-15.9	742	9.7	08.3-11.1	92	3.5	01.5-05.5	337	17.2	12.7-21.7	69	2.2	01.2-03.2
\$35,000- 49,999	4588	1,816,732	2775	63.1	60.0-66.2	659	11.9	09.9-13.9	616	6.8	05.6-08.0	88	2.8	01.4-04.2	356	11.2	09.0-13.4	94	4.2	02.6-05.8
\$50,000- 74,999	4412	2,035,759	3132	73.2	70.3-76.1	499	10.9	08.9-12.9	389	3.9	03.3-04.5	45	0.7	00.3-01.1	272	9.5	07.1-11.9	75	1.9	00.9-02.9
\$75,000+	6160	4,012,215	5105	83.2	81.2-85.2	363	4.2	03.4-05.0	260	1.5	01.1-01.9	41	0.8	00.4-01.2	254	7.6	05.8-09.4	137	2.7	01.9-03.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS
TABLE 17: ARE YOU: (MARITAL STATUS) (MARITAL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12981	7,132,978	8017	64.9	62.9-66.9	1964	9.4	08.4-10.4	1103	2.9	02.5-03.3	248	1.8	01.2-02.4	1371	18.0	16.2-19.8	278	2.9	02.3-03.5
White/Non-Hisp	10665	4,904,456	6696	67.3	65.3-69.3	1622	9.6	08.6-10.6	963	3.7	03.3-04.1	151	1.2	00.6-01.8	1010	15.2	13.4-17.0	223	3.1	02.3-03.9
Black or Afr. Am./Non-Hisp	814	655,676	402	51.4	43.8-59.0	144	12.1	07.4-16.8	52	1.9	00.9-02.9	46	5.7	01.8-09.6	159	27.9	20.6-35.2	11	1.1	00.1-02.1
Oth. Race/Non-Hisp.	302	263,683				47	8.0	00.7-15.3	15	0.8	00.2-01.4	9	2.7	00.0-06.2				2	0.9	00.0-02.1
MultiRacial/Non-Hisp.	219	92,227							15	1.0	00.0-02.0	2	5.4	00.0-14.0				5	1.8	00.0-04.3
Hispanic	686	1,088,185	435	62.2	54.8-69.6	63	7.1	03.8-10.4	17	0.4	00.0-00.8	33	1.8	00.6-03.0	102	24.4	17.3-31.5	36	4.2	01.7-06.7
18-24	372	579,074	35	7.8	00.9-14.7	8	1.8	00.0-03.6				4	0.2	00.0-00.4	300	85.9	78.6-93.2	25	4.3	01.6-07.0
25-34	761	759,834	416	50.4	43.1-57.7	53	4.8	02.3-07.3	3	0.1	00.1-00.1	24	1.3	00.5-02.1	222	38.9	31.3-46.5	43	4.5	02.3-06.7
35-44	1297	1,421,123	864	72.2	67.7-76.7	165	8.6	05.9-11.3	7	0.0	00.0-00.0	39	3.4	01.2-05.6	177	11.9	08.6-15.2	45	3.8	02.2-05.4
45-54	2180	1,835,919	1307	72.3	68.6-76.0	436	12.2	09.7-14.7	44	1.0	00.4-01.6	57	1.7	00.7-02.7	279	10.4	07.9-12.9	57	2.5	01.1-03.9
55-64	2947	1,029,120	1882	71.0	67.7-74.3	611	13.7	11.3-16.1	126	2.3	01.5-03.1	62	2.1	00.9-03.3	209	8.3	06.1-10.5	57	2.5	01.3-03.7
65+	5355	1,473,321	3472	74.3	72.1-76.5	682	8.9	07.3-10.5	913	11.1	09.9-12.3	60	1.2	00.6-01.8	177	3.1	02.1-04.1	51	1.5	00.7-02.3
Less Than H.S.	1316	550,058	690	54.6	47.2-62.0	237	12.6	07.7-17.5	147	3.4	02.4-04.4	50	4.3	01.0-07.6	152	20.9	14.4-27.4	40	4.1	01.6-06.6
H.S. or G.E.D.	3941	1,870,316	2264	56.7	52.8-60.6	643	9.8	07.8-11.8	372	3.4	02.6-04.2	97	2.4	01.2-03.6	484	24.7	20.8-28.6	81	3.0	01.6-04.4
Some Post-H.S.	3362	1,900,715	2017	60.9	56.6-65.2	559	9.6	07.6-11.6	288	3.4	02.6-04.2	60	1.8	00.4-03.2	368	21.8	17.5-26.1	70	2.5	01.3-03.7
College Graduate	4319	2,778,892	3019	75.5	73.0-78.0	521	8.5	06.9-10.1	294	2.2	01.8-02.6	40	0.9	00.3-01.5	359	10.0	08.2-11.8	86	2.9	01.9-03.9
Less than \$15,000	1357	551,152	334	24.4	18.9-29.9	481	30.1	23.6-36.6	147	4.7	03.3-06.1	71	6.8	02.7-10.9	280	30.6	23.3-37.9	44	3.4	01.6-05.2
\$15,000- 24,999	2126	982,887	995	50.0	44.3-55.7	443	12.8	09.7-15.9	283	5.8	04.4-07.2	58	1.9	01.1-02.7	291	26.0	20.5-31.5	56	3.6	01.6-05.6
\$25,000- 34,999	1354	618,367	779	56.5	49.1-63.9	223	9.1	06.4-11.8	143	4.9	03.5-06.3	32	4.2	00.5-07.9	154	24.0	15.8-32.2	23	1.3	00.3-02.3
\$35,000- 49,999	1839	834,638	1199	67.3	62.4-72.2	251	10.3	07.2-13.4	168	3.5	02.5-04.5	30	0.9	00.3-01.5	156	13.2	09.5-16.9	35	4.8	01.9-07.7
\$50,000- 74,999	1840	1,029,181	1364	74.4	69.7-79.1	177	8.5	05.8-11.2	125	2.2	01.6-02.8	20	0.8	00.0-01.6	126	11.4	07.5-15.3	28	2.6	01.0-04.2
\$75,000+	2991	2,295,591	2489	84.2	81.5-86.9	193	3.3	02.3-04.3	87	0.5	00.3-00.7	17	0.6	00.0-01.2	135	8.6	06.1-11.1	70	2.9	01.9-03.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS
TABLE 18: ARE YOU: (MARITAL STATUS) (MARITAL)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Married			Divorced			Widowed			Separated			Never married			Unmarried couple		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21970	7,560,753	10772	58.0	56.4-59.6	3519	13.1	12.1-14.1	5027	11.8	11.0-12.6	585	2.9	02.3-03.5	1649	11.5	10.3-12.7	418	2.8	02.2-03.4
White/Non-Hisp	17820	5,146,545	9106	61.2	59.6-62.8	2770	13.0	12.0-14.0	4289	13.6	12.8-14.4	349	1.8	01.4-02.2	989	8.0	07.0-09.0	317	2.6	02.0-03.2
Black or Afr. Am./Non-Hisp	1829	854,487	544	41.8	36.1-47.5	353	15.1	11.4-18.8	344	9.9	07.2-12.6	120	4.8	03.2-06.4	450	27.8	23.1-32.5	18	0.7	00.3-01.1
Oth. Race/Non-Hisp.	353	200,005				54	4.4	02.2-06.6	60	4.9	01.6-08.2	6	2.7	00.0-06.0				12	2.9	00.5-05.3
MultiRacial/Non-Hisp.	310	105,816				78	21.0	11.4-30.6	67	5.8	02.9-08.7	12	2.0	00.0-04.0				9	7.0	00.0-15.8
Hispanic	1256	1,122,562	657	56.7	51.2-62.2	197	13.1	09.8-16.4	129	6.6	04.2-09.0	85	6.3	03.6-09.0	129	12.3	08.4-16.2	59	5.0	02.5-07.5
18-24	477	392,103	104	12.5	07.4-17.6	7	0.9	00.0-01.9	2	0.1	00.1-00.1	14	1.3	00.1-02.5	306	77.1	70.4-83.8	44	8.1	03.6-12.6
25-34	1493	796,320	861	60.5	55.8-65.2	124	5.7	03.9-07.5	8	0.3	00.1-00.5	84	6.1	03.4-08.8	332	21.0	16.9-25.1	84	6.4	04.0-08.8
35-44	2308	1,368,305	1442	70.4	67.1-73.7	385	13.0	10.5-15.5	33	0.7	00.3-01.1	123	3.8	02.6-05.0	255	9.7	07.5-11.9	70	2.4	01.2-03.6
45-54	3634	1,943,928	2103	64.7	61.4-68.0	780	16.9	14.4-19.4	186	4.0	02.6-05.4	180	3.8	02.4-05.2	300	7.4	05.6-09.2	85	3.1	01.7-04.5
55-64	4922	1,117,611	2629	60.8	57.9-63.7	1132	19.5	17.3-21.7	715	8.7	07.1-10.3	117	2.4	01.4-03.4	251	7.0	05.0-09.0	78	1.6	00.8-02.4
65+	8901	1,869,358	3504	48.5	46.3-50.7	1064	11.1	09.7-12.5	4026	37.0	35.0-39.0	63	0.5	00.3-00.7	188	2.1	01.5-02.7	56	0.8	00.4-01.2
Less Than H.S.	2251	554,779	781	42.3	36.4-48.2	379	11.9	08.6-15.2	733	19.9	16.2-23.6	108	4.7	02.3-07.1	191	18.5	13.4-23.6	59	2.7	00.3-05.1
H.S. or G.E.D.	7426	2,044,528	3581	55.6	52.9-58.3	1088	12.6	10.8-14.4	1942	13.7	12.3-15.1	209	3.2	02.2-04.2	496	11.8	09.6-14.0	110	3.1	01.7-04.5
Some Post-H.S.	6520	2,257,601	3247	55.7	53.2-58.2	1150	14.7	13.1-16.3	1365	12.3	10.9-13.7	176	3.0	02.0-04.0	453	11.5	09.5-13.5	129	2.7	01.9-03.5
College Graduate	5723	2,677,781	3141	65.2	62.7-67.7	895	12.2	10.6-13.8	973	8.2	07.2-09.2	91	1.9	01.1-02.7	504	9.9	07.9-11.9	119	2.5	01.7-03.3
Less than \$15,000	3062	732,094	494	23.2	19.1-27.3	954	25.2	21.9-28.5	974	19.0	16.3-21.7	195	6.6	04.2-09.0	384	21.3	17.4-25.2	61	4.7	02.5-06.9
\$15,000- 24,999	4113	1,198,954	1353	37.8	34.1-41.5	799	18.0	15.1-20.9	1395	20.5	18.0-23.0	148	5.1	03.5-06.7	330	14.6	11.3-17.9	88	4.0	02.0-06.0
\$25,000- 34,999	2420	690,070	1069	51.6	46.5-56.7	463	17.5	13.8-21.2	599	14.0	11.6-16.4	60	2.8	01.4-04.2	183	11.0	07.7-14.3	46	3.1	01.5-04.7
\$35,000- 49,999	2749	982,093	1576	59.5	55.4-63.6	408	13.3	10.8-15.8	448	9.7	07.7-11.7	58	4.3	01.8-06.8	200	9.4	07.0-11.8	59	3.8	02.0-05.6
\$50,000- 74,999	2572	1,006,577	1768	71.8	68.3-75.3	322	13.3	10.6-16.0	264	5.6	04.4-06.8	25	0.5	00.1-00.9	146	7.5	05.1-09.9	47	1.2	00.6-01.8
\$75,000+	3169	1,716,624	2616	81.8	79.1-84.5	170	5.3	03.7-06.9	173	2.8	02.0-03.6	24	1.2	00.4-02.0	119	6.4	04.2-08.6	67	2.5	01.3-03.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 19: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35057	14,739,649	3375	16.0	15.0-17.0	2780	14.8	13.8-15.8	1101	5.2	04.6-05.8	366	1.6	01.2-02.0	152	0.5	00.3-00.7	27283	61.9	60.5-63.3
Male	13025	7,156,968	1133	15.7	14.1-17.3	936	15.1	13.5-16.7	352	4.8	03.8-05.8	125	1.8	01.0-02.6	47	0.4	00.2-00.6	10432	62.1	59.9-64.3
Female	22032	7,582,680	2242	16.2	15.0-17.4	1844	14.6	13.4-15.8	749	5.6	04.8-06.4	241	1.4	01.0-01.8	105	0.6	00.4-00.8	16851	61.6	60.0-63.2
White/Non-Hisp	28553	10,080,248	2440	13.7	12.7-14.7	1972	12.8	11.8-13.8	723	4.3	03.7-04.9	226	1.1	00.7-01.5	85	0.4	00.2-00.6	23107	67.7	66.3-69.1
Black or Afr. Am./Non-Hisp	2648	1,511,348	390	19.2	15.5-22.9	288	15.9	12.4-19.4	133	7.5	05.0-10.0	60	2.8	01.4-04.2	29	0.9	00.3-01.5	1748	53.7	49.2-58.2
Oth. Race/Non-Hisp.	655	462,533	95	21.9	14.8-29.0	87	23.2	16.3-30.1	20	3.9	00.8-07.0	8	1.0	00.2-01.8	3	0.0	00.0-00.0	442	49.9	41.7-58.1
MultiRacial/Non-Hisp.	530	195,707	64	17.0	09.9-24.1	45	15.3	07.9-22.7	26	6.3	00.8-11.8	5	2.0	00.0-04.9	2	0.1	00.1-00.1	388	59.4	49.6-69.2
Hispanic	1951	2,216,858	331	22.6	18.5-26.7	348	22.4	18.7-26.1	182	8.4	05.9-10.9	59	3.1	00.9-05.3	30	0.9	00.3-01.5	1001	42.7	38.2-47.2
18-24	858	976,126	269	25.7	20.0-31.4	126	12.5	08.2-16.8	43	4.9	01.8-08.0	10	3.8	00.0-08.3	9	0.4	00.0-01.0	401	52.8	45.9-59.7
25-34	2252	1,554,707	492	25.5	21.6-29.4	656	25.6	22.3-28.9	360	11.0	08.6-13.4	111	3.4	02.2-04.6	54	1.8	00.8-02.8	579	32.7	28.4-37.0
35-44	3613	2,794,459	851	24.6	21.7-27.5	1112	34.3	31.4-37.2	460	12.7	10.7-14.7	164	4.1	02.9-05.3	50	0.9	00.3-01.5	976	23.5	20.8-26.2
45-54	5829	3,797,914	1100	20.3	17.9-22.7	613	15.6	13.4-17.8	164	4.2	02.8-05.6	54	0.8	00.4-01.2	26	0.3	00.1-00.5	3872	58.8	55.9-61.7
55-64	7890	2,147,983	433	7.5	05.7-09.3	173	3.8	02.6-05.0	53	1.0	00.2-01.8	21	0.2	00.0-00.4	9	0.1	00.0-00.3	7201	87.5	85.5-89.5
65+	14287	3,353,564	211	2.2	01.6-02.8	82	0.8	00.4-01.2	18	0.3	00.0-00.7	5	0.0	00.0-00.0	3	0.0	00.0-00.0	13968	96.6	95.8-97.4
Less Than H.S.	3579	1,107,387	383	16.0	12.5-19.5	286	15.6	12.1-19.1	159	8.9	05.0-12.8	56	1.4	00.2-02.6	38	1.2	00.4-02.0	2657	57.0	52.1-61.9
H.S. or G.E.D.	11394	3,928,141	1068	15.8	13.8-17.8	762	12.7	10.9-14.5	303	4.5	03.3-05.7	106	1.6	00.8-02.4	49	0.7	00.3-01.1	9106	64.6	62.2-67.0
Some Post-H.S.	9906	4,165,081	975	15.3	13.3-17.3	809	13.5	11.9-15.1	321	5.1	03.9-06.3	119	2.0	01.0-03.0	38	0.5	00.1-00.9	7644	63.5	61.1-65.9
College Graduate	10078	5,477,936	943	16.5	14.7-18.3	918	17.3	15.5-19.1	315	5.1	04.1-06.1	83	1.4	00.8-02.0	24	0.2	00.2-00.2	7795	59.6	57.4-61.8
Less than \$15,000	4441	1,288,874	408	13.6	10.9-16.3	287	12.5	09.6-15.4	129	3.8	02.4-05.2	60	1.7	00.9-02.5	31	1.0	00.2-01.8	3526	67.5	63.8-71.2
\$15,000- 24,999	6248	2,183,272	556	16.6	13.7-19.5	413	11.5	09.3-13.7	192	4.8	02.8-06.8	79	2.3	00.5-04.1	36	0.8	00.2-01.4	4972	64.0	60.5-67.5
\$25,000- 34,999	3783	1,311,636	334	11.7	09.2-14.2	258	10.3	07.9-12.7	110	3.9	02.1-05.7	39	1.7	00.5-02.9	20	0.7	00.1-01.3	3022	71.6	67.9-75.3
\$35,000- 49,999	4598	1,820,979	450	15.8	13.3-18.3	358	15.8	12.9-18.7	154	6.2	04.2-08.2	48	1.5	00.7-02.3	14	0.2	00.0-00.4	3574	60.4	57.1-63.7
\$50,000- 74,999	4413	2,036,207	504	17.8	14.7-20.9	421	14.4	12.0-16.8	155	5.4	03.8-07.0	46	1.2	00.4-02.0	15	0.3	00.0-00.7	3272	60.8	57.5-64.1
\$75,000+	6168	4,013,854	738	18.4	16.2-20.6	774	21.1	18.7-23.5	248	6.0	04.6-07.4	72	1.7	00.9-02.5	24	0.4	00.0-00.8	4312	52.4	49.9-54.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 20: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13025	7,156,968	1133	15.7	14.1-17.3	936	15.1	13.5-16.7	352	4.8	03.8-05.8	125	1.8	01.0-02.6	47	0.4	00.2-00.6	10432	62.1	59.9-64.3
White/Non-Hisp	10695	4,916,199	833	13.0	11.4-14.6	666	13.1	11.5-14.7	249	4.2	03.2-05.2	83	1.3	00.7-01.9	29	0.3	00.1-00.5	8835	68.1	65.9-70.3
Black or Afr. Am./Non-Hisp	815	656,792	102	19.0	12.5-25.5	73	16.5	10.0-23.0	38	7.9	03.2-12.6	11	2.0	00.0-04.2	5	0.4	00.0-00.8	586	54.1	46.3-61.9
Oth. Race/Non-Hisp.	302	263,683				37	20.9	11.5-30.3	8	3.4	00.0-08.1	5	1.5	00.0-03.1						
MultiRacial/Non-Hisp.	218	91,205	29	12.3	04.9-19.7				8	7.8	00.0-18.6				1	0.1	00.0-00.3			
Hispanic	692	1,090,535	115	24.1	17.4-30.8	121	23.0	16.9-29.1	42	6.0	02.3-09.7	23	4.7	00.6-08.8	12	1.0	00.0-02.0	379	41.2	33.9-48.5
18-24	376	582,010	95	19.3	13.0-25.6	37	10.6	04.5-16.7	12	3.5	00.0-07.4	5	6.2	00.0-13.5	4	0.2	00.0-00.4	223	60.3	50.7-69.9
25-34	764	760,556	166	25.7	19.2-32.2	173	20.7	15.6-25.8	89	7.8	04.7-10.9	30	2.4	01.0-03.8	10	0.9	00.0-02.1	296	42.4	35.0-49.8
35-44	1303	1,423,966	279	24.2	19.7-28.7	372	33.4	28.7-38.1	157	10.7	08.0-13.4	55	4.1	02.1-06.1	20	1.0	00.0-02.0	420	26.6	22.3-30.9
45-54	2185	1,845,528	358	19.2	15.5-22.9	252	17.7	14.0-21.4	70	5.1	02.6-07.6	26	0.9	00.3-01.5	8	0.4	00.0-00.8	1471	56.6	52.1-61.1
55-64	2953	1,029,611	157	8.7	05.6-11.8	74	4.2	02.4-06.0	18	1.5	00.0-03.1	7	0.2	00.0-00.4	4	0.1	00.1-00.1	2693	85.3	81.8-88.8
65+	5367	1,477,560	73	1.4	00.8-02.0	24	0.9	00.1-01.7	6	0.0	00.0-00.0	2	0.0	00.0-00.0	1	0.0	00.0-00.0	5261	97.7	96.7-98.7
Less Than H.S.	1319	550,611	141	18.6	12.5-24.7	108	13.9	09.2-18.6	44	7.8	01.9-13.7	19	1.7	00.0-03.9	14	1.8	00.0-03.6	993	56.2	48.6-63.8
H.S. or G.E.D.	3951	1,875,015	377	13.7	10.8-16.6	254	14.7	11.4-18.0	93	4.2	02.4-06.0	35	1.9	00.5-03.3	13	0.4	00.0-01.0	3179	65.0	61.1-68.9
Some Post-H.S.	3370	1,905,367	289	16.0	12.3-19.7	234	11.5	09.0-14.0	103	4.7	02.9-06.5	37	2.4	00.2-04.6	10	0.4	00.0-00.8	2697	65.0	60.7-69.3
College Graduate	4337	2,792,219	322	16.0	13.5-18.5	338	18.2	15.5-20.9	110	4.7	03.1-06.3	33	1.5	00.7-02.3	9	0.1	00.0-00.3	3525	59.6	56.5-62.7
Less than \$15,000	1365	553,286	84	10.8	06.3-15.3	69	10.4	06.1-14.7	20	2.9	00.5-05.3	15	1.0	00.4-01.6	10	1.5	00.0-03.1	1167	73.4	67.1-79.7
\$15,000- 24,999	2127	983,469	171	18.2	12.9-23.5	109	9.4	06.3-12.5	53	5.2	01.7-08.7	26	3.1	00.0-07.0	11	0.4	00.0-00.8	1757	63.8	57.5-70.1
\$25,000- 34,999	1358	620,950	93	7.9	05.0-10.8	81	8.1	05.0-11.2	39	4.7	01.6-07.8	11	2.1	00.0-04.3	3	0.1	00.0-00.3	1131	77.1	71.6-82.6
\$35,000- 49,999	1842	834,166	154	15.1	11.0-19.2	114	16.7	11.6-21.8	59	6.0	03.3-08.7	16	1.4	00.2-02.6	5	0.3	00.0-00.7	1494	60.5	55.0-66.0
\$50,000- 74,999	1841	1,029,556	192	20.1	14.8-25.4	143	13.5	09.8-17.2	48	3.4	01.8-05.0	20	1.3	00.0-02.7	6	0.5	00.0-01.1	1432	61.2	55.7-66.7
\$75,000+	2996	2,295,419	331	18.1	15.0-21.2	343	22.2	18.9-25.5	107	5.8	04.0-07.6	33	2.1	00.7-03.5	9	0.4	00.0-01.0	2173	51.4	47.7-55.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 21: HOW MANY CHILDREN LESS THAN 18 YEARS OF AGE LIVE IN YOUR HOUSEHOLD? (CHILDREN)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Child			Two Children			Three Children			Four Children			Five or More Children			No Children		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	22032	7,582,680	2242	16.2	15.0-17.4	1844	14.6	13.4-15.8	749	5.6	04.8-06.4	241	1.4	01.0-01.8	105	0.6	00.4-00.8	16851	61.6	60.0-63.2
White/Non-Hisp	17858	5,164,049	1607	14.3	13.1-15.5	1306	12.4	11.2-13.6	474	4.4	03.6-05.2	143	1.0	00.6-01.4	56	0.5	00.3-00.7	14272	67.4	65.8-69.0
Black or Afr. Am./Non-Hisp	1833	854,556	288	19.4	15.1-23.7	215	15.4	11.7-19.1	95	7.2	04.3-10.1	49	3.4	01.4-05.4	24	1.3	00.3-02.3	1162	53.3	47.8-58.8
Oth. Race/Non-Hisp.	353	198,851	60	22.1	13.3-30.9	50	26.4	16.4-36.4	12	4.6	00.7-08.5	3	0.3	00.0-00.7	3	0.1	00.0-00.3			
MultiRacial/Non-Hisp.	312	104,502							18	5.0	01.3-08.7	5	3.7	00.0-09.0	1	0.0	00.0-00.0			
Hispanic	1259	1,126,323	216	21.1	16.4-25.8	227	21.8	17.3-26.3	140	10.7	07.2-14.2	36	1.5	00.5-02.5	18	0.7	00.0-01.5	622	44.2	38.9-49.5
18-24	482	394,116	174	35.1	25.9-44.3	89	15.3	09.8-20.8	31	7.0	01.7-12.3	5	0.2	00.0-00.6	5	0.9	00.0-02.3	178	41.6	32.4-50.8
25-34	1488	794,152	326	25.4	21.1-29.7	483	30.3	26.0-34.6	271	14.1	10.6-17.6	81	4.3	02.3-06.3	44	2.7	00.9-04.5	283	23.3	19.4-27.2
35-44	2310	1,370,493	572	24.9	21.4-28.4	740	35.2	31.5-38.9	303	14.8	11.9-17.7	109	4.1	02.7-05.5	30	0.8	00.2-01.4	556	20.2	17.3-23.1
45-54	3644	1,952,386	742	21.4	18.7-24.1	361	13.6	10.9-16.3	94	3.4	02.0-04.8	28	0.6	00.2-01.0	18	0.2	00.0-00.4	2401	60.8	57.3-64.3
55-64	4937	1,118,372	276	6.3	04.7-07.9	99	3.4	02.0-04.8	35	0.6	00.2-01.0	14	0.1	00.0-00.3	5	0.1	00.0-00.3	4508	89.5	87.3-91.7
65+	8920	1,876,004	138	2.9	01.9-03.9	58	0.8	00.4-01.2	12	0.5	00.0-01.3	3	0.0	00.0-00.0	2	0.0	00.0-00.0	8707	95.7	94.3-97.1
Less Than H.S.	2260	556,777	242	13.3	09.4-17.2	178	17.2	11.9-22.5	115	9.9	05.0-14.8	37	1.2	00.4-02.0	24	0.5	00.1-00.9	1664	57.9	51.8-64.0
H.S. or G.E.D.	7443	2,053,126	691	17.7	15.2-20.2	508	10.9	09.1-12.7	210	4.8	03.2-06.4	71	1.3	00.7-01.9	36	1.0	00.4-01.6	5927	64.3	61.4-67.2
Some Post-H.S.	6536	2,259,713	686	14.8	12.8-16.8	575	15.3	13.1-17.5	218	5.4	04.0-06.8	82	1.6	00.8-02.4	28	0.6	00.2-01.0	4947	62.3	59.6-65.0
College Graduate	5741	2,685,718	621	17.0	14.6-19.4	580	16.3	14.1-18.5	205	5.6	04.2-07.0	50	1.2	00.6-01.8	15	0.2	00.0-00.4	4270	59.7	57.0-62.4
Less than \$15,000	3076	735,588	324	15.7	12.2-19.2	218	14.1	10.2-18.0	109	4.4	02.6-06.2	45	2.2	01.0-03.4	21	0.5	00.1-00.9	2359	63.0	58.5-67.5
\$15,000- 24,999	4121	1,199,803	385	15.3	12.2-18.4	304	13.1	10.2-16.0	139	4.6	02.8-06.4	53	1.7	00.7-02.7	25	1.2	00.2-02.2	3215	64.1	60.2-68.0
\$25,000- 34,999	2425	690,686	241	15.2	11.5-18.9	177	12.3	08.8-15.8	71	3.2	01.6-04.8	28	1.5	00.5-02.5	17	1.1	00.1-02.1	1891	66.6	61.7-71.5
\$35,000- 49,999	2756	986,812	296	16.4	13.1-19.7	244	15.0	11.9-18.1	95	6.4	03.9-08.9	32	1.6	00.2-03.0	9	0.2	00.0-00.4	2080	60.4	56.1-64.7
\$50,000- 74,999	2572	1,006,651	312	15.4	12.5-18.3	278	15.3	12.4-18.2	107	7.6	04.9-10.3	26	1.1	00.3-01.9	9	0.2	00.0-00.4	1840	60.5	56.4-64.6
\$75,000+	3172	1,718,435	407	18.8	15.9-21.7	431	19.5	16.8-22.2	141	6.3	04.5-08.1	39	1.2	00.6-01.8	15	0.4	00.0-00.8	2139	53.7	50.4-57.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 22: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35002	14,700,397	40	0.2	00.0-00.4	1031	2.0	01.6-02.4	2511	5.4	04.8-06.0	11405	26.7	25.5-27.9	9917	28.4	27.2-29.6	10098	37.4	36.2-38.6
Male	12994	7,130,904	19	0.2	00.0-00.4	433	1.9	01.3-02.5	869	5.6	04.6-06.6	3957	26.3	24.5-28.1	3374	26.8	24.8-28.8	4342	39.2	37.2-41.2
Female	22008	7,569,493	21	0.1	00.0-00.3	598	2.0	01.6-02.4	1642	5.2	04.6-05.8	7448	27.1	25.7-28.5	6543	29.9	28.5-31.3	5756	35.6	34.0-37.2
White/Non-Hisp	28531	10,075,728	10	0.0	00.0-00.0	590	1.0	00.8-01.2	1766	4.0	03.4-04.6	9386	27.4	26.2-28.6	8258	28.9	27.7-30.1	8521	38.7	37.5-39.9
Black or Afr. Am./Non-Hisp	2644	1,501,419				115	2.1	01.1-03.1	339	9.7	07.3-12.1	978	31.6	27.5-35.7	638	26.3	22.4-30.2	574	30.4	25.9-34.9
Oth. Race/Non-Hisp.	654	463,938	2	1.6	00.0-04.7	28	2.6	00.0-05.3	53	6.5	02.0-11.0	168	20.8	13.5-28.1	172	16.7	11.6-21.8	231	51.8	43.6-60.0
MultiRacial/Non-Hisp.	532	198,216				15	3.2	00.5-05.9	71	11.2	05.3-17.1	152	26.0	16.8-35.2	191	30.8	22.6-39.0	103	28.8	19.0-38.6
Hispanic	1937	2,192,798	25	0.7	00.3-01.1	234	5.9	03.9-07.9	214	7.9	05.4-10.4	504	22.3	18.8-25.8	477	29.9	25.4-34.4	483	33.3	29.0-37.6
18-24	857	969,813	3	0.0	00.0-00.0	11	0.7	00.0-01.5	142	12.5	08.4-16.6	353	39.6	32.9-46.3	277	37.6	30.7-44.5	71	9.6	05.5-13.7
25-34	2252	1,550,573	5	0.6	00.0-01.6	60	1.3	00.3-02.3	199	6.5	04.5-08.5	641	24.1	20.4-27.8	702	33.5	29.2-37.8	645	33.9	30.0-37.8
35-44	3610	2,791,828	4	0.0	00.0-00.0	102	1.6	00.8-02.4	250	5.2	03.6-06.8	1002	22.7	20.2-25.2	1034	25.2	22.5-27.9	1218	45.2	42.1-48.3
45-54	5832	3,793,282	4	0.1	00.0-00.3	151	2.0	01.2-02.8	423	4.3	03.1-05.5	1960	26.8	24.3-29.3	1645	25.5	23.1-27.9	1649	41.4	38.5-44.3
55-64	7876	2,144,497	4	0.0	00.0-00.0	189	1.3	00.9-01.7	438	3.7	02.7-04.7	2379	24.0	22.0-26.0	2382	30.2	28.0-32.4	2484	40.8	38.4-43.2
65+	14253	3,337,690	20	0.3	00.1-00.5	511	3.5	02.5-04.5	1044	5.4	04.6-06.2	4990	29.6	28.0-31.2	3775	27.9	26.5-29.3	3913	33.3	31.7-34.9
Less than \$15,000	4423	1,279,455	20	0.3	00.1-00.5	365	6.0	04.4-07.6	803	17.5	14.4-20.6	1850	39.2	35.5-42.9	996	23.8	20.3-27.3	389	13.1	10.4-15.8
\$15,000- 24,999	6236	2,174,703	4	0.1	00.1-00.1	253	4.1	02.7-05.5	702	9.7	07.5-11.9	2682	36.8	33.7-39.9	1802	33.5	30.4-36.6	793	15.8	13.4-18.2
\$25,000- 34,999	3780	1,310,327	1	0.0	00.0-00.0	71	1.5	00.7-02.3	230	5.7	03.9-07.5	1481	35.7	31.8-39.6	1262	34.9	30.6-39.2	735	22.2	18.7-25.7
\$35,000- 49,999	4593	1,813,042	2	0.0	00.0-00.0	34	0.5	00.3-00.7	157	2.8	02.0-03.6	1474	30.4	27.3-33.5	1570	33.0	30.1-35.9	1356	33.3	30.2-36.4
\$50,000- 74,999	4412	2,035,166				19	0.5	00.1-00.9	98	2.1	01.1-03.1	1052	20.7	18.2-23.2	1414	33.2	29.9-36.5	1829	43.6	40.3-46.9
\$75,000+	6167	4,014,662	1	0.2	00.0-00.6	22	0.3	00.0-00.7	46	0.8	00.2-01.4	902	13.0	11.0-15.0	1502	21.2	19.2-23.2	3694	64.5	62.0-67.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 23: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12994	7,130,904	19	0.2	00.0-00.4	433	1.9	01.3-02.5	869	5.6	04.6-06.6	3957	26.3	24.5-28.1	3374	26.8	24.8-28.8	4342	39.2	37.2-41.2
White/Non-Hisp	10682	4,910,373	5	0.0	00.0-00.0	255	1.2	00.8-01.6	626	4.3	03.5-05.1	3287	26.7	24.7-28.7	2791	26.0	24.2-27.8	3718	41.7	39.7-43.7
Black or Afr. Am./Non-Hisp	813	648,454				44	2.1	00.7-03.5	100	9.4	05.1-13.7	274	31.6	24.3-38.9	201	26.3	19.6-33.0	194	30.6	23.3-37.9
Oth. Race/Non-Hisp.	301	263,638	2	2.8	00.0-08.1	19	1.7	00.1-03.3	29	9.6	02.2-17.0				65	11.7	05.8-17.6			
MultiRacial/Non-Hisp.	220	92,340				9	3.8	00.0-07.7												
Hispanic	685	1,081,758	10	0.4	00.0-00.8	87	4.7	02.0-07.4	63	7.0	03.3-10.7	179	23.1	17.2-29.0	166	34.3	26.7-41.9	180	30.7	24.2-37.2
18-24	375	575,697	1	0.0	00.0-00.0	3	0.3	00.0-00.7	69	13.0	06.9-19.1	162	41.9	32.5-51.3	117	39.9	30.1-49.7	23	4.8	01.9-07.7
25-34	760	752,649	4	1.3	00.0-03.3	27	2.2	00.4-04.0	77	7.4	04.9-09.9	246	28.2	21.7-34.7	229	33.8	26.4-41.2	177	27.1	21.0-33.2
35-44	1300	1,421,799	2	0.1	00.1-00.1	44	1.4	00.4-02.4	100	6.2	03.8-08.6	382	21.2	17.3-25.1	328	24.4	19.9-28.9	444	46.7	41.6-51.8
45-54	2188	1,845,902	1	0.0	00.0-00.0	64	1.7	00.7-02.7	161	4.4	02.2-06.6	777	29.1	25.0-33.2	565	24.3	20.4-28.2	620	40.5	36.2-44.8
55-64	2948	1,028,110	1	0.0	00.0-00.0	68	1.1	00.7-01.5	137	3.6	02.2-05.0	820	20.6	17.7-23.5	847	26.6	23.3-29.9	1075	48.1	44.4-51.8
65+	5349	1,471,237	10	0.2	00.0-00.4	225	3.9	02.3-05.5	323	4.2	03.2-05.2	1557	25.1	22.7-27.5	1267	23.5	21.3-25.7	1967	43.1	40.6-45.6
Less than \$15,000	1354	550,646	12	0.7	00.1-01.3	144	5.3	02.9-07.7	230	19.0	13.1-24.9	541	35.9	29.4-42.4	281	22.5	16.0-29.0	146	16.6	10.9-22.3
\$15,000- 24,999	2120	976,104	2	0.1	00.0-00.3	128	4.3	02.3-06.3	257	10.7	06.8-14.6	880	37.1	31.6-42.6	561	32.4	26.7-38.1	292	15.4	11.9-18.9
\$25,000- 34,999	1358	620,536				39	1.8	00.6-03.0	104	5.9	03.2-08.6	567	40.2	33.5-46.9	382	30.9	23.1-38.7	266	21.1	16.6-25.6
\$35,000- 49,999	1840	832,213				17	0.4	00.0-00.8	86	3.8	02.2-05.4	598	32.5	27.4-37.6	599	29.5	25.4-33.6	540	33.9	29.2-38.6
\$50,000- 74,999	1840	1,029,101				11	0.7	00.0-01.5	49	2.9	01.1-04.7	463	20.8	16.9-24.7	541	32.7	27.2-38.2	776	42.8	37.7-47.9
\$75,000+	2994	2,294,088	1	0.3	00.0-00.9	15	0.3	00.0-00.7	26	1.1	00.0-02.3	421	13.9	11.0-16.8	644	20.8	17.9-23.7	1887	63.5	59.8-67.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 24: WHAT IS THE HIGHEST GRADE OR YEAR OF SCHOOL YOU COMPLETED? (EDUCA)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Never or only Kindergarten			Elementary			Some High School			High School Grad or GED			Some College or Technical School			College Graduate		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	22008	7,569,493	21	0.1	00.0-00.3	598	2.0	01.6-02.4	1642	5.2	04.6-05.8	7448	27.1	25.7-28.5	6543	29.9	28.5-31.3	5756	35.6	34.0-37.2
White/Non-Hisp	17849	5,165,355	5	0.0	00.0-00.0	335	0.8	00.6-01.0	1140	3.7	03.1-04.3	6099	28.0	26.6-29.4	5467	31.6	30.2-33.0	4803	35.8	34.2-37.4
Black or Afr. Am./Non-Hisp	1831	852,965				71	2.0	00.8-03.2	239	9.9	07.2-12.6	704	31.7	26.8-36.6	437	26.2	21.7-30.7	380	30.2	24.7-35.7
Oth. Race/Non-Hisp.	353	200,299				9	3.8	00.0-09.7	24	2.3	00.1-04.5	96	22.6	13.0-32.2	107	23.2	14.6-31.8			
MultiRacial/Non-Hisp.	312	105,876				6	2.7	00.0-06.6	38	6.6	01.1-12.1	86	18.6	09.4-27.8						
Hispanic	1252	1,111,040	15	0.9	00.1-01.7	147	7.2	04.5-09.9	151	8.9	05.8-12.0	325	21.5	17.2-25.8	311	25.6	20.9-30.3	303	35.8	30.3-41.3
18-24	482	394,116	2	0.1	00.1-00.1	8	1.3	00.0-02.9	73	11.8	06.7-16.9	191	36.1	27.5-44.7	160	34.2	25.6-42.8	48	16.5	07.7-25.3
25-34	1492	797,924	1	0.0	00.0-00.0	33	0.5	00.1-00.9	122	5.7	03.0-08.4	395	20.2	16.5-23.9	473	33.3	28.8-37.8	468	40.4	35.7-45.1
35-44	2310	1,370,029	2	0.0	00.0-00.0	58	1.9	00.9-02.9	150	4.1	02.3-05.9	620	24.3	20.8-27.8	706	26.1	23.0-29.2	774	43.7	39.8-47.6
45-54	3644	1,947,380	3	0.1	00.0-00.3	87	2.2	00.8-03.6	262	4.1	02.9-05.3	1183	24.6	21.7-27.5	1080	26.7	23.8-29.6	1029	42.3	38.6-46.0
55-64	4928	1,116,387	3	0.0	00.0-00.0	121	1.5	00.9-02.1	301	3.7	02.5-04.9	1559	27.2	24.5-29.9	1535	33.5	30.8-36.2	1409	34.2	31.3-37.1
65+	8904	1,866,453	10	0.4	00.0-00.8	286	3.1	02.1-04.1	721	6.3	05.1-07.5	3433	33.2	31.2-35.2	2508	31.3	29.5-33.1	1946	25.6	23.8-27.4
Less than \$15,000	3069	728,809	8	0.1	00.1-00.1	221	6.5	04.1-08.9	573	16.4	13.1-19.7	1309	41.7	37.4-46.0	715	24.9	21.2-28.6	243	10.4	07.9-12.9
\$15,000- 24,999	4116	1,198,599	2	0.0	00.0-00.0	125	3.9	01.9-05.9	445	8.9	06.7-11.1	1802	36.5	33.0-40.0	1241	34.4	30.9-37.9	501	16.2	13.3-19.1
\$25,000- 34,999	2422	689,791	1	0.1	00.0-00.3	32	1.2	00.0-02.4	126	5.6	03.2-08.0	914	31.6	27.3-35.9	880	38.4	33.7-43.1	469	23.2	17.9-28.5
\$35,000- 49,999	2753	980,830	2	0.1	00.0-00.3	17	0.5	00.1-00.9	71	1.9	00.9-02.9	876	28.7	25.0-32.4	971	36.0	32.1-39.9	816	32.8	28.5-37.1
\$50,000- 74,999	2572	1,006,066				8	0.2	00.0-00.4	49	1.3	00.5-02.1	589	20.5	17.2-23.8	873	33.6	29.9-37.3	1053	44.4	40.3-48.5
\$75,000+	3173	1,720,575				7	0.4	00.0-01.0	20	0.4	00.0-00.8	481	11.7	09.5-13.9	858	21.7	19.0-24.4	1807	65.9	62.8-69.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS

TABLE 25: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34918	14,693,536	13253	51.8	50.6-53.0	2562	10.2	09.4-11.0	2753	7.2	06.6-07.8	480	3.3	02.7-03.9	12665	21.0	20.2-21.8	3205	6.4	05.8-07.0
Male	12976	7,126,883	5380	57.0	55.0-59.0	1050	11.0	09.6-12.4	40	0.6	00.0-01.2	161	3.8	02.8-04.8	5261	21.3	20.1-22.5	1084	6.3	05.3-07.3
Female	21942	7,566,653	7873	46.8	45.2-48.4	1512	9.6	08.6-10.6	2713	13.5	12.3-14.7	319	2.9	02.3-03.5	7404	20.8	19.8-21.8	2121	6.5	05.7-07.3
White/Non-Hisp	28467	10,064,400	10514	50.6	49.2-52.0	1883	8.9	08.1-09.7	2286	7.2	06.6-07.8	302	2.3	01.7-02.9	11174	25.3	24.3-26.3	2308	5.7	05.1-06.3
Black or Afr. Am./Non-Hisp	2633	1,507,384	1130	54.2	49.7-58.7	297	16.4	12.7-20.1	78	2.7	01.5-03.9	75	4.6	02.6-06.6	640	11.9	09.7-14.1	413	10.2	07.7-12.7
Oth. Race/Non-Hisp.	650	460,491	273	55.3	47.1-63.5	62	10.4	05.3-15.5	48	6.4	03.5-09.3	25	8.9	04.0-13.8	144	11.9	06.2-17.6	98	7.0	02.9-11.1
MultiRacial/Non-Hisp.	527	195,969	197	57.1	47.7-66.5	60	13.0	07.1-18.9	27	4.8	01.7-07.9	16	6.2	01.1-11.3	121	10.1	06.2-14.0	106	8.9	04.8-13.0
Hispanic	1931	2,195,679	921	55.0	50.5-59.5	204	11.3	08.6-14.0	251	11.2	08.1-14.3	53	5.6	03.2-08.0	313	10.3	08.1-12.5	189	6.6	04.6-08.6
18-24	849	973,884	371	38.7	32.2-45.2	153	17.2	12.1-22.3	53	4.0	00.1-07.9	243	35.8	29.3-42.3	5	1.4	00.0-03.9	24	2.9	00.2-05.6
25-34	2247	1,561,090	1428	67.3	63.4-71.2	325	14.8	11.9-17.7	316	9.8	07.6-12.0	100	4.9	03.1-06.7	2	0.1	00.0-00.3	76	3.1	01.7-04.5
35-44	3596	2,774,914	2510	71.5	68.6-74.4	395	14.1	11.6-16.6	356	8.4	06.8-10.0	68	1.4	00.8-02.0	11	0.7	00.0-01.5	256	3.8	02.8-04.8
45-54	5812	3,791,772	3735	70.7	68.2-73.2	653	10.3	08.7-11.9	381	7.3	05.7-08.9	39	0.5	00.1-00.9	170	2.0	01.4-02.6	834	9.3	07.7-10.9
55-64	7858	2,134,188	3569	50.5	48.1-52.9	705	10.9	09.3-12.5	430	5.0	04.0-06.0	13	0.1	00.1-00.1	1924	21.6	19.8-23.4	1217	11.9	10.3-13.5
65+	14223	3,342,052	1523	11.5	10.3-12.7	310	2.4	01.8-03.0	1184	7.4	06.6-08.2	15	0.0	00.0-00.0	10413	74.3	72.7-75.9	778	4.2	03.4-05.0
Less Than H.S.	3549	1,102,015	768	32.8	28.1-37.5	368	16.8	13.1-20.5	426	8.6	06.1-11.1	42	4.9	02.0-07.8	1070	22.1	18.8-25.4	875	14.8	12.1-17.5
H.S. or G.E.D.	11328	3,907,268	3759	44.1	41.7-46.5	954	12.5	10.7-14.3	1110	8.6	07.4-09.8	126	3.7	02.5-04.9	4172	22.4	20.8-24.0	1207	8.7	07.5-09.9
Some Post-H.S.	9875	4,152,226	3874	49.1	46.7-51.5	760	10.9	09.3-12.5	723	7.8	06.4-09.2	230	5.2	04.0-06.4	3496	20.8	19.4-22.2	792	6.3	05.3-07.3
College Graduate	10065	5,472,503	4830	63.4	61.4-65.4	475	6.8	05.6-08.0	479	5.6	04.6-06.6	81	1.3	00.7-01.9	3882	19.9	18.7-21.1	318	3.0	02.2-03.8
Less than \$15,000	4419	1,283,486	616	19.1	16.0-22.2	841	28.1	24.2-32.0	284	6.1	04.1-08.1	91	4.5	02.5-06.5	1250	18.7	16.3-21.1	1337	23.4	20.3-26.5
\$15,000- 24,999	6221	2,180,864	1660	34.5	31.2-37.8	660	18.6	15.9-21.3	456	7.2	05.0-09.4	86	3.8	02.2-05.4	2546	24.3	22.1-26.5	813	11.5	09.5-13.5
\$25,000- 34,999	3769	1,305,000	1454	49.5	45.2-53.8	233	9.7	07.0-12.4	284	5.5	03.9-07.1	44	3.7	01.3-06.1	1547	27.3	24.4-30.2	207	4.4	02.8-06.0
\$35,000- 49,999	4579	1,813,720	1992	54.6	51.5-57.7	223	9.3	07.1-11.5	328	5.2	03.8-06.6	46	3.1	01.5-04.7	1814	23.8	21.6-26.0	176	3.9	02.5-05.3
\$50,000- 74,999	4404	2,027,544	2391	62.9	59.8-66.0	140	5.4	03.6-07.2	270	5.9	04.7-07.1	46	2.1	00.9-03.3	1454	20.9	18.7-23.1	103	2.8	01.4-04.2
\$75,000+	6152	4,003,765	3850	74.1	71.9-76.3	126	2.8	01.8-03.8	449	7.6	06.4-08.8	58	1.9	00.9-02.9	1597	12.5	11.3-13.7	72	1.2	00.6-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 26: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12976	7,126,883	5380	57.0	55.0-59.0	1050	11.0	09.6-12.4	40	0.6	00.0-01.2	161	3.8	02.8-04.8	5261	21.3	20.1-22.5	1084	6.3	05.3-07.3
White/Non-Hisp	10671	4,910,345	4287	56.0	54.0-58.0	807	10.0	08.6-11.4	27	0.4	00.0-00.8	101	2.7	01.9-03.5	4648	25.2	23.8-26.6	801	5.7	04.7-06.7
Black or Afr. Am./Non-Hisp	811	654,992	351	54.6	47.0-62.2	103	20.7	13.6-27.8	2	0.4	00.0-01.0	16	4.3	01.0-07.6	234	11.4	08.3-14.5	105	8.6	05.1-12.1
Oth. Race/Non-Hisp.	298	260,766				31	10.1	02.7-17.5				10	6.4	00.7-12.1	71	15.4	06.2-24.6	50	8.7	01.6-15.8
MultiRacial/Non-Hisp.	216	90,088				30	15.8	06.8-24.8	1	0.0	00.0-00.0	8	6.3	00.0-12.8	49	9.9	04.6-15.2	42	10.0	02.6-17.4
Hispanic	682	1,075,415	408	62.5	55.2-69.8	53	9.4	04.9-13.9	7	2.3	00.0-05.8	23	7.8	03.7-11.9	137	11.1	07.4-14.8	54	6.9	03.4-10.4
18-24	374	580,772	181	38.2	29.2-47.2	75	16.8	09.7-23.9	1	3.4	00.0-09.9	106	36.5	27.5-45.5	2	2.2	00.0-06.3	9	3.0	00.0-06.7
25-34	760	761,498	567	74.6	68.9-80.3	134	15.3	11.0-19.6	6	1.0	00.0-02.2	24	4.8	01.9-07.7	1	0.2	00.0-00.6	28	4.0	01.3-06.7
35-44	1291	1,406,450	1036	78.5	74.0-83.0	153	15.7	11.4-20.0	7	0.3	00.1-00.5	12	0.9	00.1-01.7	6	1.1	00.0-02.5	77	3.5	01.9-05.1
45-54	2181	1,842,572	1515	76.9	73.4-80.4	251	10.1	07.6-12.6	8	0.5	00.0-01.1	11	0.3	00.0-00.7	89	2.7	01.5-03.9	307	9.5	07.1-11.9
55-64	2941	1,025,115	1386	52.1	48.4-55.8	321	12.2	09.8-14.6	10	0.5	00.0-01.1				797	23.7	20.8-26.6	427	11.5	09.0-14.0
65+	5350	1,471,772	665	13.7	11.7-15.7	108	2.2	01.2-03.2	8	0.1	00.1-00.1	8	0.0	00.0-00.0	4332	80.7	78.3-83.1	229	3.3	02.1-04.5
Less Than H.S.	1308	548,830	386	40.5	33.1-47.9	172	20.3	14.4-26.2	6	0.4	00.0-00.8	21	6.6	01.3-11.9	445	20.3	15.2-25.4	278	11.9	07.8-16.0
H.S. or G.E.D.	3930	1,865,177	1518	51.3	47.4-55.2	389	14.5	11.6-17.4	13	0.2	00.0-00.4	49	4.6	02.6-06.6	1537	20.6	18.1-23.1	424	8.9	06.9-10.9
Some Post-H.S.	3358	1,895,146	1399	53.7	49.4-58.0	287	11.1	08.2-14.0	11	1.7	00.0-03.9	69	6.5	04.1-08.9	1333	20.4	18.0-22.8	259	6.6	04.6-08.6
College Graduate	4331	2,783,895	2062	66.6	64.1-69.1	200	6.7	05.1-08.3	9	0.2	00.0-00.4	22	0.9	00.3-01.5	1923	22.7	20.7-24.7	115	3.0	01.8-04.2
Less than \$15,000	1360	551,929	187	18.9	13.2-24.6	321	36.8	29.5-44.1	9	0.6	00.0-01.2	15	3.0	00.5-05.5	399	14.7	11.2-18.2	429	26.0	20.3-31.7
\$15,000- 24,999	2118	983,377	559	37.4	31.5-43.3	290	19.8	15.5-24.1	8	2.3	00.0-06.2	28	5.0	02.1-07.9	930	23.4	19.9-26.9	303	12.1	08.8-15.4
\$25,000- 34,999	1354	617,620	502	51.4	44.3-58.5	101	10.7	06.2-15.2	3	0.2	00.0-00.6	15	5.9	01.2-10.6	650	28.3	23.4-33.2	83	3.6	02.0-05.2
\$35,000- 49,999	1832	829,977	770	55.0	50.1-59.9	95	9.7	06.0-13.4	3	0.5	00.0-01.3	20	3.5	00.8-06.2	872	27.9	24.2-31.6	72	3.3	01.9-04.7
\$50,000- 74,999	1838	1,022,931	952	62.9	58.0-67.8	52	5.8	02.9-08.7	7	0.2	00.0-00.6	21	2.1	00.3-03.9	759	24.8	21.1-28.5	47	4.1	01.6-06.6
\$75,000+	2986	2,285,504	1945	78.7	76.0-81.4	62	2.9	01.5-04.3	5	0.5	00.0-01.1	26	2.7	01.1-04.3	926	14.3	12.3-16.3	22	1.0	00.2-01.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 27: ARE YOU CURRENTLY: (EMPLOYMENT STATUS) (EMPLOY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Employed or Self-Employed			Out of Work			Homemaker			Student			Retired			Unable to Work		
			N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21942	7,566,653	7873	46.8	45.2-48.4	1512	9.6	08.6-10.6	2713	13.5	12.3-14.7	319	2.9	02.3-03.5	7404	20.8	19.8-21.8	2121	6.5	05.7-07.3
White/Non-Hisp	17796	5,154,055	6227	45.4	43.8-47.0	1076	7.9	06.9-08.9	2259	13.7	12.5-14.9	201	2.0	01.4-02.6	6526	25.4	24.2-26.6	1507	5.7	04.9-06.5
Black or Afr. Am./Non-Hisp	1822	852,391	779	54.0	48.7-59.3	194	13.1	09.4-16.8	76	4.4	02.4-06.4	59	4.9	02.7-07.1	406	12.2	09.5-14.9	308	11.4	07.9-14.9
Oth. Race/Non-Hisp.	352	199,725				31	10.8	04.3-17.3	48	14.7	08.0-21.4	15	12.3	04.1-20.5	73	7.4	03.7-11.1	48	4.7	02.2-07.2
MultiRacial/Non-Hisp.	311	105,881				30	10.5	02.7-18.3	26	8.8	02.9-14.7	8	6.1	00.0-13.9	72	10.4	04.7-16.1	64	7.9	03.6-12.2
Hispanic	1249	1,120,264	513	47.8	42.3-53.3	151	13.1	09.6-16.6	244	19.7	15.0-24.4	30	3.6	01.1-06.1	176	9.4	07.0-11.8	135	6.4	04.4-08.4
18-24	475	393,112	190	39.5	30.5-48.5	78	17.8	10.2-25.4	52	4.9	02.0-07.8	137	34.7	25.9-43.5	3	0.3	00.0-00.7	15	2.8	00.0-06.5
25-34	1487	799,592	861	60.3	55.6-65.0	191	14.3	10.6-18.0	310	18.1	14.4-21.8	76	5.0	03.0-07.0	1	0.0	00.0-00.0	48	2.3	01.1-03.5
35-44	2305	1,368,464	1474	64.3	60.6-68.0	242	12.6	09.9-15.3	349	16.8	13.7-19.9	56	2.0	01.0-03.0	5	0.4	00.0-01.0	179	4.0	02.8-05.2
45-54	3631	1,949,200	2220	64.9	61.4-68.4	402	10.6	08.6-12.6	373	13.7	11.0-16.4	28	0.6	00.0-01.2	81	1.3	00.7-01.9	527	9.0	07.0-11.0
55-64	4917	1,109,073	2183	49.0	46.1-51.9	384	9.7	07.5-11.9	420	9.3	07.5-11.1	13	0.2	00.0-00.4	1127	19.7	17.3-22.1	790	12.2	10.4-14.0
65+	8873	1,870,281	858	9.8	08.4-11.2	202	2.6	02.0-03.2	1176	13.2	11.8-14.6	7	0.0	00.0-00.0	6081	69.3	67.3-71.3	549	5.0	04.0-06.0
Less Than H.S.	2241	553,185	382	25.2	19.7-30.7	196	13.3	08.8-17.8	420	16.8	12.3-21.3	21	3.1	00.6-05.6	625	24.0	19.7-28.3	597	17.6	13.9-21.3
H.S. or G.E.D.	7398	2,042,092	2241	37.6	34.9-40.3	565	10.6	08.8-12.4	1097	16.3	14.1-18.5	77	3.0	01.6-04.4	2635	24.1	22.1-26.1	783	8.5	06.9-10.1
Some Post-H.S.	6517	2,257,080	2475	45.2	42.7-47.7	473	10.7	08.9-12.5	712	12.8	10.8-14.8	161	4.0	02.8-05.2	2163	21.1	19.5-22.7	533	6.1	05.1-07.1
College Graduate	5734	2,688,607	2768	60.1	57.4-62.8	275	6.9	05.3-08.5	470	11.1	09.3-12.9	59	1.8	00.8-02.8	1959	17.0	15.4-18.6	203	3.0	02.0-04.0
Less than \$15,000	3059	731,557	429	19.3	15.8-22.8	520	21.6	18.1-25.1	275	10.3	07.0-13.6	76	5.6	02.9-08.3	851	21.7	18.6-24.8	908	21.5	18.2-24.8
\$15,000- 24,999	4103	1,197,487	1101	32.1	28.4-35.8	370	17.6	14.1-21.1	448	11.2	08.7-13.7	58	2.9	01.5-04.3	1616	25.1	22.6-27.6	510	11.1	08.9-13.3
\$25,000- 34,999	2415	687,380	952	47.7	42.6-52.8	132	8.9	05.6-12.2	281	10.2	07.3-13.1	29	1.7	00.5-02.9	897	26.3	22.8-29.8	124	5.1	02.4-07.8
\$35,000- 49,999	2747	983,743	1222	54.3	50.0-58.6	128	8.9	06.2-11.6	325	9.1	06.7-11.5	26	2.9	01.1-04.7	942	20.3	17.8-22.8	104	4.5	02.3-06.7
\$50,000- 74,999	2566	1,004,613	1439	63.0	59.3-66.7	88	4.9	03.1-06.7	263	11.7	09.3-14.1	25	2.1	00.3-03.9	695	16.9	14.5-19.3	56	1.4	00.8-02.0
\$75,000+	3166	1,718,261	1905	68.1	65.2-71.0	64	2.6	01.4-03.8	444	17.0	14.5-19.5	32	0.8	00.4-01.2	671	10.1	08.7-11.5	50	1.4	00.6-02.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 28: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	29669	12,663,466	2069	5.3	04.7-05.9	2375	4.8	04.4-05.2	2823	7.6	06.8-08.4	3428	9.6	08.8-10.4	3785	10.4	09.6-11.2	15189	62.2	60.8-63.6
Male	11538	6,321,787	601	4.6	03.6-05.6	765	4.2	03.4-05.0	893	6.8	05.8-07.8	1236	8.8	07.4-10.2	1360	9.8	08.4-11.2	6683	65.8	63.6-68.0
Female	18131	6,341,680	1468	6.1	05.3-06.9	1610	5.5	04.9-06.1	1930	8.4	07.4-09.4	2192	10.5	09.5-11.5	2425	10.9	09.9-11.9	8506	58.6	57.0-60.2
White/Non-Hisp	24168	8,679,630	1330	3.4	03.0-03.8	1765	4.2	03.8-04.6	2128	6.3	05.7-06.9	2722	9.0	08.2-09.8	3060	9.5	08.7-10.3	13163	67.6	66.4-68.8
Black or Afr. Am./Non-Hisp	2311	1,319,061	383	12.9	09.8-16.0	236	7.1	04.9-09.3	297	9.1	06.7-11.5	278	8.6	06.4-10.8	341	14.7	11.0-18.4	776	47.6	42.7-52.5
Oth. Race/Non-Hisp.	578	415,442	46	6.4	01.5-11.3	74	6.6	03.3-09.9	59	4.9	01.2-08.6	59	6.6	03.5-09.7	60	5.1	01.4-08.8	280	70.4	62.8-78.0
MultiRacial/Non-Hisp.	441	157,914	59	8.2	03.7-12.7	58	9.7	01.7-17.7	61	7.8	03.3-12.3	57	8.3	04.4-12.2	58	13.6	06.0-21.2			
Hispanic	1654	1,887,724	197	8.4	06.0-10.8	180	5.4	03.8-07.0	205	11.7	08.8-14.6	247	14.7	10.8-18.6	204	12.1	08.6-15.6	621	47.7	42.8-52.6
18-24	617	677,772	72	8.5	04.8-12.2	37	3.8	01.6-06.0	90	12.3	07.0-17.6	89	16.8	09.7-23.9	81	9.7	05.0-14.4	248	49.1	40.7-57.5
25-34	2043	1,395,723	168	5.7	04.1-07.3	123	4.4	02.6-06.2	195	7.8	05.4-10.2	226	10.3	07.4-13.2	297	14.0	10.1-17.9	1034	57.9	53.4-62.4
35-44	3309	2,554,773	241	5.3	03.7-06.9	173	3.8	02.6-05.0	230	5.4	03.8-07.0	299	8.0	06.0-10.0	336	8.3	06.5-10.1	2030	69.2	66.1-72.3
45-54	5272	3,421,647	522	5.6	04.2-07.0	369	3.8	02.8-04.8	397	6.9	05.3-08.5	425	6.2	04.8-07.6	515	7.7	06.1-09.3	3044	69.8	67.1-72.5
55-64	6916	1,900,898	496	5.4	04.2-06.6	545	5.3	04.3-06.3	570	7.1	05.5-08.7	713	9.9	08.3-11.5	781	9.0	07.6-10.4	3811	63.3	60.9-65.7
65+	11347	2,652,321	559	4.1	03.1-05.1	1117	7.4	06.4-08.4	1321	9.8	08.6-11.0	1654	13.1	11.9-14.3	1756	15.0	13.8-16.2	4940	50.6	48.8-52.4
Less Than H.S.	2828	866,590	632	19.7	15.4-24.0	556	15.6	12.5-18.7	511	17.4	13.5-21.3	448	17.4	12.9-21.9	302	11.0	08.1-13.9	379	19.0	14.5-23.5
H.S. or G.E.D.	9441	3,262,401	840	8.6	07.2-10.0	1010	6.7	05.7-07.7	1239	11.5	09.9-13.1	1443	13.1	11.3-14.9	1481	14.3	12.5-16.1	3428	45.8	43.3-48.3
Some Post-H.S.	8546	3,614,237	413	3.8	02.8-04.8	583	4.6	03.6-05.6	773	8.5	07.1-09.9	1029	11.7	09.9-13.5	1262	12.6	10.6-14.6	4486	58.8	56.3-61.3
College Graduate	8796	4,884,128	174	1.6	01.0-02.2	215	1.8	01.4-02.2	290	2.5	01.7-03.3	503	4.5	03.7-05.3	735	6.0	05.0-07.0	6879	83.6	82.0-85.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 29: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	11538	6,321,787	601	4.6	03.6-05.6	765	4.2	03.4-05.0	893	6.8	05.8-07.8	1236	8.8	07.4-10.2	1360	9.8	08.4-11.2	6683	65.8	63.6-68.0
White/Non-Hisp	9496	4,376,062	405	2.9	02.3-03.5	565	3.6	02.8-04.4	662	5.3	04.3-06.3	981	8.3	07.1-09.5	1104	9.1	07.9-10.3	5779	70.8	68.8-72.8
Black or Afr. Am./Non-Hisp	728	565,431	87	12.1	06.2-18.0	59	6.7	03.0-10.4	78	9.2	04.9-13.5	91	6.4	03.7-09.1	101	12.5	07.2-17.8	312	53.2	45.2-61.2
Oth. Race/Non-Hisp.	272	238,723	21	6.4	00.0-14.2	39	7.5	02.4-12.6	18	5.5	00.0-11.8	22	4.2	00.7-07.7	29	4.2	00.0-09.1			
MultiRacial/Non-Hisp.	185	72,742	22	10.1	01.9-18.3				29	6.7	01.6-11.8	25	5.7	01.8-09.6						
Hispanic	623	968,842	50	7.0	03.1-10.9	64	3.6	01.8-05.4	81	11.6	07.1-16.1	89	14.2	07.7-20.7	73	12.5	06.6-18.4	266	51.1	43.1-59.1
18-24	267	415,078	18	1.8	00.2-03.4	17	4.5	01.0-08.0	36	11.1	04.6-17.6				38	11.3	04.0-18.6			
25-34	690	676,238	40	4.1	02.1-06.1	44	5.2	02.1-08.3	56	7.9	03.8-12.0	86	10.3	05.4-15.2	110	17.8	10.4-25.2	354	54.7	47.1-62.3
35-44	1208	1,331,205	72	5.2	02.5-07.9	56	3.4	01.6-05.2	61	4.2	02.0-06.4	101	7.8	04.9-10.7	107	6.9	04.4-09.4	811	72.5	67.6-77.4
45-54	2004	1,677,255	172	6.1	03.7-08.5	128	3.3	02.1-04.5	153	6.7	04.5-08.9	160	5.1	02.9-07.3	175	6.7	04.7-08.7	1216	72.1	68.0-76.2
55-64	2699	948,745	164	4.9	03.1-06.7	193	5.1	03.7-06.5	193	6.3	04.1-08.5	264	8.8	06.6-11.0	268	7.5	05.5-09.5	1617	67.4	63.7-71.1
65+	4632	1,254,209	132	2.7	01.3-04.1	326	5.0	03.8-06.2	392	8.1	06.3-09.9	574	10.5	08.9-12.1	657	14.1	12.1-16.1	2551	59.7	57.0-62.4
Less Than H.S.	1121	445,999	177	16.9	10.4-23.4	209	14.0	09.5-18.5	191	16.5	10.8-22.2	196	16.6	09.3-23.9	143	10.8	06.5-15.1	205	25.2	17.8-32.6
H.S. or G.E.D.	3470	1,613,260	248	6.8	04.8-08.8	293	5.5	03.9-07.1	365	9.8	07.4-12.2	515	12.6	09.9-15.3	567	15.5	12.8-18.2	1482	49.8	45.5-54.1
Some Post-H.S.	3008	1,691,984	106	3.3	01.3-05.3	175	4.0	02.6-05.4	234	7.8	05.4-10.2	327	10.9	07.8-14.0	382	11.3	07.8-14.8	1784	62.7	58.0-67.4
College Graduate	3907	2,551,443	64	1.8	00.6-03.0	82	1.8	01.0-02.6	97	2.2	01.4-03.0	195	3.6	02.6-04.6	266	5.1	03.9-06.3	3203	85.4	83.2-87.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 30: IS YOUR ANNUAL HOUSEHOLD INCOME FROM ALL SOURCES: (INCOME2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Less than \$10,000			\$10,000 - \$14,999			\$15,000 - \$19,999			\$20,000 - \$24,999			\$25,000 - \$34,999			\$35,000+		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	18131	6,341,680	1468	6.1	05.3-06.9	1610	5.5	04.9-06.1	1930	8.4	07.4-09.4	2192	10.5	09.5-11.5	2425	10.9	09.9-11.9	8506	58.6	57.0-60.2
White/Non-Hisp	14672	4,303,568	925	3.9	03.3-04.5	1200	4.7	04.1-05.3	1466	7.4	06.6-08.2	1741	9.7	08.7-10.7	1956	10.0	09.0-11.0	7384	64.4	62.8-66.0
Black or Afr. Am./Non-Hisp	1583	753,630	296	13.5	10.0-17.0	177	7.4	04.9-09.9	219	9.1	06.4-11.8	187	10.2	07.1-13.3	240	16.4	11.1-21.7	464	43.3	37.4-49.2
Oth. Race/Non-Hisp.	306	176,719	25	6.3	01.6-11.0	35	5.4	01.3-09.5	41	3.9	01.5-06.3	37	9.9	04.6-15.2	31	6.3	01.0-11.6	137	68.1	58.5-77.7
MultiRacial/Non-Hisp.	256	85,171	37	6.6	02.3-10.9	42	7.7	01.8-13.6	32	8.8	01.7-15.9	32	10.6	04.3-16.9	27	8.5	03.6-13.4			
Hispanic	1031	918,882	147	9.9	07.0-12.8	116	7.2	04.7-09.7	124	11.9	08.0-15.8	158	15.2	10.9-19.5	131	11.7	08.2-15.2	355	44.2	38.3-50.1
18-24	350	262,694	54	19.0	10.6-27.4	20	2.6	00.8-04.4	54	14.1	04.9-23.3	47	14.4	06.6-22.2	43	7.1	02.8-11.4			
25-34	1353	719,485	128	7.1	04.7-09.5	79	3.6	02.0-05.2	139	7.6	05.2-10.0	140	10.2	07.1-13.3	187	10.4	07.9-12.9	680	61.0	56.3-65.7
35-44	2101	1,223,568	169	5.4	03.8-07.0	117	4.2	02.8-05.6	169	6.7	04.7-08.7	198	8.3	05.9-10.7	229	9.9	07.2-12.6	1219	65.5	61.6-69.4
45-54	3268	1,744,391	350	5.1	03.7-06.5	241	4.4	03.0-05.8	244	7.1	04.9-09.3	265	7.3	05.3-09.3	340	8.7	06.2-11.2	1828	67.5	64.0-71.0
55-64	4217	952,152	332	5.9	04.5-07.3	352	5.4	04.2-06.6	377	8.0	06.0-10.0	449	11.1	08.9-13.3	513	10.4	08.4-12.4	2194	59.2	56.1-62.3
65+	6715	1,398,112	427	5.3	04.1-06.5	791	9.6	08.0-11.2	929	11.3	09.9-12.7	1080	15.5	13.9-17.1	1099	15.8	14.2-17.4	2389	42.5	40.1-44.9
Less Than H.S.	1707	420,591	455	22.6	17.1-28.1	347	17.3	12.8-21.8	320	18.3	13.2-23.4	252	18.2	12.5-23.9	159	11.2	07.1-15.3	174	12.4	08.1-16.7
H.S. or G.E.D.	5971	1,649,141	592	10.5	08.5-12.5	717	7.9	06.5-09.3	874	13.0	10.8-15.2	928	13.5	11.5-15.5	914	13.2	11.2-15.2	1946	41.8	38.7-44.9
Some Post-H.S.	5538	1,922,253	307	4.2	03.2-05.2	408	5.2	04.0-06.4	539	9.1	07.3-10.9	702	12.4	10.4-14.4	880	13.8	12.0-15.6	2702	55.3	52.6-58.0
College Graduate	4889	2,332,685	110	1.5	01.1-01.9	133	1.8	01.2-02.4	193	2.8	01.6-04.0	308	5.5	04.3-06.7	469	6.9	05.1-08.7	3676	81.6	79.2-84.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 31: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	33873	14,322,014	428	0.8	00.6-01.0	11025	30.5	29.3-31.7	14940	44.7	43.3-46.1	5742	18.5	17.5-19.5	1715	5.2	04.6-05.8	23	0.3	00.1-00.5
Male	12936	7,106,746	10	0.1	00.1-00.1	1244	10.9	09.3-12.5	6751	51.4	49.4-53.4	3818	29.4	27.6-31.2	1103	8.0	06.8-09.2	10	0.2	00.0-00.6
Female	20937	7,215,267	418	1.6	01.2-02.0	9781	49.8	48.2-51.4	8189	38.0	36.4-39.6	1924	7.8	07.0-08.6	612	2.5	02.1-02.9	13	0.3	00.1-00.5
White/Non-Hisp	27621	9,811,882	370	0.9	00.7-01.1	9273	31.1	29.9-32.3	12120	44.4	43.0-45.8	4543	18.6	17.4-19.8	1311	5.0	04.4-05.6	4	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	2536	1,437,831	5	0.1	00.1-00.1	478	17.1	13.8-20.4	1161	47.1	42.4-51.8	651	26.5	22.2-30.8	240	9.2	06.5-11.9	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	634	444,375	11	1.5	00.1-02.9	240	48.6	40.2-57.0	263	34.9	27.1-42.7	91	12.5	05.8-19.2	27	2.1	00.7-03.5	2	0.3	00.0-00.9
MultiRacial/Non-Hisp.	518	188,135	2	1.7	00.0-05.0	161	25.0	16.8-33.2				98	19.6	11.4-27.8	28	4.4	01.5-07.3			
Hispanic	1892	2,190,063	24	1.0	00.4-01.6	677	34.1	29.6-38.6	854	45.7	41.0-50.4	244	13.6	10.5-16.7	77	4.0	01.8-06.2	16	1.6	00.2-03.0
18-24	829	934,920	18	1.2	00.2-02.2	347	40.3	33.4-47.2	345	41.3	34.6-48.0	90	13.0	08.1-17.9	27	3.0	00.8-05.2	2	1.1	00.0-03.1
25-34	2176	1,524,338	25	0.9	00.3-01.5	762	34.4	30.1-38.7	858	38.9	34.6-43.2	367	17.1	13.8-20.4	161	8.6	06.1-11.1	3	0.0	00.0-00.0
35-44	3450	2,697,280	28	0.7	00.3-01.1	1023	25.9	23.4-28.4	1423	44.3	41.0-47.6	718	22.2	19.3-25.1	250	6.3	04.7-07.9	8	0.6	00.0-01.2
45-54	5617	3,703,728	41	0.5	00.3-00.7	1651	26.9	24.4-29.4	2396	45.5	42.6-48.4	1132	20.3	17.9-22.7	392	6.4	04.8-08.0	5	0.4	00.0-00.8
55-64	7594	2,092,889	68	0.6	00.4-00.8	2159	27.6	25.4-29.8	3406	44.5	42.1-46.9	1481	22.3	20.1-24.5	475	5.0	04.2-05.8	5	0.0	00.0-00.0
65+	13966	3,282,656	237	1.3	01.1-01.5	4967	35.2	33.6-36.8	6422	47.8	46.0-49.6	1934	13.4	12.2-14.6	406	2.2	01.8-02.6			
Less Than H.S.	3475	1,083,022	66	0.9	00.5-01.3	1027	29.5	24.8-34.2	1530	44.1	39.4-48.8	641	18.0	14.5-21.5	206	7.4	05.0-09.8	5	0.1	00.0-00.3
H.S. or G.E.D.	10979	3,809,189	161	1.2	00.8-01.6	3524	30.0	27.8-32.2	4884	43.6	41.2-46.0	1836	20.2	18.0-22.4	568	4.9	03.9-05.9	6	0.1	00.0-00.3
Some Post-H.S.	9565	4,057,245	118	0.8	00.6-01.0	3198	31.1	28.7-33.5	4077	43.0	40.6-45.4	1646	18.3	16.5-20.1	521	6.1	04.5-07.7	5	0.6	00.0-01.2
College Graduate	9770	5,319,404	79	0.6	00.4-00.8	3243	30.4	28.6-32.2	4414	46.9	44.7-49.1	1608	17.6	15.8-19.4	420	4.3	03.5-05.1	6	0.2	00.0-00.4
Less than \$15,000	4333	1,261,287	95	1.7	00.9-02.5	1410	30.5	27.2-33.8	1765	42.4	38.5-46.3	768	18.2	14.9-21.5	287	6.0	04.6-07.4	8	1.1	00.0-02.5
\$15,000- 24,999	6095	2,122,162	92	1.3	00.7-01.9	1948	32.2	28.9-35.5	2714	43.4	40.1-46.7	1015	17.2	14.7-19.7	321	5.4	04.0-06.8	5	0.5	00.0-01.3
\$25,000- 34,999	3674	1,277,174	42	0.7	00.3-01.1	1176	30.4	26.1-34.7	1721	47.7	43.4-52.0	553	16.7	13.4-20.0	181	4.4	02.8-06.0	1	0.0	00.0-00.0
\$35,000- 49,999	4468	1,774,278	33	0.3	00.1-00.5	1343	28.2	25.5-30.9	2077	47.1	43.8-50.4	780	19.1	16.4-21.8	232	5.3	03.5-07.1	3	0.1	00.0-00.3
\$50,000- 74,999	4297	1,983,873	25	0.6	00.2-01.0	1246	27.0	24.3-29.7	1964	45.3	42.0-48.6	839	19.7	17.2-22.2	221	7.1	04.6-09.6	2	0.3	00.0-00.9
\$75,000+	6032	3,950,610	24	0.4	00.2-00.6	1813	27.7	25.5-29.9	2707	46.5	44.0-49.0	1173	20.5	18.3-22.7	313	4.8	03.8-05.8	2	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 32: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12936	7,106,746	10	0.1	00.1-00.1	1244	10.9	09.3-12.5	6751	51.4	49.4-53.4	3818	29.4	27.6-31.2	1103	8.0	06.8-09.2	10	0.2	00.0-00.6
White/Non-Hisp	10637	4,893,761	8	0.1	00.1-00.1	963	8.9	07.7-10.1	5590	52.5	50.3-54.7	3165	30.4	28.4-32.4	909	8.1	06.9-09.3	2	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	802	636,906				67	7.0	03.3-10.7	364	43.5	36.1-50.9	286	39.0	31.4-46.6	85	10.6	05.9-15.3			
Oth. Race/Non-Hisp.	297	262,010	1	0.5	00.0-01.5										23	3.2	01.0-05.4			
MultiRacial/Non-Hisp.	219	92,327				29	10.7	02.5-18.9				62	20.9	11.1-30.7	20	7.9	02.2-13.6			
Hispanic	684	1,086,809	1	0.0	00.0-00.0	99	17.4	10.7-24.1	374	52.3	44.9-59.7	159	22.0	16.3-27.7	43	6.8	02.5-11.1	8	1.5	00.0-03.5
18-24	367	564,898				98	30.5	21.1-39.9	189	46.9	37.3-56.5	59	16.7	09.3-24.1	20	4.2	00.9-07.5	1	1.7	00.0-05.0
25-34	755	755,858	1	0.0	00.0-00.0	79	14.8	07.9-21.7	359	45.9	38.6-53.2	219	27.1	20.8-33.4	96	12.2	07.7-16.7	1	0.0	00.0-00.0
35-44	1294	1,414,746	3	0.0	00.0-00.0	97	7.2	04.8-09.6	598	50.8	45.7-55.9	434	32.1	27.4-36.8	158	9.5	07.0-12.0	4	0.5	00.0-01.3
45-54	2175	1,840,364	1	0.0	00.0-00.0	171	7.4	04.9-09.9	1050	50.0	45.5-54.5	716	32.9	28.8-37.0	236	9.6	06.7-12.5	1	0.0	00.0-00.0
55-64	2933	1,022,202	2	0.1	00.1-00.1	229	7.2	05.2-09.2	1419	49.3	45.6-53.0	977	35.7	32.2-39.2	303	7.7	06.1-09.3	3	0.0	00.0-00.0
65+	5346	1,474,416	2	0.2	00.0-00.4	565	12.0	10.2-13.8	3095	59.5	57.0-62.0	1396	24.1	21.7-26.5	288	4.1	03.1-05.1			
Less Than H.S.	1307	547,992	3	0.0	00.0-00.0	189	17.2	09.9-24.5	656	47.5	40.1-54.9	346	24.8	18.5-31.1	108	10.3	06.2-14.4	5	0.2	00.0-00.6
H.S. or G.E.D.	3922	1,854,343	2	0.0	00.0-00.0	425	12.5	10.0-15.0	2022	49.4	45.5-53.3	1129	30.8	27.1-34.5	343	7.2	05.4-09.0	1	0.0	00.0-00.0
Some Post-H.S.	3352	1,897,914				282	11.3	07.8-14.8	1650	47.9	43.6-52.2	1087	30.0	26.5-33.5	330	10.0	07.1-12.9	3	0.8	00.0-02.0
College Graduate	4311	2,776,670	5	0.1	00.0-00.3	340	8.0	06.4-09.6	2396	56.0	53.1-58.9	1248	29.1	26.2-32.0	322	6.7	05.3-08.1			
Less than \$15,000	1351	544,123	3	0.0	00.0-00.0	220	15.8	11.3-20.3	644	50.4	43.3-57.5	355	26.4	20.1-32.7	126	7.3	04.8-09.8	3	0.2	00.0-00.6
\$15,000- 24,999	2118	977,551	2	0.0	00.0-00.0	269	17.7	12.2-23.2	1087	45.4	39.7-51.1	584	27.5	22.6-32.4	174	8.4	05.5-11.3	2	1.0	00.0-03.0
\$25,000- 34,999	1354	621,278				140	14.9	07.3-22.5	737	50.7	43.6-57.8	362	28.1	21.8-34.4	114	6.3	03.9-08.7	1	0.0	00.0-00.0
\$35,000- 49,999	1830	831,291	1	0.1	00.0-00.3	165	11.6	08.1-15.1	970	51.0	45.9-56.1	524	28.5	24.0-33.0	168	8.7	05.6-11.8	2	0.2	00.0-00.4
\$50,000- 74,999	1837	1,029,158	3	0.3	00.0-00.7	112	6.5	04.1-08.9	969	52.5	47.2-57.8	599	29.6	25.1-34.1	153	10.7	06.2-15.2	1	0.5	00.0-01.5
\$75,000+	2994	2,292,582				160	6.1	04.1-08.1	1563	54.2	50.5-57.9	1001	32.3	28.8-35.8	270	7.5	05.7-09.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 33: ABOUT HOW MUCH DO YOU WEIGH WITHOUT SHOES? ROUND FRACTIONS UP. (WEIGHT2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		100 lbs and less			101 lbs - 150 lbs			151 lbs - 200 lbs			201 lbs - 250 lbs			251 lbs or greater			WGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20937	7,215,267	418	1.6	01.2-02.0	9781	49.8	48.2-51.4	8189	38.0	36.4-39.6	1924	7.8	07.0-08.6	612	2.5	02.1-02.9	13	0.3	00.1-00.5
White/Non-Hisp	16984	4,918,121	362	1.7	01.3-02.1	8310	53.2	51.6-54.8	6530	36.3	34.7-37.9	1378	6.9	06.1-07.7	402	1.9	01.5-02.3	2	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	1734	800,924	5	0.1	00.0-00.3	411	25.1	20.2-30.0	797	50.0	44.3-55.7	365	16.7	12.6-20.8	155	8.1	05.0-11.2	1	0.0	00.0-00.0
Oth. Race/Non-Hisp.	337	182,365	10	3.0	00.0-06.1	181	70.9	61.3-80.5	116	22.7	13.7-31.7	24	1.9	00.3-03.5	4	0.7	00.0-01.7	2	0.8	00.0-02.2
MultiRacial/Non-Hisp.	299	95,809	2	3.4	00.0-09.7										8	1.1	00.0-02.5			
Hispanic	1208	1,103,255	23	1.9	00.7-03.1	578	50.5	45.0-56.0	480	39.2	33.7-44.7	85	5.4	03.0-07.8	34	1.2	00.2-02.2	8	1.7	00.0-03.5
18-24	462	370,022	18	3.0	00.6-05.4	249	55.2	46.0-64.4	156	32.9	24.1-41.7	31	7.4	02.9-11.9	7	1.1	00.0-02.3	1	0.3	00.0-00.9
25-34	1421	768,480	24	1.8	00.6-03.0	683	53.7	48.8-58.6	499	32.0	27.5-36.5	148	7.3	04.9-09.7	65	5.1	02.7-07.5	2	0.0	00.0-00.0
35-44	2156	1,282,534	25	1.3	00.3-02.3	926	46.6	42.7-50.5	825	37.2	33.3-41.1	284	11.4	08.7-14.1	92	2.8	01.6-04.0	4	0.7	00.0-01.5
45-54	3442	1,863,364	40	1.0	00.4-01.6	1480	46.1	42.4-49.8	1346	41.0	37.3-44.7	416	7.9	05.9-09.9	156	3.2	01.8-04.6	4	0.7	00.0-01.7
55-64	4661	1,070,687	66	1.1	00.5-01.7	1930	47.1	44.0-50.2	1987	39.9	37.0-42.8	504	9.5	07.5-11.5	172	2.3	01.5-03.1	2	0.1	00.0-00.3
65+	8620	1,808,240	235	2.2	01.8-02.6	4402	54.2	52.0-56.4	3327	38.3	36.1-40.5	538	4.6	03.8-05.4	118	0.7	00.5-00.9			
Less Than H.S.	2168	535,030	63	1.7	00.9-02.5	838	42.1	36.0-48.2	874	40.7	34.8-46.6	295	11.0	07.7-14.3	98	4.4	02.6-06.2			
H.S. or G.E.D.	7057	1,954,846	159	2.3	01.5-03.1	3099	46.6	43.7-49.5	2862	38.0	35.3-40.7	707	10.2	08.2-12.2	225	2.8	02.0-03.6	5	0.2	00.0-00.4
Some Post-H.S.	6213	2,159,331	118	1.5	00.9-02.1	2916	48.5	46.0-51.0	2427	38.8	36.3-41.3	559	8.1	06.7-09.5	191	2.7	01.7-03.7	2	0.4	00.0-01.2
College Graduate	5459	2,542,734	74	1.2	00.8-01.6	2903	54.9	52.0-57.8	2018	36.8	33.9-39.7	360	5.1	03.9-06.3	98	1.6	00.8-02.4	6	0.4	00.0-00.8
Less than \$15,000	2982	717,164	92	2.9	01.7-04.1	1190	41.8	37.5-46.1	1121	36.4	32.1-40.7	413	12.1	09.2-15.0	161	5.1	03.3-06.9	5	1.8	00.0-04.2
\$15,000- 24,999	3977	1,144,611	90	2.3	01.1-03.5	1679	44.5	40.8-48.2	1627	41.7	38.0-45.4	431	8.5	06.7-10.3	147	2.8	02.0-03.6	3	0.2	00.0-00.4
\$25,000- 34,999	2320	655,896	42	1.4	00.6-02.2	1036	45.1	40.0-50.2	984	44.9	39.6-50.2	191	5.9	04.1-07.7	67	2.7	00.9-04.5			
\$35,000- 49,999	2638	942,987	32	0.6	00.2-01.0	1178	42.8	38.5-47.1	1107	43.6	39.1-48.1	256	10.7	07.6-13.8	64	2.3	00.9-03.7	1	0.0	00.0-00.0
\$50,000- 74,999	2460	954,715	22	1.1	00.5-01.7	1134	49.2	45.1-53.3	995	37.5	33.6-41.4	240	9.0	06.3-11.7	68	3.1	00.9-05.3	1	0.1	00.0-00.3
\$75,000+	3038	1,658,028	24	1.0	00.4-01.6	1653	57.6	54.3-60.9	1144	35.8	32.5-39.1	172	4.2	02.8-05.6	43	1.2	00.6-01.8	2	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

**TABLE 34: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents with do not know/refused/missing responses**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34797	14,631,204	2047	5.1	04.5-05.7	16948	40.6	39.4-41.8	13258	44.5	43.3-45.7	2422	8.9	08.1-09.7	32	0.1	00.1-00.1	90	0.8	00.4-01.2
Male	12973	7,120,869	27	0.2	00.0-00.4	1323	11.2	09.8-12.6	9177	69.5	67.5-71.5	2380	18.0	16.4-19.6	26	0.1	00.1-00.1	40	1.0	00.4-01.6
Female	21824	7,510,335	2020	9.8	08.8-10.8	15625	68.4	67.0-69.8	4081	20.9	19.5-22.3	42	0.2	00.0-00.4	6	0.0	00.0-00.0	50	0.7	00.3-01.1
White/Non-Hisp	28452	10,055,334	1543	4.5	04.1-04.9	13793	39.5	38.3-40.7	11034	46.2	44.8-47.6	2052	9.6	08.6-10.6	23	0.1	00.1-00.1	7	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	2630	1,508,374	130	3.1	01.9-04.3	1346	44.0	39.5-48.5	978	41.7	37.2-46.2	173	11.2	07.7-14.7	3	0.0	00.0-00.0			
Oth. Race/Non-Hisp.	649	461,538	72	12.0	06.7-17.3	291	37.7	30.3-45.1	249	44.5	36.1-52.9	37	5.8	02.1-09.5						
MultiRacial/Non-Hisp.	528	195,116	36	8.7	02.0-15.4	226	32.6	23.8-41.4	225	46.4	36.4-56.4	40	12.3	05.4-19.2	1	0.0	00.0-00.0			
Hispanic	1844	2,147,809	209	7.8	05.8-09.8	964	44.6	40.1-49.1	522	38.2	33.5-42.9	64	4.0	01.6-06.4	4	0.1	00.0-00.3	81	5.3	02.9-07.7
18-24	847	961,899	42	3.3	01.5-05.1	366	34.7	28.4-41.0	346	49.1	42.2-56.0	86	11.9	07.2-16.6	1	0.0	00.0-00.0	6	1.0	00.0-03.0
25-34	2219	1,550,961	115	4.4	02.8-06.0	1042	39.2	35.1-43.3	858	44.4	40.1-48.7	181	10.2	07.3-13.1	1	0.1	00.0-00.3	22	1.7	00.0-03.5
35-44	3583	2,764,557	168	4.6	03.4-05.8	1601	36.5	33.6-39.4	1484	47.4	44.3-50.5	303	10.8	08.6-13.0	6	0.1	00.0-00.3	21	0.6	00.0-01.2
45-54	5799	3,783,076	286	4.5	03.3-05.7	2645	38.1	35.4-40.8	2357	47.0	44.1-49.9	487	9.2	07.2-11.2	6	0.0	00.0-00.0	18	1.2	00.4-02.0
55-64	7850	2,134,720	391	4.3	03.3-05.3	3855	42.4	40.0-44.8	3018	43.8	41.4-46.2	564	8.7	07.5-09.9	9	0.2	00.0-00.4	13	0.6	00.0-01.2
65+	14199	3,332,414	1018	7.6	06.6-08.6	7272	47.7	46.1-49.3	5106	38.7	37.1-40.3	785	5.7	04.9-06.5	9	0.1	00.1-00.1	9	0.2	00.0-00.4
Less Than H.S.	3485	1,064,660	335	8.0	05.8-10.2	1780	45.3	40.6-50.0	1127	37.6	32.9-42.3	201	7.0	05.0-09.0	5	0.1	00.1-00.1	37	2.1	00.7-03.5
H.S. or G.E.D.	11311	3,898,431	783	5.9	04.9-06.9	5802	42.6	40.2-45.0	4039	42.8	40.4-45.2	654	7.7	06.1-09.3	11	0.1	00.0-00.3	22	1.0	00.2-01.8
Some Post-H.S.	9871	4,149,403	532	5.4	04.4-06.4	5004	41.9	39.5-44.3	3648	42.2	39.8-44.6	666	9.5	07.7-11.3	7	0.1	00.1-00.1	14	0.9	00.1-01.7
College Graduate	10042	5,465,646	388	3.8	03.0-04.6	4321	37.2	35.2-39.2	4411	48.9	46.7-51.1	897	9.7	08.3-11.1	9	0.1	00.1-00.1	16	0.4	00.0-00.8
Less than \$15,000	4381	1,259,074	364	7.9	05.9-09.9	2305	45.2	41.3-49.1	1451	37.5	33.6-41.4	229	6.7	04.3-09.1	4	0.0	00.0-00.0	28	2.7	00.9-04.5
\$15,000- 24,999	6203	2,162,697	448	6.6	05.2-08.0	3237	46.4	43.1-49.7	2146	38.5	35.2-41.8	343	7.3	05.5-09.1	6	0.1	00.0-00.3	23	1.1	00.1-02.1
\$25,000- 34,999	3767	1,303,426	224	5.2	03.6-06.8	1916	41.1	37.2-45.0	1392	45.7	41.4-50.0	221	7.2	04.8-09.6	2	0.0	00.0-00.0	12	0.8	00.0-02.0
\$35,000- 49,999	4593	1,819,091	214	4.7	03.5-05.9	2153	42.5	39.4-45.6	1909	44.3	41.0-47.6	309	7.8	06.0-09.6	5	0.1	00.0-00.3	3	0.6	00.0-01.6
\$50,000- 74,999	4412	2,033,382	176	3.8	02.6-05.0	1984	38.1	35.0-41.2	1862	47.4	44.1-50.7	383	10.6	07.9-13.3	5	0.1	00.1-00.1	2	0.1	00.0-00.3
\$75,000+	6160	4,013,651	167	3.3	02.3-04.3	2372	32.1	29.7-34.5	2927	52.6	50.1-55.1	684	11.8	10.0-13.6	7	0.1	00.0-00.3	3	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 35: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12973	7,120,869	27	0.2	00.0-00.4	1323	11.2	09.8-12.6	9177	69.5	67.5-71.5	2380	18.0	16.4-19.6	26	0.1	00.1-00.1	40	1.0	00.4-01.6
White/Non-Hisp	10674	4,910,303	16	0.2	00.0-00.6	938	8.5	07.3-09.7	7672	71.5	69.5-73.5	2026	19.6	17.8-21.4	19	0.2	00.0-00.4	3	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	813	656,341	4	0.2	00.0-00.4	104	14.8	08.9-20.7	539	59.8	52.0-67.6	165	25.2	17.9-32.5	1	0.0	00.0-00.0			
Oth. Race/Non-Hisp.	299	262,425	1	0.1	00.0-00.3	61	19.7	11.7-27.7	200	70.0	60.2-79.8	37	10.2	03.7-16.7						
MultiRacial/Non-Hisp.	220	92,340				25	4.6	01.5-07.7							1	0.0	00.0-00.0			
Hispanic	671	1,066,948	6	0.1	00.0-00.3	161	19.6	13.7-25.5	405	66.0	58.7-73.3	59	7.8	03.3-12.3	4	0.2	00.0-00.4	36	6.3	02.4-10.2
18-24	374	577,308				39	12.4	06.5-18.3	244	66.4	57.4-75.4	85	19.5	12.1-26.9				6	1.7	00.0-04.8
25-34	750	754,818	2	0.0	00.0-00.0	65	10.0	05.7-14.3	495	65.9	58.8-73.0	179	20.7	14.8-26.6	1	0.2	00.0-00.6	8	3.2	00.0-06.9
35-44	1298	1,414,729	2	0.0	00.0-00.0	116	11.7	08.0-15.4	867	67.0	62.3-71.7	298	20.8	16.9-24.7	6	0.2	00.0-00.4	9	0.2	00.0-00.4
45-54	2183	1,838,948	6	0.4	00.0-01.2	198	9.1	06.4-11.8	1486	70.5	66.2-74.8	479	18.6	14.9-22.3	6	0.1	00.0-00.3	8	1.3	00.0-02.7
55-64	2942	1,023,850	6	0.1	00.0-00.3	275	9.7	07.5-11.9	2090	71.2	67.9-74.5	557	17.9	15.4-20.4	8	0.4	00.0-00.8	6	0.7	00.0-01.7
65+	5355	1,475,482	11	0.3	00.1-00.5	624	14.6	12.2-17.0	3944	72.1	69.6-74.6	768	12.9	11.3-14.5	5	0.1	00.0-00.3	3	0.0	00.0-00.0
Less Than H.S.	1303	539,080	9	0.3	00.1-00.5	237	21.9	14.5-29.3	841	61.9	54.5-69.3	194	13.4	09.7-17.1	1	0.1	00.0-00.3	21	2.5	00.1-04.9
H.S. or G.E.D.	3939	1,864,686	6	0.0	00.0-00.0	442	12.4	09.9-14.9	2825	69.8	66.1-73.5	644	15.9	12.8-19.0	10	0.2	00.0-00.4	12	1.6	00.0-03.2
Some Post-H.S.	3364	1,900,584	6	0.2	00.0-00.4	285	8.7	06.2-11.2	2405	69.2	65.1-73.3	656	20.5	17.0-24.0	7	0.1	00.0-00.3	5	1.2	00.0-02.8
College Graduate	4323	2,784,136	5	0.3	00.0-00.9	348	9.7	07.9-11.5	3078	71.1	68.4-73.8	882	18.8	16.4-21.2	8	0.1	00.0-00.3	2	0.0	00.0-00.0
Less than \$15,000	1350	545,808	7	0.3	00.0-00.7	193	16.9	10.6-23.2	918	65.6	58.3-72.9	217	14.9	09.8-20.0	2	0.1	00.0-00.3	13	2.2	00.0-04.6
\$15,000- 24,999	2119	970,044	4	0.1	00.0-00.3	284	16.3	12.0-20.6	1478	65.5	60.0-71.0	338	16.1	12.2-20.0	6	0.3	00.0-00.7	9	1.6	00.0-03.8
\$25,000- 34,999	1355	619,871	4	0.2	00.0-00.4	162	11.5	07.6-15.4	964	71.7	65.6-77.8	216	15.1	10.4-19.8				9	1.5	00.0-03.9
\$35,000- 49,999	1842	834,225	2	0.0	00.0-00.0	183	11.5	08.4-14.6	1343	69.9	65.2-74.6	306	16.9	13.2-20.6	5	0.2	00.0-00.6	3	1.4	00.0-03.6
\$50,000- 74,999	1842	1,029,797	2	0.1	00.0-00.3	138	6.9	04.5-09.3	1318	72.1	66.8-77.4	380	20.8	15.7-25.9	4	0.1	00.0-00.3			
\$75,000+	2992	2,295,504	3	0.4	00.0-01.0	163	6.9	04.9-08.9	2144	72.1	68.8-75.4	675	20.4	17.5-23.3	7	0.2	00.0-00.4			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 36: ABOUT HOW TALL ARE YOU WITHOUT SHOES? ROUND FRACTIONS DOWN. (HEIGHT3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		5-ft 0-in or less			5-ft 1-in to 5-ft 6-in			5-ft 7-in to 6-ft 0-in			6-ft 1-in to 6-ft 6-in			6-ft 7-in or taller			HGHT Reported in Metrics		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21824	7,510,335	2020	9.8	08.8-10.8	15625	68.4	67.0-69.8	4081	20.9	19.5-22.3	42	0.2	00.0-00.4	6	0.0	00.0-00.0	50	0.7	00.3-01.1
White/Non-Hisp	17778	5,145,031	1527	8.5	07.7-09.3	12855	69.1	67.5-70.7	3362	22.1	20.7-23.5	26	0.1	00.0-00.3	4	0.0	00.0-00.0	4	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	1817	852,032	126	5.3	03.1-07.5	1242	66.4	61.1-71.7	439	27.8	22.5-33.1	8	0.4	00.0-00.8	2	0.0	00.0-00.0			
Oth. Race/Non-Hisp.	350	199,113							49	10.8	03.9-17.7									
MultiRacial/Non-Hisp.	308	102,776										1	0.3	00.0-00.9						
Hispanic	1173	1,080,862	203	15.4	11.7-19.1	803	69.1	64.0-74.2	117	10.8	07.3-14.3	5	0.3	00.0-00.7				45	4.4	02.0-06.8
18-24	473	384,591	42	8.3	04.2-12.4	327	68.2	59.6-76.8	102	23.1	15.1-31.1	1	0.4	00.0-01.2	1	0.0	00.0-00.0			
25-34	1469	796,142	113	8.6	05.5-11.7	977	67.0	62.5-71.5	363	24.0	20.1-27.9	2	0.1	00.0-00.3				14	0.3	00.0-00.7
35-44	2285	1,349,829	166	9.3	06.9-11.7	1485	62.5	58.6-66.4	617	26.9	23.4-30.4	5	0.3	00.0-00.7				12	1.1	00.1-02.1
45-54	3616	1,944,129	280	8.4	06.4-10.4	2447	65.6	62.1-69.1	871	24.7	21.6-27.8	8	0.3	00.1-00.5				10	1.1	00.1-02.1
55-64	4908	1,110,870	385	8.2	06.4-10.0	3580	72.6	69.9-75.3	928	18.5	16.3-20.7	7	0.1	00.0-00.3	1	0.0	00.0-00.0	7	0.6	00.0-01.2
65+	8844	1,856,933	1007	13.4	11.8-15.0	6648	73.9	71.9-75.9	1162	12.2	10.8-13.6	17	0.1	00.1-00.1	4	0.0	00.0-00.0	6	0.4	00.0-00.8
Less Than H.S.	2182	525,580	326	15.9	11.6-20.2	1543	69.2	63.9-74.5	286	12.6	08.9-16.3	7	0.5	00.0-01.3	4	0.0	00.0-00.0	16	1.7	00.1-03.3
H.S. or G.E.D.	7372	2,033,744	777	11.2	09.4-13.0	5360	70.3	67.8-72.8	1214	18.0	15.6-20.4	10	0.2	00.0-00.4	1	0.0	00.0-00.0	10	0.3	00.0-00.7
Some Post-H.S.	6507	2,248,819	526	9.8	08.0-11.6	4719	70.0	67.6-72.4	1243	19.3	17.3-21.3	10	0.2	00.0-00.4				9	0.7	00.0-01.5
College Graduate	5719	2,681,510	383	7.5	06.1-08.9	3973	65.7	63.0-68.4	1333	25.9	23.4-28.4	15	0.2	00.0-00.4	1	0.0	00.0-00.0	14	0.8	00.2-01.4
Less than \$15,000	3031	713,266	357	13.7	10.6-16.8	2112	66.8	62.5-71.1	533	16.0	12.9-19.1	12	0.4	00.0-00.8	2	0.0	00.0-00.0	15	3.0	00.5-05.5
\$15,000- 24,999	4084	1,192,653	444	11.8	09.4-14.2	2953	70.9	67.4-74.4	668	16.6	13.5-19.7	5	0.1	00.1-00.1				14	0.6	00.0-01.2
\$25,000- 34,999	2412	683,555	220	9.8	06.7-12.9	1754	68.0	62.9-73.1	428	22.1	17.2-27.0	5	0.0	00.0-00.0	2	0.0	00.0-00.0	3	0.1	00.0-00.3
\$35,000- 49,999	2751	984,866	212	8.6	06.2-11.0	1970	68.8	64.9-72.7	566	22.5	19.0-26.0	3	0.1	00.0-00.3						
\$50,000- 74,999	2570	1,003,585	174	7.5	05.1-09.9	1846	70.1	66.4-73.8	544	22.1	18.8-25.4	3	0.1	00.1-00.1	1	0.1	00.0-00.3	2	0.2	00.0-00.4
\$75,000+	3168	1,718,147	164	7.2	05.2-09.2	2209	65.7	62.4-69.0	783	26.4	23.5-29.3	9	0.4	00.0-00.8				3	0.3	00.0-00.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 37: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35109	14,762,805	34501	98.0	97.6-98.4	358	1.3	01.1-01.5	250	0.7	00.5-00.9
Male	13044	7,164,877	12830	98.1	97.5-98.7	130	1.2	00.8-01.6	84	0.7	00.3-01.1
Female	22065	7,597,928	21671	97.9	97.5-98.3	228	1.3	00.9-01.7	166	0.8	00.6-01.0
White/Non-Hisp	28583	10,092,350	28175	98.5	98.1-98.9	240	0.9	00.7-01.1	168	0.6	00.4-00.8
Black or Afr. Am./Non-Hisp	2656	1,513,872	2609	97.5	96.1-98.9	30	1.7	00.7-02.7	17	0.9	00.0-01.9
Oth. Race/Non-Hisp.	656	464,010	642	96.6	93.9-99.3	8	2.4	00.0-04.9	6	1.0	00.0-02.4
MultiRacial/Non-Hisp.	533	198,245	529	98.4	95.5-0100	1	0.0	00.0-00.0	3	1.6	00.0-04.5
Hispanic	1953	2,217,505	1855	96.5	95.1-97.9	68	2.5	01.3-03.7	30	1.0	00.2-01.8
18-24	858	976,126	843	98.5	97.1-99.9	13	1.2	00.0-02.4	2	0.3	00.0-00.9
25-34	2262	1,564,687	2220	98.3	97.1-99.5	21	0.8	00.2-01.4	21	0.9	00.0-01.9
35-44	3617	2,794,950	3560	97.5	96.1-98.9	28	1.5	00.5-02.5	29	1.0	00.2-01.8
45-54	5841	3,802,825	5784	98.8	98.2-99.4	26	0.7	00.3-01.1	31	0.5	00.1-00.9
55-64	7895	2,150,212	7789	98.2	97.6-98.8	57	1.2	00.6-01.8	49	0.5	00.1-00.9
65+	14297	3,355,417	14004	97.2	96.6-97.8	207	2.1	01.5-02.7	86	0.7	00.3-01.1
Less Than H.S.	3582	1,108,642	3477	95.6	93.4-97.8	77	4.1	01.9-06.3	28	0.4	00.2-00.6
H.S. or G.E.D.	11405	3,929,786	11212	97.4	96.6-98.2	120	1.7	01.1-02.3	73	0.9	00.3-01.5
Some Post-H.S.	9917	4,171,320	9773	98.7	98.3-99.1	78	0.8	00.4-01.2	66	0.5	00.1-00.9
College Graduate	10098	5,490,649	9950	98.6	98.2-99.0	78	0.7	00.3-01.1	70	0.6	00.2-01.0
Less than \$15,000	4444	1,289,003	4368	97.6	96.4-98.8	55	1.9	00.9-02.9	21	0.5	00.0-01.1
\$15,000- 24,999	6251	2,184,090	6164	98.2	97.2-99.2	68	1.2	00.6-01.8	19	0.6	00.0-01.4
\$25,000- 34,999	3785	1,312,740	3732	97.8	96.6-99.0	33	0.8	00.2-01.4	20	1.5	00.3-02.7
\$35,000- 49,999	4600	1,821,953	4545	98.4	97.6-99.2	35	1.1	00.5-01.7	20	0.5	00.1-00.9
\$50,000- 74,999	4417	2,037,200	4372	99.0	98.4-99.6	21	0.6	00.2-01.0	24	0.4	00.0-00.8
\$75,000+	6172	4,018,481	6112	99.0	98.4-99.6	35	0.6	00.2-01.0	25	0.4	00.2-00.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 38: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13044	7,164,877	12830	98.1	97.5-98.7	130	1.2	00.8-01.6	84	0.7	00.3-01.1
White/Non-Hisp	10706	4,921,414	10569	98.4	97.8-99.0	82	1.0	00.6-01.4	55	0.7	00.3-01.1
Black or Afr. Am./Non-Hisp	816	657,511	797	97.2	94.5-99.9	13	1.5	00.0-03.1	6	1.3	00.0-03.5
Oth. Race/Non-Hisp.	302	263,683	295	96.8	92.7-0100	5	3.2	00.0-07.3	2	0.0	00.0-00.0
MultiRacial/Non-Hisp.	220	92,340	219	99.9	99.7-0100				1	0.1	00.0-00.3
Hispanic	693	1,090,917	659	98.0	96.6-99.4	25	1.8	00.4-03.2	9	0.3	00.1-00.5
18-24	376	582,010	369	98.6	96.8-0100	7	1.4	00.0-03.2			
25-34	765	762,660	747	97.7	95.5-99.9	9	0.9	00.1-01.7	9	1.5	00.0-03.5
35-44	1305	1,424,282	1291	98.2	96.4-0100	8	1.1	00.0-02.3	6	0.7	00.0-02.1
45-54	2192	1,847,741	2171	98.8	97.8-99.8	12	0.9	00.1-01.7	9	0.3	00.0-00.9
55-64	2955	1,030,903	2915	98.2	97.2-99.2	26	1.2	00.4-02.0	14	0.5	00.0-01.1
65+	5371	1,478,437	5267	97.4	96.4-98.4	67	1.7	00.9-02.5	37	0.8	00.2-01.4
Less Than H.S.	1321	551,600	1285	97.6	95.4-99.8	26	2.2	00.0-04.4	10	0.2	00.0-00.4
H.S. or G.E.D.	3957	1,875,775	3890	97.1	95.7-98.5	40	1.7	00.7-02.7	27	1.2	00.0-02.4
Some Post-H.S.	3374	1,909,168	3326	98.9	98.1-99.7	24	0.9	00.3-01.5	24	0.3	00.1-00.5
College Graduate	4342	2,794,361	4286	98.7	98.1-99.3	38	0.9	00.3-01.5	18	0.4	00.0-00.8
Less than \$15,000	1366	553,312	1335	97.9	96.5-99.3	22	1.8	00.4-03.2	9	0.3	00.1-00.5
\$15,000- 24,999	2129	984,156	2094	97.9	95.9-99.9	26	1.0	00.4-01.6	9	1.1	00.0-03.1
\$25,000- 34,999	1360	622,054	1344	98.6	97.0-0100	10	0.5	00.0-01.1	6	0.9	00.0-02.5
\$35,000- 49,999	1843	834,728	1821	98.7	97.7-99.7	16	1.0	00.2-01.8	6	0.3	00.0-00.9
\$50,000- 74,999	1842	1,029,797	1824	99.2	98.4-0100	11	0.7	00.1-01.3	7	0.1	00.0-00.3
\$75,000+	2998	2,297,739	2966	98.7	97.9-99.5	20	0.8	00.2-01.4	12	0.5	00.1-00.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 39: WHAT COUNTY DO YOU LIVE IN? (CTYCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Valid County Code			Didnt Know County Code			Refused to give County Code		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	22065	7,597,928	21671	97.9	97.5-98.3	228	1.3	00.9-01.7	166	0.8	00.6-01.0
White/Non-Hisp	17877	5,170,936	17606	98.6	98.2-99.0	158	0.9	00.7-01.1	113	0.5	00.3-00.7
Black or Afr. Am./Non-Hisp	1840	856,360	1812	97.7	96.1-99.3	17	1.8	00.4-03.2	11	0.5	00.0-01.3
Oth. Race/Non-Hisp.	354	200,328	347	96.4	92.5-0100	3	1.3	00.0-03.7	4	2.3	00.0-05.4
MultiRacial/Non-Hisp.	313	105,905	310	97.1	91.6-0100	1	0.0	00.0-00.0	2	2.9	00.0-08.4
Hispanic	1260	1,126,588	1196	95.1	92.6-97.6	43	3.1	01.1-05.1	21	1.7	00.1-03.3
18-24	482	394,116	474	98.4	96.4-0100	6	0.9	00.0-02.5	2	0.7	00.0-02.1
25-34	1497	802,027	1473	98.8	98.0-99.6	12	0.7	00.0-01.5	12	0.4	00.0-00.8
35-44	2312	1,370,668	2269	96.8	94.8-98.8	20	1.8	00.2-03.4	23	1.4	00.2-02.6
45-54	3649	1,955,084	3613	98.9	98.3-99.5	14	0.4	00.0-00.8	22	0.6	00.0-01.2
55-64	4940	1,119,309	4874	98.2	97.4-99.0	31	1.2	00.4-02.0	35	0.5	00.1-00.9
65+	8926	1,876,979	8737	97.0	96.2-97.8	140	2.4	01.6-03.2	49	0.6	00.2-01.0
Less Than H.S.	2261	557,042	2192	93.6	89.7-97.5	51	5.9	02.0-09.8	18	0.5	00.1-00.9
H.S. or G.E.D.	7448	2,054,011	7322	97.6	96.8-98.4	80	1.8	01.0-02.6	46	0.6	00.2-01.0
Some Post-H.S.	6543	2,262,151	6447	98.5	97.9-99.1	54	0.7	00.3-01.1	42	0.8	00.2-01.4
College Graduate	5756	2,696,289	5664	98.6	98.0-99.2	40	0.5	00.3-00.7	52	0.9	00.3-01.5
Less than \$15,000	3078	735,691	3033	97.3	95.5-99.1	33	2.0	00.4-03.6	12	0.7	00.0-01.5
\$15,000- 24,999	4122	1,199,933	4070	98.4	97.6-99.2	42	1.4	00.6-02.2	10	0.1	00.0-00.3
\$25,000- 34,999	2425	690,686	2388	97.0	95.0-99.0	23	1.0	00.2-01.8	14	2.0	00.2-03.8
\$35,000- 49,999	2757	987,224	2724	98.1	96.9-99.3	19	1.2	00.4-02.0	14	0.6	00.0-01.4
\$50,000- 74,999	2575	1,007,403	2548	98.9	98.1-99.7	10	0.6	00.0-01.2	17	0.6	00.0-01.2
\$75,000+	3174	1,720,742	3146	99.3	98.9-99.7	15	0.4	00.0-00.8	13	0.3	00.1-00.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 40: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-7776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35109	14,762,805	33637	95.7	95.1-96.3	459	0.9	00.7-01.1	1013	3.4	03.0-03.8
Male	13044	7,164,877	12511	96.3	95.5-97.1	189	1.0	00.6-01.4	344	2.7	02.1-03.3
Female	22065	7,597,928	21126	95.2	94.4-96.0	270	0.8	00.6-01.0	669	4.1	03.3-04.9
White/Non-Hisp	28583	10,092,350	27497	96.2	95.6-96.8	345	0.9	00.7-01.1	741	2.9	02.5-03.3
Black or Afr. Am./Non-Hisp	2656	1,513,872	2552	96.1	94.1-98.1	28	0.7	00.0-01.5	76	3.2	01.2-05.2
Oth. Race/Non-Hisp.	656	464,010	624	95.4	92.3-98.5	10	0.4	00.0-00.8	22	4.1	01.0-07.2
MultiRacial/Non-Hisp.	533	198,245	510	96.4	92.9-99.9	3	0.3	00.0-00.9	20	3.3	00.0-06.6
Hispanic	1953	2,217,505	1826	94.4	92.4-96.4	46	1.5	00.3-02.7	81	4.1	02.5-05.7
18-24	858	976,126	829	96.1	93.4-98.8	10	1.8	00.0-03.6	19	2.1	00.0-04.3
25-34	2262	1,564,687	2190	95.7	93.9-97.5	14	0.8	00.0-01.8	58	3.4	01.8-05.0
35-44	3617	2,794,950	3507	96.8	95.6-98.0	21	0.7	00.1-01.3	89	2.5	01.5-03.5
45-54	5841	3,802,825	5658	95.6	94.4-96.8	35	0.5	00.1-00.9	148	3.8	02.6-05.0
55-64	7895	2,150,212	7623	96.1	95.1-97.1	63	0.5	00.1-00.9	209	3.4	02.4-04.4
65+	14297	3,355,417	13575	95.2	94.6-95.8	305	1.6	01.2-02.0	417	3.2	02.6-03.8
Less Than H.S.	3582	1,108,642	3353	94.3	91.9-96.7	132	3.5	01.3-05.7	97	2.2	01.4-03.0
H.S. or G.E.D.	11405	3,929,786	10952	95.5	94.5-96.5	152	1.3	00.9-01.7	301	3.3	02.3-04.3
Some Post-H.S.	9917	4,171,320	9564	96.3	95.5-97.1	78	0.6	00.4-00.8	275	3.1	02.3-03.9
College Graduate	10098	5,490,649	9686	95.9	95.1-96.7	91	0.4	00.2-00.6	321	3.7	02.9-04.5
Less than \$15,000	4444	1,289,003	4264	96.5	95.1-97.9	86	1.4	00.4-02.4	94	2.2	01.0-03.4
\$15,000- 24,999	6251	2,184,090	6035	97.0	96.0-98.0	88	0.7	00.3-01.1	128	2.2	01.2-03.2
\$25,000- 34,999	3785	1,312,740	3663	96.1	94.5-97.7	39	0.6	00.2-01.0	83	3.3	01.9-04.7
\$35,000- 49,999	4600	1,821,953	4483	97.7	96.9-98.5	28	0.5	00.1-00.9	89	1.8	01.2-02.4
\$50,000- 74,999	4417	2,037,200	4281	96.7	95.5-97.9	24	0.2	00.0-00.4	112	3.1	01.9-04.3
\$75,000+	6172	4,018,481	6007	97.2	96.2-98.2	47	0.5	00.3-00.7	118	2.3	01.5-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 41: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	13044	7,164,877	12511	96.3	95.5-97.1	189	1.0	00.6-01.4	344	2.7	02.1-03.3
White/Non-Hisp	10706	4,921,414	10315	96.5	95.7-97.3	140	1.0	00.6-01.4	251	2.4	01.8-03.0
Black or Afr. Am./Non-Hisp	816	657,511	776	95.6	92.7-98.5	13	1.5	00.0-03.1	27	2.9	00.4-05.4
Oth. Race/Non-Hisp.	302	263,683	292	96.7	92.2-0100	4	0.3	00.0-00.9	6	3.0	00.0-07.5
MultiRacial/Non-Hisp.	220	92,340	211	99.0	98.0-0100	2	0.0	00.0-00.0	7	0.9	00.0-01.9
Hispanic	693	1,090,917	647	96.4	94.4-98.4	21	1.2	00.0-02.6	25	2.4	00.8-04.0
18-24	376	582,010	360	96.2	93.1-99.3	7	1.9	00.0-03.9	9	1.9	00.0-04.3
25-34	765	762,660	732	95.2	92.5-97.9	7	0.5	00.0-01.1	26	4.3	01.6-07.0
35-44	1305	1,424,282	1265	97.1	95.5-98.7	11	1.2	00.0-02.4	29	1.7	00.7-02.7
45-54	2192	1,847,741	2120	96.0	94.2-97.8	20	0.9	00.3-01.5	52	3.1	01.5-04.7
55-64	2955	1,030,903	2862	97.0	95.8-98.2	27	0.5	00.0-01.3	66	2.5	01.5-03.5
65+	5371	1,478,437	5117	96.4	95.6-97.2	116	1.3	00.9-01.7	138	2.3	01.7-02.9
Less Than H.S.	1321	551,600	1218	94.9	92.2-97.6	65	3.5	01.0-06.0	38	1.5	00.7-02.3
H.S. or G.E.D.	3957	1,875,775	3794	95.6	94.0-97.2	58	1.7	00.7-02.7	105	2.6	01.4-03.8
Some Post-H.S.	3374	1,909,168	3259	96.8	95.6-98.0	33	0.7	00.1-01.3	82	2.5	01.3-03.7
College Graduate	4342	2,794,361	4201	97.0	96.0-98.0	30	0.3	00.1-00.5	111	2.7	01.7-03.7
Less than \$15,000	1366	553,312	1299	97.2	96.0-98.4	37	1.1	00.3-01.9	30	1.7	00.7-02.7
\$15,000- 24,999	2129	984,156	2047	97.7	96.7-98.7	39	0.6	00.2-01.0	43	1.7	00.7-02.7
\$25,000- 34,999	1360	622,054	1304	95.8	93.4-98.2	19	0.8	00.2-01.4	37	3.4	01.0-05.8
\$35,000- 49,999	1843	834,728	1790	97.4	96.0-98.8	18	0.8	00.0-01.6	35	1.8	00.8-02.8
\$50,000- 74,999	1842	1,029,797	1794	98.1	97.1-99.1	11	0.2	00.0-00.4	37	1.7	00.7-02.7
\$75,000+	2998	2,297,739	2929	97.5	96.3-98.7	24	0.7	00.3-01.1	45	1.8	00.6-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 42: WHAT IS YOUR ZIP CODE WHERE YOU LIVE? (ZIPCODE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0001-77776			Didnt Know Zipcode			Refused to give Zipcode		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	22065	7,597,928	21126	95.2	94.4-96.0	270	0.8	00.6-01.0	669	4.1	03.3-04.9
White/Non-Hisp	17877	5,170,936	17182	95.9	95.3-96.5	205	0.7	00.5-00.9	490	3.4	02.8-04.0
Black or Afr. Am./Non-Hisp	1840	856,360	1776	96.4	93.7-99.1	15	0.1	00.1-00.1	49	3.5	00.8-06.2
Oth. Race/Non-Hisp.	354	200,328	332	93.7	89.4-98.0	6	0.6	00.0-01.4	16	5.7	01.6-09.8
MultiRacial/Non-Hisp.	313	105,905	299	94.0	87.7-0100	1	0.5	00.0-01.5	13	5.4	00.0-11.7
Hispanic	1260	1,126,588	1179	92.6	89.5-95.7	25	1.7	00.0-03.5	56	5.7	03.2-08.2
18-24	482	394,116	469	96.0	91.3-0100	3	1.6	00.0-04.5	10	2.5	00.0-06.2
25-34	1497	802,027	1458	96.2	93.8-98.6	7	1.2	00.0-03.2	32	2.6	01.2-04.0
35-44	2312	1,370,668	2242	96.5	94.9-98.1	10	0.1	00.0-00.3	60	3.4	01.8-05.0
45-54	3649	1,955,084	3538	95.3	93.5-97.1	15	0.1	00.0-00.3	96	4.6	02.8-06.4
55-64	4940	1,119,309	4761	95.3	93.7-96.9	36	0.4	00.2-00.6	143	4.3	02.7-05.9
65+	8926	1,876,979	8458	94.3	93.3-95.3	189	1.8	01.2-02.4	279	3.9	03.1-04.7
Less Than H.S.	2261	557,042	2135	93.7	90.0-97.4	67	3.4	00.0-06.9	59	2.8	01.2-04.4
H.S. or G.E.D.	7448	2,054,011	7158	95.3	93.9-96.7	94	0.8	00.4-01.2	196	3.9	02.5-05.3
Some Post-H.S.	6543	2,262,151	6305	95.9	94.7-97.1	45	0.5	00.3-00.7	193	3.6	02.6-04.6
College Graduate	5756	2,696,289	5485	94.8	93.4-96.2	61	0.5	00.3-00.7	210	4.7	03.3-06.1
Less than \$15,000	3078	735,691	2965	95.9	93.5-98.3	49	1.6	00.0-03.2	64	2.5	00.7-04.3
\$15,000- 24,999	4122	1,199,933	3988	96.5	94.9-98.1	49	0.8	00.4-01.2	85	2.7	01.1-04.3
\$25,000- 34,999	2425	690,686	2359	96.3	94.3-98.3	20	0.5	00.1-00.9	46	3.1	01.3-04.9
\$35,000- 49,999	2757	987,224	2693	97.9	96.9-98.9	10	0.3	00.1-00.5	54	1.8	00.8-02.8
\$50,000- 74,999	2575	1,007,403	2487	95.2	92.8-97.6	13	0.2	00.0-00.4	75	4.5	02.1-06.9
\$75,000+	3174	1,720,742	3078	96.9	95.5-98.3	23	0.2	00.2-00.2	73	2.9	01.5-04.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 43: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	35004	14,709,423	1577	4.5	03.9-05.1	33427	95.5	94.9-96.1	
Male	12987	7,129,374	734	5.6	04.6-06.6	12253	94.4	93.4-95.4	
Female	22017	7,580,050	843	3.4	03.0-03.8	21174	96.6	96.2-97.0	
White/Non-Hisp	28507	10,060,692	1294	4.7	04.1-05.3	27213	95.3	94.7-95.9	
Black or Afr. Am./Non-Hisp	2648	1,507,001	132	4.7	02.7-06.7	2516	95.3	93.3-97.3	
Oth. Race/Non-Hisp.	654	462,760	31	3.1	01.5-04.7	623	96.9	95.3-98.5	
MultiRacial/Non-Hisp.	532	197,596	21	1.8	00.4-03.2	511	98.2	96.8-99.6	
Hispanic	1946	2,211,967	71	3.9	02.3-05.5	1875	96.1	94.5-97.7	
18-24	857	975,418	25	2.2	00.8-03.6	832	97.8	96.4-99.2	
25-34	2260	1,562,765	69	3.7	02.1-05.3	2191	96.3	94.7-97.9	
35-44	3610	2,788,961	159	3.3	02.3-04.3	3451	96.7	95.7-97.7	
45-54	5830	3,787,650	307	6.1	04.7-07.5	5523	93.9	92.5-95.3	
55-64	7868	2,142,902	427	6.0	04.6-07.4	7441	94.0	92.6-95.4	
65+	14251	3,337,081	572	3.6	03.0-04.2	13679	96.4	95.8-97.0	
Less Than H.S.	3573	1,104,843	91	2.5	01.1-03.9	3482	97.5	96.1-98.9	
H.S. or G.E.D.	11373	3,916,502	376	2.8	02.0-03.6	10997	97.2	96.4-98.0	
Some Post-H.S.	9893	4,159,185	424	4.8	03.6-06.0	9469	95.2	94.0-96.4	
College Graduate	10062	5,468,109	680	5.8	04.8-06.8	9382	94.2	93.2-95.2	
Less than \$15,000	4434	1,283,539	85	1.9	00.7-03.1	4349	98.1	96.9-99.3	
\$15,000- 24,999	6237	2,176,190	148	1.7	01.1-02.3	6089	98.3	97.7-98.9	
\$25,000- 34,999	3779	1,311,995	121	2.9	01.7-04.1	3658	97.1	95.9-98.3	
\$35,000- 49,999	4596	1,818,828	178	3.1	01.9-04.3	4418	96.9	95.7-98.1	
\$50,000- 74,999	4408	2,035,071	240	4.8	03.4-06.2	4168	95.2	93.8-96.6	
\$75,000+	6158	4,014,429	566	8.0	06.6-09.4	5592	92.0	90.6-93.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 44: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	12987	7,129,374	734	5.6	04.6-06.6	12253	94.4	93.4-95.4	
White/Non-Hisp	10664	4,895,958	625	5.9	04.9-06.9	10039	94.1	93.1-95.1	
Black or Afr. Am./Non-Hisp	813	656,163	45	6.5	02.4-10.6	768	93.5	89.4-97.6	
Oth. Race/Non-Hisp.	302	263,683	17	2.9	00.7-05.1	285	97.1	94.9-99.3	
MultiRacial/Non-Hisp.	219	91,691	9	2.0	00.0-04.2	210	98.0	95.8-0100	
Hispanic	689	1,086,592	24	4.9	02.2-07.6	665	95.1	92.4-97.8	
18-24	375	581,302	14	2.5	00.3-04.7	361	97.5	95.3-99.7	
25-34	764	761,240	28	5.0	02.1-07.9	736	95.0	92.1-97.9	
35-44	1302	1,420,503	57	3.4	02.0-04.8	1245	96.6	95.2-98.0	
45-54	2185	1,834,095	128	8.6	05.9-11.3	2057	91.4	88.7-94.1	
55-64	2941	1,025,456	197	7.1	04.7-09.5	2744	92.9	90.5-95.3	
65+	5345	1,469,762	299	4.5	03.5-05.5	5046	95.5	94.5-96.5	
Less Than H.S.	1317	549,040	33	3.3	00.8-05.8	1284	96.7	94.2-99.2	
H.S. or G.E.D.	3939	1,867,844	157	3.3	01.9-04.7	3782	96.7	95.3-98.1	
Some Post-H.S.	3364	1,902,668	189	6.6	04.4-08.8	3175	93.4	91.2-95.6	
College Graduate	4319	2,775,880	354	7.0	05.4-08.6	3965	93.0	91.4-94.6	
Less than \$15,000	1363	552,690	30	2.4	00.0-04.8	1333	97.6	95.2-0100	
\$15,000- 24,999	2120	979,566	62	2.1	00.9-03.3	2058	97.9	96.7-99.1	
\$25,000- 34,999	1356	621,894	45	2.7	01.1-04.3	1311	97.3	95.7-98.9	
\$35,000- 49,999	1840	832,616	90	3.8	01.4-06.2	1750	96.2	93.8-98.6	
\$50,000- 74,999	1838	1,028,657	104	5.5	03.3-07.7	1734	94.5	92.3-96.7	
\$75,000+	2987	2,294,091	319	10.0	07.6-12.4	2668	90.0	87.6-92.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 45: DO YOU HAVE MORE THAN ONE TELEPHONE NUMBER IN YOUR HOUSEHOLD? DO NOT INCLUDE CELL PHONES OR NUMBERS THAT ARE ONLY USED BY A COMPUTER OR FAX MACHINE. (NUMHHOL2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	22017	7,580,050	843	3.4	03.0-03.8	21174	96.6	96.2-97.0
White/Non-Hisp	17843	5,164,735	669	3.5	02.9-04.1	17174	96.5	95.9-97.1
Black or Afr. Am./Non-Hisp	1835	850,837	87	3.4	01.8-05.0	1748	96.6	95.0-98.2
Oth. Race/Non-Hisp.	352	199,078	14	3.4	00.7-06.1	338	96.6	93.9-99.3
MultiRacial/Non-Hisp.	313	105,905	12	1.6	00.0-03.2	301	98.4	96.8-0100
Hispanic	1257	1,125,375	47	3.0	01.4-04.6	1210	97.0	95.4-98.6
18-24	482	394,116	11	1.8	00.2-03.4	471	98.2	96.6-99.8
25-34	1496	801,524	41	2.4	01.0-03.8	1455	97.6	96.2-99.0
35-44	2308	1,368,458	102	3.3	01.9-04.7	2206	96.7	95.3-98.1
45-54	3645	1,953,555	179	3.8	02.6-05.0	3466	96.2	95.0-97.4
55-64	4927	1,117,446	230	5.0	03.6-06.4	4697	95.0	93.6-96.4
65+	8906	1,867,319	273	2.8	02.2-03.4	8633	97.2	96.6-97.8
Less Than H.S.	2256	555,803	58	1.7	00.5-02.9	2198	98.3	97.1-99.5
H.S. or G.E.D.	7434	2,048,658	219	2.3	01.7-02.9	7215	97.7	97.1-98.3
Some Post-H.S.	6529	2,256,517	235	3.3	02.5-04.1	6294	96.7	95.9-97.5
College Graduate	5743	2,692,228	326	4.5	03.5-05.5	5417	95.5	94.5-96.5
Less than \$15,000	3071	730,850	55	1.6	00.4-02.8	3016	98.4	97.2-99.6
\$15,000- 24,999	4117	1,196,625	86	1.4	00.8-02.0	4031	98.6	98.0-99.2
\$25,000- 34,999	2423	690,102	76	3.2	01.6-04.8	2347	96.8	95.2-98.4
\$35,000- 49,999	2756	986,211	88	2.6	01.6-03.6	2668	97.4	96.4-98.4
\$50,000- 74,999	2570	1,006,414	136	4.0	02.6-05.4	2434	96.0	94.6-97.4
\$75,000+	3171	1,720,338	247	5.4	04.2-06.6	2924	94.6	93.4-95.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 46: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1558	637,527	572	53.9	48.2-59.6	874	41.8	36.1-47.5	91	3.3	01.7-04.9	14	0.9	00.0-02.1	5	0.0	00.0-00.0	2	0.0	00.0-00.0
Male	725	391,247	271	56.8	48.4-65.2	387	38.3	30.1-46.5	52	3.5	01.3-05.7	11	1.3	00.0-03.1	4	0.0	00.0-00.0			
Female	833	246,280	301	49.4	42.5-56.3	487	47.4	40.5-54.3	39	2.9	00.9-04.9	3	0.2	00.0-00.6	1	0.0	00.0-00.0	2	0.0	00.0-00.0
White/Non-Hisp	1286	466,837	490	60.6	54.7-66.5	711	35.9	30.2-41.6	70	3.0	01.6-04.4	12	0.4	00.0-00.8	3	0.0	00.0-00.0			
Black or Afr. Am./Non-Hisp	131	70,866							12	7.3	00.0-16.5	1	0.2	00.0-00.6						
Hispanic	69	75,249							3	0.6	00.0-01.4	1	4.7	00.0-13.9	1	0.0	00.0-00.0			
25-34	69	57,564							1	0.5	00.0-01.5	1	0.5	00.0-01.5						
35-44	157	86,795							15	3.4	01.0-05.8									
45-54	304	226,108							13	2.8	00.0-05.9	3	1.7	00.0-04.8	1	0.0	00.0-00.0			
55-64	424	127,144							18	3.0	00.3-05.7	3	0.5	00.0-01.3	1	0.0	00.0-00.0	1	0.1	00.0-00.3
65+	564	115,124	180	43.3	35.1-51.5	332	49.4	41.2-57.6	43	6.5	02.8-10.2	7	0.7	00.1-01.3	2	0.1	00.0-00.3			
Less Than H.S.	90	27,424							6	0.3	00.0-00.7				1	0.2	00.0-00.6			
H.S. or G.E.D.	373	108,537							13	0.4	00.0-00.8	2	0.2	00.0-00.4	1	0.1	00.0-00.3	1	0.0	00.0-00.0
Some Post-H.S.	420	193,596							28	2.1	00.7-03.5	4	0.4	00.0-00.8	1	0.0	00.0-00.0			
College Graduate	673	307,833	238	47.4	39.4-55.4	380	45.7	37.7-53.7	44	5.3	02.4-08.2	8	1.6	00.0-04.0	2	0.0	00.0-00.0	1	0.0	00.0-00.0
Less than \$15,000	82	24,059							6	1.2	00.0-02.6									
\$15,000- 24,999	148	37,261							9	6.0	00.0-16.2	1	0.5	00.0-01.5	1	0.2	00.0-00.6			
\$25,000- 34,999	121	38,640							10	3.9	00.0-08.0				1	0.2	00.0-00.6	1	0.1	00.0-00.3
\$35,000- 49,999	178	57,120							9	2.5	00.0-05.6	2	0.7	00.0-01.9						
\$50,000- 74,999	237	90,762							12	6.0	00.0-12.9	1	0.1	00.0-00.3						
\$75,000+	563	320,385	194	51.1	41.7-60.5	328	45.9	36.5-55.3	33	2.7	01.1-04.3	5	0.3	00.0-00.7	2	0.0	00.0-00.0	1	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS

TABLE 47: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	725	391,247	271	56.8	48.4-65.2	387	38.3	30.1-46.5	52	3.5	01.3-05.7	11	1.3	00.0-03.1	4	0.0	00.0-00.0
White/Non-Hisp	621	286,616	243	66.6	59.2-74.0	327	29.9	22.8-37.0	40	3.0	01.2-04.8	9	0.5	00.1-00.9	2	0.0	00.0-00.0
35-44	57	47,636							6	2.7	00.0-05.6						
45-54	126	151,935							7	2.7	00.0-06.8	3	2.5	00.0-07.2			
55-64	196	72,181							14	5.1	00.2-10.0	2	0.2	00.0-00.6	1	0.0	00.0-00.0
65+	295	63,979							24	7.2	01.5-12.9	5	1.1	00.0-02.3	2	0.1	00.0-00.3
H.S. or G.E.D.	156	60,835							9	0.7	00.0-01.5	1	0.2	00.0-00.6			
Some Post-H.S.	185	118,957							12	1.4	00.4-02.4	4	0.6	00.0-01.4	1	0.0	00.0-00.0
College Graduate	351	193,360							29	6.0	01.9-10.1	6	2.2	00.0-05.7	2	0.0	00.0-00.0
\$15,000- 24,999	62	20,990							3	0.7	00.0-02.1	1	0.9	00.0-02.7			
\$35,000- 49,999	90	31,700							7	1.5	00.0-03.1	2	1.3	00.0-03.5			
\$75,000+	319	228,705							24	2.9	00.7-05.1	4	0.2	00.0-00.4	2	0.0	00.0-00.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 12: DEMOGRAPHICS

TABLE 48: HOW MANY OF THESE TELEPHONE NUMBERS ARE RESIDENTIAL NUMBERS? (NUMPHON2)

Denominator excludes: Respondents reporting only one phone number in the household

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Number			Two Numbers			Three Numbers			Four Numbers			Five Numbers			Six or More Numbers		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	833	246,280	301	49.4	42.9-55.9	487	47.4	40.9-53.9	39	2.9	00.9-04.9	3	0.2	00.0-00.6	1	0.0	00.0-00.0	2	0.0	00.0-00.0
White/Non-Hisp	665	180,222	247	51.1	43.5-58.7	384	45.4	37.8-53.0	30	3.0	00.5-05.5	3	0.3	00.0-00.9	1	0.0	00.0-00.0			
Black or Afr. Am./Non-Hisp	86	28,286							5	3.6	00.0-09.5									
35-44	100	39,159							9	4.2	00.5-07.9									
45-54	178	74,173							6	3.1	00.0-08.4				1	0.1	00.0-00.3			
55-64	228	54,963							4	0.2	00.0-00.6	1	0.9	00.0-02.7				1	0.2	00.0-00.6
65+	269	51,145							19	5.6	01.3-09.9	2	0.2	00.0-00.4						
Less Than H.S.	57	9,329							4	0.4	00.0-00.8									
H.S. or G.E.D.	217	47,702							4	0.0	00.0-00.0	1	0.1	00.0-00.3	1	0.2	00.0-00.6	1	0.0	00.0-00.0
Some Post-H.S.	235	74,638							16	3.3	00.6-06.0									
College Graduate	322	114,473							15	4.1	00.2-08.0	2	0.5	00.0-01.3				1	0.1	00.0-00.3
Less than \$15,000	54	11,803							4	1.2	00.0-03.0									
\$15,000- 24,999	86	16,270													1	0.5	00.0-01.5			
\$25,000- 34,999	76	21,858							4	1.7	00.0-04.1	1	0.2	00.0-00.6				1	0.1	00.0-00.3
\$35,000- 49,999	88	25,420							2	3.7	00.0-10.4									
\$50,000- 74,999	136	40,650							5	1.9	00.0-04.6	1	0.1	00.0-00.3						
\$75,000+	244	91,680							9	2.3	00.0-04.7	1	0.6	00.0-01.8				1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 49: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34910	14,664,275	1598	5.0	04.4-05.6	33312	95.0	94.4-95.6	
Male	12958	7,107,399	544	4.6	03.8-05.4	12414	95.4	94.6-96.2	
Female	21952	7,556,876	1054	5.2	04.4-06.0	20898	94.8	94.0-95.6	
White/Non-Hisp	28437	10,048,639	1122	4.1	03.5-04.7	27315	95.9	95.3-96.5	
Black or Afr. Am./Non-Hisp	2634	1,488,983	201	8.4	05.7-11.1	2433	91.6	88.9-94.3	
Oth. Race/Non-Hisp.	647	460,356	41	3.9	01.7-06.1	606	96.1	93.9-98.3	
MultiRacial/Non-Hisp.	529	195,004	37	8.0	02.5-13.5	492	92.0	86.5-97.5	
Hispanic	1944	2,201,270	160	6.8	04.8-08.8	1784	93.2	91.2-95.2	
18-24	853	961,110	75	7.5	04.4-10.6	778	92.5	89.4-95.6	
25-34	2253	1,546,984	222	8.4	06.4-10.4	2031	91.6	89.6-93.6	
35-44	3600	2,776,797	256	6.1	04.7-07.5	3344	93.9	92.5-95.3	
45-54	5811	3,785,093	314	4.5	03.3-05.7	5497	95.5	94.3-96.7	
55-64	7859	2,141,523	346	4.5	03.5-05.5	7513	95.5	94.5-96.5	
65+	14203	3,335,089	374	2.5	01.9-03.1	13829	97.5	96.9-98.1	
Less Than H.S.	3546	1,093,813	260	8.1	05.4-10.8	3286	91.9	89.2-94.6	
H.S. or G.E.D.	11349	3,898,072	536	5.5	04.3-06.7	10813	94.5	93.3-95.7	
Some Post-H.S.	9865	4,156,766	469	5.3	04.3-06.3	9396	94.7	93.7-95.7	
College Graduate	10047	5,455,113	329	3.6	02.8-04.4	9718	96.4	95.6-97.2	
Less than \$15,000	4414	1,276,755	412	12.8	09.9-15.7	4002	87.2	84.3-90.1	
\$15,000- 24,999	6223	2,178,630	380	6.6	05.2-08.0	5843	93.4	92.0-94.8	
\$25,000- 34,999	3770	1,309,586	173	6.5	04.3-08.7	3597	93.5	91.3-95.7	
\$35,000- 49,999	4593	1,816,354	172	5.2	03.6-06.8	4421	94.8	93.2-96.4	
\$50,000- 74,999	4397	2,027,372	122	2.7	01.7-03.7	4275	97.3	96.3-98.3	
\$75,000+	6153	4,010,106	140	2.1	01.5-02.7	6013	97.9	97.3-98.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 50: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)
Male	12958	7,107,399	544	4.6	03.8-05.4		12414	95.4	94.6-96.2
White/Non-Hisp	10644	4,893,125	390	4.0	03.2-04.8		10254	96.0	95.2-96.8
Black or Afr. Am./Non-Hisp	802	633,946	53	10.2	04.7-15.7		749	89.8	84.3-95.3
Oth. Race/Non-Hisp.	299	261,667	18	3.1	00.6-05.6		281	96.9	94.4-99.4
MultiRacial/Non-Hisp.	218	92,231	14	7.6	01.1-14.1		204	92.4	85.9-98.9
Hispanic	690	1,089,515	53	4.6	02.4-06.8		637	95.4	93.2-97.6
18-24	374	567,931	29	8.6	03.9-13.3		345	91.4	86.7-96.1
25-34	758	755,761	73	8.1	04.8-11.4		685	91.9	88.6-95.2
35-44	1301	1,414,930	78	4.6	03.0-06.2		1223	95.4	93.8-97.0
45-54	2179	1,835,819	105	3.9	02.1-05.7		2074	96.1	94.3-97.9
55-64	2936	1,025,852	121	4.6	03.0-06.2		2815	95.4	93.8-97.0
65+	5332	1,468,667	135	2.4	01.6-03.2		5197	97.6	96.8-98.4
Less Than H.S.	1308	546,629	91	4.3	02.3-06.3		1217	95.7	93.7-97.7
H.S. or G.E.D.	3932	1,848,555	187	6.1	04.3-07.9		3745	93.9	92.1-95.7
Some Post-H.S.	3349	1,901,992	138	4.9	03.3-06.5		3211	95.1	93.5-96.7
College Graduate	4320	2,776,542	125	3.5	02.3-04.7		4195	96.5	95.3-97.7
Less than \$15,000	1353	543,223	131	14.4	08.7-20.1		1222	85.6	79.9-91.3
\$15,000- 24,999	2122	982,432	129	6.0	04.0-08.0		1993	94.0	92.0-96.0
\$25,000- 34,999	1353	620,781	55	5.6	02.5-08.7		1298	94.4	91.3-97.5
\$35,000- 49,999	1838	829,197	56	4.9	02.4-07.4		1782	95.1	92.6-97.6
\$50,000- 74,999	1831	1,026,953	44	2.7	01.1-04.3		1787	97.3	95.7-98.9
\$75,000+	2983	2,290,507	71	2.0	01.2-02.8		2912	98.0	97.2-98.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 51: DURING THE PAST 12 MONTHS, HAS YOUR HOUSEHOLD BEEN WITHOUT LANDLINE TELEPHONE SERVICE FOR 1 WEEK OR MORE? DO NOT INCLUDE INTERRUPTIONS OF LANDLINE TELEPHONE SERVICE BECAUSE OF WEATHER OR NATURAL DISASTERS. (TELSERV3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	21952	7,556,876	1054	5.2	04.4-06.0	20898	94.8	94.0-95.6	
White/Non-Hisp	17793	5,155,514	732	4.1	03.5-04.7	17061	95.9	95.3-96.5	
Black or Afr. Am./Non-Hisp	1832	855,037	148	7.1	04.4-09.8	1684	92.9	90.2-95.6	
Oth. Race/Non-Hisp.	348	198,689	23	5.1	01.4-08.8	325	94.9	91.2-98.6	
MultiRacial/Non-Hisp.	311	102,774	23	8.3	00.0-17.1	288	91.7	82.9-0100	
Hispanic	1254	1,111,755	107	9.1	05.8-12.4	1147	90.9	87.6-94.2	
18-24	479	393,179	46	5.9	02.2-09.6	433	94.1	90.4-97.8	
25-34	1495	791,223	149	8.7	06.2-11.2	1346	91.3	88.8-93.8	
35-44	2299	1,361,866	178	7.7	05.3-10.1	2121	92.3	89.9-94.7	
45-54	3632	1,949,274	209	5.0	03.2-06.8	3423	95.0	93.2-96.8	
55-64	4923	1,115,672	225	4.5	02.9-06.1	4698	95.5	93.9-97.1	
65+	8871	1,866,422	239	2.6	02.0-03.2	8632	97.4	96.8-98.0	
Less Than H.S.	2238	547,183	169	11.9	07.0-16.8	2069	88.1	83.2-93.0	
H.S. or G.E.D.	7417	2,049,517	349	5.0	03.6-06.4	7068	95.0	93.6-96.4	
Some Post-H.S.	6516	2,254,774	331	5.7	04.5-06.9	6185	94.3	93.1-95.5	
College Graduate	5727	2,678,571	204	3.7	02.5-04.9	5523	96.3	95.1-97.5	
Less than \$15,000	3061	733,532	281	11.5	08.4-14.6	2780	88.5	85.4-91.6	
\$15,000- 24,999	4101	1,196,199	251	7.1	04.9-09.3	3850	92.9	90.7-95.1	
\$25,000- 34,999	2417	688,805	118	7.2	04.1-10.3	2299	92.8	89.7-95.9	
\$35,000- 49,999	2755	987,157	116	5.6	03.8-07.4	2639	94.4	92.6-96.2	
\$50,000- 74,999	2566	1,000,419	78	2.8	01.8-03.8	2488	97.2	96.2-98.2	
\$75,000+	3170	1,719,599	69	2.1	01.1-03.1	3101	97.9	96.9-98.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 52: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34984	14,719,296	26991	82.7	81.7-83.7	7993	17.3	16.3-18.3	
Male	12984	7,147,399	10072	83.2	81.8-84.6	2912	16.8	15.4-18.2	
Female	22000	7,571,897	16919	82.1	80.9-83.3	5081	17.9	16.7-19.1	
White/Non-Hisp	28493	10,072,479	22598	85.0	84.2-85.8	5895	15.0	14.2-15.8	
Black or Afr. Am./Non-Hisp	2648	1,509,370	1804	76.4	72.7-80.1	844	23.6	19.9-27.3	
Oth. Race/Non-Hisp.	653	463,294	476	81.1	74.6-87.6	177	18.9	12.4-25.4	
MultiRacial/Non-Hisp.	529	195,100	371	78.7	70.5-86.9	158	21.3	13.1-29.5	
Hispanic	1947	2,209,068	1285	77.8	74.3-81.3	662	22.2	18.7-25.7	
18-24	857	975,740	653	74.4	67.9-80.9	204	25.6	19.1-32.1	
25-34	2259	1,560,858	1800	84.3	81.4-87.2	459	15.7	12.8-18.6	
35-44	3605	2,784,009	3024	88.1	86.1-90.1	581	11.9	09.9-13.9	
45-54	5831	3,795,528	4695	86.6	84.8-88.4	1136	13.4	11.6-15.2	
55-64	7858	2,141,860	6278	84.2	82.4-86.0	1580	15.8	14.0-17.6	
65+	14252	3,346,346	10312	74.4	72.8-76.0	3940	25.6	24.0-27.2	
Less Than H.S.	3574	1,107,732	1909	58.2	53.7-62.7	1665	41.8	37.3-46.3	
H.S. or G.E.D.	11373	3,924,262	8227	75.6	73.6-77.6	3146	24.4	22.4-26.4	
Some Post-H.S.	9882	4,156,600	7991	84.9	83.1-86.7	1891	15.1	13.3-16.9	
College Graduate	10054	5,469,019	8806	91.4	90.4-92.4	1248	8.6	07.6-09.6	
Less than \$15,000	4438	1,287,568	2330	57.8	54.1-61.5	2108	42.2	38.5-45.9	
\$15,000- 24,999	6232	2,177,909	4080	68.5	65.4-71.6	2152	31.5	28.4-34.6	
\$25,000- 34,999	3780	1,312,351	2878	77.6	74.1-81.1	902	22.4	18.9-25.9	
\$35,000- 49,999	4588	1,817,070	3910	86.3	84.1-88.5	678	13.7	11.5-15.9	
\$50,000- 74,999	4411	2,033,462	4030	92.2	90.6-93.8	381	7.8	06.2-09.4	
\$75,000+	6165	4,015,854	5841	95.8	94.6-97.0	324	4.2	03.0-05.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 53: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12984	7,147,399	10072	83.2	81.8-84.6	2912	16.8	15.4-18.2
White/Non-Hisp	10660	4,907,480	8407	84.5	83.1-85.9	2253	15.5	14.1-16.9
Black or Afr. Am./Non-Hisp	812	656,329	596	80.4	74.9-85.9	216	19.6	14.1-25.1
Oth. Race/Non-Hisp.	301	263,650	226	82.0	72.2-91.8	75	18.0	08.2-27.8
Hispanic	692	1,090,778	488	81.4	75.9-86.9	204	18.6	13.1-24.1
18-24	375	581,624	290	73.9	64.5-83.3	85	26.1	16.7-35.5
25-34	764	762,082	587	83.2	78.5-87.9	177	16.8	12.1-21.5
35-44	1303	1,421,676	1103	89.3	86.4-92.2	200	10.7	07.8-13.6
45-54	2186	1,844,374	1747	86.6	84.1-89.1	439	13.4	10.9-15.9
55-64	2937	1,025,807	2312	83.3	80.6-86.0	625	16.7	14.0-19.4
65+	5348	1,475,282	3979	76.7	74.3-79.1	1369	23.3	20.9-25.7
Less Than H.S.	1318	551,109	748	62.9	56.0-69.8	570	37.1	30.2-44.0
H.S. or G.E.D.	3945	1,873,420	2855	75.0	71.7-78.3	1090	25.0	21.7-28.3
Some Post-H.S.	3356	1,904,323	2717	86.2	83.3-89.1	639	13.8	10.9-16.7
College Graduate	4320	2,785,237	3725	91.0	89.6-92.4	595	9.0	07.6-10.4
Less than \$15,000	1364	552,317	710	63.7	57.4-70.0	654	36.3	30.0-42.6
\$15,000- 24,999	2119	982,602	1342	65.6	60.1-71.1	777	34.4	28.9-39.9
\$25,000- 34,999	1357	621,934	986	77.6	72.7-82.5	371	22.4	17.5-27.3
\$35,000- 49,999	1836	830,754	1500	83.5	80.0-87.0	336	16.5	13.0-20.0
\$50,000- 74,999	1840	1,029,196	1632	90.3	87.4-93.2	208	9.7	06.8-12.6
\$75,000+	2992	2,295,416	2806	94.7	92.7-96.7	186	5.3	03.3-07.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 54: DO YOU HAVE A CELL PHONE FOR PERSONAL USE? PLEASE INCLUDE CELL PHONES USED FOR BOTH BUSINESS AND PERSONAL USE (CPDEMO1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	22000	7,571,897	16919	82.1	80.9-83.3	5081	17.9	16.7-19.1	
White/Non-Hisp	17833	5,164,999	14191	85.5	84.5-86.5	3642	14.5	13.5-15.5	
Black or Afr. Am./Non-Hisp	1836	853,042	1208	73.4	68.5-78.3	628	26.6	21.7-31.5	
Oth. Race/Non-Hisp.	352	199,644	250	80.0	72.0-88.0	102	20.0	12.0-28.0	
MultiRacial/Non-Hisp.	311	102,815	218	82.3	73.5-91.1	93	17.7	08.9-26.5	
Hispanic	1255	1,118,290	797	74.2	69.7-78.7	458	25.8	21.3-30.3	
18-24	482	394,116	363	75.2	67.8-82.6	119	24.8	17.4-32.2	
25-34	1495	798,776	1213	85.4	81.9-88.9	282	14.6	11.1-18.1	
35-44	2302	1,362,333	1921	86.9	84.2-89.6	381	13.1	10.4-15.8	
45-54	3645	1,951,154	2948	86.7	84.2-89.2	697	13.3	10.8-15.8	
55-64	4921	1,116,053	3966	85.0	82.8-87.2	955	15.0	12.8-17.2	
65+	8904	1,871,064	6333	72.6	70.6-74.6	2571	27.4	25.4-29.4	
Less Than H.S.	2256	556,624	1161	53.6	47.7-59.5	1095	46.4	40.5-52.3	
H.S. or G.E.D.	7428	2,050,841	5372	76.1	73.7-78.5	2056	23.9	21.5-26.3	
Some Post-H.S.	6526	2,252,278	5274	83.7	81.7-85.7	1252	16.3	14.3-18.3	
College Graduate	5734	2,683,782	5081	91.7	90.1-93.3	653	8.3	06.7-09.9	
Less than \$15,000	3074	735,251	1620	53.4	49.1-57.7	1454	46.6	42.3-50.9	
\$15,000- 24,999	4113	1,195,307	2738	70.9	67.6-74.2	1375	29.1	25.8-32.4	
\$25,000- 34,999	2423	690,417	1892	77.6	72.5-82.7	531	22.4	17.3-27.5	
\$35,000- 49,999	2752	986,316	2410	88.8	86.3-91.3	342	11.2	08.7-13.7	
\$50,000- 74,999	2571	1,004,266	2398	94.1	92.3-95.9	173	5.9	04.1-07.7	
\$75,000+	3173	1,720,437	3035	97.2	96.4-98.0	138	2.8	02.0-03.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 55: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	7957	2,538,809	597	11.3	08.9-13.7	7360	88.7	86.3-91.1
Male	2894	1,193,176	218	10.0	06.9-13.1	2676	90.0	86.9-93.1
Female	5063	1,345,633	379	12.4	09.1-15.7	4684	87.6	84.3-90.9
White/Non-Hisp	5872	1,502,571	410	7.8	06.2-09.4	5462	92.2	90.6-93.8
Black or Afr. Am./Non-Hisp	840	354,516	90	21.3	11.7-30.9	750	78.7	69.1-88.3
MultiRacial/Non-Hisp.	158	41,494	9	3.4	00.0-07.9	149	96.6	92.1-0100
Hispanic	656	488,382	53	13.2	06.1-20.3	603	86.8	79.7-93.9
25-34	458	244,285	39	5.1	02.4-07.8	419	94.9	92.2-97.6
35-44	580	330,431	61	16.7	07.9-25.5	519	83.3	74.5-92.1
45-54	1136	507,307	102	15.9	08.6-23.2	1034	84.1	76.8-91.4
55-64	1576	337,826	100	7.9	02.8-13.0	1476	92.1	87.0-97.2
65+	3912	848,182	247	6.7	05.1-08.3	3665	93.3	91.7-94.9
Less Than H.S.	1651	458,770	129	9.8	04.9-14.7	1522	90.2	85.3-95.1
H.S. or G.E.D.	3136	956,259	234	8.7	06.0-11.4	2902	91.3	88.6-94.0
Some Post-H.S.	1887	628,145	140	12.9	07.6-18.2	1747	87.1	81.8-92.4
College Graduate	1240	467,980	90	16.1	09.0-23.2	1150	83.9	76.8-91.0
Less than \$15,000	2103	542,470	148	11.9	07.2-16.6	1955	88.1	83.4-92.8
\$15,000- 24,999	2146	684,850	144	8.4	04.9-11.9	2002	91.6	88.1-95.1
\$35,000- 49,999	678	248,214	61	12.6	06.1-19.1	617	87.4	80.9-93.9
\$50,000- 74,999	379	156,946	40	9.5	02.1-16.9	339	90.5	83.1-97.9
\$75,000+	323	169,561	33	10.2	03.5-16.9	290	89.8	83.1-96.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 56: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2894	1,193,176	218	10.0	06.9-13.1	2676	90.0	86.9-93.1	
White/Non-Hisp	2240	755,945	169	8.2	05.7-10.7	2071	91.8	89.3-94.3	
MultiRacial/Non-Hisp.	65	23,263	6	4.6	00.0-12.4	59	95.4	87.6-0100	
Hispanic	203	202,322	15	7.7	00.0-16.9	188	92.3	83.1-0100	
25-34	176	127,371	16	2.6	00.4-04.8	160	97.4	95.2-99.6	
45-54	439	247,084	27	9.5	03.0-16.0	412	90.5	84.0-97.0	
55-64	624	170,461	41	10.5	01.1-19.9	583	89.5	80.1-98.9	
65+	1355	341,527	102	8.5	05.4-11.6	1253	91.5	88.4-94.6	
Less Than H.S.	564	203,307	45	4.4	01.9-06.9	519	95.6	93.1-98.1	
H.S. or G.E.D.	1085	467,858	80	8.3	04.2-12.4	1005	91.7	87.6-95.8	
Some Post-H.S.	637	261,589	41	12.0	02.8-21.2	596	88.0	78.8-97.2	
College Graduate	590	248,905	51	15.9	08.3-23.5	539	84.1	76.5-91.7	
Less than \$15,000	650	200,067	37	9.9	03.0-16.8	613	90.1	83.2-97.0	
\$15,000- 24,999	776	337,182	51	8.8	02.7-14.9	725	91.2	85.1-97.3	
\$25,000- 34,999	367	138,765	26	7.7	02.8-12.6	341	92.3	87.4-97.2	
\$35,000- 49,999	336	137,293	32	13.5	03.9-23.1	304	86.5	76.9-96.1	
\$75,000+	185	121,146	21	11.5	02.1-20.9	164	88.5	79.1-97.9	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 57: DO YOU SHARE A CELL PHONE FOR PERSONAL USE (AT LEAST ONE-THIRD OF THE TIME) WITH OTHER ADULTS? (CPDEMO2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	5063	1,345,633	379	12.4	09.1-15.7	4684	87.6	84.3-90.9	
White/Non-Hisp	3632	746,626	241	7.3	05.5-09.1	3391	92.7	90.9-94.5	
MultiRacial/Non-Hisp.	93	18,231	3	1.8	00.0-04.3	90	98.2	95.7-0100	
Hispanic	453	286,060	38	17.1	07.1-27.1	415	82.9	72.9-92.9	
25-34	282	116,914	23	7.9	02.8-13.0	259	92.1	87.0-97.2	
55-64	952	167,365	59	5.2	02.8-07.6	893	94.8	92.4-97.2	
65+	2557	506,655	145	5.4	03.8-07.0	2412	94.6	93.0-96.2	
Less Than H.S.	1087	255,464	84	14.1	05.9-22.3	1003	85.9	77.7-94.1	
H.S. or G.E.D.	2051	488,401	154	9.1	05.4-12.8	1897	90.9	87.2-94.6	
Some Post-H.S.	1250	366,556	99	13.6	07.3-19.9	1151	86.4	80.1-92.7	
Less than \$15,000	1453	342,403	111	13.0	06.9-19.1	1342	87.0	80.9-93.1	
\$15,000- 24,999	1370	347,668	93	8.1	04.6-11.6	1277	91.9	88.4-95.4	
\$35,000- 49,999	342	110,920	29	11.5	03.5-19.5	313	88.5	80.5-96.5	
\$50,000- 74,999	172	57,286	15	5.5	00.8-10.2	157	94.5	89.8-99.2	
\$75,000+	138	48,415	12	6.9	02.0-11.8	126	93.1	88.2-98.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 58: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	26927	12,144,863	4085	15.3	14.3-16.3		22842	84.7	83.7-85.7	
Male	10055	5,937,463	1652	15.3	13.7-16.9		8403	84.7	83.1-86.3	
Female	16872	6,207,400	2433	15.3	13.9-16.7		14439	84.7	83.3-86.1	
White/Non-Hisp	22542	8,549,072	3308	13.6	12.6-14.6		19234	86.4	85.4-87.4	
Black or Afr. Am./Non-Hisp	1803	1,147,594	264	14.6	10.9-18.3		1539	85.4	81.7-89.1	
Oth. Race/Non-Hisp.	474	375,780	94	20.4	13.0-27.8		380	79.6	72.2-87.0	
MultiRacial/Non-Hisp.	371	153,605	66	19.8	10.8-28.8		305	80.2	71.2-89.2	
Hispanic	1281	1,713,817	278	21.8	17.3-26.3		1003	78.2	73.7-82.7	
18-24	651	723,574	115	14.7	09.4-20.0		536	85.3	80.0-90.6	
25-34	1798	1,315,465	268	15.3	12.0-18.6		1530	84.7	81.4-88.0	
35-44	3018	2,447,396	399	15.4	12.7-18.1		2619	84.6	81.9-87.3	
45-54	4685	3,281,631	571	12.2	09.8-14.6		4114	87.8	85.4-90.2	
55-64	6264	1,801,967	801	12.9	11.1-14.7		5463	87.1	85.3-88.9	
65+	10284	2,482,193	1892	21.1	19.5-22.7		8392	78.9	77.3-80.5	
Less Than H.S.	1903	643,938	413	28.2	22.1-34.3		1490	71.8	65.7-77.9	
H.S. or G.E.D.	8210	2,959,718	1407	17.5	15.3-19.7		6803	82.5	80.3-84.7	
Some Post-H.S.	7975	3,518,184	1144	15.6	13.4-17.8		6831	84.4	82.2-86.6	
College Graduate	8782	4,989,109	1110	12.1	10.7-13.5		7672	87.9	86.5-89.3	
Less than \$15,000	2321	737,177	358	20.7	15.4-26.0		1963	79.3	74.0-84.6	
\$15,000- 24,999	4072	1,490,387	737	21.7	18.6-24.8		3335	78.3	75.2-81.4	
\$25,000- 34,999	2872	1,017,073	530	20.8	16.9-24.7		2342	79.2	75.3-83.1	
\$35,000- 49,999	3904	1,568,017	669	16.2	13.5-18.9		3235	83.8	81.1-86.5	
\$50,000- 74,999	4025	1,873,079	557	15.1	12.2-18.0		3468	84.9	82.0-87.8	
\$75,000+	5835	3,845,083	578	9.4	07.8-11.0		5257	90.6	89.0-92.2	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 59: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	10055	5,937,463	1652	15.3	13.7-16.9	8403	84.7	83.1-86.3
White/Non-Hisp	8394	4,146,463	1334	14.4	12.8-16.0	7060	85.6	84.0-87.2
Black or Afr. Am./Non-Hisp	595	521,656	100	12.2	06.7-17.7	495	87.8	82.3-93.3
Hispanic	486	884,156	101	18.1	11.2-25.0	385	81.9	75.0-88.8
18-24	290	429,636	48	14.1	07.8-20.4	242	85.9	79.6-92.2
25-34	585	633,603	97	15.7	10.0-21.4	488	84.3	78.6-90.0
35-44	1101	1,265,703	146	15.3	11.2-19.4	955	84.7	80.6-88.8
45-54	1743	1,590,786	207	9.3	06.0-12.6	1536	90.7	87.4-94.0
55-64	2309	854,581	279	12.8	09.9-15.7	2030	87.2	84.3-90.1
65+	3973	1,130,209	866	25.3	22.4-28.2	3107	74.7	71.8-77.6
Less Than H.S.	747	346,358	178	29.2	20.0-38.4	569	70.8	61.6-80.0
H.S. or G.E.D.	2851	1,402,938	539	16.2	13.1-19.3	2312	83.8	80.7-86.9
Some Post-H.S.	2712	1,635,779	403	16.9	13.2-20.6	2309	83.1	79.4-86.8
College Graduate	3718	2,530,595	526	11.8	09.8-13.8	3192	88.2	86.2-90.2
Less than \$15,000	708	345,597	123	22.5	12.7-32.3	585	77.5	67.7-87.3
\$15,000- 24,999	1339	644,954	278	21.0	16.3-25.7	1061	79.0	74.3-83.7
\$25,000- 34,999	984	481,451	222	22.0	15.7-28.3	762	78.0	71.7-84.3
\$35,000- 49,999	1500	693,461	278	16.8	12.9-20.7	1222	83.2	79.3-87.1
\$50,000- 74,999	1629	928,132	261	16.1	11.2-21.0	1368	83.9	79.0-88.8
\$75,000+	2805	2,174,133	296	10.2	07.8-12.6	2509	89.8	87.4-92.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 60: DO YOU USUALLY SHARE THIS CELL PHONE (AT LEAST ONE-THIRD OF THE TIME) WITH ANY OTHER ADULTS? (CPDEMO3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	16872	6,207,400	2433	15.3	13.9-16.7	14439	84.7	83.3-86.1
White/Non-Hisp	14148	4,402,609	1974	12.9	11.7-14.1	12174	87.1	85.9-88.3
Black or Afr. Am./Non-Hisp	1208	625,938	164	16.7	11.4-22.0	1044	83.3	78.0-88.6
MultiRacial/Non-Hisp.	218	84,584	35	15.1	06.3-23.9	183	84.9	76.1-93.7
Hispanic	795	829,660	177	25.7	19.8-31.6	618	74.3	68.4-80.2
18-24	361	293,938	67	15.6	06.8-24.4	294	84.4	75.6-93.2
25-34	1213	681,862	171	15.0	11.3-18.7	1042	85.0	81.3-88.7
35-44	1917	1,181,693	253	15.5	12.4-18.6	1664	84.5	81.4-87.6
45-54	2942	1,690,845	364	14.9	11.8-18.0	2578	85.1	82.0-88.2
55-64	3955	947,386	522	13.0	10.6-15.4	3433	87.0	84.6-89.4
65+	6311	1,351,984	1026	17.6	15.8-19.4	5285	82.4	80.6-84.2
Less Than H.S.	1156	297,580	235	27.0	19.6-34.4	921	73.0	65.6-80.4
H.S. or G.E.D.	5359	1,556,780	868	18.7	16.0-21.4	4491	81.3	78.6-84.0
Some Post-H.S.	5263	1,882,406	741	14.5	12.5-16.5	4522	85.5	83.5-87.5
College Graduate	5064	2,458,513	584	12.4	10.2-14.6	4480	87.6	85.4-89.8
Less than \$15,000	1613	391,580	235	19.1	14.2-24.0	1378	80.9	76.0-85.8
\$15,000- 24,999	2733	845,433	459	22.2	18.1-26.3	2274	77.8	73.7-81.9
\$25,000- 34,999	1888	535,622	308	19.7	15.0-24.4	1580	80.3	75.6-85.0
\$35,000- 49,999	2404	874,556	391	15.8	12.1-19.5	2013	84.2	80.5-87.9
\$50,000- 74,999	2396	944,947	296	14.2	11.3-17.1	2100	85.8	82.9-88.7
\$75,000+	3030	1,670,950	282	8.3	06.5-10.1	2748	91.7	89.9-93.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 61: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	509	242,380	85	10.0	04.1-15.9	49	9.2	05.3-13.1	53	13.5	06.1-20.9	21	8.7	01.1-16.3	18	4.1	00.6-07.6
Male	199	109,083				15	8.2	01.9-14.5							7	2.8	00.0-06.1
Female	310	133,297	56	9.0	04.7-13.3	34	10.0	04.3-15.7	29	11.4	04.9-17.9	8	7.6	00.0-19.0	11	5.2	00.0-11.3
White/Non-Hisp	364	106,188	61	11.7	06.4-17.0	32	11.2	04.9-17.5	38	16.6	09.3-23.9	12	2.4	00.2-04.6	10	4.8	00.5-09.1
Black or Afr. Am./Non-Hisp	68	67,409				8	5.9	00.0-12.0	5	5.0	00.0-13.2				2	5.7	00.0-16.1
35-44	52	44,842				6	6.0	00.0-13.1	4	2.3	00.0-05.6				3	3.7	00.0-10.2
45-54	87	69,139	11	4.5	00.8-08.2	8	4.8	00.0-10.7				3	0.3	00.0-00.7	4	1.2	00.0-03.2
55-64	87	21,929	8	1.2	00.0-02.6							1	0.0	00.0-00.0	4	1.2	00.0-02.4
65+	200	47,817				17	8.8	00.0-18.0				6	1.0	00.0-02.4	3	2.8	00.0-07.1
Less Than H.S.	99	22,922	22	11.1	02.7-19.5	9	7.4	00.0-16.2	8	8.4	00.0-17.2	5	5.1	00.0-12.9	2	0.4	00.0-01.0
H.S. or G.E.D.	201	77,617				20	11.2	03.2-19.2				6	1.0	00.0-02.2	8	2.7	00.0-06.4
Some Post-H.S.	124	75,444	23	7.2	01.7-12.7										4	4.0	00.0-09.1
College Graduate	82	65,451	10	4.9	00.0-10.0	7	2.5	00.0-05.6	10	8.7	02.2-15.2				3	6.2	00.0-17.0
Less than \$15,000	128	52,361				4	2.2	00.0-06.3	11	9.0	00.0-19.0	6	4.7	00.0-10.8	6	1.5	00.0-04.0
\$15,000- 24,999	120	51,426	22	9.6	02.7-16.5							4	3.4	00.7-06.1	5	3.3	00.0-09.0
\$25,000- 34,999	65	42,270	9	1.3	00.0-03.1	5	1.7	00.0-03.7							2	1.4	00.0-03.4
\$35,000- 49,999	53	29,603	7	4.4	00.3-08.5												

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 62: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	ZERO		N	21-40%		N	41-60%		N	61-80%		N	81-100%	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	199	109,083				15	8.2	03.3-13.1	24	16.2	11.5-20.9				7	2.8	00.0-05.9
White/Non-Hisp	157	59,771	23	8.1	02.0-14.2	11	10.3	02.7-17.9	18	14.4	06.8-22.0	5	0.6	00.0-01.4	4	5.0	00.0-10.9
65+	92	27,817										4	0.5	00.0-01.1	2	4.8	00.0-12.4
H.S. or G.E.D.	71	36,213				6	13.4	06.3-20.5	5	3.9	00.2-07.6	2	0.8	00.4-01.2	5	5.7	00.0-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 63: THINKING ABOUT ALL THE PHONE CALLS THAT YOU RECEIVE ON YOUR LANDLINE OR CELL PHONE, WHAT PERCENT, BETWEEN 0 AND 100, ARE RECEIVED ON YOUR CELL PHONE? (CPDEMO4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		ZERO			1-20%			21-40%			41-60%			61-80%			81-100%		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	310	133,297	56	9.0	05.1-12.9				34	10.0	04.7-15.3	29	11.4	05.1-17.7	8	7.6	00.0-19.6	11	5.2	00.0-11.3
White/Non-Hisp	207	46,417	38	16.5	07.3-25.7	115	42.6	33.4-51.8	21	12.4	04.0-20.8				7	4.6	00.0-09.5	6	4.6	00.0-12.4
Black or Afr. Am./Non-Hisp	56	48,856	6	3.4	00.0-07.1				7	6.2	00.0-14.0	4	6.7	00.0-17.5						
45-54	65	51,888	9	5.2	00.7-09.7				6	4.6	00.0-11.7				1	0.3	00.0-00.9	3	1.5	00.0-04.0
55-64	50	5,615	4	1.8	00.0-04.0	35	89.7	83.0-96.4	4	3.8	00.0-08.1	4	3.4	00.0-07.5	1	0.0	00.0-00.0	2	1.2	00.0-03.0
65+	108	20,000							9	5.6	00.0-11.5				2	1.8	00.0-05.1	1	0.0	00.0-00.0
Less Than H.S.	58	14,130	14	8.1	00.3-15.9				6	3.3	00.4-06.2							1	0.5	00.0-01.5
H.S. or G.E.D.	130	41,403							14	9.3	00.0-19.7				4	1.2	00.0-03.0	3	0.2	00.0-00.4
Some Post-H.S.	86	45,086	17	8.8	01.7-15.9							9	9.7	03.6-15.8				3	4.5	00.0-12.5
Less than \$15,000	94	33,653	14	3.6	00.7-06.5				3	3.2	00.0-09.5				2	2.4	00.0-06.9	5	2.2	00.0-06.1
\$15,000- 24,999	75	23,618	15	13.8	04.6-23.0							6	11.6	04.9-18.3	2	3.7	02.5-04.9	2	0.7	00.0-01.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS
TABLE 64: INDICATE SEX OF RESPONDENT. (SEX)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Males		Females		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	35109	14,762,805	13044	48.5	47.3-49.7	22065	51.5	50.3-52.7
White/Non-Hisp	28583	10,092,350	10706	48.8	47.4-50.2	17877	51.2	49.8-52.6
Black or Afr. Am./Non-Hisp	2656	1,513,872	816	43.4	38.7-48.1	1840	56.6	51.9-61.3
Oth. Race/Non-Hisp.	656	464,010	302	56.8	49.0-64.6	354	43.2	35.4-51.0
MultiRacial/Non-Hisp.	533	198,245	220	46.6	36.6-56.6	313	53.4	43.4-63.4
Hispanic	1953	2,217,505	693	49.2	44.5-53.9	1260	50.8	46.1-55.5
18-24	858	976,126	376	59.6	53.1-66.1	482	40.4	33.9-46.9
25-34	2262	1,564,687	765	48.7	44.4-53.0	1497	51.3	47.0-55.6
35-44	3617	2,794,950	1305	51.0	47.9-54.1	2312	49.0	45.9-52.1
45-54	5841	3,802,825	2192	48.6	45.7-51.5	3649	51.4	48.5-54.3
55-64	7895	2,150,212	2955	47.9	45.5-50.3	4940	52.1	49.7-54.5
65+	14297	3,355,417	5371	44.1	42.5-45.7	8926	55.9	54.3-57.5
Less Than H.S.	3582	1,108,642	1321	49.8	45.1-54.5	2261	50.2	45.5-54.9
H.S. or G.E.D.	11405	3,929,786	3957	47.7	45.3-50.1	7448	52.3	49.9-54.7
Some Post-H.S.	9917	4,171,320	3374	45.8	43.3-48.3	6543	54.2	51.7-56.7
College Graduate	10098	5,490,649	4342	50.9	48.7-53.1	5756	49.1	46.9-51.3
Less than \$15,000	4444	1,289,003	1366	42.9	38.8-47.0	3078	57.1	53.0-61.2
\$15,000- 24,999	6251	2,184,090	2129	45.1	41.8-48.4	4122	54.9	51.6-58.2
\$25,000- 34,999	3785	1,312,740	1360	47.4	43.1-51.7	2425	52.6	48.3-56.9
\$35,000- 49,999	4600	1,821,953	1843	45.8	42.5-49.1	2757	54.2	50.9-57.5
\$50,000- 74,999	4417	2,037,200	1842	50.5	47.2-53.8	2575	49.5	46.2-52.8
\$75,000+	6172	4,018,481	2998	57.2	54.7-59.7	3174	42.8	40.3-45.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 12: DEMOGRAPHICS**

TABLE 65: TO YOUR KNOWLEDGE, ARE YOU NOW PREGNANT? (PREGNANT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Female respondents aged 45 years and older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	4270	2,551,203	148	4.1	02.7-05.5	4122	95.9	94.5-97.3	
White/Non-Hisp	2962	1,479,470	105	4.3	02.9-05.7	2857	95.7	94.3-97.1	
Black or Afr. Am./Non-Hisp	548	350,749	20	2.4	00.4-04.4	528	97.6	95.6-99.6	
MultiRacial/Non-Hisp.	83	60,538	1	0.6	00.0-01.8	82	99.4	98.2-0100	
Hispanic	533	516,014	12	0.8	00.2-01.4	521	99.2	98.6-99.8	
18-24	480	393,910	30	6.8	00.5-13.1	450	93.2	86.9-99.5	
25-34	1491	797,697	91	7.0	04.6-09.4	1400	93.0	90.6-95.4	
35-44	2299	1,359,596	27	1.6	00.8-02.4	2272	98.4	97.6-99.2	
Less Than H.S.	446	182,648	11	1.0	00.2-01.8	435	99.0	98.2-99.8	
H.S. or G.E.D.	1200	630,793	44	2.7	01.3-04.1	1156	97.3	95.9-98.7	
Some Post-H.S.	1333	751,236	37	3.8	01.8-05.8	1296	96.2	94.2-98.2	
College Graduate	1284	981,785	55	5.8	02.9-08.7	1229	94.2	91.3-97.1	
Less than \$15,000	563	249,324	13	3.7	00.4-07.0	550	96.3	93.0-99.6	
\$15,000- 24,999	742	383,746	26	6.3	00.2-12.4	716	93.7	87.6-99.8	
\$25,000- 34,999	458	214,136	16	1.4	00.2-02.6	442	98.6	97.4-99.8	
\$35,000- 49,999	579	339,963	21	4.1	01.4-06.8	558	95.9	93.2-98.6	
\$50,000- 74,999	639	365,461	21	7.1	03.2-11.0	618	92.9	89.0-96.8	
\$75,000+	804	638,709	30	3.1	01.3-04.9	774	96.9	95.1-98.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010**

SECTION 13: ALCOHOL CONSUMPTION CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)	
1 MALES AND FEMALES	160
2 MALES ONLY	161
3 FEMALES ONLY	162
DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)	
4 MALES AND FEMALES	163
5 MALES ONLY	164
6 FEMALES ONLY	165
ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNK2)	
7 MALES AND FEMALES	166
8 MALES ONLY	167
9 FEMALES ONLY	168
CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)	
10 MALES AND FEMALES	169
11 MALES ONLY	170
12 FEMALES ONLY	171
DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)	
13 MALES AND FEMALES	172
14 MALES ONLY	173
15 FEMALES ONLY	174

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 1: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34846	14,670,380	15872	55.3	54.1-56.5	18974	44.7	43.5-45.9
Male	12939	7,128,644	7091	62.0	60.0-64.0	5848	38.0	36.0-40.0
Female	21907	7,541,736	8781	48.8	47.2-50.4	13126	51.2	49.6-52.8
White/Non-Hisp	28383	10,030,703	13666	59.9	58.7-61.1	14717	40.1	38.9-41.3
Black or Afr. Am./Non-Hisp	2636	1,506,635	771	39.2	34.7-43.7	1865	60.8	56.3-65.3
Oth. Race/Non-Hisp.	646	459,284	232	40.4	32.4-48.4	414	59.6	51.6-67.6
MultiRacial/Non-Hisp.	531	197,812	207	46.2	36.4-56.0	324	53.8	44.0-63.6
Hispanic	1939	2,206,756	732	49.9	45.4-54.4	1207	50.1	45.6-54.6
18-24	856	975,936	377	46.9	40.0-53.8	479	53.1	46.2-60.0
25-34	2257	1,560,073	1087	56.7	52.6-60.8	1170	43.3	39.2-47.4
35-44	3597	2,782,253	1816	58.9	55.8-62.0	1781	41.1	38.0-44.2
45-54	5795	3,774,889	2805	59.0	56.3-61.7	2990	41.0	38.3-43.7
55-64	7835	2,135,510	3641	55.1	52.7-57.5	4194	44.9	42.5-47.3
65+	14188	3,331,785	6004	50.1	48.5-51.7	8184	49.9	48.3-51.5
Less Than H.S.	3547	1,099,386	888	33.3	28.8-37.8	2659	66.7	62.2-71.2
H.S. or G.E.D.	11329	3,905,593	4167	47.0	44.6-49.4	7162	53.0	50.6-55.4
Some Post-H.S.	9841	4,143,494	4778	55.6	53.2-58.0	5063	44.4	42.0-46.8
College Graduate	10030	5,465,758	6005	65.5	63.5-67.5	4025	34.5	32.5-36.5
Less than \$15,000	4414	1,280,772	1157	34.7	30.8-38.6	3257	65.3	61.4-69.2
\$15,000- 24,999	6214	2,169,214	2221	40.7	37.4-44.0	3993	59.3	56.0-62.6
\$25,000- 34,999	3768	1,308,802	1584	52.4	48.1-56.7	2184	47.6	43.3-51.9
\$35,000- 49,999	4575	1,806,804	2256	54.2	50.9-57.5	2319	45.8	42.5-49.1
\$50,000- 74,999	4401	2,028,397	2451	61.4	58.1-64.7	1950	38.6	35.3-41.9
\$75,000+	6150	4,009,969	4151	72.5	70.1-74.9	1999	27.5	25.1-29.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 2: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	12939	7,128,644	7091	62.0	60.0-64.0	5848	38.0	36.0-40.0	
White/Non-Hisp	10627	4,895,546	6032	65.6	63.6-67.6	4595	34.4	32.4-36.4	
Black or Afr. Am./Non-Hisp	808	653,642	338	47.9	40.3-55.5	470	52.1	44.5-59.7	
Hispanic	687	1,087,035	353	61.3	54.2-68.4	334	38.7	31.6-45.8	
18-24	375	581,833	184	49.5	39.9-59.1	191	50.5	40.9-60.1	
25-34	762	758,593	444	62.4	55.5-69.3	318	37.6	30.7-44.5	
35-44	1302	1,423,105	786	66.7	62.0-71.4	516	33.3	28.6-38.0	
45-54	2175	1,839,960	1217	64.6	60.5-68.7	958	35.4	31.3-39.5	
55-64	2927	1,024,383	1616	62.4	58.9-65.9	1311	37.6	34.1-41.1	
65+	5326	1,467,787	2800	58.9	56.2-61.6	2526	41.1	38.4-43.8	
Less Than H.S.	1303	545,936	501	42.9	35.6-50.2	802	57.1	49.8-64.4	
H.S. or G.E.D.	3930	1,866,684	1825	52.9	49.0-56.8	2105	47.1	43.2-51.0	
Some Post-H.S.	3346	1,900,770	1871	61.8	57.9-65.7	1475	38.2	34.3-42.1	
College Graduate	4313	2,784,359	2871	72.0	69.5-74.5	1442	28.0	25.5-30.5	
Less than \$15,000	1357	550,765	497	45.1	37.8-52.4	860	54.9	47.6-62.2	
\$15,000- 24,999	2116	980,858	961	49.0	43.3-54.7	1155	51.0	45.3-56.7	
\$25,000- 34,999	1353	619,059	664	60.3	53.8-66.8	689	39.7	33.2-46.2	
\$35,000- 49,999	1830	827,930	1020	61.2	56.5-65.9	810	38.8	34.1-43.5	
\$50,000- 74,999	1837	1,027,997	1111	66.5	61.6-71.4	726	33.5	28.6-38.4	
\$75,000+	2985	2,294,751	2122	74.2	70.9-77.5	863	25.8	22.5-29.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 3: DURING THE PAST 30 DAYS, HAVE YOU HAD AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE SUCH AS BEER, WINE, A MALT BEVERAGE OR LIQUOR? (DRNKANY4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21907	7,541,736	8781	48.8	47.2-50.4	13126	51.2	49.6-52.8
White/Non-Hisp	17756	5,135,158	7634	54.4	52.8-56.0	10122	45.6	44.0-47.2
Black or Afr. Am./Non-Hisp	1828	852,993	433	32.5	27.6-37.4	1395	67.5	62.6-72.4
Hispanic	1252	1,119,720	379	38.9	33.4-44.4	873	61.1	55.6-66.6
18-24	481	394,103	193	43.1	33.9-52.3	288	56.9	47.7-66.1
25-34	1495	801,479	643	51.3	46.4-56.2	852	48.7	43.8-53.6
35-44	2295	1,359,148	1030	50.7	46.8-54.6	1265	49.3	45.4-53.2
45-54	3620	1,934,929	1588	53.6	49.9-57.3	2032	46.4	42.7-50.1
55-64	4908	1,111,128	2025	48.4	45.5-51.3	2883	51.6	48.7-54.5
65+	8862	1,863,998	3204	43.3	41.3-45.3	5658	56.7	54.7-58.7
Less Than H.S.	2244	553,450	387	23.8	18.5-29.1	1857	76.2	70.9-81.5
H.S. or G.E.D.	7399	2,038,909	2342	41.5	38.8-44.2	5057	58.5	55.8-61.2
Some Post-H.S.	6495	2,242,724	2907	50.3	47.8-52.8	3588	49.7	47.2-52.2
College Graduate	5717	2,681,400	3134	58.7	56.0-61.4	2583	41.3	38.6-44.0
Less than \$15,000	3057	730,007	660	26.9	23.0-30.8	2397	73.1	69.2-77.0
\$15,000- 24,999	4098	1,188,356	1260	33.9	30.4-37.4	2838	66.1	62.6-69.6
\$25,000- 34,999	2415	689,742	920	45.4	40.5-50.3	1495	54.6	49.7-59.5
\$35,000- 49,999	2745	978,874	1236	48.3	44.0-52.6	1509	51.7	47.4-56.0
\$50,000- 74,999	2564	1,000,401	1340	56.2	52.1-60.3	1224	43.8	39.7-47.9
\$75,000+	3165	1,715,218	2029	70.2	67.1-73.3	1136	29.8	26.7-32.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 4: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	15389	7,883,786	4224	30.1	28.5-31.7	853	4.0	03.4-04.6	7384	50.7	48.9-52.5	2814	14.5	13.3-15.7	114	0.6	00.4-00.8
Male	6870	4,301,630	1882	30.7	28.2-33.2	465	5.2	04.2-06.2	2862	46.2	43.5-48.9	1623	17.5	15.7-19.3	38	0.3	00.1-00.5
Female	8519	3,582,157	2342	29.4	27.4-31.4	388	2.7	02.1-03.3	4522	56.1	53.9-58.3	1191	10.9	09.7-12.1	76	1.0	00.6-01.4
White/Non-Hisp	13280	5,851,079	3675	30.5	28.7-32.3	793	4.8	04.0-05.6	6134	47.0	45.2-48.8	2590	17.1	15.7-18.5	88	0.6	00.4-00.8
Black or Afr. Am./Non-Hisp	741	568,617	179	28.3	21.4-35.2	10	1.5	00.0-03.3	474	60.7	53.4-68.0	68	9.3	05.2-13.4	10	0.2	00.0-00.4
Oth. Race/Non-Hisp.	224	182,638				12	1.3	00.1-02.5				31	5.3	02.0-08.6	4	0.2	00.0-00.4
MultiRacial/Non-Hisp.	204	91,133				11	1.5	00.0-03.1				28	5.3	01.2-09.4			
Hispanic	707	1,070,103	189	29.0	22.9-35.1	13	1.3	00.1-02.5	440	62.5	55.8-69.2	56	5.8	02.5-09.1	9	1.4	00.2-02.6
18-24	369	450,323	95	28.8	19.4-38.2	3	0.8	00.0-01.8	245	63.6	53.8-73.4	25	6.8	02.3-11.3	1	0.0	00.0-00.0
25-34	1068	865,476	300	31.1	25.8-36.4	14	2.3	00.1-04.5	682	60.6	54.7-66.5	69	5.7	03.2-08.2	3	0.3	00.0-00.7
35-44	1781	1,612,081	495	31.1	27.2-35.0	35	3.1	01.5-04.7	1059	54.8	50.5-59.1	187	10.8	08.3-13.3	5	0.2	00.0-00.4
45-54	2725	2,158,045	800	32.1	28.6-35.6	86	2.9	01.7-04.1	1451	52.0	48.1-55.9	372	12.5	10.0-15.0	16	0.6	00.0-01.2
55-64	3543	1,140,583	1005	29.9	27.0-32.8	193	4.7	03.3-06.1	1692	47.6	44.3-50.9	628	17.5	14.8-20.2	25	0.4	00.2-00.6
65+	5780	1,608,176	1496	26.4	24.4-28.4	519	8.0	06.8-09.2	2192	38.4	36.2-40.6	1512	25.6	23.6-27.6	61	1.6	01.0-02.2
Less Than H.S.	834	343,634	194	30.4	22.4-38.4	39	4.0	01.3-06.7	442	55.2	46.8-63.6	145	8.9	05.8-12.0	14	1.5	00.1-02.9
H.S. or G.E.D.	4036	1,797,152	1076	29.2	25.9-32.5	221	4.3	02.9-05.7	2001	52.2	48.5-55.9	692	13.5	11.3-15.7	46	1.0	00.4-01.6
Some Post-H.S.	4627	2,236,074	1232	26.6	23.9-29.3	232	3.8	02.4-05.2	2333	54.2	50.7-57.7	795	14.5	12.1-16.9	35	0.8	00.4-01.2
College Graduate	5861	3,488,700	1713	32.8	30.3-35.3	357	4.0	03.2-04.8	2595	47.3	44.8-49.8	1177	15.6	13.8-17.4	19	0.3	00.1-00.5
Less than \$15,000	1113	426,633	263	26.1	19.6-32.6	51	4.2	00.7-07.7	584	58.8	51.4-66.2	198	9.8	06.9-12.7	17	1.1	00.1-02.1
\$15,000- 24,999	2152	858,190	528	25.3	21.4-29.2	119	5.6	02.9-08.3	1091	55.5	50.4-60.6	388	12.3	09.8-14.8	26	1.3	00.5-02.1
\$25,000- 34,999	1552	671,626	423	29.9	24.0-35.8	77	2.9	01.7-04.1	781	51.9	45.4-58.4	260	14.1	10.4-17.8	11	1.2	00.0-02.8
\$35,000- 49,999	2222	964,764	603	30.4	26.3-34.5	118	3.0	02.0-04.0	1090	54.0	49.5-58.5	397	12.1	09.9-14.3	14	0.5	00.1-00.9
\$50,000- 74,999	2409	1,223,616	664	24.5	21.2-27.8	140	4.6	03.0-06.2	1190	57.5	53.4-61.6	400	13.0	10.6-15.4	15	0.4	00.0-00.8
\$75,000+	4074	2,855,852	1251	34.4	31.5-37.3	241	4.2	03.0-05.4	1746	43.8	40.7-46.9	828	17.6	15.2-20.0	8	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 5: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6870	4,301,630	1882	30.7	28.2-33.2	465	5.2	04.2-06.2	2862	46.2	43.5-48.9	1623	17.5	15.7-19.3	38	0.3	00.1-00.5
White/Non-Hisp	5860	3,136,257	1597	30.7	28.2-33.2	432	6.5	05.1-07.9	2325	42.0	39.3-44.7	1474	20.4	18.4-22.4	32	0.4	00.2-00.6
Black or Afr. Am./Non-Hisp	324	300,174				7	2.4	00.0-05.7				42	12.0	05.1-18.9	1	0.1	00.0-00.3
Oth. Race/Non-Hisp.	117	111,356				4	1.6	00.0-03.6				18	6.5	01.4-11.6	2	0.2	00.0-00.6
MultiRacial/Non-Hisp.	101	41,065				7	2.4	00.0-05.3				20	7.9	00.1-15.7			
Hispanic	339	641,129	98	29.1	20.7-37.5	7	0.5	00.0-01.1	190	60.9	51.3-70.5	41	9.1	03.6-14.6	3	0.3	00.0-00.9
18-24	178	284,034				2	1.0	00.0-02.4				18	9.8	02.7-16.9	1	0.0	00.0-00.0
25-34	438	461,235	139	34.3	25.7-42.9	9	3.2	00.0-06.7	242	54.7	45.1-64.3	48	7.9	03.6-12.2			
35-44	769	933,346	232	32.3	26.4-38.2	20	4.2	01.5-06.9	410	50.3	44.0-56.6	107	13.3	09.2-17.4			
45-54	1177	1,148,508	342	33.8	28.3-39.3	58	4.3	02.1-06.5	552	46.5	40.6-52.4	217	15.2	11.1-19.3	8	0.2	00.0-00.4
55-64	1563	622,066	442	30.4	25.9-34.9	112	5.7	03.5-07.9	652	42.4	37.3-47.5	351	21.3	17.0-25.6	6	0.2	00.0-00.4
65+	2707	833,613	665	24.2	21.3-27.1	263	9.7	07.7-11.7	885	34.3	31.0-37.6	871	30.4	27.5-33.3	23	1.4	00.6-02.2
Less Than H.S.	470	222,881				25	5.3	01.0-09.6				110	12.0	07.1-16.9	6	1.3	00.0-02.9
H.S. or G.E.D.	1768	968,593	471	31.2	25.9-36.5	109	5.2	02.8-07.6	776	47.4	41.7-53.1	398	15.9	12.6-19.2	14	0.3	00.1-00.5
Some Post-H.S.	1811	1,142,981	485	24.9	20.6-29.2	115	4.9	02.5-07.3	803	52.8	46.9-58.7	395	17.0	13.1-20.9	13	0.5	00.1-00.9
College Graduate	2801	1,952,098	812	33.8	30.1-37.5	214	5.2	04.0-06.4	1054	41.5	37.8-45.2	716	19.3	16.6-22.0	5	0.2	00.0-00.4
Less than \$15,000	480	241,042				29	6.3	00.2-12.4				118	10.8	06.1-15.5	8	1.3	00.0-02.7
\$15,000- 24,999	925	466,068	236	24.7	18.6-30.8	53	7.6	02.9-12.3	404	53.1	44.9-61.3	222	13.9	10.2-17.6	10	0.8	00.2-01.4
\$25,000- 34,999	649	366,453	183	32.4	23.0-41.8	42	3.8	01.8-05.8				144	17.5	11.0-24.0	2	0.0	00.0-00.0
\$35,000- 49,999	1008	502,029	278	36.0	29.3-42.7	60	3.4	01.8-05.0	424	45.8	38.7-52.9	242	14.6	11.1-18.1	4	0.1	00.0-00.3
\$50,000- 74,999	1089	669,082	300	23.0	18.3-27.7	87	6.1	03.6-08.6	465	56.0	49.7-62.3	229	14.5	10.8-18.2	8	0.5	00.1-00.9
\$75,000+	2084	1,676,511	626	34.6	30.3-38.9	148	5.0	03.4-06.6	791	38.6	34.5-42.7	518	21.6	18.1-25.1	1	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 6: DURING THE PAST 30 DAYS, HOW MANY DAYS PER WEEK OR PER MONTH DID YOU HAVE AT LEAST ONE DRINK OF ANY ALCOHOLIC BEVERAGE? (ALCDAY4)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-5 days per week			6 or more days per week			1-10 days per month			11 or more days per month			No drinks in past 30 days		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8519	3,582,157	2342	29.4	27.4-31.4	388	2.7	02.1-03.3	4522	56.1	53.9-58.3	1191	10.9	09.7-12.1	76	1.0	00.6-01.4
White/Non-Hisp	7420	2,714,823	2078	30.4	28.4-32.4	361	3.0	02.4-03.6	3809	52.7	50.5-54.9	1116	13.2	11.8-14.6	56	0.8	00.4-01.2
Black or Afr. Am./Non-Hisp	417	268,443	91	23.6	16.2-31.0	3	0.4	00.0-01.0	288	69.2	61.2-77.2	26	6.3	02.2-10.4	9	0.4	00.0-00.8
Oth. Race/Non-Hisp.	107	71,282				8	0.7	00.1-01.3				13	3.4	00.3-06.5	2	0.1	00.1-00.1
MultiRacial/Non-Hisp.	103	50,068				4	0.8	00.0-02.2				8	3.2	00.0-06.7			
Hispanic	368	428,974	91	28.9	20.7-37.1	6	2.6	00.0-05.3	250	64.7	56.1-73.3	15	0.9	00.1-01.7	6	2.9	00.2-05.6
18-24	191	166,290				1	0.4	00.0-01.4				7	1.6	00.0-03.2			
25-34	630	404,242	161	27.5	21.4-33.6	5	1.4	00.0-03.4	440	67.3	61.0-73.6	21	3.3	01.1-05.5	3	0.5	00.0-01.3
35-44	1012	678,734	263	29.4	24.5-34.3	15	1.6	00.4-02.8	649	61.0	55.9-66.1	80	7.4	04.9-09.9	5	0.5	00.0-01.1
45-54	1548	1,009,536	458	30.2	25.9-34.5	28	1.3	00.3-02.3	899	58.2	53.5-62.9	155	9.4	06.9-11.9	8	1.0	00.0-02.0
55-64	1980	518,517	563	29.3	25.6-33.0	81	3.5	02.3-04.7	1040	53.7	49.4-58.0	277	13.0	10.3-15.7	19	0.6	00.2-01.0
65+	3073	774,563	831	28.7	26.0-31.4	256	6.2	05.0-07.4	1307	42.8	39.9-45.7	641	20.5	18.0-23.0	38	1.8	00.8-02.8
Less Than H.S.	364	120,754				14	1.6	00.2-03.0				35	3.0	01.4-04.6	8	1.8	00.0-04.5
H.S. or G.E.D.	2268	828,559	605	26.7	23.0-30.4	112	3.1	01.9-04.3	1225	57.8	53.5-62.1	294	10.7	08.2-13.2	32	1.7	00.5-02.9
Some Post-H.S.	2816	1,093,093	747	28.5	25.0-32.0	117	2.7	01.7-03.7	1530	55.7	52.0-59.4	400	11.9	09.7-14.1	22	1.2	00.4-02.0
College Graduate	3060	1,536,602	901	31.6	28.3-34.9	143	2.5	01.7-03.3	1541	54.6	51.1-58.1	461	10.9	09.1-12.7	14	0.4	00.0-00.8
Less than \$15,000	633	185,591	150	21.9	15.8-28.0	22	1.5	00.7-02.3	372	67.2	60.1-74.3	80	8.5	05.2-11.8	9	0.9	00.0-01.9
\$15,000- 24,999	1227	392,123	292	26.1	21.2-31.0	66	3.2	01.6-04.8	687	58.5	52.6-64.4	166	10.4	07.1-13.7	16	1.8	00.2-03.4
\$25,000- 34,999	903	305,173	240	26.9	20.8-33.0	35	1.8	00.8-02.8	503	58.7	51.8-65.6	116	9.9	06.6-13.2	9	2.7	00.0-05.8
\$35,000- 49,999	1214	462,735	325	24.3	19.8-28.8	58	2.5	01.5-03.5	666	62.8	57.7-67.9	155	9.4	06.7-12.1	10	1.0	00.2-01.8
\$50,000- 74,999	1320	554,534	364	26.4	22.1-30.7	53	2.8	01.6-04.0	725	59.3	54.2-64.4	171	11.3	08.2-14.4	7	0.2	00.0-00.4
\$75,000+	1990	1,179,341	625	34.0	30.1-37.9	93	2.9	01.7-04.1	955	51.1	47.0-55.2	310	11.9	09.7-14.1	7	0.1	00.0-00.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 7. ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNC2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	15190	7,773,318	7353	42.5	40.7-44.3	4617	33.4	31.6-35.2	1640	11.4	10.2-12.6	602	4.9	04.1-05.7	978	7.8	06.6-09.0
Male	6780	4,229,912	2553	33.4	31.0-35.8	2166	34.4	31.9-36.9	959	13.8	12.0-15.6	391	6.7	05.1-08.3	711	11.6	09.6-13.6
Female	8410	3,543,407	4800	53.4	51.2-55.6	2451	32.3	30.1-34.5	681	8.5	07.3-09.7	211	2.7	02.1-03.3	267	3.2	02.4-04.0
White/Non-Hisp	13123	5,770,707	6412	42.8	41.0-44.6	4017	33.2	31.4-35.0	1422	12.2	11.0-13.4	485	4.7	03.7-05.7	787	7.1	05.9-08.3
Black or Afr. Am./Non-Hisp	722	562,651	336	48.2	40.9-55.5	211	29.2	22.3-36.1	79	11.3	06.8-15.8	44	6.2	02.7-09.7	52	5.2	01.9-08.5
Oth. Race/Non-Hisp.	223	184,125							26	5.9	02.0-09.8	6	1.7	00.0-03.7	29	6.3	02.8-09.8
MultiRacial/Non-Hisp.	198	88,000							29	15.8	07.6-24.0	15	13.5	03.7-23.3			
Hispanic	687	1,051,774	285	34.4	27.9-40.9	226	39.4	32.1-46.7	59	7.5	04.2-10.8	44	5.5	02.6-08.4	73	13.2	07.3-19.1
18-24	352	426,106	82	20.0	12.9-27.1	90	27.5	17.7-37.3	62	16.5	09.2-23.8	32	11.1	03.5-18.7	86	24.8	14.8-34.8
25-34	1046	844,764	340	31.8	26.3-37.3	322	35.7	29.2-42.2	163	15.2	11.1-19.3	73	4.8	03.0-06.6	148	12.5	08.2-16.8
35-44	1756	1,585,585	625	32.5	28.6-36.4	569	33.8	29.7-37.9	275	15.9	12.8-19.0	112	8.0	05.5-10.5	175	9.8	06.9-12.7
45-54	2701	2,148,059	1096	39.3	35.6-43.0	879	38.4	34.5-42.3	372	10.8	08.8-12.8	133	4.5	02.7-06.3	221	7.1	04.9-09.3
55-64	3504	1,144,934	1647	49.0	45.7-52.3	1134	33.3	30.0-36.6	374	9.5	07.7-11.3	136	3.2	02.2-04.2	213	4.9	03.3-06.5
65+	5714	1,579,219	3490	63.6	61.4-65.8	1595	27.0	25.0-29.0	387	5.7	04.7-06.7	113	2.0	01.4-02.6	129	1.7	01.1-02.3
Less Than H.S.	811	319,177	275	26.7	20.2-33.2	215	31.2	22.8-39.6	114	16.6	10.1-23.1	45	6.7	02.0-11.4	162	18.8	12.5-25.1
H.S. or G.E.D.	3922	1,733,149	1755	37.2	33.9-40.5	1112	32.6	29.1-36.1	485	12.7	10.3-15.1	201	4.8	03.4-06.2	369	12.7	09.4-16.0
Some Post-H.S.	4579	2,206,385	2230	41.7	38.4-45.0	1394	32.2	28.9-35.5	513	12.5	10.3-14.7	180	5.7	03.5-07.9	262	7.9	05.4-10.4
College Graduate	5846	3,489,102	3077	47.3	44.8-49.8	1888	34.8	32.3-37.3	525	9.6	08.0-11.2	175	4.1	02.9-05.3	181	4.2	03.2-05.2
Less than \$15,000	1069	404,790	430	33.7	26.6-40.8	299	28.1	21.6-34.6	134	16.6	10.3-22.9	64	6.6	02.9-10.3	142	15.0	07.9-22.1
\$15,000- 24,999	2106	825,287	977	38.7	34.0-43.4	579	29.8	24.7-34.9	277	13.9	10.6-17.2	96	6.0	03.5-08.5	177	11.7	06.2-17.2
\$25,000- 34,999	1526	653,092	749	38.8	33.1-44.5	444	38.6	31.5-45.7	163	10.8	07.3-14.3	66	5.4	01.7-09.1	104	6.5	03.2-09.8
\$35,000- 49,999	2190	955,417	1072	43.7	39.2-48.2	642	32.6	28.3-36.9	247	10.9	08.2-13.6	72	4.6	02.8-06.4	157	8.2	05.5-10.9
\$50,000- 74,999	2396	1,228,314	1180	47.0	42.7-51.3	750	30.0	26.3-33.7	247	11.4	08.7-14.1	87	5.3	02.6-08.0	132	6.4	04.2-08.6
\$75,000+	4057	2,838,535	1857	40.7	37.8-43.6	1444	37.2	34.3-40.1	439	11.2	09.2-13.2	149	4.7	03.1-06.3	168	6.1	04.3-07.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 8: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNC2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6780	4,229,912	2553	33.4	31.0-35.8	2166	34.4	31.9-36.9	959	13.8	12.0-15.6	391	6.7	05.1-08.3	711	11.6	09.6-13.6
White/Non-Hisp	5785	3,076,361	2197	33.7	31.3-36.1	1859	33.7	31.2-36.2	832	15.0	13.0-17.0	319	6.7	04.9-08.5	578	10.8	08.8-12.8
Black or Afr. Am./Non-Hisp	322	291,214							46	14.6	07.0-22.2	27	6.2	01.5-10.9	33	7.9	01.6-14.2
Oth. Race/Non-Hisp.	117	111,001							14	5.2	00.7-09.7	5	2.5	00.0-05.6	21	7.8	02.5-13.1
MultiRacial/Non-Hisp.	98	38,203				22	12.7	04.1-21.3							17	11.5	01.5-21.5
Hispanic	329	643,582	107	25.5	16.9-34.1				32	8.8	03.7-13.9	28	7.8	03.1-12.5	51	18.1	09.1-27.1
18-24	170	262,631	28	13.4	05.6-21.2				30	14.6	05.4-23.8						
25-34	423	445,787	95	22.6	14.6-30.6				81	18.9	12.0-25.8	39	5.7	03.0-08.4	93	18.1	10.3-25.9
35-44	755	909,328	194	25.0	19.7-30.3	231	31.8	25.9-37.7	140	18.8	14.1-23.5	67	10.0	05.9-14.1	123	14.4	09.5-19.3
45-54	1164	1,151,737	336	30.3	24.8-35.8	384	39.8	33.9-45.7	198	12.2	09.1-15.3	84	6.4	03.5-09.3	162	11.3	07.4-15.2
55-64	1556	622,316	550	39.6	34.7-44.5	509	35.7	30.6-40.8	236	12.6	09.7-15.5	95	4.6	03.0-06.2	166	7.5	05.0-10.0
65+	2679	821,579	1337	54.8	51.5-58.1	880	30.9	27.8-34.0	271	8.2	06.4-10.0	86	3.2	02.0-04.4	105	2.9	01.9-03.9
Less Than H.S.	455	205,809	120	19.4	12.7-26.1				71	21.5	12.1-30.9	25	7.4	00.9-13.9	122	23.2	14.6-31.8
H.S. or G.E.D.	1720	926,604	549	28.4	23.9-32.9	503	33.7	28.2-39.2	262	13.2	09.9-16.5	123	5.2	03.4-07.0	283	19.5	14.0-25.0
Some Post-H.S.	1787	1,121,622	636	29.7	24.6-34.8	580	33.5	27.8-39.2	289	15.7	12.2-19.2	117	8.8	04.9-12.7	165	12.3	07.4-17.2
College Graduate	2796	1,953,348	1240	39.7	36.2-43.2	960	35.8	32.1-39.5	334	12.3	09.8-14.8	125	5.9	03.9-07.9	137	6.3	04.5-08.1
Less than \$15,000	459	220,141							68	18.2	08.4-28.0	40	5.9	02.2-09.6			
\$15,000- 24,999	909	446,598	321	29.6	23.1-36.1	260	28.8	21.4-36.2	149	15.8	10.7-20.9	61	7.8	03.7-11.9	118	18.0	08.6-27.4
\$25,000- 34,999	636	361,467	235	29.9	22.1-37.7				89	13.4	07.5-19.3	32	7.8	01.1-14.5	82	10.3	04.4-16.2
\$35,000- 49,999	992	496,852	386	35.1	28.6-41.6	295	33.8	26.9-40.7	151	13.1	09.0-17.2	45	6.2	03.3-09.1	115	11.8	06.9-16.7
\$50,000- 74,999	1080	673,311	419	38.6	32.1-45.1	357	30.3	24.6-36.0	151	15.0	10.5-19.5	57	7.5	02.8-12.2	96	8.6	04.9-12.3
\$75,000+	2076	1,661,586	778	31.9	28.2-35.6	755	38.2	33.9-42.5	292	13.9	11.0-16.8	114	6.4	04.0-08.8	137	9.5	06.8-12.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 9: ONE DRINK IS EQUIVALENT TO A 12-OUNCE BEER, A 5-OUNCE GLASS OF WINE, OR A DRINK WITH ONE SHOT OF LIQUOR. DURING THE PAST 30 DAYS, ON THE DAYS WHEN YOU DRANK, ABOUT HOW MANY DRINKS DID YOU DRINK ON THE AVERAGE? (AVEDRNC2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8410	3,543,407	4800	53.4	51.2-55.6	2451	32.3	30.1-34.5	681	8.5	07.3-09.7	211	2.7	02.1-03.3	267	3.2	02.4-04.0
White/Non-Hisp	7338	2,694,347	4215	53.1	50.7-55.5	2158	32.7	30.5-34.9	590	9.0	07.6-10.4	166	2.4	01.8-03.0	209	2.8	02.0-03.6
Black or Afr. Am./Non-Hisp	400	271,437	223	58.6	49.4-67.8	108	25.3	17.3-33.3	33	7.7	02.8-12.6	17	6.2	00.9-11.5	19	2.2	00.6-03.8
Oth. Race/Non-Hisp.	106	73,124							12	6.9	00.2-13.6	1	0.6	00.0-01.8	8	4.1	00.0-08.2
MultiRacial/Non-Hisp.	100	49,797							11	11.4	02.6-20.2	6	7.9	00.0-17.7			
Hispanic	358	408,192	178	48.4	39.0-57.8	115	38.8	29.2-48.4	27	5.3	01.6-09.0	16	1.9	00.1-03.7	22	5.6	02.3-08.9
18-24	182	163,475										14	5.5	01.0-10.0			
25-34	623	398,977	245	42.0	35.1-48.9	207	37.0	30.1-43.9	82	11.0	06.7-15.3	34	3.8	01.6-06.0	55	6.1	03.6-08.6
35-44	1001	676,257	431	42.6	37.3-47.9	338	36.5	31.2-41.8	135	12.0	08.7-15.3	45	5.4	03.2-07.6	52	3.6	01.6-05.6
45-54	1537	996,322	760	49.8	44.9-54.7	495	36.8	31.9-41.7	174	9.0	06.5-11.5	49	2.2	00.8-03.6	59	2.2	00.8-03.6
55-64	1948	522,618	1097	60.2	56.1-64.3	625	30.5	26.8-34.2	138	5.8	03.8-07.8	41	1.6	00.8-02.4	47	1.8	00.8-02.8
65+	3035	757,641	2153	73.2	70.7-75.7	715	22.8	20.3-25.3	116	2.9	01.9-03.9	27	0.6	00.2-01.0	24	0.4	00.2-00.6
Less Than H.S.	356	113,369							43	7.6	03.3-11.9	20	5.5	00.0-11.6	40	10.8	02.4-19.2
H.S. or G.E.D.	2202	806,545	1206	47.3	42.8-51.8	609	31.4	27.1-35.7	223	12.1	09.0-15.2	78	4.3	02.3-06.3	86	4.9	02.5-07.3
Some Post-H.S.	2792	1,084,763	1594	54.0	50.3-57.7	814	30.9	27.4-34.4	224	9.1	06.7-11.5	63	2.5	01.5-03.5	97	3.4	02.0-04.8
College Graduate	3050	1,535,755	1837	57.0	53.5-60.5	928	33.5	30.2-36.8	191	6.2	04.6-07.8	50	1.8	01.0-02.6	44	1.5	00.7-02.3
Less than \$15,000	610	184,649	290	40.6	32.2-49.0	183	29.2	21.8-36.6	66	14.6	07.0-22.2	24	7.5	00.4-14.6	47	8.1	03.2-13.0
\$15,000- 24,999	1197	378,689	656	49.4	43.3-55.5	319	31.0	24.5-37.5	128	11.5	07.6-15.4	35	3.9	01.7-06.1	59	4.3	01.9-06.7
\$25,000- 34,999	890	291,625	514	49.8	42.7-56.9	246	38.4	30.8-46.0	74	7.7	05.0-10.4	34	2.4	01.2-03.6	22	1.7	00.3-03.1
\$35,000- 49,999	1198	458,565	686	53.0	47.3-58.7	347	31.4	26.3-36.5	96	8.6	04.7-12.5	27	2.8	01.0-04.6	42	4.2	01.8-06.6
\$50,000- 74,999	1316	555,003	761	57.2	51.9-62.5	393	29.6	24.9-34.3	96	7.0	04.3-09.7	30	2.5	01.1-03.9	36	3.7	01.5-05.9
\$75,000+	1981	1,176,950	1079	53.1	49.0-57.2	689	35.9	32.0-39.8	147	7.5	05.5-09.5	35	2.2	01.0-03.4	31	1.3	00.3-02.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 10: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	15217	7,791,946	1107	9.6	08.4-10.8	663	4.7	03.9-05.5	318	2.8	01.8-03.8	294	2.3	01.7-02.9	841	5.8	05.0-06.6	11994	74.7	72.9-76.5
Male	6798	4,257,568	554	10.9	08.9-12.9	341	5.1	03.9-06.3	196	4.0	02.4-05.6	169	3.0	02.0-04.0	587	8.4	07.0-09.8	4951	68.6	65.9-71.3
Female	8419	3,534,378	553	8.0	06.8-09.2	322	4.2	03.4-05.0	122	1.4	01.0-01.8	125	1.6	01.0-02.2	254	2.8	02.2-03.4	7043	82.1	80.3-83.9
White/Non-Hisp	13143	5,787,944	921	8.8	07.6-10.0	564	5.1	04.3-05.9	260	2.5	01.9-03.1	237	2.1	01.5-02.7	727	6.6	05.6-07.6	10434	75.0	73.2-76.8
Black or Afr. Am./Non-Hisp	716	548,190	54	9.2	05.1-13.3	34	1.8	00.6-03.0	22	1.5	00.1-02.9	20	1.4	00.0-02.8	45	5.4	01.5-09.3	541	80.7	75.0-86.4
Oth. Race/Non-Hisp.	219	181,485	17	5.7	00.4-11.0	14	6.4	00.0-13.5	3	1.0	00.0-02.8	5	1.5	00.0-03.5	12	2.4	00.2-04.6	168	82.9	73.9-91.9
MultiRacial/Non-Hisp.	204	89,280							6	2.2	00.0-04.7	8	3.7	00.4-07.0	19	5.6	00.7-10.5			
Hispanic	691	1,063,986	82	14.6	09.1-20.1	29	3.2	00.5-05.9	25	5.9	00.4-11.4	18	4.2	01.5-06.9	28	2.7	01.1-04.3	509	69.4	62.1-76.7
18-24	356	433,883	55	16.5	08.3-24.7	35	7.7	03.0-12.4	24	10.4	01.6-19.2	19	6.9	02.2-11.6	41	10.0	04.3-15.7			
25-34	1046	861,090	160	13.4	09.7-17.1	76	8.0	04.1-11.9	34	5.6	00.1-11.1	30	2.6	00.8-04.4	80	6.6	04.2-09.0	666	63.9	57.4-70.4
35-44	1749	1,571,990	223	15.4	11.9-18.9	98	5.5	03.5-07.5	51	2.9	01.5-04.3	47	2.2	01.0-03.4	133	7.2	05.2-09.2	1197	66.7	62.6-70.8
45-54	2703	2,144,583	255	8.9	06.5-11.3	168	5.1	03.7-06.5	70	2.1	01.3-02.9	70	2.7	01.3-04.1	199	7.0	04.8-09.2	1941	74.2	70.9-77.5
55-64	3501	1,139,475	219	7.1	05.3-08.9	149	2.9	01.9-03.9	70	1.5	00.9-02.1	73	1.6	01.0-02.2	224	4.7	03.5-05.9	2766	82.2	79.8-84.6
65+	5740	1,594,984	189	2.8	02.0-03.6	134	2.0	01.4-02.6	67	1.1	00.7-01.5	53	1.1	00.5-01.7	161	2.3	01.7-02.9	5136	90.6	89.2-92.0
Less Than H.S.	803	323,386	91	12.3	05.8-18.8	56	6.1	02.6-09.6	30	4.0	01.3-06.7	24	5.4	00.5-10.3	100	7.4	04.1-10.7	502	64.6	56.4-72.8
H.S. or G.E.D.	3925	1,719,964	305	11.2	08.3-14.1	190	5.8	03.6-08.0	107	3.0	01.6-04.4	109	3.2	02.0-04.4	302	8.3	06.1-10.5	2912	68.6	64.9-72.3
Some Post-H.S.	4599	2,234,569	319	11.1	08.6-13.6	210	4.4	03.2-05.6	88	4.2	01.5-06.9	82	2.1	01.1-03.1	220	5.4	03.6-07.2	3680	72.9	69.2-76.6
College Graduate	5859	3,494,674	390	7.6	06.2-09.0	206	4.2	03.0-05.4	93	1.8	01.2-02.4	79	1.8	01.0-02.6	217	4.8	03.6-06.0	4874	79.8	77.6-82.0
Less than \$15,000	1077	405,842	90	13.5	05.7-21.3	69	6.9	03.2-10.6	35	4.5	01.6-07.4	25	1.8	00.0-03.8	106	9.2	04.7-13.7	752	64.1	55.9-72.3
\$15,000- 24,999	2101	819,081	154	8.1	05.4-10.8	103	6.2	02.5-09.9	45	4.8	00.1-09.5	49	2.9	01.1-04.7	142	6.1	03.9-08.3	1608	71.9	66.2-77.6
\$25,000- 34,999	1530	659,940	119	10.0	05.7-14.3	49	2.4	01.0-03.8	32	6.2	00.0-13.1	27	1.7	00.3-03.1	100	6.6	03.3-09.9	1203	73.1	65.7-80.5
\$35,000- 49,999	2191	948,561	146	8.7	05.8-11.6	90	3.8	02.2-05.4	42	1.8	00.8-02.8	39	2.5	00.5-04.5	119	4.8	03.2-06.4	1755	78.5	74.6-82.4
\$50,000- 74,999	2385	1,219,825	172	8.7	06.2-11.2	94	3.6	02.2-05.0	39	1.7	00.7-02.7	51	2.6	01.4-03.8	118	4.6	03.2-06.0	1911	78.7	75.4-82.0
\$75,000+	4073	2,855,243	329	10.5	08.3-12.7	181	5.0	03.6-06.4	97	2.3	01.5-03.1	75	2.0	01.2-02.8	192	6.6	04.8-08.4	3199	73.7	70.8-76.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 11: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6798	4,257,568	554	10.9	08.9-12.9	341	5.1	03.9-06.3	196	4.0	02.4-05.6	169	3.0	02.0-04.0	587	8.4	07.0-09.8	4951	68.6	65.9-71.3
White/Non-Hisp	5798	3,092,383	455	9.7	07.7-11.7	289	5.5	04.1-06.9	157	3.4	02.4-04.4	134	2.8	01.8-03.8	508	9.7	07.9-11.5	4255	69.0	66.3-71.7
Black or Afr. Am./Non-Hisp	317	291,836	28	10.8	03.9-17.7	11	1.3	00.1-02.5	15	2.5	00.0-05.0	13	2.3	00.0-05.0	29	8.0	01.1-14.9	221	75.0	65.4-84.6
Oth. Race/Non-Hisp.	116	110,382	10	6.4	00.0-14.4				2	1.5	00.0-04.4	3	1.6	00.0-04.5	7	3.5	00.2-06.8			
MultiRacial/Non-Hisp.	103	41,326	8	4.5	00.0-10.0				5	4.0	00.0-09.5	5	4.9	00.0-10.6						
Hispanic	333	651,025	44	18.3	10.3-26.3	17	4.3	00.0-08.8	15	8.2	00.0-17.0	9	3.8	00.5-07.1	20	3.4	00.9-05.9			
18-24	177	279,274				23	8.0	02.5-13.5				13	8.5	01.6-15.4	29	13.2	04.6-21.8			
25-34	424	459,595	68	13.0	07.3-18.7	35	10.9	03.8-18.0	19	8.6	00.0-18.4	17	3.9	00.8-07.0	52	8.7	04.6-12.8			
35-44	754	901,935	102	16.1	10.8-21.4	41	5.6	02.7-08.5	33	3.8	01.4-06.2	26	2.7	00.9-04.5	85	9.4	06.3-12.5	467	62.5	56.2-68.8
45-54	1173	1,150,612	130	11.3	07.2-15.4	86	5.2	03.0-07.4	40	2.9	01.3-04.5	39	2.9	00.9-04.9	135	10.6	06.9-14.3	743	67.2	61.7-72.7
55-64	1549	619,978	113	8.3	05.4-11.2	76	2.8	01.8-03.8	39	1.6	00.8-02.4	39	2.0	00.8-03.2	161	6.9	04.7-09.1	1121	78.4	74.5-82.3
65+	2686	829,896	114	3.6	02.0-05.2	80	2.3	01.3-03.3	49	1.4	00.8-02.0	33	1.7	00.5-02.9	123	3.6	02.4-04.8	2287	87.4	85.0-89.8
Less Than H.S.	450	206,080	59	16.0	06.4-25.6	31	6.7	02.0-11.4	20	4.5	00.8-08.2	17	6.5	00.0-13.4	72	10.1	05.0-15.2			
H.S. or G.E.D.	1726	938,674	151	12.1	07.6-16.6	97	5.8	02.3-09.3	72	4.3	01.9-06.7	63	4.1	02.1-06.1	215	12.0	08.3-15.7	1128	61.6	55.7-67.5
Some Post-H.S.	1799	1,141,938	146	14.1	09.4-18.8	97	5.2	03.0-07.4	47	6.9	01.8-12.0	44	2.8	01.2-04.4	137	7.1	04.0-10.2	1328	63.9	57.6-70.2
College Graduate	2803	1,954,672	197	8.0	05.8-10.2	115	4.6	03.0-06.2	57	2.2	01.2-03.2	45	2.1	00.9-03.3	161	7.2	05.4-09.0	2228	75.8	72.7-78.9
Less than \$15,000	457	226,390				29	4.8	01.5-08.1	19	4.7	00.4-09.0	12	0.6	00.0-01.2	64	12.2	04.6-19.8			
\$15,000- 24,999	903	433,762	84	7.5	04.8-10.2	60	9.2	02.3-16.1	28	7.8	00.0-16.2	30	4.5	01.4-07.6	94	7.6	04.7-10.5	607	63.4	54.4-72.4
\$25,000- 34,999	640	365,572	52	12.6	05.3-19.9	20	2.6	00.4-04.8				15	1.6	00.4-02.8	75	9.7	03.8-15.6			
\$35,000- 49,999	993	494,887	74	9.9	05.0-14.8	46	4.9	02.2-07.6	24	2.1	00.5-03.7	25	3.8	00.3-07.3	83	6.2	03.7-08.7	741	73.1	66.6-79.6
\$50,000- 74,999	1076	668,315	88	10.2	06.1-14.3	50	3.2	01.4-05.0	19	2.0	00.4-03.6	29	3.1	01.1-05.1	85	6.3	03.9-08.7	805	75.3	70.0-80.6
\$75,000+	2091	1,674,270	171	11.4	08.1-14.7	102	4.9	02.9-06.9	67	3.0	01.8-04.2	45	2.6	01.2-04.0	146	10.0	07.1-12.9	1560	68.1	63.8-72.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 12: CONSIDERING ALL TYPES OF ALCOHOLIC BEVERAGES, HOW MANY TIMES DURING THE PAST 30 DAYS DID YOU HAVE 5 OR MORE DRINKS FOR MEN OR 4 OR MORE DRINKS FOR WOMEN ON AN OCCASION? (DRNK3GE5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

Denominator excludes: Respondents refusing to answer if they had consumed alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8419	3,534,378	553	8.0	06.8-09.2	322	4.2	03.4-05.0	122	1.4	01.0-01.8	125	1.6	01.0-02.2	254	2.8	02.2-03.4	7043	82.1	80.3-83.9
White/Non-Hisp	7345	2,695,560	466	7.7	06.5-08.9	275	4.7	03.7-05.7	103	1.4	00.8-02.0	103	1.2	00.8-01.6	219	3.1	02.3-03.9	6179	81.8	80.0-83.6
Black or Afr. Am./Non-Hisp	399	256,354	26	7.3	03.0-11.6	23	2.5	00.5-04.5	7	0.5	00.0-01.1	7	0.4	00.0-00.8	16	2.3	00.5-04.1	320	87.0	81.9-92.1
Oth. Race/Non-Hisp.	103	71,102	7	4.6	00.3-08.9	3	0.9	00.0-02.3	1	0.3	00.0-00.9	2	1.4	00.0-03.4	5	0.7	00.0-01.7	85	92.1	86.6-97.6
MultiRacial/Non-Hisp.	101	47,954							1	0.6	00.0-01.8	3	2.7	00.0-06.4	3	1.3	00.0-02.9			
Hispanic	358	412,961	38	8.8	03.1-14.5	12	1.4	00.2-02.6	10	2.2	00.2-04.2	9	4.8	00.0-09.7	8	1.6	00.2-03.0	281	81.3	73.9-88.7
18-24	179	154,609	31	16.1	07.1-25.1	12	7.3	00.0-15.7	9	1.6	00.0-03.2	6	3.9	00.0-08.0	12	4.2	00.7-07.7			
25-34	622	401,495	92	13.8	09.1-18.5	41	4.6	02.4-06.8	15	2.1	00.1-04.1	13	1.1	00.1-02.1	28	4.2	02.0-06.4	433	74.2	68.5-79.9
35-44	995	670,056	121	14.5	10.2-18.8	57	5.5	03.0-08.0	18	1.7	00.3-03.1	21	1.6	00.2-03.0	48	4.3	02.3-06.3	730	72.4	67.3-77.5
45-54	1530	993,971	125	6.1	04.1-08.1	82	5.0	03.2-06.8	30	1.2	00.6-01.8	31	2.5	00.5-04.5	64	2.8	01.4-04.2	1198	82.3	78.8-85.8
55-64	1952	519,497	106	5.8	03.8-07.8	73	2.9	01.3-04.5	31	1.3	00.3-02.3	34	1.2	00.6-01.8	63	2.1	01.3-02.9	1645	86.7	84.0-89.4
65+	3054	765,088	75	1.8	01.2-02.4	54	1.8	01.0-02.6	18	0.9	00.1-01.7	20	0.5	00.1-00.9	38	0.9	00.5-01.3	2849	94.1	92.7-95.5
Less Than H.S.	353	117,306	32	5.8	00.3-11.3	25	5.1	00.0-10.4	10	3.3	00.0-07.0	7	3.6	00.0-09.7	28	2.8	00.8-04.8	251	79.4	69.4-89.4
H.S. or G.E.D.	2199	781,290	154	10.0	06.9-13.1	93	5.7	03.3-08.1	35	1.5	00.5-02.5	46	2.1	01.1-03.1	87	3.8	02.4-05.2	1784	77.0	73.1-80.9
Some Post-H.S.	2800	1,092,631	173	7.9	05.7-10.1	113	3.5	02.3-04.7	41	1.3	00.7-01.9	38	1.5	00.5-02.5	83	3.6	02.2-05.0	2352	82.2	79.5-84.9
College Graduate	3056	1,540,002	193	7.2	05.4-09.0	91	3.8	02.4-05.2	36	1.3	00.5-02.1	34	1.3	00.1-02.5	56	1.7	00.9-02.5	2646	84.8	82.3-87.3
Less than \$15,000	620	179,452	45	10.4	04.3-16.5	40	9.6	02.7-16.5	16	4.3	00.6-08.0	13	3.3	00.0-07.4	42	5.3	02.8-07.8	464	67.1	58.3-75.9
\$15,000- 24,999	1198	385,319	70	8.7	03.8-13.6	43	2.8	01.0-04.6	17	1.3	00.1-02.5	19	1.1	00.3-01.9	48	4.4	01.3-07.5	1001	81.6	75.9-87.3
\$25,000- 34,999	890	294,367	67	6.9	03.6-10.2	29	2.2	00.8-03.6	12	1.3	00.3-02.3	12	1.8	00.0-04.5	25	2.7	00.9-04.5	745	85.0	80.3-89.7
\$35,000- 49,999	1198	453,674	72	7.4	04.1-10.7	44	2.5	01.3-03.7	18	1.4	00.2-02.6	14	1.0	00.0-02.0	36	3.2	01.4-05.0	1014	84.4	80.3-88.5
\$50,000- 74,999	1309	551,510	84	7.0	04.5-09.5	44	4.1	01.7-06.5	20	1.3	00.5-02.1	22	2.0	00.8-03.2	33	2.7	01.3-04.1	1106	82.9	79.2-86.6
\$75,000+	1982	1,180,973	158	9.1	06.7-11.5	79	5.1	03.3-06.9	30	1.4	00.4-02.4	30	1.0	00.4-01.6	46	1.8	01.0-02.6	1639	81.6	78.7-84.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 13: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	14949	7,624,807	4350	25.2	23.8-26.6	4435	27.9	26.3-29.5	2566	18.1	16.7-19.5	1193	8.1	07.1-09.1	2405	20.6	18.8-22.4
Male	6647	4,145,158	1311	17.4	15.4-19.4	1698	23.9	21.7-26.1	1361	20.9	18.7-23.1	544	7.9	06.5-09.3	1733	29.9	27.2-32.6
Female	8302	3,479,650	3039	34.6	32.4-36.8	2737	32.8	30.6-35.0	1205	14.8	13.2-16.4	649	8.4	07.2-09.6	672	9.4	08.0-10.8
White/Non-Hisp	12915	5,682,756	3726	24.0	22.6-25.4	3881	28.3	26.7-29.9	2254	18.7	17.3-20.1	1034	8.6	07.4-09.8	2020	20.4	18.6-22.2
Black or Afr. Am./Non-Hisp	703	543,835	215	31.7	25.0-38.4	192	29.5	22.2-36.8	112	17.6	11.7-23.5	64	8.1	04.6-11.6	120	13.1	08.0-18.2
Oth. Race/Non-Hisp.	215	175,656							36	16.7	07.7-25.7	13	3.9	00.0-08.2	47	16.6	07.4-25.8
MultiRacial/Non-Hisp.	196	86,815							25	7.2	01.5-12.9						
Hispanic	682	1,016,672	202	25.0	18.9-31.1	189	26.2	20.3-32.1	103	16.6	11.1-22.1	55	5.8	02.7-08.9	133	26.4	19.0-33.8
18-24	349	426,816	60	13.7	07.8-19.6	50	13.4	06.1-20.7	58	17.9	10.1-25.7	33	8.7	01.6-15.8			
25-34	1033	852,598	216	17.0	13.1-20.9	253	27.1	21.6-32.6	160	15.8	11.9-19.7	105	9.1	06.2-12.0	299	31.0	24.5-37.5
35-44	1713	1,511,310	390	21.3	17.8-24.8	438	24.2	20.7-27.7	301	18.1	14.8-21.4	171	9.9	07.2-12.6	413	26.5	22.4-30.6
45-54	2650	2,095,677	649	22.4	19.1-25.7	714	28.0	24.7-31.3	466	19.6	16.5-22.7	245	8.7	06.7-10.7	576	21.4	18.1-24.7
55-64	3447	1,126,031	948	28.1	25.0-31.2	1040	29.7	26.6-32.8	618	20.4	17.5-23.3	308	8.1	06.5-09.7	533	13.7	11.5-15.9
65+	5637	1,568,072	2035	38.1	35.9-40.3	1906	34.5	32.3-36.7	947	15.9	14.3-17.5	323	5.1	04.3-05.9	426	6.4	05.2-07.6
Less Than H.S.	782	287,830	196	20.3	14.4-26.2	169	31.7	23.1-40.3	97	10.4	05.7-15.1	66	7.5	03.8-11.2	254	30.1	22.7-37.5
H.S. or G.E.D.	3831	1,686,621	1088	23.4	20.7-26.1	1068	26.5	23.4-29.6	609	15.7	13.0-18.4	295	8.2	06.2-10.2	771	26.1	22.4-29.8
Some Post-H.S.	4535	2,187,302	1405	26.5	23.6-29.4	1308	25.5	22.8-28.2	803	17.9	15.5-20.3	346	7.6	05.6-09.6	673	22.5	18.8-26.2
College Graduate	5770	3,443,939	1650	25.8	23.6-28.0	1880	29.7	27.3-32.1	1053	20.1	17.9-22.3	486	8.5	07.1-09.9	701	15.9	13.9-17.9
Less than \$15,000	1048	393,716	289	22.8	17.1-28.5	248	21.5	14.6-28.4	165	19.8	13.7-25.9	91	6.2	03.8-08.6	255	29.7	21.5-37.9
\$15,000- 24,999	2064	795,130	635	26.2	22.3-30.1	567	26.2	21.7-30.7	327	16.0	12.1-19.9	143	8.0	05.3-10.7	392	23.6	17.7-29.5
\$25,000- 34,999	1519	643,309	475	23.9	19.6-28.2	455	30.6	25.3-35.9	228	15.7	11.0-20.4	120	7.4	03.7-11.1	241	22.4	14.8-30.0
\$35,000- 49,999	2153	934,510	639	28.3	24.2-32.4	644	29.6	25.3-33.9	388	18.8	15.3-22.3	154	6.3	04.3-08.3	328	17.0	13.5-20.5
\$50,000- 74,999	2375	1,212,265	667	27.8	23.5-32.1	748	29.6	26.1-33.1	413	16.8	13.5-20.1	184	8.5	05.8-11.2	363	17.3	14.2-20.4
\$75,000+	3997	2,798,410	957	21.1	18.7-23.5	1209	27.6	24.9-30.3	818	20.3	17.8-22.8	381	9.6	07.8-11.4	632	21.3	18.6-24.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 14: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6647	4,145,158	1311	17.4	15.4-19.4	1698	23.9	21.7-26.1	1361	20.9	18.7-23.1	544	7.9	06.5-09.3	1733	29.9	27.2-32.6
White/Non-Hisp	5668	3,026,652	1092	16.2	14.4-18.0	1466	23.7	21.5-25.9	1180	21.4	19.0-23.8	479	8.8	07.0-10.6	1451	29.9	27.2-32.6
Black or Afr. Am./Non-Hisp	315	290,318	64	19.9	11.5-28.3				65	20.0	11.6-28.4	28	8.0	02.5-13.5	86	21.3	12.3-30.3
Oth. Race/Non-Hisp.	113	107,559										6	4.5	00.0-11.2			
MultiRacial/Non-Hisp.	97	39,399							13	7.7	00.0-16.9	4	6.7	00.0-14.5			
Hispanic	326	611,576	75	19.3	11.1-27.5	73	20.1	12.8-27.4	62	19.7	11.5-27.9	19	4.3	00.6-08.0			
18-24	170	266,329	20	6.9	02.0-11.8	17	11.6	02.6-20.6				10	8.1	00.0-18.7			
25-34	418	456,164	51	6.7	03.4-10.0	77	25.1	16.3-33.9	67	15.0	09.1-20.9	38	7.6	03.7-11.5			
35-44	736	862,673	118	16.9	12.2-21.6	145	18.8	14.1-23.5	142	20.3	15.2-25.4	61	7.9	04.2-11.6	270	36.1	29.8-42.4
45-54	1139	1,118,415	178	16.4	11.7-21.1	241	21.0	16.3-25.7	221	21.9	17.0-26.8	97	9.7	06.6-12.8	402	31.0	25.5-36.5
55-64	1515	610,662	272	20.0	15.7-24.3	367	25.1	20.6-29.6	332	26.1	21.4-30.8	141	7.6	05.4-09.8	403	21.2	17.3-25.1
65+	2635	815,323	666	26.8	23.7-29.9	841	35.6	32.3-38.9	565	20.7	18.0-23.4	195	5.7	04.5-06.9	368	11.2	09.2-13.2
Less Than H.S.	437	180,912	73	10.7	06.4-15.0				64	13.3	06.2-20.4	29	7.4	02.3-12.5			
H.S. or G.E.D.	1679	912,254	316	15.9	12.2-19.6	387	25.0	20.3-29.7	301	16.2	11.9-20.5	120	6.2	04.2-08.2	555	36.7	30.8-42.6
Some Post-H.S.	1768	1,115,255	353	18.1	13.6-22.6	427	18.8	14.9-22.7	401	20.8	16.7-24.9	139	7.2	03.7-10.7	448	35.2	28.9-41.5
College Graduate	2742	1,920,502	564	18.4	15.7-21.1	795	25.5	22.2-28.8	591	23.9	20.6-27.2	256	9.2	07.0-11.4	536	23.0	19.9-26.1
Less than \$15,000	449	217,427	88	17.2	09.8-24.6							33	5.6	01.9-09.3			
\$15,000- 24,999	872	415,758	176	15.9	11.2-20.6	195	23.4	16.7-30.1	165	18.5	11.8-25.2	64	5.2	02.8-07.6	272	37.0	27.6-46.4
\$25,000- 34,999	637	354,394	133	15.2	10.3-20.1	161	25.8	18.0-33.6	124	18.0	11.1-24.9	43	7.3	01.0-13.6			
\$35,000- 49,999	974	489,953	190	18.9	13.4-24.4	261	28.4	21.5-35.3	210	21.3	15.8-26.8	79	7.0	03.7-10.3	234	24.3	18.2-30.4
\$50,000- 74,999	1070	661,942	210	21.7	15.2-28.2	288	26.2	21.1-31.3	228	20.2	14.9-25.5	80	7.9	03.4-12.4	264	24.1	18.8-29.4
\$75,000+	2042	1,635,642	361	15.1	12.2-18.0	522	21.5	18.0-25.0	470	22.8	19.1-26.5	191	9.5	07.1-11.9	498	31.1	26.8-35.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 13: ALCOHOL CONSUMPTION**

TABLE 15: DURING THE PAST 30 DAYS, WHAT IS THE LARGEST NUMBER OF DRINKS YOU HAD ON ANY OCCASION? (MAXDRNKS)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents reporting having consumed no alcohol in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Drink			Two Drinks			Three Drinks			Four Drinks			Five or More Drinks		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8302	3,479,650	3039	34.6	32.4-36.8	2737	32.8	30.6-35.0	1205	14.8	13.2-16.4	649	8.4	07.2-09.6	672	9.4	08.0-10.8
White/Non-Hisp	7247	2,656,104	2634	32.9	30.9-34.9	2415	33.5	31.3-35.7	1074	15.5	13.7-17.3	555	8.5	07.3-09.7	569	9.6	08.0-11.2
Black or Afr. Am./Non-Hisp	388	253,518	151	45.1	35.5-54.7	120	27.9	20.1-35.7	47	14.9	06.7-23.1	36	8.3	04.0-12.6	34	3.8	01.4-06.2
Oth. Race/Non-Hisp.	102	68,097							17	11.8	03.0-20.6	7	3.1	00.2-06.0	13	7.4	00.5-14.3
MultiRacial/Non-Hisp.	99	47,416							12	6.7	00.0-14.0						
Hispanic	356	405,096	127	33.7	25.1-42.3	116	35.4	26.4-44.4	41	12.0	05.5-18.5	36	8.0	02.9-13.1	36	10.9	04.6-17.2
18-24	179	160,486										23	9.6	03.3-15.9			
25-34	615	396,434	165	28.9	22.4-35.4	176	29.4	23.1-35.7	93	16.6	11.5-21.7	67	10.8	06.7-14.9	114	14.3	09.8-18.8
35-44	977	648,636	272	27.1	22.2-32.0	293	31.3	26.2-36.4	159	15.2	11.3-19.1	110	12.6	08.5-16.7	143	13.7	10.0-17.4
45-54	1511	977,263	471	29.2	24.5-33.9	473	35.9	31.0-40.8	245	16.9	13.0-20.8	148	7.5	05.3-09.7	174	10.5	07.4-13.6
55-64	1932	515,369	676	37.7	33.4-42.0	673	35.1	31.2-39.0	286	13.8	10.9-16.7	167	8.7	06.3-11.1	130	4.8	03.4-06.2
65+	3002	752,749	1369	50.3	47.4-53.2	1065	33.3	30.6-36.0	382	10.7	09.1-12.3	128	4.5	03.3-05.7	58	1.2	00.6-01.8
Less Than H.S.	345	106,918							33	5.5	02.2-08.8	37	7.6	02.1-13.1	66	14.7	05.7-23.7
H.S. or G.E.D.	2152	774,367	772	32.3	28.2-36.4	681	28.3	24.2-32.4	308	15.1	11.8-18.4	175	10.6	07.5-13.7	216	13.7	10.2-17.2
Some Post-H.S.	2767	1,072,048	1052	35.3	32.0-38.6	881	32.5	29.0-36.0	402	14.9	12.2-17.6	207	8.1	06.3-09.9	225	9.3	06.9-11.7
College Graduate	3028	1,523,437	1086	35.0	31.5-38.5	1085	35.0	31.7-38.3	462	15.4	12.7-18.1	230	7.6	05.8-09.4	165	7.0	05.0-09.0
Less than \$15,000	599	176,290	201	29.7	21.9-37.5	155	24.6	16.6-32.6	95	16.2	10.9-21.5	58	6.9	04.2-09.6	90	22.7	13.7-31.7
\$15,000- 24,999	1192	379,371	459	37.6	32.1-43.1	372	29.2	23.5-34.9	162	13.2	09.5-16.9	79	11.1	06.0-16.2	120	9.0	05.5-12.5
\$25,000- 34,999	882	288,916	342	34.7	28.4-41.0	294	36.4	29.7-43.1	104	12.9	06.2-19.6	77	7.5	04.2-10.8	65	8.6	04.7-12.5
\$35,000- 49,999	1179	444,557	449	38.6	32.9-44.3	383	30.9	25.8-36.0	178	16.0	11.5-20.5	75	5.6	03.4-07.8	94	8.9	05.4-12.4
\$50,000- 74,999	1305	550,322	457	35.1	29.8-40.4	460	33.7	28.8-38.6	185	12.8	09.5-16.1	104	9.2	06.3-12.1	99	9.2	06.1-12.3
\$75,000+	1955	1,162,767	596	29.5	25.6-33.4	687	36.2	32.1-40.3	348	16.9	14.0-19.8	190	9.8	07.4-12.2	134	7.6	05.4-09.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 14: IMMUNIZATION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)	
1 MALES AND FEMALES	176
2 MALES ONLY	177
3 FEMALES ONLY	178
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)	
4 MALES AND FEMALES	179
5 MALES ONLY	180
6 FEMALES ONLY	181
THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)	
7 MALES AND FEMALES	182
8 MALES ONLY	183
9 FEMALES ONLY	184
DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)	
10 MALES AND FEMALES	185
11 MALES ONLY	186
12 FEMALES ONLY	187
A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)	
13 MALES AND FEMALES	188
14 MALES ONLY	189
15 FEMALES ONLY	190

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 1: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	34172	14,309,567	15414	36.1	34.9-37.3	18758	63.9	62.7-65.1
Male	12661	6,925,964	5685	34.9	32.9-36.9	6976	65.1	63.1-67.1
Female	21511	7,383,603	9729	37.2	35.8-38.6	11782	62.8	61.4-64.2
White/Non-Hisp	27885	9,836,232	13326	40.9	39.7-42.1	14559	59.1	57.9-60.3
Black or Afr. Am./Non-Hisp	2562	1,436,335	785	23.5	20.0-27.0	1777	76.5	73.0-80.0
Oth. Race/Non-Hisp.	628	441,667	238	36.1	28.1-44.1	390	63.9	55.9-71.9
MultiRacial/Non-Hisp.	521	187,596	176	22.9	14.9-30.9	345	77.1	69.1-85.1
Hispanic	1886	2,152,082	590	24.3	20.4-28.2	1296	75.7	71.8-79.6
18-24	821	955,681	167	16.7	11.6-21.8	654	83.3	78.2-88.4
25-34	2209	1,520,549	457	24.3	20.0-28.6	1752	75.7	71.4-80.0
35-44	3507	2,680,558	787	20.8	18.3-23.3	2720	79.2	76.7-81.7
45-54	5693	3,693,803	1570	27.7	25.2-30.2	4123	72.3	69.8-74.8
55-64	7720	2,100,002	3281	41.9	39.5-44.3	4439	58.1	55.7-60.5
65+	13912	3,250,196	9016	65.6	64.0-67.2	4896	34.4	32.8-36.0
Less Than H.S.	3462	1,050,527	1307	29.7	25.6-33.8	2155	70.3	66.2-74.4
H.S. or G.E.D.	11060	3,780,673	4686	32.2	30.0-34.4	6374	67.8	65.6-70.0
Some Post-H.S.	9689	4,065,043	4363	35.5	33.3-37.7	5326	64.5	62.3-66.7
College Graduate	9864	5,356,298	5019	40.6	38.6-42.6	4845	59.4	57.4-61.4
Less than \$15,000	4323	1,249,604	1578	30.5	27.0-34.0	2745	69.5	66.0-73.0
\$15,000- 24,999	6084	2,114,807	2650	32.7	29.8-35.6	3434	67.3	64.4-70.2
\$25,000- 34,999	3697	1,267,129	1704	37.2	32.9-41.5	1993	62.8	58.5-67.1
\$35,000- 49,999	4498	1,766,883	2108	37.7	34.6-40.8	2390	62.3	59.2-65.4
\$50,000- 74,999	4330	1,979,790	1995	35.6	32.7-38.5	2335	64.4	61.5-67.3
\$75,000+	6050	3,944,262	2822	37.3	34.9-39.7	3228	62.7	60.3-65.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 2: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	12661	6,925,964	5685	34.9	33.1-36.7	6976	65.1	63.3-66.9	
White/Non-Hisp	10423	4,796,507	4925	38.4	36.4-40.4	5498	61.6	59.6-63.6	
Black or Afr. Am./Non-Hisp	779	602,086	256	24.6	18.1-31.1	523	75.4	68.9-81.9	
Hispanic	669	1,064,294	210	25.7	19.2-32.2	459	74.3	67.8-80.8	
18-24	357	573,566	67	17.8	10.4-25.2	290	82.2	74.8-89.6	
25-34	745	748,601	140	25.7	18.3-33.1	605	74.3	66.9-81.7	
35-44	1257	1,347,289	255	21.0	16.9-25.1	1002	79.0	74.9-83.1	
45-54	2138	1,788,866	545	25.9	22.2-29.6	1593	74.1	70.4-77.8	
55-64	2876	1,006,520	1197	40.1	36.4-43.8	1679	59.9	56.2-63.6	
65+	5216	1,428,435	3448	67.3	64.8-69.8	1768	32.7	30.2-35.2	
Less Than H.S.	1272	521,293	460	26.1	20.0-32.2	812	73.9	67.8-80.0	
H.S. or G.E.D.	3822	1,795,058	1504	28.8	25.5-32.1	2318	71.2	67.9-74.5	
Some Post-H.S.	3296	1,865,856	1467	32.9	29.0-36.8	1829	67.1	63.2-71.0	
College Graduate	4225	2,712,673	2234	42.1	39.2-45.0	1991	57.9	55.0-60.8	
Less than \$15,000	1329	536,411	468	31.9	25.6-38.2	861	68.1	61.8-74.4	
\$15,000- 24,999	2058	942,424	875	29.6	24.9-34.3	1183	70.4	65.7-75.1	
\$25,000- 34,999	1317	597,363	601	39.9	32.5-47.3	716	60.1	52.7-67.5	
\$35,000- 49,999	1797	805,540	848	36.8	32.1-41.5	949	63.2	58.5-67.9	
\$50,000- 74,999	1798	995,176	858	34.7	30.0-39.4	940	65.3	60.6-70.0	
\$75,000+	2941	2,252,188	1380	35.8	32.5-39.1	1561	64.2	60.9-67.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 3: A FLU SHOT IS AN INFLUENZA VACCINE INJECTED INTO YOUR ARM. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU SHOT? (FLUSHOT4)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21511	7,383,603	9729	37.2	35.8-38.6	11782	62.8	61.4-64.2
White/Non-Hisp	17462	5,039,725	8401	43.2	41.6-44.8	9061	56.8	55.2-58.4
Black or Afr. Am./Non-Hisp	1783	834,249	529	22.7	18.8-26.6	1254	77.3	73.4-81.2
MultiRacial/Non-Hisp.	309	103,587	112	21.5	11.7-31.3	197	78.5	68.7-88.3
Hispanic	1217	1,087,788	380	23.0	18.5-27.5	837	77.0	72.5-81.5
18-24	464	382,115	100	15.0	09.7-20.3	364	85.0	79.7-90.3
25-34	1464	771,947	317	23.0	19.1-26.9	1147	77.0	73.1-80.9
35-44	2250	1,333,269	532	20.5	17.6-23.4	1718	79.5	76.6-82.4
45-54	3555	1,904,937	1025	29.4	26.1-32.7	2530	70.6	67.3-73.9
55-64	4844	1,093,482	2084	43.6	40.7-46.5	2760	56.4	53.5-59.3
65+	8696	1,821,762	5568	64.3	62.3-66.3	3128	35.7	33.7-37.7
Less Than H.S.	2190	529,234	847	33.3	27.6-39.0	1343	66.7	61.0-72.4
H.S. or G.E.D.	7238	1,985,615	3182	35.3	32.8-37.8	4056	64.7	62.2-67.2
Some Post-H.S.	6393	2,199,187	2896	37.7	35.3-40.1	3497	62.3	59.9-64.7
College Graduate	5639	2,643,624	2785	39.0	36.5-41.5	2854	61.0	58.5-63.5
Less than \$15,000	2994	713,192	1110	29.4	25.7-33.1	1884	70.6	66.9-74.3
\$15,000- 24,999	4026	1,172,383	1775	35.2	31.7-38.7	2251	64.8	61.3-68.3
\$25,000- 34,999	2380	669,766	1103	34.8	30.7-38.9	1277	65.2	61.1-69.3
\$35,000- 49,999	2701	961,343	1260	38.3	34.2-42.4	1441	61.7	57.6-65.8
\$50,000- 74,999	2532	984,615	1137	36.5	32.8-40.2	1395	63.5	59.8-67.2
\$75,000+	3109	1,692,074	1442	39.3	36.0-42.6	1667	60.7	57.4-64.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 4: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	14044	4,686,463	50	0.4	00.2-00.6	203	2.1	01.5-02.7	8912	62.2	60.4-64.0	953	8.2	07.0-09.4	231	2.3	01.7-02.9	3695	24.8	23.2-26.4
Male	5145	2,193,954	26	0.5	00.0-01.1	88	2.0	01.2-02.8	3202	60.8	57.7-63.9	416	9.8	07.6-12.0	104	3.0	01.8-04.2	1309	24.0	21.5-26.5
Female	8899	2,492,509	24	0.3	00.1-00.5	115	2.2	01.2-03.2	5710	63.5	61.3-65.7	537	6.9	05.7-08.1	127	1.8	01.2-02.4	2386	25.5	23.5-27.5
White/Non-Hisp	12240	3,684,788	43	0.3	00.1-00.5	158	1.3	00.9-01.7	7851	63.5	61.7-65.3	765	7.3	06.1-08.5	177	2.0	01.4-02.6	3246	25.7	24.1-27.3
Black or Afr. Am./Non-Hisp	668	276,984	3	0.5	00.0-01.1	17	4.8	01.7-07.9	384	55.7	47.7-63.7	78	10.7	06.6-14.8	22	5.9	01.2-10.6	164	22.4	15.9-28.9
Oth. Race/Non-Hisp.	217	149,187				9	6.4	00.0-13.5				16	10.1	01.1-19.1	6	3.4	00.0-07.1			
MultiRacial/Non-Hisp.	157	40,450				4	6.3	00.0-16.1							4	1.0	00.0-02.2			
Hispanic	522	474,437	4	1.4	00.0-03.8	11	5.1	00.8-09.4	310	60.6	51.0-70.2	59	11.6	04.7-18.5	16	2.6	00.2-05.0	122	18.6	11.7-25.5
18-24	137	123,391	1	0.1	00.0-00.3	8	4.1	00.0-08.8				22	10.2	01.8-18.6	8	6.4	00.0-13.5			
25-34	409	336,362	5	0.5	00.0-01.1	11	2.4	00.4-04.4				48	13.3	04.7-21.9	14	3.6	00.7-06.5	81	20.5	12.9-28.1
35-44	716	522,293	3	0.3	00.0-00.7	21	4.5	01.2-07.8	455	62.0	54.9-69.1	72	9.5	05.4-13.6	13	4.8	00.9-08.7	152	18.9	13.6-24.2
45-54	1441	922,937	10	0.4	00.2-00.6	24	2.8	00.8-04.8	908	61.3	56.0-66.6	141	11.6	07.9-15.3	27	1.8	00.6-03.0	331	22.1	17.8-26.4
55-64	3039	822,296	13	1.2	00.0-02.6	44	0.9	00.5-01.3	1971	64.3	60.8-67.8	233	8.1	06.1-10.1	53	1.4	00.8-02.0	725	24.1	21.0-27.2
65+	8189	1,923,914	18	0.1	00.1-00.1	93	1.4	00.8-02.0	5184	62.6	60.6-64.6	428	5.2	04.4-06.0	114	1.8	01.2-02.4	2352	28.9	27.1-30.7
Less Than H.S.	1103	249,473	5	0.6	00.0-01.4	24	7.5	00.8-14.2	655	56.4	48.0-64.8	113	13.5	07.2-19.8	21	1.9	00.0-04.1	285	20.1	14.8-25.4
H.S. or G.E.D.	4235	1,050,123	14	0.8	00.0-01.8	62	1.9	00.9-02.9	2643	58.1	54.4-61.8	313	10.6	07.3-13.9	73	3.5	01.9-05.1	1130	25.2	22.3-28.1
Some Post-H.S.	4010	1,338,288	17	0.3	00.1-00.5	56	1.4	00.6-02.2	2554	62.1	58.6-65.6	269	8.2	06.2-10.2	65	1.5	00.9-02.1	1049	26.4	23.5-29.3
College Graduate	4669	2,038,627	14	0.2	00.0-00.4	61	2.0	01.0-03.0	3041	65.0	62.1-67.9	258	6.4	05.0-07.8	72	2.3	01.1-03.5	1223	24.1	21.6-26.6
Less than \$15,000	1399	330,244	8	2.4	00.0-05.7	22	3.2	00.1-06.3	835	60.5	54.0-67.0	116	7.9	04.6-11.2	35	2.6	01.0-04.2	383	23.3	18.4-28.2
\$15,000- 24,999	2403	625,352	10	0.4	00.0-00.8	45	4.8	01.7-07.9	1467	53.6	48.5-58.7	193	11.6	06.9-16.3	54	4.6	02.4-06.8	634	25.0	21.1-28.9
\$25,000- 34,999	1574	424,636	8	0.1	00.0-00.3	19	1.4	00.0-02.8	983	64.6	58.1-71.1	101	5.4	02.7-08.1	16	2.8	00.0-05.7	447	25.7	20.6-30.8
\$35,000- 49,999	1967	615,412	3	0.0	00.0-00.0	34	1.8	00.6-03.0	1257	63.9	59.2-68.6	129	7.0	04.3-09.7	36	3.4	01.4-05.4	508	23.9	20.0-27.8
\$50,000- 74,999	1861	662,337	2	0.4	00.0-01.0	29	0.9	00.3-01.5	1232	64.9	60.4-69.4	91	5.9	03.7-08.1	29	1.8	00.6-03.0	478	26.1	22.0-30.2
\$75,000+	2656	1,381,711	11	0.2	00.0-00.4	29	1.3	00.5-02.1	1732	65.0	61.3-68.7	177	8.6	06.2-11.0	33	1.4	00.2-02.6	674	23.5	20.4-26.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 5: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	5145	2,193,954	26	0.5	00.0-01.1	88	2.0	01.2-02.8	3202	60.8	57.7-63.9	416	9.8	07.6-12.0	104	3.0	01.8-04.2	1309	24.0	21.5-26.5
White/Non-Hisp	4494	1,696,158	20	0.3	00.1-00.5	74	1.6	00.8-02.4	2822	61.8	58.9-64.7	343	9.2	07.0-11.4	82	2.7	01.5-03.9	1153	24.4	21.9-26.9
Black or Afr. Am./Non-Hisp	213	113,630	3	1.2	00.0-02.8	4	4.1	00.0-09.6				19	6.7	01.0-12.4	7	6.9	00.0-16.3			
Oth. Race/Non-Hisp.	103	85,536				2	6.7	00.0-17.7				10	6.3	00.0-13.0	2	1.0	00.0-02.4			
MultiRacial/Non-Hisp.	56	19,250													1	1.1	00.0-03.3			
Hispanic	180	246,022	3	2.5	00.0-06.8	3	1.5	00.0-03.3							11	4.4	00.1-08.7			
18-24	55	77,878				5	6.0	00.0-13.6				8	3.7	00.0-09.4	3	7.3	00.0-17.9			
25-34	126	176,731	3	0.5	00.0-01.3	4	2.2	00.0-04.9							8	4.7	00.0-09.6			
35-44	223	265,610	2	0.3	00.0-00.7	8	3.4	00.0-07.5				29	9.5	04.0-15.0	6	7.1	00.0-14.2	43	17.3	08.7-25.9
45-54	490	418,337	5	0.5	00.0-01.1	7	1.3	00.1-02.5	310	56.3	47.9-64.7	52	15.3	08.4-22.2	10	1.7	00.1-03.3	106	25.0	17.9-32.1
55-64	1101	377,185	8	1.9	00.0-04.8	20	0.9	00.3-01.5	700	64.1	58.2-70.0	101	9.0	05.5-12.5	27	2.2	01.0-03.4	245	21.9	17.2-26.6
65+	3124	866,879	8	0.1	00.0-00.3	43	1.9	00.5-03.3	1941	62.4	59.5-65.3	208	6.8	05.2-08.4	50	2.0	01.0-03.0	874	26.8	24.3-29.3
Less Than H.S.	382	105,387	3	0.6	00.0-01.6	14	7.5	00.4-14.6				45	16.8	07.4-26.2	8	0.8	00.0-01.6	82	18.7	11.4-26.0
H.S. or G.E.D.	1343	427,564	7	1.7	00.0-04.2	25	1.0	00.4-01.6	803	54.9	48.0-61.8	130	14.1	07.0-21.2	31	4.8	01.9-07.7	347	23.4	18.3-28.5
Some Post-H.S.	1336	582,147	9	0.3	00.0-00.7	23	1.6	00.4-02.8	838	59.0	52.3-65.7	108	10.1	06.0-14.2	18	1.0	00.2-01.8	340	28.0	22.3-33.7
College Graduate	2072	1,073,455	7	0.2	00.0-00.4	26	2.1	00.7-03.5	1323	64.5	60.2-68.8	133	7.2	05.0-09.4	47	3.5	01.5-05.5	536	22.5	19.0-26.0
Less than \$15,000	410	151,783	5	4.8	00.0-11.9	10	4.0	00.0-10.3				47	9.7	03.6-15.8	12	3.9	00.6-07.2	98	19.3	11.7-26.9
\$15,000- 24,999	772	246,733	5	0.3	00.1-00.5	17	2.3	00.7-03.9	453	55.6	46.4-64.8				22	3.7	00.6-06.8	197	24.8	18.1-31.5
\$25,000- 34,999	542	214,862	3	0.1	00.1-00.1	6	1.6	00.0-04.3				43	6.1	00.6-11.6	7	4.5	00.0-10.0	140	21.9	14.1-29.7
\$35,000- 49,999	785	274,715	1	0.0	00.0-00.0	14	2.0	00.0-04.0	497	61.3	53.9-68.7	64	9.7	04.0-15.4	17	4.7	01.0-08.4	192	22.2	16.5-27.9
\$50,000- 74,999	795	326,679	1	0.2	00.0-00.6	20	1.4	00.4-02.4	511	63.2	55.9-70.5	40	7.8	03.7-11.9	17	2.2	00.2-04.2	206	25.1	18.8-31.4
\$75,000+	1287	754,049	8	0.3	00.1-00.5	12	1.3	00.0-02.7	820	62.5	56.8-68.2	101	9.5	06.0-13.0	22	2.1	00.1-04.1	324	24.3	19.4-29.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 6: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU SHOT? (FLSHTMY1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8899	2,492,509	24	0.3	00.1-00.5	115	2.2	01.2-03.2	5710	63.5	61.3-65.7	537	6.9	05.7-08.1	127	1.8	01.2-02.4	2386	25.5	23.5-27.5
White/Non-Hisp	7746	1,988,630	23	0.3	00.1-00.5	84	1.0	00.6-01.4	5029	64.9	62.7-67.1	422	5.6	04.6-06.6	95	1.4	00.8-02.0	2093	26.8	24.8-28.8
Black or Afr. Am./Non-Hisp	455	163,354				13	5.3	01.6-09.0	253	53.6	43.8-63.4	59	13.5	08.0-19.0	15	5.1	00.6-09.6	115	22.5	14.7-30.3
Oth. Race/Non-Hisp.	114	63,651				7	5.9	00.0-13.0							4	6.6	00.0-15.0			
MultiRacial/Non-Hisp.	101	21,200				1	1.9	00.0-05.8				5	1.7	00.0-03.9	3	0.8	00.0-02.0			
Hispanic	342	228,415	1	0.2	00.0-00.6	8	9.0	00.6-17.4				39	10.8	03.5-18.1	5	0.7	00.0-01.7	77	18.1	09.5-26.7
18-24	82	45,513	1	0.2	00.0-00.6	3	0.8	00.0-02.0							5	4.8	00.0-11.9			
25-34	283	159,630	2	0.4	00.0-01.0	7	2.6	00.0-05.3	178	64.6	55.4-73.8	33	10.9	05.0-16.8	6	2.5	00.0-05.6	57	19.0	11.7-26.3
35-44	493	256,683	1	0.4	00.0-01.2	13	5.8	00.7-10.9	320	61.4	53.2-69.6	43	9.5	03.6-15.4	7	2.5	00.0-05.2	109	20.4	14.3-26.5
45-54	951	504,600	5	0.2	00.0-00.6	17	4.0	00.5-07.5	598	65.5	59.0-72.0	89	8.6	05.1-12.1	17	2.0	00.2-03.8	225	19.6	14.5-24.7
55-64	1938	445,111	5	0.5	00.0-01.3	24	0.9	00.3-01.5	1271	64.6	60.3-68.9	132	7.4	05.2-09.6	26	0.7	00.3-01.1	480	25.9	21.8-30.0
65+	5065	1,057,035	10	0.2	00.0-00.4	50	1.0	00.4-01.6	3243	62.8	60.3-65.3	220	3.9	03.1-04.7	64	1.6	00.8-02.4	1478	30.6	28.1-33.1
Less Than H.S.	721	144,086	2	0.6	00.0-01.8	10	7.4	00.0-17.8				68	11.1	02.7-19.5	13	2.7	00.0-06.4	203	21.1	13.7-28.5
H.S. or G.E.D.	2892	622,559	7	0.1	00.0-00.3	37	2.5	00.9-04.1	1840	60.2	56.3-64.1	183	8.1	05.4-10.8	42	2.5	00.9-04.1	783	26.5	23.2-29.8
Some Post-H.S.	2674	756,141	8	0.3	00.0-00.7	33	1.3	00.3-02.3	1716	64.5	61.0-68.0	161	6.7	04.9-08.5	47	2.0	01.0-03.0	709	25.2	21.9-28.5
College Graduate	2597	965,172	7	0.3	00.0-00.7	35	1.9	00.5-03.3	1718	65.6	61.9-69.3	125	5.6	03.8-07.4	25	1.0	00.4-01.6	687	25.8	22.5-29.1
Less than \$15,000	989	178,461	3	0.3	00.0-00.9	12	2.5	00.1-04.9	597	62.5	55.6-69.4	69	6.4	03.1-09.7	23	1.6	00.6-02.6	285	26.8	20.7-32.9
\$15,000- 24,999	1631	378,619	5	0.5	00.0-01.1	28	6.4	01.5-11.3	1014	52.3	46.2-58.4	115	10.5	06.8-14.2	32	5.1	02.0-08.2	437	25.1	20.0-30.2
\$25,000- 34,999	1032	209,774	5	0.2	00.0-00.4	13	1.1	00.3-01.9	640	63.4	57.7-69.1	58	4.7	02.9-06.5	9	1.1	00.1-02.1	307	29.6	24.1-35.1
\$35,000- 49,999	1182	340,697	2	0.1	00.1-00.1	20	1.6	00.4-02.8	760	65.9	60.0-71.8	65	4.8	02.8-06.8	19	2.3	00.5-04.1	316	25.2	20.1-30.3
\$50,000- 74,999	1066	335,658	1	0.5	00.0-01.5	9	0.5	00.0-01.1	721	66.5	61.0-72.0	51	4.0	02.4-05.6	12	1.5	00.1-02.9	272	27.0	21.7-32.3
\$75,000+	1369	627,662	3	0.2	00.0-00.6	17	1.4	00.4-02.4	912	67.9	63.2-72.6	76	7.5	04.2-10.8	11	0.5	00.1-00.9	350	22.5	18.6-26.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 7. THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34206	14,313,082	226	1.2	00.8-01.6	33980	98.8	98.4-99.2	
Male	12677	6,932,512	114	1.5	00.7-02.3	12563	98.5	97.7-99.3	
Female	21529	7,380,570	112	0.9	00.5-01.3	21417	99.1	98.7-99.5	
White/Non-Hisp	27924	9,852,585	141	0.8	00.6-01.0	27783	99.2	99.0-99.4	
Black or Afr. Am./Non-Hisp	2568	1,446,100	29	1.7	00.5-02.9	2539	98.3	97.1-99.5	
Oth. Race/Non-Hisp.	624	440,447	9	1.6	00.0-03.6	615	98.4	96.4-0100	
MultiRacial/Non-Hisp.	520	185,727	4	0.9	00.0-02.3	516	99.1	97.7-0100	
Hispanic	1881	2,136,215	40	2.5	00.1-04.9	1841	97.5	95.1-99.9	
18-24	831	963,568	15	2.1	00.3-03.9	816	97.9	96.1-99.7	
25-34	2208	1,518,775	39	2.9	00.0-06.0	2169	97.1	94.0-0100	
35-44	3508	2,666,384	57	1.7	00.9-02.5	3451	98.3	97.5-99.1	
45-54	5685	3,701,450	43	1.1	00.5-01.7	5642	98.9	98.3-99.5	
55-64	7735	2,097,800	20	0.2	00.0-00.4	7715	99.8	99.6-0100	
65+	13928	3,255,809	48	0.3	00.1-00.5	13880	99.7	99.5-99.9	
Less Than H.S.	3466	1,057,635	22	0.5	00.1-00.9	3444	99.5	99.1-99.9	
H.S. or G.E.D.	11068	3,786,917	52	1.1	00.5-01.7	11016	98.9	98.3-99.5	
Some Post-H.S.	9699	4,057,596	65	1.7	00.5-02.9	9634	98.3	97.1-99.5	
College Graduate	9874	5,353,814	85	1.0	00.6-01.4	9789	99.0	98.6-99.4	
Less than \$15,000	4334	1,253,233	31	1.4	00.2-02.6	4303	98.6	97.4-99.8	
\$15,000- 24,999	6089	2,109,088	24	0.4	00.0-00.8	6065	99.6	99.2-0100	
\$25,000- 34,999	3693	1,260,206	16	2.4	00.0-06.1	3677	97.6	93.9-0100	
\$35,000- 49,999	4504	1,772,563	32	1.4	00.6-02.2	4472	98.6	97.8-99.4	
\$50,000- 74,999	4328	1,973,807	32	1.5	00.5-02.5	4296	98.5	97.5-99.5	
\$75,000+	6053	3,952,423	64	0.9	00.5-01.3	5989	99.1	98.7-99.5	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 8: THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	12677	6,932,512	114	1.5	00.7-02.3	12563	98.5	97.7-99.3	
White/Non-Hisp	10439	4,810,590	69	0.9	00.5-01.3	10370	99.1	98.7-99.5	
Black or Afr. Am./Non-Hisp	781	612,135	16	2.6	00.1-05.1	765	97.4	94.9-99.9	
Oth. Race/Non-Hisp.	289	252,997	4	0.7	00.0-01.7	285	99.3	98.3-0100	
MultiRacial/Non-Hisp.	211	82,023	3	2.1	00.0-05.0	208	97.9	95.0-0100	
Hispanic	669	1,052,655	20	3.8	00.0-08.3	649	96.2	91.7-0100	
18-24	363	577,276	8	0.5	00.1-00.9	355	99.5	99.1-99.9	
25-34	744	747,097	21	5.0	00.0-11.1	723	95.0	88.9-0100	
35-44	1258	1,341,555	32	2.3	00.7-03.9	1226	97.7	96.1-99.3	
45-54	2139	1,802,278	20	1.2	00.2-02.2	2119	98.8	97.8-99.8	
55-64	2885	1,001,895	10	0.3	00.1-00.5	2875	99.7	99.5-99.9	
65+	5216	1,429,723	22	0.3	00.1-00.5	5194	99.7	99.5-99.9	
Less Than H.S.	1270	525,161	11	0.6	00.0-01.2	1259	99.4	98.8-0100	
H.S. or G.E.D.	3830	1,803,501	26	1.1	00.1-02.1	3804	98.9	97.9-99.9	
Some Post-H.S.	3300	1,859,197	36	2.7	00.2-05.2	3264	97.3	94.8-99.8	
College Graduate	4231	2,713,569	39	1.0	00.4-01.6	4192	99.0	98.4-99.6	
Less than \$15,000	1332	536,938	12	2.2	00.0-04.9	1320	97.8	95.1-0100	
\$15,000- 24,999	2058	936,336	14	0.7	00.0-01.5	2044	99.3	98.5-0100	
\$25,000- 34,999	1319	597,650	5	4.0	00.0-11.4	1314	96.0	88.6-0100	
\$35,000- 49,999	1803	810,495	19	1.3	00.5-02.1	1784	98.7	97.9-99.5	
\$50,000- 74,999	1796	986,442	16	2.2	00.2-04.2	1780	97.8	95.8-99.8	
\$75,000+	2947	2,267,601	41	1.0	00.4-01.6	2906	99.0	98.4-99.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 14: IMMUNIZATION

TABLE 9: THE SEASONAL FLU VACCINE SPRAYED IN THE NOSE IS ALSO CALLED FLUMIST™. DURING THE PAST 12 MONTHS, HAVE YOU HAD A SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLUSPRY3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	21529	7,380,570	112	0.9	00.5-01.3	21417	99.1	98.7-99.5	
White/Non-Hisp	17485	5,041,995	72	0.8	00.4-01.2	17413	99.2	98.8-99.6	
Black or Afr. Am./Non-Hisp	1787	833,966	13	1.0	00.0-02.0	1774	99.0	98.0-0100	
Oth. Race/Non-Hisp.	335	187,450	5	2.7	00.0-06.8	330	97.3	93.2-0100	
MultiRacial/Non-Hisp.	309	103,703	1	0.0	00.0-00.0	308	100.0	0100-0100	
Hispanic	1212	1,083,560	20	1.3	00.3-02.3	1192	98.7	97.7-99.7	
18-24	468	386,291	7	4.6	00.1-09.1	461	95.4	90.9-99.9	
25-34	1464	771,678	18	0.9	00.3-01.5	1446	99.1	98.5-99.7	
35-44	2250	1,324,829	25	1.2	00.4-02.0	2225	98.8	98.0-99.6	
45-54	3546	1,899,172	23	1.0	00.4-01.6	3523	99.0	98.4-99.6	
55-64	4850	1,095,905	10	0.1	00.0-00.3	4840	99.9	99.7-0100	
65+	8712	1,826,086	26	0.3	00.1-00.5	8686	99.7	99.5-99.9	
Less Than H.S.	2196	532,474	11	0.4	00.0-00.8	2185	99.6	99.2-0100	
H.S. or G.E.D.	7238	1,983,416	26	1.2	00.2-02.2	7212	98.8	97.8-99.8	
Some Post-H.S.	6399	2,198,400	29	0.8	00.2-01.4	6370	99.2	98.6-99.8	
College Graduate	5643	2,640,245	46	0.9	00.5-01.3	5597	99.1	98.7-99.5	
Less than \$15,000	3002	716,294	19	0.7	00.0-01.5	2983	99.3	98.5-0100	
\$15,000- 24,999	4031	1,172,751	10	0.2	00.0-00.4	4021	99.8	99.6-0100	
\$25,000- 34,999	2374	662,556	11	1.0	00.0-02.2	2363	99.0	97.8-0100	
\$35,000- 49,999	2701	962,067	13	1.4	00.2-02.6	2688	98.6	97.4-99.8	
\$50,000- 74,999	2532	987,365	16	0.8	00.2-01.4	2516	99.2	98.6-99.8	
\$75,000+	3106	1,684,823	23	0.7	00.3-01.1	3083	99.3	98.9-99.7	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 10: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	190	144,579	2	0.3	00.1-00.5	4	3.0	02.2-03.8				35	14.5	10.2-18.8	6	8.8	00.0-19.0	25	6.7	03.0-10.4
Male	96	80,907	1	0.2	00.0-00.6	1	0.7	00.0-02.1	63	76.4	69.0-83.8	16	11.6	05.1-18.1	4	6.2	03.8-08.6	11	5.0	01.1-08.9
Female	94	63,672	1	0.4	00.2-00.6	3	5.9	04.3-07.5				19	18.1	11.2-25.0				14	8.7	01.4-16.0
White/Non-Hisp	122	77,415	2	0.6	00.2-01.0	2	4.8	04.2-05.4				22	16.9	09.8-24.0				15	4.8	02.4-07.2
35-44	51	36,302				2	1.5	00.0-04.4							1	10.2	06.9-13.5	5	6.4	02.3-10.5
Some Post-H.S.	58	58,803				1	0.0	00.0-00.0	38	80.5	70.7-90.3	13	15.1	05.5-24.7	1	1.1	00.0-03.3	5	3.2	01.0-05.4
College Graduate	76	50,943	2	0.8	00.2-01.4	2	1.1	00.0-03.3				7	10.5	06.6-14.4	1	7.3	05.1-09.5	13	10.2	02.0-18.4
\$75,000+	57	33,346	2	1.3	00.3-02.3	1	1.6	00.0-04.7	40	78.5	71.6-85.4	7	11.4	07.9-14.9	1	1.7	00.0-05.0	6	5.5	02.6-08.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 11: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	96	80,907	1	0.2	00.0-00.6	1	0.7	00.0-02.1	63	76.4	69.7-83.1	16	11.6	05.3-17.9	4	6.2	04.8-07.6	11	5.0	01.3-08.7
White/Non-Hisp	59	38,733	1	0.4	00.0-01.2										1	9.6	08.0-11.2	7	4.0	01.1-06.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 12: DURING WHAT MONTH AND YEAR DID YOU RECEIVE YOUR MOST RECENT SEASONAL FLU VACCINE THAT WAS SPRAYED IN YOUR NOSE? (FLSPRMY1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Jan-Apr 2009			May-Aug 2009			Sep-Dec 2009			Jan-Apr 2010			May-Aug 2010			Sep-Dec 2010		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	94	63,672	1	0.4	00.4-00.4	3	5.9	05.5-06.3	55	54.7	46.9-62.5	19	18.1	13.8-22.4	2	12.1	11.1-13.1	14	8.7	01.8-15.6
White/Non-Hisp	63	38,682	1	0.7	00.7-00.7	2	9.7	08.5-10.9	38	51.6	44.9-58.3	12	12.5	10.1-14.9	2	20.0	17.3-22.7	8	5.6	02.5-08.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 13: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	31767	12,713,047	13503	30.6	29.4-31.8	18264	69.4	68.2-70.6	
Male	11408	5,928,128	4953	30.5	28.7-32.3	6455	69.5	67.7-71.3	
Female	20359	6,784,919	8550	30.8	29.4-32.2	11809	69.2	67.8-70.6	
White/Non-Hisp	26024	8,770,067	11780	35.1	33.9-36.3	14244	64.9	63.7-66.1	
Black or Afr. Am./Non-Hisp	2397	1,318,057	656	18.8	15.5-22.1	1741	81.2	77.9-84.5	
Oth. Race/Non-Hisp.	575	378,505	205	21.2	15.1-27.3	370	78.8	72.7-84.9	
MultiRacial/Non-Hisp.	475	160,621	193	28.6	19.8-37.4	282	71.4	62.6-80.2	
Hispanic	1652	1,852,369	395	19.2	15.5-22.9	1257	80.8	77.1-84.5	
18-24	659	762,548	112	15.1	09.8-20.4	547	84.9	79.6-90.2	
25-34	1795	1,207,261	233	14.3	10.8-17.8	1562	85.7	82.2-89.2	
35-44	3057	2,259,851	427	14.0	11.6-16.4	2630	86.0	83.6-88.4	
45-54	5231	3,316,397	981	15.4	13.4-17.4	4250	84.6	82.6-86.6	
55-64	7292	1,956,131	2298	28.9	26.7-31.1	4994	71.1	68.9-73.3	
65+	13452	3,116,542	9342	69.9	68.3-71.5	4110	30.1	28.5-31.7	
Less Than H.S.	3229	923,639	1338	32.7	28.4-37.0	1891	67.3	63.0-71.6	
H.S. or G.E.D.	10373	3,404,971	4339	30.2	28.2-32.2	6034	69.8	67.8-71.8	
Some Post-H.S.	9001	3,602,266	3950	31.9	29.7-34.1	5051	68.1	65.9-70.3	
College Graduate	9078	4,737,437	3841	29.5	27.7-31.3	5237	70.5	68.7-72.3	
Less than \$15,000	4055	1,135,903	1727	36.8	32.9-40.7	2328	63.2	59.3-67.1	
\$15,000- 24,999	5694	1,884,423	2651	36.6	33.5-39.7	3043	63.4	60.3-66.5	
\$25,000- 34,999	3459	1,140,050	1567	32.7	29.0-36.4	1892	67.3	63.6-71.0	
\$35,000- 49,999	4218	1,602,882	1827	32.4	29.5-35.3	2391	67.6	64.7-70.5	
\$50,000- 74,999	3997	1,786,947	1515	28.0	25.1-30.9	2482	72.0	69.1-74.9	
\$75,000+	5528	3,428,618	1811	21.6	19.6-23.6	3717	78.4	76.4-80.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 14: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)
Male	11408	5,928,128	4953	30.5	28.7-32.3		6455	69.5	67.7-71.3
White/Non-Hisp	9405	4,084,285	4315	35.1	33.1-37.1		5090	64.9	62.9-66.9
Black or Afr. Am./Non-Hisp	717	549,519	213	14.2	09.1-19.3		504	85.8	80.7-90.9
Oth. Race/Non-Hisp.	262	220,079	94	18.5	10.9-26.1		168	81.5	73.9-89.1
Hispanic	571	893,110	143	20.7	14.4-27.0		428	79.3	73.0-85.6
18-24	281	451,559	66	17.3	09.3-25.3		215	82.7	74.7-90.7
25-34	583	572,456	81	12.4	06.5-18.3		502	87.6	81.7-93.5
35-44	1048	1,097,682	169	16.6	12.5-20.7		879	83.4	79.3-87.5
45-54	1852	1,526,019	363	17.0	13.5-20.5		1489	83.0	79.5-86.5
55-64	2630	916,015	866	29.9	26.4-33.4		1764	70.1	66.6-73.6
65+	4957	1,340,939	3387	69.4	66.9-71.9		1570	30.6	28.1-33.1
Less Than H.S.	1149	443,462	463	30.0	23.1-36.9		686	70.0	63.1-76.9
H.S. or G.E.D.	3473	1,566,293	1388	26.2	22.9-29.5		2085	73.8	70.5-77.1
Some Post-H.S.	2939	1,557,871	1326	30.1	26.6-33.6		1613	69.9	66.4-73.4
College Graduate	3809	2,339,480	1760	33.5	30.6-36.4		2049	66.5	63.6-69.4
Less than \$15,000	1212	479,138	505	35.1	28.0-42.2		707	64.9	57.8-72.0
\$15,000- 24,999	1881	815,725	826	35.5	30.0-41.0		1055	64.5	59.0-70.0
\$25,000- 34,999	1202	532,769	583	31.7	25.6-37.8		619	68.3	62.2-74.4
\$35,000- 49,999	1642	698,352	787	36.7	32.0-41.4		855	63.3	58.6-68.0
\$50,000- 74,999	1613	870,540	690	29.7	24.8-34.6		923	70.3	65.4-75.2
\$75,000+	2617	1,892,004	952	22.9	20.0-25.8		1665	77.1	74.2-80.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 14: IMMUNIZATION**

TABLE 15: A PNEUMONIA SHOT OR PNEUMOCOCCAL VACCINE IS USUALLY GIVEN ONLY ONCE OR TWICE IN A PERSON'S LIFETIME AND IS DIFFERENT FROM THE FLU SHOT. HAVE YOU EVER HAD A PNEUMONIA SHOT? (PNEUVAC3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	20359	6,784,919	8550	30.8	29.4-32.2	11809	69.2	67.8-70.6
White/Non-Hisp	16619	4,685,782	7465	35.2	33.8-36.6	9154	64.8	63.4-66.2
Black or Afr. Am./Non-Hisp	1680	768,539	443	22.1	17.8-26.4	1237	77.9	73.6-82.2
Oth. Race/Non-Hisp.	313	158,425	111	24.8	15.0-34.6	202	75.2	65.4-85.0
MultiRacial/Non-Hisp.	285	91,142	114	21.5	13.1-29.9	171	78.5	70.1-86.9
Hispanic	1081	959,259	252	17.8	13.9-21.7	829	82.2	78.3-86.1
18-24	378	310,988	46	12.0	05.7-18.3	332	88.0	81.7-94.3
25-34	1212	634,805	152	16.0	11.7-20.3	1060	84.0	79.7-88.3
35-44	2009	1,162,170	258	11.5	09.0-14.0	1751	88.5	86.0-91.0
45-54	3379	1,790,378	618	14.0	11.6-16.4	2761	86.0	83.6-88.4
55-64	4662	1,040,116	1432	27.9	25.4-30.4	3230	72.1	69.6-74.6
65+	8495	1,775,604	5955	70.3	68.3-72.3	2540	29.7	27.7-31.7
Less Than H.S.	2080	480,178	875	35.2	29.7-40.7	1205	64.8	59.3-70.3
H.S. or G.E.D.	6900	1,838,678	2951	33.7	31.2-36.2	3949	66.3	63.8-68.8
Some Post-H.S.	6062	2,044,394	2624	33.2	30.8-35.6	3438	66.8	64.4-69.2
College Graduate	5269	2,397,957	2081	25.7	23.5-27.9	3188	74.3	72.1-76.5
Less than \$15,000	2843	656,765	1222	38.0	33.5-42.5	1621	62.0	57.5-66.5
\$15,000- 24,999	3813	1,068,698	1825	37.5	34.0-41.0	1988	62.5	59.0-66.0
\$25,000- 34,999	2257	607,281	984	33.6	29.3-37.9	1273	66.4	62.1-70.7
\$35,000- 49,999	2576	904,530	1040	29.0	25.5-32.5	1536	71.0	67.5-74.5
\$50,000- 74,999	2384	916,407	825	26.3	22.8-29.8	1559	73.7	70.2-77.2
\$75,000+	2911	1,536,614	859	20.0	17.5-22.5	2052	80.0	77.5-82.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 15: FALLS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)	
1	MALES AND FEMALES	192
2	MALES ONLY	193
3	FEMALES ONLY	194
	HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)	
4	MALES AND FEMALES	195
5	MALES ONLY	196
6	FEMALES ONLY	197

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 1: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	27468	9,096,157	2701	8.8	08.0-09.6	993	2.7	02.3-03.1	382	1.0	00.6-01.4	198	0.5	00.3-00.7	450	1.3	00.9-01.7	22744	85.6	84.6-86.6
Male	10245	4,237,238	841	7.2	05.8-08.6	355	2.4	01.8-03.0	157	1.2	00.6-01.8	80	0.7	00.3-01.1	204	1.6	01.0-02.2	8608	86.9	85.3-88.5
Female	17223	4,858,919	1860	10.2	09.2-11.2	638	3.0	02.4-03.6	225	0.9	00.5-01.3	118	0.5	00.3-00.7	246	1.1	00.7-01.5	14136	84.4	83.0-85.8
White/Non-Hisp	23203	6,791,874	2302	9.1	08.3-09.9	830	2.8	02.4-03.2	314	1.0	00.6-01.4	161	0.6	00.2-01.0	368	1.3	00.9-01.7	19228	85.1	84.1-86.1
Black or Afr. Am./Non-Hisp	1789	798,105	156	10.3	06.6-14.0	66	3.1	00.7-05.5	28	1.9	00.0-03.9	15	0.2	00.0-00.4	22	0.9	00.0-01.9	1502	83.7	79.0-88.4
Oth. Race/Non-Hisp.	445	208,261	43	9.5	00.9-18.1	19	1.5	00.3-02.7	8	0.6	00.0-01.4	6	0.3	00.0-00.7	18	1.4	00.0-02.8	351	86.7	78.1-95.3
MultiRacial/Non-Hisp.	374	84,191	52	6.2	02.5-09.9	27	3.8	01.3-06.3	12	2.0	00.2-03.8	6	2.0	00.0-04.5	17	5.2	00.9-09.5	260	80.9	73.3-88.5
Hispanic	1065	1,033,902	89	6.3	02.4-10.2	32	2.2	00.2-04.2	11	0.3	00.0-00.7	7	0.6	00.0-01.4	13	1.2	00.0-02.4	913	89.4	84.9-93.9
45-54	5640	3,670,957	515	7.9	06.1-09.7	218	2.5	01.7-03.3	78	1.3	00.5-02.1	54	0.7	00.1-01.3	140	1.7	00.9-02.5	4635	85.9	83.7-88.1
55-64	7682	2,082,767	780	9.0	07.6-10.4	321	3.1	02.3-03.9	118	0.9	00.5-01.3	64	0.3	00.1-00.5	160	1.5	00.7-02.3	6239	85.2	83.4-87.0
65+	13839	3,237,090	1384	9.9	08.9-10.9	446	2.8	02.2-03.4	184	0.8	00.6-01.0	79	0.5	00.3-00.7	148	0.7	00.5-00.9	11598	85.3	84.1-86.5
Less Than H.S.	2691	635,678	273	11.1	07.0-15.2	153	3.0	02.0-04.0	71	1.5	00.5-02.5	33	1.0	00.0-02.2	93	2.0	01.0-03.0	2068	81.5	77.0-86.0
H.S. or G.E.D.	9050	2,402,959	862	9.1	07.5-10.7	344	3.3	02.5-04.1	145	1.2	00.6-01.8	73	1.0	00.2-01.8	163	1.7	00.9-02.5	7463	83.7	81.7-85.7
Some Post-H.S.	7690	2,507,520	802	9.8	08.0-11.6	291	2.8	02.2-03.4	94	1.0	00.4-01.6	56	0.4	00.2-00.6	114	0.9	00.5-01.3	6333	85.0	83.0-87.0
College Graduate	7962	3,518,095	759	7.5	06.3-08.7	205	2.3	01.5-03.1	69	0.8	00.4-01.2	36	0.3	00.1-00.5	79	1.2	00.6-01.8	6814	87.9	86.3-89.5
Less than \$15,000	3508	808,704	430	12.1	08.4-15.8	237	5.5	03.5-07.5	99	2.4	00.4-04.4	63	1.5	00.5-02.5	173	4.7	02.5-06.9	2506	73.8	69.3-78.3
\$15,000- 24,999	4958	1,328,106	545	10.6	08.6-12.6	229	4.3	03.1-05.5	96	1.1	00.7-01.5	49	0.6	00.4-00.8	106	2.3	01.1-03.5	3933	81.0	78.5-83.5
\$25,000- 34,999	2990	803,486	288	10.4	07.9-12.9	112	3.8	01.4-06.2	39	1.0	00.4-01.6	25	0.5	00.1-00.9	39	0.6	00.4-00.8	2487	83.7	80.4-87.0
\$35,000- 49,999	3588	1,153,527	333	7.0	05.6-08.4	96	2.2	01.4-03.0	33	0.9	00.0-01.9	13	1.0	00.0-02.6	31	0.6	00.2-01.0	3082	88.4	86.0-90.8
\$50,000- 74,999	3353	1,271,625	319	9.5	06.4-12.6	92	2.5	01.3-03.7	24	1.1	00.0-02.3	17	0.5	00.0-01.1	25	1.1	00.3-01.9	2876	85.3	81.8-88.8
\$75,000+	4667	2,422,490	366	6.7	05.1-08.3	89	1.0	00.6-01.4	35	0.7	00.3-01.1	15	0.2	00.0-00.4	21	0.7	00.1-01.3	4141	90.7	88.9-92.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 2: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	10245	4,237,238	841	7.2	05.8-08.6	355	2.4	01.8-03.0	157	1.2	00.6-01.8	80	0.7	00.3-01.1	204	1.6	01.0-02.2	8608	86.9	85.3-88.5
White/Non-Hisp	8722	3,225,093	730	7.1	06.1-08.1	303	2.6	02.0-03.2	132	1.0	00.4-01.6	68	0.8	00.2-01.4	165	1.7	00.9-02.5	7324	86.8	85.2-88.4
Black or Afr. Am./Non-Hisp	551	308,576	32	8.0	00.9-15.1	15	2.3	00.3-04.3	10	4.0	00.0-08.9	4	0.1	00.0-00.3	9	1.8	00.0-04.2	481	83.7	75.3-92.1
Oth. Race/Non-Hisp.	198	116,194				9	1.9	00.0-03.9	3	0.2	00.0-00.4	3	0.4	00.0-01.2	9	0.4	00.0-00.8			
MultiRacial/Non-Hisp.	149	39,331	13	5.6	00.0-11.5	11	2.7	00.0-05.6	3	0.8	00.0-02.0	1	2.4	00.0-07.1	10	7.0	00.0-15.4			
Hispanic	376	452,508	27	6.3	00.0-14.3	10	1.5	00.0-03.1	3	0.6	00.0-01.6	2	0.1	00.0-00.3	2	0.7	00.0-01.9	332	90.9	82.9-98.9
45-54	2116	1,787,601	157	7.1	04.2-10.0	74	2.0	01.2-02.8	34	1.8	00.6-03.0	23	0.8	00.0-01.8	61	2.2	01.0-03.4	1767	86.1	82.6-89.6
55-64	2866	995,243	249	6.7	05.1-08.3	113	3.0	01.4-04.6	42	0.5	00.1-00.9	20	0.2	00.0-00.4	67	1.5	00.5-02.5	2375	88.0	85.6-90.4
65+	5192	1,422,131	428	7.5	06.1-08.9	168	2.6	01.8-03.4	80	0.9	00.5-01.3	37	0.7	00.1-01.3	75	0.9	00.5-01.3	4404	87.2	85.4-89.0
Less Than H.S.	948	274,506	75	10.1	03.0-17.2	43	1.8	00.8-02.8	27	1.9	00.1-03.7	13	0.9	00.1-01.7	52	3.2	01.2-05.2	738	82.2	74.8-89.6
H.S. or G.E.D.	3034	1,049,417	237	7.1	04.7-09.5	123	3.5	02.1-04.9	52	1.8	00.4-03.2	38	1.8	00.0-03.8	67	2.1	00.5-03.7	2517	83.6	80.1-87.1
Some Post-H.S.	2637	1,055,325	229	8.0	04.5-11.5	109	2.7	01.7-03.7	40	1.4	00.0-02.8	17	0.3	00.1-00.5	49	1.1	00.5-01.7	2193	86.5	82.8-90.2
College Graduate	3592	1,846,464	299	6.4	04.8-08.0	80	1.7	00.9-02.5	35	0.6	00.2-01.0	12	0.2	00.0-00.4	35	1.3	00.3-02.3	3131	89.8	87.8-91.8
Less than \$15,000	1084	344,647	112	13.3	05.5-21.1	73	6.3	03.0-09.6	33	4.1	00.0-08.4	17	1.0	00.2-01.8	69	6.5	02.0-11.0	780	68.8	60.2-77.4
\$15,000- 24,999	1671	542,327	148	8.7	06.0-11.4	86	4.4	02.6-06.2	35	0.7	00.3-01.1	22	0.7	00.1-01.3	52	2.3	00.9-03.7	1328	83.3	79.8-86.8
\$25,000- 34,999	1073	346,787	93	8.7	05.6-11.8	33	2.2	01.0-03.4	20	1.5	00.5-02.5	8	0.3	00.1-00.5	19	0.7	00.3-01.1	900	86.7	83.0-90.4
\$35,000- 49,999	1466	528,257	132	6.3	04.1-08.5	46	2.6	01.0-04.2	14	0.5	00.1-00.9	11	2.1	00.0-05.6	14	0.7	00.1-01.3	1249	87.7	83.6-91.8
\$50,000- 74,999	1458	641,087	117	9.8	04.1-15.5	42	3.1	01.1-05.1	16	2.1	00.0-04.5	7	0.7	00.0-01.9	16	1.9	00.3-03.5	1260	82.3	76.0-88.6
\$75,000+	2356	1,374,189	149	3.6	02.2-05.0	43	0.7	00.3-01.1	18	0.4	00.0-00.8	9	0.2	00.0-00.4	9	0.6	00.0-01.6	2128	94.5	92.7-96.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 3: IN THE PAST 3 MONTHS, HOW MANY TIMES HAVE YOU FALLEN? (FALL3MN2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents who are < 45 years of age

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	17223	4,858,919	1860	10.2	09.2-11.2	638	3.0	02.4-03.6	225	0.9	00.5-01.3	118	0.5	00.3-00.7	246	1.1	00.7-01.5	14136	84.4	83.0-85.8
White/Non-Hisp	14481	3,566,781	1572	10.9	09.7-12.1	527	3.0	02.4-03.6	182	1.0	00.6-01.4	93	0.4	00.2-00.6	203	1.0	00.6-01.4	11904	83.6	82.2-85.0
Black or Afr. Am./Non-Hisp	1238	489,529	124	11.8	07.5-16.1	51	3.6	00.0-07.3	18	0.5	00.0-01.1	11	0.2	00.0-00.4	13	0.3	00.1-00.5	1021	83.6	78.1-89.1
Oth. Race/Non-Hisp.	247	92,067	23	3.9	01.2-06.6	10	1.1	00.0-02.3	5	1.1	00.0-02.9	3	0.1	00.1-00.1	9	2.6	00.0-05.9	197	91.3	86.2-96.4
MultiRacial/Non-Hisp.	225	44,860	39	6.7	01.8-11.6	16	4.8	00.9-08.7	9	3.0	00.1-05.9	5	1.6	00.0-03.8	7	3.6	00.0-07.3	149	80.3	70.9-89.7
Hispanic	689	581,394	62	6.3	03.2-09.4	22	2.7	00.0-05.8	8	0.1	00.1-00.1	5	1.0	00.0-02.4	11	1.7	00.0-03.5	581	88.2	83.5-92.9
45-54	3524	1,883,357	358	8.6	06.6-10.6	144	2.9	01.3-04.5	44	0.9	00.3-01.5	31	0.6	00.2-01.0	79	1.3	00.5-02.1	2868	85.7	83.2-88.2
55-64	4816	1,087,524	531	11.0	08.8-13.2	208	3.2	02.4-04.0	76	1.3	00.5-02.1	44	0.4	00.2-00.6	93	1.6	00.6-02.6	3864	82.5	80.1-84.9
65+	8647	1,814,959	956	11.7	10.3-13.1	278	3.0	02.4-03.6	104	0.7	00.5-00.9	42	0.4	00.2-00.6	73	0.5	00.3-00.7	7194	83.7	82.1-85.3
Less Than H.S.	1743	361,172	198	11.8	06.9-16.7	110	3.9	02.3-05.5	44	1.2	00.4-02.0	20	1.1	00.0-03.1	41	1.0	00.2-01.8	1330	81.0	75.7-86.3
H.S. or G.E.D.	6016	1,353,543	625	10.6	08.4-12.8	221	3.0	02.0-04.0	93	0.8	00.4-01.2	35	0.3	00.1-00.5	96	1.4	00.6-02.2	4946	83.8	81.4-86.2
Some Post-H.S.	5053	1,452,196	573	11.2	09.4-13.0	182	3.0	02.2-03.8	54	0.7	00.3-01.1	39	0.5	00.3-00.7	65	0.8	00.4-01.2	4140	83.9	81.9-85.9
College Graduate	4370	1,671,631	460	8.9	07.3-10.5	125	2.9	01.3-04.5	34	1.1	00.3-01.9	24	0.4	00.2-00.6	44	1.1	00.3-01.9	3683	85.7	83.3-88.1
Less than \$15,000	2424	464,057	318	11.1	08.2-14.0	164	5.0	02.8-07.2	66	1.2	00.6-01.8	46	1.9	00.3-03.5	104	3.3	01.9-04.7	1726	77.6	73.7-81.5
\$15,000- 24,999	3287	785,778	397	12.0	09.3-14.7	143	4.3	02.9-05.7	61	1.4	00.6-02.2	27	0.4	00.2-00.6	54	2.3	00.5-04.1	2605	79.5	76.2-82.8
\$25,000- 34,999	1917	456,699	195	11.7	08.2-15.2	79	5.0	01.1-08.9	19	0.7	00.1-01.3	17	0.7	00.1-01.3	20	0.5	00.1-00.9	1587	81.4	76.5-86.3
\$35,000- 49,999	2122	625,270	201	7.6	05.6-09.6	50	1.8	01.0-02.6	19	1.2	00.0-03.0	2	0.1	00.0-00.3	17	0.4	00.0-00.8	1833	88.9	86.2-91.6
\$50,000- 74,999	1895	630,538	202	9.1	06.6-11.6	50	1.9	01.1-02.7	8	0.1	00.0-00.3	10	0.3	00.0-00.7	9	0.2	00.0-00.4	1616	88.4	85.9-90.9
\$75,000+	2311	1,048,301	217	10.8	07.9-13.7	46	1.4	00.8-02.0	17	1.0	00.2-01.8	6	0.3	00.0-00.7	12	0.7	00.0-01.7	2013	85.8	82.7-88.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 4: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4677	1,303,830	1337	29.8	26.3-33.3	291	4.8	03.4-06.2	112	2.5	01.1-03.9	42	0.6	00.2-01.0	97	2.0	01.0-03.0	2798	60.2	56.5-63.9
Male	1622	547,232	365	27.4	21.1-33.7	101	6.3	03.2-09.4	38	1.6	00.6-02.6	14	0.6	00.0-01.2	45	2.7	00.9-04.5	1059	61.4	54.7-68.1
Female	3055	756,597	972	31.6	27.7-35.5	190	3.7	02.7-04.7	74	3.2	01.0-05.4	28	0.7	00.1-01.3	52	1.5	00.7-02.3	1739	59.3	55.0-63.6
White/Non-Hisp	3943	1,005,504	1079	29.3	25.8-32.8	239	5.3	03.5-07.1	91	2.8	01.2-04.4	35	0.6	00.2-01.0	76	2.2	01.0-03.4	2423	59.8	56.1-63.5
Black or Afr. Am./Non-Hisp	282	126,805				16	2.2	00.4-04.0	9	1.7	00.0-04.2	1	0.0	00.0-00.0	2	0.1	00.0-00.3			
Oth. Race/Non-Hisp.	92	27,316				7	4.3	00.0-09.6	3	3.5	00.0-10.0	4	2.0	00.0-05.7	5	0.6	00.0-01.4			
MultiRacial/Non-Hisp.	113	15,902							5	4.0	00.0-08.5	1	0.1	00.0-00.3	9	8.4	00.0-17.4			
Hispanic	149	109,126				8	1.1	00.0-02.3	3	1.0	00.0-02.8	1	1.4	00.0-04.3	3	1.3	00.0-03.1			
45-54	986	510,706	297	31.3	24.0-38.6	81	4.7	01.6-07.8	34	4.1	01.0-07.2	12	0.4	00.0-00.8	41	3.1	01.1-05.1	521	56.4	48.6-64.2
55-64	1431	307,694	413	30.6	25.1-36.1	112	6.2	03.5-08.9	47	2.3	00.9-03.7	15	0.6	00.2-01.0	41	2.1	00.3-03.9	803	58.1	52.2-64.0
65+	2226	475,351	615	27.8	24.1-31.5	95	4.1	02.7-05.5	31	1.0	00.4-01.6	15	1.0	00.2-01.8	15	0.7	00.1-01.3	1455	65.4	61.5-69.3
Less Than H.S.	613	116,384				48	5.0	01.3-08.7	27	1.3	00.5-02.1	7	0.2	00.0-00.4	20	4.3	00.4-08.2			
H.S. or G.E.D.	1568	386,964	437	34.2	27.1-41.3	109	3.7	02.1-05.3	44	1.5	00.7-02.3	12	0.9	00.0-01.9	33	1.4	00.4-02.4	933	58.3	51.2-65.4
Some Post-H.S.	1344	374,085	406	28.4	23.3-33.5	88	7.0	02.9-11.1	24	2.1	00.7-03.5	16	0.7	00.1-01.3	32	1.4	00.4-02.4	778	60.3	54.0-66.6
College Graduate	1143	424,372	294	24.4	19.1-29.7	46	3.8	01.8-05.8	17	4.1	00.4-07.8	7	0.4	00.0-00.8	12	2.4	00.2-04.6	767	64.8	58.5-71.1
Less than \$15,000	984	206,992				85	5.0	02.5-07.5	45	1.3	00.5-02.1	23	2.1	00.3-03.9	44	4.6	02.1-07.1			
\$15,000- 24,999	1013	249,930	306	30.0	24.1-35.9	80	7.0	03.7-10.3	32	4.3	00.6-08.0	6	0.8	00.0-01.8	24	1.2	00.0-02.4	565	56.8	49.9-63.7
\$25,000- 34,999	501	131,198	131	29.0	19.2-38.8	23	2.4	00.6-04.2	9	1.2	00.0-02.4	2	0.5	00.0-01.3	8	0.6	00.0-01.2	328	66.3	56.3-76.3
\$35,000- 49,999	504	131,729				18	3.4	00.7-06.1	10	6.0	00.0-14.0	1	0.0	00.0-00.0	9	2.0	00.0-04.0			
\$50,000- 74,999	474	186,289	119	26.1	16.5-35.7	24	8.0	00.2-15.8	3	1.5	00.0-03.5	2	0.1	00.1-00.1	2	2.0	00.0-05.9			
\$75,000+	524	224,344	130	23.3	15.7-30.9	19	2.4	01.0-03.8	2	1.8	00.0-05.3	3	0.2	00.0-00.6	1	1.2	00.0-03.6	369	71.1	62.7-79.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 5: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1622	547,232	365	27.4	20.7-34.1	101	6.3	03.2-09.4	38	1.6	00.6-02.6	14	0.6	00.0-01.2	45	2.7	00.9-04.5	1059	61.4	54.3-68.5
White/Non-Hisp	1388	422,383	297	26.4	20.3-32.5	86	7.1	03.2-11.0	32	1.7	00.9-02.5	11	0.7	00.1-01.3	33	3.2	00.8-05.6	929	61.0	54.5-67.5
Black or Afr. Am./Non-Hisp	68	47,267				3	1.8	00.0-05.3	1	3.4	00.0-10.1	1	0.0	00.0-00.0	1	0.1	00.0-00.3			
45-54	343	243,637				28	6.6	00.3-12.9	14	1.3	00.3-02.3	1	0.0	00.0-00.0	16	4.4	00.7-08.1			
55-64	488	118,758	98	22.6	15.5-29.7	34	7.6	01.9-13.3	12	3.0	00.0-06.1	6	0.8	00.0-01.8	21	1.3	00.0-02.7	317	64.6	55.8-73.4
65+	782	180,652	170	23.9	17.8-30.0	39	5.3	02.6-08.0	12	1.2	00.2-02.2	7	1.2	00.0-02.6	8	1.4	00.0-03.0	546	67.1	60.4-73.8
Less Than H.S.	206	48,222				16	4.5	00.0-11.0	10	1.1	00.1-02.1	4	0.1	00.0-00.3	13	6.6	00.0-14.8			
H.S. or G.E.D.	512	170,134				35	3.7	01.2-06.2	12	1.9	00.3-03.5	4	0.6	00.0-01.6	13	1.6	00.0-03.6			
Some Post-H.S.	440	141,519	114	26.8	16.8-36.8	32	9.8	00.0-19.8	11	3.3	00.4-06.2	4	1.0	00.0-02.4	14	2.0	00.0-04.0			
College Graduate	459	186,119	94	20.2	13.5-26.9	18	6.6	02.1-11.1	5	0.3	00.0-00.7	2	0.3	00.0-00.9	5	3.3	00.0-07.4	335	69.4	61.2-77.6
Less than \$15,000	298	105,570				21	4.3	00.0-08.6	12	0.7	00.1-01.3	6	0.8	00.0-01.6	18	4.1	00.2-08.0			
\$15,000- 24,999	340	89,553	81	27.4	18.6-36.2	31	7.4	00.5-14.3	15	4.2	01.1-07.3	3	2.1	00.0-05.0	11	1.8	00.0-04.7			
\$25,000- 34,999	172	46,173				10	5.0	00.5-09.5	3	1.9	00.0-04.6				5	1.2	00.0-02.6			
\$35,000- 49,999	216	62,298				8	4.1	00.0-08.8	4	1.1	00.0-02.9	1	0.1	00.0-00.3	5	4.0	00.0-08.1			
\$50,000- 74,999	196	113,156							1	1.4	00.0-04.1				2	3.3	00.0-09.8			
\$75,000+	227	75,449	41	14.4	07.7-21.1	11	5.0	01.3-08.7				1	0.1	00.0-00.3				174	80.6	72.8-88.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 15: FALLS**

TABLE 6: HOW MANY OF THESE FALLS CAUSED AN INJURY? BY AN INJURY, WE MEAN THE FALL CAUSED YOU TO LIMIT YOUR REGULAR ACTIVITIES FOR AT LEAST A DAY OR TO GO SEE A DOCTOR. (FALLINJ2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents reporting not having a fall in the past 3 months

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five+ Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3055	756,597	972	31.6	27.5-35.7	190	3.7	02.7-04.7	74	3.2	01.0-05.4	28	0.7	00.1-01.3	52	1.5	00.7-02.3	1739	59.3	55.0-63.6
White/Non-Hisp	2555	583,121	782	31.3	27.0-35.6	153	4.0	02.8-05.2	59	3.6	00.9-06.3	24	0.5	00.1-00.9	43	1.5	00.5-02.5	1494	59.0	54.3-63.7
Black or Afr. Am./Non-Hisp	214	79,538				13	2.4	00.4-04.4	8	0.7	00.1-01.3				1	0.1	00.0-00.3			
MultiRacial/Non-Hisp.	75	8,632							3	5.8	00.0-13.6	1	0.2	00.0-00.6	2	6.0	00.0-17.0			
Hispanic	106	67,758				6	0.9	00.0-01.9	3	1.6	00.0-04.5	1	2.3	00.0-06.8	3	2.1	00.0-04.8			
45-54	643	267,069	203	30.3	22.5-38.1	53	3.0	01.4-04.6	20	6.6	00.7-12.5	11	0.7	00.1-01.3	25	1.9	00.5-03.3	331	57.5	48.7-66.3
55-64	943	188,937	315	35.6	28.2-43.0	78	5.2	02.7-07.7	35	1.9	00.5-03.3	9	0.5	00.1-00.9	20	2.7	00.0-05.6	486	54.1	46.7-61.5
65+	1444	294,700	445	30.2	25.5-34.9	56	3.3	01.7-04.9	19	0.9	00.1-01.7	8	0.8	00.0-02.0	7	0.3	00.0-00.7	909	64.4	59.5-69.3
Less Than H.S.	407	68,161				32	5.3	00.8-09.8	17	1.4	00.2-02.6	3	0.2	00.0-00.4	7	2.7	00.0-05.8			
H.S. or G.E.D.	1056	216,831	334	36.2	28.4-44.0	74	3.7	01.9-05.5	32	1.2	00.2-02.2	8	1.2	00.0-02.8	20	1.2	00.2-02.2	588	56.5	48.3-64.7
Some Post-H.S.	904	232,567	292	29.4	23.9-34.9	56	5.4	03.0-07.8	13	1.5	00.3-02.7	12	0.6	00.0-01.2	18	1.0	00.0-02.0	513	62.2	56.3-68.1
College Graduate	684	238,253	200	27.8	20.2-35.4	28	1.7	00.7-02.7	12	7.1	00.6-13.6	5	0.5	00.0-01.1	7	1.8	00.0-04.2	432	61.1	52.1-70.1
Less than \$15,000	686	101,422	240	39.4	29.4-49.4	64	5.8	02.9-08.7	33	1.9	00.3-03.5	17	3.6	00.3-06.9	26	5.0	01.7-08.3	306	44.2	34.2-54.2
\$15,000- 24,999	673	160,377	225	31.4	24.0-38.8	49	6.7	03.2-10.2	17	4.3	00.0-09.8	3	0.1	00.1-00.1	13	0.9	00.0-01.9	366	56.5	47.9-65.1
\$25,000- 34,999	329	85,025				13	1.0	00.0-02.0	6	0.8	00.0-01.6	2	0.7	00.0-01.7	3	0.2	00.0-00.6			
\$35,000- 49,999	288	69,431				10	2.9	00.0-06.2							4	0.3	00.0-00.7			
\$50,000- 74,999	278	73,134				13	3.8	00.5-07.1	2	1.6	00.0-04.1	2	0.2	00.0-00.4						
\$75,000+	297	148,895				8	1.1	00.0-02.3	2	2.7	00.0-07.8	2	0.3	00.0-00.9	1	1.8	00.0-05.1			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 16: SEATBELT USE

TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

SECTION 16: SEATBELT USE CONTENTS

*** NOTE** *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY– (SEATBELT)																			PAGE
1	MALES AND FEMALES																			199	
2	MALES ONLY																			200	
3	FEMALES ONLY																			201	
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Always		Nearly Always			Sometimes			Seldom			Never			Never Ride in Car			
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	34031	14,216,163	29536	88.3	87.5-89.1	2804	7.2	06.4-08.0	833	2.3	01.9-02.7	367	1.0	00.8-01.2	457	1.1	00.9-01.3	34	0.1	00.1-00.1	
Male	12623	6,890,119	10442	84.9	83.5-86.3	1326	9.3	08.1-10.5	391	2.8	02.2-03.4	203	1.5	00.9-02.1	249	1.5	01.1-01.9	12	0.1	00.0-00.3	
Female	21408	7,326,044	19094	91.5	90.5-92.5	1478	5.2	04.4-06.0	442	1.9	01.3-02.5	164	0.6	00.4-00.8	208	0.8	00.6-01.0	22	0.0	00.0-00.0	
White/Non-Hisp	27802	9,784,994	24260	88.7	87.9-89.5	2240	7.2	06.4-08.0	602	1.9	01.5-02.3	300	1.1	00.9-01.3	376	1.2	01.0-01.4	24	0.1	00.1-00.1	
Black or Afr. Am./Non-Hisp	2542	1,428,392	2068	84.5	81.4-87.6	281	9.3	06.8-11.8	137	4.8	03.2-06.4	25	1.0	00.0-02.2	24	0.3	00.1-00.5	7	0.1	00.0-00.3	
Oth. Race/Non-Hisp.	623	440,162	535	86.5	79.4-93.6	43	2.3	00.7-03.9	17	4.8	00.3-09.3	11	3.2	00.0-08.5	17	3.1	00.6-05.6				
MultiRacial/Non-Hisp.	521	186,247	442	88.4	81.9-94.9	47	7.5	01.6-13.4	13	0.9	00.1-01.7	7	0.4	00.0-01.0	12	2.9	00.0-06.0				
Hispanic	1864	2,123,389	1651	89.1	86.2-92.0	129	7.0	04.5-09.5	45	2.4	00.8-04.0	13	0.6	00.0-01.2	23	0.8	00.2-01.4	3	0.1	00.0-00.3	
18-24	827	958,979	562	73.8	67.5-80.1	155	13.5	08.6-18.4	70	6.6	03.3-09.9	18	3.5	00.4-06.6	22	2.5	00.5-04.5				
25-34	2202	1,515,784	1699	82.0	78.5-85.5	290	10.0	07.1-12.9	133	5.1	03.1-07.1	41	1.6	00.6-02.6	38	1.1	00.5-01.7	1	0.2	00.0-00.6	
35-44	3498	2,645,148	2922	86.5	84.3-88.7	326	8.4	06.6-10.2	119	2.5	01.5-03.5	74	1.6	00.8-02.4	56	1.0	00.6-01.4	1	0.0	00.0-00.0	
45-54	5654	3,681,504	4896	90.3	88.7-91.9	495	6.6	05.2-08.0	129	1.6	01.0-02.2	60	0.6	00.4-00.8	72	0.9	00.5-01.3	2	0.0	00.0-00.0	
55-64	7689	2,078,393	6703	91.7	90.5-92.9	662	5.8	04.8-06.8	145	1.2	00.8-01.6	71	0.5	00.1-00.9	104	0.8	00.4-01.2	4	0.0	00.0-00.0	
65+	13853	3,230,926	12476	92.5	91.7-93.3	855	4.6	04.0-05.2	233	1.2	00.8-01.6	101	0.5	00.3-00.7	162	1.1	00.7-01.5	26	0.1	00.0-00.3	
Less Than H.S.	3441	1,052,268	2859	81.0	77.1-84.9	300	9.2	06.5-11.9	143	4.7	02.5-06.9	46	1.7	00.7-02.7	86	3.2	01.4-05.0	7	0.1	00.0-00.3	
H.S. or G.E.D.	11001	3,757,567	9437	85.9	83.9-87.9	915	8.0	06.4-09.6	306	3.1	02.3-03.9	138	1.5	00.7-02.3	192	1.5	01.1-01.9	13	0.0	00.0-00.0	
Some Post-H.S.	9652	4,031,164	8392	89.1	87.7-90.5	807	6.8	05.6-08.0	234	2.2	01.6-02.8	109	1.0	00.4-01.6	104	0.9	00.5-01.3	6	0.0	00.0-00.0	
College Graduate	9842	5,320,120	8763	90.8	89.6-92.0	777	6.6	05.6-07.6	148	1.4	00.8-02.0	73	0.6	00.4-00.8	74	0.6	00.4-00.8	7	0.1	00.0-00.3	
Less than \$15,000	4311	1,244,081	3647	86.3	83.9-88.7	340	6.2	04.6-07.8	148	4.2	02.6-05.8	64	0.9	00.3-01.5	97	2.1	01.1-03.1	15	0.3	00.1-00.5	
\$15,000- 24,999	6055	2,086,369	5150	84.3	81.8-86.8	542	9.8	07.4-12.2	164	2.4	01.6-03.2	77	1.7	00.9-02.5	114	1.7	01.1-02.3	8	0.1	00.1-00.1	
\$25,000- 34,999	3675	1,250,010	3153	87.7	85.2-90.2	333	7.6	05.8-09.4	100	2.1	00.9-03.3	36	1.0	00.0-02.2	50	1.5	00.5-02.5	3	0.0	00.0-00.0	
\$35,000- 49,999	4489	1,767,318	3877	87.4	85.0-89.8	398	7.7	05.9-09.5	110	3.0	01.6-04.4	44	0.8	00.2-01.4	60	1.2	00.6-01.8				
\$50,000- 74,999	4311	1,968,801	3749	88.2	85.8-90.6	387	7.7	05.7-09.7	86	2.2	01.0-03.4	42	1.1	00.3-01.9	47	0.8	00.4-01.2				
\$75,000+	6033	3,927,252	5396	91.5	89.9-93.1	447	6.0	04.8-07.2	95	1.1	00.5-01.7	63	0.9	00.3-01.5	32	0.5	00.1-00.9				

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 16: SEATBELT USE**

TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12623	6,890,119	10442	84.9	83.5-86.3	1326	9.3	08.1-10.5	391	2.8	02.2-03.4	203	1.5	00.9-02.1	249	1.5	01.1-01.9	12	0.1	00.0-00.3
White/Non-Hisp	10404	4,775,865	8614	84.8	83.2-86.4	1097	9.6	08.2-11.0	301	2.6	02.0-03.2	173	1.4	00.8-02.0	210	1.6	01.0-02.2	9	0.1	00.0-00.3
Black or Afr. Am./Non-Hisp	772	604,994	612	80.3	74.4-86.2	95	12.4	07.3-17.5	40	4.6	02.4-06.8	11	2.1	00.0-04.6	11	0.5	00.1-00.9	3	0.2	00.0-00.4
Oth. Race/Non-Hisp.	288	253,519				20	2.6	00.2-05.0	7	7.3	00.0-14.9	4	5.5	00.0-14.7	7	1.0	00.0-02.0			
MultiRacial/Non-Hisp.	212	82,217	174	88.2	80.6-95.8	18	3.1	00.6-05.6	10	1.9	00.0-03.9	3	0.8	00.0-02.0	7	6.0	00.0-12.9			
Hispanic	663	1,049,456	563	87.9	83.4-92.4	60	8.4	04.1-12.7	19	1.6	00.4-02.8	9	0.7	00.0-01.7	12	1.4	00.4-02.4			
18-24	360	573,478	231	69.4	60.4-78.4	71	16.1	08.7-23.5	30	5.8	02.5-09.1	12	5.2	00.1-10.3	16	3.5	00.6-06.4			
25-34	742	747,554	511	76.9	70.8-83.0	130	12.5	07.4-17.6	59	6.5	03.2-09.8	26	2.4	00.4-04.4	15	1.2	00.2-02.2	1	0.5	00.0-01.5
35-44	1255	1,332,564	960	82.2	78.7-85.7	168	11.7	08.6-14.8	50	2.6	01.2-04.0	45	2.4	01.0-03.8	32	1.1	00.5-01.7			
45-54	2126	1,795,975	1767	88.0	85.6-90.4	226	7.7	05.7-09.7	56	2.2	01.0-03.4	32	0.7	00.3-01.1	44	1.3	00.5-02.1	1	0.0	00.0-00.0
55-64	2871	990,039	2413	89.8	87.8-91.8	296	7.2	05.4-09.0	66	1.5	00.7-02.3	37	0.5	00.3-00.7	58	1.0	00.4-01.6	1	0.0	00.0-00.0
65+	5198	1,418,247	4502	90.9	89.5-92.3	426	5.9	04.7-07.1	129	1.3	00.9-01.7	50	0.5	00.3-00.7	82	1.3	00.7-01.9	9	0.1	00.0-00.3
Less Than H.S.	1258	520,511	977	77.6	71.7-83.5	141	12.0	07.3-16.7	62	3.3	01.5-05.1	25	2.2	00.4-04.0	51	4.8	01.5-08.1	2	0.1	00.0-00.3
H.S. or G.E.D.	3809	1,789,605	3058	80.4	76.9-83.9	422	10.9	07.8-14.0	145	5.0	03.4-06.6	76	2.0	00.4-03.6	104	1.7	01.1-02.3	4	0.0	00.0-00.0
Some Post-H.S.	3292	1,851,291	2714	85.8	83.3-88.3	365	8.7	06.5-10.9	107	2.4	01.4-03.4	52	1.8	00.6-03.0	52	1.2	00.6-01.8	2	0.1	00.1-00.1
College Graduate	4219	2,699,060	3654	88.7	86.9-90.5	395	8.2	06.6-09.8	76	1.4	00.6-02.2	49	0.8	00.4-01.2	41	0.8	00.4-01.2	4	0.1	00.0-00.3
Less than \$15,000	1325	532,617	1067	86.0	82.1-89.9	134	6.7	04.0-09.4	47	3.8	01.6-06.0	27	1.2	00.2-02.2	46	2.1	00.7-03.5	4	0.1	00.0-00.3
\$15,000- 24,999	2049	927,380	1659	78.5	73.6-83.4	224	14.1	09.4-18.8	63	2.9	01.5-04.3	45	2.4	00.8-04.0	54	2.0	01.0-03.0	4	0.1	00.0-00.3
\$25,000- 34,999	1314	591,631	1052	82.7	78.0-87.4	160	10.3	07.0-13.6	48	3.0	00.6-05.4	22	1.8	00.0-04.3	31	2.1	00.7-03.5	1	0.0	00.0-00.0
\$35,000- 49,999	1801	809,880	1475	82.3	78.4-86.2	194	9.8	06.9-12.7	61	4.5	02.0-07.0	30	1.4	00.0-02.8	41	2.1	00.7-03.5			
\$50,000- 74,999	1790	990,231	1478	83.5	79.4-87.6	205	10.7	07.2-14.2	53	3.2	01.2-05.2	23	1.5	00.1-02.9	31	1.1	00.5-01.7			
\$75,000+	2935	2,250,954	2537	89.2	86.8-91.6	262	7.3	05.5-09.1	66	1.5	00.7-02.3	43	1.4	00.2-02.6	27	0.7	00.1-01.3			
DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Nearly Always			Sometimes			Seldom			Never			Never Ride in Car		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21408	7,326,044	19094	91.5	90.5-92.5	1478	5.2	04.4-06.0	442	1.9	01.3-02.5	164	0.6	00.4-00.8	208	0.8	00.6-01.0	22	0.0	00.0-00.0
White/Non-Hisp	17398	5,009,129	15646	92.4	91.6-93.2	1143	4.9	04.3-05.5	301	1.2	00.8-01.6	127	0.7	00.5-00.9	166	0.8	00.6-01.0	15	0.0	00.0-00.0
Black or Afr. Am./Non-Hisp	1770	823,399	1456	87.6	84.5-90.7	186	7.1	04.7-09.5	97	5.0	02.8-07.2	14	0.2	00.0-00.4	13	0.1	00.0-00.3	4	0.0	00.0-00.0
Oth. Race/Non-Hisp.	335	186,643	285	90.5	84.4-96.6	23	2.0	00.0-04.0	10	1.5	00.0-03.1	7	0.1	00.0-00.3	10	5.9	00.4-11.4			
MultiRacial/Non-Hisp.	309	104,030	268	88.5	78.5-98.5	29	10.9	00.9-20.9	3	0.1	00.0-00.3	4	0.1	00.0-00.3	5	0.4	00.0-00.8			
Hispanic	1201	1,073,933	1088	90.2	86.1-94.3	69	5.7	02.8-08.6	26	3.2	00.3-06.1	4	0.5	00.0-01.3	11	0.3	00.1-00.5	3	0.1	00.0-00.3
18-24	467	385,501	331	80.4	73.0-87.8	84	9.7	05.4-14.0	40	7.9	01.4-14.4	6	0.9	00.0-02.1	6	1.1	00.0-02.7			
25-34	1460	768,230	1188	87.0	83.7-90.3	160	7.5	05.0-10.0	74	3.8	01.6-06.0	15	0.8	00.2-01.4	23	0.9	00.1-01.7			
35-44	2243	1,312,584	1962	90.9	88.5-93.3	158	5.0	03.4-06.6	69	2.3	00.7-03.9	29	0.9	00.1-01.7	24	0.9	00.1-01.7	1	0.0	00.0-00.0
45-54	3528	1,885,529	3129	92.4	90.4-94.4	269	5.6	03.8-07.4	73	1.0	00.4-01.6	28	0.4	00.0-00.8	28	0.5	00.1-00.9	1	0.0	00.0-00.0
55-64	4818	1,088,354	4290	93.4	92.0-94.8	366	4.5	03.3-05.7	79	0.9	00.5-01.3	34	0.6	00.0-01.2	46	0.6	00.2-01.0	3	0.0	00.0-00.0
65+	8655	1,812,679	7974	93.7	92.7-94.7	429	3.7	02.9-04.5	104	1.1	00.5-01.7	51	0.5	00.3-00.7	80	0.9	00.5-01.3	17	0.2	00.0-00.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 16: SEATBELT USE

TABLE 3: HOW OFTEN DO YOU USE SEAT BELTS WHEN YOU DRIVE OR RIDE IN A CAR? WOULD YOU SAY— (SEATBELT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

SECTION 16: SEATBELT USE CONTENTS

*** NOTE *** *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE																			PAGE	
Less Than H.S.	2183	531,758	1882	84.4	79.5-89.3	159	6.5	03.2-09.8	81	6.1	02.4-09.8	21	1.2	00.0-02.4	35	1.6	00.2-03.0	5	0.1	00.0-00.3
H.S. or G.E.D.	7192	1,967,962	6379	90.9	89.1-92.7	493	5.4	04.0-06.8	161	1.5	00.9-02.1	62	0.9	00.3-01.5	88	1.3	00.7-01.9	9	0.0	00.0-00.0
Some Post-H.S.	6360	2,179,873	5678	91.8	90.2-93.4	442	5.2	04.0-06.4	127	2.0	01.0-03.0	57	0.4	00.2-00.6	52	0.6	00.2-01.0	4	0.0	00.0-00.0
College Graduate	5623	2,621,060	5109	93.0	91.4-94.6	382	4.9	03.7-06.1	72	1.3	00.3-02.3	24	0.4	00.2-00.6	33	0.3	00.1-00.5	3	0.0	00.0-00.0
Less than \$15,000	2986	711,464	2580	86.5	83.4-89.6	206	5.9	03.9-07.9	101	4.5	02.3-06.7	37	0.6	00.0-01.2	51	2.1	00.7-03.5	11	0.3	00.0-00.7
\$15,000- 24,999	4006	1,158,988	3491	88.9	86.4-91.4	318	6.4	04.2-08.6	101	2.1	01.3-02.9	32	1.1	00.3-01.9	60	1.5	00.7-02.3	4	0.1	00.1-00.1
\$25,000- 34,999	2361	658,379	2101	92.1	89.7-94.5	173	5.2	03.4-07.0	52	1.3	00.3-02.3	14	0.3	00.1-00.5	19	1.0	00.0-02.2	2	0.1	00.0-00.3
\$35,000- 49,999	2688	957,438	2402	91.7	89.2-94.2	204	5.9	03.7-08.1	49	1.7	00.3-03.1	14	0.3	00.1-00.5	19	0.4	00.2-00.6			
\$50,000- 74,999	2521	978,570	2271	93.0	91.0-95.0	182	4.7	03.1-06.3	33	1.1	00.3-01.9	19	0.6	00.0-01.2	16	0.6	00.0-01.2			
\$75,000+	3098	1,676,298	2859	94.6	93.0-96.2	185	4.4	03.0-05.8	29	0.6	00.0-01.2	20	0.2	00.0-00.4	5	0.1	00.0-00.3			

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 17: DRINKING AND DRIVING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDRI2)	
1 MALES AND FEMALES	203
2 MALES ONLY	204
3 FEMALES ONLY	205

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 17: DRINKING AND DRIVING

TABLE 1: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	15409	7,830,653	199	2.2	01.4-03.0	88	0.7	00.5-00.9	27	0.2	00.0-00.4	6	0.1	00.0-00.3	37	0.3	00.1-00.5	15052	96.5	95.7-97.3
Male	6869	4,269,666	127	3.1	01.9-04.3	58	0.9	00.5-01.3	22	0.4	00.2-00.6	4	0.2	00.0-00.6	31	0.4	00.2-00.6	6627	95.1	93.7-96.5
Female	8540	3,560,987	72	1.0	00.4-01.6	30	0.5	00.3-00.7	5	0.1	00.0-00.3	2	0.0	00.0-00.0	6	0.1	00.0-00.3	8425	98.3	97.7-98.9
White/Non-Hisp	13311	5,846,806	176	2.2	01.6-02.8	76	0.7	00.5-00.9	23	0.2	00.0-00.4	5	0.1	00.0-00.3	29	0.3	00.1-00.5	13002	96.4	95.6-97.2
Black or Afr. Am./Non-Hisp	729	549,396	8	0.5	00.1-00.9	2	0.5	00.0-01.3	1	0.0	00.0-00.0				5	0.4	00.0-01.0	713	98.5	97.5-99.5
Oth. Race/Non-Hisp.	220	176,070	1	0.0	00.0-00.0	1	0.0	00.0-00.0										218	100.0	0100-0100
MultiRacial/Non-Hisp.	202	86,275	7	5.1	00.0-12.0										1	0.6	00.0-01.8	194	94.4	87.5-0100
Hispanic	695	1,051,881	6	3.2	00.0-07.1	8	0.8	00.0-01.8	3	0.6	00.0-01.6	1	0.1	00.0-00.3	1	0.0	00.0-00.0	676	95.3	91.4-99.2
18-24	358	443,693	18	10.6	01.6-19.6	5	1.8	00.0-04.0	3	0.6	00.0-01.6				5	0.7	00.0-01.5	327	86.2	77.0-95.4
25-34	1053	852,591	22	1.4	00.4-02.4	9	0.9	00.1-01.7	2	0.0	00.0-00.0	2	0.9	00.0-02.7	3	0.2	00.0-00.6	1015	96.5	94.3-98.7
35-44	1752	1,560,462	39	2.9	01.5-04.3	14	0.9	00.1-01.7	6	0.6	00.0-01.2				3	0.2	00.0-00.4	1690	95.6	93.8-97.4
45-54	2722	2,159,407	49	1.9	00.9-02.9	19	0.6	00.2-01.0	5	0.1	00.1-00.1	3	0.0	00.0-00.0	11	0.4	00.0-00.8	2635	97.1	96.1-98.1
55-64	3554	1,152,637	39	1.5	00.3-02.7	27	0.8	00.2-01.4	5	0.2	00.0-00.4	1	0.0	00.0-00.0	5	0.1	00.1-00.1	3477	97.5	96.3-98.7
65+	5833	1,613,095	32	0.4	00.2-00.6	14	0.2	00.0-00.4	6	0.2	00.0-00.4				10	0.3	00.0-00.7	5771	98.9	98.5-99.3
Less Than H.S.	842	330,103	11	3.0	00.0-07.3	3	0.1	00.0-00.3	3	0.1	00.0-00.3				3	1.2	00.0-03.4	822	95.7	91.0-0100
H.S. or G.E.D.	3982	1,744,820	40	1.7	00.5-02.9	23	1.1	00.3-01.9	5	0.2	00.0-00.4				16	0.3	00.1-00.5	3898	96.8	95.4-98.2
Some Post-H.S.	4678	2,239,973	70	2.6	00.8-04.4	33	0.5	00.3-00.7	6	0.2	00.0-00.6	3	0.3	00.0-00.9	6	0.2	00.0-00.4	4560	96.1	94.1-98.1
College Graduate	5872	3,489,042	78	2.0	01.2-02.8	29	0.7	00.3-01.1	13	0.3	00.1-00.5	3	0.0	00.0-00.0	12	0.2	00.0-00.4	5737	96.7	95.7-97.7
Less than \$15,000	1112	424,905	18	3.1	00.0-06.6	3	0.1	00.0-00.3	1	0.5	00.0-01.5	1	0.0	00.0-00.0	4	0.1	00.0-00.3	1085	96.2	92.5-99.9
\$15,000- 24,999	2138	847,000	30	4.8	00.1-09.5	15	1.0	00.2-01.8	4	0.1	00.1-00.1				7	0.2	00.0-00.4	2082	94.0	89.3-98.7
\$25,000- 34,999	1532	651,531	22	1.3	00.1-02.5	8	0.2	00.0-00.4	1	0.2	00.0-00.6	1	0.0	00.0-00.0	2	0.3	00.0-00.7	1498	98.0	96.6-99.4
\$35,000- 49,999	2203	957,353	25	1.2	00.4-02.0	12	0.7	00.1-01.3	4	0.3	00.0-00.7				6	0.1	00.0-00.3	2156	97.7	96.5-98.9
\$50,000- 74,999	2392	1,203,914	31	1.8	00.8-02.8	13	0.6	00.2-01.0	4	0.1	00.1-00.1	1	0.1	00.0-00.3	6	0.2	00.0-00.4	2337	97.3	96.1-98.5
\$75,000+	4063	2,848,912	56	2.2	01.2-03.2	30	0.8	00.4-01.2	10	0.3	00.0-00.7	2	0.0	00.0-00.0	11	0.5	00.1-00.9	3954	96.2	95.0-97.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 17: DRINKING AND DRIVING**

TABLE 2: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6869	4,269,666	127	3.1	01.9-04.3	58	0.9	00.5-01.3	22	0.4	00.2-00.6	4	0.2	00.0-00.6	31	0.4	00.2-00.6	6627	95.1	93.7-96.5
White/Non-Hisp	5862	3,126,686	114	3.1	02.1-04.1	47	0.9	00.5-01.3	19	0.3	00.1-00.5	4	0.3	00.0-00.7	26	0.5	00.1-00.9	5652	94.9	93.7-96.1
Black or Afr. Am./Non-Hisp	320	282,029	3	0.5	00.0-01.3	2	1.0	00.0-02.4	1	0.1	00.0-00.3				2	0.0	00.0-00.0	312	98.4	96.8-0100
Oth. Race/Non-Hisp.	116	104,161				1	0.1	00.0-00.3										115	99.9	99.7-0100
MultiRacial/Non-Hisp.	100	37,610													1	1.3	00.0-03.8			
Hispanic	338	650,255	5	4.5	00.0-10.6	7	1.2	00.0-02.8	2	0.9	00.0-02.5				1	0.0	00.0-00.0	323	93.3	87.0-99.6
18-24	178	284,936				4	2.8	00.0-06.3	3	0.9	00.0-02.5				3	0.7	00.0-01.9			
25-34	429	462,760	9	0.8	00.2-01.4	5	1.1	00.0-02.3	2	0.1	00.0-00.3	1	1.6	00.0-04.7	2	0.1	00.0-00.3	410	96.4	93.1-99.7
35-44	750	890,252	21	4.3	01.8-06.8	7	0.7	00.0-01.7	3	0.7	00.0-01.7				2	0.3	00.0-00.7	717	94.0	91.3-96.7
45-54	1183	1,155,335	34	3.0	01.4-04.6	13	0.8	00.2-01.4	5	0.1	00.0-00.3	2	0.0	00.0-00.0	11	0.7	00.0-01.5	1118	95.4	93.4-97.4
55-64	1572	626,712	24	2.2	00.2-04.2	18	1.1	00.3-01.9	4	0.3	00.0-00.9	1	0.0	00.0-00.0	5	0.1	00.0-00.3	1520	96.3	94.1-98.5
65+	2716	831,679	26	0.6	00.2-01.0	11	0.3	00.1-00.5	5	0.4	00.0-00.8				8	0.4	00.0-01.0	2666	98.2	97.4-99.0
Less Than H.S.	475	215,878	7	4.4	00.0-10.9	2	0.1	00.0-00.3	3	0.2	00.0-00.4				3	1.8	00.0-05.1	460	93.6	86.3-0100
H.S. or G.E.D.	1742	940,447	26	1.9	00.3-03.5	19	1.7	00.5-02.9	3	0.3	00.0-00.7				13	0.4	00.0-00.8	1681	95.7	93.7-97.7
Some Post-H.S.	1837	1,143,257	44	4.3	00.8-07.8	16	0.5	00.1-00.9	6	0.5	00.0-01.3	2	0.7	00.0-01.9	3	0.1	00.0-00.3	1766	94.0	90.3-97.7
College Graduate	2792	1,947,242	50	2.8	01.4-04.2	21	0.8	00.2-01.4	10	0.4	00.2-00.6	2	0.0	00.0-00.0	12	0.4	00.0-00.8	2697	95.5	93.9-97.1
Less than \$15,000	478	236,009	10	2.3	00.0-06.4	3	0.2	00.0-00.4	1	0.9	00.0-02.7				4	0.1	00.0-00.3	460	96.5	92.2-0100
\$15,000- 24,999	920	448,948	20	8.8	00.4-17.2	8	1.3	00.1-02.5	4	0.1	00.0-00.3				5	0.2	00.0-00.4	883	89.6	81.2-98.0
\$25,000- 34,999	637	358,667	12	1.6	00.0-03.6	4	0.2	00.0-00.6	1	0.4	00.0-01.2	1	0.0	00.0-00.0	1	0.1	00.0-00.3	618	97.6	95.4-99.8
\$35,000- 49,999	999	500,627	14	1.4	00.0-02.8	8	1.0	00.0-02.2	3	0.3	00.0-00.7				4	0.2	00.0-00.4	970	97.1	95.3-98.9
\$50,000- 74,999	1074	648,559	19	2.7	00.7-04.7	8	0.5	00.0-01.1	4	0.1	00.0-00.3				6	0.3	00.0-00.7	1037	96.4	94.4-98.4
\$75,000+	2083	1,675,089	40	2.7	01.3-04.1	24	1.0	00.4-01.6	8	0.5	00.0-01.1	2	0.0	00.0-00.0	11	0.8	00.2-01.4	1998	94.9	93.1-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 17: DRINKING AND DRIVING**

TABLE 3: DURING THE PAST 30 DAYS, HOW MANY TIMES HAVE YOU DRIVEN WHEN YOU'VE HAD PERHAPS TOO MUCH TO DRINK? (DRNKDR12)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that didn't drink alcohol in the past 30 days

Denominator excludes: Respondents that didn't drive or ride in a car in the past 30 days

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		One Time			Two Times			Three Times			Four Times			Five or More Times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	8540	3,560,987	72	1.0	00.4-01.6	30	0.5	00.3-00.7	5	0.1	00.0-00.3	2	0.0	00.0-00.0	6	0.1	00.0-00.3	8425	98.3	97.7-98.9
White/Non-Hisp	7449	2,720,120	62	1.1	00.5-01.7	29	0.6	00.2-01.0	4	0.1	00.0-00.3	1	0.0	00.0-00.0	3	0.0	00.0-00.0	7350	98.2	97.6-98.8
Black or Afr. Am./Non-Hisp	409	267,366	5	0.5	00.0-01.1										3	0.8	00.0-02.0	401	98.7	97.3-0100
Oth. Race/Non-Hisp.	104	71,909	1	0.0	00.0-00.0													103	100.0	0100-0100
MultiRacial/Non-Hisp.	102	48,665	3	2.5	00.0-06.0													99	97.5	94.0-0100
Hispanic	357	401,625	1	1.0	00.0-03.0	1	0.0	00.0-00.0	1	0.2	00.0-00.6	1	0.2	00.0-00.6				353	98.6	96.6-0100
18-24	180	158,757	5	6.6	00.0-14.6	1	0.0	00.0-00.0							2	0.7	00.0-01.7	172	92.6	84.6-0100
25-34	624	389,831	13	2.1	00.0-04.3	4	0.8	00.0-02.0				1	0.2	00.0-00.6	1	0.4	00.0-01.2	605	96.6	94.1-99.1
35-44	1002	670,210	18	1.0	00.2-01.8	7	1.0	00.0-02.2	3	0.4	00.0-01.0				1	0.0	00.0-00.0	973	97.6	96.2-99.0
45-54	1539	1,004,071	15	0.7	00.1-01.3	6	0.4	00.0-00.8				1	0.0	00.0-00.0				1517	98.9	98.3-99.5
55-64	1982	525,925	15	0.8	00.2-01.4	9	0.3	00.0-00.7	1	0.0	00.0-00.0							1957	98.8	98.0-99.6
65+	3117	781,415	6	0.1	00.0-00.3	3	0.2	00.0-00.4	1	0.0	00.0-00.0				2	0.1	00.0-00.3	3105	99.6	99.4-99.8
Less Than H.S.	367	114,225	4	0.3	00.0-00.7	1	0.0	00.0-00.0										362	99.6	99.2-0100
H.S. or G.E.D.	2240	804,373	14	1.4	00.0-03.0	4	0.4	00.0-01.0	2	0.0	00.0-00.0				3	0.1	00.0-00.3	2217	98.1	96.5-99.7
Some Post-H.S.	2841	1,096,716	26	0.9	00.3-01.5	17	0.5	00.1-00.9				1	0.0	00.0-00.0	3	0.2	00.0-00.6	2794	98.4	97.6-99.2
College Graduate	3080	1,541,800	28	1.0	00.4-01.6	8	0.5	00.0-01.1	3	0.2	00.0-00.4	1	0.0	00.0-00.0				3040	98.3	97.5-99.1
Less than \$15,000	634	188,896	8	4.2	00.0-10.5							1	0.0	00.0-00.0				625	95.7	89.4-0100
\$15,000- 24,999	1218	398,052	10	0.2	00.0-00.4	7	0.8	00.0-01.6							2	0.1	00.0-00.3	1199	98.9	98.1-99.7
\$25,000- 34,999	895	292,864	10	0.9	00.1-01.7	4	0.1	00.0-00.3							1	0.5	00.0-01.5	880	98.5	97.3-99.7
\$35,000- 49,999	1204	456,726	11	0.8	00.0-01.6	4	0.3	00.0-00.7	1	0.4	00.0-01.2				2	0.1	00.0-00.3	1186	98.4	97.2-99.6
\$50,000- 74,999	1318	555,355	12	0.7	00.1-01.3	5	0.7	00.0-01.5				1	0.1	00.0-00.3				1300	98.4	97.4-99.4
\$75,000+	1980	1,173,823	16	1.3	00.3-02.3	6	0.5	00.0-01.1	2	0.1	00.0-00.3							1956	98.2	97.0-99.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 18: WOMENS HEALTH CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)	
1 FEMALES ONLY	207
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)	
2 FEMALES ONLY	208
A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM? (PROFEXAM)	
3 FEMALES ONLY	209
HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)	
4 FEMALES ONLY	210
A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)	
5 FEMALES ONLY	211
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)	
6 FEMALES ONLY	212
HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)	
7 FEMALES ONLY	213

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 1: A MAMMOGRAM IS AN X-RAY OF EACH BREAST TO LOOK FOR BREAST CANCER. HAVE YOU EVER HAD A MAMMOGRAM? (HADMAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	21323	7,296,634	18122	77.7	76.3-79.1	3201	22.3	20.9-23.7	
White/Non-Hisp	17338	4,987,197	14996	80.2	78.8-81.6	2342	19.8	18.4-21.2	
Black or Afr. Am./Non-Hisp	1757	822,347	1433	75.0	70.3-79.7	324	25.0	20.3-29.7	
Hispanic	1196	1,068,853	846	73.2	68.1-78.3	350	26.8	21.7-31.9	
18-24	457	380,349	69	12.6	06.7-18.5	388	87.4	81.5-93.3	
25-34	1450	762,476	312	20.9	16.8-25.0	1138	79.1	75.0-83.2	
35-44	2237	1,320,767	1395	65.2	61.5-68.9	842	34.8	31.1-38.5	
45-54	3516	1,870,955	3204	92.8	91.0-94.6	312	7.2	05.4-09.0	
55-64	4799	1,083,813	4594	96.1	94.7-97.5	205	3.9	02.5-05.3	
65+	8631	1,806,521	8334	97.2	96.6-97.8	297	2.8	02.2-03.4	
Less Than H.S.	2166	525,634	1771	76.8	71.9-81.7	395	23.2	18.3-28.1	
H.S. or G.E.D.	7160	1,959,395	6146	78.6	76.1-81.1	1014	21.4	18.9-23.9	
Some Post-H.S.	6338	2,173,111	5340	75.4	72.9-77.9	998	24.6	22.1-27.1	
College Graduate	5610	2,613,392	4825	79.1	76.6-81.6	785	20.9	18.4-23.4	
Less than \$15,000	2967	706,062	2463	73.5	69.2-77.8	504	26.5	22.2-30.8	
\$15,000- 24,999	3981	1,148,409	3348	74.4	70.5-78.3	633	25.6	21.7-29.5	
\$25,000- 34,999	2359	657,454	1992	80.1	76.4-83.8	367	19.9	16.2-23.6	
\$35,000- 49,999	2681	950,822	2257	76.2	72.5-79.9	424	23.8	20.1-27.5	
\$50,000- 74,999	2518	982,260	2109	76.5	72.8-80.2	409	23.5	19.8-27.2	
\$75,000+	3092	1,669,401	2665	81.3	78.6-84.0	427	18.7	16.0-21.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST MAMMOGRAM? (HOWLONG)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a mammogram.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	17957	5,616,920	11166	64.3	62.7-65.9	2910	16.8	15.6-18.0	1258	6.1	05.3-06.9	1017	5.7	04.9-06.5	1606	7.0	06.2-07.8
White/Non-Hisp	14878	3,966,877	9268	64.1	62.5-65.7	2402	17.5	16.1-18.9	993	5.6	04.8-06.4	840	5.2	04.4-06.0	1375	7.6	06.8-08.4
Black or Afr. Am./Non-Hisp	1413	608,676	920	68.6	62.7-74.5	227	12.8	09.5-16.1	116	6.4	04.0-08.8	78	7.4	03.5-11.3	72	4.8	01.7-07.9
Oth. Race/Non-Hisp.	255	112,337				33	13.5	05.1-21.9	18	5.7	00.0-13.7	22	6.2	00.5-11.9	29	6.0	01.7-10.3
MultiRacial/Non-Hisp.	245	69,313							22	12.2	03.4-21.0	18	1.5	00.1-02.9			
Hispanic	841	780,516	492	62.2	56.1-68.3	152	16.5	12.0-21.0	81	8.2	05.1-11.3	43	7.4	04.1-10.7	73	5.7	03.0-08.4
18-24	66	45,643							8	6.8	00.0-14.2				3	5.1	00.0-12.2
25-34	311	159,163	113	34.1	24.1-44.1	53	17.9	08.3-27.5	39	7.1	03.2-11.0				63	18.0	10.6-25.4
35-44	1384	854,634	702	54.4	49.5-59.3	276	19.6	15.9-23.3	127	8.1	05.4-10.8	120	8.7	06.0-11.4	159	9.4	06.3-12.5
45-54	3192	1,727,067	1850	66.0	62.5-69.5	561	16.3	13.8-18.8	277	7.1	05.5-08.7	203	5.3	03.7-06.9	301	5.3	03.7-06.9
55-64	4571	1,036,306	2825	64.6	61.7-67.5	734	17.6	15.2-20.0	322	5.4	04.2-06.6	262	5.0	03.2-06.8	428	7.4	05.8-09.0
65+	8226	1,731,594	5512	70.8	68.8-72.8	1239	15.1	13.5-16.7	468	4.5	03.7-05.3	373	3.3	02.5-04.1	634	6.3	05.3-07.3
Less Than H.S.	1747	398,235	906	57.8	51.1-64.5	297	14.7	10.0-19.4	177	9.1	05.6-12.6	132	10.1	05.6-14.6	235	8.4	05.9-10.9
H.S. or G.E.D.	6070	1,517,097	3706	64.0	61.1-66.9	987	15.2	13.0-17.4	433	6.7	05.3-08.1	369	6.3	04.5-08.1	575	7.8	06.2-09.4
Some Post-H.S.	5307	1,626,927	3311	63.9	61.2-66.6	850	16.5	14.5-18.5	349	5.9	04.5-07.3	297	5.5	03.9-07.1	500	8.2	06.6-09.8
College Graduate	4796	2,059,710	3223	66.5	63.6-69.4	767	18.3	15.9-20.7	295	5.3	04.1-06.5	217	4.4	03.2-05.6	294	5.4	04.0-06.8
Less than \$15,000	2431	513,748	1200	53.5	48.6-58.4	461	19.2	15.9-22.5	215	5.8	03.8-07.8	217	8.9	06.0-11.8	338	12.5	08.6-16.4
\$15,000- 24,999	3321	848,102	1920	57.8	53.7-61.9	533	17.0	13.9-20.1	250	5.8	04.2-07.4	225	9.0	05.9-12.1	393	10.4	08.4-12.4
\$25,000- 34,999	1980	524,735	1208	61.4	55.7-67.1	320	15.5	11.8-19.2	146	8.6	04.7-12.5	128	6.2	03.8-08.6	178	8.4	05.1-11.7
\$35,000- 49,999	2249	723,101	1454	62.7	58.0-67.4	360	18.1	14.2-22.0	151	7.3	04.9-09.7	111	6.2	03.7-08.7	173	5.7	03.9-07.5
\$50,000- 74,999	2100	748,548	1412	66.0	61.9-70.1	333	17.0	13.9-20.1	136	5.7	03.7-07.7	90	4.8	02.8-06.8	129	6.5	04.3-08.7
\$75,000+	2659	1,354,498	1885	69.6	66.3-72.9	414	16.7	14.0-19.4	152	5.7	04.1-07.3	84	3.4	02.0-04.8	124	4.7	03.1-06.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

**TABLE 3: A CLINICAL BREAST EXAM IS WHEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FEELS THE BREAST FOR LUMPS. HAVE YOU EVER HAD A CLINICAL BREAST EXAM?
(PROFEXAM)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21197	7,255,148	19549	91.8	90.8-92.8	1648	8.2	07.2-09.2
White/Non-Hisp	17239	4,953,767	16094	93.9	93.1-94.7	1145	6.1	05.3-06.9
Black or Afr. Am./Non-Hisp	1744	819,052	1544	89.2	85.7-92.7	200	10.8	07.3-14.3
MultiRacial/Non-Hisp.	309	104,030	289	93.3	87.4-99.2	20	6.7	00.8-12.6
Hispanic	1195	1,065,936	1006	86.7	82.8-90.6	189	13.3	09.4-17.2
18-24	459	382,872	323	67.0	57.8-76.2	136	33.0	23.8-42.2
25-34	1452	763,759	1335	92.4	90.0-94.8	117	7.6	05.2-10.0
35-44	2225	1,311,969	2101	93.7	91.3-96.1	124	6.3	03.9-08.7
45-54	3508	1,862,331	3335	95.7	94.1-97.3	173	4.3	02.7-05.9
55-64	4778	1,075,899	4517	95.1	93.7-96.5	261	4.9	03.5-06.3
65+	8545	1,786,565	7725	89.4	88.0-90.8	820	10.6	09.2-12.0
Less Than H.S.	2152	527,286	1782	78.4	73.5-83.3	370	21.6	16.7-26.5
H.S. or G.E.D.	7108	1,942,104	6396	87.5	85.3-89.7	712	12.5	10.3-14.7
Some Post-H.S.	6301	2,163,019	5950	94.1	92.7-95.5	351	5.9	04.5-07.3
College Graduate	5587	2,597,492	5380	96.0	94.6-97.4	207	4.0	02.6-05.4
Less than \$15,000	2951	700,312	2551	82.1	78.2-86.0	400	17.9	14.0-21.8
\$15,000- 24,999	3955	1,142,674	3527	86.9	84.0-89.8	428	13.1	10.2-16.0
\$25,000- 34,999	2346	655,101	2176	91.0	87.9-94.1	170	9.0	05.9-12.1
\$35,000- 49,999	2670	944,778	2539	93.7	91.3-96.1	131	6.3	03.9-08.7
\$50,000- 74,999	2509	979,113	2430	96.1	94.1-98.1	79	3.9	01.9-05.9
\$75,000+	3087	1,667,320	3013	97.6	96.6-98.6	74	2.4	01.4-03.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST BREAST EXAM? (LENGEXAM)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a clinical breast exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	19246	6,577,642	12216	67.0	65.4-68.6	2948	15.9	14.7-17.1	1306	6.1	05.3-06.9	1025	4.8	04.0-05.6	1751	6.2	05.6-06.8
White/Non-Hisp	15847	4,597,884	9923	66.3	64.7-67.9	2430	15.8	14.6-17.0	1083	6.3	05.5-07.1	876	4.4	03.8-05.0	1535	7.2	06.4-08.0
Black or Afr. Am./Non-Hisp	1517	718,880	1091	71.7	66.4-77.0	215	15.2	11.1-19.3	93	4.9	02.5-07.3	54	5.3	02.4-08.2	64	2.9	01.1-04.7
Oth. Race/Non-Hisp.	276	141,037				39	11.8	05.1-18.5	19	3.8	00.7-06.9	12	9.3	00.0-19.5	25	5.2	01.3-09.1
MultiRacial/Non-Hisp.	285	96,974							22	5.4	01.7-09.1	18	3.5	00.4-06.6	34	3.4	00.7-06.1
Hispanic	997	909,560	653	68.7	63.4-74.0	166	15.6	11.3-19.9	69	6.7	04.0-09.4	50	4.9	02.5-07.3	59	4.0	02.0-06.0
18-24	317	253,304				52	19.9	11.5-28.3	28	7.4	03.1-11.7	24	11.5	01.5-21.5	7	2.5	00.0-05.4
25-34	1330	705,365	883	64.6	59.5-69.7	230	19.9	15.4-24.4	91	5.6	03.4-07.8	64	5.9	03.0-08.8	62	4.0	02.4-05.6
35-44	2084	1,226,784	1296	64.0	60.1-67.9	363	18.4	15.3-21.5	153	6.8	04.6-09.0	124	5.1	03.5-06.7	148	5.7	03.7-07.7
45-54	3310	1,763,254	2100	70.5	67.4-73.6	495	15.0	12.5-17.5	240	5.9	04.5-07.3	158	3.7	02.5-04.9	317	4.9	03.7-06.1
55-64	4469	1,013,603	2838	68.1	65.2-71.0	684	14.5	12.3-16.7	286	4.7	03.7-05.7	229	4.6	02.8-06.4	432	8.0	06.2-09.8
65+	7536	1,549,570	4760	67.2	65.2-69.2	1095	13.3	11.7-14.9	497	6.5	05.3-07.7	417	4.4	03.6-05.2	767	8.6	07.6-09.6
Less Than H.S.	1729	406,658	907	52.9	46.2-59.6	294	18.7	13.0-24.4	163	11.3	07.2-15.4	126	7.6	04.1-11.1	239	9.5	06.4-12.6
H.S. or G.E.D.	6275	1,674,563	3770	63.2	60.3-66.1	995	15.8	13.4-18.2	450	6.8	05.4-08.2	364	4.7	03.3-06.1	696	9.4	07.8-11.0
Some Post-H.S.	5871	2,004,942	3723	65.5	63.0-68.0	890	15.6	13.6-17.6	403	7.0	05.6-08.4	327	5.3	04.1-06.5	528	6.6	05.4-07.8
College Graduate	5332	2,473,700	3791	73.3	70.8-75.8	764	15.4	13.4-17.4	287	3.9	02.9-04.9	206	4.1	02.7-05.5	284	3.3	02.5-04.1
Less than \$15,000	2494	568,216	1256	55.4	50.7-60.1	427	15.0	11.9-18.1	218	7.6	05.4-09.8	201	8.3	05.6-11.0	392	13.7	10.4-17.0
\$15,000- 24,999	3478	984,399	1998	57.6	53.5-61.7	572	17.0	13.7-20.3	261	7.4	05.6-09.2	219	7.8	04.7-10.9	428	10.2	08.0-12.4
\$25,000- 34,999	2148	588,227	1312	62.7	57.6-67.8	328	14.6	11.3-17.9	164	9.7	06.0-13.4	142	4.6	02.8-06.4	202	8.5	05.8-11.2
\$35,000- 49,999	2518	869,442	1622	66.5	62.4-70.6	417	16.9	13.6-20.2	166	7.4	05.2-09.6	116	3.8	02.0-05.6	197	5.4	03.8-07.0
\$50,000- 74,999	2414	930,475	1700	70.3	66.4-74.2	334	16.8	13.5-20.1	142	4.7	03.1-06.3	101	4.1	02.5-05.7	137	4.1	02.5-05.7
\$75,000+	2989	1,618,659	2271	76.7	73.8-79.6	402	14.7	12.2-17.2	139	3.7	02.5-04.9	78	2.7	01.5-03.9	99	2.2	01.4-03.0

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 5: A PAP TEST IS A TEST FOR CANCER OF THE CERVIX. HAVE YOU EVER HAD A PAP TEST? (HADPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	21209	7,263,524	20566	95.6	94.8-96.4	643	4.4	03.6-05.2	
White/Non-Hisp	17250	4,962,628	16799	96.9	96.3-97.5	451	3.1	02.5-03.7	
Black or Afr. Am./Non-Hisp	1740	818,792	1672	95.1	92.4-97.8	68	4.9	02.2-07.6	
Oth. Race/Non-Hisp.	331	186,391	296	83.1	73.7-92.5	35	16.9	07.5-26.3	
Hispanic	1196	1,065,677	1139	94.0	91.1-96.9	57	6.0	03.1-08.9	
18-24	457	383,893	358	63.6	53.8-73.4	99	36.4	26.6-46.2	
25-34	1445	757,319	1400	97.3	96.1-98.5	45	2.7	01.5-03.9	
35-44	2229	1,313,011	2186	98.0	97.0-99.0	43	2.0	01.0-03.0	
45-54	3506	1,867,740	3449	98.3	97.1-99.5	57	1.7	00.5-02.9	
55-64	4778	1,081,109	4708	97.6	96.4-98.8	70	2.4	01.2-03.6	
65+	8565	1,790,768	8241	95.9	94.9-96.9	324	4.1	03.1-05.1	
Less Than H.S.	2153	526,642	2030	93.3	90.4-96.2	123	6.7	03.8-09.6	
H.S. or G.E.D.	7114	1,948,515	6857	94.1	92.3-95.9	257	5.9	04.1-07.7	
Some Post-H.S.	6310	2,165,939	6165	96.0	94.8-97.2	145	4.0	02.8-05.2	
College Graduate	5583	2,597,299	5467	97.0	95.6-98.4	116	3.0	01.6-04.4	
Less than \$15,000	2950	706,361	2823	91.9	88.8-95.0	127	8.1	05.0-11.2	
\$15,000- 24,999	3958	1,138,051	3797	93.4	90.7-96.1	161	6.6	03.9-09.3	
\$25,000- 34,999	2355	656,175	2292	96.9	95.3-98.5	63	3.1	01.5-04.7	
\$35,000- 49,999	2677	950,693	2625	95.8	93.4-98.2	52	4.2	01.8-06.6	
\$50,000- 74,999	2506	979,841	2468	97.0	95.0-99.0	38	3.0	01.0-05.0	
\$75,000+	3084	1,667,205	3048	98.8	98.0-99.6	36	1.2	00.4-02.0	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PAP TEST? (LASTPAP2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that did not report ever having a Pap Test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 LT 12 months			1 LT 2 years			2 LT 3 years			3 LT 5 years			5 or More years		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20226	6,877,068	9239	54.4	52.8-56.0	3236	16.7	15.5-17.9	1787	7.6	06.8-08.4	1668	6.6	05.8-07.4	4296	14.6	13.6-15.6
White/Non-Hisp	16527	4,762,325	7250	51.6	50.0-53.2	2603	16.6	15.4-17.8	1509	8.0	07.2-08.8	1406	6.8	06.0-07.6	3759	17.1	16.1-18.1
Black or Afr. Am./Non-Hisp	1643	774,318	959	62.9	57.4-68.4	272	16.9	12.8-21.0	121	6.6	03.9-09.3	112	6.8	03.7-09.9	179	6.8	04.4-09.2
Oth. Race/Non-Hisp.	293	154,742				52	16.4	09.0-23.8	17	3.9	00.6-07.2	24	12.8	03.2-22.4	61	14.8	05.8-23.8
MultiRacial/Non-Hisp.	291	93,035							23	5.3	01.4-09.2	14	2.6	00.4-04.8	82	12.1	06.2-18.0
Hispanic	1124	989,969	622	62.1	56.6-67.6	211	16.0	12.1-19.9	88	7.7	05.0-10.4	74	5.1	02.7-07.5	129	9.1	06.4-11.8
18-24	356	244,125	262	66.5	56.5-76.5	55	20.7	12.3-29.1	24	7.2	02.5-11.9	12	3.8	00.0-08.9	3	1.8	00.0-04.2
25-34	1394	736,501	943	67.3	62.4-72.2	239	17.8	13.7-21.9	84	5.0	02.8-07.2	63	5.5	02.6-08.4	65	4.5	02.7-06.3
35-44	2176	1,284,409	1296	61.3	57.4-65.2	387	17.7	14.6-20.8	176	7.6	05.4-09.8	132	6.6	04.4-08.8	185	6.8	04.8-08.8
45-54	3430	1,827,012	1865	62.3	58.8-65.8	535	15.2	12.7-17.7	272	7.0	05.4-08.6	228	4.8	03.4-06.2	530	10.7	08.7-12.7
55-64	4675	1,050,115	2225	52.9	49.8-56.0	731	15.8	13.8-17.8	414	7.7	06.3-09.1	352	5.6	04.0-07.2	953	18.0	15.5-20.5
65+	7984	1,668,219	2540	33.8	31.6-36.0	1249	16.8	15.0-18.6	807	9.8	08.6-11.0	865	10.2	09.0-11.4	2523	29.4	27.6-31.2
Less Than H.S.	1974	485,144	685	44.8	38.5-51.1	325	18.3	13.4-23.2	190	8.5	05.6-11.4	199	8.2	05.7-10.7	575	20.1	16.0-24.2
H.S. or G.E.D.	6721	1,810,235	2766	46.5	43.6-49.4	1076	17.6	15.2-20.0	610	8.6	07.2-10.0	579	7.4	05.8-09.0	1690	19.8	17.8-21.8
Some Post-H.S.	6093	2,062,327	2748	51.9	49.2-54.6	970	16.4	14.4-18.4	573	8.8	07.2-10.4	525	7.3	05.9-08.7	1277	15.7	14.1-17.3
College Graduate	5398	2,503,276	3025	64.1	61.6-66.6	858	16.0	14.0-18.0	409	5.7	04.5-06.9	361	5.2	04.0-06.4	745	9.0	07.6-10.4
Less than \$15,000	2769	637,863	932	42.6	37.9-47.3	426	16.7	13.2-20.2	290	8.4	06.2-10.6	285	9.1	06.7-11.5	836	23.1	19.6-26.6
\$15,000- 24,999	3731	1,052,039	1413	43.6	39.7-47.5	569	16.3	13.2-19.4	371	8.7	06.7-10.7	367	10.6	07.7-13.5	1011	20.8	18.3-23.3
\$25,000- 34,999	2266	629,978	931	47.1	41.8-52.4	373	17.6	14.1-21.1	212	8.4	05.1-11.7	249	9.1	06.7-11.5	501	17.7	14.4-21.0
\$35,000- 49,999	2599	899,513	1231	55.1	50.8-59.4	436	16.0	13.1-18.9	230	7.9	06.1-09.7	186	5.9	04.1-07.7	516	15.2	12.5-17.9
\$50,000- 74,999	2448	945,579	1352	58.5	54.4-62.6	410	17.7	14.4-21.0	205	7.5	05.5-09.5	150	5.4	03.8-07.0	331	10.9	08.4-13.4
\$75,000+	3030	1,642,658	1938	67.4	64.3-70.5	462	15.8	13.3-18.3	197	6.0	04.4-07.6	142	4.0	02.6-05.4	291	6.9	05.3-08.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 18: WOMENS HEALTH**

TABLE 7: HAVE YOU HAD A HYSTERECTOMY? (HADHYST2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	21070	7,159,719	7966	26.6	25.4-27.8	13104	73.4	72.2-74.6
White/Non-Hisp	17165	4,906,938	6679	29.4	28.0-30.8	10486	70.6	69.2-72.0
Black or Afr. Am./Non-Hisp	1713	806,168	626	23.9	19.0-28.8	1087	76.1	71.2-81.0
Oth. Race/Non-Hisp.	323	169,933	105	14.7	06.9-22.5	218	85.3	77.5-93.1
Hispanic	1178	1,058,381	262	17.8	13.9-21.7	916	82.2	78.3-86.1
18-24	432	358,073	2	0.2	00.0-00.6	430	99.8	99.4-0100
25-34	1353	702,101	44	4.8	02.1-07.5	1309	95.2	92.5-97.9
35-44	2201	1,292,021	295	10.0	07.6-12.4	1906	90.0	87.6-92.4
45-54	3498	1,863,696	1078	24.9	21.8-28.0	2420	75.1	72.0-78.2
55-64	4778	1,080,351	2018	37.6	34.7-40.5	2760	62.4	59.5-65.3
65+	8582	1,795,081	4442	47.2	45.0-49.4	4140	52.8	50.6-55.0
Less Than H.S.	2143	522,848	949	30.0	25.1-34.9	1194	70.0	65.1-74.9
H.S. or G.E.D.	7080	1,937,871	3005	30.6	28.2-33.0	4075	69.4	67.0-71.8
Some Post-H.S.	6273	2,135,033	2425	29.0	26.8-31.2	3848	71.0	68.8-73.2
College Graduate	5528	2,540,270	1575	20.9	18.5-23.3	3953	79.1	76.7-81.5
Less than \$15,000	2937	694,456	1219	29.1	25.4-32.8	1718	70.9	67.2-74.6
\$15,000- 24,999	3934	1,113,375	1653	31.0	27.7-34.3	2281	69.0	65.7-72.3
\$25,000- 34,999	2334	652,726	917	31.3	26.4-36.2	1417	68.7	63.8-73.6
\$35,000- 49,999	2655	936,543	965	27.0	23.5-30.5	1690	73.0	69.5-76.5
\$50,000- 74,999	2484	952,727	831	26.0	22.7-29.3	1653	74.0	70.7-77.3
\$75,000+	3052	1,647,324	873	20.3	17.8-22.8	2179	79.7	77.2-82.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 19: PROSTATE CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)	
1	MALES ONLY	215
	HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)	
2	MALES ONLY	216
	A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)	
3	MALES ONLY	217
	HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)	
4	MALES ONLY	218
	HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)	
5	MALES ONLY	219

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 1: A PROSTATE-SPECIFIC ANTIGEN TEST, ALSO CALLED A PSA TEST, IS A BLOOD TEST USED TO CHECK MEN FOR PROSTATE CANCER. HAVE YOU EVER HAD A PSA TEST? (PSATEST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	10372	4,689,380	8298	74.5	72.3-76.7	2074	25.5	23.3-27.7
White/Non-Hisp	8763	3,491,701	7136	76.3	74.1-78.5	1627	23.7	21.5-25.9
Black or Afr. Am./Non-Hisp	590	352,369	450	76.0	68.6-83.4	140	24.0	16.6-31.4
Hispanic	427	573,271	268	66.8	58.4-75.2	159	33.2	24.8-41.6
35-44	617	652,243	213	41.4	34.1-48.7	404	58.6	51.3-65.9
45-54	1990	1,698,025	1183	65.0	60.7-69.3	807	35.0	30.7-39.3
55-64	2738	955,561	2282	85.4	82.5-88.3	456	14.6	11.7-17.5
65+	5027	1,383,550	4620	94.2	93.2-95.2	407	5.8	04.8-06.8
Less Than H.S.	939	289,933	614	66.4	57.8-75.0	325	33.6	25.0-42.2
H.S. or G.E.D.	3065	1,110,825	2294	69.8	65.5-74.1	771	30.2	25.9-34.5
Some Post-H.S.	2671	1,186,593	2177	75.7	71.6-79.8	494	24.3	20.2-28.4
College Graduate	3665	2,091,137	3194	77.6	74.5-80.7	471	22.4	19.3-25.5
Less than \$15,000	1082	362,898	685	65.4	58.7-72.1	397	34.6	27.9-41.3
\$15,000- 24,999	1662	571,927	1221	66.8	61.1-72.5	441	33.2	27.5-38.9
\$25,000- 34,999	1093	389,548	870	73.2	66.1-80.3	223	26.8	19.7-33.9
\$35,000- 49,999	1483	566,022	1225	72.7	66.4-79.0	258	27.3	21.0-33.6
\$50,000- 74,999	1491	708,980	1283	79.0	73.7-84.3	208	21.0	15.7-26.3
\$75,000+	2488	1,639,233	2126	77.4	73.9-80.9	362	22.6	19.1-26.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 19: PROSTATE CANCER SCREENING

TABLE 2: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST PSA TEST? (PSATIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a PSA test.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8205	3,465,466	6079	70.2	67.7-72.7	1013	14.5	12.5-16.5	438	5.0	04.0-06.0	348	6.5	04.9-08.1	327	3.9	02.9-04.9
White/Non-Hisp	7058	2,640,961	5260	72.0	69.6-74.4	868	13.6	11.6-15.6	363	5.1	04.1-06.1	290	5.3	03.9-06.7	277	4.0	03.0-05.0
Black or Afr. Am./Non-Hisp	447	267,198				62	19.3	10.1-28.5	37	7.7	01.8-13.6	26	8.7	01.6-15.8	14	2.3	00.0-04.7
Oth. Race/Non-Hisp.	147	80,803				18	8.6	02.5-14.7	8	3.4	00.0-07.3	1	6.9	00.0-19.6	8	1.7	00.0-03.5
MultiRacial/Non-Hisp.	103	28,046				9	5.4	00.0-11.1	6	4.7	00.0-10.4	6	1.8	00.0-04.5	8	3.2	00.1-06.3
Hispanic	264	378,308				36	18.0	08.8-27.2	12	2.9	00.0-06.0				10	4.1	00.0-09.8
35-44	212	269,640				41	20.9	10.9-30.9	24	6.4	02.3-10.5	14	9.4	02.3-16.5	11	1.7	00.3-03.1
45-54	1178	1,098,929	701	61.2	55.3-67.1	214	18.0	13.3-22.7	103	5.6	03.4-07.8	80	10.9	06.4-15.4	80	4.3	02.5-06.1
55-64	2263	811,161	1638	69.0	64.9-73.1	309	15.7	12.2-19.2	140	6.9	04.7-09.1	95	4.9	03.1-06.7	81	3.5	01.7-05.3
65+	4552	1,285,736	3618	80.5	78.0-83.0	449	9.2	07.6-10.8	171	3.1	02.3-03.9	159	3.1	02.1-04.1	155	4.1	02.3-05.9
Less Than H.S.	604	189,896				78	14.1	07.0-21.2	37	3.7	01.3-06.1						
H.S. or G.E.D.	2267	771,677	1667	69.4	63.9-74.9	297	16.1	11.0-21.2	127	6.3	03.6-09.0	81	5.0	02.6-07.4	95	3.3	01.9-04.7
Some Post-H.S.	2155	889,406	1589	70.1	65.4-74.8	260	11.8	08.9-14.7	123	6.1	03.9-08.3	102	9.0	05.3-12.7	81	3.1	01.9-04.3
College Graduate	3161	1,608,216	2404	72.1	68.6-75.6	377	15.2	12.3-18.1	151	4.0	03.0-05.0	122	5.1	03.1-07.1	107	3.6	02.2-05.0
Less than \$15,000	677	235,571	443	64.4	54.8-74.0	88	16.8	08.8-24.8	53	7.3	03.2-11.4	44	6.2	01.3-11.1	49	5.2	02.1-08.3
\$15,000- 24,999	1200	376,874	838	69.3	61.7-76.9	164	10.4	06.9-13.9	77	6.6	03.9-09.3	60	9.5	01.7-17.3	61	4.2	02.4-06.0
\$25,000- 34,999	859	281,060	642	72.4	65.1-79.7	97	13.6	06.9-20.3	34	3.2	01.4-05.0	42	5.2	02.1-08.3	44	5.6	02.7-08.5
\$35,000- 49,999	1211	407,480	917	72.2	66.5-77.9	146	14.8	09.7-19.9	64	5.4	02.9-07.9	49	4.4	01.7-07.1	35	3.2	01.4-05.0
\$50,000- 74,999	1274	554,907	946	68.0	61.7-74.3	163	14.1	10.0-18.2	59	4.3	01.9-06.7	60	10.9	05.8-16.0	46	2.6	01.4-03.8
\$75,000+	2113	1,262,923	1620	70.6	65.9-75.3	258	15.9	11.8-20.0	107	4.4	02.8-06.0	71	5.8	03.1-08.5	57	3.3	01.5-05.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 3: A DIGITAL RECTAL EXAM IS AN EXAM IN WHICH A DOCTOR, NURSE OR OTHER HEALTH PROFESSIONAL PLACES A GLOVED FINGER INTO THE RECTUM TO FEEL THE SIZE, SHAPE, AND HARDNESS OF THE PROSTATE GLAND. HAVE YOU EVER HAD A DIGITAL RECTAL EXAM? (DIGRECEX)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	10723	4,859,366	8916	78.2	76.2-80.2	1807	21.8	19.8-23.8
White/Non-Hisp	9074	3,632,105	7711	82.3	80.5-84.1	1363	17.7	15.9-19.5
Black or Afr. Am./Non-Hisp	593	360,030	452	72.9	64.3-81.5	141	27.1	18.5-35.7
Hispanic	439	583,901	284	62.6	53.2-72.0	155	37.4	28.0-46.8
35-44	650	680,235	294	52.8	45.9-59.7	356	47.2	40.3-54.1
45-54	2104	1,787,902	1487	71.2	66.9-75.5	617	28.8	24.5-33.1
55-64	2840	984,300	2454	88.2	85.8-90.6	386	11.8	09.4-14.2
65+	5129	1,406,928	4681	92.3	90.9-93.7	448	7.7	06.3-09.1
Less Than H.S.	993	301,825	684	71.5	63.7-79.3	309	28.5	20.7-36.3
H.S. or G.E.D.	3178	1,168,149	2491	71.7	67.6-75.8	687	28.3	24.2-32.4
Some Post-H.S.	2749	1,209,458	2332	78.5	74.0-83.0	417	21.5	17.0-26.0
College Graduate	3770	2,168,527	3384	82.5	79.6-85.4	386	17.5	14.6-20.4
Less than \$15,000	1129	383,677	796	71.0	64.3-77.7	333	29.0	22.3-35.7
\$15,000- 24,999	1726	597,540	1326	71.9	66.8-77.0	400	28.1	23.0-33.2
\$25,000- 34,999	1117	394,014	898	71.7	64.6-78.8	219	28.3	21.2-35.4
\$35,000- 49,999	1541	583,158	1322	76.7	70.8-82.6	219	23.3	17.4-29.2
\$50,000- 74,999	1527	729,667	1338	78.9	72.8-85.0	189	21.1	15.0-27.2
\$75,000+	2555	1,691,448	2278	82.3	78.8-85.8	277	17.7	14.2-21.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 19: PROSTATE CANCER SCREENING

TABLE 4: HOW LONG HAS IT BEEN SINCE YOUR LAST DIGITAL RECTAL EXAM? (DRETIME)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

Denominator excludes: Respondents that have never had a digital rectal exam.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 3 years ago			3 years but less than 5 years ago			5 or more years ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	8802	3,748,890	4739	51.9	49.5-54.3	1361	16.3	14.5-18.1	710	7.6	06.4-08.8	714	10.5	08.5-12.5	1278	13.7	12.1-15.3
White/Non-Hisp	7615	2,963,038	4089	53.2	50.7-55.7	1176	15.8	13.8-17.8	615	7.2	06.0-08.4	609	9.0	07.0-11.0	1126	14.8	13.0-16.6
Black or Afr. Am./Non-Hisp	448	260,914				72	20.5	11.7-29.3				36	8.6	03.3-13.9	41	7.0	03.1-10.9
Oth. Race/Non-Hisp.	151	67,368							14	8.3	02.2-14.4	7	2.4	00.0-05.3	26	11.7	03.7-19.7
MultiRacial/Non-Hisp.	116	28,208				13	6.1	00.0-12.4				8	5.0	00.0-10.1			
Hispanic	276	347,692				46	18.3	09.5-27.1	21	6.0	01.5-10.5				33	10.4	04.7-16.1
35-44	292	358,518				59	26.1	16.5-35.7	32	7.2	03.1-11.3	38	10.9	05.0-16.8	55	14.3	08.8-19.8
45-54	1473	1,258,671	619	43.6	38.5-48.7	254	17.9	14.0-21.8	141	7.9	05.0-10.8	149	14.1	09.2-19.0	310	16.6	13.1-20.1
55-64	2432	861,888	1268	52.5	48.4-56.6	377	14.4	11.5-17.3	195	7.5	05.5-09.5	202	11.3	08.0-14.6	390	14.3	11.6-17.0
65+	4605	1,269,813	2744	62.6	60.1-65.1	671	13.4	11.4-15.4	342	7.4	06.0-08.8	325	6.3	04.9-07.7	523	10.2	08.6-11.8
Less Than H.S.	669	202,744				103	19.3	09.5-29.1	52	5.5	02.6-08.4				133	20.1	12.8-27.4
H.S. or G.E.D.	2456	828,056	1236	46.6	41.5-51.7	383	17.2	13.5-20.9	220	9.2	06.3-12.1	219	12.5	07.6-17.4	398	14.5	11.4-17.6
Some Post-H.S.	2300	938,197	1248	51.1	46.4-55.8	331	15.4	11.9-18.9	177	6.1	04.3-07.9	187	12.2	08.5-15.9	357	15.2	12.1-18.3
College Graduate	3354	1,773,014	1924	56.0	52.5-59.5	539	16.1	13.4-18.8	261	7.8	05.8-09.8	243	8.2	05.8-10.6	387	11.9	09.7-14.1
Less than \$15,000	784	270,593	347	43.2	34.0-52.4	111	17.1	08.1-26.1	61	9.9	01.9-17.9	67	8.7	03.2-14.2	198	21.0	15.3-26.7
\$15,000- 24,999	1309	428,277	629	43.7	37.0-50.4	206	16.8	11.9-21.7	119	8.7	05.2-12.2	135	17.0	09.4-24.6	220	13.8	10.5-17.1
\$25,000- 34,999	886	278,819	444	48.4	41.0-55.8	141	17.2	11.3-23.1	71	6.2	03.7-08.7	91	13.7	07.4-20.0	139	14.5	10.0-19.0
\$35,000- 49,999	1309	443,497	712	50.2	44.3-56.1	209	15.4	11.7-19.1	107	7.2	04.7-09.7	92	7.6	03.1-12.1	189	19.5	14.2-24.8
\$50,000- 74,999	1328	567,595	745	51.6	45.5-57.7	205	19.3	13.8-24.8	97	7.5	04.6-10.4	103	8.4	04.3-12.5	178	13.2	09.3-17.1
\$75,000+	2261	1,385,530	1330	56.9	52.6-61.2	354	15.4	12.3-18.5	169	6.5	04.7-08.3	168	10.2	06.7-13.7	240	11.0	08.5-13.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 19: PROSTATE CANCER SCREENING**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL THAT YOU HAD PROSTATE CANCER? (PROSTATE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses.

Denominator excludes: Respondents less than 40 years old.

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	10769	4,871,413	826	5.1	04.5-05.7	9943	94.9	94.3-95.5	
White/Non-Hisp	9106	3,640,573	715	5.6	04.8-06.4	8391	94.4	93.6-95.2	
Black or Afr. Am./Non-Hisp	598	361,321	51	3.8	01.8-05.8	547	96.2	94.2-98.2	
Oth. Race/Non-Hisp.	221	143,428	4	1.8	00.0-04.2	217	98.2	95.8-0100	
MultiRacial/Non-Hisp.	158	43,887	13	7.4	00.0-15.0	145	92.6	85.0-0100	
Hispanic	442	585,398	22	3.2	00.8-05.6	420	96.8	94.4-99.2	
35-44	655	686,197	2	0.1	00.0-00.3	653	99.9	99.7-0100	
45-54	2115	1,791,040	18	1.0	00.2-01.8	2097	99.0	98.2-99.8	
55-64	2852	985,798	107	3.6	02.4-04.8	2745	96.4	95.2-97.6	
65+	5147	1,408,378	699	13.9	12.1-15.7	4448	86.1	84.3-87.9	
Less Than H.S.	1008	303,407	71	3.6	01.8-05.4	937	96.4	94.6-98.2	
H.S. or G.E.D.	3189	1,171,292	213	4.5	03.3-05.7	2976	95.5	94.3-96.7	
Some Post-H.S.	2760	1,212,538	231	5.6	04.4-06.8	2529	94.4	93.2-95.6	
College Graduate	3779	2,172,770	309	5.4	04.2-06.6	3470	94.6	93.4-95.8	
Less than \$15,000	1143	387,297	66	3.2	01.6-04.8	1077	96.8	95.2-98.4	
\$15,000- 24,999	1738	599,125	141	6.6	04.6-08.6	1597	93.4	91.4-95.4	
\$25,000- 34,999	1122	395,343	96	7.0	04.3-09.7	1026	93.0	90.3-95.7	
\$35,000- 49,999	1548	586,799	138	7.8	05.4-10.2	1410	92.2	89.8-94.6	
\$50,000- 74,999	1535	733,832	125	4.8	03.4-06.2	1410	95.2	93.8-96.6	
\$75,000+	2550	1,688,442	170	3.6	02.4-04.8	2380	96.4	95.2-97.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 20: COLORECTAL CANCER SCREENING CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)	
1 MALES AND FEMALES	221
2 MALES ONLY	222
3 FEMALES ONLY	223
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)	
4 MALES AND FEMALES	224
5 MALES ONLY	225
6 FEMALES ONLY	226
SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS. HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)	
7 MALES AND FEMALES	227
8 MALES ONLY	228
9 FEMALES ONLY	229
FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)	
10 MALES AND FEMALES	230
11 MALES ONLY	231
12 FEMALES ONLY	232
HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)	
13 MALES AND FEMALES	233
14 MALES ONLY	234
15 FEMALES ONLY	235

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 1: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	24191	7,160,172	11108	42.5	41.1-43.9	13083	57.5	56.1-58.9
Male	9058	3,320,464	4251	43.5	41.1-45.9	4807	56.5	54.1-58.9
Female	15133	3,839,708	6857	41.7	39.9-43.5	8276	58.3	56.5-60.1
White/Non-Hisp	20633	5,523,306	9719	45.4	43.8-47.0	10914	54.6	53.0-56.2
Black or Afr. Am./Non-Hisp	1520	596,802	675	37.3	31.4-43.2	845	62.7	56.8-68.6
Hispanic	846	682,127	241	27.3	21.6-33.0	605	72.7	67.0-78.4
45-54	3053	1,943,711	787	25.9	22.6-29.2	2266	74.1	70.8-77.4
55-64	7567	2,050,336	3144	40.1	37.7-42.5	4423	59.9	57.5-62.3
65+	13571	3,166,125	7177	54.3	52.5-56.1	6394	45.7	43.9-47.5
Less Than H.S.	2371	508,966	844	32.4	27.3-37.5	1527	67.6	62.5-72.7
H.S. or G.E.D.	7998	1,954,418	3507	39.9	37.4-42.4	4491	60.1	57.6-62.6
Some Post-H.S.	6780	2,023,796	3221	43.7	41.2-46.2	3559	56.3	53.8-58.8
College Graduate	6985	2,651,837	3516	45.5	43.0-48.0	3469	54.5	52.0-57.0
Less than \$15,000	3062	671,958	1139	33.4	28.9-37.9	1923	66.6	62.1-71.1
\$15,000- 24,999	4516	1,115,600	2026	40.4	37.1-43.7	2490	59.6	56.3-62.9
\$25,000- 34,999	2712	656,175	1318	45.0	40.9-49.1	1394	55.0	50.9-59.1
\$35,000- 49,999	3211	914,330	1540	45.2	41.7-48.7	1671	54.8	51.3-58.3
\$50,000- 74,999	2928	986,398	1448	46.2	42.3-50.1	1480	53.8	49.9-57.7
\$75,000+	3864	1,736,486	1789	41.5	38.2-44.8	2075	58.5	55.2-61.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 2: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	9058	3,320,464	4251	43.5	41.1-45.9	4807	56.5	54.1-58.9
White/Non-Hisp	7769	2,598,778	3729	46.5	44.1-48.9	4040	53.5	51.1-55.9
Black or Afr. Am./Non-Hisp	476	224,100	219	30.2	22.2-38.2	257	69.8	61.8-77.8
45-54	1153	957,499	322	27.8	22.7-32.9	831	72.2	67.1-77.3
55-64	2819	975,231	1224	41.7	38.0-45.4	1595	58.3	54.6-62.0
65+	5086	1,387,734	2705	55.6	52.9-58.3	2381	44.4	41.7-47.1
Less Than H.S.	843	223,565	291	30.9	22.3-39.5	552	69.1	60.5-77.7
H.S. or G.E.D.	2633	817,291	1176	38.5	34.0-43.0	1457	61.5	57.0-66.0
Some Post-H.S.	2333	827,524	1113	42.8	38.5-47.1	1220	57.2	52.9-61.5
College Graduate	3222	1,442,609	1662	48.7	45.2-52.2	1560	51.3	47.8-54.8
Less than \$15,000	939	273,416	332	33.3	24.9-41.7	607	66.7	58.3-75.1
\$15,000- 24,999	1531	463,846	684	43.0	36.9-49.1	847	57.0	50.9-63.1
\$25,000- 34,999	978	285,953	459	40.7	34.4-47.0	519	59.3	53.0-65.6
\$35,000- 49,999	1338	434,377	653	45.4	39.9-50.9	685	54.6	49.1-60.1
\$50,000- 74,999	1295	494,509	667	47.5	41.8-53.2	628	52.5	46.8-58.2
\$75,000+	1993	1,003,485	968	43.6	39.1-48.1	1025	56.4	51.9-60.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 3: A BLOOD STOOL TEST IS A TEST THAT MAY USE A SPECIAL KIT AT HOME TO DETERMINE WHETHER THE STOOL CONTAINS BLOOD. HAVE YOU EVER HAD THIS TEST USING A HOME KIT? (BLDSTOOL)

**Denominator excludes: Respondents who are male or respondents who do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	15133	3,839,708	6857	41.7	39.9-43.5	8276	58.3	56.5-60.1
White/Non-Hisp	12864	2,924,528	5990	44.5	42.7-46.3	6874	55.5	53.7-57.3
Black or Afr. Am./Non-Hisp	1044	372,702	456	41.5	33.7-49.3	588	58.5	50.7-66.3
Hispanic	541	383,904	156	24.6	18.3-30.9	385	75.4	69.1-81.7
45-54	1900	986,211	465	24.1	19.8-28.4	1435	75.9	71.6-80.2
55-64	4748	1,075,105	1920	38.6	35.7-41.5	2828	61.4	58.5-64.3
65+	8485	1,778,391	4472	53.3	51.1-55.5	4013	46.7	44.5-48.9
Less Than H.S.	1528	285,401	553	33.6	27.5-39.7	975	66.4	60.3-72.5
H.S. or G.E.D.	5365	1,137,127	2331	41.0	37.9-44.1	3034	59.0	55.9-62.1
Some Post-H.S.	4447	1,196,272	2108	44.4	41.5-47.3	2339	55.6	52.7-58.5
College Graduate	3763	1,209,227	1854	41.8	38.5-45.1	1909	58.2	54.9-61.5
Less than \$15,000	2123	398,541	807	33.4	28.5-38.3	1316	66.6	61.7-71.5
\$15,000- 24,999	2985	651,754	1342	38.6	34.9-42.3	1643	61.4	57.7-65.1
\$25,000- 34,999	1734	370,221	859	48.3	42.8-53.8	875	51.7	46.2-57.2
\$35,000- 49,999	1873	479,953	887	45.1	40.4-49.8	986	54.9	50.2-59.6
\$50,000- 74,999	1633	491,889	781	44.8	39.7-49.9	852	55.2	50.1-60.3
\$75,000+	1871	733,001	821	38.7	34.2-43.2	1050	61.3	56.8-65.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 4: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	10810	2,962,878	3746	35.2	33.2-37.2	1770	15.3	13.9-16.7	1291	12.7	11.3-14.1	1357	13.3	11.7-14.9	2646	23.5	21.9-25.1
Male	4175	1,418,994	1662	38.3	35.2-41.4	702	14.2	12.0-16.4	510	13.5	11.1-15.9	494	13.7	11.3-16.1	807	20.4	17.9-22.9
Female	6635	1,543,884	2084	32.3	29.8-34.8	1068	16.4	14.4-18.4	781	12.0	10.4-13.6	863	12.9	11.1-14.7	1839	26.3	24.1-28.5
White/Non-Hisp	9462	2,442,314	3173	33.7	31.7-35.7	1522	14.5	13.1-15.9	1135	12.8	11.2-14.4	1221	13.9	12.1-15.7	2411	25.2	23.4-27.0
Black or Afr. Am./Non-Hisp	649	211,995	291	48.7	39.3-58.1	122	17.5	10.6-24.4	74	10.3	04.8-15.8	66	11.3	05.8-16.8	96	12.2	06.5-17.9
Oth. Race/Non-Hisp.	138	45,529				21	9.7	00.9-18.5							29	16.6	06.6-26.6
MultiRacial/Non-Hisp.	133	24,321							15	10.9	01.3-20.5	10	4.8	00.5-09.1			
Hispanic	237	182,429							27	13.3	04.3-22.3	31	10.0	04.7-15.3	40	17.2	09.2-25.2
45-54	775	497,153	289	37.0	29.7-44.3	123	14.8	09.5-20.1	93	13.4	08.9-17.9	98	16.0	09.5-22.5	172	18.8	13.3-24.3
55-64	3090	804,797	1073	32.7	29.4-36.0	528	17.0	14.3-19.7	355	13.0	09.9-16.1	388	13.0	10.6-15.4	746	24.2	21.1-27.3
65+	6945	1,660,929	2384	35.8	33.6-38.0	1119	14.7	13.1-16.3	843	12.4	10.8-14.0	871	12.6	11.2-14.0	1728	24.5	22.5-26.5
Less Than H.S.	818	158,767	309	37.5	29.3-45.7	143	19.5	12.8-26.2	92	13.8	07.3-20.3	104	12.4	07.3-17.5	170	16.8	10.5-23.1
H.S. or G.E.D.	3402	758,205	1203	39.3	35.4-43.2	562	14.7	12.2-17.2	426	11.7	09.3-14.1	412	12.8	09.9-15.7	799	21.5	18.6-24.4
Some Post-H.S.	3138	864,572	1062	33.5	30.4-36.6	529	15.4	12.9-17.9	369	13.9	11.2-16.6	385	11.3	09.3-13.3	793	25.9	22.8-29.0
College Graduate	3434	1,176,228	1164	33.3	30.0-36.6	531	15.1	12.6-17.6	402	12.4	10.0-14.8	455	15.2	12.3-18.1	882	24.0	21.3-26.7
Less than \$15,000	1106	221,201	401	40.8	32.6-49.0	180	15.5	10.6-20.4	138	15.3	08.2-22.4	129	9.2	06.1-12.3	258	19.2	14.5-23.9
\$15,000- 24,999	1978	439,420	700	38.9	34.6-43.2	349	15.7	12.8-18.6	255	13.1	09.8-16.4	234	12.0	09.3-14.7	440	20.3	17.0-23.6
\$25,000- 34,999	1291	286,136	454	38.9	33.6-44.2	224	15.8	11.7-19.9	161	12.3	08.4-16.2	136	10.4	07.1-13.7	316	22.6	18.5-26.7
\$35,000- 49,999	1509	403,550	525	33.3	28.4-38.2	244	16.3	12.8-19.8	145	9.3	06.8-11.8	193	11.1	08.6-13.6	402	30.0	25.1-34.9
\$50,000- 74,999	1423	440,461	471	29.7	25.4-34.0	235	16.4	12.3-20.5	170	14.5	10.4-18.6	195	16.4	12.7-20.1	352	23.0	18.7-27.3
\$75,000+	1756	712,946	577	33.7	29.0-38.4	277	13.6	10.3-16.9	209	12.1	09.4-14.8	242	15.5	11.6-19.4	451	25.1	21.0-29.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 20: COLORECTAL CANCER SCREENING

TABLE 5: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	4175	1,418,994	1662	38.3	35.2-41.4	702	14.2	12.0-16.4	510	13.5	11.1-15.9	494	13.7	11.3-16.1	807	20.4	17.9-22.9
White/Non-Hisp	3663	1,187,621	1431	37.7	34.6-40.8	599	13.1	11.1-15.1	448	13.3	10.9-15.7	448	13.9	11.4-16.4	737	21.9	19.2-24.6
Black or Afr. Am./Non-Hisp	215	66,576							27	9.8	02.7-16.9				24	7.5	01.8-13.2
Oth. Race/Non-Hisp.	65	26,929				9	2.4	00.0-04.9									
MultiRacial/Non-Hisp.	56	11,296										5	6.9	00.0-14.7			
Hispanic	83	88,927										10	8.4	00.4-16.4	14	12.6	03.2-22.0
45-54	318	260,850				46	10.9	03.8-18.0	46	13.7	07.6-19.8	31	14.7	05.3-24.1	62	19.2	11.4-27.0
55-64	1206	399,266	486	35.3	30.0-40.6	222	16.8	12.9-20.7	138	15.0	09.5-20.5	141	13.9	10.2-17.6	219	19.0	14.5-23.5
65+	2651	758,877	1043	38.7	35.2-42.2	434	13.9	11.5-16.3	326	12.7	10.2-15.2	322	13.2	10.7-15.7	526	21.6	18.7-24.5
Less Than H.S.	288	68,564										27	10.6	01.6-19.6			
H.S. or G.E.D.	1155	306,983	511	48.0	41.3-54.7	204	14.0	10.3-17.7	122	11.4	06.7-16.1	134	11.8	08.3-15.3	184	14.8	09.9-19.7
Some Post-H.S.	1090	350,138	434	37.3	31.8-42.8	186	14.2	10.5-17.9	142	13.9	09.8-18.0	109	9.7	06.4-13.0	219	25.0	19.9-30.1
College Graduate	1634	690,115	582	34.7	30.0-39.4	262	13.7	10.4-17.0	211	13.8	10.1-17.5	223	16.8	12.5-21.1	356	20.9	17.2-24.6
Less than \$15,000	328	90,706				60	16.1	07.9-24.3				35	7.0	02.7-11.3	54	12.3	05.8-18.8
\$15,000- 24,999	673	193,714	318	44.9	37.5-52.3	127	16.3	11.0-21.6	77	14.9	08.6-21.2	65	11.1	06.0-16.2	86	12.8	07.9-17.7
\$25,000- 34,999	448	110,798	185	43.4	35.0-51.8	83	15.1	09.4-20.8	59	11.4	06.1-16.7	36	10.3	04.2-16.4	85	19.8	13.1-26.5
\$35,000- 49,999	645	195,625	270	36.9	29.8-44.0	98	13.5	08.6-18.4	62	8.6	04.9-12.3	76	11.2	07.1-15.3	139	29.8	22.0-37.6
\$50,000- 74,999	658	232,819	228	28.4	22.3-34.5	108	12.8	08.7-16.9	86	17.4	10.7-24.1	89	17.9	12.0-23.8	147	23.5	16.6-30.4
\$75,000+	953	432,137	331	37.6	31.3-43.9	146	13.9	09.2-18.6	126	11.5	08.2-14.8	133	14.8	10.3-19.3	217	22.2	17.3-27.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 20: COLORECTAL CANCER SCREENING

TABLE 6: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST BLOOD STOOL TEST USING A HOME KIT? (LSTBLDS3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 year but less than 2 years ago			2 years but less than 5 years ago			5 or more years ago			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	6635	1,543,884	2084	32.3	29.8-34.8	1068	16.4	14.4-18.4	781	12.0	10.4-13.6	863	12.9	11.1-14.7	1839	26.3	24.1-28.5
White/Non-Hisp	5799	1,254,693	1742	29.9	27.5-32.3	923	15.7	13.7-17.7	687	12.3	10.5-14.1	773	13.8	11.6-16.0	1674	28.4	26.0-30.8
Black or Afr. Am./Non-Hisp	434	145,419				79	16.2	07.6-24.8	47	10.5	03.2-17.8	47	8.4	03.9-12.9	72	14.3	06.5-22.1
Oth. Race/Non-Hisp.	73	18,600										10	7.5	00.0-15.3			
MultiRacial/Non-Hisp.	77	13,025										5	3.0	00.0-06.9			
Hispanic	154	93,502							19	7.8	01.5-14.1	21	11.5	04.4-18.6			
45-54	457	236,303	156	32.0	22.2-41.8	77	19.0	11.2-26.8	47	13.2	06.5-19.9	67	17.5	08.7-26.3	110	18.3	10.9-25.7
55-64	1884	405,530	587	30.2	26.1-34.3	306	17.1	13.2-21.0	217	11.1	08.4-13.8	247	12.2	09.5-14.9	527	29.3	24.8-33.8
65+	4294	902,051	1341	33.4	30.7-36.1	685	15.4	13.2-17.6	517	12.1	10.1-14.1	549	12.1	10.5-13.7	1202	27.0	24.6-29.4
Less Than H.S.	530	90,203				95	19.4	11.0-27.8	58	10.7	03.3-18.1	77	13.8	07.9-19.7	123	15.9	09.4-22.4
H.S. or G.E.D.	2247	451,223	692	33.4	28.7-38.1	358	15.1	11.8-18.4	304	11.9	09.4-14.4	278	13.5	09.2-17.8	615	26.0	22.3-29.7
Some Post-H.S.	2048	514,434	628	31.0	27.3-34.7	343	16.2	12.9-19.5	227	13.9	10.4-17.4	276	12.5	10.1-14.9	574	26.5	22.8-30.2
College Graduate	1800	486,112	582	31.3	26.8-35.8	269	17.1	13.2-21.0	191	10.4	07.9-12.9	232	12.7	09.6-15.8	526	28.3	24.0-32.6
Less than \$15,000	778	130,495	264	38.0	29.6-46.4	120	15.1	09.0-21.2	96	12.3	06.0-18.6	94	10.7	06.4-15.0	204	23.9	17.6-30.2
\$15,000- 24,999	1305	245,706	382	34.1	29.0-39.2	222	15.2	11.9-18.5	178	11.7	08.2-15.2	169	12.8	09.9-15.7	354	26.3	21.8-30.8
\$25,000- 34,999	843	175,338	269	36.1	29.4-42.8	141	16.3	10.6-22.0	102	12.9	07.6-18.2	100	10.4	06.7-14.1	231	24.3	19.0-29.6
\$35,000- 49,999	864	207,925	255	29.9	23.0-36.8	146	18.9	13.6-24.2	83	9.9	06.6-13.2	117	11.0	07.9-14.1	263	30.3	24.2-36.4
\$50,000- 74,999	765	207,641	243	31.1	24.8-37.4	127	20.4	13.3-27.5	84	11.4	07.3-15.5	106	14.7	10.0-19.4	205	22.4	16.9-27.9
\$75,000+	803	280,809	246	27.6	20.7-34.5	131	13.2	09.3-17.1	83	13.0	08.1-17.9	109	16.5	09.1-23.9	234	29.6	22.5-36.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 7: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	24195	7,157,845	17042	68.2	66.8-69.6	7153	31.8	30.4-33.2
Male	9051	3,311,817	6335	67.6	65.2-70.0	2716	32.4	30.0-34.8
Female	15144	3,846,028	10707	68.8	67.0-70.6	4437	31.2	29.4-33.0
White/Non-Hisp	20645	5,524,894	14779	70.1	68.7-71.5	5866	29.9	28.5-31.3
Black or Afr. Am./Non-Hisp	1517	593,814	984	63.7	57.6-69.8	533	36.3	30.2-42.4
Hispanic	846	679,995	521	61.6	54.5-68.7	325	38.4	31.3-45.5
45-54	3049	1,941,777	1435	48.9	45.0-52.8	1614	51.1	47.2-55.0
55-64	7571	2,049,716	5074	69.4	67.0-71.8	2497	30.6	28.2-33.0
65+	13575	3,166,351	10533	79.4	78.0-80.8	3042	20.6	19.2-22.0
Less Than H.S.	2356	506,162	1366	54.1	47.6-60.6	990	45.9	39.4-52.4
H.S. or G.E.D.	7993	1,949,492	5332	63.2	60.5-65.9	2661	36.8	34.1-39.5
Some Post-H.S.	6782	2,022,939	4878	70.0	67.5-72.5	1904	30.0	27.5-32.5
College Graduate	7007	2,658,384	5435	73.5	71.1-75.9	1572	26.5	24.1-28.9
Less than \$15,000	3062	672,524	1762	56.5	51.6-61.4	1300	43.5	38.6-48.4
\$15,000- 24,999	4497	1,110,268	2937	60.6	56.9-64.3	1560	39.4	35.7-43.1
\$25,000- 34,999	2717	657,245	1898	65.3	60.8-69.8	819	34.7	30.2-39.2
\$35,000- 49,999	3214	911,308	2379	70.6	67.1-74.1	835	29.4	25.9-32.9
\$50,000- 74,999	2940	987,667	2182	72.7	69.2-76.2	758	27.3	23.8-30.8
\$75,000+	3878	1,740,554	3043	72.6	69.5-75.7	835	27.4	24.3-30.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 8: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes		No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	9051	3,311,817	6335	67.6	65.2-70.0	2716	32.4	30.0-34.8
White/Non-Hisp	7766	2,590,623	5545	69.8	67.4-72.2	2221	30.2	27.8-32.6
45-54	1150	950,405	515	47.3	41.2-53.4	635	52.7	46.6-58.8
55-64	2825	974,427	1895	70.7	67.2-74.2	930	29.3	25.8-32.8
65+	5076	1,386,985	3925	79.3	76.9-81.7	1151	20.7	18.3-23.1
H.S. or G.E.D.	2618	811,450	1686	59.1	54.0-64.2	932	40.9	35.8-46.0
Some Post-H.S.	2332	826,490	1641	67.4	62.9-71.9	691	32.6	28.1-37.1
College Graduate	3238	1,441,921	2557	75.7	72.6-78.8	681	24.3	21.2-27.4
Less than \$15,000	936	273,509	471	53.6	44.8-62.4	465	46.4	37.6-55.2
\$15,000- 24,999	1512	457,624	946	57.0	50.1-63.9	566	43.0	36.1-49.9
\$25,000- 34,999	981	286,532	668	64.7	58.0-71.4	313	35.3	28.6-42.0
\$35,000- 49,999	1337	430,427	1001	71.1	65.6-76.6	336	28.9	23.4-34.4
\$50,000- 74,999	1300	493,824	966	73.6	68.7-78.5	334	26.4	21.5-31.3
\$75,000+	2006	1,002,813	1576	71.0	66.3-75.7	430	29.0	24.3-33.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

**TABLE 9: SIGMOIDOSCOPY AND COLONOSCOPY ARE EXAMS IN WHICH A TUBE IS INSERTED IN THE RECTUM TO VIEW THE COLON FOR SIGNS OF CANCER OR OTHER HEALTH PROBLEMS.
HAVE YOU EVER HAD EITHER OF THESE EXAMS? (HADSIGM3)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Female	15144	3,846,028	10707	68.8	67.0-70.6	4437	31.2	29.4-33.0	
White/Non-Hisp	12879	2,934,271	9234	70.4	68.6-72.2	3645	29.6	27.8-31.4	
Black or Afr. Am./Non-Hisp	1041	369,771	684	66.9	59.5-74.3	357	33.1	25.7-40.5	
Hispanic	541	383,705	341	59.9	51.7-68.1	200	40.1	31.9-48.3	
45-54	1899	991,372	920	50.3	45.4-55.2	979	49.7	44.8-54.6	
55-64	4746	1,075,289	3179	68.1	65.2-71.0	1567	31.9	29.0-34.8	
65+	8499	1,779,367	6608	79.5	77.7-81.3	1891	20.5	18.7-22.3	
Less Than H.S.	1520	283,681	929	59.7	53.0-66.4	591	40.3	33.6-47.0	
H.S. or G.E.D.	5375	1,138,042	3646	66.0	62.9-69.1	1729	34.0	30.9-37.1	
Some Post-H.S.	4450	1,196,449	3237	71.9	69.0-74.8	1213	28.1	25.2-31.0	
College Graduate	3769	1,216,463	2878	70.8	67.3-74.3	891	29.2	25.7-32.7	
Less than \$15,000	2126	399,015	1291	58.5	53.0-64.0	835	41.5	36.0-47.0	
\$15,000- 24,999	2985	652,644	1991	63.1	58.8-67.4	994	36.9	32.6-41.2	
\$25,000- 34,999	1736	370,713	1230	65.8	59.9-71.7	506	34.2	28.3-40.1	
\$35,000- 49,999	1877	480,881	1378	70.2	65.7-74.7	499	29.8	25.3-34.3	
\$50,000- 74,999	1640	493,843	1216	71.9	67.2-76.6	424	28.1	23.4-32.8	
\$75,000+	1872	737,741	1467	74.7	70.6-78.8	405	25.3	21.2-29.4	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 10: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	16456	4,728,502	990	5.5	04.7-06.3	15466	94.5	93.7-95.3
Male	6100	2,163,578	386	5.4	04.2-06.6	5714	94.6	93.4-95.8
Female	10356	2,564,924	604	5.6	04.6-06.6	9752	94.4	93.4-95.4
White/Non-Hisp	14322	3,773,209	885	5.5	04.9-06.1	13437	94.5	93.9-95.1
Black or Afr. Am./Non-Hisp	930	361,919	43	7.2	02.3-12.1	887	92.8	87.9-97.7
Oth. Race/Non-Hisp.	223	75,955	13	3.9	00.0-08.0	210	96.1	92.0-0100
MultiRacial/Non-Hisp.	188	40,494	11	4.3	00.0-11.7	177	95.7	88.3-0100
Hispanic	492	391,411	22	4.8	01.5-08.1	470	95.2	91.9-98.5
45-54	1398	912,663	84	5.3	02.9-07.7	1314	94.7	92.3-97.1
55-64	4944	1,394,073	272	4.5	03.5-05.5	4672	95.5	94.5-96.5
65+	10114	2,421,766	634	6.2	05.4-07.0	9480	93.8	93.0-94.6
Less Than H.S.	1237	246,428	63	5.5	02.8-08.2	1174	94.5	91.8-97.2
H.S. or G.E.D.	5127	1,190,827	305	5.5	03.9-07.1	4822	94.5	92.9-96.1
Some Post-H.S.	4740	1,365,574	298	5.4	04.2-06.6	4442	94.6	93.4-95.8
College Graduate	5326	1,917,346	323	5.6	04.4-06.8	5003	94.4	93.2-95.6
Less than \$15,000	1653	352,374	109	6.7	04.5-08.9	1544	93.3	91.1-95.5
\$15,000- 24,999	2805	646,537	185	6.1	04.3-07.9	2620	93.9	92.1-95.7
\$25,000- 34,999	1842	419,337	104	5.0	03.4-06.6	1738	95.0	93.4-96.6
\$35,000- 49,999	2319	630,768	167	6.0	04.0-08.0	2152	94.0	92.0-96.0
\$50,000- 74,999	2141	706,626	98	3.9	02.3-05.5	2043	96.1	94.5-97.7
\$75,000+	2996	1,237,643	158	5.7	04.1-07.3	2838	94.3	92.7-95.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 11: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6100	2,163,578	386	5.4	04.2-06.6	5714	94.6	93.4-95.8
White/Non-Hisp	5348	1,749,721	335	5.2	04.2-06.2	5013	94.8	93.8-95.8
Oth. Race/Non-Hisp.	97	39,966	9	3.9	00.0-09.8	88	96.1	90.2-0100
MultiRacial/Non-Hisp.	65	16,235	5	0.8	00.0-02.0	60	99.2	98.0-0100
Hispanic	171	181,676	8	3.0	00.0-06.5	163	97.0	93.5-0100
45-54	505	433,521	39	5.9	02.0-09.8	466	94.1	90.2-98.0
55-64	1844	676,865	111	4.4	02.8-06.0	1733	95.6	94.0-97.2
65+	3751	1,053,193	236	5.8	04.6-07.0	3515	94.2	93.0-95.4
Less Than H.S.	387	95,906	18	5.0	01.3-08.7	369	95.0	91.3-98.7
H.S. or G.E.D.	1607	459,054	104	6.8	03.5-10.1	1503	93.2	89.9-96.5
Some Post-H.S.	1592	537,891	95	4.0	02.6-05.4	1497	96.0	94.6-97.4
College Graduate	2502	1,065,965	168	5.4	04.0-06.8	2334	94.6	93.2-96.0
Less than \$15,000	444	141,084	33	7.9	03.6-12.2	411	92.1	87.8-96.4
\$15,000- 24,999	887	250,241	50	3.9	01.9-05.9	837	96.1	94.1-98.1
\$25,000- 34,999	642	179,185	46	6.4	03.5-09.3	596	93.6	90.7-96.5
\$35,000- 49,999	972	300,516	78	4.8	03.0-06.6	894	95.2	93.4-97.0
\$50,000- 74,999	938	354,092	45	3.9	01.5-06.3	893	96.1	93.7-98.5
\$75,000+	1547	689,166	91	5.7	03.9-07.5	1456	94.3	92.5-96.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING**

TABLE 12: FOR A SIGMOIDOSCOPY, A FLEXIBLE TUBE IS INSERTED INTO THE RECTUM TO LOOK FOR PROBLEMS. A COLONOSCOPY IS SIMILAR, BUT USES A LONGER TUBE, AND YOU ARE USUALLY GIVEN MEDICATION THROUGH A NEEDLE IN YOUR ARM TO MAKE YOU SLEEPY AND TOLD TO HAVE SOMEONE ELSE DRIVE YOU HOME AFTER THE TEST. WAS YOUR MOST RECENT EXAM A SIGMOIDOSCOPY OR A COLONOSCOPY? (HADSGC01)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Sigmoidoscopy			Colonoscopy		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	10356	2,564,924	604	5.6	04.6-06.6	9752	94.4	93.4-95.4
White/Non-Hisp	8974	2,023,488	550	5.7	04.7-06.7	8424	94.3	93.3-95.3
Black or Afr. Am./Non-Hisp	641	232,420	22	4.7	00.6-08.8	619	95.3	91.2-99.4
Oth. Race/Non-Hisp.	126	35,988	4	3.8	00.0-09.5	122	96.2	90.5-0100
MultiRacial/Non-Hisp.	123	24,258	6	6.7	00.0-18.9	117	93.3	81.1-0100
Hispanic	321	209,735	14	6.3	00.8-11.8	307	93.7	88.2-99.2
45-54	893	479,142	45	4.8	01.9-07.7	848	95.2	92.3-98.1
55-64	3100	717,208	161	4.5	03.3-05.7	2939	95.5	94.3-96.7
65+	6363	1,368,574	398	6.5	05.3-07.7	5965	93.5	92.3-94.7
Less Than H.S.	850	150,522	45	5.7	01.8-09.6	805	94.3	90.4-98.2
H.S. or G.E.D.	3520	731,773	201	4.7	03.1-06.3	3319	95.3	93.7-96.9
Some Post-H.S.	3148	827,683	203	6.3	04.7-07.9	2945	93.7	92.1-95.3
College Graduate	2824	851,381	155	5.8	04.0-07.6	2669	94.2	92.4-96.0
Less than \$15,000	1209	211,290	76	5.9	03.5-08.3	1133	94.1	91.7-96.5
\$15,000- 24,999	1918	396,296	135	7.4	04.9-09.9	1783	92.6	90.1-95.1
\$25,000- 34,999	1200	240,152	58	4.0	02.2-05.8	1142	96.0	94.2-97.8
\$35,000- 49,999	1347	330,252	89	7.0	03.7-10.3	1258	93.0	89.7-96.3
\$50,000- 74,999	1203	352,533	53	3.9	01.9-05.9	1150	96.1	94.1-98.1
\$75,000+	1449	548,477	67	5.8	03.3-08.3	1382	94.2	91.7-96.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 20: COLORECTAL CANCER SCREENING
TABLE 13: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)
Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	16786	4,822,271	4348	26.1	24.5-27.7	3111	19.2	17.8-20.6	2704	16.6	15.2-18.0	3492	21.0	19.6-22.4	2330	12.7	11.7-13.7	801	4.3	03.7-04.9
Male	6249	2,218,374	1703	25.6	23.2-28.0	1289	21.2	19.0-23.4	1019	17.4	15.2-19.6	1214	21.0	18.8-23.2	761	10.9	09.5-12.3	263	4.0	03.0-05.0
Female	10537	2,603,897	2645	26.6	24.6-28.6	1822	17.6	16.0-19.2	1685	16.0	14.4-17.6	2278	21.0	19.4-22.6	1569	14.2	12.8-15.6	538	4.6	03.8-05.4
White/Non-Hisp	14579	3,834,863	3660	25.1	23.5-26.7	2670	19.4	18.0-20.8	2335	16.6	15.2-18.0	3103	21.4	20.0-22.8	2086	13.2	12.2-14.2	725	4.5	03.9-05.1
Black or Afr. Am./Non-Hisp	963	365,301	306	34.4	26.4-42.4	191	15.4	10.7-20.1	172	21.7	14.4-29.0	181	19.7	13.2-26.2	94	6.9	04.4-09.4	19	2.0	00.6-03.4
Oth. Race/Non-Hisp.	230	76,215	70	20.8	11.4-30.2				34	10.3	04.8-15.8				30	10.2	03.1-17.3	5	1.2	00.0-03.0
MultiRacial/Non-Hisp.	195	39,250							34	12.6	02.8-22.4	23	10.5	02.1-18.9	20	8.8	01.9-15.7	14	5.0	00.0-12.6
Hispanic	513	416,658	160	29.0	21.7-36.3	87	18.3	11.8-24.8	80	13.3	08.4-18.2	95	18.8	12.5-25.1	69	15.6	09.7-21.5	22	5.0	02.1-07.9
45-54	1422	938,575	441	30.2	24.9-35.5	285	22.3	17.8-26.8	214	17.0	12.3-21.7	253	18.6	14.3-22.9	139	6.9	04.4-09.4	90	4.9	02.7-07.1
55-64	5031	1,413,581	1202	23.1	20.7-25.5	932	18.5	16.1-20.9	819	15.4	13.4-17.4	1062	23.1	20.6-25.6	777	16.1	13.9-18.3	239	3.7	02.7-04.7
65+	10333	2,470,115	2705	26.3	24.5-28.1	1894	18.5	17.1-19.9	1671	17.2	15.8-18.6	2177	20.7	19.1-22.3	1414	13.0	11.8-14.2	472	4.5	03.7-05.3
Less Than H.S.	1328	266,625	423	30.0	24.1-35.9	244	20.2	14.5-25.9	175	15.4	10.3-20.5	254	19.5	14.4-24.6	153	10.9	06.8-15.0	79	4.1	01.9-06.3
H.S. or G.E.D.	5237	1,215,722	1362	27.1	24.0-30.2	980	20.2	17.7-22.7	846	16.0	13.8-18.2	1055	18.7	16.3-21.1	722	12.7	10.9-14.5	272	5.3	03.7-06.9
Some Post-H.S.	4811	1,396,391	1208	27.4	24.7-30.1	879	17.8	15.6-20.0	787	16.4	14.2-18.6	989	20.9	18.4-23.4	697	12.9	10.9-14.9	251	4.6	03.6-05.6
College Graduate	5383	1,936,206	1350	24.0	21.6-26.4	1004	19.5	17.3-21.7	893	17.3	14.9-19.7	1184	22.8	20.4-25.2	754	12.8	11.2-14.4	198	3.6	02.8-04.4
Less than \$15,000	1720	372,481	490	28.9	23.4-34.4	310	18.3	13.2-23.4	237	14.0	10.1-17.9	329	18.1	14.0-22.2	222	15.6	10.5-20.7	132	5.1	03.1-07.1
\$15,000- 24,999	2893	659,787	737	27.1	23.2-31.0	530	18.3	15.4-21.2	444	15.2	12.5-17.9	584	18.6	15.9-21.3	421	14.3	11.6-17.0	177	6.5	04.5-08.5
\$25,000- 34,999	1876	425,037	496	26.9	22.8-31.0	319	19.8	15.7-23.9	324	16.1	13.2-19.0	373	20.7	16.8-24.6	272	12.2	09.5-14.9	92	4.2	02.8-05.6
\$35,000- 49,999	2356	639,687	594	25.3	21.6-29.0	467	21.4	17.9-24.9	345	14.7	12.0-17.4	494	19.2	16.1-22.3	341	13.6	11.1-16.1	115	5.8	03.6-08.0
\$50,000- 74,999	2166	713,097	541	25.2	21.1-29.3	426	18.7	15.4-22.0	380	19.1	15.0-23.2	462	22.7	19.0-26.4	285	10.7	08.5-12.9	72	3.5	01.9-05.1
\$75,000+	3017	1,253,715	779	25.2	21.7-28.7	564	20.0	16.9-23.1	515	16.4	13.9-18.9	661	23.1	19.8-26.4	411	11.7	09.7-13.7	87	3.5	02.1-04.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 20: COLORECTAL CANCER SCREENING

TABLE 14: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6249	2,218,374	1703	25.6	23.2-28.0	1289	21.2	19.0-23.4	1019	17.4	15.2-19.6	1214	21.0	18.8-23.2	761	10.9	09.5-12.3	263	4.0	03.0-05.0
White/Non-Hisp	5479	1,792,802	1445	24.7	22.2-27.2	1121	21.3	18.9-23.7	903	18.0	15.6-20.4	1094	20.5	18.3-22.7	675	11.3	09.7-12.9	241	4.2	03.0-05.4
Black or Afr. Am./Non-Hisp	295	129,045				65	14.5	07.8-21.2							22	4.5	01.0-08.0	3	1.8	00.0-04.2
Oth. Race/Non-Hisp.	101	40,176							10	6.0	00.7-11.3				13	7.9	00.3-15.5	2	0.0	00.0-00.0
MultiRacial/Non-Hisp.	65	17,546																4	1.0	00.0-02.2
Hispanic	177	188,225							26	9.4	02.7-16.1				24	12.6	05.5-19.7	8	4.6	00.0-09.3
45-54	512	449,781	159	28.3	20.3-36.3	116	23.6	16.3-30.9	70	20.3	12.1-28.5	88	18.9	12.2-25.6	45	4.1	02.1-06.1	34	4.9	01.6-08.2
55-64	1878	685,406	471	22.6	18.9-26.3	390	22.1	18.2-26.0	294	14.1	11.0-17.2	374	23.0	18.9-27.1	267	15.0	11.7-18.3	82	3.2	01.8-04.6
65+	3859	1,083,187	1073	26.3	23.6-29.0	783	19.6	17.2-22.0	655	18.2	15.8-20.6	752	20.6	18.2-23.0	449	11.2	09.4-13.0	147	4.2	02.8-05.6
Less Than H.S.	426	103,359	149	29.8	21.0-38.6	84	18.3	10.9-25.7	58	15.8	07.6-24.0	72	20.7	11.5-29.9	44	12.6	05.0-20.2	19	2.7	00.0-05.6
H.S. or G.E.D.	1659	475,480	460	26.5	21.4-31.6	363	24.0	18.9-29.1	258	15.0	11.7-18.3	298	18.5	13.8-23.2	198	9.9	07.0-12.8	82	6.0	02.7-09.3
Some Post-H.S.	1618	552,756	429	27.5	22.2-32.8	338	20.1	16.0-24.2	271	17.3	13.4-21.2	314	21.6	17.3-25.9	188	9.3	07.1-11.5	78	4.2	02.4-06.0
College Graduate	2535	1,083,117	662	23.7	20.4-27.0	502	20.7	17.6-23.8	430	18.5	14.8-22.2	527	21.8	18.5-25.1	330	12.0	09.6-14.4	84	3.2	02.0-04.4
Less than \$15,000	457	143,763				86	19.9	10.3-29.5	56	12.6	06.5-18.7	82	19.5	11.5-27.5	51	10.9	05.8-16.0	31	3.4	00.0-07.1
\$15,000- 24,999	931	257,633	248	26.5	20.2-32.8	210	21.4	16.5-26.3	145	18.4	13.1-23.7	166	17.3	12.8-21.8	121	12.7	08.2-17.2	41	3.7	01.7-05.7
\$25,000- 34,999	663	184,299	183	25.5	18.8-32.2	127	23.3	16.0-30.6	107	14.6	10.1-19.1	127	21.9	15.0-28.8	86	9.7	06.0-13.4	33	5.0	02.5-07.5
\$35,000- 49,999	988	305,122	274	28.1	22.0-34.2	224	22.9	17.4-28.4	137	12.7	09.2-16.2	180	16.0	12.1-19.9	117	12.5	09.0-16.0	56	7.8	04.1-11.5
\$50,000- 74,999	955	361,265	240	21.5	16.2-26.8	200	21.6	15.9-27.3	168	22.6	15.5-29.7	195	22.4	17.1-27.7	125	9.2	06.7-11.7	27	2.7	00.7-04.7
\$75,000+	1561	705,176	415	23.9	19.4-28.4	309	22.4	17.9-26.9	276	16.3	12.6-20.0	330	23.4	18.7-28.1	183	10.2	07.7-12.7	48	3.7	01.5-05.9

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 20: COLORECTAL CANCER SCREENING

TABLE 15: HOW LONG HAS IT BEEN SINCE YOU HAD YOUR LAST SIGMOIDOSCOPY OR COLONOSCOPY? (LASTSIG3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents less than 50 years old

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		0 to LT 12 months ago			1 yr but less than 2 yrs ago			2 yrs but less than 3 yrs ago			3 yrs but less than 5 yrs ago			5 yrs but less than 10 yrs ago			10 or more yrs ago		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	10537	2,603,897	2645	26.6	24.6-28.6	1822	17.6	16.0-19.2	1685	16.0	14.4-17.6	2278	21.0	19.4-22.6	1569	14.2	12.8-15.6	538	4.6	03.8-05.4
White/Non-Hisp	9100	2,042,061	2215	25.4	23.4-27.4	1549	17.7	16.1-19.3	1432	15.3	13.9-16.7	2009	22.1	20.3-23.9	1411	14.8	13.4-16.2	484	4.7	03.9-05.5
Black or Afr. Am./Non-Hisp	668	236,256				126	15.9	09.6-22.2	129	21.4	13.4-29.4	134	18.7	11.3-26.1	72	8.2	04.7-11.7	16	2.1	00.3-03.9
Oth. Race/Non-Hisp.	129	36,040							24	15.1	05.3-24.9							3	2.5	00.0-06.0
MultiRacial/Non-Hisp.	130	21,704							21	10.4	01.8-19.0	18	8.3	00.7-15.9	13	3.6	00.0-07.3			
Hispanic	336	228,433	111	30.7	21.1-40.3	54	15.4	08.1-22.7	54	16.4	09.3-23.5	58	14.0	08.7-19.3	45	18.1	09.3-26.9	14	5.4	01.5-09.3
45-54	910	488,794	282	32.0	24.9-39.1	169	21.1	15.6-26.6	144	14.0	09.5-18.5	165	18.4	13.1-23.7	94	9.6	05.3-13.9	56	5.0	02.5-07.5
55-64	3153	728,175	731	23.5	20.4-26.6	542	15.2	12.7-17.7	525	16.6	14.1-19.1	688	23.3	20.4-26.2	510	17.2	14.7-19.7	157	4.3	02.9-05.7
65+	6474	1,386,928	1632	26.3	24.1-28.5	1111	17.6	15.6-19.6	1016	16.3	14.5-18.1	1425	20.7	18.7-22.7	965	14.3	12.7-15.9	325	4.7	03.7-05.7
Less Than H.S.	902	163,266	274	30.1	22.1-38.1	160	21.3	13.3-29.3	117	15.1	08.8-21.4	182	18.7	12.8-24.6	109	9.7	05.4-14.0	60	5.1	02.2-08.0
H.S. or G.E.D.	3578	740,242	902	27.4	23.3-31.5	617	17.8	15.1-20.5	588	16.7	14.0-19.4	757	18.8	16.3-21.3	524	14.4	12.0-16.8	190	4.9	03.3-06.5
Some Post-H.S.	3193	843,635	779	27.4	24.3-30.5	541	16.4	13.9-18.9	516	15.8	13.3-18.3	675	20.4	17.5-23.3	509	15.2	12.5-17.9	173	4.8	03.4-06.2
College Graduate	2848	853,089	688	24.3	20.8-27.8	502	18.0	15.1-20.9	463	15.8	13.1-18.5	657	23.9	20.6-27.2	424	13.9	11.5-16.3	114	4.1	02.7-05.5
Less than \$15,000	1263	228,719	339	26.0	20.1-31.9	224	17.3	11.8-22.8	181	14.8	09.7-19.9	247	17.3	13.2-21.4	171	18.5	11.2-25.8	101	6.1	03.7-08.5
\$15,000- 24,999	1962	402,154	489	27.5	22.4-32.6	320	16.3	12.8-19.8	299	13.2	10.3-16.1	418	19.5	16.0-23.0	300	15.4	12.1-18.7	136	8.3	05.4-11.2
\$25,000- 34,999	1213	240,738	313	28.0	22.7-33.3	192	17.1	12.4-21.8	217	17.3	13.4-21.2	246	19.7	15.2-24.2	186	14.2	10.5-17.9	59	3.6	02.0-05.2
\$35,000- 49,999	1368	334,565	320	22.6	18.1-27.1	243	20.1	15.6-24.6	208	16.5	12.4-20.6	314	22.1	17.4-26.8	224	14.6	10.9-18.3	59	4.0	01.8-06.2
\$50,000- 74,999	1211	351,832	301	29.0	23.1-34.9	226	15.7	12.0-19.4	212	15.6	11.5-19.7	267	23.1	17.8-28.4	160	12.3	09.0-15.6	45	4.3	01.9-06.7
\$75,000+	1456	548,539	364	26.9	21.6-32.2	255	16.9	12.8-21.0	239	16.5	12.8-20.2	331	22.8	18.5-27.1	228	13.7	10.6-16.8	39	3.2	01.6-04.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 21: HIV/AIDS CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)	
1 MALES AND FEMALES	237
2 MALES ONLY	238
3 FEMALES ONLY	239
NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVTSTD2)	
4 MALES AND FEMALES	240
5 MALES ONLY	241
6 FEMALES ONLY	242
WHERE DID YOU HAVE YOUR LAST HIV TEST – AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)	
7 MALES AND FEMALES	243
8 MALES ONLY	244
9 FEMALES ONLY	245
WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)	
10 MALES AND FEMALES	246
11 MALES ONLY	247
12 FEMALES ONLY	248
I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)	
13 MALES AND FEMALES	249
14 MALES ONLY	250
15 FEMALES ONLY	251

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 1: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	18963	10,405,566	8417	48.4	46.8-50.0	10546	51.6	50.0-53.2
Male	6975	5,196,516	3004	45.3	42.8-47.8	3971	54.7	52.2-57.2
Female	11988	5,209,050	5413	51.5	49.5-53.5	6575	48.5	46.5-50.5
White/Non-Hisp	14649	6,721,059	5915	42.4	40.6-44.2	8734	57.6	55.8-59.4
Black or Afr. Am./Non-Hisp	1793	1,215,333	1151	67.0	61.9-72.1	642	33.0	27.9-38.1
Oth. Race/Non-Hisp.	440	377,487	224	53.5	44.1-62.9	216	46.5	37.1-55.9
Hispanic	1446	1,801,006	786	56.2	50.9-61.5	660	43.8	38.5-49.1
18-24	805	911,935	376	36.6	29.9-43.3	429	63.4	56.7-70.1
25-34	2130	1,478,669	1434	64.6	60.3-68.9	696	35.4	31.1-39.7
35-44	3361	2,523,326	2065	60.0	56.9-63.1	1296	40.0	36.9-43.1
45-54	5414	3,512,728	2395	46.5	43.6-49.4	3019	53.5	50.6-56.4
55-64	7253	1,978,907	2147	30.2	27.8-32.6	5106	69.8	67.4-72.2
Less Than H.S.	1799	708,239	878	47.7	41.4-54.0	921	52.3	46.0-58.6
H.S. or G.E.D.	5830	2,676,681	2365	43.8	40.7-46.9	3465	56.2	53.1-59.3
Some Post-H.S.	5640	2,994,302	2667	48.9	45.8-52.0	2973	51.1	48.0-54.2
College Graduate	5656	3,991,767	2494	51.3	48.8-53.8	3162	48.7	46.2-51.2
Less than \$15,000	2545	915,739	1410	61.6	56.9-66.3	1135	38.4	33.7-43.1
\$15,000- 24,999	2988	1,419,572	1456	50.2	45.7-54.7	1532	49.8	45.3-54.3
\$25,000- 34,999	1878	831,583	824	51.1	45.0-57.2	1054	48.9	42.8-55.0
\$35,000- 49,999	2514	1,271,250	1119	51.8	47.5-56.1	1395	48.2	43.9-52.5
\$50,000- 74,999	2757	1,543,124	1110	47.0	42.9-51.1	1647	53.0	48.9-57.1
\$75,000+	4258	3,264,207	1721	45.7	42.8-48.6	2537	54.3	51.4-57.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 2: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	6975	5,196,516	3004	45.3	42.8-47.8	3971	54.7	52.2-57.2
White/Non-Hisp	5440	3,400,748	2171	40.6	38.1-43.1	3269	59.4	56.9-61.9
Black or Afr. Am./Non-Hisp	547	538,741	336	58.6	49.6-67.6	211	41.4	32.4-50.4
Hispanic	503	896,065	247	52.4	44.0-60.8	256	47.6	39.2-56.0
18-24	352	553,624	109	27.6	18.6-36.6	243	72.4	63.4-81.4
25-34	722	736,255	375	53.1	45.7-60.5	347	46.9	39.5-54.3
35-44	1206	1,252,961	641	55.2	50.1-60.3	565	44.8	39.7-49.9
45-54	2017	1,716,715	922	45.7	41.2-50.2	1095	54.3	49.8-58.8
55-64	2678	936,961	957	35.4	31.7-39.1	1721	64.6	60.9-68.3
Less Than H.S.	683	375,642	282	38.7	29.9-47.5	401	61.3	52.5-70.1
H.S. or G.E.D.	2178	1,368,616	868	40.0	35.1-44.9	1310	60.0	55.1-64.9
Some Post-H.S.	1933	1,455,791	888	45.0	39.7-50.3	1045	55.0	49.7-60.3
College Graduate	2162	1,975,938	961	50.6	46.7-54.5	1201	49.4	45.5-53.3
Less than \$15,000	835	427,806	438	58.0	50.0-66.0	397	42.0	34.0-50.0
\$15,000- 24,999	1053	681,648	480	46.1	38.5-53.7	573	53.9	46.3-61.5
\$35,000- 49,999	903	563,417	405	48.7	41.8-55.6	498	51.3	44.4-58.2
\$50,000- 74,999	1022	770,860	407	45.5	38.8-52.2	615	54.5	47.8-61.2
\$75,000+	1901	1,837,923	773	43.2	38.9-47.5	1128	56.8	52.5-61.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 3: HAVE YOU EVER BEEN TESTED FOR HIV? DO NOT COUNT TESTS YOU MAY HAVE HAD AS PART OF A BLOOD DONATION. INCLUDE TESTING FLUID FROM YOUR MOUTH. (HIVTST5)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	11988	5,209,050	5413	51.5	49.5-53.5	6575	48.5	46.5-50.5
White/Non-Hisp	9209	3,320,312	3744	44.4	42.2-46.6	5465	55.6	53.4-57.8
Black or Afr. Am./Non-Hisp	1246	676,591	815	73.7	68.4-79.0	431	26.3	21.0-31.6
Hispanic	943	904,942	539	59.9	53.6-66.2	404	40.1	33.8-46.4
18-24	453	358,311	267	50.6	41.2-60.0	186	49.4	40.0-58.8
25-34	1408	742,414	1059	76.0	71.9-80.1	349	24.0	19.9-28.1
35-44	2155	1,270,365	1424	64.7	60.8-68.6	731	35.3	31.4-39.2
45-54	3397	1,796,013	1473	47.2	43.3-51.1	1924	52.8	48.9-56.7
55-64	4575	1,041,946	1190	25.5	22.6-28.4	3385	74.5	71.6-77.4
Less Than H.S.	1116	332,597	596	57.9	49.9-65.9	520	42.1	34.1-50.1
H.S. or G.E.D.	3652	1,308,065	1497	47.7	43.8-51.6	2155	52.3	48.4-56.2
Some Post-H.S.	3707	1,538,511	1779	52.6	49.3-55.9	1928	47.4	44.1-50.7
College Graduate	3494	2,015,829	1533	52.1	48.8-55.4	1961	47.9	44.6-51.2
Less than \$15,000	1710	487,934	972	64.8	59.5-70.1	738	35.2	29.9-40.5
\$15,000- 24,999	1935	737,924	976	54.0	48.7-59.3	959	46.0	40.7-51.3
\$25,000- 34,999	1234	427,313	562	53.4	46.1-60.7	672	46.6	39.3-53.9
\$35,000- 49,999	1611	707,832	714	54.3	48.8-59.8	897	45.7	40.2-51.2
\$50,000- 74,999	1735	772,265	703	48.5	43.6-53.4	1032	51.5	46.6-56.4
\$75,000+	2357	1,426,284	948	49.0	45.3-52.7	1409	51.0	47.3-54.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 4: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5756	3,414,479	304	4.6	03.4-05.8	524	8.3	06.5-10.1	873	13.1	11.3-14.9	2695	46.8	43.9-49.7	1360	27.2	24.5-29.9
Male	1977	1,533,102	94	5.0	02.8-07.2	184	9.0	05.9-12.1	271	11.7	09.3-14.1	914	44.2	39.3-49.1	514	30.1	25.4-34.8
Female	3779	1,881,378	210	4.3	03.1-05.5	340	7.8	06.0-09.6	602	14.2	12.0-16.4	1781	48.9	45.4-52.4	846	24.8	21.7-27.9
White/Non-Hisp	4132	1,994,264	263	6.0	04.6-07.4	452	10.4	08.4-12.4	711	16.1	13.9-18.3	1923	46.7	43.6-49.8	783	20.9	18.4-23.4
Black or Afr. Am./Non-Hisp	742	506,851	11	1.8	00.0-03.8	28	3.6	00.9-06.3	53	7.2	02.9-11.5	326	42.0	34.6-49.4	324	45.5	38.1-52.9
Oth. Race/Non-Hisp.	152	121,609	7	1.9	00.0-03.9	6	7.3	00.0-16.1	23	14.2	04.6-23.8						
MultiRacial/Non-Hisp.	138	57,235	6	1.5	00.0-03.3	7	4.9	00.0-11.0	17	9.3	02.2-16.4						
Hispanic	514	694,325	13	3.7	00.2-07.2	20	6.0	00.3-11.7	59	8.0	04.5-11.5	265	48.5	39.3-57.7	157	33.8	24.6-43.0
18-24	251	218,406				1	0.3	00.0-00.9	1	0.3	00.0-00.9						
25-34	1007	708,203				12	1.2	00.2-02.2	87	7.4	04.5-10.3	560	53.4	46.7-60.1	348	38.0	30.9-45.1
35-44	1532	1,058,342	47	2.8	01.0-04.6	151	9.6	06.9-12.3	267	16.4	13.1-19.7	731	47.8	43.1-52.5	336	23.4	18.9-27.9
45-54	1621	1,068,397	127	8.6	05.5-11.7	187	12.0	07.9-16.1	281	15.1	11.8-18.4	705	42.4	36.7-48.1	321	21.9	17.0-26.8
55-64	1345	361,131	130	9.7	06.6-12.8	173	12.9	08.6-17.2	237	16.0	12.1-19.9	574	40.2	34.3-46.1	231	21.2	16.1-26.3
Less Than H.S.	555	212,362	21	1.7	00.3-03.1	27	4.0	01.1-06.9	70	6.2	03.1-09.3				177	34.6	24.8-44.4
H.S. or G.E.D.	1568	770,685	76	4.6	02.1-07.1	142	6.7	04.3-09.1	198	8.7	06.0-11.4	737	48.4	42.7-54.1	415	31.6	26.1-37.1
Some Post-H.S.	1890	1,029,510	96	4.4	02.2-06.6	169	9.2	05.1-13.3	297	13.8	10.7-16.9	884	41.7	36.2-47.2	444	30.9	25.0-36.8
College Graduate	1737	1,395,680	111	5.2	03.4-07.0	186	9.3	06.8-11.8	307	15.9	13.0-18.8	811	48.6	44.1-53.1	322	21.0	17.1-24.9
Less than \$15,000	940	369,951	42	2.4	01.0-03.8	50	3.5	01.5-05.5	113	7.9	04.8-11.0	462	47.7	39.9-55.5	273	38.5	30.7-46.3
\$15,000- 24,999	982	500,649	43	3.8	01.3-06.3	71	5.9	03.4-08.4	117	9.1	05.4-12.8	462	43.8	35.8-51.8	289	37.4	29.4-45.4
\$25,000- 34,999	579	294,760	19	3.8	00.0-08.7	40	6.1	02.6-09.6	96	9.9	05.2-14.6						
\$35,000- 49,999	779	457,020	40	2.8	01.4-04.2	81	5.3	03.1-07.5	130	13.5	08.8-18.2	362	50.1	42.5-57.7	166	28.3	21.4-35.2
\$50,000- 74,999	770	508,751	42	5.5	00.8-10.2	90	13.2	05.6-20.8	114	10.3	07.2-13.4	383	49.1	41.1-57.1	141	21.9	15.2-28.6
\$75,000+	1231	1,004,924	95	7.3	04.9-09.7	149	11.9	08.6-15.2	238	18.7	15.0-22.4	547	45.0	39.7-50.3	202	17.2	12.9-21.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 5: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1977	1,533,102	94	5.0	02.8-07.2	184	9.0	05.9-12.1	271	11.7	09.3-14.1	914	44.2	39.5-48.9	514	30.1	25.4-34.8
White/Non-Hisp	1427	904,398	81	5.7	03.3-08.1	152	10.8	07.7-13.9	213	14.3	11.0-17.6	663	44.4	39.3-49.5	318	24.8	20.3-29.3
Black or Afr. Am./Non-Hisp	220	206,359	3	2.9	00.0-07.6	11	2.6	00.2-05.0	12	5.7	00.0-12.2						
Oth. Race/Non-Hisp.	82	80,339	3	0.7	00.0-01.7	3	4.8	00.0-11.7							24	11.3	03.9-18.7
MultiRacial/Non-Hisp.	65	27,130	2	1.3	00.0-03.5	5	6.7	00.0-18.5	8	8.8	00.0-17.6						
Hispanic	152	302,974	4	6.1	00.0-13.9				22	6.2	02.1-10.3						
18-24	75	107,564				1	0.5	00.0-01.7	1	0.5	00.0-01.7						
25-34	260	283,776				5	1.1	00.0-02.9	23	9.2	03.3-15.1						
35-44	464	455,450	13	3.6	00.1-07.1	47	9.9	05.6-14.2	77	15.7	10.6-20.8	199	40.4	32.4-48.4	128	30.4	22.0-38.8
45-54	612	497,066	39	9.7	04.0-15.4	60	13.9	05.9-21.9	85	10.5	06.6-14.4	288	44.3	35.5-53.1	140	21.6	14.3-28.9
55-64	566	189,246	42	6.3	03.0-09.6	71	10.9	06.4-15.4	85	15.3	09.4-21.2	250	43.6	34.8-52.4	118	23.9	16.6-31.2
Less Than H.S.	176	82,996	4	0.6	00.0-01.2	6	2.9	00.0-07.4	21	7.8	01.5-14.1						
H.S. or G.E.D.	553	355,803	26	5.9	00.8-11.0	57	6.5	03.6-09.4	60	7.9	03.2-12.6	270	45.4	35.8-55.0	140	34.3	24.7-43.9
Some Post-H.S.	613	453,599	31	4.7	00.2-09.2	58	12.2	03.8-20.6	80	11.3	06.6-16.0	278	35.4	25.8-45.0			
College Graduate	632	638,156	33	5.2	02.1-08.3	63	9.1	05.4-12.8	109	14.5	10.4-18.6	274	47.2	40.3-54.1	153	24.0	18.1-29.9
Less than \$15,000	280	150,654	14	2.5	00.3-04.7	12	2.5	00.0-05.2	37	7.4	03.3-11.5						
\$15,000- 24,999	321	234,489	11	2.9	00.0-07.0	25	3.7	01.0-06.4	32	10.2	03.1-17.3						
\$25,000- 34,999	180	139,231	4	6.2	00.0-16.2	11	4.1	00.0-08.8	26	10.8	03.0-18.6						
\$35,000- 49,999	279	184,654	16	2.9	00.5-05.3	32	6.4	02.3-10.5	42	15.4	08.5-22.3				66	28.7	18.9-38.5
\$50,000- 74,999	263	247,006	12	8.4	00.0-17.8				34	6.5	02.4-10.6						
\$75,000+	517	481,762	33	6.1	03.0-09.2	55	9.8	05.5-14.1	88	14.6	09.9-19.3	230	47.3	39.1-55.5	111	22.1	14.7-29.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 6: NOT INCLUDING BLOOD DONATIONS, IN WHAT MONTH AND YEAR WAS YOUR LAST HIV TEST? (HIVSTD2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

Denominator excludes: Respondents that did not report having been tested for HIV

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1990 and before			1991-1995			1996-2000			2001-2006			2009		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3779	1,881,378	210	4.3	03.1-05.5	340	7.8	06.0-09.6	602	14.2	12.0-16.4	1781	48.9	45.4-52.4	846	24.8	21.7-27.9
White/Non-Hisp	2705	1,089,866	182	6.2	04.4-08.0	300	10.0	07.8-12.2	498	17.6	14.9-20.3	1260	48.6	44.9-52.3	465	17.6	14.7-20.5
Black or Afr. Am./Non-Hisp	522	300,492	8	1.0	00.0-02.0	17	4.2	00.0-08.5	41	8.2	02.7-13.7	232	39.2	30.8-47.6	224	47.3	37.9-56.7
Oth. Race/Non-Hisp.	70	41,270	4	4.3	00.0-09.6												
MultiRacial/Non-Hisp.	73	30,106	4	1.7	00.0-04.6	2	3.3	00.0-08.0									
Hispanic	362	391,351	9	1.9	00.0-04.1	14	4.2	00.5-07.9	37	9.4	03.9-14.9				108	26.2	17.6-34.8
25-34	747	424,427				7	1.3	00.0-02.7	64	6.2	03.3-09.1	423	59.6	53.1-66.1	253	32.9	26.6-39.2
35-44	1068	602,892	34	2.2	00.8-03.6	104	9.3	05.8-12.8	190	17.0	12.9-21.1	532	53.4	47.9-58.9	208	18.1	13.8-22.4
45-54	1009	571,331	88	7.8	04.7-10.9	127	10.3	07.0-13.6	196	19.0	13.7-24.3	417	40.8	33.4-48.2	181	22.1	15.4-28.8
55-64	779	171,885	88	13.4	08.3-18.5	102	15.2	07.6-22.8	152	16.7	11.8-21.6	324	36.5	29.1-43.9	113	18.2	10.9-25.5
Less Than H.S.	379	129,366	17	2.4	00.2-04.6	21	4.8	01.1-08.5	49	5.3	02.2-08.4						
H.S. or G.E.D.	1015	414,882	50	3.5	01.5-05.5	85	6.9	03.6-10.2	138	9.3	06.0-12.6	467	50.9	44.0-57.8	275	29.3	23.2-35.4
Some Post-H.S.	1277	575,911	65	4.2	02.2-06.2	111	6.9	04.4-09.4	217	15.8	11.7-19.9	606	46.7	41.0-52.4	278	26.5	21.2-31.8
College Graduate	1105	757,524	78	5.2	03.0-07.4	123	9.5	06.2-12.8	198	17.1	13.0-21.2	537	49.8	43.9-55.7	169	18.4	13.3-23.5
Less than \$15,000	660	219,297	28	2.4	00.6-04.2	38	4.2	01.5-06.9	76	8.2	03.9-12.5	317	42.9	33.9-51.9	201	42.4	33.0-51.8
\$15,000- 24,999	661	266,160	32	4.6	01.7-07.5	46	7.9	03.8-12.0	85	8.1	05.0-11.2	312	48.7	40.3-57.1	186	30.7	22.9-38.5
\$25,000- 34,999	399	155,529	15	1.6	00.0-03.2	29	7.8	02.5-13.1	70	9.1	03.4-14.8						
\$35,000- 49,999	500	272,367	24	2.7	00.9-04.5	49	4.5	02.0-07.0	88	12.2	05.9-18.5				100	28.1	18.7-37.5
\$50,000- 74,999	507	261,745	30	2.8	01.2-04.4	58	6.2	03.7-08.7	80	13.8	09.1-18.5	271	60.3	51.7-68.9	68	16.9	09.1-24.7
\$75,000+	714	523,162	62	8.4	05.1-11.7	94	13.7	08.8-18.6	150	22.4	16.9-27.9	317	42.8	36.3-49.3	91	12.7	08.6-16.8

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 7: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON, AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	8260	4,939,760	3351	46.6	44.2-49.0	266	3.7	02.7-04.7	3369	33.7	31.5-35.9	152	2.4	01.4-03.4	317	4.1	03.3-04.9	805	9.5	07.9-11.1
Male	2936	2,316,901	970	39.2	35.3-43.1	104	4.8	03.0-06.6	1264	36.4	32.9-39.9	114	4.4	02.2-06.6	133	3.7	02.7-04.7	351	11.5	08.8-14.2
Female	5324	2,622,859	2381	53.2	50.3-56.1	162	2.7	01.9-03.5	2105	31.3	28.6-34.0	38	0.5	00.3-00.7	184	4.5	03.1-05.9	454	7.8	06.2-09.4
White/Non-Hisp	5811	2,799,752	2440	48.0	45.5-50.5	170	3.6	02.6-04.6	2317	33.6	31.2-36.0	104	1.6	01.0-02.2	224	4.5	03.3-05.7	556	8.6	07.2-10.0
Black or Afr. Am./Non-Hisp	1133	808,575	444	43.3	37.0-49.6	54	3.6	01.4-05.8	449	35.8	29.7-41.9	23	3.3	00.0-06.6	48	5.1	02.2-08.0	115	8.9	05.6-12.2
Oth. Race/Non-Hisp.	223	202,006				5	1.0	00.0-02.4				8	2.4	00.4-04.4	8	3.2	00.0-06.9			
MultiRacial/Non-Hisp.	197	83,601				4	1.9	00.0-05.0				7	6.4	00.0-12.9	7	3.5	00.0-07.6	19	8.3	01.4-15.2
Hispanic	767	982,303	290	46.8	39.4-54.2	31	4.7	01.4-08.0	341	30.9	24.6-37.2	8	3.5	00.0-07.6	26	2.6	01.0-04.2	71	11.4	05.7-17.1
18-24	371	321,138				7	2.5	00.0-06.6				8	7.4	00.0-18.6	10	2.1	00.3-03.9	39	12.6	05.3-19.9
25-34	1414	940,244	667	50.1	44.4-55.8	40	3.1	01.3-04.9	530	30.9	26.2-35.6	29	2.9	00.9-04.9	24	2.0	00.4-03.6	124	11.1	05.8-16.4
35-44	2026	1,481,807	946	49.8	45.5-54.1	56	4.5	02.1-06.9	726	30.9	27.0-34.8	42	2.4	01.0-03.8	67	3.6	02.2-05.0	189	8.8	06.4-11.2
45-54	2358	1,610,353	904	46.6	41.9-51.3	78	2.8	01.6-04.0	1000	34.5	30.2-38.8	47	1.6	00.2-03.0	106	5.7	03.7-07.7	223	8.8	06.3-11.3
55-64	2091	586,218	713	38.9	34.2-43.6	85	5.4	03.0-07.8	927	39.8	35.3-44.3	26	0.6	00.2-01.0	110	6.0	03.5-08.5	230	9.3	06.9-11.7
Less Than H.S.	853	324,584	247	32.1	24.5-39.7	25	2.0	00.6-03.4	443	39.4	31.6-47.2	47	6.7	03.4-10.0	15	2.5	00.3-04.7	76	17.3	08.9-25.7
H.S. or G.E.D.	2319	1,143,670	871	46.4	41.5-51.3	52	2.8	01.2-04.4	1007	36.8	32.3-41.3	61	3.9	01.7-06.1	92	3.0	01.8-04.2	236	7.2	05.2-09.2
Some Post-H.S.	2624	1,446,737	1092	44.3	39.6-49.0	91	4.6	02.2-07.0	1068	34.7	30.6-38.8	36	2.6	00.0-05.3	88	3.9	02.3-05.5	249	9.8	06.3-13.3
College Graduate	2453	2,018,584	1138	50.8	46.9-54.7	98	3.8	02.6-05.0	845	30.3	26.8-33.8	8	0.6	00.0-01.6	122	5.2	03.6-06.8	242	9.4	07.2-11.6
Less than \$15,000	1389	552,161	407	31.1	25.0-37.2	41	4.9	00.0-10.0	734	43.7	37.2-50.2	51	7.3	02.8-11.8	29	1.9	00.7-03.1	127	11.1	06.2-16.0
\$15,000- 24,999	1426	698,304	474	34.1	27.8-40.4	52	4.0	01.8-06.2	686	41.9	35.6-48.2	45	5.7	00.2-11.2	37	2.6	01.0-04.2	132	11.7	07.4-16.0
\$25,000- 34,999	804	412,348	353	48.0	38.2-57.8	26	4.0	01.5-06.5	316	31.5	22.7-40.3	9	0.6	00.0-01.2	19	0.9	00.3-01.5			
\$35,000- 49,999	1095	647,053	477	46.8	40.3-53.3	44	2.8	01.0-04.6	406	35.4	29.5-41.3	11	2.1	00.0-04.5	43	4.0	01.3-06.7	114	8.8	05.9-11.7
\$50,000- 74,999	1096	719,337	491	52.0	45.7-58.3	39	3.8	02.0-05.6	399	31.4	25.7-37.1	9	1.5	00.0-03.9	59	5.3	02.6-08.0	99	6.0	03.5-08.5
\$75,000+	1696	1,470,170	846	56.0	51.7-60.3	46	2.7	01.5-03.9	518	25.8	22.1-29.5	6	0.1	00.1-00.1	102	5.9	03.9-07.9	178	9.6	06.9-12.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

**TABLE 8: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON,
AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)**

**Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older**

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2936	2,316,901	970	39.2	35.3-43.1	104	4.8	03.0-06.6	1264	36.4	33.1-39.7	114	4.4	02.2-06.6	133	3.7	02.7-04.7	351	11.5	08.8-14.2
White/Non-Hisp	2122	1,352,439	715	38.4	34.3-42.5	70	4.7	02.9-06.5	913	39.8	35.9-43.7	75	2.5	01.5-03.5	98	4.2	02.8-05.6	251	10.4	08.0-12.8
Black or Afr. Am./Non-Hisp	330	314,070				17	3.9	00.0-08.4				16	7.7	00.0-15.7	12	2.5	00.5-04.5	32	8.4	02.7-14.1
Oth. Race/Non-Hisp.	105	117,458				1	1.1	00.0-03.3				7	3.1	00.2-06.0	5	5.3	00.0-11.8			
MultiRacial/Non-Hisp.	85	40,106				1	3.3	00.0-09.8							6	7.1	00.0-15.5			
Hispanic	242	465,951				13	6.9	00.2-13.6	94	24.7	15.5-33.9	8	7.5	00.0-16.1	11	2.0	00.2-03.8			
18-24	107	148,865				4	5.2	00.0-14.0							7	3.8	00.1-07.5	17	11.6	02.2-21.0
25-34	366	384,979				14	3.8	00.7-06.9	152	30.2	22.0-38.4	25	6.3	01.8-10.8	13	1.9	00.1-03.7			
35-44	629	679,093	216	39.7	32.4-47.0	19	6.4	01.5-11.3	255	36.2	29.3-43.1	33	4.2	01.3-07.1	29	3.8	01.6-06.0	77	9.6	06.1-13.1
45-54	907	777,084	311	42.2	34.9-49.5	32	3.1	01.3-04.9	383	35.4	29.1-41.7	34	3.1	00.2-06.0	42	4.4	02.4-06.4	105	11.9	07.4-16.4
55-64	927	326,880	305	36.2	29.7-42.7	35	6.6	02.9-10.3	421	44.7	38.0-51.4	17	0.9	00.3-01.5	42	3.6	01.4-05.8	107	8.0	05.1-10.9
Less Than H.S.	274	144,133				9	1.2	00.0-02.4				37	12.9	05.6-20.2	7	2.2	00.0-04.6			
H.S. or G.E.D.	845	534,515	269	37.4	29.4-45.4	27	3.9	00.8-07.0	368	41.2	33.8-48.6	46	7.2	02.9-11.5	40	3.9	01.5-06.3	95	6.4	04.0-08.8
Some Post-H.S.	865	647,259	271	35.1	26.7-43.5	32	7.1	02.0-12.2	403	37.3	29.9-44.7	25	5.1	00.0-11.0	32	2.9	01.3-04.5	102	12.5	05.4-19.6
College Graduate	947	987,089	356	44.5	38.8-50.2	36	4.3	02.3-06.3	372	33.6	28.5-38.7	6	1.2	00.0-03.4	54	4.2	02.4-06.0	123	12.2	08.5-15.9
Less than \$15,000	432	247,813	110	19.9	11.7-28.1	12	6.8	00.0-17.4				40	14.5	05.1-23.9	9	1.0	00.0-02.2	46	12.8	03.4-22.2
\$15,000- 24,999	467	308,893				17	2.6	00.1-05.1							15	3.3	00.8-05.8	47	11.8	05.3-18.3
\$25,000- 34,999	251	189,762				10	6.1	00.8-11.4				8	1.3	00.0-02.7	9	0.6	00.0-01.2			
\$35,000- 49,999	393	269,374	126	30.7	21.7-39.7	12	3.4	00.1-06.7	185	47.8	37.8-57.8	7	4.5	00.0-10.2	17	2.3	00.3-04.3	46	11.3	05.6-17.0
\$50,000- 74,999	398	347,500				14	3.6	00.7-06.5	166	35.1	25.7-44.5	7	3.0	00.0-07.7	28	5.5	01.6-09.4	41	6.2	02.5-09.9
\$75,000+	765	781,145	307	50.6	44.1-57.1	28	3.9	01.7-06.1	270	28.4	22.9-33.9	4	0.1	00.1-00.1	44	4.6	02.6-06.6	112	12.3	08.2-16.4

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

**TABLE 9: WHERE DID YOU HAVE YOUR LAST HIV TEST — AT A PRIVATE DOCTOR OR HMO OFFICE, AT A COUNSELING AND TESTING SITE, AT A HOSPITAL, AT A CLINIC, IN A JAIL OR PRISON,
AT A DRUG TREATMENT FACILITY, AT HOME, OR SOMEWHERE ELSE? (WHRTST8)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Private Doctor or HMO			Counseling and Testing Site			Hospital or Clinic			Jail or Prison			Home or Somewhere Else			Drug Treatment Facility		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	5324	2,622,859	2381	53.2	50.3-56.1	162	2.7	01.9-03.5	2105	31.3	28.6-34.0	38	0.5	00.3-00.7	184	4.5	03.1-05.9	454	7.8	06.2-09.4
White/Non-Hisp	3689	1,447,314	1725	57.1	54.0-60.2	100	2.6	01.6-03.6	1404	27.9	25.2-30.6	29	0.7	00.3-01.1	126	4.8	03.2-06.4	305	7.0	05.2-08.8
Black or Afr. Am./Non-Hisp	803	494,505	344	49.9	42.1-57.7	37	3.5	01.5-05.5	296	30.2	22.8-37.6	7	0.6	00.0-01.2	36	6.7	02.2-11.2	83	9.2	05.3-13.1
Oth. Race/Non-Hisp.	118	84,548				4	1.0	00.0-02.4				1	1.5	00.0-04.4	3	0.2	00.0-00.6	10	7.2	00.0-18.2
MultiRacial/Non-Hisp.	112	43,494				3	0.5	00.0-01.3							1	0.1	00.0-00.3	6	0.5	00.1-00.9
Hispanic	525	516,351	203	48.1	39.7-56.5	18	2.7	00.5-04.9	247	36.6	28.6-44.6				15	3.1	00.4-05.8	42	9.4	04.3-14.5
18-24	264	172,273				3	0.2	00.0-00.4				3	0.8	00.0-02.2	3	0.6	00.0-01.6			
25-34	1048	555,265	550	56.6	50.9-62.3	26	2.6	00.6-04.6	378	31.4	26.1-36.7	4	0.5	00.0-01.1	11	2.0	00.0-04.4	79	7.0	04.1-09.9
35-44	1397	802,714	730	58.4	53.5-63.3	37	2.9	01.5-04.3	471	26.4	22.1-30.7	9	0.9	00.3-01.5	38	3.3	01.3-05.3	112	8.1	05.2-11.0
45-54	1451	833,269	593	50.8	44.5-57.1	46	2.5	01.1-03.9	617	33.7	27.6-39.8	13	0.3	00.1-00.5	64	6.9	03.8-10.0	118	5.9	03.4-08.4
55-64	1164	259,338	408	42.3	35.4-49.2	50	3.9	02.3-05.5	506	33.6	28.1-39.1	9	0.3	00.0-00.7	68	9.0	03.9-14.1	123	10.9	07.0-14.8
Less Than H.S.	579	180,452				16	2.7	00.5-04.9				10	1.7	00.1-03.3	8	2.8	00.0-05.9	46	13.7	04.7-22.7
H.S. or G.E.D.	1474	609,155	602	54.3	48.6-60.0	25	1.8	00.6-03.0	639	32.8	27.5-38.1	15	1.0	00.2-01.8	52	2.2	01.0-03.4	141	7.8	04.9-10.7
Some Post-H.S.	1759	799,479	821	51.8	46.9-56.7	59	2.5	01.1-03.9	665	32.6	28.3-36.9	11	0.6	00.0-01.2	56	4.7	02.3-07.1	147	7.7	04.8-10.6
College Graduate	1506	1,031,495	782	56.8	51.5-62.1	62	3.2	01.8-04.6	473	27.0	22.1-31.9	2	0.0	00.0-00.0	68	6.1	03.4-08.8	119	6.8	04.4-09.2
Less than \$15,000	957	304,347	297	40.3	32.7-47.9	29	3.4	01.0-05.8	519	42.6	35.3-49.9	11	1.4	00.0-02.8	20	2.6	00.6-04.6	81	9.6	04.9-14.3
\$15,000- 24,999	959	389,411	352	38.9	31.8-46.0	35	5.2	01.9-08.5	453	41.1	34.2-48.0	12	1.2	00.0-02.4	22	2.1	00.3-03.9	85	11.6	05.7-17.5
\$25,000- 34,999	553	222,586				16	2.1	00.1-04.1				1	0.0	00.0-00.0	10	1.1	00.1-02.1	53	10.4	04.3-16.5
\$35,000- 49,999	702	377,679	351	58.3	50.5-66.1	32	2.4	00.6-04.2	221	26.6	20.1-33.1	4	0.5	00.0-01.1	26	5.2	00.7-09.7	68	7.0	04.1-09.9
\$50,000- 74,999	698	371,837	349	57.1	49.5-64.7	25	4.0	02.0-06.0	233	28.0	20.9-35.1	2	0.1	00.0-00.3	31	5.1	01.6-08.6	58	5.8	02.5-09.1
\$75,000+	931	689,025	539	62.0	56.3-67.7	18	1.3	00.3-02.3	248	22.9	18.0-27.8	2	0.0	00.0-00.0	58	7.3	04.0-10.6	66	6.5	03.4-09.6

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 10: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1775	1,166,324	330	21.3	16.6-26.0	1445	78.7	74.0-83.4
Male	674	594,796	146	27.8	19.8-35.8	528	72.2	64.2-80.2
Female	1101	571,528	184	14.5	10.4-18.6	917	85.5	81.4-89.6
White/Non-Hisp	1020	510,537	149	15.4	09.9-20.9	871	84.6	79.1-90.1
Black or Afr. Am./Non-Hisp	431	308,931	104	21.5	14.8-28.2	327	78.5	71.8-85.2
25-34	467	308,266	76	18.3	10.7-25.9	391	81.7	74.1-89.3
H.S. or G.E.D.	550	289,187	101	20.7	13.3-28.1	449	79.3	71.9-86.7
College Graduate	456	404,072	73	11.3	07.0-15.6	383	88.7	84.4-93.0
\$15,000- 24,999	366	186,286	79	23.8	14.2-33.4	287	76.2	66.6-85.8
\$35,000- 49,999	222	142,390	30	13.4	05.6-21.2	192	86.6	78.8-94.4
\$75,000+	284	270,011	36	15.7	06.5-24.9	248	84.3	75.1-93.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 21: HIV/AIDS

TABLE 11: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	674	594,796	146	27.8	19.8-35.8	528	72.2	64.2-80.2
White/Non-Hisp	426	286,169	75	20.8	11.6-30.0	351	79.2	70.0-88.4
College Graduate	212	227,046	40	16.7	09.3-24.1	172	83.3	75.9-90.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 12: WAS IT A RAPID TEST WHERE YOU COULD GET YOUR RESULTS WITHIN A COUPLE OF HOURS? (HIVRDTST)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1101	571,528	184	14.5	10.4-18.6	917	85.5	81.4-89.6
White/Non-Hisp	594	224,368	74	8.5	04.2-12.8	520	91.5	87.2-95.8
Black or Afr. Am./Non-Hisp	314	219,649	68	17.4	10.9-23.9	246	82.6	76.1-89.1
25-34	340	158,933	39	10.4	05.7-15.1	301	89.6	84.9-94.3
35-44	269	151,483	39	9.8	03.7-15.9	230	90.2	84.1-96.3
H.S. or G.E.D.	360	157,981	56	12.9	07.2-18.6	304	87.1	81.4-92.8
Some Post-H.S.	336	183,505	43	13.2	04.4-22.0	293	86.8	78.0-95.6
College Graduate	244	177,025	33	4.4	02.0-06.8	211	95.6	93.2-98.0
\$25,000- 34,999	129	60,088	30	6.7	01.4-12.0	99	93.3	88.0-98.6
\$35,000- 49,999	132	83,587	16	10.4	01.8-19.0	116	89.6	81.0-98.2
\$50,000- 74,999	87	61,714	11	5.2	00.9-09.5	76	94.8	90.5-99.1
\$75,000+	126	76,462	9	5.0	00.3-09.7	117	95.0	90.3-99.7

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 13: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
TOTAL	19421	10,611,097	454	2.6	02.0-03.2		18967	97.4	96.8-98.0	
Male	7201	5,314,145	188	2.6	01.8-03.4		7013	97.4	96.6-98.2	
Female	12220	5,296,952	266	2.6	02.0-03.2		11954	97.4	96.8-98.0	
White/Non-Hisp	15071	6,915,848	320	2.6	02.0-03.2		14751	97.4	96.8-98.0	
Black or Afr. Am./Non-Hisp	1793	1,215,616	68	3.8	01.8-05.8		1725	96.2	94.2-98.2	
Oth. Race/Non-Hisp.	448	381,961	9	0.9	00.0-02.5		439	99.1	97.5-0100	
MultiRacial/Non-Hisp.	359	162,929	11	0.9	00.1-01.7		348	99.1	98.3-99.9	
Hispanic	1453	1,794,009	37	1.9	00.7-03.1		1416	98.1	96.9-99.3	
18-24	808	930,368	60	6.4	02.5-10.3		748	93.6	89.7-97.5	
25-34	2165	1,489,322	102	4.2	02.8-05.6		2063	95.8	94.4-97.2	
35-44	3426	2,571,923	95	2.5	01.5-03.5		3331	97.5	96.5-98.5	
45-54	5523	3,584,230	101	1.7	00.9-02.5		5422	98.3	97.5-99.1	
55-64	7499	2,035,253	96	1.2	00.6-01.8		7403	98.8	98.2-99.4	
Less Than H.S.	1830	712,845	69	4.9	01.2-08.6		1761	95.1	91.4-98.8	
H.S. or G.E.D.	5960	2,745,833	156	2.3	01.5-03.1		5804	97.7	96.9-98.5	
Some Post-H.S.	5774	3,036,420	147	3.2	02.2-04.2		5627	96.8	95.8-97.8	
College Graduate	5819	4,082,020	82	1.9	01.1-02.7		5737	98.1	97.3-98.9	
Less than \$15,000	2597	930,730	105	3.8	02.2-05.4		2492	96.2	94.6-97.8	
\$15,000- 24,999	3041	1,436,969	97	3.3	01.9-04.7		2944	96.7	95.3-98.1	
\$25,000- 34,999	1911	838,007	31	1.9	00.5-03.3		1880	98.1	96.7-99.5	
\$35,000- 49,999	2575	1,282,154	56	2.5	01.3-03.7		2519	97.5	96.3-98.7	
\$50,000- 74,999	2836	1,575,317	50	3.1	01.3-04.9		2786	96.9	95.1-98.7	
\$75,000+	4357	3,344,387	61	1.9	00.9-02.9		4296	98.1	97.1-99.1	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 14: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Male	7201	5,314,145	188	2.6	01.8-03.4		7013	97.4	96.6-98.2	
White/Non-Hisp	5643	3,510,463	140	2.8	01.6-04.0		5503	97.2	96.0-98.4	
Black or Afr. Am./Non-Hisp	548	537,358	22	2.2	00.4-04.0		526	97.8	96.0-99.6	
Oth. Race/Non-Hisp.	203	219,591	5	1.5	00.0-04.0		198	98.5	96.0-0100	
MultiRacial/Non-Hisp.	160	74,007	4	0.5	00.0-01.1		156	99.5	98.9-0100	
Hispanic	511	897,145	15	2.5	00.3-04.7		496	97.5	95.3-99.7	
18-24	357	561,594	25	7.2	01.5-12.9		332	92.8	87.1-98.5	
25-34	737	745,242	37	3.7	01.7-05.7		700	96.3	94.3-98.3	
35-44	1227	1,276,480	34	1.9	00.5-03.3		1193	98.1	96.7-99.5	
45-54	2073	1,758,600	41	1.6	00.6-02.6		2032	98.4	97.4-99.4	
55-64	2807	972,230	51	1.7	00.7-02.7		2756	98.3	97.3-99.3	
Less Than H.S.	697	381,033	35	7.8	01.1-14.5		662	92.2	85.5-98.9	
H.S. or G.E.D.	2248	1,413,062	65	1.6	00.8-02.4		2183	98.4	97.6-99.2	
Some Post-H.S.	1998	1,485,868	48	2.5	00.9-04.1		1950	97.5	95.9-99.1	
College Graduate	2238	2,013,526	40	2.3	01.1-03.5		2198	97.7	96.5-98.9	
Less than \$15,000	863	434,864	44	5.0	02.1-07.9		819	95.0	92.1-97.9	
\$15,000- 24,999	1085	693,784	34	2.2	00.8-03.6		1051	97.8	96.4-99.2	
\$25,000- 34,999	658	407,651	13	0.8	00.0-01.6		645	99.2	98.4-0100	
\$35,000- 49,999	938	573,511	25	3.7	01.2-06.2		913	96.3	93.8-98.8	
\$50,000- 74,999	1057	779,768	19	2.6	00.4-04.8		1038	97.4	95.2-99.6	
\$75,000+	1956	1,886,881	35	2.5	00.7-04.3		1921	97.5	95.7-99.3	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 21: HIV/AIDS**

TABLE 15: I AM GOING TO READ YOU A LIST. WHEN I AM DONE, PLEASE TELL ME IF ANY OF THE SITUATIONS APPLY TO YOU. YOU DO NOT NEED TO TELL ME WHICH ONE. YOU HAVE USED INTRAVENOUS DRUGS IN THE PAST YEAR. YOU HAVE BEEN TREATED FOR A SEXUALLY TRANSMITTED OR VENEREAL DISEASE IN THE PAST YEAR. YOU HAVE GIVEN OR RECEIVED MONEY OR DRUGS IN EXCHANGE FOR SEX IN THE PAST YEAR. YOU HAD ANAL SEX WITHOUT A CONDOM IN THE PAST YEAR. DO ANY OF THESE SITUATIONS APPLY TO YOU? (HIVRISK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents aged 65 or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No		
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)	
Female	12220	5,296,952	266	2.6	02.0-03.2		11954	97.4	96.8-98.0	
White/Non-Hisp	9428	3,405,385	180	2.5	01.7-03.3		9248	97.5	96.7-98.3	
Black or Afr. Am./Non-Hisp	1245	678,258	46	5.0	01.9-08.1		1199	95.0	91.9-98.1	
Oth. Race/Non-Hisp.	245	162,371	4	0.1	00.1-00.1		241	99.9	99.9-99.9	
MultiRacial/Non-Hisp.	199	88,922	7	1.2	00.0-02.6		192	98.8	97.4-0100	
Hispanic	942	896,864	22	1.3	00.3-02.3		920	98.7	97.7-99.7	
18-24	451	368,774	35	5.0	00.7-09.3		416	95.0	90.7-99.3	
25-34	1428	744,080	65	4.8	02.6-07.0		1363	95.2	93.0-97.4	
35-44	2199	1,295,443	61	3.1	01.9-04.3		2138	96.9	95.7-98.1	
45-54	3450	1,825,630	60	1.8	00.6-03.0		3390	98.2	97.0-99.4	
55-64	4692	1,063,023	45	0.8	00.2-01.4		4647	99.2	98.6-99.8	
Less Than H.S.	1133	331,812	34	1.6	00.6-02.6		1099	98.4	97.4-99.4	
H.S. or G.E.D.	3712	1,332,770	91	3.0	01.4-04.6		3621	97.0	95.4-98.6	
Some Post-H.S.	3776	1,550,552	99	3.9	02.5-05.3		3677	96.1	94.7-97.5	
College Graduate	3581	2,068,494	42	1.5	00.5-02.5		3539	98.5	97.5-99.5	
Less than \$15,000	1734	495,866	61	2.8	01.4-04.2		1673	97.2	95.8-98.6	
\$15,000- 24,999	1956	743,184	63	4.3	02.1-06.5		1893	95.7	93.5-97.9	
\$25,000- 34,999	1253	430,356	18	3.0	00.5-05.5		1235	97.0	94.5-99.5	
\$35,000- 49,999	1637	708,643	31	1.6	00.6-02.6		1606	98.4	97.4-99.4	
\$50,000- 74,999	1779	795,549	31	3.6	01.1-06.1		1748	96.4	93.9-98.9	
\$75,000+	2401	1,457,505	26	1.2	00.4-02.0		2375	98.8	98.0-99.6	

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE		PAGE
	HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)	
1	MALES AND FEMALES	253
2	MALES ONLY	254
3	FEMALES ONLY	255
	IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)	
4	MALES AND FEMALES	256
5	MALES ONLY	257
6	FEMALES ONLY	258

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 1: HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	32455	13,564,162	17322	51.2	49.8-52.6	8037	28.3	27.1-29.5	3713	11.0	10.2-11.8	1356	3.9	03.3-04.5	2027	5.6	04.8-06.4
Male	11916	6,533,105	6421	50.2	48.0-52.4	2663	27.7	25.7-29.7	1266	10.5	09.1-11.9	539	4.7	03.7-05.7	1027	7.0	05.6-08.4
Female	20539	7,031,056	10901	52.1	50.5-53.7	5374	28.9	27.5-30.3	2447	11.5	10.5-12.5	817	3.1	02.5-03.7	1000	4.3	03.5-05.1
White/Non-Hisp	26659	9,420,669	14439	51.7	50.3-53.1	6986	31.0	29.6-32.4	2774	10.3	09.5-11.1	1043	3.2	02.8-03.6	1417	3.9	03.5-04.3
Black or Afr. Am./Non-Hisp	2374	1,372,439	1163	47.6	42.9-52.3	376	22.2	18.1-26.3	490	18.0	14.7-21.3	117	3.8	01.8-05.8	228	8.5	05.6-11.4
Oth. Race/Non-Hisp.	587	420,280	322	60.4	52.0-68.8	98	18.8	11.7-25.9	59	3.6	01.8-05.4	38	6.4	01.5-11.3	70	10.9	06.6-15.2
MultiRacial/Non-Hisp.	493	181,877	222	38.5	28.9-48.1				83	15.5	09.0-22.0	40	8.0	02.3-13.7	37	8.9	03.2-14.6
Hispanic	1744	1,953,913	876	50.0	45.1-54.9	357	23.4	19.3-27.5	221	10.2	07.5-12.9	90	6.3	03.4-09.2	200	10.1	06.4-13.8
18-24	801	922,025	396	46.0	39.1-52.9	229	27.4	21.3-33.5	104	16.5	10.8-22.2	37	5.5	01.2-09.8	35	4.6	01.5-07.7
25-34	2134	1,469,376	1109	51.3	46.8-55.8	585	29.9	25.8-34.0	277	10.6	08.4-12.8	86	3.1	01.9-04.3	77	5.1	01.8-08.4
35-44	3390	2,537,766	1622	47.9	44.6-51.2	1060	32.7	29.8-35.6	427	11.8	09.6-14.0	140	3.8	02.2-05.4	141	3.9	02.5-05.3
45-54	5427	3,490,545	2608	48.5	45.6-51.4	1495	31.8	29.1-34.5	764	10.1	08.5-11.7	292	4.3	03.1-05.5	268	5.2	03.6-06.8
55-64	7359	2,002,194	3708	50.8	48.3-53.3	1957	28.2	26.0-30.4	926	11.9	10.1-13.7	392	4.8	03.8-05.8	376	4.5	03.3-05.7
65+	13078	3,052,398	7739	58.7	56.9-60.5	2652	20.6	19.2-22.0	1176	9.2	08.0-10.4	397	2.7	02.1-03.3	1114	8.7	07.5-09.9
Less Than H.S.	3178	956,462	1457	42.5	37.8-47.2	453	15.8	12.3-19.3	557	15.4	11.7-19.1	223	9.3	06.2-12.4	488	17.0	13.1-20.9
H.S. or G.E.D.	10400	3,571,252	5595	49.0	46.5-51.5	2147	25.5	23.1-27.9	1382	14.3	12.5-16.1	475	3.7	02.9-04.5	801	7.5	05.9-09.1
Some Post-H.S.	9289	3,872,171	4968	50.5	48.0-53.0	2434	27.2	25.0-29.4	1036	12.4	10.8-14.0	406	4.9	03.5-06.3	445	4.9	03.3-06.5
College Graduate	9513	5,123,433	5268	54.9	52.7-57.1	2993	33.6	31.6-35.6	723	6.8	05.8-07.8	250	2.2	01.6-02.8	279	2.6	02.0-03.2
Less than \$15,000	4079	1,183,743	1610	39.5	35.6-43.4	744	19.5	16.6-22.4	845	19.2	16.3-22.1	394	12.2	08.5-15.9	486	9.5	07.3-11.7
\$15,000- 24,999	5757	1,954,893	2807	44.5	41.2-47.8	1197	22.2	19.5-24.9	897	17.8	15.1-20.5	344	6.6	04.4-08.8	512	8.9	06.9-10.9
\$25,000- 34,999	3515	1,184,266	1769	46.5	42.0-51.0	921	29.7	25.6-33.8	431	11.4	08.9-13.9	153	4.1	02.9-05.3	241	8.4	04.3-12.5
\$35,000- 49,999	4327	1,706,756	2441	50.5	47.2-53.8	1150	31.9	28.6-35.2	392	9.7	07.5-11.9	151	3.7	02.5-04.9	193	4.2	03.0-05.4
\$50,000- 74,999	4189	1,904,279	2435	54.3	50.8-57.8	1213	29.4	26.3-32.5	339	10.4	08.2-12.6	85	2.4	01.2-03.6	117	3.5	01.3-05.7
\$75,000+	5879	3,801,441	3620	57.7	55.2-60.2	1753	33.4	30.9-35.9	306	5.4	04.2-06.6	62	1.1	00.5-01.7	138	2.3	01.5-03.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION

TABLE 2. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Always			Usually			Sometimes			Rarely			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	11916	6,533,105	6421	50.2	48.0-52.4	2663	27.7	25.7-29.7	1266	10.5	09.1-11.9	539	4.7	03.7-05.7	1027	7.0	05.6-08.4
White/Non-Hisp	9852	4,566,766	5393	50.8	48.6-53.0	2303	30.4	28.2-32.6	946	9.7	08.3-11.1	429	3.8	03.0-04.6	781	5.4	04.4-06.4
Black or Afr. Am./Non-Hisp	722	583,081	364	49.4	41.2-57.6	103	20.8	14.1-27.5	142	16.7	11.2-22.2	35	5.4	01.3-09.5	78	7.7	03.0-12.4
Oth. Race/Non-Hisp.	267	241,889							19	1.3	00.3-02.3	15	5.9	00.0-13.3	44	13.8	07.3-20.3
MultiRacial/Non-Hisp.	200	80,979							30	13.7	04.9-22.5				20	10.7	02.3-19.1
Hispanic	624	950,020	301	46.9	39.1-54.7	122	22.0	15.7-28.3	99	11.9	07.2-16.6	31	7.5	02.2-12.8	71	11.7	05.0-18.4
18-24	349	552,089	157	40.6	31.2-50.0	111	30.8	22.0-39.6	45	16.2	08.2-24.2	19	6.7	00.0-13.8	17	5.7	00.6-10.8
25-34	726	733,182	375	52.4	45.0-59.8	194	28.4	21.7-35.1	88	8.9	06.0-11.8	25	2.3	00.9-03.7	44	8.1	01.6-14.6
35-44	1210	1,253,925	592	48.6	43.5-53.7	360	30.5	26.0-35.0	140	11.1	07.8-14.4	53	5.4	02.5-08.3	65	4.3	02.3-06.3
45-54	2013	1,687,241	977	45.4	40.9-49.9	531	33.3	29.0-37.6	281	10.2	07.7-12.7	114	5.3	03.1-07.5	110	5.9	03.2-08.6
55-64	2722	950,694	1430	53.1	49.2-57.0	648	24.8	21.5-28.1	316	10.9	08.2-13.6	160	6.2	04.2-08.2	168	5.0	03.4-06.6
65+	4832	1,325,508	2856	58.4	55.7-61.1	807	18.6	16.4-20.8	389	8.2	06.4-10.0	165	2.5	01.9-03.1	615	12.2	10.0-14.4
Less Than H.S.	1152	463,391	495	36.2	29.5-42.9	159	15.2	10.1-20.3	191	17.1	10.4-23.8	83	12.2	06.5-17.9	224	19.3	13.0-25.6
H.S. or G.E.D.	3555	1,689,509	1883	47.9	43.8-52.0	674	26.3	22.4-30.2	439	12.8	10.1-15.5	185	4.1	02.7-05.5	374	8.9	06.4-11.4
Some Post-H.S.	3133	1,766,694	1685	48.8	44.3-53.3	724	26.0	22.3-29.7	333	11.7	09.0-14.4	154	6.1	03.2-09.0	237	7.5	04.2-10.8
College Graduate	4040	2,592,101	2344	55.0	51.9-58.1	1101	32.2	29.3-35.1	298	6.9	05.3-08.5	115	2.7	01.5-03.9	182	3.2	02.4-04.0
Less than \$15,000	1239	506,680	447	39.8	32.5-47.1	212	20.5	15.0-26.0	232	14.3	10.2-18.4	131	17.1	09.7-24.5	217	8.4	05.7-11.1
\$15,000- 24,999	1927	871,945	894	40.8	35.1-46.5	331	21.5	16.6-26.4	303	18.1	13.6-22.6	147	9.1	04.6-13.6	252	10.5	07.2-13.8
\$25,000- 34,999	1225	545,659	597	44.5	37.1-51.9	292	28.0	21.7-34.3	140	10.5	06.0-15.0	71	4.8	02.8-06.8	125	12.3	04.3-20.3
\$35,000- 49,999	1716	784,613	960	49.3	44.2-54.4	393	31.8	26.5-37.1	166	8.8	05.5-12.1	77	4.1	02.1-06.1	120	5.9	03.9-07.9
\$50,000- 74,999	1727	946,398	1047	52.6	47.1-58.1	412	25.9	21.0-30.8	152	12.0	08.3-15.7	30	3.0	00.8-05.2	86	6.4	02.3-10.5
\$75,000+	2842	2,157,153	1780	57.8	54.1-61.5	781	32.2	28.7-35.7	143	5.7	03.7-07.7	34	1.4	00.6-02.2	104	3.0	01.8-04.2

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM

FLORIDA CORE QUESTIONS DATA REPORT, 2010

SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION

TABLE 3. HOW OFTEN DO YOU GET THE SOCIAL AND EMOTIONAL SUPPORT YOU NEED? (EMTSUPRT)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Always		N	Usually		N	Sometimes		N	Rarely		N	Never	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	20539	7,031,056	10901	52.1	50.5-53.7	5374	28.9	27.5-30.3	2447	11.5	10.5-12.5	817	3.1	02.5-03.7	1000	4.3	03.5-05.1
White/Non-Hisp	16807	4,853,902	9046	52.6	51.0-54.2	4683	31.5	29.9-33.1	1828	10.9	09.9-11.9	614	2.6	02.0-03.2	636	2.4	02.0-02.8
Black or Afr. Am./Non-Hisp	1652	789,357	799	46.2	40.5-51.9	273	23.1	17.8-28.4	348	19.0	14.7-23.3	82	2.5	01.3-03.7	150	9.1	05.4-12.8
Oth. Race/Non-Hisp.	320	178,391				52	15.6	06.4-24.8	40	6.6	02.9-10.3	23	7.1	01.2-13.0	26	6.9	01.8-12.0
MultiRacial/Non-Hisp.	293	100,898							53	16.9	07.9-25.9	22	2.9	00.4-05.4	17	7.4	00.0-15.2
Hispanic	1120	1,003,893	575	53.0	47.1-58.9	235	24.6	19.3-29.9	122	8.6	05.7-11.5	59	5.1	02.7-07.5	129	8.6	05.3-11.9
18-24	452	369,935	239	54.1	44.9-63.3	118	22.3	15.0-29.6	59	16.9	09.5-24.3	18	3.6	00.7-06.5	18	3.1	00.7-05.5
25-34	1408	736,194	734	50.2	45.3-55.1	391	31.5	26.8-36.2	189	12.3	09.4-15.2	61	3.9	02.1-05.7	33	2.2	00.6-03.8
35-44	2180	1,283,841	1030	47.2	43.3-51.1	700	34.8	31.1-38.5	287	12.4	09.7-15.1	87	2.2	01.2-03.2	76	3.4	01.6-05.2
45-54	3414	1,803,304	1631	51.4	47.7-55.1	964	30.5	27.0-34.0	483	10.1	08.1-12.1	178	3.4	02.0-04.8	158	4.6	02.8-06.4
55-64	4637	1,051,500	2278	48.7	45.6-51.8	1309	31.2	28.3-34.1	610	12.7	10.7-14.7	232	3.4	02.4-04.4	208	4.0	02.4-05.6
65+	8246	1,726,890	4883	58.9	56.7-61.1	1845	22.2	20.6-23.8	787	9.9	08.5-11.3	232	2.9	02.1-03.7	499	6.0	04.8-07.2
Less Than H.S.	2026	493,071	962	48.4	42.1-54.7	294	16.3	11.6-21.0	366	13.9	10.4-17.4	140	6.6	03.9-09.3	264	14.8	10.1-19.5
H.S. or G.E.D.	6845	1,881,743	3712	50.0	47.1-52.9	1473	24.8	22.3-27.3	943	15.6	13.2-18.0	290	3.4	02.4-04.4	427	6.3	04.5-08.1
Some Post-H.S.	6156	2,105,477	3283	52.0	49.3-54.7	1710	28.2	25.8-30.6	703	13.1	11.3-14.9	252	3.9	02.7-05.1	208	2.8	02.0-03.6
College Graduate	5473	2,531,332	2924	54.8	51.9-57.7	1892	35.0	32.3-37.7	425	6.6	05.4-07.8	135	1.6	01.0-02.2	97	2.0	01.0-03.0
Less than \$15,000	2840	677,063	1163	39.3	34.8-43.8	532	18.8	15.5-22.1	613	22.9	19.2-26.6	263	8.6	05.5-11.7	269	10.4	07.3-13.5
\$15,000- 24,999	3830	1,082,948	1913	47.4	43.5-51.3	866	22.9	19.8-26.0	594	17.7	14.6-20.8	197	4.6	03.2-06.0	260	7.6	05.2-10.0
\$25,000- 34,999	2290	638,607	1172	48.2	43.1-53.3	629	31.1	25.8-36.4	291	12.1	09.2-15.0	82	3.5	01.9-05.1	116	5.1	02.2-08.0
\$35,000- 49,999	2611	922,143	1481	51.5	47.0-56.0	757	32.0	27.7-36.3	226	10.4	07.7-13.1	74	3.4	01.8-05.0	73	2.8	01.6-04.0
\$50,000- 74,999	2462	957,881	1388	55.9	51.8-60.0	801	32.8	29.1-36.5	187	8.7	06.3-11.1	55	1.9	00.7-03.1	31	0.7	00.3-01.1
\$75,000+	3037	1,644,288	1840	57.5	54.2-60.8	972	35.1	31.8-38.4	163	5.1	03.7-06.5	28	0.8	00.2-01.4	34	1.5	00.5-02.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 4. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	32961	13,724,911	15385	46.0	44.6-47.4	15408	47.0	45.6-48.4	1716	5.5	04.9-06.1	452	1.5	01.1-01.9
Male	12211	6,638,861	5767	44.4	42.2-46.6	5613	47.9	45.7-50.1	668	6.1	04.9-07.3	163	1.5	00.9-02.1
Female	20750	7,086,051	9618	47.5	45.9-49.1	9795	46.2	44.6-47.8	1048	4.8	04.2-05.4	289	1.4	01.0-01.8
White/Non-Hisp	27003	9,493,516	12893	47.3	45.9-48.7	12391	45.7	44.3-47.1	1364	5.6	04.8-06.4	355	1.4	01.0-01.8
Black or Afr. Am./Non-Hisp	2433	1,395,153	998	41.6	36.9-46.3	1261	50.5	45.8-55.2	129	6.1	03.6-08.6	45	1.8	00.2-03.4
Oth. Race/Non-Hisp.	597	429,957	270	51.7	43.1-60.3	277	42.3	33.9-50.7	42	3.3	01.1-05.5	8	2.8	00.0-07.1
MultiRacial/Non-Hisp.	497	180,758	249	43.8	33.8-53.8	249	43.8	33.8-53.8	56	15.2	06.6-23.8	17	2.9	00.0-05.8
Hispanic	1794	2,002,483	756	42.5	37.6-47.4	938	52.5	47.6-57.4	80	4.0	02.0-06.0	20	1.1	00.1-02.1
18-24	803	915,788	299	40.6	33.5-47.7	446	52.5	45.4-59.6	45	4.4	01.5-07.3	13	2.5	00.3-04.7
25-34	2147	1,479,241	947	41.8	37.5-46.1	1039	50.8	46.3-55.3	125	5.8	04.0-07.6	36	1.6	00.8-02.4
35-44	3395	2,557,367	1484	43.0	39.9-46.1	1675	49.9	46.6-53.2	185	5.9	03.9-07.9	51	1.2	00.4-02.0
45-54	5471	3,538,012	2288	46.4	43.5-49.3	2624	44.4	41.5-47.3	428	7.2	05.6-08.8	131	2.1	01.1-03.1
55-64	7419	2,020,129	3355	46.9	44.5-49.3	3465	45.4	42.9-47.9	484	6.6	05.4-07.8	115	1.1	00.7-01.5
65+	13450	3,121,270	6872	50.8	49.2-52.4	6037	45.6	43.8-47.4	436	2.7	02.3-03.1	105	0.9	00.5-01.3
Less Than H.S.	3292	985,767	1094	33.0	28.3-37.7	1805	53.5	48.6-58.4	295	9.6	06.9-12.3	98	3.8	01.4-06.2
H.S. or G.E.D.	10606	3,628,345	4530	40.3	37.9-42.7	5329	51.9	49.4-54.4	582	6.0	04.8-07.2	165	1.8	01.0-02.6
Some Post-H.S.	9364	3,886,228	4266	42.4	40.0-44.8	4439	49.6	47.1-52.1	536	6.7	05.3-08.1	123	1.3	00.9-01.7
College Graduate	9613	5,172,318	5460	55.1	52.9-57.3	3790	40.6	38.4-42.8	298	3.4	02.6-04.2	65	0.9	00.3-01.5
Less than \$15,000	4137	1,202,564	1092	25.2	21.9-28.5	2320	53.8	49.7-57.9	551	16.5	12.6-20.4	174	4.4	02.4-06.4
\$15,000- 24,999	5829	1,982,509	2061	31.5	28.4-34.6	3194	57.3	54.0-60.6	457	9.4	07.6-11.2	117	1.8	01.2-02.4
\$25,000- 34,999	3590	1,200,808	1516	39.5	35.2-43.8	1879	52.4	48.1-56.7	164	5.9	03.5-08.3	31	2.2	00.4-04.0
\$35,000- 49,999	4382	1,717,831	2123	43.9	40.6-47.2	2083	51.7	48.4-55.0	147	4.0	02.6-05.4	29	0.5	00.3-00.7
\$50,000- 74,999	4234	1,927,755	2341	50.1	46.8-53.4	1764	45.9	42.6-49.2	107	3.2	01.8-04.6	22	0.8	00.0-01.6
\$75,000+	5923	3,838,369	3901	62.4	59.9-64.9	1913	35.1	32.6-37.6	89	1.8	01.2-02.4	20	0.7	00.3-01.1

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 5. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12211	6,638,861	5767	44.4	42.2-46.6	5613	47.9	45.7-50.1	668	6.1	04.9-07.3	163	1.5	00.9-02.1
White/Non-Hisp	10086	4,614,307	4822	45.5	43.3-47.7	4591	47.0	44.8-49.2	540	6.0	04.8-07.2	133	1.5	00.9-02.1
Black or Afr. Am./Non-Hisp	740	596,012	340	44.1	36.1-52.1	350	46.4	38.4-54.4	42	9.0	03.7-14.3	8	0.5	00.0-01.1
Oth. Race/Non-Hisp.	273	246,781							18	1.8	00.4-03.2	2	3.8	00.0-11.1
MultiRacial/Non-Hisp.	201	78,195										9	5.0	00.0-11.3
Hispanic	644	987,422	278	39.1	31.5-46.7	336	55.0	47.2-62.8	23	4.5	01.0-08.0	7	1.4	00.0-03.2
18-24	353	546,825	127	42.0	32.0-52.0	192	50.9	41.1-60.7	27	5.5	01.0-10.0	7	1.7	00.0-03.7
25-34	733	740,182	305	36.8	29.9-43.7	358	55.4	48.1-62.7	50	5.8	03.3-08.3	20	2.1	00.7-03.5
35-44	1214	1,264,773	526	39.3	34.4-44.2	602	52.7	47.6-57.8	70	6.5	03.2-09.8	16	1.5	00.1-02.9
45-54	2044	1,722,034	816	42.9	38.2-47.6	1008	46.2	41.7-50.7	177	8.9	06.2-11.6	43	2.1	00.7-03.5
55-64	2772	966,966	1247	48.7	44.8-52.6	1286	43.2	39.5-46.9	197	7.0	05.2-08.8	42	1.1	00.5-01.7
65+	5030	1,366,830	2711	52.8	50.1-55.5	2138	44.1	41.4-46.8	146	2.2	01.6-02.8	35	0.9	00.3-01.5
Less Than H.S.	1203	480,369	385	30.9	23.5-38.3	656	49.9	42.3-57.5	124	13.8	08.5-19.1	38	5.3	01.0-09.6
H.S. or G.E.D.	3664	1,718,325	1552	39.1	35.2-43.0	1837	53.5	49.4-57.6	213	5.6	03.8-07.4	62	1.8	00.8-02.8
Some Post-H.S.	3181	1,775,854	1417	39.5	35.2-43.8	1522	51.0	46.5-55.5	205	8.3	05.4-11.2	37	1.2	00.6-01.8
College Graduate	4123	2,636,083	2397	53.6	50.5-56.7	1576	41.9	38.8-45.0	125	3.7	02.3-05.1	25	0.8	00.2-01.4
Less than \$15,000	1267	520,439	314	22.3	16.8-27.8	692	51.7	44.3-59.1	196	20.4	13.0-27.8	65	5.6	01.9-09.3
\$15,000- 24,999	1966	897,177	667	31.4	25.7-37.1	1056	56.3	50.4-62.2	196	10.7	07.6-13.8	47	1.6	00.8-02.4
\$25,000- 34,999	1278	553,762	521	35.3	28.6-42.0	685	56.6	49.5-63.7	63	6.3	02.2-10.4	9	1.8	00.2-03.4
\$35,000- 49,999	1754	789,192	790	36.7	32.0-41.4	890	58.9	54.0-63.8	62	4.0	02.0-06.0	12	0.4	00.0-00.8
\$50,000- 74,999	1755	954,877	988	48.8	43.3-54.3	713	45.4	40.1-50.7	42	4.3	01.8-06.8	12	1.5	00.0-03.3
\$75,000+	2880	2,191,544	1856	59.4	55.7-63.1	977	38.2	34.5-41.9	40	1.7	00.9-02.5	7	0.7	00.1-01.3

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010
SECTION 22: EMOTIONAL SUPPORT AND LIFE SATISFACTION
TABLE 6. IN GENERAL, HOW SATISFIED ARE YOU WITH YOUR LIFE? (LSATISFY)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Very Satisfied			Satisfied			Dissatisfied			Very Dissatisfied		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20750	7,086,051	9618	47.5	45.9-49.1	9795	46.2	44.6-47.8	1048	4.8	04.2-05.4	289	1.4	01.0-01.8
White/Non-Hisp	16917	4,879,209	8071	49.0	47.4-50.6	7800	44.5	42.9-46.1	824	5.2	04.4-06.0	222	1.3	00.9-01.7
Black or Afr. Am./Non-Hisp	1693	799,141	658	39.7	34.0-45.4	911	53.6	47.9-59.3	87	3.9	02.3-05.5	37	2.8	00.3-05.3
Oth. Race/Non-Hisp.	324	183,176							24	5.3	00.6-10.0	6	1.3	00.0-02.7
MultiRacial/Non-Hisp.	296	102,563							29	5.0	01.5-08.5	8	1.4	00.0-03.0
Hispanic	1150	1,015,061	478	45.8	39.9-51.7	602	49.9	44.0-55.8	57	3.5	01.9-05.1	13	0.8	00.2-01.4
18-24	450	368,963	172	38.6	29.4-47.8	254	54.9	45.5-64.3	18	2.7	00.0-06.0	6	3.7	00.0-08.2
25-34	1414	739,060	642	46.9	42.0-51.8	681	46.2	41.3-51.1	75	5.7	03.3-08.1	16	1.2	00.4-02.0
35-44	2181	1,292,594	958	46.6	42.7-50.5	1073	47.2	43.3-51.1	115	5.3	03.5-07.1	35	0.9	00.3-01.5
45-54	3427	1,815,978	1472	49.7	46.0-53.4	1616	42.7	39.0-46.4	251	5.5	04.1-06.9	88	2.1	00.7-03.5
55-64	4647	1,053,164	2108	45.3	42.4-48.2	2179	47.3	44.2-50.4	287	6.3	04.5-08.1	73	1.1	00.5-01.7
65+	8420	1,754,440	4161	49.2	47.0-51.4	3899	46.9	44.7-49.1	290	3.0	02.4-03.6	70	0.9	00.5-01.3
Less Than H.S.	2089	505,398	709	35.0	29.1-40.9	1149	57.0	50.9-63.1	171	5.6	03.8-07.4	60	2.4	00.6-04.2
H.S. or G.E.D.	6942	1,910,020	2978	41.4	38.5-44.3	3492	50.4	47.5-53.3	369	6.4	04.8-08.0	103	1.8	00.8-02.8
Some Post-H.S.	6183	2,110,374	2849	44.8	42.3-47.3	2917	48.4	45.9-50.9	331	5.4	04.2-06.6	86	1.4	00.8-02.0
College Graduate	5490	2,536,235	3063	56.7	54.0-59.4	2214	39.2	36.5-41.9	173	3.1	02.1-04.1	40	0.9	00.1-01.7
Less than \$15,000	2870	682,125	778	27.5	23.4-31.6	1628	55.4	50.7-60.1	355	13.6	10.3-16.9	109	3.5	01.7-05.3
\$15,000- 24,999	3863	1,085,332	1394	31.6	28.3-34.9	2138	58.2	54.5-61.9	261	8.3	06.3-10.3	70	1.9	01.1-02.7
\$25,000- 34,999	2312	647,046	995	43.1	37.8-48.4	1194	48.9	43.8-54.0	101	5.5	03.1-07.9	22	2.5	00.0-05.2
\$35,000- 49,999	2628	928,638	1333	50.0	45.7-54.3	1193	45.5	41.2-49.8	85	3.9	02.1-05.7	17	0.6	00.2-01.0
\$50,000- 74,999	2479	972,878	1353	51.3	47.2-55.4	1051	46.3	42.2-50.4	65	2.2	01.2-03.2	10	0.2	00.0-00.4
\$75,000+	3043	1,646,824	2045	66.4	63.1-69.7	936	31.0	27.9-34.1	49	1.9	00.9-02.9	13	0.7	00.0-01.5

NOTE:

% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA CORE QUESTIONS DATA REPORT, 2010**

End of Core Data Report