

FLORIDA

2010 Module Variables Report

Behavioral Risk Factor Surveillance System

March 29, 2011



BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010

MODULE 1: PRE-DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)	
1	MALES AND FEMALES	3
2	MALES ONLY	4
3	FEMALES ONLY	5
	HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)	
4	MALES AND FEMALES	6
5	MALES ONLY	7
6	FEMALES ONLY	8

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 1: PRE-DIABETES**

TABLE 1: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	28937	12,848,415	19147	62.6	61.2-64.0	9790	37.4	36.0-38.8
Male	10459	6,148,609	7060	62.4	60.2-64.6	3399	37.6	35.4-39.8
Female	18478	6,699,806	12087	62.7	61.1-64.3	6391	37.3	35.7-38.9
White/Non-Hisp	23720	8,758,490	15765	62.9	61.5-64.3	7955	37.1	35.7-38.5
Black or Afr. Am./Non-Hisp	2047	1,301,562	1402	66.4	61.5-71.3	645	33.6	28.7-38.5
Oth. Race/Non-Hisp.	528	405,773	301	58.7	49.9-67.5	227	41.3	32.5-50.1
Hispanic	1646	1,984,486	1023	59.5	54.6-64.4	623	40.5	35.6-45.4
18-24	831	942,527	307	33.3	27.0-39.6	524	66.7	60.4-73.0
25-34	2151	1,483,610	1123	52.4	47.9-56.9	1028	47.6	43.1-52.1
35-44	3329	2,586,555	1867	56.4	53.1-59.7	1462	43.6	40.3-46.9
45-54	5100	3,379,632	3153	64.8	61.9-67.7	1947	35.2	32.3-38.1
55-64	6338	1,748,374	4467	73.1	70.7-75.5	1871	26.9	24.5-29.3
65+	10902	2,606,154	8044	74.9	73.1-76.7	2858	25.1	23.3-26.9
Less Than H.S.	2709	906,028	1584	50.1	44.6-55.6	1125	49.9	44.4-55.4
H.S. or G.E.D.	9304	3,374,544	5909	59.2	56.5-61.9	3395	40.8	38.1-43.5
Some Post-H.S.	8226	3,676,999	5588	63.6	61.1-66.1	2638	36.4	33.9-38.9
College Graduate	8607	4,832,253	6008	66.7	64.5-68.9	2599	33.3	31.1-35.5
Less than \$15,000	3398	1,022,100	2086	58.2	53.7-62.7	1312	41.8	37.3-46.3
\$15,000- 24,999	4949	1,881,141	3142	56.5	52.6-60.4	1807	43.5	39.6-47.4
\$25,000- 34,999	3134	1,152,655	2094	62.5	57.8-67.2	1040	37.5	32.8-42.2
\$35,000- 49,999	3837	1,567,291	2577	61.9	58.4-65.4	1260	38.1	34.6-41.6
\$50,000- 74,999	3768	1,780,757	2565	67.4	64.1-70.7	1203	32.6	29.3-35.9
\$75,000+	5460	3,654,482	3817	65.2	62.7-67.7	1643	34.8	32.3-37.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 1: PRE-DIABETES**

TABLE 2: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	10459	6,148,609	7060	62.4	60.2-64.6	3399	37.6	35.4-39.8
White/Non-Hisp	8598	4,175,884	5876	63.4	61.0-65.8	2722	36.6	34.2-39.0
Black or Afr. Am./Non-Hisp	625	566,442	420	65.3	57.1-73.5	205	34.7	26.5-42.9
Hispanic	577	979,094	337	56.9	48.9-64.9	240	43.1	35.1-51.1
18-24	365	566,492	105	27.9	19.9-35.9	260	72.1	64.1-80.1
25-34	724	721,147	314	46.0	38.4-53.6	410	54.0	46.4-61.6
35-44	1190	1,293,037	685	57.5	52.2-62.8	505	42.5	37.2-47.8
45-54	1893	1,628,244	1202	69.1	64.8-73.4	691	30.9	26.6-35.2
55-64	2291	808,836	1713	76.1	72.2-80.0	578	23.9	20.0-27.8
65+	3926	1,097,689	2993	76.4	73.5-79.3	933	23.6	20.7-26.5
Less Than H.S.	1026	469,835	557	43.2	35.2-51.2	469	56.8	48.8-64.8
H.S. or G.E.D.	3175	1,616,130	2039	56.1	51.8-60.4	1136	43.9	39.6-48.2
Some Post-H.S.	2672	1,661,881	1839	63.5	58.8-68.2	833	36.5	31.8-41.2
College Graduate	3543	2,368,948	2599	70.1	67.0-73.2	944	29.9	26.8-33.0
Less than \$15,000	1051	453,287	615	55.8	47.8-63.8	436	44.2	36.2-52.2
\$15,000- 24,999	1634	826,742	1002	51.5	44.8-58.2	632	48.5	41.8-55.2
\$25,000- 34,999	1085	544,673	720	60.1	52.5-67.7	365	39.9	32.3-47.5
\$35,000- 49,999	1469	709,410	1008	61.3	55.4-67.2	461	38.7	32.8-44.6
\$50,000- 74,999	1494	853,957	1078	71.2	65.9-76.5	416	28.8	23.5-34.1
\$75,000+	2544	2,043,921	1891	67.9	64.0-71.8	653	32.1	28.2-36.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 1: PRE-DIABETES**

TABLE 3: HAVE YOU HAD A TEST FOR HIGH BLOOD SUGAR OR DIABETES WITHIN THE PAST THREE YEARS? (PDIABTST)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	18478	6,699,806	12087	62.7	61.1-64.3	6391	37.3	35.7-38.9
White/Non-Hisp	15122	4,582,606	9889	62.6	61.0-64.2	5233	37.4	35.8-39.0
Black or Afr. Am./Non-Hisp	1422	735,120	982	67.4	61.3-73.5	440	32.6	26.5-38.7
Hispanic	1069	1,005,392	686	62.0	56.3-67.7	383	38.0	32.3-43.7
18-24	466	376,035	202	41.5	32.3-50.7	264	58.5	49.3-67.7
25-34	1427	762,464	809	58.4	53.5-63.3	618	41.6	36.7-46.5
35-44	2139	1,293,517	1182	55.4	51.5-59.3	957	44.6	40.7-48.5
45-54	3207	1,751,388	1951	60.9	57.2-64.6	1256	39.1	35.4-42.8
55-64	4047	939,538	2754	70.6	67.5-73.7	1293	29.4	26.3-32.5
65+	6976	1,508,465	5051	73.7	71.7-75.7	1925	26.3	24.3-28.3
Less Than H.S.	1683	436,193	1027	57.6	50.7-64.5	656	42.4	35.5-49.3
H.S. or G.E.D.	6129	1,758,413	3870	62.1	59.0-65.2	2259	37.9	34.8-41.0
Some Post-H.S.	5554	2,015,118	3749	63.8	61.1-66.5	1805	36.2	33.5-38.9
College Graduate	5064	2,463,305	3409	63.3	60.4-66.2	1655	36.7	33.8-39.6
Less than \$15,000	2347	568,814	1471	60.2	55.1-65.3	876	39.8	34.7-44.9
\$15,000- 24,999	3315	1,054,398	2140	60.3	56.0-64.6	1175	39.7	35.4-44.0
\$25,000- 34,999	2049	607,982	1374	64.7	59.2-70.2	675	35.3	29.8-40.8
\$35,000- 49,999	2368	857,881	1569	62.4	58.1-66.7	799	37.6	33.3-41.9
\$50,000- 74,999	2274	926,800	1487	63.9	59.8-68.0	787	36.1	32.0-40.2
\$75,000+	2916	1,610,560	1926	61.7	58.2-65.2	990	38.3	34.8-41.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 1: PRE-DIABETES**

TABLE 4: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		Yes, during pregnancy			N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)		%	C.I. (95%)
TOTAL	29757	13,200,853	2807	7.2	06.6-07.8	370	1.0	00.8-01.2	26580	91.8	91.2-92.4
Male	10760	6,321,836	1076	7.4	06.4-08.4				9684	92.6	91.6-93.6
Female	18997	6,879,017	1731	7.0	06.2-07.8	370	2.0	01.6-02.4	16896	91.0	90.0-92.0
White/Non-Hisp	24448	9,059,261	2273	7.0	06.4-07.6	281	1.0	00.8-01.2	21894	92.1	91.5-92.7
Black or Afr. Am./Non-Hisp	2071	1,314,924	223	9.5	06.6-12.4	31	1.3	00.5-02.1	1817	89.3	86.4-92.2
Oth. Race/Non-Hisp.	535	423,580	70	9.4	03.7-15.1	10	0.9	00.0-02.1	455	89.7	84.0-95.4
MultiRacial/Non-Hisp.	450	175,727	58	11.9	03.9-19.9	13	1.4	00.0-03.0	379	86.7	78.5-94.9
Hispanic	1676	1,997,781	117	5.3	03.3-07.3	29	1.4	00.4-02.4	1530	93.3	91.1-95.5
18-24	848	965,785	19	1.2	00.4-02.0	7	1.1	00.0-02.7	822	97.7	95.9-99.5
25-34	2197	1,520,757	110	4.3	02.7-05.9	49	1.5	00.7-02.3	2038	94.2	92.4-96.0
35-44	3399	2,639,680	201	4.4	03.2-05.6	69	1.4	00.6-02.2	3129	94.3	92.9-95.7
45-54	5195	3,468,131	430	7.1	05.5-08.7	90	1.3	00.7-01.9	4675	91.6	89.8-93.4
55-64	6490	1,792,395	757	11.1	09.5-12.7	70	0.7	00.3-01.1	5663	88.2	86.4-90.0
65+	11332	2,708,030	1262	11.2	10.0-12.4	84	0.4	00.2-00.6	9986	88.4	87.2-89.6
Less Than H.S.	2782	936,489	299	8.3	05.6-11.0	41	1.3	00.3-02.3	2442	90.4	87.5-93.3
H.S. or G.E.D.	9545	3,455,469	906	7.8	06.6-09.0	118	0.9	00.3-01.5	8521	91.3	89.9-92.7
Some Post-H.S.	8445	3,739,057	797	6.9	05.9-07.9	112	1.0	00.6-01.4	7536	92.1	90.9-93.3
College Graduate	8893	5,010,649	797	6.8	05.8-07.8	97	1.1	00.7-01.5	7999	92.0	90.8-93.2
Less than \$15,000	3479	1,040,765	381	8.5	05.8-11.2	62	1.7	00.7-02.7	3036	89.8	86.9-92.7
\$15,000- 24,999	5058	1,904,860	543	8.5	06.9-10.1	62	1.1	00.5-01.7	4453	90.5	88.7-92.3
\$25,000- 34,999	3207	1,173,644	317	7.3	05.5-09.1	48	0.8	00.2-01.4	2842	91.8	90.0-93.6
\$35,000- 49,999	3924	1,606,817	396	7.7	06.1-09.3	49	0.6	00.2-01.0	3479	91.7	90.1-93.3
\$50,000- 74,999	3858	1,826,181	339	7.9	05.9-09.9	45	0.7	00.3-01.1	3474	91.4	89.4-93.4
\$75,000+	5619	3,781,940	432	5.9	04.7-07.1	51	1.1	00.5-01.7	5136	92.9	91.7-94.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 1: PRE-DIABETES**

TABLE 5: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes		N	No	
	TOTAL	WEIGHTED	N	%	C.I. (95%)		%	C.I. (95%)
Male	10760	6,321,836	1076	7.4	06.4-08.4	9684	92.6	91.6-93.6
White/Non-Hisp	8860	4,323,772	887	7.2	06.2-08.2	7973	92.8	91.8-93.8
Black or Afr. Am./Non-Hisp	636	574,797	73	10.4	05.3-15.5	563	89.6	84.5-94.7
Oth. Race/Non-Hisp.	242	238,715	29	8.0	00.4-15.6	213	92.0	84.4-99.6
Hispanic	589	987,455	38	5.2	02.3-08.1	551	94.8	91.9-97.7
18-24	373	579,664	4	0.5	00.0-01.3	369	99.5	98.7-0100
25-34	747	743,887	28	4.1	01.7-06.5	719	95.9	93.5-98.3
35-44	1220	1,331,594	58	4.0	02.0-06.0	1162	96.0	94.0-98.0
45-54	1933	1,662,579	151	7.5	05.0-10.0	1782	92.5	90.0-95.0
55-64	2340	832,709	290	12.6	09.9-15.3	2050	87.4	84.7-90.1
65+	4073	1,135,319	538	12.8	10.8-14.8	3535	87.2	85.2-89.2
Less Than H.S.	1048	480,217	112	7.9	03.6-12.2	936	92.1	87.8-96.4
H.S. or G.E.D.	3260	1,658,322	292	7.2	05.2-09.2	2968	92.8	90.8-94.8
Some Post-H.S.	2746	1,687,299	300	6.5	04.9-08.1	2446	93.5	91.9-95.1
College Graduate	3661	2,463,579	369	8.1	06.3-09.9	3292	91.9	90.1-93.7
Less than \$15,000	1075	459,185	100	8.8	03.7-13.9	975	91.2	86.1-96.3
\$15,000- 24,999	1668	843,638	196	7.0	05.0-09.0	1472	93.0	91.0-95.0
\$25,000- 34,999	1117	554,783	116	7.2	04.3-10.1	1001	92.8	89.9-95.7
\$35,000- 49,999	1494	720,339	171	7.9	05.4-10.4	1323	92.1	89.6-94.6
\$50,000- 74,999	1538	885,331	151	8.9	06.2-11.6	1387	91.1	88.4-93.8
\$75,000+	2630	2,120,919	237	7.0	05.2-08.8	2393	93.0	91.2-94.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 1: PRE-DIABETES**

TABLE 6: HAVE YOU EVER BEEN TOLD BY A DOCTOR OR OTHER HEALTH PROFESSIONAL THAT YOU HAVE PRE-DIABETES OR BORDERLINE DIABETES? (PREDIAB1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported YES to having been told they have diabetes

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			Yes, during pregnancy			No		
	TOTAL	WEIGHTED		%	C.I. (95%)		N	%	C.I. (95%)	N	%	C.I. (95%)
Female	18997	6,879,017	1731	7.0	06.2-07.8		370	2.0	01.6-02.4	16896	91.0	90.0-92.0
White/Non-Hisp	15588	4,735,489	1386	6.8	06.0-07.6		281	1.8	01.2-02.4	13921	91.4	90.6-92.2
Black or Afr. Am./Non-Hisp	1435	740,127	150	8.7	05.4-12.0		31	2.2	00.6-03.8	1254	89.0	85.3-92.7
Oth. Race/Non-Hisp.	293	184,865	41	11.1	02.7-19.5		10	2.1	00.0-04.8	242	86.8	78.2-95.4
MultiRacial/Non-Hisp.	264	92,498					13	2.7	00.0-05.8			
Hispanic	1087	1,010,326	79	5.5	03.0-08.0		29	2.7	00.9-04.5	979	91.8	88.7-94.9
18-24	475	386,122	15	2.2	00.2-04.2		7	2.8	00.0-06.7	453	95.0	90.7-99.3
25-34	1450	776,869	82	4.6	02.4-06.8		49	2.9	01.3-04.5	1319	92.5	90.0-95.0
35-44	2179	1,308,087	143	4.7	03.3-06.1		69	2.8	01.2-04.4	1967	92.5	90.5-94.5
45-54	3262	1,805,552	279	6.7	04.5-08.9		90	2.4	01.4-03.4	2893	90.9	88.7-93.1
55-64	4150	959,687	467	9.8	07.8-11.8		70	1.3	00.5-02.1	3613	88.9	86.9-90.9
65+	7259	1,572,711	724	10.0	08.6-11.4		84	0.7	00.5-00.9	6451	89.3	87.9-90.7
Less Than H.S.	1734	456,272	187	8.7	05.6-11.8		41	2.7	00.7-04.7	1506	88.6	85.1-92.1
H.S. or G.E.D.	6285	1,797,147	614	8.3	06.5-10.1		118	1.7	00.7-02.7	5553	89.9	87.9-91.9
Some Post-H.S.	5699	2,051,758	497	7.3	05.9-08.7		112	1.8	01.2-02.4	5090	90.9	89.3-92.5
College Graduate	5232	2,547,070	428	5.5	04.3-06.7		97	2.3	01.3-03.3	4707	92.2	90.6-93.8
Less than \$15,000	2404	581,580	281	8.1	05.0-11.2		62	3.0	01.2-04.8	2061	88.8	85.3-92.3
\$15,000- 24,999	3390	1,061,221	347	9.6	07.2-12.0		62	1.9	00.7-03.1	2981	88.5	86.0-91.0
\$25,000- 34,999	2090	618,861	201	7.5	05.7-09.3		48	1.6	00.6-02.6	1841	90.9	88.7-93.1
\$35,000- 49,999	2430	886,478	225	7.6	05.6-09.6		49	1.1	00.5-01.7	2156	91.3	89.1-93.5
\$50,000- 74,999	2320	940,850	188	6.9	04.4-09.4		45	1.4	00.6-02.2	2087	91.7	89.0-94.4
\$75,000+	2989	1,661,021	195	4.6	03.4-05.8		51	2.6	01.2-04.0	2743	92.9	91.1-94.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010

MODULE 2: DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION
IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS
TO THE STATES SURVEY.

TABLE	PAGE
HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)	
1 MALES AND FEMALES	11
2 MALES ONLY	12
3 FEMALES ONLY	13
ARE YOU NOW TAKING INSULIN? (INSULIN)	
4 MALES AND FEMALES	14
5 MALES ONLY	15
6 FEMALES ONLY	16
ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)	
7 MALES AND FEMALES	17
8 MALES ONLY	18
9 FEMALES ONLY	19
ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)	
10 MALES AND FEMALES	20
11 MALES ONLY	21
12 FEMALES ONLY	22
ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)	
13 MALES AND FEMALES	23
14 MALES ONLY	24
15 FEMALES ONLY	25
A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEM03)	
16 MALES AND FEMALES	26
17 MALES ONLY	27
18 FEMALES ONLY	28

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010

MODULE 2: DIABETES CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE		PAGE
	ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)	
19	MALES AND FEMALES	29
20	MALES ONLY	30
21	FEMALES ONLY	31
	WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEXAM)	
22	MALES AND FEMALES	32
23	MALES ONLY	33
24	FEMALES ONLY	34
	HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)	
25	MALES AND FEMALES	35
26	MALES ONLY	36
27	FEMALES ONLY	37
	HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)	
28	MALES AND FEMALES	38
29	MALES ONLY	39
30	FEMALES ONLY	40

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 1: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5015	1,467,683	61	2.5	01.3-03.7	310	8.1	06.3-09.9	988	28.3	24.8-31.8	2061	36.7	33.8-39.6	1595	24.3	21.9-26.7
Male	2183	805,513	23	3.0	01.0-05.0	93	6.3	03.9-08.7	423	29.9	25.0-34.8	943	36.6	32.5-40.7	701	24.3	20.8-27.8
Female	2832	662,170	38	2.0	00.6-03.4	217	10.4	07.5-13.3	565	26.3	21.2-31.4	1118	36.9	32.8-41.0	894	24.4	21.1-27.7
White/Non-Hisp	3896	970,533	50	2.6	01.2-04.0	209	7.0	04.8-09.2	677	23.3	19.8-26.8	1583	38.7	35.4-42.0	1377	28.4	25.7-31.1
Black or Afr. Am./Non-Hisp	539	184,226	2	3.1	00.0-07.6	50	12.3	05.8-18.8	147	34.2	25.0-43.4	256	40.7	32.1-49.3	84	9.8	04.7-14.9
Oth. Race/Non-Hisp.	115	39,348	4	1.7	00.0-04.2	10	6.3	00.8-11.8									
MultiRacial/Non-Hisp.	78	21,462													18	8.2	00.8-15.6
Hispanic	258	208,851	3	2.9	00.0-06.4	27	8.8	02.9-14.7				99	24.5	15.1-33.9	44	17.0	08.4-25.6
35-44	206	142,625	9	4.8	00.5-09.1												
45-54	618	317,684	22	4.6	00.9-08.3	64	7.9	04.0-11.8	293	55.9	46.9-64.9	239	31.5	23.9-39.1			
55-64	1344	341,614	13	0.7	00.1-01.3	70	5.0	02.8-07.2	294	19.5	15.4-23.6	867	67.4	62.3-72.5	100	7.5	03.8-11.2
65+	2753	610,207	7	0.7	00.0-01.7	68	2.4	01.4-03.4	252	9.2	07.4-11.0	941	33.8	30.1-37.5	1485	53.9	50.0-57.8
Less Than H.S.	724	163,439	7	2.6	00.0-06.5	48	8.0	01.7-14.3	167	30.2	21.8-38.6	285	37.4	29.2-45.6	217	22.0	14.9-29.1
H.S. or G.E.D.	1757	442,017	19	2.3	00.7-03.9	112	9.7	06.0-13.4	339	28.6	22.5-34.7	695	33.5	28.6-38.4	592	25.9	21.8-30.0
Some Post-H.S.	1394	409,719	17	1.3	00.1-02.5	89	8.3	05.4-11.2	273	28.0	21.9-34.1	596	36.1	31.2-41.0	419	26.3	22.0-30.6
College Graduate	1128	449,801	18	4.0	00.9-07.1	60	6.4	03.3-09.5	206	27.2	19.6-34.8	482	40.5	34.0-47.0	362	21.9	17.4-26.4
Less than \$15,000	896	222,444	20	5.0	01.3-08.7	76	9.7	04.6-14.8	203	24.6	18.1-31.1	350	39.7	32.3-47.1	247	20.9	14.6-27.2
\$15,000- 24,999	1137	263,661	9	1.0	00.0-02.4	75	9.5	04.8-14.2	217	26.4	19.7-33.1	438	34.2	28.1-40.3	398	28.9	23.4-34.4
\$25,000- 34,999	553	133,117	2	0.1	00.1-00.1	27	10.0	02.7-17.3	107	23.7	15.7-31.7	229	37.4	29.2-45.6	188	28.9	21.6-36.2
\$35,000- 49,999	646	209,991	8	3.0	00.1-05.9	28	5.7	01.4-10.0				288	33.4	25.2-41.6	196	23.9	17.2-30.6
\$50,000- 74,999	542	208,004	6	3.1	00.0-07.2	30	4.7	01.4-08.0				248	39.1	30.3-47.9	145	21.2	14.9-27.5
\$75,000+	530	228,983	12	3.9	00.0-08.2	33	6.7	02.4-11.0	113	32.3	22.7-41.9	231	39.9	31.1-48.7	141	17.3	11.4-23.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 2: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2183	805,513	23	3.0	01.0-05.0	93	6.3	03.9-08.7	423	29.9	25.0-34.8	943	36.6	32.5-40.7	701	24.3	21.0-27.6
White/Non-Hisp	1762	570,264	21	3.2	01.0-05.4	62	6.0	03.3-08.7	303	24.2	19.3-29.1	769	40.1	35.4-44.8	607	26.7	23.2-30.2
Black or Afr. Am./Non-Hisp	172	74,739	1	5.4	00.0-15.6										32	7.7	03.2-12.2
Oth. Race/Non-Hisp.	59	24,490				5	8.0	00.2-15.8									
Hispanic	101	102,878	1	1.8	00.0-05.3	10	5.5	00.0-12.0									
35-44	84	91,794	4	5.2	00.0-11.3												
45-54	253	176,613	11	7.1	00.6-13.6	20	7.1	01.6-12.6				94	27.7	17.9-37.5			
55-64	590	187,082	2	0.2	00.0-00.6	21	2.5	00.7-04.3	122	17.5	11.8-23.2	397	70.8	63.2-78.4	48	9.1	02.8-15.4
65+	1234	330,910	2	0.2	00.0-00.6	24	2.1	00.7-03.5	107	9.8	07.1-12.5	451	34.1	28.8-39.4	650	53.8	48.5-59.1
Less Than H.S.	258	68,697	1	0.0	00.0-00.0	14	7.9	00.0-19.7									
H.S. or G.E.D.	674	212,445	9	2.7	00.2-05.2	27	6.8	01.9-11.7				271	32.8	25.0-40.6	233	25.2	19.1-31.3
Some Post-H.S.	602	211,384	5	1.4	00.0-03.2	23	5.5	02.2-08.8	118	30.6	21.6-39.6	271	34.7	27.6-41.8	185	27.8	21.1-34.5
College Graduate	644	311,431	8	4.9	00.6-09.2	29	6.1	02.2-10.0	118	27.7	19.7-35.7	292	40.4	32.8-48.0	197	20.9	15.4-26.4
Less than \$15,000	280	85,130	5	6.0	00.0-12.1	18	5.4	00.0-11.7							67	14.9	07.1-22.7
\$15,000- 24,999	440	135,982	6	1.9	00.0-04.6	26	10.2	02.2-18.2				182	35.9	26.3-45.5	151	26.5	18.3-34.7
\$25,000- 34,999	234	64,622				9	11.8	02.4-21.2	40	19.3	09.3-29.3						
\$35,000- 49,999	338	112,122	3	3.4	00.0-07.9	8	6.1	00.0-13.2				156	33.9	23.9-43.9	109	29.3	19.9-38.7
\$50,000- 74,999	299	143,818	3	3.7	00.0-09.4	6	0.9	00.0-01.9							94	22.9	14.3-31.5
\$75,000+	356	173,642	6	4.2	00.0-09.9	18	7.0	01.7-12.3				153	38.6	28.6-48.6	101	17.7	10.4-25.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 3: HOW OLD WERE YOU WHEN YOU WERE TOLD YOU HAVE DIABETES? (DIABAGE2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses
Denominator excludes: Respondents that reported not being diagnosed with diabetes
Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-15 years old			16-30 years old			31-45 years old			46-60 years old			61+ years old		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2832	662,170	38	2.0	00.6-03.4	217	10.4	07.5-13.3	565	26.3	21.2-31.4	1118	36.9	32.8-41.0	894	24.4	21.1-27.7
White/Non-Hisp	2134	400,269	29	1.7	00.5-02.9	147	8.5	05.4-11.6	374	22.1	17.6-26.6	814	36.9	32.4-41.4	770	30.8	27.3-34.3
Black or Afr. Am./Non-Hisp	367	109,487	1	1.6	00.0-04.7	39	13.4	05.8-21.0							52	11.2	03.4-19.0
Oth. Race/Non-Hisp.	56	14,858	4	4.4	00.0-11.3	5	3.6	00.0-09.9									
Hispanic	157	105,973	2	3.9	00.0-10.0	17	12.0	02.4-21.6							20	12.1	02.9-21.3
35-44	122	50,831	5	3.9	00.0-09.0												
45-54	365	141,071	11	1.6	00.0-03.4	44	9.0	03.3-14.7									
55-64	754	154,532	11	1.2	00.2-02.2	49	8.0	03.9-12.1	172	22.0	16.1-27.9	470	63.3	56.4-70.2	52	5.5	02.8-08.2
65+	1519	279,297	5	1.2	00.0-03.4	44	2.8	01.0-04.6	145	8.6	06.2-11.0	490	33.3	28.2-38.4	835	54.1	48.6-59.6
Less Than H.S.	466	94,741	6	4.4	00.0-11.1	34	8.0	01.3-14.7							133	18.7	10.1-27.3
H.S. or G.E.D.	1083	229,571	10	1.9	00.0-03.9	85	12.5	06.8-18.2	205	24.9	18.6-31.2	424	34.2	28.3-40.1	359	26.5	21.4-31.6
Some Post-H.S.	792	198,335	12	1.2	00.0-02.4	66	11.2	06.3-16.1	155	25.2	17.2-33.2	325	37.6	30.3-44.9	234	24.8	19.3-30.3
College Graduate	484	138,370	10	1.8	00.0-03.8	31	7.3	02.0-12.6							165	24.0	16.0-32.0
Less than \$15,000	616	137,315	15	4.4	00.0-09.1	58	12.4	05.0-19.8	136	22.5	14.5-30.5	227	36.1	26.3-45.9	180	24.5	15.7-33.3
\$15,000- 24,999	697	127,680	3	0.1	00.1-00.1	49	8.6	04.5-12.7	142	27.4	20.3-34.5	256	32.3	25.4-39.2	247	31.6	25.3-37.9
\$25,000- 34,999	319	68,495	2	0.1	00.0-00.3	18	8.3	00.0-19.7							103	24.7	16.5-32.9
\$35,000- 49,999	308	97,869	5	2.5	00.0-06.0	20	5.2	00.7-09.7							87	17.7	09.3-26.1
\$50,000- 74,999	243	64,186	3	1.9	00.0-05.4	24	13.3	03.7-22.9	52	18.0	09.8-26.2				51	17.3	10.2-24.4
\$75,000+	174	55,342	6	2.8	00.0-06.1	15	5.6	01.3-09.9							40	15.9	07.3-24.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 4: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
TOTAL	5265	1,535,252	1482	28.6	25.7-31.5	3783	71.4	68.5-74.3	
Male	2257	836,392	651	28.4	24.1-32.7	1606	71.6	67.3-75.9	
Female	3008	698,860	831	28.8	25.1-32.5	2177	71.2	67.5-74.9	
White/Non-Hisp	4068	1,015,760	1088	28.8	25.5-32.1	2980	71.2	67.9-74.5	
Black or Afr. Am./Non-Hisp	580	198,433	202	31.5	22.9-40.1	378	68.5	59.9-77.1	
Hispanic	271	213,305	85	24.5	15.3-33.7	186	75.5	66.3-84.7	
45-54	631	332,037	192	35.8	27.0-44.6	439	64.2	55.4-73.0	
55-64	1382	355,394	401	26.5	21.0-32.0	981	73.5	68.0-79.0	
65+	2934	643,092	787	27.3	24.2-30.4	2147	72.7	69.6-75.8	
Less Than H.S.	785	170,439	268	35.9	27.7-44.1	517	64.1	55.9-72.3	
H.S. or G.E.D.	1829	460,388	514	27.0	22.3-31.7	1315	73.0	68.3-77.7	
Some Post-H.S.	1457	427,307	406	32.4	26.7-38.1	1051	67.6	61.9-73.3	
College Graduate	1180	473,905	290	24.2	18.7-29.7	890	75.8	70.3-81.3	
Less than \$15,000	941	239,564	313	36.4	28.6-44.2	628	63.6	55.8-71.4	
\$15,000- 24,999	1184	271,979	357	28.0	22.5-33.5	827	72.0	66.5-77.5	
\$25,000- 34,999	571	138,329	146	29.2	21.2-37.2	425	70.8	62.8-78.8	
\$35,000- 49,999	665	213,075	162	20.2	14.1-26.3	503	79.8	73.7-85.9	
\$50,000- 74,999	553	210,572	135	28.9	19.9-37.9	418	71.1	62.1-80.1	
\$75,000+	544	233,362	135	23.1	15.3-30.9	409	76.9	69.1-84.7	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 5: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2257	836,392	651	28.4	24.1-32.7	1606	71.6	67.3-75.9
White/Non-Hisp	1821	591,507	496	29.9	24.8-35.0	1325	70.1	65.0-75.2
Hispanic	104	103,462	28	14.1	04.7-23.5	76	85.9	76.5-95.3
35-44	84	91,794	25	13.0	03.8-22.2	59	87.0	77.8-96.2
55-64	603	196,935	171	26.4	18.0-34.8	432	73.6	65.2-82.0
65+	1290	342,461	367	27.1	22.6-31.6	923	72.9	68.4-77.4
H.S. or G.E.D.	690	215,044	206	25.4	18.1-32.7	484	74.6	67.3-81.9
Some Post-H.S.	624	221,608	185	35.9	27.1-44.7	439	64.1	55.3-72.9
College Graduate	670	327,932	173	24.7	17.6-31.8	497	75.3	68.2-82.4
\$15,000- 24,999	457	139,840	148	28.0	19.2-36.8	309	72.0	63.2-80.8
\$25,000- 34,999	242	67,032	64	25.8	15.8-35.8	178	74.2	64.2-84.2
\$35,000- 49,999	345	113,368	88	18.1	10.7-25.5	257	81.9	74.5-89.3
\$75,000+	364	176,218	89	24.9	14.9-34.9	275	75.1	65.1-85.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 6: ARE YOU NOW TAKING INSULIN? (INSULIN)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3008	698,860	831	28.8	24.9-32.7	2177	71.2	67.3-75.1
White/Non-Hisp	2247	424,252	592	27.2	23.3-31.1	1655	72.8	68.9-76.7
Black or Afr. Am./Non-Hisp	400	115,719	132	29.4	19.8-39.0	268	70.6	61.0-80.2
55-64	779	158,458	230	26.5	19.8-33.2	549	73.5	66.8-80.2
65+	1644	300,631	420	27.5	23.0-32.0	1224	72.5	68.0-77.0
H.S. or G.E.D.	1139	245,344	308	28.5	22.4-34.6	831	71.5	65.4-77.6
Some Post-H.S.	833	205,699	221	28.6	22.3-34.9	612	71.4	65.1-77.7
College Graduate	510	145,973	117	22.9	14.7-31.1	393	77.1	68.9-85.3
Less than \$15,000	658	148,057	205	31.6	22.4-40.8	453	68.4	59.2-77.6
\$15,000- 24,999	727	132,139	209	28.0	21.7-34.3	518	72.0	65.7-78.3
\$75,000+	180	57,144	46	17.6	08.2-27.0	134	82.4	73.0-91.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 7: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5214	1,514,710	503	11.9	09.7-14.1	1296	26.0	23.1-28.9	3336	59.6	56.5-62.7	79	2.5	01.5-03.5
Male	2235	828,170	234	11.6	08.5-14.7	665	31.2	26.7-35.7	1309	55.0	50.3-59.7	27	2.1	00.7-03.5
Female	2979	686,540	269	12.3	09.6-15.0	631	19.7	16.6-22.8	2027	65.1	61.2-69.0	52	2.9	01.3-04.5
White/Non-Hisp	4038	1,009,440	406	12.3	09.9-14.7	1027	24.9	22.0-27.8	2536	59.5	56.2-62.8	69	3.2	01.6-04.8
Black or Afr. Am./Non-Hisp	574	195,291	40	12.4	04.8-20.0	132	21.9	14.8-29.0	400	65.6	56.6-74.6	2	0.1	00.0-00.3
MultiRacial/Non-Hisp.	78	21,535	7	5.6	00.0-13.0							2	6.7	00.0-19.0
Hispanic	263	206,458	25	9.5	03.4-15.6							4	1.0	00.0-02.4
35-44	206	145,076	26	13.1	05.5-20.7							10	6.9	01.4-12.4
45-54	622	325,604	71	13.3	06.4-20.2	165	23.6	16.9-30.3	368	59.6	50.6-68.6	18	3.5	00.2-06.8
55-64	1373	351,856	146	11.2	08.3-14.1	353	28.5	23.2-33.8	854	59.2	53.7-64.7	20	1.1	00.3-01.9
65+	2907	632,839	247	10.6	08.2-13.0	709	23.7	20.6-26.8	1926	64.5	61.0-68.0	25	1.1	00.3-01.9
Less Than H.S.	775	167,884	65	14.0	07.1-20.9	165	24.7	16.7-32.7	536	60.9	51.9-69.9	9	0.4	00.0-00.8
H.S. or G.E.D.	1809	446,028	164	11.7	07.6-15.8	435	27.5	21.8-33.2	1188	58.4	52.5-64.3	22	2.4	00.4-04.4
Some Post-H.S.	1442	424,259	131	8.8	06.1-11.5	387	24.6	20.3-28.9	900	64.8	59.7-69.9	24	1.8	00.4-03.2
College Graduate	1175	473,417	141	14.1	09.8-18.4	308	26.4	20.7-32.1	703	55.7	49.0-62.4	23	3.9	01.4-06.4
Less than \$15,000	938	234,587	89	10.7	06.4-15.0	185	19.8	13.5-26.1	651	66.5	59.2-73.8	13	3.0	00.1-05.9
\$15,000- 24,999	1170	267,203	87	9.8	06.3-13.3	260	18.7	13.8-23.6	809	70.2	64.3-76.1	14	1.3	00.0-02.9
\$25,000- 34,999	563	133,490	53	11.2	05.9-16.5	147	30.0	21.4-38.6	357	56.5	47.7-65.3	6	2.3	00.0-06.4
\$35,000- 49,999	661	212,541	68	14.0	06.0-22.0	201	28.6	21.0-36.2	385	56.0	46.2-65.8	7	1.5	00.0-03.3
\$50,000- 74,999	548	209,189	59	11.9	06.4-17.4	152	31.6	21.8-41.4	325	54.0	44.4-63.6	12	2.5	00.5-04.5
\$75,000+	541	232,143	62	12.6	05.7-19.5	167	30.7	22.3-39.1	299	52.7	43.5-61.9	13	4.0	00.0-08.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 8: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2235	828,170	234	11.6	08.5-14.7	665	31.2	26.7-35.7	1309	55.0	50.1-59.9	27	2.1	00.7-03.5
White/Non-Hisp	1806	587,416	207	13.2	09.5-16.9	546	28.7	24.4-33.0	1029	55.4	50.3-60.5	24	2.8	00.8-04.8
Black or Afr. Am./Non-Hisp	178	81,835				47	18.3	09.7-26.9						
Oth. Race/Non-Hisp.	58	24,155	4	7.6	00.0-18.8									
Hispanic	101	100,637	9	5.4	00.0-11.7							1	0.1	00.0-00.3
35-44	83	91,736	13	9.5	01.3-17.7							6	5.8	00.0-11.9
45-54	252	182,686				83	26.7	17.5-35.9				8	4.6	00.0-10.1
55-64	599	195,954	78	12.7	08.0-17.4	190	31.8	23.6-40.0	327	55.2	46.8-63.6	4	0.3	00.0-00.7
65+	1277	337,022	116	9.7	06.4-13.0	363	28.4	23.3-33.5	789	60.9	55.4-66.4	9	1.0	00.0-02.0
Less Than H.S.	264	69,810	27	8.0	02.9-13.1							3	0.2	00.0-00.6
H.S. or G.E.D.	683	210,119	64	11.0	03.6-18.4	203	35.4	25.4-45.4	410	52.4	42.4-62.4	6	1.3	00.0-02.9
Some Post-H.S.	617	219,271	58	8.0	04.3-11.7	203	28.5	21.6-35.4	347	61.3	53.7-68.9	9	2.2	00.0-04.4
College Graduate	667	327,507	84	14.9	09.0-20.8	185	29.6	22.2-37.0	389	52.4	44.4-60.4	9	3.1	00.0-06.2
Less than \$15,000	282	91,369	26	8.2	03.1-13.3							6	3.0	00.0-06.7
\$15,000- 24,999	455	139,437	44	8.7	04.2-13.2	118	20.8	12.6-29.0	288	69.0	60.0-78.0	5	1.5	00.0-04.2
\$25,000- 34,999	237	62,333	21	7.7	02.8-12.6									
\$35,000- 49,999	342	112,851										3	2.2	00.0-05.3
\$50,000- 74,999	298	143,718	29	11.8	04.4-19.2							3	0.5	00.0-01.1
\$75,000+	362	175,056	45	13.4	04.8-22.0							6	4.1	00.0-09.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 9: ABOUT HOW OFTEN DO YOU CHECK YOUR BLOOD FOR GLUCOSE OR SUGAR? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (BLDSUGAR)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Never		< 1 time per Day			1-5 times per Day			> 5 times per Day		
	TOTAL	WEIGHTED		%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2979	686,540	269	12.3	09.8-14.8	631	19.7	16.6-22.8	2027	65.1	61.2-69.0	52	2.9	01.3-04.5
White/Non-Hisp	2232	422,024	199	11.2	08.7-13.7	481	19.7	16.2-23.2	1507	65.3	61.0-69.6	45	3.9	01.7-06.1
Black or Afr. Am./Non-Hisp	396	113,456	30	11.4	04.7-18.1	85	24.5	14.5-34.5				2	0.1	00.0-00.3
Hispanic	162	105,821				33	17.0	07.2-26.8				3	1.8	00.0-04.7
35-44	123	53,340										4	8.7	00.0-19.3
45-54	370	142,918	48	13.1	05.3-20.9	82	19.7	10.5-28.9				10	2.1	00.0-04.5
55-64	774	155,901	68	9.3	06.2-12.4	163	24.3	18.0-30.6	527	64.2	57.5-70.9	16	2.2	00.6-03.8
65+	1630	295,817	131	11.6	08.3-14.9	346	18.4	14.9-21.9	1137	68.7	64.2-73.2	16	1.2	00.0-02.4
Less Than H.S.	511	98,074				91	17.4	08.8-26.0				6	0.5	00.0-01.1
H.S. or G.E.D.	1126	235,909	100	12.3	08.2-16.4	232	20.4	14.7-26.1	778	63.8	57.3-70.3	16	3.5	00.2-06.8
Some Post-H.S.	825	204,989	73	9.6	05.5-13.7	184	20.5	15.0-26.0	553	68.5	61.8-75.2	15	1.5	00.0-03.1
College Graduate	508	145,910	57	12.2	07.3-17.1	123	19.2	11.8-26.6				14	5.5	01.8-09.2
Less than \$15,000	656	143,218	63	12.3	06.2-18.4	119	15.9	09.2-22.6	467	68.8	60.2-77.4	7	2.9	00.0-07.0
\$15,000- 24,999	715	127,767	43	10.9	05.6-16.2	142	16.5	11.8-21.2	521	71.5	64.8-78.2	9	1.2	00.0-02.8
\$25,000- 34,999	326	71,158	32	14.3	05.5-23.1							6	4.3	00.0-11.7
\$35,000- 49,999	319	99,690	27	8.8	02.5-15.1							4	0.6	00.0-01.4
\$50,000- 74,999	250	65,471	30	12.1	06.0-18.2	52	20.9	10.9-30.9				9	7.0	01.1-12.9
\$75,000+	179	57,087	17	10.2	02.9-17.5							7	3.7	00.2-07.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 10: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5134	1,494,344	3340	62.8	59.9-65.7	892	16.3	14.3-18.3	279	6.3	04.5-08.1	54	0.9	00.5-01.3	560	13.5	11.3-15.7	9	0.2	00.0-00.4
Male	2193	816,215	1362	60.5	56.2-64.8	385	17.6	14.5-20.7	134	7.0	04.5-09.5	30	0.9	00.3-01.5	278	13.9	11.0-16.8	4	0.2	00.0-00.4
Female	2941	678,129	1978	65.7	61.8-69.6	507	14.8	12.3-17.3	145	5.4	03.4-07.4	24	1.0	00.2-01.8	282	13.0	10.1-15.9	5	0.2	00.0-00.4
White/Non-Hisp	3971	992,504	2537	62.3	59.0-65.6	713	17.8	15.4-20.2	227	5.5	04.1-06.9	36	0.9	00.5-01.3	449	13.3	10.9-15.7	9	0.3	00.1-00.5
Black or Afr. Am./Non-Hisp	573	196,314	424	68.0	59.4-76.6	85	16.4	09.1-23.7	19	4.2	00.5-07.9	6	0.1	00.0-00.3	39	11.2	05.7-16.7			
Oth. Race/Non-Hisp.	113	39,114										2	1.0	00.0-03.0						
MultiRacial/Non-Hisp.	76	19,606							2	1.8	00.0-04.9									
Hispanic	263	210,753				38	9.4	04.3-14.5	15	9.1	00.7-17.5	6	1.3	00.0-03.3	42	12.8	06.3-19.3			
25-34	60	42,676							4	0.8	00.0-02.2	1	0.5	00.0-01.5						
35-44	208	144,158				30	10.7	03.6-17.8				1	0.0	00.0-00.0	29	16.9	08.1-25.7			
45-54	624	329,925	423	67.7	59.9-75.5	95	13.2	08.5-17.9	36	6.0	02.5-09.5	6	0.5	00.0-01.3	64	12.5	07.2-17.8			
55-64	1356	345,596	889	63.5	58.2-68.8	260	17.0	13.3-20.7	79	7.4	04.5-10.3	15	1.3	00.1-02.5	109	10.5	07.4-13.6	4	0.3	00.0-00.7
65+	2841	615,870	1831	62.2	58.7-65.7	488	17.7	15.0-20.4	143	4.5	03.3-05.7	30	1.1	00.3-01.9	344	14.2	11.5-16.9	5	0.3	00.1-00.5
Less Than H.S.	750	162,701	475	59.5	50.7-68.3	129	16.6	10.3-22.9	50	7.5	01.8-13.2	6	0.4	00.0-00.8	87	15.6	09.3-21.9	3	0.4	00.0-01.0
H.S. or G.E.D.	1796	450,883	1171	64.0	58.9-69.1	313	16.7	13.2-20.2	95	5.1	02.9-07.3	15	0.6	00.0-01.2	199	13.4	09.7-17.1	3	0.2	00.0-00.4
Some Post-H.S.	1421	414,442	959	66.1	61.2-71.0	253	17.6	13.5-21.7	62	3.3	01.9-04.7	15	1.3	00.1-02.5	131	11.4	08.3-14.5	1	0.1	00.0-00.3
College Graduate	1155	463,631	731	60.1	53.8-66.4	195	14.8	11.1-18.5	70	9.5	05.2-13.8	17	1.1	00.1-02.1	140	14.3	10.0-18.6	2	0.1	00.1-00.1
Less than \$15,000	922	231,845	631	67.5	60.6-74.4	134	14.3	09.4-19.2	51	4.6	01.1-08.1	8	0.8	00.0-01.6	97	12.7	08.2-17.2	1	0.2	00.0-00.6
\$15,000- 24,999	1161	267,736	761	66.6	60.7-72.5	225	19.6	14.7-24.5	55	3.2	01.8-04.6	11	0.4	00.0-00.8	105	9.7	06.0-13.4	4	0.4	00.0-00.8
\$25,000- 34,999	549	131,565	353	64.7	56.7-72.7	96	19.0	12.3-25.7	36	4.2	01.3-07.1	6	0.4	00.0-00.8	57	11.6	06.3-16.9	1	0.1	00.0-00.3
\$35,000- 49,999	651	205,737	438	63.3	54.1-72.5	102	15.1	08.8-21.4	33	6.7	02.4-11.0	8	1.6	00.0-03.6	69	13.0	07.1-18.9	1	0.3	00.0-00.9
\$50,000- 74,999	544	206,954	340	57.9	48.5-67.3	100	12.8	08.5-17.1	28	10.6	03.2-18.0	6	0.7	00.0-01.5	70	18.1	11.0-25.2			
\$75,000+	535	231,691	335	61.2	52.8-69.6	87	16.2	10.7-21.7	34	7.5	02.4-12.6	7	1.5	00.0-03.3	72	13.6	07.5-19.7			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 11: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2193	816,215	1362	60.5	56.2-64.8	385	17.6	14.7-20.5	134	7.0	04.5-09.5	30	0.9	00.3-01.5	278	13.9	11.2-16.6	4	0.2	00.0-00.4
White/Non-Hisp	1768	576,960	1085	59.7	55.0-64.4	323	19.2	15.7-22.7	104	5.8	03.8-07.8	21	0.8	00.2-01.4	231	14.3	11.2-17.4	4	0.2	00.0-00.4
Black or Afr. Am./Non-Hisp	178	82,254							8	1.3	00.0-03.3	3	0.1	00.0-00.3	17	11.3	01.3-21.3			
Oth. Race/Non-Hisp.	58	24,316										1	1.6	00.0-04.7						
Hispanic	99	102,792				12	5.6	00.0-12.1				2	0.4	00.0-01.0	16	11.9	02.5-21.3			
35-44	83	90,878													14	11.4	01.6-21.2			
45-54	252	183,030				43	16.8	09.0-24.6	15	5.3	01.2-09.4	1	0.0	00.0-00.0	21	11.3	04.0-18.6			
55-64	588	190,953	371	62.9	55.3-70.5	114	17.5	12.0-23.0	34	5.3	01.8-08.8	7	0.8	00.0-01.6	59	13.1	08.2-18.0	3	0.5	00.0-01.1
65+	1246	330,582	759	58.4	53.5-63.3	213	18.8	15.1-22.5	74	5.6	03.4-07.8	20	1.3	00.1-02.5	179	15.7	12.2-19.2	1	0.2	00.0-00.6
Less Than H.S.	253	66,764							18	7.0	00.0-15.6	3	0.8	00.0-01.8	36	10.8	04.9-16.7			
H.S. or G.E.D.	676	213,025	424	61.2	52.8-69.6	116	18.5	12.4-24.6	42	4.1	02.1-06.1	6	0.4	00.0-01.0	86	15.4	09.9-20.9	2	0.4	00.0-01.0
Some Post-H.S.	607	216,140	402	65.9	58.6-73.2	103	18.4	12.3-24.5	29	3.4	01.4-05.4	8	0.9	00.0-01.9	64	11.1	06.8-15.4	1	0.3	00.0-00.9
College Graduate	652	318,731	392	56.8	49.2-64.4	114	15.7	10.8-20.6	43	11.3	05.2-17.4	12	1.2	00.0-02.4	90	15.0	09.7-20.3	1	0.0	00.0-00.0
Less than \$15,000	276	88,834							15	2.5	00.1-04.9	4	1.3	00.0-03.5	29	10.3	04.4-16.2			
\$15,000- 24,999	445	138,769	268	65.0	55.8-74.2	83	19.0	11.6-26.4	33	4.4	01.9-06.9	6	0.4	00.0-01.0	53	10.7	04.8-16.6	2	0.6	00.0-01.4
\$25,000- 34,999	231	64,700							15	1.9	00.5-03.3	3	0.2	00.0-00.6	29	15.3	06.3-24.3			
\$35,000- 49,999	337	107,049				53	17.1	08.1-26.1	16	7.4	01.5-13.3	4	0.8	00.0-01.8	40	19.7	09.7-29.7	1	0.5	00.0-01.5
\$50,000- 74,999	297	142,783				57	11.4	06.1-16.7				3	0.1	00.0-00.3	48	17.6	09.2-26.0			
\$75,000+	358	174,700	218	59.6	49.6-69.6	59	17.4	10.7-24.1	25	8.3	01.8-14.8	5	1.2	00.0-03.0	51	13.5	06.2-20.8			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 12: ABOUT HOW OFTEN DO YOU CHECK YOUR FEET FOR ANY SORES OR IRRITATIONS? INCLUDE TIMES WHEN CHECKED BY A FAMILY MEMBER OR FRIEND, BUT DO NOT INCLUDE TIMES WHEN CHECKED BY A HEALTH PROFESSIONAL. (FEETCHK2)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Times per Day			Times per Week			Times per Month			Times per Year			Never			No Feet		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2941	678,129	1978	65.7	61.8-69.6	507	14.8	12.3-17.3	145	5.4	03.4-07.4	24	1.0	00.2-01.8	282	13.0	10.1-15.9	5	0.2	00.0-00.4
White/Non-Hisp	2203	415,544	1452	66.0	62.1-69.9	390	15.7	13.2-18.2	123	5.2	03.4-07.0	15	1.0	00.2-01.8	218	11.9	09.0-14.8	5	0.3	00.0-00.7
Black or Afr. Am./Non-Hisp	395	114,060				59	13.6	05.4-21.8	11	6.3	00.0-12.6	3	0.2	00.0-00.4	22	11.2	05.1-17.3			
Oth. Race/Non-Hisp.	55	14,798										1	0.1	00.0-00.3						
Hispanic	164	107,962				26	13.0	05.2-20.8	5	5.3	00.0-12.2	4	2.2	00.0-05.9	26	13.5	04.9-22.1			
35-44	125	53,280				19	10.9	03.1-18.7	8	3.2	00.1-06.3	1	0.0	00.0-00.0						
45-54	372	146,895				52	8.7	04.6-12.8	21	6.9	00.6-13.2	5	1.1	00.0-02.7	43	14.1	05.9-22.3			
55-64	768	154,642	518	64.3	57.4-71.2	146	16.3	11.6-21.0	45	10.1	05.2-15.0	8	1.9	00.0-04.4	50	7.4	03.7-11.1	1	0.0	00.0-00.0
65+	1595	285,288	1072	66.7	62.0-71.4	275	16.5	13.0-20.0	69	3.1	01.9-04.3	10	0.8	00.0-01.6	165	12.6	09.3-15.9	4	0.4	00.0-00.8
Less Than H.S.	497	95,936				77	12.8	05.7-19.9	32	7.8	00.2-15.4	3	0.2	00.0-00.4	51	18.9	09.3-28.5	3	0.7	00.0-01.9
H.S. or G.E.D.	1120	237,859	747	66.4	60.3-72.5	197	15.0	11.3-18.7	53	6.1	02.6-09.6	9	0.7	00.0-01.7	113	11.7	07.4-16.0	1	0.1	00.0-00.3
Some Post-H.S.	814	198,302	557	66.4	59.9-72.9	150	16.8	11.5-22.1	33	3.2	01.4-05.0	7	1.7	00.0-03.9	67	11.8	07.3-16.3			
College Graduate	503	144,900				81	12.9	07.8-18.0	27	5.6	02.1-09.1	5	0.9	00.0-01.9	50	13.0	05.9-20.1	1	0.1	00.0-00.3
Less than \$15,000	646	143,011	438	68.0	59.6-76.4	99	11.2	06.7-15.7	36	5.8	00.3-11.3	4	0.4	00.0-00.8	68	14.2	07.7-20.7	1	0.4	00.0-01.2
\$15,000- 24,999	716	128,967	493	68.3	61.4-75.2	142	20.4	14.1-26.7	22	1.9	00.7-03.1	5	0.5	00.0-01.1	52	8.7	04.8-12.6	2	0.3	00.0-00.7
\$25,000- 34,999	318	66,865	215	71.7	62.9-80.5	50	13.1	07.6-18.6	21	6.5	01.2-11.8	3	0.5	00.0-01.5	28	8.1	03.0-13.2	1	0.1	00.0-00.3
\$35,000- 49,999	314	98,688				49	13.0	04.2-21.8	17	6.0	00.0-12.1	4	2.5	00.0-06.6	29	5.8	01.9-09.7			
\$50,000- 74,999	247	64,171				43	15.8	08.9-22.7	11	4.7	00.2-09.2	3	1.9	00.0-04.6						
\$75,000+	177	56,991				28	12.4	05.0-19.8	9	5.2	01.1-09.3	2	2.2	00.0-06.1	21	13.9	04.3-23.5			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 13: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5047	1,486,312	642	13.1	10.4-15.8	826	15.8	13.8-17.8	712	13.9	11.7-16.1	1244	24.9	22.2-27.6	983	19.5	16.8-22.2	640	12.8	10.4-15.2
Male	2194	823,606	297	12.3	09.2-15.4	410	17.3	14.4-20.2	304	12.9	09.8-16.0	462	24.0	19.9-28.1	420	19.7	15.8-23.6	301	13.7	10.2-17.2
Female	2853	662,706	345	14.1	09.2-19.0	416	13.8	11.3-16.3	408	15.1	12.2-18.0	782	26.0	22.3-29.7	563	19.2	15.9-22.5	339	11.7	09.0-14.4
White/Non-Hisp	3940	996,613	528	13.2	10.7-15.7	663	17.4	15.0-19.8	532	13.3	10.9-15.7	1005	27.2	24.1-30.3	692	16.3	13.8-18.8	520	12.6	10.4-14.8
Black or Afr. Am./Non-Hisp	538	190,124	56	8.2	04.5-11.9	83	14.1	08.8-19.4	93	13.3	07.2-19.4	109	17.7	11.0-24.4	151	33.1	23.9-42.3	46	13.4	05.0-21.8
Oth. Race/Non-Hisp.	111	39,644							16	6.5	01.4-11.6				24	14.4	05.4-23.4	16	5.1	00.4-09.8
MultiRacial/Non-Hisp.	76	21,370				7	7.1	00.0-15.3										11	4.8	00.0-09.9
Hispanic	251	199,965				30	6.1	02.6-09.6	38	17.1	07.5-26.7	54	18.9	09.7-28.1						
25-34	59	41,200							2	1.2	00.0-03.6									
35-44	207	143,733	26	10.4	03.9-16.9	31	11.1	03.5-18.7												
45-54	615	327,231	82	20.0	10.2-29.8	98	14.8	09.7-19.9	97	16.1	09.8-22.4	121	21.6	14.0-29.2	144	18.1	11.8-24.4	73	9.4	04.3-14.5
55-64	1350	346,896	199	11.9	08.0-15.8	225	17.9	14.0-21.8	187	11.7	08.8-14.6	325	26.4	21.5-31.3	266	20.2	14.9-25.5	148	11.9	08.4-15.4
65+	2771	610,926	320	11.2	08.8-13.6	453	15.6	13.2-18.0	390	13.4	11.0-15.8	737	27.6	24.1-31.1	506	20.3	17.0-23.6	365	12.0	09.6-14.4
Less Than H.S.	706	159,971	73	10.0	05.1-14.9	82	13.2	06.9-19.5	91	13.2	06.9-19.5	163	21.0	13.9-28.1	196	29.6	21.0-38.2	101	13.0	06.7-19.3
H.S. or G.E.D.	1766	444,629	228	15.3	11.0-19.6	275	14.6	11.1-18.1	257	14.7	10.4-19.0	411	21.8	17.5-26.1	367	21.4	16.3-26.5	228	12.3	08.8-15.8
Some Post-H.S.	1412	415,064	181	11.4	07.1-15.7	230	17.5	14.0-21.0	197	13.2	09.9-16.5	375	26.9	21.6-32.2	255	20.3	15.6-25.0	174	10.7	08.0-13.4
College Graduate	1153	463,815	159	13.7	07.2-20.2	236	16.3	12.6-20.0	166	14.0	09.7-18.3	292	27.4	21.7-33.1	165	13.8	09.3-18.3	135	14.9	09.4-20.4
Less than \$15,000	888	225,563	91	7.9	04.4-11.4	99	11.3	07.4-15.2	109	10.3	05.8-14.8	182	20.9	14.2-27.6	290	35.9	27.9-43.9	117	13.8	08.3-19.3
\$15,000- 24,999	1137	264,262	146	11.2	07.5-14.9	163	14.4	09.9-18.9	140	10.9	07.8-14.0	284	25.9	19.8-32.0	268	28.9	22.4-35.4	136	8.7	06.2-11.2
\$25,000- 34,999	554	132,993	57	7.2	03.7-10.7	105	18.3	11.6-25.0	90	18.0	11.1-24.9	155	29.1	21.3-36.9	72	12.0	06.5-17.5	75	15.4	08.5-22.3
\$35,000- 49,999	650	207,959				131	15.7	10.8-20.6	106	15.4	09.5-21.3	149	22.3	15.0-29.6	94	9.4	05.5-13.3	68	11.8	06.1-17.5
\$50,000- 74,999	543	208,857	70	9.8	05.5-14.1	107	13.9	09.6-18.2	80	16.1	09.4-22.8	149	28.0	19.6-36.4	63	16.1	07.9-24.3	74	16.0	07.6-24.4
\$75,000+	537	232,799	86	17.0	09.4-24.6	105	20.5	14.2-26.8	82	15.2	08.7-21.7	135	25.6	17.4-33.8	65	8.3	04.8-11.8	64	13.4	06.1-20.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 14: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2194	823,606	297	12.3	09.2-15.4	410	17.3	14.4-20.2	304	12.9	09.8-16.0	462	24.0	19.9-28.1	420	19.7	15.8-23.6	301	13.7	10.2-17.2
White/Non-Hisp	1781	587,309	261	13.1	09.6-16.6	345	19.5	16.0-23.0	231	11.7	08.6-14.8	383	26.4	21.7-31.1	306	16.7	12.8-20.6	255	12.5	09.8-15.2
Black or Afr. Am./Non-Hisp	168	78,154	14	5.3	01.2-09.4	26	12.8	04.6-21.0	32	12.1	04.5-19.7	31	13.2	04.6-21.8						
Oth. Race/Non-Hisp.	56	24,263							9	8.1	00.5-15.7							7	2.2	00.0-04.7
Hispanic	101	102,551				12	3.0	00.5-05.5												
35-44	82	90,304	8	5.7	00.0-12.4	10	9.2	00.0-19.2												
45-54	250	184,038	45	16.1	07.1-25.1	38	15.3	08.2-22.4	34	14.6	06.2-23.0				64	22.0	12.2-31.8	28	8.1	01.0-15.2
55-64	595	194,922	88	11.4	05.3-17.5	119	20.9	14.8-27.0	83	10.4	06.9-13.9	135	23.7	16.6-30.8	103	20.4	12.0-28.8	67	13.2	07.7-18.7
65+	1243	333,570	153	12.3	08.6-16.0	236	17.7	14.4-21.0	174	12.0	08.9-15.1	263	25.6	20.5-30.7	229	19.0	14.7-23.3	188	13.4	09.7-17.1
Less Than H.S.	255	66,772	23	11.8	02.2-21.4				29	9.2	02.9-15.5							45	10.4	04.5-16.3
H.S. or G.E.D.	671	213,507	102	18.4	10.4-26.4	106	11.1	06.6-15.6	99	13.8	06.7-20.9	123	23.6	16.2-31.0	151	24.6	15.6-33.6	90	8.6	04.3-12.9
Some Post-H.S.	608	219,752	76	8.0	04.3-11.7	115	21.6	15.9-27.3	85	12.5	07.4-17.6	138	23.4	15.2-31.6	109	22.2	14.8-29.6	85	12.3	07.8-16.8
College Graduate	657	322,140	96	11.3	06.8-15.8	148	18.1	13.2-23.0	91	13.3	08.0-18.6	153	25.2	18.3-32.1	89	13.7	07.8-19.6	80	18.4	11.0-25.8
Less than \$15,000	270	88,454	23	9.1	02.4-15.8	35	11.0	05.5-16.5	26	6.0	01.7-10.3							38	11.5	05.8-17.2
\$15,000- 24,999	443	138,298	62	11.0	05.1-16.9	64	15.3	07.9-22.7	65	11.7	07.0-16.4	87	26.0	16.2-35.8				59	7.7	04.2-11.2
\$25,000- 34,999	236	66,432	25	8.8	02.5-15.1				34	15.3	05.7-24.9				31	15.1	05.9-24.3	40	13.2	06.7-19.7
\$35,000- 49,999	338	111,226				70	18.8	11.9-25.7	51	13.9	06.6-21.2	68	17.6	08.8-26.4	53	10.0	04.5-15.5	36	16.9	07.5-26.3
\$50,000- 74,999	294	143,091	39	8.4	04.1-12.7	65	13.6	08.1-19.1	41	14.8	06.0-23.6									
\$75,000+	358	175,748	55	13.1	05.8-20.4	79	22.7	15.1-30.3	52	13.6	06.3-20.9	82	25.5	15.7-35.3	44	9.5	05.0-14.0	46	15.6	06.4-24.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 15: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAVE YOU SEEN A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL FOR YOUR DIABETES? (DOCTDIAB)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1 time			2 times			3 times			4 times			5 or more times			None		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2853	662,706	345	14.1	09.2-19.0	416	13.8	11.3-16.3	408	15.1	12.2-18.0	782	26.0	22.3-29.7	563	19.2	15.9-22.5	339	11.7	09.0-14.4
White/Non-Hisp	2159	409,304	267	13.3	09.2-17.4	318	14.3	11.6-17.0	301	15.6	12.5-18.7	622	28.2	24.3-32.1	386	15.6	12.5-18.7	265	12.9	09.8-16.0
Black or Afr. Am./Non-Hisp	370	111,970	42	10.2	04.7-15.7	57	15.1	08.0-22.2	61	14.2	05.6-22.8	78	20.9	11.5-30.3				32	8.6	02.5-14.7
Oth. Race/Non-Hisp.	55	15,381							7	3.9	00.0-08.6									
Hispanic	150	97,413				18	9.5	02.6-16.4										13	10.9	01.3-20.5
35-44	125	53,429																18	10.7	02.3-19.1
45-54	365	143,193				60	14.1	07.2-21.0	63	18.1	09.3-26.9	80	18.6	09.4-27.8	80	13.1	07.2-19.0	45	11.2	03.8-18.6
55-64	755	151,974	111	12.4	07.7-17.1	106	14.0	09.5-18.5	104	13.4	08.7-18.1	190	29.9	23.2-36.6	163	20.0	14.1-25.9	81	10.3	06.6-14.0
65+	1528	277,356	167	9.8	07.3-12.3	217	13.1	10.2-16.0	216	15.1	11.4-18.8	474	29.9	25.4-34.4	277	21.9	16.8-27.0	177	10.2	07.7-12.7
Less Than H.S.	451	93,199	50	8.7	03.8-13.6	42	8.2	03.7-12.7	62	16.1	06.5-25.7	116	19.9	10.9-28.9				56	14.8	05.2-24.4
H.S. or G.E.D.	1095	231,122	126	12.5	08.6-16.4	169	17.7	12.6-22.8	158	15.5	10.4-20.6	288	20.2	15.7-24.7	216	18.4	13.3-23.5	138	15.7	10.2-21.2
Some Post-H.S.	804	195,312	105	15.2	07.4-23.0	115	13.0	09.3-16.7	112	13.9	09.6-18.2	237	30.9	23.8-38.0	146	18.1	12.8-23.4	89	9.0	05.9-12.1
College Graduate	496	141,675				88	12.2	07.1-17.3	75	15.4	08.1-22.7				76	13.9	07.4-20.4	55	6.9	03.8-10.0
Less than \$15,000	618	137,109	68	7.1	03.2-11.0	64	11.5	06.2-16.8	83	13.0	06.3-19.7	141	20.3	12.5-28.1	183	32.8	22.8-42.8	79	15.3	07.3-23.3
\$15,000- 24,999	694	125,965	84	11.5	06.8-16.2	99	13.5	09.0-18.0	75	10.0	05.9-14.1	197	25.7	19.4-32.0	162	29.4	22.0-36.8	77	9.9	06.2-13.6
\$25,000- 34,999	318	66,561	32	5.6	02.5-08.7	59	15.4	08.3-22.5							41	9.0	03.5-14.5			
\$35,000- 49,999	312	96,733				61	12.2	05.5-18.9	55	17.2	07.6-26.8				41	8.7	03.4-14.0	32	5.9	01.8-10.0
\$50,000- 74,999	249	65,766	31	12.9	03.1-22.7	42	14.5	07.8-21.2	39	18.9	09.7-28.1				28	11.9	05.2-18.6	28	8.4	02.7-14.1
\$75,000+	179	57,051				26	13.6	04.2-23.0							21	4.8	01.5-08.1	18	6.9	02.4-11.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 16: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4883	1,434,840	1850	37.5	34.4-40.6	1986	41.1	37.8-44.4	216	4.3	03.1-05.5	108	3.5	01.7-05.3	379	8.7	06.7-10.7	344	4.8	03.8-05.8
Male	2115	796,856	879	39.6	34.9-44.3	797	39.2	34.5-43.9	80	3.5	01.9-05.1	57	4.6	01.7-07.5	177	9.5	06.6-12.4	125	3.7	02.5-04.9
Female	2768	637,984	971	35.0	30.7-39.3	1189	43.5	39.0-48.0	136	5.4	03.4-07.4	51	2.2	00.8-03.6	202	7.7	05.5-09.9	219	6.2	04.4-08.0
White/Non-Hisp	3813	968,484	1510	39.7	36.2-43.2	1583	44.0	40.5-47.5	143	4.0	02.6-05.4	72	1.6	01.0-02.2	257	6.2	04.6-07.8	248	4.5	03.5-05.5
Black or Afr. Am./Non-Hisp	525	183,399	155	30.8	22.4-39.2	201	32.3	23.7-40.9	45	7.5	03.2-11.8	18	6.7	00.0-13.8	52	17.0	08.0-26.0	54	5.6	02.3-08.9
Oth. Race/Non-Hisp.	111	38,682							6	4.4	00.0-09.9	1	0.0	00.0-00.0	12	7.0	00.0-15.2			
MultiRacial/Non-Hisp.	72	18,432							4	0.8	00.0-02.0				9	4.9	00.0-10.2			
Hispanic	231	182,362							11	2.7	00.0-06.2				31	11.9	05.0-18.8	17	2.0	00.0-04.0
25-34	54	35,641							3	0.4	00.0-01.0							1	0.3	00.0-01.1
35-44	203	142,271							7	4.2	00.0-09.7	5	6.1	00.0-17.1	27	10.3	03.6-17.0	12	2.7	00.0-05.4
45-54	583	313,169	259	40.1	31.1-49.1	203	42.9	33.1-52.7	31	3.1	00.7-05.5	12	2.8	00.0-06.7	52	9.5	04.2-14.8	26	1.6	00.4-02.8
55-64	1310	335,576	505	37.4	31.9-42.9	558	45.2	39.3-51.1	66	5.3	02.9-07.7	28	1.5	00.5-02.5	88	7.1	04.0-10.2	65	3.5	01.5-05.5
65+	2690	592,035	955	33.6	30.3-36.9	1131	42.8	39.1-46.5	107	4.3	02.7-05.9	62	4.1	01.9-06.3	196	7.1	04.9-09.3	239	8.1	06.1-10.1
Less Than H.S.	671	148,397	189	32.5	23.5-41.5	222	35.8	26.8-44.8	35	3.3	00.8-05.8	29	7.2	01.3-13.1	88	10.9	06.2-15.6	108	10.3	05.0-15.6
H.S. or G.E.D.	1692	426,462	631	39.1	33.2-45.0	673	35.7	30.4-41.0	82	5.9	03.4-08.4	30	3.8	00.0-07.9	136	9.2	06.1-12.3	140	6.3	04.5-08.1
Some Post-H.S.	1372	396,432	520	36.4	30.9-41.9	604	43.8	38.1-49.5	56	3.8	02.0-05.6	33	3.6	00.3-06.9	98	9.0	05.5-12.5	61	3.4	02.0-04.8
College Graduate	1139	461,131	503	38.5	32.2-44.8	485	45.7	38.8-52.6	43	3.7	01.3-06.1	16	2.0	00.0-04.0	57	7.2	03.3-11.1	35	2.9	00.9-04.9
Less than \$15,000	842	212,078	232	21.3	15.4-27.2	315	40.6	32.8-48.4	58	8.0	03.3-12.7	41	7.6	01.3-13.9	107	14.0	08.5-19.5	89	8.4	03.9-12.9
\$15,000- 24,999	1083	250,083	389	34.7	28.0-41.4	433	41.1	34.6-47.6	48	4.5	02.3-06.7	26	5.5	00.8-10.2	94	7.0	04.5-09.5	93	7.2	04.7-09.7
\$25,000- 34,999	537	129,412	221	38.2	29.4-47.0	236	48.7	39.7-57.7	17	2.0	00.0-04.0	7	1.1	00.0-02.5	33	7.7	02.8-12.6	23	2.2	00.8-03.6
\$35,000- 49,999	638	203,065							23	2.6	00.4-04.8	4	0.5	00.0-01.1	41	9.9	04.8-15.0	25	2.8	01.2-04.4
\$50,000- 74,999	535	202,333	241	42.1	32.7-51.5	239	42.0	32.6-51.4	14	3.7	00.4-07.0	7	4.8	00.0-12.6	18	4.8	00.0-09.7	16	2.6	00.8-04.4
\$75,000+	530	229,841	237	44.3	35.1-53.5	223	42.1	32.9-51.3	22	3.3	00.8-05.8	9	1.9	00.1-03.7	23	7.2	00.9-13.5	16	1.2	00.4-02.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 17: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2115	796,856	879	39.6	34.9-44.3	797	39.2	34.5-43.9	80	3.5	01.9-05.1	57	4.6	01.7-07.5	177	9.5	06.6-12.4	125	3.7	02.5-04.9
White/Non-Hisp	1714	567,901	746	40.6	35.7-45.5	648	43.9	38.6-49.2	60	3.5	01.7-05.3	38	1.7	00.7-02.7	126	6.8	04.6-09.0	96	3.4	02.4-04.4
Black or Afr. Am./Non-Hisp	168	77,856							12	5.1	00.0-10.2							15	2.6	00.2-05.0
Oth. Race/Non-Hisp.	56	23,345							3	6.9	00.0-16.1				4	0.4	00.0-01.0			
Hispanic	92	94,412																3	0.8	00.0-02.0
35-44	80	89,451							4	3.4	00.0-09.9				16	10.5	01.7-19.3	4	1.5	00.0-03.9
45-54	241	181,111							13	3.9	00.2-07.6	7	4.3	00.0-11.0	21	11.0	02.8-19.2	10	1.4	00.0-02.8
55-64	578	189,581	245	39.2	30.8-47.6	238	44.5	35.7-53.3	20	3.0	00.6-05.4	13	1.2	00.0-02.4	40	9.3	03.8-14.8	22	2.8	00.3-05.3
65+	1194	317,929	478	37.8	32.5-43.1	454	40.6	34.9-46.3	43	3.7	01.7-05.7	34	4.6	01.5-07.7	96	6.8	04.3-09.3	89	6.4	03.9-08.9
Less Than H.S.	238	63,437							9	4.1	00.0-09.4	11	5.4	00.0-11.3	39	13.1	05.5-20.7	36	10.3	01.3-19.3
H.S. or G.E.D.	634	203,065				233	37.4	28.0-46.8	26	4.4	01.3-07.5	18	7.3	00.0-15.5	55	8.0	03.7-12.3	46	4.8	02.3-07.3
Some Post-H.S.	589	208,957	239	36.0	28.7-43.3	233	42.7	33.9-51.5	23	2.6	00.6-04.6	17	4.9	00.0-10.8	50	10.7	05.2-16.2	27	3.1	01.5-04.7
College Graduate	650	319,882	307	43.4	35.4-51.4	261	39.8	31.8-47.8	22	3.3	00.8-05.8	11	2.5	00.0-05.4	33	8.9	03.6-14.2	16	2.1	00.3-03.9
Less than \$15,000	258	86,742	80	22.7	14.1-31.3				15	8.0	01.1-14.9				38	13.8	06.2-21.4	24	8.3	01.0-15.6
\$15,000- 24,999	415	126,710							14	2.7	00.3-05.1	18	8.2	00.0-16.4	53	8.9	04.4-13.4	34	3.8	01.6-06.0
\$25,000- 34,999	223	60,931							6	1.9	00.0-04.3	2	0.3	00.1-00.5	17	6.2	02.1-10.3	8	2.3	00.1-04.5
\$35,000- 49,999	331	109,002							14	1.8	00.2-03.4	1	0.1	00.0-00.3	25	13.1	04.7-21.5	12	2.6	00.6-04.6
\$50,000- 74,999	290	140,387							7	4.2	00.0-08.9	7	6.9	00.0-17.9	10	6.7	00.0-13.6	14	3.4	00.9-05.9
\$75,000+	356	174,354							15	3.6	00.3-06.9	7	2.2	00.0-04.6	18	7.9	00.1-15.7	8	0.9	00.1-01.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 18: A TEST FOR "A ONE C" MEASURES THE AVERAGE LEVEL OF BLOOD SUGAR OVER THE PAST THREE MONTHS. ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL CHECKED YOU FOR "A ONE C"? (CHKHEMO3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		1-2 per yr			3-4 per yr			5-9 per yr			10 or more per yr			NONE			Never Heard of		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2768	637,984	971	35.0	30.9-39.1	1189	43.5	39.2-47.8	136	5.4	03.4-07.4	51	2.2	00.8-03.6	202	7.7	05.5-09.9	219	6.2	04.4-08.0
White/Non-Hisp	2099	400,583	764	38.4	33.7-43.1	935	44.2	39.9-48.5	83	4.8	02.6-07.0	34	1.3	00.5-02.1	131	5.4	03.6-07.2	152	5.9	04.3-07.5
Black or Afr. Am./Non-Hisp	357	105,543							33	9.3	02.8-15.8	8	3.9	00.0-09.4	33	8.4	02.1-14.7	39	7.8	02.3-13.3
Oth. Race/Non-Hisp.	55	15,337							3	0.5	00.0-01.1	1	0.1	00.0-00.3						
Hispanic	139	87,950							11	5.6	00.0-13.0	4	3.8	00.0-10.9	13	9.9	01.9-17.9	14	3.4	00.0-07.3
35-44	123	52,820							3	5.6	00.0-15.6	3	0.5	00.0-01.3	11	9.8	00.4-19.2	8	4.7	00.0-11.0
45-54	342	132,058							18	1.9	00.5-03.3	5	0.6	00.0-01.6	31	7.5	02.0-13.0	16	1.9	00.0-03.9
55-64	732	145,995	260	35.1	28.2-42.0	320	46.0	38.7-53.3	46	8.3	04.0-12.6	15	1.9	00.1-03.7	48	4.2	02.4-06.0	43	4.5	01.8-07.2
65+	1496	274,105	477	28.8	24.5-33.1	677	45.4	40.1-50.7	64	4.9	02.2-07.6	28	3.6	00.7-06.5	100	7.4	04.1-10.7	150	10.0	06.7-13.3
Less Than H.S.	433	84,960							26	2.6	00.4-04.8	18	8.6	00.0-17.6	49	9.2	03.3-15.1	72	10.3	04.0-16.6
H.S. or G.E.D.	1058	223,397	375	40.0	33.3-46.7	440	34.2	28.1-40.3	56	7.2	03.3-11.1	12	0.6	00.2-01.0	81	10.3	05.8-14.8	94	7.7	05.2-10.2
Some Post-H.S.	783	187,475	281	36.8	28.6-45.0	371	45.1	38.2-52.0	33	5.2	02.1-08.3	16	2.1	00.3-03.9	48	7.2	03.1-11.3	34	3.7	01.3-06.1
College Graduate	489	141,249	196	27.5	19.3-35.7				21	4.7	00.0-09.4	5	0.9	00.0-01.9	24	3.4	00.9-05.9	19	4.6	00.1-09.1
Less than \$15,000	584	125,336	152	20.4	12.6-28.2	230	43.4	33.6-53.2	43	8.1	01.6-14.6	25	5.4	00.1-10.7	69	14.2	06.9-21.5	65	8.5	02.8-14.2
\$15,000- 24,999	668	123,373	245	32.2	25.7-38.7	281	42.9	35.6-50.2	34	6.4	02.9-09.9	8	2.7	00.0-07.0	41	5.0	02.3-07.7	59	10.7	06.0-15.4
\$25,000- 34,999	314	68,480							11	2.1	00.0-05.0	5	1.9	00.0-04.3	16	9.1	00.7-17.5	15	2.2	00.4-04.0
\$35,000- 49,999	307	94,062							9	3.6	00.0-07.9	3	0.9	00.0-02.1	16	6.1	00.8-11.4	13	3.0	00.6-05.4
\$50,000- 74,999	245	61,946							7	2.6	00.0-05.3				8	0.7	00.0-01.5	2	0.8	00.0-02.4
\$75,000+	174	55,487							7	2.2	00.0-04.4	2	1.0	00.0-03.0	5	4.7	00.0-10.6	8	2.2	00.0-04.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 19: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 time		N	2 times		N	3 times		N	4 times		N	5 or more times		N	None	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
TOTAL	5100	1,495,781	985	19.6	16.7-22.5	824	17.0	14.6-19.4	477	9.6	07.6-11.6	761	15.3	13.1-17.5	561	10.7	08.9-12.5	1492	27.8	24.9-30.7
Male	2191	818,959	446	19.3	15.8-22.8	407	19.8	15.9-23.7	198	9.3	06.4-12.2	335	15.6	12.3-18.9	244	9.8	07.4-12.2	561	26.1	21.8-30.4
Female	2909	676,822	539	19.9	15.2-24.6	417	13.7	11.2-16.2	279	9.9	07.5-12.3	426	15.0	12.3-17.7	317	11.8	08.9-14.7	931	29.8	25.9-33.7
White/Non-Hisp	3961	991,882	779	20.1	17.2-23.0	646	18.0	15.3-20.7	349	9.4	07.4-11.4	601	17.2	14.5-19.9	409	8.8	07.2-10.4	1177	26.4	23.3-29.5
Black or Afr. Am./Non-Hisp	553	194,048	103	18.6	11.5-25.7	92	13.8	08.9-18.7	73	10.7	05.4-16.0	82	15.8	08.2-23.4	84	17.7	10.6-24.8	119	23.5	14.9-32.1
Oth. Race/Non-Hisp.	111	38,084							15	14.0	04.0-24.0							25	9.8	01.0-18.6
MultiRacial/Non-Hisp.	78	21,534				7	3.3	00.0-07.0				10	7.7	00.4-15.0						
Hispanic	261	205,853				40	16.1	06.1-26.1	17	8.3	00.0-17.1	31	6.8	02.5-11.1	29	10.3	03.8-16.8			
25-34	60	42,676				9	7.7	00.0-16.9				7	8.5	00.1-16.9						
35-44	209	145,312	32	12.3	05.6-19.0							22	7.6	01.3-13.9	25	6.8	01.5-12.1			
45-54	623	329,802	133	28.2	18.4-38.0	93	16.0	09.9-22.1	58	7.2	03.5-10.9	70	13.0	07.1-18.9	62	4.5	02.1-06.9	207	31.0	22.8-39.2
55-64	1349	345,369	277	18.7	14.6-22.8	251	20.3	15.8-24.8	138	11.0	07.9-14.1	189	15.4	10.7-20.1	140	9.9	06.6-13.2	354	24.5	19.4-29.6
65+	2814	616,193	521	17.7	14.8-20.6	430	15.1	12.6-17.6	254	8.2	06.2-10.2	467	18.9	16.0-21.8	325	15.3	12.2-18.4	817	24.8	21.5-28.1
Less Than H.S.	749	161,086	120	11.8	07.1-16.5	99	16.5	09.2-23.8	63	6.5	02.8-10.2	101	18.3	11.2-25.4	110	16.6	09.2-24.0	256	30.3	22.3-38.3
H.S. or G.E.D.	1771	448,203	315	16.5	12.8-20.2	273	16.3	11.8-20.8	178	8.9	05.0-12.8	244	13.0	10.1-15.9	203	11.1	07.8-14.4	558	34.2	28.5-39.9
Some Post-H.S.	1421	419,382	279	20.1	15.0-25.2	233	18.5	13.8-23.2	129	11.0	07.7-14.3	228	14.5	10.6-18.4	164	12.2	08.9-15.5	388	23.8	19.7-27.9
College Graduate	1150	464,317	268	24.9	18.2-31.6	219	16.7	12.4-21.0	106	10.1	06.6-13.6	187	17.2	12.3-22.1	84	7.1	04.6-09.6	286	24.1	18.0-30.2
Less than \$15,000	900	228,953	145	10.6	06.9-14.3	119	18.0	11.7-24.3	85	7.3	04.4-10.2	110	14.8	08.1-21.5	157	17.6	11.3-23.9	284	31.7	24.4-39.0
\$15,000- 24,999	1144	264,214	210	13.9	10.2-17.6	170	17.9	11.8-24.0	103	7.4	04.7-10.1	163	15.9	12.0-19.8	148	15.6	10.5-20.7	350	29.3	23.0-35.6
\$25,000- 34,999	558	135,059	115	21.9	14.5-29.3	95	11.6	06.9-16.3	59	9.7	05.0-14.4	73	15.6	09.3-21.9	48	10.2	05.5-14.9	168	31.0	22.4-39.6
\$35,000- 49,999	651	207,217				125	13.4	08.9-17.9	63	8.8	04.1-13.5	88	11.1	06.2-16.0	55	6.5	03.0-10.0	192	31.1	21.7-40.5
\$50,000- 74,999	550	209,815	121	20.8	13.7-27.9	106	21.5	13.5-29.5	51	14.0	06.0-22.0	95	12.9	08.4-17.4	35	5.6	02.1-09.1	142	25.2	16.4-34.0
\$75,000+	537	232,545	136	26.5	17.9-35.1	100	18.7	12.8-24.6	54	11.7	05.4-18.0	94	16.6	10.3-22.9	43	5.8	03.1-08.5	110	20.7	12.7-28.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 20: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 time		N	2 times		N	3 times		N	4 times		N	5 or more times		N	None	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Male	2191	818,959	446	19.3	15.8-22.8	407	19.8	15.9-23.7	198	9.3	06.4-12.2	335	15.6	12.3-18.9	244	9.8	07.4-12.2	561	26.1	21.8-30.4
White/Non-Hisp	1772	577,877	383	21.8	17.5-26.1	333	20.3	16.2-24.4	148	8.5	05.8-11.2	267	17.2	13.3-21.1	186	8.4	06.0-10.8	455	23.8	19.5-28.1
Black or Afr. Am./Non-Hisp	172	80,362	25	12.1	04.3-19.9	33	18.8	09.2-28.4	23	7.6	02.1-13.1				26	14.9	04.9-24.9			
Oth. Race/Non-Hisp.	56	23,667													5	6.9	00.0-15.9	7	0.9	00.0-02.1
Hispanic	102	103,252	15	10.4	01.2-19.6							17	5.7	01.2-10.2	10	9.3	00.5-18.1			
35-44	83	91,770	8	4.2	00.3-08.1							11	11.3	01.5-21.1	8	3.7	00.0-07.4			
45-54	250	184,120				48	19.4	10.0-28.8	23	5.9	00.4-11.4	27	14.7	05.5-23.9	25	4.9	01.6-08.2			
55-64	590	193,164	140	20.9	14.8-27.0	126	23.6	16.5-30.7	58	10.6	06.3-14.9	90	16.7	08.9-24.5	53	7.0	03.1-10.9	123	21.3	13.9-28.7
65+	1244	329,135	246	20.1	15.4-24.8	216	16.7	13.2-20.2	109	7.9	05.2-10.6	203	17.2	13.3-21.1	155	14.9	10.8-19.0	315	23.2	18.1-28.3
Less Than H.S.	261	67,138	43	10.0	04.7-15.3				18	8.2	00.6-15.8									
H.S. or G.E.D.	673	212,399	127	16.6	10.5-22.7	117	17.6	09.6-25.6	60	9.8	02.2-17.4	98	14.1	09.4-18.8	86	10.0	05.3-14.7	185	31.9	22.5-41.3
Some Post-H.S.	606	216,280	126	20.9	13.5-28.3	104	20.4	12.8-28.0	58	10.0	05.7-14.3	95	14.4	08.1-20.7	75	12.9	07.8-18.0	148	21.3	15.8-26.8
College Graduate	649	321,748	149	22.1	16.0-28.2	142	20.2	14.3-26.1	62	8.8	04.3-13.3	107	17.2	10.7-23.7	49	6.4	03.5-09.3	140	25.3	17.5-33.1
Less than \$15,000	269	87,486	44	10.2	03.7-16.7				20	5.0	01.3-08.7				51	14.0	06.7-21.3			
\$15,000- 24,999	441	136,262	82	10.9	06.6-15.2				44	6.7	03.8-09.6	67	15.2	09.1-21.3	63	15.3	07.9-22.7			
\$25,000- 34,999	238	64,829				48	11.7	04.8-18.6	30	12.3	03.9-20.7	30	13.7	06.4-21.0	15	10.0	02.6-17.4			
\$35,000- 49,999	335	110,405	61	24.0	14.4-33.6	72	14.3	09.0-19.6	24	4.2	01.5-06.9	46	11.2	03.8-18.6	33	6.5	01.8-11.2			
\$50,000- 74,999	300	144,012	66	21.9	12.3-31.5							41	12.1	06.2-18.0	25	5.8	01.1-10.5			
\$75,000+	359	175,861	95	23.7	14.7-32.7	72	21.2	13.8-28.6	32	11.7	03.9-19.5	63	16.2	09.1-23.3	34	6.8	03.5-10.1	63	20.5	10.7-30.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 21: ABOUT HOW MANY TIMES IN THE PAST 12 MONTHS HAS A HEALTH PROFESSIONAL CHECKED YOUR FEET FOR ANY SORES OR IRRITATIONS? (FEETCHK)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Respondents that reported having no feet

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	1 time		N	2 times		N	3 times		N	4 times		N	5 or more times		N	None	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)		%	C.I. (95%)
Female	2909	676,822	539	19.9	15.0-24.8	417	13.7	11.2-16.2	279	9.9	07.5-12.3	426	15.0	12.3-17.7	317	11.8	08.9-14.7	931	29.8	25.9-33.7
White/Non-Hisp	2189	414,005	396	17.8	13.9-21.7	313	14.9	12.0-17.8	201	10.7	08.0-13.4	334	17.2	13.9-20.5	223	9.3	06.9-11.7	722	30.1	26.0-34.2
Black or Afr. Am./Non-Hisp	381	113,686				59	10.3	05.2-15.4	50	12.8	05.0-20.6	56	15.1	08.0-22.2	58	19.6	09.8-29.4	80	19.0	11.0-27.0
Oth. Race/Non-Hisp.	55	14,417							6	9.6	00.0-20.0									
Hispanic	159	102,601				24	13.5	03.5-23.5	10	3.2	00.0-06.5	14	7.8	00.5-15.1	19	11.3	01.7-20.9			
35-44	126	53,543										11	1.3	00.1-02.5						
45-54	373	145,682				45	11.8	05.7-17.9	35	8.9	04.0-13.8	43	10.8	03.7-17.9	37	4.1	00.8-07.4			
55-64	759	152,205	137	16.0	10.9-21.1	125	16.2	11.3-21.1	80	11.6	07.3-15.9	99	13.9	09.2-18.6	87	13.7	08.2-19.2	231	28.6	21.9-35.3
65+	1570	287,058	275	14.9	11.8-18.0	214	13.3	09.8-16.8	145	8.5	06.0-11.0	264	20.9	16.8-25.0	170	15.7	11.0-20.4	502	26.7	22.4-31.0
Less Than H.S.	488	93,949	77	13.2	06.1-20.3	55	11.9	03.9-19.9	45	5.2	01.5-08.9	66	18.9	08.9-28.9						
H.S. or G.E.D.	1098	235,804	188	16.3	11.6-21.0	156	15.1	10.6-19.6	118	8.0	05.1-10.9	146	12.1	08.8-15.4	117	12.0	07.7-16.3	373	36.3	29.8-42.8
Some Post-H.S.	815	203,102	153	19.1	11.8-26.4	129	16.4	11.3-21.5	71	12.0	06.9-17.1	133	14.7	10.6-18.8	89	11.3	06.6-16.0	240	26.4	20.3-32.5
College Graduate	501	142,569				77	8.6	05.1-12.1	44	13.1	07.2-19.0	80	17.4	10.1-24.7	35	8.6	03.3-13.9	146	21.3	12.9-29.7
Less than \$15,000	631	141,467	101	10.9	06.4-15.4	80	17.2	09.6-24.8	65	8.7	04.6-12.8	77	12.4	06.3-18.5	106	19.9	10.9-28.9	202	30.9	21.3-40.5
\$15,000- 24,999	703	127,951	128	17.0	11.1-22.9	95	9.1	05.6-12.6	59	8.2	03.7-12.7	96	16.6	11.3-21.9	85	15.9	09.8-22.0	240	33.2	26.7-39.7
\$25,000- 34,999	320	70,230	65	18.7	09.7-27.7	47	11.5	05.2-17.8	29	7.2	02.9-11.5				33	10.3	04.6-16.0			
\$35,000- 49,999	316	96,812				53	12.2	04.9-19.5	39	14.0	04.4-23.6	42	11.0	05.1-16.9	22	6.5	01.2-11.8			
\$50,000- 74,999	250	65,802	55	18.4	11.0-25.8	43	21.4	11.6-31.2	22	14.8	06.8-22.8	54	14.5	08.6-20.4	10	5.1	00.8-09.4			
\$75,000+	178	56,684				28	10.7	04.0-17.4	22	11.6	03.8-19.4				9	2.6	00.1-05.1			

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 22: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5211	1,518,767	834	16.2	13.8-18.6	2916	54.0	50.7-57.3	645	13.8	11.1-16.5	691	13.0	10.8-15.2	125	3.0	02.0-04.0
Male	2236	830,479	363	16.3	12.8-19.8	1278	56.5	51.8-61.2	273	11.4	08.3-14.5	270	13.1	10.0-16.2	52	2.7	01.3-04.1
Female	2975	688,287	471	16.0	13.1-18.9	1638	51.1	46.6-55.6	372	16.7	12.0-21.4	421	12.9	10.2-15.6	73	3.3	01.9-04.7
White/Non-Hisp	4031	1,004,366	649	16.4	13.9-18.9	2260	54.4	50.9-57.9	501	14.0	11.3-16.7	543	12.6	10.2-15.0	78	2.6	01.4-03.8
Black or Afr. Am./Non-Hisp	573	197,886	99	18.7	10.3-27.1	324	53.6	44.2-63.0	62	8.3	04.2-12.4	62	11.9	05.6-18.2	26	7.5	02.4-12.6
Oth. Race/Non-Hisp.	118	39,933										16	9.4	02.5-16.3	1	0.3	00.0-00.9
MultiRacial/Non-Hisp.	78	21,517	9	4.7	00.0-10.4							16	8.7	01.8-15.6	1	0.0	00.0-00.0
Hispanic	267	210,251	48	14.9	07.5-22.3							39	17.4	08.6-26.2	13	1.2	00.0-02.6
35-44	211	145,380	19	7.3	01.2-13.4				31	9.6	02.9-16.3	44	15.5	07.1-23.9	28	9.3	03.4-15.2
45-54	624	328,623	64	11.3	05.8-16.8	289	47.1	37.9-56.3	104	19.7	10.1-29.3	137	19.1	12.4-25.8	30	2.7	00.9-04.5
55-64	1375	352,163	192	18.0	12.7-23.3	736	51.7	46.0-57.4	191	13.3	10.0-16.6	235	16.3	11.8-20.8	21	0.7	00.1-01.3
65+	2897	636,506	547	20.3	17.4-23.2	1753	59.9	56.2-63.6	302	11.7	08.8-14.6	255	6.5	04.7-08.3	40	1.6	00.6-02.6
Less Than H.S.	770	167,637	119	16.1	09.6-22.6	369	46.3	37.7-54.9	119	17.2	10.1-24.3	130	17.8	11.1-24.5	33	2.6	01.0-04.2
H.S. or G.E.D.	1807	455,066	282	15.2	11.7-18.7	988	49.3	43.6-55.0	221	15.0	10.9-19.1	262	15.4	10.9-19.9	54	5.1	02.7-07.5
Some Post-H.S.	1447	424,030	236	14.8	10.7-18.9	810	60.7	55.2-66.2	187	10.5	06.6-14.4	190	12.0	08.7-15.3	24	1.9	00.3-03.5
College Graduate	1173	468,821	195	18.4	13.5-23.3	742	55.4	48.5-62.3	117	14.5	08.0-21.0	107	9.8	05.9-13.7	12	1.9	00.0-03.9
Less than \$15,000	932	234,374	123	17.9	10.8-25.0	464	47.9	40.3-55.5	124	12.8	07.9-17.7	185	17.6	11.7-23.5	36	3.8	01.3-06.3
\$15,000- 24,999	1171	267,610	173	13.0	09.1-16.9	623	55.9	49.4-62.4	168	14.1	09.4-18.8	180	14.0	09.7-18.3	27	3.0	01.0-05.0
\$25,000- 34,999	566	137,192	93	15.4	09.9-20.9	337	59.5	50.7-68.3	64	15.0	06.8-23.2	59	7.1	04.4-09.8	13	2.9	00.0-06.2
\$35,000- 49,999	658	212,372	130	17.6	11.9-23.3	370	44.8	35.2-54.4				75	17.2	08.8-25.6	9	1.1	00.0-02.5
\$50,000- 74,999	550	209,958	87	13.7	08.4-19.0	330	62.0	53.0-71.0	69	13.0	05.9-20.1	52	6.7	03.4-10.0	12	4.7	00.4-09.0
\$75,000+	543	233,327	79	14.1	08.8-19.4	352	64.2	55.6-72.8	56	8.0	03.3-12.7	52	13.5	06.8-20.2	4	0.2	00.0-00.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 23: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2236	830,479	363	16.3	12.8-19.8	1278	56.5	52.0-61.0	273	11.4	08.3-14.5	270	13.1	10.0-16.2	52	2.7	01.3-04.1
White/Non-Hisp	1802	587,209	302	16.7	13.0-20.4	1029	55.5	50.4-60.6	228	13.6	09.7-17.5	212	12.4	09.1-15.7	31	1.9	00.7-03.1
Black or Afr. Am./Non-Hisp	179	82,634							17	4.5	00.4-08.6	19	12.5	02.9-22.1			
Oth. Race/Non-Hisp.	59	24,490							6	5.4	00.0-11.5	6	4.0	00.0-09.1			
Hispanic	103	101,927	15	9.1	00.3-17.9				13	6.8	00.0-15.4				6	1.9	00.0-04.6
35-44	84	91,794	7	7.3	00.0-15.7				9	3.1	00.0-06.6				15	7.9	01.0-14.8
45-54	252	182,690	24	14.9	05.7-24.1				39	14.5	04.7-24.3	59	19.2	10.0-28.4	14	3.0	00.1-05.9
55-64	601	195,805	79	16.2	08.2-24.2	334	52.3	43.9-60.7	87	12.5	07.8-17.2	94	18.7	11.4-26.0	7	0.4	00.0-00.8
65+	1276	339,695	250	19.4	15.5-23.3	783	62.4	57.1-67.7	134	11.8	07.7-15.9	95	5.7	03.2-08.2	14	0.8	00.2-01.4
Less Than H.S.	263	69,953	36	15.0	07.4-22.6				42	12.2	04.0-20.4	45	16.8	06.8-26.8	12	3.0	00.6-05.4
H.S. or G.E.D.	682	214,127	108	13.3	08.2-18.4	383	56.2	46.6-65.8	80	8.7	03.8-13.6	90	17.7	09.5-25.9	21	4.1	00.8-07.4
Some Post-H.S.	620	219,461	107	16.5	09.6-23.4	347	56.8	48.4-65.2	82	13.2	06.3-20.1	73	11.1	06.8-15.4	11	2.2	00.0-04.7
College Graduate	666	325,383	112	18.5	12.2-24.8	417	57.2	49.4-65.0	69	11.8	06.7-16.9	62	10.6	05.5-15.7	6	2.0	00.0-04.5
Less than \$15,000	281	90,231							31	6.0	01.7-10.3	58	20.4	11.6-29.2	13	4.6	00.0-09.5
\$15,000- 24,999	450	137,006	71	14.6	08.3-20.9				67	15.4	07.6-23.2	57	12.6	05.7-19.5	11	1.8	00.0-04.0
\$25,000- 34,999	239	66,563	38	12.9	05.5-20.3				29	8.6	01.5-15.7	26	6.3	02.4-10.2	5	4.8	00.0-11.5
\$35,000- 49,999	342	112,782	68	17.4	09.6-25.2				38	13.6	05.0-22.2				7	1.6	00.0-04.0
\$50,000- 74,999	298	143,645	50	16.0	08.4-23.6				41	13.4	03.6-23.2	25	4.9	01.4-08.4	6	5.2	00.0-11.1
\$75,000+	363	176,183	49	12.3	06.2-18.4				39	8.7	02.6-14.8	32	15.2	06.6-23.8	3	0.3	00.0-00.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 24: WHEN WAS THE LAST TIME YOU HAD AN EYE EXAM IN WHICH THE PUPILS WERE DILATED? THIS WOULD HAVE MADE YOU TEMPORARILY SENSITIVE TO BRIGHT LIGHT. (EYEEEXAM)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		< 1 Month Ago			1 Month but < 12 Months			1+ Yrs but < 2 Years			2 or more Years			Never		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2975	688,287	471	16.0	13.1-18.9	1638	51.1	46.6-55.6	372	16.7	12.0-21.4	421	12.9	10.2-15.6	73	3.3	01.9-04.7
White/Non-Hisp	2229	417,157	347	15.9	13.0-18.8	1231	53.0	48.5-57.5	273	14.6	11.1-18.1	331	12.9	10.2-15.6	47	3.6	01.6-05.6
Black or Afr. Am./Non-Hisp	394	115,252	69	15.8	07.0-24.6				45	11.1	04.6-17.6	43	11.4	03.0-19.8	14	5.2	00.9-09.5
Oth. Race/Non-Hisp.	59	15,443													1	0.8	00.0-02.6
Hispanic	164	108,324													7	0.6	00.0-01.2
35-44	127	53,585	12	7.2	00.0-15.6							26	16.2	06.2-26.2	13	11.7	01.7-21.7
45-54	372	145,933	40	6.8	02.7-10.9							78	18.8	09.6-28.0	16	2.4	00.4-04.4
55-64	774	156,359	113	20.3	13.4-27.2	402	51.0	43.9-58.1	104	14.3	09.6-19.0	141	13.3	09.0-17.6	14	1.1	00.1-02.1
65+	1621	296,811	297	21.3	17.0-25.6	970	57.1	52.0-62.2	168	11.5	07.8-15.2	160	7.5	04.8-10.2	26	2.6	00.8-04.4
Less Than H.S.	507	97,683	83	16.8	07.2-26.4							85	18.6	09.4-27.8	21	2.3	00.3-04.3
H.S. or G.E.D.	1125	240,939	174	16.9	12.2-21.6	605	43.2	37.1-49.3	141	20.6	14.7-26.5	172	13.4	09.1-17.7	33	6.0	02.7-09.3
Some Post-H.S.	827	204,569	129	13.0	08.9-17.1	463	64.8	57.9-71.7	105	7.6	05.1-10.1	117	13.0	07.9-18.1	13	1.6	00.0-03.6
College Graduate	507	143,438	83	18.3	11.2-25.4							45	8.0	02.7-13.3	6	1.9	00.0-04.1
Less than \$15,000	651	144,142	92	19.4	11.4-27.4	316	44.5	35.1-53.9	93	17.0	09.7-24.3	127	15.8	08.2-23.4	23	3.3	00.8-05.8
\$15,000- 24,999	721	130,603	102	11.4	08.3-14.5	379	56.3	49.2-63.4	101	12.8	08.1-17.5	123	15.4	10.7-20.1	16	4.1	00.8-07.4
\$25,000- 34,999	327	70,629	55	17.8	09.6-26.0							33	8.0	03.9-12.1	8	1.2	00.0-02.8
\$35,000- 49,999	316	99,589	62	17.9	09.3-26.5							35	13.9	04.1-23.7	2	0.6	00.0-01.8
\$50,000- 74,999	252	66,313	37	8.7	04.8-12.6				28	12.2	05.3-19.1	27	10.5	03.4-17.6	6	3.6	00.0-07.7
\$75,000+	180	57,144							17	5.7	00.8-10.6	20	8.1	02.0-14.2	1	0.1	00.0-00.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 25: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5211	1,521,853	1028	18.9	16.4-21.4	4183	81.1	78.6-83.6
Male	2233	828,760	483	21.5	17.4-25.6	1750	78.5	74.4-82.6
Female	2978	693,093	545	15.8	12.9-18.7	2433	84.2	81.3-87.1
White/Non-Hisp	4029	1,008,666	721	18.5	15.4-21.6	3308	81.5	78.4-84.6
Black or Afr. Am./Non-Hisp	575	197,901	157	18.8	11.4-26.2	418	81.2	73.8-88.6
Hispanic	267	207,722	57	16.3	08.5-24.1	210	83.7	75.9-91.5
25-34	60	42,676	5	4.1	00.0-11.2	55	95.9	88.8-100
35-44	209	143,737	33	17.0	07.2-26.8	176	83.0	73.2-92.8
45-54	625	331,153	146	20.5	12.9-28.1	479	79.5	71.9-87.1
55-64	1369	353,957	304	18.7	13.8-23.6	1065	81.3	76.4-86.2
65+	2902	633,791	536	19.9	16.8-23.0	2366	80.1	77.0-83.2
Less Than H.S.	771	168,719	221	24.0	16.0-32.0	550	76.0	68.0-84.0
H.S. or G.E.D.	1805	451,695	360	17.2	12.9-21.5	1445	82.8	78.5-87.1
Some Post-H.S.	1447	425,195	246	20.2	15.1-25.3	1201	79.8	74.7-84.9
College Graduate	1174	473,030	197	17.5	12.6-22.4	977	82.5	77.6-87.4
Less than \$15,000	929	236,512	269	34.2	26.4-42.0	660	65.8	58.0-73.6
\$15,000- 24,999	1169	267,884	240	20.8	15.3-26.3	929	79.2	73.7-84.7
\$25,000- 34,999	566	134,614	94	13.8	08.1-19.5	472	86.2	80.5-91.9
\$35,000- 49,999	663	212,686	98	17.5	09.7-25.3	565	82.5	74.7-90.3
\$50,000- 74,999	547	209,636	70	11.3	04.2-18.4	477	88.7	81.6-95.8
\$75,000+	544	233,362	81	12.6	07.5-17.7	463	87.4	82.3-92.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 26: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2233	828,760	483	21.5	17.4-25.6	1750	78.5	74.4-82.6
White/Non-Hisp	1803	588,320	354	21.7	17.0-26.4	1449	78.3	73.6-83.0
55-64	595	195,851	137	20.4	12.6-28.2	458	79.6	71.8-87.4
65+	1278	337,358	249	21.5	17.0-26.0	1029	78.5	74.0-83.0
H.S. or G.E.D.	679	209,557	155	18.3	10.9-25.7	524	81.7	74.3-89.1
Some Post-H.S.	620	220,098	120	24.6	16.2-33.0	500	75.4	67.0-83.8
College Graduate	668	327,676	123	18.3	12.0-24.6	545	81.7	75.4-88.0
\$15,000- 24,999	448	136,574	110	27.4	17.8-37.0	338	72.6	63.0-82.2
\$25,000- 34,999	240	64,267	35	12.9	05.8-20.0	205	87.1	80.0-94.2
\$50,000- 74,999	299	144,060	46	13.0	03.2-22.8	253	87.0	77.2-96.8
\$75,000+	364	176,218	63	14.1	07.8-20.4	301	85.9	79.6-92.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 27: HAS A DOCTOR EVER TOLD YOU THAT DIABETES HAS AFFECTED YOUR EYES OR THAT YOU HAD RETINOPATHY? (DIABEYE)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	2978	693,093	545	15.8	12.9-18.7	2433	84.2	81.3-87.1
White/Non-Hisp	2226	420,346	367	14.0	11.3-16.7	1859	86.0	83.3-88.7
Black or Afr. Am./Non-Hisp	397	115,456	96	14.7	07.6-21.8	301	85.3	78.2-92.4
45-54	372	146,797	68	11.4	05.7-17.1	304	88.6	82.9-94.3
55-64	774	158,106	167	16.5	11.2-21.8	607	83.5	78.2-88.8
65+	1624	296,433	287	18.1	13.6-22.6	1337	81.9	77.4-86.4
Less Than H.S.	510	98,845	138	15.0	07.4-22.6	372	85.0	77.4-92.6
H.S. or G.E.D.	1126	242,139	205	16.3	11.4-21.2	921	83.7	78.8-88.6
Some Post-H.S.	827	205,097	126	15.5	10.2-20.8	701	84.5	79.2-89.8
College Graduate	506	145,354	74	15.6	08.9-22.3	432	84.4	77.7-91.1
Less than \$15,000	651	145,514	168	28.0	18.6-37.4	483	72.0	62.6-81.4
\$15,000- 24,999	721	131,310	130	14.0	09.7-18.3	591	86.0	81.7-90.3
\$25,000- 34,999	326	70,347	59	14.7	05.7-23.7	267	85.3	76.3-94.3
\$35,000- 49,999	319	99,559	32	9.6	03.7-15.5	287	90.4	84.5-96.3
\$50,000- 74,999	248	65,576	24	7.5	02.2-12.8	224	92.5	87.2-97.8
\$75,000+	180	57,144	18	8.2	01.9-14.5	162	91.8	85.5-98.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 28: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents with do not know/refused/missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	5246	1,527,264	2819	55.1	52.0-58.2	2427	44.9	41.8-48.0
Male	2247	830,451	1183	55.4	50.7-60.1	1064	44.6	39.9-49.3
Female	2999	696,812	1636	54.8	50.5-59.1	1363	45.2	40.9-49.5
White/Non-Hisp	4053	1,011,436	2155	56.5	53.2-59.8	1898	43.5	40.2-46.8
Black or Afr. Am./Non-Hisp	581	198,460	331	56.4	47.0-65.8	250	43.6	34.2-53.0
45-54	631	331,868	328	55.1	46.1-64.1	303	44.9	35.9-53.9
55-64	1376	354,223	797	60.8	55.3-66.3	579	39.2	33.7-44.7
65+	2921	636,444	1518	52.6	48.9-56.3	1403	47.4	43.7-51.1
Less Than H.S.	784	170,296	322	47.1	38.3-55.9	462	52.9	44.1-61.7
H.S. or G.E.D.	1825	459,461	883	46.9	41.4-52.4	942	53.1	47.6-58.6
Some Post-H.S.	1451	424,124	899	60.3	54.6-66.0	552	39.7	34.0-45.4
College Graduate	1172	470,169	708	61.5	55.0-68.0	464	38.5	32.0-45.0
Less than \$15,000	942	238,951	448	51.6	44.2-59.0	494	48.4	41.0-55.8
\$15,000- 24,999	1178	271,641	601	49.1	42.6-55.6	577	50.9	44.4-57.4
\$25,000- 34,999	568	137,672	324	54.2	45.4-63.0	244	45.8	37.0-54.6
\$35,000- 49,999	663	212,177	375	55.5	45.5-65.5	288	44.5	34.5-54.5
\$50,000- 74,999	551	210,167	346	60.5	50.5-70.5	205	39.5	29.5-49.5
\$75,000+	544	233,362	327	61.1	52.3-69.9	217	38.9	30.1-47.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 29: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER			Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	
Male	2247	830,451	1183	55.4	50.7-60.1	1064	44.6	39.9-49.3	
White/Non-Hisp	1812	588,308	945	56.5	51.6-61.4	867	43.5	38.6-48.4	
55-64	599	196,372	342	62.0	54.0-70.0	257	38.0	30.0-46.0	
65+	1285	337,109	647	51.6	46.5-56.7	638	48.4	43.3-53.5	
H.S. or G.E.D.	686	214,520	317	45.1	36.1-54.1	369	54.9	45.9-63.9	
Some Post-H.S.	621	219,487	370	59.4	51.2-67.6	251	40.6	32.4-48.8	
College Graduate	666	324,623	387	60.2	52.4-68.0	279	39.8	32.0-47.6	

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 2: DIABETES**

TABLE 30: HAVE YOU EVER TAKEN A COURSE OR CLASS IN HOW TO MANAGE YOUR DIABETES YOURSELF? (DIABEDU)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

Denominator excludes: Respondents that reported not being diagnosed with diabetes

Denominator excludes: Women respondents that reported being diagnosed with diabetes only during pregnancy

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2999	696,812	1636	54.8	50.3-59.3	1363	45.2	40.7-49.7
White/Non-Hisp	2241	423,129	1210	56.5	52.0-61.0	1031	43.5	39.0-48.0
55-64	777	157,851	455	59.3	52.0-66.6	322	40.7	33.4-48.0
65+	1636	299,335	871	53.8	48.7-58.9	765	46.2	41.1-51.3
H.S. or G.E.D.	1139	244,942	566	48.5	42.0-55.0	573	51.5	45.0-58.0
Some Post-H.S.	830	204,637	529	61.3	53.9-68.7	301	38.7	31.3-46.1
Less than \$15,000	659	147,457	314	48.4	39.2-57.6	345	51.6	42.4-60.8
\$15,000- 24,999	722	131,866	378	47.5	40.2-54.8	344	52.5	45.2-59.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.

Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010**

MODULE 7: FAMILY PLANNING CONTENTS

*** NOTE *******

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT "HUSBAND/PARTNER," IF MALE, INSERT "WIFE/PARTNER"] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT "YOU," IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (BRTHCNT3)	
1 MALES AND FEMALES	42
2 MALES ONLY	43
3 FEMALES ONLY	44
WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR5)	
4 MALES AND FEMALES	45
5 MALES ONLY	46
6 FEMALES ONLY	47
WHAT IS YOUR MAIN REASON FOR NOT DOING ANYTHING NOW TO KEEP [IF FEMALE, "YOU", IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (NOBCUSE3)	
7 MALES AND FEMALES	48
8 MALES ONLY	49
9 FEMALES ONLY	50
HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDF2)	
10 MALES AND FEMALES	51
11 MALES ONLY	52
12 FEMALES ONLY	53

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 1: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT "HUSBAND/PARTNER," IF MALE, INSERT "WIFE/PARTNER"] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT "YOU," IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (BRTHCNT3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	9074	6,790,773	5162	56.3	54.1-58.5	2261	25.4	23.4-27.4	1532	16.7	14.9-18.5	119	1.6	01.0-02.2
Male	5437	4,636,319	2704	51.4	48.7-54.1	1644	29.0	26.5-31.5	1016	18.0	15.6-20.4	73	1.7	01.1-02.3
Female	3637	2,154,454	2458	66.8	63.7-69.9	617	17.7	15.3-20.1	516	14.1	11.6-16.6	46	1.4	00.4-02.4
White/Non-Hisp	6701	4,248,527	3819	57.7	55.3-60.1	1655	25.3	23.1-27.5	1134	14.9	13.1-16.7	93	2.0	01.2-02.8
Black or Afr. Am./Non-Hisp	878	782,196	475	53.8	46.9-60.7	221	22.8	17.1-28.5	170	23.0	16.9-29.1	12	0.3	00.1-00.5
Oth. Race/Non-Hisp.	241	275,974				69	25.4	15.8-35.0				3	2.5	00.0-06.8
MultiRacial/Non-Hisp.	199	111,333										2	0.9	00.0-02.5
Hispanic	912	1,289,138	556	55.9	49.2-62.6	241	26.9	20.4-33.4	107	16.3	11.2-21.4	8	1.0	00.0-02.0
18-24	763	904,630	410	42.6	35.7-49.5	104	13.0	07.7-18.3	241	42.8	35.5-50.1	8	1.7	00.0-03.7
25-34	1973	1,352,348	1328	60.7	55.8-65.6	380	22.5	18.2-26.8	242	15.6	11.7-19.5	23	1.1	00.3-01.9
35-44	3028	2,368,254	1988	67.4	64.1-70.7	601	21.7	18.8-24.6	393	9.0	07.0-11.0	46	1.9	00.9-02.9
45-54	1992	1,691,160	963	49.9	45.2-54.6	630	35.1	30.6-39.6	375	13.5	10.6-16.4	24	1.4	00.4-02.4
55-64	1202	436,612	439	37.2	31.9-42.5	504	41.1	35.6-46.6	243	19.8	15.3-24.3	16	2.0	00.4-03.6
Less Than H.S.	930	505,686	485	51.5	43.7-59.3	241	24.9	18.8-31.0	190	22.5	16.0-29.0	14	1.1	00.0-02.3
H.S. or G.E.D.	2756	1,790,633	1455	53.5	49.4-57.6	729	22.7	19.4-26.0	537	22.0	18.3-25.7	35	1.8	00.6-03.0
Some Post-H.S.	2654	1,941,199	1519	49.9	45.6-54.2	632	28.9	24.6-33.2	474	19.5	15.8-23.2	29	1.7	00.5-02.9
College Graduate	2712	2,537,435	1693	64.2	60.9-67.5	650	24.8	21.9-27.7	328	9.5	07.3-11.7	41	1.5	00.7-02.3
Less than \$15,000	1134	580,097	493	42.3	35.8-48.8	241	20.3	14.4-26.2	384	36.1	29.2-43.0	16	1.3	00.0-02.7
\$15,000- 24,999	1412	901,704	713	49.5	43.2-55.8	367	25.3	19.6-31.0	307	23.7	18.4-29.0	25	1.4	00.4-02.4
\$25,000- 34,999	872	540,813	486	50.0	42.0-58.0	226	27.5	19.1-35.9	152	21.7	14.4-29.0	8	0.8	00.2-01.4
\$35,000- 49,999	1184	791,841	667	61.3	55.8-66.8	312	25.5	20.6-30.4	198	12.9	09.4-16.4	7	0.2	00.0-00.4
\$50,000- 74,999	1332	968,913	858	62.9	57.2-68.6	337	25.9	20.6-31.2	125	10.0	05.9-14.1	12	1.2	00.2-02.2
\$75,000+	2221	2,234,701	1492	64.4	60.7-68.1	576	27.2	23.7-30.7	117	6.2	04.0-08.4	36	2.2	01.0-03.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 2: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT "HUSBAND/PARTNER," IF MALE, INSERT "WIFE/PARTNER"] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT "YOU," IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (BRTHCNT3)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED		%	C.I. (95%)	%		C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)		
Male	5437	4,636,319	2704	51.4	48.7-54.1	1644	29.0	26.5-31.5	1016	18.0	15.8-20.2	73	1.7	01.1-02.3		
White/Non-Hisp	4180	2,998,839	2059	52.3	49.4-55.2	1257	28.9	26.2-31.6	805	16.7	14.3-19.1	59	2.1	01.1-03.1		
Black or Afr. Am./Non-Hisp	427	480,245	206	49.9	40.3-59.5	133	24.4	16.4-32.4	80	25.2	16.4-34.0	8	0.5	00.1-00.9		
Oth. Race/Non-Hisp.	168	207,983										2	3.3	00.0-09.0		
MultiRacial/Non-Hisp.	125	61,415										1	0.3	00.0-00.9		
Hispanic	449	836,609	246	50.3	41.3-59.3	151	33.3	24.3-42.3	49	15.8	09.3-22.3	3	0.6	00.0-01.4		
18-24	347	558,435	157	38.4	29.2-47.6	44	13.3	05.5-21.1	141	47.1	37.1-57.1	5	1.2	00.0-02.8		
25-34	709	710,445	413	51.9	44.3-59.5	174	25.6	18.2-33.0	112	20.9	14.2-27.6	10	1.6	00.0-03.2		
35-44	1187	1,239,667	732	64.0	58.9-69.1	292	25.3	20.6-30.0	145	8.6	05.9-11.3	18	2.1	00.5-03.7		
45-54	1992	1,691,160	963	49.9	45.2-54.6	630	35.1	30.6-39.6	375	13.5	10.6-16.4	24	1.4	00.4-02.4		
55-64	1202	436,612	439	37.2	31.9-42.5	504	41.1	35.6-46.6	243	19.8	15.3-24.3	16	2.0	00.4-03.6		
Less Than H.S.	569	356,319	260	49.9	39.9-59.9	171	25.2	17.6-32.8	130	23.7	15.5-31.9	8	1.2	00.0-02.8		
H.S. or G.E.D.	1768	1,254,288	815	48.8	43.5-54.1	540	25.2	20.9-29.5	392	24.8	20.1-29.5	21	1.2	00.4-02.0		
Some Post-H.S.	1509	1,307,476	753	42.9	37.4-48.4	440	34.2	28.3-40.1	298	20.8	15.7-25.9	18	2.2	00.6-03.8		
College Graduate	1578	1,707,277	870	60.3	56.2-64.4	488	28.7	24.8-32.6	194	9.3	06.8-11.8	26	1.7	00.7-02.7		
Less than \$15,000	665	375,236	211	32.2	24.0-40.4	169	23.5	15.3-31.7	276	42.4	33.0-51.8	9	1.9	00.0-03.9		
\$15,000- 24,999	805	601,270	337	42.7	34.5-50.9	246	28.4	20.6-36.2	208	27.5	20.4-34.6	14	1.4	00.4-02.4		
\$25,000- 34,999	492	351,639										3	0.6	00.0-01.4		
\$35,000- 49,999	692	513,449	350	57.2	49.9-64.5	219	29.9	23.0-36.8	120	12.7	08.2-17.2	3	0.2	00.0-00.4		
\$50,000- 74,999	786	671,010	444	59.3	51.7-66.9	252	29.1	22.0-36.2	80	10.2	04.7-15.7	10	1.5	00.3-02.7		
\$75,000+	1525	1,665,806	922	59.7	55.2-64.2	490	31.2	26.9-35.5	88	6.9	04.2-09.6	25	2.2	00.8-03.6		

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 3: SOME THINGS PEOPLE DO TO KEEP FROM GETTING PREGNANT INCLUDE NOT HAVING SEX AT CERTAIN TIMES, USING BIRTH CONTROL METHODS SUCH AS THE PILL, IMPLANTS, SHOTS, CONDOMS, DIAPHRAGM, FOAM, IUD, HAVING THEIR TUBES TIED, OR HAVING A VASECTOMY. ARE YOU OR YOUR [IF FEMALE, INSERT "HUSBAND/PARTNER," IF MALE, INSERT "WIFE/PARTNER"] DOING ANYTHING NOW TO KEEP [IF FEMALE, INSERT "YOU," IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (BRTHCNT3)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No			No Partner Not Sexually Active			Same Sex Partner		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3637	2,154,454	2458	66.8	63.7-69.9	617	17.7	15.3-20.1	516	14.1	11.6-16.6	46	1.4	00.4-02.4
White/Non-Hisp	2521	1,249,689	1760	70.8	67.5-74.1	398	16.8	14.1-19.5	329	10.6	08.4-12.8	34	1.8	00.4-03.2
Black or Afr. Am./Non-Hisp	451	301,951	269	60.1	51.3-68.9	88	20.2	13.1-27.3	90	19.6	12.2-27.0	4	0.0	00.0-00.0
Oth. Race/Non-Hisp.	73	67,992										1	0.1	00.0-00.3
MultiRacial/Non-Hisp.	74	49,918										1	1.7	00.0-05.0
Hispanic	463	452,529	310	66.2	57.8-74.6	90	15.2	09.9-20.5	58	17.0	09.2-24.8	5	1.6	00.0-04.1
18-24	416	346,195	253	49.3	39.5-59.1	60	12.4	06.7-18.1	100	35.9	25.9-45.9	3	2.4	00.0-06.7
25-34	1264	641,903	915	70.5	65.6-75.4	206	19.2	15.1-23.3	130	9.8	06.3-13.3	13	0.5	00.1-00.9
35-44	1841	1,128,586	1256	71.2	67.3-75.1	309	17.7	14.4-21.0	248	9.4	06.9-11.9	28	1.7	00.5-02.9
Less Than H.S.	361	149,367							60	19.7	09.9-29.5	6	0.8	00.0-01.8
H.S. or G.E.D.	988	536,345	640	64.5	57.8-71.2	189	16.8	11.9-21.7	145	15.5	10.0-21.0	14	3.3	00.0-06.8
Some Post-H.S.	1145	633,724	766	64.4	59.3-69.5	192	18.0	14.3-21.7	176	16.8	12.5-21.1	11	0.8	00.2-01.4
College Graduate	1134	830,158	823	72.3	67.2-77.4	162	16.8	12.9-20.7	134	10.0	06.1-13.9	15	0.9	00.3-01.5
Less than \$15,000	469	204,861	282	60.9	51.7-70.1	72	14.3	07.0-21.6	108	24.7	16.7-32.7	7	0.1	00.0-00.3
\$15,000- 24,999	607	300,434	376	63.3	54.7-71.9	121	19.1	12.4-25.8	99	16.2	08.6-23.8	11	1.4	00.0-03.4
\$25,000- 34,999	380	189,174				73	20.9	13.1-28.7	58	13.4	05.4-21.4	5	1.3	00.0-02.7
\$35,000- 49,999	492	278,391	317	69.0	61.9-76.1	93	17.4	12.1-22.7	78	13.3	08.0-18.6	4	0.3	00.0-00.7
\$50,000- 74,999	546	297,903	414	71.1	63.3-78.9	85	18.8	12.1-25.5	45	9.6	03.9-15.3	2	0.5	00.0-01.5
\$75,000+	696	568,895	570	78.2	72.9-83.5	86	15.5	11.0-20.0	29	4.1	01.2-07.0	11	2.2	00.0-04.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 4: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR5)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawl, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4953	3,653,490	3207	61.8	59.1-64.5	1010	22.8	20.4-25.2	27	0.9	00.1-01.7	285	5.2	04.0-06.4	296	6.1	04.9-07.3	128	3.2	02.2-04.2
Male	2586	2,264,538	1704	62.9	59.2-66.6	541	22.8	19.5-26.1	20	1.4	00.0-02.8	174	5.5	03.9-07.1	89	4.4	02.8-06.0	58	2.9	01.5-04.3
Female	2367	1,388,952	1503	60.0	56.3-63.7	469	22.9	19.6-26.2	7	0.0	00.0-00.0	111	4.8	03.2-06.4	207	8.7	06.7-10.7	70	3.6	02.0-05.2
White/Non-Hisp	3672	2,350,117	2510	67.4	64.5-70.3	635	19.1	16.6-21.6	18	0.4	00.0-00.8	216	5.1	03.9-06.3	199	5.4	04.2-06.6	94	2.6	01.6-03.6
Black or Afr. Am./Non-Hisp	459	401,831	228	47.2	38.2-56.2	156	32.2	23.8-40.6	5	1.6	00.0-03.6	28	6.8	02.5-11.1	32	7.8	02.5-13.1	10	4.6	00.5-08.7
Oth. Race/Non-Hisp.	115	122,634										4	2.3	00.0-06.0				4	3.7	00.0-09.6
MultiRacial/Non-Hisp.	98	46,983																3	1.8	00.0-04.3
Hispanic	532	686,853	305	56.7	48.5-64.9	143	27.2	19.9-34.5	4	2.5	00.0-06.6	17	3.1	00.4-05.8	48	6.2	03.1-09.3	15	4.2	00.5-07.9
18-24	391	366,881	134	30.0	21.0-39.0	180	55.3	45.5-65.1	4	1.5	00.0-03.7	21	5.1	01.8-08.4	41	5.3	02.4-08.2	11	2.9	00.4-05.4
25-34	1286	781,888	740	51.8	46.5-57.1	312	29.3	24.6-34.0	8	1.9	00.0-05.4	60	5.0	02.8-07.2	126	8.4	05.7-11.1	40	3.7	01.7-05.7
35-44	1908	1,527,385	1327	66.3	62.2-70.4	325	18.0	14.7-21.3	8	0.7	00.0-01.5	90	4.6	03.0-06.2	104	6.7	04.7-08.7	54	3.7	01.7-05.7
45-54	924	812,820	684	74.4	68.7-80.1	133	13.3	09.2-17.4	5	0.3	00.1-00.5	61	5.8	03.1-08.5	23	3.9	00.8-07.0	18	2.4	00.4-04.4
55-64	422	154,537	309	76.9	69.3-84.5	56	11.4	06.3-16.5	2	0.2	00.0-00.6	50	9.9	03.8-16.0	1	1.3	00.0-03.8	4	0.3	00.0-00.7
Less Than H.S.	468	250,221							2	0.1	00.0-00.3	26	4.5	00.6-08.4	21	7.1	00.6-13.6	11	4.9	00.2-09.6
H.S. or G.E.D.	1408	927,734	915	58.8	52.9-64.7	307	27.6	22.3-32.9	10	2.9	00.0-06.2	78	4.0	02.2-05.8	71	3.9	02.5-05.3	27	2.9	00.4-05.4
Some Post-H.S.	1463	937,066	955	64.0	59.3-68.7	277	21.3	17.2-25.4	9	0.3	00.0-00.7	83	5.3	03.3-07.3	95	5.7	03.5-07.9	44	3.5	01.5-05.5
College Graduate	1605	1,532,113	1060	63.9	59.8-68.0	287	19.4	15.9-22.9	6	0.2	00.0-00.4	97	6.1	04.1-08.1	109	7.5	05.1-09.9	46	2.9	01.5-04.3
Less than \$15,000	481	241,483	262	48.3	39.1-57.5	143	34.9	25.3-44.5	5	1.3	00.0-03.5	26	5.2	01.9-08.5	29	4.6	01.7-07.5	16	5.6	00.0-11.3
\$15,000- 24,999	691	423,731	410	52.2	43.6-60.8	182	31.1	23.3-38.9	5	5.0	00.0-11.7	37	4.1	01.7-06.5	44	4.0	01.6-06.4	13	3.6	00.5-06.7
\$25,000- 34,999	465	263,047	287	61.3	52.5-70.1	110	27.2	19.0-35.4	2	0.5	00.0-01.5	32	4.7	02.0-07.4	23	4.8	01.3-08.3	11	1.6	00.0-03.2
\$35,000- 49,999	643	470,414	402	61.5	54.4-68.6	145	26.0	19.5-32.5	3	0.1	00.1-00.1	38	4.4	01.9-06.9	39	6.4	03.5-09.3	16	1.7	00.5-02.9
\$50,000- 74,999	832	584,474	562	64.5	58.2-70.8	144	17.0	12.5-21.5	2	0.0	00.0-00.0	46	7.8	03.9-11.7	55	6.0	02.9-09.1	23	4.6	01.3-07.9
\$75,000+	1437	1,382,521	1054	69.3	65.0-73.6	178	15.8	12.1-19.5	6	0.4	00.0-01.0	82	5.3	03.5-07.1	81	7.1	04.6-09.6	36	2.1	00.9-03.3

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 5: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR5)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawl, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2586	2,264,538	1704	62.9	59.2-66.6	541	22.8	19.5-26.1	20	1.4	00.0-02.8	174	5.5	03.9-07.1	89	4.4	02.8-06.0	58	2.9	01.5-04.3
White/Non-Hisp	1974	1,492,808	1370	69.0	65.1-72.9	351	18.7	15.4-22.0	13	0.6	00.0-01.4	133	5.4	03.8-07.0	62	4.0	02.4-05.6	45	2.4	01.2-03.6
Black or Afr. Am./Non-Hisp	197	225,000							5	2.8	00.0-06.3	13	8.4	01.3-15.5	11	8.3	00.0-16.9	3	5.3	00.0-12.2
Oth. Race/Non-Hisp.	71	94,669										3	2.9	00.0-07.6				2	3.9	00.0-11.3
MultiRacial/Non-Hisp.	61	22,518										7	5.6	00.0-11.7	2	0.7	00.0-01.7	2	1.3	00.0-03.7
Hispanic	236	399,680							2	4.2	00.0-11.1	11	3.5	00.0-07.6	10	2.9	00.0-06.0	6	3.9	00.0-08.6
18-24	145	201,669							4	2.7	00.0-06.6	5	2.1	00.0-04.6	2	0.6	00.0-01.4	4	2.8	00.0-06.7
25-34	391	337,485	210	51.1	41.7-60.5	117	29.7	21.9-37.5	2	4.2	00.0-12.0	22	5.3	01.6-09.0	30	7.1	02.2-12.0	10	2.6	00.1-05.1
35-44	704	758,028	457	63.6	57.1-70.1	149	20.0	14.7-25.3	7	1.3	00.0-02.9	36	5.3	02.6-08.0	33	5.5	03.0-08.0	22	4.2	01.3-07.1
45-54	924	812,820	684	74.4	68.7-80.1	133	13.3	09.2-17.4	5	0.3	00.1-00.5	61	5.8	03.1-08.5	23	3.9	00.8-07.0	18	2.4	00.4-04.4
55-64	422	154,537	309	76.9	69.3-84.5	56	11.4	06.3-16.5	2	0.2	00.0-00.6	50	9.9	03.8-16.0	1	1.3	00.0-03.8	4	0.3	00.0-00.7
Less Than H.S.	250	168,713							2	0.2	00.0-00.4	18	5.8	00.1-11.5	8	7.4	00.0-16.2	6	4.2	00.0-10.1
H.S. or G.E.D.	786	593,132	527	58.3	50.3-66.3	173	28.5	21.2-35.8	6	4.4	00.0-09.5	55	4.8	02.3-07.3	15	2.0	00.6-03.4	10	2.1	00.0-04.8
Some Post-H.S.	725	543,217	481	66.1	59.6-72.6	145	19.8	14.5-25.1	7	0.6	00.0-01.2	37	4.2	02.0-06.4	30	4.7	01.6-07.8	25	4.7	01.6-07.8
College Graduate	819	956,204	551	66.6	60.9-72.3	147	18.8	14.1-23.5	5	0.3	00.0-00.7	63	6.7	04.0-09.4	36	5.3	02.6-08.0	17	2.2	00.6-03.8
Less than \$15,000	205	117,878							4	2.8	00.0-07.1	15	6.4	00.5-12.3	2	0.4	00.0-01.0	4	5.5	00.0-15.5
\$15,000- 24,999	323	241,558										20	3.8	00.7-06.9	13	3.6	00.1-07.1	5	4.1	00.0-09.0
\$25,000- 34,999	230	144,418				59	24.5	14.7-34.3	1	0.9	00.0-02.7	19	4.8	01.1-08.5	5	4.7	00.0-10.2	6	1.8	00.0-04.3
\$35,000- 49,999	336	285,276	210	62.8	53.2-72.4	80	26.8	17.6-36.0	2	0.1	00.0-00.3	22	4.2	01.7-06.7	13	4.5	01.2-07.8	9	1.6	00.0-03.2
\$50,000- 74,999	430	379,430	293	64.5	55.7-73.3	76	16.3	10.6-22.0	1	0.0	00.0-00.0	34	10.5	04.8-16.2	16	3.9	00.0-07.8	10	4.9	00.0-09.8
\$75,000+	888	953,274	660	71.0	65.5-76.5	114	15.8	11.1-20.5	5	0.6	00.0-01.4	52	4.7	02.5-06.9	36	5.5	02.6-08.4	21	2.3	00.7-03.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 6: WHAT ARE YOU OR YOUR [IF FEMALE, INSERT `HUSBAND/PARTNER`, IF MALE, INSERT `WIFE/PARTNER`] DOING NOW TO KEEP [IF FEMALE, INSERT `YOU`, IF MALE, INSERT `HER`] FROM GETTING PREGNANT? (TYPCNTR5)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Surgical (01,02,03)			Drugs (04,06,07,08,09)			Condoms (05)			External Contraceptives (10,11,15)			Emergencies (12)			Withdrawl, Rhythm, No Sex (13,14)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	2367	1,388,952	1503	60.0	56.3-63.7	469	22.9	19.6-26.2	7	0.0	00.0-00.0	111	4.8	03.2-06.4	207	8.7	06.7-10.7	70	3.6	02.0-05.2
White/Non-Hisp	1698	857,309	1140	64.6	60.3-68.9	284	19.7	16.0-23.4	5	0.1	00.1-00.1	83	4.7	03.1-06.3	137	7.8	05.6-10.0	49	3.1	01.5-04.7
Black or Afr. Am./Non-Hisp	262	176,831				82	28.5	18.7-38.3				15	4.7	01.0-08.4	21	7.1	02.8-11.4	7	3.7	00.2-07.2
Hispanic	296	287,173				74	27.8	18.0-37.6	2	0.1	00.0-00.3	6	2.6	00.0-05.7	38	10.8	04.9-16.7	9	4.8	00.0-10.7
18-24	246	165,213										16	8.7	02.4-15.0	39	11.0	04.9-17.1	7	3.1	00.0-06.4
25-34	895	444,403	530	52.3	46.0-58.6	195	28.9	23.0-34.8	6	0.1	00.0-00.3	38	4.8	02.1-07.5	96	9.3	06.2-12.4	30	4.5	01.8-07.2
35-44	1204	769,357	870	69.0	64.1-73.9	176	16.0	11.9-20.1	1	0.0	00.0-00.0	54	4.0	02.4-05.6	71	7.9	05.0-10.8	32	3.1	00.7-05.5
Less Than H.S.	218	81,507										8	1.7	00.0-03.7	13	6.4	00.0-13.8	5	6.4	00.0-14.8
H.S. or G.E.D.	622	334,601	388	59.9	51.9-67.9	134	26.0	18.7-33.3	4	0.2	00.0-00.4	23	2.5	00.9-04.1	56	7.2	04.1-10.3	17	4.2	00.0-09.1
Some Post-H.S.	738	393,849	474	61.0	54.1-67.9	132	23.3	17.0-29.6	2	0.0	00.0-00.0	46	6.8	03.3-10.3	65	7.0	04.3-09.7	19	1.9	00.7-03.1
College Graduate	786	575,910	509	59.3	53.4-65.2	140	20.3	15.2-25.4	1	0.0	00.0-00.0	34	5.2	02.7-07.7	73	11.1	07.2-15.0	29	4.0	01.8-06.2
Less than \$15,000	276	123,605							1	0.0	00.0-00.0	11	4.1	00.4-07.8	27	8.7	03.2-14.2	12	5.7	00.0-11.4
\$15,000- 24,999	368	182,173	216	53.9	44.1-63.7	95	33.8	24.2-43.4	1	0.1	00.0-00.3	17	4.5	01.2-07.8	31	4.7	02.2-07.2	8	3.1	00.0-06.8
\$25,000- 34,999	235	118,630							1	0.0	00.0-00.0	13	4.5	00.6-08.4	18	4.9	01.0-08.8	5	1.2	00.0-02.8
\$35,000- 49,999	307	185,138	192	59.5	49.5-69.5	65	24.7	16.3-33.1	1	0.0	00.0-00.0	16	4.7	00.0-09.6	26	9.4	03.9-14.9	7	1.7	00.0-03.9
\$50,000- 74,999	402	205,044	269	64.6	56.4-72.8	68	18.4	11.7-25.1	1	0.1	00.0-00.3	12	2.9	00.2-05.6	39	9.8	04.9-14.7	13	4.2	01.1-07.3
\$75,000+	549	429,246	394	65.6	58.5-72.7	64	15.8	09.9-21.7	1	0.1	00.0-00.3	30	6.5	03.0-10.0	45	10.5	05.6-15.4	15	1.5	00.5-02.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 7: WHAT IS YOUR MAIN REASON FOR NOT DOING ANYTHING NOW TO KEEP [IF FEMALE, "YOU", IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (NOBCUSE3)

Denominator excludes: Respondents with do not know/refused/missing responses
Denominator excludes: Female respondents that report being 45 years of age or older
Denominator excludes: Female respondents that report being pregnant
Denominator excludes: Female respondents that report having had a hysterectomy
Denominator excludes: Male respondents that report being 60 years of age or older

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Inactive, no partner(01)			Want to get pregnant don't care about pregnancy (02,16,17)			Don't want to, can't pay for BC (03,04,05)			Surgical (09,10,11)			Physical (8,12,13,14)			Lapse Method or Other (06,07,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	1993	1,528,943	65	3.1	00.9-05.3	456	30.8	25.9-35.7	67	3.1	01.9-04.3	533	22.4	18.1-26.7	741	34.2	29.7-38.7	131	6.3	04.5-08.1
Male	1449	1,181,924	44	3.6	00.9-06.3	251	26.7	20.8-32.6	32	2.0	00.8-03.2	448	25.5	20.2-30.8	597	36.8	31.5-42.1	77	5.4	03.4-07.4
Female	544	347,019	21	1.5	00.1-02.9	205	45.0	37.2-52.8	35	6.7	03.0-10.4	85	11.7	06.8-16.6	144	25.6	18.5-32.7	54	9.5	05.8-13.2
White/Non-Hisp	1487	965,524	40	1.9	00.7-03.1	324	29.4	24.7-34.1	43	2.9	01.3-04.5	405	21.8	17.3-26.3	587	37.8	32.9-42.7	88	6.1	03.9-08.3
Black or Afr. Am./Non-Hisp	189	148,070	8	0.7	00.1-01.3				6	2.2	00.0-04.4							16	9.7	03.2-16.2
Oth. Race/Non-Hisp.	50	47,711	1	5.9	00.0-17.1				3	6.8	00.0-15.2							4	3.3	00.0-07.6
Hispanic	202	320,991	14	8.0	00.0-17.0				10	2.3	00.3-04.3							18	5.8	01.7-09.9
18-24	84	102,174	12	6.6	00.0-13.3															
25-34	336	263,717	10	0.7	00.1-01.3				24	3.8	00.7-06.9	40	5.6	02.7-08.5	54	16.8	09.0-24.6	22	6.4	02.9-09.9
35-44	521	452,256	12	5.2	00.0-11.5	175	40.7	32.3-49.1	25	4.0	01.6-06.4	118	22.1	14.5-29.7	140	21.0	14.7-27.3	51	7.0	03.7-10.3
45-54	557	537,779	14	1.1	00.0-02.3	43	10.3	05.2-15.4	8	1.5	00.0-03.1	218	34.4	25.6-43.2	244	47.2	38.4-56.0	30	5.4	02.5-08.3
55-64	465	161,881	15	5.0	00.0-10.1	8	1.0	00.0-02.4				155	26.0	18.9-33.1	271	64.3	56.1-72.5	16	3.7	01.0-06.4
Less Than H.S.	190	104,703	12	4.1	00.0-08.2				10	4.9	00.0-10.8							19	8.7	01.8-15.6
H.S. or G.E.D.	634	351,843	23	2.1	00.3-03.9	129	28.4	20.2-36.6	24	5.4	01.9-08.9	196	20.3	14.4-26.2	227	37.3	28.7-45.9	35	6.4	03.5-09.3
Some Post-H.S.	579	504,531	17	4.9	00.0-10.6				20	3.0	00.8-05.2	163	26.3	16.7-35.9	199	28.9	21.1-36.7	33	5.1	02.0-08.2
College Graduate	585	566,941	13	2.1	00.1-04.1	143	30.3	23.6-37.0	13	1.4	00.2-02.6	114	20.0	13.3-26.7	258	39.4	32.1-46.7	44	6.8	03.9-09.7
Less than \$15,000	201	94,688							16	4.6	00.1-09.1	51	11.8	04.9-18.7				17	6.3	00.8-11.8
\$15,000- 24,999	315	205,145	14	1.2	00.0-02.6				11	4.3	00.8-07.8	85	20.4	11.6-29.2				22	5.1	01.4-08.8
\$25,000- 34,999	202	137,754	5	2.8	00.0-06.7				4	2.4	00.0-05.3	58	14.5	06.1-22.9				16	10.3	02.9-17.7
\$35,000- 49,999	272	174,119	8	1.8	00.0-04.2				14	3.6	00.0-07.7	82	20.0	11.8-28.2				17	8.7	02.8-14.6
\$50,000- 74,999	311	226,500	7	1.5	00.0-03.1	72	26.6	16.6-36.6	8	2.3	00.0-04.7							21	7.4	01.7-13.1
\$75,000+	529	544,839	8	2.4	00.0-04.9	128	29.3	22.6-36.0	4	1.1	00.0-02.5	135	24.8	17.2-32.4	229	38.0	30.4-45.6	25	4.4	01.7-07.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 8: WHAT IS YOUR MAIN REASON FOR NOT DOING ANYTHING NOW TO KEEP [IF FEMALE, "YOU", IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (NOBCUSE3)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Inactive, no partner(01)			Want to get pregnant don't care about pregnancy (02,16,17)			Don't want to, can't use BC, can't pay for BC (03,04,05)			Surgical (09,10,11)			Physical (8,12,13,14)			Lapse Method or Other (06,07,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	1449	1,181,924	44	3.6	00.9-06.3	251	26.7	20.6-32.8	32	2.0	00.8-03.2	448	25.5	20.2-30.8	597	36.8	31.7-41.9	77	5.4	03.4-07.4
White/Non-Hisp	1127	769,789	29	2.0	00.4-03.6	175	24.5	19.4-29.6	21	1.9	00.5-03.3	358	25.2	19.9-30.5	485	40.4	34.7-46.1	59	5.9	03.4-08.4
Black or Afr. Am./Non-Hisp	112	91,219	4	0.6	00.0-01.4				1	0.5	00.0-01.7							7	7.2	00.0-14.5
Hispanic	125	259,263							5	2.2	00.0-04.6							5	3.5	00.0-07.4
25-34	151	149,051	5	1.1	00.0-02.3				12	4.2	00.0-09.3	12	3.8	00.3-07.3	20	8.7	02.0-15.4	8	4.0	00.5-07.5
35-44	244	267,006	4	7.9	00.0-18.3				9	3.1	00.6-05.6				56	17.3	09.9-24.7	20	6.2	01.5-10.9
45-54	557	537,779	14	1.1	00.0-02.3	43	10.3	05.2-15.4	8	1.5	00.0-03.1	218	34.4	25.6-43.2	244	47.2	38.4-56.0	30	5.4	02.7-08.1
55-64	465	161,881	15	5.0	00.0-10.1	8	1.0	00.0-02.4				155	26.0	18.9-33.1	271	64.3	56.1-72.5	16	3.7	01.0-06.4
Less Than H.S.	133	74,227	8	3.3	00.0-07.0				4	2.7	00.0-07.2							11	4.4	00.0-08.9
H.S. or G.E.D.	471	269,882	16	2.1	00.0-04.3	74	25.5	16.1-34.9	11	4.2	00.3-08.1	163	23.1	15.8-30.4	185	40.6	30.6-50.6	22	4.5	02.0-07.0
Some Post-H.S.	403	401,772	11	6.0	00.0-13.3				7	1.0	00.0-02.0				151	29.4	20.2-38.6	23	5.6	01.7-09.5
College Graduate	439	435,312	9	2.5	00.0-05.0	82	22.7	15.6-29.8	10	1.6	00.2-03.0	100	23.3	15.3-31.3	217	44.1	35.3-52.9	21	5.8	02.3-09.3
Less than \$15,000	137	69,464							5	4.8	00.0-10.5	41	13.7	04.7-22.7				9	4.1	00.0-08.2
\$15,000- 24,999	210	152,461	7	0.4	00.0-00.8				3	1.4	00.0-03.6							10	3.9	00.0-08.0
\$25,000- 34,999	136	99,784	3	3.3	00.0-08.8				3	2.4	00.0-06.1	42	12.8	03.6-22.0						
\$35,000- 49,999	194	137,091	3	1.7	00.0-04.6				11	4.1	00.0-09.4							8	5.5	00.0-11.6
\$50,000- 74,999	232	174,916	5	1.9	00.0-03.9				6	2.9	00.0-06.0							12	7.0	00.0-14.1
\$75,000+	448	457,701	7	2.8	00.0-05.7	86	23.0	16.1-29.9	4	1.3	00.0-03.1	128	28.7	20.1-37.3	206	40.5	31.7-49.3	17	3.7	01.0-06.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 9: WHAT IS YOUR MAIN REASON FOR NOT DOING ANYTHING NOW TO KEEP [IF FEMALE, "YOU", IF MALE, INSERT "HER"] FROM GETTING PREGNANT? (NOBCUSE3)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Inactive, no partner(01)			Want to get pregnant don't care about pregnancy (02,16,17)			Don't want to, can't pay for BC, can't use BC (03,04,05)			Surgical (09,10,11)			Physical (8,12,13,14)			Lapse Method or Other (06,07,15)		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	544	347,019	21	1.5	00.3-02.7	205	45.0	37.6-52.4	35	6.7	03.0-10.4	85	11.7	07.2-16.2	144	25.6	18.7-32.5	54	9.5	06.2-12.8
White/Non-Hisp	360	195,735	11	1.2	00.0-02.6	149	49.0	39.4-58.6	22	6.8	01.7-11.9	47	8.2	04.9-11.5	102	27.8	18.8-36.8	29	6.9	04.2-09.6
Black or Afr. Am./Non-Hisp	77	56,851	4	0.9	00.0-02.1				5	4.7	00.2-09.2	20	12.1	02.1-22.1						
Hispanic	77	61,727	5	3.6	00.0-09.1				5	2.6	00.0-05.7									
18-24	52	35,967	6	2.5	00.0-05.0										4	1.3	00.0-02.9			
25-34	185	114,666	5	0.3	00.0-00.7				12	3.4	00.7-06.1	28	8.0	03.1-12.9				14	9.6	04.1-15.1
35-44	277	185,250	8	1.2	00.0-02.6				16	5.3	01.2-09.4	55	16.9	08.9-24.9				31	8.1	04.2-12.0
Less Than H.S.	57	30,476	4	6.3	00.0-17.3															
H.S. or G.E.D.	163	81,961	7	2.2	00.0-05.3				13	9.5	00.9-18.1	33	11.3	04.2-18.4				13	12.7	04.5-20.9
Some Post-H.S.	176	102,759	6	0.8	00.0-01.6				13	11.1	02.1-20.1	25	11.6	04.7-18.5				10	3.2	00.0-07.3
College Graduate	146	131,630	4	0.7	00.0-01.7				3	0.7	00.0-01.9	14	9.2	00.0-18.4				23	10.1	05.4-14.8
Less than \$15,000	64	25,224							11	4.0	00.0-08.9	10	6.7	00.0-15.5						
\$15,000- 24,999	105	52,684	7	3.5	00.0-08.4													12	8.6	01.2-16.0
\$25,000- 34,999	66	37,970	2	1.5	00.0-04.2				1	2.5	01.5-03.5							3	6.0	00.0-13.1
\$35,000- 49,999	78	37,028	5	2.1	00.0-04.3				3	1.7	01.1-02.3	13	7.9	01.4-14.4						
\$50,000- 74,999	79	51,584	2	0.1	00.0-00.3				2	0.3	00.0-00.7							9	8.9	00.5-17.3
\$75,000+	81	87,139	1	0.1	00.0-00.3							7	4.4	00.7-08.1				8	8.0	00.0-16.0

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 10: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDF2)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You Do Not Want To Have One			LT 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
TOTAL	4196	3,379,161	2502	56.5	53.6-59.4	412	12.0	09.6-14.4	458	10.6	09.0-12.2	528	11.9	09.9-13.9	296	9.1	07.1-11.1
Male	2373	2,218,973	1593	60.2	56.1-64.3	201	12.2	08.9-15.5	206	8.4	06.4-10.4	213	9.9	07.5-12.3	160	9.3	06.8-11.8
Female	1823	1,160,188	909	49.4	45.1-53.7	211	11.7	09.0-14.4	252	14.8	11.9-17.7	315	15.5	12.6-18.4	136	8.6	05.9-11.3
White/Non-Hisp	2973	2,055,335	1870	60.8	57.5-64.1	277	9.8	07.8-11.8	313	10.0	08.0-12.0	343	11.3	09.1-13.5	170	8.2	06.0-10.4
Black or Afr. Am./Non-Hisp	450	388,743	235	51.9	43.1-60.7	43	10.8	05.1-16.5	45	8.4	04.7-12.1	78	15.1	09.4-20.8	49	13.8	07.9-19.7
Oth. Race/Non-Hisp.	108	140,033				14	8.0	01.1-14.9				10	8.0	01.5-14.5	6	6.1	00.0-12.8
MultiRacial/Non-Hisp.	93	63,035							10	9.9	02.1-17.7				10	6.0	00.3-11.7
Hispanic	516	687,424	252	47.1	38.5-55.7	57	17.2	08.0-26.4	74	12.7	08.0-17.4	79	12.5	07.2-17.8	54	10.5	05.0-16.0
18-24	472	463,259	49	8.7	04.8-12.6	35	10.8	02.2-19.4	65	10.2	05.5-14.9	164	27.4	20.0-34.8	159	42.9	33.7-52.1
25-34	1180	846,816	433	30.4	25.5-35.3	168	15.9	10.2-21.6	226	20.8	16.3-25.3	260	23.3	18.2-28.4	93	9.5	06.2-12.8
35-44	1334	1,194,673	922	68.4	63.7-73.1	168	14.2	10.3-18.1	140	9.9	07.2-12.6	74	5.5	03.3-07.7	30	1.9	00.5-03.3
45-54	733	691,401	642	89.7	85.8-93.6	38	6.8	03.3-10.3	18	1.9	00.3-03.5	26	1.3	00.5-02.1	9	0.3	00.0-00.7
55-64	477	183,012	456	94.4	90.5-98.3	3	1.5	00.0-04.0	9	1.7	00.1-03.3	4	0.6	00.0-01.4	5	1.8	00.0-04.2
Less Than H.S.	414	226,070				40	11.7	03.9-19.5	41	11.1	04.8-17.4	56	17.4	08.2-26.6			
H.S. or G.E.D.	1203	793,504	727	53.8	47.9-59.7	103	8.7	05.6-11.8	116	10.1	06.6-13.6	150	13.7	09.0-18.4	107	13.6	09.3-17.9
Some Post-H.S.	1180	917,726	672	48.5	42.2-54.8	127	18.3	11.2-25.4	124	9.1	06.6-11.6	165	12.5	09.2-15.8	92	11.6	07.3-15.9
College Graduate	1392	1,437,223	870	65.3	61.2-69.4	142	9.8	07.3-12.3	176	11.8	09.1-14.5	157	9.6	07.2-12.0	47	3.4	01.8-05.0
Less than \$15,000	449	258,261							43	11.5	05.4-17.6	66	13.5	06.2-20.8	53	13.5	07.0-20.0
\$15,000- 24,999	639	432,588	340	42.5	33.9-51.1	62	17.7	07.7-27.7	71	8.7	05.0-12.4	95	16.4	09.0-23.8	71	14.6	07.9-21.3
\$25,000- 34,999	423	274,968							53	12.3	06.2-18.4	57	11.0	05.7-16.3	22	8.3	03.2-13.4
\$35,000- 49,999	562	400,075	335	54.6	47.2-62.0	57	12.1	07.0-17.2	58	10.0	05.7-14.3	80	16.4	10.9-21.9	32	7.0	01.7-12.3
\$50,000- 74,999	665	493,098	413	61.9	55.0-68.8	56	9.1	05.4-12.8	82	11.6	07.1-16.1	89	12.3	07.6-17.0	25	5.1	02.2-08.0
\$75,000+	1080	1,220,054	733	65.9	61.0-70.8	114	9.6	07.1-12.1	112	10.0	07.3-12.7	77	7.2	04.8-09.6	44	7.3	03.8-10.8

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 11: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDF2)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You Do Not Want To Have One			LT 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	2373	2,218,973	1593	60.2	56.1-64.3	201	12.2	08.9-15.5	206	8.4	06.4-10.4	213	9.9	07.5-12.3	160	9.3	06.8-11.8
White/Non-Hisp	1730	1,365,420	1225	65.2	61.1-69.3	130	9.0	06.6-11.4	135	7.7	05.3-10.1	141	9.2	06.7-11.7	99	8.9	06.0-11.8
Black or Afr. Am./Non-Hisp	221	234,029				23	8.4	01.3-15.5	17	6.6	01.9-11.3	30	14.0	06.6-21.4	20	13.9	05.3-22.5
Oth. Race/Non-Hisp.	73	108,767				10	6.0	00.0-12.9				4	5.2	00.0-11.5	3	3.6	00.0-08.5
MultiRacial/Non-Hisp.	54	29,405													7	8.1	00.0-17.5
Hispanic	259	455,266							36	9.1	04.0-14.2	34	11.7	04.3-19.1	27	10.1	03.2-17.0
18-24	182	265,824	13	6.2	01.7-10.7				19	3.5	00.8-06.2	52	21.7	11.9-31.5			
25-34	429	415,355	138	24.9	17.5-32.3				91	20.1	13.2-27.0	89	25.7	16.9-34.5	38	9.9	04.6-15.2
35-44	552	663,380	344	63.6	56.3-70.9	76	15.3	09.0-21.6	69	11.7	07.6-15.8	42	7.0	03.7-10.3	21	2.3	00.3-04.3
45-54	733	691,401	642	89.7	85.8-93.6	38	6.8	03.3-10.3	18	1.9	00.3-03.5	26	1.3	00.5-02.1	9	0.3	00.0-00.7
55-64	477	183,012	456	94.4	90.5-98.3	3	1.5	00.0-04.0	9	1.7	00.1-03.3	4	0.6	00.0-01.4	5	1.8	00.0-04.2
Less Than H.S.	251	159,441							22	6.3	00.4-12.2						
H.S. or G.E.D.	718	515,824	493	56.1	48.5-63.7	51	9.8	05.5-14.1	54	8.1	04.0-12.2	65	12.6	06.5-18.7	55	13.4	07.9-18.9
Some Post-H.S.	617	592,476	393	48.4	39.8-57.0	62	22.0	12.0-32.0	51	6.3	03.4-09.2	59	10.0	05.9-14.1	52	13.3	07.4-19.2
College Graduate	782	949,404	559	73.1	68.2-78.0	68	7.2	04.7-09.7	79	10.3	07.0-13.6	54	6.6	03.9-09.3	22	2.8	00.8-04.8
Less than \$15,000	239	154,957							15	4.0	00.5-07.5				24	16.1	06.1-26.1
\$15,000- 24,999	335	276,811							32	6.6	02.3-10.9				35	13.6	04.6-22.6
\$25,000- 34,999	224	168,162							25	11.6	03.0-20.2	21	7.6	01.9-13.3	15	9.7	02.8-16.6
\$35,000- 49,999	309	240,872				29	14.6	07.0-22.2	26	9.1	03.2-15.0	37	14.5	07.8-21.2	17	9.1	00.9-17.3
\$50,000- 74,999	364	327,117	247	65.5	56.9-74.1	25	7.4	03.3-11.5	42	11.3	05.4-17.2	36	11.7	05.6-17.8	14	4.0	00.5-07.5
\$75,000+	718	881,679	536	72.2	66.5-77.9	68	7.6	04.9-10.3	55	8.0	04.9-11.1	31	4.3	01.9-06.7	28	7.8	03.5-12.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 7: FAMILY PLANNING**

TABLE 12: HOW DO YOU FEEL ABOUT HAVING A CHILD NOW OR SOMETIME IN THE FUTURE? WOULD YOU SAY: (FPCHLDF2)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		You Do Not Want To Have One			LT 12 months from now			12 months to less than 2 years from now			2 years to less than 5 years from now			5 or more years from now		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	1880	1,183,538	958	50.0	45.9-54.1	211	11.4	08.7-14.1	253	14.5	11.8-17.2	320	15.6	12.7-18.5	138	8.5	05.8-11.2
White/Non-Hisp	1277	701,923	675	52.3	47.2-57.4	147	11.3	08.0-14.6	179	14.2	10.9-17.5	203	15.4	11.5-19.3	73	6.7	04.0-09.4
Black or Afr. Am./Non-Hisp	237	158,278				20	14.0	05.2-22.8	28	10.9	04.8-17.0	51	18.0	09.6-26.4	29	13.2	06.3-20.1
Hispanic	261	236,336				30	6.2	02.1-10.3	38	19.4	10.4-28.4	45	13.8	07.5-20.1	27	11.1	02.5-19.7
18-24	290	197,434	36	12.1	05.0-19.2	24	6.5	02.0-11.0	46	19.1	09.7-28.5						
25-34	751	431,460	295	35.7	29.6-41.8	95	12.6	08.1-17.1	135	21.5	16.4-26.6	171	21.1	16.0-26.2	55	9.1	04.8-13.4
35-44	782	531,293	578	74.4	68.7-80.1	92	12.8	08.1-17.5	71	7.7	04.8-10.6	32	3.7	01.3-06.1	9	1.3	00.0-02.9
Less Than H.S.	165	68,518				20	9.5	00.9-18.1				21	8.0	01.1-14.9			
H.S. or G.E.D.	497	280,751	245	50.0	41.0-59.0	52	6.6	02.5-10.7	62	13.5	07.4-19.6	86	15.9	09.6-22.2	52	14.0	07.1-20.9
Some Post-H.S.	582	332,927	298	49.8	42.2-57.4	65	11.3	07.0-15.6	73	13.8	09.3-18.3	106	16.7	11.2-22.2	40	8.4	02.7-14.1
College Graduate	630	497,240	325	50.2	43.7-56.7	74	14.6	09.3-19.9	97	14.6	10.1-19.1	107	15.9	11.2-20.6	27	4.7	02.2-07.2
Less than \$15,000	213	103,813				25	8.3	01.8-14.8				46	17.0	07.6-26.4	29	9.5	03.4-15.6
\$15,000- 24,999	308	156,919				32	11.5	02.7-20.3	39	12.5	06.0-19.0	51	13.1	07.2-19.0	36	16.1	06.9-25.3
\$25,000- 34,999	205	109,687				26	12.5	03.7-21.3	28	13.0	06.1-19.9	37	17.4	07.8-27.0	7	5.9	00.0-13.7
\$35,000- 49,999	258	160,788				28	8.2	03.3-13.1	32	11.2	05.3-17.1	43	19.0	09.8-28.2	15	3.7	00.4-07.0
\$50,000- 74,999	305	167,612				31	12.2	04.6-19.8	40	12.1	06.2-18.0	53	13.4	06.3-20.5	11	7.2	01.5-12.9
\$75,000+	368	343,933	201	49.9	41.7-58.1	46	14.6	08.7-20.5	57	14.9	09.2-20.6	46	14.5	08.4-20.6	18	6.1	00.6-11.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010

MODULE 10: HIGH RISK/ HEALTH CARE WORKER CONTENTS

* NOTE *****

WHEN THE DENOMINATOR IS NOT BASED ON THE TOTAL POPULATION SURVEYED, THE TITLE CONTAINS A DESCRIPTION OF WHAT POPULATION IS EXCLUDED FROM THE DENOMINATOR. IF THE TITLE DOES NOT DESCRIBE THE DENOMINATOR, THE TABLE IS BASED ON ALL RESPONDENTS TO THE STATES SURVEY.

TABLE	PAGE
DO YOU CURRENTLY VOLUNTEER OR WORK IN A HOSPITAL, MEDICAL CLINIC, DOCTOR'S OFFICE, DENTIST'S OFFICE, NURSING HOME OR SOME OTHER HEALTH-CARE FACILITY? THIS INCLUDES PART-TIME AND UNPAID WORK IN A HEALTH CARE FACILITY AS WELL AS PROFESSIONAL NURSING CARE PROVIDED IN THE HOME. (WRKHCF1)	
1 MALES AND FEMALES	55
2 MALES ONLY	56
3 FEMALES ONLY	57
DO YOU PROVIDE DIRECT PATIENT CARE AS PART OF YOUR ROUTINE WORK? BY DIRECT PATIENT CARE WE MEAN PHYSICAL OR HANDS-ON CONTACT WITH PATIENTS. (DIRCONT1)	
4 MALES AND FEMALES	58
5 MALES ONLY	59
6 FEMALES ONLY	60
HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE... LUNG PROBLEMS, OTHER THAN ASTHMA, KIDNEY PROBLEMS, ANEMIA, INCLUDING SICKLE CELL, OR A WEAKENED IMMUNE SYSTEM CAUSED BY A CHRONIC ILLNESS OR BY MEDICINES, TAKEN FOR A CHRONIC ILLNESS? (DRHPAD1)	
7 MALES AND FEMALES	61
8 MALES ONLY	62
9 FEMALES ONLY	63
DO YOU STILL HAVE (THIS/ANY OF THESE) PROBLEM(S)? (HAVHPAD)	
10 MALES AND FEMALES	64
11 MALES ONLY	65
12 FEMALES ONLY	66

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

**TABLE 1: DO YOU CURRENTLY VOLUNTEER OR WORK IN A HOSPITAL, MEDICAL CLINIC, DOCTOR'S OFFICE, DENTIST'S OFFICE, NURSING HOME OR SOME OTHER HEALTH-CARE FACILITY?
THIS INCLUDES PART-TIME AND UNPAID WORK IN A HEALTH CARE FACILITY AS WELL AS PROFESSIONAL NURSING CARE PROVIDED IN THE HOME. (WRKHCF1)**

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)
TOTAL	32946	13,705,366	3267	11.5	10.7-12.3		29679	88.5	87.7-89.3
Male	12199	6,629,041	679	8.2	06.8-09.6		11520	91.8	90.4-93.2
Female	20747	7,076,325	2588	14.7	13.5-15.9		18159	85.3	84.1-86.5
White/Non-Hisp	27008	9,479,380	2570	10.4	09.6-11.2		24438	89.6	88.8-90.4
Black or Afr. Am./Non-Hisp	2417	1,367,703	326	15.1	11.8-18.4		2091	84.9	81.6-88.2
Oth. Race/Non-Hisp.	598	429,534	99	21.9	15.0-28.8		499	78.1	71.2-85.0
MultiRacial/Non-Hisp.	500	182,776	47	14.6	05.6-23.6		453	85.4	76.4-94.4
Hispanic	1783	2,019,488	160	11.7	08.2-15.2		1623	88.3	84.8-91.8
18-24	800	915,288	86	10.6	05.5-15.7		714	89.4	84.3-94.5
25-34	2126	1,466,539	317	16.3	13.2-19.4		1809	83.7	80.6-86.8
35-44	3384	2,540,013	505	12.9	10.7-15.1		2879	87.1	84.9-89.3
45-54	5451	3,529,337	671	13.1	11.1-15.1		4780	86.9	84.9-88.9
55-64	7432	2,025,173	767	11.2	09.6-12.8		6665	88.8	87.2-90.4
65+	13480	3,140,830	885	6.7	05.7-07.7		12595	93.3	92.3-94.3
Less Than H.S.	3303	994,979	112	4.3	02.3-06.3		3191	95.7	93.7-97.7
H.S. or G.E.D.	10585	3,600,748	727	7.6	06.2-09.0		9858	92.4	91.0-93.8
Some Post-H.S.	9374	3,900,414	1130	11.9	10.3-13.5		8244	88.1	86.5-89.7
College Graduate	9598	5,158,275	1295	15.6	14.0-17.2		8303	84.4	82.8-86.0
Less than \$15,000	4156	1,195,360	218	6.5	04.3-08.7		3938	93.5	91.3-95.7
\$15,000- 24,999	5840	1,980,068	444	8.6	06.1-11.1		5396	91.4	88.9-93.9
\$25,000- 34,999	3578	1,206,987	354	9.4	07.2-11.6		3224	90.6	88.4-92.8
\$35,000- 49,999	4370	1,712,661	491	14.2	11.7-16.7		3879	85.8	83.3-88.3
\$50,000- 74,999	4224	1,924,637	541	12.0	10.0-14.0		3683	88.0	86.0-90.0
\$75,000+	5901	3,832,791	853	15.8	13.8-17.8		5048	84.2	82.2-86.2

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

**TABLE 2: DO YOU CURRENTLY VOLUNTEER OR WORK IN A HOSPITAL, MEDICAL CLINIC, DOCTOR'S OFFICE, DENTIST'S OFFICE, NURSING HOME OR SOME OTHER HEALTH-CARE FACILITY?
THIS INCLUDES PART-TIME AND UNPAID WORK IN A HEALTH CARE FACILITY AS WELL AS PROFESSIONAL NURSING CARE PROVIDED IN THE HOME. (WRKHCF1)**

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes			N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)			%	C.I. (95%)
Male	12199	6,629,041	679	8.2	06.8-09.6		11520	91.8	90.4-93.2
White/Non-Hisp	10077	4,607,552	525	7.0	05.8-08.2		9552	93.0	91.8-94.2
Black or Afr. Am./Non-Hisp	734	574,123	47	8.1	03.6-12.6		687	91.9	87.4-96.4
Oth. Race/Non-Hisp.	273	246,535	31	17.8	09.2-26.4		242	82.2	73.6-90.8
Hispanic	641	1,002,220	44	10.9	05.2-16.6		597	89.1	83.4-94.8
18-24	352	547,650	20	9.7	02.1-17.3		332	90.3	82.7-97.9
25-34	723	732,506	55	10.1	05.8-14.4		668	89.9	85.6-94.2
35-44	1213	1,262,382	110	9.6	06.7-12.5		1103	90.4	87.5-93.3
45-54	2024	1,709,738	130	8.3	05.8-10.8		1894	91.7	89.2-94.2
55-64	2780	969,968	152	7.4	05.0-09.8		2628	92.6	90.2-95.0
65+	5043	1,379,105	203	5.5	03.9-07.1		4840	94.5	92.9-96.1
Less Than H.S.	1206	489,233	23	2.8	00.0-05.9		1183	97.2	94.1-0100
H.S. or G.E.D.	3647	1,696,713	101	4.7	02.5-06.9		3546	95.3	93.1-97.5
Some Post-H.S.	3186	1,786,869	163	7.3	04.6-10.0		3023	92.7	90.0-95.4
College Graduate	4120	2,629,301	392	12.1	09.9-14.3		3728	87.9	85.7-90.1
Less than \$15,000	1278	514,095	32	5.6	01.1-10.1		1246	94.4	89.9-98.9
\$15,000- 24,999	1970	891,851	65	5.0	00.7-09.3		1905	95.0	90.7-99.3
\$25,000- 34,999	1272	561,771	51	7.1	03.4-10.8		1221	92.9	89.2-96.6
\$35,000- 49,999	1747	787,525	90	8.6	05.1-12.1		1657	91.4	87.9-94.9
\$50,000- 74,999	1752	958,037	107	6.0	04.0-08.0		1645	94.0	92.0-96.0
\$75,000+	2867	2,187,857	275	12.1	09.6-14.6		2592	87.9	85.4-90.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

**TABLE 3: DO YOU CURRENTLY VOLUNTEER OR WORK IN A HOSPITAL, MEDICAL CLINIC, DOCTOR'S OFFICE, DENTIST'S OFFICE, NURSING HOME OR SOME OTHER HEALTH-CARE FACILITY?
THIS INCLUDES PART-TIME AND UNPAID WORK IN A HEALTH CARE FACILITY AS WELL AS PROFESSIONAL NURSING CARE PROVIDED IN THE HOME. (WRKHCF1)**

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	20747	7,076,325	2588	14.7	13.5-15.9	18159	85.3	84.1-86.5
White/Non-Hisp	16931	4,871,828	2045	13.8	12.6-15.0	14886	86.2	85.0-87.4
Black or Afr. Am./Non-Hisp	1683	793,580	279	20.1	15.6-24.6	1404	79.9	75.4-84.4
Hispanic	1142	1,017,268	116	12.6	08.5-16.7	1026	87.4	83.3-91.5
18-24	448	367,638	66	12.0	06.1-17.9	382	88.0	82.1-93.9
25-34	1403	734,033	262	22.4	18.3-26.5	1141	77.6	73.5-81.7
35-44	2171	1,277,631	395	16.2	13.3-19.1	1776	83.8	80.9-86.7
45-54	3427	1,819,599	541	17.7	14.8-20.6	2886	82.3	79.4-85.2
55-64	4652	1,055,206	615	14.7	12.7-16.7	4037	85.3	83.3-87.3
65+	8437	1,761,725	682	7.7	06.7-08.7	7755	92.3	91.3-93.3
Less Than H.S.	2097	505,746	89	5.7	03.0-08.4	2008	94.3	91.6-97.0
H.S. or G.E.D.	6938	1,904,036	626	10.1	08.1-12.1	6312	89.9	87.9-91.9
Some Post-H.S.	6188	2,113,545	967	15.7	13.7-17.7	5221	84.3	82.3-86.3
College Graduate	5478	2,528,974	903	19.1	16.7-21.5	4575	80.9	78.5-83.3
Less than \$15,000	2878	681,265	186	7.1	04.9-09.3	2692	92.9	90.7-95.1
\$15,000- 24,999	3870	1,088,217	379	11.6	08.7-14.5	3491	88.4	85.5-91.3
\$25,000- 34,999	2306	645,216	303	11.4	09.0-13.8	2003	88.6	86.2-91.0
\$35,000- 49,999	2623	925,136	401	19.1	15.4-22.8	2222	80.9	77.2-84.6
\$50,000- 74,999	2472	966,600	434	17.9	14.6-21.2	2038	82.1	78.8-85.4
\$75,000+	3034	1,644,934	578	20.8	17.9-23.7	2456	79.2	76.3-82.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

TABLE 4: DO YOU PROVIDE DIRECT PATIENT CARE AS PART OF YOUR ROUTINE WORK? BY DIRECT PATIENT CARE WE MEAN PHYSICAL OR HANDS-ON CONTACT WITH PATIENTS. (DIRCONT1)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	32786	13,675,187	2702	9.1	08.3-09.9	30084	90.9	90.1-91.7
Male	12132	6,618,853	640	6.3	05.3-07.3	11492	93.7	92.7-94.7
Female	20654	7,056,334	2062	11.7	10.7-12.7	18592	88.3	87.3-89.3
White/Non-Hisp	26889	9,448,081	2077	7.9	07.3-08.5	24812	92.1	91.5-92.7
Black or Afr. Am./Non-Hisp	2403	1,375,276	293	12.5	09.6-15.4	2110	87.5	84.6-90.4
Oth. Race/Non-Hisp.	594	429,024	85	19.0	12.3-25.7	509	81.0	74.3-87.7
MultiRacial/Non-Hisp.	498	182,211	41	5.3	00.8-09.8	457	94.7	90.2-99.2
Hispanic	1774	2,014,173	152	10.5	07.6-13.4	1622	89.5	86.6-92.4
18-24	798	922,531	78	6.5	03.6-09.4	720	93.5	90.6-96.4
25-34	2119	1,462,468	280	12.8	10.1-15.5	1839	87.2	84.5-89.9
35-44	3381	2,540,731	438	10.7	08.7-12.7	2943	89.3	87.3-91.3
45-54	5430	3,516,175	572	11.0	09.0-13.0	4858	89.0	87.0-91.0
55-64	7420	2,021,548	623	8.7	07.3-10.1	6797	91.3	89.9-92.7
65+	13366	3,123,775	688	4.9	04.1-05.7	12678	95.1	94.3-95.9
Less Than H.S.	3265	990,436	131	6.0	03.3-08.7	3134	94.0	91.3-96.7
H.S. or G.E.D.	10525	3,595,660	575	5.2	04.0-06.4	9950	94.8	93.6-96.0
Some Post-H.S.	9340	3,892,225	993	9.2	08.0-10.4	8347	90.8	89.6-92.0
College Graduate	9574	5,146,871	999	12.3	10.9-13.7	8575	87.7	86.3-89.1
Less than \$15,000	4115	1,185,130	224	5.6	03.8-07.4	3891	94.4	92.6-96.2
\$15,000- 24,999	5806	1,969,389	411	7.6	05.6-09.6	5395	92.4	90.4-94.4
\$25,000- 34,999	3565	1,207,097	303	7.4	05.6-09.2	3262	92.6	90.8-94.4
\$35,000- 49,999	4355	1,704,692	396	10.5	08.1-12.9	3959	89.5	87.1-91.9
\$50,000- 74,999	4216	1,919,340	437	10.1	08.1-12.1	3779	89.9	87.9-91.9
\$75,000+	5883	3,825,898	650	12.3	10.5-14.1	5233	87.7	85.9-89.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

TABLE 5: DO YOU PROVIDE DIRECT PATIENT CARE AS PART OF YOUR ROUTINE WORK? BY DIRECT PATIENT CARE WE MEAN PHYSICAL OR HANDS-ON CONTACT WITH PATIENTS. (DIRCONT1)
Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	12132	6,618,853	640	6.3	05.3-07.3	11492	93.7	92.7-94.7
White/Non-Hisp	10026	4,593,005	485	5.3	04.3-06.3	9541	94.7	93.7-95.7
Black or Afr. Am./Non-Hisp	731	582,397	58	7.9	03.6-12.2	673	92.1	87.8-96.4
Oth. Race/Non-Hisp.	270	246,272	27	15.1	06.9-23.3	243	84.9	76.7-93.1
MultiRacial/Non-Hisp.	204	81,483	10	1.5	00.0-03.1	194	98.5	96.9-0100
Hispanic	637	999,139	43	8.0	03.9-12.1	594	92.0	87.9-96.1
18-24	351	555,114	17	3.5	00.4-06.6	334	96.5	93.4-99.6
25-34	720	729,814	51	6.8	03.3-10.3	669	93.2	89.7-96.7
35-44	1209	1,261,719	109	7.7	05.2-10.2	1100	92.3	89.8-94.8
45-54	2014	1,702,379	130	7.4	04.9-09.9	1884	92.6	90.1-95.1
55-64	2770	967,901	137	6.8	04.4-09.2	2633	93.2	90.8-95.6
65+	5004	1,374,233	188	3.9	02.9-04.9	4816	96.1	95.1-97.1
Less Than H.S.	1188	486,882	35	5.6	01.1-10.1	1153	94.4	89.9-98.9
H.S. or G.E.D.	3625	1,699,514	107	3.1	01.3-04.9	3518	96.9	95.1-98.7
Some Post-H.S.	3173	1,781,440	180	5.0	03.4-06.6	2993	95.0	93.4-96.6
College Graduate	4108	2,624,780	316	9.4	07.6-11.2	3792	90.6	88.8-92.4
Less than \$15,000	1267	508,146	33	4.1	00.8-07.4	1234	95.9	92.6-99.2
\$15,000- 24,999	1952	885,834	69	3.5	01.3-05.7	1883	96.5	94.3-98.7
\$25,000- 34,999	1264	560,806	58	5.6	02.5-08.7	1206	94.4	91.3-97.5
\$35,000- 49,999	1740	784,478	92	6.7	03.4-10.0	1648	93.3	90.0-96.6
\$50,000- 74,999	1746	954,131	101	4.8	03.2-06.4	1645	95.2	93.6-96.8
\$75,000+	2856	2,184,397	231	9.9	07.5-12.3	2625	90.1	87.7-92.5

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

TABLE 6: DO YOU PROVIDE DIRECT PATIENT CARE AS PART OF YOUR ROUTINE WORK? BY DIRECT PATIENT CARE WE MEAN PHYSICAL OR HANDS-ON CONTACT WITH PATIENTS. (DIRCONT1)
Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	20654	7,056,334	2062	11.7	10.7-12.7	18592	88.3	87.3-89.3
White/Non-Hisp	16863	4,855,076	1592	10.4	09.4-11.4	15271	89.6	88.6-90.6
Black or Afr. Am./Non-Hisp	1672	792,879	235	15.8	11.9-19.7	1437	84.2	80.3-88.1
MultiRacial/Non-Hisp.	294	100,728	31	8.4	00.6-16.2	263	91.6	83.8-99.4
Hispanic	1137	1,015,034	109	12.9	08.6-17.2	1028	87.1	82.8-91.4
18-24	447	367,417	61	11.2	05.3-17.1	386	88.8	82.9-94.7
25-34	1399	732,654	229	18.7	14.8-22.6	1170	81.3	77.4-85.2
35-44	2172	1,279,012	329	13.7	11.0-16.4	1843	86.3	83.6-89.0
45-54	3416	1,813,795	442	14.3	11.6-17.0	2974	85.7	83.0-88.4
55-64	4650	1,053,646	486	10.4	08.8-12.0	4164	89.6	88.0-91.2
65+	8362	1,749,542	500	5.6	04.6-06.6	7862	94.4	93.4-95.4
Less Than H.S.	2077	503,554	96	6.3	03.6-09.0	1981	93.7	91.0-96.4
H.S. or G.E.D.	6900	1,896,147	468	7.1	05.5-08.7	6432	92.9	91.3-94.5
Some Post-H.S.	6167	2,110,786	813	12.7	10.9-14.5	5354	87.3	85.5-89.1
College Graduate	5466	2,522,091	683	15.2	13.0-17.4	4783	84.8	82.6-87.0
Less than \$15,000	2848	676,984	191	6.8	04.8-08.8	2657	93.2	91.2-95.2
\$15,000- 24,999	3854	1,083,554	342	11.0	08.1-13.9	3512	89.0	86.1-91.9
\$25,000- 34,999	2301	646,290	245	9.0	06.8-11.2	2056	91.0	88.8-93.2
\$35,000- 49,999	2615	920,214	304	13.7	10.2-17.2	2311	86.3	82.8-89.8
\$50,000- 74,999	2470	965,209	336	15.4	12.1-18.7	2134	84.6	81.3-87.9
\$75,000+	3027	1,641,501	419	15.4	12.9-17.9	2608	84.6	82.1-87.1

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

TABLE 7: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE... LUNG PROBLEMS, OTHER THAN ASTHMA, KIDNEY PROBLEMS, ANEMIA, INCLUDING SICKLE CELL, OR A WEAKENED IMMUNE SYSTEM CAUSED BY A CHRONIC ILLNESS OR BY MEDICINES, TAKEN FOR A CHRONIC ILLNESS? (DRHPAD1)

Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	32730	13,637,694	4904	10.9	10.1-11.7	27826	89.1	88.3-89.9
Male	12111	6,593,024	1506	8.1	07.1-09.1	10605	91.9	90.9-92.9
Female	20619	7,044,670	3398	13.6	12.6-14.6	17221	86.4	85.4-87.4
White/Non-Hisp	26826	9,428,229	4152	12.0	11.2-12.8	22674	88.0	87.2-88.8
Black or Afr. Am./Non-Hisp	2406	1,373,363	277	10.1	07.2-13.0	2129	89.9	87.0-92.8
Oth. Race/Non-Hisp.	593	424,158	99	5.2	03.0-07.4	494	94.8	92.6-97.0
MultiRacial/Non-Hisp.	498	182,625	108	11.1	05.6-16.6	390	88.9	83.4-94.4
Hispanic	1772	2,004,171	186	7.9	05.5-10.3	1586	92.1	89.7-94.5
18-24	795	918,161	52	9.0	04.3-13.7	743	91.0	86.3-95.7
25-34	2117	1,457,948	181	6.0	04.4-07.6	1936	94.0	92.4-95.6
35-44	3368	2,529,966	332	7.5	05.9-09.1	3036	92.5	90.9-94.1
45-54	5418	3,509,937	741	9.7	08.1-11.3	4677	90.3	88.7-91.9
55-64	7395	2,014,063	1213	13.6	11.8-15.4	6182	86.4	84.6-88.2
65+	13364	3,119,441	2355	16.1	14.7-17.5	11009	83.9	82.5-85.3
Less Than H.S.	3270	989,113	667	12.5	09.6-15.4	2603	87.5	84.6-90.4
H.S. or G.E.D.	10488	3,591,471	1588	12.3	10.7-13.9	8900	87.7	86.1-89.3
Some Post-H.S.	9332	3,872,720	1485	11.1	09.7-12.5	7847	88.9	87.5-90.3
College Graduate	9556	5,135,288	1157	9.6	08.4-10.8	8399	90.4	89.2-91.6
Less than \$15,000	4108	1,179,496	989	18.1	15.4-20.8	3119	81.9	79.2-84.6
\$15,000- 24,999	5795	1,969,740	1048	14.3	12.3-16.3	4747	85.7	83.7-87.7
\$25,000- 34,999	3552	1,188,574	487	9.8	07.8-11.8	3065	90.2	88.2-92.2
\$35,000- 49,999	4350	1,707,859	582	11.1	09.1-13.1	3768	88.9	86.9-90.9
\$50,000- 74,999	4205	1,914,120	517	9.1	07.3-10.9	3688	90.9	89.1-92.7
\$75,000+	5887	3,824,829	537	7.5	06.1-08.9	5350	92.5	91.1-93.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

TABLE 8: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE... LUNG PROBLEMS, OTHER THAN ASTHMA, KIDNEY PROBLEMS, ANEMIA, INCLUDING SICKLE CELL, OR A WEAKENED IMMUNE SYSTEM CAUSED BY A CHRONIC ILLNESS OR BY MEDICINES, TAKEN FOR A CHRONIC ILLNESS? (DRHPAD1)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Male	12111	6,593,024	1506	8.1	07.1-09.1	10605	91.9	90.9-92.9
White/Non-Hisp	10007	4,582,687	1299	9.1	07.9-10.3	8708	90.9	89.7-92.1
Black or Afr. Am./Non-Hisp	732	582,438	51	6.2	01.5-10.9	681	93.8	89.1-98.5
Oth. Race/Non-Hisp.	268	241,229	38	2.6	01.0-04.2	230	97.4	95.8-99.0
MultiRacial/Non-Hisp.	202	81,450	38	6.2	02.7-09.7	164	93.8	90.3-97.3
Hispanic	635	989,563	51	5.7	02.6-08.8	584	94.3	91.2-97.4
18-24	351	555,149	13	5.1	00.0-10.8	338	94.9	89.2-0100
25-34	718	723,631	31	3.4	01.4-05.4	687	96.6	94.6-98.6
35-44	1206	1,253,134	61	3.6	01.8-05.4	1145	96.4	94.6-98.2
45-54	2008	1,700,384	196	6.2	04.2-08.2	1812	93.8	91.8-95.8
55-64	2765	963,805	393	11.4	09.0-13.8	2372	88.6	86.2-91.0
65+	4999	1,369,229	808	15.8	13.4-18.2	4191	84.2	81.8-86.6
Less Than H.S.	1191	486,085	184	9.6	04.9-14.3	1007	90.4	85.7-95.1
H.S. or G.E.D.	3615	1,695,822	474	9.5	07.3-11.7	3141	90.5	88.3-92.7
Some Post-H.S.	3170	1,772,632	419	8.1	06.1-10.1	2751	91.9	89.9-93.9
College Graduate	4096	2,612,047	427	6.8	05.4-08.2	3669	93.2	91.8-94.6
Less than \$15,000	1259	502,590	280	17.1	12.4-21.8	979	82.9	78.2-87.6
\$15,000- 24,999	1954	886,707	292	9.1	06.9-11.3	1662	90.9	88.7-93.1
\$25,000- 34,999	1259	547,612	167	7.6	05.2-10.0	1092	92.4	90.0-94.8
\$35,000- 49,999	1737	783,188	199	7.6	05.2-10.0	1538	92.4	90.0-94.8
\$50,000- 74,999	1741	952,101	197	8.7	05.8-11.6	1544	91.3	88.4-94.2
\$75,000+	2859	2,184,250	220	4.5	03.3-05.7	2639	95.5	94.3-96.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

TABLE 9: HAS A DOCTOR, NURSE, OR OTHER HEALTH PROFESSIONAL EVER SAID THAT YOU HAVE... LUNG PROBLEMS, OTHER THAN ASTHMA, KIDNEY PROBLEMS, ANEMIA, INCLUDING SICKLE CELL, OR A WEAKENED IMMUNE SYSTEM CAUSED BY A CHRONIC ILLNESS OR BY MEDICINES, TAKEN FOR A CHRONIC ILLNESS? (DRHPAD1)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Female	20619	7,044,670	3398	13.6	12.6-14.6	17221	86.4	85.4-87.4
White/Non-Hisp	16819	4,845,542	2853	14.6	13.4-15.8	13966	85.4	84.2-86.6
Black or Afr. Am./Non-Hisp	1674	790,926	226	13.0	09.3-16.7	1448	87.0	83.3-90.7
Oth. Race/Non-Hisp.	325	182,929	61	8.7	04.2-13.2	264	91.3	86.8-95.8
MultiRacial/Non-Hisp.	296	101,174	70	15.0	05.6-24.4	226	85.0	75.6-94.4
Hispanic	1137	1,014,608	135	10.0	06.7-13.3	1002	90.0	86.7-93.3
18-24	444	363,011	39	14.9	07.1-22.7	405	85.1	77.3-92.9
25-34	1399	734,317	150	8.5	06.0-11.0	1249	91.5	89.0-94.0
35-44	2162	1,276,832	271	11.4	08.9-13.9	1891	88.6	86.1-91.1
45-54	3410	1,809,553	545	13.0	10.5-15.5	2865	87.0	84.5-89.5
55-64	4630	1,050,258	820	15.7	13.3-18.1	3810	84.3	81.9-86.7
65+	8365	1,750,213	1547	16.4	14.8-18.0	6818	83.6	82.0-85.2
Less Than H.S.	2079	503,027	483	15.3	11.6-19.0	1596	84.7	81.0-88.4
H.S. or G.E.D.	6873	1,895,649	1114	14.8	12.6-17.0	5759	85.2	83.0-87.4
Some Post-H.S.	6162	2,100,088	1066	13.6	11.8-15.4	5096	86.4	84.6-88.2
College Graduate	5460	2,523,242	730	12.4	10.4-14.4	4730	87.6	85.6-89.6
Less than \$15,000	2849	676,906	709	18.9	15.4-22.4	2140	81.1	77.6-84.6
\$15,000- 24,999	3841	1,083,034	756	18.6	15.7-21.5	3085	81.4	78.5-84.3
\$25,000- 34,999	2293	640,962	320	11.7	08.6-14.8	1973	88.3	85.2-91.4
\$35,000- 49,999	2613	924,671	383	14.1	11.4-16.8	2230	85.9	83.2-88.6
\$50,000- 74,999	2464	962,018	320	9.4	07.2-11.6	2144	90.6	88.4-92.8
\$75,000+	3028	1,640,580	317	11.6	09.1-14.1	2711	88.4	85.9-90.9

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER
TABLE 10 DO YOU STILL HAVE (THIS/ANY OF THESE) PROBLEM(S)? (HAVHPAD)
Denominator excludes: Respondents with do not know/refused/missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
TOTAL	4751	1,440,429	3709	73.8	70.7-76.9	1042	26.2	23.1-29.3
Male	1462	511,823	1164	77.7	72.2-83.2	298	22.3	16.8-27.8
Female	3289	928,605	2545	71.7	67.8-75.6	744	28.3	24.4-32.2
White/Non-Hisp	4031	1,085,782	3130	72.9	69.4-76.4	901	27.1	23.6-30.6
Black or Afr. Am./Non-Hisp	265	136,037	221	80.9	71.3-90.5	44	19.1	09.5-28.7
Oth. Race/Non-Hisp.	97	21,735	85	88.7	78.9-98.5	12	11.3	01.5-21.1
35-44	323	187,352	234	72.1	62.5-81.7	89	27.9	18.3-37.5
45-54	714	330,377	548	67.1	58.3-75.9	166	32.9	24.1-41.7
55-64	1188	270,812	954	77.5	72.4-82.6	234	22.5	17.4-27.6
65+	2285	488,779	1797	76.5	73.0-80.0	488	23.5	20.0-27.0
Less Than H.S.	646	119,677	549	81.7	72.9-90.5	97	18.3	09.5-27.1
H.S. or G.E.D.	1550	428,558	1236	76.6	70.7-82.5	314	23.4	17.5-29.3
Some Post-H.S.	1435	413,784	1121	74.2	68.5-79.9	314	25.8	20.1-31.5
College Graduate	1113	477,498	799	69.1	63.0-75.2	314	30.9	24.8-37.0
Less than \$15,000	972	204,084	827	84.8	79.5-90.1	145	15.2	09.9-20.5
\$15,000- 24,999	1015	276,458	830	80.2	74.9-85.5	185	19.8	14.5-25.1
\$25,000- 34,999	475	112,887	378	76.7	68.5-84.9	97	23.3	15.1-31.5
\$35,000- 49,999	566	181,279	436	71.2	61.8-80.6	130	28.8	19.4-38.2
\$50,000- 74,999	503	170,287	365	70.5	61.3-79.7	138	29.5	20.3-38.7
\$75,000+	518	280,002	332	62.7	54.3-71.1	186	37.3	28.9-45.7

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
 Rows with less than 50 observations have been suppressed.
 Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

TABLE 11: DO YOU STILL HAVE (THIS/ANY OF THESE) PROBLEM(S)? (HAVHPAD)

Denominator excludes: Respondents who are female or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		N	Yes		N	No	
	TOTAL	WEIGHTED		%	C.I. (95%)		%	C.I. (95%)
Male	1462	511,823	1164	77.7	72.4-83.0	298	22.3	17.0-27.6
White/Non-Hisp	1260	399,561	996	74.9	68.6-81.2	264	25.1	18.8-31.4
55-64	385	108,346	317	78.3	70.9-85.7	68	21.7	14.3-29.1
65+	785	209,880	627	80.2	74.5-85.9	158	19.8	14.1-25.5
College Graduate	413	171,201	312	77.3	70.2-84.4	101	22.7	15.6-29.8
Less than \$15,000	275	84,457	239	84.3	75.7-92.9	36	15.7	07.1-24.3
\$15,000- 24,999	287	79,401	246	86.8	79.7-93.9	41	13.2	06.1-20.3
\$25,000- 34,999	161	38,715	128	81.8	72.4-91.2	33	18.2	08.8-27.6

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.

Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010
MODULE 10: HIGH RISK/ HEALTH CARE WORKER**

TABLE 12: DO YOU STILL HAVE (THIS/ANY OF THESE) PROBLEM(S)? (HAVHPAD)

Denominator excludes: Respondents who are male or respondents with do not know/refused or with missing responses

DEMOGRAPHIC GROUPS	RESPONDENT NUMBER		Yes			No		
	TOTAL	WEIGHTED	N	%	C.I. (95%)	N	%	C.I. (95%)
Female	3289	928,605	2545	71.7	67.8-75.6	744	28.3	24.4-32.2
White/Non-Hisp	2771	686,221	2134	71.8	67.7-75.9	637	28.2	24.1-32.3
Oth. Race/Non-Hisp.	59	15,385	52	91.0	81.6-0100	7	9.0	00.0-18.4
55-64	803	162,466	637	77.0	70.3-83.7	166	23.0	16.3-29.7
65+	1500	278,899	1170	73.8	69.3-78.3	330	26.2	21.7-30.7
H.S. or G.E.D.	1090	271,667	866	76.9	69.8-84.0	224	23.1	16.0-30.2
Some Post-H.S.	1027	274,532	793	71.6	65.5-77.7	234	28.4	22.3-34.5
College Graduate	700	306,297	487	64.5	56.3-72.7	213	35.5	27.3-43.7
Less than \$15,000	697	119,627	588	85.1	78.0-92.2	109	14.9	07.8-22.0
\$15,000- 24,999	728	197,057	584	77.5	70.6-84.4	144	22.5	15.6-29.4

NOTE:

'% = Percentage, C.I.(95%) = Confidence Interval (at 95 percent probability level). Percentages are weighted to population characteristics.
Rows with less than 50 observations have been suppressed.
Cells that contain a confidence interval with a half-width of greater than 10 have been suppressed.'

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM
FLORIDA MODULE QUESTIONS DATA REPORT, 2010**

End of Module Data Report