

2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Charlie Crist
Governor

Ana M. Viamonte Ros, M.D., M.P.H.
State Surgeon General

**2007 Florida BRFSS Data Report
Table of Contents**

Introduction	i
Air Quality	1
Alcohol Consumption	1
Antibiotic Resistance	2
Arthritis	3
Asthma	4
Cancer Screening	5
Cardiovascular Disease	9
Cholesterol Awareness	10
Dental Care	11
Diabetes	12
Disability	16
Folic Acid	17
Gastrointestinal Disease	18
Health Care Access & Coverage	19
Health Status & Quality of Life	21
HIV/AIDS	25
Hypertension Awareness & Control	26
Immunization	28
Overweight & Obesity	32
Physical Activity & Nutrition	35
Sexual Violence	37
Tobacco Use & Exposure	38
Glossary	Appendix I
Healthy People 2010 Objectives	Appendix II

Hamilton

Completed Surveys: 512

County Adult Population: 11,591

The Florida Department of Health is pleased to release the 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The 2007 county-level BRFSS is the first since the initial county-level effort in 2002. The 2007 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county-developed questions and increase sample sizes. In addition, 2007 county-level questionnaires included all of the questions asked on a state level, unlike 2002 in which an abbreviated questionnaire was administered.

Over 39,000 interviews were completed in the 2007 calendar year, with a target sample size of 500 completed surveys in each county. Three counties provided funding to increase overall sample sizes: Duval, Highlands, and Sarasota. Through funding from the Hispanic Obesity Prevention Education Program (HOPE), larger samples of Hispanic populations were possible in eight counties: Collier, DeSoto, Hardee, Hendry, Miami-Dade, Okeechobee, Orange, and Osceola. Five counties provided county-added questions: Clay, Collier, Duval, Monroe, and Orange.

The 2007 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

These data can be used to: (1) determine priority health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2002 county-level survey are included for comparison purposes. Due to updated methods from the Centers for Disease Control and Prevention, some point estimates included in the 2002 BRFSS report may be slightly different than the 2002 measures in this report. The methods used to calculate the 2002 point estimates were updated to provide the best comparison between the two years. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology, Chronic Disease Epidemiology Section at (850) 245-4401.

Air Quality

Percentage of adults who reduced or changed outdoor activity because the air quality was bad

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	35.3	29.3	41.8	19.2 *	18.2	20.3	
SEX	Men	32.4	24.0	42.1	16.7 *	15.1	18.4	
	Women	39.8	32.8	47.3	21.6 *	20.3	23.0	
RACE/ETHNICITY	Non-Hisp. White	38.6	31.2	46.6	20.4 *	19.2	21.5	
	Non-Hisp. Black	29.0	17.9	43.4	17.2	14.2	20.7	
	Hispanic				16.0	13.2	19.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.8	25.6	47.5	17.4 *	15.7	19.4	
	Non-Hisp. White Women	43.7	35.2	52.5	23.2 *	21.8	24.6	
	Non-Hisp. Black Men				11.8	8.5	16.0	
	Non-Hisp. Black Women	35.2	21.5	52.0	20.5	16.3	25.5	
	Hispanic Men				16.3	12.1	21.6	
	Hispanic Women				15.7	12.1	20.0	
AGE GROUP	18-44	37.1	27.7	47.6	20.1 *	18.2	22.1	
	45-64	33.6	25.8	42.5	21.0 *	19.6	22.6	
	65 & Older	31.4	22.7	41.5	14.8 *	13.6	16.2	
EDUCATION LEVEL	<High School	34.6	21.4	50.6	18.8	15.5	22.5	
	H.S./GED	32.3	23.2	43.0	18.5 *	16.4	20.7	
	>High School	39.1	30.1	48.8	19.7 *	18.4	21.0	
ANNUAL INCOME	<\$25,000	30.5	22.1	40.6	22.4	20.0	25.0	
	\$25,000-\$49,999	39.1	27.8	51.8	19.2 *	17.3	21.2	
	\$50,000 or More	39.0	27.3	52.1	18.0 *	16.5	19.6	
MARITAL STATUS	Married/Couple	37.9	30.1	46.3	19.4 *	18.2	20.7	
	Not Married/Couple	31.7	22.7	42.3	19.0 *	17.2	20.9	

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	14.2	9.8	20.0	16.2	15.3	17.2	10.4
SEX	Men	18.1	11.9	26.6	20.3	18.8	22.0	19.7
	Women	8.1	3.6	17.1	12.4	11.3	13.5	3.9
RACE/ETHNICITY	Non-Hisp. White	13.1	8.5	19.7	17.9	16.9	19.0	15.1
	Non-Hisp. Black	20.6	9.9	37.8	10.9	8.2	14.3	3.8 *
	Hispanic				14.3	11.6	17.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.7	10.7	27.7	21.5	19.8	23.3	
	Non-Hisp. White Women	5.2	2.5	10.4	14.5 *	13.3	15.7	
	Non-Hisp. Black Men	26.5	11.6	49.7	13.5	9.4	19.1	
	Non-Hisp. Black Women	13.1	2.5	46.9	9.2	5.9	13.9	22.3
	Hispanic Men				20.1	15.5	25.6	5.8
	Hispanic Women				8.6	6.0	12.2	8.6
AGE GROUP	18-44	18.2	11.6	27.3	21.6	19.8	23.5	18.6
	45-64	12.9	6.3	24.5	14.6	13.5	15.8	4.6
	65 & Older	2.1	0.6	7.0	7.7	6.9	8.7	5.0
EDUCATION LEVEL	<High School	10.1	3.7	24.4	13.6	10.9	16.8	14.8
	H.S./GED	14.3	8.4	23.3	15.8	14.1	17.7	9.5
	>High School	16.3	8.9	27.8	16.8	15.6	18.1	9.6
ANNUAL INCOME	<\$25,000	10.2	4.9	19.8	14.2	12.0	16.8	7.0
	\$25,000-\$49,999	16.1	8.8	27.6	14.7	13.1	16.5	10.9
	\$50,000 or More	13.6	6.7	25.7	19.9	18.4	21.4	21.5
MARITAL STATUS	Married/Couple	14.0	8.6	22.1	15.2	14.1	16.4	10.1
	Not Married/Couple	15.2	8.8	25.0	17.9	16.2	19.7	10.7

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Antibiotic Resistance

Percentage of adults who have heard of antibiotic resistant infections

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	45.8	39.5	52.2	58.3 *	57.1	59.6	
SEX	Men	42.4	33.4	51.9	57.4 *	55.4	59.4	
	Women	50.9	43.3	58.4	59.2	57.6	60.7	
RACE/ETHNICITY	Non-Hisp. White	55.2	47.1	63.0	63.3	62.1	64.6	
	Non-Hisp. Black	32.7	21.6	46.3	42.3	38.0	46.7	
	Hispanic				49.0	45.1	52.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	50.8	39.5	62.0	63.6	61.6	65.5	
	Non-Hisp. White Women	62.8	54.0	70.9	63.1	61.5	64.7	
	Non-Hisp. Black Men				38.1	31.2	45.6	
	Non-Hisp. Black Women	32.6	20.1	48.3	45.0	39.8	50.4	
	Hispanic Men				43.4	37.4	49.6	
	Hispanic Women				54.6	49.8	59.4	
AGE GROUP	18-44	44.1	34.3	54.5	55.6	53.3	57.9	
	45-64	48.3	39.0	57.6	67.2 *	65.5	68.9	
	65 & Older	46.8	37.1	56.8	51.0	49.2	52.8	
EDUCATION LEVEL	<High School	18.2	11.0	28.7	33.3 *	29.7	37.0	
	H.S./GED	38.5	29.4	48.5	45.9	43.5	48.3	
	>High School	67.9	57.1	77.1	67.7	66.3	69.2	
ANNUAL INCOME	<\$25,000	34.9	26.0	44.9	46.3	43.5	49.1	
	\$25,000-\$49,999	51.7	39.3	63.9	55.1	52.7	57.5	
	\$50,000 or More	59.2	46.4	70.9	68.3	66.3	70.2	
MARITAL STATUS	Married/Couple	48.2	39.9	56.6	62.3 *	60.8	63.8	
	Not Married/Couple	41.4	32.2	51.3	51.3	49.1	53.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who have been told they have some form of arthritis

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	28.0	23.2	33.3	24.3	23.4	25.2	
SEX	Men	25.9	19.3	33.7	20.8	19.5	22.1	
	Women	31.2	25.3	37.8	27.6	26.4	28.8	
RACE/ETHNICITY	Non-Hisp. White	30.6	24.6	37.3	27.5	26.5	28.5	
	Non-Hisp. Black	22.4	14.2	33.6	20.4	17.5	23.6	
	Hispanic				15.0	12.8	17.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	28.3	20.3	37.9	23.7	22.3	25.2	
	Non-Hisp. White Women	34.5	27.1	42.7	31.2	29.9	32.5	
	Non-Hisp. Black Men	17.5	7.3	36.5	17.6	13.2	23.0	
	Non-Hisp. Black Women	28.2	17.4	42.3	22.2	18.6	26.3	
	Hispanic Men				11.5	8.6	15.1	
	Hispanic Women				18.5	15.3	22.2	
AGE GROUP	18-44	17.5	11.5	25.8	8.9 *	7.9	10.1	
	45-64	34.9	27.3	43.4	29.7	28.2	31.3	
	65 & Older	50.7	41.0	60.4	47.6	45.8	49.3	
EDUCATION LEVEL	<High School	29.4	18.5	43.2	29.5	26.4	32.9	
	H.S./GED	24.8	18.4	32.6	25.2	23.5	27.0	
	>High School	31.1	23.4	40.1	23.1	22.0	24.2	
ANNUAL INCOME	<\$25,000	37.6	28.5	47.7	31.0	28.8	33.2	
	\$25,000-\$49,999	25.6	17.9	35.1	25.4	23.7	27.2	
	\$50,000 or More	18.9	12.1	28.4	18.7	17.5	20.0	
MARITAL STATUS	Married/Couple	23.5	18.0	30.2	23.3	22.2	24.4	
	Not Married/Couple	32.1	24.6	40.6	26.0	24.5	27.6	

Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	13.8	10.5	17.9	12.5	11.8	13.2	
SEX	Men	14.9	10.1	21.5	10.4	9.5	11.4	
	Women	12.1	8.9	16.2	14.4	13.5	15.4	
RACE/ETHNICITY	Non-Hisp. White	16.2	11.8	22.0	13.2	12.5	14.0	
	Non-Hisp. Black	10.7	5.8	18.9	11.9	9.7	14.4	
	Hispanic				8.9	7.2	11.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.9	11.5	26.8	11.3	10.4	12.4	
	Non-Hisp. White Women	13.4	9.3	18.9	15.1	14.1	16.1	
	Non-Hisp. Black Men	9.6	3.4	24.3	8.4	5.8	11.9	
	Non-Hisp. Black Women	12.1	6.4	21.9	14.2	11.3	17.8	
	Hispanic Men				7.1	4.8	10.4	
	Hispanic Women				10.7	8.4	13.6	
AGE GROUP	18-44	6.5	3.3	12.4	5.7	4.9	6.6	
	45-64	23.0	16.3	31.5	17.2	16.0	18.6	
	65 & Older	20.7	13.9	29.6	19.4	18.1	20.9	
EDUCATION LEVEL	<High School	15.4	8.9	25.2	19.2	16.6	22.0	
	H.S./GED	12.2	7.4	19.5	13.2	11.9	14.6	
	>High School	14.9	10.1	21.6	11.1	10.4	11.9	
ANNUAL INCOME	<\$25,000	23.0	15.9	32.2	21.0	19.3	22.9	
	\$25,000-\$49,999	13.1	8.0	20.8	12.3	11.1	13.7	
	\$50,000 or More	5.1	2.5	10.0	7.4	6.6	8.3	
MARITAL STATUS	Married/Couple	13.3	9.1	19.2	11.0	10.2	11.9	
	Not Married/Couple	14.9	10.3	21.3	15.0	13.8	16.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who had symptoms of pain, aching, or stiffness in or around a joint

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	41.8	35.8	48.1	37.2	36.1	38.4	
SEX	Men	43.0	34.1	52.3	35.9	34.2	37.7	
	Women	40.0	33.3	47.0	38.4	37.0	39.9	
RACE/ETHNICITY	Non-Hisp. White	44.4	36.9	52.2	40.4	39.2	41.7	
	Non-Hisp. Black	37.9	26.2	51.1	33.5	29.8	37.5	
	Hispanic				27.4	24.2	30.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.6	34.8	56.8	40.3	38.3	42.3	
	Non-Hisp. White Women	42.3	34.4	50.7	40.6	39.0	42.1	
	Non-Hisp. Black Men	37.0	20.2	57.6	26.0	20.8	32.0	
	Non-Hisp. Black Women	38.9	25.4	54.4	38.5	33.6	43.7	
	Hispanic Men				24.3	19.6	29.7	
	Hispanic Women				30.6	26.5	35.0	
AGE GROUP	18-44	37.1	27.8	47.4	27.1	25.2	29.1	
	45-64	45.9	37.1	55.0	43.7	42.0	45.5	
	65 & Older	50.4	40.7	60.1	48.4	46.6	50.2	
EDUCATION LEVEL	<High School	41.2	27.7	56.2	42.0	38.2	45.9	
	H.S./GED	41.7	32.5	51.6	38.0	35.8	40.2	
	>High School	42.3	33.1	52.0	36.2	34.8	37.7	
ANNUAL INCOME	<\$25,000	55.0	44.7	64.8	44.7	42.1	47.3	
	\$25,000-\$49,999	37.6	27.3	49.1	36.8	34.7	39.0	
	\$50,000 or More	36.7	25.4	49.6	33.4	31.6	35.2	
MARITAL STATUS	Married/Couple	40.0	32.3	48.3	36.7	35.3	38.2	
	Not Married/Couple	42.5	33.2	52.3	38.1	36.2	40.1	

Asthma

Percentage of adults who currently have asthma

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.5	6.1	11.8	6.2	5.7	6.7	6.0
SEX	Men	5.8	3.1	10.7	4.9	4.1	5.7	5.9
	Women	12.8	9.0	17.8	7.4 *	6.7	8.1	6.0
RACE/ETHNICITY	Non-Hisp. White	8.1	5.1	12.6	6.4	5.8	7.0	5.7
	Non-Hisp. Black	10.8	6.1	18.6	7.6	5.8	9.9	10.2
	Hispanic	4.1	1.0	16.1	4.8	3.6	6.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.6	3.0	13.8	5.2	4.3	6.2	
	Non-Hisp. White Women	10.8	7.0	16.3	7.5	6.8	8.3	
	Non-Hisp. Black Men	5.5	2.0	14.6	5.7	3.2	9.9	
	Non-Hisp. Black Women	17.9	9.1	32.1	9.0	6.7	11.9	5.1
	Hispanic Men				3.9	2.3	6.5	6.4
	Hispanic Women				5.7	4.1	7.8	8.8
AGE GROUP	18-44	8.1	4.6	13.8	5.8	5.0	6.8	4.4
	45-64	10.1	6.5	15.4	6.7	6.0	7.6	3.5
	65 & Older	6.9	3.7	12.6	6.1	5.4	6.9	15.8
EDUCATION LEVEL	<High School	14.0	7.2	25.6	8.4	6.5	10.7	14.9
	H.S./GED	7.7	4.6	12.5	5.9	5.1	6.8	3.8
	>High School	6.5	3.7	11.3	6.0	5.3	6.7	4.4
ANNUAL INCOME	<\$25,000	7.7	4.6	12.5	7.8	6.8	8.9	6.7
	\$25,000-\$49,999	11.4	6.6	19.0	5.8	5.0	6.8	3.6
	\$50,000 or More	4.1	2.0	8.2	5.2	4.4	6.1	7.1
MARITAL STATUS	Married/Couple	8.3	5.3	12.8	5.7	5.1	6.4	5.9
	Not Married/Couple	9.0	5.4	14.6	7.0	6.1	7.9	6.1

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of women 40 years of age and older who received a mammogram in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	48.5	40.1	57.0	64.9 *	63.3	66.4	66.8
SEX	Men							
	Women	48.5	40.1	57.0	64.9 *	63.3	66.4	66.8
RACE/ETHNICITY	Non-Hisp. White	56.2	46.9	65.1	65.4	63.8	67.0	58.7
	Non-Hisp. Black	30.0	17.0	47.3	70.2 *	64.3	75.5	46.8
	Hispanic				63.2	57.2	68.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	56.2	46.9	65.1	65.4	63.8	67.0	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women	30.0	17.0	47.3	70.2 *	64.3	75.5	
	Hispanic Men							58.7
	Hispanic Women				63.2	57.2	68.9	
AGE GROUP	18-44	31.2	16.7	50.6	50.0	44.9	55.1	
	45-64	47.9	35.7	60.4	65.7 *	63.5	67.9	70.8
	65 & Older	58.0	44.6	70.3	70.0	67.7	72.2	55.7
EDUCATION LEVEL	<High School	44.9	29.4	61.5	61.3	56.0	66.4	37.1
	H.S./GED	49.8	38.9	60.8	62.0	59.1	64.9	56.6
	>High School	48.8	33.9	63.9	66.9 *	64.8	68.8	86.6
ANNUAL INCOME	<\$25,000	45.4	34.7	56.4	57.6	54.3	60.9	72.6
	\$25,000-\$49,999	43.6	29.6	58.8	64.2 *	61.2	67.1	66.8
	\$50,000 or More	63.2	48.2	76.1	70.3	67.5	72.9	
MARITAL STATUS	Married/Couple	52.9	40.7	64.7	67.9 *	65.7	70.0	64.3
	Not Married/Couple	42.2	31.8	53.4	60.4 *	58.1	62.7	68.1

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	59.3	51.4	66.8	65.0	63.4	66.5	
SEX	Men							
	Women	59.3	51.4	66.8	65.0	63.4	66.5	
RACE/ETHNICITY	Non-Hisp. White	62.0	53.0	70.3	67.3	65.7	68.8	
	Non-Hisp. Black	54.3	36.5	71.0	67.8	62.3	72.8	
	Hispanic				58.7	54.0	63.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	62.0	53.0	70.3	67.3	65.7	68.8	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women	54.3	36.5	71.0	67.8	62.3	72.8	
	Hispanic Men							
	Hispanic Women				58.7	54.0	63.4	
AGE GROUP	18-44	56.3	44.0	67.9	63.5	60.7	66.3	
	45-64	60.6	46.1	73.4	69.4	67.1	71.5	
	65 & Older	64.0	50.5	75.7	62.1	59.7	64.4	
EDUCATION LEVEL	<High School	60.2	41.5	76.3	52.8	47.6	57.8	
	H.S./GED	61.2	50.6	70.8	57.5	54.6	60.5	
	>High School	57.2	43.7	69.7	70.2	68.3	72.0	
ANNUAL INCOME	<\$25,000	48.4	37.1	59.8	53.6	50.3	56.9	
	\$25,000-\$49,999	54.9	40.7	68.2	61.4	58.5	64.3	
	\$50,000 or More	84.9	72.5	92.3	75.9	73.5	78.2	
MARITAL STATUS	Married/Couple	64.2	52.8	74.2	68.6	66.6	70.5	
	Not Married/Couple	51.9	40.8	62.7	59.6	57.1	62.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of women 18 years of age and older who received a Pap test in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	58.9	49.2	67.9	64.8	63.0	66.5	81.1
SEX	Men							
	Women	58.9	49.2	67.9	64.8	63.0	66.5	81.1
RACE/ETHNICITY	Non-Hisp. White	58.8	47.8	69.1	64.4	62.4	66.3	72.6
	Non-Hisp. Black	53.8	33.2	73.2	70.9	64.7	76.4	82.4
	Hispanic				64.5	59.4	69.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	58.8	47.8	69.1	64.4	62.4	66.3	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women	53.8	33.2	73.2	70.9	64.7	76.4	
	Hispanic Men							72.6
	Hispanic Women				64.5	59.4	69.2	
AGE GROUP	18-44	64.9	52.0	75.9	69.1	66.3	71.8	82.7
	45-64	53.8	35.0	71.6	66.4	63.6	69.1	85.4
	65 & Older	47.0	29.8	64.8	48.0	44.7	51.3	49.7
EDUCATION LEVEL	<High School	68.4	49.4	82.8	51.9	45.5	58.2	44.4
	H.S./GED	52.6	39.3	65.5	55.6	51.9	59.2	81.6
	>High School	60.7	43.3	75.8	70.4	68.3	72.4	90.2
ANNUAL INCOME	<\$25,000	58.1	44.5	70.6	53.6	49.4	57.6	80.5
	\$25,000-\$49,999	53.0	36.3	69.1	62.1	58.6	65.4	90.3 *
	\$50,000 or More	80.5	65.6	89.9	76.1	73.5	78.6	79.9
MARITAL STATUS	Married/Couple	66.5	52.7	78.0	69.4	67.2	71.5	75.8
	Not Married/Couple	46.3	32.9	60.4	57.7	54.6	60.8	84.3 *

Percentage of men 50 years of age and older who received a PSA test in the past two years

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	74.6	62.4	83.9	72.3	70.2	74.4	
SEX	Men	74.6	62.4	83.9	72.3	70.2	74.4	
	Women							
RACE/ETHNICITY	Non-Hisp. White	74.8	60.5	85.2	74.6	72.4	76.6	
	Non-Hisp. Black				71.5	60.1	80.7	
	Hispanic				61.2	51.5	70.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.8	60.5	85.2	74.6	72.4	76.6	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				71.5	60.1	80.7	
	Non-Hisp. Black Women							
	Hispanic Men				61.2	51.5	70.1	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	72.8	56.2	84.8	64.5	61.2	67.7	
	65 & Older	78.3	61.4	89.1	81.4	78.9	83.6	
EDUCATION LEVEL	<High School				62.2	54.7	69.1	
	H.S./GED	63.6	45.0	78.8	61.6	56.9	66.1	
	>High School	87.8	69.6	95.8	77.6	75.1	80.0	
ANNUAL INCOME	<\$25,000				59.2	54.0	64.1	
	\$25,000-\$49,999	66.2	46.2	81.7	73.9	69.7	77.6	
	\$50,000 or More				78.5	75.2	81.4	
MARITAL STATUS	Married/Couple	72.9	56.1	85.0	75.6	73.1	78.0	
	Not Married/Couple	77.8	60.8	88.8	63.4	59.2	67.4	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of men 50 years of age and older who received a digital rectal exam in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	55.4	43.7	66.5	56.3	54.0	58.5	
SEX	Men	55.4	43.7	66.5	56.3	54.0	58.5	
	Women							
RACE/ETHNICITY	Non-Hisp. White	51.9	39.2	64.4	59.1	56.8	61.3	
	Non-Hisp. Black				51.0	39.9	62.0	
	Hispanic				40.2	31.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	51.9	39.2	64.4	59.1	56.8	61.3	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				51.0	39.9	62.0	
	Non-Hisp. Black Women							
	Hispanic Men				40.2	31.2	50.0	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	45.2	30.6	60.6	50.1	46.8	53.5	
	65 & Older	75.2	59.8	86.1	63.4	60.5	66.2	
EDUCATION LEVEL	<High School				47.8	40.3	55.4	
	H.S./GED	47.3	30.6	64.6	47.0	42.5	51.5	
	>High School	64.6	46.4	79.4	60.8	58.1	63.5	
ANNUAL INCOME	<\$25,000	46.6	27.5	66.8	48.5	43.6	53.4	
	\$25,000-\$49,999	54.2	35.8	71.6	52.6	48.1	56.9	
	\$50,000 or More				62.5	58.9	65.9	
MARITAL STATUS	Married/Couple	54.5	39.4	68.8	59.0	56.2	61.7	
	Not Married/Couple	57.1	39.7	72.9	49.2	45.1	53.2	

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	22.2	16.8	28.7	21.2	20.1	22.3	17.2
SEX	Men	27.4	19.0	37.8	23.7	21.9	25.5	17.9
	Women	16.6	10.8	24.8	19.1	17.8	20.5	16.6
RACE/ETHNICITY	Non-Hisp. White	25.1	18.6	32.9	23.3	22.1	24.6	16.7
	Non-Hisp. Black	16.1	7.3	32.1	21.7	17.1	27.1	14.8
	Hispanic				8.7	6.1	12.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.0	19.3	41.0	26.0	24.1	28.1	
	Non-Hisp. White Women	20.2	12.7	30.4	21.0	19.5	22.5	
	Non-Hisp. Black Men				21.3	14.4	30.3	
	Non-Hisp. Black Women	10.2	3.3	27.1	22.0	16.2	29.1	14.2
	Hispanic Men				9.9	6.0	15.9	19.9
	Hispanic Women				7.8	4.7	12.9	
AGE GROUP	18-44							
	45-64	16.9	10.9	25.4	15.6	14.3	17.1	10.5
	65 & Older	30.4	21.7	40.7	27.1	25.5	28.8	27.5
EDUCATION LEVEL	<High School	11.8	4.5	27.2	20.0	16.2	24.3	15.8
	H.S./GED	23.8	15.7	34.4	19.6	17.8	21.5	11.4
	>High School	24.5	15.9	35.7	22.1	20.7	23.6	31.2
ANNUAL INCOME	<\$25,000	17.5	10.4	28.0	20.1	18.0	22.3	15.2
	\$25,000-\$49,999	27.7	17.7	40.7	22.1	20.1	24.3	19.7
	\$50,000 or More	22.0	11.9	37.2	21.5	19.6	23.6	15.6
MARITAL STATUS	Married/Couple	24.1	17.0	33.1	22.0	20.6	23.5	21.4
	Not Married/Couple	18.7	11.8	28.3	19.9	18.2	21.6	13.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	46.8	39.2	54.7	53.7	52.3	55.1	51.9
SEX	Men	47.1	36.2	58.4	55.7	53.4	57.9	70.1
	Women	46.5	36.1	57.3	52.1	50.3	53.9	35.7
RACE/ETHNICITY	Non-Hisp. White	47.8	39.5	56.2	56.8	55.3	58.2	59.1
	Non-Hisp. Black	49.3	28.2	70.7	48.9	42.6	55.2	31.3
	Hispanic				39.0	33.3	45.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.2	35.0	59.6	59.1	56.8	61.3	
	Non-Hisp. White Women	48.6	38.2	59.1	54.8	53.0	56.6	
	Non-Hisp. Black Men				50.4	39.4	61.4	
	Non-Hisp. Black Women	37.2	16.8	63.6	47.7	40.4	55.1	72.6
	Hispanic Men				37.9	29.1	47.6	42.3
	Hispanic Women				39.9	32.7	47.5	
AGE GROUP	18-44							
	45-64	38.0	28.2	48.8	46.6	44.5	48.7	53.2
	65 & Older	60.6	50.6	69.7	61.4	59.6	63.2	49.8
EDUCATION LEVEL	<High School	48.6	32.2	65.2	41.7	37.3	46.3	33.3
	H.S./GED	44.5	33.7	55.9	51.3	48.8	53.8	62.6
	>High School	48.7	35.6	62.1	56.7	54.9	58.5	50.9
ANNUAL INCOME	<\$25,000	43.0	31.3	55.6	47.2	44.4	50.1	58.5
	\$25,000-\$49,999	48.8	36.1	61.7	50.7	48.0	53.4	40.6
	\$50,000 or More	49.5	34.7	64.3	59.7	57.2	62.1	62.2
MARITAL STATUS	Married/Couple	47.9	37.7	58.3	57.5	55.7	59.3	46.1
	Not Married/Couple	45.6	35.0	56.6	47.3	45.1	49.5	57.0

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	4.4	2.9	6.7	3.1	2.8	3.5	
SEX	Men	3.8	2.0	7.1	2.9	2.5	3.4	
	Women	5.4	3.1	9.3	3.4	2.9	3.8	
RACE/ETHNICITY	Non-Hisp. White	4.1	2.6	6.5	3.5	3.2	3.9	
	Non-Hisp. Black	5.5	2.0	14.2	3.7	2.4	5.5	
	Hispanic	1.5	0.2	10.0	1.4	0.9	2.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.9	2.0	7.5	3.4	2.8	4.0	
	Non-Hisp. White Women	4.5	2.5	8.2	3.6	3.2	4.2	
	Non-Hisp. Black Men	4.4	0.9	19.5	2.2	1.3	3.8	
	Non-Hisp. Black Women	6.9	1.9	22.0	4.7	2.8	7.7	
	Hispanic Men				1.1	0.5	2.5	
	Hispanic Women				1.6	0.9	2.8	
AGE GROUP	18-44	1.9	0.7	5.1	1.1	0.7	1.6	
	45-64	5.4	2.6	10.9	2.7	2.3	3.3	
	65 & Older	12.0	6.9	20.0	7.9	7.0	8.8	
EDUCATION LEVEL	<High School	5.8	3.0	11.0	6.0	4.6	7.8	
	H.S./GED	4.8	2.4	9.6	3.7	3.1	4.4	
	>High School	3.2	1.5	6.5	2.4	2.1	2.7	
ANNUAL INCOME	<\$25,000	6.5	3.5	11.6	5.7	4.8	6.7	
	\$25,000-\$49,999	4.5	1.8	10.5	3.6	2.9	4.5	
	\$50,000 or More	0.6	0.2	2.6	1.2	1.0	1.6	
MARITAL STATUS	Married/Couple	4.1	2.3	7.2	2.6	2.3	3.0	
	Not Married/Couple	5.3	2.8	9.8	4.0	3.5	4.6	

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	10.5	8.0	13.8	9.3	8.7	9.8	
SEX	Men	10.4	7.0	15.2	10.3	9.5	11.2	
	Women	10.7	7.5	15.2	8.3	7.7	9.0	
RACE/ETHNICITY	Non-Hisp. White	12.6	9.3	16.9	10.6	10.0	11.3	
	Non-Hisp. Black	7.8	3.6	16.1	7.8	6.1	9.9	
	Hispanic	1.5	0.2	10.0	5.3	4.2	6.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.4	8.8	19.9	12.1	11.1	13.2	
	Non-Hisp. White Women	11.2	7.5	16.4	9.2	8.5	9.9	
	Non-Hisp. Black Men	6.0	1.6	19.8	6.0	4.1	8.9	
	Non-Hisp. Black Women	10.4	4.2	23.6	9.0	6.6	12.2	
	Hispanic Men				5.7	4.1	7.9	
	Hispanic Women				4.9	3.6	6.6	
AGE GROUP	18-44	2.3	0.9	5.4	2.2	1.7	2.8	
	45-64	17.9	12.2	25.6	9.1 *	8.2	10.1	
	65 & Older	25.9	18.4	35.1	23.9	22.5	25.4	
EDUCATION LEVEL	<High School	16.9	10.4	26.3	15.0	12.9	17.5	
	H.S./GED	10.7	6.7	16.5	10.5	9.4	11.6	
	>High School	6.8	4.2	11.0	7.8	7.2	8.4	
ANNUAL INCOME	<\$25,000	14.8	10.0	21.4	14.9	13.4	16.4	
	\$25,000-\$49,999	9.4	5.4	15.9	10.1	9.1	11.3	
	\$50,000 or More	4.5	1.6	12.0	5.1	4.5	5.8	
MARITAL STATUS	Married/Couple	9.1	6.2	13.3	8.8	8.1	9.5	
	Not Married/Couple	13.7	9.3	19.8	10.1	9.2	11.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percentage of adults who had their cholesterol checked in the past five years

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	73.7	67.2	79.2	78.5	77.4	79.7	77.3
SEX	Men	71.7	61.9	79.8	76.7	74.9	78.5	77.6
	Women	76.8	70.0	82.5	80.2	78.8	81.6	77.0
RACE/ETHNICITY	Non-Hisp. White	81.5	73.5	87.5	84.4	83.3	85.4	71.3
	Non-Hisp. Black	71.4	56.9	82.5	76.3	71.9	80.3	83.1
	Hispanic				60.1	56.3	63.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	82.1	69.5	90.2	82.5	80.7	84.1	
	Non-Hisp. White Women	80.5	71.9	87.0	86.1	84.9	87.3	
	Non-Hisp. Black Men	64.3	43.0	81.1	73.1	65.0	79.9	
	Non-Hisp. Black Women	81.4	67.7	90.1	78.6	73.5	83.0	77.6
	Hispanic Men				59.7	53.8	65.3	63.0
	Hispanic Women				60.5	55.7	65.1	85.3
AGE GROUP	18-44	61.5	51.1	70.9	64.7	62.5	66.9	59.4
	45-64	84.6	76.1	90.4	87.3	86.0	88.5	91.5
	65 & Older	93.9	87.4	97.1	93.2	92.2	94.2	86.0
EDUCATION LEVEL	<High School	49.6	35.1	64.2	62.0	57.9	65.9	67.9
	H.S./GED	84.0	75.7	89.9	70.6 *	68.0	73.1	73.2
	>High School	74.7	64.3	82.9	85.0 *	83.8	86.1	88.4
ANNUAL INCOME	<\$25,000	58.6	47.7	68.7	68.4	65.6	71.1	84.1 *
	\$25,000-\$49,999	82.9	70.5	90.8	75.8	73.4	78.1	66.6
	\$50,000 or More	84.0	69.9	92.2	86.3	84.8	87.8	82.9
MARITAL STATUS	Married/Couple	76.9	68.8	83.4	81.8	80.5	83.0	68.9
	Not Married/Couple	68.7	57.4	78.1	73.0	70.8	75.1	84.6

Percentage of adults who have diagnosed high blood cholesterol

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	29.5	24.1	35.5	37.1 *	35.9	38.3	38.3
SEX	Men	28.6	20.9	37.7	38.9	37.0	40.9	21.9
	Women	30.8	24.6	37.7	35.4	34.0	36.9	49.8
RACE/ETHNICITY	Non-Hisp. White	32.2	25.8	39.5	38.7	37.4	40.0	31.1
	Non-Hisp. Black	21.9	12.7	35.0	29.7	25.8	33.9	22.8
	Hispanic				34.7	30.4	39.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	31.8	22.8	42.4	39.6	37.6	41.7	
	Non-Hisp. White Women	33.0	25.8	41.1	37.8	36.3	39.4	
	Non-Hisp. Black Men				34.1	26.9	42.0	
	Non-Hisp. Black Women	25.6	14.9	40.2	26.8	22.5	31.6	22.1
	Hispanic Men				38.8	32.0	46.2	45.0
	Hispanic Women				30.7	25.7	36.2	25.9
AGE GROUP	18-44	16.9	9.5	28.1	23.0	20.8	25.4	10.0
	45-64	34.1	26.3	42.8	42.8	41.0	44.7	48.8
	65 & Older	50.5	40.6	60.3	49.8	48.0	51.6	58.5
EDUCATION LEVEL	<High School	44.8	29.8	60.7	45.5	41.1	50.1	38.4
	H.S./GED	24.6	17.4	33.5	37.8 *	35.6	40.0	20.0
	>High School	30.5	22.1	40.4	35.8	34.3	37.3	62.6
ANNUAL INCOME	<\$25,000	47.5	35.9	59.4	41.6	39.1	44.2	53.6
	\$25,000-\$49,999	20.1	12.3	31.0	37.9 *	35.7	40.3	16.4
	\$50,000 or More	26.2	17.6	37.1	33.4	31.5	35.3	28.3
MARITAL STATUS	Married/Couple	29.5	22.6	37.4	36.8	35.4	38.3	34.2
	Not Married/Couple	30.7	22.7	40.0	37.4	35.3	39.5	41.2

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Dental Care

Percentage of adults who could not see a dentist in the past year because of cost

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	23.7	18.6	29.8	19.2	18.2	20.2	
SEX	Men	21.0	13.9	30.5	16.8	15.3	18.5	
	Women	27.7	21.7	34.7	21.4	20.2	22.7	
RACE/ETHNICITY	Non-Hisp. White	22.8	16.5	30.8	15.7	14.8	16.7	
	Non-Hisp. Black	17.0	10.6	26.3	23.7	20.4	27.4	
	Hispanic				28.3	25.0	31.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	22.3	13.8	34.2	13.9	12.5	15.5	
	Non-Hisp. White Women	23.7	16.6	32.5	17.5	16.3	18.8	
	Non-Hisp. Black Men				18.3	13.3	24.6	
	Non-Hisp. Black Women	26.1	15.7	40.3	27.2	23.0	32.0	
	Hispanic Men				25.4	20.5	31.1	
	Hispanic Women				31.3	27.2	35.8	
AGE GROUP	18-44	29.2	20.5	39.6	23.6	21.8	25.6	
	45-64	18.6	13.3	25.3	19.5	18.1	21.0	
	65 & Older	15.6	9.8	23.8	9.8	8.7	11.0	
EDUCATION LEVEL	<High School	37.6	23.7	53.9	33.9	30.2	37.7	
	H.S./GED	20.3	13.0	30.3	23.2	21.2	25.3	
	>High School	20.0	13.8	28.2	15.2	14.0	16.4	
ANNUAL INCOME	<\$25,000	34.9	25.5	45.7	36.7	34.1	39.4	
	\$25,000-\$49,999	23.5	14.7	35.3	21.5	19.6	23.6	
	\$50,000 or More	12.7	5.4	27.3	9.0	7.8	10.3	
MARITAL STATUS	Married/Couple	22.8	16.2	30.9	16.2	15.1	17.4	
	Not Married/Couple	23.9	16.7	32.9	24.4	22.5	26.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diagnosed diabetes

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	9.3	7.0	12.3	8.7	8.2	9.3	6.4
SEX	Men	8.4	5.5	12.6	9.4	8.6	10.3	5.9
	Women	10.8	7.4	15.4	8.1	7.5	8.9	6.8
RACE/ETHNICITY	Non-Hisp. White	9.1	6.3	12.9	9.0	8.4	9.6	5.6
	Non-Hisp. Black	10.0	5.7	17.0	12.4	10.4	14.8	11.1
	Hispanic	12.6	4.5	30.4	6.6	5.2	8.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.1	5.5	14.8	10.0	9.1	11.1	
	Non-Hisp. White Women	9.1	5.7	14.1	7.9	7.2	8.7	
	Non-Hisp. Black Men	6.7	2.8	15.4	11.2	8.3	14.8	
	Non-Hisp. Black Women	14.7	7.2	27.6	13.3	10.6	16.5	4.1
	Hispanic Men				6.8	4.8	9.5	7.6
	Hispanic Women				6.4	4.7	8.6	14.4
AGE GROUP	18-44	3.1	1.3	7.3	2.4	1.9	3.1	1.7
	45-64	13.8	9.2	20.2	10.9	9.9	12.1	5.2
	65 & Older	22.4	15.6	31.2	18.5	17.2	19.9	22.0
EDUCATION LEVEL	<High School	9.5	4.9	17.6	14.4	12.3	16.7	15.8
	H.S./GED	7.7	5.0	11.8	9.5	8.4	10.7	3.9
	>High School	11.2	7.0	17.3	7.5	6.9	8.1	5.5
ANNUAL INCOME	<\$25,000	9.6	6.2	14.6	13.3	11.9	14.9	7.8
	\$25,000-\$49,999	9.8	5.5	16.8	8.5	7.6	9.5	5.3
	\$50,000 or More	8.3	4.4	15.3	5.9	5.2	6.7	3.6
MARITAL STATUS	Married/Couple	8.3	5.5	12.5	8.3	7.7	9.0	7.0
	Not Married/Couple	11.6	7.9	16.7	9.5	8.6	10.6	6.0

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	67.2	52.0	79.4	65.7	62.6	68.7	
SEX	Men	62.8	42.0	79.8	61.8	57.1	66.3	
	Women	72.8	49.7	87.9	70.0	66.0	73.7	
RACE/ETHNICITY	Non-Hisp. White	74.8	55.6	87.5	64.0	60.5	67.3	
	Non-Hisp. Black				62.0	52.6	70.6	
	Hispanic				79.3	68.4	87.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				59.9	54.7	64.8	
	Non-Hisp. White Women				69.1	64.6	73.2	
	Non-Hisp. Black Men				58.1	43.0	71.9	
	Non-Hisp. Black Women				64.4	52.3	74.9	
	Hispanic Men				78.2	59.5	89.7	
	Hispanic Women				80.4	67.8	88.9	
AGE GROUP	18-44				72.0	61.6	80.6	
	45-64	64.1	41.0	82.1	63.1	57.8	68.0	
	65 & Older	74.8	54.0	88.3	66.3	62.4	70.1	
EDUCATION LEVEL	<High School				67.3	58.8	74.8	
	H.S./GED				67.6	61.8	73.0	
	>High School				64.1	59.9	68.1	
ANNUAL INCOME	<\$25,000				69.0	63.7	73.9	
	\$25,000-\$49,999				65.9	60.5	70.9	
	\$50,000 or More				61.9	55.2	68.1	
MARITAL STATUS	Married/Couple	61.0	39.9	78.6	65.1	61.1	69.0	
	Not Married/Couple	75.7	54.1	89.2	66.5	61.5	71.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	67.7	52.3	80.0	71.2	67.7	74.4	
SEX	Men	74.7	54.2	88.0	68.0	62.5	73.0	
	Women	56.7	34.7	76.3	74.7	70.6	78.4	
RACE/ETHNICITY	Non-Hisp. White	73.8	55.5	86.4	73.3	69.6	76.7	
	Non-Hisp. Black				77.1	68.8	83.8	
	Hispanic				52.5	39.2	65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				70.3	64.7	75.4	
	Non-Hisp. White Women				76.8	72.6	80.6	
	Non-Hisp. Black Men				79.9	67.7	88.3	
	Non-Hisp. Black Women				75.3	63.7	84.2	
	Hispanic Men				41.5	25.5	59.5	
	Hispanic Women				66.0	48.6	80.0	
AGE GROUP	18-44				65.2	52.8	75.9	
	45-64				70.0	64.0	75.3	
	65 & Older				74.2	70.0	78.0	
EDUCATION LEVEL	<High School				63.9	54.2	72.6	
	H.S./GED				67.2	59.8	73.9	
	>High School				75.5	71.3	79.2	
ANNUAL INCOME	<\$25,000				66.7	59.7	73.1	
	\$25,000-\$49,999				72.8	67.2	77.7	
	\$50,000 or More				75.5	68.5	81.3	
MARITAL STATUS	Married/Couple				70.4	66.0	74.5	
	Not Married/Couple	59.4	39.1	76.9	72.8	66.9	77.9	

Percentage of adults with diabetes who had an annual foot exam

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	65.6	49.2	79.0	75.6	72.6	78.4	
SEX	Men				77.0	72.4	81.0	
	Women	73.9	51.9	88.1	74.1	70.0	77.8	
RACE/ETHNICITY	Non-Hisp. White	65.5	44.6	81.8	75.0	71.8	78.0	
	Non-Hisp. Black				85.0	77.8	90.2	
	Hispanic				68.4	55.4	79.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				76.2	71.3	80.5	
	Non-Hisp. White Women				73.7	69.5	77.5	
	Non-Hisp. Black Men				83.3	70.4	91.2	
	Non-Hisp. Black Women				86.1	76.6	92.2	
	Hispanic Men				73.6	53.3	87.2	
	Hispanic Women				62.6	45.6	77.1	
AGE GROUP	18-44				70.9	59.8	80.0	
	45-64				74.5	69.3	79.1	
	65 & Older				78.0	74.1	81.4	
EDUCATION LEVEL	<High School				72.0	63.5	79.2	
	H.S./GED				71.4	64.8	77.2	
	>High School				79.1	75.6	82.3	
ANNUAL INCOME	<\$25,000				74.9	69.0	80.1	
	\$25,000-\$49,999				74.8	69.8	79.2	
	\$50,000 or More				79.5	73.8	84.2	
MARITAL STATUS	Married/Couple				75.6	71.9	78.9	
	Not Married/Couple	70.0	48.5	85.2	75.5	70.1	80.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	71.8	55.9	83.6	77.4	74.7	80.0	
SEX	Men	68.4	45.0	85.1	78.5	74.5	82.0	
	Women	75.8	54.8	89.1	76.3	72.3	79.9	
RACE/ETHNICITY	Non-Hisp. White	60.3	40.9	76.9	75.9	72.7	78.9	
	Non-Hisp. Black				78.9	71.1	85.0	
	Hispanic				81.1	70.1	88.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				75.7	70.7	80.1	
	Non-Hisp. White Women				76.1	72.1	79.7	
	Non-Hisp. Black Men				79.5	66.9	88.1	
	Non-Hisp. Black Women				78.5	68.0	86.3	
	Hispanic Men				89.3	81.0	94.2	
	Hispanic Women				72.3	53.9	85.3	
AGE GROUP	18-44				60.9	48.8	71.8	
	45-64	66.6	45.3	82.8	75.0	70.7	78.8	
	65 & Older	88.6	68.2	96.6	83.6	80.1	86.7	
EDUCATION LEVEL	<High School				71.4	64.1	77.7	
	H.S./GED				74.2	68.5	79.2	
	>High School				81.1	77.5	84.3	
ANNUAL INCOME	<\$25,000				72.9	67.5	77.8	
	\$25,000-\$49,999				77.9	73.0	82.1	
	\$50,000 or More				81.0	75.9	85.3	
MARITAL STATUS	Married/Couple				79.4	76.2	82.2	
	Not Married/Couple	73.1	53.9	86.4	74.7	69.5	79.3	

Percentage of adults with diabetes who ever had diabetes self-management education

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	42.1	28.8	56.7	51.4	48.2	54.6	
SEX	Men	47.7	28.6	67.5	50.5	45.8	55.2	
	Women	35.2	19.3	55.1	52.4	48.0	56.8	
RACE/ETHNICITY	Non-Hisp. White	42.1	25.6	60.5	53.2	49.6	56.8	
	Non-Hisp. Black				47.7	39.1	56.5	
	Hispanic				46.3	35.0	58.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				48.1	43.1	53.2	
	Non-Hisp. White Women				59.3	54.5	63.8	
	Non-Hisp. Black Men				49.9	36.0	63.7	
	Non-Hisp. Black Women				46.4	35.6	57.6	
	Hispanic Men				60.1	44.1	74.2	
	Hispanic Women				32.2	20.5	46.6	
AGE GROUP	18-44				52.8	40.6	64.6	
	45-64	48.5	29.1	68.4	53.6	48.4	58.7	
	65 & Older	20.1	9.3	38.1	49.4 *	45.3	53.4	
EDUCATION LEVEL	<High School				35.3	28.7	42.6	
	H.S./GED				52.3	46.2	58.4	
	>High School				55.7	51.3	60.0	
ANNUAL INCOME	<\$25,000	28.6	13.7	50.3	47.3	41.6	53.0	
	\$25,000-\$49,999				54.1	48.5	59.7	
	\$50,000 or More				57.0	50.5	63.3	
MARITAL STATUS	Married/Couple	55.9	35.8	74.3	52.7	48.6	56.8	
	Not Married/Couple	23.7	12.3	40.7	49.4 *	44.1	54.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	46.5	41.5	51.5	50.9	49.7	52.1	
SEX	Men				50.5	49.1	51.9	
	Women	45.7	38.5	52.9	51.4	49.4	53.4	
RACE/ETHNICITY	Non-Hisp. White	48.3	42.1	54.6	52.0	50.5	53.5	
	Non-Hisp. Black				50.4	47.9	52.9	
	Hispanic				46.6	43.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				51.9	50.3	53.5	
	Non-Hisp. White Women				52.2	49.5	54.9	
	Non-Hisp. Black Men				49.9	45.3	54.5	
	Non-Hisp. Black Women				50.7	47.7	53.6	
	Hispanic Men				44.6	41.6	47.6	
	Hispanic Women				48.8	42.8	54.9	
AGE GROUP	18-44				29.1	26.5	31.7	
	45-64				45.9	44.8	47.1	
	65 & Older				61.9	61.0	62.9	
EDUCATION LEVEL	<High School				52.3	49.7	54.9	
	H.S./GED				51.9	49.2	54.6	
	>High School				50.0	48.6	51.5	
ANNUAL INCOME	<\$25,000				51.9	49.9	53.8	
	\$25,000-\$49,999				50.9	49.0	52.8	
	\$50,000 or More				47.8	46.1	49.6	
MARITAL STATUS	Married/Couple				50.5	49.2	51.8	
	Not Married/Couple	50.0	44.2	55.9	51.6	49.3	53.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	21.2	17.0	26.2	17.8	17.1	18.6	
SEX	Men	22.6	16.4	30.3	16.9	15.7	18.1	
	Women	19.0	14.8	24.1	18.8	17.8	19.8	
RACE/ETHNICITY	Non-Hisp. White	21.1	16.0	27.3	19.7	18.8	20.6	
	Non-Hisp. Black	20.4	12.5	31.6	16.8	14.1	19.7	
	Hispanic				10.6	8.9	12.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.5	14.4	30.8	18.6	17.3	20.1	
	Non-Hisp. White Women	20.5	15.2	27.0	20.7	19.6	21.9	
	Non-Hisp. Black Men	23.4	11.4	42.0	14.8	10.9	19.7	
	Non-Hisp. Black Women	16.8	9.4	28.1	18.1	14.8	22.0	
	Hispanic Men				9.9	7.3	13.4	
	Hispanic Women				11.3	9.1	13.9	
AGE GROUP	18-44	13.7	8.4	21.6	10.3	9.2	11.4	
	45-64	26.3	19.4	34.5	21.7	20.4	23.1	
	65 & Older	38.0	29.0	47.8	27.6	26.0	29.2	
EDUCATION LEVEL	<High School	22.3	13.4	34.6	24.2	21.4	27.2	
	H.S./GED	18.3	12.6	25.8	19.6	18.0	21.2	
	>High School	24.2	17.1	33.0	16.1 *	15.2	17.1	
ANNUAL INCOME	<\$25,000	31.1	22.7	41.0	30.3	28.1	32.5	
	\$25,000-\$49,999	16.7	11.0	24.6	17.7	16.2	19.2	
	\$50,000 or More	13.7	7.3	24.2	10.8	9.8	11.8	
MARITAL STATUS	Married/Couple	18.0	13.1	24.3	15.5	14.6	16.4	
	Not Married/Couple	23.3	17.2	30.8	21.9	20.5	23.4	

Percentage of adults who use special equipment because of a health problem

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	8.4	6.0	11.7	7.1	6.6	7.7	
SEX	Men	8.4	5.0	13.6	6.9	6.1	7.7	
	Women	8.5	5.9	12.1	7.4	6.8	8.0	
RACE/ETHNICITY	Non-Hisp. White	8.8	5.6	13.4	7.4	6.9	8.0	
	Non-Hisp. Black	7.2	3.7	13.5	8.1	6.4	10.1	
	Hispanic				5.1	3.7	6.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.7	4.5	16.2	6.8	6.1	7.7	
	Non-Hisp. White Women	8.9	5.7	13.5	8.0	7.3	8.7	
	Non-Hisp. Black Men	6.4	2.2	17.7	6.6	4.5	9.6	
	Non-Hisp. Black Women	8.1	3.8	16.6	9.1	6.8	12.0	
	Hispanic Men				5.9	3.7	9.4	
	Hispanic Women				4.3	3.0	6.1	
AGE GROUP	18-44	4.0	1.5	10.0	2.3	1.8	3.0	
	45-64	11.0	6.9	17.0	7.5	6.7	8.5	
	65 & Older	19.5	13.3	27.8	16.3	15.1	17.7	
EDUCATION LEVEL	<High School	9.7	5.2	17.2	12.0	10.0	14.2	
	H.S./GED	10.1	6.1	16.5	8.1	7.1	9.3	
	>High School	5.7	3.1	10.2	5.9	5.4	6.5	
ANNUAL INCOME	<\$25,000	17.2	11.3	25.3	13.8	12.4	15.3	
	\$25,000-\$49,999	3.3	1.5	6.9	6.6	5.7	7.6	
	\$50,000 or More	0.3	0.0	2.3	2.9 *	2.4	3.5	
MARITAL STATUS	Married/Couple	6.2	3.4	11.0	5.3	4.8	5.9	
	Not Married/Couple	12.9	8.9	18.4	10.3	9.3	11.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Folic Acid

Percentage of adults who take a multivitamin

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	42.8	36.6	49.2	58.5 *	57.3	59.8	
SEX	Men	36.5	28.1	45.9	53.9 *	51.9	56.0	
	Women	52.1	44.5	59.7	62.9 *	61.3	64.4	
RACE/ETHNICITY	Non-Hisp. White	49.9	42.0	57.8	62.1 *	60.8	63.4	
	Non-Hisp. Black	30.2	20.2	42.5	52.6 *	48.1	57.1	
	Hispanic				47.7	43.7	51.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	44.2	33.5	55.6	58.2 *	56.1	60.3	
	Non-Hisp. White Women	59.9	51.4	67.9	65.9	64.3	67.5	
	Non-Hisp. Black Men				48.4	40.6	56.3	
	Non-Hisp. Black Women	41.9	26.7	58.7	55.4	50.0	60.8	
	Hispanic Men				41.8	35.7	48.2	
	Hispanic Women				53.7	48.8	58.6	
AGE GROUP	18-44	33.8	24.9	44.1	51.2 *	48.9	53.5	
	45-64	48.4	39.1	57.8	61.5 *	59.7	63.2	
	65 & Older	62.9	52.7	72.1	69.2	67.4	70.9	
EDUCATION LEVEL	<High School	27.0	16.1	41.6	43.5	39.4	47.6	
	H.S./GED	43.9	34.5	53.7	51.8	49.3	54.2	
	>High School	50.0	39.9	60.1	63.9 *	62.4	65.4	
ANNUAL INCOME	<\$25,000	39.3	29.6	49.8	53.2 *	50.4	56.0	
	\$25,000-\$49,999	46.2	34.8	58.0	58.1	55.7	60.5	
	\$50,000 or More	50.0	37.6	62.4	62.2	60.2	64.1	
MARITAL STATUS	Married/Couple	44.1	36.1	52.4	59.4 *	57.9	61.0	
	Not Married/Couple	42.4	32.9	52.4	57.1 *	54.9	59.3	

Percentage of women under age 45 who take a multivitamin

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	50.2	38.2	62.2	56.4	53.5	59.2	
SEX	Men							
	Women	50.2	38.2	62.2	56.4	53.5	59.2	
RACE/ETHNICITY	Non-Hisp. White	55.9	40.1	70.6	59.9	56.6	63.1	
	Non-Hisp. Black				51.0	43.4	58.6	
	Hispanic				48.2	41.4	55.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	55.9	40.1	70.6	59.9	56.6	63.1	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				51.0	43.4	58.6	
	Hispanic Men							
	Hispanic Women				48.2	41.4	55.1	
AGE GROUP	18-44	49.9	37.9	62.0	56.2	53.3	59.1	
	45-64							
	65 & Older							
EDUCATION LEVEL	<High School				34.0	25.5	43.7	
	H.S./GED	40.1	23.2	59.8	44.8	39.2	50.6	
	>High School	64.7	47.7	78.7	63.6	60.3	66.8	
ANNUAL INCOME	<\$25,000	54.0	34.1	72.6	46.5	40.2	52.9	
	\$25,000-\$49,999				54.7	49.5	59.9	
	\$50,000 or More				63.6	59.2	67.8	
MARITAL STATUS	Married/Couple	52.4	36.7	67.7	59.2	55.8	62.5	
	Not Married/Couple	46.2	28.5	64.9	51.7	46.6	56.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Gastrointestinal Disease

Percentage of adults who had diarrhea in the past 30 days

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	13.3	9.5	18.4	14.1	13.3	15.0	
SEX	Men	14.5	9.0	22.7	13.8	12.6	15.2	
	Women	11.5	8.2	15.9	14.4	13.4	15.4	
RACE/ETHNICITY	Non-Hisp. White	13.7	9.1	19.9	15.6	14.7	16.6	
	Non-Hisp. Black	11.9	5.3	24.7	11.5	8.8	14.9	
	Hispanic				10.0	8.0	12.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.9	6.9	22.8	15.8	14.3	17.5	
	Non-Hisp. White Women	15.0	10.3	21.3	15.4	14.4	16.5	
	Non-Hisp. Black Men	18.0	6.7	40.0	6.8	4.7	9.7	
	Non-Hisp. Black Women	4.8	1.9	11.7	14.5	10.5	19.8	
	Hispanic Men				9.3	6.6	12.9	
	Hispanic Women				10.7	8.0	14.1	
AGE GROUP	18-44	13.4	7.7	22.3	14.6	13.1	16.1	
	45-64	13.1	8.4	19.8	14.0	12.8	15.2	
	65 & Older	13.6	8.1	22.0	13.4	12.2	14.6	
EDUCATION LEVEL	<High School	16.0	7.3	31.5	12.4	10.1	15.2	
	H.S./GED	12.8	7.4	21.1	13.6	12.2	15.1	
	>High School	12.6	7.5	20.3	14.6	13.5	15.7	
ANNUAL INCOME	<\$25,000	11.6	6.6	19.3	16.7	14.9	18.7	
	\$25,000-\$49,999	18.2	9.9	30.9	12.5	11.1	13.9	
	\$50,000 or More	8.9	4.8	15.8	14.8	13.5	16.3	
MARITAL STATUS	Married/Couple	11.3	7.2	17.4	13.9	12.9	14.9	
	Not Married/Couple	14.7	8.6	23.9	14.5	13.2	16.0	

Percentage of adults who had diarrhea in the past 30 days and who visited a doctor

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	1.9	0.9	4.2	2.4	2.0	2.8	
SEX	Men	1.6	0.4	6.3	2.2	1.6	2.9	
	Women	2.4	1.2	4.7	2.6	2.2	3.0	
RACE/ETHNICITY	Non-Hisp. White	1.0	0.5	2.2	2.5	2.1	3.0	
	Non-Hisp. Black	4.6	1.3	15.1	2.2	1.4	3.6	
	Hispanic				2.1	1.3	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	0.0			2.2	1.6	3.1	
	Non-Hisp. White Women	2.9	1.4	5.9	2.7	2.3	3.2	
	Non-Hisp. Black Men	7.7	1.9	26.5	1.5	0.7	3.3	
	Non-Hisp. Black Women	1.0	0.1	7.1	2.7	1.5	4.8	
	Hispanic Men				2.3	1.0	5.0	
	Hispanic Women				2.0	1.2	3.3	
AGE GROUP	18-44	1.4	0.4	4.7	2.0	1.4	2.7	
	45-64	3.6	1.2	9.9	2.5	2.0	3.2	
	65 & Older	0.6	0.1	4.0	3.0	2.4	3.7	
EDUCATION LEVEL	<High School	1.1	0.3	4.7	2.3	1.6	3.2	
	H.S./GED	3.0	1.0	8.6	2.8	2.2	3.6	
	>High School	1.2	0.4	3.1	2.2	1.7	2.7	
ANNUAL INCOME	<\$25,000	2.4	0.6	8.7	3.5	2.7	4.4	
	\$25,000-\$49,999	0.6	0.1	2.6	2.8	2.1	3.7	
	\$50,000 or More	3.0	0.9	9.5	1.6	1.1	2.2	
MARITAL STATUS	Married/Couple	1.6	0.5	4.9	2.1	1.7	2.6	
	Not Married/Couple	2.6	0.9	7.3	2.8	2.2	3.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	74.8	68.6	80.1	81.4 *	80.3	82.4	81.1
SEX	Men	72.1	62.9	79.7	80.3	78.5	82.0	79.0
	Women	79.1	72.5	84.4	82.4	81.0	83.7	82.7
RACE/ETHNICITY	Non-Hisp. White	80.6	73.1	86.4	87.8 *	86.9	88.7	82.5
	Non-Hisp. Black	73.5	60.0	83.6	77.2	72.9	81.1	71.1
	Hispanic	44.5	24.8	66.1	61.4	57.6	65.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	78.8	67.5	86.9	87.6	86.2	88.8	
	Non-Hisp. White Women	83.8	75.9	89.5	88.1	86.9	89.1	
	Non-Hisp. Black Men	66.9	46.6	82.3	74.9	67.0	81.5	
	Non-Hisp. Black Women	82.7	69.2	91.0	78.8	73.7	83.2	81.7
	Hispanic Men				57.7	51.8	63.5	83.6
	Hispanic Women				64.9	60.3	69.3	71.2
AGE GROUP	18-44	68.6	58.6	77.1	72.4	70.3	74.4	76.7
	45-64	73.7	64.9	80.9	82.7 *	81.3	84.1	81.6
	65 & Older	99.4	95.6	99.9	97.3	96.5	97.9	89.1 *
EDUCATION LEVEL	<High School	51.2	36.6	65.7	60.8	56.8	64.6	60.6
	H.S./GED	77.9	69.2	84.6	73.8	71.3	76.1	79.9
	>High School	84.1	75.5	90.1	88.3	87.1	89.3	93.9
ANNUAL INCOME	<\$25,000	65.1	54.5	74.4	64.5	61.7	67.3	83.5
	\$25,000-\$49,999	77.2	64.4	86.4	79.0	76.8	81.0	81.5
	\$50,000 or More	89.4	81.1	94.3	93.2	91.8	94.3	88.6
MARITAL STATUS	Married/Couple	80.0	72.6	85.9	85.3	84.1	86.4	82.7
	Not Married/Couple	66.5	55.7	75.8	74.9	72.7	76.9	79.5

Percentage of adults who have a personal doctor

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	71.4	64.8	77.2	77.1	75.9	78.2	85.4 *
SEX	Men	67.7	58.1	76.1	72.8	71.0	74.6	78.4
	Women	77.3	69.9	83.2	81.1	79.7	82.4	90.3
RACE/ETHNICITY	Non-Hisp. White	78.5	70.8	84.7	82.2	81.1	83.2	83.0
	Non-Hisp. Black	66.7	51.6	78.9	75.6	71.4	79.4	86.7
	Hispanic	36.5	19.4	57.7	61.7 *	58.0	65.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	76.9	65.6	85.4	77.9	76.0	79.7	
	Non-Hisp. White Women	81.3	72.0	88.1	86.3	85.0	87.4	
	Non-Hisp. Black Men	59.2	38.2	77.3	70.8	63.6	77.1	
	Non-Hisp. Black Women	77.0	60.5	88.0	78.8	73.5	83.3	78.9
	Hispanic Men				58.2	52.4	63.8	88.4
	Hispanic Women				65.2	60.5	69.5	80.6
AGE GROUP	18-44	58.5	48.3	68.0	64.7	62.5	66.8	79.9 *
	45-64	83.6	75.2	89.5	83.3	81.9	84.6	91.2
	65 & Older	94.7	87.2	97.9	92.9	91.9	93.8	84.2
EDUCATION LEVEL	<High School	55.3	39.9	69.7	62.8	58.9	66.5	70.4
	H.S./GED	76.8	66.6	84.6	71.4	68.9	73.7	89.7
	>High School	73.8	63.6	82.0	82.1	80.8	83.4	86.5
ANNUAL INCOME	<\$25,000	61.3	50.3	71.2	66.8	64.1	69.4	87.2 *
	\$25,000-\$49,999	73.9	59.5	84.5	74.2	71.8	76.4	86.4
	\$50,000 or More	79.0	65.9	88.0	84.8	83.2	86.3	83.1
MARITAL STATUS	Married/Couple	73.5	65.4	80.3	80.6	79.3	81.8	82.4
	Not Married/Couple	71.2	59.3	80.7	71.1	68.9	73.2	87.9

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor at least once in the past year due to cost

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	16.1	12.0	21.2	15.1	14.2	16.0	
SEX	Men	16.1	10.3	24.2	13.3	11.9	14.7	
	Women	16.1	11.9	21.2	16.8	15.7	18.0	
RACE/ETHNICITY	Non-Hisp. White	12.1	8.0	18.0	11.5	10.8	12.4	
	Non-Hisp. Black	22.6	13.5	35.4	20.9	17.8	24.4	
	Hispanic				23.5	20.6	26.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.3	5.9	20.6	9.8	8.6	11.0	
	Non-Hisp. White Women	13.7	9.2	19.9	13.2	12.2	14.3	
	Non-Hisp. Black Men	25.0	11.6	45.9	16.7	12.2	22.6	
	Non-Hisp. Black Women	19.3	11.6	30.5	23.8	19.9	28.2	
	Hispanic Men				22.9	18.4	28.2	
	Hispanic Women				24.1	20.5	28.2	
AGE GROUP	18-44	19.0	12.4	28.0	19.9	18.3	21.6	
	45-64	17.2	12.3	23.5	15.8	14.5	17.2	
	65 & Older	3.1	1.4	6.7	4.5	3.7	5.3	
EDUCATION LEVEL	<High School	17.3	9.5	29.4	25.6	22.6	28.9	
	H.S./GED	19.7	12.9	28.7	19.0	17.1	21.0	
	>High School	11.0	6.3	18.6	11.7	10.7	12.8	
ANNUAL INCOME	<\$25,000	27.6	19.2	37.8	29.3	26.9	31.9	
	\$25,000-\$49,999	13.7	7.7	23.2	18.4	16.5	20.5	
	\$50,000 or More	3.2	1.0	9.4	6.3	5.4	7.4	
MARITAL STATUS	Married/Couple	13.1	8.5	19.6	12.7	11.8	13.8	
	Not Married/Couple	19.3	12.8	28.0	19.3	17.6	21.0	

Percentage of adults who had a medical checkup in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	63.6	56.9	69.8	74.6 *	73.5	75.7	
SEX	Men	55.8	46.4	64.8	70.5 *	68.7	72.3	
	Women	76.2	69.9	81.6	78.5	77.1	79.8	
RACE/ETHNICITY	Non-Hisp. White	61.3	52.9	69.0	75.0 *	73.8	76.2	
	Non-Hisp. Black	76.6	63.2	86.2	82.7	79.0	85.9	
	Hispanic				70.1	66.5	73.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.3	42.0	64.2	71.0 *	69.1	72.9	
	Non-Hisp. White Women	75.6	67.2	82.4	78.8	77.3	80.2	
	Non-Hisp. Black Men	70.7	49.8	85.4	76.9	69.3	83.1	
	Non-Hisp. Black Women	84.9	73.6	91.8	86.8	83.3	89.6	
	Hispanic Men				66.0	60.2	71.3	
	Hispanic Women				74.3	70.0	78.3	
AGE GROUP	18-44	48.6	38.7	58.6	64.0 *	61.8	66.1	
	45-64	75.1	66.6	82.0	77.7	76.2	79.1	
	65 & Older	93.6	88.3	96.6	91.5	90.4	92.4	
EDUCATION LEVEL	<High School	52.9	37.2	68.0	71.4	67.6	74.9	
	H.S./GED	65.2	55.1	74.1	72.8	70.5	75.0	
	>High School	67.3	57.0	76.1	76.0	74.6	77.4	
ANNUAL INCOME	<\$25,000	67.0	55.7	76.5	73.0	70.4	75.3	
	\$25,000-\$49,999	59.8	47.5	71.1	72.4	70.1	74.5	
	\$50,000 or More	67.9	54.1	79.1	75.7	73.9	77.4	
MARITAL STATUS	Married/Couple	65.2	56.8	72.8	75.6 *	74.3	77.0	
	Not Married/Couple	63.6	52.3	73.5	73.1	71.0	75.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good to excellent overall health

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	82.3	78.1	85.9	83.4	82.5	84.2	73.3
SEX	Men	84.8	78.4	89.6	83.8	82.4	85.1	67.1
	Women	78.4	73.1	82.9	82.9	81.8	84.0	77.7
RACE/ETHNICITY	Non-Hisp. White	83.2	78.2	87.2	85.8	85.0	86.6	69.9
	Non-Hisp. Black	85.5	77.6	90.9	80.8	77.5	83.7	71.7
	Hispanic				77.2	74.1	80.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	86.9	79.9	91.8	86.1	84.8	87.3	
	Non-Hisp. White Women	76.7	70.0	82.3	85.6 *	84.6	86.5	
	Non-Hisp. Black Men	88.2	75.5	94.8	84.0	79.6	87.6	
	Non-Hisp. Black Women	81.7	71.2	88.9	78.5	73.8	82.5	64.2
	Hispanic Men				77.5	72.5	81.7	77.4
	Hispanic Women				77.0	73.0	80.6	82.7
AGE GROUP	18-44	91.9	85.8	95.5	89.5	88.1	90.8	92.3
	45-64	76.6	68.6	83.1	80.4	78.8	81.8	64.9
	65 & Older	59.6	50.0	68.5	75.2 *	73.6	76.8	46.6
EDUCATION LEVEL	<High School	63.7	49.3	76.0	66.1	62.5	69.4	45.6
	H.S./GED	85.9	80.5	89.9	79.0	77.1	80.8	72.3
	>High School	88.1	82.7	92.0	88.1	87.1	89.0	90.3
ANNUAL INCOME	<\$25,000	70.7	61.7	78.3	65.7	63.2	68.1	61.0
	\$25,000-\$49,999	88.2	81.9	92.5	83.9	82.3	85.4	91.4
	\$50,000 or More	96.7	93.5	98.4	93.3	92.2	94.2	90.5
MARITAL STATUS	Married/Couple	85.8	80.3	89.9	85.1	84.0	86.1	80.5
	Not Married/Couple	77.2	70.4	82.8	80.3	78.7	81.7	67.2

Percentage of adults who are "very satisfied" or "satisfied" with their lives

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	95.1	91.5	97.3	94.2	93.6	94.8	
SEX	Men	94.7	88.5	97.6	94.0	92.9	94.9	
	Women	95.8	92.5	97.7	94.5	93.8	95.1	
RACE/ETHNICITY	Non-Hisp. White	96.5	93.7	98.1	94.9	94.3	95.4	
	Non-Hisp. Black	95.5	80.5	99.1	93.0	91.0	94.7	
	Hispanic				93.5	90.8	95.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	97.4	93.7	99.0	94.8	93.9	95.6	
	Non-Hisp. White Women	94.9	89.5	97.6	95.0	94.3	95.5	
	Non-Hisp. Black Men	93.3	65.2	99.1	90.3	85.9	93.4	
	Non-Hisp. Black Women	98.1	93.4	99.5	94.9	92.8	96.5	
	Hispanic Men				93.0	87.9	96.0	
	Hispanic Women				94.0	91.3	95.9	
AGE GROUP	18-44	93.7	87.0	97.1	94.6	93.4	95.6	
	45-64	97.0	93.5	98.6	92.7	91.7	93.6	
	65 & Older	96.5	91.5	98.6	95.8	95.0	96.5	
EDUCATION LEVEL	<High School	90.5	77.4	96.3	91.7	89.7	93.4	
	H.S./GED	95.2	88.0	98.2	92.7	91.1	94.1	
	>High School	97.5	94.6	98.9	95.3	94.6	95.9	
ANNUAL INCOME	<\$25,000	88.1	78.9	93.6	87.8	86.0	89.3	
	\$25,000-\$49,999	98.2	92.7	99.6	94.8	93.6	95.8	
	\$50,000 or More	99.4	95.5	99.9	97.2	96.2	98.0	
MARITAL STATUS	Married/Couple	97.4	94.8	98.7	96.4	95.7	96.9	
	Not Married/Couple	93.2	85.2	97.0	90.5	89.2	91.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who always or usually receive the social and emotional support they need

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	76.3	70.7	81.1	77.9	76.8	79.0	
SEX	Men	73.4	64.7	80.6	76.6	74.7	78.3	
	Women	80.7	75.2	85.2	79.2	77.9	80.5	
RACE/ETHNICITY	Non-Hisp. White	83.2	77.5	87.7	82.3	81.3	83.3	
	Non-Hisp. Black	67.2	53.1	78.7	67.0	62.7	71.0	
	Hispanic				68.5	64.6	72.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	82.1	73.5	88.4	81.2	79.6	82.8	
	Non-Hisp. White Women	85.1	78.7	89.8	83.4	82.2	84.5	
	Non-Hisp. Black Men	60.3	38.0	79.0	65.3	58.1	71.9	
	Non-Hisp. Black Women	75.2	62.1	84.9	68.1	62.7	73.0	
	Hispanic Men				64.7	58.2	70.6	
	Hispanic Women				72.3	67.9	76.4	
AGE GROUP	18-44	81.1	72.4	87.6	78.2	76.1	80.1	
	45-64	68.5	59.1	76.6	78.1	76.5	79.6	
	65 & Older	74.0	64.1	82.0	77.4	75.9	78.9	
EDUCATION LEVEL	<High School	61.3	45.4	75.1	63.3	59.3	67.0	
	H.S./GED	79.2	70.6	85.7	71.9	69.5	74.2	
	>High School	80.5	72.1	86.8	82.9	81.6	84.1	
ANNUAL INCOME	<\$25,000	67.5	57.1	76.4	63.4	60.7	66.1	
	\$25,000-\$49,999	72.9	61.0	82.3	76.0	73.8	78.0	
	\$50,000 or More	88.2	78.9	93.7	87.1	85.6	88.5	
MARITAL STATUS	Married/Couple	82.6	76.1	87.6	83.1	81.9	84.3	
	Not Married/Couple	66.5	56.3	75.4	68.9	66.8	70.9	

Percentage of adults with good physical health

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	85.8	81.7	89.1	88.8	88.1	89.5	
SEX	Men	85.3	79.1	89.9	89.8	88.7	90.8	
	Women	86.6	82.0	90.2	87.8	86.9	88.7	
RACE/ETHNICITY	Non-Hisp. White	86.0	80.8	89.9	88.5	87.7	89.2	
	Non-Hisp. Black	87.1	77.3	93.1	88.0	85.5	90.1	
	Hispanic	89.8	73.3	96.6	90.6	88.5	92.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	86.1	78.4	91.4	89.6	88.4	90.7	
	Non-Hisp. White Women	85.8	79.4	90.4	87.4	86.4	88.4	
	Non-Hisp. Black Men	84.6	67.9	93.5	89.1	85.2	92.0	
	Non-Hisp. Black Women	90.6	81.9	95.4	87.3	83.9	90.0	
	Hispanic Men				91.4	87.8	94.0	
	Hispanic Women				89.8	87.3	91.9	
AGE GROUP	18-44	91.2	84.7	95.1	92.5	91.4	93.5	
	45-64	78.7	71.5	84.4	86.5 *	85.2	87.6	
	65 & Older	80.8	71.4	87.7	84.3	82.9	85.5	
EDUCATION LEVEL	<High School	85.1	76.0	91.2	82.6	80.1	84.8	
	H.S./GED	83.3	75.7	88.9	86.6	85.1	87.9	
	>High School	89.3	83.8	93.1	90.8	89.9	91.6	
ANNUAL INCOME	<\$25,000	75.7	66.9	82.8	80.3	78.5	82.0	
	\$25,000-\$49,999	92.0	85.9	95.6	89.1	87.7	90.3	
	\$50,000 or More	93.4	85.9	97.1	93.5	92.5	94.4	
MARITAL STATUS	Married/Couple	87.6	82.4	91.5	90.4	89.5	91.1	
	Not Married/Couple	81.7	74.1	87.4	86.1	84.8	87.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good mental health

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	90.1	86.0	93.1	90.3	89.6	91.0	
SEX	Men	87.2	80.6	91.8	91.9	90.9	92.9	
	Women	94.6	91.5	96.7	88.7 *	87.7	89.7	
RACE/ETHNICITY	Non-Hisp. White	92.5	88.6	95.2	90.9	90.2	91.6	
	Non-Hisp. Black	86.8	74.4	93.6	87.2	83.8	90.0	
	Hispanic				89.8	87.4	91.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.8	84.7	94.6	92.2	91.2	93.2	
	Non-Hisp. White Women	95.7	91.5	97.8	89.7 *	88.7	90.5	
	Non-Hisp. Black Men	81.2	60.9	92.3	90.2	86.2	93.1	
	Non-Hisp. Black Women	94.2	87.0	97.5	85.2	80.1	89.2	
	Hispanic Men				92.0	88.2	94.6	
	Hispanic Women				87.7	84.2	90.5	
AGE GROUP	18-44	90.0	82.7	94.5	88.9	87.5	90.1	
	45-64	88.5	82.5	92.7	89.2	88.2	90.3	
	65 & Older	94.0	86.7	97.4	94.5	93.6	95.2	
EDUCATION LEVEL	<High School	88.0	75.0	94.7	84.2	81.0	87.0	
	H.S./GED	90.2	82.9	94.6	89.0	87.6	90.3	
	>High School	91.1	85.4	94.7	91.8	90.9	92.6	
ANNUAL INCOME	<\$25,000	79.9	70.2	87.0	83.9	81.9	85.8	
	\$25,000-\$49,999	96.0	90.1	98.4	88.7 *	87.1	90.1	
	\$50,000 or More	94.9	88.0	97.9	94.3	93.4	95.1	
MARITAL STATUS	Married/Couple	94.3	89.7	96.9	92.0	91.2	92.8	
	Not Married/Couple	84.2	76.2	89.8	87.2	85.8	88.5	

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	5.4	3.8	7.0	4.5	4.2	4.7	
SEX	Men	6.0	3.6	8.4	4.6	4.1	5.0	
	Women	4.3	3.0	5.5	4.4	4.1	4.7	
RACE/ETHNICITY	Non-Hisp. White	6.3	4.0	8.6	4.5	4.2	4.8	
	Non-Hisp. Black	3.5	1.3	5.8	4.5	3.7	5.3	
	Hispanic				3.9	3.1	4.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.1	3.6	10.6	4.6	4.1	5.1	
	Non-Hisp. White Women	4.9	3.2	6.6	4.3	4.0	4.7	
	Non-Hisp. Black Men				4.5	2.9	6.1	
	Non-Hisp. Black Women	2.7	0.9	4.6	4.5	3.6	5.5	
	Hispanic Men				3.7	2.3	5.0	
	Hispanic Women				4.0	3.1	5.0	
AGE GROUP	18-44	4.9	2.2	7.6	3.4	3.0	3.9	
	45-64	5.8	4.0	7.7	5.1	4.7	5.6	
	65 & Older	6.0	3.1	8.8	5.8	5.2	6.4	
EDUCATION LEVEL	<High School	6.9	3.9	10.0	6.2	5.2	7.1	
	H.S./GED	5.8	3.0	8.7	5.4	4.9	6.0	
	>High School	3.9	1.9	6.0	3.8	3.4	4.1	
ANNUAL INCOME	<\$25,000	8.9	5.8	12.1	7.5	6.8	8.2	
	\$25,000-\$49,999	2.2	0.9	3.5	4.4 *	3.9	4.9	
	\$50,000 or More	3.0	-0.2	6.1	2.5	2.2	2.8	
MARITAL STATUS	Married/Couple	5.6	3.2	8.0	4.0	3.7	4.3	
	Not Married/Couple	5.5	3.3	7.7	5.2	4.7	5.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.4	3.4	5.4	3.6	3.4	3.8	
SEX	Men	4.6	3.1	6.1	3.3	3.0	3.6	
	Women	4.2	3.1	5.3	3.9	3.7	4.1	
RACE/ETHNICITY	Non-Hisp. White	4.3	3.1	5.6	3.7	3.5	3.8	
	Non-Hisp. Black	3.9	2.0	5.8	4.1	3.5	4.8	
	Hispanic				3.0	2.5	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.3	2.5	6.1	3.4	3.1	3.7	
	Non-Hisp. White Women	4.3	2.9	5.7	3.9	3.7	4.2	
	Non-Hisp. Black Men	4.5	1.5	7.5	3.4	2.5	4.3	
	Non-Hisp. Black Women	3.0	1.2	4.8	4.6	3.7	5.5	
	Hispanic Men				2.7	1.9	3.5	
	Hispanic Women				3.3	2.7	4.0	
AGE GROUP	18-44	3.0	1.6	4.4	2.7	2.4	2.9	
	45-64	6.2	4.5	8.0	4.2	3.9	4.5	
	65 & Older	6.0	3.9	8.1	4.8	4.4	5.1	
EDUCATION LEVEL	<High School	5.1	2.9	7.2	5.5	4.8	6.2	
	H.S./GED	5.0	3.3	6.8	4.3	3.9	4.7	
	>High School	3.4	2.1	4.7	3.1	2.9	3.3	
ANNUAL INCOME	<\$25,000	7.4	5.2	9.6	6.3	5.8	6.8	
	\$25,000-\$49,999	2.5	1.3	3.6	3.5	3.2	3.8	
	\$50,000 or More	2.1	0.7	3.6	2.3	2.0	2.5	
MARITAL STATUS	Married/Couple	3.9	2.6	5.1	3.2	3.0	3.4	
	Not Married/Couple	5.5	3.9	7.2	4.4	4.0	4.7	

Average number of unhealthy mental days in the past 30 days

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	3.4	2.5	4.3	3.3	3.1	3.5	
SEX	Men	4.1	2.7	5.5	2.8	2.5	3.1	
	Women	2.2	1.5	2.8	3.7 *	3.4	4.0	
RACE/ETHNICITY	Non-Hisp. White	2.5	1.7	3.4	3.1	2.9	3.2	
	Non-Hisp. Black	5.1	2.6	7.6	4.1	3.2	5.0	
	Hispanic				3.5	2.8	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.1	1.8	4.3	2.7	2.4	2.9	
	Non-Hisp. White Women	1.5	0.8	2.2	3.4 *	3.2	3.7	
	Non-Hisp. Black Men	6.8	2.8	10.9	3.3	2.3	4.3	
	Non-Hisp. Black Women	2.8	1.3	4.3	4.6	3.4	5.9	
	Hispanic Men				3.0	1.9	4.0	
	Hispanic Women				4.0	3.1	5.0	
AGE GROUP	18-44	3.4	2.0	4.8	3.8	3.4	4.2	
	45-64	3.8	2.5	5.2	3.5	3.2	3.8	
	65 & Older	2.2	0.7	3.6	1.8	1.6	2.0	
EDUCATION LEVEL	<High School	3.6	1.5	5.7	5.2	4.3	6.1	
	H.S./GED	3.6	2.0	5.1	3.7	3.3	4.1	
	>High School	3.0	1.9	4.1	2.8	2.6	3.0	
ANNUAL INCOME	<\$25,000	6.2	4.0	8.3	5.2	4.6	5.7	
	\$25,000-\$49,999	2.1	1.2	3.1	3.6 *	3.2	4.0	
	\$50,000 or More	1.7	0.5	2.9	2.2	1.9	2.4	
MARITAL STATUS	Married/Couple	2.4	1.3	3.4	2.7	2.5	2.9	
	Not Married/Couple	5.0	3.4	6.6	4.3	3.9	4.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percentage of adults less than 65 years of age who have ever been tested for HIV

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	45.2	37.9	52.7	49.1	47.6	50.6	44.2
SEX	Men	42.4	32.3	53.2	46.4	44.0	48.8	26.3
	Women	50.0	41.3	58.8	51.8	50.0	53.7	57.4
RACE/ETHNICITY	Non-Hisp. White	36.2	27.9	45.4	45.3	43.6	47.0	25.2
	Non-Hisp. Black	69.2	55.8	80.0	68.4	63.9	72.6	55.8
	Hispanic				50.7	46.5	54.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	31.3	20.9	44.0	45.2	42.6	47.8	
	Non-Hisp. White Women	46.6	36.3	57.3	45.4	43.3	47.5	
	Non-Hisp. Black Men				61.9	53.8	69.5	
	Non-Hisp. Black Women	54.1	36.0	71.3	72.9	67.8	77.5	20.4
	Hispanic Men				44.2	37.8	50.8	32.4
	Hispanic Women				57.5	52.4	62.5	43.2
AGE GROUP	18-44	51.5	41.2	61.7	58.5	56.3	60.7	43.6
	45-64	34.1	25.4	43.9	35.9	34.2	37.7	45.0
	65 & Older							
EDUCATION LEVEL	<High School	36.7	21.3	55.3	48.1	43.0	53.3	25.9
	H.S./GED	45.2	34.2	56.7	46.9	43.8	50.0	32.1
	>High School	49.7	38.3	61.1	50.2	48.4	52.1	71.1
ANNUAL INCOME	<\$25,000	50.4	38.2	62.5	54.1	50.5	57.7	52.6
	\$25,000-\$49,999	50.4	36.6	64.1	48.0	45.1	51.0	41.3
	\$50,000 or More	30.3	19.8	43.5	49.5 *	47.3	51.7	44.0
MARITAL STATUS	Married/Couple	39.2	30.3	48.9	47.7	45.9	49.5	32.5
	Not Married/Couple	53.7	41.6	65.4	51.7	48.9	54.4	53.0

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	30.8	25.8	36.2	28.2	27.2	29.2	33.8
SEX	Men	30.1	23.1	38.2	28.8	27.2	30.4	41.3
	Women	31.8	26.2	38.0	27.6	26.4	28.8	28.5
RACE/ETHNICITY	Non-Hisp. White	33.0	26.7	40.0	30.4	29.3	31.5	38.8
	Non-Hisp. Black	31.2	21.4	43.2	32.5	28.9	36.3	42.2
	Hispanic	10.9	4.1	26.2	19.1	16.5	22.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.8	23.9	43.0	31.0	29.3	32.7	
	Non-Hisp. White Women	33.5	26.7	41.0	29.8	28.5	31.2	
	Non-Hisp. Black Men	30.6	16.9	48.9	30.9	25.4	37.1	
	Non-Hisp. Black Women	32.1	20.5	46.4	33.6	29.1	38.4	43.6
	Hispanic Men				20.9	16.7	25.9	32.7
	Hispanic Women				17.3	14.3	20.8	44.6
AGE GROUP	18-44	17.6	11.6	25.8	11.6	10.3	13.1	12.1
	45-64	38.9	30.8	47.6	33.9	32.3	35.5	43.7
	65 & Older	61.7	51.9	70.6	53.5	51.8	55.3	63.6
EDUCATION LEVEL	<High School	32.8	22.5	45.0	31.9	28.7	35.3	49.9
	H.S./GED	33.3	25.4	42.4	29.5	27.6	31.3	36.6
	>High School	26.5	19.5	34.8	27.0	25.8	28.3	20.3
ANNUAL INCOME	<\$25,000	38.3	29.4	48.2	35.3	33.0	37.6	44.6
	\$25,000-\$49,999	28.5	19.9	39.1	29.2	27.3	31.1	18.4
	\$50,000 or More	22.9	15.2	33.0	23.2	21.7	24.8	22.8
MARITAL STATUS	Married/Couple	29.3	23.1	36.5	27.4	26.2	28.6	30.7
	Not Married/Couple	34.6	26.7	43.5	29.6	28.0	31.3	36.5

Percentage of adults with hypertension who engage in blood pressure control measures

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	90.8	81.6	95.6	96.4	95.5	97.2	
SEX	Men	87.6	72.6	94.9	95.9	94.1	97.1	
	Women	95.6	89.9	98.2	97.0	95.9	97.8	
RACE/ETHNICITY	Non-Hisp. White	88.6	75.6	95.1	97.1 *	96.3	97.8	
	Non-Hisp. Black	94.3	81.0	98.5	96.0	91.9	98.1	
	Hispanic				94.6	89.1	97.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	85.5	65.3	94.8	97.0 *	95.7	97.9	
	Non-Hisp. White Women	93.8	84.9	97.6	97.3	96.0	98.1	
	Non-Hisp. Black Men				94.3	84.7	98.0	
	Non-Hisp. Black Women	98.4	89.4	99.8	97.1	92.6	98.9	
	Hispanic Men				93.1	83.0	97.4	
	Hispanic Women				96.4	91.1	98.6	
AGE GROUP	18-44	77.7	53.7	91.3	90.0	85.5	93.2	
	45-64	95.4	87.3	98.4	96.9	95.7	97.9	
	65 & Older	98.2	88.4	99.7	98.8	98.1	99.2	
EDUCATION LEVEL	<High School	90.8	76.8	96.7	94.3	90.6	96.6	
	H.S./GED	90.8	77.8	96.5	96.2	94.2	97.5	
	>High School	90.7	60.1	98.4	97.0	95.7	97.9	
ANNUAL INCOME	<\$25,000	94.8	84.5	98.4	96.2	94.1	97.6	
	\$25,000-\$49,999	85.1	57.0	96.1	97.1	95.4	98.2	
	\$50,000 or More	88.9	60.2	97.7	96.7	94.6	98.0	
MARITAL STATUS	Married/Couple	87.4	72.8	94.7	96.1 *	94.7	97.2	
	Not Married/Couple	96.0	89.7	98.5	96.9	95.5	97.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with hypertension who were advised by a health care provider to engage in control measures

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	96.8	93.0	98.6	95.5	94.4	96.4	
SEX	Men	97.4	90.4	99.3	95.6	94.1	96.7	
	Women	95.9	90.2	98.3	95.5	93.6	96.8	
RACE/ETHNICITY	Non-Hisp. White	96.2	90.6	98.5	96.3	95.4	97.1	
	Non-Hisp. Black	98.9	92.1	99.8	93.8	84.4	97.7	
	Hispanic				92.9	87.5	96.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	96.5	87.2	99.1	96.7	95.5	97.6	
	Non-Hisp. White Women	95.5	86.8	98.6	96.0	94.4	97.1	
	Non-Hisp. Black Men				96.1	91.1	98.3	
	Non-Hisp. Black Women	97.7	84.9	99.7	92.4	76.5	97.8	
	Hispanic Men				90.1	80.3	95.3	
	Hispanic Women				96.2	91.6	98.3	
AGE GROUP	18-44	96.1	82.6	99.2	89.8	84.5	93.5	
	45-64	97.3	91.5	99.2	96.3	94.8	97.4	
	65 & Older	96.9	90.5	99.0	97.2	96.2	98.0	
EDUCATION LEVEL	<High School	97.0	88.4	99.3	93.7	90.5	95.9	
	H.S./GED	98.6	93.9	99.7	95.5	92.3	97.4	
	>High School	94.1	82.8	98.1	95.8	94.5	96.9	
ANNUAL INCOME	<\$25,000	95.9	87.4	98.8	94.4	90.9	96.6	
	\$25,000-\$49,999	95.9	87.4	98.8	95.5	93.4	96.9	
	\$50,000 or More	100.0			96.4	94.6	97.6	
MARITAL STATUS	Married/Couple	98.2	94.2	99.4	95.7	94.4	96.8	
	Not Married/Couple	94.7	85.6	98.2	95.2	92.9	96.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults in high-risk groups who received a flu shot in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	45.5	35.2	56.2	44.6	42.4	46.8	
SEX	Men	43.1	27.3	60.4	46.4	42.8	50.1	
	Women	48.0	35.9	60.4	43.2	40.6	45.9	
RACE/ETHNICITY	Non-Hisp. White	46.7	34.2	59.5	50.2	47.8	52.6	
	Non-Hisp. Black				24.7	19.5	30.8	
	Hispanic				34.1	26.8	42.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.8	27.8	65.0	50.3	46.3	54.4	
	Non-Hisp. White Women	47.9	33.6	62.6	50.1	47.3	52.9	
	Non-Hisp. Black Men				22.4	14.0	33.9	
	Non-Hisp. Black Women				25.6	19.4	33.0	
	Hispanic Men				39.9	27.4	53.9	
	Hispanic Women				29.9	21.8	39.5	
AGE GROUP	18-44	29.9	13.2	54.4	25.1	21.4	29.2	
	45-64	39.1	26.1	53.8	41.6	38.4	44.9	
	65 & Older	84.8	68.2	93.5	72.1	68.9	75.1	
EDUCATION LEVEL	<High School				34.6	28.9	40.9	
	H.S./GED	46.0	29.9	62.9	42.8	38.6	47.2	
	>High School	47.6	32.6	62.9	46.6	43.9	49.3	
ANNUAL INCOME	<\$25,000	42.5	27.4	59.0	41.8	37.6	46.2	
	\$25,000-\$49,999	38.5	21.9	58.2	44.1	40.1	48.1	
	\$50,000 or More	53.2	33.8	71.7	45.7	42.1	49.4	
MARITAL STATUS	Married/Couple	42.2	29.1	56.6	46.4	43.6	49.1	
	Not Married/Couple	50.8	34.9	66.5	42.0	38.5	45.6	

Percentage of adults in high-risk groups who have ever received a pneumonia vaccination

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	29.7	21.7	39.2	37.0	35.0	39.1	
SEX	Men	23.5	13.5	37.7	40.4	36.9	44.0	
	Women	35.7	24.9	48.1	34.7	32.3	37.1	
RACE/ETHNICITY	Non-Hisp. White	31.2	21.6	42.8	43.0	40.8	45.4	
	Non-Hisp. Black				20.9	16.1	26.8	
	Hispanic				21.8	16.3	28.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.5	14.4	43.5	45.3	41.4	49.4	
	Non-Hisp. White Women	37.2	24.4	52.1	41.2	38.6	43.9	
	Non-Hisp. Black Men				30.0	18.7	44.6	
	Non-Hisp. Black Women				17.4	13.0	22.8	
	Hispanic Men				19.3	11.9	29.7	
	Hispanic Women				23.6	16.3	32.7	
AGE GROUP	18-44				12.7	10.0	16.1	
	45-64	17.4	9.9	28.7	30.1	27.3	33.1	
	65 & Older	82.4	66.8	91.6	73.5	70.4	76.5	
EDUCATION LEVEL	<High School				38.8	32.3	45.8	
	H.S./GED	31.3	18.7	47.4	38.9	34.9	43.0	
	>High School	31.9	19.5	47.5	36.0	33.5	38.5	
ANNUAL INCOME	<\$25,000	28.0	16.8	42.9	41.6	37.5	45.9	
	\$25,000-\$49,999	24.2	12.4	41.8	41.1	37.2	45.1	
	\$50,000 or More				28.5	25.4	31.8	
MARITAL STATUS	Married/Couple	28.9	18.6	41.9	37.6	35.0	40.2	
	Not Married/Couple	31.0	19.5	45.4	36.3	33.2	39.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who received a flu shot in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	32.3	26.8	38.2	32.7	31.7	33.7	19.2
SEX	Men	34.5	26.5	43.4	31.7	30.1	33.3	21.9
	Women	28.7	23.2	35.0	33.6	32.3	34.9	17.3
RACE/ETHNICITY	Non-Hisp. White	31.8	25.5	38.8	38.0	36.8	39.2	20.4
	Non-Hisp. Black	38.7	26.4	52.6	23.0 *	19.9	26.3	24.1
	Hispanic	19.6	7.5	42.3	20.6	17.9	23.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.3	23.3	42.7	36.5	34.7	38.4	
	Non-Hisp. White Women	31.0	24.5	38.3	39.4	37.9	40.9	
	Non-Hisp. Black Men	45.3	27.0	64.9	22.9	17.9	28.8	
	Non-Hisp. Black Women	29.5	17.6	45.0	23.0	19.3	27.1	19.5
	Hispanic Men				19.5	15.6	24.2	21.5
	Hispanic Women				21.7	18.2	25.7	35.6
AGE GROUP	18-44	22.4	14.7	32.4	18.3	16.7	20.0	8.4
	45-64	29.6	22.2	38.2	30.6	29.1	32.2	14.7
	65 & Older	73.7	64.2	81.4	64.6	62.9	66.4	59.7
EDUCATION LEVEL	<High School	28.9	17.9	43.2	26.0	23.2	29.0	32.1
	H.S./GED	33.1	24.7	42.9	30.4	28.6	32.3	15.1 *
	>High School	33.0	25.1	42.0	34.8	33.5	36.2	18.8
ANNUAL INCOME	<\$25,000	35.8	26.5	46.4	33.8	31.5	36.3	18.4
	\$25,000-\$49,999	33.1	23.2	44.7	31.3	29.4	33.3	16.2
	\$50,000 or More	29.6	20.5	40.7	31.9	30.3	33.6	18.4
MARITAL STATUS	Married/Couple	31.5	24.8	39.1	33.3	32.0	34.6	24.7
	Not Married/Couple	32.9	24.4	42.8	31.8	30.0	33.6	14.5

Percentage of adults age 65 and older who received a flu shot in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	73.7	64.2	81.4	64.6	62.9	66.4	59.7
SEX	Men	87.1	75.7	93.6	65.9 *	63.1	68.5	
	Women	62.5	49.2	74.1	63.7	61.4	65.9	55.0
RACE/ETHNICITY	Non-Hisp. White	72.1	61.3	80.9	68.3	66.5	70.0	58.2
	Non-Hisp. Black				44.7	36.9	52.8	
	Hispanic				45.3	37.3	53.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	92.0	79.4	97.2	69.3 *	66.5	71.9	
	Non-Hisp. White Women	55.8	41.8	68.9	67.5	65.2	69.7	
	Non-Hisp. Black Men				44.4	32.4	57.2	
	Non-Hisp. Black Women				44.9	35.0	55.2	
	Hispanic Men				47.4	34.6	60.5	50.9
	Hispanic Women				43.7	33.9	54.1	
AGE GROUP	18-44							
	45-64							
	65 & Older	73.7	64.2	81.4	64.6	62.9	66.4	59.7
EDUCATION LEVEL	<High School	66.9	46.8	82.3	50.8	45.3	56.3	51.0
	H.S./GED	69.9	54.2	81.9	62.1	59.0	65.1	53.9
	>High School	82.6	66.1	92.1	69.4	67.1	71.6	
ANNUAL INCOME	<\$25,000	72.4	57.9	83.3	59.8	56.6	63.0	56.3
	\$25,000-\$49,999	68.8	49.0	83.5	63.7	60.4	67.0	
	\$50,000 or More				70.5	66.8	73.9	
MARITAL STATUS	Married/Couple	75.4	62.1	85.1	68.5	66.1	70.7	61.5
	Not Married/Couple	70.9	57.1	81.7	59.3	56.6	61.9	57.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.6	17.1	26.9	25.9	25.0	26.9	16.3
SEX	Men	22.5	15.9	30.8	25.6	24.1	27.2	19.8
	Women	20.3	15.7	25.7	26.2	25.0	27.4	14.0
RACE/ETHNICITY	Non-Hisp. White	19.7	15.4	24.9	30.0 *	28.9	31.1	18.6
	Non-Hisp. Black	30.1	18.4	45.1	17.5	14.9	20.5	15.4
	Hispanic	8.4	3.2	20.0	16.1	13.5	19.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.9	11.5	24.2	28.6 *	26.9	30.3	
	Non-Hisp. White Women	24.2	18.4	31.1	31.3	29.9	32.6	
	Non-Hisp. Black Men	42.0	23.8	62.7	20.1	15.6	25.6	
	Non-Hisp. Black Women	13.9	6.7	26.8	15.8	12.8	19.3	18.2
	Hispanic Men				17.3	13.1	22.5	19.0
	Hispanic Women				15.0	12.0	18.5	20.5
AGE GROUP	18-44	10.9	5.4	20.8	11.4	10.0	13.0	7.8
	45-64	15.9	10.6	23.2	18.4	17.1	19.8	11.1
	65 & Older	69.0	59.4	77.2	63.0	61.2	64.8	51.4
EDUCATION LEVEL	<High School	16.7	10.5	25.6	25.1	22.4	28.1	30.1
	H.S./GED	25.5	17.7	35.3	27.7	25.8	29.8	11.5
	>High School	19.5	13.9	26.7	25.2	24.1	26.4	16.8
ANNUAL INCOME	<\$25,000	23.6	16.2	33.1	31.6	29.4	33.8	18.2
	\$25,000-\$49,999	21.2	12.7	33.3	26.8	25.0	28.6	12.3
	\$50,000 or More	18.5	11.6	28.1	19.5	18.1	21.1	13.9
MARITAL STATUS	Married/Couple	19.2	14.3	25.2	24.8	23.6	26.0	20.2
	Not Married/Couple	27.2	18.8	37.5	27.9	26.3	29.6	12.9

Percentage of adults age 65 and older who have ever received a pneumonia vaccination

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	69.0	59.4	77.2	63.0	61.2	64.8	51.4
SEX	Men	76.8	63.2	86.5	62.8	60.0	65.5	61.6
	Women	62.3	49.1	73.9	63.2	60.8	65.4	44.9
RACE/ETHNICITY	Non-Hisp. White	69.9	59.1	78.9	67.7	65.9	69.4	52.7
	Non-Hisp. Black				44.8	36.9	53.0	
	Hispanic				33.4	26.3	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	81.0	65.3	90.6	67.0	64.3	69.6	
	Non-Hisp. White Women	60.8	46.3	73.5	68.2	65.9	70.5	
	Non-Hisp. Black Men				41.6	29.6	54.7	
	Non-Hisp. Black Women				46.6	36.4	57.1	
	Hispanic Men				33.4	22.6	46.4	45.8
	Hispanic Women				33.3	24.4	43.6	
AGE GROUP	18-44							
	45-64							
	65 & Older	69.0	59.4	77.2	63.0	61.2	64.8	51.4
EDUCATION LEVEL	<High School	65.3	45.7	80.7	51.3	45.8	56.8	52.9
	H.S./GED	68.0	52.0	80.7	61.3	58.1	64.3	45.6
	>High School	72.5	56.2	84.4	67.0	64.6	69.2	
ANNUAL INCOME	<\$25,000	69.2	54.9	80.6	60.2	56.8	63.4	55.0
	\$25,000-\$49,999	64.6	44.4	80.6	64.4	61.1	67.7	
	\$50,000 or More				64.2	60.3	67.9	
MARITAL STATUS	Married/Couple	67.8	53.9	79.1	64.4	62.0	66.8	54.2
	Not Married/Couple	70.8	58.5	80.6	61.0	58.3	63.7	48.0

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who were at risk and who have received a hepatitis B vaccination

		2007 County		2007 State		2002 County
		Measure	95% CI	Measure	95% CI	Measure
ALL	Overall			43.8	37.6 50.2	
SEX	Men			43.1	35.4 51.1	
	Women			45.7	35.9 55.8	
RACE/ETHNICITY	Non-Hisp. White			44.2	37.1 51.6	
	Non-Hisp. Black			46.1	31.7 61.1	
	Hispanic			41.5	21.0 65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men			42.3	33.6 51.6	
	Non-Hisp. White Women			50.8	41.5 60.0	
	Non-Hisp. Black Men			39.8	24.2 57.8	
	Non-Hisp. Black Women			51.6	29.2 73.4	
	Hispanic Men			47.5	21.9 74.5	
	Hispanic Women			18.9	6.8 42.9	
AGE GROUP	18-44			50.3	41.7 59.0	
	45-64			34.0	26.5 42.4	
	65 & Older			10.9	5.3 21.1	
EDUCATION LEVEL	<High School			46.1	28.9 64.4	
	H.S./GED			42.9	31.2 55.4	
	>High School			44.1	36.5 52.0	
ANNUAL INCOME	<\$25,000			36.5	26.8 47.4	
	\$25,000-\$49,999			46.5	36.0 57.4	
	\$50,000 or More			46.2	35.0 57.8	
MARITAL STATUS	Married/Couple			42.5	32.7 53.0	
	Not Married/Couple			44.6	36.9 52.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	36.1	30.2	42.4	38.0	36.8	39.2	39.4
SEX	Men	41.6	32.8	50.8	46.0	44.1	48.0	33.9
	Women	27.4	21.6	34.0	30.2	28.8	31.6	43.5
RACE/ETHNICITY	Non-Hisp. White	37.2	30.2	44.9	38.2	37.0	39.5	30.6
	Non-Hisp. Black	32.8	21.4	46.6	36.4	32.5	40.5	32.3
	Hispanic				37.5	33.8	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	43.3	32.9	54.3	46.3	44.3	48.4	
	Non-Hisp. White Women	26.4	20.0	34.0	30.2	28.7	31.7	
	Non-Hisp. Black Men	32.6	17.0	53.4	41.1	34.2	48.4	
	Non-Hisp. Black Women	33.0	19.7	49.7	33.1	28.7	37.8	34.4
	Hispanic Men				46.6	40.7	52.7	25.5
	Hispanic Women				28.2	24.3	32.4	32.6
AGE GROUP	18-44	31.3	22.5	41.7	36.4	34.2	38.6	27.3
	45-64	39.7	31.3	48.7	38.4	36.7	40.2	50.6
	65 & Older	45.0	35.5	54.9	40.6	38.9	42.4	41.8
EDUCATION LEVEL	<High School	30.4	18.1	46.2	37.5	33.7	41.4	45.4
	H.S./GED	39.1	30.2	48.8	37.2	35.0	39.6	23.6
	>High School	35.0	26.1	45.2	38.4	36.9	39.9	62.2
ANNUAL INCOME	<\$25,000	34.2	25.1	44.7	34.9	32.3	37.5	46.6
	\$25,000-\$49,999	39.4	28.8	51.2	39.0	36.7	41.4	33.3
	\$50,000 or More	34.4	23.5	47.3	40.4	38.5	42.4	30.4
MARITAL STATUS	Married/Couple	38.3	30.7	46.5	40.2	38.7	41.7	34.0
	Not Married/Couple	34.0	25.2	44.0	34.2	32.2	36.2	44.0

Percentage of adults who are obese

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	36.9	30.8	43.5	24.1 *	23.1	25.1	24.6
SEX	Men	38.7	29.9	48.2	25.2 *	23.6	26.9	37.0
	Women	34.1	27.1	41.8	23.0 *	21.8	24.3	15.4 *
RACE/ETHNICITY	Non-Hisp. White	33.5	26.3	41.6	22.3 *	21.3	23.3	31.1
	Non-Hisp. Black	41.7	28.8	55.7	34.7	30.9	38.8	22.5
	Hispanic				26.5	23.2	30.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.6	29.2	51.1	24.6 *	23.0	26.4	
	Non-Hisp. White Women	22.7	16.9	29.7	19.9	18.8	21.1	
	Non-Hisp. Black Men	36.6	20.1	56.9	28.5	22.7	35.1	
	Non-Hisp. Black Women	49.0	32.1	66.1	39.0	34.2	44.1	39.8
	Hispanic Men				26.9	21.7	32.8	19.0
	Hispanic Women				26.1	22.3	30.4	26.4
AGE GROUP	18-44	40.3	30.7	50.8	23.1 *	21.3	25.0	17.6 *
	45-64	38.8	30.1	48.4	28.1 *	26.5	29.7	33.1
	65 & Older	21.2	14.8	29.5	20.6	19.2	22.0	20.5
EDUCATION LEVEL	<High School	46.9	31.4	63.0	30.7	27.2	34.4	23.1
	H.S./GED	35.0	26.3	45.0	24.8	22.9	26.8	31.5
	>High School	34.5	25.4	44.9	22.8 *	21.5	24.1	14.1
ANNUAL INCOME	<\$25,000	43.7	33.6	54.4	26.5 *	24.5	28.7	32.5
	\$25,000-\$49,999	26.5	17.2	38.5	25.7	23.6	27.9	16.1
	\$50,000 or More	35.4	24.2	48.5	22.6	21.0	24.3	24.7
MARITAL STATUS	Married/Couple	37.1	29.3	45.7	24.1 *	22.9	25.4	22.1
	Not Married/Couple	33.7	24.9	43.8	23.9	22.2	25.8	26.8

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	73.0	67.3	78.0	62.1 *	60.9	63.2	64.0
SEX	Men	80.2	72.0	86.5	71.2	69.5	72.9	71.0
	Women	61.4	54.0	68.3	53.2	51.6	54.7	58.8
RACE/ETHNICITY	Non-Hisp. White	70.8	63.9	76.8	60.5 *	59.2	61.8	61.7
	Non-Hisp. Black	74.4	60.4	84.8	71.1	66.6	75.3	54.7
	Hispanic				64.0	60.2	67.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	82.9	73.7	89.4	71.0 *	69.1	72.8	
	Non-Hisp. White Women	49.1	40.8	57.4	50.1	48.5	51.7	
	Non-Hisp. Black Men	69.2	48.3	84.4	69.6	61.5	76.7	
	Non-Hisp. Black Women	82.0	66.9	91.1	72.1	66.8	76.9	74.2
	Hispanic Men				73.5	68.0	78.3	44.6
	Hispanic Women				54.3	49.4	59.2	58.9
AGE GROUP	18-44	71.7	62.2	79.5	59.4 *	57.2	61.6	44.9
	45-64	78.5	71.4	84.3	66.5 *	64.8	68.2	83.7
	65 & Older	66.2	56.5	74.7	61.2	59.5	62.9	62.3
EDUCATION LEVEL	<High School	77.2	62.2	87.5	68.2	64.1	72.0	68.5
	H.S./GED	74.1	65.3	81.4	62.0 *	59.7	64.3	55.1
	>High School	69.6	60.3	77.4	61.2	59.7	62.6	76.3
ANNUAL INCOME	<\$25,000	78.0	68.9	84.9	61.4 *	58.7	64.0	79.1
	\$25,000-\$49,999	66.0	53.9	76.3	64.7	62.5	66.9	49.3
	\$50,000 or More	69.8	58.5	79.1	63.0	61.1	64.8	55.1
MARITAL STATUS	Married/Couple	75.4	68.8	80.9	64.3 *	62.9	65.7	56.1
	Not Married/Couple	67.7	56.8	76.9	58.1	56.0	60.2	70.8

Percentage of adults whose body weight increased by five pounds or more in the past year

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	27.3	21.6	33.9	22.4	21.3	23.5	
SEX	Men	25.9	18.0	35.7	21.4	19.8	23.2	
	Women	29.7	22.8	37.6	23.3	22.0	24.7	
RACE/ETHNICITY	Non-Hisp. White	24.3	17.9	32.1	19.2	18.1	20.3	
	Non-Hisp. Black	36.7	23.7	52.0	34.9	30.7	39.4	
	Hispanic				27.0	23.7	30.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	25.0	16.1	36.7	19.0	17.3	20.7	
	Non-Hisp. White Women	23.0	16.8	30.7	19.4	18.1	20.7	
	Non-Hisp. Black Men	28.6	12.6	52.5	32.0	24.8	40.1	
	Non-Hisp. Black Women	48.1	30.9	65.7	37.0	32.1	42.2	
	Hispanic Men				26.3	21.3	32.1	
	Hispanic Women				27.6	23.7	31.9	
AGE GROUP	18-44	32.9	23.9	43.5	30.2	28.2	32.3	
	45-64	24.1	16.3	34.2	18.3	17.0	19.7	
	65 & Older	14.0	8.7	21.9	12.5	11.4	13.8	
EDUCATION LEVEL	<High School	28.4	16.8	44.0	27.7	23.9	32.0	
	H.S./GED	29.0	20.6	39.2	25.2	23.1	27.4	
	>High School	24.6	15.8	36.3	20.4	19.1	21.7	
ANNUAL INCOME	<\$25,000	31.9	22.3	43.3	23.0	20.8	25.3	
	\$25,000-\$49,999	26.3	16.5	39.0	24.7	22.5	27.1	
	\$50,000 or More	24.9	15.5	37.5	21.1	19.5	22.8	
MARITAL STATUS	Married/Couple	28.7	21.2	37.5	21.7	20.5	23.0	
	Not Married/Couple	25.2	17.2	35.4	23.5	21.6	25.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults whose body weight decreased by five pounds or more in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	23.0	18.4	28.3	23.0	22.0	24.1	
SEX	Men	20.1	14.1	27.8	22.5	20.9	24.2	
	Women	27.6	21.6	34.5	23.5	22.2	24.9	
RACE/ETHNICITY	Non-Hisp. White	21.6	16.5	27.6	22.7	21.6	23.8	
	Non-Hisp. Black	26.4	16.5	39.5	24.8	21.5	28.5	
	Hispanic				23.4	20.1	27.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.1	10.3	24.3	22.3	20.6	24.1	
	Non-Hisp. White Women	31.3	23.8	39.9	23.0	21.6	24.5	
	Non-Hisp. Black Men	27.8	14.0	47.7	23.7	18.3	30.1	
	Non-Hisp. Black Women	24.5	13.2	40.8	25.6	21.5	30.2	
	Hispanic Men				22.9	17.9	28.8	
	Hispanic Women				23.9	20.0	28.2	
AGE GROUP	18-44	21.5	14.8	30.1	22.9	21.0	24.9	
	45-64	24.6	17.9	32.7	23.7	22.2	25.2	
	65 & Older	25.8	18.1	35.4	22.6	21.1	24.1	
EDUCATION LEVEL	<High School	21.6	12.0	35.8	25.7	22.5	29.3	
	H.S./GED	23.6	16.8	32.0	22.1	20.2	24.1	
	>High School	23.0	16.3	31.5	23.1	21.7	24.5	
ANNUAL INCOME	<\$25,000	26.4	18.4	36.4	27.3	24.8	30.0	
	\$25,000-\$49,999	24.0	16.2	33.9	23.1	21.2	25.2	
	\$50,000 or More	19.2	12.3	28.8	20.5	19.0	22.1	
MARITAL STATUS	Married/Couple	19.2	14.4	25.1	21.4	20.1	22.7	
	Not Married/Couple	28.7	20.3	38.9	25.9	24.0	27.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who are sedentary

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	29.1	24.2	34.6	25.4	24.4	26.5	45.9
SEX	Men	26.0	19.2	34.1	22.5	20.9	24.1	45.2
	Women	34.1	27.9	40.9	28.1	26.8	29.6	46.4
RACE/ETHNICITY	Non-Hisp. White	26.0	20.6	32.2	21.3	20.3	22.3	49.0 *
	Non-Hisp. Black	28.0	17.9	41.0	32.0	28.0	36.3	61.5 *
	Hispanic				37.0	33.5	40.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.4	14.7	29.9	18.3	16.9	19.8	
	Non-Hisp. White Women	34.0	26.7	42.1	24.1 *	22.8	25.4	
	Non-Hisp. Black Men	26.4	12.7	47.0	29.2	22.5	36.9	
	Non-Hisp. Black Women	30.3	18.5	45.5	33.9	29.2	39.0	45.2
	Hispanic Men				33.1	28.0	38.7	53.9
	Hispanic Women				40.8	36.3	45.5	47.5
AGE GROUP	18-44	23.3	16.3	32.1	22.8	21.0	24.8	49.8
	45-64	33.7	26.1	42.3	25.3	23.8	26.8	43.0
	65 & Older	41.6	32.5	51.4	30.9	29.3	32.5	43.8
EDUCATION LEVEL	<High School	48.9	34.3	63.7	49.2	45.3	53.0	58.3
	H.S./GED	26.1	19.5	34.1	33.6	31.4	35.8	60.7 *
	>High School	22.2	15.9	30.0	17.7	16.6	18.9	14.8
ANNUAL INCOME	<\$25,000	42.3	32.8	52.4	40.2	37.7	42.9	40.9
	\$25,000-\$49,999	26.9	18.6	37.1	28.3	26.2	30.5	57.2
	\$50,000 or More	12.6	7.3	20.8	13.9	12.5	15.3	16.5
MARITAL STATUS	Married/Couple	24.8	18.9	31.7	22.5	21.3	23.8	42.9
	Not Married/Couple	36.8	28.3	46.2	30.1	28.3	32.1	48.5

Percentage of adults who are inactive at work

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	49.5	40.6	58.4	64.5 *	62.8	66.1	32.9
SEX	Men	46.3	34.2	58.8	58.4	55.9	60.9	42.8
	Women	55.1	43.9	65.8	71.5 *	69.4	73.4	26.6
RACE/ETHNICITY	Non-Hisp. White	58.7	47.5	69.2	67.3	65.5	69.1	51.2
	Non-Hisp. Black	44.7	26.5	64.4	64.5	59.1	69.5	26.7
	Hispanic				56.9	52.1	61.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	57.0	41.9	70.9	61.7	59.0	64.4	
	Non-Hisp. White Women	62.7	50.0	73.8	73.9	71.7	76.0	
	Non-Hisp. Black Men				58.6	49.0	67.7	
	Non-Hisp. Black Women	54.3	30.3	76.5	68.7	62.5	74.3	43.6
	Hispanic Men				49.1	42.3	55.9	64.4
	Hispanic Women				67.6	61.4	73.2	
AGE GROUP	18-44	49.6	37.7	61.6	60.3	57.8	62.8	39.7
	45-64	47.0	34.9	59.4	69.6 *	67.5	71.6	23.1
	65 & Older				75.6	71.0	79.7	
EDUCATION LEVEL	<High School				50.2	43.4	57.1	
	H.S./GED	50.3	36.9	63.6	51.1	47.6	54.6	35.1
	>High School	58.6	44.9	71.1	71.1	69.1	72.9	26.4
ANNUAL INCOME	<\$25,000	33.2	20.5	49.0	52.7	48.0	57.4	20.4
	\$25,000-\$49,999	44.3	30.3	59.2	56.5	53.1	59.8	32.3
	\$50,000 or More	66.3	51.3	78.6	71.4	69.2	73.6	56.1
MARITAL STATUS	Married/Couple	49.8	38.9	60.8	66.2 *	64.2	68.1	50.9
	Not Married/Couple	50.9	35.8	65.8	61.0	58.0	64.0	17.7

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who consume at least five servings of fruits and vegetables a day

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
	ALL Overall	23.2	18.4	28.7	26.2	25.2	27.3	27.4
	SEX Men	23.9	17.0	32.4	21.9	20.4	23.6	20.0
	Women	22.1	17.2	28.0	30.3 *	28.9	31.7	32.6
	RACE/ETHNICITY Non-Hisp. White	21.4	15.9	28.2	26.9	25.8	28.1	19.8
	Non-Hisp. Black	31.0	20.2	44.5	28.2	24.6	32.1	11.8
	Hispanic				22.1	19.1	25.4	
	SEX BY RACE/ETHNICITY Non-Hisp. White Men	20.4	12.9	30.8	22.7	21.0	24.6	
	Non-Hisp. White Women	23.2	17.4	30.2	30.9	29.4	32.4	
	Non-Hisp. Black Men	35.6	19.1	56.3	26.4	20.7	33.1	
	Non-Hisp. Black Women	25.3	14.5	40.4	29.4	25.0	34.3	20.8
	Hispanic Men				17.1	13.1	22.0	18.5
	Hispanic Women				27.0	22.9	31.6	18.7
	AGE GROUP 18-44	19.6	12.6	29.1	25.1	23.2	27.0	17.3
	45-64	24.9	18.4	32.7	26.4	24.8	28.0	37.9
	65 & Older	33.3	24.7	43.1	28.3	26.8	29.9	25.6
	EDUCATION LEVEL <High School	15.4	8.7	25.9	19.3	16.4	22.5	17.7
	H.S./GED	26.0	18.1	35.9	24.0	21.9	26.2	11.1
	>High School	23.9	17.1	32.3	28.4	27.0	29.7	59.4
	ANNUAL INCOME <\$25,000	15.0	9.4	23.3	24.8	22.7	27.1	37.5
	\$25,000-\$49,999	32.7	22.7	44.5	25.6	23.6	27.6	15.4
	\$50,000 or More	27.8	17.9	40.7	27.3	25.6	29.0	30.7
	MARITAL STATUS Married/Couple	22.1	16.2	29.4	25.6	24.4	26.9	22.8
	Not Married/Couple	25.8	18.1	35.3	27.4	25.5	29.4	31.3

Percentage of adults who meet moderate physical activity recommendations

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
	ALL Overall	39.8	33.4	46.6	34.6	33.5	35.8	39.7
	SEX Men	41.5	32.2	51.4	33.2	31.4	35.1	27.7
	Women	37.2	29.8	45.2	36.0	34.5	37.5	48.2
	RACE/ETHNICITY Non-Hisp. White	44.1	36.2	52.3	37.1	35.9	38.4	39.0
	Non-Hisp. Black	38.6	25.5	53.6	28.1	24.3	32.2	16.4
	Hispanic				27.7	24.3	31.3	
	SEX BY RACE/ETHNICITY Non-Hisp. White Men	47.2	35.9	58.8	35.6	33.6	37.5	
	Non-Hisp. White Women	38.7	30.6	47.6	38.6	37.1	40.2	
	Non-Hisp. Black Men	37.4	19.5	59.5	29.8	23.3	37.2	
	Non-Hisp. Black Women	40.2	23.6	59.4	27.0	22.6	31.8	31.7
	Hispanic Men				25.4	20.3	31.2	48.6
	Hispanic Women				30.0	25.8	34.5	16.3
	AGE GROUP 18-44	44.5	34.5	54.9	34.8	32.7	37.0	38.2
	45-64	33.1	24.4	43.2	35.7	34.0	37.5	44.6
	65 & Older	35.8	26.7	46.0	32.5	30.8	34.2	30.1
	EDUCATION LEVEL <High School	25.0	13.0	42.5	26.5	23.0	30.2	18.9
	H.S./GED	44.0	34.2	54.3	33.8	31.6	36.1	31.2
	>High School	42.8	33.0	53.3	36.2	34.8	37.7	64.7
	ANNUAL INCOME <\$25,000	32.1	22.9	43.1	31.2	28.8	33.8	42.8
	\$25,000-\$49,999	41.2	29.3	54.3	33.4	31.2	35.6	41.5
	\$50,000 or More	49.2	36.9	61.6	38.7	36.8	40.7	43.1
	MARITAL STATUS Married/Couple	39.8	31.8	48.3	35.3	33.8	36.7	43.7
	Not Married/Couple	38.9	28.4	50.5	33.5	31.5	35.6	36.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who meet vigorous physical activity recommendations

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	26.8	20.9	33.7	26.0	24.9	27.2	11.9 *
SEX	Men	33.2	24.3	43.6	29.6	27.7	31.5	18.8
	Women	17.2	12.3	23.5	22.7	21.4	24.2	7.0
RACE/ETHNICITY	Non-Hisp. White	28.3	21.0	36.9	26.9	25.7	28.2	15.6
	Non-Hisp. Black	28.4	16.3	44.6	21.3	17.8	25.2	8.5
	Hispanic				24.2	20.7	28.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	31.6	21.2	44.2	30.7	28.7	32.7	
	Non-Hisp. White Women	22.8	15.7	31.8	23.4	22.0	24.9	
	Non-Hisp. Black Men	43.1	23.1	65.7	25.1	19.4	31.8	
	Non-Hisp. Black Women	11.3	5.8	21.0	18.8	14.7	23.8	17.6
	Hispanic Men				28.7	23.0	35.1	13.0
	Hispanic Women				19.8	16.1	24.0	23.4
AGE GROUP	18-44	32.3	22.9	43.4	34.5	32.3	36.7	16.9
	45-64	22.9	15.6	32.4	22.3	20.9	23.9	7.5 *
	65 & Older	14.4	8.7	23.0	14.0	12.8	15.3	10.5
EDUCATION LEVEL	<High School	20.5	9.6	38.5	16.1	12.9	20.0	8.6
	H.S./GED	30.6	21.3	41.8	20.6	18.6	22.8	10.7 *
	>High School	25.7	17.3	36.3	30.0	28.5	31.6	15.7
ANNUAL INCOME	<\$25,000	23.9	15.2	35.5	17.7	15.3	20.3	7.5
	\$25,000-\$49,999	32.2	20.5	46.6	23.3	21.3	25.5	12.1
	\$50,000 or More	27.5	17.4	40.5	33.7	31.8	35.7	27.7
MARITAL STATUS	Married/Couple	25.3	18.3	33.8	26.3	24.9	27.7	16.7
	Not Married/Couple	30.4	20.3	42.9	25.6	23.6	27.8	7.9 *

Sexual Violence

Percentage of adults who had an unwanted sexual experience in the past 12 months

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.6	2.9	7.3	6.7	6.1	7.4	
SEX	Men	2.5	0.8	7.3	2.9	2.2	3.9	
	Women	7.8	5.0	12.0	10.3	9.4	11.2	
RACE/ETHNICITY	Non-Hisp. White	4.6	2.5	8.3	7.1	6.5	7.8	
	Non-Hisp. Black	3.1	1.1	8.2	7.2	5.2	9.7	
	Hispanic				4.5	2.8	7.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.9	0.8	9.6	2.9	2.2	3.8	
	Non-Hisp. White Women	7.7	4.4	13.1	11.2	10.2	12.3	
	Non-Hisp. Black Men				2.5	1.3	4.8	
	Non-Hisp. Black Women	6.3	2.3	16.1	10.4	7.4	14.4	
	Hispanic Men				3.2	1.0	9.2	
	Hispanic Women				5.8	3.9	8.7	
AGE GROUP	18-44	4.0	2.0	7.9	8.6	7.4	9.9	
	45-64	7.0	3.5	13.6	6.9	6.1	7.7	
	65 & Older	1.8	0.6	5.6	2.2	1.8	2.8	
EDUCATION LEVEL	<High School	1.4	0.3	5.8	4.5	3.3	6.1	
	H.S./GED	4.6	2.1	9.9	6.2	4.9	7.8	
	>High School	6.0	3.2	11.0	7.2	6.5	8.0	
ANNUAL INCOME	<\$25,000	4.6	2.6	7.9	8.3	6.9	9.9	
	\$25,000-\$49,999	2.5	0.7	8.4	7.0	6.0	8.1	
	\$50,000 or More	6.6	2.6	15.6	6.0	5.0	7.2	
MARITAL STATUS	Married/Couple	2.8	1.2	6.3	5.2	4.6	5.9	
	Not Married/Couple	8.1	4.6	13.9	9.3	8.0	10.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	29.7	24.1	36.0	19.3 *	18.3	20.3	17.3
SEX	Men	33.6	25.5	42.7	21.2 *	19.6	22.9	26.2
	Women	23.5	17.2	31.3	17.5	16.4	18.6	11.0
RACE/ETHNICITY	Non-Hisp. White	28.9	22.4	36.5	20.6 *	19.5	21.6	21.7
	Non-Hisp. Black	36.4	23.9	51.2	18.5 *	15.2	22.4	10.9 *
	Hispanic	3.2	0.7	12.7	16.0 *	13.2	19.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.4	21.2	41.4	21.5	19.8	23.3	
	Non-Hisp. White Women	26.4	19.5	34.8	19.7	18.5	20.9	
	Non-Hisp. Black Men	47.1	28.6	66.4	23.6	17.8	30.6	
	Non-Hisp. Black Women	21.4	8.1	45.8	15.0	11.3	19.6	25.7
	Hispanic Men				19.9	15.4	25.4	16.6
	Hispanic Women				12.0	9.4	15.3	17.3
AGE GROUP	18-44	33.4	24.7	43.5	22.1 *	20.4	24.0	26.2
	45-64	31.4	23.1	41.2	22.0	20.6	23.4	13.3
	65 & Older	13.0	7.8	20.9	9.7	8.7	10.8	4.4
EDUCATION LEVEL	<High School	37.0	24.0	52.2	28.6	25.2	32.2	22.2
	H.S./GED	30.7	22.4	40.5	25.0	22.9	27.1	17.9
	>High School	24.4	16.3	34.9	15.3	14.2	16.4	13.6
ANNUAL INCOME	<\$25,000	34.9	25.6	45.6	25.0	22.8	27.3	12.0 *
	\$25,000-\$49,999	26.1	16.9	38.0	21.3	19.4	23.4	19.6
	\$50,000 or More	16.7	9.7	27.3	15.5	14.2	17.0	26.3
MARITAL STATUS	Married/Couple	25.4	18.8	33.5	16.6 *	15.5	17.7	22.1
	Not Married/Couple	34.4	25.3	44.9	24.1	22.4	25.9	13.3 *

Percentage of adults who are former smokers

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	23.1	18.7	28.2	26.2	25.3	27.2	32.9
SEX	Men	25.6	19.2	33.2	28.9	27.4	30.5	37.1
	Women	19.2	14.4	25.1	23.7	22.5	24.9	30.0
RACE/ETHNICITY	Non-Hisp. White	29.4	23.4	36.3	31.5	30.4	32.6	32.6
	Non-Hisp. Black	10.7	5.9	18.5	12.4	10.2	14.9	8.0
	Hispanic	16.5	5.1	42.2	16.4	13.8	19.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	31.7	23.1	41.7	34.1	32.4	35.9	
	Non-Hisp. White Women	25.5	18.8	33.5	29.0	27.6	30.4	
	Non-Hisp. Black Men	12.7	5.8	25.7	16.2	12.2	21.1	
	Non-Hisp. Black Women	7.8	3.5	16.6	9.7	7.5	12.6	43.5 *
	Hispanic Men				16.8	13.1	21.3	18.4
	Hispanic Women				15.9	12.7	19.7	14.4
AGE GROUP	18-44	14.1	8.7	21.9	14.7	13.3	16.3	7.5
	45-64	30.9	23.4	39.6	28.3	26.8	29.8	57.9
	65 & Older	39.0	30.0	48.9	46.5	44.7	48.2	32.8
EDUCATION LEVEL	<High School	15.5	8.3	26.9	21.1	18.4	24.0	19.8
	H.S./GED	25.3	18.5	33.5	25.0	23.3	26.8	26.4
	>High School	24.8	17.9	33.3	27.7	26.4	29.0	50.8
ANNUAL INCOME	<\$25,000	23.4	16.0	33.0	23.7	21.7	25.8	53.6
	\$25,000-\$49,999	21.4	14.7	30.2	26.4	24.6	28.2	12.3
	\$50,000 or More	28.6	19.3	40.1	27.4	25.8	29.0	21.3
MARITAL STATUS	Married/Couple	26.8	20.7	33.9	28.4	27.2	29.7	19.6
	Not Married/Couple	17.6	12.5	24.2	22.5	21.0	24.1	44.1

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	47.2	41.0	53.4	54.5	53.3	55.7	49.8
SEX	Men	40.8	32.1	50.2	49.9	48.0	51.8	36.6
	Women	57.3	49.9	64.4	58.8	57.4	60.3	59.0
RACE/ETHNICITY	Non-Hisp. White	41.6	34.3	49.4	47.9	46.7	49.2	45.7
	Non-Hisp. Black	52.9	39.4	66.1	69.1	65.0	72.9	81.1 *
	Hispanic	80.3	56.2	92.8	67.7	64.1	71.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.9	27.5	49.6	44.4	42.3	46.4	
	Non-Hisp. White Women	48.1	40.0	56.3	51.3	49.8	52.9	
	Non-Hisp. Black Men	40.2	22.7	60.6	60.2	52.9	67.0	
	Non-Hisp. Black Women	70.8	49.9	85.5	75.3	70.5	79.5	30.8 *
	Hispanic Men				63.3	57.4	68.7	65.0
	Hispanic Women				72.1	67.7	76.1	68.3
AGE GROUP	18-44	52.5	42.6	62.3	63.1	61.0	65.2	66.3
	45-64	37.6	29.7	46.2	49.7 *	48.0	51.5	28.7
	65 & Older	48.0	38.5	57.6	43.8	42.1	45.6	62.8
EDUCATION LEVEL	<High School	47.6	33.3	62.3	50.3	46.5	54.2	58.0
	H.S./GED	44.0	34.9	53.6	50.0	47.7	52.3	55.7
	>High School	50.8	41.0	60.5	57.1	55.6	58.5	35.6
ANNUAL INCOME	<\$25,000	41.7	32.2	51.8	51.3	48.7	53.9	34.4
	\$25,000-\$49,999	52.5	40.9	63.8	52.3	49.9	54.6	68.1
	\$50,000 or More	54.7	42.5	66.4	57.1	55.2	59.0	52.4
MARITAL STATUS	Married/Couple	47.8	39.9	55.8	55.0	53.6	56.4	58.3
	Not Married/Couple	48.0	38.1	58.0	53.4	51.3	55.5	42.6

Percentage of non-smoking adults who were exposed to secondhand smoke in the past seven days

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	18.7	11.2	29.6	14.9	13.6	16.4	
SEX	Men	24.3	11.7	44.0	17.2	14.8	19.8	
	Women	13.0	7.9	20.7	13.1	11.7	14.8	
RACE/ETHNICITY	Non-Hisp. White	22.0	11.5	38.0	14.7	13.2	16.5	
	Non-Hisp. Black	18.8	8.4	37.0	19.2	15.1	24.1	
	Hispanic				13.3	10.2	17.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	28.2	12.2	52.7	17.6	14.8	20.8	
	Non-Hisp. White Women	13.2	6.8	24.1	12.4	10.9	14.1	
	Non-Hisp. Black Men				22.0	14.3	32.4	
	Non-Hisp. Black Women	17.4	7.8	34.4	17.6	13.3	23.0	
	Hispanic Men				14.3	9.6	20.7	
	Hispanic Women				12.4	8.7	17.4	
AGE GROUP	18-44	25.5	13.6	42.6	18.9	16.6	21.5	
	45-64	11.3	5.6	21.3	13.2	11.4	15.1	
	65 & Older	6.5	2.2	17.8	6.3	5.2	7.6	
EDUCATION LEVEL	<High School	22.4	6.5	54.6	13.3	9.9	17.6	
	H.S./GED	23.7	11.7	42.2	17.8	14.9	21.3	
	>High School	12.2	5.0	26.9	14.0	12.5	15.8	
ANNUAL INCOME	<\$25,000	7.8	3.7	15.8	16.0	13.1	19.3	
	\$25,000-\$49,999	32.9	16.8	54.3	16.8	14.0	19.9	
	\$50,000 or More	15.3	4.4	41.4	13.0	11.1	15.2	
MARITAL STATUS	Married/Couple	14.0	6.4	28.2	11.5	10.2	13.0	
	Not Married/Couple	26.9	13.6	46.2	21.2	18.4	24.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	66.0	54.5	75.9	53.2	50.4	56.0	63.7
SEX	Men	65.3	49.9	78.0	52.8	48.5	57.1	64.7
	Women	67.6	52.4	79.8	53.6	50.2	57.0	62.2
RACE/ETHNICITY	Non-Hisp. White	57.2	43.0	70.4	49.3	46.4	52.2	62.6
	Non-Hisp. Black	78.1	53.5	91.7	62.9	51.1	73.4	
	Hispanic				62.8	53.3	71.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	55.2	35.8	73.2	47.5	42.9	52.1	
	Non-Hisp. White Women	61.2	44.7	75.4	51.2	47.8	54.6	
	Non-Hisp. Black Men				58.7	42.5	73.2	
	Non-Hisp. Black Women				67.6	49.7	81.5	64.4
	Hispanic Men				68.1	55.6	78.5	58.9
	Hispanic Women				54.1	41.1	66.6	
AGE GROUP	18-44	69.5	52.8	82.2	58.3	53.7	62.9	68.8
	45-64	59.5	41.9	74.9	48.5	45.0	52.1	56.5
	65 & Older				45.0	39.1	51.1	
EDUCATION LEVEL	<High School	69.0	44.2	86.2	55.0	47.8	62.0	
	H.S./GED	63.4	46.3	77.7	50.9	46.1	55.8	57.2
	>High School	67.4	45.8	83.5	54.2	50.4	58.1	70.5
ANNUAL INCOME	<\$25,000	79.1	65.8	88.2	54.0 *	48.8	59.1	61.6
	\$25,000-\$49,999				53.5	48.1	58.8	62.3
	\$50,000 or More				54.5	49.6	59.4	
MARITAL STATUS	Married/Couple	64.3	48.4	77.6	53.3	49.5	57.0	66.7
	Not Married/Couple	63.5	45.3	78.5	53.0	48.7	57.2	59.7

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Hepatitis B Groups	Those who have hemophilia and have received clotting factor concentrate, had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
High Risk Influenza Groups	Health care workers who routinely have direct contact with patients or adults who currently have health problems such as asthma, lung problems, heart problems, diabetes, kidney problems, weakened immune systems (caused by a chronic illness, such as cancer or HIV/AIDS, or medicines, such as steroids), or sickle cell anemia or other anemia.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Leisure-Time Physical Activity or Exercise	Engaging in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise, other than participation in these activities or exercise as part of a regular job.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Moderate Physical Activity	Engaging in activities such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate for at least 30 minutes per day on five or more days per week.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sedentary	Engaging in no leisure-time physical activity.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Vigorous Physical Activity	Engaging in vigorous activities, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate for at least 20 minutes per day on three or more days per week.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Alcohol Consumption

- 26-12. Reduce the average annual alcohol consumption.
- 26-13. Reduce the proportion of adults who exceed guidelines for low-risk drinking.
- 26-11. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages.

Arthritis

- 2-2. Reduce the proportion of adults with chronic joint symptoms who experience a limitation in activity due to arthritis.

Cancer Screening

- 3-11. Increase the proportion of women who receive a Pap test.
- 3-12. Increase the proportion of adults who receive a colorectal cancer screening examination.
- 3-13. Increase the proportion of women aged 40 years and older who have received a mammogram within the preceding 2 years.

Cholesterol Awareness

- 12-14. Reduce the proportion of adults with high total blood cholesterol levels.
- 12-15. Increase the proportion of adults who have had their blood cholesterol checked within the preceding 5 years.

Diabetes

- 5-3. Reduce the overall rate of diabetes that is clinically diagnosed.
- 5-13. Increase the proportion of adults with diabetes who have an annual dilated eye examination.
- 5-14. Increase the proportion of adults with diabetes who have at least an annual foot examination.
- 5-17. Increase the proportion of adults with diabetes who perform self-blood-glucose-monitoring at least once daily.
- 5-1. Increase the proportion of persons with diabetes who receive formal diabetes education.

Health Care Access & Coverage

- 1-5. Increase the proportion of persons with a usual primary care provider.
- 1-1. Increase the proportion of persons with health insurance.

Hypertension Awareness & Control

- 12-11. Increase the proportion of adults with high blood pressure who are taking action (for example, losing weight, increasing physical activity, or reducing sodium intake) to help control their blood pressure.
- 12-12. Increase the proportion of adults who have had their blood pressure measured within the preceding 2 years and can state whether their blood pressure was normal or high.
- 12-10. Increase the proportion of adults with high blood pressure whose blood pressure is under control.
- 12-9. Reduce the proportion of adults with high blood pressure.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Immunization

14-28. Increase hepatitis B vaccine coverage among high-risk groups.

14-29. Increase the proportion of adults who are vaccinated annually against influenza and ever vaccinated against pneumococcal disease.

Overweight & Obesity

19-2. Reduce the proportion of adults who are obese.

19-1. Increase the proportion of adults who are at a healthy weight.

Physical Activity & Nutrition

22-3. Increase the proportion of adults who engage in vigorous physical activity that promotes the development and maintenance of cardiorespiratory fitness 3 or more days per week for 20 or more minutes per occasion.

22-2. Increase the proportion of adults who engage regularly, preferably daily, in moderate physical activity for at least 30 minutes per day.

22-1. Reduce the proportion of adults who engage in no leisure-time physical activity.

19-5. Increase the proportion of persons aged 2 years and older who consume at least two daily servings of fruit.

19-6. Increase the proportion of persons aged 2 years and older who consume at least three daily servings of vegetables, with at least one-third being dark green or orange vegetables.

Sexual Violence

15-35. Reduce the annual rate of rape or attempted rape.

15-36. Reduce sexual assault other than rape.

Tobacco Use & Exposure

27-10. Reduce the proportion of non-smokers exposed to environmental tobacco smoke.

27-5. Increase smoking cessation attempts by adult smokers.

The Healthy People 2010 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Tammie M. Johnson, M.P.H.
Bo (Bonnie) Yu, M.A.S., M.A.
Melissa Murray, M.S.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org