




Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro and Nonmetropolitan Counties, 2013

Results from the Florida Behavioral Risk Factor Surveillance System (BRFSS)

Rick Scott
Governor

John H. Armstrong, MD, FACS
Surgeon General and Secretary



2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro and Nonmetropolitan Counties

Table of Contents

Introduction	iii
Summary Table	vi
Health Status	
Arthritis	1
Asthma	3
Cancer Prevalence	4
Cardiovascular Disease	5
Cholesterol Awareness	7
Chronic Obstructive Pulmonary Disease	8
Depression	9
Diabetes	10
Disability	14
Hypertension Awareness	15
Kidney Disease	16
Overweight and Obesity	17
Vision Impairment	19
Health-Related Behaviors	
Alcohol Consumption	20
Tobacco Use and Exposure	21
Physical Activity and Nutrition	23
Health-Related Prevention	
Cancer Screening/Breast	26
Cancer Screening/Cervical	27
Cancer Screening/Colorectal	28
HIV/AIDS Screening	29
Immunization	30
Injury Prevention	33
Health-Related Quality of Life	34
Health Care Access and Coverage	38
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

Introduction

The Florida Department of Health is pleased to release the 2013 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data-Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro and Nonmetropolitan Counties. Urban-rural differences in health measures have long been recognized. The following data tables group Florida's 67 counties into large central/fringe metro, small/medium metro and nonmetropolitan counties and focus on examining differences in health measures among adults living in the state. Based on the Centers for Disease Control and Prevention's (CDC) National Center for Health Statistics' (NCHS) 2013 Urban-Rural Classification Scheme for Counties (see Figure 1), 16 counties were defined as large central/fringe metro counties, 28 counties were defined as small/medium metro counties, and the 23 remaining counties were classified as nonmetropolitan counties (see Table 1).

The purpose of the following data tables is to provide baseline measurements for 61 key health indicators from the 2013 BRFSS survey and show significant differences among the large central/fringe metro, small/medium metro and nonmetropolitan counties. These tables will prove a valuable resource for researchers, policymakers and stakeholders to identify specific health measures that could be impacted by urbanization levels.

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey of Florida adults is the only source of state-specific, population-based estimates of the prevalence of various health and health risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health behaviors, selected medical conditions, and the prevalence of preventive health care practices among Florida adults.


This surveillance effort would not have been possible without the support of Florida's 67 county health departments (CHDs). Over 34,000 interviews were completed statewide in the 2013 calendar year, with a target sample size of 500 completed surveys in each county. There were sample sizes of 9,590 adults in large central/fringe metro counties, 14,771 adults in small/medium metro counties, and 9,825 adults in nonmetropolitan counties (see Table 2).

Each of the indicators is presented by sex, age group, race/ethnicity, education level, income level, and marital status among these three different county classifications. Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the CIs do not overlap, there is a statistically significant difference. The significance of measures with very wide CIs should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or "weighted," by the CDC to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type. Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2013 may not be comparable to data collected before 2011.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

Figure 1. Structure of the 2013 CDC/NCHS Urban–Rural Classification Scheme for Counties



Source: 2013 CDC/NCHS urban–rural classification scheme for counties. National Center for Health Statistics. Vital Health Stat 2(166). 2014.

Table 1. List of Florida Counties and Their Urbanization Levels: 2013 CDC/NCHS Urban–Rural Classification Schemes for Counties

County	2013 NCHS Scheme	County	2013 NCHS Scheme	County	2013 NCHS Scheme
Alachua	Medium Metro	Hardee	Micropolitan	Okeechobee	Micropolitan
Baker	Large Fringe Metro	Hendry	Micropolitan	Orange	Large Central Metro
Bay	Small Metro	Hernando	Large Fringe Metro	Osceola	Large Fringe Metro
Bradford	Noncore	Highlands	Small Metro	Palm Beach	Large Fringe Metro
Brevard	Medium Metro	Hillsborough	Large Central Metro	Pasco	Large Fringe Metro
Broward	Large Fringe Metro	Holmes	Noncore	Pinellas	Large Central Metro
Calhoun	Noncore	Indian River	Small Metro	Polk	Medium Metro
Charlotte	Small Metro	Jackson	Noncore	Putnam	Micropolitan
Citrus	Small Metro	Jefferson	Medium Metro	St. Johns	Large Fringe Metro
Clay	Large Fringe Metro	Lafayette	Noncore	St. Lucie	Medium Metro
Collier	Medium Metro	Lake	Large Fringe Metro	Santa Rosa	Medium Metro
Columbia	Micropolitan	Lee	Medium Metro	Sarasota	Medium Metro
DeSoto	Micropolitan	Leon	Medium Metro	Seminole	Large Fringe Metro
Dixie	Noncore	Levy	Noncore	Sumter	Small Metro
Duval	Large Central Metro	Liberty	Noncore	Suwannee	Noncore
Escambia	Medium Metro	Madison	Noncore	Taylor	Noncore
Flagler	Medium Metro	Manatee	Medium Metro	Union	Noncore
Franklin	Noncore	Marion	Medium Metro	Volusia	Medium Metro
Gadsden	Medium Metro	Martin	Medium Metro	Wakulla	Medium Metro
Gilchrist	Medium Metro	Miami-Dade	Large Central Metro	Walton	Small Metro
Glades	Noncore	Monroe	Micropolitan	Washington	Noncore
Gulf	Small Metro	Nassau	Large Fringe Metro		
Hamilton	Noncore	Okaloosa	Small Metro		

Source: 2013 CDC/NCHS urban–rural classification scheme for counties. National Center for Health Statistics. Vital Health Stat 2(166). 2014.

Table 2. Sample Size, Weighted Sample Size and Weighted Percent of Demographic Characteristics Among Three Urbanization Levels, Florida BRFSS 2013

Demographics	Large Central/Fringe Metro			Small/Medium Metro			Nonmetropolitan		
	Sample Size	Weighted* Sample Size	Weighted* Percent	Sample Size	Weighted* Sample Size	Weighted* Percent	Sample Size	Weighted* Sample Size	Weighted* Percent
All	9,590	9,766,501	100%	14,771	5,267,370	100%	9,825	559,530	100%
Sex									
Men	3,868	4,686,914	48.0%	5,867	2,551,747	48.4%	3,605	303,203	54.2%
Women	5,722	5,079,588	52.0%	8,904	2,715,623	51.6%	6,220	256,327	45.8%
Race/Ethnicity									
Non-Hispanic White	6,709	4,635,222	52.4%	11,852	3,795,438	77.5%	8,011	377,194	71.0%
Non-Hispanic Black	945	1,431,318	16.2%	1,152	530,340	10.8%	751	77,300	14.5%
Hispanic	1,211	2,783,409	31.5%	804	573,429	11.7%	495	76,848	14.5%
Sex by Race/Ethnicity									
Non-Hispanic White Men	2,656	2,229,912	25.2%	4,691	1,831,535	37.4%	2,934	198,457	37.4%
Non-Hispanic White Women	4,053	2,405,310	27.2%	7,161	1,963,903	40.1%	5,077	178,738	33.6%
Non-Hispanic Black Men	326	667,179	7.5%	401	255,860	5.2%	239	41,287	7.8%
Non-Hispanic Black Women	619	764,139	8.6%	751	274,479	5.6%	512	36,013	6.8%
Hispanic Men	527	1,352,133	15.3%	331	280,988	5.7%	177	47,100	8.9%
Hispanic Women	684	1,431,276	16.2%	473	292,441	6.0%	318	29,748	5.6%
Age Group									
18-44 Years	2,549	4,353,076	45.0%	2,940	1,985,349	38.1%	1,563	237,845	42.7%
45-64 Years	3,352	3,321,545	34.3%	5,129	1,728,283	33.1%	3,769	193,334	34.7%
65 Years and Older	3,563	1,998,016	20.7%	6,512	1,504,108	28.8%	4,420	125,696	22.6%
Education Level									
<High School	770	1,477,070	15.2%	1,134	726,464	13.9%	1,476	122,328	21.9%
High School/GED	2,518	2,746,548	28.3%	4,296	1,707,644	32.6%	3,816	220,275	39.5%
>High School	6,243	5,496,079	56.5%	9,266	2,810,894	53.6%	4,495	215,371	38.6%
Annual Income									
<\$25,000	2,624	2,949,224	34.6%	4,155	1,521,332	33.4%	3,833	211,505	43.2%
\$25,000-\$49,999	2,225	2,196,702	25.8%	3,623	1,327,522	29.2%	2,365	141,437	28.9%
\$50,000 or More	3,366	3,373,390	39.6%	4,813	1,699,642	37.4%	2,167	136,571	27.9%
Marital Status									
Married/Couple	4,868	5,088,257	52.5%	7,821	2,997,611	57.4%	4,998	320,944	57.6%
Not Married/Couple	4,640	4,596,827	47.5%	6,821	2,228,221	42.6%	4,769	236,177	42.4%

* Weighted sample size is the sample size adjusted to represent the Florida adult population. Weighted estimates have been adjusted, or "weighted," by the CDC. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the BRFSS survey and discrepancies between the adults who completed the BRFSS survey and the overall population of Florida adults.

Summary Table: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro and Nonmetropolitan Counties, 2013 FL BRFSS

Topics	Indicators	Large Central/ Fringe Metro	Small/Medium Metro	Non- Metropolitan
Arthritis	Percentage of adults who have ever been told they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia	23.6	29.8 *	32.1 *
	Percentage of adults who are limited in any way in any usual activities because of arthritis	11.6	14.1 *	17.7 * †
Asthma	Percentage of adults who currently have asthma	8.0	8.6	8.7
	Percentage of adults who have ever been told they had asthma	13.2	13.8	14.2
Cancer Prevalence	Percentage of adults who have ever been told they had skin cancer	7.3	12.4 *	11.9 *
	Percentage of adults who have ever been told they had any other type of cancer except skin cancer	6.5	9.2 *	8.0
Cardiovascular Disease	Percentage of adults who have ever been told they had angina or coronary heart disease	4.3	6.3 *	6.5 *
	Percentage of adults who have ever been told they had a heart attack	5.1	6.3	7.2 *
	Percentage of adults who have ever been told they had a stroke	3.2	4.3 *	5.4 *
	Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke	9.2	11.8 *	13.6 *
Cholesterol Awareness	Percentage of adults who have ever been told they had high blood cholesterol	32.2	36.0 *	34.4
Chronic Obstructive Pulmonary Disease	Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis	6.6	8.6 *	9.4 *
Depression	Percentage of adults who have ever been told they had a depressive disorder	16.0	17.8	19.6 *
Diabetes	Percentage of adults who have ever been told they had diabetes	10.7	11.5	13.6 * †
	Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average	60.0	63.0	65.4
	Percentage of adults with diabetes who had two A1C tests in the past year	68.2	71.5	71.7
	Percentage of adults with diabetes who had an annual foot exam	67.5	66.4	69.1
	Percentage of adults with diabetes who had an annual eye exam	69.1	71.3	63.5
	Percentage of adults with diabetes who ever had diabetes self-management education	47.2	55.9 *	46.2 †
	Percentage of adults who have ever been told they had pre-diabetes	6.9	7.6	8.2
Disability	Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems	19.9	22.5 *	27.5 * †
	Percentage of adults who use special equipment because of a health problem	8.1	9.6	12.7 * †
Hypertension Awareness	Percentage of adults who have ever been told they had hypertension	33.2	36.9 *	40.5 * †
Kidney Disease	Percentage of adults who have ever been told they had kidney disease	3.1	3.9	4.5
Overweight and Obesity	Percentage of adults who are overweight	37.2	34.9	35.0
	Percentage of adults who are obese	25.7	26.6	34.7 * †
	Percentage of adults who are overweight or obese	62.9	61.5	69.8 * †
	Percentage of adults who have a healthy weight	34.7	36.4	27.9 * †
Vision Impairment	Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses	5.0	5.1	6.9
Alcohol Consumption	Percentage of adults who engage in heavy or binge drinking	17.7	16.9	16.0
Tobacco Use and Exposure	Percentage of adults who are current smokers	15.2	18.6 *	21.8 * †

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

Summary Table: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro and Nonmetropolitan Counties, 2013 FL BRFSS

Topics	Indicators	Large Central/ Fringe Metro	Small/Medium Metro	Non- Metropolitan
Tobacco Use and Exposure	Percentage of adults who are former smokers (currently quit smoking)	26.0	32.2 *	28.0 †
	Percentage of adults who have never smoked	58.8	49.3 *	50.3 *
	Percentage of adult current smokers who tried to quit smoking at least once in the past year	61.8	59.0	61.7
Physical Activity and Nutrition	Percentage of adults who are sedentary	28.0	25.9	31.7 * †
	Percentage of adults who consumed five or more servings of fruits or vegetables per day	19.0	16.6	14.9 *
	Percentage of adults who are inactive or insufficiently active	53.8	49.7 *	55.1 †
	Percentage of adults who meet aerobic recommendations	49.2	53.1 *	46.8 †
	Percentage of adults who meet muscle strengthening recommendations	30.0	29.6	25.0 * †
Cancer Screening/ Breast	Percentage of women aged 40 to 74 years who received a mammogram in the past year	57.4	58.9	51.5 †
	Percentage of women 18 years of age and older who had a clinical breast exam in the past year	55.9	55.9	54.2
Cancer Screening/ Cervical	Percentage of women 18 years of age and older who received a Pap test in the past year	52.2	49.0	50.7
Cancer Screening/ Colorectal	Percentage of adults 50 years of age and older who received a stool blood test in the past year	14.2	13.4	13.7
	Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years	55.9	55.4	54.3
HIV/AIDS Screening	Percentage of adults who have ever been tested for HIV	44.7	37.7 *	43.0 †
Immunization	Percentage of adults who received a flu shot in the past year	29.2	33.9 *	29.6 †
	Percentage of adults 65 years of age and older who received a flu shot in the past year	52.6	57.5	55.3
	Percentage of adults who have ever received a pneumococcal vaccination	31.0	37.1 *	32.3 †
	Percentage of adults 65 years of age and older who have ever received a pneumococcal vaccination	63.6	70.4 *	66.3
	Percentage of adults who have received a tetanus shot since 2005	50.4	51.5	55.2 *
Injury Prevention	Percentage of adults who always or nearly always use a seatbelt when riding in a car	94.3	94.5	92.0 †
Health-Related Quality of Life	Percentage of adults who said their overall health was "good" to "excellent"	80.9	80.7	74.2 * †
	Percentage of adults who had poor physical health on 14 or more of the past 30 days	13.6	14.7	16.9 *
	Percentage of adults who had poor mental health on 14 or more of the past 30 days	12.7	11.8	13.9
	Average number of unhealthy physical days in the past 30 days	4.3	4.7	5.3 * †
	Average number of unhealthy mental days in the past 30 days	4.1	3.8	4.3
	Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (among adults who have had at least one day of poor mental or physical health)	4.9	5.5	6.4 *
Health Care Access and Coverage	Percentage of adults with any type of health care insurance coverage	77.0	78.8	74.3 †
	Percentage of adults who have a personal doctor	72.4	75.5 *	75.1
	Percentage of adults who could not see a doctor in the past year due to cost	21.3	18.5 *	23.2 †
	Percentage of adults who had a medical checkup in the past year	69.8	71.8	70.1

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

Arthritis

Percentage of adults who have ever been told they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	23.6	22.3-24.9	29.8 *	28.8-30.9	32.1 *	30.2-34.0
SEX	Men	19.4	17.6-21.3	26.0 *	24.4-27.6	29.8 *	26.9-32.7
	Women	27.4	25.5-29.3	33.4 *	31.9-34.9	34.9 *	32.4-37.3
RACE/ETHNICITY	Non-Hisp. White	31.0	29.2-32.7	33.7	32.5-35.0	35.0 *	33.0-37.0
	Non-Hisp. Black	16.9	13.8-20.1	23.4	19.6-27.1	27.7 *	22.6-32.8
	Hispanic	17.7	14.8-20.6	14.4	11.2-17.5	19.3	11.2-27.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.9	24.2-29.6	30.1	28.2-31.9	33.1 *	30.2-35.9
	Non-Hisp. White Women	34.8	32.5-37.0	37.1	35.4-38.8	37.1	34.4-39.8
	Non-Hisp. Black Men	13.4	8.8-18.1	22.6	16.6-28.5	21.9	14.2-29.6
	Non-Hisp. Black Women	20.0	15.8-24.2	24.1	19.4-28.8	34.3 *	28.2-40.4
	Hispanic Men	11.5	8.2-14.8	9.7	5.6-13.8	17.8	6.6-28.9
	Hispanic Women	23.5	18.9-28.1	18.9	14.2-23.6	21.8	10.5-33.2
AGE GROUP	18-44	7.9	6.5-9.4	9.0	7.7-10.4	12.7	9.4-16.1
	45-64	28.4	25.8-30.9	34.4 *	32.5-36.4	40.7 * †	37.8-43.6
	65 & Older	50.3	47.4-53.2	52.2	50.4-54.0	55.9 *	53.3-58.5
EDUCATION LEVEL	<High School	28.5	23.8-33.3	34.1	30.1-38.1	37.5	32.0-42.9
	High School/GED	24.1	21.5-26.8	31.4 *	29.5-33.4	30.5 *	27.6-33.4
	>High School	22.0	20.4-23.5	27.8 *	26.5-29.1	30.7 *	28.2-33.2
ANNUAL INCOME	<\$25,000	27.3	24.5-30.0	33.7 *	31.4-35.9	37.7 *	34.3-41.1
	\$25,000-\$49,999	23.9	21.1-26.6	32.4 *	30.2-34.6	27.7	24.5-30.9
	\$50,000 or More	19.6	17.6-21.6	25.1 *	23.4-26.8	27.3 *	23.2-31.4
MARITAL STATUS	Married/Couple	24.5	22.6-26.4	30.9 *	29.5-32.4	32.7 *	30.1-35.2
	Not Married/Couple	22.6	20.7-24.5	28.5 *	26.8-30.2	31.4 *	28.5-34.4

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Arthritis

Percentage of adults who are limited in any way in any usual activities because of arthritis

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	11.6	10.6-12.6	14.1 *	13.3-14.9	17.7 * †	16.3-19.0
SEX	Men	8.5	7.2-9.8	12.2 *	11.1-13.4	15.9 * †	13.9-18.0
	Women	14.4	12.9-15.9	15.9	14.8-17.0	19.7 * †	17.9-21.5
RACE/ETHNICITY	Non-Hisp. White	14.3	13.0-15.6	15.8	14.8-16.7	19.7 * †	18.2-21.3
	Non-Hisp. Black	8.7	6.3-11.2	11.5	9.1-13.9	15.9 *	12.1-19.7
	Hispanic	10.0	7.7-12.4	7.2	5.0-9.4	8.5	4.0-13.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.3	9.4-13.1	13.9	12.5-15.3	18.3 * †	16.0-20.6
	Non-Hisp. White Women	17.2	15.4-19.0	17.5	16.2-18.8	21.4 * †	19.3-23.5
	Non-Hisp. Black Men	6.4	2.8-10.0	10.5	6.7-14.2	11.8	6.3-17.3
	Non-Hisp. Black Women	10.8	7.5-14.1	12.5	9.5-15.5	20.6 * †	15.7-25.5
	Hispanic Men	5.6	3.2-8.1	5.2	2.4-8.0	8.5	2.3-14.7
	Hispanic Women	14.2	10.2-18.1	9.2	5.8-12.6	8.6	2.3-14.9
AGE GROUP	18-44	3.8	2.8-4.8	4.5	3.6-5.5	5.5	3.8-7.1
	45-64	15.6	13.5-17.7	18.6	17.0-20.1	25.6 * †	23.0-28.3
	65 & Older	22.6	20.2-25.0	22.2	20.6-23.7	29.1 * †	26.8-31.5
EDUCATION LEVEL	<High School	14.2	10.7-17.7	17.5	14.6-20.5	22.8 *	18.8-26.8
	High School/GED	12.0	9.9-14.1	14.7	13.3-16.2	16.6 *	14.5-18.6
	>High School	10.7	9.5-11.8	12.9 *	12.0-13.8	15.8 * †	13.9-17.6
ANNUAL INCOME	<\$25,000	17.0	14.6-19.3	19.7	17.9-21.5	23.7 *	21.0-26.4
	\$25,000-\$49,999	10.7	8.7-12.8	14.5 *	12.9-16.1	13.8	11.6-16.1
	\$50,000 or More	8.2	6.8-9.6	10.0	8.9-11.1	11.1	8.9-13.3
MARITAL STATUS	Married/Couple	11.4	10.0-12.8	13.9	12.8-15.0	16.8 * †	15.0-18.6
	Not Married/Couple	11.9	10.4-13.4	14.4	13.2-15.6	18.9 * †	16.7-21.1

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Asthma

Percentage of adults who currently have asthma

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	8.0	7.0-8.9	8.6	7.9-9.3	8.7	7.5-9.9
SEX	Men	5.7	4.4-6.9	5.4	4.5-6.3	6.4	5.1-7.7
	Women	10.0	8.6-11.5	11.6	10.5-12.8	11.4	9.5-13.4
RACE/ETHNICITY	Non-Hisp. White	8.1	7.0-9.3	8.5	7.7-9.3	9.0	7.8-10.3
	Non-Hisp. Black	8.4	6.0-10.9	8.6	6.0-11.3	9.7	6.2-13.2
	Hispanic	8.4	6.1-10.7	8.0	5.6-10.4	6.6	1.9-11.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.5	4.7-8.4	5.3	4.3-6.3	7.1	5.5-8.6
	Non-Hisp. White Women	9.6	8.1-11.0	11.5	10.2-12.8	11.2	9.2-13.2
	Non-Hisp. Black Men	4.3	1.6-7.0	8.0	3.7-12.3	7.8	2.3-13.3
	Non-Hisp. Black Women	12.0	8.3-15.8	9.2	6.1-12.3	11.9	8.0-15.8
	Hispanic Men	5.5	2.8-8.1	4.0	1.3-6.7	2.7	0.3-5.0
	Hispanic Women	11.2	7.5-14.9	11.8	7.8-15.7	13.0	2.1-23.9
AGE GROUP	18-44	7.3	6.0-8.6	9.2	7.7-10.6	7.7	5.3-10.1
	45-64	8.8	6.8-10.7	9.2	7.9-10.5	9.6	8.2-11.1
	65 & Older	8.1	6.4-9.8	7.2	6.3-8.2	9.3	7.9-10.8
EDUCATION LEVEL	<High School	12.6	8.5-16.6	11.9	9.0-14.9	11.8	8.8-14.8
	High School/GED	6.7	5.1-8.2	8.4	7.1-9.6	8.0	5.9-10.2
	>High School	7.4	6.3-8.4	7.9	7.1-8.8	7.7	6.4-9.0
ANNUAL INCOME	<\$25,000	12.7	10.4-15.0	11.5	9.9-13.2	11.9	9.5-14.3
	\$25,000-\$49,999	5.8	4.3-7.4	8.3	6.8-9.7	7.2	5.0-9.3
	\$50,000 or More	5.9	4.5-7.2	6.5	5.4-7.6	5.0	3.7-6.3
MARITAL STATUS	Married/Couple	6.1	4.9-7.2	7.6	6.7-8.5	7.5	6.3-8.7
	Not Married/Couple	10.1	8.6-11.7	9.9	8.7-11.2	10.5	8.2-12.7

Percentage of adults who have ever been told they had asthma

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	13.2	12.0-14.4	13.8	12.8-14.7	14.2	12.6-15.8
SEX	Men	11.6	9.9-13.3	10.9	9.6-12.2	12.4	10.1-14.6
	Women	14.7	13.0-16.4	16.4	15.2-17.7	16.4	14.1-18.7
RACE/ETHNICITY	Non-Hisp. White	12.9	11.5-14.2	13.6	12.6-14.6	15.2	13.3-17.0
	Non-Hisp. Black	14.0	10.7-17.3	14.2	10.9-17.6	12.6	8.8-16.3
	Hispanic	14.8	11.8-17.8	13.2	10.1-16.4	11.9	6.1-17.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.0	9.9-14.1	10.6	9.2-12.0	14.3	11.5-17.1
	Non-Hisp. White Women	13.7	12.0-15.4	16.3	14.9-17.8	16.1	13.7-18.6
	Non-Hisp. Black Men	12.8	7.4-18.1	14.6	8.8-20.4	9.4	3.7-15.1
	Non-Hisp. Black Women	15.2	11.1-19.2	13.9	10.2-17.6	16.2	11.7-20.8
	Hispanic Men	11.2	7.7-14.8	9.5	5.0-14.0	7.8	2.1-13.5
	Hispanic Women	18.1	13.4-22.7	16.7	12.3-21.1	18.3	7.2-29.5
AGE GROUP	18-44	14.0	12.1-15.9	16.3	14.4-18.2	14.1	10.9-17.4
	45-64	13.7	11.5-15.9	13.6	12.2-15.1	15.3	13.2-17.4
	65 & Older	11.1	9.3-13.0	10.7	9.5-11.8	12.7	11.0-14.3
EDUCATION LEVEL	<High School	16.7	12.4-21.1	16.9	13.6-20.2	18.2	13.9-22.5
	High School/GED	13.1	10.6-15.5	13.6	12.0-15.3	13.2	10.5-15.8
	>High School	12.4	11.1-13.7	13.0	11.9-14.1	13.0	11.1-14.9
ANNUAL INCOME	<\$25,000	18.7	15.9-21.5	17.9	15.9-19.9	16.4	13.7-19.1
	\$25,000-\$49,999	11.2	8.8-13.6	13.4	11.6-15.2	13.0	10.0-15.9
	\$50,000 or More	10.4	8.7-12.1	10.7	9.4-12.0	10.5	7.8-13.3
MARITAL STATUS	Married/Couple	11.2	9.6-12.8	12.2	11.1-13.3	12.8	11.0-14.6
	Not Married/Couple	15.6	13.8-17.5	15.8	14.2-17.4	16.2	13.3-19.1

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Cancer Prevalence

Percentage of adults who have ever been told they had skin cancer

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	7.3	6.7-8.0	12.4 *	11.7-13.1	11.9 *	10.6-13.3
SEX	Men	7.5	6.4-8.5	13.0 *	11.9-14.1	13.2 *	11.2-15.3
	Women	7.2	6.4-8.0	11.7 *	10.8-12.6	10.4 *	8.8-12.0
RACE/ETHNICITY	Non-Hisp. White	13.7	12.5-14.8	16.2 *	15.3-17.1	15.5	14.3-16.8
	Non-Hisp. Black	0.3	0.0-0.8	0.5	0.1-1.0	0.2	0.0-0.5
	Hispanic	2.2	1.3-3.0	2.1	0.8-3.4	6.5	0.0-14.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.4	11.5-15.2	17.2 *	15.8-18.6	17.5 *	15.5-19.5
	Non-Hisp. White Women	14.0	12.5-15.4	15.3	14.1-16.5	13.3	11.8-14.8
	Non-Hisp. Black Men	0.7	0.0-1.8	0.7	0.0-1.5	0.1	0.0-0.2
	Non-Hisp. Black Women	0.0	0.0-0.1	0.3	0.0-0.9	0.4	0.0-0.9
	Hispanic Men	2.7	1.3-4.1	2.8	0.4-5.2	6.2	0.0-16.4
	Hispanic Women	1.7	0.6-2.7	1.4	0.4-2.4	7.0	0.0-17.8
AGE GROUP	18-44	1.2	0.7-1.7	1.8	1.1-2.6	3.6	0.9-6.3
	45-64	7.0	5.8-8.2	10.9 *	9.7-12.1	11.1 *	9.6-12.7
	65 & Older	21.4	19.4-23.4	27.7 *	26.2-29.3	28.7 *	26.5-31.0
EDUCATION LEVEL	<High School	4.3	2.7-5.8	10.2 *	7.7-12.6	11.6 *	7.4-15.9
	High School/GED	7.4	6.1-8.6	10.8 *	9.6-11.9	12.2 *	10.1-14.3
	>High School	8.2	7.4-9.0	13.9 *	13.0-14.8	11.7 *	10.4-13.1
ANNUAL INCOME	<\$25,000	5.6	4.5-6.7	8.8 *	7.7-9.9	9.8 *	7.9-11.7
	\$25,000-\$49,999	7.9	6.5-9.2	13.1 *	11.6-14.7	11.5 *	9.4-13.5
	\$50,000 or More	8.1	7.0-9.3	14.3 *	13.0-15.6	13.4 *	9.6-17.1
MARITAL STATUS	Married/Couple	8.4	7.4-9.4	14.4 *	13.4-15.4	13.3 *	11.4-15.2
	Not Married/Couple	6.3	5.5-7.1	9.7 *	8.8-10.6	10.1 *	8.4-11.9

Percentage of adults who have ever been told they had any other type of cancer except skin cancer

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	6.5	5.8-7.2	9.2 *	8.6-9.8	8.0	7.2-8.8
SEX	Men	5.6	4.7-6.5	8.7 *	7.8-9.6	7.5	6.2-8.7
	Women	7.4	6.3-8.4	9.6 *	8.8-10.5	8.6	7.6-9.7
RACE/ETHNICITY	Non-Hisp. White	9.4	8.4-10.3	10.7	10.0-11.5	9.7	8.6-10.7
	Non-Hisp. Black	4.0	2.5-5.5	5.2	3.5-6.9	5.3	3.5-7.1
	Hispanic	4.0	2.4-5.6	4.6	2.8-6.4	3.2	0.7-5.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.1	6.7-9.4	10.2	9.1-11.3	9.1	7.6-10.7
	Non-Hisp. White Women	10.6	9.3-11.9	11.2	10.2-12.2	10.3	8.9-11.6
	Non-Hisp. Black Men	3.0	1.2-4.8	5.4	3.0-7.7	4.9	2.3-7.6
	Non-Hisp. Black Women	4.9	2.5-7.2	5.1	2.7-7.5	5.7	3.4-8.0
	Hispanic Men	3.5	1.7-5.2	3.9	1.1-6.6	3.6	0.0-7.4
	Hispanic Women	4.5	1.9-7.1	5.3	2.8-7.8	2.5	0.6-4.4
AGE GROUP	18-44	2.4	1.5-3.3	2.5	1.7-3.2	2.6	1.4-3.9
	45-64	5.0	4.0-6.0	7.2 *	6.2-8.2	7.1	5.9-8.3
	65 & Older	17.9	15.8-19.9	20.1	18.7-21.5	19.7	17.7-21.7
EDUCATION LEVEL	<High School	5.8	3.7-8.0	8.2	6.0-10.4	9.1	6.9-11.4
	High School/GED	6.3	4.9-7.8	8.7	7.6-9.8	7.3	5.9-8.7
	>High School	6.8	6.0-7.6	9.7 *	9.0-10.5	8.1	7.0-9.2
ANNUAL INCOME	<\$25,000	5.8	4.6-7.1	8.6 *	7.4-9.9	7.8	6.5-9.0
	\$25,000-\$49,999	7.8	5.9-9.7	9.0	7.8-10.1	8.0	6.3-9.8
	\$50,000 or More	6.4	5.4-7.5	9.1 *	8.1-10.2	7.2	5.4-9.0
MARITAL STATUS	Married/Couple	7.8	6.7-9.0	9.6	8.8-10.5	8.5	7.3-9.7
	Not Married/Couple	5.0	4.3-5.8	8.6 *	7.7-9.5	7.4 *	6.2-8.5

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Cardiovascular Disease

Percentage of adults who have ever been told they had angina or coronary heart disease

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	4.3	3.7-4.9	6.3 *	5.7-6.9	6.5 *	5.8-7.3	
SEX	Men	5.4	4.3-6.4	8.1 *	7.0-9.1	7.6 *	6.4-8.7	
	Women	3.3	2.7-4.0	4.6	3.9-5.2	5.3 *	4.3-6.4	
RACE/ETHNICITY	Non-Hisp. White	6.1	5.2-7.0	7.0	6.4-7.6	7.8	6.8-8.8	
	Non-Hisp. Black	3.4	1.8-4.9	6.0	2.9-9.1	4.3	2.7-5.9	
	Hispanic	2.5	1.4-3.6	2.7	1.3-4.0	2.2	0.6-3.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.9	6.3-9.6	9.2	8.1-10.3	9.5	8.0-11.0	
	Non-Hisp. White Women	4.4	3.5-5.2	5.0	4.3-5.7	6.0	4.5-7.4	
	Non-Hisp. Black Men	2.5	0.6-4.4	8.5	2.5-14.5	3.2	1.2-5.2	
	Non-Hisp. Black Women	4.2	1.8-6.6	3.7	1.9-5.5	5.7	3.2-8.1	
	Hispanic Men	3.2	1.3-5.1	3.2	0.9-5.5	2.9	0.5-5.2	
	Hispanic Women	1.9	0.8-3.0	2.2	0.8-3.5	1.1	0.0-2.6	
	AGE GROUP	18-44	0.7	0.3-1.2	1.3	0.5-2.1	0.7	0.2-1.2
		45-64	4.5	3.3-5.7	6.2	5.0-7.4	8.0 *	6.4-9.7
65 & Older		11.9	10.2-13.7	13.1	11.9-14.2	15.2	13.4-17.1	
EDUCATION LEVEL	<High School	5.8	3.4-8.3	8.4	5.9-10.8	8.4	6.0-10.8	
	High School/GED	3.7	2.8-4.6	6.1 *	5.1-7.0	6.1 *	5.0-7.1	
	>High School	4.2	3.5-4.9	5.9 *	5.1-6.6	6.0 *	4.9-7.0	
ANNUAL INCOME	<\$25,000	6.2	4.8-7.6	7.7	6.3-9.2	8.2	6.7-9.7	
	\$25,000-\$49,999	3.9	2.7-5.1	6.7 *	5.5-8.0	5.5	4.2-6.8	
	\$50,000 or More	3.3	2.4-4.1	5.0 *	4.3-5.8	4.6	3.4-5.9	
MARITAL STATUS	Married/Couple	4.6	3.8-5.4	5.9	5.3-6.6	6.4 *	5.4-7.3	
	Not Married/Couple	4.1	3.2-4.9	6.8 *	5.7-7.9	6.7 *	5.4-8.0	

Percentage of adults who have ever been told they had a heart attack

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	5.1	4.4-5.8	6.3	5.8-6.9	7.2 *	6.3-8.1
SEX	Men	6.5	5.3-7.6	8.5	7.5-9.5	8.6	7.4-9.9
	Women	3.8	3.0-4.7	4.3	3.7-4.9	5.5	4.3-6.7
RACE/ETHNICITY	Non-Hisp. White	6.2	5.2-7.2	7.0	6.4-7.7	8.4 *	7.3-9.5
	Non-Hisp. Black	4.0	2.1-5.8	5.0	2.9-7.0	4.9	3.3-6.5
	Hispanic	4.6	3.0-6.2	3.5	2.0-5.0	3.2	0.6-5.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.4	6.7-10.1	9.9	8.7-11.1	10.8	9.1-12.4
	Non-Hisp. White Women	4.2	3.2-5.1	4.4	3.7-5.0	5.8	4.3-7.2
	Non-Hisp. Black Men	5.5	2.0-8.9	6.5	2.7-10.4	4.6	2.2-7.0
	Non-Hisp. Black Women	2.7	1.1-4.2	3.5	1.6-5.3	5.2	3.1-7.4
	Hispanic Men	4.5	2.4-6.7	3.6	1.2-6.0	2.7	0.2-5.2
	Hispanic Women	4.6	2.3-7.0	3.4	1.4-5.3	4.0	0.0-9.3
AGE GROUP	18-44	1.0	0.5-1.4	1.2	0.6-1.7	1.0	0.5-1.6
	45-64	6.5	4.9-8.1	6.0	4.8-7.2	8.9	7.0-10.8
	65 & Older	12.0	10.1-13.9	13.7	12.4-14.9	16.1 *	14.2-17.9
EDUCATION LEVEL	<High School	9.0	5.9-12.1	10.2	7.6-12.8	11.1	8.3-14.0
	High School/GED	4.8	3.6-5.9	6.4	5.4-7.3	6.2	5.1-7.2
	>High School	4.3	3.5-5.0	5.4	4.7-6.0	5.9	4.9-7.0
ANNUAL INCOME	<\$25,000	7.9	6.1-9.6	7.3	6.0-8.6	10.3	8.5-12.1
	\$25,000-\$49,999	5.9	4.2-7.5	8.0	6.7-9.3	6.2	4.7-7.7
	\$50,000 or More	2.6	1.9-3.3	4.3 *	3.6-5.1	3.9	2.8-5.0
MARITAL STATUS	Married/Couple	5.3	4.3-6.2	6.0	5.3-6.7	6.5	5.5-7.5
	Not Married/Couple	5.0	3.9-6.1	6.8	5.8-7.8	8.1 *	6.6-9.6

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Cardiovascular Disease

Percentage of adults who have ever been told they had a stroke

		Large Central/Fringe Metro Measure 95% CI		Small/Medium Metro Measure 95% CI		Nonmetropolitan Measure 95% CI		
ALL	Overall	3.2	2.7-3.7	4.3 *	3.8-4.8	5.4 *	4.2-6.6	
SEX	Men	3.0	2.3-3.7	4.6 *	3.8-5.4	6.2 *	4.1-8.3	
	Women	3.4	2.8-4.1	3.9	3.4-4.5	4.4	3.4-5.4	
RACE/ETHNICITY	Non-Hisp. White	4.0	3.4-4.7	4.4	3.9-4.9	4.4	3.7-5.1	
	Non-Hisp. Black	3.7	2.0-5.3	6.4	3.8-9.0	6.4	2.8-9.9	
	Hispanic	1.7	0.9-2.5	2.3	1.0-3.6	8.4	1.2-15.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.7	2.7-4.6	4.8	3.9-5.7	4.7	3.7-5.7	
	Non-Hisp. White Women	4.4	3.5-5.3	4.0	3.3-4.6	4.2	3.2-5.1	
	Non-Hisp. Black Men	3.4	1.1-5.8	7.2	2.5-11.9	8.6	2.2-15.0	
	Non-Hisp. Black Women	3.8	1.4-6.2	5.6	3.1-8.1	3.8	2.0-5.7	
	Hispanic Men	1.7	0.5-2.9	1.9	0.0-3.8	10.0	0.0-21.0	
	Hispanic Women	1.7	0.5-2.8	2.6	0.9-4.4	5.9	0.0-12.1	
	AGE GROUP	18-44	1.1	0.5-1.6	1.0	0.5-1.6	3.2	0.6-5.7
		45-64	3.7	2.8-4.5	4.4	3.3-5.4	5.7	4.2-7.1
65 & Older		7.2	5.8-8.7	8.5	7.5-9.5	9.3	7.9-10.7	
EDUCATION LEVEL	<High School	4.0	2.5-5.6	6.9	4.6-9.2	10.6 *	5.8-15.4	
	High School/GED	3.3	2.4-4.3	4.0	3.2-4.8	4.3	3.1-5.5	
	>High School	3.0	2.4-3.6	3.8	3.2-4.3	3.6	2.7-4.4	
ANNUAL INCOME	<\$25,000	5.2	4.1-6.4	6.3	5.1-7.4	7.2	5.5-8.9	
	\$25,000-\$49,999	3.7	2.6-4.8	5.1	3.9-6.3	4.1	2.5-5.7	
	\$50,000 or More	1.5	0.9-2.1	2.2	1.7-2.7	3.7	0.0-7.5	
MARITAL STATUS	Married/Couple	2.9	2.2-3.6	3.6	3.0-4.2	4.8	3.0-6.7	
	Not Married/Couple	3.6	2.9-4.4	5.2	4.4-6.1	6.2 *	4.7-7.7	

Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

		Large Central/Fringe Metro Measure 95% CI		Small/Medium Metro Measure 95% CI		Nonmetropolitan Measure 95% CI		
ALL	Overall	9.2	8.3-10.1	11.8 *	11.0-12.6	13.6 *	12.1-15.0	
SEX	Men	10.3	8.9-11.7	14.3 *	13.0-15.6	15.5 *	13.1-17.8	
	Women	8.2	7.1-9.4	9.5	8.6-10.4	11.3 *	9.8-12.8	
RACE/ETHNICITY	Non-Hisp. White	11.4	10.2-12.6	13.0	12.1-13.9	14.3 *	13.0-15.6	
	Non-Hisp. Black	8.9	6.2-11.7	12.1	8.6-15.6	12.5	8.5-16.4	
	Hispanic	6.6	4.8-8.5	5.3	3.5-7.1	10.9	3.6-18.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.2	11.2-15.2	16.4	14.9-17.8	16.5	14.5-18.4	
	Non-Hisp. White Women	9.7	8.4-11.1	9.9	8.9-10.8	11.9	10.1-13.6	
	Non-Hisp. Black Men	9.2	4.9-13.4	14.5	8.2-20.9	13.4	6.7-20.2	
	Non-Hisp. Black Women	8.7	5.2-12.2	9.9	6.8-13.0	11.4	8.0-14.8	
	Hispanic Men	6.9	4.2-9.5	4.2	1.8-6.7	12.9	1.9-24.0	
	Hispanic Women	6.4	3.8-9.0	6.4	3.7-9.0	7.6	1.2-14.0	
	AGE GROUP	18-44	2.1	1.3-2.8	2.4	1.5-3.4	4.5	1.9-7.2
		45-64	11.0	9.2-12.9	11.6	10.1-13.1	15.3 *	13.1-17.5
65 & Older		22.1	19.6-24.5	24.6	23.1-26.2	28.1 *	25.8-30.4	
EDUCATION LEVEL	<High School	13.8	10.3-17.4	16.9	13.7-20.1	20.7	15.6-25.8	
	High School/GED	8.8	7.2-10.3	11.6	10.3-12.8	11.9	10.2-13.6	
	>High School	8.3	7.3-9.3	10.7 *	9.8-11.6	11.2 *	9.8-12.6	
ANNUAL INCOME	<\$25,000	13.6	11.5-15.7	14.4	12.6-16.1	17.7	15.3-20.0	
	\$25,000-\$49,999	10.4	8.4-12.5	13.7	12.0-15.3	11.6	9.3-13.9	
	\$50,000 or More	5.3	4.2-6.4	8.5 *	7.5-9.5	9.7	5.9-13.6	
MARITAL STATUS	Married/Couple	9.3	8.0-10.5	11.2	10.2-12.1	12.9 *	10.8-14.9	
	Not Married/Couple	9.3	8.0-10.7	12.8 *	11.5-14.1	14.5 *	12.5-16.6	

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Cholesterol Awareness

Percentage of adults who have ever been told they had high blood cholesterol

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	32.2	30.6-33.8	36.0 *	34.8-37.2	34.4	32.4-36.4
SEX	Men	32.3	29.9-34.6	36.8 *	34.9-38.6	35.2	32.2-38.2
	Women	32.2	30.1-34.2	35.3	33.8-36.8	33.4	31.0-35.8
RACE/ETHNICITY	Non-Hisp. White	38.7	36.8-40.5	39.8	38.4-41.1	37.8	35.7-39.9
	Non-Hisp. Black	22.8	19.1-26.4	30.4	25.9-35.0	30.1	24.5-35.6
	Hispanic	29.2	25.6-32.9	19.7 *	16.1-23.3	23.6	16.4-30.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.7	35.8-41.7	40.1	38.0-42.1	38.5	35.4-41.7
	Non-Hisp. White Women	38.6	36.2-41.0	39.5	37.8-41.2	37.1	34.3-39.9
	Non-Hisp. Black Men	24.9	18.7-31.1	34.5	26.9-42.0	28.0	19.3-36.8
	Non-Hisp. Black Women	20.9	16.6-25.2	26.6	21.7-31.5	32.4 *	26.1-38.7
	Hispanic Men	26.7	21.5-31.8	21.3	15.4-27.2	29.3	18.4-40.2
	Hispanic Women	31.7	26.4-36.9	18.2 *	13.8-22.5	14.7 *	8.0-21.3
AGE GROUP	18-44	14.1	12.2-16.1	13.2	11.4-15.0	13.6	10.7-16.6
	45-64	41.8	38.9-44.8	43.6	41.6-45.7	45.6	42.6-48.6
	65 & Older	55.6	52.6-58.6	56.3	54.5-58.0	56.0	53.4-58.5
EDUCATION LEVEL	<High School	33.6	28.0-39.1	34.1	29.8-38.3	35.1	30.1-40.1
	High School/GED	31.3	28.2-34.3	36.5 *	34.3-38.6	36.0	32.7-39.2
	>High School	32.4	30.6-34.2	36.3 *	34.9-37.7	32.4	29.8-35.0
ANNUAL INCOME	<\$25,000	31.6	28.6-34.7	33.3	31.0-35.7	34.4	31.2-37.6
	\$25,000-\$49,999	34.7	31.2-38.2	35.5	33.2-37.8	35.8	31.5-40.1
	\$50,000 or More	31.5	29.1-33.9	39.2 *	37.1-41.2	33.8	30.0-37.7
MARITAL STATUS	Married/Couple	35.6	33.4-37.8	38.9	37.3-40.5	36.8	34.2-39.4
	Not Married/Couple	28.6	26.4-30.8	32.3	30.5-34.1	31.2	28.2-34.2

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Chronic Obstructive Pulmonary Disease

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	6.6	5.8-7.4	8.6 *	7.9-9.3	9.4 *	8.5-10.4
SEX	Men	6.0	4.7-7.3	7.3	6.3-8.2	8.5	7.2-9.8
	Women	7.1	6.1-8.1	9.8 *	8.9-10.7	10.5 *	9.2-11.9
RACE/ETHNICITY	Non-Hisp. White	8.8	7.7-9.8	9.6	8.9-10.4	11.2 *	10.1-12.4
	Non-Hisp. Black	4.5	2.6-6.5	5.5	3.4-7.6	6.5	4.5-8.6
	Hispanic	5.2	3.2-7.2	4.5	2.7-6.3	2.9	0.7-5.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.9	6.3-9.5	8.4	7.3-9.6	10.2	8.6-11.8
	Non-Hisp. White Women	9.6	8.2-11.0	10.7	9.7-11.8	12.4	10.7-14.1
	Non-Hisp. Black Men	4.4	0.9-7.8	5.1	1.6-8.6	5.7	3.0-8.4
	Non-Hisp. Black Women	4.6	2.6-6.7	5.9	3.4-8.4	7.5	4.5-10.5
	Hispanic Men	4.6	1.3-8.0	2.8	0.7-4.9	3.2	0.0-6.6
	Hispanic Women	5.7	3.3-8.2	6.2	3.3-9.1	2.6	0.5-4.6
AGE GROUP	18-44	2.8	1.5-4.1	3.9	2.9-4.9	2.9	1.6-4.1
	45-64	7.2	5.8-8.5	9.9 *	8.7-11.1	12.5 *	10.8-14.1
	65 & Older	14.2	12.2-16.2	13.3	12.1-14.5	17.3 †	15.4-19.2
EDUCATION LEVEL	<High School	12.8	8.8-16.7	12.6	10.1-15.1	14.9	12.0-17.8
	High School/GED	6.1	4.9-7.3	9.3 *	8.2-10.5	8.7 *	7.3-10.0
	>High School	5.2	4.4-6.1	7.1 *	6.3-7.9	7.2 *	6.1-8.4
ANNUAL INCOME	<\$25,000	9.9	8.3-11.5	12.7	11.2-14.2	12.6	11.0-14.3
	\$25,000-\$49,999	6.3	4.7-7.9	9.3 *	7.9-10.6	8.4	6.5-10.3
	\$50,000 or More	3.4	2.5-4.3	4.6	3.8-5.3	3.7	2.7-4.7
MARITAL STATUS	Married/Couple	5.8	4.7-6.8	7.3	6.5-8.0	8.1 *	6.9-9.2
	Not Married/Couple	7.5	6.2-8.8	10.4 *	9.3-11.6	11.3 *	9.7-12.9

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Depression

Percentage of adults who have ever been told they had a depressive disorder

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	16.0	14.8-17.2	17.8	16.9-18.7	19.6 *	17.8-21.5
SEX	Men	11.5	9.9-13.0	12.9	11.7-14.2	14.4	11.8-17.0
	Women	20.1	18.3-21.9	22.4	21.0-23.7	25.8 *	23.2-28.3
RACE/ETHNICITY	Non-Hisp. White	18.4	16.9-19.9	18.7	17.6-19.7	20.9	19.1-22.7
	Non-Hisp. Black	14.3	10.9-17.7	13.1	10.1-16.1	13.0	8.8-17.3
	Hispanic	13.5	10.9-16.1	15.9	12.6-19.2	19.9	11.2-28.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.2	11.1-15.2	13.3	11.9-14.7	14.2	12.1-16.4
	Non-Hisp. White Women	23.2	21.0-25.5	23.7	22.1-25.2	28.3 * †	25.5-31.1
	Non-Hisp. Black Men	12.8	7.4-18.2	11.0	6.4-15.7	10.0	3.2-16.8
	Non-Hisp. Black Women	15.6	11.3-19.9	15.1	11.3-18.9	16.5	11.9-21.2
	Hispanic Men	7.9	5.3-10.6	10.1	5.9-14.2	18.8	6.6-31.1
	Hispanic Women	18.7	14.3-23.0	21.4	16.4-26.4	21.7	10.1-33.3
AGE GROUP	18-44	15.3	13.3-17.3	16.9	15.1-18.6	18.1	14.5-21.7
	45-64	17.7	15.6-19.9	22.6 *	20.8-24.3	25.0 *	22.2-27.8
	65 & Older	15.0	13.0-17.1	13.9	12.7-15.1	14.3	12.7-16.0
EDUCATION LEVEL	<High School	19.8	15.4-24.2	23.4	19.9-26.9	23.9	18.7-29.2
	High School/GED	14.8	12.5-17.0	17.2	15.6-18.9	18.7	15.8-21.6
	>High School	15.7	14.2-17.1	16.7	15.6-17.9	18.3	16.1-20.5
ANNUAL INCOME	<\$25,000	22.6	19.9-25.4	26.2	24.0-28.3	26.5	23.3-29.7
	\$25,000-\$49,999	15.8	13.3-18.3	17.7	15.9-19.6	16.5	13.2-19.9
	\$50,000 or More	10.6	9.1-12.1	12.1	10.8-13.5	12.6	8.7-16.6
MARITAL STATUS	Married/Couple	13.1	11.6-14.6	14.8	13.6-15.9	17.2 *	14.8-19.6
	Not Married/Couple	19.2	17.3-21.2	21.8	20.2-23.4	23.1	20.1-26.0

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Diabetes

Percentage of adults who have ever been told they had diabetes

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	10.7	9.7 - 11.6	11.5	10.8 - 12.3	13.6 * †	12.3 - 14.8
SEX	Men	11.7	10.2 - 13.3	12.8	11.6 - 13.9	14.9	12.9 - 16.9
	Women	9.7	8.4 - 10.9	10.4	9.4 - 11.3	12.0	10.6 - 13.4
RACE/ETHNICITY	Non-Hisp. White	11.3	10.1 - 12.6	11.5	10.7 - 12.3	12.5	11.3 - 13.6
	Non-Hisp. Black	11.0	8.2 - 13.7	14.3	11.4 - 17.3	18.2 *	13.8 - 22.5
	Hispanic	10.7	8.4 - 12.9	9.6	7.1 - 12.2	13.8	8.3 - 19.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.0	10.9 - 15.0	12.9	11.6 - 14.2	14.7	12.9 - 16.6
	Non-Hisp. White Women	9.8	8.4 - 11.2	10.2	9.2 - 11.2	10.0	8.7 - 11.3
	Non-Hisp. Black Men	10.7	6.3 - 15.0	15.7	10.8 - 20.6	16.5	9.5 - 23.6
	Non-Hisp. Black Women	11.2	7.8 - 14.7	13.0	9.7 - 16.4	20.0 *	15.5 - 24.5
	Hispanic Men	11.1	7.9 - 14.4	8.2	4.9 - 11.5	14.3	6.4 - 22.1
AGE GROUP	Hispanic Women	10.3	7.1 - 13.4	10.9	7.1 - 14.8	13.0	6.4 - 19.6
	18-44	2.6	1.7 - 3.5	2.4	1.7 - 3.1	3.0	1.8 - 4.2
	45-64	12.8	10.9 - 14.7	13.7	12.3 - 15.2	18.5 * †	16.0 - 21.0
EDUCATION LEVEL	65 & Older	24.8	22.1 - 27.5	21.1	19.5 - 22.6	25.9 †	23.4 - 28.4
	<High School	18.3	14.1 - 22.5	15.0	12.2 - 17.7	19.4	15.3 - 23.4
	High School/GED	10.5	8.9 - 12.2	13.0	11.5 - 14.4	12.3	10.6 - 14.1
ANNUAL INCOME	>High School	8.7	7.7 - 9.7	9.8	8.9 - 10.6	11.5 *	10.1 - 12.9
	<\$25,000	14.4	12.2 - 16.7	13.8	12.3 - 15.3	16.7	14.5 - 19.0
	\$25,000-\$49,999	11.3	9.1 - 13.5	13.2	11.6 - 14.8	12.9	10.0 - 15.8
MARITAL STATUS	\$50,000 or More	6.7	5.5 - 7.9	8.8	7.6 - 9.9	10.2 *	8.2 - 12.1
	Married/Couple	11.3	9.9 - 12.7	12.3	11.3 - 13.4	14.3	12.5 - 16.0
	Not Married/Couple	10.1	8.7 - 11.5	10.6	9.6 - 11.7	12.6	10.8 - 14.4

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	60.0	55.1 - 64.9	63.0	59.7 - 66.3	65.4	61.2 - 69.5
SEX	Men	54.8	47.6 - 61.9	55.4	50.6 - 60.3	65.5	59.5 - 71.4
	Women	65.6	59.2 - 72.1	71.4	67.3 - 75.6	65.2	59.7 - 70.6
RACE/ETHNICITY	Non-Hisp. White	54.5	48.5 - 60.6	62.9	59.3 - 66.5	62.8	58.3 - 67.3
	Non-Hisp. Black	71.6	60.4 - 82.8	69.6	58.9 - 80.2	69.2	59.3 - 79.1
	Hispanic	64.5	53.5 - 75.5	58.1	44.7 - 71.6	70.1	54.9 - 85.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.6	43.6 - 61.6	56.1	50.9 - 61.2	58.7	52.5 - 64.9
	Non-Hisp. White Women	56.8	48.7 - 64.9	70.8 *	66.0 - 75.6	69.5	63.7 - 75.3
	Non-Hisp. Black Men	64.1	44.4 - 83.7	58.4	40.9 - 75.8	81.9	69.4 - 94.5
	Non-Hisp. Black Women	78.1	65.4 - 90.8	80.4	70.7 - 90.1	57.4 †	45.9 - 68.8
	Hispanic Men	53.4	37.1 - 69.7	50.7	29.9 - 71.5	77.0	58.9 - 95.0
AGE GROUP	Hispanic Women	74.2	61.2 - 87.2	63.2	46.1 - 80.3	58.3	33.8 - 82.7
	18-44	50.6	31.5 - 69.7	70.7	57.8 - 83.6	66.2	49.3 - 83.1
	45-64	61.8	54.2 - 69.3	59.1	53.2 - 65.0	63.4	56.7 - 70.1
EDUCATION LEVEL	65 & Older	60.6	54.0 - 67.2	64.6	60.5 - 68.7	67.3	62.0 - 72.6
	<High School	60.3	47.9 - 72.7	72.3	63.7 - 80.9	70.8	61.8 - 79.7
	High School/GED	66.5	58.8 - 74.1	61.3	55.0 - 67.5	70.2	64.4 - 76.1
ANNUAL INCOME	>High School	56.1	49.8 - 62.4	60.6	56.4 - 64.8	54.5	48.6 - 60.4
	<\$25,000	64.0	56.0 - 72.0	69.6	64.4 - 74.8	71.4	65.6 - 77.2
	\$25,000-\$49,999	59.9	49.4 - 70.4	58.9	52.3 - 65.5	63.7	53.7 - 73.8
MARITAL STATUS	\$50,000 or More	53.2	43.8 - 62.6	55.0	48.0 - 62.1	55.3	46.1 - 64.4
	Married/Couple	57.7	50.9 - 64.4	60.0	55.4 - 64.6	61.5	55.7 - 67.4
	Not Married/Couple	63.1	56.0 - 70.2	67.8	63.2 - 72.4	71.2	65.7 - 76.7

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	68.2	63.0 - 73.4	71.5	68.1 - 75.0	71.7	66.7 - 76.8	
SEX	Men	69.2	62.3 - 76.1	70.5	65.5 - 75.5	72.2	64.8 - 79.6	
	Women	67.1	59.3 - 74.9	72.7	67.9 - 77.6	71.1	65.0 - 77.1	
RACE/ETHNICITY	Non-Hisp. White	75.6	69.7 - 81.5	75.8	72.3 - 79.3	77.1	72.8 - 81.3	
	Non-Hisp. Black	69.2	56.2 - 82.3	65.4	54.5 - 76.4	60.0	44.2 - 75.8	
	Hispanic	52.5	40.3 - 64.7	51.0	35.2 - 66.8	63.3	42.3 - 84.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.3	63.1 - 81.4	75.8	71.1 - 80.6	79.0	74.0 - 84.1	
	Non-Hisp. White Women	80.0	74.0 - 85.9	75.7	70.4 - 80.9	73.8	66.6 - 81.1	
	Non-Hisp. Black Men	62.6	41.1 - 84.2	65.4	48.5 - 82.2	53.7	25.2 - 82.2	
	Non-Hisp. Black Women	75.2	59.1 - 91.3	65.5	51.3 - 79.7	65.6	53.0 - 78.2	
	Hispanic Men	65.1	50.5 - 79.6	NA		NA		
	Hispanic Women	40.8	24.2 - 57.3	53.8	33.1 - 74.5	68.8	45.6 - 92.0	
	AGE GROUP	18-44	54.1	34.1 - 74.2	51.3	36.7 - 65.9	50.0	28.6 - 71.3
		45-64	66.7	58.5 - 74.8	64.4	58.3 - 70.6	72.3	64.6 - 79.9
65 & Older		73.0	66.3 - 79.8	80.7	77.2 - 84.1	76.2	71.3 - 81.1	
EDUCATION LEVEL	<High School	51.9	37.0 - 66.9	65.3	54.6 - 76.0	65.7	52.6 - 78.8	
	High School/GED	70.4	62.6 - 78.3	71.1	65.0 - 77.3	70.6	62.8 - 78.4	
	>High School	75.3	69.9 - 80.8	74.1	69.8 - 78.4	77.6	72.5 - 82.6	
ANNUAL INCOME	<\$25,000	61.2	52.5 - 70.0	69.9	64.1 - 75.7	65.9	57.9 - 73.8	
	\$25,000-\$49,999	70.1	58.2 - 82.1	67.4	60.4 - 74.5	74.4	63.0 - 85.8	
	\$50,000 or More	77.6	70.0 - 85.3	77.1	70.3 - 83.8	81.1	74.2 - 88.0	
MARITAL STATUS	Married/Couple	68.2	60.8 - 75.5	74.3	69.8 - 78.7	76.1	69.9 - 82.3	
	Not Married/Couple	68.5	61.3 - 75.7	66.9	61.3 - 72.4	65.1	56.9 - 73.3	

Percentage of adults with diabetes who had an annual foot exam

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	67.5	63.0 - 72.1	66.4	63.0 - 69.8	69.1	64.5 - 73.7	
SEX	Men	70.7	64.3 - 77.1	68.2	63.4 - 73.1	70.5	63.8 - 77.3	
	Women	64.1	57.6 - 70.7	64.4	59.6 - 69.2	67.1	61.5 - 72.6	
RACE/ETHNICITY	Non-Hisp. White	68.6	62.9 - 74.4	68.1	64.4 - 71.7	69.3	64.9 - 73.6	
	Non-Hisp. Black	81.7	71.9 - 91.4	80.8	72.0 - 89.6	81.7	74.1 - 89.2	
	Hispanic	59.0	48.2 - 69.8	43.2	29.1 - 57.2	55.7	33.9 - 77.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.6	60.8 - 78.3	71.5	66.5 - 76.4	71.8	66.2 - 77.3	
	Non-Hisp. White Women	67.5	60.3 - 74.7	64.1	58.7 - 69.5	65.2	58.5 - 71.9	
	Non-Hisp. Black Men	86.8	75.1 - 98.4	79.3	64.1 - 94.4	91.2	83.2 - 99.1	
	Non-Hisp. Black Women	77.3	63.1 - 91.5	82.3	72.9 - 91.6	73.3	62.9 - 83.6	
	Hispanic Men	69.0	55.9 - 82.1	42.3	21.0 - 63.6	51.5	21.1 - 82.0	
	Hispanic Women	50.0	33.5 - 66.5	43.7	25.0 - 62.5	62.8	38.5 - 87.2	
	AGE GROUP	18-44	48.1	28.7 - 67.5	43.5	29.8 - 57.3	54.8	34.4 - 75.2
		45-64	65.5	58.2 - 72.7	61.6	55.5 - 67.6	70.6	63.0 - 78.2
65 & Older		73.1	67.5 - 78.6	73.5	69.8 - 77.3	70.8	65.8 - 75.7	
EDUCATION LEVEL	<High School	69.0	57.7 - 80.2	55.0	44.9 - 65.0	69.1	57.5 - 80.6	
	High School/GED	62.0	53.9 - 70.2	70.5	64.5 - 76.4	71.9	65.5 - 78.3	
	>High School	70.3	64.5 - 76.2	67.5	63.3 - 71.8	66.1	60.4 - 71.7	
ANNUAL INCOME	<\$25,000	66.1	58.5 - 73.6	62.9	57.1 - 68.7	72.5	66.6 - 78.3	
	\$25,000-\$49,999	71.2	61.4 - 80.9	66.4	59.8 - 73.0	66.2	53.5 - 78.9	
	\$50,000 or More	71.5	63.0 - 80.0	70.1	63.3 - 77.0	69.1	60.8 - 77.3	
MARITAL STATUS	Married/Couple	68.9	62.6 - 75.2	66.8	62.3 - 71.3	67.6	60.9 - 74.3	
	Not Married/Couple	65.8	59.1 - 72.5	65.6	60.5 - 70.8	71.4	65.8 - 76.9	

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	69.1	64.3 - 73.9	71.3	68.1 - 74.5	63.5	58.4 - 68.5
SEX	Men	72.1	65.5 - 78.8	70.9	66.4 - 75.5	62.6	55.2 - 70.0
	Women	65.8	58.9 - 72.7	71.7	67.2 - 76.2	64.7	58.6 - 70.9
RACE/ETHNICITY	Non-Hisp. White	71.5	65.8 - 77.3	72.1	68.6 - 75.6	66.6	62.0 - 71.2
	Non-Hisp. Black	77.7	67.4 - 87.9	78.1	69.1 - 87.2	68.2	55.2 - 81.2
	Hispanic	59.7	48.3 - 71.1	60.4	46.5 - 74.3	44.6	24.4 - 64.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	71.0	62.4 - 79.6	73.4	68.6 - 78.3	67.9	61.7 - 74.1
	Non-Hisp. White Women	72.2	64.8 - 79.5	70.6	65.5 - 75.7	64.7	58.0 - 71.3
	Non-Hisp. Black Men	87.7	76.1 - 99.3	73.2	58.1 - 88.3	66.4	42.9 - 89.9
	Non-Hisp. Black Women	69.5	54.8 - 84.2	83.1	73.6 - 92.6	69.9	59.5 - 80.4
	Hispanic Men	69.3	54.6 - 83.9	53.6	32.6 - 74.6	37.3	9.9 - 64.7
AGE GROUP	Hispanic Women	50.4	33.8 - 66.9	65.5	46.9 - 84.1	57.2	28.9 - 85.6
	18-44	40.7	23.0 - 58.4	50.9	36.6 - 65.2	40.9	21.8 - 60.0
	45-64	60.7	52.7 - 68.6	63.4	57.7 - 69.0	58.9	50.9 - 66.8
EDUCATION LEVEL	65 & Older	81.6	76.4 - 86.8	80.7	77.2 - 84.1	74.0	68.7 - 79.3
	<High School	62.6	50.0 - 75.2	63.2	53.6 - 72.7	50.8	38.9 - 62.7
	High School/GED	70.7	63.1 - 78.3	71.7	66.2 - 77.1	65.9	59.1 - 72.8
ANNUAL INCOME	>High School	72.3	66.5 - 78.1	74.2	70.2 - 78.2	72.7	67.4 - 78.0
	<\$25,000	70.8	63.5 - 78.0	63.0	57.2 - 68.7	58.9	51.8 - 66.1
	\$25,000-\$49,999	63.2	51.7 - 74.6	70.1	63.5 - 76.6	62.7	49.4 - 75.9
MARITAL STATUS	\$50,000 or More	74.0	65.2 - 82.9	81.2	76.3 - 86.1	67.8	58.6 - 76.9
	Married/Couple	66.6	59.7 - 73.5	73.3	69.2 - 77.5	64.4	57.5 - 71.4
	Not Married/Couple	72.3	66.1 - 78.5	68.0	63.0 - 72.9	62.1	54.9 - 69.4

Percentage of adults with diabetes who ever had diabetes self-management education

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	47.2	42.3 - 52.1	55.9 *	52.5 - 59.4	46.2 †	41.3 - 51.0
SEX	Men	44.9	37.9 - 51.8	53.2	48.4 - 58.1	45.3	38.2 - 52.3
	Women	49.7	42.9 - 56.5	59.0	54.2 - 63.7	47.5 †	41.6 - 53.5
RACE/ETHNICITY	Non-Hisp. White	50.1	44.1 - 56.0	57.6	53.9 - 61.3	48.5 †	43.8 - 53.3
	Non-Hisp. Black	51.7	38.4 - 65.0	62.1	51.9 - 72.4	38.3 †	27.4 - 49.2
	Hispanic	40.5	29.6 - 51.4	37.7	24.6 - 50.7	46.8	25.3 - 68.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.7	39.9 - 57.6	54.9	49.6 - 60.2	48.0	41.5 - 54.4
	Non-Hisp. White Women	51.7	44.0 - 59.4	60.7	55.5 - 65.9	49.5	42.9 - 56.1
	Non-Hisp. Black Men	37.3	18.2 - 56.4	52.7	35.9 - 69.4	27.6	11.2 - 44.1
	Non-Hisp. Black Women	63.9	49.6 - 78.2	71.4	60.9 - 81.8	48.4 †	37.1 - 59.7
	Hispanic Men	40.4	25.8 - 55.0	42.3	21.7 - 62.8	49.0	19.6 - 78.4
AGE GROUP	Hispanic Women	40.6	24.5 - 56.7	34.2	17.6 - 50.8	42.9	14.4 - 71.4
	18-44	49.8	31.1 - 68.5	68.9	55.4 - 82.4	40.4	21.1 - 59.6
	45-64	52.1	44.1 - 60.2	53.3	47.4 - 59.2	47.6	39.9 - 55.3
EDUCATION LEVEL	65 & Older	42.6	36.2 - 49.0	56.2 *	52.0 - 60.5	45.7 †	39.7 - 51.7
	<High School	35.3	23.0 - 47.5	35.2	26.2 - 44.2	44.9	33.1 - 56.7
	High School/GED	44.8	36.8 - 52.8	56.8	50.8 - 62.8	45.0	37.9 - 52.1
ANNUAL INCOME	>High School	55.6	49.3 - 61.8	63.3	59.1 - 67.4	49.0 †	43.2 - 54.8
	<\$25,000	40.2	32.1 - 48.4	48.5	42.7 - 54.3	43.4	36.5 - 50.2
	\$25,000-\$49,999	49.5	39.1 - 59.9	57.4	51.0 - 63.8	51.9	39.9 - 64.0
MARITAL STATUS	\$50,000 or More	57.4	48.6 - 66.2	64.2	57.4 - 70.9	47.9 †	38.8 - 57.1
	Married/Couple	46.6	39.9 - 53.3	57.8	53.2 - 62.3	49.4	42.9 - 55.9
	Not Married/Couple	47.9	40.8 - 55.0	52.9	47.8 - 58.0	41.5	34.7 - 48.3

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Diabetes

Percentage of adults who have ever been told they had pre-diabetes

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	6.9	6.0-7.7	7.6	6.9-8.3	8.2	6.9-9.5
SEX	Men	7.1	5.8-8.4	7.5	6.5-8.5	8.0	5.9-10.1
	Women	6.6	5.6-7.7	7.7	6.8-8.6	8.4	6.8-10.0
RACE/ETHNICITY	Non-Hisp. White	8.0	7.0-9.0	7.5	6.8-8.2	8.8	7.5-10.2
	Non-Hisp. Black	7.9	5.2-10.7	9.9	6.8-13.0	7.3	4.0-10.6
	Hispanic	4.4	2.9-5.9	6.8	4.5-9.1	6.5	0.0-13.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.0	7.3-10.6	7.4	6.5-8.4	8.4	6.8-10.0
	Non-Hisp. White Women	7.2	6.0-8.3	7.5	6.6-8.5	9.3	7.3-11.4
	Non-Hisp. Black Men	8.1	3.2-13.1	9.7	4.5-14.9	7.4	2.0-12.9
	Non-Hisp. Black Women	7.8	5.0-10.6	10.1	6.4-13.8	7.1	3.9-10.4
	Hispanic Men	4.2	1.9-6.4	5.9	2.8-9.0	7.4	0.0-17.7
	Hispanic Women	4.6	2.6-6.5	7.6	4.2-11.0	5.1	2.0-8.2
AGE GROUP	18-44	4.9	3.5-6.2	5.0	3.8-6.1	6.0	3.3-8.7
	45-64	7.2	5.8-8.6	9.0	7.8-10.3	9.8	8.0-11.7
	65 & Older	9.7	8.2-11.2	9.3	8.3-10.3	9.7	8.3-11.2
EDUCATION LEVEL	<High School	4.4	2.4-6.5	7.0	4.7-9.3	10.6	5.8-15.4
	High School/GED	7.1	5.4-8.8	7.4	6.3-8.5	7.4	5.8-9.0
	>High School	7.5	6.4-8.5	7.9	7.1-8.8	7.7	6.4-9.0
ANNUAL INCOME	<\$25,000	7.6	5.8-9.4	7.2	5.9-8.4	9.0	7.0-11.0
	\$25,000-\$49,999	6.5	5.1-7.9	9.0	7.5-10.5	7.5	5.4-9.5
	\$50,000 or More	6.7	5.3-8.1	6.9	6.0-7.9	8.5	4.7-12.3
MARITAL STATUS	Married/Couple	7.1	5.9-8.2	7.6	6.8-8.5	7.9	6.0-9.9
	Not Married/Couple	6.7	5.5-7.9	7.6	6.5-8.7	8.5	6.7-10.2

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	19.9	18.6-21.3	22.5 *	21.5-23.5	27.5 * †	25.5-29.4	
SEX	Men	18.9	16.9-20.9	22.2	20.7-23.8	27.1 * †	24.2-30.0	
	Women	20.9	19.0-22.7	22.7	21.4-24.1	27.9 * †	25.4-30.4	
RACE/ETHNICITY	Non-Hisp. White	22.5	21.0-24.1	23.6	22.4-24.7	29.6 * †	27.6-31.6	
	Non-Hisp. Black	16.6	13.0-20.1	21.4	17.6-25.1	24.8	19.3-30.4	
	Hispanic	19.0	15.6-22.3	16.6	13.3-19.9	18.8	10.3-27.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.4	18.9-23.8	23.8	22.0-25.6	29.1 * †	26.2-32.1	
	Non-Hisp. White Women	23.6	21.5-25.7	23.3	21.9-24.8	30.1 * †	27.4-32.8	
	Non-Hisp. Black Men	18.1	12.2-24.0	22.3	16.4-28.2	25.2	16.1-34.3	
	Non-Hisp. Black Women	15.2	11.0-19.4	20.5	15.9-25.2	24.4	18.6-30.3	
	Hispanic Men	16.1	11.6-20.7	14.4	9.8-19.0	19.6	7.8-31.3	
	Hispanic Women	21.6	16.7-26.5	18.8	14.0-23.5	17.7	5.6-29.7	
	AGE GROUP	18-44	13.4	11.4-15.5	13.4	11.8-15.1	17.3	13.5-21.2
		45-64	23.5	21.0-26.0	29.0 *	27.1-30.9	34.4 * †	31.7-37.2
65 & Older		28.9	26.3-31.4	26.8	25.2-28.4	35.6 * †	33.2-38.0	
EDUCATION LEVEL	<High School	27.6	22.2-32.9	30.7	26.6-34.7	37.2	31.5-42.8	
	High School/GED	21.0	18.4-23.7	22.3	20.5-24.1	26.0	23.0-29.0	
	>High School	17.4	15.9-18.8	20.6 *	19.4-21.8	23.6 *	21.4-25.8	
ANNUAL INCOME	<\$25,000	28.9	25.9-31.9	32.0	29.8-34.3	36.3 *	33.0-39.7	
	\$25,000-\$49,999	20.2	17.3-23.1	20.8	18.9-22.7	24.1	20.5-27.6	
	\$50,000 or More	11.2	9.7-12.8	15.4 *	13.9-16.8	15.9	12.0-19.8	
MARITAL STATUS	Married/Couple	16.8	15.1-18.5	20.5 *	19.2-21.8	24.8 * †	22.4-27.3	
	Not Married/Couple	23.4	21.2-25.6	25.3	23.6-26.9	31.2 * †	27.9-34.4	

Percentage of adults who use special equipment because of a health problem

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	8.1	7.3-9.0	9.6	9.0-10.3	12.7 * †	11.3-14.0	
SEX	Men	7.6	6.2-8.9	9.6	8.6-10.7	12.7 *	10.6-14.9	
	Women	8.6	7.6-9.7	9.6	8.7-10.5	12.5 * †	11.1-14.0	
RACE/ETHNICITY	Non-Hisp. White	9.3	8.4-10.3	10.1	9.4-10.9	13.1 * †	11.9-14.4	
	Non-Hisp. Black	7.8	5.6-9.9	10.3	7.8-12.8	15.1 *	11.4-18.8	
	Hispanic	6.9	4.7-9.1	6.8	4.5-9.1	7.5	0.7-14.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.2	6.8-9.5	10.4	9.2-11.5	12.8 *	10.9-14.7	
	Non-Hisp. White Women	10.4	9.0-11.9	9.9	8.9-10.9	13.5 †	11.8-15.1	
	Non-Hisp. Black Men	7.3	4.1-10.6	9.0	5.2-12.7	15.1	9.1-21.1	
	Non-Hisp. Black Women	8.1	5.4-10.9	11.6	8.3-14.8	15.0 *	11.0-19.1	
	Hispanic Men	7.1	3.4-10.8	6.3	2.7-9.8	9.5	0.0-20.1	
	Hispanic Women	6.7	4.3-9.0	7.3	4.3-10.3	4.5	0.0-9.9	
	AGE GROUP	18-44	3.5	2.3-4.8	2.5	1.8-3.2	4.3	1.9-6.7
		45-64	8.0	6.6-9.4	11.1 *	9.8-12.3	15.7 * †	13.6-17.8
65 & Older		18.5	16.5-20.6	17.1	15.7-18.5	23.7 * †	21.5-25.8	
EDUCATION LEVEL	<High School	13.4	9.6-17.2	13.2	10.6-15.8	20.3	15.6-25.0	
	High School/GED	7.3	5.9-8.7	9.8	8.6-11.0	10.4 *	8.8-12.1	
	>High School	7.2	6.3-8.1	8.6	7.8-9.3	10.6 *	9.1-12.0	
ANNUAL INCOME	<\$25,000	12.5	10.6-14.4	14.7	13.1-16.2	17.7 *	15.5-19.9	
	\$25,000-\$49,999	6.9	5.5-8.3	9.7 *	8.4-11.1	9.9	8.1-11.8	
	\$50,000 or More	4.3	3.4-5.2	5.4	4.5-6.2	7.2	3.5-11.0	
MARITAL STATUS	Married/Couple	6.6	5.6-7.6	8.8 *	7.9-9.6	11.1 *	9.2-13.0	
	Not Married/Couple	9.8	8.4-11.3	10.8	9.8-11.8	14.7 * †	12.9-16.6	

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Hypertension Awareness

Percentage of adults who have ever been told they had hypertension

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	33.2	31.6-34.8	36.9 *	35.8-38.1	40.5 * †	38.4-42.6
SEX	Men	36.3	33.8-38.8	39.4	37.5-41.2	42.7 *	39.4-45.9
	Women	30.3	28.3-32.4	34.7 *	33.2-36.2	38.0 *	35.4-40.6
RACE/ETHNICITY	Non-Hisp. White	37.9	36.0-39.8	38.9	37.6-40.2	41.6	39.5-43.8
	Non-Hisp. Black	30.3	26.1-34.4	43.3 *	38.7-47.9	47.1 *	40.4-53.9
	Hispanic	30.4	26.4-34.3	20.3 *	16.7-24.0	28.8	20.3-37.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	42.3	39.3-45.3	42.0	39.9-44.1	45.3	42.0-48.5
	Non-Hisp. White Women	33.8	31.5-36.1	36.0	34.4-37.7	37.5	34.7-40.3
	Non-Hisp. Black Men	30.6	23.7-37.6	45.0 *	37.6-52.4	47.3	36.3-58.4
	Non-Hisp. Black Women	29.9	25.0-34.9	41.7 *	36.0-47.4	46.9 *	39.9-53.9
	Hispanic Men	31.9	26.1-37.7	20.1 *	14.5-25.8	29.3	17.5-41.2
	Hispanic Women	28.9	23.7-34.2	20.5	15.9-25.2	27.9	16.6-39.1
AGE GROUP	18-44	13.9	11.8-15.9	13.7	12.0-15.5	19.8 * †	16.0-23.6
	45-64	40.1	37.1-43.0	42.0	40.0-44.1	48.6 * †	45.6-51.6
	65 & Older	64.0	61.3-66.8	61.6	59.9-63.4	67.2 †	64.9-69.5
EDUCATION LEVEL	<High School	43.6	37.6-49.5	41.0	36.7-45.3	45.3	39.8-50.9
	High School/GED	33.6	30.5-36.7	39.1 *	37.0-41.3	40.5 *	37.2-43.8
	>High School	30.2	28.5-32.0	34.6 *	33.2-36.0	37.8 *	34.9-40.7
ANNUAL INCOME	<\$25,000	36.6	33.4-39.8	38.2	35.8-40.6	45.1 * †	41.5-48.6
	\$25,000-\$49,999	35.4	32.0-38.9	39.8	37.4-42.2	39.6	35.3-44.0
	\$50,000 or More	29.3	26.8-31.8	33.4	31.5-35.4	34.2	30.0-38.3
MARITAL STATUS	Married/Couple	34.9	32.7-37.1	37.0	35.5-38.6	41.1 *	38.4-43.8
	Not Married/Couple	31.7	29.3-34.0	37.1 *	35.2-39.0	39.8 *	36.4-43.2

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Kidney Disease

Percentage of adults who have ever been told they had kidney disease

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	3.1	2.5-3.7	3.9	3.4-4.4	4.5	3.1-5.8
SEX	Men	2.6	1.8-3.3	4.5 *	3.5-5.4	4.1	2.1-6.1
	Women	3.5	2.6-4.4	3.4	2.9-3.9	4.9	3.2-6.5
RACE/ETHNICITY	Non-Hisp. White	3.1	2.4-3.9	4.0	3.5-4.5	3.2	2.6-3.8
	Non-Hisp. Black	1.6	0.8-2.4	4.5	2.2-6.7	3.6	1.3-5.8
	Hispanic	3.8	2.2-5.4	4.2	2.0-6.4	10.9	2.6-19.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.4	2.1-4.7	4.3	3.4-5.2	3.0	2.1-3.9
	Non-Hisp. White Women	2.9	2.2-3.7	3.7	3.1-4.3	3.4	2.7-4.1
	Non-Hisp. Black Men	0.7	0.1-1.3	5.5	1.3-9.7	3.7	0.0-7.5
	Non-Hisp. Black Women	2.4	0.9-3.8	3.5	1.7-5.4	3.4	1.3-5.6
	Hispanic Men	2.1	0.9-3.3	6.8	2.7-10.9	9.3	0.0-20.4
	Hispanic Women	5.4	2.6-8.3	1.7	0.3-3.1	13.4	1.5-25.4
AGE GROUP	18-44	1.7	0.9-2.6	2.0	1.1-2.8	2.7	0.1-5.3
	45-64	3.3	2.1-4.4	3.6	2.8-4.4	5.0	3.1-6.9
	65 & Older	5.4	4.2-6.6	6.7	5.7-7.7	6.8	5.6-8.1
EDUCATION LEVEL	<High School	3.3	1.4-5.3	6.4	4.0-8.7	7.9	3.1-12.7
	High School/GED	3.9	2.4-5.4	3.8	3.0-4.6	3.7	1.9-5.5
	>High School	2.6	2.0-3.2	3.4	2.8-3.9	3.3	2.5-4.1
ANNUAL INCOME	<\$25,000	4.9	3.4-6.3	5.0	3.9-6.2	5.8	3.8-7.9
	\$25,000-\$49,999	2.8	1.4-4.3	4.4	3.2-5.5	3.2	1.3-5.1
	\$50,000 or More	1.7	1.1-2.3	2.6	2.0-3.1	3.6	0.0-7.2
MARITAL STATUS	Married/Couple	3.2	2.3-4.1	3.5	2.9-4.1	4.6	2.7-6.4
	Not Married/Couple	2.9	2.1-3.8	4.6	3.7-5.5	4.3	2.5-6.2

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Overweight and Obesity

Percentage of adults who are overweight

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	37.2	35.4 - 39.0	34.9	33.7 - 36.2	35.0	32.9 - 37.2
SEX	Men	44.0	41.3 - 46.7	41.1	39.2 - 43.0	38.2	35.0 - 41.4
	Women	30.7	28.4 - 32.9	28.7	27.2 - 30.3	31.0	28.2 - 33.8
RACE/ETHNICITY	Non-Hisp. White	35.9	34.0 - 37.8	35.3	34.0 - 36.7	35.9	33.7 - 38.2
	Non-Hisp. Black	40.2	35.1 - 45.4	31.1	26.7 - 35.5	33.7	27.1 - 40.3
	Hispanic	39.4	35.2 - 43.6	35.8	30.6 - 40.9	33.4	24.8 - 42.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	44.7	41.7 - 47.8	42.0	39.9 - 44.1	40.6	37.3 - 43.8
	Non-Hisp. White Women	27.2	25.0 - 29.3	28.7	27.1 - 30.4	30.6	27.6 - 33.5
	Non-Hisp. Black Men	42.7	34.6 - 50.8	33.3	26.5 - 40.1	39.4	28.7 - 50.0
	Non-Hisp. Black Women	37.9	31.5 - 44.4	28.9	23.3 - 34.5	26.6	19.7 - 33.5
	Hispanic Men	45.4	39.1 - 51.6	42.5	34.8 - 50.2	27.7 *	16.9 - 38.4
	Hispanic Women	33.8	28.3 - 39.4	28.7	22.1 - 35.3	43.8	31.0 - 56.6
AGE GROUP	18-44	31.7	28.8 - 34.5	31.1	28.6 - 33.5	31.7	27.5 - 35.9
	45-64	41.6	38.6 - 44.6	35.3 *	33.3 - 37.3	35.3 *	32.4 - 38.2
	65 & Older	41.5	38.5 - 44.4	39.4	37.7 - 41.2	40.8	38.2 - 43.4
EDUCATION LEVEL	<High School	40.5	34.2 - 46.7	33.8	29.2 - 38.3	37.6	32.0 - 43.1
	High School/GED	36.3	32.9 - 39.7	33.9	31.7 - 36.1	34.6	31.1 - 38.1
	>High School	36.9	34.8 - 38.9	36.0	34.5 - 37.5	34.1	31.2 - 37.0
ANNUAL INCOME	<\$25,000	35.8	32.3 - 39.3	32.4	29.9 - 34.9	32.2	28.7 - 35.7
	\$25,000-\$49,999	36.5	32.9 - 40.1	37.7	35.2 - 40.2	34.7	30.4 - 39.0
	\$50,000 or More	38.8	36.1 - 41.6	36.3	34.3 - 38.4	39.3	35.1 - 43.6
MARITAL STATUS	Married/Couple	40.4	38.0 - 42.8	38.1	36.4 - 39.7	38.9	36.1 - 41.7
	Not Married/Couple	33.8	31.1 - 36.4	30.8	28.9 - 32.6	30.0	26.7 - 33.3

Percentage of adults who are obese

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	25.7	24.2 - 27.2	26.6	25.4 - 27.8	34.7 * †	32.6 - 36.9
SEX	Men	27.1	24.8 - 29.4	27.3	25.5 - 29.0	36.3 * †	33.1 - 39.6
	Women	24.4	22.4 - 26.4	25.9	24.4 - 27.4	32.7 * †	30.3 - 35.2
RACE/ETHNICITY	Non-Hisp. White	24.7	23.0 - 26.5	25.2	23.9 - 26.4	32.3 * †	30.3 - 34.4
	Non-Hisp. Black	32.8	28.1 - 37.5	36.5	32.0 - 41.1	44.3	37.4 - 51.2
	Hispanic	25.8	22.3 - 29.3	29.8	25.1 - 34.5	34.9	25.9 - 44.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	27.6	24.8 - 30.4	26.8	24.9 - 28.7	35.7 * †	32.5 - 39.0
	Non-Hisp. White Women	21.9	19.8 - 24.0	23.5	22.0 - 25.1	28.4 * †	25.9 - 30.8
	Non-Hisp. Black Men	29.1	22.1 - 36.1	31.0	24.0 - 37.9	35.7	25.0 - 46.4
	Non-Hisp. Black Women	36.2	30.0 - 42.4	42.1	36.3 - 47.9	55.0 *	47.3 - 62.7
	Hispanic Men	27.5	22.4 - 32.7	29.4	22.4 - 36.4	38.4	25.7 - 51.1
	Hispanic Women	24.2	19.5 - 28.9	30.2	23.9 - 36.6	28.7	18.3 - 39.1
AGE GROUP	18-44	23.4	20.9 - 25.9	24.8	22.5 - 27.0	33.9 * †	29.7 - 38.2
	45-64	29.6	26.9 - 32.2	30.6	28.7 - 32.6	39.7 * †	36.7 - 42.6
	65 & Older	24.7	22.2 - 27.1	24.5	22.9 - 26.1	29.1 †	26.8 - 31.4
EDUCATION LEVEL	<High School	28.6	23.4 - 33.9	31.1	26.7 - 35.4	35.1	29.5 - 40.6
	High School/GED	27.6	24.5 - 30.7	28.8	26.7 - 31.0	36.4 * †	33.0 - 39.8
	>High School	24.1	22.3 - 25.8	24.2	22.8 - 25.5	33.0 * †	30.0 - 36.0
ANNUAL INCOME	<\$25,000	29.6	26.5 - 32.8	29.2	26.8 - 31.6	35.8 †	32.5 - 39.1
	\$25,000-\$49,999	27.0	23.8 - 30.3	28.2	26.0 - 30.5	36.4 * †	31.9 - 40.8
	\$50,000 or More	23.9	21.6 - 26.3	24.8	22.9 - 26.6	34.5 * †	30.1 - 39.0
MARITAL STATUS	Married/Couple	27.7	25.5 - 29.8	27.0	25.5 - 28.5	34.1 * †	31.4 - 36.8
	Not Married/Couple	23.6	21.5 - 25.8	26.2	24.3 - 28.0	35.7 * †	32.2 - 39.2

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Overweight and Obesity

Percentage of adults who are overweight or obese

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	62.9	61.2-64.7	61.5	60.2-62.8	69.8 * †	67.6-71.9
SEX	Men	71.0	68.6-73.4	68.4	66.5-70.3	74.6 †	71.4-77.7
	Women	55.1	52.7-57.5	54.6	52.9-56.3	63.7 * †	61.0-66.5
RACE/ETHNICITY	Non-Hisp. White	60.6	58.7-62.6	60.5	59.1-61.9	68.3 * †	66.1-70.4
	Non-Hisp. Black	73.0	68.5-77.6	67.6	62.9-72.4	78.0	71.5-84.5
	Hispanic	65.2	61.1-69.3	65.6	60.7-70.5	68.4	59.5-77.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.4	69.8-75.0	68.8	66.7-70.9	76.3 †	73.4-79.2
	Non-Hisp. White Women	49.0	46.4-51.6	52.2	50.4-54.1	59.0 * †	55.9-62.0
	Non-Hisp. Black Men	71.8	64.4-79.3	64.3	56.6-71.9	75.1	64.7-85.5
	Non-Hisp. Black Women	74.1	68.7-79.5	71.0	65.4-76.6	81.6	75.0-88.1
	Hispanic Men	72.9	67.5-78.3	71.9	65.0-78.9	66.1	53.7-78.5
AGE GROUP	Hispanic Women	58.0	52.2-63.9	58.9	52.1-65.8	72.5	61.5-83.5
	18-44	55.1	52.1-58.1	55.8	53.2-58.5	65.7 * †	61.3-70.0
	45-64	71.2	68.6-73.7	66.0 *	64.0-67.9	74.9 †	72.1-77.8
EDUCATION LEVEL	65 & Older	66.1	63.4-68.8	63.9	62.2-65.6	69.9 †	67.7-72.2
	<High School	69.1	63.4-74.8	64.8	60.4-69.2	72.6	67.4-77.8
	High School/GED	63.9	60.4-67.4	62.7	60.4-65.0	71.0 * †	67.6-74.4
ANNUAL INCOME	>High School	60.9	58.9-63.0	60.1	58.5-61.7	67.1 * †	63.9-70.3
	<\$25,000	65.4	62.2-68.7	61.6	59.1-64.1	68.0 †	64.4-71.7
	\$25,000-\$49,999	63.5	59.8-67.2	65.9	63.5-68.3	71.1	66.9-75.3
MARITAL STATUS	\$50,000 or More	62.8	60.0-65.6	61.1	58.9-63.3	73.9 * †	70.0-77.8
	Married/Couple	68.1	65.9-70.3	65.1	63.5-66.7	73.0 * †	70.4-75.5
	Not Married/Couple	57.4	54.7-60.1	56.9	54.9-59.0	65.7 * †	62.0-69.3

Percentage of adults who have a healthy weight

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	34.7	33.0-36.4	36.4	35.1-37.7	27.9 * †	25.8-30.0
SEX	Men	27.5	25.1-29.8	30.5	28.6-32.4	24.0 †	20.9-27.1
	Women	41.7	39.3-44.1	42.3	40.6-44.0	32.7 * †	30.0-35.4
RACE/ETHNICITY	Non-Hisp. White	36.2	34.3-38.1	37.1	35.8-38.5	29.4 * †	27.3-31.5
	Non-Hisp. Black	25.8	21.3-30.2	31.4	26.6-36.1	18.2 †	12.3-24.0
	Hispanic	33.5	29.4-37.6	33.1	28.3-38.0	30.4	21.5-39.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	25.9	23.4-28.5	30.1	28.1-32.2	22.5 †	19.7-25.4
	Non-Hisp. White Women	46.2	43.6-48.8	44.1	42.3-45.9	37.4 * †	34.3-40.4
	Non-Hisp. Black Men	26.7	19.5-33.9	35.0	27.4-42.6	21.1	11.5-30.6
	Non-Hisp. Black Women	24.9	19.6-30.3	27.8	22.2-33.4	14.5 †	9.1-19.9
	Hispanic Men	26.6	21.3-32.0	26.7	19.9-33.5	33.1	20.7-45.4
AGE GROUP	Hispanic Women	39.9	34.1-45.8	39.9	33.0-46.7	25.5	14.6-36.3
	18-44	42.0	39.0-45.0	41.8	39.2-44.4	31.2 * †	27.0-35.4
	45-64	27.3	24.8-29.8	32.0 *	30.0-33.9	23.8 †	21.0-26.6
EDUCATION LEVEL	65 & Older	31.4	28.8-34.0	34.5	32.8-36.2	27.4 †	25.3-29.6
	<High School	28.4	22.9-34.0	33.8	29.4-38.1	25.0	19.9-30.2
	High School/GED	34.5	31.0-37.9	35.4	33.1-37.7	26.8 * †	23.5-30.0
ANNUAL INCOME	>High School	36.4	34.4-38.4	37.6	36.0-39.1	30.5 * †	27.4-33.7
	<\$25,000	33.0	29.8-36.2	35.9	33.4-38.4	28.5 †	25.0-32.0
	\$25,000-\$49,999	33.6	30.0-37.2	32.6	30.2-35.0	27.0	22.8-31.2
MARITAL STATUS	\$50,000 or More	35.2	32.4-38.0	37.1	34.9-39.2	24.9 * †	21.0-28.7
	Married/Couple	30.0	27.9-32.2	33.5	31.9-35.1	25.4 †	22.9-27.9
	Not Married/Couple	39.9	37.2-42.6	40.1	38.0-42.1	31.1 * †	27.6-34.7

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Vision Impairment

Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	5.0	4.3-5.8	5.1	4.5-5.6	6.9	5.4-8.3
SEX	Men	4.6	3.5-5.7	5.1	4.2-6.0	5.9	3.9-7.9
	Women	5.5	4.4-6.5	5.0	4.3-5.7	8.0 †	5.9-10.0
RACE/ETHNICITY	Non-Hisp. White	3.7	2.9-4.4	4.2	3.7-4.8	5.1	4.1-6.0
	Non-Hisp. Black	7.1	4.7-9.5	8.3	5.7-11.0	8.5	5.4-11.7
	Hispanic	6.8	4.9-8.8	6.4	4.1-8.6	14.6	6.1-23.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.4	2.1-4.7	3.8	3.0-4.6	4.6	3.4-5.8
	Non-Hisp. White Women	3.9	3.1-4.8	4.7	3.9-5.4	5.6	4.1-7.1
	Non-Hisp. Black Men	6.3	3.0-9.5	10.4	5.9-14.9	6.9	2.9-11.0
	Non-Hisp. Black Women	7.8	4.4-11.2	6.4	3.7-9.1	10.4	5.5-15.2
	Hispanic Men	5.7	3.1-8.4	6.8	3.2-10.4	11.5	0.3-22.7
	Hispanic Women	7.9	5.0-10.8	5.9	3.2-8.7	19.5	6.7-32.2
AGE GROUP	18-44	3.2	2.2-4.3	3.2	2.3-4.1	6.3	3.3-9.3
	45-64	7.2	5.6-8.8	7.1	5.9-8.2	8.2	6.3-10.0
	65 & Older	5.5	4.4-6.7	5.2	4.4-6.0	5.8	4.8-6.9
EDUCATION LEVEL	<High School	10.9	7.5-14.2	9.8	7.4-12.2	12.6	7.8-17.4
	High School/GED	5.4	3.9-6.9	5.4	4.3-6.4	6.9	4.6-9.1
	>High School	3.3	2.6-4.0	3.6	3.0-4.2	3.6	2.7-4.5
ANNUAL INCOME	<\$25,000	10.3	8.2-12.4	8.8	7.5-10.2	9.9	7.5-12.3
	\$25,000-\$49,999	3.8	2.6-5.1	4.0	3.0-4.9	4.4	2.7-6.2
	\$50,000 or More	1.4	0.9-2.0	2.5	1.8-3.3	3.7	0.0-7.5
MARITAL STATUS	Married/Couple	3.4	2.6-4.2	4.0	3.3-4.6	5.6	3.8-7.4
	Not Married/Couple	6.8	5.5-8.1	6.5	5.5-7.5	8.6	6.3-11.0

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	17.7	16.3-19.2	16.9	15.8-17.9	16.0	14.2-17.9
SEX	Men	24.2	21.7-26.6	21.5	19.7-23.3	20.6	17.6-23.6
	Women	11.9	10.3-13.4	12.5	11.4-13.7	10.7	8.9-12.5
RACE/ETHNICITY	Non-Hisp. White	17.4	15.8-18.9	17.6	16.4-18.7	16.9	14.8-19.0
	Non-Hisp. Black	14.7	10.9-18.6	13.2	9.4-17.1	8.0	5.0-10.9
	Hispanic	20.0	16.3-23.6	16.6	12.3-21.0	17.5	11.1-24.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.0	18.4-23.5	21.4	19.5-23.3	21.4	18.0-24.8
	Non-Hisp. White Women	14.1	12.4-15.9	14.0	12.6-15.3	11.8	9.7-13.9
	Non-Hisp. Black Men	21.4	14.2-28.6	18.1	11.2-25.0	7.7 *	3.7-11.7
	Non-Hisp. Black Women	8.9	5.7-12.1	8.7	5.3-12.1	8.2	3.9-12.5
	Hispanic Men	30.4	24.4-36.4	27.1	19.5-34.8	25.6	15.3-35.8
	Hispanic Women	10.2	6.2-14.3	6.5	3.7-9.3	6.2	1.5-10.8
AGE GROUP	18-44	24.2	21.5-26.8	23.5	21.1-25.8	21.9	18.1-25.7
	45-64	16.9	14.7-19.2	16.6	15.0-18.2	14.7	12.5-16.8
	65 & Older	5.8	4.6-7.0	9.0 *	8.0-10.0	7.2	5.8-8.6
EDUCATION LEVEL	<High School	19.8	14.4-25.2	16.3	12.4-20.3	14.1	9.3-18.8
	High School/GED	15.9	13.3-18.6	16.4	14.5-18.3	16.5	13.5-19.4
	>High School	18.1	16.4-19.8	17.3	16.0-18.6	16.7	14.2-19.2
ANNUAL INCOME	<\$25,000	16.7	14.0-19.3	15.8	13.7-18.0	16.4	13.3-19.6
	\$25,000-\$49,999	18.4	15.2-21.6	16.2	14.0-18.3	14.5	11.5-17.5
	\$50,000 or More	20.1	17.7-22.5	20.1	18.4-21.9	19.2	15.5-23.0
MARITAL STATUS	Married/Couple	14.4	12.8-16.0	15.3	14.0-16.6	15.3	13.0-17.6
	Not Married/Couple	21.5	19.1-24.0	19.1	17.3-20.9	17.1	14.1-20.2

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Tobacco Use and Exposure

Percentage of adults who are current smokers

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	15.2	14.0-16.5	18.6 *	17.5-19.6	21.8 * †	19.8-23.7	
SEX	Men	18.0	16.0-20.1	20.6	18.9-22.3	22.8	19.8-25.8	
	Women	12.6	11.2-14.0	16.7 *	15.4-17.9	20.6 * †	18.3-22.8	
RACE/ETHNICITY	Non-Hisp. White	17.3	15.8-18.8	19.2	18.0-20.4	24.4 * †	22.2-26.5	
	Non-Hisp. Black	13.6	10.2-17.1	16.5	12.7-20.2	16.2	11.3-21.0	
	Hispanic	13.5	10.6-16.3	14.8	11.1-18.5	14.4	7.9-20.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.2	15.7-20.6	20.5	18.7-22.4	23.5	20.4-26.7	
	Non-Hisp. White Women	16.5	14.6-18.4	18.0	16.6-19.5	25.3 * †	22.4-28.1	
	Non-Hisp. Black Men	19.1	12.7-25.5	20.5	14.3-26.7	20.8	12.3-29.3	
	Non-Hisp. Black Women	8.8	5.7-11.8	12.6	8.4-16.7	10.9	7.2-14.6	
	Hispanic Men	18.0	13.3-22.7	19.9	13.4-26.4	19.3	9.2-29.5	
	Hispanic Women	9.2	5.9-12.6	9.8	6.4-13.2	6.7	2.9-10.5	
	AGE GROUP	18-44	17.2	15.0-19.4	21.8 *	19.7-24.0	25.0 *	21.2-28.8
		45-64	16.5	14.5-18.6	24.8 *	23.0-26.7	25.1 *	22.4-27.9
65 & Older		9.0	7.2-10.8	7.4	6.4-8.4	10.6 †	9.0-12.2	
EDUCATION LEVEL	<High School	19.7	15.3-24.2	31.4 *	27.0-35.7	30.7 *	25.1-36.3	
	High School/GED	18.4	15.8-20.9	21.7	19.8-23.6	22.6	19.6-25.6	
	>High School	12.5	11.1-13.9	13.5	12.4-14.6	16.0	13.8-18.1	
ANNUAL INCOME	<\$25,000	20.3	17.6-23.0	24.6	22.3-26.8	30.5 * †	27.0-34.0	
	\$25,000-\$49,999	15.7	13.1-18.3	20.0	17.8-22.1	21.0	17.2-24.7	
	\$50,000 or More	11.1	9.3-12.9	12.9	11.4-14.3	10.6	8.2-13.1	
MARITAL STATUS	Married/Couple	12.2	10.7-13.6	14.8	13.6-16.0	18.5 * †	16.1-20.9	
	Not Married/Couple	18.6	16.6-20.7	23.6 *	21.8-25.5	26.2 *	23.1-29.4	

Percentage of adults who are former smokers (currently quit smoking)

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	26.0	24.5-27.4	32.2 *	31.0-33.3	28.0 †	26.1-29.8	
SEX	Men	29.4	27.1-31.6	36.5 *	34.6-38.3	31.4 †	28.6-34.2	
	Women	22.9	21.1-24.7	28.1 *	26.7-29.5	23.8 †	21.5-26.1	
RACE/ETHNICITY	Non-Hisp. White	34.9	33.0-36.8	37.1	35.8-38.4	32.4 †	30.3-34.4	
	Non-Hisp. Black	13.5	10.6-16.4	15.7	12.4-18.9	13.7	10.1-17.3	
	Hispanic	19.4	16.2-22.5	19.8	15.9-23.6	19.6	13.2-26.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.8	35.7-41.8	40.9	38.8-43.0	36.8	33.7-39.9	
	Non-Hisp. White Women	31.4	29.1-33.7	33.6	31.9-35.2	27.4 †	24.8-30.0	
	Non-Hisp. Black Men	15.7	11.0-20.4	21.0	15.3-26.7	17.0	10.7-23.4	
	Non-Hisp. Black Women	11.6	7.9-15.2	10.5	7.3-13.7	9.9	6.7-13.1	
	Hispanic Men	22.1	17.3-26.9	26.8	20.3-33.4	22.3	12.9-31.6	
	Hispanic Women	16.8	12.5-21.0	12.8	9.0-16.6	15.4	7.7-23.2	
	AGE GROUP	18-44	14.6	12.6-16.6	18.1	16.1-20.0	16.2	13.2-19.2
		45-64	29.5	26.9-32.2	31.3	29.4-33.3	30.3	27.5-33.2
65 & Older		44.8	41.9-47.7	51.1 *	49.3-52.9	46.5 †	43.9-49.0	
EDUCATION LEVEL	<High School	25.9	20.8-31.0	24.9	21.2-28.5	27.9	23.4-32.4	
	High School/GED	23.9	21.2-26.5	34.0 *	31.9-36.2	26.8 †	23.8-29.8	
	>High School	27.1	25.4-28.8	32.9 *	31.4-34.3	29.2	26.6-31.7	
ANNUAL INCOME	<\$25,000	22.3	19.7-24.9	26.9	24.8-29.0	23.8	21.0-26.6	
	\$25,000-\$49,999	30.5	27.1-34.0	34.4	32.0-36.7	30.1	26.3-34.0	
	\$50,000 or More	27.2	24.9-29.5	35.6 *	33.6-37.7	33.0	29.1-36.9	
MARITAL STATUS	Married/Couple	29.4	27.3-31.4	36.5 *	34.9-38.1	32.5	30.0-34.9	
	Not Married/Couple	22.3	20.3-24.3	26.5 *	24.8-28.2	21.9 †	19.3-24.5	

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Tobacco Use and Exposure

Percentage of adults who have never smoked

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	58.8	57.1 - 60.5	49.3 *	48.0 - 50.6	50.3 *	48.0 - 52.5
SEX	Men	52.6	49.9 - 55.3	43.0 *	41.0 - 45.0	45.8 *	42.3 - 49.2
	Women	64.5	62.4 - 66.7	55.2 *	53.6 - 56.9	55.6 *	52.9 - 58.3
RACE/ETHNICITY	Non-Hisp. White	47.8	45.8 - 49.8	43.7 *	42.3 - 45.1	43.3 *	41.0 - 45.5
	Non-Hisp. Black	72.8	68.6 - 77.1	67.9	63.4 - 72.4	70.1	64.3 - 75.9
	Hispanic	67.2	63.3 - 71.1	65.5	60.7 - 70.2	66.0	57.7 - 74.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	43.1	40.0 - 46.2	38.5	36.4 - 40.6	39.7	36.3 - 43.0
	Non-Hisp. White Women	52.1	49.6 - 54.6	48.4	46.6 - 50.3	47.3	44.4 - 50.3
	Non-Hisp. Black Men	65.2	57.8 - 72.6	58.5	51.1 - 65.9	62.1	51.9 - 72.4
	Non-Hisp. Black Women	79.6	75.0 - 84.2	77.0	72.0 - 81.9	79.2	74.3 - 84.1
	Hispanic Men	59.9	53.9 - 65.9	53.3	45.6 - 60.9	58.4	46.2 - 70.6
	Hispanic Women	74.0	69.0 - 79.1	77.4	72.5 - 82.3	77.9	69.4 - 86.4
AGE GROUP	18-44	68.2	65.5 - 70.9	60.1 *	57.5 - 62.7	58.8 *	54.5 - 63.1
	45-64	54.0	51.0 - 56.9	43.8 *	41.7 - 45.9	44.5 *	41.6 - 47.5
	65 & Older	46.1	43.2 - 49.1	41.5	39.8 - 43.3	43.0	40.4 - 45.5
EDUCATION LEVEL	<High School	54.3	48.3 - 60.4	43.8	39.2 - 48.4	41.4 *	35.7 - 47.1
	High School/GED	57.8	54.4 - 61.1	44.2 *	41.9 - 46.6	50.6 * †	47.0 - 54.2
	>High School	60.4	58.4 - 62.4	53.7 *	52.1 - 55.2	54.9 *	51.8 - 57.9
ANNUAL INCOME	<\$25,000	57.4	54.0 - 60.7	48.5 *	45.9 - 51.1	45.7 *	42.0 - 49.3
	\$25,000-\$49,999	53.8	50.1 - 57.5	45.7 *	43.1 - 48.2	48.9	44.3 - 53.5
	\$50,000 or More	61.7	59.0 - 64.4	51.5 *	49.4 - 53.7	56.3	52.1 - 60.6
MARITAL STATUS	Married/Couple	58.5	56.2 - 60.8	48.7 *	47.0 - 50.4	49.0 *	46.2 - 51.8
	Not Married/Couple	59.0	56.4 - 61.6	49.9 *	47.8 - 52.0	51.9 *	48.3 - 55.5

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	61.8	57.4 - 66.1	59.0	55.8 - 62.1	61.7	56.9 - 66.6
SEX	Men	61.3	55.0 - 67.6	58.8	54.1 - 63.5	59.7	52.3 - 67.2
	Women	62.5	56.7 - 68.2	59.1	55.0 - 63.2	64.4	59.0 - 69.7
RACE/ETHNICITY	Non-Hisp. White	58.8	53.9 - 63.7	55.6	52.2 - 59.1	62.2	57.3 - 67.2
	Non-Hisp. Black	68.9	55.7 - 82.0	74.1	64.2 - 84.0	67.0	51.1 - 82.8
	Hispanic	60.7	49.7 - 71.6	71.3	57.9 - 84.7	67.5	46.7 - 88.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	59.2	51.7 - 66.7	55.6	50.4 - 60.8	60.3	52.6 - 68.1
	Non-Hisp. White Women	58.4	52.1 - 64.7	55.7	51.2 - 60.2	64.2	58.2 - 70.1
	Non-Hisp. Black Men	61.9	43.5 - 80.3	68.5	54.0 - 83.0	67.3	45.7 - 88.9
	Non-Hisp. Black Women	82.4	72.2 - 92.7	82.9	72.1 - 93.8	66.3	48.4 - 84.2
	Hispanic Men	60.2	46.3 - 74.1	71.0	52.8 - 89.2	NA	
	Hispanic Women	61.5	43.3 - 79.7	71.8	54.4 - 89.3	NA	
AGE GROUP	18-44	65.8	59.1 - 72.4	64.2	58.8 - 69.7	66.7	58.3 - 75.0
	45-64	58.3	51.7 - 64.9	56.3	52.1 - 60.5	59.4	53.2 - 65.7
	65 & Older	56.9	46.5 - 67.3	50.4	43.6 - 57.1	47.8	39.6 - 55.9
EDUCATION LEVEL	<High School	53.9	41.6 - 66.3	63.4	55.4 - 71.4	61.6	50.7 - 72.5
	High School/GED	63.7	56.6 - 70.7	58.1	53.1 - 63.0	63.8	56.6 - 71.0
	>High School	63.7	58.1 - 69.3	57.2	52.9 - 61.6	59.1	52.1 - 66.0
ANNUAL INCOME	<\$25,000	63.6	56.6 - 70.6	64.6	59.6 - 69.6	62.1	55.0 - 69.3
	\$25,000-\$49,999	64.0	55.6 - 72.3	57.1	51.0 - 63.2	63.0	53.9 - 72.0
	\$50,000 or More	59.4	51.1 - 67.7	52.9	46.7 - 59.2	49.6	37.7 - 61.6
MARITAL STATUS	Married/Couple	61.6	55.2 - 68.0	58.3	54.0 - 62.7	60.4	53.1 - 67.7
	Not Married/Couple	61.9	56.0 - 67.8	59.5	55.0 - 64.0	62.9	56.4 - 69.3

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Physical Activity and Nutrition

Percentage of adults who are sedentary

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	28.0	26.4-29.7	25.9	24.7-27.0	31.7 * †	29.7-33.8
SEX	Men	25.4	22.9-27.8	23.7	21.9-25.4	31.5 * †	28.4-34.7
	Women	30.5	28.2-32.7	28.0	26.4-29.5	32.0 †	29.6-34.5
RACE/ETHNICITY	Non-Hisp. White	24.8	23.1-26.5	24.6	23.4-25.8	31.3 * †	29.2-33.4
	Non-Hisp. Black	31.0	26.2-35.9	26.2	22.2-30.2	37.2 †	30.4-43.9
	Hispanic	30.8	26.8-34.8	34.3	29.4-39.2	27.0	20.0-34.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	22.1	19.6-24.6	22.7	20.9-24.6	32.3 * †	29.0-35.5
	Non-Hisp. White Women	27.2	24.8-29.5	26.3	24.7-28.0	30.2	27.6-32.8
	Non-Hisp. Black Men	28.0	20.6-35.3	20.1	14.7-25.6	35.4	24.8-46.1
	Non-Hisp. Black Women	33.7	27.3-40.0	32.1	26.4-37.8	39.2	32.0-46.4
	Hispanic Men	27.9	22.2-33.6	32.2	24.6-39.7	22.3	13.1-31.4
	Hispanic Women	33.5	27.9-39.1	36.4	30.0-42.7	35.0	25.0-45.0
AGE GROUP	18-44	24.5	21.8-27.2	22.4	20.2-24.6	24.1	20.3-27.9
	45-64	28.8	26.0-31.6	28.2	26.3-30.1	37.9 * †	34.9-41.0
	65 & Older	34.8	31.8-37.8	28.0 *	26.3-29.7	36.7 †	34.2-39.3
EDUCATION LEVEL	<High School	39.5	33.3-45.6	38.2	33.7-42.7	42.0	36.2-47.7
	High School/GED	32.0	28.7-35.3	29.4	27.3-31.6	34.0	30.7-37.4
	>High School	23.0	21.2-24.8	20.7	19.4-22.0	24.0	21.6-26.3
ANNUAL INCOME	<\$25,000	38.1	34.7-41.6	34.1	31.6-36.6	35.7	32.3-39.2
	\$25,000-\$49,999	28.8	25.3-32.2	27.4	25.2-29.7	31.4	27.3-35.5
	\$50,000 or More	18.5	16.3-20.8	16.9	15.3-18.6	23.9 †	20.4-27.4
MARITAL STATUS	Married/Couple	26.9	24.7-29.1	24.5	23.1-26.0	31.3 †	28.7-33.9
	Not Married/Couple	29.1	26.6-31.5	27.7	25.8-29.6	32.4	29.1-35.6

Percentage of adults who consumed five or more servings of fruits or vegetables per day

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	19.0	17.5-20.5	16.6	15.6-17.6	14.9 *	13.3-16.5
SEX	Men	16.9	14.7-19.1	14.1	12.6-15.6	13.5	11.1-15.9
	Women	20.9	18.9-22.9	19.0	17.7-20.4	16.6 *	14.5-18.7
RACE/ETHNICITY	Non-Hisp. White	16.6	15.1-18.2	15.9	14.8-16.9	14.4	12.7-16.1
	Non-Hisp. Black	24.1	19.4-28.7	17.9	14.4-21.5	13.2 *	9.0-17.3
	Hispanic	19.6	16.1-23.1	19.4	15.4-23.5	17.5	10.9-24.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.0	12.5-17.4	12.8	11.3-14.3	13.5	10.9-16.2
	Non-Hisp. White Women	18.1	16.2-20.0	18.8	17.4-20.2	15.3	13.2-17.4
	Non-Hisp. Black Men	19.9	13.0-26.9	13.7	8.6-18.9	7.3 *	3.7-10.9
	Non-Hisp. Black Women	27.7	21.5-33.9	22.0	17.1-26.9	20.1	12.9-27.3
	Hispanic Men	18.2	13.0-23.3	20.2	13.7-26.8	16.5	7.3-25.8
	Hispanic Women	20.9	16.1-25.6	18.7	13.8-23.5	19.2	10.8-27.6
AGE GROUP	18-44	20.0	17.4-22.5	18.3	16.2-20.3	17.2	13.8-20.5
	45-64	18.6	16.3-20.8	16.4	14.9-18.0	13.9 *	11.9-15.9
	65 & Older	17.4	14.7-20.1	14.9	13.6-16.2	12.2 *	10.6-13.8
EDUCATION LEVEL	<High School	18.6	13.5-23.6	17.2	13.3-21.0	11.5	7.9-15.0
	High School/GED	15.8	12.9-18.7	12.2	10.7-13.8	13.2	10.6-15.8
	>High School	20.8	19.0-22.5	19.1	17.8-20.4	18.6	16.0-21.1
ANNUAL INCOME	<\$25,000	19.4	16.3-22.4	14.2 *	12.3-16.0	14.1	11.3-16.8
	\$25,000-\$49,999	19.9	16.7-23.2	17.2	15.2-19.3	14.7	11.6-17.7
	\$50,000 or More	20.0	17.7-22.3	18.5	16.8-20.2	16.3	13.3-19.3
MARITAL STATUS	Married/Couple	20.3	18.2-22.4	16.9 *	15.6-18.2	14.7 *	12.6-16.7
	Not Married/Couple	17.4	15.3-19.4	16.3	14.8-17.9	15.3	12.7-18.0

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Physical Activity and Nutrition

Percentage of adults who are inactive or insufficiently active

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	53.8	51.8-55.8	49.7 *	48.3-51.1	55.1 †	52.8-57.4
SEX	Men	52.3	49.2-55.4	47.5	45.2-49.7	54.3 †	50.7-57.9
	Women	55.1	52.5-57.7	51.8	49.9-53.6	56.0	53.3-58.7
RACE/ETHNICITY	Non-Hisp. White	49.7	47.5-51.8	46.9	45.4-48.5	52.8 †	50.4-55.1
	Non-Hisp. Black	56.6	50.9-62.3	55.5	50.0-61.1	62.1	54.4-69.9
	Hispanic	57.6	52.8-62.4	61.7	56.2-67.2	59.6	49.8-69.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.3	43.0-49.7	45.3	42.9-47.6	52.9 †	49.3-56.4
	Non-Hisp. White Women	52.5	49.8-55.2	48.4	46.5-50.4	52.6	49.6-55.7
	Non-Hisp. Black Men	57.1	47.9-66.3	47.0	38.2-55.8	58.0	45.3-70.6
	Non-Hisp. Black Women	56.1	49.1-63.1	63.4	56.6-70.2	66.9	59.4-74.5
	Hispanic Men	57.8	50.6-65.1	58.0	49.2-66.9	56.8	42.1-71.4
AGE GROUP	Hispanic Women	57.4	50.9-63.9	65.1	58.4-71.8	63.8	53.7-73.9
	18-44	53.8	50.3-57.3	54.3	51.2-57.3	51.5	46.8-56.3
	45-64	55.6	52.4-58.8	51.7	49.4-53.9	61.4 †	58.5-64.3
EDUCATION LEVEL	65 & Older	50.7	47.5-53.8	42.5 *	40.6-44.4	51.3 †	48.6-54.1
	<High School	62.5	55.8-69.1	61.5	56.4-66.6	66.1	60.2-72.1
	High School/GED	56.1	52.1-60.0	53.7	51.1-56.3	59.1	55.6-62.6
ANNUAL INCOME	>High School	50.3	48.0-52.7	44.4 *	42.7-46.1	45.1	41.9-48.3
	<\$25,000	61.8	58.0-65.6	58.4	55.6-61.1	59.7	56.1-63.4
	\$25,000-\$49,999	57.5	53.4-61.7	51.9	49.1-54.7	55.1	50.4-59.8
MARITAL STATUS	\$50,000 or More	45.1	41.9-48.2	40.9	38.5-43.2	46.6	42.1-51.2
	Married/Couple	51.1	48.5-53.8	47.6	45.8-49.4	54.9 †	52.0-57.8
	Not Married/Couple	56.8	53.8-59.8	52.5	50.2-54.8	55.3	51.4-59.1

Percentage of adults who meet aerobic recommendations

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	49.2	47.2-51.1	53.1 *	51.7-54.5	46.8 †	44.5-49.2
SEX	Men	50.6	47.6-53.6	55.4	53.3-57.6	47.6 †	44.0-51.2
	Women	47.9	45.4-50.5	51.0	49.2-52.8	45.9 †	43.1-48.7
RACE/ETHNICITY	Non-Hisp. White	52.7	50.6-54.8	55.6	54.1-57.1	48.6 †	46.3-51.0
	Non-Hisp. Black	46.9	41.3-52.5	47.8	42.4-53.1	38.3	30.6-45.9
	Hispanic	46.1	41.5-50.8	43.5	38.0-48.9	46.5	36.8-56.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	55.9	52.6-59.1	57.4	55.1-59.7	48.4 * †	44.8-51.9
	Non-Hisp. White Women	50.1	47.3-52.8	53.9	52.0-55.8	48.9	45.8-52.1
	Non-Hisp. Black Men	45.4	36.3-54.4	55.9	47.6-64.3	42.3	29.8-54.9
	Non-Hisp. Black Women	48.2	41.2-55.1	40.3	33.6-46.9	33.6 *	26.0-41.1
	Hispanic Men	46.3	39.3-53.3	46.4	37.7-55.0	49.4	35.3-63.5
AGE GROUP	Hispanic Women	46.0	39.7-52.2	40.8	34.0-47.6	42.1	31.5-52.7
	18-44	50.5	47.1-53.9	51.3	48.4-54.2	51.3	46.6-56.0
	45-64	47.1	44.0-50.2	50.4	48.2-52.6	40.0 * †	37.0-43.1
EDUCATION LEVEL	65 & Older	50.2	47.1-53.3	58.5 *	56.7-60.4	49.4 †	46.7-52.2
	<High School	40.3	33.7-46.9	41.6	36.6-46.6	36.7	30.5-42.8
	High School/GED	46.9	43.0-50.8	49.4	46.9-52.0	42.9 †	39.2-46.6
ANNUAL INCOME	>High School	52.6	50.4-54.9	58.1 *	56.4-59.7	56.3	53.2-59.4
	<\$25,000	41.4	37.7-45.1	44.8	42.1-47.6	42.9	39.1-46.7
	\$25,000-\$49,999	46.5	42.3-50.6	51.3	48.6-54.0	46.6	41.8-51.5
MARITAL STATUS	\$50,000 or More	57.6	54.6-60.6	61.3	59.0-63.6	54.6	50.1-59.1
	Married/Couple	51.7	49.1-54.3	54.8	53.0-56.6	46.5 †	43.5-49.4
	Not Married/Couple	46.4	43.4-49.3	50.9	48.6-53.1	47.5	43.6-51.3

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Physical Activity and Nutrition

Percentage of adults who meet muscle strengthening recommendations

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	30.0	28.3-31.7	29.6	28.3-30.9	25.0 * †	22.8-27.2
SEX	Men	37.0	34.3-39.8	35.2	33.2-37.3	28.9 * †	25.4-32.4
	Women	23.7	21.7-25.7	24.2	22.7-25.8	20.3 †	18.0-22.6
RACE/ETHNICITY	Non-Hisp. White	30.1	28.2-32.0	28.8	27.4-30.1	24.4 * †	22.1-26.6
	Non-Hisp. Black	36.0	30.9-41.1	33.7	28.8-38.7	25.0	18.4-31.6
	Hispanic	28.3	24.3-32.4	29.4	24.5-34.2	28.7	19.6-37.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.2	32.2-38.3	33.2	31.0-35.4	27.1 * †	23.6-30.6
	Non-Hisp. White Women	25.4	23.1-27.7	24.6	23.0-26.3	21.3	18.5-24.1
	Non-Hisp. Black Men	44.8	36.4-53.1	45.6	37.7-53.5	30.1	19.2-41.0
	Non-Hisp. Black Women	28.6	22.6-34.5	22.2	16.9-27.5	19.0	12.4-25.6
	Hispanic Men	38.2	31.8-44.7	36.8	29.2-44.5	35.6	22.3-48.8
	Hispanic Women	19.0	14.3-23.7	22.3	16.4-28.3	16.9	10.3-23.5
AGE GROUP	18-44	37.3	34.3-40.3	38.7	36.0-41.3	34.9	30.4-39.4
	45-64	25.9	23.2-28.5	25.5	23.7-27.3	17.3 * †	14.9-19.6
	65 & Older	21.5	18.9-24.1	22.4	20.9-23.9	18.3 †	16.2-20.3
EDUCATION LEVEL	<High School	21.2	15.2-27.3	22.9	18.6-27.2	17.3	11.9-22.8
	High School/GED	26.8	23.5-30.1	25.5	23.2-27.8	23.7	20.1-27.3
	>High School	34.0	32.0-36.0	33.6	32.0-35.2	30.5	27.4-33.7
ANNUAL INCOME	<\$25,000	23.0	20.0-26.1	25.0	22.6-27.5	21.5	18.0-25.0
	\$25,000-\$49,999	27.1	23.8-30.4	27.2	24.8-29.6	23.4	19.4-27.4
	\$50,000 or More	38.2	35.3-41.0	35.7	33.5-37.9	32.9	28.0-37.7
MARITAL STATUS	Married/Couple	28.5	26.3-30.7	27.9	26.3-29.4	23.6	20.8-26.4
	Not Married/Couple	31.7	29.1-34.4	32.0	29.9-34.1	26.8	23.3-30.4

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Cancer Screening/Breast

Percentage of women aged 40 to 74 years who received a mammogram in the past year

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	57.4	54.3-60.6	58.9	56.8-61.0	51.5 †	48.3-54.6
SEX	Women	57.4	54.3-60.6	58.9	56.8-61.0	51.5 †	48.3-54.6
RACE/ETHNICITY	Non-Hisp. White	54.4	51.2-57.7	59.6	57.4-61.9	49.6 †	46.2-53.0
	Non-Hisp. Black	59.6	50.9-68.2	67.7	60.2-75.1	64.1	56.3-72.0
	Hispanic	62.6	55.1-70.2	52.5	43.0-62.0	45.1	30.5-59.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	54.4	51.2-57.7	59.6	57.4-61.9	49.6 †	46.2-53.0
	Non-Hisp. Black Women	59.6	50.9-68.2	67.7	60.2-75.1	64.1	56.3-72.0
	Hispanic Women	62.6	55.1-70.2	52.5	43.0-62.0	45.1	30.5-59.7
AGE GROUP	18-44	44.9	36.6-53.3	48.2	40.9-55.5	38.4	27.9-48.9
	45-64	57.6	53.6-61.7	56.5	53.7-59.3	51.1	47.1-55.2
	65 & Older	67.1	61.9-72.3	68.3	65.1-71.6	60.3 †	56.0-64.7
EDUCATION LEVEL	<High School	51.8	39.7-63.8	41.8	33.2-50.3	45.1	35.6-54.5
	High School/GED	60.6	54.7-66.5	56.9	53.0-60.8	52.2	47.2-57.2
	>High School	57.3	53.6-60.9	63.0	60.6-65.5	53.9 †	49.7-58.0
ANNUAL INCOME	<\$25,000	55.1	48.7-61.4	48.2	43.8-52.5	44.9	39.0-50.8
	\$25,000-\$49,999	49.9	43.0-56.7	54.2	50.0-58.4	52.7	47.4-58.1
	\$50,000 or More	62.5	57.8-67.2	68.9	65.6-72.1	60.6	54.6-66.5
MARITAL STATUS	Married/Couple	59.6	55.6-63.7	62.4	59.7-65.1	52.1 †	48.4-55.8
	Not Married/Couple	54.3	49.4-59.2	52.5	49.2-55.9	50.5	45.0-56.0

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	55.9	53.3-58.4	55.9	54.1-57.7	54.2	51.3-57.0
SEX	Women	55.9	53.3-58.4	55.9	54.1-57.7	54.2	51.3-57.0
RACE/ETHNICITY	Non-Hisp. White	58.4	55.8-61.1	57.3	55.4-59.2	53.7	50.5-56.8
	Non-Hisp. Black	57.6	50.9-64.4	64.0	57.9-70.2	60.9	52.9-68.8
	Hispanic	51.4	45.0-57.8	43.1	36.5-49.7	51.9	40.9-62.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	58.4	55.8-61.1	57.3	55.4-59.2	53.7	50.5-56.8
	Non-Hisp. Black Women	57.6	50.9-64.4	64.0	57.9-70.2	60.9	52.9-68.8
	Hispanic Women	51.4	45.0-57.8	43.1	36.5-49.7	51.9	40.9-62.9
AGE GROUP	18-44	50.3	45.8-54.9	50.6	47.0-54.2	55.4	49.7-61.1
	45-64	61.0	56.9-65.2	58.4	55.5-61.2	55.0	50.9-59.0
	65 & Older	56.8	52.9-60.6	59.5	57.1-61.9	50.6 †	47.3-53.9
EDUCATION LEVEL	<High School	48.7	39.7-57.8	35.6	29.5-41.7	46.3	38.4-54.3
	High School/GED	50.0	44.9-55.1	53.9	50.8-57.1	50.2	45.6-54.9
	>High School	60.4	57.5-63.4	61.3	59.2-63.5	61.0	57.2-64.9
ANNUAL INCOME	<\$25,000	48.1	43.3-52.9	47.2	43.8-50.5	49.8	44.8-54.8
	\$25,000-\$49,999	53.0	47.8-58.3	53.5	50.1-57.0	52.3	47.1-57.5
	\$50,000 or More	67.6	63.5-71.7	66.6	63.5-69.6	65.1	59.7-70.5
MARITAL STATUS	Married/Couple	61.4	58.0-64.9	59.2	56.8-61.6	57.3	53.6-60.9
	Not Married/Couple	50.6	46.9-54.3	52.2	49.5-54.9	50.4	45.9-55.0

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Cancer Screening/Cervical

Percentage of women 18 years of age and older who received a Pap test in the past year

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	52.2	49.3-55.2	49.0	46.8-51.2	50.7	47.0-54.3
SEX	Women	52.2	49.3-55.2	49.0	46.8-51.2	50.7	47.0-54.3
RACE/ETHNICITY	Non-Hisp. White	51.2	47.9-54.5	46.9	44.5-49.4	48.0	43.8-52.1
	Non-Hisp. Black	54.0	46.2-61.8	63.2	55.9-70.5	56.2	46.2-66.2
	Hispanic	53.5	46.3-60.6	49.2	41.7-56.6	58.7	47.5-70.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	51.2	47.9-54.5	46.9	44.5-49.4	48.0	43.8-52.1
	Non-Hisp. Black Women	54.0	46.2-61.8	63.2	55.9-70.5	56.2	46.2-66.2
	Hispanic Women	53.5	46.3-60.6	49.2	41.7-56.6	58.7	47.5-70.0
AGE GROUP	18-44	57.3	52.8-61.9	54.3	50.5-58.0	57.5	51.5-63.5
	45-64	52.6	47.9-57.4	50.9	47.4-54.4	47.7	42.8-52.7
	65 & Older	33.7	28.4-39.0	34.0	30.7-37.4	32.2	26.9-37.4
EDUCATION LEVEL	<High School	53.3	42.7-63.9	38.7	30.6-46.9	47.1	37.0-57.3
	High School/GED	44.5	38.3-50.8	47.5	43.4-51.6	49.5	43.5-55.5
	>High School	55.5	52.1-59.0	51.9	49.2-54.6	52.9	47.9-57.9
ANNUAL INCOME	<\$25,000	48.1	42.6-53.5	45.6	41.6-49.7	52.0	45.8-58.2
	\$25,000-\$49,999	42.9	36.7-49.0	45.4	41.0-49.7	49.9	43.2-56.5
	\$50,000 or More	63.1	58.3-67.9	56.1	52.3-59.8	54.6	48.0-61.1
MARITAL STATUS	Married/Couple	56.9	52.8-60.9	52.4	49.4-55.3	53.3	48.7-58.0
	Not Married/Couple	47.5	43.2-51.9	45.4	42.1-48.7	47.7	41.9-53.5

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a stool blood test in the past year

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	14.2	12.6- 15.8	13.4	12.4 - 14.4	13.7	12.2 - 15.1	
SEX	Men	12.6	10.2- 14.9	13.8	12.2 - 15.4	14.3	12.2 - 16.4	
	Women	15.5	13.3- 17.7	13.1	11.8 - 14.3	12.9	11.1 - 14.8	
RACE/ETHNICITY	Non-Hisp. White	13.7	12.2- 15.3	13.5	12.4 - 14.5	14.2	12.6 - 15.8	
	Non-Hisp. Black	13.4	8.1- 18.8	17.4	12.0 - 22.8	15.0	10.1 - 19.9	
	Hispanic	14.7	10.0- 19.5	10.2	5.3 - 15.0	5.4 *	1.8 - 9.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.7	10.4- 15.0	14.2	12.4 - 15.9	14.5	12.2 - 16.8	
	Non-Hisp. White Women	14.6	12.6- 16.6	12.8	11.5 - 14.2	13.8	11.6 - 16.0	
	Non-Hisp. Black Men	13.2	3.4- 22.9	14.7	7.1 - 22.3	16.5	8.4 - 24.7	
	Non-Hisp. Black Women	13.7	7.8- 19.5	20.6	13.1 - 28.1	13.5	8.1 - 18.9	
	Hispanic Men	11.3	4.9- 17.6	12.3	3.7 - 21.0	6.6	0.9 - 12.3	
	Hispanic Women	17.4	10.7- 24.1	8.8	3.0 - 14.5	3.4 *	0.4 - 6.4	
	AGE GROUP	45-64	9.2	7.3- 11.1	8.9	7.6 - 10.3	10.5	8.5 - 12.5
		65 & Older	20.7	18.0- 23.4	17.6	16.1 - 19.1	17.6	15.6 - 19.6
EDUCATION LEVEL	<High School	13.5	7.3- 19.6	15.1	10.8 - 19.3	12.2	8.5 - 15.9	
	High School/GED	15.0	12.1- 17.8	13.7	11.8 - 15.6	12.9	10.8 - 15.0	
	>High School	14.1	12.3- 15.9	12.9	11.7 - 14.1	15.2	13.0 - 17.3	
ANNUAL INCOME	<\$25,000	16.7	13.1- 20.4	14.0	12.0 - 16.0	14.2	11.6 - 16.7	
	\$25,000-\$49,999	12.8	9.8- 15.8	15.2	12.9 - 17.5	14.1	11.4 - 16.9	
	\$50,000 or More	13.2	10.7- 15.7	12.0	10.4 - 13.5	12.9	10.1 - 15.6	
MARITAL STATUS	Married/Couple	14.7	12.5- 16.9	13.4	12.0 - 14.7	14.9	12.9 - 16.9	
	Not Married/Couple	13.4	11.1- 15.7	13.6	12.0 - 15.2	11.8	9.9 - 13.8	

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	55.9	53.5- 58.3	55.4	53.8 - 56.9	54.3	52.0 - 56.6	
SEX	Men	58.3	54.5- 62.0	57.2	54.8 - 59.6	57.1	53.6 - 60.5	
	Women	54.0	50.8- 57.1	53.7	51.7 - 55.7	51.2	48.3 - 54.1	
RACE/ETHNICITY	Non-Hisp. White	57.5	55.0- 60.0	56.4	54.8 - 58.0	54.1	51.8 - 56.4	
	Non-Hisp. Black	56.7	49.1- 64.3	57.5	50.6 - 64.4	58.3	51.0 - 65.6	
	Hispanic	52.8	46.0- 59.7	46.2	38.0 - 54.3	48.8	31.8 - 65.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	59.9	55.8- 64.0	58.8	56.3 - 61.3	57.2	53.8 - 60.5	
	Non-Hisp. White Women	55.5	52.4- 58.5	54.2	52.1 - 56.3	50.7	47.6 - 53.8	
	Non-Hisp. Black Men	62.9	50.5- 75.2	55.7	45.3 - 66.2	59.7	47.6 - 71.8	
	Non-Hisp. Black Women	51.6	42.5- 60.7	59.4	50.8 - 68.1	56.9	48.7 - 65.1	
	Hispanic Men	51.5	41.0- 62.0	42.9	30.0 - 55.8	55.9	31.0 - 80.8	
	Hispanic Women	53.7	44.7- 62.8	48.3	37.8 - 58.8	37.3	21.6 - 53.0	
	AGE GROUP	45-64	47.8	44.3- 51.4	45.9	43.5 - 48.4	47.3	43.8 - 50.8
		65 & Older	66.5	63.7- 69.3	64.1	62.2 - 65.9	63.1	60.4 - 65.8
EDUCATION LEVEL	<High School	50.1	41.5- 58.7	46.9	40.9 - 52.9	49.2	42.9 - 55.5	
	High School/GED	55.3	50.7- 59.8	52.0	49.2 - 54.8	53.2	49.5 - 56.9	
	>High School	58.0	55.3- 60.8	59.3	57.4 - 61.1	58.1	55.2 - 61.0	
ANNUAL INCOME	<\$25,000	50.6	45.7- 55.4	48.0	44.8 - 51.1	47.8	44.0 - 51.7	
	\$25,000-\$49,999	53.6	48.3- 58.8	54.3	51.3 - 57.3	57.6	52.8 - 62.3	
	\$50,000 or More	61.1	57.2- 65.0	60.2	57.7 - 62.8	60.7	56.6 - 64.9	
MARITAL STATUS	Married/Couple	59.7	56.6- 62.8	57.4	55.4 - 59.3	56.4	53.5 - 59.3	
	Not Married/Couple	50.2	46.4- 54.0	51.8	49.4 - 54.2	50.9	47.3 - 54.5	

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

HIV/AIDS Screening

Percentage of adults who have ever been tested for HIV

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	44.7	42.8 - 46.5	37.7 *	36.3 - 39.0	43.0 †	40.6 - 45.4
SEX	Men	43.1	40.3 - 45.9	37.0 *	34.9 - 39.1	38.8	35.3 - 42.4
	Women	46.2	43.7 - 48.6	38.3 *	36.5 - 40.1	48.0 †	45.1 - 50.8
RACE/ETHNICITY	Non-Hisp. White	35.3	33.4 - 37.3	32.3	30.9 - 33.7	39.3 †	36.8 - 41.8
	Non-Hisp. Black	67.6	62.7 - 72.4	62.2	57.3 - 67.1	59.0	51.4 - 66.5
	Hispanic	48.6	44.2 - 53.1	46.2	40.9 - 51.5	44.8	35.7 - 53.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.7	33.6 - 39.8	32.6	30.5 - 34.7	37.5	33.8 - 41.2
	Non-Hisp. White Women	34.1	31.6 - 36.6	32.1	30.2 - 33.9	41.3 * †	38.0 - 44.5
	Non-Hisp. Black Men	64.2	56.2 - 72.2	57.4	49.6 - 65.3	54.1	41.8 - 66.3
	Non-Hisp. Black Women	70.4	64.6 - 76.2	66.9	61.0 - 72.7	64.7	57.5 - 72.0
	Hispanic Men	45.8	39.4 - 52.2	41.8	33.9 - 49.8	30.5	18.6 - 42.4
	Hispanic Women	51.4	45.2 - 57.6	50.4	43.5 - 57.4	69.6 * †	61.1 - 78.2
AGE GROUP	18-44	57.5	54.4 - 60.6	53.9	51.2 - 56.6	56.1	51.4 - 60.8
	45-64	43.8	40.7 - 46.9	39.8	37.7 - 41.9	44.0	40.8 - 47.3
	65 & Older	17.9	15.1 - 20.7	13.1 *	11.8 - 14.3	16.1	14.1 - 18.0
EDUCATION LEVEL	<High School	38.8	32.5 - 45.2	38.9	34.0 - 43.8	45.9	39.7 - 52.1
	High School/GED	42.4	38.7 - 46.1	33.8 *	31.4 - 36.2	38.9	35.2 - 42.7
	>High School	47.4	45.2 - 49.5	39.6 *	38.0 - 41.3	45.7 †	42.4 - 49.0
ANNUAL INCOME	<\$25,000	51.1	47.5 - 54.8	44.4 *	41.7 - 47.1	50.4	46.5 - 54.2
	\$25,000-\$49,999	43.4	39.6 - 47.3	35.3 *	32.7 - 37.9	40.3	35.5 - 45.1
	\$50,000 or More	43.6	40.7 - 46.6	36.6 *	34.4 - 38.8	38.6	34.1 - 43.1
MARITAL STATUS	Married/Couple	42.5	40.0 - 45.0	34.4 *	32.7 - 36.1	40.2 †	37.2 - 43.2
	Not Married/Couple	47.5	44.7 - 50.3	42.0 *	39.8 - 44.2	47.1	43.3 - 50.9

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Immunization

Percentage of adults who received a flu shot in the past year

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	29.2	27.7 - 30.8	33.9 *	32.8 - 35.1	29.6 †	27.7 - 31.5	
SEX	Men	28.4	26.1 - 30.8	32.4	30.6 - 34.1	29.6	26.7 - 32.5	
	Women	30.0	27.8 - 32.1	35.4 *	33.9 - 37.0	29.6 †	27.4 - 31.8	
RACE/ETHNICITY	Non-Hisp. White	36.1	34.3 - 38.0	38.1	36.8 - 39.4	31.8 * †	29.9 - 33.8	
	Non-Hisp. Black	17.3	13.8 - 20.8	18.7	15.3 - 22.2	28.3 * †	22.2 - 34.5	
	Hispanic	26.3	22.4 - 30.3	23.8	19.5 - 28.0	20.3	13.8 - 26.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.0	32.2 - 37.9	36.8	34.7 - 38.8	31.8 †	28.8 - 34.7	
	Non-Hisp. White Women	37.1	34.7 - 39.5	39.4	37.6 - 41.1	31.9 * †	29.3 - 34.5	
	Non-Hisp. Black Men	16.7	11.1 - 22.4	16.2	11.5 - 20.9	33.2 * †	22.8 - 43.7	
	Non-Hisp. Black Women	17.8	13.4 - 22.2	21.2	16.2 - 26.2	22.6	17.3 - 27.8	
	Hispanic Men	25.4	19.8 - 31.1	24.6	17.9 - 31.3	20.0	10.7 - 29.2	
	Hispanic Women	27.2	21.6 - 32.8	22.9	17.7 - 28.1	21.0	13.4 - 28.6	
	AGE GROUP	18-44	18.7	16.4 - 21.0	19.4	17.4 - 21.5	17.0	13.8 - 20.2
		45-64	29.1	26.3 - 31.8	30.3	28.4 - 32.2	28.1	25.4 - 30.7
65 & Older		52.6	49.6 - 55.7	57.5	55.6 - 59.3	55.3	52.7 - 58.0	
EDUCATION LEVEL	<High School	26.2	20.6 - 31.9	26.5	22.5 - 30.4	25.0	20.6 - 29.4	
	High School/GED	27.7	24.7 - 30.8	30.9	28.7 - 33.0	27.3	24.4 - 30.2	
	>High School	30.8	28.9 - 32.6	37.6 *	36.1 - 39.1	34.4	31.6 - 37.2	
ANNUAL INCOME	<\$25,000	24.5	21.4 - 27.5	26.7	24.5 - 28.9	25.4	22.4 - 28.3	
	\$25,000-\$49,999	30.2	26.8 - 33.7	34.3	32.0 - 36.7	29.4	25.5 - 33.2	
	\$50,000 or More	31.8	29.3 - 34.3	38.5 *	36.4 - 40.5	35.8	31.8 - 39.9	
MARITAL STATUS	Married/Couple	33.1	30.9 - 35.4	36.7	35.1 - 38.2	33.3	30.7 - 35.8	
	Not Married/Couple	25.2	22.9 - 27.4	30.4 *	28.6 - 32.3	24.7 †	22.0 - 27.3	

Percentage of adults 65 years of age and older who received a flu shot in the past year

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	52.6	49.6 - 55.7	57.5	55.6 - 59.3	55.3	52.7 - 58.0
SEX	Men	52.1	47.0 - 57.2	57.8	54.9 - 60.7	57.9	53.8 - 61.9
	Women	53.0	49.3 - 56.7	57.2	54.8 - 59.5	52.4	49.1 - 55.6
RACE/ETHNICITY	Non-Hisp. White	58.7	55.8 - 61.5	59.0	57.1 - 61.0	55.4	52.7 - 58.1
	Non-Hisp. Black	36.6	26.1 - 47.1	28.0	19.8 - 36.2	52.1 †	42.3 - 61.9
	Hispanic	44.7	34.7 - 54.7	54.3	41.7 - 67.0	64.5	43.4 - 85.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	57.0	52.4 - 61.7	59.3	56.4 - 62.3	57.2	53.1 - 61.3
	Non-Hisp. White Women	60.0	56.5 - 63.5	58.8	56.3 - 61.3	53.3	49.9 - 56.6
	Non-Hisp. Black Men	27.9	12.1 - 43.7	24.7	11.8 - 37.7	58.6 †	42.6 - 74.6
	Non-Hisp. Black Women	42.8	29.9 - 55.7	30.4	20.0 - 40.8	45.3	34.1 - 56.5
	Hispanic Men	52.3	35.3 - 69.2	51.2	30.1 - 72.2	NA	
	Hispanic Women	38.7	27.3 - 50.0	56.0	40.2 - 71.7	48.5	20.5 - 76.5
AGE GROUP	65 & Older	52.6	49.6 - 55.7	57.5	55.6 - 59.3	55.3	52.7 - 58.0
EDUCATION LEVEL	<High School	48.1	38.0 - 58.1	50.9	43.8 - 58.1	52.5	45.3 - 59.6
	High School/GED	51.3	46.3 - 56.3	55.6	52.3 - 59.0	54.3	50.3 - 58.3
	>High School	55.0	51.5 - 58.6	59.9	57.7 - 62.1	57.9	54.1 - 61.7
ANNUAL INCOME	<\$25,000	45.8	39.4 - 52.2	52.1	48.3 - 56.0	50.5	46.2 - 54.7
	\$25,000-\$49,999	55.0	49.4 - 60.7	57.7	54.2 - 61.3	60.5	55.2 - 65.9
	\$50,000 or More	58.5	53.4 - 63.6	60.4	57.2 - 63.7	57.6	51.6 - 63.7
MARITAL STATUS	Married/Couple	53.8	49.4 - 58.1	58.2	55.8 - 60.7	59.2	55.5 - 62.9
	Not Married/Couple	51.2	47.1 - 55.3	56.4	53.6 - 59.2	50.2	46.6 - 53.8

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Immunization

Percentage of adults who have ever received a pneumococcal vaccination

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	31.0	29.4-32.7	37.1 *	35.8-38.4	32.3 †	30.3-34.3	
SEX	Men	31.0	28.4-33.6	37.0 *	35.0-39.0	33.0	29.8-36.1	
	Women	31.0	28.9-33.2	37.2 *	35.6-38.9	31.5 †	29.1-34.0	
RACE/ETHNICITY	Non-Hisp. White	37.3	35.3-39.2	40.0	38.6-41.4	34.9 †	32.8-37.0	
	Non-Hisp. Black	26.4	21.4-31.3	34.0	29.0-39.1	27.8	21.8-33.8	
	Hispanic	25.0	21.1-28.9	25.4	20.8-30.0	23.7	16.0-31.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.4	34.2-40.5	39.8	37.6-42.1	36.6	33.4-39.8	
	Non-Hisp. White Women	37.1	34.7-39.6	40.2	38.4-42.0	33.2 †	30.5-35.9	
	Non-Hisp. Black Men	26.2	17.4-35.0	35.6	27.5-43.8	29.5	19.6-39.4	
	Non-Hisp. Black Women	26.5	20.9-32.2	32.4	26.5-38.4	25.7	19.4-31.9	
	Hispanic Men	25.2	19.4-30.9	25.1	18.1-32.1	21.0	10.9-31.0	
	Hispanic Women	24.9	19.5-30.3	25.7	19.6-31.8	28.4	17.4-39.4	
	AGE GROUP	18-44	20.1	17.5-22.8	19.3	16.9-21.7	17.4	13.7-21.0
		45-64	23.3	20.8-25.9	25.6	23.7-27.5	25.5	22.9-28.2
65 & Older		63.6	60.5-66.8	70.4 *	68.7-72.2	66.3	63.6-69.0	
EDUCATION LEVEL	<High School	29.1	23.5-34.7	32.0	27.5-36.4	31.2	26.2-36.2	
	High School/GED	32.2	28.9-35.6	37.3	34.9-39.6	31.8	28.6-35.0	
	>High School	31.0	29.0-32.9	38.4 *	36.8-40.0	33.4 †	30.5-36.4	
ANNUAL INCOME	<\$25,000	30.9	27.6-34.1	36.6	34.0-39.2	34.1	30.6-37.5	
	\$25,000-\$49,999	33.0	29.5-36.6	37.7	35.2-40.3	33.3	29.1-37.5	
	\$50,000 or More	27.6	25.0-30.3	34.2 *	32.1-36.4	25.8 †	22.4-29.2	
MARITAL STATUS	Married/Couple	31.6	29.2-33.9	36.3 *	34.6-37.9	31.2 †	28.7-33.6	
	Not Married/Couple	30.4	27.9-32.8	38.3 *	36.2-40.4	33.6	30.3-37.0	

Percentage of adults 65 years of age and older who have ever received a pneumococcal vaccination

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	63.6	60.6-66.7	70.4 *	68.7-72.2	66.3	63.6-69.0
SEX	Men	60.4	55.2-65.6	67.8	65.0-70.6	65.1	60.8-69.4
	Women	66.2	62.4-69.9	72.7 *	70.5-74.8	67.7	64.6-70.7
RACE/ETHNICITY	Non-Hisp. White	70.5	67.7-73.2	71.8	70.0-73.6	68.5	66.0-71.1
	Non-Hisp. Black	48.2	36.8-59.7	53.1	42.0-64.3	53.6	43.5-63.6
	Hispanic	48.0	37.4-58.6	61.5	48.2-74.9	52.2	25.8-78.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	65.9	61.2-70.6	69.3	66.4-72.1	67.9	64.0-71.8
	Non-Hisp. White Women	74.0	70.8-77.2	74.0	71.8-76.2	69.2	66.0-72.4
	Non-Hisp. Black Men	45.1	24.6-65.7	39.9	22.8-56.9	54.5	38.5-70.6
	Non-Hisp. Black Women	50.3	37.2-63.4	63.7	51.6-75.8	52.5	41.0-63.9
	Hispanic Men	48.3	30.2-66.3	62.1	41.3-82.8	NA	
	Hispanic Women	47.7	35.4-60.1	61.3	44.1-78.4	66.0	42.7-89.3
	AGE GROUP	65 & Older	63.6	60.6-66.7	70.4 *	68.7-72.2	66.3
EDUCATION LEVEL	<High School	53.0	42.5-63.6	67.4	60.6-74.2	60.3	52.6-68.0
	High School/GED	68.0	63.1-72.8	68.6	65.4-71.9	69.5	65.8-73.2
	>High School	65.2	61.6-68.8	72.3 *	70.3-74.4	67.4	63.7-71.0
ANNUAL INCOME	<\$25,000	56.9	50.2-63.6	69.3 *	65.6-73.1	64.8	60.6-69.0
	\$25,000-\$49,999	66.2	60.5-71.9	68.5	65.2-71.9	65.7	59.6-71.8
	\$50,000 or More	67.9	62.9-72.9	71.5	68.4-74.6	68.2	62.3-74.1
MARITAL STATUS	Married/Couple	65.4	61.0-69.8	69.6	67.3-72.0	68.6	64.7-72.5
	Not Married/Couple	61.4	57.0-65.7	71.7 *	69.1-74.2	63.2 †	59.6-66.8

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Immunization

Percentage of adults who have received a tetanus shot since 2005

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	50.4	48.5-52.4	51.5	50.1-52.9	55.2 *	52.8-57.5
SEX	Men	53.5	50.6-56.4	55.4	53.3-57.6	61.0 *	57.5-64.4
	Women	47.5	44.9-50.1	47.8	45.9-49.6	48.3	45.4-51.3
RACE/ETHNICITY	Non-Hisp. White	52.2	50.1-54.3	51.4	49.9-52.9	55.2	52.7-57.6
	Non-Hisp. Black	45.5	39.9-51.0	51.7	46.6-56.9	52.4	44.9-60.0
	Hispanic	42.1	37.5-46.7	45.2	39.9-50.6	51.9	43.0-60.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	57.5	54.3-60.8	55.7	53.4-57.9	61.6 †	58.1-65.0
	Non-Hisp. White Women	47.3	44.6-50.0	47.5	45.5-49.4	48.0	44.7-51.3
	Non-Hisp. Black Men	52.6	43.8-61.4	57.7	49.9-65.5	58.8	46.6-71.0
	Non-Hisp. Black Women	39.5	32.8-46.3	45.6	39.0-52.2	45.0	36.9-53.0
	Hispanic Men	40.8	34.3-47.3	45.5	37.4-53.7	55.6	42.9-68.2
	Hispanic Women	43.4	36.9-49.9	44.9	37.9-51.9	46.2	34.9-57.4
AGE GROUP	18-44	56.3	53.1-59.5	56.6	53.9-59.4	60.0	55.4-64.5
	45-64	48.3	45.1-51.5	49.9	47.7-52.1	52.8	49.5-56.2
	65 & Older	41.0	37.8-44.2	46.9 *	44.9-48.8	49.7 *	46.8-52.6
EDUCATION LEVEL	<High School	44.2	37.6-50.8	46.2	41.2-51.2	57.6 * †	52.0-63.2
	High School/GED	49.6	45.8-53.4	49.5	46.9-52.0	52.7	48.8-56.5
	>High School	52.6	50.4-54.8	54.1	52.4-55.8	56.5	53.2-59.9
ANNUAL INCOME	<\$25,000	48.3	44.5-52.1	47.8	45.1-50.5	52.4	48.5-56.2
	\$25,000-\$49,999	47.6	43.6-51.5	52.2	49.6-54.9	55.4	50.4-60.4
	\$50,000 or More	55.0	52.0-58.0	54.7	52.4-57.0	56.8	52.5-61.1
MARITAL STATUS	Married/Couple	50.5	47.9-53.0	50.8	49.0-52.6	56.4 * †	53.5-59.3
	Not Married/Couple	50.0	47.1-52.9	52.5	50.3-54.7	53.5	49.6-57.4

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Injury Prevention

Percentage of adults who always or nearly always use a seatbelt when riding in a car

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	94.3	93.3 - 95.3	94.5	93.7 - 95.2	92.0 †	90.4 - 93.6
SEX	Men	92.0	90.3 - 93.7	92.2	90.9 - 93.5	89.2	86.5 - 92.0
	Women	96.4	95.4 - 97.4	96.6	95.9 - 97.3	95.3	94.2 - 96.4
RACE/ETHNICITY	Non-Hisp. White	95.0	93.9 - 96.0	94.9	94.1 - 95.6	92.8	91.3 - 94.3
	Non-Hisp. Black	91.9	88.5 - 95.4	92.2	89.4 - 95.1	91.1	86.7 - 95.4
	Hispanic	94.3	92.2 - 96.4	93.2	90.0 - 96.3	87.6	79.4 - 95.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	92.4	90.4 - 94.5	92.2	90.8 - 93.6	90.2	87.6 - 92.7
	Non-Hisp. White Women	97.2	96.4 - 98.1	97.4	96.7 - 98.0	95.7	94.6 - 96.8
	Non-Hisp. Black Men	88.7	82.9 - 94.4	91.6	87.3 - 95.9	89.3	81.8 - 96.8
	Non-Hisp. Black Women	94.7	90.7 - 98.7	92.9	89.2 - 96.5	93.1	89.7 - 96.6
	Hispanic Men	92.7	89.1 - 96.4	90.1	84.3 - 95.9	83.7	71.5 - 95.9
	Hispanic Women	95.8	93.5 - 98.1	96.0	93.7 - 98.4	94.4	88.9 - 99.9
AGE GROUP	18-44	92.0	90.2 - 93.9	92.3	90.7 - 93.9	87.8	84.2 - 91.3
	45-64	95.9	94.6 - 97.3	95.2	94.2 - 96.2	94.8	93.4 - 96.1
	65 & Older	96.6	95.5 - 97.7	96.4	95.7 - 97.1	95.6	94.5 - 96.7
EDUCATION LEVEL	<High School	89.6	85.7 - 93.5	89.7	86.3 - 93.1	88.3	82.7 - 94.0
	High School/GED	94.5	92.8 - 96.3	93.8	92.5 - 95.1	91.0	88.8 - 93.3
	>High School	95.3	94.2 - 96.4	96.0	95.3 - 96.7	95.0	93.7 - 96.3
ANNUAL INCOME	<\$25,000	91.5	89.1 - 93.9	92.2	90.5 - 93.8	92.6	90.6 - 94.6
	\$25,000-\$49,999	95.5	93.8 - 97.1	93.7	92.2 - 95.3	90.4 *	87.4 - 93.3
	\$50,000 or More	96.2	95.0 - 97.4	96.8	96.0 - 97.6	93.1	89.0 - 97.2
MARITAL STATUS	Married/Couple	96.2	95.2 - 97.2	95.8	95.0 - 96.6	93.1	91.0 - 95.2
	Not Married/Couple	92.4	90.6 - 94.1	92.7	91.4 - 94.0	90.5	88.0 - 93.0

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Health-Related Quality of Life

Percentage of adults who said their overall health was "good" to "excellent"

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	80.9	79.6-82.3	80.7	79.7-81.7	74.2 * †	72.3-76.0	
SEX	Men	82.2	80.3-84.2	81.4	79.8-82.9	74.7 * †	72.0-77.4	
	Women	79.8	77.8-81.7	80.1	78.8-81.5	73.6 * †	71.1-76.1	
RACE/ETHNICITY	Non-Hisp. White	83.1	81.5-84.6	82.1	81.0-83.1	75.9 * †	74.1-77.7	
	Non-Hisp. Black	81.1	77.5-84.8	79.6	76.1-83.2	73.7	68.5-79.0	
	Hispanic	76.5	73.1-79.9	73.7	69.2-78.2	68.4	60.3-76.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	82.9	80.5-85.2	82.3	80.8-83.9	75.9 * †	73.4-78.5	
	Non-Hisp. White Women	83.3	81.3-85.2	81.8	80.4-83.3	75.9 * †	73.4-78.4	
	Non-Hisp. Black Men	83.3	77.8-88.9	80.0	74.3-85.8	77.4	69.5-85.2	
	Non-Hisp. Black Women	79.2	74.4-84.1	79.2	74.9-83.6	69.5	63.2-75.9	
	Hispanic Men	81.4	77.1-85.8	76.9	70.1-83.6	68.7	57.9-79.5	
	Hispanic Women	71.8	66.7-76.9	70.7	64.7-76.7	67.9	56.2-79.6	
	AGE GROUP	18-44	87.2	85.2-89.2	86.6	84.8-88.3	83.3	80.0-86.5
		45-64	77.4	74.9-80.0	76.5	74.6-78.3	67.2 * †	64.3-70.1
65 & Older		72.7	70.1-75.3	77.9 *	76.3-79.4	67.5 * †	65.1-69.9	
EDUCATION LEVEL	<High School	64.9	59.4-70.4	62.0	57.7-66.3	56.3	50.9-61.7	
	High School/GED	80.1	77.4-82.7	79.1	77.3-80.9	74.6	71.5-77.6	
	>High School	85.7	84.3-87.1	86.6	85.6-87.6	84.0	82.2-85.9	
ANNUAL INCOME	<\$25,000	66.6	63.3-69.8	67.2	64.7-69.6	61.7	58.3-65.2	
	\$25,000-\$49,999	82.3	79.4-85.2	83.1	81.2-84.9	76.9 †	73.1-80.7	
	\$50,000 or More	92.1	90.6-93.6	91.4	90.2-92.5	92.2	90.6-93.8	
MARITAL STATUS	Married/Couple	83.2	81.4-85.0	82.4	81.1-83.7	76.9 * †	74.7-79.2	
	Not Married/Couple	78.2	76.1-80.4	78.4	76.7-80.0	70.4 * †	67.2-73.5	

Percentage of adults who had poor physical health on 14 or more of the past 30 days

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	13.6	12.3-14.8	14.7	13.8-15.6	16.9 *	15.4-18.4	
SEX	Men	12.3	10.4-14.1	13.8	12.5-15.2	16.7 *	14.4-18.9	
	Women	14.7	13.0-16.5	15.6	14.3-16.8	17.2	15.1-19.2	
RACE/ETHNICITY	Non-Hisp. White	13.1	11.8-14.5	14.6	13.6-15.5	16.8 *	15.3-18.3	
	Non-Hisp. Black	11.2	8.0-14.4	13.8	10.3-17.3	15.1	10.9-19.4	
	Hispanic	16.4	13.2-19.6	16.1	12.4-19.7	17.4	10.2-24.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.6	9.7-13.6	13.7	12.3-15.1	16.4 *	14.3-18.5	
	Non-Hisp. White Women	14.6	12.7-16.4	15.4	14.1-16.8	17.2	15.3-19.2	
	Non-Hisp. Black Men	12.1	6.6-17.7	14.6	8.4-20.9	14.8	7.8-21.8	
	Non-Hisp. Black Women	10.3	6.8-13.8	13.0	9.5-16.5	15.6	11.1-20.0	
	Hispanic Men	13.3	8.9-17.7	13.3	8.3-18.3	18.6	9.2-28.0	
	Hispanic Women	19.4	14.6-24.1	18.8	13.5-24.0	15.5	4.2-26.8	
	AGE GROUP	18-44	9.7	7.8-11.6	10.3	8.8-11.9	9.1	6.5-11.8
		45-64	17.0	14.7-19.4	19.1	17.4-20.8	23.5 * †	21.0-26.0
65 & Older		16.8	14.6-19.0	15.7	14.3-17.1	21.7 * †	19.5-23.9	
EDUCATION LEVEL	<High School	25.4	19.8-31.0	24.1	20.4-27.8	25.8	21.3-30.4	
	High School/GED	13.7	11.5-15.9	15.1	13.5-16.7	16.6	14.0-19.1	
	>High School	10.5	9.2-11.7	12.2	11.1-13.2	12.5	10.9-14.2	
ANNUAL INCOME	<\$25,000	23.6	20.7-26.6	24.3	22.1-26.5	26.6	23.4-29.7	
	\$25,000-\$49,999	12.5	10.1-15.0	14.2	12.4-15.9	12.5	9.9-15.2	
	\$50,000 or More	6.6	5.4-7.9	7.2	6.1-8.2	6.2	4.7-7.7	
MARITAL STATUS	Married/Couple	12.1	10.6-13.7	13.3	12.1-14.4	14.5	12.8-16.3	
	Not Married/Couple	15.1	13.0-17.1	16.7	15.2-18.2	20.2 *	17.5-23.0	

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Health-Related Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	12.7	11.5-14.0	11.8	11.0-12.7	13.9	12.4-15.3	
SEX	Men	11.2	9.3-13.1	9.8	8.6-11.0	12.0	9.9-14.1	
	Women	14.1	12.4-15.8	13.8	12.6-14.9	16.1	14.1-18.1	
RACE/ETHNICITY	Non-Hisp. White	11.9	10.6-13.3	11.7	10.7-12.6	14.2	12.6-15.8	
	Non-Hisp. Black	14.2	10.4-18.0	15.2	11.7-18.8	12.4	8.3-16.5	
	Hispanic	13.9	10.8-17.0	9.3	6.6-12.0	10.7	5.6-15.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.6	7.7-11.5	9.6	8.3-10.9	11.9	9.7-14.2	
	Non-Hisp. White Women	14.1	12.2-16.1	13.6	12.3-14.9	16.7	14.3-19.0	
	Non-Hisp. Black Men	14.4	8.2-20.7	14.0	8.3-19.7	10.9	4.6-17.3	
	Non-Hisp. Black Women	14.0	9.4-18.5	16.4	12.0-20.7	14.1	9.3-18.8	
	Hispanic Men	12.2	7.6-16.8	6.2	2.8-9.5	9.5	2.4-16.6	
	Hispanic Women	15.6	11.3-19.8	12.2	8.0-16.5	12.4	5.3-19.4	
	AGE GROUP	18-44	12.4	10.3-14.4	12.7	11.1-14.3	13.7	11.0-16.3
		45-64	15.0	12.7-17.4	15.8	14.2-17.4	17.9	15.4-20.5
65 & Older		9.9	8.0-11.8	6.3 *	5.4-7.2	7.8	6.4-9.2	
EDUCATION LEVEL	<High School	21.5	16.1-27.0	16.1	12.9-19.3	19.0	14.8-23.1	
	High School/GED	13.1	10.8-15.3	13.1	11.6-14.7	13.9	11.5-16.4	
	>High School	10.3	9.0-11.6	9.9	8.9-10.9	11.1	9.3-12.8	
ANNUAL INCOME	<\$25,000	20.4	17.6-23.2	18.2	16.3-20.1	20.8	18.0-23.7	
	\$25,000-\$49,999	12.3	9.7-14.9	12.5	10.7-14.3	11.8	8.7-14.9	
	\$50,000 or More	6.9	5.4-8.3	6.3	5.3-7.4	6.1	4.5-7.8	
MARITAL STATUS	Married/Couple	10.5	8.9-12.0	9.4	8.4-10.4	11.5	9.7-13.3	
	Not Married/Couple	15.4	13.3-17.4	14.9	13.4-16.3	17.1	14.6-19.6	

Average number of unhealthy physical days in the past 30 days

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	4.3	4.0-4.7	4.7	4.4-4.9	5.3 * †	4.9-5.7	
SEX	Men	3.9	3.4-4.4	4.4	4.0-4.7	5.2 *	4.7-5.8	
	Women	4.7	4.3-5.1	4.9	4.6-5.2	5.4	5.0-5.8	
RACE/ETHNICITY	Non-Hisp. White	4.3	3.9-4.6	4.6	4.4-4.9	5.3 * †	5.0-5.7	
	Non-Hisp. Black	3.8	3.0-4.6	4.7	3.8-5.7	4.9	3.7-6.1	
	Hispanic	5.0	4.1-5.8	4.6	3.8-5.5	5.2	3.7-6.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.9	3.3-4.4	4.3	4.0-4.7	5.2 *	4.6-5.7	
	Non-Hisp. White Women	4.6	4.2-5.1	4.9	4.5-5.3	5.5	5.0-6.1	
	Non-Hisp. Black Men	4.0	2.5-5.4	4.8	3.1-6.5	4.8	2.9-6.8	
	Non-Hisp. Black Women	3.7	2.9-4.6	4.7	3.7-5.6	5.0	3.9-6.1	
	Hispanic Men	4.0	2.8-5.2	4.2	2.9-5.4	5.7	3.4-8.0	
	Hispanic Women	5.9	4.7-7.1	5.1	4.0-6.2	4.4	3.3-5.5	
	AGE GROUP	18-44	3.4	2.9-3.8	3.5	3.1-3.9	3.2	2.6-3.8
		45-64	5.3	4.6-5.9	5.8	5.4-6.2	7.0 * †	6.4-7.6
65 & Older		5.1	4.6-5.6	4.9	4.6-5.3	6.7 * †	6.1-7.2	
EDUCATION LEVEL	<High School	7.4	5.9-8.9	7.4	6.5-8.4	8.0	6.8-9.1	
	High School/GED	4.6	4.0-5.1	4.7	4.3-5.1	5.1	4.5-5.6	
	>High School	3.5	3.2-3.8	3.9	3.7-4.2	4.2	3.7-4.6	
ANNUAL INCOME	<\$25,000	6.9	6.2-7.7	7.3	6.7-7.9	7.9	7.2-8.6	
	\$25,000-\$49,999	4.0	3.4-4.6	4.5	4.0-4.9	4.3	3.6-4.9	
	\$50,000 or More	2.5	2.1-2.8	2.6	2.3-2.8	2.2	1.9-2.6	
MARITAL STATUS	Married/Couple	3.9	3.5-4.3	4.2	3.9-4.5	4.7	4.3-5.1	
	Not Married/Couple	4.8	4.2-5.3	5.3	4.9-5.7	6.2 *	5.5-6.8	

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Health-Related Quality of Life

Average number of unhealthy mental days in the past 30 days

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	4.1	3.7-4.4	3.8	3.6-4.1	4.3	4.0-4.7
SEX	Men	3.6	3.1-4.1	3.2	2.9-3.5	3.8	3.3-4.4
	Women	4.5	4.1-4.9	4.4	4.1-4.7	5.0	4.5-5.5
RACE/ETHNICITY	Non-Hisp. White	3.8	3.4-4.1	3.8	3.5-4.0	4.3	3.9-4.8
	Non-Hisp. Black	4.4	3.5-5.2	4.6	3.8-5.5	4.0	2.9-5.0
	Hispanic	4.6	3.7-5.4	3.5	2.8-4.3	4.0	2.7-5.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.2	2.7-3.7	3.2	2.8-3.5	3.7	3.2-4.3
	Non-Hisp. White Women	4.3	3.8-4.8	4.3	4.0-4.6	5.0	4.4-5.6
	Non-Hisp. Black Men	4.4	2.9-6.0	4.2	2.8-5.6	3.4	1.7-5.1
	Non-Hisp. Black Women	4.3	3.4-5.2	5.1	3.9-6.2	4.6	3.4-5.8
	Hispanic Men	3.9	2.6-5.2	2.5	1.7-3.3	3.5	1.7-5.4
	Hispanic Women	5.3	4.1-6.4	4.5	3.4-5.7	4.7	3.1-6.3
AGE GROUP	18-44	4.2	3.6-4.7	4.4	4.0-4.8	4.4	3.7-5.1
	45-64	4.7	4.0-5.3	4.8	4.4-5.2	5.4	4.7-6.0
	65 & Older	3.0	2.5-3.4	2.1 *	1.9-2.3	2.6	2.2-3.0
EDUCATION LEVEL	<High School	6.5	5.0-8.0	5.4	4.5-6.2	5.7	4.6-6.8
	High School/GED	4.1	3.5-4.7	4.1	3.7-4.5	4.4	3.8-5.0
	>High School	3.4	3.1-3.7	3.3	3.0-3.5	3.6	3.1-4.0
ANNUAL INCOME	<\$25,000	6.0	5.3-6.7	5.7	5.2-6.1	6.3	5.6-7.0
	\$25,000-\$49,999	4.1	3.4-4.8	4.0	3.6-4.4	3.8	3.0-4.7
	\$50,000 or More	2.5	2.1-2.8	2.3	2.0-2.5	2.1	1.7-2.5
MARITAL STATUS	Married/Couple	3.3	2.9-3.6	3.1	2.8-3.3	3.6	3.2-4.1
	Not Married/Couple	5.0	4.5-5.5	4.9	4.5-5.2	5.3	4.6-5.9

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

Health-Related Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (among adults who have had at least one day of poor mental or physical health)

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	4.9	4.4-5.3	5.5	5.2-5.8	6.4 *	5.8-7.0
SEX	Men	5.0	4.3-5.8	5.4	4.9-5.9	6.4	5.5-7.3
	Women	4.7	4.2-5.3	5.6	5.2-6.0	6.4 *	5.5-7.3
RACE/ETHNICITY	Non-Hisp. White	5.2	4.7-5.7	5.6	5.3-6.0	6.7 * †	6.2-7.3
	Non-Hisp. Black	3.2	2.5-4.0	5.2 *	4.1-6.2	5.6 *	4.1-7.1
	Hispanic	5.3	4.1-6.6	5.1	3.9-6.2	5.6	3.7-7.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.2	4.3-6.0	5.6	5.0-6.2	7.1 *	6.1-8.0
	Non-Hisp. White Women	5.2	4.6-5.8	5.7	5.2-6.2	6.4	5.7-7.0
	Non-Hisp. Black Men	2.9	2.0-3.7	5.6 *	3.8-7.5	5.4	2.9-7.9
	Non-Hisp. Black Women	3.5	2.5-4.6	4.8	3.6-6.0	5.8	4.4-7.2
	Hispanic Men	6.0	3.8-8.2	3.7	2.3-5.1	4.6	2.1-7.1
AGE GROUP	Hispanic Women	4.9	3.4-6.4	6.1	4.4-7.9	7.4	4.6-10.1
	18-44	3.6	2.9-4.3	4.0	3.4-4.5	4.4	3.6-5.3
	45-64	6.3	5.4-7.1	7.1	6.5-7.7	8.3 *	7.4-9.2
EDUCATION LEVEL	65 & Older	5.5	4.8-6.3	5.9	5.4-6.4	6.8	6.1-7.6
	<High School	7.6	5.5-9.6	7.6	6.5-8.8	7.8	6.4-9.3
	High School/GED	4.8	4.1-5.5	5.8	5.2-6.4	6.3	5.3-7.4
ANNUAL INCOME	>High School	4.0	3.6-4.4	4.7	4.3-5.1	5.5 *	4.8-6.3
	<\$25,000	7.5	6.5-8.4	7.9	7.2-8.5	8.9	7.8-10.1
	\$25,000-\$49,999	3.3	2.8-3.9	4.7 *	4.1-5.3	4.3	3.6-5.1
MARITAL STATUS	\$50,000 or More	2.7	2.2-3.1	3.4	2.9-3.9	3.0	2.3-3.7
	Married/Couple	4.4	3.8-5.0	5.2	4.7-5.6	5.5	4.9-6.2
	Not Married/Couple	5.3	4.5-6.0	5.9	5.4-6.4	7.6 * †	6.4-8.7

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Health Care Access and Coverage

Percentage of adults with any type of health care insurance coverage

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	77.0	75.4-78.6	78.8	77.6-79.9	74.3 †	72.2-76.5
SEX	Men	74.0	71.6-76.5	75.9	74.0-77.7	73.8	70.6-77.0
	Women	79.7	77.6-81.8	81.4	79.9-83.0	74.9 †	72.1-77.7
RACE/ETHNICITY	Non-Hisp. White	87.3	85.9-88.6	84.1 *	82.9-85.2	78.6 * †	76.5-80.7
	Non-Hisp. Black	67.7	62.7-72.7	74.3	69.7-78.9	80.5 *	75.5-85.4
	Hispanic	67.3	63.4-71.2	54.2 *	49.2-59.1	49.4 *	40.6-58.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	84.8	82.6-87.0	81.9	80.1-83.8	78.5 *	75.5-81.5
	Non-Hisp. White Women	89.6	88.0-91.1	86.0 *	84.6-87.4	78.8 * †	75.8-81.7
	Non-Hisp. Black Men	67.0	59.0-74.9	68.4	61.0-75.8	79.5	71.6-87.5
	Non-Hisp. Black Women	68.3	62.0-74.6	79.8	74.3-85.3	81.5 *	75.9-87.1
	Hispanic Men	62.8	56.9-68.7	49.7	42.2-57.1	50.0	37.7-62.4
	Hispanic Women	71.5	66.3-76.7	58.4 *	51.8-65.0	48.4 *	37.2-59.6
AGE GROUP	18-44	67.8	65.0-70.6	65.4	62.9-67.9	62.9	58.6-67.2
	45-64	76.9	74.3-79.6	77.0	75.1-78.8	73.3	70.5-76.2
	65 & Older	97.2	95.9-98.4	98.0	97.4-98.6	97.2	96.2-98.2
EDUCATION LEVEL	<High School	61.6	55.7-67.4	59.0	54.5-63.6	61.7	56.1-67.3
	High School/GED	70.1	66.8-73.5	75.8 *	73.7-77.9	72.3	68.8-75.9
	>High School	84.6	83.0-86.2	85.7	84.4-87.0	83.5	80.9-86.0
ANNUAL INCOME	<\$25,000	61.0	57.6-64.4	62.7	60.1-65.3	60.2	56.4-64.0
	\$25,000-\$49,999	74.5	70.8-78.1	79.5	77.3-81.6	78.5	74.5-82.6
	\$50,000 or More	92.4	90.8-94.1	93.0	91.5-94.5	92.7	90.2-95.3
MARITAL STATUS	Married/Couple	81.9	79.9-83.9	83.5	82.0-84.9	77.7 †	75.0-80.3
	Not Married/Couple	71.4	68.8-73.9	72.3	70.3-74.3	69.9	66.4-73.5

Percentage of adults who have a personal doctor

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan	
		Measure	95% CI	Measure	95% CI	Measure	95% CI
ALL	Overall	72.4	70.7-74.1	75.5 *	74.2-76.7	75.1	72.9-77.2
SEX	Men	66.9	64.3-69.5	69.7	67.7-71.6	70.9	67.6-74.2
	Women	77.5	75.4-79.6	80.9	79.4-82.3	80.0	77.6-82.4
RACE/ETHNICITY	Non-Hisp. White	80.0	78.3-81.7	80.1	78.8-81.3	78.8	76.6-80.9
	Non-Hisp. Black	72.5	67.8-77.2	71.3	66.8-75.8	76.5	70.5-82.5
	Hispanic	61.9	57.9-66.0	52.9	47.9-57.9	58.3	49.7-66.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	75.6	72.8-78.4	75.0	72.9-77.0	75.8	72.5-79.1
	Non-Hisp. White Women	84.0	82.0-86.0	84.8	83.4-86.3	82.1	79.5-84.7
	Non-Hisp. Black Men	69.2	61.7-76.7	62.3	54.8-69.7	71.1	61.3-81.0
	Non-Hisp. Black Women	75.3	69.4-81.3	79.8	74.9-84.7	82.7	76.4-89.0
	Hispanic Men	53.3	47.2-59.4	47.2	39.8-54.6	52.9	40.6-65.1
	Hispanic Women	70.1	64.8-75.4	58.3	51.6-64.9	67.1	57.4-76.7
AGE GROUP	18-44	57.6	54.6-60.5	56.1	53.5-58.6	60.3	55.9-64.6
	45-64	77.7	75.0-80.3	79.8	78.1-81.4	80.9	78.4-83.4
	65 & Older	95.6	94.3-96.9	95.9	95.3-96.6	93.8 †	92.5-95.1
EDUCATION LEVEL	<High School	58.3	52.3-64.4	60.5	56.0-65.0	68.9	63.6-74.3
	High School/GED	69.1	65.8-72.5	75.3 *	73.2-77.5	72.1	68.5-75.7
	>High School	77.8	76.0-79.6	79.6	78.1-81.0	81.6	78.9-84.3
ANNUAL INCOME	<\$25,000	59.9	56.5-63.3	64.5	62.0-67.1	68.8 *	65.1-72.4
	\$25,000-\$49,999	72.7	69.0-76.3	75.0	72.6-77.4	76.5	72.1-80.8
	\$50,000 or More	84.8	82.8-86.8	85.9	84.2-87.6	85.0	81.7-88.4
MARITAL STATUS	Married/Couple	78.2	76.1-80.4	81.2	79.7-82.7	78.6	75.9-81.2
	Not Married/Couple	66.1	63.5-68.7	68.0	65.9-70.0	70.4	66.8-73.9

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

2013 Florida BRFSS Data: Comparison of Health Indicators Among Large Central/Fringe Metro, Small/Medium Metro, and Nonmetropolitan Counties

Health Care Access and Coverage

Percentage of adults who could not see a doctor in the past year due to cost

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	21.3	19.8-22.8	18.5 *	17.4-19.5	23.2 †	21.2-25.2	
SEX	Men	18.6	16.5-20.8	17.1	15.5-18.7	21.6	18.6-24.6	
	Women	23.7	21.5-25.9	19.7 *	18.3-21.2	25.1 †	22.5-27.8	
RACE/ETHNICITY	Non-Hisp. White	13.7	12.2-15.1	15.4	14.3-16.4	19.6 * †	17.6-21.6	
	Non-Hisp. Black	25.7	21.2-30.3	21.6	17.8-25.3	22.6	17.5-27.8	
	Hispanic	30.5	26.7-34.4	30.2	25.7-34.8	38.8	30.1-47.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.7	10.6-14.9	14.2	12.6-15.8	17.0	14.3-19.7	
	Non-Hisp. White Women	14.5	12.7-16.4	16.4	15.0-17.8	22.4 * †	19.5-25.3	
	Non-Hisp. Black Men	21.0	14.0-28.0	21.3	15.5-27.2	19.2	11.6-26.8	
	Non-Hisp. Black Women	29.9	23.9-35.9	21.8	17.1-26.5	26.6	20.2-33.1	
	Hispanic Men	25.7	20.8-30.6	27.5	21.0-34.0	40.2	27.9-52.5	
	Hispanic Women	35.0	29.4-40.7	32.8	26.5-39.1	36.7	25.2-48.1	
	AGE GROUP	18-44	27.8	25.0-30.5	25.6	23.4-27.8	28.6	24.6-32.6
		45-64	23.0	20.6-25.5	22.6	20.8-24.4	27.7 †	24.7-30.6
65 & Older		4.9	3.3-6.4	4.4	3.6-5.2	6.0	4.8-7.2	
EDUCATION LEVEL	<High School	29.8	24.4-35.1	29.6	25.5-33.7	31.1	25.9-36.3	
	High School/GED	23.2	20.0-26.4	19.4	17.6-21.3	24.4	20.8-27.9	
	>High School	17.9	16.3-19.6	15.0 *	13.8-16.1	17.5	15.1-19.9	
ANNUAL INCOME	<\$25,000	35.8	32.5-39.1	32.7	30.3-35.2	35.4	31.8-39.0	
	\$25,000-\$49,999	22.2	18.9-25.5	17.7	15.8-19.7	22.8	18.4-27.2	
	\$50,000 or More	9.5	7.5-11.5	7.5	6.1-8.8	9.2	6.3-12.1	
MARITAL STATUS	Married/Couple	18.7	16.7-20.7	14.8 *	13.5-16.1	20.5 †	18.0-23.0	
	Not Married/Couple	24.4	22.0-26.8	23.6	21.8-25.4	26.8	23.3-30.2	

Percentage of adults who had a medical checkup in the past year

		Large Central/Fringe Metro		Small/Medium Metro		Nonmetropolitan		
		Measure	95% CI	Measure	95% CI	Measure	95% CI	
ALL	Overall	69.8	68.1-71.5	71.8	70.6-73.0	70.1	68.0-72.3	
SEX	Men	65.0	62.4-67.5	67.2	65.3-69.2	67.4	64.1-70.7	
	Women	74.3	72.1-76.4	76.1	74.7-77.6	73.4	70.8-75.9	
RACE/ETHNICITY	Non-Hisp. White	73.2	71.5-75.0	73.1	71.8-74.4	70.6	68.4-72.8	
	Non-Hisp. Black	71.4	66.7-76.1	75.1	71.0-79.1	79.6	74.2-84.9	
	Hispanic	65.7	61.8-69.7	63.6	58.8-68.3	61.0	52.6-69.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.4	67.5-73.3	69.6	67.5-71.7	68.8	65.4-72.1	
	Non-Hisp. White Women	75.9	73.7-78.1	76.5	74.9-78.0	72.7	69.7-75.6	
	Non-Hisp. Black Men	66.7	59.0-74.4	68.1	61.4-74.9	73.9	64.6-83.3	
	Non-Hisp. Black Women	75.5	69.6-81.3	81.5	76.8-86.1	85.9 *	81.6-90.3	
	Hispanic Men	58.1	52.1-64.0	55.5	48.0-62.9	57.9	45.9-69.9	
	Hispanic Women	72.9	67.6-78.2	71.3	65.7-76.9	65.9	55.8-76.1	
	AGE GROUP	18-44	57.8	54.8-60.7	57.5	54.9-60.0	60.6	56.3-64.8
		45-64	72.3	69.5-75.0	71.7	69.9-73.6	69.7	66.9-72.6
65 & Older		92.0	90.5-93.5	90.5	89.4-91.6	88.5 *	87.0-90.1	
EDUCATION LEVEL	<High School	65.5	59.7-71.2	64.9	60.7-69.2	66.5	60.9-72.1	
	High School/GED	69.3	66.0-72.6	71.7	69.5-73.9	69.5	66.0-72.9	
	>High School	71.3	69.4-73.3	73.7	72.3-75.1	72.7	69.9-75.5	
ANNUAL INCOME	<\$25,000	64.7	61.3-68.0	64.7	62.2-67.2	62.4	58.7-66.2	
	\$25,000-\$49,999	66.9	63.3-70.5	70.3	68.0-72.7	72.1	68.0-76.1	
	\$50,000 or More	75.7	73.2-78.1	77.7	75.8-79.6	76.3	72.6-80.0	
MARITAL STATUS	Married/Couple	75.0	72.9-77.0	74.9	73.5-76.4	70.9	68.2-73.6	
	Not Married/Couple	63.9	61.3-66.6	67.7	65.7-69.7	69.0	65.5-72.5	

* Indicates that the difference observed compared to the large central/fringe metro measure is statistically significant.

† Indicates that the difference observed between the small/medium metro and nonmetropolitan measures is statistically significant.

CI = Confidence Interval

NA = Not available due to respondent counts of less than 30.

GLOSSARY

A1C	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past three to four months.
Activities of Daily Living	Usual activities, such as self-care, work, or recreation.
Adult	Individual aged 18 years or older.
Aerobic Activity	Physical activity that increases heart rate and makes a person breathe heavier than usual; may also be called "cardio" exercise. Examples include walking, running or riding a bicycle.
Aerobic Recommendations*	Performance of at least 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Angina	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
Arthritis	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
Asthma	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
Binge Drinking*	For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days.
Blood Glucose	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
Blood Pressure	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
Blood Sugar	See Blood Glucose
Body Mass Index (BMI)	A number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
Cancer	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
Cholesterol	A substance the body uses to produce hormones, vitamin D, and food-digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack, or angina.
Chronic Bronchitis	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
Chronic Diseases	Diseases of long duration and generally slow progression (e.g., heart disease, stroke, cancer, diabetes); represent the leading causes of mortality worldwide.
Chronic Obstructive Pulmonary Disease (COPD)	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
Coronary Artery Disease (CAD)	Most common type of heart disease; occurs when a substance called plaque builds up on the inner walls of the arteries that supply blood to the heart, called coronary arteries; most common cause of a heart attack.

*This term is defined using BRFSS standards.

GLOSSARY

Coronary Heart Disease (CHD)	See Coronary Artery Disease (CAD)
Current Smoker*	Combination of everyday smoker and some day smoker.
Depressive Disorders	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
Diabetes	General term for diabetes mellitus; disease in which blood glucose levels are above normal.
Emphysema	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD)
Everyday Smoker*	Adults who reported smoking at least 100 cigarettes in their lifetimes and reported smoking every day now.
Exercise	See Physical Activity
Fibromyalgia	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
Flu	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
Flu Shot	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose.
Former Smoker	Adults who reported smoking at least 100 cigarettes in their lifetimes but reported not smoking now.
Gout	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
Health Behavior	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
Health Care Coverage	Health insurance, pre-paid plans such as HMOs, government plans such as Medicare.
Health Care Provider	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor, nurse practitioner, physician assistant, registered nurse).
Health Risk Behavior	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity, poor nutrition, tobacco use, excessive alcohol consumption).
Healthy Weight	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
Heart Attack	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
Heavy Drinking*	For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days.
High Blood Cholesterol	Condition where there is too much cholesterol in the blood for an extended period of time; increases the risk of coronary heart disease, heart attack, or angina.

*This term is defined using BRFSS standards.

GLOSSARY

High Blood Pressure	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems.
Hispanic	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
HIV	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
Hypertension	See High Blood Pressure
Hysterectomy	An operation to remove the uterus (womb) in women.
Inactive*	No leisure-time physical activity, performance of aerobic activity for less than 10 minutes at a time, or performance of only non-aerobic activities in the past 30 days.
Influenza	See Flu
Insufficiently Active*	Performance of less than 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Kidney Disease	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
Lupus	A chronic inflammatory disease resulting from an attack by the body's own immune system.
Mammogram	Mammography is the process of using low-energy X-rays to examine the human breast; this test is ordered to detect tumors and differentiate between benign and malignant disease.
Mental Health	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
Muscle Strengthening Recommendations*	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights, or elastic bands, at least two times per week in the past 30 days.
Never Smoked*	Adults who reported smoking less than 100 cigarettes in their lifetimes.
Non-Hispanic Black	Adults not of Hispanic culture or origins reporting membership in only the black race category; self-reported demographic variable.
Non-Hispanic White	Adults not of Hispanic culture or origins reporting membership in only the white race category; self-reported demographic variable.
Non-Smoker*	Combination of former smoker and never smoked.
Obese	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
Obesity	A condition characterized by being obese.
Overweight	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Personal Doctor	A health care provider that an adult identifies as their personal health care provider.
Physical Activity	Any bodily movement produced by the contraction of skeletal muscle that increases energy expenditure above basal level and that enhances or maintains physical fitness and overall health and wellness.

*This term is defined using BRFSS standards.

GLOSSARY

Pneumococcal Vaccination	Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia.
Pneumonia	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
Race/Ethnicity	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
Routine Checkup	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
Sedentary*	Participating in no leisure-time physical activity in the past 30 days.
Sex	The condition or character of being male or female; self-reported demographic variable.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Smoking	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
Some Day Smoking*	Adults who reported smoking at least 100 cigarettes in their lifetimes and reported smoking some days now.
Stool Blood Test	A test that may use a special kit at home to determine whether the stool contains blood.
Stroke	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.
Tetanus	A bacterial infection that affects the central nervous system and can result in painful muscle spasms, stiff jaw, and potentially death.
Tetanus Shot	Tetanus vaccine; vaccine given with a needle, usually in the shoulder muscle; a booster tetanus vaccine should be received every ten years.

*This term is defined using BRFSS standards.

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-2. Reduce coronary heart disease deaths

HDS-3. Reduce stroke deaths

Cholesterol Awareness

HDS-7. Reduce the proportion of adults with high total blood cholesterol levels

Diabetes

D-1. Reduce the annual number of new cases of diagnosed diabetes in the population

D-5. Improve glycemic control among the population with diagnosed diabetes

D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination

D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination

D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year

D-13. Increase the proportion of adults with diabetes who perform self blood glucose monitoring at least once daily

D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education

Disability

DH-13. (Developmental) Increase the proportion of people with disabilities who participate in social, spiritual, recreational, community, and civic activities to the degree that they wish

Healthy People 2020 Objectives

Health Care Access and Coverage

AHS-1. Increase the proportion of persons with medical insurance

AHS-3. Increase the proportion of persons with a usual primary care provider

AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

Health-Related Quality of Life

HRQOL/WB-1.1. Increase the proportion of adults who self-report good or better physical health

HRQOL/WB-1.2. Increase the proportion of adults who self-report good or better mental health

HIV/AIDS Screening

HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

HIV-14.1. Increase the proportion of adolescents and adults who have ever been tested for HIV

Hypertension Awareness

HDS-5. Reduce the proportion of persons in the population with hypertension

Immunization

IID-12.12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

IVP-15. Increase use of safety belts in motor vehicles

Overweight and Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

Physical Activity and Nutrition

PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity

PA-2. Increase the proportion of adults who meet current federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Tobacco Use and Exposure

TU-1. Reduce tobacco smoking by adults

TU-4. Increase smoking cessation attempts by adult smokers

Vision Impairment

V-5. Reduce visual impairment

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented.



Prepared by:

Alyssa Cohen, MPH
Bo (Bonnie) Yu, MAS, MA
Junwei Jiang, MPH
Dongming Cui, MD, MPH, DrPH

If you have any questions or comments
please contact:

Florida Department of Health
Division of Disease Control and Health Protection
Bureau of Epidemiology
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401

Fax: 850-922-9299

Email: health@flhealth.gov

Web: <http://www.floridahealth.gov/statistics-and-data/survey-data/index.html>