

FLORIDA BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS) 2013 DATA



Florida Department of Health
Division of Disease Control and Health Protection
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Rick Scott
Governor

John H. Armstrong, MD, FACS
State Surgeon General & Secretary

Introduction

The Florida Department of Health is pleased to release the 2013 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults.

The 2013 BRFSS was the fourth county-level survey conducted. It was previously conducted in 2002, 2007, and 2010. The 2013 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes.

Over 34,000 interviews were completed statewide in the 2013 calendar year, with a target sample size of 500 completed surveys in each county.

Baker County had approximately 20,541 adult residents in 2013, based on Florida CHARTS, and 429 adults responded to the 2013 county-level BRFSS survey.

The 2013 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. The following data tables present the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the confidence intervals overlap, there is no statistically significant difference in the prevalence rates. However, if the confidence intervals do not overlap, there is a statistically significant difference. The significance of measures with very wide confidence intervals should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or "weighted," by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2013 may not be comparable to data collected before 2011.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

County Highlights

Strengths*

- Low percentage of adults who have ever been told they had angina or coronary heart disease
- High percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

Challenges*

- High percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis
- High percentage of adults who are physically inactive or insufficiently active

Selected Indicators**	Percentage (%)	Estimated affected adult population
Adults who are current smokers	18.2	3,747
Adults who are obese	35.4	7,275
Adults who are physically inactive or insufficiently active	65.8	13,525
Adults who have ever been told they had diabetes	13.4	2,758

* These selected strengths and challenges are significantly different compared with overall state data.

** These four selected indicators were used in the America's Health Rankings Report (2013 Edition).

**2013 Florida BRFSS Data
Table of Contents**

Health Status	
Arthritis	1
Asthma	3
Cancer Prevalence	4
Cardiovascular Disease	5
Cholesterol Awareness	7
Chronic Obstructive Pulmonary Disease	8
Depression	9
Diabetes	10
Disability	14
Hypertension Awareness	15
Kidney Disease	16
Overweight & Obesity	17
Vision Impairment	19
Health-Related Behaviors	
Alcohol Consumption	20
Tobacco Use & Exposure	21
Physical Activity & Nutrition	23
Health-Related Prevention	
Cancer Screening/Breast	26
Cancer Screening/Cervical	27
Cancer Screening/Colorectal	28
HIV/AIDS Screening	29
Immunization	30
Injury Prevention	33
Health-Related Quality of Life	34
Health Care Access & Coverage	38
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

Arthritis

Percentage of adults who have ever been told they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	33.6	26.0 - 41.2	26.0	25.1 - 26.9
SEX	Men	33.7	21.1 - 46.3	22.0	20.7 - 23.3
	Women	33.4	25.4 - 41.4	29.8	28.5 - 31.1
RACE/ETHNICITY	Non-Hisp. White	31.8	24.6 - 39.0	32.1	31.1 - 33.2
	Non-Hisp. Black	NA		18.6	16.2 - 21.1
	Hispanic	NA		16.9	14.5 - 19.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.6	19.0 - 42.2	28.3	26.7 - 29.9
	Non-Hisp. White Women	33.2	25.6 - 40.7	35.8	34.4 - 37.2
	Non-Hisp. Black Men	NA		15.9	12.3 - 19.6
	Non-Hisp. Black Women	NA		21.1	17.8 - 24.3
	Hispanic Men	NA		11.1	8.4 - 13.8
	Hispanic Women	NA		22.4	18.5 - 26.3
AGE GROUP	18-44	19.1	7.7 - 30.5	8.6	7.5 - 9.7
	45-64	44.5 *	32.6 - 56.3	30.8	29.1 - 32.6
	65 & Older	52.4	40.4 - 64.5	51.1	49.3 - 52.9
EDUCATION LEVEL	<High School	48.8	30.4 - 67.2	30.4	27.1 - 33.7
	High School / GED	24.2	15.3 - 33.0	27.2	25.4 - 29.0
	>High School	33.1	20.4 - 45.7	24.2	23.1 - 25.3
ANNUAL INCOME	<\$25,000	44.9	26.0 - 63.8	29.9	28.0 - 31.9
	\$25,000-\$49,999	34.4	22.3 - 46.5	26.8	24.9 - 28.7
	\$50,000 or More	22.6	13.0 - 32.1	21.8	20.3 - 23.2
MARITAL STATUS	Married/Couple	30.6	22.3 - 39.0	27.2	25.9 - 28.4
	Not Married/Couple	39.7	24.9 - 54.6	24.7	23.3 - 26.0

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Arthritis

Percentage of adults who are limited in any way in any usual activities because of arthritis

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	14.3	9.7 - 18.8	12.8	12.1 - 13.5
SEX	Men	10.0	3.9 - 16.1	10.2	9.2 - 11.1
	Women	19.1	12.6 - 25.5	15.3	14.2 - 16.3
RACE/ETHNICITY	Non-Hisp. White	13.8	9.0 - 18.7	15.2	14.4 - 15.9
	Non-Hisp. Black	NA		9.6	7.7 - 11.5
	Hispanic	NA		9.5	7.5 - 11.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.4	4.2 - 18.6	12.7	11.5 - 13.8
	Non-Hisp. White Women	16.8	11.0 - 22.6	17.5	16.4 - 18.6
	Non-Hisp. Black Men	NA		7.6	4.9 - 10.3
	Non-Hisp. Black Women	NA		11.4	8.8 - 13.9
	Hispanic Men	NA		5.6	3.5 - 7.7
	Hispanic Women	NA		13.3	10.0 - 16.7
AGE GROUP	18-44	7.0	2.0 - 12.0	4.3	3.5 - 5.1
	45-64	23.3	13.7 - 32.9	17.2	15.7 - 18.7
	65 & Older	17.3	9.9 - 24.6	22.7	21.2 - 24.2
EDUCATION LEVEL	<High School	23.5	10.4 - 36.6	16.0	13.4 - 18.5
	High School / GED	12.2	5.8 - 18.5	13.4	12.0 - 14.9
	>High School	9.8	4.9 - 14.8	11.6	10.8 - 12.5
ANNUAL INCOME	<\$25,000	19.7	8.6 - 30.9	18.4	16.8 - 20.1
	\$25,000-\$49,999	15.6	7.9 - 23.2	12.2	10.8 - 13.6
	\$50,000 or More	9.6	2.5 - 16.7	9.0	8.0 - 10.0
MARITAL STATUS	Married/Couple	13.8	8.2 - 19.5	12.7	11.7 - 13.6
	Not Married/Couple	15.2	7.6 - 22.8	13.1	12.0 - 14.1

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Asthma

Percentage of adults who currently have asthma

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	14.2	7.8 - 20.5	8.3	7.6 - 8.9
SEX	Men	4.1	0.0 - 8.2	5.7	4.8 - 6.5
	Women	25.3 *	14.4 - 36.1	10.7	9.7 - 11.7
RACE/ETHNICITY	Non-Hisp. White	9.7	5.7 - 13.7	8.3	7.6 - 9.0
	Non-Hisp. Black	NA		8.9	6.9 - 10.8
	Hispanic	NA		8.3	6.3 - 10.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.9	0.0 - 9.8	6.1	5.0 - 7.2
	Non-Hisp. White Women	15.4	9.2 - 21.5	10.4	9.5 - 11.3
	Non-Hisp. Black Men	NA		5.7	3.3 - 8.0
	Non-Hisp. Black Women	NA		11.7	8.7 - 14.7
	Hispanic Men	NA		5.2	2.9 - 7.4
	Hispanic Women	NA		11.4	8.1 - 14.6
AGE GROUP	18-44	12.4	1.9 - 22.9	8.0	7.0 - 8.9
	45-64	19.9	9.6 - 30.1	9.1	7.8 - 10.5
	65 & Older	7.7	2.3 - 13.1	7.8	6.8 - 8.8
EDUCATION LEVEL	<High School	32.2	13.0 - 51.3	12.5	9.7 - 15.3
	High School / GED	6.7	1.9 - 11.5	7.3	6.3 - 8.3
	>High School	9.4	4.6 - 14.2	7.7	7.0 - 8.4
ANNUAL INCOME	<\$25,000	17.8	3.2 - 32.4	12.4	10.8 - 14.0
	\$25,000-\$49,999	12.4	4.2 - 20.7	6.9	5.7 - 8.0
	\$50,000 or More	9.1	2.2 - 15.9	6.0	5.1 - 6.9
MARITAL STATUS	Married/Couple	11.6	5.7 - 17.4	6.7	6.0 - 7.5
	Not Married/Couple	19.4	5.0 - 33.7	10.2	9.0 - 11.3

Percentage of adults who have ever been told they had asthma

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	17.4	10.9 - 23.9	13.5	12.7 - 14.4
SEX	Men	6.5	1.4 - 11.6	11.5	10.3 - 12.6
	Women	29.4 *	18.8 - 40.0	15.5	14.3 - 16.7
RACE/ETHNICITY	Non-Hisp. White	12.8	8.1 - 17.4	13.2	12.4 - 14.0
	Non-Hisp. Black	NA		14.2	11.7 - 16.8
	Hispanic	NA		14.6	12.0 - 17.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.1	1.2 - 13.0	11.5	10.3 - 12.8
	Non-Hisp. White Women	19.5	12.9 - 26.2	14.8	13.7 - 15.9
	Non-Hisp. Black Men	NA		13.3	9.2 - 17.4
	Non-Hisp. Black Women	NA		15.1	11.9 - 18.3
	Hispanic Men	NA		10.8	7.8 - 13.8
	Hispanic Women	NA		18.1	14.1 - 22.2
AGE GROUP	18-44	16.3	5.3 - 27.4	14.8	13.3 - 16.2
	45-64	22.5	12.2 - 32.8	13.9	12.4 - 15.4
	65 & Older	10.2	4.3 - 16.1	11.0	9.9 - 12.2
EDUCATION LEVEL	<High School	34.7	15.7 - 53.6	16.9	13.9 - 20.0
	High School / GED	9.4	3.6 - 15.2	13.3	11.7 - 14.9
	>High School	13.9	7.3 - 20.5	12.8	11.9 - 13.7
ANNUAL INCOME	<\$25,000	22.0	6.9 - 37.0	18.5	16.6 - 20.4
	\$25,000-\$49,999	15.4	6.5 - 24.3	12.1	10.5 - 13.8
	\$50,000 or More	12.0	3.6 - 20.5	10.5	9.3 - 11.6
MARITAL STATUS	Married/Couple	14.8	8.4 - 21.1	11.7	10.7 - 12.8
	Not Married/Couple	22.8	8.5 - 37.2	15.8	14.4 - 17.1

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Cancer Prevalence

Percentage of adults who have ever been told they had skin cancer

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	9.4	6.1 - 12.6	9.2	8.7 - 9.7
SEX	Men	11.4	5.6 - 17.2	9.5	8.8 - 10.3
	Women	7.1	4.2 - 10.0	8.9	8.3 - 9.5
RACE/ETHNICITY	Non-Hisp. White	11.6	7.6 - 15.6	14.8	14.1 - 15.5
	Non-Hisp. Black	NA		0.4	0.0 - 0.8
	Hispanic	NA		2.2	1.4 - 3.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.7	6.7 - 20.6	15.1	13.9 - 16.2
	Non-Hisp. White Women	9.1 *	5.5 - 12.7	14.6	13.6 - 15.5
	Non-Hisp. Black Men	NA		0.7	0.0 - 1.5
	Non-Hisp. Black Women	NA		0.1	0.0 - 0.2
	Hispanic Men	NA		2.8	1.5 - 4.1
	Hispanic Women	NA		1.6	0.8 - 2.5
AGE GROUP	18-44	1.1	0.0 - 2.5	1.5	1.1 - 1.9
	45-64	7.3	2.2 - 12.4	8.5	7.6 - 9.4
	65 & Older	38.5 *	26.7 - 50.3	24.1	22.7 - 25.4
EDUCATION LEVEL	<High School	9.2	0.7 - 17.7	6.4	5.1 - 7.7
	High School / GED	12.5	6.6 - 18.4	8.7	7.9 - 9.6
	>High School	6.2 *	3.1 - 9.3	10.3	9.6 - 10.9
ANNUAL INCOME	<\$25,000	8.6	2.1 - 15.1	6.7	5.9 - 7.5
	\$25,000-\$49,999	8.1	3.0 - 13.2	9.8	8.9 - 10.8
	\$50,000 or More	9.8	4.0 - 15.6	10.4	9.5 - 11.3
MARITAL STATUS	Married/Couple	10.3	5.8 - 14.7	10.7	10.0 - 11.5
	Not Married/Couple	7.6	3.4 - 11.7	7.5	6.9 - 8.0

Percentage of adults who have ever been told they had any other type of cancer except skin cancer

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	12.2	6.6 - 17.8	7.6	7.1 - 8.1
SEX	Men	9.1	4.2 - 14.1	6.7	6.0 - 7.3
	Women	15.7	5.8 - 25.6	8.4	7.6 - 9.1
RACE/ETHNICITY	Non-Hisp. White	9.8	6.2 - 13.5	10.0	9.4 - 10.6
	Non-Hisp. Black	NA		4.3	3.2 - 5.5
	Hispanic	NA		4.2	2.7 - 5.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.6	4.8 - 16.5	8.9	8.1 - 9.8
	Non-Hisp. White Women	8.9	5.0 - 12.8	10.9	10.1 - 11.8
	Non-Hisp. Black Men	NA		3.7	2.2 - 5.1
	Non-Hisp. Black Women	NA		4.9	3.1 - 6.7
	Hispanic Men	NA		3.6	2.1 - 5.1
	Hispanic Women	NA		4.8	2.4 - 7.2
AGE GROUP	18-44	7.6	0.0 - 17.3	2.6	1.9 - 3.3
	45-64	13.7 *	7.2 - 20.2	5.9	5.1 - 6.6
	65 & Older	21.9	10.0 - 33.9	18.8	17.5 - 20.1
EDUCATION LEVEL	<High School	18.2	0.8 - 35.5	6.7	5.1 - 8.3
	High School / GED	10.6	4.1 - 17.0	7.3	6.3 - 8.3
	>High School	9.4	4.0 - 14.8	7.9	7.3 - 8.5
ANNUAL INCOME	<\$25,000	16.3	1.9 - 30.6	7.0	6.0 - 7.9
	\$25,000-\$49,999	4.6	1.3 - 7.9	8.2	7.0 - 9.4
	\$50,000 or More	13.2	5.5 - 20.9	7.4	6.6 - 8.2
MARITAL STATUS	Married/Couple	10.2	5.9 - 14.6	8.6	7.8 - 9.4
	Not Married/Couple	16.1	2.1 - 30.0	6.3	5.7 - 6.9

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Cardiovascular Disease

Percentage of adults who have ever been told they had angina or coronary heart disease

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	2.7 *	1.1 - 4.3	5.0	4.6 - 5.4
SEX	Men	1.4 *	0.0 - 3.1	6.3	5.6 - 7.0
	Women	4.1	1.3 - 6.8	3.8	3.3 - 4.2
RACE/ETHNICITY	Non-Hisp. White	2.9 *	1.0 - 4.8	6.5	5.9 - 7.0
	Non-Hisp. Black	NA		4.2	2.8 - 5.7
	Hispanic	NA		2.5	1.6 - 3.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.6 *	0.0 - 3.6	8.4	7.4 - 9.3
	Non-Hisp. White Women	4.5	1.1 - 7.8	4.7	4.2 - 5.3
	Non-Hisp. Black Men	NA		4.3	2.0 - 6.7
	Non-Hisp. Black Women	NA		4.2	2.3 - 6.1
	Hispanic Men	NA		3.2	1.6 - 4.8
	Hispanic Women	NA		1.9	1.0 - 2.7
AGE GROUP	18-44	1.4	0.0 - 3.7	0.9	0.5 - 1.3
	45-64	3.2	1.1 - 5.3	5.1	4.3 - 6.0
	65 & Older	5.4 *	0.3 - 10.5	12.3	11.3 - 13.4
EDUCATION LEVEL	<High School	3.4	0.0 - 8.0	6.8	5.0 - 8.6
	High School / GED	2.9	0.4 - 5.5	4.6	4.0 - 5.3
	>High School	1.9 *	0.5 - 3.3	4.8	4.3 - 5.3
ANNUAL INCOME	<\$25,000	4.7	0.5 - 8.8	6.8	5.8 - 7.8
	\$25,000-\$49,999	0.7 *	0.0 - 1.7	4.9	4.1 - 5.8
	\$50,000 or More	1.8	0.2 - 3.4	3.8	3.2 - 4.4
MARITAL STATUS	Married/Couple	1.3 *	0.4 - 2.1	5.1	4.5 - 5.7
	Not Married/Couple	5.6	1.0 - 10.2	5.0	4.3 - 5.6

Percentage of adults who have ever been told they had a heart attack

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	3.8	1.9 - 5.7	5.6	5.1 - 6.1
SEX	Men	3.8 *	1.2 - 6.4	7.3	6.4 - 8.2
	Women	3.9	1.1 - 6.6	4.1	3.5 - 4.6
RACE/ETHNICITY	Non-Hisp. White	4.5	2.2 - 6.8	6.6	6.1 - 7.2
	Non-Hisp. Black	NA		4.2	2.8 - 5.5
	Hispanic	NA		4.6	3.1 - 6.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.4 *	1.3 - 7.5	9.1	8.1 - 10.2
	Non-Hisp. White Women	4.6	1.2 - 8.1	4.3	3.7 - 4.9
	Non-Hisp. Black Men	NA		5.6	3.1 - 8.0
	Non-Hisp. Black Women	NA		2.9	1.7 - 4.1
	Hispanic Men	NA		4.7	2.4 - 7.1
	Hispanic Women	NA		4.5	2.5 - 6.5
AGE GROUP	18-44	2.0	0.0 - 4.5	1.0	0.6 - 1.4
	45-64	3.3	1.1 - 5.5	6.5	5.4 - 7.6
	65 & Older	10.4	3.6 - 17.1	12.9	11.6 - 14.2
EDUCATION LEVEL	<High School	5.6	0.0 - 11.5	9.5	7.2 - 11.9
	High School / GED	3.7	1.4 - 6.0	5.4	4.6 - 6.2
	>High School	2.8	0.7 - 4.9	4.7	4.2 - 5.2
ANNUAL INCOME	<\$25,000	5.4	0.5 - 10.2	8.0	6.7 - 9.3
	\$25,000-\$49,999	5.0	1.3 - 8.8	6.5	5.4 - 7.5
	\$50,000 or More	2.5	0.5 - 4.4	3.3	2.7 - 3.8
MARITAL STATUS	Married/Couple	3.2	1.1 - 5.3	5.6	4.9 - 6.2
	Not Married/Couple	5.1	1.2 - 9.0	5.8	4.9 - 6.6

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Cardiovascular Disease

Percentage of adults who have ever been told they had a stroke

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	4.8	2.3 - 7.3	3.7	3.3 - 4.1
SEX	Men	3.2	0.0 - 6.5	3.7	3.1 - 4.2
	Women	6.6	2.7 - 10.4	3.7	3.2 - 4.2
RACE/ETHNICITY	Non-Hisp. White	4.6	1.9 - 7.3	4.3	3.8 - 4.7
	Non-Hisp. Black	NA		4.6	3.1 - 6.1
	Hispanic	NA		2.0	1.2 - 2.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.8	0.0 - 7.7	4.3	3.6 - 4.9
	Non-Hisp. White Women	5.6	1.9 - 9.2	4.2	3.7 - 4.8
	Non-Hisp. Black Men	NA		4.8	2.6 - 7.0
	Non-Hisp. Black Women	NA		4.4	2.4 - 6.4
	Hispanic Men	NA		2.0	0.9 - 3.1
	Hispanic Women	NA		2.0	1.0 - 3.0
AGE GROUP	18-44	2.7	0.0 - 5.8	1.1	0.7 - 1.6
	45-64	6.0	1.0 - 11.1	4.1	3.4 - 4.8
	65 & Older	8.5	3.0 - 14.0	7.8	6.9 - 8.7
EDUCATION LEVEL	<High School	9.2	1.3 - 17.1	5.2	3.9 - 6.5
	High School / GED	2.9	0.5 - 5.3	3.7	3.0 - 4.3
	>High School	3.6	0.3 - 7.0	3.3	2.9 - 3.8
ANNUAL INCOME	<\$25,000	8.1	1.4 - 14.9	5.7	4.8 - 6.5
	\$25,000-\$49,999	4.4	0.0 - 8.8	4.1	3.3 - 4.9
	\$50,000 or More	1.7	0.0 - 3.7	1.9	1.4 - 2.3
MARITAL STATUS	Married/Couple	4.6	1.3 - 7.8	3.3	2.8 - 3.8
	Not Married/Couple	5.3	1.3 - 9.4	4.2	3.6 - 4.7

Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	9.4	6.1 - 12.8	10.3	9.7 - 10.9
SEX	Men	7.6	3.1 - 12.2	11.9	10.8 - 12.9
	Women	11.4	6.6 - 16.3	8.8	8.0 - 9.6
RACE/ETHNICITY	Non-Hisp. White	10.0	6.2 - 13.8	12.2	11.5 - 12.9
	Non-Hisp. Black	NA		10.0	7.8 - 12.2
	Hispanic	NA		6.8	5.0 - 8.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.0	3.6 - 14.4	14.6	13.4 - 15.8
	Non-Hisp. White Women	11.3	6.2 - 16.4	9.9	9.1 - 10.8
	Non-Hisp. Black Men	NA		10.9	7.4 - 14.3
	Non-Hisp. Black Women	NA		9.3	6.5 - 12.1
	Hispanic Men	NA		7.0	4.4 - 9.6
	Hispanic Women	NA		6.5	4.3 - 8.7
AGE GROUP	18-44	4.6	0.6 - 8.7	2.3	1.7 - 2.9
	45-64	10.8	5.1 - 16.6	11.4	10.2 - 12.7
	65 & Older	20.5	11.3 - 29.6	23.4	21.8 - 25.0
EDUCATION LEVEL	<High School	16.0	5.7 - 26.3	15.2	12.6 - 17.9
	High School / GED	8.0	3.8 - 12.1	10.0	8.9 - 11.1
	>High School	6.4	2.4 - 10.4	9.2	8.5 - 10.0
ANNUAL INCOME	<\$25,000	14.9	5.9 - 23.9	14.3	12.7 - 15.8
	\$25,000-\$49,999	9.1	3.2 - 14.9	11.4	10.0 - 12.7
	\$50,000 or More	4.4	1.5 - 7.2	6.6	5.7 - 7.4
MARITAL STATUS	Married/Couple	8.2	4.3 - 12.2	10.1	9.3 - 11.0
	Not Married/Couple	11.9	5.5 - 18.3	10.6	9.6 - 11.6

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Cholesterol Awareness

Percentage of adults who have ever been told they had high blood cholesterol

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	29.9	23.4 - 36.4	33.4	32.3 - 34.4
SEX	Men	30.7	20.1 - 41.2	33.6	32.0 - 35.2
	Women	29.0	21.9 - 36.2	33.2	31.7 - 34.6
RACE/ETHNICITY	Non-Hisp. White	33.3	26.0 - 40.5	39.0	37.8 - 40.1
	Non-Hisp. Black	NA		24.5	21.6 - 27.4
	Hispanic	NA		27.5	24.4 - 30.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.1	23.0 - 47.1	39.0	37.2 - 40.8
	Non-Hisp. White Women	31.1	24.0 - 38.2	39.0	37.5 - 40.5
	Non-Hisp. Black Men	NA		27.4	22.4 - 32.3
	Non-Hisp. Black Women	NA		21.8	18.6 - 25.1
	Hispanic Men	NA		25.6	21.3 - 29.9
	Hispanic Women	NA		29.3	24.8 - 33.7
AGE GROUP	18-44	15.8	7.9 - 23.7	13.6	12.2 - 15.0
	45-64	37.7	27.0 - 48.5	42.4	40.4 - 44.4
	65 & Older	54.9	42.8 - 67.0	55.7	53.8 - 57.5
EDUCATION LEVEL	<High School	28.1	14.0 - 42.3	33.9	30.0 - 37.8
	High School / GED	32.6	21.8 - 43.5	32.8	30.8 - 34.7
	>High School	28.5	18.7 - 38.2	33.6	32.4 - 34.9
ANNUAL INCOME	<\$25,000	30.5	16.5 - 44.4	32.1	30.0 - 34.2
	\$25,000-\$49,999	27.4	17.0 - 37.9	34.5	32.2 - 36.7
	\$50,000 or More	33.0	21.9 - 44.1	34.0	32.2 - 35.7
MARITAL STATUS	Married/Couple	33.4	24.8 - 41.9	36.7	35.2 - 38.1
	Not Married/Couple	23.0	14.1 - 31.9	29.6	28.0 - 31.2

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Chronic Obstructive Pulmonary Disease

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	18.1 *	10.6 - 25.6	7.4	6.9 - 7.9
SEX	Men	16.9	5.8 - 28.0	6.4	5.7 - 7.2
	Women	19.5 *	9.7 - 29.4	8.3	7.5 - 9.0
RACE/ETHNICITY	Non-Hisp. White	12.0	7.1 - 16.9	9.2	8.6 - 9.9
	Non-Hisp. Black	NA		5.1	3.5 - 6.7
	Hispanic	NA		4.6	3.3 - 5.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.1	3.4 - 18.9	8.2	7.3 - 9.2
	Non-Hisp. White Women	13.1	7.8 - 18.3	10.2	9.3 - 11.1
	Non-Hisp. Black Men	NA		4.6	2.1 - 7.2
	Non-Hisp. Black Women	NA		5.5	3.6 - 7.4
	Hispanic Men	NA		3.5	1.8 - 5.2
	Hispanic Women	NA		5.6	3.6 - 7.7
AGE GROUP	18-44	16.9 *	3.8 - 30.0	3.0	2.3 - 3.7
	45-64	19.0	8.6 - 29.4	8.5	7.5 - 9.4
	65 & Older	20.2	9.8 - 30.5	14.0	12.8 - 15.3
EDUCATION LEVEL	<High School	40.2 *	21.0 - 59.4	12.3	10.1 - 14.5
	High School / GED	8.5	3.2 - 13.8	7.5	6.6 - 8.4
	>High School	13.2	1.1 - 25.4	6.0	5.4 - 6.6
ANNUAL INCOME	<\$25,000	35.9 *	16.6 - 55.2	11.1	10.0 - 12.3
	\$25,000-\$49,999	11.4	3.0 - 19.8	7.4	6.3 - 8.5
	\$50,000 or More	10.3	2.7 - 17.9	3.9	3.2 - 4.6
MARITAL STATUS	Married/Couple	11.8	6.1 - 17.4	6.5	5.8 - 7.2
	Not Married/Couple	31.2 *	14.3 - 48.1	8.5	7.7 - 9.3

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Depression

Percentage of adults who have ever been told they had a depressive disorder

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	20.3	13.8 - 26.9	16.8	15.9 - 17.6
SEX	Men	11.5	4.4 - 18.7	12.1	11.0 - 13.1
	Women	30.0	20.1 - 39.9	21.2	19.9 - 22.4
RACE/ETHNICITY	Non-Hisp. White	18.8	13.3 - 24.2	18.6	17.6 - 19.5
	Non-Hisp. Black	NA		14.0	11.4 - 16.5
	Hispanic	NA		13.8	11.6 - 16.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.1	4.0 - 16.2	13.1	11.9 - 14.4
	Non-Hisp. White Women	29.2	21.2 - 37.1	23.6	22.2 - 25.0
	Non-Hisp. Black Men	NA		12.3	8.3 - 16.3
	Non-Hisp. Black Women	NA		15.5	12.2 - 18.7
	Hispanic Men	NA		8.5	6.2 - 10.9
	Hispanic Women	NA		18.8	15.2 - 22.4
AGE GROUP	18-44	22.9	11.3 - 34.5	15.8	14.4 - 17.2
	45-64	18.2	9.5 - 26.9	19.6	18.1 - 21.1
	65 & Older	17.6	8.4 - 26.8	14.6	13.4 - 15.9
EDUCATION LEVEL	<High School	33.3	14.8 - 51.7	20.9	17.9 - 24.0
	High School / GED	12.7	6.2 - 19.2	15.8	14.3 - 17.3
	>High School	19.6	11.3 - 27.8	16.3	15.3 - 17.3
ANNUAL INCOME	<\$25,000	32.0	15.0 - 48.9	23.8	21.9 - 25.6
	\$25,000-\$49,999	17.6	9.3 - 25.8	16.5	14.8 - 18.2
	\$50,000 or More	17.9	8.3 - 27.6	11.3	10.2 - 12.4
MARITAL STATUS	Married/Couple	16.0	10.2 - 21.8	14.0	13.0 - 15.0
	Not Married/Couple	29.3	14.5 - 44.0	20.1	18.7 - 21.5

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Diabetes

Percentage of adults who have ever been told they had diabetes

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	13.4	7.9 - 18.9	11.2	10.5 - 11.9
SEX	Men	13.3	4.0 - 22.5	12.3	11.2 - 13.4
	Women	13.6	8.0 - 19.2	10.1	9.2 - 11.0
RACE/ETHNICITY	Non-Hisp. White	11.6	7.0 - 16.3	11.4	10.7 - 12.2
	Non-Hisp. Black	NA		12.3	10.0 - 14.6
	Hispanic	NA		10.8	8.7 - 12.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.3	3.6 - 19.1	12.9	11.7 - 14.1
	Non-Hisp. White Women	12.0	7.6 - 16.4	10.0	9.1 - 10.9
	Non-Hisp. Black Men	NA		12.8	9.0 - 16.6
	Non-Hisp. Black Women	NA		11.9	9.2 - 14.5
	Hispanic Men	NA		11.2	8.1 - 14.2
	Hispanic Women	NA		10.4	7.7 - 13.2
AGE GROUP	18-44	5.9	0.6 - 11.1	2.6	1.9 - 3.2
	45-64	17.0	5.6 - 28.5	13.5	12.1 - 14.9
	65 & Older	28.2	15.8 - 40.6	23.5	21.8 - 25.3
EDUCATION LEVEL	<High School	19.2	6.5 - 32.0	18.0	14.9 - 21.1
	High School / GED	12.3	5.3 - 19.3	11.5	10.3 - 12.6
	>High School	10.6	0.6 - 20.5	9.2	8.4 - 9.9
ANNUAL INCOME	<\$25,000	15.4	5.8 - 25.0	14.8	13.1 - 16.4
	\$25,000-\$49,999	17.4	2.7 - 32.1	11.9	10.4 - 13.4
	\$50,000 or More	4.0	0.4 - 7.5	7.5	6.6 - 8.4
MARITAL STATUS	Married/Couple	14.6	7.2 - 21.9	11.8	10.8 - 12.8
	Not Married/Couple	11.1	4.0 - 18.3	10.6	9.5 - 11.6

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	89.0 *	80.9 - 97.0	61.8	58.5 - 65.0
SEX	Men	NA		56.5	51.9 - 61.2
	Women	83.2	70.8 - 95.6	67.4	63.0 - 71.9
RACE/ETHNICITY	Non-Hisp. White	85.2 *	74.6 - 95.8	58.9	55.3 - 62.5
	Non-Hisp. Black	NA		72.1	64.0 - 80.1
	Hispanic	NA		64.4	55.0 - 73.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	NA		54.3	49.1 - 59.5
	Non-Hisp. White Women	77.6	62.0 - 93.3	64.3	59.4 - 69.2
	Non-Hisp. Black Men	NA		66.0	51.8 - 80.2
	Non-Hisp. Black Women	NA		77.7	68.8 - 86.7
	Hispanic Men	NA		56.0	42.1 - 70.0
	Hispanic Women	NA		71.5	60.0 - 83.0
AGE GROUP	18-44	NA		57.2	43.3 - 71.0
	45-64	85.3 *	70.4 - 100.0	61.8	56.6 - 67.1
	65 & Older	92.4 *	83.3 - 100.0	62.6	58.4 - 66.8
EDUCATION LEVEL	<High School	NA		64.3	55.4 - 73.2
	High School / GED	86.0 *	71.6 - 100.0	65.2	60.2 - 70.2
	>High School	NA		58.1	53.9 - 62.3
ANNUAL INCOME	<\$25,000	93.6 *	86.8 - 100.0	65.7	60.1 - 71.3
	\$25,000-\$49,999	NA		60.7	54.2 - 67.2
	\$50,000 or More	NA		55.5	49.3 - 61.7
MARITAL STATUS	Married/Couple	86.4 *	75.4 - 97.4	59.5	55.1 - 63.9
	Not Married/Couple	96.8 *	91.8 - 100.0	65.0	60.1 - 69.8

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	69.7	48.7 - 90.7	69.3	65.8 - 72.9
SEX	Men	NA		70.5	66.0 - 75.1
	Women	68.0	41.3 - 94.6	68.0	62.6 - 73.5
RACE/ETHNICITY	Non-Hisp. White	68.0	45.9 - 90.0	75.6	72.2 - 78.9
	Non-Hisp. Black	NA		68.6	58.9 - 78.3
	Hispanic	NA		52.6	41.4 - 63.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	NA		73.9	68.8 - 79.1
	Non-Hisp. White Women	78.9	61.9 - 96.0	77.7	73.7 - 81.6
	Non-Hisp. Black Men	NA		65.5	49.7 - 81.3
	Non-Hisp. Black Women	NA		71.6	59.8 - 83.4
	Hispanic Men	NA		64.5	50.5 - 78.4
	Hispanic Women	NA		41.2	26.9 - 55.5
AGE GROUP	18-44	NA		52.3	38.6 - 65.9
	45-64	NA		66.2	60.4 - 72.1
	65 & Older	NA		75.7	71.3 - 80.2
EDUCATION LEVEL	<High School	NA		55.7	44.3 - 67.1
	High School / GED	NA		71.2	66.2 - 76.1
	>High School	NA		74.8	71.1 - 78.6
ANNUAL INCOME	<\$25,000	87.6 *	73.4 - 100.0	64.0	57.5 - 70.4
	\$25,000-\$49,999	NA		69.1	61.5 - 76.7
	\$50,000 or More	NA		78.3	73.3 - 83.2
MARITAL STATUS	Married/Couple	75.0	51.6 - 98.4	70.3	65.4 - 75.3
	Not Married/Couple	NA		68.0	62.9 - 73.0

Percentage of adults with diabetes who had an annual foot exam

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	65.3	45.6 - 84.9	67.6	64.6 - 70.7
SEX	Men	NA		70.3	66.0 - 74.5
	Women	52.6	30.6 - 74.7	64.8	60.4 - 69.2
RACE/ETHNICITY	Non-Hisp. White	61.5	42.0 - 81.0	68.6	65.2 - 71.9
	Non-Hisp. Black	NA		81.5	74.4 - 88.6
	Hispanic	NA		57.9	48.2 - 67.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	NA		70.4	65.4 - 75.4
	Non-Hisp. White Women	53.7	34.5 - 72.9	66.4	61.9 - 70.9
	Non-Hisp. Black Men	NA		85.4	76.4 - 94.4
	Non-Hisp. Black Women	NA		77.9	67.8 - 88.1
	Hispanic Men	NA		66.7	54.3 - 79.1
	Hispanic Women	NA		49.8	35.5 - 64.2
AGE GROUP	18-44	NA		47.6	34.4 - 60.8
	45-64	85.9 *	72.4 - 99.4	65.3	60.3 - 70.2
	65 & Older	54.5	25.1 - 83.9	73.2	69.5 - 76.9
EDUCATION LEVEL	<High School	NA		66.3	57.8 - 74.7
	High School / GED	55.3	25.6 - 85.1	66.7	61.6 - 71.8
	>High School	NA		69.1	65.2 - 73.0
ANNUAL INCOME	<\$25,000	64.1	37.9 - 90.2	66.2	60.8 - 71.6
	\$25,000-\$49,999	NA		69.5	63.5 - 75.5
	\$50,000 or More	NA		71.3	65.8 - 76.7
MARITAL STATUS	Married/Couple	72.3	50.7 - 93.9	68.8	64.8 - 72.8
	Not Married/Couple	45.6	14.0 - 77.2	66.1	61.3 - 70.9

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	56.8	35.4 - 78.2	69.7	66.5 - 72.9
SEX	Men	NA		71.6	67.3 - 75.9
	Women	60.8	37.8 - 83.8	67.7	63.0 - 72.4
RACE/ETHNICITY	Non-Hisp. White	50.1	29.6 - 70.5	71.4	68.0 - 74.7
	Non-Hisp. Black	NA		77.6	70.1 - 85.0
	Hispanic	NA		60.7	50.6 - 70.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	NA		71.9	67.0 - 76.7
	Non-Hisp. White Women	67.0	49.5 - 84.6	70.8	66.3 - 75.4
	Non-Hisp. Black Men	NA		82.6	73.3 - 91.9
	Non-Hisp. Black Women	NA		72.9	62.2 - 83.6
	Hispanic Men	NA		68.4	55.6 - 81.2
	Hispanic Women	NA		52.9	38.4 - 67.5
AGE GROUP	18-44	NA		43.7	31.1 - 56.3
	45-64	56.7	20.4 - 93.1	61.7	56.3 - 67.2
	65 & Older	68.0	36.3 - 99.7	80.9	77.5 - 84.3
EDUCATION LEVEL	<High School	NA		63.3	54.1 - 72.6
	High School / GED	64.7	33.8 - 95.6	70.7	65.9 - 75.5
	>High School	NA		72.7	68.8 - 76.6
ANNUAL INCOME	<\$25,000	52.6	23.1 - 82.0	68.5	63.3 - 73.7
	\$25,000-\$49,999	NA		65.7	58.5 - 73.0
	\$50,000 or More	NA		75.9	70.1 - 81.6
MARITAL STATUS	Married/Couple	60.1	34.4 - 85.8	69.2	64.8 - 73.7
	Not Married/Couple	47.6	15.1 - 80.1	70.4	65.9 - 74.9

Percentage of adults with diabetes who ever had diabetes self-management education

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	61.7	41.6 - 81.8	49.6	46.2 - 53.0
SEX	Men	NA		47.1	42.3 - 51.9
	Women	57.4	34.6 - 80.1	52.4	47.6 - 57.1
RACE/ETHNICITY	Non-Hisp. White	56.1	36.4 - 75.8	53.1	49.5 - 56.6
	Non-Hisp. Black	NA		53.6	43.4 - 63.9
	Hispanic	NA		39.4	29.8 - 49.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	NA		51.1	45.9 - 56.3
	Non-Hisp. White Women	59.8	40.0 - 79.6	55.4	50.6 - 60.1
	Non-Hisp. Black Men	NA		40.2	25.4 - 55.0
	Non-Hisp. Black Women	NA		66.2	56.1 - 76.3
	Hispanic Men	NA		39.7	26.1 - 53.3
	Hispanic Women	NA		39.2	25.3 - 53.1
AGE GROUP	18-44	NA		55.0	42.2 - 67.9
	45-64	84.7 *	69.8 - 99.7	52.1	46.5 - 57.7
	65 & Older	51.2	23.0 - 79.4	46.7	42.3 - 51.1
EDUCATION LEVEL	<High School	NA		34.3	25.3 - 43.2
	High School / GED	48.2	21.0 - 75.3	48.9	43.6 - 54.2
	>High School	NA		58.5	54.3 - 62.6
ANNUAL INCOME	<\$25,000	67.8	42.6 - 93.1	42.3	36.5 - 48.2
	\$25,000-\$49,999	NA		52.1	45.3 - 59.0
	\$50,000 or More	NA		59.9	54.1 - 65.6
MARITAL STATUS	Married/Couple	68.8	46.5 - 91.1	50.7	46.2 - 55.2
	Not Married/Couple	42.5	13.9 - 71.0	48.1	42.9 - 53.2

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Diabetes

Percentage of adults who have ever been told they had pre-diabetes

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	12.6	7.1 - 18.1	7.1	6.6 - 7.7
SEX	Men	14.6	5.9 - 23.3	7.4	6.5 - 8.3
	Women	10.6	3.8 - 17.3	7.0	6.3 - 7.6
RACE/ETHNICITY	Non-Hisp. White	11.1	6.5 - 15.7	7.9	7.3 - 8.5
	Non-Hisp. Black	NA		8.3	6.2 - 10.5
	Hispanic	NA		4.8	3.5 - 6.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.1	5.1 - 21.1	8.4	7.4 - 9.4
	Non-Hisp. White Women	8.8	4.9 - 12.6	7.4	6.7 - 8.1
	Non-Hisp. Black Men	NA		8.6	4.8 - 12.5
	Non-Hisp. Black Women	NA		8.0	5.9 - 10.2
	Hispanic Men	NA		4.8	2.7 - 6.8
	Hispanic Women	NA		4.9	3.3 - 6.6
AGE GROUP	18-44	5.4	0.0 - 10.9	4.9	3.9 - 5.8
	45-64	20.7	8.6 - 32.8	7.9	7.0 - 8.8
	65 & Older	15.3	7.4 - 23.2	9.6	8.7 - 10.6
EDUCATION LEVEL	<High School	28.2 *	10.8 - 45.5	5.8	4.2 - 7.5
	High School / GED	5.4	1.6 - 9.3	7.2	6.1 - 8.3
	>High School	9.2	4.4 - 13.9	7.6	6.9 - 8.2
ANNUAL INCOME	<\$25,000	16.0	4.6 - 27.5	7.6	6.4 - 8.9
	\$25,000-\$49,999	10.3	2.5 - 18.2	7.5	6.4 - 8.5
	\$50,000 or More	7.1	2.2 - 12.1	6.7	5.8 - 7.5
MARITAL STATUS	Married/Couple	13.5	6.6 - 20.3	7.3	6.6 - 8.1
	Not Married/Couple	10.7	1.5 - 20.0	7.0	6.1 - 7.8

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	31.1 *	22.2 - 39.9	21.2	20.2 - 22.1
SEX	Men	33.0	18.0 - 48.0	20.2	18.9 - 21.6
	Women	28.9	20.9 - 36.9	22.1	20.7 - 23.4
RACE/ETHNICITY	Non-Hisp. White	31.2	21.3 - 41.1	23.2	22.2 - 24.2
	Non-Hisp. Black	NA		17.8	15.1 - 20.5
	Hispanic	NA		18.6	15.8 - 21.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.0	18.6 - 51.4	22.6	21.1 - 24.1
	Non-Hisp. White Women	26.6	19.3 - 33.8	23.8	22.5 - 25.1
	Non-Hisp. Black Men	NA		19.1	14.7 - 23.4
	Non-Hisp. Black Women	NA		16.6	13.3 - 19.8
	Hispanic Men	NA		15.7	12.2 - 19.3
	Hispanic Women	NA		21.3	17.1 - 25.6
AGE GROUP	18-44	26.4	9.9 - 42.9	13.5	12.1 - 14.9
	45-64	33.9	22.5 - 45.2	26.0	24.2 - 27.8
	65 & Older	38.0	25.6 - 50.4	28.6	26.9 - 30.2
EDUCATION LEVEL	<High School	34.7	18.3 - 51.2	28.7	25.0 - 32.3
	High School / GED	35.6	18.5 - 52.7	21.8	20.1 - 23.6
	>High School	23.6	14.0 - 33.1	18.9	17.8 - 19.9
ANNUAL INCOME	<\$25,000	51.0	31.3 - 70.8	30.7	28.5 - 32.8
	\$25,000-\$49,999	26.4	15.0 - 37.9	20.4	18.5 - 22.3
	\$50,000 or More	17.6	8.2 - 27.0	12.8	11.7 - 14.0
MARITAL STATUS	Married/Couple	27.8	16.0 - 39.6	18.7	17.5 - 19.9
	Not Married/Couple	37.6	23.9 - 51.4	24.1	22.6 - 25.7

Percentage of adults who use special equipment because of a health problem

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	7.5	4.5 - 10.6	8.8	8.2 - 9.3
SEX	Men	6.5	2.0 - 11.0	8.3	7.5 - 9.1
	Women	8.7	4.8 - 12.6	9.2	8.4 - 10.0
RACE/ETHNICITY	Non-Hisp. White	8.0	4.5 - 11.5	9.8	9.2 - 10.4
	Non-Hisp. Black	NA		8.6	6.9 - 10.2
	Hispanic	NA		6.5	5.0 - 8.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.3	2.0 - 12.6	9.2	8.3 - 10.1
	Non-Hisp. White Women	8.8	4.5 - 13.0	10.3	9.5 - 11.2
	Non-Hisp. Black Men	NA		7.9	5.5 - 10.3
	Non-Hisp. Black Women	NA		9.2	7.0 - 11.5
	Hispanic Men	NA		6.2	4.1 - 8.4
	Hispanic Women	NA		6.8	4.7 - 8.9
AGE GROUP	18-44	5.4	0.7 - 10.1	3.1	2.4 - 3.8
	45-64	7.8	3.2 - 12.4	9.5	8.4 - 10.5
	65 & Older	13.2	6.6 - 19.7	18.1	16.8 - 19.4
EDUCATION LEVEL	<High School	8.6	1.6 - 15.6	13.2	11.0 - 15.4
	High School / GED	4.9	2.0 - 7.8	8.4	7.4 - 9.4
	>High School	9.7	3.6 - 15.8	7.8	7.2 - 8.5
ANNUAL INCOME	<\$25,000	10.3	3.6 - 17.0	13.5	12.2 - 14.9
	\$25,000-\$49,999	10.7	3.9 - 17.4	7.9	6.9 - 8.8
	\$50,000 or More	3.0	0.0 - 6.2	4.8	4.1 - 5.5
MARITAL STATUS	Married/Couple	5.9	2.8 - 8.9	7.7	7.0 - 8.5
	Not Married/Couple	10.9	4.1 - 17.6	10.1	9.2 - 11.0

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Hypertension Awareness

Percentage of adults who have ever been told they had hypertension

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	34.9	27.7 - 42.1	34.6	33.5 - 35.7
SEX	Men	37.1	25.1 - 49.1	37.2	35.6 - 38.9
	Women	32.5	24.6 - 40.3	32.1	30.7 - 33.5
RACE/ETHNICITY	Non-Hisp. White	35.3	27.8 - 42.7	38.4	37.3 - 39.5
	Non-Hisp. Black	NA		33.7	30.4 - 37.0
	Hispanic	NA		28.3	25.0 - 31.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.5	25.0 - 50.0	42.1	40.3 - 43.9
	Non-Hisp. White Women	32.7	25.2 - 40.2	35.0	33.6 - 36.4
	Non-Hisp. Black Men	NA		35.1	29.6 - 40.6
	Non-Hisp. Black Women	NA		32.4	28.6 - 36.3
	Hispanic Men	NA		28.9	24.1 - 33.7
	Hispanic Women	NA		27.6	23.1 - 32.1
AGE GROUP	18-44	21.0	11.3 - 30.7	13.8	12.4 - 15.2
	45-64	42.5	31.0 - 54.0	41.1	39.1 - 43.2
	65 & Older	59.3	47.2 - 71.4	62.8	61.1 - 64.6
EDUCATION LEVEL	<High School	47.9	29.7 - 66.2	42.3	38.2 - 46.3
	High School / GED	33.4	22.2 - 44.5	35.8	33.8 - 37.9
	>High School	27.5	18.0 - 36.9	31.9	30.7 - 33.1
ANNUAL INCOME	<\$25,000	35.1	19.5 - 50.6	37.5	35.3 - 39.7
	\$25,000-\$49,999	26.8	16.5 - 37.2	36.9	34.6 - 39.2
	\$50,000 or More	37.9	26.0 - 49.8	30.7	29.0 - 32.5
MARITAL STATUS	Married/Couple	34.4	25.6 - 43.1	35.8	34.4 - 37.3
	Not Married/Couple	36.1	23.3 - 48.9	33.5	31.8 - 35.2

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Kidney Disease

Percentage of adults who have ever been told they had kidney disease

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	2.9	0.9 - 4.9	3.5	3.0 - 3.9
SEX	Men	1.4	0.0 - 2.9	3.3	2.7 - 3.8
	Women	4.6	0.9 - 8.3	3.6	3.0 - 4.3
RACE/ETHNICITY	Non-Hisp. White	2.4	0.9 - 4.0	3.5	3.0 - 4.0
	Non-Hisp. Black	NA		2.4	1.5 - 3.2
	Hispanic	NA		4.2	2.7 - 5.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.7	0.0 - 3.5	3.7	2.9 - 4.5
	Non-Hisp. White Women	3.4	0.8 - 5.9	3.3	2.9 - 3.8
	Non-Hisp. Black Men	NA		2.0	0.8 - 3.1
	Non-Hisp. Black Women	NA		2.7	1.5 - 3.9
	Hispanic Men	NA		3.1	1.8 - 4.4
	Hispanic Women	NA		5.2	2.7 - 7.8
AGE GROUP	18-44	1.3	0.0 - 3.0	1.9	1.2 - 2.6
	45-64	2.9	0.0 - 7.2	3.6	2.7 - 4.4
	65 & Older	7.6	2.0 - 13.2	5.9	5.2 - 6.7
EDUCATION LEVEL	<High School	2.2	0.0 - 4.8	4.6	3.1 - 6.2
	High School / GED	4.1	0.0 - 8.4	4.0	2.9 - 5.0
	>High School	2.2	0.0 - 4.4	2.9	2.5 - 3.3
ANNUAL INCOME	<\$25,000	4.4	0.9 - 7.9	5.0	4.0 - 6.0
	\$25,000-\$49,999	2.6	0.0 - 5.7	3.5	2.4 - 4.6
	\$50,000 or More	3.1	0.0 - 8.5	2.1	1.6 - 2.5
MARITAL STATUS	Married/Couple	1.5	0.0 - 3.1	3.4	2.8 - 4.0
	Not Married/Couple	5.8	0.7 - 10.8	3.6	2.9 - 4.2

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Overweight & Obesity

Percentage of adults who are overweight

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	34.0	25.8 - 42.1	36.4	35.2 - 37.6
SEX	Men	34.9	22.6 - 47.2	42.9	41.1 - 44.7
	Women	32.8	22.6 - 43.0	30.0	28.5 - 31.5
RACE/ETHNICITY	Non-Hisp. White	33.4	25.4 - 41.4	35.8	34.6 - 36.9
	Non-Hisp. Black	NA		36.9	33.0 - 40.8
	Hispanic	NA		38.6	34.9 - 42.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.1	23.0 - 49.2	43.5	41.6 - 45.3
	Non-Hisp. White Women	29.8	22.2 - 37.5	28.1	26.7 - 29.5
	Non-Hisp. Black Men	NA		39.7	33.6 - 45.8
	Non-Hisp. Black Women	NA		34.3	29.4 - 39.1
	Hispanic Men	NA		44.4	39.0 - 49.7
	Hispanic Women	NA		32.9	28.1 - 37.7
AGE GROUP	18-44	32.4	18.4 - 46.4	31.5	29.5 - 33.6
	45-64	36.9	25.4 - 48.5	39.4	37.3 - 41.5
	65 & Older	33.0	22.6 - 43.4	40.6	38.7 - 42.4
EDUCATION LEVEL	<High School	50.8	31.8 - 69.8	38.4	34.1 - 42.8
	High School / GED	32.2	20.7 - 43.6	35.4	33.2 - 37.6
	>High School	25.1 *	15.7 - 34.6	36.5	35.1 - 37.9
ANNUAL INCOME	<\$25,000	33.8	16.2 - 51.5	34.8	32.4 - 37.2
	\$25,000-\$49,999	33.2	20.7 - 45.6	37.1	34.7 - 39.6
	\$50,000 or More	28.9	18.3 - 39.5	37.8	35.9 - 39.8
MARITAL STATUS	Married/Couple	34.7	25.0 - 44.4	39.5	37.9 - 41.1
	Not Married/Couple	32.3	17.3 - 47.3	32.9	31.0 - 34.7

Percentage of adults who are obese

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	35.4	26.2 - 44.6	26.4	25.3 - 27.4
SEX	Men	38.5	23.5 - 53.5	27.5	25.9 - 29.0
	Women	31.6	23.6 - 39.7	25.3	23.9 - 26.7
RACE/ETHNICITY	Non-Hisp. White	34.7	25.0 - 44.5	25.1	24.1 - 26.2
	Non-Hisp. Black	NA		34.2	30.6 - 37.8
	Hispanic	NA		26.4	23.4 - 29.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.0	22.0 - 53.9	27.5	25.8 - 29.2
	Non-Hisp. White Women	30.6	23.1 - 38.1	22.8	21.5 - 24.1
	Non-Hisp. Black Men	NA		29.6	24.3 - 34.9
	Non-Hisp. Black Women	NA		38.6	33.7 - 43.4
	Hispanic Men	NA		27.9	23.5 - 32.4
	Hispanic Women	NA		24.9	20.8 - 29.0
AGE GROUP	18-44	36.9	20.0 - 53.7	24.2	22.4 - 26.0
	45-64	37.2	26.6 - 47.7	30.3	28.5 - 32.2
	65 & Older	27.4	17.2 - 37.5	24.8	23.3 - 26.4
EDUCATION LEVEL	<High School	30.6	15.4 - 45.9	29.4	25.7 - 33.0
	High School / GED	36.3	19.0 - 53.5	28.4	26.4 - 30.5
	>High School	37.5	24.3 - 50.7	24.5	23.3 - 25.7
ANNUAL INCOME	<\$25,000	46.9	26.7 - 67.1	29.9	27.7 - 32.1
	\$25,000-\$49,999	30.5	18.2 - 42.8	27.7	25.5 - 29.8
	\$50,000 or More	34.0	21.9 - 46.0	24.6	22.9 - 26.3
MARITAL STATUS	Married/Couple	37.0	25.3 - 48.7	27.9	26.4 - 29.3
	Not Married/Couple	32.4	17.9 - 46.8	24.7	23.1 - 26.2

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	69.4	61.9 - 76.8	62.8	61.6 - 64.0
SEX	Men	73.4	62.2 - 84.6	70.4	68.7 - 72.0
	Women	64.5	55.5 - 73.5	55.3	53.6 - 56.9
RACE/ETHNICITY	Non-Hisp. White	68.1	60.5 - 75.8	60.9	59.7 - 62.1
	Non-Hisp. Black	NA		71.1	67.5 - 74.7
	Hispanic	NA		64.9	61.4 - 68.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.1	63.1 - 85.1	71.0	69.3 - 72.6
	Non-Hisp. White Women	60.4	51.8 - 69.1	50.9	49.3 - 52.5
	Non-Hisp. Black Men	NA		69.3	63.5 - 75.2
	Non-Hisp. Black Women	NA		72.8	68.6 - 77.1
	Hispanic Men	NA		72.3	67.5 - 77.1
	Hispanic Women	NA		57.8	52.6 - 62.9
AGE GROUP	18-44	69.2	57.0 - 81.5	55.7	53.5 - 57.9
	45-64	74.1	62.7 - 85.5	69.7	68.0 - 71.5
	65 & Older	60.4	47.7 - 73.1	65.4	63.7 - 67.1
EDUCATION LEVEL	<High School	81.4	69.9 - 92.9	67.8	63.8 - 71.7
	High School / GED	68.4	56.4 - 80.4	63.8	61.5 - 66.1
	>High School	62.7	49.7 - 75.6	61.0	59.6 - 62.4
ANNUAL INCOME	<\$25,000	80.7 *	70.1 - 91.3	64.7	62.4 - 66.9
	\$25,000-\$49,999	63.6	48.7 - 78.5	64.8	62.4 - 67.2
	\$50,000 or More	62.9	50.7 - 75.0	62.4	60.5 - 64.4
MARITAL STATUS	Married/Couple	71.7	62.8 - 80.6	67.4	65.9 - 68.8
	Not Married/Couple	64.7	51.3 - 78.1	57.5	55.6 - 59.5

Percentage of adults who have a healthy weight

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	29.4	22.0 - 36.8	35.0	33.8 - 36.1
SEX	Men	25.2	14.3 - 36.2	28.4	26.7 - 30.1
	Women	34.5	25.5 - 43.4	41.4	39.8 - 43.1
RACE/ETHNICITY	Non-Hisp. White	30.4	22.9 - 37.9	36.3	35.1 - 37.5
	Non-Hisp. Black	NA		27.6	24.1 - 31.2
	Hispanic	NA		33.8	30.2 - 37.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.3	13.6 - 35.0	27.7	26.0 - 29.3
	Non-Hisp. White Women	38.3	29.6 - 46.9	44.9	43.3 - 46.5
	Non-Hisp. Black Men	NA		29.5	23.7 - 35.3
	Non-Hisp. Black Women	NA		25.8	21.6 - 30.0
	Hispanic Men	NA		27.1	22.3 - 31.9
	Hispanic Women	NA		40.3	35.1 - 45.4
AGE GROUP	18-44	30.8	18.5 - 43.0	41.5	39.3 - 43.7
	45-64	24.5	13.0 - 35.9	28.5	26.8 - 30.2
	65 & Older	35.3	22.8 - 47.8	32.5	30.8 - 34.1
EDUCATION LEVEL	<High School	15.0 *	4.8 - 25.3	30.0	26.1 - 33.8
	High School / GED	30.8	19.0 - 42.7	34.4	32.1 - 36.7
	>High School	37.2	24.2 - 50.1	36.5	35.1 - 37.9
ANNUAL INCOME	<\$25,000	17.9 *	7.6 - 28.1	33.4	31.2 - 35.6
	\$25,000-\$49,999	36.1	21.2 - 51.1	33.0	30.6 - 35.3
	\$50,000 or More	34.8	22.8 - 46.7	35.6	33.6 - 37.6
MARITAL STATUS	Married/Couple	27.1	18.3 - 35.9	30.9	29.5 - 32.4
	Not Married/Couple	34.1	20.8 - 47.4	39.6	37.7 - 41.5

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Vision Impairment

Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	6.7	3.8 - 9.6	5.2	4.7 - 5.8
SEX	Men	7.1	2.7 - 11.4	4.9	4.2 - 5.7
	Women	6.3	2.5 - 10.1	5.5	4.8 - 6.3
RACE/ETHNICITY	Non-Hisp. White	6.3	3.4 - 9.3	4.0	3.5 - 4.5
	Non-Hisp. Black	NA		7.5	5.7 - 9.3
	Hispanic	NA		7.2	5.4 - 8.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.0	2.6 - 11.5	3.7	2.9 - 4.5
	Non-Hisp. White Women	5.5	1.5 - 9.4	4.3	3.7 - 4.8
	Non-Hisp. Black Men	NA		7.5	4.9 - 10.1
	Non-Hisp. Black Women	NA		7.5	4.9 - 10.1
	Hispanic Men	NA		6.1	3.8 - 8.3
	Hispanic Women	NA		8.3	5.6 - 10.9
AGE GROUP	18-44	2.8	0.0 - 6.1	3.4	2.7 - 4.2
	45-64	10.5	4.6 - 16.4	7.4	6.2 - 8.5
	65 & Older	10.0	3.3 - 16.7	5.6	4.8 - 6.3
EDUCATION LEVEL	<High School	8.5	1.5 - 15.6	11.2	8.8 - 13.6
	High School / GED	8.0	2.8 - 13.3	5.6	4.6 - 6.7
	>High School	3.9	0.8 - 7.0	3.4	3.0 - 3.9
ANNUAL INCOME	<\$25,000	7.5	1.9 - 13.2	10.1	8.6 - 11.5
	\$25,000-\$49,999	9.4	3.3 - 15.6	3.9	3.1 - 4.7
	\$50,000 or More	2.2	0.0 - 5.1	1.9	1.4 - 2.3
MARITAL STATUS	Married/Couple	5.9	2.7 - 9.2	3.9	3.3 - 4.5
	Not Married/Couple	8.3	2.4 - 14.1	6.9	5.9 - 7.8

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	21.0	10.7 - 31.3	17.6	16.6 - 18.6
SEX	Men	30.3	14.0 - 46.6	23.4	21.7 - 25.1
	Women	10.9	0.9 - 20.9	12.2	11.2 - 13.3
RACE/ETHNICITY	Non-Hisp. White	17.1	6.2 - 28.0	17.6	16.6 - 18.5
	Non-Hisp. Black	NA		14.0	11.1 - 17.0
	Hispanic	NA		19.6	16.4 - 22.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.8	8.8 - 44.8	21.4	19.8 - 23.0
	Non-Hisp. White Women	5.8 *	2.4 - 9.2	14.0	12.9 - 15.1
	Non-Hisp. Black Men	NA		19.8	14.5 - 25.2
	Non-Hisp. Black Women	NA		8.8	6.4 - 11.3
	Hispanic Men	NA		30.1	24.8 - 35.3
	Hispanic Women	NA		9.7	6.2 - 13.1
AGE GROUP	18-44	30.7	12.1 - 49.3	24.2	22.3 - 26.1
	45-64	17.4	8.5 - 26.3	16.9	15.3 - 18.5
	65 & Older	1.8 *	0.0 - 3.8	7.2	6.4 - 8.0
EDUCATION LEVEL	<High School	20.0	1.0 - 39.1	18.6	14.7 - 22.4
	High School / GED	18.6	0.0 - 38.7	16.3	14.6 - 18.1
	>High School	24.5	10.7 - 38.4	18.0	16.8 - 19.2
ANNUAL INCOME	<\$25,000	41.9 *	19.5 - 64.2	16.3	14.5 - 18.1
	\$25,000-\$49,999	13.0	3.8 - 22.3	17.9	15.7 - 20.1
	\$50,000 or More	11.5	3.3 - 19.7	20.3	18.6 - 22.0
MARITAL STATUS	Married/Couple	16.3	3.5 - 29.1	14.9	13.8 - 16.0
	Not Married/Couple	30.7	13.3 - 48.0	20.9	19.1 - 22.6

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	18.2	11.7 - 24.8	16.8	15.9 - 17.7
SEX	Men	21.7	10.5 - 33.0	19.5	18.0 - 21.0
	Women	14.3	8.9 - 19.7	14.4	13.3 - 15.4
RACE/ETHNICITY	Non-Hisp. White	16.5	10.8 - 22.3	18.6	17.6 - 19.5
	Non-Hisp. Black	NA		14.4	11.7 - 17.1
	Hispanic	NA		13.9	11.4 - 16.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.9	6.9 - 25.0	19.7	18.2 - 21.3
	Non-Hisp. White Women	17.2	10.9 - 23.6	17.4	16.2 - 18.6
	Non-Hisp. Black Men	NA		19.3	14.6 - 24.1
	Non-Hisp. Black Women	NA		9.9	7.3 - 12.4
	Hispanic Men	NA		18.8	14.6 - 23.0
	Hispanic Women	NA		9.3	6.4 - 12.1
AGE GROUP	18-44	21.6	9.6 - 33.5	19.2	17.5 - 20.8
	45-64	18.7	10.2 - 27.3	19.8	18.4 - 21.3
	65 & Older	7.8	3.2 - 12.4	8.7	7.4 - 9.9
EDUCATION LEVEL	<High School	27.9	13.2 - 42.6	24.8	21.4 - 28.3
	High School / GED	10.6 *	5.1 - 16.0	19.8	18.1 - 21.5
	>High School	19.8	6.4 - 33.1	13.1	12.2 - 14.1
ANNUAL INCOME	<\$25,000	25.4	9.3 - 41.5	22.3	20.4 - 24.2
	\$25,000-\$49,999	18.5	7.3 - 29.8	17.7	15.9 - 19.5
	\$50,000 or More	11.7	3.5 - 19.9	11.8	10.5 - 13.1
MARITAL STATUS	Married/Couple	14.0	7.9 - 20.1	13.6	12.5 - 14.6
	Not Married/Couple	26.5	12.2 - 40.9	20.8	19.2 - 22.3

Percentage of adults who are former smokers (currently quit smoking)

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	35.3	26.6 - 44.1	28.1	27.1 - 29.2
SEX	Men	45.6	31.5 - 59.8	31.6	30.0 - 33.2
	Women	23.7	16.3 - 31.1	24.9	23.7 - 26.2
RACE/ETHNICITY	Non-Hisp. White	42.3	32.9 - 51.8	35.6	34.5 - 36.7
	Non-Hisp. Black	NA		14.0	11.7 - 16.3
	Hispanic	NA		19.3	16.5 - 22.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	54.0	39.7 - 68.3	39.3	37.5 - 41.1
	Non-Hisp. White Women	27.9	20.0 - 35.9	32.2	30.7 - 33.6
	Non-Hisp. Black Men	NA		17.0	13.4 - 20.7
	Non-Hisp. Black Women	NA		11.2	8.4 - 14.0
	Hispanic Men	NA		22.5	18.2 - 26.7
	Hispanic Women	NA		16.2	12.5 - 19.8
AGE GROUP	18-44	31.6	15.3 - 48.0	15.6	14.1 - 17.1
	45-64	31.9	21.8 - 42.1	30.3	28.5 - 32.2
	65 & Older	53.3	41.2 - 65.4	47.4	45.6 - 49.2
EDUCATION LEVEL	<High School	34.8	18.9 - 50.8	25.7	22.1 - 29.2
	High School / GED	41.0	24.8 - 57.2	27.7	25.9 - 29.5
	>High School	29.8	19.1 - 40.4	29.1	27.9 - 30.3
ANNUAL INCOME	<\$25,000	38.5	17.4 - 59.5	23.9	22.1 - 25.7
	\$25,000-\$49,999	34.6	21.9 - 47.3	31.9	29.6 - 34.3
	\$50,000 or More	35.2	23.2 - 47.1	30.0	28.4 - 31.7
MARITAL STATUS	Married/Couple	42.0	30.7 - 53.3	32.0	30.6 - 33.3
	Not Married/Couple	22.1	12.7 - 31.5	23.7	22.3 - 25.2

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	46.4	37.8 - 55.1	55.0	53.8 - 56.2
SEX	Men	32.6 *	20.1 - 45.1	48.9	47.1 - 50.8
	Women	62.0	53.2 - 70.8	60.7	59.2 - 62.2
RACE/ETHNICITY	Non-Hisp. White	41.1	32.8 - 49.5	45.8	44.6 - 47.1
	Non-Hisp. Black	NA		71.6	68.3 - 74.9
	Hispanic	NA		66.8	63.4 - 70.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.0	17.9 - 42.2	40.9	39.1 - 42.8
	Non-Hisp. White Women	54.8	46.2 - 63.4	50.4	48.8 - 52.0
	Non-Hisp. Black Men	NA		63.6	58.0 - 69.2
	Non-Hisp. Black Women	NA		78.9	75.2 - 82.6
	Hispanic Men	NA		58.7	53.5 - 63.9
	Hispanic Women	NA		74.6	70.2 - 78.9
AGE GROUP	18-44	46.8 *	31.8 - 61.9	65.2	63.2 - 67.2
	45-64	49.3	37.3 - 61.3	49.8	47.8 - 51.9
	65 & Older	38.9	26.9 - 50.9	43.9	42.1 - 45.8
EDUCATION LEVEL	<High School	37.3	17.2 - 57.4	49.5	45.3 - 53.7
	High School / GED	48.4	34.0 - 62.9	52.5	50.2 - 54.8
	>High School	50.5	37.4 - 63.5	57.8	56.4 - 59.2
ANNUAL INCOME	<\$25,000	36.2	18.3 - 54.1	53.8	51.4 - 56.1
	\$25,000-\$49,999	46.8	32.7 - 61.0	50.4	47.9 - 52.9
	\$50,000 or More	53.1	40.8 - 65.4	58.1	56.2 - 60.0
MARITAL STATUS	Married/Couple	44.0	33.6 - 54.4	54.5	52.9 - 56.0
	Not Married/Couple	51.4	36.5 - 66.2	55.5	53.6 - 57.4

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	69.3	53.4 - 85.3	61.1	58.3 - 63.9
SEX	Men	NA		60.3	56.0 - 64.5
	Women	57.5	38.4 - 76.7	62.1	58.5 - 65.8
RACE/ETHNICITY	Non-Hisp. White	66.3	49.7 - 82.9	57.9	55.0 - 60.8
	Non-Hisp. Black	NA		71.1	61.8 - 80.3
	Hispanic	NA		62.6	53.1 - 72.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	NA		57.9	53.4 - 62.4
	Non-Hisp. White Women	57.7	37.6 - 77.8	57.9	54.1 - 61.7
	Non-Hisp. Black Men	NA		64.6	51.4 - 77.8
	Non-Hisp. Black Women	NA		82.8	75.3 - 90.3
	Hispanic Men	NA		61.3	48.9 - 73.7
	Hispanic Women	NA		65.2	50.4 - 80.1
AGE GROUP	18-44	NA		65.8	61.4 - 70.3
	45-64	67.9	48.1 - 87.7	58.2	54.3 - 62.2
	65 & Older	NA		52.7	44.7 - 60.8
EDUCATION LEVEL	<High School	NA		58.6	50.8 - 66.4
	High School / GED	NA		61.9	57.5 - 66.3
	>High School	NA		61.8	57.9 - 65.6
ANNUAL INCOME	<\$25,000	75.1	52.9 - 97.3	63.9	59.3 - 68.5
	\$25,000-\$49,999	NA		61.8	56.6 - 66.9
	\$50,000 or More	NA		57.1	51.4 - 62.8
MARITAL STATUS	Married/Couple	74.3	57.5 - 91.0	60.9	56.9 - 64.9
	Not Married/Couple	64.9	36.5 - 93.2	61.2	57.3 - 65.2

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Physical Activity & Nutrition

Percentage of adults who are sedentary

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	44.6 *	35.2 - 54.1	27.7	26.6 - 28.9
SEX	Men	48.4 *	33.6 - 63.2	25.3	23.6 - 27.0
	Women	40.4	29.9 - 50.8	30.0	28.5 - 31.6
RACE/ETHNICITY	Non-Hisp. White	45.8 *	36.0 - 55.5	25.1	24.0 - 26.2
	Non-Hisp. Black	NA		30.2	26.6 - 33.9
	Hispanic	NA		31.6	28.1 - 35.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	49.4 *	33.8 - 64.9	22.9	21.3 - 24.4
	Non-Hisp. White Women	41.3 *	32.5 - 50.2	27.2	25.7 - 28.6
	Non-Hisp. Black Men	NA		26.0	20.8 - 31.3
	Non-Hisp. Black Women	NA		34.0	29.1 - 39.0
	Hispanic Men	NA		29.0	23.9 - 34.2
	Hispanic Women	NA		34.1	29.2 - 38.9
AGE GROUP	18-44	46.6 *	30.0 - 63.1	24.1	22.1 - 26.0
	45-64	44.4 *	31.7 - 57.1	29.5	27.5 - 31.4
	65 & Older	40.2	28.1 - 52.3	32.2	30.3 - 34.0
EDUCATION LEVEL	<High School	66.7 *	49.6 - 83.9	40.5	36.2 - 44.9
	High School / GED	39.1	21.8 - 56.3	31.2	29.0 - 33.4
	>High School	34.6	21.6 - 47.6	22.4	21.2 - 23.7
ANNUAL INCOME	<\$25,000	63.8 *	46.1 - 81.6	37.1	34.7 - 39.5
	\$25,000-\$49,999	45.5	30.3 - 60.6	28.8	26.5 - 31.2
	\$50,000 or More	26.1	15.6 - 36.7	18.1	16.5 - 19.6
MARITAL STATUS	Married/Couple	46.0 *	34.4 - 57.6	26.4	24.9 - 27.9
	Not Married/Couple	42.0	26.1 - 57.9	29.1	27.3 - 30.9

Percentage of adults who consumed five or more servings of fruits or vegetables per day

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	19.3	9.5 - 29.2	18.3	17.3 - 19.4
SEX	Men	23.9	7.0 - 40.7	16.1	14.5 - 17.6
	Women	14.2	7.9 - 20.4	20.4	19.0 - 21.8
RACE/ETHNICITY	Non-Hisp. White	19.2	8.3 - 30.1	16.3	15.4 - 17.3
	Non-Hisp. Black	NA		22.4	18.9 - 26.0
	Hispanic	NA		19.8	16.8 - 22.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.0	4.7 - 41.3	14.0	12.6 - 15.5
	Non-Hisp. White Women	14.5	7.7 - 21.3	18.5	17.2 - 19.7
	Non-Hisp. Black Men	NA		18.2	13.0 - 23.4
	Non-Hisp. Black Women	NA		26.3	21.5 - 31.0
	Hispanic Men	NA		19.0	14.5 - 23.5
	Hispanic Women	NA		20.6	16.5 - 24.7
AGE GROUP	18-44	27.1	9.1 - 45.2	19.9	18.0 - 21.7
	45-64	11.7	4.8 - 18.5	17.9	16.3 - 19.5
	65 & Older	12.8	5.0 - 20.7	16.2	14.6 - 17.9
EDUCATION LEVEL	<High School	12.5	1.9 - 23.1	18.7	15.1 - 22.3
	High School / GED	22.8	2.4 - 43.1	14.5	12.6 - 16.3
	>High School	20.7	7.4 - 34.0	20.4	19.1 - 21.6
ANNUAL INCOME	<\$25,000	32.6	8.8 - 56.5	17.7	15.6 - 19.8
	\$25,000-\$49,999	13.8	4.0 - 23.6	19.0	16.8 - 21.2
	\$50,000 or More	12.6	3.9 - 21.4	19.7	18.1 - 21.3
MARITAL STATUS	Married/Couple	19.4	6.7 - 32.1	19.4	18.0 - 20.8
	Not Married/Couple	19.0	3.9 - 34.1	17.0	15.6 - 18.5

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Physical Activity & Nutrition

Percentage of adults who are inactive or insufficiently active

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	65.8 *	57.6 - 74.1	52.9	51.6 - 54.3
SEX	Men	70.3 *	58.0 - 82.7	51.1	49.0 - 53.1
	Women	60.8	50.6 - 70.9	54.5	52.8 - 56.3
RACE/ETHNICITY	Non-Hisp. White	67.1 *	59.3 - 74.8	48.8	47.5 - 50.1
	Non-Hisp. Black	NA		56.9	52.6 - 61.3
	Hispanic	NA		59.3	55.2 - 63.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.2 *	61.1 - 83.4	46.3	44.2 - 48.3
	Non-Hisp. White Women	60.9	51.9 - 69.8	51.0	49.3 - 52.7
	Non-Hisp. Black Men	NA		54.2	47.1 - 61.2
	Non-Hisp. Black Women	NA		59.4	54.0 - 64.7
	Hispanic Men	NA		59.3	53.3 - 65.4
	Hispanic Women	NA		59.3	53.7 - 64.9
AGE GROUP	18-44	72.2 *	58.8 - 85.6	54.3	51.7 - 56.8
	45-64	62.5	50.4 - 74.5	55.2	53.0 - 57.3
	65 & Older	54.0	41.0 - 67.1	47.5	45.5 - 49.4
EDUCATION LEVEL	<High School	80.1	65.6 - 94.7	64.2	59.9 - 68.6
	High School / GED	64.0	50.6 - 77.3	55.6	53.0 - 58.1
	>High School	57.3	43.4 - 71.1	48.4	46.8 - 50.0
ANNUAL INCOME	<\$25,000	73.1	56.8 - 89.4	61.0	58.4 - 63.6
	\$25,000-\$49,999	70.5	58.7 - 82.3	56.2	53.5 - 58.9
	\$50,000 or More	55.5	42.6 - 68.4	43.5	41.3 - 45.7
MARITAL STATUS	Married/Couple	64.9 *	55.1 - 74.7	50.5	48.7 - 52.2
	Not Married/Couple	67.9	52.1 - 83.6	55.8	53.7 - 57.9

Percentage of adults who meet aerobic recommendations

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	34.2 *	25.9 - 42.5	50.2	48.9 - 51.5
SEX	Men	29.7 *	17.3 - 42.0	52.0	50.0 - 54.0
	Women	39.3	29.2 - 49.5	48.6	46.9 - 50.4
RACE/ETHNICITY	Non-Hisp. White	33.0 *	25.3 - 40.7	53.8	52.5 - 55.1
	Non-Hisp. Black	NA		46.8	42.5 - 51.1
	Hispanic	NA		45.0	41.0 - 49.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	27.8 *	16.6 - 38.9	56.3	54.3 - 58.2
	Non-Hisp. White Women	39.2 *	30.3 - 48.2	51.7	50.0 - 53.3
	Non-Hisp. Black Men	NA		48.8	41.9 - 55.6
	Non-Hisp. Black Women	NA		45.0	39.7 - 50.4
	Hispanic Men	NA		45.3	39.4 - 51.2
	Hispanic Women	NA		44.8	39.4 - 50.2
AGE GROUP	18-44	27.8 *	14.4 - 41.2	50.7	48.2 - 53.1
	45-64	37.5	25.5 - 49.6	47.6	45.4 - 49.7
	65 & Older	46.2	33.1 - 59.2	53.6	51.7 - 55.5
EDUCATION LEVEL	<High School	19.9	5.3 - 34.4	38.8	34.4 - 43.2
	High School / GED	36.0	22.7 - 49.4	47.7	45.2 - 50.2
	>High School	42.8	29.0 - 56.7	54.7	53.1 - 56.2
ANNUAL INCOME	<\$25,000	26.9	10.6 - 43.2	42.3	39.7 - 44.9
	\$25,000-\$49,999	29.5 *	17.7 - 41.3	47.8	45.1 - 50.4
	\$50,000 or More	44.7	31.8 - 57.5	59.2	57.1 - 61.3
MARITAL STATUS	Married/Couple	35.2 *	25.4 - 44.9	52.5	50.7 - 54.2
	Not Married/Couple	32.1	16.4 - 47.9	47.6	45.5 - 49.6

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Physical Activity & Nutrition

Percentage of adults who meet muscle strengthening recommendations

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	22.0	14.7 - 29.3	29.6	28.4 - 30.7
SEX	Men	23.8	11.9 - 35.8	36.0	34.1 - 37.8
	Women	19.9	12.5 - 27.2	23.6	22.2 - 25.0
RACE/ETHNICITY	Non-Hisp. White	20.4 *	13.7 - 27.1	29.3	28.1 - 30.4
	Non-Hisp. Black	NA		35.0	31.0 - 38.9
	Hispanic	NA		28.0	24.6 - 31.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.9 *	8.8 - 29.1	34.1	32.2 - 36.0
	Non-Hisp. White Women	22.2	14.2 - 30.2	24.8	23.4 - 26.2
	Non-Hisp. Black Men	NA		45.0	38.7 - 51.4
	Non-Hisp. Black Women	NA		25.9	21.5 - 30.3
	Hispanic Men	NA		37.0	31.7 - 42.3
	Hispanic Women	NA		19.4	15.4 - 23.5
AGE GROUP	18-44	28.0	14.4 - 41.6	37.4	35.2 - 39.5
	45-64	20.0	11.3 - 28.7	25.4	23.6 - 27.2
	65 & Older	8.4 *	2.4 - 14.5	21.8	20.2 - 23.3
EDUCATION LEVEL	<High School	6.1 *	0.2 - 12.0	20.7	16.8 - 24.6
	High School / GED	19.4	9.3 - 29.4	26.2	24.0 - 28.5
	>High School	36.7	22.5 - 50.8	33.8	32.3 - 35.2
ANNUAL INCOME	<\$25,000	19.2	3.2 - 35.2	23.6	21.5 - 25.7
	\$25,000-\$49,999	20.4	10.8 - 30.0	27.1	24.9 - 29.4
	\$50,000 or More	30.7	18.1 - 43.3	37.3	35.2 - 39.3
MARITAL STATUS	Married/Couple	20.1	12.8 - 27.3	28.1	26.6 - 29.6
	Not Married/Couple	25.9	10.2 - 41.7	31.3	29.5 - 33.2

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Cancer Screening/Breast

Percentage of women aged 40 to 74 years who received a mammogram in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	45.8	31.8 - 59.9	57.5	55.3 - 59.6
SEX	Women	45.8	31.8 - 59.9	57.5	55.3 - 59.6
RACE/ETHNICITY	Non-Hisp. White	52.4	42.5 - 62.4	56.2	54.2 - 58.2
	Non-Hisp. Black	NA		61.0	54.4 - 67.6
	Hispanic	NA		61.0	54.2 - 67.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	52.4	42.5 - 62.4	56.2	54.2 - 58.2
	Non-Hisp. Black Women	NA		61.0	54.4 - 67.6
	Hispanic Women	NA		61.0	54.2 - 67.7
AGE GROUP	18-44	NA		44.0	37.6 - 50.3
	45-64	51.2	35.7 - 66.8	57.0	54.2 - 59.8
	65 & Older	45.0	23.3 - 66.6	67.5	64.3 - 70.7
EDUCATION LEVEL	<High School	NA		49.3	40.5 - 58.1
	High School / GED	40.8	24.9 - 56.7	58.0	54.1 - 61.8
	>High School	52.0	39.1 - 65.0	59.0	56.6 - 61.5
ANNUAL INCOME	<\$25,000	39.9	12.6 - 67.2	52.4	47.8 - 57.0
	\$25,000-\$49,999	47.9	30.8 - 65.1	50.9	46.5 - 55.2
	\$50,000 or More	45.9	27.2 - 64.5	64.8	61.7 - 67.9
MARITAL STATUS	Married/Couple	55.8	42.1 - 69.4	59.9	57.3 - 62.6
	Not Married/Couple	25.9 *	7.6 - 44.3	53.6	50.1 - 57.2

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	44.4	34.0 - 54.9	56.0	54.2 - 57.7
SEX	Women	44.4	34.0 - 54.9	56.0	54.2 - 57.7
RACE/ETHNICITY	Non-Hisp. White	46.1 *	36.9 - 55.4	57.8	56.2 - 59.4
	Non-Hisp. Black	NA		59.3	54.2 - 64.5
	Hispanic	NA		50.2	44.7 - 55.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	46.1 *	36.9 - 55.4	57.8	56.2 - 59.4
	Non-Hisp. Black Women	NA		59.3	54.2 - 64.5
	Hispanic Women	NA		50.2	44.7 - 55.6
AGE GROUP	18-44	44.9	27.4 - 62.4	50.7	47.5 - 54.0
	45-64	50.1	34.1 - 66.1	60.1	57.3 - 62.9
	65 & Older	32.4 *	19.0 - 45.8	58.1	55.7 - 60.4
EDUCATION LEVEL	<High School	40.0	10.6 - 69.4	45.6	39.2 - 52.0
	High School / GED	40.4	26.9 - 53.8	51.2	47.9 - 54.5
	>High School	52.6	39.2 - 66.0	60.9	58.9 - 62.9
ANNUAL INCOME	<\$25,000	32.2	14.9 - 49.6	48.4	45.1 - 51.7
	\$25,000-\$49,999	49.4	33.9 - 64.9	52.6	49.1 - 56.1
	\$50,000 or More	48.1 *	31.7 - 64.5	67.8	65.0 - 70.5
MARITAL STATUS	Married/Couple	50.8	39.4 - 62.3	60.6	58.3 - 62.8
	Not Married/Couple	30.0 *	13.6 - 46.4	51.4	48.8 - 54.0

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Cancer Screening/Cervical

Percentage of women 18 years of age and older who received a Pap test in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	58.6	45.8 - 71.5	51.4	49.3 - 53.5
SEX	Women	58.6	45.8 - 71.5	51.4	49.3 - 53.5
RACE/ETHNICITY	Non-Hisp. White	50.9	38.8 - 63.1	49.3	47.3 - 51.4
	Non-Hisp. Black	NA		56.3	50.2 - 62.4
	Hispanic	NA		53.5	47.5 - 59.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	50.9	38.8 - 63.1	49.3	47.3 - 51.4
	Non-Hisp. Black Women	NA		56.3	50.2 - 62.4
	Hispanic Women	NA		53.5	47.5 - 59.4
AGE GROUP	18-44	62.2	44.2 - 80.2	56.6	53.3 - 59.8
	45-64	60.2	40.6 - 79.9	52.3	49.0 - 55.6
	65 & Older	29.4	10.1 - 48.7	34.3	30.9 - 37.7
EDUCATION LEVEL	<High School	NA		48.0	40.6 - 55.5
	High School / GED	53.0	34.1 - 71.9	46.3	42.1 - 50.4
	>High School	49.2	33.0 - 65.4	54.6	52.2 - 57.0
ANNUAL INCOME	<\$25,000	62.4	36.4 - 88.3	48.3	44.5 - 52.1
	\$25,000-\$49,999	55.6	35.0 - 76.3	43.7	39.4 - 47.9
	\$50,000 or More	54.9	36.6 - 73.3	61.2	57.8 - 64.5
MARITAL STATUS	Married/Couple	60.5	47.1 - 73.9	55.3	52.5 - 58.0
	Not Married/Couple	53.5	21.9 - 85.1	47.4	44.3 - 50.5

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a stool blood test in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	4.0 *	1.4 - 6.5	13.9	12.8 - 15.0
SEX	Men	3.5 *	0.0 - 7.3	13.0	11.5 - 14.5
	Women	4.6 *	1.4 - 7.8	14.7	13.2 - 16.1
RACE/ETHNICITY	Non-Hisp. White	4.5 *	1.4 - 7.5	13.6	12.7 - 14.6
	Non-Hisp. Black	NA		14.4	10.3 - 18.5
	Hispanic	NA		13.9	9.7 - 18.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.4 *	0.0 - 9.1	13.4	12.0 - 14.8
	Non-Hisp. White Women	4.5 *	1.0 - 8.1	13.9	12.7 - 15.1
	Non-Hisp. Black Men	NA		13.9	6.8 - 21.0
	Non-Hisp. Black Women	NA		14.9	10.6 - 19.2
	Hispanic Men	NA		10.9	5.2 - 16.5
	Hispanic Women	NA		16.2	10.2 - 22.2
AGE GROUP	45-64	2.9 *	0.3 - 5.5	9.3	7.9 - 10.6
	65 & Older	5.8 *	0.6 - 11.0	19.2	17.6 - 20.9
EDUCATION LEVEL	<High School	1.7 *	0.0 - 5.2	14.0	9.6 - 18.4
	High School / GED	5.3 *	0.4 - 10.2	14.4	12.6 - 16.2
	>High School	3.8 *	0.5 - 7.1	13.7	12.5 - 14.9
ANNUAL INCOME	<\$25,000	5.0 *	0.5 - 9.5	15.9	13.3 - 18.4
	\$25,000-\$49,999	5.3	0.0 - 12.4	13.4	11.6 - 15.3
	\$50,000 or More	3.1 *	0.0 - 6.6	12.9	11.3 - 14.6
MARITAL STATUS	Married/Couple	3.1 *	0.2 - 6.0	14.3	12.9 - 15.8
	Not Married/Couple	5.6 *	0.6 - 10.6	13.2	11.7 - 14.8

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	49.3	39.6 - 59.1	55.3	53.7 - 56.9
SEX	Men	48.7	33.3 - 64.0	57.1	54.7 - 59.6
	Women	50.1	39.3 - 60.9	53.7	51.6 - 55.8
RACE/ETHNICITY	Non-Hisp. White	59.4	50.6 - 68.2	56.6	55.2 - 58.1
	Non-Hisp. Black	NA		57.1	51.4 - 62.8
	Hispanic	NA		50.7	44.4 - 57.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	60.7	46.8 - 74.6	58.6	56.3 - 61.0
	Non-Hisp. White Women	57.8	48.7 - 66.8	54.9	53.1 - 56.8
	Non-Hisp. Black Men	NA		61.0	52.1 - 69.9
	Non-Hisp. Black Women	NA		53.5	46.5 - 60.5
	Hispanic Men	NA		48.5	38.5 - 58.6
	Hispanic Women	NA		52.3	44.2 - 60.5
AGE GROUP	45-64	40.7	28.3 - 53.2	46.8	44.4 - 49.3
	65 & Older	63.6	50.9 - 76.4	65.1	63.3 - 66.9
EDUCATION LEVEL	<High School	53.4	28.4 - 78.4	47.5	41.4 - 53.7
	High School / GED	44.5	32.4 - 56.5	53.7	51.0 - 56.5
	>High School	52.8	34.7 - 71.0	58.4	56.6 - 60.2
ANNUAL INCOME	<\$25,000	50.6	32.1 - 69.1	49.0	45.7 - 52.4
	\$25,000-\$49,999	43.2	24.3 - 62.1	53.2	49.9 - 56.5
	\$50,000 or More	55.7	38.8 - 72.7	61.2	58.7 - 63.6
MARITAL STATUS	Married/Couple	56.5	43.7 - 69.4	58.6	56.7 - 60.6
	Not Married/Couple	36.3	23.1 - 49.5	50.0	47.4 - 52.7

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

HIV/AIDS Screening

Percentage of adults who have ever been tested for HIV

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	44.7	34.9 - 54.5	42.6	41.4 - 43.9
SEX	Men	41.8	25.9 - 57.7	41.2	39.3 - 43.1
	Women	48.2	37.4 - 59.0	43.9	42.2 - 45.6
RACE/ETHNICITY	Non-Hisp. White	41.4	31.1 - 51.7	34.4	33.2 - 35.6
	Non-Hisp. Black	NA		65.8	62.1 - 69.5
	Hispanic	NA		48.7	44.9 - 52.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.7	20.3 - 55.1	35.3	33.4 - 37.2
	Non-Hisp. White Women	46.1 *	36.9 - 55.3	33.5	32.0 - 35.1
	Non-Hisp. Black Men	NA		62.0	55.9 - 68.0
	Non-Hisp. Black Women	NA		69.3	64.7 - 73.8
	Hispanic Men	NA		44.9	39.5 - 50.4
	Hispanic Women	NA		52.3	47.0 - 57.6
AGE GROUP	18-44	61.8	46.8 - 76.8	56.9	54.7 - 59.2
	45-64	31.2	19.9 - 42.5	42.7	40.6 - 44.8
	65 & Older	23.6	9.6 - 37.6	15.9	14.3 - 17.6
EDUCATION LEVEL	<High School	48.1	27.8 - 68.4	39.4	35.0 - 43.7
	High School / GED	43.3	25.9 - 60.8	39.8	37.4 - 42.3
	>High School	43.7	29.7 - 57.7	45.0	43.5 - 46.5
ANNUAL INCOME	<\$25,000	58.1	39.5 - 76.8	48.8	46.3 - 51.3
	\$25,000-\$49,999	39.2	24.6 - 53.7	40.8	38.2 - 43.4
	\$50,000 or More	37.5	24.7 - 50.3	41.7	39.6 - 43.8
MARITAL STATUS	Married/Couple	41.5	29.3 - 53.6	39.9	38.2 - 41.6
	Not Married/Couple	51.3	35.1 - 67.5	46.1	44.1 - 48.1

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Immunization

Percentage of adults who received a flu shot in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	30.5	23.1 - 37.8	30.7	29.6 - 31.8
SEX	Men	27.0	16.4 - 37.6	29.5	27.9 - 31.2
	Women	34.5	25.0 - 43.9	31.8	30.3 - 33.3
RACE/ETHNICITY	Non-Hisp. White	33.1	25.2 - 41.0	36.6	35.5 - 37.8
	Non-Hisp. Black	NA		17.9	15.2 - 20.6
	Hispanic	NA		26.1	22.6 - 29.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.9	18.7 - 43.2	35.3	33.6 - 37.0
	Non-Hisp. White Women	35.7	27.3 - 44.2	37.8	36.3 - 39.3
	Non-Hisp. Black Men	NA		16.6	12.7 - 20.5
	Non-Hisp. Black Women	NA		19.1	15.4 - 22.7
	Hispanic Men	NA		25.5	20.6 - 30.4
	Hispanic Women	NA		26.6	21.8 - 31.4
AGE GROUP	18-44	21.2	10.8 - 31.6	18.6	17.0 - 20.3
	45-64	31.1	19.2 - 43.0	29.5	27.6 - 31.4
	65 & Older	56.0	43.2 - 68.9	54.6	52.7 - 56.5
EDUCATION LEVEL	<High School	31.2	14.0 - 48.3	26.5	22.5 - 30.5
	High School / GED	29.1	17.7 - 40.6	28.8	26.7 - 30.8
	>High School	31.4	20.6 - 42.3	32.8	31.6 - 34.1
ANNUAL INCOME	<\$25,000	21.4	9.6 - 33.2	25.4	23.3 - 27.5
	\$25,000-\$49,999	28.6	16.5 - 40.7	31.3	29.0 - 33.5
	\$50,000 or More	32.3	20.7 - 44.0	34.0	32.2 - 35.8
MARITAL STATUS	Married/Couple	30.2	21.2 - 39.3	34.2	32.7 - 35.7
	Not Married/Couple	31.0	18.4 - 43.7	26.7	25.1 - 28.4

Percentage of adults 65 years of age and older who received a flu shot in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	56.0	43.1 - 68.9	54.6	52.7 - 56.5
SEX	Men	67.7	49.8 - 85.6	54.4	51.2 - 57.5
	Women	44.0	28.4 - 59.6	54.7	52.4 - 57.1
RACE/ETHNICITY	Non-Hisp. White	59.6	47.9 - 71.4	58.5	56.9 - 60.2
	Non-Hisp. Black	NA		34.3	26.6 - 41.9
	Hispanic	NA		46.6	37.1 - 56.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	67.1	48.9 - 85.3	57.7	55.0 - 60.4
	Non-Hisp. White Women	50.4	37.6 - 63.2	59.2	57.1 - 61.4
	Non-Hisp. Black Men	NA		27.5	16.3 - 38.7
	Non-Hisp. Black Women	NA		39.4	29.8 - 49.0
	Hispanic Men	NA		53.4	37.0 - 69.8
	Hispanic Women	NA		41.0	30.9 - 51.2
AGE GROUP	65 & Older	56.0	43.1 - 68.9	54.6	52.7 - 56.5
EDUCATION LEVEL	<High School	NA		49.0	41.6 - 56.4
	High School / GED	55.8	35.9 - 75.7	53.3	50.3 - 56.3
	>High School	68.3	52.3 - 84.3	57.0	54.9 - 59.2
ANNUAL INCOME	<\$25,000	47.4	27.1 - 67.7	48.2	43.7 - 52.7
	\$25,000-\$49,999	52.3	32.9 - 71.8	56.4	53.2 - 59.7
	\$50,000 or More	NA		59.1	56.1 - 62.1
MARITAL STATUS	Married/Couple	64.7	49.3 - 80.1	55.6	53.0 - 58.2
	Not Married/Couple	43.1	23.7 - 62.6	53.2	50.4 - 56.0

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Immunization

Percentage of adults who have ever received a pneumococcal vaccination

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	26.2	19.3 - 33.0	33.1	32.0 - 34.3
SEX	Men	28.4	17.2 - 39.6	32.9	31.1 - 34.7
	Women	23.5 *	16.6 - 30.3	33.3	31.8 - 34.8
RACE/ETHNICITY	Non-Hisp. White	27.4 *	19.9 - 34.8	38.2	37.0 - 39.4
	Non-Hisp. Black	NA		28.9	25.0 - 32.8
	Hispanic	NA		24.6	21.3 - 28.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.6	17.3 - 41.9	38.0	36.1 - 39.9
	Non-Hisp. White Women	24.5 *	17.8 - 31.1	38.3	36.8 - 39.9
	Non-Hisp. Black Men	NA		29.7	23.0 - 36.4
	Non-Hisp. Black Women	NA		28.2	23.7 - 32.7
	Hispanic Men	NA		24.6	19.8 - 29.5
	Hispanic Women	NA		24.6	20.0 - 29.2
AGE GROUP	18-44	13.7	4.2 - 23.2	19.7	17.7 - 21.7
	45-64	26.5	16.3 - 36.6	24.4	22.6 - 26.2
	65 & Older	59.1	46.0 - 72.2	66.2	64.2 - 68.1
EDUCATION LEVEL	<High School	31.5	14.5 - 48.6	29.6	25.7 - 33.4
	High School / GED	20.7 *	12.2 - 29.1	34.0	31.8 - 36.3
	>High School	28.2	17.3 - 39.2	33.6	32.2 - 35.0
ANNUAL INCOME	<\$25,000	30.3	15.1 - 45.6	32.7	30.4 - 34.9
	\$25,000-\$49,999	28.3	16.7 - 39.9	34.5	32.1 - 36.8
	\$50,000 or More	18.1 *	8.7 - 27.6	30.0	28.1 - 31.9
MARITAL STATUS	Married/Couple	21.8 *	14.0 - 29.5	33.4	31.8 - 34.9
	Not Married/Couple	34.9	21.5 - 48.3	32.8	31.0 - 34.5

Percentage of adults 65 years of age and older who have ever received a pneumococcal vaccination

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	59.1	45.9 - 72.2	66.2	64.2 - 68.1
SEX	Men	63.3	45.0 - 81.6	62.7	59.4 - 66.1
	Women	54.5	36.7 - 72.4	69.0	66.6 - 71.3
RACE/ETHNICITY	Non-Hisp. White	62.6	50.8 - 74.4	71.0	69.4 - 72.6
	Non-Hisp. Black	NA		49.1	40.3 - 57.9
	Hispanic	NA		47.4	37.6 - 57.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	62.7	44.1 - 81.3	67.5	64.9 - 70.1
	Non-Hisp. White Women	62.5	49.9 - 75.1	73.9	72.0 - 75.8
	Non-Hisp. Black Men	NA		42.6	27.9 - 57.4
	Non-Hisp. Black Women	NA		53.8	43.8 - 63.8
	Hispanic Men	NA		45.1	27.9 - 62.2
	Hispanic Women	NA		49.4	38.3 - 60.5
AGE GROUP	65 & Older	59.1	45.9 - 72.2	66.2	64.2 - 68.1
EDUCATION LEVEL	<High School	NA		55.3	47.5 - 63.1
	High School / GED	50.5	30.8 - 70.2	68.6	65.8 - 71.5
	>High School	72.3	56.9 - 87.7	68.2	66.0 - 70.4
ANNUAL INCOME	<\$25,000	62.3	42.4 - 82.3	60.6	55.8 - 65.3
	\$25,000-\$49,999	73.3	57.4 - 89.2	67.3	64.1 - 70.5
	\$50,000 or More	NA		69.4	66.4 - 72.3
MARITAL STATUS	Married/Couple	55.2	39.2 - 71.2	67.0	64.4 - 69.6
	Not Married/Couple	64.8	41.4 - 88.3	64.9	61.8 - 68.0

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Immunization

Percentage of adults who have received a tetanus shot since 2005

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	48.2	38.4 - 58.0	51.2	49.9 - 52.5
SEX	Men	52.1	37.0 - 67.3	54.9	52.9 - 56.9
	Women	43.4	33.1 - 53.8	47.7	45.9 - 49.4
RACE/ETHNICITY	Non-Hisp. White	49.0	39.0 - 59.1	52.0	50.7 - 53.3
	Non-Hisp. Black	NA		47.5	43.3 - 51.6
	Hispanic	NA		42.8	38.9 - 46.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	51.7	35.6 - 67.8	57.0	55.1 - 59.0
	Non-Hisp. White Women	45.8	36.3 - 55.3	47.3	45.6 - 49.0
	Non-Hisp. Black Men	NA		54.8	48.5 - 61.2
	Non-Hisp. Black Women	NA		41.0	35.8 - 46.2
	Hispanic Men	NA		42.1	36.5 - 47.8
	Hispanic Women	NA		43.6	38.0 - 49.1
AGE GROUP	18-44	46.2	28.6 - 63.7	57.0	54.7 - 59.3
	45-64	57.6	45.3 - 69.8	49.1	47.0 - 51.3
	65 & Older	35.4	23.8 - 47.1	43.5	41.5 - 45.5
EDUCATION LEVEL	<High School	40.8	20.3 - 61.3	45.9	41.3 - 50.6
	High School / GED	52.5	36.3 - 68.8	49.7	47.2 - 52.2
	>High School	47.8	34.0 - 61.7	53.5	52.0 - 55.1
ANNUAL INCOME	<\$25,000	49.6	28.0 - 71.3	48.3	45.7 - 50.8
	\$25,000-\$49,999	54.5	38.8 - 70.1	49.6	47.0 - 52.2
	\$50,000 or More	38.1 *	25.5 - 50.7	55.4	53.3 - 57.5
MARITAL STATUS	Married/Couple	51.9	40.4 - 63.5	51.1	49.4 - 52.8
	Not Married/Couple	40.7	24.5 - 56.8	51.1	49.0 - 53.1

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Injury Prevention

Percentage of adults who always or nearly always use a seatbelt when riding in a car

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	91.8	87.0 - 96.6	94.2	93.5 - 94.9
SEX	Men	88.4	80.3 - 96.5	91.9	90.7 - 93.1
	Women	95.7	91.3 - 100.0	96.3	95.6 - 97.0
RACE/ETHNICITY	Non-Hisp. White	91.7	87.0 - 96.4	94.7	94.0 - 95.4
	Non-Hisp. Black	NA		91.8	89.2 - 94.4
	Hispanic	NA		94.1	92.2 - 95.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	89.4	82.1 - 96.8	92.2	90.9 - 93.4
	Non-Hisp. White Women	94.5	88.9 - 100.0	97.1	96.5 - 97.7
	Non-Hisp. Black Men	NA		89.2	84.9 - 93.5
	Non-Hisp. Black Women	NA		94.1	91.1 - 97.1
	Hispanic Men	NA		92.3	89.2 - 95.4
	Hispanic Women	NA		95.7	93.8 - 97.7
AGE GROUP	18-44	91.4	84.1 - 98.6	91.8	90.5 - 93.1
	45-64	92.1	83.1 - 100.0	95.6	94.6 - 96.6
	65 & Older	92.2	86.3 - 98.2	96.4	95.7 - 97.2
EDUCATION LEVEL	<High School	89.8	77.2 - 100.0	89.5	86.7 - 92.2
	High School / GED	91.0	84.0 - 98.0	94.1	92.9 - 95.2
	>High School	94.1	88.0 - 100.0	95.4	94.7 - 96.2
ANNUAL INCOME	<\$25,000	93.5	84.0 - 100.0	91.7	90.1 - 93.3
	\$25,000-\$49,999	92.2	83.7 - 100.0	94.6	93.4 - 95.8
	\$50,000 or More	90.2	81.4 - 98.9	96.2	95.3 - 97.1
MARITAL STATUS	Married/Couple	92.1	86.9 - 97.2	95.8	95.1 - 96.5
	Not Married/Couple	91.2	81.2 - 100.0	92.3	91.1 - 93.6

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Health-Related Quality of Life

Percentage of adults who said their overall health was "good" to "excellent"

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	77.0	69.8 - 84.3	80.5	79.5 - 81.4
SEX	Men	78.0	67.3 - 88.6	81.6	80.2 - 83.0
	Women	76.0	66.4 - 85.6	79.4	78.1 - 80.8
RACE/ETHNICITY	Non-Hisp. White	80.3	74.8 - 85.8	82.3	81.4 - 83.2
	Non-Hisp. Black	NA		80.3	77.3 - 83.2
	Hispanic	NA		76.0	73.1 - 78.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	79.9	71.0 - 88.8	82.4	80.9 - 83.8
	Non-Hisp. White Women	80.7	74.7 - 86.8	82.2	81.0 - 83.4
	Non-Hisp. Black Men	NA		81.8	77.3 - 86.3
	Non-Hisp. Black Women	NA		78.8	75.1 - 82.6
	Hispanic Men	NA		80.5	76.7 - 84.2
	Hispanic Women	NA		71.7	67.4 - 76.1
AGE GROUP	18-44	81.2	68.3 - 94.2	86.9	85.5 - 88.4
	45-64	77.5	68.7 - 86.3	76.3	74.5 - 78.2
	65 & Older	64.1	52.9 - 75.3	74.6	72.9 - 76.2
EDUCATION LEVEL	<High School	57.1	38.7 - 75.5	63.3	59.5 - 67.2
	High School / GED	85.0	78.7 - 91.3	79.3	77.5 - 81.1
	>High School	82.4	70.1 - 94.7	85.8	84.8 - 86.8
ANNUAL INCOME	<\$25,000	54.7	35.3 - 74.1	66.3	64.0 - 68.5
	\$25,000-\$49,999	84.7	77.4 - 91.9	82.2	80.3 - 84.2
	\$50,000 or More	93.2	87.8 - 98.6	91.9	90.9 - 92.9
MARITAL STATUS	Married/Couple	82.4	76.2 - 88.6	82.5	81.2 - 83.7
	Not Married/Couple	66.0	50.2 - 81.8	78.0	76.4 - 79.5

Percentage of adults who had poor physical health on 14 or more of the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	14.7	10.1 - 19.2	14.1	13.3 - 15.0
SEX	Men	12.8	5.9 - 19.8	13.0	11.8 - 14.3
	Women	16.7	11.1 - 22.4	15.2	14.0 - 16.4
RACE/ETHNICITY	Non-Hisp. White	16.5	11.2 - 21.9	13.9	13.0 - 14.7
	Non-Hisp. Black	NA		12.4	9.8 - 15.0
	Hispanic	NA		15.9	13.3 - 18.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.7	6.5 - 22.8	12.6	11.4 - 13.8
	Non-Hisp. White Women	18.8	12.5 - 25.1	15.0	13.9 - 16.2
	Non-Hisp. Black Men	NA		13.5	8.9 - 18.1
	Non-Hisp. Black Women	NA		11.4	8.6 - 14.2
	Hispanic Men	NA		12.9	9.7 - 16.1
	Hispanic Women	NA		18.9	14.9 - 22.9
AGE GROUP	18-44	7.5	2.2 - 12.8	9.7	8.5 - 11.0
	45-64	19.9	11.3 - 28.4	18.3	16.6 - 20.0
	65 & Older	24.1	13.8 - 34.4	16.6	15.2 - 18.0
EDUCATION LEVEL	<High School	26.6	12.4 - 40.8	24.7	21.0 - 28.3
	High School / GED	12.4	6.4 - 18.5	14.6	13.1 - 16.1
	>High School	8.9	4.1 - 13.8	11.2	10.3 - 12.0
ANNUAL INCOME	<\$25,000	27.4	13.9 - 40.9	24.2	22.2 - 26.2
	\$25,000-\$49,999	8.0	3.1 - 12.9	13.2	11.5 - 15.0
	\$50,000 or More	6.8	1.0 - 12.6	6.8	5.9 - 7.7
MARITAL STATUS	Married/Couple	13.6	7.9 - 19.3	12.9	11.9 - 14.0
	Not Married/Couple	16.9	9.1 - 24.6	15.5	14.2 - 16.8

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Health-Related Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	14.3	5.8 - 22.8	12.7	11.9 - 13.6
SEX	Men	15.4	0.0 - 30.8	10.9	9.7 - 12.2
	Women	13.0	8.1 - 18.0	14.4	13.2 - 15.6
RACE/ETHNICITY	Non-Hisp. White	16.5	6.4 - 26.7	11.9	11.1 - 12.8
	Non-Hisp. Black	NA		14.7	11.7 - 17.6
	Hispanic	NA		13.1	10.6 - 15.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.1	0.3 - 35.8	9.7	8.6 - 10.9
	Non-Hisp. White Women	14.7	9.1 - 20.4	14.0	12.8 - 15.2
	Non-Hisp. Black Men	NA		14.8	9.8 - 19.7
	Non-Hisp. Black Women	NA		14.6	11.0 - 18.1
	Hispanic Men	NA		10.7	7.2 - 14.3
	Hispanic Women	NA		15.5	11.7 - 19.2
AGE GROUP	18-44	18.0	1.8 - 34.3	12.6	11.2 - 14.0
	45-64	10.7	6.1 - 15.4	16.0	14.2 - 17.7
	65 & Older	10.8	1.6 - 20.0	8.4	7.2 - 9.5
EDUCATION LEVEL	<High School	13.7	4.7 - 22.8	19.7	16.1 - 23.3
	High School / GED	20.5	1.1 - 39.8	13.5	12.0 - 15.1
	>High School	8.3	2.4 - 14.1	10.4	9.5 - 11.3
ANNUAL INCOME	<\$25,000	34.5	12.9 - 56.2	20.1	18.2 - 22.0
	\$25,000-\$49,999	6.3 *	2.0 - 10.6	13.0	11.0 - 14.9
	\$50,000 or More	4.0	0.0 - 8.4	6.7	5.7 - 7.6
MARITAL STATUS	Married/Couple	14.0	1.9 - 26.1	10.5	9.4 - 11.5
	Not Married/Couple	14.8	6.8 - 22.9	15.4	13.9 - 16.8

Average number of unhealthy physical days in the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	5.1	3.8 - 6.4	4.5	4.3 - 4.7
SEX	Men	4.4	2.4 - 6.5	4.2	3.8 - 4.5
	Women	5.9	4.3 - 7.4	4.8	4.5 - 5.1
RACE/ETHNICITY	Non-Hisp. White	5.6	4.0 - 7.1	4.5	4.2 - 4.7
	Non-Hisp. Black	NA		4.2	3.5 - 4.9
	Hispanic	NA		4.8	4.2 - 5.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.0	2.6 - 7.5	4.1	3.8 - 4.4
	Non-Hisp. White Women	6.2	4.4 - 7.9	4.8	4.5 - 5.1
	Non-Hisp. Black Men	NA		4.4	3.2 - 5.6
	Non-Hisp. Black Women	NA		4.1	3.4 - 4.8
	Hispanic Women	NA		5.7	4.7 - 6.8
AGE GROUP	18-44	3.4	1.7 - 5.0	3.4	3.0 - 3.7
	45-64	6.5	4.0 - 9.0	5.6	5.2 - 6.0
	65 & Older	7.2	4.4 - 10.1	5.1	4.8 - 5.4
EDUCATION LEVEL	<High School	9.0	5.1 - 13.0	7.4	6.4 - 8.3
	High School / GED	4.1	2.4 - 5.9	4.7	4.3 - 5.1
	>High School	3.5	2.0 - 4.9	3.7	3.5 - 3.9
ANNUAL INCOME	<\$25,000	8.5	4.6 - 12.4	7.2	6.7 - 7.7
	\$25,000-\$49,999	3.2	1.7 - 4.6	4.2	3.8 - 4.7
	\$50,000 or More	3.0	1.2 - 4.8	2.5	2.3 - 2.7
MARITAL STATUS	Married/Couple	4.9	3.2 - 6.6	4.2	3.9 - 4.4
	Not Married/Couple	5.6	3.5 - 7.7	4.9	4.6 - 5.2

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Health-Related Quality of Life

Average number of unhealthy mental days in the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	4.7	2.3 - 7.1	4.1	3.8 - 4.3
SEX	Men	5.2	0.9 - 9.4	3.5	3.2 - 3.9
	Women	4.2	3.0 - 5.4	4.6	4.3 - 4.9
RACE/ETHNICITY	Non-Hisp. White	5.1	2.3 - 7.9	3.8	3.6 - 4.0
	Non-Hisp. Black	NA		4.5	3.8 - 5.2
	Hispanic	NA		4.4	3.7 - 5.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.6	0.6 - 10.5	3.2	2.9 - 3.5
	Non-Hisp. White Women	4.6	3.1 - 6.0	4.3	4.0 - 4.6
	Non-Hisp. Black Men	NA		4.5	3.2 - 5.8
	Non-Hisp. Black Women	NA		4.5	3.8 - 5.3
	Hispanic Women	NA		5.2	4.2 - 6.2
AGE GROUP	18-44	5.8	1.3 - 10.3	4.2	3.9 - 4.6
	45-64	3.9	2.5 - 5.2	4.9	4.4 - 5.4
	65 & Older	3.2	1.2 - 5.1	2.6	2.3 - 2.9
EDUCATION LEVEL	<High School	4.3	2.0 - 6.6	6.1	5.1 - 7.1
	High School / GED	5.9	0.6 - 11.3	4.2	3.8 - 4.6
	>High School	3.7	1.9 - 5.5	3.5	3.2 - 3.7
ANNUAL INCOME	<\$25,000	10.6	5.0 - 16.3	6.0	5.5 - 6.5
	\$25,000-\$49,999	2.5 *	1.3 - 3.7	4.3	3.7 - 4.8
	\$50,000 or More	1.9	0.8 - 3.1	2.4	2.1 - 2.6
MARITAL STATUS	Married/Couple	4.3	0.9 - 7.6	3.3	3.0 - 3.6
	Not Married/Couple	5.6	3.3 - 7.9	5.0	4.6 - 5.4

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Health-Related Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (Among adults who have had at least one day of poor mental or physical health)

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	6.0	4.2 - 7.8	5.1	4.8 - 5.4
SEX	Men	4.9	2.1 - 7.6	5.2	4.7 - 5.7
	Women	7.1	4.6 - 9.6	5.1	4.7 - 5.5
RACE/ETHNICITY	Non-Hisp. White	6.0	3.8 - 8.2	5.5	5.1 - 5.8
	Non-Hisp. Black	NA		3.8	3.2 - 4.4
	Hispanic	NA		5.1	4.2 - 6.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.5	1.5 - 7.5	5.5	4.9 - 6.0
	Non-Hisp. White Women	7.7	5.0 - 10.4	5.4	5.0 - 5.8
	Non-Hisp. Black Men	NA		3.6	2.8 - 4.4
	Non-Hisp. Black Women	NA		3.9	3.1 - 4.8
	Hispanic Women	NA		5.2	3.9 - 6.4
AGE GROUP	18-44	4.9	1.9 - 8.0	3.7	3.3 - 4.1
	45-64	7.9	5.1 - 10.7	6.8	6.1 - 7.4
	65 & Older	5.5	3.0 - 8.1	5.7	5.2 - 6.2
EDUCATION LEVEL	<High School	7.7	2.9 - 12.6	7.4	6.1 - 8.6
	High School / GED	5.5	2.1 - 8.9	5.3	4.8 - 5.8
	>High School	5.1	3.0 - 7.3	4.3	4.0 - 4.6
ANNUAL INCOME	<\$25,000	8.2	4.1 - 12.2	7.7	7.1 - 8.4
	\$25,000-\$49,999	5.5	2.9 - 8.2	3.8	3.4 - 4.2
	\$50,000 or More	2.2	1.0 - 3.3	3.0	2.6 - 3.3
MARITAL STATUS	Married/Couple	4.0	2.0 - 6.0	4.8	4.4 - 5.2
	Not Married/Couple	9.8 *	6.1 - 13.5	5.5	5.0 - 5.9

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	70.4	60.4 - 80.5	77.1	76.0 - 78.2
SEX	Men	59.4	44.1 - 74.7	74.5	72.8 - 76.2
	Women	82.5	72.7 - 92.4	79.6	78.2 - 81.1
RACE/ETHNICITY	Non-Hisp. White	75.1	64.7 - 85.6	85.5	84.6 - 86.3
	Non-Hisp. Black	NA		69.2	65.4 - 73.0
	Hispanic	NA		64.0	60.6 - 67.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	65.8	49.0 - 82.6	83.2	81.8 - 84.6
	Non-Hisp. White Women	86.1	79.8 - 92.4	87.6	86.5 - 88.6
	Non-Hisp. Black Men	NA		67.8	61.9 - 73.7
	Non-Hisp. Black Women	NA		70.4	65.5 - 75.4
	Hispanic Men	NA		59.7	54.6 - 64.7
	Hispanic Women	NA		68.1	63.6 - 72.6
AGE GROUP	18-44	55.6	39.7 - 71.6	66.5	64.4 - 68.5
	45-64	78.6	66.5 - 90.7	76.4	74.6 - 78.3
	65 & Older	95.7	89.9 - 100.0	97.5	96.7 - 98.2
EDUCATION LEVEL	<High School	59.4	40.1 - 78.6	60.1	56.0 - 64.2
	High School / GED	73.6	55.1 - 92.1	72.1	69.9 - 74.2
	>High School	74.6	60.0 - 89.1	84.7	83.5 - 85.8
ANNUAL INCOME	<\$25,000	48.6	29.4 - 67.8	61.2	58.9 - 63.6
	\$25,000-\$49,999	70.0	54.3 - 85.7	76.0	73.5 - 78.4
	\$50,000 or More	91.0	84.1 - 97.9	92.6	91.5 - 93.8
MARITAL STATUS	Married/Couple	76.0	63.2 - 88.7	82.1	80.8 - 83.5
	Not Married/Couple	59.0	43.0 - 75.0	71.1	69.2 - 72.9

Percentage of adults who have a personal doctor

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	71.1	61.3 - 80.8	73.2	72.1 - 74.4
SEX	Men	64.8	49.3 - 80.3	67.8	66.0 - 69.5
	Women	77.9	67.4 - 88.3	78.4	76.9 - 79.8
RACE/ETHNICITY	Non-Hisp. White	73.9	63.6 - 84.2	79.8	78.7 - 80.8
	Non-Hisp. Black	NA		71.8	68.2 - 75.4
	Hispanic	NA		59.7	56.2 - 63.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	67.2	50.4 - 84.1	75.1	73.3 - 76.8
	Non-Hisp. White Women	81.7	73.8 - 89.6	84.2	83.0 - 85.5
	Non-Hisp. Black Men	NA		67.4	61.7 - 73.0
	Non-Hisp. Black Women	NA		75.7	71.1 - 80.4
	Hispanic Men	NA		52.1	46.9 - 57.4
	Hispanic Women	NA		67.0	62.3 - 71.6
AGE GROUP	18-44	52.2	36.8 - 67.7	57.0	54.9 - 59.1
	45-64	84.6	77.0 - 92.3	78.0	76.2 - 79.9
	65 & Older	97.6	94.6 - 100.0	95.5	94.7 - 96.4
EDUCATION LEVEL	<High School	72.7	54.6 - 90.8	59.9	55.8 - 64.0
	High School / GED	64.5	47.1 - 82.0	71.2	69.0 - 73.4
	>High School	76.7	63.2 - 90.2	78.0	76.8 - 79.3
ANNUAL INCOME	<\$25,000	53.3	32.5 - 74.2	61.7	59.3 - 64.0
	\$25,000-\$49,999	80.0	68.3 - 91.8	73.2	70.7 - 75.7
	\$50,000 or More	79.5	68.5 - 90.5	85.1	83.7 - 86.5
MARITAL STATUS	Married/Couple	79.0	66.9 - 91.1	79.1	77.7 - 80.5
	Not Married/Couple	54.8	39.3 - 70.4	66.5	64.6 - 68.3

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Health Care Access & Coverage

Percentage of adults who could not see a doctor in the past year due to cost

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	21.1	13.7 - 28.5	20.8	19.7 - 21.8
SEX	Men	17.4	6.9 - 28.0	18.3	16.9 - 19.8
	Women	25.1	15.1 - 35.0	23.1	21.5 - 24.6
RACE/ETHNICITY	Non-Hisp. White	16.8	11.1 - 22.5	14.7	13.8 - 15.5
	Non-Hisp. Black	NA		25.1	21.6 - 28.6
	Hispanic	NA		30.9	27.6 - 34.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.6	5.4 - 21.8	13.5	12.2 - 14.9
	Non-Hisp. White Women	20.6	13.3 - 27.9	15.7	14.5 - 16.9
	Non-Hisp. Black Men	NA		21.2	16.0 - 26.4
	Non-Hisp. Black Women	NA		28.5	23.9 - 33.2
	Hispanic Men	NA		26.4	22.2 - 30.6
	Hispanic Women	NA		35.2	30.4 - 40.1
AGE GROUP	18-44	30.2	16.3 - 44.2	27.6	25.6 - 29.6
	45-64	17.2	10.3 - 24.2	23.4	21.7 - 25.1
	65 & Older	2.8	0.0 - 5.7	4.9	4.0 - 5.8
EDUCATION LEVEL	<High School	27.7	10.0 - 45.3	30.0	26.3 - 33.7
	High School / GED	16.5	8.4 - 24.6	22.4	20.3 - 24.5
	>High School	21.5	8.3 - 34.7	17.3	16.1 - 18.5
ANNUAL INCOME	<\$25,000	37.0	18.2 - 55.7	35.2	32.9 - 37.4
	\$25,000-\$49,999	24.9	13.0 - 36.9	21.3	19.1 - 23.5
	\$50,000 or More	8.5	1.8 - 15.1	8.9	7.5 - 10.3
MARITAL STATUS	Married/Couple	13.5	7.8 - 19.2	17.8	16.4 - 19.1
	Not Married/Couple	36.6	20.5 - 52.7	24.6	22.9 - 26.3

Percentage of adults who had a medical checkup in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
ALL	Overall	70.0	62.0 - 77.9	70.3	69.1 - 71.4
SEX	Men	64.3	51.0 - 77.7	65.6	63.8 - 67.3
	Women	76.2	69.1 - 83.4	74.7	73.2 - 76.1
RACE/ETHNICITY	Non-Hisp. White	74.3	67.4 - 81.2	73.0	71.9 - 74.1
	Non-Hisp. Black	NA		72.4	68.8 - 75.9
	Hispanic	NA		64.7	61.2 - 68.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.5	63.5 - 85.6	69.9	68.1 - 71.6
	Non-Hisp. White Women	74.0	66.3 - 81.7	76.0	74.6 - 77.3
	Non-Hisp. Black Men	NA		67.4	61.8 - 73.1
	Non-Hisp. Black Women	NA		76.8	72.3 - 81.3
	Hispanic Men	NA		56.9	51.8 - 62.0
	Hispanic Women	NA		72.0	67.4 - 76.5
AGE GROUP	18-44	66.1	52.5 - 79.7	57.7	55.6 - 59.7
	45-64	64.2	52.0 - 76.5	71.6	69.7 - 73.5
	65 & Older	91.6	86.5 - 96.8	91.1	90.1 - 92.1
EDUCATION LEVEL	<High School	73.6	58.0 - 89.2	65.1	61.1 - 69.2
	High School / GED	79.3	70.0 - 88.6	69.9	67.8 - 72.1
	>High School	57.5	44.1 - 71.0	72.0	70.6 - 73.3
ANNUAL INCOME	<\$25,000	70.5	53.3 - 87.6	64.6	62.3 - 66.9
	\$25,000-\$49,999	59.0	44.3 - 73.8	67.7	65.2 - 70.1
	\$50,000 or More	71.2	60.3 - 82.1	76.4	74.7 - 78.1
MARITAL STATUS	Married/Couple	73.3	64.6 - 82.1	74.6	73.2 - 76.0
	Not Married/Couple	63.2	48.0 - 78.4	65.0	63.2 - 66.9

* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2013 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

A1C	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past three to four months.
Activities of Daily Living	Usual activities, such as self-care, work, or recreation.
Adult	Individual aged 18 years or older.
Aerobic Recommendations*	Performance of at least 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Angina	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
Arthritis	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
Asthma	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
Binge Drinking*	For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days.
Blood Glucose	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
Blood Pressure	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
Blood Sugar	See Blood Glucose
Body Mass Index (BMI)	Body Mass Index (BMI) is a number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
Cancer	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
Cholesterol	A substance the body uses to produce hormones, vitamin D, and food-digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack, or angina.
Chronic Bronchitis	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
Chronic Diseases	Diseases of long duration and generally slow progression (e.g., heart disease; stroke; cancer; diabetes); represent the leading causes of mortality worldwide.
Chronic Obstructive Pulmonary Disease (COPD)	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
Coronary Heart Disease (CHD)	See Coronary Artery Disease (CAD)
Current Smoker*	Combination of everyday smoker and some day smoker.

*This term is defined using BRFSS standards.

2013 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

Depressive Disorders	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
Diabetes	General term for diabetes mellitus; disease in which the blood glucose levels are above normal.
Emphysema	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD)
Everday Smoker*	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking everyday now.
Exercise	See Physical Activity
Fibromyalgia	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
Flu	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
Flu Shot	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose called FluMist™.
Former Smoker	Adults who reported smoking at least 100 cigarettes in their lifetime but reported not smoking now.
Gout	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
Health Behavior	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
Health Care Coverage	Example: health insurance, pre-paid plans such as HMO's, government plans such as Medicare.
Health Care Provider	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor; nurse practitioner; physician assistant; registered nurse).
Health Risk Behavior	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity; poor nutrition; tobacco use; excessive alcohol consumption).
Healthy Weight	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
Heart Attack	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
Heavy Drinking*	For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days.
High Blood Cholesterol	Condition where there is too much cholesterol in the blood for an extended period of time; increases the risk of coronary heart disease, heart attack, or angina.
High Blood Pressure	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems.

*This term is defined using BRFSS standards.

2013 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

Hispanic	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
HIV	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
Hypertension	See High Blood Pressure
Hysterectomy	An operation to remove the uterus (womb) in women.
Inactive*	No leisure-time physical activity, performance of aerobic activity for less than 10 minutes at a time, or performance of only non-aerobic activities in the past 30 days.
Influenza	See Flu
Insufficiently Active*	Performance of less than 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Kidney Disease	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
Lupus	A chronic inflammatory disease resulting from an attack by the body's own immune system.
Mammogram	Mammography is the process of using low-energy X-rays to examine the human breast; this test is ordered to detect tumors and differentiate between benign and malignant disease.
Mental Health	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
Muscle Strengthening Recommendations*	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights, or elastic bands, at least two times per week in the past 30 days.
Never Smoked*	Adults who reported smoking less than 100 cigarettes in their lifetime.
Non-Hispanic Black	Adults not of Hispanic culture or origins reporting membership in only the Black race category; self-reported demographic variable.
Non-Hispanic White	Adults not of Hispanic culture or origins reporting membership in only the White race category; self-reported demographic variable.
Non-smoker*	Combination of former smoker and never smoked.
Obese	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
Obesity	A condition characterized by being obese.
Overweight	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Personal Doctor	A health care provider that an adult identifies as their personal health care provider.
Pneumococcal Vaccination	Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia.
Pneumonia	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness.

*This term is defined using BRFSS standards.

2013 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
Race/Ethnicity	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
Routine Checkup	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
Sedentary*	Participating in no leisure-time physical activity in the past 30 days.
Sex	The condition or character of being male or female; self-reported demographic variable.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Smoking	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
Some Day Smoking*	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking some days now.
Stool Blood Test	A test that may use a special kit at home to determine whether the stool contains blood.
Stroke	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.
Tetanus	A bacterial infection that affects the central nervous system and can result in painful muscle spasms, stiff jaw, and potentially death.
Tetanus Shot	Tetanus vaccine; vaccine given with a needle, usually in the shoulder muscle; a booster tetanus vaccine should be received every ten years.

*This term is defined using BRFSS standards.

2013 Florida Behavioral Risk Factor Surveillance System Data

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-2. Reduce coronary heart disease deaths

HDS-3. Reduce stroke deaths

Cholesterol Awareness

HDS-7. Reduce the proportion of adults with high total blood cholesterol levels

Diabetes

D-1. Reduce the annual number of new cases of diagnosed diabetes in the population

D-5. Improve glycemic control among the population with diagnosed diabetes

D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination

D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination

D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year

D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education

Disability

DH-13. (Developmental) Increase the proportion of people with disabilities who participate in social, spiritual, recreational, community, and civic activities to the degree that they wish

2013 Florida Behavioral Risk Factor Surveillance System Data

Healthy People 2020 Objectives

Health Care Access & Coverage

AHS-1. Increase the proportion of persons with medical insurance

AHS-3. Increase the proportion of persons with a usual primary care provider

AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

Health-Related Quality of Life

HRQOL/WB-1.1. Increase the proportion of adults who self-report good or better physical health

HRQOL/WB-1.2. Increase the proportion of adults who self-report good or better mental health

HIV/AIDS Screening

HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

HIV-14.1. Increase the proportion of adolescents and adults who have ever been tested for HIV

Hypertension Awareness

HDS-5. Reduce the proportion of persons in the population with hypertension

Immunization

IID-12.12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

IVP-15. Increase use of safety belts in motor vehicles

Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

Physical Activity & Nutrition

PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity

PA-2. Increase the proportion of adults who meet current federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Tobacco Use & Exposure

TU-1. Reduce tobacco smoking by adults

TU-4. Increase smoking cessation attempts by adult smokers

Vision Impairment

V-5. Reduce visual impairment

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented.



Prepared by:

Alyssa Cohen, MPH
Bo (Bonnie) Yu, MAS, MA
Junwei Jiang, MPH
Dongming Cui, MD, MPH, DrPH

If you have any questions or comments
please contact:

Florida Department of Health
Division of Disease Control and Health Protection
Bureau of Epidemiology
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401

Fax: 850-922-9299

Email: health@flhealth.gov

Web: <http://www.floridahealth.gov/statistics-and-data/survey-data/index.html>