

# FLORIDA BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS) 2013 DATA



Florida Department of Health  
Division of Disease Control and Health Protection  
Bureau of Epidemiology  
Chronic Disease Epidemiology Section

Rick Scott  
Governor

John H. Armstrong, MD, FACS  
State Surgeon General & Secretary

# Introduction

The Florida Department of Health is pleased to release the 2013 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults.

The 2013 BRFSS was the fourth county-level survey conducted. It was previously conducted in 2002, 2007, and 2010. The 2013 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes.

Over 34,000 interviews were completed statewide in the 2013 calendar year, with a target sample size of 500 completed surveys in each county.

Hendry County had approximately 27,218 adult residents in 2013, based on Florida CHARTS, and 435 adults responded to the 2013 county-level BRFSS survey.

The 2013 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. The following data tables present the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the confidence intervals overlap, there is no statistically significant difference in the prevalence rates. However, if the confidence intervals do not overlap, there is a statistically significant difference. The significance of measures with very wide confidence intervals should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or "weighted," by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2013 may not be comparable to data collected before 2011.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

# County Highlights

## Strengths\*

- High percentage of adults with diabetes who had two A1C tests in the past year
- High percentage of women 18 years of age and older who had a clinical breast exam in the past year

## Challenges\*

- Low percentage of adults 50 years of age and older who received a stool blood test in the past year
- High percentage of adults who could not see a doctor in the past year due to cost

Selected Indicators**	Percentage (%)	Estimated affected adult population
Adults who are current smokers	25.0	6,808
Adults who are obese	26.9	7,334
Adults who are physically inactive or insufficiently active	52.1	14,188
Adults who have ever been told they had diabetes	21.9	5,956

\* These selected strengths and challenges are significantly different compared with overall state data.

\*\* These four selected indicators were used in the America's Health Rankings Report (2013 Edition).

**2013 Florida BRFSS Data  
Table of Contents**

---

<b>Health Status</b>	
Arthritis	1
Asthma	3
Cancer Prevalence	4
Cardiovascular Disease	5
Cholesterol Awareness	7
Chronic Obstructive Pulmonary Disease	8
Depression	9
Diabetes	10
Disability	14
Hypertension Awareness	15
Kidney Disease	16
Overweight & Obesity	17
Vision Impairment	19
<b>Health-Related Behaviors</b>	
Alcohol Consumption	20
Tobacco Use & Exposure	21
Physical Activity & Nutrition	23
<b>Health-Related Prevention</b>	
Cancer Screening/Breast	26
Cancer Screening/Cervical	27
Cancer Screening/Colorectal	28
HIV/AIDS Screening	29
Immunization	30
Injury Prevention	33
<b>Health-Related Quality of Life</b>	34
<b>Health Care Access &amp; Coverage</b>	38
<b>Glossary</b>	Appendix I
<b>Healthy People 2020 Objectives</b>	Appendix II

## Arthritis

Percentage of adults who have ever been told they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	37.4	21.6 - 53.3	26.0	25.1 - 26.9
<b>SEX</b>	Men	29.0	8.2 - 49.7	22.0	20.7 - 23.3
	Women	47.2	25.2 - 69.2	29.8	28.5 - 31.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	35.1	10.4 - 59.7	32.1	31.1 - 33.2
	Non-Hisp. Black	30.4	16.2 - 44.5	18.6	16.2 - 21.1
	Hispanic	33.0	6.5 - 59.4	16.9	14.5 - 19.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	26.1	5.9 - 46.3	28.3	26.7 - 29.9
	Non-Hisp. White Women	37.9	6.4 - 69.4	35.8	34.4 - 37.2
	Non-Hisp. Black Men	NA		15.9	12.3 - 19.6
	Non-Hisp. Black Women	38.8	21.3 - 56.3	21.1	17.8 - 24.3
	Hispanic Men	12.7	0.0 - 31.7	11.1	8.4 - 13.8
	Hispanic Women	62.5 *	27.9 - 97.0	22.4	18.5 - 26.3
<b>AGE GROUP</b>	18-44	35.6	7.3 - 64.0	8.6	7.5 - 9.7
	45-64	38.9	16.1 - 61.7	30.8	29.1 - 32.6
	65 & Older	40.9	18.7 - 63.1	51.1	49.3 - 52.9
<b>EDUCATION LEVEL</b>	<High School	49.7	21.1 - 78.3	30.4	27.1 - 33.7
	High School / GED	36.7	12.0 - 61.5	27.2	25.4 - 29.0
	>High School	17.9	5.5 - 30.3	24.2	23.1 - 25.3
<b>ANNUAL INCOME</b>	<\$25,000	60.6 *	40.5 - 80.7	29.9	28.0 - 31.9
	\$25,000-\$49,999	10.8 *	1.7 - 19.8	26.8	24.9 - 28.7
	\$50,000 or More	9.9 *	2.6 - 17.2	21.8	20.3 - 23.2
<b>MARITAL STATUS</b>	Married/Couple	33.7	11.3 - 56.2	27.2	25.9 - 28.4
	Not Married/Couple	40.8	18.4 - 63.2	24.7	23.3 - 26.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Arthritis

## Percentage of adults who are limited in any way in any usual activities because of arthritis

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	15.4	6.1 - 24.7	12.8	12.1 - 13.5
<b>SEX</b>	Men	9.5	0.0 - 19.8	10.2	9.2 - 11.1
	Women	23.4	7.5 - 39.2	15.3	14.2 - 16.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	14.5	2.8 - 26.2	15.2	14.4 - 15.9
	Non-Hisp. Black	17.6	7.0 - 28.3	9.6	7.7 - 11.5
	Hispanic	19.0	0.0 - 38.5	9.5	7.5 - 11.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	18.3	0.8 - 35.8	12.7	11.5 - 13.8
	Non-Hisp. White Women	13.2	0.0 - 27.5	17.5	16.4 - 18.6
	Non-Hisp. Black Men	NA		7.6	4.9 - 10.3
	Non-Hisp. Black Women	30.9	13.9 - 47.9	11.4	8.8 - 13.9
	Hispanic Men	10.9	0.0 - 29.6	5.6	3.5 - 7.7
	Hispanic Women	37.5	0.0 - 75.1	13.3	10.0 - 16.7
<b>AGE GROUP</b>	18-44	9.7	0.0 - 23.1	4.3	3.5 - 5.1
	45-64	18.2	1.5 - 35.0	17.2	15.7 - 18.7
	65 & Older	24.9	6.9 - 43.0	22.7	21.2 - 24.2
<b>EDUCATION LEVEL</b>	<High School	18.2	0.3 - 36.0	16.0	13.4 - 18.5
	High School / GED	16.8	1.5 - 32.1	13.4	12.0 - 14.9
	>High School	8.2	0.0 - 16.6	11.6	10.8 - 12.5
<b>ANNUAL INCOME</b>	<\$25,000	25.7	7.8 - 43.5	18.4	16.8 - 20.1
	\$25,000-\$49,999	5.7	0.1 - 11.2	12.2	10.8 - 13.6
	\$50,000 or More	4.8	0.0 - 10.0	9.0	8.0 - 10.0
<b>MARITAL STATUS</b>	Married/Couple	12.6	0.3 - 24.9	12.7	11.7 - 13.6
	Not Married/Couple	18.1	4.2 - 32.1	13.1	12.0 - 14.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Asthma

## Percentage of adults who currently have asthma

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	13.7	1.2 - 26.1	8.3	7.6 - 8.9
<b>SEX</b>	Men	7.5	0.0 - 15.6	5.7	4.8 - 6.5
	Women	20.7	0.0 - 43.9	10.7	9.7 - 11.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	15.4	0.6 - 30.3	8.3	7.6 - 9.0
	Non-Hisp. Black	15.3	0.7 - 30.0	8.9	6.9 - 10.8
	Hispanic	15.4	0.0 - 40.2	8.3	6.3 - 10.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	43.5 *	7.7 - 79.2	6.1	5.0 - 7.2
	Non-Hisp. White Women	6.9	0.0 - 15.1	10.4	9.5 - 11.3
	Non-Hisp. Black Men	NA		5.7	3.3 - 8.0
	Non-Hisp. Black Women	17.6	2.9 - 32.4	11.7	8.7 - 14.7
	Hispanic Men	0.3 *	0.0 - 0.8	5.2	2.9 - 7.4
	Hispanic Women	37.4	0.0 - 83.5	11.4	8.1 - 14.6
<b>AGE GROUP</b>	18-44	20.7	0.0 - 45.4	8.0	7.0 - 8.9
	45-64	9.2	1.7 - 16.8	9.1	7.8 - 10.5
	65 & Older	4.4	0.5 - 8.3	7.8	6.8 - 8.8
<b>EDUCATION LEVEL</b>	<High School	1.8 *	0.0 - 3.8	12.5	9.7 - 15.3
	High School / GED	23.7	0.0 - 48.8	7.3	6.3 - 8.3
	>High School	13.1	1.2 - 25.1	7.7	7.0 - 8.4
<b>ANNUAL INCOME</b>	<\$25,000	22.4	0.4 - 44.4	12.4	10.8 - 14.0
	\$25,000-\$49,999	1.9 *	0.0 - 4.1	6.9	5.7 - 8.0
	\$50,000 or More	18.0	0.0 - 37.7	6.0	5.1 - 6.9
<b>MARITAL STATUS</b>	Married/Couple	6.0	1.1 - 10.8	6.7	6.0 - 7.5
	Not Married/Couple	20.1	0.0 - 41.4	10.2	9.0 - 11.3

## Percentage of adults who have ever been told they had asthma

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	15.9	3.4 - 28.4	13.5	12.7 - 14.4
<b>SEX</b>	Men	8.5	0.3 - 16.8	11.5	10.3 - 12.6
	Women	24.4	1.5 - 47.2	15.5	14.3 - 16.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	16.3	1.3 - 31.3	13.2	12.4 - 14.0
	Non-Hisp. Black	17.9	3.3 - 32.6	14.2	11.7 - 16.8
	Hispanic	18.5	0.0 - 43.2	14.6	12.0 - 17.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	47.0 *	13.0 - 81.0	11.5	10.3 - 12.8
	Non-Hisp. White Women	7.0	0.0 - 15.2	14.8	13.7 - 15.9
	Non-Hisp. Black Men	NA		13.3	9.2 - 17.4
	Non-Hisp. Black Women	23.4	8.0 - 38.9	15.1	11.9 - 18.3
	Hispanic Men	1.2 *	0.0 - 2.9	10.8	7.8 - 13.8
	Hispanic Women	43.5	0.0 - 87.1	18.1	14.1 - 22.2
<b>AGE GROUP</b>	18-44	21.3	0.0 - 46.0	14.8	13.3 - 16.2
	45-64	10.9	2.9 - 18.9	13.9	12.4 - 15.4
	65 & Older	12.2	0.0 - 24.7	11.0	9.9 - 12.2
<b>EDUCATION LEVEL</b>	<High School	5.2 *	0.0 - 11.7	16.9	13.9 - 20.0
	High School / GED	25.2	0.3 - 50.1	13.3	11.7 - 14.9
	>High School	15.1	2.8 - 27.4	12.8	11.9 - 13.7
<b>ANNUAL INCOME</b>	<\$25,000	25.1	3.1 - 47.0	18.5	16.6 - 20.4
	\$25,000-\$49,999	2.9 *	0.1 - 5.7	12.1	10.5 - 13.8
	\$50,000 or More	20.1	0.2 - 39.9	10.5	9.3 - 11.6
<b>MARITAL STATUS</b>	Married/Couple	6.9	1.8 - 12.1	11.7	10.7 - 12.8
	Not Married/Couple	23.5	2.3 - 44.6	15.8	14.4 - 17.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Prevalence

## Percentage of adults who have ever been told they had skin cancer

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	11.8	0.0 - 24.1	9.2	8.7 - 9.7
<b>SEX</b>	Men	6.9	0.4 - 13.5	9.5	8.8 - 10.3
	Women	17.5	0.0 - 41.1	8.9	8.3 - 9.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.5	1.2 - 19.9	14.8	14.1 - 15.5
	Non-Hisp. Black	1.3	0.0 - 3.7	0.4	0.0 - 0.8
	Hispanic	14.8	0.0 - 39.7	2.2	1.4 - 3.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	21.5	0.0 - 44.8	15.1	13.9 - 16.2
	Non-Hisp. White Women	7.0	0.0 - 15.8	14.6	13.6 - 15.5
	Non-Hisp. Black Men	NA		0.7	0.0 - 1.5
	Non-Hisp. Black Women	2.8	0.0 - 8.3	0.1	0.0 - 0.2
	Hispanic Men	0.6	0.0 - 1.9	2.8	1.5 - 4.1
	Hispanic Women	35.2	0.0 - 82.4	1.6	0.8 - 2.5
<b>AGE GROUP</b>	18-44	14.6	0.0 - 38.8	1.5	1.1 - 1.9
	45-64	6.8	0.0 - 14.3	8.5	7.6 - 9.4
	65 & Older	15.0	0.0 - 30.0	24.1	22.7 - 25.4
<b>EDUCATION LEVEL</b>	<High School	0.8 *	0.0 - 1.9	6.4	5.1 - 7.7
	High School / GED	23.3	0.0 - 48.1	8.7	7.9 - 9.6
	>High School	6.9	0.0 - 15.1	10.3	9.6 - 10.9
<b>ANNUAL INCOME</b>	<\$25,000	15.5	0.0 - 37.7	6.7	5.9 - 7.5
	\$25,000-\$49,999	1.4 *	0.1 - 2.7	9.8	8.9 - 10.8
	\$50,000 or More	15.7	0.0 - 34.3	10.4	9.5 - 11.3
<b>MARITAL STATUS</b>	Married/Couple	8.0	0.7 - 15.2	10.7	10.0 - 11.5
	Not Married/Couple	15.1	0.0 - 36.1	7.5	6.9 - 8.0

## Percentage of adults who have ever been told they had any other type of cancer except skin cancer

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	5.4	2.4 - 8.3	7.6	7.1 - 8.1
<b>SEX</b>	Men	5.5	1.0 - 10.1	6.7	6.0 - 7.3
	Women	5.2	1.6 - 8.8	8.4	7.6 - 9.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.0 *	1.0 - 4.9	10.0	9.4 - 10.6
	Non-Hisp. Black	25.6 *	10.9 - 40.2	4.3	3.2 - 5.5
	Hispanic	0.3 *	0.0 - 0.7	4.2	2.7 - 5.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.1	0.3 - 9.8	8.9	8.1 - 9.8
	Non-Hisp. White Women	2.3 *	0.4 - 4.2	10.9	10.1 - 11.8
	Non-Hisp. Black Men	NA		3.7	2.2 - 5.1
	Non-Hisp. Black Women	22.0	5.1 - 38.9	4.9	3.1 - 6.7
	Hispanic Men	0.0		3.6	2.1 - 5.1
	Hispanic Women	0.8 *	0.0 - 1.9	4.8	2.4 - 7.2
<b>AGE GROUP</b>	18-44	0.8	0.0 - 2.3	2.6	1.9 - 3.3
	45-64	5.2	1.2 - 9.3	5.9	5.1 - 6.6
	65 & Older	18.4	4.9 - 32.0	18.8	17.5 - 20.1
<b>EDUCATION LEVEL</b>	<High School	8.9	1.2 - 16.6	6.7	5.1 - 8.3
	High School / GED	3.0 *	0.3 - 5.7	7.3	6.3 - 8.3
	>High School	4.6	1.0 - 8.2	7.9	7.3 - 8.5
<b>ANNUAL INCOME</b>	<\$25,000	5.3	1.1 - 9.6	7.0	6.0 - 7.9
	\$25,000-\$49,999	5.0	0.0 - 11.2	8.2	7.0 - 9.4
	\$50,000 or More	10.3	1.8 - 18.8	7.4	6.6 - 8.2
<b>MARITAL STATUS</b>	Married/Couple	8.3	2.3 - 14.3	8.6	7.8 - 9.4
	Not Married/Couple	3.0 *	0.7 - 5.3	6.3	5.7 - 6.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cardiovascular Disease

## Percentage of adults who have ever been told they had angina or coronary heart disease

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	6.1	0.0 - 13.8	5.0	4.6 - 5.4
<b>SEX</b>	Men	2.7	0.0 - 5.6	6.3	5.6 - 7.0
	Women	10.1	0.0 - 25.6	3.8	3.3 - 4.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	19.3	0.0 - 44.9	6.5	5.9 - 7.0
	Non-Hisp. Black	6.6	0.0 - 14.7	4.2	2.8 - 5.7
	Hispanic	0.3 *	0.0 - 0.7	2.5	1.6 - 3.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	13.6	0.0 - 30.1	8.4	7.4 - 9.3
	Non-Hisp. White Women	21.2	0.0 - 53.9	4.7	4.2 - 5.3
	Non-Hisp. Black Men	NA		4.3	2.0 - 6.7
	Non-Hisp. Black Women	7.7	0.0 - 19.6	4.2	2.3 - 6.1
	Hispanic Men	0.5 *	0.0 - 1.2	3.2	1.6 - 4.8
	Hispanic Women	0.1 *	0.0 - 0.2	1.9	1.0 - 2.7
<b>AGE GROUP</b>	18-44	0.0 *	0.0 - 0.1	0.9	0.5 - 1.3
	45-64	13.6	0.0 - 33.7	5.1	4.3 - 6.0
	65 & Older	5.5	0.0 - 11.8	12.3	11.3 - 13.4
<b>EDUCATION LEVEL</b>	<High School	13.0	0.0 - 33.1	6.8	5.0 - 8.6
	High School / GED	1.8	0.0 - 4.2	4.6	4.0 - 5.3
	>High School	0.6 *	0.1 - 1.2	4.8	4.3 - 5.3
<b>ANNUAL INCOME</b>	<\$25,000	9.2	0.0 - 23.5	6.8	5.8 - 7.8
	\$25,000-\$49,999	1.8	0.0 - 5.4	4.9	4.1 - 5.8
	\$50,000 or More	2.0	0.0 - 4.4	3.8	3.2 - 4.4
<b>MARITAL STATUS</b>	Married/Couple	3.2	0.0 - 6.4	5.1	4.5 - 5.7
	Not Married/Couple	7.7	0.0 - 21.2	5.0	4.3 - 5.6

## Percentage of adults who have ever been told they had a heart attack

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	11.9	2.3 - 21.6	5.6	5.1 - 6.1
<b>SEX</b>	Men	5.3	0.6 - 9.9	7.3	6.4 - 8.2
	Women	19.6	1.1 - 38.2	4.1	3.5 - 4.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	20.4	0.0 - 45.9	6.6	6.1 - 7.2
	Non-Hisp. Black	21.5 *	7.0 - 35.9	4.2	2.8 - 5.5
	Hispanic	7.2	0.0 - 19.7	4.6	3.1 - 6.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	6.4	0.7 - 12.0	9.1	8.1 - 10.2
	Non-Hisp. White Women	24.9	0.0 - 57.3	4.3	3.7 - 4.9
	Non-Hisp. Black Men	NA		5.6	3.1 - 8.0
	Non-Hisp. Black Women	14.3	1.1 - 27.5	2.9	1.7 - 4.1
	Hispanic Men	0.7 *	0.0 - 1.7	4.7	2.4 - 7.1
	Hispanic Women	16.7	0.0 - 45.9	4.5	2.5 - 6.5
<b>AGE GROUP</b>	18-44	0.3	0.0 - 0.8	1.0	0.6 - 1.4
	45-64	25.3	2.2 - 48.5	6.5	5.4 - 7.6
	65 & Older	14.3	2.5 - 26.1	12.9	11.6 - 14.2
<b>EDUCATION LEVEL</b>	<High School	26.2	1.8 - 50.5	9.5	7.2 - 11.9
	High School / GED	1.9 *	0.1 - 3.7	5.4	4.6 - 6.2
	>High School	6.0	0.0 - 13.6	4.7	4.2 - 5.2
<b>ANNUAL INCOME</b>	<\$25,000	17.3	0.0 - 34.7	8.0	6.7 - 9.3
	\$25,000-\$49,999	4.7	0.0 - 11.0	6.5	5.4 - 7.5
	\$50,000 or More	9.7	0.0 - 22.7	3.3	2.7 - 3.8
<b>MARITAL STATUS</b>	Married/Couple	5.3	0.4 - 10.3	5.6	4.9 - 6.2
	Not Married/Couple	16.6	0.1 - 33.1	5.8	4.9 - 6.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cardiovascular Disease

## Percentage of adults who have ever been told they had a stroke

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	5.1	0.0 - 11.1	3.7	3.3 - 4.1
<b>SEX</b>	Men	3.1	0.0 - 6.3	3.7	3.1 - 4.2
	Women	7.4	0.0 - 19.5	3.7	3.2 - 4.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.6	0.0 - 9.9	4.3	3.8 - 4.7
	Non-Hisp. Black	5.6	0.0 - 12.2	4.6	3.1 - 6.1
	Hispanic	6.6	0.0 - 19.1	2.0	1.2 - 2.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	15.8	0.0 - 34.9	4.3	3.6 - 4.9
	Non-Hisp. White Women	1.0 *	0.0 - 2.0	4.2	3.7 - 4.8
	Non-Hisp. Black Men	NA		4.8	2.6 - 7.0
	Non-Hisp. Black Women	3.3	0.0 - 7.4	4.4	2.4 - 6.4
	Hispanic Men	0.0		2.0	0.9 - 3.1
	Hispanic Women	16.2	0.0 - 45.4	2.0	1.0 - 3.0
<b>AGE GROUP</b>	18-44	0.0		1.1	0.7 - 1.6
	45-64	9.7	0.0 - 25.5	4.1	3.4 - 4.8
	65 & Older	10.1	0.4 - 19.8	7.8	6.9 - 8.7
<b>EDUCATION LEVEL</b>	<High School	10.1	0.0 - 26.0	5.2	3.9 - 6.5
	High School / GED	2.0	0.0 - 4.5	3.7	3.0 - 4.3
	>High School	3.4	0.0 - 7.8	3.3	2.9 - 3.8
<b>ANNUAL INCOME</b>	<\$25,000	8.8	0.0 - 20.1	5.7	4.8 - 6.5
	\$25,000-\$49,999	1.9	0.0 - 5.4	4.1	3.3 - 4.9
	\$50,000 or More	0.5	0.0 - 1.5	1.9	1.4 - 2.3
<b>MARITAL STATUS</b>	Married/Couple	2.4	0.0 - 5.5	3.3	2.8 - 3.8
	Not Married/Couple	7.4	0.0 - 18.0	4.2	3.6 - 4.7

## Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	14.1	4.4 - 23.9	10.3	9.7 - 10.9
<b>SEX</b>	Men	7.7	2.0 - 13.3	11.9	10.8 - 12.9
	Women	21.5	3.0 - 40.1	8.8	8.0 - 9.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	25.4	0.3 - 50.5	12.2	11.5 - 12.9
	Non-Hisp. Black	26.6	11.5 - 41.6	10.0	7.8 - 12.2
	Hispanic	7.3	0.0 - 19.9	6.8	5.0 - 8.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	23.5	2.0 - 45.0	14.6	13.4 - 15.8
	Non-Hisp. White Women	26.0	0.0 - 58.2	9.9	9.1 - 10.8
	Non-Hisp. Black Men	NA		10.9	7.4 - 14.3
	Non-Hisp. Black Women	23.9	7.5 - 40.2	9.3	6.5 - 12.1
	Hispanic Men	0.8 *	0.0 - 1.9	7.0	4.4 - 9.6
	Hispanic Women	16.8	0.0 - 46.1	6.5	4.3 - 8.7
<b>AGE GROUP</b>	18-44	0.3 *	0.0 - 0.8	2.3	1.7 - 2.9
	45-64	28.0	5.0 - 51.0	11.4	10.2 - 12.7
	65 & Older	21.6	6.8 - 36.5	23.4	21.8 - 25.0
<b>EDUCATION LEVEL</b>	<High School	28.0	3.5 - 52.4	15.2	12.6 - 17.9
	High School / GED	3.7 *	0.4 - 7.0	10.0	8.9 - 11.1
	>High School	9.5	0.4 - 18.6	9.2	8.5 - 10.0
<b>ANNUAL INCOME</b>	<\$25,000	20.3	2.7 - 37.8	14.3	12.7 - 15.8
	\$25,000-\$49,999	6.6	0.0 - 14.2	11.4	10.0 - 12.7
	\$50,000 or More	9.7	0.0 - 22.7	6.6	5.7 - 7.4
<b>MARITAL STATUS</b>	Married/Couple	7.8	1.7 - 13.8	10.1	9.3 - 11.0
	Not Married/Couple	18.6	2.0 - 35.2	10.6	9.6 - 11.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cholesterol Awareness

## Percentage of adults who have ever been told they had high blood cholesterol

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	32.6	18.0 - 47.3	33.4	32.3 - 34.4
<b>SEX</b>	Men	32.5	10.8 - 54.2	33.6	32.0 - 35.2
	Women	32.7	13.4 - 52.0	33.2	31.7 - 34.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	40.3	15.5 - 65.2	39.0	37.8 - 40.1
	Non-Hisp. Black	32.2	16.9 - 47.4	24.5	21.6 - 27.4
	Hispanic	32.7	6.4 - 59.1	27.5	24.4 - 30.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	48.1	17.5 - 78.7	39.0	37.2 - 40.8
	Non-Hisp. White Women	37.8	6.2 - 69.5	39.0	37.5 - 40.5
	Non-Hisp. Black Men	NA		27.4	22.4 - 32.3
	Non-Hisp. Black Women	37.1	20.4 - 53.8	21.8	18.6 - 25.1
	Hispanic Men	39.5	2.2 - 76.9	25.6	21.3 - 29.9
	Hispanic Women	23.1	0.0 - 53.2	29.3	24.8 - 33.7
<b>AGE GROUP</b>	18-44	15.5	0.0 - 37.6	13.6	12.2 - 15.0
	45-64	47.8	24.3 - 71.2	42.4	40.4 - 44.4
	65 & Older	50.0	24.2 - 75.8	55.7	53.8 - 57.5
<b>EDUCATION LEVEL</b>	<High School	41.5	13.2 - 69.9	33.9	30.0 - 37.8
	High School / GED	29.3	6.4 - 52.1	32.8	30.8 - 34.7
	>High School	24.5	8.7 - 40.3	33.6	32.4 - 34.9
<b>ANNUAL INCOME</b>	<\$25,000	26.2	8.0 - 44.4	32.1	30.0 - 34.2
	\$25,000-\$49,999	51.3	18.8 - 83.8	34.5	32.2 - 36.7
	\$50,000 or More	31.6	8.7 - 54.4	34.0	32.2 - 35.7
<b>MARITAL STATUS</b>	Married/Couple	25.5	8.5 - 42.5	36.7	35.2 - 38.1
	Not Married/Couple	38.6	16.6 - 60.6	29.6	28.0 - 31.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Chronic Obstructive Pulmonary Disease

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	4.4	1.4 - 7.4	7.4	6.9 - 7.9
<b>SEX</b>	Men	3.2	0.0 - 7.1	6.4	5.7 - 7.2
	Women	5.8	1.2 - 10.3	8.3	7.5 - 9.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	6.7	0.5 - 13.0	9.2	8.6 - 9.9
	Non-Hisp. Black	2.1	0.0 - 4.8	5.1	3.5 - 6.7
	Hispanic	0.5 *	0.0 - 1.0	4.6	3.3 - 5.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	6.1	0.6 - 11.7	8.2	7.3 - 9.2
	Non-Hisp. White Women	6.9	0.0 - 15.0	10.2	9.3 - 11.1
	Non-Hisp. Black Men	NA		4.6	2.1 - 7.2
	Non-Hisp. Black Women	4.7	0.0 - 10.7	5.5	3.6 - 7.4
	Hispanic Men	0.3 *	0.0 - 0.8	3.5	1.8 - 5.2
	Hispanic Women	0.8 *	0.0 - 1.7	5.6	3.6 - 7.7
<b>AGE GROUP</b>	18-44	0.4 *	0.0 - 1.2	3.0	2.3 - 3.7
	45-64	7.5	0.1 - 14.9	8.5	7.5 - 9.4
	65 & Older	9.0	1.0 - 17.1	14.0	12.8 - 15.3
<b>EDUCATION LEVEL</b>	<High School	2.7 *	0.3 - 5.0	12.3	10.1 - 14.5
	High School / GED	4.9	0.0 - 10.3	7.5	6.6 - 8.4
	>High School	6.6	0.0 - 14.4	6.0	5.4 - 6.6
<b>ANNUAL INCOME</b>	<\$25,000	6.4	0.9 - 11.8	11.1	10.0 - 12.3
	\$25,000-\$49,999	2.6	0.0 - 6.6	7.4	6.3 - 8.5
	\$50,000 or More	2.6	0.1 - 5.1	3.9	3.2 - 4.6
<b>MARITAL STATUS</b>	Married/Couple	2.0 *	0.3 - 3.7	6.5	5.8 - 7.2
	Not Married/Couple	6.4	0.9 - 11.8	8.5	7.7 - 9.3

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Depression

## Percentage of adults who have ever been told they had a depressive disorder

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	24.5	9.0 - 40.1	16.8	15.9 - 17.6
<b>SEX</b>	Men	11.9	0.0 - 28.5	12.1	11.0 - 13.1
	Women	39.2	15.7 - 62.6	21.2	19.9 - 22.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	22.9	0.0 - 48.0	18.6	17.6 - 19.5
	Non-Hisp. Black	6.4	0.0 - 13.3	14.0	11.4 - 16.5
	Hispanic	37.2	9.4 - 65.0	13.8	11.6 - 16.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	6.1 *	0.7 - 11.6	13.1	11.9 - 14.4
	Non-Hisp. White Women	28.3	0.0 - 60.3	23.6	22.2 - 25.0
	Non-Hisp. Black Men	NA		12.3	8.3 - 16.3
	Non-Hisp. Black Women	9.1	0.0 - 20.2	15.5	12.2 - 18.7
	Hispanic Men	19.4	0.0 - 50.6	8.5	6.2 - 10.9
	Hispanic Women	62.9 *	28.7 - 97.0	18.8	15.2 - 22.4
<b>AGE GROUP</b>	18-44	15.7	0.0 - 39.8	15.8	14.4 - 17.2
	45-64	42.6	17.6 - 67.6	19.6	18.1 - 21.1
	65 & Older	13.4	0.4 - 26.4	14.6	13.4 - 15.9
<b>EDUCATION LEVEL</b>	<High School	40.4	11.8 - 69.1	20.9	17.9 - 24.0
	High School / GED	18.2	0.0 - 43.2	15.8	14.3 - 17.3
	>High School	10.5	1.2 - 19.9	16.3	15.3 - 17.3
<b>ANNUAL INCOME</b>	<\$25,000	35.5	12.0 - 59.0	23.8	21.9 - 25.6
	\$25,000-\$49,999	19.5	0.0 - 48.1	16.5	14.8 - 18.2
	\$50,000 or More	4.2 *	0.0 - 8.5	11.3	10.2 - 12.4
<b>MARITAL STATUS</b>	Married/Couple	16.4	0.0 - 35.5	14.0	13.0 - 15.0
	Not Married/Couple	31.4	8.5 - 54.4	20.1	18.7 - 21.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults who have ever been told they had diabetes

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	21.9	9.4 - 34.3	11.2	10.5 - 11.9
<b>SEX</b>	Men	27.3	7.5 - 47.2	12.3	11.2 - 13.4
	Women	15.6	2.6 - 28.7	10.1	9.2 - 11.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.0	2.0 - 17.9	11.4	10.7 - 12.2
	Non-Hisp. Black	30.9 *	15.1 - 46.7	12.3	10.0 - 14.6
	Hispanic	29.7	5.0 - 54.3	10.8	8.7 - 12.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	22.6	3.8 - 41.4	12.9	11.7 - 14.1
	Non-Hisp. White Women	5.9	0.0 - 13.7	10.0	9.1 - 10.9
	Non-Hisp. Black Men	NA		12.8	9.0 - 16.6
	Non-Hisp. Black Women	24.3	10.3 - 38.3	11.9	9.2 - 14.5
	Hispanic Men	36.2	1.2 - 71.2	11.2	8.1 - 14.2
	Hispanic Women	20.2	0.0 - 49.9	10.4	7.7 - 13.2
<b>AGE GROUP</b>	18-44	0.4 *	0.0 - 1.1	2.6	1.9 - 3.2
	45-64	37.9	13.7 - 62.0	13.5	12.1 - 14.9
	65 & Older	44.6	18.1 - 71.1	23.5	21.8 - 25.3
<b>EDUCATION LEVEL</b>	<High School	41.1	12.7 - 69.4	18.0	14.9 - 21.1
	High School / GED	6.6	1.7 - 11.4	11.5	10.3 - 12.6
	>High School	18.8	4.4 - 33.3	9.2	8.4 - 9.9
<b>ANNUAL INCOME</b>	<\$25,000	14.2	2.0 - 26.4	14.8	13.1 - 16.4
	\$25,000-\$49,999	36.5	4.8 - 68.2	11.9	10.4 - 13.4
	\$50,000 or More	32.0	7.7 - 56.4	7.5	6.6 - 8.4
<b>MARITAL STATUS</b>	Married/Couple	31.5	9.9 - 53.2	11.8	10.8 - 12.8
	Not Married/Couple	13.3	1.7 - 24.8	10.6	9.5 - 11.6

## Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	78.8	62.4 - 95.1	61.8	58.5 - 65.0
<b>SEX</b>	Men	73.6	48.1 - 99.2	56.5	51.9 - 61.2
	Women	89.0 *	75.8 -100.0	67.4	63.0 - 71.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	63.5	29.8 - 97.2	58.9	55.3 - 62.5
	Non-Hisp. Black	NA		72.1	64.0 - 80.1
	Hispanic	NA		64.4	55.0 - 73.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	NA		54.3	49.1 - 59.5
	Non-Hisp. White Women	NA		64.3	59.4 - 69.2
	Non-Hisp. Black Men	NA		66.0	51.8 - 80.2
	Non-Hisp. Black Women	NA		77.7	68.8 - 86.7
	Hispanic Men	NA		56.0	42.1 - 70.0
	Hispanic Women	NA		71.5	60.0 - 83.0
<b>AGE GROUP</b>	18-44	NA		57.2	43.3 - 71.0
	45-64	74.4	48.9 -100.0	61.8	56.6 - 67.1
	65 & Older	83.7	62.6 -100.0	62.6	58.4 - 66.8
<b>EDUCATION LEVEL</b>	<High School	NA		64.3	55.4 - 73.2
	High School / GED	60.7	29.7 - 91.7	65.2	60.2 - 70.2
	>High School	53.2	16.3 - 90.0	58.1	53.9 - 62.3
<b>ANNUAL INCOME</b>	<\$25,000	78.1	56.3 - 99.9	65.7	60.1 - 71.3
	\$25,000-\$49,999	NA		60.7	54.2 - 67.2
	\$50,000 or More	NA		55.5	49.3 - 61.7
<b>MARITAL STATUS</b>	Married/Couple	72.4	45.3 - 99.6	59.5	55.1 - 63.9
	Not Married/Couple	89.8 *	78.4 -100.0	65.0	60.1 - 69.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults with diabetes who had two A1C tests in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	90.3 *	80.3 -100.0	69.3	65.8 - 72.9
<b>SEX</b>	Men	94.8 *	85.6 -100.0	70.5	66.0 - 75.1
	Women	81.0	57.7 -100.0	68.0	62.6 - 73.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	69.2	34.9 -100.0	75.6	72.2 - 78.9
	Non-Hisp. Black	NA		68.6	58.9 - 78.3
	Hispanic	NA		52.6	41.4 - 63.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	NA		73.9	68.8 - 79.1
	Non-Hisp. White Women	NA		77.7	73.7 - 81.6
	Non-Hisp. Black Men	NA		65.5	49.7 - 81.3
	Non-Hisp. Black Women	NA		71.6	59.8 - 83.4
	Hispanic Men	NA		64.5	50.5 - 78.4
	Hispanic Women	NA		41.2	26.9 - 55.5
<b>AGE GROUP</b>	18-44	NA		52.3	38.6 - 65.9
	45-64	94.4 *	87.8 -100.0	66.2	60.4 - 72.1
	65 & Older	81.5	51.8 -100.0	75.7	71.3 - 80.2
<b>EDUCATION LEVEL</b>	<High School	NA		55.7	44.3 - 67.1
	High School / GED	NA		71.2	66.2 - 76.1
	>High School	81.2	55.7 -100.0	74.8	71.1 - 78.6
<b>ANNUAL INCOME</b>	<\$25,000	84.1	61.8 -100.0	64.0	57.5 - 70.4
	\$25,000-\$49,999	NA		69.1	61.5 - 76.7
	\$50,000 or More	NA		78.3	73.3 - 83.2
<b>MARITAL STATUS</b>	Married/Couple	93.5 *	83.2 -100.0	70.3	65.4 - 75.3
	Not Married/Couple	82.5	58.7 -100.0	68.0	62.9 - 73.0

## Percentage of adults with diabetes who had an annual foot exam

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	64.1	30.7 - 97.5	67.6	64.6 - 70.7
<b>SEX</b>	Men	53.8	10.4 - 97.3	70.3	66.0 - 74.5
	Women	85.4 *	69.3 -100.0	64.8	60.4 - 69.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	66.5	32.1 -100.0	68.6	65.2 - 71.9
	Non-Hisp. Black	NA		81.5	74.4 - 88.6
	Hispanic	NA		57.9	48.2 - 67.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	NA		70.4	65.4 - 75.4
	Non-Hisp. White Women	NA		66.4	61.9 - 70.9
	Non-Hisp. Black Men	NA		85.4	76.4 - 94.4
	Non-Hisp. Black Women	NA		77.9	67.8 - 88.1
	Hispanic Men	NA		66.7	54.3 - 79.1
	Hispanic Women	NA		49.8	35.5 - 64.2
<b>AGE GROUP</b>	18-44	NA		47.6	34.4 - 60.8
	45-64	49.7	5.2 - 94.2	65.3	60.3 - 70.2
	65 & Older	85.2	64.6 -100.0	73.2	69.5 - 76.9
<b>EDUCATION LEVEL</b>	<High School	NA		66.3	57.8 - 74.7
	High School / GED	62.4	31.1 - 93.8	66.7	61.6 - 71.8
	>High School	80.9	58.9 -100.0	69.1	65.2 - 73.0
<b>ANNUAL INCOME</b>	<\$25,000	82.3	63.2 -100.0	66.2	60.8 - 71.6
	\$25,000-\$49,999	NA		69.5	63.5 - 75.5
	\$50,000 or More	NA		71.3	65.8 - 76.7
<b>MARITAL STATUS</b>	Married/Couple	51.5	7.0 - 96.1	68.8	64.8 - 72.8
	Not Married/Couple	86.3 *	72.0 -100.0	66.1	61.3 - 70.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults with diabetes who had an annual eye exam

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	44.8	13.6 - 76.0	69.7	66.5 - 72.9
<b>SEX</b>	Men	50.2	6.8 - 93.6	71.6	67.3 - 75.9
	Women	33.9	1.3 - 66.4	67.7	63.0 - 72.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	27.5 *	7.3 - 47.6	71.4	68.0 - 74.7
	Non-Hisp. Black	NA		77.6	70.1 - 85.0
	Hispanic	NA		60.7	50.6 - 70.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	NA		71.9	67.0 - 76.7
	Non-Hisp. White Women	NA		70.8	66.3 - 75.4
	Non-Hisp. Black Men	NA		82.6	73.3 - 91.9
	Non-Hisp. Black Women	NA		72.9	62.2 - 83.6
	Hispanic Men	NA		68.4	55.6 - 81.2
	Hispanic Women	NA		52.9	38.4 - 67.5
<b>AGE GROUP</b>	18-44	NA		43.7	31.1 - 56.3
	45-64	21.5 *	0.0 - 44.4	61.7	56.3 - 67.2
	65 & Older	87.8	70.1 - 100.0	80.9	77.5 - 84.3
<b>EDUCATION LEVEL</b>	<High School	NA		63.3	54.1 - 72.6
	High School / GED	61.7	31.7 - 91.6	70.7	65.9 - 75.5
	>High School	63.1	27.2 - 99.0	72.7	68.8 - 76.6
<b>ANNUAL INCOME</b>	<\$25,000	32.8	1.3 - 64.3	68.5	63.3 - 73.7
	\$25,000-\$49,999	NA		65.7	58.5 - 73.0
	\$50,000 or More	NA		75.9	70.1 - 81.6
<b>MARITAL STATUS</b>	Married/Couple	52.0	6.6 - 97.5	69.2	64.8 - 73.7
	Not Married/Couple	33.9	1.4 - 66.4	70.4	65.9 - 74.9

## Percentage of adults with diabetes who ever had diabetes self-management education

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	66.2	43.2 - 89.2	49.6	46.2 - 53.0
<b>SEX</b>	Men	67.7	38.0 - 97.4	47.1	42.3 - 51.9
	Women	63.4	29.4 - 97.4	52.4	47.6 - 57.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	58.0	23.8 - 92.2	53.1	49.5 - 56.6
	Non-Hisp. Black	NA		53.6	43.4 - 63.9
	Hispanic	NA		39.4	29.8 - 49.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	NA		51.1	45.9 - 56.3
	Non-Hisp. White Women	NA		55.4	50.6 - 60.1
	Non-Hisp. Black Men	NA		40.2	25.4 - 55.0
	Non-Hisp. Black Women	NA		66.2	56.1 - 76.3
	Hispanic Men	NA		39.7	26.1 - 53.3
	Hispanic Women	NA		39.2	25.3 - 53.1
<b>AGE GROUP</b>	18-44	NA		55.0	42.2 - 67.9
	45-64	71.4	43.9 - 98.9	52.1	46.5 - 57.7
	65 & Older	65.0	27.2 - 100.0	46.7	42.3 - 51.1
<b>EDUCATION LEVEL</b>	<High School	NA		34.3	25.3 - 43.2
	High School / GED	41.7	15.2 - 68.3	48.9	43.6 - 54.2
	>High School	31.3	0.0 - 65.0	58.5	54.3 - 62.6
<b>ANNUAL INCOME</b>	<\$25,000	70.3	41.8 - 98.8	42.3	36.5 - 48.2
	\$25,000-\$49,999	NA		52.1	45.3 - 59.0
	\$50,000 or More	NA		59.9	54.1 - 65.6
<b>MARITAL STATUS</b>	Married/Couple	70.9	42.7 - 99.0	50.7	46.2 - 55.2
	Not Married/Couple	61.5	26.0 - 97.0	48.1	42.9 - 53.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults who have ever been told they had pre-diabetes

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	7.2	0.0 - 15.2	7.1	6.6 - 7.7
<b>SEX</b>	Men	3.4	0.0 - 7.8	7.4	6.5 - 8.3
	Women	11.6	0.0 - 27.5	7.0	6.3 - 7.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	20.3	0.0 - 46.4	7.9	7.3 - 8.5
	Non-Hisp. Black	4.6	0.0 - 12.1	8.3	6.2 - 10.5
	Hispanic	0.2 *	0.0 - 0.6	4.8	3.5 - 6.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	2.1 *	0.0 - 4.6	8.4	7.4 - 9.4
	Non-Hisp. White Women	26.4	0.0 - 59.6	7.4	6.7 - 8.1
	Non-Hisp. Black Men	NA		8.6	4.8 - 12.5
	Non-Hisp. Black Women	0.0		8.0	5.9 - 10.2
	Hispanic Men	0.0		4.8	2.7 - 6.8
	Hispanic Women	0.5 *	0.0 - 1.6	4.9	3.3 - 6.6
<b>AGE GROUP</b>	18-44	2.1	0.0 - 4.8	4.9	3.9 - 5.8
	45-64	14.7	0.0 - 35.1	7.9	7.0 - 8.8
	65 & Older	6.0	0.0 - 15.2	9.6	8.7 - 10.6
<b>EDUCATION LEVEL</b>	<High School	11.3	0.0 - 31.4	5.8	4.2 - 7.5
	High School / GED	6.1	0.0 - 12.7	7.2	6.1 - 8.3
	>High School	2.1 *	0.0 - 4.7	7.6	6.9 - 8.2
<b>ANNUAL INCOME</b>	<\$25,000	10.6	0.0 - 25.4	7.6	6.4 - 8.9
	\$25,000-\$49,999	0.4 *	0.0 - 1.1	7.5	6.4 - 8.5
	\$50,000 or More	1.9 *	0.0 - 4.6	6.7	5.8 - 7.5
<b>MARITAL STATUS</b>	Married/Couple	2.9	0.0 - 6.7	7.3	6.6 - 8.1
	Not Married/Couple	10.8	0.0 - 24.8	7.0	6.1 - 7.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Disability

## Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	28.2	12.9 - 43.5	21.2	20.2 - 22.1
<b>SEX</b>	Men	18.8	4.0 - 33.5	20.2	18.9 - 21.6
	Women	39.8	15.3 - 64.3	22.1	20.7 - 23.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	27.7	1.3 - 54.0	23.2	22.2 - 24.2
	Non-Hisp. Black	8.1	0.0 - 16.8	17.8	15.1 - 20.5
	Hispanic	39.5	12.5 - 66.6	18.6	15.8 - 21.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	17.4	5.2 - 29.5	22.6	21.1 - 24.1
	Non-Hisp. White Women	31.4	0.0 - 66.0	23.8	22.5 - 25.1
	Non-Hisp. Black Men	NA		19.1	14.7 - 23.4
	Non-Hisp. Black Women	7.7	0.0 - 17.6	16.6	13.3 - 19.8
	Hispanic Men	25.5	0.0 - 53.0	15.7	12.2 - 19.3
	Hispanic Women	60.0	24.1 - 95.9	21.3	17.1 - 25.6
<b>AGE GROUP</b>	18-44	29.5	2.5 - 56.5	13.5	12.1 - 14.9
	45-64	32.5	9.5 - 55.4	26.0	24.2 - 27.8
	65 & Older	15.5	2.0 - 29.1	28.6	26.9 - 30.2
<b>EDUCATION LEVEL</b>	<High School	28.7	4.1 - 53.3	28.7	25.0 - 32.3
	High School / GED	36.5	9.8 - 63.2	21.8	20.1 - 23.6
	>High School	10.8	2.0 - 19.6	18.9	17.8 - 19.9
<b>ANNUAL INCOME</b>	<\$25,000	47.7	24.6 - 70.8	30.7	28.5 - 32.8
	\$25,000-\$49,999	3.3 *	0.1 - 6.5	20.4	18.5 - 22.3
	\$50,000 or More	4.9 *	0.9 - 9.0	12.8	11.7 - 14.0
<b>MARITAL STATUS</b>	Married/Couple	12.0	0.0 - 24.1	18.7	17.5 - 19.9
	Not Married/Couple	41.1	18.3 - 64.0	24.1	22.6 - 25.7

## Percentage of adults who use special equipment because of a health problem

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	9.5	2.8 - 16.1	8.8	8.2 - 9.3
<b>SEX</b>	Men	4.6	0.7 - 8.5	8.3	7.5 - 9.1
	Women	15.3	1.8 - 28.8	9.2	8.4 - 10.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	7.9	0.9 - 14.9	9.8	9.2 - 10.4
	Non-Hisp. Black	20.8	7.6 - 34.1	8.6	6.9 - 10.2
	Hispanic	8.7	0.0 - 21.4	6.5	5.0 - 8.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.0	1.4 - 14.6	9.2	8.3 - 10.1
	Non-Hisp. White Women	7.9	0.0 - 17.2	10.3	9.5 - 11.2
	Non-Hisp. Black Men	NA		7.9	5.5 - 10.3
	Non-Hisp. Black Women	28.5 *	12.0 - 45.0	9.2	7.0 - 11.5
	Hispanic Men	2.2	0.0 - 5.1	6.2	4.1 - 8.4
	Hispanic Women	18.1	0.0 - 47.5	6.8	4.7 - 8.9
<b>AGE GROUP</b>	18-44	0.2 *	0.0 - 0.5	3.1	2.4 - 3.8
	45-64	18.0	1.5 - 34.5	9.5	8.4 - 10.5
	65 & Older	16.4	4.2 - 28.5	18.1	16.8 - 19.4
<b>EDUCATION LEVEL</b>	<High School	18.0	0.7 - 35.3	13.2	11.0 - 15.4
	High School / GED	2.9 *	0.9 - 4.9	8.4	7.4 - 9.4
	>High School	7.5	0.0 - 15.8	7.8	7.2 - 8.5
<b>ANNUAL INCOME</b>	<\$25,000	11.3	0.0 - 23.0	13.5	12.2 - 14.9
	\$25,000-\$49,999	6.8	0.0 - 14.2	7.9	6.9 - 8.8
	\$50,000 or More	7.9	0.0 - 16.8	4.8	4.1 - 5.5
<b>MARITAL STATUS</b>	Married/Couple	5.9	1.1 - 10.7	7.7	7.0 - 8.5
	Not Married/Couple	12.3	1.0 - 23.5	10.1	9.2 - 11.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Hypertension Awareness

## Percentage of adults who have ever been told they had hypertension

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	41.3	26.2 - 56.4	34.6	33.5 - 35.7
<b>SEX</b>	Men	33.2	15.2 - 51.1	37.2	35.6 - 38.9
	Women	50.7	29.3 - 72.0	32.1	30.7 - 33.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	43.8	18.7 - 68.9	38.4	37.3 - 39.5
	Non-Hisp. Black	60.5 *	43.5 - 77.5	33.7	30.4 - 37.0
	Hispanic	38.0	11.2 - 64.8	28.3	25.0 - 31.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	69.5 *	46.9 - 92.0	42.1	40.3 - 43.9
	Non-Hisp. White Women	35.5	3.9 - 67.0	35.0	33.6 - 36.4
	Non-Hisp. Black Men	NA		35.1	29.6 - 40.6
	Non-Hisp. Black Women	49.6	31.5 - 67.7	32.4	28.6 - 36.3
	Hispanic Men	18.7	0.0 - 43.7	28.9	24.1 - 33.7
	Hispanic Women	66.0 *	33.4 - 98.6	27.6	23.1 - 32.1
<b>AGE GROUP</b>	18-44	20.8	0.0 - 45.0	13.8	12.4 - 15.2
	45-64	51.2	27.7 - 74.7	41.1	39.1 - 43.2
	65 & Older	76.4	61.2 - 91.5	62.8	61.1 - 64.6
<b>EDUCATION LEVEL</b>	<High School	49.1	20.7 - 77.5	42.3	38.2 - 46.3
	High School / GED	39.0	14.8 - 63.2	35.8	33.8 - 37.9
	>High School	30.6	12.3 - 49.0	31.9	30.7 - 33.1
<b>ANNUAL INCOME</b>	<\$25,000	49.0	26.3 - 71.8	37.5	35.3 - 39.7
	\$25,000-\$49,999	29.8	4.4 - 55.1	36.9	34.6 - 39.2
	\$50,000 or More	53.3	27.0 - 79.6	30.7	29.0 - 32.5
<b>MARITAL STATUS</b>	Married/Couple	37.0	18.1 - 55.9	35.8	34.4 - 37.3
	Not Married/Couple	44.3	22.0 - 66.6	33.5	31.8 - 35.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Kidney Disease

## Percentage of adults who have ever been told they had kidney disease

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	15.4	0.4 - 30.4	3.5	3.0 - 3.9
<b>SEX</b>	Men	10.2	0.0 - 26.9	3.3	2.7 - 3.8
	Women	21.3	0.0 - 46.1	3.6	3.0 - 4.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	1.1 *	0.2 - 2.0	3.5	3.0 - 4.0
	Non-Hisp. Black	0.8	0.0 - 2.4	2.4	1.5 - 3.2
	Hispanic	32.5	4.3 - 60.8	4.2	2.7 - 5.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	2.0	0.0 - 4.7	3.7	2.9 - 4.5
	Non-Hisp. White Women	0.8 *	0.0 - 1.6	3.3	2.9 - 3.8
	Non-Hisp. Black Men	NA		2.0	0.8 - 3.1
	Non-Hisp. Black Women	0.0		2.7	1.5 - 3.9
	Hispanic Men	19.2	0.0 - 50.4	3.1	1.8 - 4.4
	Hispanic Women	51.8 *	11.7 - 91.8	5.2	2.7 - 7.8
<b>AGE GROUP</b>	18-44	14.0	0.0 - 38.3	1.9	1.2 - 2.6
	45-64	24.0	0.0 - 49.9	3.6	2.7 - 4.4
	65 & Older	2.2 *	0.1 - 4.2	5.9	5.2 - 6.7
<b>EDUCATION LEVEL</b>	<High School	23.4	0.0 - 49.9	4.6	3.1 - 6.2
	High School / GED	15.2	0.0 - 40.6	4.0	2.9 - 5.0
	>High School	1.5	0.0 - 3.1	2.9	2.5 - 3.3
<b>ANNUAL INCOME</b>	<\$25,000	19.5	0.0 - 42.7	5.0	4.0 - 6.0
	\$25,000-\$49,999	17.7	0.0 - 46.6	3.5	2.4 - 4.6
	\$50,000 or More	0.8	0.0 - 1.8	2.1	1.6 - 2.5
<b>MARITAL STATUS</b>	Married/Couple	12.2	0.0 - 31.6	3.4	2.8 - 4.0
	Not Married/Couple	18.1	0.0 - 40.2	3.6	2.9 - 4.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Overweight &amp; Obesity

## Percentage of adults who are overweight

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	30.7	15.9 - 45.5	36.4	35.2 - 37.6
<b>SEX</b>	Men	25.5	7.7 - 43.3	42.9	41.1 - 44.7
	Women	37.2	14.0 - 60.5	30.0	28.5 - 31.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	17.1 *	4.9 - 29.4	35.8	34.6 - 36.9
	Non-Hisp. Black	41.7	25.4 - 58.0	36.9	33.0 - 40.8
	Hispanic	40.0	11.3 - 68.7	38.6	34.9 - 42.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	25.8	5.4 - 46.3	43.5	41.6 - 45.3
	Non-Hisp. White Women	14.5	0.3 - 28.7	28.1	26.7 - 29.5
	Non-Hisp. Black Men	NA		39.7	33.6 - 45.8
	Non-Hisp. Black Women	58.9 *	40.5 - 77.4	34.3	29.4 - 39.1
	Hispanic Men	30.3	0.0 - 62.2	44.4	39.0 - 49.7
	Hispanic Women	56.6	13.6 - 99.6	32.9	28.1 - 37.7
<b>AGE GROUP</b>	18-44	23.1	0.0 - 48.4	31.5	29.5 - 33.6
	45-64	28.5	9.6 - 47.5	39.4	37.3 - 41.5
	65 & Older	56.4	31.6 - 81.1	40.6	38.7 - 42.4
<b>EDUCATION LEVEL</b>	<High School	26.3	3.5 - 49.1	38.4	34.1 - 42.8
	High School / GED	41.7	16.5 - 66.9	35.4	33.2 - 37.6
	>High School	13.2 *	4.8 - 21.5	36.5	35.1 - 37.9
<b>ANNUAL INCOME</b>	<\$25,000	24.1	1.5 - 46.7	34.8	32.4 - 37.2
	\$25,000-\$49,999	39.0	8.0 - 69.9	37.1	34.7 - 39.6
	\$50,000 or More	22.2	7.8 - 36.6	37.8	35.9 - 39.8
<b>MARITAL STATUS</b>	Married/Couple	32.4	13.1 - 51.8	39.5	37.9 - 41.1
	Not Married/Couple	29.7	7.9 - 51.5	32.9	31.0 - 34.7

## Percentage of adults who are obese

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	26.9	15.2 - 38.7	26.4	25.3 - 27.4
<b>SEX</b>	Men	26.8	10.4 - 43.2	27.5	25.9 - 29.0
	Women	27.1	10.4 - 43.8	25.3	23.9 - 26.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	21.6	6.9 - 36.4	25.1	24.1 - 26.2
	Non-Hisp. Black	43.8	26.2 - 61.4	34.2	30.6 - 37.8
	Hispanic	23.4	3.1 - 43.7	26.4	23.4 - 29.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	32.0	5.2 - 58.9	27.5	25.8 - 29.2
	Non-Hisp. White Women	18.4	1.9 - 34.9	22.8	21.5 - 24.1
	Non-Hisp. Black Men	NA		29.6	24.3 - 34.9
	Non-Hisp. Black Women	38.9	20.5 - 57.2	38.6	33.7 - 43.4
	Hispanic Men	18.4	0.0 - 41.1	27.9	23.5 - 32.4
	Hispanic Women	31.9	0.0 - 70.2	24.9	20.8 - 29.0
<b>AGE GROUP</b>	18-44	20.7	3.4 - 37.9	24.2	22.4 - 26.0
	45-64	35.6	14.9 - 56.3	30.3	28.5 - 32.2
	65 & Older	26.8	7.7 - 45.9	24.8	23.3 - 26.4
<b>EDUCATION LEVEL</b>	<High School	24.5	3.4 - 45.5	29.4	25.7 - 33.0
	High School / GED	18.7	3.3 - 34.1	28.4	26.4 - 30.5
	>High School	50.8	25.3 - 76.3	24.5	23.3 - 25.7
<b>ANNUAL INCOME</b>	<\$25,000	36.2	15.8 - 56.6	29.9	27.7 - 32.1
	\$25,000-\$49,999	7.9 *	0.3 - 15.5	27.7	25.5 - 29.8
	\$50,000 or More	61.4 *	39.4 - 83.3	24.6	22.9 - 26.3
<b>MARITAL STATUS</b>	Married/Couple	20.0	8.2 - 31.8	27.9	26.4 - 29.3
	Not Married/Couple	32.3	14.0 - 50.7	24.7	23.1 - 26.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Overweight &amp; Obesity

## Percentage of adults who are overweight or obese

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	57.7	40.8 - 74.5	62.8	61.6 - 64.0
<b>SEX</b>	Men	52.3	29.0 - 75.6	70.4	68.7 - 72.0
	Women	64.4	42.2 - 86.5	55.3	53.6 - 56.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	38.7	17.3 - 60.2	60.9	59.7 - 62.1
	Non-Hisp. Black	85.5	72.9 - 98.1	71.1	67.5 - 74.7
	Hispanic	63.3	34.6 - 92.0	64.9	61.4 - 68.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	57.9	22.3 - 93.4	71.0	69.3 - 72.6
	Non-Hisp. White Women	32.9	9.0 - 56.9	50.9	49.3 - 52.5
	Non-Hisp. Black Men	NA		69.3	63.5 - 75.2
	Non-Hisp. Black Women	97.8 *	94.5 - 100.0	72.8	68.6 - 77.1
	Hispanic Men	48.7	12.3 - 85.1	72.3	67.5 - 77.1
	Hispanic Women	88.5 *	75.7 - 100.0	57.8	52.6 - 62.9
<b>AGE GROUP</b>	18-44	43.8	16.4 - 71.1	55.7	53.5 - 57.9
	45-64	64.1	38.3 - 90.0	69.7	68.0 - 71.5
	65 & Older	83.1 *	70.6 - 95.7	65.4	63.7 - 67.1
<b>EDUCATION LEVEL</b>	<High School	50.8	19.7 - 81.8	67.8	63.8 - 71.7
	High School / GED	60.4	35.6 - 85.2	63.8	61.5 - 66.1
	>High School	64.0	35.7 - 92.2	61.0	59.6 - 62.4
<b>ANNUAL INCOME</b>	<\$25,000	60.3	36.3 - 84.3	64.7	62.4 - 66.9
	\$25,000-\$49,999	46.8	14.3 - 79.4	64.8	62.4 - 67.2
	\$50,000 or More	83.6 *	69.4 - 97.8	62.4	60.5 - 64.4
<b>MARITAL STATUS</b>	Married/Couple	52.4	28.3 - 76.5	67.4	65.9 - 68.8
	Not Married/Couple	62.0	39.4 - 84.7	57.5	55.6 - 59.5

## Percentage of adults who have a healthy weight

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	40.3	23.3 - 57.2	35.0	33.8 - 36.1
<b>SEX</b>	Men	44.6	20.7 - 68.5	28.4	26.7 - 30.1
	Women	34.8	12.6 - 57.0	41.4	39.8 - 43.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	53.8	29.3 - 78.3	36.3	35.1 - 37.5
	Non-Hisp. Black	13.9	1.4 - 26.5	27.6	24.1 - 31.2
	Hispanic	36.6	7.9 - 65.3	33.8	30.2 - 37.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.0	0.0 - 29.1	27.7	26.0 - 29.3
	Non-Hisp. White Women	65.8	41.4 - 90.3	44.9	43.3 - 46.5
	Non-Hisp. Black Men	NA		29.5	23.7 - 35.3
	Non-Hisp. Black Women	0.8 *	0.0 - 2.3	25.8	21.6 - 30.0
	Hispanic Men	51.3	14.9 - 87.7	27.1	22.3 - 31.9
	Hispanic Women	11.4 *	0.0 - 24.1	40.3	35.1 - 45.4
<b>AGE GROUP</b>	18-44	52.1	24.3 - 79.9	41.5	39.3 - 43.7
	45-64	35.5	9.5 - 61.4	28.5	26.8 - 30.2
	65 & Older	16.7 *	4.2 - 29.1	32.5	30.8 - 34.1
<b>EDUCATION LEVEL</b>	<High School	49.2	18.2 - 80.3	30.0	26.1 - 33.8
	High School / GED	35.0	10.4 - 59.7	34.4	32.1 - 36.7
	>High School	36.0	7.7 - 64.2	36.5	35.1 - 37.9
<b>ANNUAL INCOME</b>	<\$25,000	36.1	12.0 - 60.1	33.4	31.2 - 35.6
	\$25,000-\$49,999	53.2	20.6 - 85.7	33.0	30.6 - 35.3
	\$50,000 or More	16.4 *	2.2 - 30.6	35.6	33.6 - 37.6
<b>MARITAL STATUS</b>	Married/Couple	47.2	22.9 - 71.4	30.9	29.5 - 32.4
	Not Married/Couple	34.6	11.9 - 57.2	39.6	37.7 - 41.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Vision Impairment

## Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

		2013 County		2013 State		
		Measure	95% CI	Measure	95% CI	
<b>ALL</b>	Overall	12.9	0.0 - 26.2	5.2	4.7 - 5.8	
<b>SEX</b>	Men	3.7	0.3 - 7.1	4.9	4.2 - 5.7	
	Women	24.1	0.0 - 49.5	5.5	4.8 - 6.3	
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.1	0.0 - 6.9	4.0	3.5 - 4.5	
	Non-Hisp. Black	7.9	0.0 - 16.6	7.5	5.7 - 9.3	
	Hispanic	23.0	0.0 - 49.1	7.2	5.4 - 8.9	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	9.3	0.0 - 22.8	3.7	2.9 - 4.5	
	Non-Hisp. White Women	0.8 *	0.0 - 1.7	4.3	3.7 - 4.8	
	Non-Hisp. Black Men	NA		7.5	4.9 - 10.1	
	Non-Hisp. Black Women	3.9	0.0 - 8.2	7.5	4.9 - 10.1	
	Hispanic Men	1.3 *	0.0 - 3.7	6.1	3.8 - 8.3	
	Hispanic Women	54.8 *	15.7 - 93.9	8.3	5.6 - 10.9	
<b>AGE GROUP</b>	18-44	17.6	0.0 - 42.8	3.4	2.7 - 4.2	
	45-64	10.2	0.0 - 26.1	7.4	6.2 - 8.5	
	65 & Older	4.9	0.4 - 9.4	5.6	4.8 - 6.3	
<b>EDUCATION LEVEL</b>	<High School	12.1	0.0 - 28.2	11.2	8.8 - 13.6	
	High School / GED	19.1	0.0 - 45.2	5.6	4.6 - 6.7	
	>High School	1.4 *	0.1 - 2.7	3.4	3.0 - 3.9	
<b>ANNUAL INCOME</b>	<\$25,000	20.9	0.0 - 44.1	10.1	8.6 - 11.5	
	\$25,000-\$49,999	0.6 *	0.0 - 1.5	3.9	3.1 - 4.7	
	\$50,000 or More	1.2	0.0 - 3.7	1.9	1.4 - 2.3	
<b>MARITAL STATUS</b>	Married/Couple	2.9	0.4 - 5.5	3.9	3.3 - 4.5	
	Not Married/Couple	20.7	0.0 - 42.7	6.9	5.9 - 7.8	

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Alcohol Consumption

## Percentage of adults who engage in heavy or binge drinking

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	13.1	0.7 - 25.5	17.6	16.6 - 18.6
<b>SEX</b>	Men	23.2	1.9 - 44.5	23.4	21.7 - 25.1
	Women	1.2 *	0.2 - 2.2	12.2	11.2 - 13.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	9.6	0.0 - 22.8	17.6	16.6 - 18.5
	Non-Hisp. Black	7.6	0.0 - 21.0	14.0	11.1 - 17.0
	Hispanic	0.8 *	0.0 - 1.8	19.6	16.4 - 22.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	34.2	0.0 - 70.3	21.4	19.8 - 23.0
	Non-Hisp. White Women	0.6 *	0.0 - 1.3	14.0	12.9 - 15.1
	Non-Hisp. Black Men	NA		19.8	14.5 - 25.2
	Non-Hisp. Black Women	0.8 *	0.0 - 2.3	8.8	6.4 - 11.3
	Hispanic Men	0.9 *	0.0 - 2.4	30.1	24.8 - 35.3
	Hispanic Women	0.7 *	0.0 - 1.8	9.7	6.2 - 13.1
<b>AGE GROUP</b>	18-44	21.7	0.0 - 45.9	24.2	22.3 - 26.1
	45-64	7.4	0.0 - 16.1	16.9	15.3 - 18.5
	65 & Older	1.3 *	0.1 - 2.6	7.2	6.4 - 8.0
<b>EDUCATION LEVEL</b>	<High School	17.8	0.0 - 46.5	18.6	14.7 - 22.4
	High School / GED	7.8	0.0 - 17.2	16.3	14.6 - 18.1
	>High School	16.2	0.0 - 34.4	18.0	16.8 - 19.2
<b>ANNUAL INCOME</b>	<\$25,000	18.6	0.0 - 40.3	16.3	14.5 - 18.1
	\$25,000-\$49,999	0.6 *	0.0 - 1.3	17.9	15.7 - 20.1
	\$50,000 or More	36.2	6.0 - 66.5	20.3	18.6 - 22.0
<b>MARITAL STATUS</b>	Married/Couple	18.0	0.0 - 42.0	14.9	13.8 - 16.0
	Not Married/Couple	9.1 *	0.0 - 18.4	20.9	19.1 - 22.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Tobacco Use &amp; Exposure

## Percentage of adults who are current smokers

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	25.0	9.9 - 40.1	16.8	15.9 - 17.7
<b>SEX</b>	Men	41.8	18.5 - 65.1	19.5	18.0 - 21.0
	Women	4.7 *	1.8 - 7.7	14.4	13.3 - 15.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	16.0	1.5 - 30.4	18.6	17.6 - 19.5
	Non-Hisp. Black	20.2	3.7 - 36.7	14.4	11.7 - 17.1
	Hispanic	21.0	0.0 - 43.8	13.9	11.4 - 16.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	40.4	6.3 - 74.5	19.7	18.2 - 21.3
	Non-Hisp. White Women	7.1 *	0.8 - 13.3	17.4	16.2 - 18.6
	Non-Hisp. Black Men	NA		19.3	14.6 - 24.1
	Non-Hisp. Black Women	6.2	0.0 - 12.6	9.9	7.3 - 12.4
	Hispanic Men	34.9	0.1 - 69.8	18.8	14.6 - 23.0
	Hispanic Women	0.4 *	0.0 - 1.1	9.3	6.4 - 12.1
<b>AGE GROUP</b>	18-44	22.1	0.0 - 46.1	19.2	17.5 - 20.8
	45-64	38.8	13.9 - 63.7	19.8	18.4 - 21.3
	65 & Older	5.3	0.0 - 11.1	8.7	7.4 - 9.9
<b>EDUCATION LEVEL</b>	<High School	35.5	4.7 - 66.2	24.8	21.4 - 28.3
	High School / GED	18.2	0.9 - 35.5	19.8	18.1 - 21.5
	>High School	20.7	2.1 - 39.3	13.1	12.2 - 14.1
<b>ANNUAL INCOME</b>	<\$25,000	26.0	4.8 - 47.3	22.3	20.4 - 24.2
	\$25,000-\$49,999	35.6	2.2 - 69.0	17.7	15.9 - 19.5
	\$50,000 or More	3.0 *	0.0 - 6.3	11.8	10.5 - 13.1
<b>MARITAL STATUS</b>	Married/Couple	33.7	8.0 - 59.5	13.6	12.5 - 14.6
	Not Married/Couple	18.2	3.5 - 32.9	20.8	19.2 - 22.3

## Percentage of adults who are former smokers (currently quit smoking)

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	23.5	11.7 - 35.4	28.1	27.1 - 29.2
<b>SEX</b>	Men	21.6	7.9 - 35.2	31.6	30.0 - 33.2
	Women	25.9	6.1 - 45.7	24.9	23.7 - 26.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	38.7	12.5 - 64.8	35.6	34.5 - 36.7
	Non-Hisp. Black	26.8	9.8 - 43.8	14.0	11.7 - 16.3
	Hispanic	16.7	0.0 - 33.7	19.3	16.5 - 22.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	35.5	8.2 - 62.9	39.3	37.5 - 41.1
	Non-Hisp. White Women	39.8	5.8 - 73.8	32.2	30.7 - 33.6
	Non-Hisp. Black Men	NA		17.0	13.4 - 20.7
	Non-Hisp. Black Women	4.7	0.0 - 10.8	11.2	8.4 - 14.0
	Hispanic Men	15.5	0.0 - 35.2	22.5	18.2 - 26.7
	Hispanic Women	18.5	0.0 - 48.4	16.2	12.5 - 19.8
<b>AGE GROUP</b>	18-44	9.8	0.0 - 22.4	15.6	14.1 - 17.1
	45-64	35.5	12.4 - 58.7	30.3	28.5 - 32.2
	65 & Older	35.7	14.9 - 56.6	47.4	45.6 - 49.2
<b>EDUCATION LEVEL</b>	<High School	31.7	6.7 - 56.6	25.7	22.1 - 29.2
	High School / GED	18.1	3.1 - 33.1	27.7	25.9 - 29.5
	>High School	20.4	4.4 - 36.5	29.1	27.9 - 30.3
<b>ANNUAL INCOME</b>	<\$25,000	30.5	10.7 - 50.3	23.9	22.1 - 25.7
	\$25,000-\$49,999	9.7 *	0.0 - 19.4	31.9	29.6 - 34.3
	\$50,000 or More	39.2	12.6 - 65.9	30.0	28.4 - 31.7
<b>MARITAL STATUS</b>	Married/Couple	26.3	10.2 - 42.5	32.0	30.6 - 33.3
	Not Married/Couple	21.3	4.2 - 38.4	23.7	22.3 - 25.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Tobacco Use &amp; Exposure

## Percentage of adults who have never smoked

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	51.5	35.5 - 67.5	55.0	53.8 - 56.2
<b>SEX</b>	Men	36.6	14.3 - 59.0	48.9	47.1 - 50.8
	Women	69.4	49.5 - 89.3	60.7	59.2 - 62.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	45.4	19.6 - 71.1	45.8	44.6 - 47.1
	Non-Hisp. Black	53.0	35.3 - 70.8	71.6	68.3 - 74.9
	Hispanic	62.3	36.5 - 88.1	66.8	63.4 - 70.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	24.1	5.9 - 42.3	40.9	39.1 - 42.8
	Non-Hisp. White Women	53.1	19.6 - 86.6	50.4	48.8 - 52.0
	Non-Hisp. Black Men	NA		63.6	58.0 - 69.2
	Non-Hisp. Black Women	89.2	80.4 - 98.0	78.9	75.2 - 82.6
	Hispanic Men	49.6	13.3 - 85.8	58.7	53.5 - 63.9
	Hispanic Women	81.1	51.2 - 100.0	74.6	70.2 - 78.9
<b>AGE GROUP</b>	18-44	68.1	42.6 - 93.6	65.2	63.2 - 67.2
	45-64	25.7 *	11.9 - 39.5	49.8	47.8 - 51.9
	65 & Older	59.0	36.6 - 81.4	43.9	42.1 - 45.8
<b>EDUCATION LEVEL</b>	<High School	32.9	8.4 - 57.3	49.5	45.3 - 53.7
	High School / GED	63.7	41.5 - 85.9	52.5	50.2 - 54.8
	>High School	58.9	35.6 - 82.1	57.8	56.4 - 59.2
<b>ANNUAL INCOME</b>	<\$25,000	43.5	20.7 - 66.3	53.8	51.4 - 56.1
	\$25,000-\$49,999	54.7	21.3 - 88.1	50.4	47.9 - 52.9
	\$50,000 or More	57.7	31.1 - 84.4	58.1	56.2 - 60.0
<b>MARITAL STATUS</b>	Married/Couple	39.9	19.1 - 60.7	54.5	52.9 - 56.0
	Not Married/Couple	60.4	39.6 - 81.3	55.5	53.6 - 57.4

## Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	59.9	23.4 - 96.4	61.1	58.3 - 63.9
<b>SEX</b>	Men	NA		60.3	56.0 - 64.5
	Women	43.4	21.2 - 65.6	62.1	58.5 - 65.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	72.5	44.4 - 100.0	57.9	55.0 - 60.8
	Non-Hisp. Black	NA		71.1	61.8 - 80.3
	Hispanic	NA		62.6	53.1 - 72.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	NA		57.9	53.4 - 62.4
	Non-Hisp. White Women	36.4	9.9 - 62.8	57.9	54.1 - 61.7
	Non-Hisp. Black Men	NA		64.6	51.4 - 77.8
	Non-Hisp. Black Women	NA		82.8	75.3 - 90.3
	Hispanic Men	NA		61.3	48.9 - 73.7
	Hispanic Women	NA		65.2	50.4 - 80.1
<b>AGE GROUP</b>	18-44	NA		65.8	61.4 - 70.3
	45-64	79.6	57.0 - 100.0	58.2	54.3 - 62.2
	65 & Older	NA		52.7	44.7 - 60.8
<b>EDUCATION LEVEL</b>	<High School	NA		58.6	50.8 - 66.4
	High School / GED	90.8 *	78.7 - 100.0	61.9	57.5 - 66.3
	>High School	NA		61.8	57.9 - 65.6
<b>ANNUAL INCOME</b>	<\$25,000	38.1	0.0 - 79.8	63.9	59.3 - 68.5
	\$25,000-\$49,999	NA		61.8	56.6 - 66.9
	\$50,000 or More	NA		57.1	51.4 - 62.8
<b>MARITAL STATUS</b>	Married/Couple	NA		60.9	56.9 - 64.9
	Not Married/Couple	90.5 *	79.8 - 100.0	61.2	57.3 - 65.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Physical Activity &amp; Nutrition

## Percentage of adults who are sedentary

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	28.8	14.0 - 43.6	27.7	26.6 - 28.9
<b>SEX</b>	Men	32.0	9.9 - 54.1	25.3	23.6 - 27.0
	Women	24.3	7.9 - 40.6	30.0	28.5 - 31.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	11.6 *	3.7 - 19.6	25.1	24.0 - 26.2
	Non-Hisp. Black	38.1	20.6 - 55.7	30.2	26.6 - 33.9
	Hispanic	25.5	3.8 - 47.2	31.6	28.1 - 35.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	25.1	4.4 - 45.8	22.9	21.3 - 24.4
	Non-Hisp. White Women	6.4 *	1.4 - 11.3	27.2	25.7 - 28.6
	Non-Hisp. Black Men	NA		26.0	20.8 - 31.3
	Non-Hisp. Black Women	25.9	10.8 - 41.0	34.0	29.1 - 39.0
	Hispanic Men	15.3	0.0 - 38.4	29.0	23.9 - 34.2
	Hispanic Women	49.1	12.9 - 85.2	34.1	29.2 - 38.9
<b>AGE GROUP</b>	18-44	21.1	0.0 - 47.7	24.1	22.1 - 26.0
	45-64	39.7	16.6 - 62.8	29.5	27.5 - 31.4
	65 & Older	24.7	6.4 - 43.1	32.2	30.3 - 34.0
<b>EDUCATION LEVEL</b>	<High School	40.0	10.8 - 69.3	40.5	36.2 - 44.9
	High School / GED	22.7	3.1 - 42.2	31.2	29.0 - 33.4
	>High School	18.6	5.2 - 32.0	22.4	21.2 - 23.7
<b>ANNUAL INCOME</b>	<\$25,000	34.8	11.8 - 57.9	37.1	34.7 - 39.5
	\$25,000-\$49,999	18.9	0.0 - 42.8	28.8	26.5 - 31.2
	\$50,000 or More	37.1	10.9 - 63.2	18.1	16.5 - 19.6
<b>MARITAL STATUS</b>	Married/Couple	30.5	6.4 - 54.6	26.4	24.9 - 27.9
	Not Married/Couple	27.4	9.5 - 45.4	29.1	27.3 - 30.9

## Percentage of adults who consumed five or more servings of fruits or vegetables per day

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	12.6	5.0 - 20.3	18.3	17.3 - 19.4
<b>SEX</b>	Men	8.1	1.5 - 14.7	16.1	14.5 - 17.6
	Women	19.1	4.2 - 34.1	20.4	19.0 - 21.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	6.6 *	0.9 - 12.4	16.3	15.4 - 17.3
	Non-Hisp. Black	27.8	10.2 - 45.4	22.4	18.9 - 26.0
	Hispanic	14.6	0.0 - 29.6	19.8	16.8 - 22.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.5	0.0 - 30.9	14.0	12.6 - 15.5
	Non-Hisp. White Women	3.6 *	0.2 - 7.0	18.5	17.2 - 19.7
	Non-Hisp. Black Men	NA		18.2	13.0 - 23.4
	Non-Hisp. Black Women	34.4	15.1 - 53.7	26.3	21.5 - 31.0
	Hispanic Men	5.7 *	0.0 - 13.0	19.0	14.5 - 23.5
	Hispanic Women	35.1	0.0 - 71.1	20.6	16.5 - 24.7
<b>AGE GROUP</b>	18-44	12.4	0.0 - 27.0	19.9	18.0 - 21.7
	45-64	13.3	3.6 - 23.0	17.9	16.3 - 19.5
	65 & Older	11.8	0.7 - 22.9	16.2	14.6 - 17.9
<b>EDUCATION LEVEL</b>	<High School	12.6	0.0 - 28.5	18.7	15.1 - 22.3
	High School / GED	9.2	2.3 - 16.1	14.5	12.6 - 16.3
	>High School	17.9	3.3 - 32.6	20.4	19.1 - 21.6
<b>ANNUAL INCOME</b>	<\$25,000	14.5	1.4 - 27.5	17.7	15.6 - 19.8
	\$25,000-\$49,999	5.5 *	0.0 - 11.3	19.0	16.8 - 21.2
	\$50,000 or More	19.5	0.0 - 42.9	19.7	18.1 - 21.3
<b>MARITAL STATUS</b>	Married/Couple	19.9	4.3 - 35.6	19.4	18.0 - 20.8
	Not Married/Couple	6.5 *	1.9 - 11.1	17.0	15.6 - 18.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Physical Activity &amp; Nutrition

## Percentage of adults who are inactive or insufficiently active

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	52.1	35.2 - 69.1	52.9	51.6 - 54.3
<b>SEX</b>	Men	61.3	38.4 - 84.1	51.1	49.0 - 53.1
	Women	39.8	19.6 - 60.0	54.5	52.8 - 56.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	17.9 *	6.1 - 29.7	48.8	47.5 - 50.1
	Non-Hisp. Black	57.7	39.5 - 76.0	56.9	52.6 - 61.3
	Hispanic	64.0	35.7 - 92.3	59.3	55.2 - 63.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	33.1	8.8 - 57.3	46.3	44.2 - 48.3
	Non-Hisp. White Women	11.1 *	1.8 - 20.5	51.0	49.3 - 52.7
	Non-Hisp. Black Men	NA		54.2	47.1 - 61.2
	Non-Hisp. Black Women	48.5	29.4 - 67.5	59.4	54.0 - 64.7
	Hispanic Men	NA		59.3	53.3 - 65.4
	Hispanic Women	75.0	53.7 - 96.3	59.3	53.7 - 64.9
<b>AGE GROUP</b>	18-44	35.5	1.4 - 69.7	54.3	51.7 - 56.8
	45-64	71.4	49.1 - 93.6	55.2	53.0 - 57.3
	65 & Older	38.2	12.9 - 63.5	47.5	45.5 - 49.4
<b>EDUCATION LEVEL</b>	<High School	64.9	36.1 - 93.8	64.2	59.9 - 68.6
	High School / GED	45.7	22.2 - 69.1	55.6	53.0 - 58.1
	>High School	36.5	14.6 - 58.3	48.4	46.8 - 50.0
<b>ANNUAL INCOME</b>	<\$25,000	53.9	29.4 - 78.5	61.0	58.4 - 63.6
	\$25,000-\$49,999	59.9	27.0 - 92.8	56.2	53.5 - 58.9
	\$50,000 or More	47.6	19.1 - 76.2	43.5	41.3 - 45.7
<b>MARITAL STATUS</b>	Married/Couple	61.6	37.7 - 85.5	50.5	48.7 - 52.2
	Not Married/Couple	42.8	21.4 - 64.3	55.8	53.7 - 57.9

## Percentage of adults who meet aerobic recommendations

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	55.7	39.1 - 72.2	50.2	48.9 - 51.5
<b>SEX</b>	Men	48.3	24.0 - 72.7	52.0	50.0 - 54.0
	Women	65.7	47.9 - 83.6	48.6	46.9 - 50.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	83.7 *	73.5 - 93.9	53.8	52.5 - 55.1
	Non-Hisp. Black	42.3	24.0 - 60.5	46.8	42.5 - 51.1
	Hispanic	51.8	22.7 - 80.8	45.0	41.0 - 49.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	66.9	42.7 - 91.2	56.3	54.3 - 58.2
	Non-Hisp. White Women	90.3 *	82.8 - 97.7	51.7	50.0 - 53.3
	Non-Hisp. Black Men	NA		48.8	41.9 - 55.6
	Non-Hisp. Black Women	51.5	32.5 - 70.6	45.0	39.7 - 50.4
	Hispanic Men	NA		45.3	39.4 - 51.2
	Hispanic Women	43.3	6.9 - 79.7	44.8	39.4 - 50.2
<b>AGE GROUP</b>	18-44	74.5	46.2 - 100.0	50.7	48.2 - 53.1
	45-64	32.3	10.0 - 54.6	47.6	45.4 - 49.7
	65 & Older	64.0	40.6 - 87.5	53.6	51.7 - 55.5
<b>EDUCATION LEVEL</b>	<High School	40.4	11.8 - 69.0	38.8	34.4 - 43.2
	High School / GED	66.5	44.0 - 88.9	47.7	45.2 - 50.2
	>High School	66.9	47.1 - 86.7	54.7	53.1 - 56.2
<b>ANNUAL INCOME</b>	<\$25,000	53.6	30.4 - 76.9	42.3	39.7 - 44.9
	\$25,000-\$49,999	53.7	18.8 - 88.6	47.8	45.1 - 50.4
	\$50,000 or More	52.4	23.8 - 80.9	59.2	57.1 - 61.3
<b>MARITAL STATUS</b>	Married/Couple	44.2	20.2 - 68.2	52.5	50.7 - 54.2
	Not Married/Couple	65.6	46.1 - 85.2	47.6	45.5 - 49.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Physical Activity &amp; Nutrition

## Percentage of adults who meet muscle strengthening recommendations

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	15.7 *	5.9 - 25.6	29.6	28.4 - 30.7
<b>SEX</b>	Men	16.1 *	0.8 - 31.3	36.0	34.1 - 37.8
	Women	15.3	5.6 - 24.9	23.6	22.2 - 25.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.4 *	0.5 - 24.3	29.3	28.1 - 30.4
	Non-Hisp. Black	19.3	2.8 - 35.8	35.0	31.0 - 38.9
	Hispanic	20.1	0.5 - 39.7	28.0	24.6 - 31.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.1 *	1.6 - 14.5	34.1	32.2 - 36.0
	Non-Hisp. White Women	14.1	0.0 - 30.7	24.8	23.4 - 26.2
	Non-Hisp. Black Men	NA		45.0	38.7 - 51.4
	Non-Hisp. Black Women	23.4	6.6 - 40.3	25.9	21.5 - 30.3
	Hispanic Men	23.1	0.0 - 50.3	37.0	31.7 - 42.3
	Hispanic Women	13.1	0.0 - 26.3	19.4	15.4 - 23.5
<b>AGE GROUP</b>	18-44	24.4	3.3 - 45.5	37.4	35.2 - 39.5
	45-64	6.4 *	0.7 - 12.1	25.4	23.6 - 27.2
	65 & Older	12.8	2.1 - 23.6	21.8	20.2 - 23.3
<b>EDUCATION LEVEL</b>	<High School	4.3 *	0.1 - 8.6	20.7	16.8 - 24.6
	High School / GED	28.7	6.4 - 51.0	26.2	24.0 - 28.5
	>High School	14.3 *	3.3 - 25.4	33.8	32.3 - 35.2
<b>ANNUAL INCOME</b>	<\$25,000	22.9	5.0 - 40.8	23.6	21.5 - 25.7
	\$25,000-\$49,999	6.0 *	0.3 - 11.8	27.1	24.9 - 29.4
	\$50,000 or More	10.4 *	2.8 - 18.1	37.3	35.2 - 39.3
<b>MARITAL STATUS</b>	Married/Couple	11.8 *	0.0 - 25.1	28.1	26.6 - 29.6
	Not Married/Couple	19.0	4.8 - 33.2	31.3	29.5 - 33.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Screening/Breast

## Percentage of women aged 40 to 74 years who received a mammogram in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	72.7	50.1 - 95.3	57.5	55.3 - 59.6
<b>SEX</b>	Women	72.7	50.1 - 95.3	57.5	55.3 - 59.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	84.6 *	67.3 - 100.0	56.2	54.2 - 58.2
	Non-Hisp. Black	NA		61.0	54.4 - 67.6
	Hispanic	56.8	13.3 - 100.0	61.0	54.2 - 67.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	84.6 *	67.3 - 100.0	56.2	54.2 - 58.2
	Non-Hisp. Black Women	NA		61.0	54.4 - 67.6
	Hispanic Women	56.8	13.3 - 100.0	61.0	54.2 - 67.7
<b>AGE GROUP</b>	18-44	NA		44.0	37.6 - 50.3
	45-64	84.3 *	71.9 - 96.7	57.0	54.2 - 59.8
	65 & Older	90.9 *	81.2 - 100.0	67.5	64.3 - 70.7
<b>EDUCATION LEVEL</b>	<High School	72.1	36.2 - 100.0	49.3	40.5 - 58.1
	High School / GED	70.9	52.0 - 89.7	58.0	54.1 - 61.8
	>High School	75.3	56.7 - 93.8	59.0	56.6 - 61.5
<b>ANNUAL INCOME</b>	<\$25,000	73.1	43.0 - 100.0	52.4	47.8 - 57.0
	\$25,000-\$49,999	72.8	53.7 - 91.9	50.9	46.5 - 55.2
	\$50,000 or More	74.5	55.9 - 93.2	64.8	61.7 - 67.9
<b>MARITAL STATUS</b>	Married/Couple	43.2	12.5 - 73.9	59.9	57.3 - 62.6
	Not Married/Couple	90.2 *	81.2 - 99.3	53.6	50.1 - 57.2

## Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	77.3 *	66.2 - 88.4	56.0	54.2 - 57.7
<b>SEX</b>	Women	77.3 *	66.2 - 88.4	56.0	54.2 - 57.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	86.0 *	73.8 - 98.2	57.8	56.2 - 59.4
	Non-Hisp. Black	68.3	49.8 - 86.9	59.3	54.2 - 64.5
	Hispanic	74.2	53.4 - 95.0	50.2	44.7 - 55.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	86.0 *	73.8 - 98.2	57.8	56.2 - 59.4
	Non-Hisp. Black Women	68.3	49.8 - 86.9	59.3	54.2 - 64.5
	Hispanic Women	74.2	53.4 - 95.0	50.2	44.7 - 55.6
<b>AGE GROUP</b>	18-44	83.8 *	70.0 - 97.7	50.7	47.5 - 54.0
	45-64	82.3 *	68.5 - 96.1	60.1	57.3 - 62.9
	65 & Older	51.7	24.9 - 78.5	58.1	55.7 - 60.4
<b>EDUCATION LEVEL</b>	<High School	86.8 *	74.6 - 99.1	45.6	39.2 - 52.0
	High School / GED	61.6	42.9 - 80.3	51.2	47.9 - 54.5
	>High School	79.8	60.0 - 99.6	60.9	58.9 - 62.9
<b>ANNUAL INCOME</b>	<\$25,000	83.3 *	71.5 - 95.1	48.4	45.1 - 51.7
	\$25,000-\$49,999	54.8	32.6 - 77.0	52.6	49.1 - 56.1
	\$50,000 or More	72.0	54.2 - 89.7	67.8	65.0 - 70.5
<b>MARITAL STATUS</b>	Married/Couple	71.8	54.4 - 89.2	60.6	58.3 - 62.8
	Not Married/Couple	79.8 *	66.2 - 93.4	51.4	48.8 - 54.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Screening/Cervical

## Percentage of women 18 years of age and older who received a Pap test in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	60.2	36.7 - 83.6	51.4	49.3 - 53.5
<b>SEX</b>	Women	60.2	36.7 - 83.6	51.4	49.3 - 53.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	60.1	19.5 - 100.0	49.3	47.3 - 51.4
	Non-Hisp. Black	NA		56.3	50.2 - 62.4
	Hispanic	70.9	46.3 - 95.6	53.5	47.5 - 59.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	60.1	19.5 - 100.0	49.3	47.3 - 51.4
	Non-Hisp. Black Women	NA		56.3	50.2 - 62.4
	Hispanic Women	70.9	46.3 - 95.6	53.5	47.5 - 59.4
<b>AGE GROUP</b>	18-44	58.1	19.0 - 97.1	56.6	53.3 - 59.8
	45-64	70.8	42.7 - 98.9	52.3	49.0 - 55.6
	65 & Older	48.0	16.0 - 80.0	34.3	30.9 - 37.7
<b>EDUCATION LEVEL</b>	<High School	NA		48.0	40.6 - 55.5
	High School / GED	64.9	44.5 - 85.4	46.3	42.1 - 50.4
	>High School	28.0	0.4 - 55.5	54.6	52.2 - 57.0
<b>ANNUAL INCOME</b>	<\$25,000	80.7 *	64.9 - 96.5	48.3	44.5 - 52.1
	\$25,000-\$49,999	40.5	17.6 - 63.4	43.7	39.4 - 47.9
	\$50,000 or More	67.0	45.3 - 88.6	61.2	57.8 - 64.5
<b>MARITAL STATUS</b>	Married/Couple	76.2 *	58.7 - 93.6	55.3	52.5 - 58.0
	Not Married/Couple	52.1	19.6 - 84.7	47.4	44.3 - 50.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Screening/Colorectal

## Percentage of adults 50 years of age and older who received a stool blood test in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	4.1 *	1.3 - 6.8	13.9	12.8 - 15.0
<b>SEX</b>	Men	3.9 *	0.2 - 7.7	13.0	11.5 - 14.5
	Women	4.2 *	0.2 - 8.2	14.7	13.2 - 16.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.2 *	0.5 - 9.9	13.6	12.7 - 14.6
	Non-Hisp. Black	3.4 *	0.0 - 9.2	14.4	10.3 - 18.5
	Hispanic	3.0 *	0.0 - 7.2	13.9	9.7 - 18.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.3	3.3 - 25.3	13.4	12.0 - 14.8
	Non-Hisp. White Women	2.3 *	0.0 - 5.1	13.9	12.7 - 15.1
	Non-Hisp. Black Men	NA		13.9	6.8 - 21.0
	Non-Hisp. Black Women	NA		14.9	10.6 - 19.2
	Hispanic Men	NA		10.9	5.2 - 16.5
	Hispanic Women	NA		16.2	10.2 - 22.2
<b>AGE GROUP</b>	45-64	4.4	0.2 - 8.5	9.3	7.9 - 10.6
	65 & Older	3.6 *	0.8 - 6.4	19.2	17.6 - 20.9
<b>EDUCATION LEVEL</b>	<High School	4.3 *	0.0 - 8.7	14.0	9.6 - 18.4
	High School / GED	2.2 *	0.0 - 4.4	14.4	12.6 - 16.2
	>High School	5.7 *	0.7 - 10.7	13.7	12.5 - 14.9
<b>ANNUAL INCOME</b>	<\$25,000	5.8 *	0.8 - 10.7	15.9	13.3 - 18.4
	\$25,000-\$49,999	1.2 *	0.0 - 2.7	13.4	11.6 - 15.3
	\$50,000 or More	4.2 *	0.0 - 10.2	12.9	11.3 - 14.6
<b>MARITAL STATUS</b>	Married/Couple	2.9 *	0.4 - 5.4	14.3	12.9 - 15.8
	Not Married/Couple	5.8 *	0.2 - 11.4	13.2	11.7 - 14.8

## Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	46.4	24.7 - 68.2	55.3	53.7 - 56.9
<b>SEX</b>	Men	46.6	12.3 - 80.9	57.1	54.7 - 59.6
	Women	46.2	21.1 - 71.4	53.7	51.6 - 55.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	32.9	7.2 - 58.6	56.6	55.2 - 58.1
	Non-Hisp. Black	58.3	36.5 - 80.1	57.1	51.4 - 62.8
	Hispanic	55.0	7.7 - 100.0	50.7	44.4 - 57.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	42.8	21.9 - 63.6	58.6	56.3 - 61.0
	Non-Hisp. White Women	29.3	0.0 - 61.1	54.9	53.1 - 56.8
	Non-Hisp. Black Men	NA		61.0	52.1 - 69.9
	Non-Hisp. Black Women	NA		53.5	46.5 - 60.5
	Hispanic Men	NA		48.5	38.5 - 58.6
	Hispanic Women	NA		52.3	44.2 - 60.5
<b>AGE GROUP</b>	45-64	49.0	17.8 - 80.2	46.8	44.4 - 49.3
	65 & Older	42.8	16.5 - 69.0	65.1	63.3 - 66.9
<b>EDUCATION LEVEL</b>	<High School	46.5	10.7 - 82.3	47.5	41.4 - 53.7
	High School / GED	51.7	29.0 - 74.5	53.7	51.0 - 56.5
	>High School	39.2	20.3 - 58.0	58.4	56.6 - 60.2
<b>ANNUAL INCOME</b>	<\$25,000	28.9	7.8 - 50.1	49.0	45.7 - 52.4
	\$25,000-\$49,999	54.7	12.3 - 97.2	53.2	49.9 - 56.5
	\$50,000 or More	59.6	26.9 - 92.2	61.2	58.7 - 63.6
<b>MARITAL STATUS</b>	Married/Couple	56.7	26.7 - 86.8	58.6	56.7 - 60.6
	Not Married/Couple	32.0	10.3 - 53.8	50.0	47.4 - 52.7

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## HIV/AIDS Screening

## Percentage of adults who have ever been tested for HIV

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	49.5	32.9 - 66.2	42.6	41.4 - 43.9
<b>SEX</b>	Men	34.6	12.2 - 57.1	41.2	39.3 - 43.1
	Women	70.7 *	56.5 - 84.8	43.9	42.2 - 45.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	59.2	34.8 - 83.6	34.4	33.2 - 35.6
	Non-Hisp. Black	38.8 *	22.2 - 55.4	65.8	62.1 - 69.5
	Hispanic	56.8	28.6 - 84.9	48.7	44.9 - 52.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	32.8	5.0 - 60.7	35.3	33.4 - 37.2
	Non-Hisp. White Women	68.4 *	43.1 - 93.7	33.5	32.0 - 35.1
	Non-Hisp. Black Men	NA		62.0	55.9 - 68.0
	Non-Hisp. Black Women	54.0	34.8 - 73.3	69.3	64.7 - 73.8
	Hispanic Men	NA		44.9	39.5 - 50.4
	Hispanic Women	84.5 *	70.1 - 98.8	52.3	47.0 - 57.6
<b>AGE GROUP</b>	18-44	44.8	17.1 - 72.5	56.9	54.7 - 59.2
	45-64	70.0 *	52.2 - 87.8	42.7	40.6 - 44.8
	65 & Older	16.1	0.2 - 32.0	15.9	14.3 - 17.6
<b>EDUCATION LEVEL</b>	<High School	56.7	26.8 - 86.6	39.4	35.0 - 43.7
	High School / GED	37.4	12.6 - 62.2	39.8	37.4 - 42.3
	>High School	56.6	32.7 - 80.4	45.0	43.5 - 46.5
<b>ANNUAL INCOME</b>	<\$25,000	49.4	26.3 - 72.5	48.8	46.3 - 51.3
	\$25,000-\$49,999	44.4	9.3 - 79.4	40.8	38.2 - 43.4
	\$50,000 or More	59.7	33.4 - 86.0	41.7	39.6 - 43.8
<b>MARITAL STATUS</b>	Married/Couple	44.0	19.2 - 68.8	39.9	38.2 - 41.6
	Not Married/Couple	54.0	31.8 - 76.3	46.1	44.1 - 48.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who received a flu shot in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	24.5	13.2 - 35.8	30.7	29.6 - 31.8
<b>SEX</b>	Men	25.7	8.5 - 42.8	29.5	27.9 - 31.2
	Women	22.8	10.6 - 35.0	31.8	30.3 - 33.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	27.8	9.5 - 46.0	36.6	35.5 - 37.8
	Non-Hisp. Black	50.0 *	32.4 - 67.7	17.9	15.2 - 20.6
	Hispanic	15.7	0.0 - 33.9	26.1	22.6 - 29.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	39.0	10.8 - 67.1	35.3	33.6 - 37.0
	Non-Hisp. White Women	23.4	2.1 - 44.7	37.8	36.3 - 39.3
	Non-Hisp. Black Men	NA		16.6	12.7 - 20.5
	Non-Hisp. Black Women	37.7	19.2 - 56.2	19.1	15.4 - 22.7
	Hispanic Men	NA		25.5	20.6 - 30.4
	Hispanic Women	10.9	0.0 - 22.2	26.6	21.8 - 31.4
<b>AGE GROUP</b>	18-44	12.3	0.5 - 24.1	18.6	17.0 - 20.3
	45-64	20.9	7.5 - 34.3	29.5	27.6 - 31.4
	65 & Older	63.0	39.6 - 86.3	54.6	52.7 - 56.5
<b>EDUCATION LEVEL</b>	<High School	19.4	0.0 - 39.8	26.5	22.5 - 30.5
	High School / GED	15.9	4.3 - 27.5	28.8	26.7 - 30.8
	>High School	48.2	23.2 - 73.2	32.8	31.6 - 34.1
<b>ANNUAL INCOME</b>	<\$25,000	18.1	7.0 - 29.2	25.4	23.3 - 27.5
	\$25,000-\$49,999	30.5	2.5 - 58.4	31.3	29.0 - 33.5
	\$50,000 or More	66.2 *	45.0 - 87.5	34.0	32.2 - 35.8
<b>MARITAL STATUS</b>	Married/Couple	31.3	11.3 - 51.3	34.2	32.7 - 35.7
	Not Married/Couple	18.8	7.3 - 30.3	26.7	25.1 - 28.4

## Percentage of adults 65 years of age and older who received a flu shot in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	63.0	39.6 - 86.3	54.6	52.7 - 56.5
<b>SEX</b>	Men	80.6 *	59.7 - 100.0	54.4	51.2 - 57.5
	Women	38.0	13.9 - 62.1	54.7	52.4 - 57.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	37.9	13.2 - 62.7	58.5	56.9 - 60.2
	Non-Hisp. Black	NA		34.3	26.6 - 41.9
	Hispanic	NA		46.6	37.1 - 56.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	61.8	25.1 - 98.4	57.7	55.0 - 60.4
	Non-Hisp. White Women	20.3 *	3.0 - 37.7	59.2	57.1 - 61.4
	Non-Hisp. Black Men	NA		27.5	16.3 - 38.7
	Non-Hisp. Black Women	NA		39.4	29.8 - 49.0
	Hispanic Men	NA		53.4	37.0 - 69.8
	Hispanic Women	NA		41.0	30.9 - 51.2
<b>AGE GROUP</b>	65 & Older	63.0	39.6 - 86.3	54.6	52.7 - 56.5
<b>EDUCATION LEVEL</b>	<High School	NA		49.0	41.6 - 56.4
	High School / GED	42.1	13.4 - 70.8	53.3	50.3 - 56.3
	>High School	58.1	25.7 - 90.6	57.0	54.9 - 59.2
<b>ANNUAL INCOME</b>	<\$25,000	48.4	21.1 - 75.7	48.2	43.7 - 52.7
	\$25,000-\$49,999	87.1 *	68.6 - 100.0	56.4	53.2 - 59.7
	\$50,000 or More	NA		59.1	56.1 - 62.1
<b>MARITAL STATUS</b>	Married/Couple	73.2	46.9 - 99.6	55.6	53.0 - 58.2
	Not Married/Couple	45.3	18.5 - 72.2	53.2	50.4 - 56.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who have ever received a pneumococcal vaccination

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	23.6	11.7 - 35.4	33.1	32.0 - 34.3
<b>SEX</b>	Men	15.7 *	2.7 - 28.7	32.9	31.1 - 34.7
	Women	36.2	16.0 - 56.4	33.3	31.8 - 34.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	23.6	6.7 - 40.5	38.2	37.0 - 39.4
	Non-Hisp. Black	30.0	13.4 - 46.6	28.9	25.0 - 32.8
	Hispanic	23.6	1.0 - 46.2	24.6	21.3 - 28.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	40.0	9.0 - 70.9	38.0	36.1 - 39.9
	Non-Hisp. White Women	17.8 *	0.0 - 35.7	38.3	36.8 - 39.9
	Non-Hisp. Black Men	NA		29.7	23.0 - 36.4
	Non-Hisp. Black Women	39.7	19.6 - 59.8	28.2	23.7 - 32.7
	Hispanic Men	NA		24.6	19.8 - 29.5
	Hispanic Women	65.1 *	36.7 - 93.5	24.6	20.0 - 29.2
<b>AGE GROUP</b>	18-44	12.3	0.0 - 29.3	19.7	17.7 - 21.7
	45-64	27.3	7.4 - 47.1	24.4	22.6 - 26.2
	65 & Older	40.6	15.6 - 65.5	66.2	64.2 - 68.1
<b>EDUCATION LEVEL</b>	<High School	22.7	1.2 - 44.2	29.6	25.7 - 33.4
	High School / GED	26.7	6.6 - 46.7	34.0	31.8 - 36.3
	>High School	20.1	4.9 - 35.2	33.6	32.2 - 35.0
<b>ANNUAL INCOME</b>	<\$25,000	34.4	13.0 - 55.7	32.7	30.4 - 34.9
	\$25,000-\$49,999	13.3 *	1.2 - 25.4	34.5	32.1 - 36.8
	\$50,000 or More	19.9	0.0 - 41.3	30.0	28.1 - 31.9
<b>MARITAL STATUS</b>	Married/Couple	23.9	6.3 - 41.5	33.4	31.8 - 34.9
	Not Married/Couple	23.3	7.2 - 39.4	32.8	31.0 - 34.5

## Percentage of adults 65 years of age and older who have ever received a pneumococcal vaccination

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	40.6	15.5 - 65.6	66.2	64.2 - 68.1
<b>SEX</b>	Men	29.9	0.0 - 60.5	62.7	59.4 - 66.1
	Women	55.6	29.2 - 82.0	69.0	66.6 - 71.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	42.1 *	16.2 - 67.9	71.0	69.4 - 72.6
	Non-Hisp. Black	NA		49.1	40.3 - 57.9
	Hispanic	NA		47.4	37.6 - 57.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	63.0	26.2 - 99.7	67.5	64.9 - 70.1
	Non-Hisp. White Women	26.7 *	4.4 - 49.0	73.9	72.0 - 75.8
	Non-Hisp. Black Men	NA		42.6	27.9 - 57.4
	Non-Hisp. Black Women	NA		53.8	43.8 - 63.8
	Hispanic Men	NA		45.1	27.9 - 62.2
	Hispanic Women	NA		49.4	38.3 - 60.5
<b>AGE GROUP</b>	65 & Older	40.6	15.5 - 65.6	66.2	64.2 - 68.1
<b>EDUCATION LEVEL</b>	<High School	NA		55.3	47.5 - 63.1
	High School / GED	52.4	22.1 - 82.7	68.6	65.8 - 71.5
	>High School	49.7	16.8 - 82.5	68.2	66.0 - 70.4
<b>ANNUAL INCOME</b>	<\$25,000	57.2	30.6 - 83.8	60.6	55.8 - 65.3
	\$25,000-\$49,999	32.9	0.0 - 72.8	67.3	64.1 - 70.5
	\$50,000 or More	NA		69.4	66.4 - 72.3
<b>MARITAL STATUS</b>	Married/Couple	31.7 *	2.0 - 61.5	67.0	64.4 - 69.6
	Not Married/Couple	55.8	29.3 - 82.3	64.9	61.8 - 68.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who have received a tetanus shot since 2005

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	66.2	51.8 - 80.6	51.2	49.9 - 52.5
<b>SEX</b>	Men	72.0	53.5 - 90.6	54.9	52.9 - 56.9
	Women	57.7	36.7 - 78.7	47.7	45.9 - 49.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	49.7	21.7 - 77.7	52.0	50.7 - 53.3
	Non-Hisp. Black	50.9	33.2 - 68.6	47.5	43.3 - 51.6
	Hispanic	70.3 *	47.7 - 92.9	42.8	38.9 - 46.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	61.0	32.6 - 89.5	57.0	55.1 - 59.0
	Non-Hisp. White Women	45.3	8.7 - 81.9	47.3	45.6 - 49.0
	Non-Hisp. Black Men	NA		54.8	48.5 - 61.2
	Non-Hisp. Black Women	60.7	41.7 - 79.8	41.0	35.8 - 46.2
	Hispanic Men	NA		42.1	36.5 - 47.8
	Hispanic Women	71.8	46.8 - 96.7	43.6	38.0 - 49.1
<b>AGE GROUP</b>	18-44	80.3 *	62.3 - 98.4	57.0	54.7 - 59.3
	45-64	55.3	29.8 - 80.7	49.1	47.0 - 51.3
	65 & Older	55.9	29.6 - 82.3	43.5	41.5 - 45.5
<b>EDUCATION LEVEL</b>	<High School	71.0	47.7 - 94.3	45.9	41.3 - 50.6
	High School / GED	56.0	29.8 - 82.3	49.7	47.2 - 52.2
	>High School	75.1 *	59.6 - 90.7	53.5	52.0 - 55.1
<b>ANNUAL INCOME</b>	<\$25,000	63.0	41.5 - 84.5	48.3	45.7 - 50.8
	\$25,000-\$49,999	70.3	43.3 - 97.2	49.6	47.0 - 52.2
	\$50,000 or More	59.9	34.5 - 85.4	55.4	53.3 - 57.5
<b>MARITAL STATUS</b>	Married/Couple	74.6 *	60.3 - 89.0	51.1	49.4 - 52.8
	Not Married/Couple	59.4	37.6 - 81.1	51.1	49.0 - 53.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Injury Prevention

## Percentage of adults who always or nearly always use a seatbelt when riding in a car

		2013 County			2013 State		
		Measure	95% CI		Measure	95% CI	
<b>ALL</b>	Overall	96.6	92.5	-100.0	94.2	93.5	- 94.9
<b>SEX</b>	Men	94.9	88.1	-100.0	91.9	90.7	- 93.1
	Women	98.9 *	97.7	-100.0	96.3	95.6	- 97.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	89.0	74.7	-100.0	94.7	94.0	- 95.4
	Non-Hisp. Black	99.0 *	97.0	-100.0	91.8	89.2	- 94.4
	Hispanic	99.2 *	98.2	-100.0	94.1	92.2	- 95.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	61.8	26.8	- 96.9	92.2	90.9	- 93.4
	Non-Hisp. White Women	99.7 *	99.3	-100.0	97.1	96.5	- 97.7
	Non-Hisp. Black Men	NA			89.2	84.9	- 93.5
	Non-Hisp. Black Women	97.9	93.9	-100.0	94.1	91.1	- 97.1
	Hispanic Men	NA			92.3	89.2	- 95.4
	Hispanic Women	98.1	95.1	-100.0	95.7	93.8	- 97.7
<b>AGE GROUP</b>	18-44	93.8	84.5	-100.0	91.8	90.5	- 93.1
	45-64	98.5 *	97.2	- 99.9	95.6	94.6	- 96.6
	65 & Older	98.8 *	97.6	-100.0	96.4	95.7	- 97.2
<b>EDUCATION LEVEL</b>	<High School	98.7 *	96.1	-100.0	89.5	86.7	- 92.2
	High School / GED	93.3	82.8	-100.0	94.1	92.9	- 95.2
	>High School	97.9	95.5	-100.0	95.4	94.7	- 96.2
<b>ANNUAL INCOME</b>	<\$25,000	95.0	87.4	-100.0	91.7	90.1	- 93.3
	\$25,000-\$49,999	99.7 *	99.2	-100.0	94.6	93.4	- 95.8
	\$50,000 or More	97.2	93.3	-100.0	96.2	95.3	- 97.1
<b>MARITAL STATUS</b>	Married/Couple	98.7 *	97.5	- 99.9	95.8	95.1	- 96.5
	Not Married/Couple	94.8	87.4	-100.0	92.3	91.1	- 93.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

## Percentage of adults who said their overall health was "good" to "excellent"

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	66.0	50.2 - 81.8	80.5	79.5 - 81.4
<b>SEX</b>	Men	64.3	42.7 - 85.8	81.6	80.2 - 83.0
	Women	68.1	44.5 - 91.7	79.4	78.1 - 80.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	87.4	78.6 - 96.2	82.3	81.4 - 83.2
	Non-Hisp. Black	77.9	65.6 - 90.2	80.3	77.3 - 83.2
	Hispanic	43.1 *	16.1 - 70.1	76.0	73.1 - 78.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	76.3	56.9 - 95.8	82.4	80.9 - 83.8
	Non-Hisp. White Women	91.0	82.1 - 99.8	82.2	81.0 - 83.4
	Non-Hisp. Black Men	NA		81.8	77.3 - 86.3
	Non-Hisp. Black Women	69.2	51.9 - 86.6	78.8	75.1 - 82.6
	Hispanic Men	44.2	7.8 - 80.6	80.5	76.7 - 84.2
	Hispanic Women	41.4	2.9 - 79.9	71.7	67.4 - 76.1
<b>AGE GROUP</b>	18-44	72.0	46.0 - 98.0	86.9	85.5 - 88.4
	45-64	50.1 *	26.6 - 73.6	76.3	74.5 - 78.2
	65 & Older	81.3	68.9 - 93.8	74.6	72.9 - 76.2
<b>EDUCATION LEVEL</b>	<High School	65.3	37.8 - 92.7	63.3	59.5 - 67.2
	High School / GED	55.5	30.4 - 80.7	79.3	77.5 - 81.1
	>High School	90.0	81.3 - 98.7	85.8	84.8 - 86.8
<b>ANNUAL INCOME</b>	<\$25,000	58.3	34.8 - 81.8	66.3	64.0 - 68.5
	\$25,000-\$49,999	65.1	33.8 - 96.5	82.2	80.3 - 84.2
	\$50,000 or More	87.0	73.6 - 100.0	91.9	90.9 - 92.9
<b>MARITAL STATUS</b>	Married/Couple	72.0	51.4 - 92.7	82.5	81.2 - 83.7
	Not Married/Couple	60.7	37.8 - 83.7	78.0	76.4 - 79.5

## Percentage of adults who had poor physical health on 14 or more of the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	16.5	2.5 - 30.5	14.1	13.3 - 15.0
<b>SEX</b>	Men	9.6	0.0 - 20.9	13.0	11.8 - 14.3
	Women	23.6	0.0 - 47.8	15.2	14.0 - 16.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	7.9	1.1 - 14.6	13.9	13.0 - 14.7
	Non-Hisp. Black	7.1	0.7 - 13.5	12.4	9.8 - 15.0
	Hispanic	26.4	0.0 - 53.3	15.9	13.3 - 18.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.3	2.2 - 20.4	12.6	11.4 - 13.8
	Non-Hisp. White Women	6.9	0.0 - 15.0	15.0	13.9 - 16.2
	Non-Hisp. Black Men	NA		13.5	8.9 - 18.1
	Non-Hisp. Black Women	15.1	2.6 - 27.7	11.4	8.6 - 14.2
	Hispanic Men	13.1	0.0 - 32.2	12.9	9.7 - 16.1
	Hispanic Women	49.2	3.2 - 95.3	18.9	14.9 - 22.9
<b>AGE GROUP</b>	18-44	25.2	0.0 - 54.3	9.7	8.5 - 11.0
	45-64	8.8 *	2.6 - 15.0	18.3	16.6 - 20.0
	65 & Older	12.4	2.6 - 22.2	16.6	15.2 - 18.0
<b>EDUCATION LEVEL</b>	<High School	7.6 *	1.6 - 13.6	24.7	21.0 - 28.3
	High School / GED	24.4	0.0 - 50.9	14.6	13.1 - 16.1
	>High School	11.7	1.6 - 21.8	11.2	10.3 - 12.0
<b>ANNUAL INCOME</b>	<\$25,000	30.4	4.9 - 56.0	24.2	22.2 - 26.2
	\$25,000-\$49,999	3.9 *	0.1 - 7.6	13.2	11.5 - 15.0
	\$50,000 or More	3.4	0.1 - 6.8	6.8	5.9 - 7.7
<b>MARITAL STATUS</b>	Married/Couple	11.8	0.0 - 25.9	12.9	11.9 - 14.0
	Not Married/Couple	19.6	0.0 - 40.6	15.5	14.2 - 16.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

## Percentage of adults who had poor mental health on 14 or more of the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	10.6	1.0 - 20.2	12.7	11.9 - 13.6
<b>SEX</b>	Men	2.0 *	0.2 - 3.8	10.9	9.7 - 12.2
	Women	20.1	1.5 - 38.7	14.4	13.2 - 15.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	20.7	0.0 - 46.2	11.9	11.1 - 12.8
	Non-Hisp. Black	2.4 *	0.0 - 6.3	14.7	11.7 - 17.6
	Hispanic	9.1	0.0 - 22.0	13.1	10.6 - 15.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.3 *	0.1 - 8.4	9.7	8.6 - 10.9
	Non-Hisp. White Women	26.0	0.0 - 58.4	14.0	12.8 - 15.2
	Non-Hisp. Black Men	NA		14.8	9.8 - 19.7
	Non-Hisp. Black Women	5.3	0.0 - 13.8	14.6	11.0 - 18.1
	Hispanic Men	1.7 *	0.0 - 4.4	10.7	7.2 - 14.3
	Hispanic Women	19.7	0.0 - 49.5	15.5	11.7 - 19.2
<b>AGE GROUP</b>	18-44	0.8 *	0.0 - 1.8	12.6	11.2 - 14.0
	45-64	26.4	2.1 - 50.7	16.0	14.2 - 17.7
	65 & Older	5.7	0.6 - 10.8	8.4	7.2 - 9.5
<b>EDUCATION LEVEL</b>	<High School	23.7	0.0 - 48.0	19.7	16.1 - 23.3
	High School / GED	1.5 *	0.5 - 2.6	13.5	12.0 - 15.1
	>High School	7.0	0.0 - 15.6	10.4	9.5 - 11.3
<b>ANNUAL INCOME</b>	<\$25,000	18.5	0.5 - 36.5	20.1	18.2 - 22.0
	\$25,000-\$49,999	1.7 *	0.0 - 4.0	13.0	11.0 - 14.9
	\$50,000 or More	2.8	0.0 - 6.0	6.7	5.7 - 7.6
<b>MARITAL STATUS</b>	Married/Couple	3.5 *	0.9 - 6.1	10.5	9.4 - 11.5
	Not Married/Couple	16.6	0.0 - 33.6	15.4	13.9 - 16.8

## Average number of unhealthy physical days in the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	4.5	2.2 - 6.9	4.5	4.3 - 4.7
<b>SEX</b>	Men	4.1	0.8 - 7.4	4.2	3.8 - 4.5
	Women	5.0	1.7 - 8.3	4.8	4.5 - 5.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	2.4	0.4 - 4.4	4.5	4.2 - 4.7
	Non-Hisp. Black	2.6	0.6 - 4.6	4.2	3.5 - 4.9
	Hispanic	6.8	2.6 - 11.1	4.8	4.2 - 5.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	3.8	1.0 - 6.6	4.1	3.8 - 4.4
	Non-Hisp. White Women	2.0 *	0.0 - 4.4	4.8	4.5 - 5.1
	Non-Hisp. Black Men	NA		4.4	3.2 - 5.6
	Non-Hisp. Black Women	5.2	1.4 - 9.0	4.1	3.4 - 4.8
	Hispanic Men	5.8	0.2 - 11.4	3.9	3.1 - 4.7
	Hispanic Women	8.6	3.2 - 14.1	5.7	4.7 - 6.8
<b>AGE GROUP</b>	18-44	5.4	0.6 - 10.3	3.4	3.0 - 3.7
	45-64	3.8	1.9 - 5.8	5.6	5.2 - 6.0
	65 & Older	4.1	1.1 - 7.1	5.1	4.8 - 5.4
<b>EDUCATION LEVEL</b>	<High School	3.7 *	1.6 - 5.9	7.4	6.4 - 8.3
	High School / GED	5.6	1.3 - 9.9	4.7	4.3 - 5.1
	>High School	3.5	0.6 - 6.4	3.7	3.5 - 3.9
<b>ANNUAL INCOME</b>	<\$25,000	6.8	2.4 - 11.2	7.2	6.7 - 7.7
	\$25,000-\$49,999	3.0	1.2 - 4.8	4.2	3.8 - 4.7
	\$50,000 or More	1.3	0.4 - 2.3	2.5	2.3 - 2.7
<b>MARITAL STATUS</b>	Married/Couple	4.6	0.5 - 8.6	4.2	3.9 - 4.4
	Not Married/Couple	4.6	1.7 - 7.4	4.9	4.6 - 5.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

## Average number of unhealthy mental days in the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	3.8	1.3 - 6.4	4.1	3.8 - 4.3
<b>SEX</b>	Men	1.0 *	0.3 - 1.7	3.5	3.2 - 3.9
	Women	7.0	2.4 - 11.5	4.6	4.3 - 4.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	6.5	0.0 - 14.0	3.8	3.6 - 4.0
	Non-Hisp. Black	1.3 *	0.0 - 2.6	4.5	3.8 - 5.2
	Hispanic	3.7	0.9 - 6.5	4.4	3.7 - 5.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	1.4 *	0.1 - 2.8	3.2	2.9 - 3.5
	Non-Hisp. White Women	8.2	0.0 - 17.7	4.3	4.0 - 4.6
	Non-Hisp. Black Men	NA		4.5	3.2 - 5.8
	Non-Hisp. Black Women	2.5	0.0 - 5.2	4.5	3.8 - 5.3
	Hispanic Men	1.1 *	0.1 - 2.2	3.5	2.5 - 4.5
	Hispanic Women	7.5	2.7 - 12.2	5.2	4.2 - 6.2
<b>AGE GROUP</b>	18-44	2.0 *	0.3 - 3.6	4.2	3.9 - 4.6
	45-64	7.0	0.5 - 13.5	4.9	4.4 - 5.4
	65 & Older	2.5	0.4 - 4.6	2.6	2.3 - 2.9
<b>EDUCATION LEVEL</b>	<High School	6.7	0.1 - 13.4	6.1	5.1 - 7.1
	High School / GED	2.3	0.7 - 3.9	4.2	3.8 - 4.6
	>High School	1.9	0.3 - 3.5	3.5	3.2 - 3.7
<b>ANNUAL INCOME</b>	<\$25,000	6.4	1.7 - 11.0	6.0	5.5 - 6.5
	\$25,000-\$49,999	1.1 *	0.3 - 2.0	4.3	3.7 - 4.8
	\$50,000 or More	0.8 *	0.2 - 1.5	2.4	2.1 - 2.6
<b>MARITAL STATUS</b>	Married/Couple	1.0 *	0.3 - 1.7	3.3	3.0 - 3.6
	Not Married/Couple	6.2	2.0 - 10.5	5.0	4.6 - 5.4

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (Among adults who have had at least one day of poor mental or physical health)

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	8.8	4.7 - 12.9	5.1	4.8 - 5.4
<b>SEX</b>	Men	5.9	0.4 - 11.5	5.2	4.7 - 5.7
	Women	11.9	2.6 - 21.2	5.1	4.7 - 5.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	2.8 *	0.6 - 5.0	5.5	5.1 - 5.8
	Non-Hisp. Black	NA		3.8	3.2 - 4.4
	Hispanic	12.5	3.0 - 22.0	5.1	4.2 - 6.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.3	1.0 - 9.6	5.5	4.9 - 6.0
	Non-Hisp. White Women	2.0 *	0.0 - 4.2	5.4	5.0 - 5.8
	Non-Hisp. Black Men	NA		3.6	2.8 - 4.4
	Non-Hisp. Black Women	NA		3.9	3.1 - 4.8
	Hispanic Men	NA		5.1	3.8 - 6.4
	Hispanic Women	19.1 *	7.2 - 31.0	5.2	3.9 - 6.4
<b>AGE GROUP</b>	18-44	10.2	0.0 - 21.0	3.7	3.3 - 4.1
	45-64	8.0	0.6 - 15.3	6.8	6.1 - 7.4
	65 & Older	6.8	1.9 - 11.7	5.7	5.2 - 6.2
<b>EDUCATION LEVEL</b>	<High School	5.3	0.0 - 12.0	7.4	6.1 - 8.6
	High School / GED	11.6	1.4 - 21.8	5.3	4.8 - 5.8
	>High School	10.7	2.3 - 19.2	4.3	4.0 - 4.6
<b>ANNUAL INCOME</b>	<\$25,000	12.3	3.6 - 20.9	7.7	7.1 - 8.4
	\$25,000-\$49,999	2.9	0.7 - 5.1	3.8	3.4 - 4.2
	\$50,000 or More	2.7	0.0 - 6.3	3.0	2.6 - 3.3
<b>MARITAL STATUS</b>	Married/Couple	4.5	0.0 - 10.4	4.8	4.4 - 5.2
	Not Married/Couple	11.8	3.6 - 20.0	5.5	5.0 - 5.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Care Access &amp; Coverage

## Percentage of adults with any type of health care insurance coverage

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	62.4	45.8 - 79.1	77.1	76.0 - 78.2
<b>SEX</b>	Men	59.1	35.6 - 82.5	74.5	72.8 - 76.2
	Women	66.3	42.5 - 90.0	79.6	78.2 - 81.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	72.5	47.3 - 97.7	85.5	84.6 - 86.3
	Non-Hisp. Black	81.9	66.1 - 97.6	69.2	65.4 - 73.0
	Hispanic	53.2	25.8 - 80.6	64.0	60.6 - 67.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	87.7	73.2 - 100.0	83.2	81.8 - 84.6
	Non-Hisp. White Women	67.6	35.6 - 99.6	87.6	86.5 - 88.6
	Non-Hisp. Black Men	NA		67.8	61.9 - 73.7
	Non-Hisp. Black Women	91.5 *	82.9 - 100.0	70.4	65.5 - 75.4
	Hispanic Men	52.8	16.8 - 88.7	59.7	54.6 - 64.7
	Hispanic Women	53.8	11.4 - 96.2	68.1	63.6 - 72.6
<b>AGE GROUP</b>	18-44	45.7	19.5 - 72.0	66.5	64.4 - 68.5
	45-64	66.9	41.9 - 91.9	76.4	74.6 - 78.3
	65 & Older	98.3	95.4 - 100.0	97.5	96.7 - 98.2
<b>EDUCATION LEVEL</b>	<High School	62.9	32.3 - 93.5	60.1	56.0 - 64.2
	High School / GED	57.5	32.4 - 82.7	72.1	69.9 - 74.2
	>High School	71.3	41.7 - 100.0	84.7	83.5 - 85.8
<b>ANNUAL INCOME</b>	<\$25,000	56.9	32.9 - 81.0	61.2	58.9 - 63.6
	\$25,000-\$49,999	67.1	35.6 - 98.6	76.0	73.5 - 78.4
	\$50,000 or More	93.4	84.9 - 100.0	92.6	91.5 - 93.8
<b>MARITAL STATUS</b>	Married/Couple	66.7	41.9 - 91.5	82.1	80.8 - 83.5
	Not Married/Couple	58.6	35.7 - 81.5	71.1	69.2 - 72.9

## Percentage of adults who have a personal doctor

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	64.9	49.0 - 80.7	73.2	72.1 - 74.4
<b>SEX</b>	Men	59.2	35.7 - 82.8	67.8	66.0 - 69.5
	Women	71.3	52.1 - 90.5	78.4	76.9 - 79.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	64.3	38.5 - 90.1	79.8	78.7 - 80.8
	Non-Hisp. Black	83.0	67.6 - 98.4	71.8	68.2 - 75.4
	Hispanic	67.9	42.6 - 93.2	59.7	56.2 - 63.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	80.2	60.9 - 99.4	75.1	73.3 - 76.8
	Non-Hisp. White Women	59.1	26.7 - 91.5	84.2	83.0 - 85.5
	Non-Hisp. Black Men	NA		67.4	61.7 - 73.0
	Non-Hisp. Black Women	84.4	69.7 - 99.1	75.7	71.1 - 80.4
	Hispanic Men	61.1	25.1 - 97.1	52.1	46.9 - 57.4
	Hispanic Women	77.6	49.1 - 100.0	67.0	62.3 - 71.6
<b>AGE GROUP</b>	18-44	35.6	10.4 - 60.9	57.0	54.9 - 59.1
	45-64	88.2	79.2 - 97.2	78.0	76.2 - 79.9
	65 & Older	96.6	91.7 - 100.0	95.5	94.7 - 96.4
<b>EDUCATION LEVEL</b>	<High School	69.4	40.6 - 98.3	59.9	55.8 - 64.0
	High School / GED	61.9	37.6 - 86.2	71.2	69.0 - 73.4
	>High School	61.9	34.1 - 89.8	78.0	76.8 - 79.3
<b>ANNUAL INCOME</b>	<\$25,000	64.7	42.1 - 87.2	61.7	59.3 - 64.0
	\$25,000-\$49,999	70.4	37.7 - 100.0	73.2	70.7 - 75.7
	\$50,000 or More	70.6	42.3 - 99.0	85.1	83.7 - 86.5
<b>MARITAL STATUS</b>	Married/Couple	66.9	43.7 - 90.1	79.1	77.7 - 80.5
	Not Married/Couple	62.9	40.9 - 84.8	66.5	64.6 - 68.3

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Care Access &amp; Coverage

## Percentage of adults who could not see a doctor in the past year due to cost

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	42.0 *	25.7 - 58.2	20.8	19.7 - 21.8
<b>SEX</b>	Men	44.0 *	21.2 - 66.9	18.3	16.9 - 19.8
	Women	39.5	16.4 - 62.7	23.1	21.5 - 24.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	32.9	6.5 - 59.3	14.7	13.8 - 15.5
	Non-Hisp. Black	32.0	14.4 - 49.5	25.1	21.6 - 28.6
	Hispanic	56.1	30.2 - 82.0	30.9	27.6 - 34.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.2 *	0.4 - 10.0	13.5	12.2 - 14.9
	Non-Hisp. White Women	41.9	9.4 - 74.4	15.7	14.5 - 16.9
	Non-Hisp. Black Men	NA		21.2	16.0 - 26.4
	Non-Hisp. Black Women	20.9	5.4 - 36.4	28.5	23.9 - 33.2
	Hispanic Men	63.6 *	31.1 - 96.2	26.4	22.2 - 30.6
	Hispanic Women	45.1	2.0 - 88.1	35.2	30.4 - 40.1
<b>AGE GROUP</b>	18-44	53.6	27.1 - 80.1	27.6	25.6 - 29.6
	45-64	43.0	18.4 - 67.5	23.4	21.7 - 25.1
	65 & Older	9.9	0.0 - 20.6	4.9	4.0 - 5.8
<b>EDUCATION LEVEL</b>	<High School	34.6	6.6 - 62.6	30.0	26.3 - 33.7
	High School / GED	58.5 *	36.6 - 80.4	22.4	20.3 - 24.5
	>High School	19.5	2.0 - 37.1	17.3	16.1 - 18.5
<b>ANNUAL INCOME</b>	<\$25,000	49.8	27.0 - 72.6	35.2	32.9 - 37.4
	\$25,000-\$49,999	50.5	18.7 - 82.2	21.3	19.1 - 23.5
	\$50,000 or More	3.0 *	0.0 - 6.6	8.9	7.5 - 10.3
<b>MARITAL STATUS</b>	Married/Couple	31.2	9.8 - 52.5	17.8	16.4 - 19.1
	Not Married/Couple	51.2 *	29.1 - 73.2	24.6	22.9 - 26.3

## Percentage of adults who had a medical checkup in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	72.0	57.7 - 86.4	70.3	69.1 - 71.4
<b>SEX</b>	Men	59.4	37.0 - 81.9	65.6	63.8 - 67.3
	Women	86.6	74.8 - 98.4	74.7	73.2 - 76.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	89.3 *	81.9 - 96.6	73.0	71.9 - 74.1
	Non-Hisp. Black	89.6 *	80.0 - 99.1	72.4	68.8 - 75.9
	Hispanic	68.4	45.2 - 91.5	64.7	61.2 - 68.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	77.8	58.0 - 97.6	69.9	68.1 - 71.6
	Non-Hisp. White Women	93.0 *	87.1 - 99.0	76.0	74.6 - 77.3
	Non-Hisp. Black Men	NA		67.4	61.8 - 73.1
	Non-Hisp. Black Women	94.8 *	87.6 - 100.0	76.8	72.3 - 81.3
	Hispanic Men	61.9	28.7 - 95.1	56.9	51.8 - 62.0
	Hispanic Women	77.8	49.1 - 100.0	72.0	67.4 - 76.5
<b>AGE GROUP</b>	18-44	64.0	38.2 - 89.7	57.7	55.6 - 59.7
	45-64	71.1	50.9 - 91.2	71.6	69.7 - 73.5
	65 & Older	94.6	89.0 - 100.0	91.1	90.1 - 92.1
<b>EDUCATION LEVEL</b>	<High School	70.4	41.5 - 99.3	65.1	61.1 - 69.2
	High School / GED	72.6	51.8 - 93.4	69.9	67.8 - 72.1
	>High School	72.6	53.2 - 91.9	72.0	70.6 - 73.3
<b>ANNUAL INCOME</b>	<\$25,000	60.1	37.3 - 83.0	64.6	62.3 - 66.9
	\$25,000-\$49,999	83.9	62.5 - 100.0	67.7	65.2 - 70.1
	\$50,000 or More	84.2	72.4 - 96.1	76.4	74.7 - 78.1
<b>MARITAL STATUS</b>	Married/Couple	63.8	40.8 - 86.8	74.6	73.2 - 76.0
	Not Married/Couple	78.5	62.0 - 94.9	65.0	63.2 - 66.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>A1C</b>	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past three to four months.
<b>Activities of Daily Living</b>	Usual activities, such as self-care, work, or recreation.
<b>Adult</b>	Individual aged 18 years or older.
<b>Aerobic Recommendations*</b>	Performance of at least 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
<b>Angina</b>	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
<b>Arthritis</b>	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
<b>Asthma</b>	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
<b>Binge Drinking*</b>	For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days.
<b>Blood Glucose</b>	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
<b>Blood Pressure</b>	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
<b>Blood Sugar</b>	See Blood Glucose
<b>Body Mass Index (BMI)</b>	Body Mass Index (BMI) is a number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
<b>Cancer</b>	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
<b>Cholesterol</b>	A substance the body uses to produce hormones, vitamin D, and food-digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack, or angina.
<b>Chronic Bronchitis</b>	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
<b>Chronic Diseases</b>	Diseases of long duration and generally slow progression (e.g., heart disease; stroke; cancer; diabetes); represent the leading causes of mortality worldwide.
<b>Chronic Obstructive Pulmonary Disease (COPD)</b>	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
<b>Coronary Heart Disease (CHD)</b>	See Coronary Artery Disease (CAD)
<b>Current Smoker*</b>	Combination of everyday smoker and some day smoker.

\*This term is defined using BRFSS standards.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>Depressive Disorders</b>	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
<b>Diabetes</b>	General term for diabetes mellitus; disease in which the blood glucose levels are above normal.
<b>Emphysema</b>	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD)
<b>Everday Smoker*</b>	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking everyday now.
<b>Exercise</b>	See Physical Activity
<b>Fibromyalgia</b>	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
<b>Flu</b>	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
<b>Flu Shot</b>	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose called FluMist™.
<b>Former Smoker</b>	Adults who reported smoking at least 100 cigarettes in their lifetime but reported not smoking now.
<b>Gout</b>	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
<b>Health Behavior</b>	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
<b>Health Care Coverage</b>	Example: health insurance, pre-paid plans such as HMO's, government plans such as Medicare.
<b>Health Care Provider</b>	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor; nurse practitioner; physician assistant; registered nurse).
<b>Health Risk Behavior</b>	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity; poor nutrition; tobacco use; excessive alcohol consumption).
<b>Healthy Weight</b>	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
<b>Heart Attack</b>	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
<b>Heavy Drinking*</b>	For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days.
<b>High Blood Cholesterol</b>	Condition where there is too much cholesterol in the blood for an extended period of time; increases the risk of coronary heart disease, heart attack, or angina.
<b>High Blood Pressure</b>	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems.

\*This term is defined using BRFSS standards.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>Hispanic</b>	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
<b>HIV</b>	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
<b>Hypertension</b>	See High Blood Pressure
<b>Hysterectomy</b>	An operation to remove the uterus (womb) in women.
<b>Inactive*</b>	No leisure-time physical activity, performance of aerobic activity for less than 10 minutes at a time, or performance of only non-aerobic activities in the past 30 days.
<b>Influenza</b>	See Flu
<b>Insufficiently Active*</b>	Performance of less than 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
<b>Kidney Disease</b>	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
<b>Lupus</b>	A chronic inflammatory disease resulting from an attack by the body's own immune system.
<b>Mammogram</b>	Mammography is the process of using low-energy X-rays to examine the human breast; this test is ordered to detect tumors and differentiate between benign and malignant disease.
<b>Mental Health</b>	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
<b>Muscle Strengthening Recommendations*</b>	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights, or elastic bands, at least two times per week in the past 30 days.
<b>Never Smoked*</b>	Adults who reported smoking less than 100 cigarettes in their lifetime.
<b>Non-Hispanic Black</b>	Adults not of Hispanic culture or origins reporting membership in only the Black race category; self-reported demographic variable.
<b>Non-Hispanic White</b>	Adults not of Hispanic culture or origins reporting membership in only the White race category; self-reported demographic variable.
<b>Non-smoker*</b>	Combination of former smoker and never smoked.
<b>Obese</b>	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
<b>Obesity</b>	A condition characterized by being obese.
<b>Overweight</b>	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
<b>Pap Test</b>	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
<b>Personal Doctor</b>	A health care provider that an adult identifies as their personal health care provider.
<b>Pneumococcal Vaccination</b>	Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia.
<b>Pneumonia</b>	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness.

\*This term is defined using BRFSS standards.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

---

### GLOSSARY

---

<b>Poor Mental Health</b>	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
<b>Poor Physical Health</b>	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
<b>Race/Ethnicity</b>	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
<b>Routine Checkup</b>	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
<b>Sedentary*</b>	Participating in no leisure-time physical activity in the past 30 days.
<b>Sex</b>	The condition or character of being male or female; self-reported demographic variable.
<b>Sigmoidoscopy/Colonoscopy</b>	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
<b>Smoking</b>	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
<b>Some Day Smoking*</b>	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking some days now.
<b>Stool Blood Test</b>	A test that may use a special kit at home to determine whether the stool contains blood.
<b>Stroke</b>	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.
<b>Tetanus</b>	A bacterial infection that affects the central nervous system and can result in painful muscle spasms, stiff jaw, and potentially death.
<b>Tetanus Shot</b>	Tetanus vaccine; vaccine given with a needle, usually in the shoulder muscle; a booster tetanus vaccine should be received every ten years.

\*This term is defined using BRFSS standards.

# 2013 Florida Behavioral Risk Factor Surveillance System Data

## Healthy People 2020 Objectives

### Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

### Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

### Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

### Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

### Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-2. Reduce coronary heart disease deaths

HDS-3. Reduce stroke deaths

### Cholesterol Awareness

HDS-7. Reduce the proportion of adults with high total blood cholesterol levels

### Diabetes

D-1. Reduce the annual number of new cases of diagnosed diabetes in the population

D-5. Improve glycemic control among the population with diagnosed diabetes

D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination

D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination

D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year

D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education

### Disability

DH-13. (Developmental) Increase the proportion of people with disabilities who participate in social, spiritual, recreational, community, and civic activities to the degree that they wish

# 2013 Florida Behavioral Risk Factor Surveillance System Data

## Healthy People 2020 Objectives

### Health Care Access & Coverage

AHS-1. Increase the proportion of persons with medical insurance

AHS-3. Increase the proportion of persons with a usual primary care provider

AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

### Health-Related Quality of Life

HRQOL/WB-1.1. Increase the proportion of adults who self-report good or better physical health

HRQOL/WB-1.2. Increase the proportion of adults who self-report good or better mental health

### HIV/AIDS Screening

HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

HIV-14.1. Increase the proportion of adolescents and adults who have ever been tested for HIV

### Hypertension Awareness

HDS-5. Reduce the proportion of persons in the population with hypertension

### Immunization

IID-12.12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

### Injury Prevention

IVP-15. Increase use of safety belts in motor vehicles

### Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

### Physical Activity & Nutrition

PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity

PA-2. Increase the proportion of adults who meet current federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

### Tobacco Use & Exposure

TU-1. Reduce tobacco smoking by adults

TU-4. Increase smoking cessation attempts by adult smokers

### Vision Impairment

V-5. Reduce visual impairment

***The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented.***



Prepared by:

Alyssa Cohen, MPH  
Bo (Bonnie) Yu, MAS, MA  
Junwei Jiang, MPH  
Dongming Cui, MD, MPH, DrPH

If you have any questions or comments  
please contact:

Florida Department of Health  
Division of Disease Control and Health Protection  
Bureau of Epidemiology  
4052 Bald Cypress Way, Bin A-12  
Tallahassee, Florida 32399-1720

Phone: 850-245-4401

Fax: 850-922-9299

Email: [health@flhealth.gov](mailto:health@flhealth.gov)

Web: <http://www.floridahealth.gov/statistics-and-data/survey-data/index.html>