

Citrus County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Citrus County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	12.4	(9.6 - 15.3)	6.1	(5.8 - 6.4)	+		
Smoked cigars on one or more of the past 30 days	8.3	(5.8 - 10.9)	6.9	(6.6 - 7.2)			+
Used smokeless tobacco on one or more of the past 30 days	8.8	(6.3 - 11.3)	3.5	(3.2 - 3.7)	+		
Used any form of tobacco on one or more of the past 30 days	19.1	(15.5 - 22.7)	11.2	(10.8 - 11.7)	+		
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	55.6	(50.9 - 60.3)	65.7	(65.1 - 66.3)		+	
Exposed to secondhand smoke during the past 7 days	63.4	(59.2 - 67.6)	44.1	(43.4 - 44.7)	+		
Smoking is allowed in the home	17.8	(14.9 - 20.6)	9.4	(9.0 - 9.8)	+		
Taught about tobacco use in any classes this year	54.0	(48.6 - 59.4)	43.2	(42.3 - 44.1)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	56.0	(51.8 - 60.2)	57.4	(56.8 - 58.0)			+
Served as an active member of SWAT	3.4	(2.0 - 4.7)	3.9	(3.7 - 4.1)			+
<u>Definitely did not think</u> that smokers have more friends	27.5	(24.0 - 31.0)	32.0	(31.5 - 32.6)		+	
<u>Definitely did not think</u> that smoking helps young people "look cool" or "fit in"	73.6	(70.1 - 77.1)	72.9	(72.4 - 73.4)			+

Citrus County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Citrus County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	22.3	(19.1 - 25.5)	20.5	(20.1 - 21.0)			+
Current asthma, among all individuals	12.7	(10.2 - 15.3)	11.3	(11.0 - 11.7)			+
Asthma attack in past year, among individuals with lifetime asthma	17.0	(10.7 - 23.3)	16.9	(16.0 - 17.8)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	13.1	(10.6 - 15.7)	11.1	(10.7 - 11.5)			+
Overweight (i.e., at or above the 85 th percentile but below the 95th percentile for body mass index, by age and sex)	15.3	(12.5 - 18.2)	15.4	(15.0 - 15.9)			+
Sufficient vigorous activity	70.2	(66.1 - 74.3)	66.5	(65.9 - 67.1)			+
Sufficient moderate activity	28.2	(24.3 - 32.1)	25.3	(24.8 - 25.8)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	45.5	(42.0 - 49.0)	43.5	(42.9 - 44.1)			+
Described themselves as slightly or very overweight	33.9	(30.2 - 37.6)	30.0	(29.5 - 30.6)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	12.1	(9.6 - 14.5)	10.9	(10.4 - 11.3)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	22.0	(19.2 - 24.8)	20.2	(19.7 - 20.7)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	8.0	(6.1 - 10.0)	6.9	(6.6 - 7.2)			+
Purposely hurt themselves without wanting to die, during the past 12 months	15.8	(12.9 - 18.7)	12.4	(12.0 - 12.8)	+		
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	23.3	(20.2 - 26.5)	22.0	(21.5 - 22.5)			+