

Indian River County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Indian River County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	8.3	(6.6 - 10.1)	6.1	(5.8 - 6.4)	+		
Smoked cigars on one or more of the past 30 days	10.4	(8.2 - 12.6)	6.9	(6.6 - 7.2)	+		
Used smokeless tobacco on one or more of the past 30 days	4.4	(3.2 - 5.6)	3.5	(3.2 - 3.7)			+
Used any form of tobacco on one or more of the past 30 days	16.3	(13.7 - 18.9)	11.2	(10.8 - 11.7)	+		
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	61.2	(57.9 - 64.6)	65.7	(65.1 - 66.3)		+	
Exposed to secondhand smoke during the past 7 days	49.3	(46.2 - 52.3)	44.1	(43.4 - 44.7)	+		
Smoking is allowed in the home	9.4	(7.7 - 11.1)	9.4	(9.0 - 9.8)			+
Taught about tobacco use in any classes this year	51.1	(46.2 - 56.0)	43.2	(42.3 - 44.1)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	57.0	(54.0 - 60.1)	57.4	(56.8 - 58.0)			+
Served as an active member of SWAT	5.1	(3.6 - 6.7)	3.9	(3.7 - 4.1)			+
<u>Definitely did not think</u> that smokers have more friends	30.0	(27.4 - 32.6)	32.0	(31.5 - 32.6)			+
<u>Definitely did not think</u> that smoking helps young people "look cool" or "fit in"	71.1	(68.6 - 73.6)	72.9	(72.4 - 73.4)			+

Indian River County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Indian River County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	18.1	(15.9 - 20.2)	20.5	(20.1 - 21.0)			+
Current asthma, among all individuals	10.3	(8.7 - 12.0)	11.3	(11.0 - 11.7)			+
Asthma attack in past year, among individuals with lifetime asthma	15.9	(10.8 - 21.0)	16.9	(16.0 - 17.8)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	9.9	(8.1 - 11.7)	11.1	(10.7 - 11.5)			+
Overweight (i.e., at or above the 85 th percentile but below the 95th percentile for body mass index, by age and sex)	15.8	(13.7 - 17.8)	15.4	(15.0 - 15.9)			+
Sufficient vigorous activity	68.3	(65.5 - 71.1)	66.5	(65.9 - 67.1)			+
Sufficient moderate activity	26.9	(24.3 - 29.6)	25.3	(24.8 - 25.8)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	43.2	(40.2 - 46.3)	43.5	(42.9 - 44.1)			+
Described themselves as slightly or very overweight	31.1	(28.5 - 33.6)	30.0	(29.5 - 30.6)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	12.0	(9.9 - 14.2)	10.9	(10.4 - 11.3)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	23.9	(20.9 - 26.9)	20.2	(19.7 - 20.7)	+		
Did not go to school on one or more of the past 30 days because they felt unsafe	5.9	(4.3 - 7.4)	6.9	(6.6 - 7.2)			+
Purposely hurt themselves without wanting to die, during the past 12 months	11.4	(9.6 - 13.3)	12.4	(12.0 - 12.8)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	20.0	(17.7 - 22.4)	22.0	(21.5 - 22.5)			+