

Leon County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Leon County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	4.5	(3.1 - 5.9)	6.1	(5.8 - 6.4)			+
Smoked cigars on one or more of the past 30 days	7.1	(5.3 - 8.8)	6.9	(6.6 - 7.2)			+
Used smokeless tobacco on one or more of the past 30 days	4.3	(3.1 - 5.5)	3.5	(3.2 - 3.7)			+
Used any form of tobacco on one or more of the past 30 days	10.9	(8.6 - 13.1)	11.2	(10.8 - 11.7)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	67.7	(64.2 - 71.3)	65.7	(65.1 - 66.3)			+
Exposed to secondhand smoke during the past 7 days	35.6	(32.2 - 38.9)	44.1	(43.4 - 44.7)		+	
Smoking is allowed in the home	8.7	(6.9 - 10.6)	9.4	(9.0 - 9.8)			+
Taught about tobacco use in any classes this year	42.5	(38.0 - 47.0)	43.2	(42.3 - 44.1)			+
Parent or guardian has talked about the dangers of tobacco in the past year	53.8	(50.8 - 56.7)	57.4	(56.8 - 58.0)		+	
Served as an active member of SWAT	6.0	(4.6 - 7.5)	3.9	(3.7 - 4.1)	+		
<u>Definitely did not think</u> that smokers have more friends	31.3	(28.3 - 34.3)	32.0	(31.5 - 32.6)			+
<u>Definitely did not think</u> that smoking helps young people "look cool" or "fit in"	73.5	(70.5 - 76.4)	72.9	(72.4 - 73.4)			+

Leon County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Leon County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	18.4	(15.7 - 21.1)	20.5	(20.1 - 21.0)			+
Current asthma, among all individuals	11.1	(8.9 - 13.3)	11.3	(11.0 - 11.7)			+
Asthma attack in past year, among individuals with lifetime asthma	20.2	(14.4 - 26.0)	16.9	(16.0 - 17.8)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	12.2	(10.0 - 14.3)	11.1	(10.7 - 11.5)			+
Overweight (i.e., at or above the 85 th percentile but below the 95th percentile for body mass index, by age and sex)	14.7	(12.1 - 17.4)	15.4	(15.0 - 15.9)			+
Sufficient vigorous activity	69.0	(66.2 - 71.8)	66.5	(65.9 - 67.1)			+
Sufficient moderate activity	25.1	(22.6 - 27.7)	25.3	(24.8 - 25.8)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	44.1	(40.8 - 47.3)	43.5	(42.9 - 44.1)			+
Described themselves as slightly or very overweight	30.2	(27.3 - 33.2)	30.0	(29.5 - 30.6)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	8.6	(6.5 - 10.8)	10.9	(10.4 - 11.3)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	19.6	(17.0 - 22.2)	20.2	(19.7 - 20.7)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	6.3	(4.6 - 8.0)	6.9	(6.6 - 7.2)			+
Purposely hurt themselves without wanting to die, during the past 12 months	11.3	(9.2 - 13.4)	12.4	(12.0 - 12.8)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	18.6	(16.0 - 21.3)	22.0	(21.5 - 22.5)		+	