

Washington County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

| Indicator | Youth (Ages 11-17) | | | | Comparison of Two Rates | | |
|--|---------------------|---------------|-------------|---------------|--------------------------|--------------------------|---------------|
| | Washington County % | 95% CI | State % | 95% CI | County Higher Than State | State Higher Than County | No Difference |
| Smoked cigarettes on one or more of the past 30 days | 14.1 | (10.7 - 17.4) | 6.1 | (5.8 - 6.4) | + | | |
| Smoked cigars on one or more of the past 30 days | 12.2 | (9.4 - 15.1) | 6.9 | (6.6 - 7.2) | + | | |
| Used smokeless tobacco on one or more of the past 30 days | 9.4 | (6.7 - 12.1) | 3.5 | (3.2 - 3.7) | + | | |
| Used any form of tobacco on one or more of the past 30 days | 22.2 | (17.7 - 26.8) | 11.2 | (10.8 - 11.7) | + | | |
| Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one | 56.3 | (51.3 - 61.2) | 65.7 | (65.1 - 66.3) | | + | |
| Exposed to secondhand smoke during the past 7 days | 61.0 | (56.7 - 65.3) | 44.1 | (43.4 - 44.7) | + | | |
| Smoking is allowed in the home | 18.8 | (15.2 - 22.4) | 9.4 | (9.0 - 9.8) | + | | |
| Taught about tobacco use in any classes this year | 54.2 | (48.8 - 59.5) | 43.2 | (42.3 - 44.1) | + | | |
| Parent or guardian has talked about the dangers of tobacco in the past year | 54.8 | (50.5 - 59.1) | 57.4 | (56.8 - 58.0) | | | + |
| Served as an active member of SWAT | 14.3 | (11.6 - 17.1) | 3.9 | (3.7 - 4.1) | + | | |
| <u>Definitely did not think</u> that smokers have more friends | 31.2 | (27.6 - 34.9) | 32.0 | (31.5 - 32.6) | | | + |
| <u>Definitely did not think</u> that smoking helps young people "look cool" or "fit in" | 69.9 | (65.7 - 74.0) | 72.9 | (72.4 - 73.4) | | | + |

Washington County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

| Indicator | Youth (Ages 11-17) | | | | Comparison of Two Rates | | |
|---|---------------------|---------------|-------------|---------------|--------------------------|--------------------------|---------------|
| | Washington County % | 95% CI | State % | 95% CI | County Higher Than State | State Higher Than County | No Difference |
| Lifetime asthma | 14.9 | (12.1 - 17.6) | 20.5 | (20.1 - 21.0) | | + | |
| Current asthma, among all individuals | 8.3 | (5.8 - 10.7) | 11.3 | (11.0 - 11.7) | | + | |
| Asthma attack in past year, among individuals with lifetime asthma | 18.9 | (10.7 - 27.1) | 16.9 | (16.0 - 17.8) | | | + |
| Obese (i.e., at or above the 95th percentile for body mass index, by age and sex) | 18.8 | (15.1 - 22.5) | 11.1 | (10.7 - 11.5) | + | | |
| Overweight (i.e., at or above the 85 th percentile but below the 95th percentile for body mass index, by age and sex) | 16.1 | (12.9 - 19.3) | 15.4 | (15.0 - 15.9) | | | + |
| Sufficient vigorous activity | 69.8 | (65.6 - 73.9) | 66.5 | (65.9 - 67.1) | | | + |
| Sufficient moderate activity | 26.4 | (23.4 - 29.4) | 25.3 | (24.8 - 25.8) | | | + |
| Exercised to lose weight or to keep from gaining weight during the past 30 days | 43.8 | (39.7 - 47.9) | 43.5 | (42.9 - 44.1) | | | + |
| Described themselves as slightly or very overweight | 33.4 | (29.4 - 37.5) | 30.0 | (29.5 - 30.6) | | | + |
| Never or rarely wore a seat belt when riding in a car driven by someone else | 16.1 | (12.8 - 19.4) | 10.9 | (10.4 - 11.3) | + | | |
| Rode in a car driven by someone who had been drinking alcohol during the past 30 days | 21.4 | (18.3 - 24.5) | 20.2 | (19.7 - 20.7) | | | + |
| Did not go to school on one or more of the past 30 days because they felt unsafe | 7.3 | (5.4 - 9.1) | 6.9 | (6.6 - 7.2) | | | + |
| Purposely hurt themselves without wanting to die, during the past 12 months | 12.2 | (9.7 - 14.8) | 12.4 | (12.0 - 12.8) | | | + |
| Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months | 20.6 | (17.4 - 23.8) | 22.0 | (21.5 - 22.5) | | | + |