Liberty County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Middle School				Comparison of Two Rates		
	Liberty County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**3.7**	(0.0 - 9.6)	**3.3**	(3.0 - 3.5)			+
Smoked cigars on one or more of the past 30 days	**8.2**	(0.0 - 19.2)	**3.9**	(3.6 - 4.2)			+
Used smokeless tobacco on one or more of the past 30 days	**9.6**	(1.2 - 18.0)	**2.3**	(2.1 - 2.6)			+
Used any form of tobacco on one or more of the past 30 days	**13.7**	(2.6 - 24.7)	**6.4**	(6.0 - 6.8)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**63.0**	(44.4 - 81.6)	**72.0**	(71.2 - 72.8)			+
Exposed to secondhand smoke during the past 7 days	**49.5**	(40.5 - 58.4)	**41.3**	(40.4 - 42.2)			+
Smoking is allowed in the home	**15.4**	(7.0 - 23.9)	**9.9**	(9.5 - 10.4)			+
Taught about tobacco use in any classes this year	**75.5**	(68.1 - 83.0)	**53.4**	(52.0 - 54.7)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	**59.2**	(49.0 - 69.5)	**63.9**	(63.1 - 64.6)			+
Served as an active member of SWAT	**27.4**	(10.6 - 44.2)	**4.3**	(3.9 - 4.7)	+		
Definitely did not think that smokers have more friends	**44.5**	(34.3 - 54.7)	**33.7**	(32.9 - 34.5)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**81.0**	(66.9 - 95.1)	**73.7**	(73.0 - 74.4)			+

Liberty County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Middle School				Comparison of Two Rates		
	Liberty County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**28.9**	(16.1 - 41.6)	**20.1**	(19.5 - 20.7)			+
Current asthma, among all individuals	**15.8**	(2.0 - 29.5)	**12.0**	(11.5 - 12.5)			+
Asthma attack in past year, among individuals with lifetime asthma	**8.5**	(0.0 - 18.4)	**18.1**	(16.8 - 19.4)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**17.1**	(7.5 - 26.8)	**11.6**	(11.0 - 12.1)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**13.0**	(6.4 - 19.6)	**16.5**	(15.8 - 17.2)			+
Sufficient vigorous activity	**74.3**	(65.1 - 83.4)	**70.1**	(69.2 - 70.9)			+
Sufficient moderate activity	**32.1**	(21.6 - 42.6)	**24.8**	(24.1 - 25.4)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**42.4**	(31.6 - 53.3)	**44.4**	(43.6 - 45.2)			+
Described themselves as slightly or very overweight	**30.3**	(18.0 -42.7)	**30.2**	(29.4 - 30.9)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	**19.3**	(8.2 - 30.5)	**11.4**	(10.8 - 12.0)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**16.0**	(8.3- 23.7)	**17.8**	(17.2- 18.5)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**4.9**	(0.0 - 9.9)	**7.8**	(7.3 - 8.3)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**8.9**	(0.0 - 17.9)	**12.6**	(12.0 - 13.2)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**8.9**	(0.5 - 17.3)	**19.2**	(18.5 - 19.8)		+	

Liberty County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	High School				Comparison of Two Rates		
	Liberty County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**10.1**	(3.5 - 16.8)	**10.1**	(9.6 - 10.6)			+
Smoked cigars on one or more of the past 30 days	**7.5**	(1.2 - 13.7)	**11.4**	(10.9 - 11.9)			+
Used smokeless tobacco on one or more of the past 30 days	**14.4**	(6.3 - 22.5)	**5.6**	(5.2 - 6.0)	+		
Used any form of tobacco on one or more of the past 30 days	**26.4**	(15.9 - 36.9)	**17.9**	(17.3 - 18.6)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**54.3**	(43.7 - 65.0)	**58.4**	(57.6 - 59.3)			+
Exposed to secondhand smoke during the past 7 days	**50.6**	(41.0 - 60.2)	**47.6**	(46.7 - 48.4)			+
Smoking is allowed in the home	**17.7**	(11.9 - 23.5)	**10.0**	(9.5 - 10.5)	+		
Taught about tobacco use in any classes this year	**53.9**	(41.7 - 66.1)	**33.4**	(32.4 - 34.4)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	**51.1**	(41.9 - 60.4)	**50.4**	(49.6 - 51.2)			+
Served as an active member of SWAT	**8.7**	(3.9 - 13.5)	**4.0**	(3.7 - 4.3)			+
Definitely did not think that smokers have more friends	**29.4**	(21.2 - 37.7)	**30.5**	(29.8 - 31.2)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**65.4**	(55.5 - 75.4)	**71.7**	(71.0 - 72.4)			+

Liberty County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	High School				Comparison of Two Rates		
	Liberty County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**25.3**	(16.8 - 33.8)	**20.8**	(20.2 - 21.5)			+
Current asthma, among all individuals	**14.5**	(6.2 - 22.8)	**10.6**	(10.1 - 11.1)			+
Asthma attack in past year, among individuals with lifetime asthma	**20.2**	(5.2 - 35.2)	**16.3**	(15.1 - 17.4)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**14.9**	(8.1 - 21.6)	**11.1**	(10.5 - 11.6)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**18.4**	(10.3 - 26.5)	**14.3**	(13.7 - 14.9)			+
Sufficient vigorous activity	**71.3**	(64.0 - 78.5)	**62.7**	(62.0 - 63.5)	+		
Sufficient moderate activity	**30.0**	(22.2 - 37.7)	**26.1**	(25.4 - 26.7)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**40.6**	(32.2 - 48.9)	**42.3**	(41.5 - 43.1)			+
Described themselves as slightly or very overweight	**32.3**	(26.7 - 37.9)	**29.8**	(29.0 - 30.5)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	**12.9**	(7.0 - 18.8)	**11.2**	(10.5 - 11.8)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**24.2**	(17.7 - 30.7)	**23.1**	(22.4 - 23.8)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**5.5**	(1.5 - 9.5)	**6.9**	(6.4 - 7.3)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**10.9**	(5.5 - 16.3)	**12.7**	(12.1 - 13.2)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**18.6**	(13.1 - 24.1)	**24.5**	(23.8 - 25.2)			+

Liberty County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Liberty County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**3.0**	(0.2 - 5.9)	**6.1**	(5.8 - 6.4)			+
Smoked cigars on one or more of the past 30 days	**5.3**	(1.0 - 9.6)	**6.9**	(6.6 - 7.2)			+
Used smokeless tobacco on one or more of the past 30 days	**10.1**	(4.6 - 15.6)	**3.5**	(3.2 - 3.7)	+		
Used any form of tobacco on one or more of the past 30 days	**16.7**	(9.1 - 24.4)	**11.2**	(10.8 - 11.7)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**61.4**	(51.6 - 71.2)	**65.7**	(65.1 - 66.3)			+
Exposed to secondhand smoke during the past 7 days	**49.0**	(42.5 - 55.6)	**44.1**	(43.4 - 44.7)			+
Smoking is allowed in the home	**12.9**	(8.6 - 17.2)	**9.4**	(9.0 - 9.8)			+
Taught about tobacco use in any classes this year	**65.7**	(57.5 - 73.9)	**43.2**	(42.3 - 44.1)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	**56.2**	(49.2 - 63.2)	**57.4**	(56.8 - 58.0)			+
Served as an active member of SWAT	**18.3**	(9.2 - 27.5)	**3.9**	(3.7 - 4.1)	+		
Definitely did not think that smokers have more friends	**38.9**	(32.2 - 45.7)	**32.0**	(31.5 - 32.6)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**76.5**	(68.4 - 84.5)	**72.9**	(72.4 - 73.4)			+

Liberty County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Liberty County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**25.9**	(18.1 - 33.7)	**20.5**	(20.1 - 21.0)			+
Current asthma, among all individuals	**16.0**	(8.0 - 24.1)	**11.3**	(11.0 - 11.7)			+
Asthma attack in past year, among individuals with lifetime asthma	**14.2**	(3.6 - 24.8)	**16.9**	(16.0 - 17.8)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**15.1**	(9.2 - 21.0)	**11.1**	(10.7 - 11.5)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**15.9**	(9.9 - 21.8)	**15.4**	(15.0 - 15.9)			+
Sufficient vigorous activity	**75.0**	(69.7 - 80.2)	**66.5**	(65.9 - 67.1)	+		
Sufficient moderate activity	**32.0**	(25.4 - 38.7)	**25.3**	(24.8 - 25.8)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**42.1**	(35.0 - 49.2)	**43.5**	(42.9 - 44.1)			+
Described themselves as slightly or very overweight	**31.6**	(24.7 - 38.5)	**30.0**	(29.5 - 30.6)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	**13.3**	(8.4 - 18.1)	**10.9**	(10.4 - 11.3)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**18.9**	(13.7 - 24.2)	**20.2**	(19.7 - 20.7)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**4.0**	(1.0 - 7.0)	**6.9**	(6.6 - 7.2)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**8.1**	(3.9 - 12.4)	**12.4**	(12.0 - 12.8)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**12.1**	(7.1 - 17.0)	**22.0**	(21.5 - 22.5)		+	