Nassau County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Middle School				Comparison of Two Rates		
	Nassau County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**3.0**	(1.0 - 5.0)	**3.3**	(3.0 - 3.5)			+
Smoked cigars on one or more of the past 30 days	**3.1**	(1.3 - 4.9)	**3.9**	(3.6 - 4.2)			+
Used smokeless tobacco on one or more of the past 30 days	**6.1**	(3.2 - 9.0)	**2.3**	(2.1 - 2.6)	+		
Used any form of tobacco on one or more of the past 30 days	**8.8**	(5.3 - 12.3)	**6.4**	(6.0 - 6.8)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**70.4**	(65.3 - 75.5)	**72.0**	(71.2 - 72.8)			+
Exposed to secondhand smoke during the past 7 days	**52.2**	(46.4 - 58.1)	**41.3**	(40.4 - 42.2)	+		
Smoking is allowed in the home	**10.9**	(7.3 - 14.6)	**9.9**	(9.5 - 10.4)			+
Taught about tobacco use in any classes this year	**63.7**	(57.1 - 70.3)	**53.4**	(52.0 - 54.7)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	**60.8**	(56.1 - 65.6)	**63.9**	(63.1 - 64.6)			+
Served as an active member of SWAT	**3.1**	(0.9 - 5.4)	**4.3**	(3.9 - 4.7)			+
Definitely did not think that smokers have more friends	**31.8**	(26.4 - 37.3)	**33.7**	(32.9 - 34.5)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**76.4**	(71.5 - 81.3)	**73.7**	(73.0 - 74.4)			+

Nassau County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Middle School				Comparison of Two Rates		
	Nassau County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**19.2**	(15.0 - 23.3)	**20.1**	(19.5 - 20.7)			+
Current asthma, among all individuals	**12.5**	(9.3 - 15.6)	**12.0**	(11.5 - 12.5)			+
Asthma attack in past year, among individuals with lifetime asthma	**30.7**	(18.8 - 42.6)	**18.1**	(16.8 - 19.4)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**14.4**	(10.2 - 18.7)	**11.6**	(11.0 - 12.1)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**14.2**	(9.7 - 18.6)	**16.5**	(15.8 - 17.2)			+
Sufficient vigorous activity	**75.0**	(69.8 - 80.1)	**70.1**	(69.2 - 70.9)			+
Sufficient moderate activity	**24.2**	(19.4 - 28.9)	**24.8**	(24.1 - 25.4)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**43.7**	(37.3 - 50.1)	**44.4**	(43.6 - 45.2)			+
Described themselves as slightly or very overweight	**33.8**	(28.3 -39.4)	**30.2**	(29.4 - 30.9)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	**8.3**	(5.2 - 11.4)	**11.4**	(10.8 - 12.0)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**21.1**	(16.6- 25.6)	**17.8**	(17.2- 18.5)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**4.8**	(2.2 - 7.4)	**7.8**	(7.3 - 8.3)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**11.6**	(7.7 - 15.5)	**12.6**	(12.0 - 13.2)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**19.2**	(14.2 - 24.2)	**19.2**	(18.5 - 19.8)			+

Nassau County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	High School				Comparison of Two Rates		
	Nassau County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**9.7**	(5.9 - 13.5)	**10.1**	(9.6 - 10.6)			+
Smoked cigars on one or more of the past 30 days	**11.0**	(7.3 - 14.7)	**11.4**	(10.9 - 11.9)			+
Used smokeless tobacco on one or more of the past 30 days	**6.4**	(3.1 - 9.7)	**5.6**	(5.2 - 6.0)			+
Used any form of tobacco on one or more of the past 30 days	**18.9**	(14.0 - 23.8)	**17.9**	(17.3 - 18.6)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**60.1**	(52.7 - 67.5)	**58.4**	(57.6 - 59.3)			+
Exposed to secondhand smoke during the past 7 days	**54.4**	(47.6 - 61.1)	**47.6**	(46.7 - 48.4)			+
Smoking is allowed in the home	**12.6**	(8.3 - 16.8)	**10.0**	(9.5 - 10.5)			+
Taught about tobacco use in any classes this year	**37.4**	(29.7 - 45.0)	**33.4**	(32.4 - 34.4)			+
Parent or guardian has talked about the dangers of tobacco in the past year	**49.1**	(42.3 - 56.0)	**50.4**	(49.6 - 51.2)			+
Served as an active member of SWAT	**0.5**	(0.0 - 1.3)	**4.0**	(3.7 - 4.3)		+	
Definitely did not think that smokers have more friends	**34.4**	(27.8 - 40.9)	**30.5**	(29.8 - 31.2)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**77.2**	(72.0 - 82.3)	**71.7**	(71.0 - 72.4)			+

Nassau County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	High School				Comparison of Two Rates		
	Nassau County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**22.7**	(17.7 - 27.6)	**20.8**	(20.2 - 21.5)			+
Current asthma, among all individuals	**11.9**	(8.2 - 15.6)	**10.6**	(10.1 - 11.1)			+
Asthma attack in past year, among individuals with lifetime asthma	**20.7**	(9.6 - 31.7)	**16.3**	(15.1 - 17.4)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**10.4**	(6.6 - 14.2)	**11.1**	(10.5 - 11.6)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**19.9**	(14.3 - 25.4)	**14.3**	(13.7 - 14.9)			+
Sufficient vigorous activity	**54.3**	(47.0 - 61.7)	**62.7**	(62.0 - 63.5)		+	
Sufficient moderate activity	**25.7**	(21.3 - 30.0)	**26.1**	(25.4 - 26.7)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**49.3**	(42.3 - 56.3)	**42.3**	(41.5 - 43.1)			+
Described themselves as slightly or very overweight	**37.9**	(31.7 - 44.1)	**29.8**	(29.0 - 30.5)	+		
Never or rarely wore a seat belt when riding in a car driven by someone else	**9.5**	(5.8 - 13.2)	**11.2**	(10.5 - 11.8)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**21.8**	(15.3 - 28.2)	**23.1**	(22.4 - 23.8)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**4.5**	(1.7 - 7.2)	**6.9**	(6.4 - 7.3)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**11.4**	(7.2 - 15.7)	**12.7**	(12.1 - 13.2)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**27.4**	(22.3 - 32.6)	**24.5**	(23.8 - 25.2)			+

Nassau County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Nassau County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**5.7**	(3.4 - 8.0)	**6.1**	(5.8 - 6.4)			+
Smoked cigars on one or more of the past 30 days	**6.5**	(4.2 - 8.7)	**6.9**	(6.6 - 7.2)			+
Used smokeless tobacco on one or more of the past 30 days	**5.8**	(3.6 - 7.9)	**3.5**	(3.2 - 3.7)			+
Used any form of tobacco on one or more of the past 30 days	**12.7**	(9.4 - 15.9)	**11.2**	(10.8 - 11.7)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**67.1**	(62.2 - 71.9)	**65.7**	(65.1 - 66.3)			+
Exposed to secondhand smoke during the past 7 days	**50.8**	(46.3 - 55.2)	**44.1**	(43.4 - 44.7)	+		
Smoking is allowed in the home	**10.7**	(7.8 - 13.6)	**9.4**	(9.0 - 9.8)			+
Taught about tobacco use in any classes this year	**52.2**	(46.8 - 57.5)	**43.2**	(42.3 - 44.1)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	**53.8**	(49.2 - 58.4)	**57.4**	(56.8 - 58.0)			+
Served as an active member of SWAT	**1.7**	(0.5 - 2.9)	**3.9**	(3.7 - 4.1)		+	
Definitely did not think that smokers have more friends	**32.7**	(28.2 - 37.2)	**32.0**	(31.5 - 32.6)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**77.4**	(73.7 - 81.1)	**72.9**	(72.4 - 73.4)	+		

Nassau County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Nassau County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**20.9**	(17.3 - 24.4)	**20.5**	(20.1 - 21.0)			+
Current asthma, among all individuals	**11.9**	(9.5 - 14.4)	**11.3**	(11.0 - 11.7)			+
Asthma attack in past year, among individuals with lifetime asthma	**24.4**	(16.3 - 32.5)	**16.9**	(16.0 - 17.8)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**12.2**	(9.3 - 15.1)	**11.1**	(10.7 - 11.5)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**17.7**	(13.9 - 21.5)	**15.4**	(15.0 - 15.9)			+
Sufficient vigorous activity	**64.2**	(59.3 - 69.0)	**66.5**	(65.9 - 67.1)			+
Sufficient moderate activity	**23.8**	(20.3 - 27.3)	**25.3**	(24.8 - 25.8)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**46.9**	(41.8 - 52.0)	**43.5**	(42.9 - 44.1)			+
Described themselves as slightly or very overweight	**36.5**	(32.0 - 40.9)	**30.0**	(29.5 - 30.6)	+		
Never or rarely wore a seat belt when riding in a car driven by someone else	**8.6**	(6.1 - 11.1)	**10.9**	(10.4 - 11.3)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**20.5**	(16.4 - 24.6)	**20.2**	(19.7 - 20.7)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**4.2**	(2.4 - 6.1)	**6.9**	(6.6 - 7.2)		+	
Purposely hurt themselves without wanting to die, during the past 12 months	**12.2**	(9.1 - 15.3)	**12.4**	(12.0 - 12.8)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**23.7**	(19.6 - 27.8)	**22.0**	(21.5 - 22.5)			+