Orange County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Middle School				Comparison of Two Rates		
	Orange County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**3.1**	(1.8 - 4.4)	**3.3**	(3.0 - 3.5)			+
Smoked cigars on one or more of the past 30 days	**3.6**	(2.2 - 4.9)	**3.9**	(3.6 - 4.2)			+
Used smokeless tobacco on one or more of the past 30 days	**1.5**	(0.7 - 2.3)	**2.3**	(2.1 - 2.6)			+
Used any form of tobacco on one or more of the past 30 days	**5.3**	(3.6 - 7.0)	**6.4**	(6.0 - 6.8)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**73.8**	(70.7 - 77.0)	**72.0**	(71.2 - 72.8)			+
Exposed to secondhand smoke during the past 7 days	**35.7**	(32.0 - 39.3)	**41.3**	(40.4 - 42.2)		+	
Smoking is allowed in the home	**8.4**	(6.4 - 10.4)	**9.9**	(9.5 - 10.4)			+
Taught about tobacco use in any classes this year	**46.6**	(40.8 - 52.4)	**53.4**	(52.0 - 54.7)			+
Parent or guardian has talked about the dangers of tobacco in the past year	**65.1**	(61.6 - 68.5)	**63.9**	(63.1 - 64.6)			+
Served as an active member of SWAT	**2.3**	(1.2 - 3.3)	**4.3**	(3.9 - 4.7)		+	
Definitely did not think that smokers have more friends	**30.1**	(26.8 - 33.5)	**33.7**	(32.9 - 34.5)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**74.0**	(70.9 - 77.0)	**73.7**	(73.0 - 74.4)			+

Orange County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Middle School				Comparison of Two Rates		
	Orange County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**20.9**	(18.3 - 23.5)	**20.1**	(19.5 - 20.7)			+
Current asthma, among all individuals	**11.9**	(9.8 - 14.0)	**12.0**	(11.5 - 12.5)			+
Asthma attack in past year, among individuals with lifetime asthma	**17.6**	(11.6 - 23.7)	**18.1**	(16.8 - 19.4)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**9.5**	(7.3 - 11.8)	**11.6**	(11.0 - 12.1)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**17.6**	(14.5 - 20.6)	**16.5**	(15.8 - 17.2)			+
Sufficient vigorous activity	**70.4**	(66.7 - 74.1)	**70.1**	(69.2 - 70.9)			+
Sufficient moderate activity	**22.9**	(20.3 - 25.5)	**24.8**	(24.1 - 25.4)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**43.1**	(39.1 - 47.1)	**44.4**	(43.6 - 45.2)			+
Described themselves as slightly or very overweight	**28.1**	(24.6 -31.5)	**30.2**	(29.4 - 30.9)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	**10.2**	(7.6 - 12.8)	**11.4**	(10.8 - 12.0)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**18.1**	(15.3- 20.8)	**17.8**	(17.2- 18.5)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**6.8**	(4.7 - 8.8)	**7.8**	(7.3 - 8.3)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**12.4**	(10.0 - 14.9)	**12.6**	(12.0 - 13.2)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**16.9**	(14.4 - 19.5)	**19.2**	(18.5 - 19.8)			+

Orange County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	High School				Comparison of Two Rates		
	Orange County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**8.7**	(6.2 - 11.2)	**10.1**	(9.6 - 10.6)			+
Smoked cigars on one or more of the past 30 days	**10.7**	(7.8 - 13.6)	**11.4**	(10.9 - 11.9)			+
Used smokeless tobacco on one or more of the past 30 days	**4.8**	(3.0 - 6.7)	**5.6**	(5.2 - 6.0)			+
Used any form of tobacco on one or more of the past 30 days	**15.8**	(12.4 - 19.2)	**17.9**	(17.3 - 18.6)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**61.8**	(58.6 - 65.1)	**58.4**	(57.6 - 59.3)			+
Exposed to secondhand smoke during the past 7 days	**40.1**	(36.0 - 44.2)	**47.6**	(46.7 - 48.4)		+	
Smoking is allowed in the home	**8.4**	(6.3 - 10.4)	**10.0**	(9.5 - 10.5)			+
Taught about tobacco use in any classes this year	**35.3**	(30.5 - 40.1)	**33.4**	(32.4 - 34.4)			+
Parent or guardian has talked about the dangers of tobacco in the past year	**49.6**	(45.6 - 53.6)	**50.4**	(49.6 - 51.2)			+
Served as an active member of SWAT	**2.6**	(1.5 - 3.7)	**4.0**	(3.7 - 4.3)			+
Definitely did not think that smokers have more friends	**31.6**	(28.0 - 35.2)	**30.5**	(29.8 - 31.2)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**74.1**	(70.7 - 77.5)	**71.7**	(71.0 - 72.4)			+

Orange County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	High School				Comparison of Two Rates		
	Orange County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**20.1**	(17.1 - 23.2)	**20.8**	(20.2 - 21.5)			+
Current asthma, among all individuals	**10.8**	(8.5 - 13.1)	**10.6**	(10.1 - 11.1)			+
Asthma attack in past year, among individuals with lifetime asthma	**9.3**	(4.9 - 13.8)	**16.3**	(15.1 - 17.4)		+	
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**9.3**	(7.3 - 11.4)	**11.1**	(10.5 - 11.6)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**14.3**	(11.3 - 17.3)	**14.3**	(13.7 - 14.9)			+
Sufficient vigorous activity	**63.9**	(60.8 - 67.1)	**62.7**	(62.0 - 63.5)			+
Sufficient moderate activity	**25.2**	(22.2 - 28.2)	**26.1**	(25.4 - 26.7)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**40.1**	(36.2 - 44.0)	**42.3**	(41.5 - 43.1)			+
Described themselves as slightly or very overweight	**29.8**	(25.9 - 33.6)	**29.8**	(29.0 - 30.5)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	**9.7**	(7.6 - 11.9)	**11.2**	(10.5 - 11.8)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**24.5**	(21.1 - 28.0)	**23.1**	(22.4 - 23.8)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**7.6**	(5.4 - 9.8)	**6.9**	(6.4 - 7.3)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**11.8**	(9.3 - 14.4)	**12.7**	(12.1 - 13.2)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**26.2**	(22.9 - 29.6)	**24.5**	(23.8 - 25.2)			+

Orange County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Orange County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**5.3**	(3.9 - 6.7)	**6.1**	(5.8 - 6.4)			+
Smoked cigars on one or more of the past 30 days	**6.5**	(4.8 - 8.2)	**6.9**	(6.6 - 7.2)			+
Used smokeless tobacco on one or more of the past 30 days	**2.8**	(1.7 - 3.8)	**3.5**	(3.2 - 3.7)			+
Used any form of tobacco on one or more of the past 30 days	**9.7**	(7.6 - 11.7)	**11.2**	(10.8 - 11.7)			+
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**68.4**	(65.7 - 71.0)	**65.7**	(65.1 - 66.3)			+
Exposed to secondhand smoke during the past 7 days	**37.6**	(34.8 - 40.4)	**44.1**	(43.4 - 44.7)		+	
Smoking is allowed in the home	**7.9**	(6.5 - 9.4)	**9.4**	(9.0 - 9.8)			+
Taught about tobacco use in any classes this year	**41.5**	(37.8 - 45.3)	**43.2**	(42.3 - 44.1)			+
Parent or guardian has talked about the dangers of tobacco in the past year	**57.6**	(54.8 - 60.5)	**57.4**	(56.8 - 58.0)			+
Served as an active member of SWAT	**2.2**	(1.4 - 3.0)	**3.9**	(3.7 - 4.1)		+	
Definitely did not think that smokers have more friends	**30.8**	(28.3 - 33.3)	**32.0**	(31.5 - 32.6)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**74.9**	(72.6 - 77.2)	**72.9**	(72.4 - 73.4)			+

Orange County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Orange County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**20.5**	(18.4 - 22.5)	**20.5**	(20.1 - 21.0)			+
Current asthma, among all individuals	**11.3**	(9.7 - 12.9)	**11.3**	(11.0 - 11.7)			+
Asthma attack in past year, among individuals with lifetime asthma	**13.0**	(9.4 - 16.6)	**16.9**	(16.0 - 17.8)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**8.7**	(7.2 - 10.2)	**11.1**	(10.7 - 11.5)		+	
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**16.3**	(14.2 - 18.4)	**15.4**	(15.0 - 15.9)			+
Sufficient vigorous activity	**67.0**	(64.5 - 69.6)	**66.5**	(65.9 - 67.1)			+
Sufficient moderate activity	**24.4**	(22.3 - 26.6)	**25.3**	(24.8 - 25.8)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**42.0**	(39.2 - 44.9)	**43.5**	(42.9 - 44.1)			+
Described themselves as slightly or very overweight	**28.5**	(25.9 - 31.0)	**30.0**	(29.5 - 30.6)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	**9.5**	(7.8 - 11.2)	**10.9**	(10.4 - 11.3)			+
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**21.3**	(19.0 - 23.7)	**20.2**	(19.7 - 20.7)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**7.1**	(5.6 - 8.7)	**6.9**	(6.6 - 7.2)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**12.4**	(10.4 - 14.3)	**12.4**	(12.0 - 12.8)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**22.2**	(19.8 - 24.5)	**22.0**	(21.5 - 22.5)			+