Sumter County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Middle School				Comparison of Two Rates		
	Sumter County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**6.5**	(3.4 - 9.5)	**3.3**	(3.0 - 3.5)			+
Smoked cigars on one or more of the past 30 days	**6.5**	(4.1 - 9.0)	**3.9**	(3.6 - 4.2)			+
Used smokeless tobacco on one or more of the past 30 days	**6.2**	(3.7 - 8.8)	**2.3**	(2.1 - 2.6)	+		
Used any form of tobacco on one or more of the past 30 days	**12.1**	(8.5 - 15.7)	**6.4**	(6.0 - 6.8)	+		
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**71.4**	(66.3 - 76.6)	**72.0**	(71.2 - 72.8)			+
Exposed to secondhand smoke during the past 7 days	**47.8**	(43.1 - 52.4)	**41.3**	(40.4 - 42.2)	+		
Smoking is allowed in the home	**12.7**	(9.1 - 16.2)	**9.9**	(9.5 - 10.4)			+
Taught about tobacco use in any classes this year	**68.5**	(62.1 - 74.9)	**53.4**	(52.0 - 54.7)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	**58.1**	(53.4 - 62.8)	**63.9**	(63.1 - 64.6)		+	
Served as an active member of SWAT	**10.8**	(7.0 - 14.5)	**4.3**	(3.9 - 4.7)	+		
Definitely did not think that smokers have more friends	**37.9**	(32.5 - 43.2)	**33.7**	(32.9 - 34.5)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**75.6**	(71.2 - 80.1)	**73.7**	(73.0 - 74.4)			+

Sumter County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Middle School				Comparison of Two Rates		
	Sumter County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**19.1**	(15.6 - 22.6)	**20.1**	(19.5 - 20.7)			+
Current asthma, among all individuals	**8.8**	(6.1 - 11.6)	**12.0**	(11.5 - 12.5)			+
Asthma attack in past year, among individuals with lifetime asthma	**13.5**	(5.2 - 21.8)	**18.1**	(16.8 - 19.4)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**14.6**	(10.5 - 18.8)	**11.6**	(11.0 - 12.1)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**14.2**	(10.5 - 18.0)	**16.5**	(15.8 - 17.2)			+
Sufficient vigorous activity	**73.1**	(68.1 - 78.0)	**70.1**	(69.2 - 70.9)			+
Sufficient moderate activity	**26.1**	(21.7 - 30.4)	**24.8**	(24.1 - 25.4)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**48.4**	(44.2 - 52.7)	**44.4**	(43.6 - 45.2)			+
Described themselves as slightly or very overweight	**33.6**	(29.1 -38.1)	**30.2**	(29.4 - 30.9)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	**17.6**	(13.7 - 21.4)	**11.4**	(10.8 - 12.0)	+		
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**20.2**	(15.9- 24.6)	**17.8**	(17.2- 18.5)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**7.6**	(4.9 - 10.4)	**7.8**	(7.3 - 8.3)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**13.3**	(9.8 - 16.8)	**12.6**	(12.0 - 13.2)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**22.4**	(18.6 - 26.2)	**19.2**	(18.5 - 19.8)			+

Sumter County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	High School				Comparison of Two Rates		
	Sumter County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**19.0**	(14.4 - 23.6)	**10.1**	(9.6 - 10.6)	+		
Smoked cigars on one or more of the past 30 days	**18.4**	(13.9 - 22.8)	**11.4**	(10.9 - 11.9)	+		
Used smokeless tobacco on one or more of the past 30 days	**18.7**	(14.0 - 23.3)	**5.6**	(5.2 - 6.0)	+		
Used any form of tobacco on one or more of the past 30 days	**32.2**	(26.4 - 38.0)	**17.9**	(17.3 - 18.6)	+		
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**52.4**	(47.2 - 57.7)	**58.4**	(57.6 - 59.3)			+
Exposed to secondhand smoke during the past 7 days	**51.6**	(46.9 - 56.2)	**47.6**	(46.7 - 48.4)			+
Smoking is allowed in the home	**18.2**	(14.1 - 22.2)	**10.0**	(9.5 - 10.5)	+		
Taught about tobacco use in any classes this year	**50.1**	(42.7 - 57.4)	**33.4**	(32.4 - 34.4)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	**47.4**	(42.5 - 52.2)	**50.4**	(49.6 - 51.2)			+
Served as an active member of SWAT	**10.9**	(7.3 - 14.5)	**4.0**	(3.7 - 4.3)	+		
Definitely did not think that smokers have more friends	**30.0**	(25.0 - 34.9)	**30.5**	(29.8 - 31.2)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**68.9**	(64.3 - 73.5)	**71.7**	(71.0 - 72.4)			+

Sumter County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	High School				Comparison of Two Rates		
	Sumter County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**25.6**	(20.8 - 30.5)	**20.8**	(20.2 - 21.5)			+
Current asthma, among all individuals	**12.6**	(9.3 - 15.9)	**10.6**	(10.1 - 11.1)			+
Asthma attack in past year, among individuals with lifetime asthma	**20.2**	(11.9 - 28.4)	**16.3**	(15.1 - 17.4)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**15.0**	(11.0 - 19.1)	**11.1**	(10.5 - 11.6)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**13.8**	(9.6 - 18.0)	**14.3**	(13.7 - 14.9)			+
Sufficient vigorous activity	**69.2**	(63.5 - 74.8)	**62.7**	(62.0 - 63.5)	+		
Sufficient moderate activity	**30.5**	(25.5 - 35.5)	**26.1**	(25.4 - 26.7)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**46.2**	(41.0 - 51.3)	**42.3**	(41.5 - 43.1)			+
Described themselves as slightly or very overweight	**30.2**	(25.5 - 34.8)	**29.8**	(29.0 - 30.5)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	**18.4**	(14.0 - 22.8)	**11.2**	(10.5 - 11.8)	+		
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**25.5**	(20.7 - 30.2)	**23.1**	(22.4 - 23.8)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**7.1**	(3.7 - 10.5)	**6.9**	(6.4 - 7.3)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**16.1**	(11.8 - 20.3)	**12.7**	(12.1 - 13.2)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**25.8**	(21.0 - 30.7)	**24.5**	(23.8 - 25.2)			+

Sumter County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Sumter County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Smoked cigarettes on one or more of the past 30 days	**11.1**	(8.3 - 13.8)	**6.1**	(5.8 - 6.4)	+		
Smoked cigars on one or more of the past 30 days	**10.3**	(7.9 - 12.7)	**6.9**	(6.6 - 7.2)	+		
Used smokeless tobacco on one or more of the past 30 days	**11.3**	(8.4 - 14.1)	**3.5**	(3.2 - 3.7)	+		
Used any form of tobacco on one or more of the past 30 days	**20.2**	(16.3 - 24.1)	**11.2**	(10.8 - 11.7)	+		
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	**63.2**	(59.2 - 67.2)	**65.7**	(65.1 - 66.3)			+
Exposed to secondhand smoke during the past 7 days	**48.7**	(45.4 - 52.1)	**44.1**	(43.4 - 44.7)	+		
Smoking is allowed in the home	**14.9**	(12.1 - 17.8)	**9.4**	(9.0 - 9.8)	+		
Taught about tobacco use in any classes this year	**61.2**	(56.0 - 66.4)	**43.2**	(42.3 - 44.1)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	**54.2**	(50.6 - 57.7)	**57.4**	(56.8 - 58.0)			+
Served as an active member of SWAT	**10.6**	(8.0 - 13.3)	**3.9**	(3.7 - 4.1)	+		
Definitely did not think that smokers have more friends	**34.5**	(30.6 - 38.4)	**32.0**	(31.5 - 32.6)			+
Definitely did not think that smoking helps young people “look cool” or “fit in”	**73.6**	(70.4 - 76.8)	**72.9**	(72.4 - 73.4)			+

Sumter County: 2012 At a Glance

Data from the 2012 Florida Youth Tobacco Survey (FYTS)

Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Sumter County %	95% CI	State %	95% CI	County Higher Than State	State Higher Than County	No Difference
Lifetime asthma	**22.2**	(18.9 - 25.4)	**20.5**	(20.1 - 21.0)			+
Current asthma, among all individuals	**10.4**	(8.2 - 12.5)	**11.3**	(11.0 - 11.7)			+
Asthma attack in past year, among individuals with lifetime asthma	**15.3**	(9.5 - 21.2)	**16.9**	(16.0 - 17.8)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	**13.7**	(11.0 - 16.5)	**11.1**	(10.7 - 11.5)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	**14.5**	(11.6 - 17.4)	**15.4**	(15.0 - 15.9)			+
Sufficient vigorous activity	**71.3**	(67.4 - 75.3)	**66.5**	(65.9 - 67.1)	+		
Sufficient moderate activity	**27.5**	(24.2 - 30.8)	**25.3**	(24.8 - 25.8)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	**47.5**	(44.2 - 50.8)	**43.5**	(42.9 - 44.1)	+		
Described themselves as slightly or very overweight	**31.1**	(27.8 - 34.3)	**30.0**	(29.5 - 30.6)			+
Never or rarely wore a seat belt when riding in a car driven by someone else	**17.2**	(14.3 - 20.1)	**10.9**	(10.4 - 11.3)	+		
Rode in a car driven by someone who had been drinking alcohol during the past 30 days	**21.8**	(18.7 - 25.0)	**20.2**	(19.7 - 20.7)			+
Did not go to school on one or more of the past 30 days because they felt unsafe	**6.7**	(4.7 - 8.6)	**6.9**	(6.6 - 7.2)			+
Purposely hurt themselves without wanting to die, during the past 12 months	**13.9**	(11.2 - 16.7)	**12.4**	(12.0 - 12.8)			+
Felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months	**24.3**	(20.9 - 27.8)	**22.0**	(21.5 - 22.5)			+