



Baker County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Baker County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	10.0	(7.5-12.6)	4.3	(4.1-4.6)	+		
Smoked cigars on one or more of the past 30 days	10.4	(7.3-13.4)	5.4	(5.2-5.7)	+		
Used smokeless tobacco on one or more of the past 30 days	15.7	(12.0-19.4)	3.3	(3.1-3.5)	+		
Used electronic cigarettes on one or more of the past 30 days	7.8	(5.6-9.9)	7.2	(6.8-7.5)			+
Used hookah on one or more of the past 30 days	9.1	(6.0-12.2)	7.1	(6.7-7.5)			+
Used any form of tobacco on one or more of the past 30 days*	24.0	(19.4-28.5)	9.2	(8.8-9.6)	+		
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	25.9	(20.8-30.9)	14.8	(14.2-15.3)	+		
Thought using electronic cigarettes is less harmful than smoking cigarettes	63.3	(56.9-69.7)	69.4	(68.4-70.3)			+
Thought using hookah is less harmful than smoking cigarettes	42.4	(35.7-49.2)	52.8	(51.7-54.0)		+	
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	60.6	(55.4-65.9)	67.1	(66.4-67.7)		+	
Exposed to secondhand smoke during the past seven days (in a room or car)	53.5	(48.4-58.7)	37.5	(36.9-38.2)	+		
Smoking is allowed in the home	15.1	(12.1-18.1)	8.4	(8.0-8.7)	+		

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Baker County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Baker County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	50.8	(43.7-58.0)	38.0	(37.1-39.0)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	54.4	(50.4-58.5)	62.4	(61.8-63.0)		+	
Served as an active member of Students Working Against Tobacco (SWAT)	6.8	(4.9-8.8)	2.8	(2.7-3.0)	+		
Definitely did not think that smokers have more friends	23.9	(20.7-27.2)	28.2	(27.6-28.8)		+	
Definitely did not think that smoking helps young people "look cool" or "fit in"	66.8	(62.6-71.0)	68.8	(68.2-69.3)			+
Lifetime asthma	24.7	(21.2-28.2)	20.8	(20.3-21.3)			+
Current asthma	13.2	(10.4-16.0)	11.5	(11.1-11.9)			+
Asthma attack in past year	13.1	(8.4-17.8)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	16.3	(12.9-19.7)	12.2	(11.8-12.7)	+		
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	16.9	(13.8-19.9)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	25.6	(22.1-29.2)	22.7	(22.2-23.3)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	49.7	(45.1-54.3)	43.7	(43.1-44.4)	+		
Described themselves as slightly or very overweight	36.3	(32.6-40.0)	30.7	(30.2-31.3)	+		