



# Columbia County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Columbia County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	<b>6.9</b>	(4.3-9.5)	<b>4.3</b>	(4.1-4.6)			+
Smoked cigars on one or more of the past 30 days	<b>6.3</b>	(3.9-8.7)	<b>5.4</b>	(5.2-5.7)			+
Used smokeless tobacco on one or more of the past 30 days	<b>6.1</b>	(4.0-8.1)	<b>3.3</b>	(3.1-3.5)	+		
Used electronic cigarettes on one or more of the past 30 days	<b>3.8</b>	(1.8-5.8)	<b>7.2</b>	(6.8-7.5)		+	
Used hookah on one or more of the past 30 days	<b>3.3</b>	(1.5-5.1)	<b>7.1</b>	(6.7-7.5)		+	
Used any form of tobacco on one or more of the past 30 days*	<b>14.5</b>	(10.7-18.2)	<b>9.2</b>	(8.8-9.6)	+		
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	<b>15.1</b>	(11.2-18.9)	<b>14.8</b>	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	<b>60.9</b>	(54.8-67.1)	<b>69.4</b>	(68.4-70.3)		+	
Thought using hookah is less harmful than smoking cigarettes	<b>36.2</b>	(26.8-45.7)	<b>52.8</b>	(51.7-54.0)		+	
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	<b>67.6</b>	(62.2-73.0)	<b>67.1</b>	(66.4-67.7)			+
Exposed to secondhand smoke during the past seven days (in a room or car)	<b>45.6</b>	(41.1-50.2)	<b>37.5</b>	(36.9-38.2)	+		
Smoking is allowed in the home	<b>11.7</b>	(9.3-14.0)	<b>8.4</b>	(8.0-8.7)	+		

\*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



# Columbia County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Columbia County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	<b>50.7</b>	(42.7-58.7)	<b>38.0</b>	(37.1-39.0)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	<b>60.8</b>	(55.5-66.2)	<b>62.4</b>	(61.8-63.0)			+
Served as an active member of Students Working Against Tobacco (SWAT)	<b>6.3</b>	(4.4-8.1)	<b>2.8</b>	(2.7- 3.0)	+		
Definitely did not think that smokers have more friends	<b>32.6</b>	(28.0-37.2)	<b>28.2</b>	(27.6-28.8)			+
Definitely did not think that smoking helps young people "look cool" or "fit in"	<b>75.0</b>	(71.2-78.8)	<b>68.8</b>	(68.2-69.3)	+		
Lifetime asthma	<b>22.8</b>	(18.9-26.7)	<b>20.8</b>	(20.3-21.3)			+
Current asthma	<b>13.0</b>	(9.7-16.3)	<b>11.5</b>	(11.1-11.9)			+
Asthma attack in past year	<b>12.0</b>	(6.5-17.4)	<b>17.7</b>	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	<b>17.0</b>	(13.7-20.3)	<b>12.2</b>	(11.8-12.7)	+		
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	<b>15.4</b>	(11.4-19.3)	<b>15.9</b>	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	<b>21.9</b>	(17.8-25.9)	<b>22.7</b>	(22.2-23.3)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	<b>45.9</b>	(41.5-50.3)	<b>43.7</b>	(43.1-44.4)			+
Described themselves as slightly or very overweight	<b>30.1</b>	(25.9-34.3)	<b>30.7</b>	(30.2-31.3)			+