



Franklin County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Franklin County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	14.7	(6.8-22.5)	4.3	(4.1-4.6)	+		
Smoked cigars on one or more of the past 30 days	13.2	(6.6-19.8)	5.4	(5.2-5.7)	+		
Used smokeless tobacco on one or more of the past 30 days	3.6	(1.4-5.7)	3.3	(3.1-3.5)			+
Used electronic cigarettes on one or more of the past 30 days	11.9	(7.4-16.4)	7.2	(6.8-7.5)			+
Used hookah on one or more of the past 30 days	5.0	(2.2-7.8)	7.1	(6.7-7.5)			+
Used any form of tobacco on one or more of the past 30 days*	21.4	(13.8-28.9)	9.2	(8.8-9.6)	+		
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	20.9	(15.2-26.6)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	68.8	(55.2-82.3)	69.4	(68.4-70.3)			+
Thought using hookah is less harmful than smoking cigarettes	13.1	(4.0-22.3)	52.8	(51.7-54.0)		+	
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	50.3	(41.6-58.9)	67.1	(66.4-67.7)		+	
Exposed to secondhand smoke during the past seven days (in a room or car)	61.1	(52.1-70.2)	37.5	(36.9-38.2)	+		
Smoking is allowed in the home	30.6	(22.8-38.5)	8.4	(8.0-8.7)	+		

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Franklin County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Franklin County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	53.9	(39.5-68.2)	38.0	(37.1-39.0)	+		
Parent or guardian has talked about the dangers of tobacco in the past year	54.5	(43.2-65.9)	62.4	(61.8-63.0)			+
Served as an active member of Students Working Against Tobacco (SWAT)	19.1	(10.0-28.3)	2.8	(2.7- 3.0)	+		
Definitely did not think that smokers have more friends	24.2	(16.0-32.4)	28.2	(27.6-28.8)			+
Definitely did not think that smoking helps young people "look cool" or "fit in"	62.7	(55.4-70.1)	68.8	(68.2-69.3)			+
Lifetime asthma	23.4	(16.9-29.9)	20.8	(20.3-21.3)			+
Current asthma	14.1	(8.3-19.8)	11.5	(11.1-11.9)			+
Asthma attack in past year	12.2	(0.0-25.9)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	18.3	(9.1-27.5)	12.2	(11.8-12.7)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	22.1	(14.8-29.5)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	27.6	(19.7-35.4)	22.7	(22.2-23.3)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	48.8	(39.3-58.3)	43.7	(43.1-44.4)			+
Described themselves as slightly or very overweight	32.4	(25.4-39.3)	30.7	(30.2-31.3)			+