



Lafayette County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Lafayette County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Smoked cigarettes on one or more of the past 30 days	8.9	(0.0-18.3)	4.3	(4.1-4.6)			+
Smoked cigars on one or more of the past 30 days	7.0	(0.0-16.1)	5.4	(5.2-5.7)			+
Used smokeless tobacco on one or more of the past 30 days	2.4	(0.4-4.5)	3.3	(3.1-3.5)			+
Used electronic cigarettes on one or more of the past 30 days	7.9	(0.0-17.4)	7.2	(6.8-7.5)			+
Used hookah on one or more of the past 30 days	2.4	(0.3-4.6)	7.1	(6.7-7.5)		+	
Used any form of tobacco on one or more of the past 30 days*	11.2	(1.5-21.0)	9.2	(8.8-9.6)			+
Used any form of tobacco (excluding cigarettes) on one or more of the past 30 days	12.2	(2.3-22.0)	14.8	(14.2-15.3)			+
Thought using electronic cigarettes is less harmful than smoking cigarettes	62.7	(46.0-79.5)	69.4	(68.4-70.3)			+
Thought using hookah is less harmful than smoking cigarettes	18.4	(4.2-32.5)	52.8	(51.7-54.0)		+	
Have never smoked a cigarette and will definitely not smoke a cigarette in the future or if a friend offered one	67.6	(54.1-81.2)	67.1	(66.4-67.7)			+
Exposed to secondhand smoke during the past seven days (in a room or car)	45.2	(34.6-55.9)	37.5	(36.9-38.2)			+
Smoking is allowed in the home	9.4	(5.9-13.0)	8.4	(8.0-8.7)			+

*This excludes specialty tobacco products, which include bidis, kreteks, pipe tobacco, snus, e-cigarettes, flavored cigarettes, flavored cigars, and flavored smokeless tobacco.



Lafayette County: 2014 at a Glance

Data from the 2014 Florida Youth Tobacco Survey (FYTS)



Indicator	Youth (Ages 11-17)				Comparison of Two Rates		
	Lafayette County %	95% CI	State %	95% CI	County Significantly Higher Than State	State Significantly Higher Than County	No Significant Difference
Students who were taught about tobacco use in any classes this year	52.5	(36.8-68.2)	38.0	(37.1-39.0)			+
Parent or guardian has talked about the dangers of tobacco in the past year	63.3	(55.6-71.0)	62.4	(61.8-63.0)			+
Served as an active member of Students Working Against Tobacco (SWAT)	5.2	(1.9-8.4)	2.8	(2.7- 3.0)			+
Definitely did not think that smokers have more friends	31.3	(24.0-38.7)	28.2	(27.6-28.8)			+
Definitely did not think that smoking helps young people "look cool" or "fit in"	77.5	(70.8-84.3)	68.8	(68.2-69.3)	+		
Lifetime asthma	24.4	(13.9-34.9)	20.8	(20.3-21.3)			+
Current asthma	8.2	(4.0-12.4)	11.5	(11.1-11.9)			+
Asthma attack in past year	8.5	(0.0-18.4)	17.7	(16.7-18.7)			+
Obese (i.e., at or above the 95th percentile for body mass index, by age and sex)	12.5	(7.2-17.8)	12.2	(11.8-12.7)			+
Overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)	23.0	(12.4-33.6)	15.9	(15.4-16.4)			+
Physically active for at least 60 minutes per day during the past seven days	26.7	(20.8-32.7)	22.7	(22.2-23.3)			+
Exercised to lose weight or to keep from gaining weight during the past 30 days	44.9	(37.3-52.6)	43.7	(43.1-44.4)			+
Described themselves as slightly or very overweight	28.3	(22.2-34.4)	30.7	(30.2-31.3)			+