

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|--------------------------------|-----------------------------|----------------------------|------|
| 17-17 | Q1 | How old are you? | | | |
| | | 1 | 12 years old or younger | 25 | 0.4 |
| | | 2 | 13 years old | 12 | 0.2 |
| | | 3 | 14 years old | 660 | 10.6 |
| | | 4 | 15 years old | 1,544 | 24.5 |
| | | 5 | 16 years old | 1,601 | 25.4 |
| | | 6 | 17 years old | 1,403 | 24.2 |
| | | 7 | 18 years old or older | 821 | 14.7 |
| | | Missing | 23 | | |
| 18-18 | Q2 | What is your sex? | | | |
| | | 1 | Female | 3,072 | 49.3 |
| | | 2 | Male | 2,962 | 50.7 |
| | | Missing | 55 | | |
| 19-19 | Q3 | In what grade are you? | | | |
| | | 1 | 9th grade | 1,652 | 26.9 |
| | | 2 | 10th grade | 1,640 | 25.7 |
| | | 3 | 11th grade | 1,465 | 24.2 |
| | | 4 | 12th grade | 1,252 | 22.8 |
| | | 5 | Ungraded or other grade | 29 | 0.4 |
| | | Missing | 51 | | |
| 20-20 | Q4 | Are you Hispanic or Latino? | | | |
| | | 1 | Yes | 1,869 | 27.5 |
| | | 2 | No | 4,111 | 72.5 |
| | | Missing | 109 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|-------------------------|----------------------|---------------------|
| 21-28 | Q5 | What is your race? | | |
| | | H | 2 | 0.0 |
| | | E | 3,401 | 62.8 |
| | | D | 139 | 1.9 |
| | | DE | 13 | 0.2 |
| | | C | 1,360 | 26.5 |
| | | C E | 130 | 1.5 |
| | | CD | 17 | 0.2 |
| | | CDE | 3 | 0.0 |
| | | B | 230 | 2.6 |
| | | B E | 56 | 0.7 |
| | | B D | 12 | 0.2 |
| | | B DE | 5 | 0.1 |
| | | BC | 17 | 0.2 |
| | | BC E | 14 | 0.2 |
| | | BCD | 1 | 0.0 |
| | | BCDE | 2 | 0.0 |
| | | A | 93 | 1.2 |
| | | A E | 63 | 0.8 |
| | | A D | 1 | 0.0 |
| | | A DE | 3 | 0.0 |
| | | A C | 21 | 0.2 |
| | | A C E | 17 | 0.2 |
| | | A CD | 3 | 0.0 |
| | | A CDE | 3 | 0.0 |
| | | AB | 1 | 0.0 |
| | | AB E | 2 | 0.0 |
| | | AB DE | 1 | 0.0 |
| | | ABC | 4 | 0.1 |
| | | ABC E | 2 | 0.0 |
| | | ABCD | 3 | 0.0 |
| | | ABCDE | 14 | 0.2 |
| | | | 456 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 29-32 | Q6 | How tall are you without your shoes on? (Note: Data are in meters.) | | |
| 33-38 | Q7 | How much do you weigh without your shoes on? (Note: Data are in kilograms.) | | |
| 39-39 | Q8 | When you rode a bicycle during the past 12 months, how often did you wear a helmet? | | |
| | | 1 I did not ride a bicycle during the past 12 months | 2,042 | 33.9 |
| | | 2 Never wore a helmet | 3,282 | 54.3 |
| | | 3 Rarely wore a helmet | 304 | 4.9 |
| | | 4 Sometimes wore a helmet | 171 | 2.7 |
| | | 5 Most of the time wore a helmet | 116 | 1.9 |
| | | 6 Always wore a helmet | 146 | 2.4 |
| | | Missing | 28 | |
| 40-40 | Q9 | How often do you wear a seat belt when riding in a car driven by someone else? | | |
| | | 1 Never | 202 | 3.4 |
| | | 2 Rarely | 290 | 4.9 |
| | | 3 Sometimes | 604 | 10.1 |
| | | 4 Most of the time | 1,469 | 23.9 |
| | | 5 Always | 3,498 | 57.7 |
| | | Missing | 26 | |
| 41-41 | Q10 | During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol? | | |
| | | 1 0 times | 4,657 | 77.1 |
| | | 2 1 time | 479 | 7.9 |
| | | 3 2 or 3 times | 468 | 7.6 |
| | | 4 4 or 5 times | 115 | 2.0 |
| | | 5 6 or more times | 328 | 5.3 |
| | | Missing | 42 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|--|----------------------------|------|
| 42-42 | Q11 | During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? | | | |
| | | 1 | I did not drive a car or other vehicle during the past 30 days | 2,061 | 35.8 |
| | | 2 | 0 times | 3,185 | 57.8 |
| | | 3 | 1 time | 136 | 2.5 |
| | | 4 | 2 or 3 times | 95 | 1.7 |
| | | 5 | 4 or 5 times | 19 | 0.3 |
| | | 6 | 6 or more times | 104 | 1.8 |
| | | Missing | 489 | | |
| 43-43 | Q12 | During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle? | | | |
| | | 1 | I did not drive a car or other vehicle during the past 30 days | 2,065 | 35.5 |
| | | 2 | 0 days | 2,308 | 41.1 |
| | | 3 | 1 or 2 days | 387 | 6.8 |
| | | 4 | 3 to 5 days | 213 | 3.8 |
| | | 5 | 6 to 9 days | 111 | 2.1 |
| | | 6 | 10 to 19 days | 125 | 2.4 |
| | | 7 | 20 to 29 days | 91 | 1.7 |
| | | 8 | All 30 days | 354 | 6.6 |
| | | Missing | 435 | | |
| 44-44 | Q13 | During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club? | | | |
| | | 1 | 0 days | 5,142 | 84.3 |
| | | 2 | 1 day | 201 | 3.4 |
| | | 3 | 2 or 3 days | 185 | 3.1 |
| | | 4 | 4 or 5 days | 92 | 1.5 |
| | | 5 | 6 or more days | 435 | 7.6 |
| | | Missing | 34 | | |
| 47-47 | Q16 | During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school? | | | |
| | | 1 | 0 days | 5,408 | 89.8 |
| | | 2 | 1 day | 370 | 5.8 |
| | | 3 | 2 or 3 days | 134 | 2.2 |
| | | 4 | 4 or 5 days | 42 | 0.6 |
| | | 5 | 6 or more days | 101 | 1.6 |
| | | Missing | 34 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|---------------|---|----------------------|---------------------|------|
| 48-48 | Q17 | During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property? | | | |
| | | 1 | 0 times | 5,626 | 92.9 |
| | | 2 | 1 time | 157 | 2.6 |
| | | 3 | 2 or 3 times | 108 | 1.8 |
| | | 4 | 4 or 5 times | 35 | 0.6 |
| | | 5 | 6 or 7 times | 25 | 0.4 |
| | | 6 | 8 or 9 times | 12 | 0.2 |
| | | 7 | 10 or 11 times | 8 | 0.1 |
| | | 8 | 12 or more times | 88 | 1.4 |
| | | Missing | 30 | | |
| 49-49 | Q18 | During the past 12 months, how many times were you in a physical fight? | | | |
| | | 1 | 0 times | 4,610 | 78.0 |
| | | 2 | 1 time | 584 | 9.9 |
| | | 3 | 2 or 3 times | 377 | 6.4 |
| | | 4 | 4 or 5 times | 106 | 1.8 |
| | | 5 | 6 or 7 times | 56 | 0.9 |
| | | 6 | 8 or 9 times | 26 | 0.4 |
| | | 7 | 10 or 11 times | 15 | 0.3 |
| | | 8 | 12 or more times | 140 | 2.3 |
| | | Missing | 175 | | |
| 50-50 | Q19 | During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse? | | | |
| | | 1 | 0 times | 5,781 | 96.9 |
| | | 2 | 1 time | 113 | 1.8 |
| | | 3 | 2 or 3 times | 28 | 0.4 |
| | | 4 | 4 or 5 times | 15 | 0.3 |
| | | 5 | 6 or more times | 35 | 0.5 |
| | | Missing | 117 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|---------------|--|--|---------------------|------|
| 51-51 | Q20 | During the past 12 months, how many times were you in a physical fight on school property? | | | |
| | | 1 | 0 times | 5,498 | 91.9 |
| | | 2 | 1 time | 295 | 5.0 |
| | | 3 | 2 or 3 times | 85 | 1.4 |
| | | 4 | 4 or 5 times | 24 | 0.4 |
| | | 5 | 6 or 7 times | 18 | 0.3 |
| | | 6 | 8 or 9 times | 6 | 0.1 |
| | | 7 | 10 or 11 times | 4 | 0.1 |
| | | 8 | 12 or more times | 53 | 0.8 |
| | | Missing | 106 | | |
| 52-52 | Q21 | Have you ever been physically forced to have sexual intercourse when you did not want to? | | | |
| | | 1 | Yes | 444 | 7.2 |
| | | 2 | No | 5,590 | 92.8 |
| | | | Missing | 55 | |
| 53-53 | Q22 | During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? | | | |
| | | 1 | I did not date or go out with anyone during the past 12 months | 1,631 | 27.2 |
| | | 2 | 0 times | 3,859 | 65.5 |
| | | 3 | 1 time | 159 | 2.8 |
| | | 4 | 2 or 3 times | 114 | 1.8 |
| | | 5 | 4 or 5 times | 33 | 0.6 |
| | | 6 | 6 or more times | 119 | 2.0 |
| | | Missing | 174 | | |
| 54-54 | Q23 | During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do? | | | |
| | | 1 | I did not date or go out with anyone during the past 12 months | 1,555 | 26.9 |
| | | 2 | 0 times | 3,726 | 65.5 |
| | | 3 | 1 time | 166 | 2.9 |
| | | 4 | 2 or 3 times | 132 | 2.3 |
| | | 5 | 4 or 5 times | 35 | 0.6 |
| | | 6 | 6 or more times | 115 | 1.9 |
| | | Missing | 360 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 55-55 | Q24 | During the past 12 months, have you ever been bullied on school property? | | |
| | | 1 Yes | 969 | 15.7 |
| | | 2 No | 5,089 | 84.3 |
| | | Missing | 31 | |
| 56-56 | Q25 | During the past 12 months, have you ever been electronically bullied? | | |
| | | 1 Yes | 756 | 12.3 |
| | | 2 No | 5,301 | 87.7 |
| | | Missing | 32 | |
| 57-57 | Q26 | During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? | | |
| | | 1 Yes | 1,604 | 25.8 |
| | | 2 No | 4,430 | 74.2 |
| | | Missing | 55 | |
| 58-58 | Q27 | During the past 12 months, did you ever seriously consider attempting suicide? | | |
| | | 1 Yes | 850 | 13.9 |
| | | 2 No | 5,175 | 86.1 |
| | | Missing | 64 | |
| 59-59 | Q28 | During the past 12 months, did you make a plan about how you would attempt suicide? | | |
| | | 1 Yes | 639 | 10.4 |
| | | 2 No | 5,345 | 89.6 |
| | | Missing | 105 | |
| 60-60 | Q29 | During the past 12 months, how many times did you actually attempt suicide? | | |
| | | 1 0 times | 4,904 | 92.3 |
| | | 2 1 time | 193 | 3.7 |
| | | 3 2 or 3 times | 135 | 2.5 |
| | | 4 4 or 5 times | 28 | 0.5 |
| | | 5 6 or more times | 59 | 1.1 |
| | | Missing | 770 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 61-61 | Q30 | If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse? | | |
| | | 1 I did not attempt suicide during the past 12 months | 4,882 | 92.2 |
| | | 2 Yes | 145 | 2.7 |
| | | 3 No | 272 | 5.1 |
| | | Missing | 790 | |
| 63-63 | Q32 | How old were you when you smoked a whole cigarette for the first time? | | |
| | | 1 I have never smoked a whole cigarette | 4,658 | 77.6 |
| | | 2 8 years old or younger | 175 | 2.9 |
| | | 3 9 or 10 years old | 96 | 1.7 |
| | | 4 11 or 12 years old | 217 | 3.7 |
| | | 5 13 or 14 years old | 397 | 6.5 |
| | | 6 15 or 16 years old | 343 | 5.8 |
| | | 7 17 years old or older | 100 | 1.7 |
| | | Missing | 103 | |
| 64-64 | Q33 | During the past 30 days, on how many days did you smoke cigarettes? | | |
| | | 1 0 days | 5,329 | 89.2 |
| | | 2 1 or 2 days | 199 | 3.3 |
| | | 3 3 to 5 days | 91 | 1.6 |
| | | 4 6 to 9 days | 60 | 1.0 |
| | | 5 10 to 19 days | 71 | 1.2 |
| | | 6 20 to 29 days | 58 | 1.1 |
| | | 7 All 30 days | 158 | 2.7 |
| | | Missing | 123 | |
| 67-67 | Q36 | During the past 30 days, on how many days did you smoke cigarettes on school property? | | |
| | | 1 0 days | 5,598 | 96.7 |
| | | 2 1 or 2 days | 49 | 0.9 |
| | | 3 3 to 5 days | 31 | 0.5 |
| | | 4 6 to 9 days | 17 | 0.3 |
| | | 5 10 to 19 days | 11 | 0.2 |
| | | 6 20 to 29 days | 14 | 0.2 |
| | | 7 All 30 days | 68 | 1.2 |
| | | Missing | 301 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|---------------|---|---|---------------------|------|
| 73-73 | Q42 | How old were you when you had your first drink of alcohol other than a few sips? | | | |
| | | 1 | I have never had a drink of alcohol other than a few sips | 2,522 | 42.2 |
| | | 2 | 8 years old or younger | 352 | 5.7 |
| | | 3 | 9 or 10 years old | 250 | 4.1 |
| | | 4 | 11 or 12 years old | 463 | 7.6 |
| | | 5 | 13 or 14 years old | 1,126 | 18.8 |
| | | 6 | 15 or 16 years old | 1,036 | 17.5 |
| | | 7 | 17 years old or older | 219 | 4.0 |
| | | | Missing | 121 | |
| 74-74 | Q43 | During the past 30 days, on how many days did you have at least one drink of alcohol? | | | |
| | | 1 | 0 days | 3,794 | 65.2 |
| | | 2 | 1 or 2 days | 1,033 | 17.9 |
| | | 3 | 3 to 5 days | 468 | 8.2 |
| | | 4 | 6 to 9 days | 247 | 4.2 |
| | | 5 | 10 to 19 days | 140 | 2.4 |
| | | 6 | 20 to 29 days | 39 | 0.7 |
| | | 7 | All 30 days | 85 | 1.5 |
| | | | Missing | 283 | |
| 75-75 | Q44 | During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours? | | | |
| | | 1 | 0 days | 4,872 | 83.4 |
| | | 2 | 1 day | 372 | 6.1 |
| | | 3 | 2 days | 222 | 3.9 |
| | | 4 | 3 to 5 days | 194 | 3.3 |
| | | 5 | 6 to 9 days | 82 | 1.5 |
| | | 6 | 10 to 19 days | 31 | 0.5 |
| | | 7 | 20 or more days | 74 | 1.2 |
| | | | Missing | 242 | |
| 78-78 | Q47 | During your life, how many times have you used marijuana? | | | |
| | | 1 | 0 times | 3,573 | 61.3 |
| | | 2 | 1 or 2 times | 533 | 9.2 |
| | | 3 | 3 to 9 times | 427 | 7.3 |
| | | 4 | 10 to 19 times | 233 | 4.1 |
| | | 5 | 20 to 39 times | 189 | 3.4 |
| | | 6 | 40 to 99 times | 247 | 4.3 |
| | | 7 | 100 or more times | 594 | 10.4 |
| | | | Missing | 293 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 79-79 | Q48 | How old were you when you tried marijuana for the first time? | | |
| | | 1 I have never tried marijuana | 3,570 | 61.0 |
| | | 2 8 years old or younger | 115 | 2.0 |
| | | 3 9 or 10 years old | 83 | 1.5 |
| | | 4 11 or 12 years old | 277 | 4.9 |
| | | 5 13 or 14 years old | 851 | 14.5 |
| | | 6 15 or 16 years old | 774 | 13.5 |
| | | 7 17 years old or older | 146 | 2.7 |
| | | Missing | 273 | |
| 80-80 | Q49 | During the past 30 days, how many times did you use marijuana? | | |
| | | 1 0 times | 4,574 | 78.0 |
| | | 2 1 or 2 times | 434 | 7.4 |
| | | 3 3 to 9 times | 267 | 4.7 |
| | | 4 10 to 19 times | 163 | 2.8 |
| | | 5 20 to 39 times | 117 | 2.0 |
| | | 6 40 or more times | 292 | 5.1 |
| | | Missing | 242 | |
| 81-81 | Q50 | During your life, how many times have you used any form of cocaine, including powder, crack, or freebase? | | |
| | | 1 0 times | 5,574 | 94.2 |
| | | 2 1 or 2 times | 141 | 2.3 |
| | | 3 3 to 9 times | 49 | 0.8 |
| | | 4 10 to 19 times | 43 | 0.8 |
| | | 5 20 to 39 times | 23 | 0.4 |
| | | 6 40 or more times | 94 | 1.5 |
| | | Missing | 165 | |
| 86-86 | Q55 | During your life, how many times have you taken steroid pills or shots without a doctor's prescription? | | |
| | | 1 0 times | 5,676 | 96.0 |
| | | 2 1 or 2 times | 80 | 1.3 |
| | | 3 3 to 9 times | 36 | 0.6 |
| | | 4 10 to 19 times | 27 | 0.5 |
| | | 5 20 to 39 times | 20 | 0.3 |
| | | 6 40 or more times | 75 | 1.2 |
| | | Missing | 175 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|---------------|---|-------------------------------------|---------------------|------|
| 87-87 | Q56 | During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription? | | | |
| | | 1 | 0 times | 5,003 | 87.2 |
| | | 2 | 1 or 2 times | 267 | 4.7 |
| | | 3 | 3 to 9 times | 197 | 3.3 |
| | | 4 | 10 to 19 times | 90 | 1.7 |
| | | 5 | 20 to 39 times | 57 | 1.0 |
| | | 6 | 40 or more times | 119 | 2.0 |
| | | Missing | 356 | | |
| 89-89 | Q58 | During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property? | | | |
| | | 1 | Yes | 1,196 | 20.0 |
| | | 2 | No | 4,674 | 80.0 |
| | | Missing | 219 | | |
| 90-90 | Q59 | Have you ever had sexual intercourse? | | | |
| | | 1 | Yes | 2,427 | 44.3 |
| | | 2 | No | 3,150 | 55.7 |
| | | Missing | 512 | | |
| 91-91 | Q60 | How old were you when you had sexual intercourse for the first time? | | | |
| | | 1 | I have never had sexual intercourse | 3,130 | 55.6 |
| | | 2 | 11 years old or younger | 211 | 3.9 |
| | | 3 | 12 years old | 150 | 2.8 |
| | | 4 | 13 years old | 287 | 5.2 |
| | | 5 | 14 years old | 500 | 9.0 |
| | | 6 | 15 years old | 598 | 10.8 |
| | | 7 | 16 years old | 454 | 8.5 |
| | | 8 | 17 years old or older | 219 | 4.2 |
| | | Missing | 540 | | |
| 92-92 | Q61 | During your life, with how many people have you had sexual intercourse? | | | |
| | | 1 | I have never had sexual intercourse | 3,136 | 55.8 |
| | | 2 | 1 person | 895 | 16.3 |
| | | 3 | 2 people | 475 | 8.7 |
| | | 4 | 3 people | 318 | 5.9 |
| | | 5 | 4 people | 179 | 3.2 |
| | | 6 | 5 people | 116 | 2.1 |
| | | 7 | 6 or more people | 422 | 7.9 |
| | | Missing | 548 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|---------------|---|---|---------------------|------|
| 93-93 | Q62 | During the past 3 months, with how many people did you have sexual intercourse? | | | |
| | | 1 | I have never had sexual intercourse | 3,134 | 55.7 |
| | | 2 | I have had sexual intercourse, but not during the past 3 months | 750 | 13.7 |
| | | 3 | 1 person | 1,212 | 22.2 |
| | | 4 | 2 people | 213 | 4.0 |
| | | 5 | 3 people | 81 | 1.5 |
| | | 6 | 4 people | 35 | 0.6 |
| | | 7 | 5 people | 18 | 0.4 |
| | | 8 | 6 or more people | 106 | 2.0 |
| | | Missing | 540 | | |
| 94-94 | Q63 | Did you drink alcohol or use drugs before you had sexual intercourse the last time? | | | |
| | | 1 | I have never had sexual intercourse | 3,123 | 55.4 |
| | | 2 | Yes | 493 | 9.0 |
| | | 3 | No | 1,940 | 35.5 |
| | | Missing | 533 | | |
| 95-95 | Q64 | The last time you had sexual intercourse, did you or your partner use a condom? | | | |
| | | 1 | I have never had sexual intercourse | 3,125 | 56.1 |
| | | 2 | Yes | 1,579 | 29.1 |
| | | 3 | No | 794 | 14.8 |
| | | Missing | 591 | | |
| 96-96 | Q65 | The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy? | | | |
| | | 1 | I have never had sexual intercourse | 3,113 | 56.7 |
| | | 2 | No method was used to prevent pregnancy | 305 | 5.7 |
| | | 3 | Birth control pills | 300 | 5.7 |
| | | 4 | Condoms | 1,304 | 24.3 |
| | | 5 | An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) | 12 | 0.2 |
| | | 6 | A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing) | 64 | 1.3 |
| | | 7 | Withdrawal or some other method | 234 | 4.5 |
| | | 8 | Not sure | 87 | 1.6 |
| | | Missing | 670 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|---------------|--|--|---------------------|------|
| 97-97 | Q66 | How do you describe your weight? | | | |
| | | 1 | Very underweight | 144 | 2.4 |
| | | 2 | Slightly underweight | 713 | 11.9 |
| | | 3 | About the right weight | 3,363 | 56.5 |
| | | 4 | Slightly overweight | 1,470 | 24.3 |
| | | 5 | Very overweight | 292 | 4.8 |
| | | Missing | 107 | | |
| 98-98 | Q67 | Which of the following are you trying to do about your weight? | | | |
| | | 1 | Lose weight | 2,648 | 43.6 |
| | | 2 | Gain weight | 1,144 | 19.7 |
| | | 3 | Stay the same weight | 1,130 | 18.8 |
| | | 4 | I am not trying to do anything about my weight | 1,053 | 17.9 |
| | | Missing | 114 | | |
| 99-99 | Q68 | During the past 30 days, did you go without eating for 24 hours or more (also called fasting) to lose weight or to keep from gaining weight? | | | |
| | | 1 | Yes | 661 | 10.9 |
| | | 2 | No | 5,296 | 89.1 |
| | | Missing | 132 | | |
| 100-100 | Q69 | During the past 30 days, did you take any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight? | | | |
| | | 1 | Yes | 359 | 5.9 |
| | | 2 | No | 5,602 | 94.1 |
| | | Missing | 128 | | |
| 101-101 | Q70 | During the past 30 days, did you vomit or take laxatives to lose weight or to keep from gaining weight? | | | |
| | | 1 | Yes | 288 | 4.6 |
| | | 2 | No | 5,669 | 95.4 |
| | | Missing | 132 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|---|---------------------|
| 102-102 | Q71 | During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice? | | |
| | | 1 | I did not drink 100% fruit juice during the past 7 days | 1,449 24.3 |
| | | 2 | 1 to 3 times during the past 7 days | 1,990 33.3 |
| | | 3 | 4 to 6 times during the past 7 days | 851 14.5 |
| | | 4 | 1 time per day | 482 8.3 |
| | | 5 | 2 times per day | 525 8.8 |
| | | 6 | 3 times per day | 266 4.5 |
| | | 7 | 4 or more times per day | 387 6.3 |
| | | Missing | 139 | |
| 103-103 | Q72 | During the past 7 days, how many times did you eat fruit? | | |
| | | 1 | I did not eat fruit during the past 7 days | 785 13.3 |
| | | 2 | 1 to 3 times during the past 7 days | 2,087 34.8 |
| | | 3 | 4 to 6 times during the past 7 days | 1,134 18.8 |
| | | 4 | 1 time per day | 627 10.7 |
| | | 5 | 2 times per day | 686 11.6 |
| | | 6 | 3 times per day | 287 4.9 |
| | | 7 | 4 or more times per day | 353 5.8 |
| | | Missing | 130 | |
| 104-104 | Q73 | During the past 7 days, how many times did you eat green salad? | | |
| | | 1 | I did not eat green salad during the past 7 days | 2,334 39.6 |
| | | 2 | 1 to 3 times during the past 7 days | 2,145 35.9 |
| | | 3 | 4 to 6 times during the past 7 days | 657 11.0 |
| | | 4 | 1 time per day | 442 7.3 |
| | | 5 | 2 times per day | 177 2.9 |
| | | 6 | 3 times per day | 58 1.0 |
| | | 7 | 4 or more times per day | 146 2.4 |
| | | Missing | 130 | |
| 105-105 | Q74 | During the past 7 days, how many times did you eat potatoes? | | |
| | | 1 | I did not eat potatoes during the past 7 days | 2,242 37.6 |
| | | 2 | 1 to 3 times during the past 7 days | 2,711 45.3 |
| | | 3 | 4 to 6 times during the past 7 days | 507 8.9 |
| | | 4 | 1 time per day | 212 3.6 |
| | | 5 | 2 times per day | 116 1.9 |
| | | 6 | 3 times per day | 45 0.7 |
| | | 7 | 4 or more times per day | 116 2.0 |
| | | Missing | 140 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|---------------|--|---|---------------------|------|
| 106-106 | Q75 | During the past 7 days, how many times did you eat carrots? | | | |
| | | 1 | I did not eat carrots during the past 7 days | 3,470 | 58.7 |
| | | 2 | 1 to 3 times during the past 7 days | 1,707 | 28.8 |
| | | 3 | 4 to 6 times during the past 7 days | 316 | 5.3 |
| | | 4 | 1 time per day | 202 | 3.4 |
| | | 5 | 2 times per day | 100 | 1.6 |
| | | 6 | 3 times per day | 31 | 0.5 |
| | | 7 | 4 or more times per day | 99 | 1.7 |
| | | Missing | 164 | | |
| 107-107 | Q76 | During the past 7 days, how many times did you eat other vegetables? | | | |
| | | 1 | I did not eat other vegetables during the past 7 days | 1,322 | 22.1 |
| | | 2 | 1 to 3 times during the past 7 days | 2,145 | 36.2 |
| | | 3 | 4 to 6 times during the past 7 days | 1,168 | 20.0 |
| | | 4 | 1 time per day | 668 | 11.4 |
| | | 5 | 2 times per day | 346 | 5.8 |
| | | 6 | 3 times per day | 132 | 2.3 |
| | | 7 | 4 or more times per day | 142 | 2.3 |
| | | Missing | 166 | | |
| 108-108 | Q77 | During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite? | | | |
| | | 1 | I did not drink soda or pop during the past 7 days | 1,541 | 25.8 |
| | | 2 | 1 to 3 times during the past 7 days | 2,129 | 35.4 |
| | | 3 | 4 to 6 times during the past 7 days | 968 | 16.6 |
| | | 4 | 1 time per day | 403 | 7.0 |
| | | 5 | 2 times per day | 388 | 6.6 |
| | | 6 | 3 times per day | 188 | 3.3 |
| | | 7 | 4 or more times per day | 308 | 5.2 |
| | | Missing | 164 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|---|----------------------------|------|
| 109-109 | Q78 | During the past 7 days, how many glasses of milk did you drink? | | | |
| | | 1 | I did not drink milk during the past 7 days | 1,369 | 23.4 |
| | | 2 | 1 to 3 glasses during the past 7 days | 1,583 | 26.7 |
| | | 3 | 4 to 6 glasses during the past 7 days | 919 | 15.7 |
| | | 4 | 1 glass per day | 816 | 13.8 |
| | | 5 | 2 glasses per day | 664 | 11.2 |
| | | 6 | 3 glasses per day | 280 | 4.7 |
| | | 7 | 4 or more glasses per day | 271 | 4.5 |
| | | Missing | 187 | | |
| 110-110 | Q79 | During the past 7 days, on how many days did you eat breakfast? | | | |
| | | 1 | 0 days | 844 | 15.2 |
| | | 2 | 1 day | 388 | 6.9 |
| | | 3 | 2 days | 585 | 10.5 |
| | | 4 | 3 days | 525 | 9.4 |
| | | 5 | 4 days | 370 | 6.6 |
| | | 6 | 5 days | 375 | 6.6 |
| | | 7 | 6 days | 291 | 5.2 |
| 8 | 7 days | 2,251 | 39.6 | | |
| | | Missing | 460 | | |
| 111-111 | Q80 | During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? | | | |
| | | 1 | 0 days | 1,119 | 18.7 |
| | | 2 | 1 day | 415 | 7.1 |
| | | 3 | 2 days | 570 | 9.7 |
| | | 4 | 3 days | 632 | 10.6 |
| | | 5 | 4 days | 588 | 10.1 |
| | | 6 | 5 days | 759 | 12.7 |
| | | 7 | 6 days | 347 | 5.9 |
| 8 | 7 days | 1,457 | 25.3 | | |
| | | Missing | 202 | | |
| 112-112 | Q81 | On an average school day, how many hours do you watch TV? | | | |
| | | 1 | I do not watch TV on an average school day | 948 | 15.9 |
| | | 2 | Less than 1 hour per day | 1,053 | 17.7 |
| | | 3 | 1 hour per day | 849 | 14.7 |
| | | 4 | 2 hours per day | 1,201 | 20.5 |
| | | 5 | 3 hours per day | 803 | 13.7 |
| | | 6 | 4 hours per day | 425 | 7.2 |
| | | 7 | 5 or more hours per day | 605 | 10.3 |
| | | Missing | 205 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|---|----------------------------|------|
| 113-113 | Q82 | On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? | | | |
| | | 1 | I do not play video or computer games or use a computer for something that is not school work | 973 | 16.5 |
| | | 2 | Less than 1 hour per day | 845 | 14.6 |
| | | 3 | 1 hour per day | 718 | 12.1 |
| | | 4 | 2 hours per day | 922 | 15.9 |
| | | 5 | 3 hours per day | 759 | 12.8 |
| | | 6 | 4 hours per day | 443 | 7.5 |
| | | 7 | 5 or more hours per day | 1,213 | 20.6 |
| | | Missing | 216 | | |
| 114-114 | Q83 | In an average week when you are in school, on how many days do you go to physical education (PE) classes? | | | |
| | | 1 | 0 days | 3,375 | 57.2 |
| | | 2 | 1 day | 159 | 2.9 |
| | | 3 | 2 days | 205 | 3.4 |
| | | 4 | 3 days | 599 | 9.9 |
| | | 5 | 4 days | 149 | 2.5 |
| | | 6 | 5 days | 1,389 | 24.2 |
| | | Missing | 213 | | |
| 115-115 | Q84 | During the past 12 months, on how many sports teams did you play? | | | |
| | | 1 | 0 teams | 2,946 | 49.5 |
| | | 2 | 1 team | 1,553 | 26.6 |
| | | 3 | 2 teams | 793 | 13.6 |
| | | 4 | 3 or more teams | 591 | 10.2 |
| | | Missing | 206 | | |
| 116-116 | Q85 | Have you ever been taught about AIDS or HIV infection in school? | | | |
| | | 1 | Yes | 4,831 | 83.1 |
| | | 2 | No | 722 | 12.5 |
| | | 3 | Not sure | 251 | 4.4 |
| | | Missing | 285 | | |
| 117-117 | Q86 | Has a doctor or nurse ever told you that you have asthma? | | | |
| | | 1 | Yes | 1,264 | 21.9 |
| | | 2 | No | 4,244 | 73.6 |
| | | 3 | Not sure | 265 | 4.5 |
| | | Missing | 316 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|---------------|--|--|---------------------|------|
| 118-118 | Q87 | During the past 12 months, how would you describe your grades in school? | | | |
| | | 1 | Mostly A's | 1,602 | 28.9 |
| | | 2 | Mostly B's | 2,375 | 42.6 |
| | | 3 | Mostly C's | 1,060 | 18.9 |
| | | 4 | Mostly D's | 134 | 2.4 |
| | | 5 | Mostly F's | 82 | 1.5 |
| | | 6 | None of these grades | 28 | 0.5 |
| | | 7 | Not sure | 297 | 5.2 |
| | | Missing | 511 | | |
| 119-119 | Q88 | During the past 12 months, how many times has someone stolen or deliberately damaged your property such as your car, clothing, or books on school property? | | | |
| | | 1 | 0 times | 4,549 | 78.5 |
| | | 2 | 1 time | 625 | 10.9 |
| | | 3 | 2 or 3 times | 387 | 6.6 |
| | | 4 | 4 or 5 times | 74 | 1.4 |
| | | 5 | 6 or 7 times | 51 | 0.8 |
| | | 6 | 8 or 9 times | 21 | 0.4 |
| | | 7 | 10 or 11 times | 13 | 0.2 |
| | | 8 | 12 or more times | 72 | 1.2 |
| | | Missing | 297 | | |
| 120-120 | Q89 | During the past 12 months, how many times did someone you were dating or going out with threaten you, limit your activities against your will, or make you feel unsafe in any other way? | | | |
| | | 1 | I did not date or go out with anyone during the past 12 months | 1,580 | 27.1 |
| | | 2 | 0 times | 3,786 | 65.9 |
| | | 3 | 1 time | 158 | 2.8 |
| | | 4 | 2 or 3 times | 103 | 1.8 |
| | | 5 | 4 or 5 times | 38 | 0.6 |
| | | 6 | 6 or more times | 112 | 1.8 |
| | | Missing | 312 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|-----------------------------|----------------------------|------|
| 121-121 | Q90 | During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose? | | | |
| | | 1 | 0 times | 4,915 | 85.4 |
| | | 2 | 1 time | 282 | 4.8 |
| | | 3 | 2 or 3 times | 256 | 4.3 |
| | | 4 | 4 or 5 times | 79 | 1.4 |
| | | 5 | 6 or more times | 257 | 4.2 |
| | | Missing | 300 | | |
| 122-122 | Q91 | Have you ever been choked by someone or tried to choke yourself on purpose, such as with a belt, towel, or rope, for the feeling or experience it caused? | | | |
| | | 1 | Yes | 513 | 8.5 |
| | | 2 | No | 5,273 | 91.5 |
| | | Missing | 303 | | |
| 123-123 | Q92 | During the past 12 months, have you ever been the victim of teasing or name calling because of your weight, size, or physical appearance? | | | |
| | | 1 | Yes | 1,315 | 22.6 |
| | | 2 | No | 4,475 | 77.4 |
| | | Missing | 299 | | |
| 124-124 | Q93 | During the past 12 months, have you ever been the victim of teasing or name calling because someone thought you were gay, lesbian, or bisexual? | | | |
| | | 1 | Yes | 566 | 9.3 |
| | | 2 | No | 5,408 | 90.7 |
| | | Missing | 115 | | |
| 125-125 | Q94 | During the past 30 days, on how many days did you have at least one drink of alcohol on school property? | | | |
| | | 1 | 0 days | 5,578 | 95.3 |
| | | 2 | 1 or 2 days | 130 | 2.2 |
| | | 3 | 3 to 5 days | 40 | 0.6 |
| | | 4 | 6 to 9 days | 18 | 0.3 |
| | | 5 | 10 to 19 days | 16 | 0.3 |
| | | 6 | 20 to 29 days | 9 | 0.2 |
| | | 7 | All 30 days | 67 | 1.1 |
| | | Missing | 231 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|---------------------------------|----------------------------|------|
| 126-126 | Q95 | During the past 30 days, how many times did you use marijuana on school property? | | | |
| | | 1 | 0 times | 5,460 | 93.8 |
| | | 2 | 1 or 2 times | 139 | 2.3 |
| | | 3 | 3 to 9 times | 74 | 1.3 |
| | | 4 | 10 to 19 times | 50 | 0.9 |
| | | 5 | 20 to 39 times | 20 | 0.4 |
| | | 6 | 40 or more times | 82 | 1.3 |
| | | Missing | 264 | | |
| 127-127 | Q96 | How many times have you been pregnant or gotten someone pregnant? | | | |
| | | 1 | 0 times | 5,191 | 93.6 |
| | | 2 | 1 time | 130 | 2.4 |
| | | 3 | 2 or more times | 109 | 2.0 |
| | | 4 | Not sure | 105 | 2.0 |
| | | Missing | 554 | | |
| 128-128 | Q97 | Have you ever had oral sex? | | | |
| | | 1 | Yes | 2,245 | 40.3 |
| | | 2 | No | 3,411 | 59.7 |
| | | Missing | 433 | | |
| 129-129 | Q98 | During your life, with whom have you had sexual contact? | | | |
| | | 1 | I have never had sexual contact | 2,261 | 40.1 |
| | | 2 | Females | 1,685 | 32.0 |
| | | 3 | Males | 1,272 | 22.5 |
| | | 4 | Females and males | 314 | 5.5 |
| | | Missing | 557 | | |
| 130-130 | Q99 | Which of the following best describes you? | | | |
| | | 1 | Heterosexual (straight) | 5,172 | 89.5 |
| | | 2 | Gay or lesbian | 122 | 2.2 |
| | | 3 | Bisexual | 301 | 5.0 |
| | | 4 | Not sure | 198 | 3.3 |
| | | Missing | 296 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 131-131 | Q100 | During the past 30 days, did you exercise to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 3,524 | 59.4 |
| | | 2 No | 2,347 | 40.6 |
| | | Missing | 218 | |
| 132-132 | Q101 | During the past 30 days, did you eat less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight? | | |
| | | 1 Yes | 2,353 | 39.7 |
| | | 2 No | 3,517 | 60.3 |
| | | Missing | 219 | |
| 133-133 | Q102 | During the past 7 days, how many times did you drink a can, bottle, or glass of a sports drink such as Gatorade or PowerAde? | | |
| | | 1 I did not drink sports drinks during the past 7 days | 2,416 | 42.1 |
| | | 2 1 to 3 times during the past 7 days | 1,604 | 28.6 |
| | | 3 4 to 6 times during the past 7 days | 635 | 11.4 |
| | | 4 1 time per day | 355 | 6.4 |
| | | 5 2 times per day | 269 | 4.8 |
| | | 6 3 times per day | 130 | 2.3 |
| | | 7 4 or more times per day | 238 | 4.3 |
| | | Missing | 442 | |
| 134-134 | Q103 | During the past 7 days, on how many days did you eat at least one meal or snack from a fast food restaurant such as McDonald's, Taco Bell, or KFC? | | |
| | | 1 0 days | 1,545 | 27.8 |
| | | 2 1 day | 1,390 | 25.1 |
| | | 3 2 days | 1,046 | 18.9 |
| | | 4 3 days | 762 | 13.8 |
| | | 5 4 days | 313 | 5.7 |
| | | 6 5 days | 194 | 3.5 |
| | | 7 6 days | 71 | 1.3 |
| | | 8 7 days | 227 | 4.0 |
| | | Missing | 541 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|----------------------|----------------------|---|-----------------------------|----------------------------|------|
| 135-135 | Q104 | During the past 7 days, on how many days did you eat dinner at home with at least one of your parents or guardians? | | | |
| | | 1 | 0 days | 711 | 12.8 |
| | | 2 | 1 day | 256 | 4.7 |
| | | 3 | 2 days | 334 | 5.9 |
| | | 4 | 3 days | 357 | 6.7 |
| | | 5 | 4 days | 437 | 7.8 |
| | | 6 | 5 days | 589 | 10.8 |
| | | 7 | 6 days | 408 | 7.5 |
| | | 8 | 7 days | 2,448 | 43.9 |
| | Missing | 549 | | | |
| 136-136 | Q105 | On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting? | | | |
| | | 1 | 0 days | 1,736 | 30.7 |
| | | 2 | 1 day | 462 | 8.3 |
| | | 3 | 2 days | 566 | 9.9 |
| | | 4 | 3 days | 632 | 11.1 |
| | | 5 | 4 days | 495 | 8.9 |
| | | 6 | 5 days | 605 | 10.7 |
| | | 7 | 6 days | 241 | 4.3 |
| | | 8 | 7 days | 882 | 16.1 |
| | Missing | 470 | | | |
| 137-137 | Q106 | During an average physical education (PE) class, how many minutes do you spend actually exercising or playing sports? | | | |
| | | 1 | I do not take PE | 3,029 | 53.7 |
| | | 2 | Less than 10 minutes | 217 | 3.9 |
| | | 3 | 10 to 20 minutes | 262 | 4.7 |
| | | 4 | 21 to 30 minutes | 429 | 7.5 |
| | | 5 | 31 to 40 minutes | 507 | 9.2 |
| | | 6 | 41 to 50 minutes | 480 | 8.8 |
| | | 7 | 51 to 60 minutes | 247 | 4.3 |
| | | 8 | More than 60 minutes | 437 | 7.9 |
| | Missing | 481 | | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 138-138 | Q107 | Have you ever talked about AIDS or HIV infection with your parents or other adults in your family? | | |
| | | 1 Yes | 2,998 | 54.0 |
| | | 2 No | 2,181 | 39.7 |
| | | 3 Not sure | 361 | 6.3 |
| | | Missing | 549 | |
| 139-139 | Q108 | How important is it for schools to help students address the problems of today such as drug abuse, violence, HIV/AIDS, teen pregnancy, abuse, and suicide? | | |
| | | 1 Very important | 3,548 | 63.8 |
| | | 2 Important | 1,205 | 22.0 |
| | | 3 Somewhat important | 502 | 9.2 |
| | | 4 Not important | 277 | 5.0 |
| | Missing | 557 | | |
| 140-140 | Q109 | During the past 12 months, did you talk to a teacher or other adult in your school about a personal problem you had? | | |
| | | 1 Yes | 1,518 | 27.6 |
| | | 2 No | 4,006 | 72.4 |
| | Missing | 565 | | |
| 141-141 | Q110 | If you or one of your friends were being physically or sexually abused, do you know who you should report it to? | | |
| | | 1 Yes | 4,173 | 75.8 |
| | | 2 No | 776 | 14.1 |
| | | 3 Not sure | 562 | 10.1 |
| | Missing | 578 | | |
| 142-142 | Q111 | During your last check-up, did your doctor or nurse discuss ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs)? | | |
| | | 1 I have never had a check-up | 530 | 9.7 |
| | | 2 Yes | 1,696 | 31.1 |
| | | 3 No | 2,730 | 49.3 |
| | | 4 Not sure | 554 | 9.9 |
| | Missing | 579 | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 143-143 | Q112 | Do you still have asthma? | | |
| | | 1 I have never had asthma | 3,249 | 57.2 |
| | | 2 Yes | 623 | 11.0 |
| | | 3 No | 1,334 | 23.6 |
| | | 4 Not sure | 482 | 8.3 |
| | | Missing | 401 | |
| 144-144 | Q113 | When you are outside for more than one hour on a sunny day, how often do you wear sunscreen with an SPF of 15 or higher? | | |
| | | 1 Never | 2,898 | 52.5 |
| | | 2 Rarely | 1,427 | 25.8 |
| | | 3 Sometimes | 724 | 13.2 |
| | | 4 Most of the time | 290 | 5.3 |
| | | 5 Always | 177 | 3.2 |
| | | Missing | 573 | |
| 145-145 | Q114 | During the past 12 months, how many times did you use an indoor tanning device such as a sunlamp, sunbed, or tanning booth? | | |
| | | 1 0 times | 5,126 | 92.5 |
| | | 2 1 or 2 times | 138 | 2.5 |
| | | 3 3 to 9 times | 95 | 1.8 |
| | | 4 10 to 19 times | 51 | 0.9 |
| | | 5 20 to 39 times | 38 | 0.8 |
| | | 6 40 or more times | 81 | 1.5 |
| | | Missing | 560 | |
| 146-146 | Q115 | On an average school night, how many hours of sleep do you get? | | |
| | | 1 4 or less hours | 554 | 10.0 |
| | | 2 5 hours | 793 | 14.1 |
| | | 3 6 hours | 1,329 | 24.1 |
| | | 4 7 hours | 1,456 | 26.6 |
| | | 5 8 hours | 993 | 18.3 |
| | | 6 9 hours | 257 | 4.6 |
| | | 7 10 or more hours | 129 | 2.2 |
| | | Missing | 578 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage | |
|---------------|---------------|---|--|---------------------|------|
| 147-147 | Q116 | How long have you lived in the United States? | | | |
| | | 1 | Less than 1 year | 153 | 2.7 |
| | | 2 | 1 to 3 years | 140 | 2.4 |
| | | 3 | 4 to 6 years | 171 | 2.8 |
| | | 4 | More than 6 years but not my whole life | 701 | 11.7 |
| | | 5 | I have always lived in the United States | 4,378 | 80.4 |
| | | Missing | 546 | | |
| 185-185 | QN8 | Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet | | | |
| | | 1 | Yes | 3,586 | 89.4 |
| | | 2 | No | 433 | 10.6 |
| | | | Missing | 2,070 | |
| 186-186 | QN9 | Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else | | | |
| | | 1 | Yes | 492 | 8.3 |
| | | 2 | No | 5,571 | 91.7 |
| | | | Missing | 26 | |
| 187-187 | QN10 | Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol | | | |
| | | 1 | Yes | 1,390 | 22.9 |
| | | 2 | No | 4,657 | 77.1 |
| | | | Missing | 42 | |
| 188-188 | QN11 | Among students who drove a car or other vehicle during the past 30 days, the percentage who drove when they had been drinking alcohol one or more times during the past 30 days | | | |
| | | 1 | Yes | 354 | 9.9 |
| | | 2 | No | 3,185 | 90.1 |
| | | | Missing | 2,550 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 189-189 | QN12 | Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more of the past 30 days | | |
| | | 1 Yes | 1,281 | 36.2 |
| | | 2 No | 2,308 | 63.8 |
| | | Missing | 2,500 | |
| 190-190 | QN13 | Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days | | |
| | | 1 Yes | 913 | 15.7 |
| | | 2 No | 5,142 | 84.3 |
| | | Missing | 34 | |
| 193-193 | QN16 | Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school | | |
| | | 1 Yes | 647 | 10.2 |
| | | 2 No | 5,408 | 89.8 |
| | | Missing | 34 | |
| 194-194 | QN17 | Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months | | |
| | | 1 Yes | 433 | 7.1 |
| | | 2 No | 5,626 | 92.9 |
| | | Missing | 30 | |
| 195-195 | QN18 | Percentage of students who were in a physical fight one or more times during the past 12 months | | |
| | | 1 Yes | 1,304 | 22.0 |
| | | 2 No | 4,610 | 78.0 |
| | | Missing | 175 | |
| 196-196 | QN19 | Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse | | |
| | | 1 Yes | 191 | 3.1 |
| | | 2 No | 5,781 | 96.9 |
| | | Missing | 117 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|---|----------------------|---------------------|
| 197-197 | QN20 | Percentage of students who were in a physical fight on school property one or more times during the past 12 months | | |
| | | 1 Yes | 485 | 8.1 |
| | | 2 No | 5,498 | 91.9 |
| | | Missing | 106 | |
| 198-198 | QN21 | Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to | | |
| | | 1 Yes | 444 | 7.2 |
| | | 2 No | 5,590 | 92.8 |
| | | Missing | 55 | |
| 199-199 | QN22 | Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months | | |
| | | 1 Yes | 425 | 9.9 |
| | | 2 No | 3,859 | 90.1 |
| | | Missing | 1,805 | |
| 200-200 | QN23 | Among students who dated or went out with someone during the past 12 months, the percentage who had been forced by someone they were dating or going out with to do sexual things that they did not want to one or more times during the past 12 months | | |
| | | 1 Yes | 448 | 10.5 |
| | | 2 No | 3,726 | 89.5 |
| | | Missing | 1,915 | |
| 201-201 | QN24 | Percentage of students who had ever been bullied on school property during the past 12 months | | |
| | | 1 Yes | 969 | 15.7 |
| | | 2 No | 5,089 | 84.3 |
| | | Missing | 31 | |
| 202-202 | QN25 | Percentage of students who had ever been electronically bullied during the past 12 months | | |
| | | 1 Yes | 756 | 12.3 |
| | | 2 No | 5,301 | 87.7 |
| | | Missing | 32 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 203-203 | QN26 | Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months | | |
| | | 1 Yes | 1,604 | 25.8 |
| | | 2 No | 4,430 | 74.2 |
| | | Missing | 55 | |
| 204-204 | QN27 | Percentage of students who seriously considered attempting suicide during the past 12 months | | |
| | | 1 Yes | 850 | 13.9 |
| | | 2 No | 5,175 | 86.1 |
| | | Missing | 64 | |
| 205-205 | QN28 | Percentage of students who made a plan about how they would attempt suicide during the past 12 months | | |
| | | 1 Yes | 639 | 10.4 |
| | | 2 No | 5,345 | 89.6 |
| | | Missing | 105 | |
| 206-206 | QN29 | Percentage of students who actually attempted suicide one or more times during the past 12 months | | |
| | | 1 Yes | 415 | 7.7 |
| | | 2 No | 4,904 | 92.3 |
| | | Missing | 770 | |
| 207-207 | QN30 | Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse | | |
| | | 1 Yes | 145 | 2.7 |
| | | 2 No | 5,154 | 97.3 |
| | | Missing | 790 | |
| 209-209 | QN32 | Percentage of students who smoked a whole cigarette for the first time before age 13 years | | |
| | | 1 Yes | 488 | 8.3 |
| | | 2 No | 5,498 | 91.7 |
| | | Missing | 103 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 210-210 | QN33 | Percentage of students who smoked cigarettes on one or more of the past 30 days | | |
| | | 1 Yes | 637 | 10.8 |
| | | 2 No | 5,329 | 89.2 |
| | | Missing | 123 | |
| 213-213 | QN36 | Percentage of students who smoked cigarettes on school property on one or more of the past 30 days | | |
| | | 1 Yes | 190 | 3.3 |
| | | 2 No | 5,598 | 96.7 |
| | | Missing | 301 | |
| 219-219 | QN42 | Percentage of students who had their first drink of alcohol other than a few sips before age 13 years | | |
| | | 1 Yes | 1,065 | 17.5 |
| | | 2 No | 4,903 | 82.5 |
| | | Missing | 121 | |
| 220-220 | QN43 | Percentage of students who had at least one drink of alcohol on one or more of the past 30 days | | |
| | | 1 Yes | 2,012 | 34.8 |
| | | 2 No | 3,794 | 65.2 |
| | | Missing | 283 | |
| 221-221 | QN44 | Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days | | |
| | | 1 Yes | 975 | 16.6 |
| | | 2 No | 4,872 | 83.4 |
| | | Missing | 242 | |
| 224-224 | QN47 | Percentage of students who used marijuana one or more times during their life | | |
| | | 1 Yes | 2,223 | 38.7 |
| | | 2 No | 3,573 | 61.3 |
| | | Missing | 293 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 225-225 | QN48 | Percentage of students who tried marijuana for the first time before age 13 years | | |
| | | 1 Yes | 475 | 8.3 |
| | | 2 No | 5,341 | 91.7 |
| | | Missing | 273 | |
| 226-226 | QN49 | Percentage of students who used marijuana one or more times during the past 30 days | | |
| | | 1 Yes | 1,273 | 22.0 |
| | | 2 No | 4,574 | 78.0 |
| | | Missing | 242 | |
| 227-227 | QN50 | Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life | | |
| | | 1 Yes | 350 | 5.8 |
| | | 2 No | 5,574 | 94.2 |
| | | Missing | 165 | |
| 232-232 | QN55 | Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life | | |
| | | 1 Yes | 238 | 4.0 |
| | | 2 No | 5,676 | 96.0 |
| | | Missing | 175 | |
| 233-233 | QN56 | Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life | | |
| | | 1 Yes | 730 | 12.8 |
| | | 2 No | 5,003 | 87.2 |
| | | Missing | 356 | |
| 235-235 | QN58 | Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months | | |
| | | 1 Yes | 1,196 | 20.0 |
| | | 2 No | 4,674 | 80.0 |
| | | Missing | 219 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 236-236 | QN59 | Percentage of students who ever had sexual intercourse | | |
| | | 1 Yes | 2,427 | 44.3 |
| | | 2 No | 3,150 | 55.7 |
| | | Missing | 512 | |
| 237-237 | QN60 | Percentage of students who had sexual intercourse for the first time before age 13 years | | |
| | | 1 Yes | 361 | 6.7 |
| | | 2 No | 5,188 | 93.3 |
| | | Missing | 540 | |
| 238-238 | QN61 | Percentage of students who had sexual intercourse with four or more people during their life | | |
| | | 1 Yes | 717 | 13.3 |
| | | 2 No | 4,824 | 86.7 |
| | | Missing | 548 | |
| 239-239 | QN62 | Percentage of students who had sexual intercourse with one or more people during the past three months | | |
| | | 1 Yes | 1,665 | 30.6 |
| | | 2 No | 3,884 | 69.4 |
| | | Missing | 540 | |
| 240-240 | QN63 | Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse | | |
| | | 1 Yes | 377 | 22.8 |
| | | 2 No | 1,278 | 77.2 |
| | | Missing | 4,434 | |
| 241-241 | QN64 | Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse | | |
| | | 1 Yes | 1,021 | 62.4 |
| | | 2 No | 601 | 37.6 |
| | | Missing | 4,467 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 242-242 | QN65 | Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 241 | 15.6 |
| | | 2 No | 1,334 | 84.4 |
| | | Missing | 4,514 | |
| 243-243 | QN66 | Percentage of students who described themselves as slightly or very overweight | | |
| | | 1 Yes | 1,762 | 29.2 |
| | | 2 No | 4,220 | 70.8 |
| | | Missing | 107 | |
| 244-244 | QN67 | Percentage of students who were trying to lose weight | | |
| | | 1 Yes | 2,648 | 43.6 |
| | | 2 No | 3,327 | 56.4 |
| | | Missing | 114 | |
| 245-245 | QN68 | Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 661 | 10.9 |
| | | 2 No | 5,296 | 89.1 |
| | | Missing | 132 | |
| 246-246 | QN69 | Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 359 | 5.9 |
| | | 2 No | 5,602 | 94.1 |
| | | Missing | 128 | |
| 247-247 | QN70 | Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 288 | 4.6 |
| | | 2 No | 5,669 | 95.4 |
| | | Missing | 132 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 248-248 | QN71 | Percentage of students who drank 100% fruit juices one or more times during the past seven days | | |
| | | 1 Yes | 4,501 | 75.7 |
| | | 2 No | 1,449 | 24.3 |
| | | Missing | 139 | |
| 249-249 | QN72 | Percentage of students who ate fruit one or more times during the past seven days | | |
| | | 1 Yes | 5,174 | 86.7 |
| | | 2 No | 785 | 13.3 |
| | | Missing | 130 | |
| 250-250 | QN73 | Percentage of students who ate green salad one or more times during the past seven days | | |
| | | 1 Yes | 3,625 | 60.4 |
| | | 2 No | 2,334 | 39.6 |
| | | Missing | 130 | |
| 251-251 | QN74 | Percentage of students who ate potatoes one or more times during the past seven days | | |
| | | 1 Yes | 3,707 | 62.4 |
| | | 2 No | 2,242 | 37.6 |
| | | Missing | 140 | |
| 252-252 | QN75 | Percentage of students who ate carrots one or more times during the past seven days | | |
| | | 1 Yes | 2,455 | 41.3 |
| | | 2 No | 3,470 | 58.7 |
| | | Missing | 164 | |
| 253-253 | QN76 | Percentage of students who ate other vegetables one or more times during the past seven days | | |
| | | 1 Yes | 4,601 | 77.9 |
| | | 2 No | 1,322 | 22.1 |
| | | Missing | 166 | |
| 254-254 | QN77 | Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days | | |
| | | 1 Yes | 1,287 | 22.1 |
| | | 2 No | 4,638 | 77.9 |
| | | Missing | 164 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 255-255 | QN78 | Percentage of students who drank three or more glasses per day of milk during the past seven days | | |
| | | 1 Yes | 551 | 9.2 |
| | | 2 No | 5,351 | 90.8 |
| | | Missing | 187 | |
| 256-256 | QN79 | Percentage of students who ate breakfast on all of the past seven days | | |
| | | 1 Yes | 2,251 | 39.6 |
| | | 2 No | 3,378 | 60.4 |
| | | Missing | 460 | |
| 257-257 | QN80 | Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days | | |
| | | 1 Yes | 2,563 | 43.9 |
| | | 2 No | 3,324 | 56.1 |
| | | Missing | 202 | |
| 258-258 | QN81 | Percentage of students who watched three or more hours per day of TV on an average school day | | |
| | | 1 Yes | 1,833 | 31.2 |
| | | 2 No | 4,051 | 68.8 |
| | | Missing | 205 | |
| 259-259 | QN82 | Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day | | |
| | | 1 Yes | 2,415 | 40.9 |
| | | 2 No | 3,458 | 59.1 |
| | | Missing | 216 | |
| 260-260 | QN83 | Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school | | |
| | | 1 Yes | 2,501 | 42.8 |
| | | 2 No | 3,375 | 57.2 |
| | | Missing | 213 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 261-261 | QN84 | Percentage of students who played on one or more sports teams during the past 12 months | | |
| | | 1 Yes | 2,937 | 50.5 |
| | | 2 No | 2,946 | 49.5 |
| | | Missing | 206 | |
| 262-262 | QN85 | Percentage of students who had ever been taught in school about AIDS or HIV infection | | |
| | | 1 Yes | 4,831 | 83.1 |
| | | 2 No | 973 | 16.9 |
| | | Missing | 285 | |
| 263-263 | QN86 | Percentage of students who had ever been told by a doctor or nurse that they had asthma | | |
| | | 1 Yes | 1,264 | 21.9 |
| | | 2 No | 4,509 | 78.1 |
| | | Missing | 316 | |
| 264-264 | QN87 | Percentage of students who would describe their grades in school as mostly A's or B's during the past 12 months | | |
| | | 1 Yes | 3,977 | 71.6 |
| | | 2 No | 1,601 | 28.4 |
| | | Missing | 511 | |
| 265-265 | QN88 | Percentage of students whose property, such as their car, clothing, or books, had been stolen or deliberately damaged on school property one or more times during the past 12 months | | |
| | | 1 Yes | 1,243 | 21.5 |
| | | 2 No | 4,549 | 78.5 |
| | | Missing | 297 | |
| 266-266 | QN89 | Percentage of students who were dating or going out with someone who threatened them, limited their activities against their will, or made them feel unsafe in any other way one or more times during the past 12 months | | |
| | | 1 Yes | 411 | 7.0 |
| | | 2 No | 5,366 | 93.0 |
| | | Missing | 312 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 267-267 | QN90 | Percentage of students who did something to purposely hurt themselves without wanting to die, such as cutting or burning themselves on purpose, one or more times during the past 12 months | | |
| | | 1 Yes | 874 | 14.6 |
| | | 2 No | 4,915 | 85.4 |
| | | Missing | 300 | |
| 268-268 | QN91 | Percentage of students who have ever been choked by someone or tried to choke themselves on purpose, such as with a belt, towel, or rope, for the feeling or experience it caused | | |
| | | 1 Yes | 513 | 8.5 |
| | | 2 No | 5,273 | 91.5 |
| | | Missing | 303 | |
| 269-269 | QN92 | Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because of their weight, size, or physical appearance | | |
| | | 1 Yes | 1,315 | 22.6 |
| | | 2 No | 4,475 | 77.4 |
| | | Missing | 299 | |
| 270-270 | QN93 | Percentage of students who have ever been the victim of teasing or name calling during the past 12 months because someone thought they were gay, lesbian, or bisexual | | |
| | | 1 Yes | 566 | 9.3 |
| | | 2 No | 5,408 | 90.7 |
| | | Missing | 115 | |
| 271-271 | QN94 | Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days | | |
| | | 1 Yes | 280 | 4.7 |
| | | 2 No | 5,578 | 95.3 |
| | | Missing | 231 | |
| 272-272 | QN95 | Percentage of students who used marijuana on school property one or more times during the past 30 days | | |
| | | 1 Yes | 365 | 6.2 |
| | | 2 No | 5,460 | 93.8 |
| | | Missing | 264 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 273-273 | QN96 | Percentage of students who have been pregnant or gotten someone pregnant one or more times | | |
| | | 1 Yes | 239 | 4.4 |
| | | 2 No | 5,296 | 95.6 |
| | | Missing | 554 | |
| 274-274 | QN97 | Percentage of students who have ever had oral sex | | |
| | | 1 Yes | 2,245 | 40.3 |
| | | 2 No | 3,411 | 59.7 |
| | | Missing | 433 | |
| 275-275 | QN98 | Percentage of students who have had sexual contact with males and females during their life | | |
| | | 1 Yes | 314 | 5.5 |
| | | 2 No | 5,218 | 94.5 |
| | | Missing | 557 | |
| 276-276 | QN99 | Percentage of students who describe themselves as gay or lesbian or bisexual | | |
| | | 1 Yes | 423 | 7.2 |
| | | 2 No | 5,370 | 92.8 |
| | | Missing | 296 | |
| 277-277 | QN100 | Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 3,524 | 59.4 |
| | | 2 No | 2,347 | 40.6 |
| | | Missing | 218 | |
| 278-278 | QN101 | Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days | | |
| | | 1 Yes | 2,353 | 39.7 |
| | | 2 No | 3,517 | 60.3 |
| | | Missing | 219 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 279-279 | QN102 | Percentage of students who drank a can, bottle, or glass of a sports drink such as Gatorade or PowerAde one or more times per day during the past seven days | | |
| | | 1 Yes | 992 | 17.8 |
| | | 2 No | 4,655 | 82.2 |
| | | Missing | 442 | |
| 280-280 | QN103 | Percentage of students who ate at least one meal or snack from a fast food restaurant such as McDonald's, Taco Bell, or KFC on three or more of the past seven days | | |
| | | 1 Yes | 1,567 | 28.3 |
| | | 2 No | 3,981 | 71.7 |
| | | Missing | 541 | |
| 281-281 | QN104 | Percentage of students who ate dinner at home with at least one of their parents or guardians on four or more of the past seven days | | |
| | | 1 Yes | 3,882 | 70.0 |
| | | 2 No | 1,658 | 30.0 |
| | | Missing | 549 | |
| 282-282 | QN105 | Percentage of students who did exercises to strengthen or tone their muscles, such as push-ups, sit-ups, or weight lifting, on three or more of the past seven days | | |
| | | 1 Yes | 2,855 | 51.0 |
| | | 2 No | 2,764 | 49.0 |
| | | Missing | 470 | |
| 283-283 | QN106 | Percentage of students who spend more than 20 minutes actually exercising or playing sports during an average physical education (PE) class | | |
| | | 1 Yes | 2,100 | 37.7 |
| | | 2 No | 3,508 | 62.3 |
| | | Missing | 481 | |
| 284-284 | QN107 | Percentage of students who have ever talked about AIDS or HIV infection with their parents or other adults in their family | | |
| | | 1 Yes | 2,998 | 54.0 |
| | | 2 No | 2,542 | 46.0 |
| | | Missing | 549 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 285-285 | QN108 | Percentage of students who think it is very important or important for schools to help students address the problems of today such as drug abuse, violence, HIV/AIDS, teen pregnancy, abuse, and suicide | | |
| | | 1 Yes | 4,753 | 85.8 |
| | | 2 No | 779 | 14.2 |
| | | Missing | 557 | |
| 286-286 | QN109 | Percentage of students who talked to a teacher or other adult in their school about a personal problem they had during the past 12 months | | |
| | | 1 Yes | 1,518 | 27.6 |
| | | 2 No | 4,006 | 72.4 |
| | | Missing | 565 | |
| 287-287 | QN110 | Percentage of students who responded that, if they or one of their friends were being physically or sexually abused, they know who they should report it to | | |
| | | 1 Yes | 4,173 | 75.8 |
| | | 2 No | 1,338 | 24.2 |
| | | Missing | 578 | |
| 288-288 | QN111 | Among students who have had a check-up, the percentage whose doctor or nurse discussed ways to prevent pregnancy, AIDS, or other sexually transmitted diseases (STDs) during their last check-up | | |
| | | 1 Yes | 1,696 | 34.5 |
| | | 2 No | 3,284 | 65.5 |
| | | Missing | 1,109 | |
| 289-289 | QN112 | Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma | | |
| | | 1 Yes | 583 | 10.4 |
| | | 2 No | 5,074 | 89.6 |
| | | Missing | 432 | |
| 290-290 | QN113 | Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day | | |
| | | 1 Yes | 467 | 8.4 |
| | | 2 No | 5,049 | 91.6 |
| | | Missing | 573 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|-----------------------------|----------------------------|
| 291-291 | QN114 | Percentage of students who used an indoor tanning device such as a sunlamp, sunbed, or tanning booth one or more times during the past 12 months | | |
| | | 1 Yes | 403 | 7.5 |
| | | 2 No | 5,126 | 92.5 |
| | | Missing | 560 | |
| 292-292 | QN115 | Percentage of students who get eight or more hours of sleep on average school night | | |
| | | 1 Yes | 1,379 | 25.1 |
| | | 2 No | 4,132 | 74.9 |
| | | Missing | 578 | |
| 293-293 | QN116 | Percentage of students who have lived in the United States less than one year | | |
| | | 1 Yes | 153 | 2.7 |
| | | 2 No | 5,390 | 97.3 |
| | | Missing | 546 | |
| 350-350 | QNFRCIG | Percentage of students who smoked cigarettes on 20 or more of the past 30 days | | |
| | | 1 Yes | 216 | 3.7 |
| | | 2 No | 5,750 | 96.3 |
| | | Missing | 123 | |
| 352-352 | QNOTHH | Among students who had sexual intercourse during the past three months, the percentage who used an IUD or implant or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 62 | 4.2 |
| | | 2 No | 1,513 | 95.8 |
| | | Missing | 4,514 | |
| 353-353 | QNOTHHPL | Among students who had sexual intercourse during the past three months, the percentage who used birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 303 | 19.8 |
| | | 2 No | 1,272 | 80.2 |
| | | Missing | 4,514 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

Florida High School Survey
Codebook

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|---------------|---------------|--|----------------------|---------------------|
| 354-354 | QNDUALBC | Among students who had sexual intercourse during the past three months, the percentage who used both a condom during last sexual intercourse and birth control pills, an IUD or implant, or a shot, patch, or birth control ring to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 112 | 7.2 |
| | | 2 No | 1,456 | 92.8 |
| | | Missing | 4,521 | |
| 355-355 | QNBCNONE | Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse | | |
| | | 1 Yes | 204 | 12.6 |
| | | 2 No | 1,371 | 87.4 |
| | | Missing | 4,514 | |
| 356-356 | QNFRVG | Percentage of students who ate fruits and vegetables five or more times per day during the past seven days | | |
| | | 1 Yes | 1,302 | 22.2 |
| | | 2 No | 4,542 | 77.8 |
| | | Missing | 245 | |
| 357-357 | QNFRUIT | Percentage of students who ate fruits or drank 100% fruit juices two or more times per day during the past seven days | | |
| | | 1 Yes | 2,022 | 34.1 |
| | | 2 No | 3,913 | 65.9 |
| | | Missing | 154 | |
| 358-358 | QNFR0 | Percentage of students who ate fruits or drank 100% fruit juices 0 times per day during the past seven days | | |
| | | 1 Yes | 398 | 6.8 |
| | | 2 No | 5,537 | 93.2 |
| | | Missing | 154 | |
| 359-359 | QNFR1 | Percentage of students who ate fruits or drank 100% fruit juices one or more times per day during the past seven days | | |
| | | 1 Yes | 3,606 | 60.8 |
| | | 2 No | 2,329 | 39.2 |
| | | Missing | 154 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 360-360 | QNFR3 | Percentage of students who ate fruits or drank 100% fruit juices three or more times per day during the past seven days | | |
| | | 1 Yes | 1,325 | 22.2 |
| | | 2 No | 4,610 | 77.8 |
| | | Missing | 154 | |
| 361-361 | QNVEG | Percentage of students who ate vegetables three or more times per day during the past seven days | | |
| | | 1 Yes | 888 | 15.1 |
| | | 2 No | 4,982 | 84.9 |
| | | Missing | 219 | |
| 362-362 | QNVEG0 | Percentage of students who ate vegetables 0 times per day during the past seven days | | |
| | | 1 Yes | 555 | 9.4 |
| | | 2 No | 5,315 | 90.6 |
| | | Missing | 219 | |
| 363-363 | QNVEG1 | Percentage of students who ate vegetables one or more times per day during the past seven days | | |
| | | 1 Yes | 3,349 | 57.2 |
| | | 2 No | 2,521 | 42.8 |
| | | Missing | 219 | |
| 364-364 | QNVEG2 | Percentage of students who ate vegetables two or more times per day during the past seven days | | |
| | | 1 Yes | 1,583 | 26.9 |
| | | 2 No | 4,287 | 73.1 |
| | | Missing | 219 | |
| 365-365 | QNFRVG2 | Percentage of students who ate fruits or drank 100% fruit juices two or more times per day and ate vegetables three or more times per day during the past seven days | | |
| | | 1 Yes | 636 | 10.9 |
| | | 2 No | 5,208 | 89.1 |
| | | Missing | 245 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 366-366 | QNSODA0 | Percentage of students who drank a can, bottle, or glass of soda or pop 0 times per day during the past seven days | | |
| | | 1 Yes | 1,541 | 25.8 |
| | | 2 No | 4,384 | 74.2 |
| | | Missing | 164 | |
| 367-367 | QNSODA2 | Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day during the past seven days | | |
| | | 1 Yes | 884 | 15.1 |
| | | 2 No | 5,041 | 84.9 |
| | | Missing | 164 | |
| 368-368 | QNSODA3 | Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day during the past seven days | | |
| | | 1 Yes | 496 | 8.5 |
| | | 2 No | 5,429 | 91.5 |
| | | Missing | 164 | |
| 369-369 | QNMILK0 | Percentage of students who drank 0 glasses per day of milk during the past seven days | | |
| | | 1 Yes | 1,369 | 23.4 |
| | | 2 No | 4,533 | 76.6 |
| | | Missing | 187 | |
| 370-370 | QNMILK1 | Percentage of students who drank one or more glasses per day of milk during the past seven days | | |
| | | 1 Yes | 2,031 | 34.2 |
| | | 2 No | 3,871 | 65.8 |
| | | Missing | 187 | |
| 371-371 | QNMILK2 | Percentage of students who drank two or more glasses per day of milk during the past seven days | | |
| | | 1 Yes | 1,215 | 20.4 |
| | | 2 No | 4,687 | 79.6 |
| | | Missing | 187 | |
| 372-372 | QNNOBKFT | Percentage of students who ate breakfast on none of the past seven days | | |
| | | 1 Yes | 844 | 15.2 |
| | | 2 No | 4,785 | 84.8 |
| | | Missing | 460 | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|--|-----------------------------|----------------------------|
| 373-373 | QNDLYPE | Percentage of students who attended physical education (PE) classes daily in an average week when they were in school | | |
| | | 1 Yes | 1,389 | 24.2 |
| | | 2 No | 4,487 | 75.8 |
| | | Missing | 213 | |
| 374-374 | QNPA0DAY | Percentage of students who were physically active for a total of at least 60 minutes per day on 0 of the past seven days | | |
| | | 1 Yes | 1,119 | 18.7 |
| | | 2 No | 4,768 | 81.3 |
| | | Missing | 202 | |
| 375-375 | QNPA7DAY | Percentage of students who were physically active for a total of at least 60 minutes per day on 7 of the past seven days | | |
| | | 1 Yes | 1,457 | 25.3 |
| | | 2 No | 4,430 | 74.7 |
| | | Missing | 202 | |
| 376-376 | QNOWT | Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex) | | |
| | | 1 Yes | 810 | 14.7 |
| | | 2 No | 4,682 | 85.3 |
| | | Missing | 597 | |
| 377-377 | QNOBESE | Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex) | | |
| | | 1 Yes | 618 | 11.6 |
| | | 2 No | 4,874 | 88.4 |
| | | Missing | 597 | |
| 378-387 | WEIGHT | | | |
| 388-390 | STRATUM | | | |
| 391-396 | PSU | | | |

2013 YOUTH RISK BEHAVIOR SURVEY RESULTS

**Florida High School Survey
Codebook**

| Data Location | Variable Name | | Question Code and Label | Unweighted Frequency | Weighted Percentage |
|----------------------|----------------------|---|--------------------------------|-----------------------------|----------------------------|
| 397-401 | BMIPCT | | | | |
| 402-403 | RACEETH | | | | |
| | | 1 | Am Indian / Alaska Native | 43 | 0.4 |
| | | 2 | Asian | 199 | 2.0 |
| | | 3 | Black or African American | 1,194 | 22.8 |
| | | 4 | Native Hawaiian/other PI | 51 | 0.5 |
| | | 5 | White | 2,296 | 43.7 |
| | | 6 | Hispanic/Latino | 400 | 6.0 |
| | | 7 | Multiple - Hispanic | 1,469 | 21.7 |
| | | 8 | Multiple - Non-Hispanic | 290 | 2.9 |
| | | | Missing | 147 | |
| 404-406 | Q6ORIG | | | | |
| 407-409 | Q7ORIG | | | | |