

# Weeks 27-28: June 29 – July 12, 2014

**FLU REVIEW** 

### Summary

**?** 

The Florida Department of Health (FDOH) uses many different surveillance systems to measure influenza activity. A summary of all these systems can be found on our website at http://www.floridahealth.gov/ floridaflu.

#### Middle East Respiratory Syndrome (MERS):

Florida

- . In weeks 18 and 19, respectively, the first and second MERS cases were identified in Indiana and Florida travelers returning from the Middle East. More information can be found here: http://www.flhealth.gov/mers and here: http://www.cdc.gov/CORONAVIRUS/MERS/INDEX.HTML.
- There is no evidence that the Indiana and Florida cases are epidemiologically linked to one another. There is no evidence of sustained community wide transmission of MERS. The MERS situation in the U.S. represents a very low risk to the general public in this country.

#### National Influenza:

- Influenza activity continues to decline nationally. In certain parts of the country, activity remains elevated.
- The predominant circulating strain this year continues to be influenza A (2009 H1N1).
- The Centers for Disease Control and Prevention continue to recommend vaccination as long as influenza viruses are circulating.

### State Influenza:

- Influenza virus is circulating at low levels in Florida, which is typical for this time of year.
- Emergency department (ED) and urgent care center (UCC) influenza-like illness (ILI) visits have decreased in recent weeks; current data suggest that the influenza season peaked during weeks 52-7.
- In weeks 27 and 28, 17 specimens were submitted to Bureau of Public Health Laboratories (BPHL) for influenza testing. Seven specimens tested PCR positive: three for influenza A (H3) and four for influenza B.
- Nationally (including Florida), almost all circulating influenza is a good match for the vaccine.

Positiv

 In week 27, the preliminary estimated number of deaths due to pneumonia or influenza in Florida is lower than the seasonal baseline, based on previous years' data. Estimated deaths due to pneumonia and influenza are identified using preliminary death certificate data viewed in ESSENCE-FL.

### TABLE 1: Summary of Florida ILI Activity for Week 28

### Produced by: Bureau of Epidemiology, Florida Department of Health Contributors: Yngrid Padilla, MPH; Heather Rubino, PhD; Lea

Posted on the Bureau of

http://www.floridahealth.gov/

**Epidemiology website:** 

Heberlein-Larson, MPH; Valerie Mock; Janet Hamilton, MPH; Leah Eisenstein, MPH

Florida

#### In this Issue:

July 16, 2014

floridaflu

Summary	1
NREVSS Respiratory Virus Surveillance	1
ESSENCE-FL Syndromic Surveillance Summary	2
ESSENCE-FL Pneumonia and Influenza Mortality	2
Influenza and ILI Outbreaks	2

Measure	Difference from previous week	Current week 28	Previous week 27
Percent of total visits to participating outpatient ILINet providers for ILI	▼ 0.42	0.41%	0.83%
Percent of emergency department and urgent care center visits (from ESSENCE-FL) due to ILI	▼ 0.02	1.26%	1.28%
Percent of laboratory specimens that were positive for influenza (out of total number tested)	<b>▲</b> 50%	50%	0%
Number of ILI outbreaks reported in EpiCom	No Change	0	0

### **NREVSS Respiratory Virus Surveillance**

The National Respiratory and Enteric Virus Surveillance System (NREVSS) collects data from laboratories around the country on a weekly basis. NREVSS monitors temporal and geographic patterns of six common respiratory viruses. Six Florida facilities reported in week 28.

FIGURE 1 shows the percentage of positive tests for six respiratory viruses reported by NREVSS-participating laboratories in Florida.

The six respiratory viruses summarized in Figure 1 are:

- Respiratory Syncytial Virus (RSV)
- Parainfluenza 1-3
- Adenovirus
- Human Metapneumo Virus (HMPV)
- Rhinovirus
- Influenza



FIGURE 1: Percentage of Positive Respiratory Virus Tests as Collected by NREVSS, Florida Week 1, 2011 to Week 28, 2014, as of July 16, 2014

### ESSENCE-FL Syndromic Surveillance Summary-Statewide

of ED Visits

Percent o

ESSENCE-FL collects data daily from 211 EDs and UCCs. These data are processed into 11 different syndrome categories based on the patient's chief complaint. One of the categories is ILI, which is composed of chief complaints that include the words "influenza" or "flu," or complaints that contain fever plus cough or sore throat.

FIGURE 2 shows ESSENCE-FL data on ILI visits to EDs and UCCs as a percentage of all visits.

Overall activity for ILI reported in ESSENCE-FL is near expected levels for this time of year.



## **ESSENCE-FL Pneumonia and Influenza Mortality**

Over the past year, the FDOH Bureau of Vital Statistics and county health departments (CHDs) have been rolling out an electronic death record system for Florida. ESSENCE-FL now displays electronic vital statistics death record data from all 67 Florida counties. For pneumonia and influenza surveillance, death record literals are queried in ESSENCE-FL using a free-text query that searches for references to pneumonia and influenza on death certificates. Any mention of pneumonia or influenza in the death certificate literals, with certain exceptions, is counted as a pneumonia and influenza death. Current season pneumonia and influenza death numbers are preliminary estimates, and may change as more data are received. The most recent data available are displayed here. ESSENCE-FL vital statistics death records data are currently considered to be complete through week 27, 2014.

**FIGURE 3** shows pneumonia and influenza deaths for all Florida counties by age group, Week 40, 2011 - Week 27, 2014, as reported into ESSENCE-FL.

For week 27 (ending July 5, 2014), there were:

- 147 preliminary estimated pneumonia and influenza deaths reported
- Upper bound of 95% confidence interval for prediction: 193 deaths
- <u>No excess deaths</u>



Death records data reported into ESSENCE-FL are currently considered to be complete through week 27, 2014.

## Influenza and ILI Outbreaks



In weeks 27 and 28, no influenza or ILI outbreaks were reported in to EpiCom.