

# 2019 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Book



Florida Department of Health  
Division of Community Health Promotion  
Public Health Research Section

Scott A. Rivkees, MD  
State Surgeon General

Ron DeSantis  
Governor

August 2020



# Introduction

The Florida Department of Health is pleased to release the 2019 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Book. The Florida BRFSS has been collecting and reporting health behavior data since 1986. The 2019 BRFSS Survey interviewed 16,959 Florida adults aged 18 years and older.

This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults. These data can be used to: (1) determine priority health issues and identify populations at risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

The following data tables present the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practices. Each indicator was analyzed by sex, race/ethnicity, age, education, income, and marital status.

Since BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the CIs overlap between subpopulations (e.g., males compared to females), there is no statistically significant difference in the prevalence rates. However, if the CIs do not overlap, there is a statistically significant difference. For example, if the CI for men is 21.4% - 24.5% and the CI for women is 29.4% - 32.5%, then there is a statistically higher prevalence of women having that particular indicator compared to men as the two CIs do not overlap.

The CIs are determined by many factors, sample size in particular. As the data are divided for analysis by race/ethnicity, age, etc., the sample size for each group becomes smaller, the CIs become larger, and the estimates become less reliable. The significance of measures with very wide CIs should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or “weighted,” by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent’s probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2019 may not be comparable to data collected before 2011.

**2019 Florida BRFSS Data  
Table of Contents**

---

**Health Status**

Arthritis	1
Asthma	3
Cancer Prevalence	4
Cardiovascular Disease	5
Cholesterol Awareness	7
Chronic Obstructive Pulmonary Disease	10
Depression	11
Diabetes	12
Disability	15
Epilepsy	19
Hypertension Awareness & Control	21
Kidney Disease	22
Overweight & Obesity	23

**Health-Related Prevention**

Cancer Screening/Breast	25
HIV/AIDS Screening	26
Immunization	27

**Health-Related Behaviors**

Alcohol Consumption	29
Physical Activity & Nutrition	30
Tobacco Use & Exposure	32
Health Status & Quality of Life	36
Health Care Access & Coverage	42
Glossary	<b>Appendix I</b>
Healthy People 2020 Objectives	<b>Appendix II</b>

## Arthritis

Percentage of adults who have been told they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		Measure	95% CI
<b>ALL</b>	Overall	25.1	23.8 - 26.4
<b>SEX</b>	Men	21.1	19.4 - 22.8
	Women	28.9	27.0 - 30.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	30.9	29.4 - 32.3
	Non-Hisp. Black	20.8	17.3 - 24.2
	Hispanic	16.4	13.2 - 19.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	26.7	24.7 - 28.8
	Non-Hisp. White Women	34.8	32.7 - 36.9
	Non-Hisp. Black Men	17.7	12.7 - 22.8
	Non-Hisp. Black Women	23.4	18.7 - 28.2
	Hispanic Men	13.9	9.6 - 18.2
	Hispanic Women	18.7	14.1 - 23.4
<b>AGE GROUP</b>	18-44	7.6	6.3 - 8.9
	45-64	29.9	27.2 - 32.6
	65 & Older	47.7	45.3 - 50.2
<b>EDUCATION LEVEL</b>	<High School	29.5	25.2 - 33.8
	High School / GED	26.2	23.6 - 28.8
	>High School	23.9	22.3 - 25.4
<b>ANNUAL INCOME</b>	<\$25,000	31.2	28.1 - 34.2
	\$25,000-\$49,999	26.2	23.4 - 29.1
	\$50,000 or More	22.7	20.5 - 24.8
<b>MARITAL STATUS</b>	Married/Couple	25.7	23.9 - 27.5
	Not Married/Couple	24.6	22.7 - 26.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Arthritis

## Percentage of adults who are limited in any way in any usual activities because of arthritis

		Measure	95% CI
<b>ALL</b>	Overall	10.2	9.4 - 11.1
<b>SEX</b>	Men	8.5	7.4 - 9.7
	Women	11.8	10.6 - 13.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.9	11.9 - 13.9
	Non-Hisp. Black	7.0	5.1 - 8.9
	Hispanic	6.7	4.6 - 8.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	10.8	9.4 - 12.2
	Non-Hisp. White Women	14.9	13.4 - 16.4
	Non-Hisp. Black Men	5.3	2.8 - 7.8
	Non-Hisp. Black Women	8.5	5.8 - 11.3
	Hispanic Men	6.5	3.2 - 9.7
	Hispanic Women	6.9	4.3 - 9.4
<b>AGE GROUP</b>	18-44	3.3	2.4 - 4.2
	45-64	13.3	11.5 - 15.1
	65 & Older	18.0	16.2 - 19.8
<b>EDUCATION LEVEL</b>	<High School	13.1	10.2 - 16.1
	High School / GED	10.5	9.0 - 11.9
	>High School	9.6	8.5 - 10.7
<b>ANNUAL INCOME</b>	<\$25,000	16.0	13.6 - 18.3
	\$25,000-\$49,999	10.8	8.9 - 12.6
	\$50,000 or More	7.2	6.1 - 8.4
<b>MARITAL STATUS</b>	Married/Couple	10.4	9.2 - 11.7
	Not Married/Couple	10.0	8.9 - 11.2

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**Asthma**

**Percentage of adults who currently have asthma**

		Measure	95% CI
<b>ALL</b>	Overall	7.4	6.6 - 8.3
<b>SEX</b>	Men	4.4	3.6 - 5.2
	Women	10.3	8.9 - 11.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	7.5	6.6 - 8.3
	Non-Hisp. Black	7.8	5.5 - 10.0
	Hispanic	7.3	5.1 - 9.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.1	4.1 - 6.1
	Non-Hisp. White Women	9.7	8.4 - 11.0
	Non-Hisp. Black Men	3.6	1.8 - 5.4
	Non-Hisp. Black Women	11.4	7.5 - 15.2
	Hispanic Men	3.9	1.7 - 6.0
	Hispanic Women	10.4	6.7 - 14.1
<b>AGE GROUP</b>	18-44	6.7	5.4 - 7.9
	45-64	8.6	6.9 - 10.3
	65 & Older	7.5	6.1 - 8.8
<b>EDUCATION LEVEL</b>	<High School	10.0	7.3 - 12.6
	High School / GED	7.4	5.7 - 9.1
	>High School	6.9	5.9 - 7.8
<b>ANNUAL INCOME</b>	<\$25,000	12.3	9.9 - 14.7
	\$25,000-\$49,999	6.7	5.1 - 8.2
	\$50,000 or More	5.9	4.7 - 7.1
<b>MARITAL STATUS</b>	Married/Couple	6.7	5.7 - 7.7
	Not Married/Couple	8.2	6.9 - 9.5

**Percentage of adults who have ever been told they have asthma**

		Measure	95% CI
<b>ALL</b>	Overall	12.7	11.7 - 13.8
<b>SEX</b>	Men	10.1	8.7 - 11.5
	Women	15.2	13.6 - 16.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.3	11.2 - 13.4
	Non-Hisp. Black	14.2	10.9 - 17.5
	Hispanic	13.8	10.9 - 16.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	10.0	8.6 - 11.4
	Non-Hisp. White Women	14.5	12.9 - 16.1
	Non-Hisp. Black Men	12.0	7.1 - 17.0
	Non-Hisp. Black Women	16.1	11.6 - 20.6
	Hispanic Men	11.0	7.3 - 14.8
	Hispanic Women	16.3	11.9 - 20.7
<b>AGE GROUP</b>	18-44	14.2	12.4 - 16.1
	45-64	12.9	10.9 - 14.9
	65 & Older	10.5	9.1 - 12.0
<b>EDUCATION LEVEL</b>	<High School	14.2	11.0 - 17.4
	High School / GED	11.9	9.9 - 13.9
	>High School	12.8	11.5 - 14.2
<b>ANNUAL INCOME</b>	<\$25,000	17.8	14.9 - 20.7
	\$25,000-\$49,999	12.3	10.1 - 14.4
	\$50,000 or More	11.0	9.4 - 12.6
<b>MARITAL STATUS</b>	Married/Couple	11.6	10.2 - 12.9
	Not Married/Couple	14.1	12.4 - 15.8

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Prevalence

## Percentage of adults who have ever been told they have had skin cancer

		Measure	95% CI
<b>ALL</b>	Overall	10.4	9.5 - 11.3
<b>SEX</b>	Men	10.9	9.4 - 12.4
	Women	9.8	8.8 - 10.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	16.7	15.5 - 17.9
	Non-Hisp. Black	0.5	0.1 - 0.8
	Hispanic	2.7	1.0 - 4.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	16.7	15.0 - 18.4
	Non-Hisp. White Women	16.7	15.1 - 18.3
	Non-Hisp. Black Men	0.5	0.0 - 0.9
	Non-Hisp. Black Women	0.5	0.0 - 1.1
	Hispanic Men	3.7	0.6 - 6.8
	Hispanic Women	1.7	0.1 - 3.4
<b>AGE GROUP</b>	18-44	1.7	1.0 - 2.4
	45-64	9.7	8.0 - 11.3
	65 & Older	24.2	22.3 - 26.0
<b>EDUCATION LEVEL</b>	<High School	6.4	4.3 - 8.4
	High School / GED	8.5	7.2 - 9.9
	>High School	11.8	10.7 - 13.0
<b>ANNUAL INCOME</b>	<\$25,000	7.2	5.8 - 8.6
	\$25,000-\$49,999	11.3	9.1 - 13.4
	\$50,000 or More	11.6	10.2 - 13.0
<b>MARITAL STATUS</b>	Married/Couple	12.4	11.0 - 13.9
	Not Married/Couple	8.1	7.1 - 9.0

## Percentage of adults who have ever been told they had any other type of cancer except skin cancer

		Measure	95% CI
<b>ALL</b>	Overall	8.0	7.3 - 8.7
<b>SEX</b>	Men	7.6	6.5 - 8.6
	Women	8.4	7.4 - 9.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.8	9.8 - 11.7
	Non-Hisp. Black	3.8	2.5 - 5.2
	Hispanic	4.7	3.1 - 6.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	10.0	8.6 - 11.4
	Non-Hisp. White Women	11.5	10.2 - 12.8
	Non-Hisp. Black Men	3.1	1.6 - 4.7
	Non-Hisp. Black Women	4.4	2.2 - 6.6
	Hispanic Men	4.8	2.4 - 7.2
	Hispanic Women	4.6	2.5 - 6.6
<b>AGE GROUP</b>	18-44	1.5	0.9 - 2.1
	45-64	7.7	6.4 - 9.1
	65 & Older	18.5	16.7 - 20.2
<b>EDUCATION LEVEL</b>	<High School	7.7	5.1 - 10.3
	High School / GED	7.8	6.6 - 9.1
	>High School	8.2	7.3 - 9.1
<b>ANNUAL INCOME</b>	<\$25,000	8.9	7.2 - 10.5
	\$25,000-\$49,999	8.9	7.1 - 10.6
	\$50,000 or More	7.3	6.2 - 8.4
<b>MARITAL STATUS</b>	Married/Couple	8.4	7.5 - 9.4
	Not Married/Couple	7.4	6.4 - 8.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cardiovascular Disease

## Percentage of adults who have ever been told they had a stroke

		Measure	95% CI
<b>ALL</b>	Overall	3.6	3.1 - 4.1
<b>SEX</b>	Men	3.7	2.9 - 4.4
	Women	3.5	2.9 - 4.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.1	3.6 - 4.7
	Non-Hisp. Black	4.7	3.0 - 6.4
	Hispanic	2.3	1.1 - 3.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.2	3.4 - 5.1
	Non-Hisp. White Women	4.0	3.3 - 4.8
	Non-Hisp. Black Men	4.3	1.6 - 6.9
	Non-Hisp. Black Women	5.1	2.8 - 7.3
	Hispanic Men	2.8	1.0 - 4.7
	Hispanic Women	1.9	0.2 - 3.6
<b>AGE GROUP</b>	18-44	0.5	0.3 - 0.7
	45-64	4.2	3.1 - 5.4
	65 & Older	7.5	6.4 - 8.7
<b>EDUCATION LEVEL</b>	<High School	6.8	4.4 - 9.1
	High School / GED	3.9	2.9 - 4.9
	>High School	2.8	2.3 - 3.3
<b>ANNUAL INCOME</b>	<\$25,000	6.1	4.6 - 7.5
	\$25,000-\$49,999	4.0	2.9 - 5.2
	\$50,000 or More	2.2	1.5 - 2.8
<b>MARITAL STATUS</b>	Married/Couple	3.3	2.7 - 3.9
	Not Married/Couple	4.0	3.2 - 4.8

## Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

		Measure	95% CI
<b>ALL</b>	Overall	9.5	8.6 - 10.4
<b>SEX</b>	Men	10.9	9.4 - 12.3
	Women	8.3	7.2 - 9.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	11.2	10.3 - 12.1
	Non-Hisp. Black	9.0	6.7 - 11.3
	Hispanic	6.2	4.2 - 8.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.8	11.4 - 14.2
	Non-Hisp. White Women	9.7	8.5 - 10.9
	Non-Hisp. Black Men	8.9	5.3 - 12.4
	Non-Hisp. Black Women	9.1	6.1 - 12.1
	Hispanic Men	7.0	4.2 - 9.9
	Hispanic Women	5.5	2.6 - 8.4
<b>AGE GROUP</b>	18-44	1.6	0.9 - 2.3
	45-64	10.2	8.4 - 11.9
	65 & Older	20.5	18.7 - 22.3
<b>EDUCATION LEVEL</b>	<High School	14.5	11.2 - 17.8
	High School / GED	10.5	8.9 - 12.1
	>High School	7.6	6.8 - 8.4
<b>ANNUAL INCOME</b>	<\$25,000	13.9	11.7 - 16.1
	\$25,000-\$49,999	10.0	8.3 - 11.6
	\$50,000 or More	6.4	5.4 - 7.4
<b>MARITAL STATUS</b>	Married/Couple	9.3	8.0 - 10.6
	Not Married/Couple	9.8	8.6 - 11.1

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cardiovascular Disease

## Percentage of adults who have ever been told they had angina or coronary heart disease

		Measure	95% CI
<b>ALL</b>	Overall	4.7	4.0 - 5.3
<b>SEX</b>	Men	5.8	4.6 - 7.0
	Women	3.6	3.0 - 4.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.9	5.2 - 6.6
	Non-Hisp. Black	3.9	2.3 - 5.5
	Hispanic	1.8	0.9 - 2.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	7.1	6.0 - 8.2
	Non-Hisp. White Women	4.8	3.9 - 5.6
	Non-Hisp. Black Men	3.8	1.4 - 6.2
	Non-Hisp. Black Women	4.0	1.9 - 6.1
	Hispanic Men	2.7	0.9 - 4.5
	Hispanic Women	1.0	0.4 - 1.7
<b>AGE GROUP</b>	18-44	0.4	0.2 - 0.6
	45-64	4.4	3.4 - 5.5
	65 & Older	11.0	9.6 - 12.4
<b>EDUCATION LEVEL</b>	<High School	5.5	3.4 - 7.6
	High School / GED	5.1	4.0 - 6.1
	>High School	3.9	3.3 - 4.4
<b>ANNUAL INCOME</b>	<\$25,000	6.2	4.9 - 7.5
	\$25,000-\$49,999	4.5	3.3 - 5.8
	\$50,000 or More	3.5	2.8 - 4.3
<b>MARITAL STATUS</b>	Married/Couple	4.9	3.8 - 6.0
	Not Married/Couple	4.4	3.7 - 5.2

## Percentage of adults who have ever been told they had a heart attack

		Measure	95% CI
<b>ALL</b>	Overall	4.7	4.1 - 5.3
<b>SEX</b>	Men	6.0	5.1 - 6.9
	Women	3.5	2.7 - 4.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.6	5.0 - 6.3
	Non-Hisp. Black	2.5	1.6 - 3.4
	Hispanic	4.2	2.4 - 5.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	7.3	6.2 - 8.4
	Non-Hisp. White Women	4.1	3.3 - 4.9
	Non-Hisp. Black Men	2.7	1.4 - 4.0
	Non-Hisp. Black Women	2.3	1.1 - 3.6
	Hispanic Men	5.3	2.6 - 8.0
	Hispanic Women	3.1	0.8 - 5.4
<b>AGE GROUP</b>	18-44	0.9	0.3 - 1.5
	45-64	5.3	4.0 - 6.6
	65 & Older	10.2	8.9 - 11.4
<b>EDUCATION LEVEL</b>	<High School	8.0	5.3 - 10.7
	High School / GED	5.3	4.2 - 6.4
	>High School	3.7	3.1 - 4.2
<b>ANNUAL INCOME</b>	<\$25,000	7.8	6.1 - 9.6
	\$25,000-\$49,999	5.2	3.9 - 6.5
	\$50,000 or More	2.8	2.1 - 3.4
<b>MARITAL STATUS</b>	Married/Couple	4.4	3.7 - 5.2
	Not Married/Couple	5.0	4.1 - 5.9

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

**Cholesterol Awareness****Percentage of adults who have ever been told that they have high blood cholesterol**

		Measure	95% CI
<b>ALL</b>	Overall	29.6	28.2 - 31.0
<b>SEX</b>	Men	29.2	27.0 - 31.3
	Women	30.0	28.1 - 31.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	33.7	32.2 - 35.3
	Non-Hisp. Black	23.2	19.5 - 26.9
	Hispanic	24.6	20.9 - 28.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	32.8	30.6 - 35.0
	Non-Hisp. White Women	34.7	32.6 - 36.8
	Non-Hisp. Black Men	23.8	18.0 - 29.6
	Non-Hisp. Black Women	22.7	18.0 - 27.4
	Hispanic Men	25.5	20.1 - 30.9
	Hispanic Women	23.8	18.7 - 28.9
<b>AGE GROUP</b>	18-44	12.0	10.2 - 13.8
	45-64	37.3	34.4 - 40.1
	65 & Older	47.7	45.3 - 50.2
<b>EDUCATION LEVEL</b>	<High School	35.0	30.3 - 39.7
	High School / GED	27.9	25.4 - 30.5
	>High School	29.0	27.2 - 30.7
<b>ANNUAL INCOME</b>	<\$25,000	30.9	27.8 - 34.0
	\$25,000-\$49,999	29.3	26.4 - 32.2
	\$50,000 or More	29.0	26.7 - 31.4
<b>MARITAL STATUS</b>	Married/Couple	31.2	29.2 - 33.2
	Not Married/Couple	28.0	26.0 - 30.0

**Percentage of adults who have had their cholesterol checked in the past five years**

		Measure	95% CI
<b>ALL</b>	Overall	89.1	88.0 - 90.2
<b>SEX</b>	Men	85.8	84.0 - 87.6
	Women	92.2	91.0 - 93.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	90.3	89.2 - 91.5
	Non-Hisp. Black	88.0	84.2 - 91.7
	Hispanic	87.7	85.1 - 90.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	87.6	85.8 - 89.4
	Non-Hisp. White Women	92.9	91.6 - 94.3
	Non-Hisp. Black Men	81.5	74.6 - 88.4
	Non-Hisp. Black Women	93.5	90.4 - 96.5
	Hispanic Men	85.3	81.2 - 89.4
	Hispanic Women	89.8	86.5 - 93.2
<b>AGE GROUP</b>	18-44	79.7	77.3 - 82.0
	45-64	93.1	91.7 - 94.5
	65 & Older	97.3	96.3 - 98.2
<b>EDUCATION LEVEL</b>	<High School	83.1	79.3 - 86.9
	High School / GED	87.8	85.7 - 89.9
	>High School	91.0	89.7 - 92.3
<b>ANNUAL INCOME</b>	<\$25,000	87.1	84.7 - 89.5
	\$25,000-\$49,999	87.9	85.6 - 90.2
	\$50,000 or More	91.9	90.4 - 93.4
<b>MARITAL STATUS</b>	Married/Couple	92.3	91.0 - 93.5
	Not Married/Couple	85.4	83.5 - 87.2

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

**Cholesterol Awareness**

**Percentage of adults who have ever been told that they have high blood cholesterol among adults who had their cholesterol checked within the past five years**

		<b>Measure</b>	<b>95% CI</b>
<b>ALL</b>	Overall	34.2	32.5 - 35.8
<b>SEX</b>	Men	35.0	32.5 - 37.5
	Women	33.4	31.3 - 35.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	38.2	36.6 - 39.9
	Non-Hisp. Black	26.5	22.3 - 30.8
	Hispanic	29.2	24.9 - 33.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	38.2	35.7 - 40.7
	Non-Hisp. White Women	38.3	36.0 - 40.5
	Non-Hisp. Black Men	28.4	21.6 - 35.2
	Non-Hisp. Black Women	25.1	19.8 - 30.5
	Hispanic Men	31.6	25.1 - 38.1
	Hispanic Women	27.2	21.4 - 33.0
<b>AGE GROUP</b>	18-44	15.7	13.3 - 18.2
	45-64	40.0	37.0 - 43.0
	65 & Older	49.0	46.5 - 51.5
<b>EDUCATION LEVEL</b>	<High School	44.0	38.4 - 49.6
	High School / GED	33.2	30.2 - 36.2
	>High School	32.4	30.5 - 34.4
<b>ANNUAL INCOME</b>	<\$25,000	37.3	33.8 - 40.9
	\$25,000-\$49,999	34.3	30.9 - 37.7
	\$50,000 or More	32.2	29.6 - 34.8
<b>MARITAL STATUS</b>	Married/Couple	34.4	32.2 - 36.7
	Not Married/Couple	34.0	31.6 - 36.5

*CI=Confidence Interval*

*NA=Not available due to respondent counts of less than 30.*

2019 Florida BRFSS Data

**Cholesterol Awareness**

**Percentage of adults who have had their cholesterol checked in the past two years**

		Measure	95% CI
<b>ALL</b>	Overall	83.1	81.8 - 84.4
<b>SEX</b>	Men	79.7	77.7 - 81.7
	Women	86.2	84.6 - 87.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	84.6	83.2 - 85.9
	Non-Hisp. Black	82.5	78.4 - 86.6
	Hispanic	81.1	77.9 - 84.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	82.1	80.0 - 84.2
	Non-Hisp. White Women	86.9	85.1 - 88.7
	Non-Hisp. Black Men	74.5	67.3 - 81.7
	Non-Hisp. Black Women	89.4	85.4 - 93.4
	Hispanic Men	77.8	72.8 - 82.8
	Hispanic Women	84.1	80.0 - 88.2
<b>AGE GROUP</b>	18-44	69.9	67.3 - 72.6
	45-64	87.2	85.2 - 89.3
	65 & Older	96.1	95.0 - 97.1
<b>EDUCATION LEVEL</b>	<High School	76.3	72.0 - 80.7
	High School / GED	81.6	79.2 - 84.1
	>High School	85.1	83.5 - 86.7
<b>ANNUAL INCOME</b>	<\$25,000	80.6	77.8 - 83.4
	\$25,000-\$49,999	80.2	77.0 - 83.3
	\$50,000 or More	87.3	85.6 - 89.1
<b>MARITAL STATUS</b>	Married/Couple	86.6	85.0 - 88.2
	Not Married/Couple	78.9	76.8 - 81.0

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

**Chronic Obstructive Pulmonary Disease (COPD)**

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

		Measure	95% CI
<b>ALL</b>	Overall	7.7	7.0 - 8.3
<b>SEX</b>	Men	6.5	5.6 - 7.5
	Women	8.7	7.7 - 9.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.1	9.2 - 11.0
	Non-Hisp. Black	5.4	3.5 - 7.2
	Hispanic	4.5	2.9 - 6.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.8	7.5 - 10.0
	Non-Hisp. White Women	11.4	10.1 - 12.7
	Non-Hisp. Black Men	4.1	1.6 - 6.7
	Non-Hisp. Black Women	6.5	3.8 - 9.1
	Hispanic Men	3.9	1.4 - 6.3
	Hispanic Women	5.1	2.9 - 7.4
<b>AGE GROUP</b>	18-44	3.1	2.1 - 4.0
	45-64	8.9	7.5 - 10.3
	65 & Older	13.5	12.0 - 14.9
<b>EDUCATION LEVEL</b>	<High School	9.4	7.1 - 11.8
	High School / GED	9.2	7.9 - 10.5
	>High School	6.5	5.6 - 7.4
<b>ANNUAL INCOME</b>	<\$25,000	11.7	10.0 - 13.4
	\$25,000-\$49,999	9.5	7.6 - 11.4
	\$50,000 or More	4.6	3.6 - 5.6
<b>MARITAL STATUS</b>	Married/Couple	6.5	5.6 - 7.3
	Not Married/Couple	9.0	7.8 - 10.1

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**Depression**

**Percentage of adults who have ever been told they had a depressive disorder**

		Measure	95% CI
<b>ALL</b>	Overall	17.7	16.4 - 18.9
<b>SEX</b>	Men	13.1	11.4 - 14.8
	Women	21.9	20.1 - 23.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	20.0	18.6 - 21.4
	Non-Hisp. Black	11.9	9.1 - 14.8
	Hispanic	14.8	11.8 - 17.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.5	12.7 - 16.3
	Non-Hisp. White Women	25.2	23.2 - 27.2
	Non-Hisp. Black Men	12.1	7.5 - 16.8
	Non-Hisp. Black Women	11.8	8.3 - 15.2
	Hispanic Men	9.9	6.5 - 13.3
	Hispanic Women	19.3	14.5 - 24.1
<b>AGE GROUP</b>	18-44	17.5	15.5 - 19.5
	45-64	20.4	18.0 - 22.8
	65 & Older	14.5	12.8 - 16.2
<b>EDUCATION LEVEL</b>	<High School	22.9	18.7 - 27.1
	High School / GED	16.1	14.0 - 18.3
	>High School	17.1	15.6 - 18.6
<b>ANNUAL INCOME</b>	<\$25,000	25.5	22.5 - 28.4
	\$25,000-\$49,999	19.2	16.4 - 22.0
	\$50,000 or More	12.9	11.2 - 14.5
<b>MARITAL STATUS</b>	Married/Couple	13.9	12.3 - 15.5
	Not Married/Couple	22.2	20.2 - 24.2

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults who have ever been told they had diabetes

		Measure	95% CI
<b>ALL</b>	Overall	11.7	10.8 - 12.6
<b>SEX</b>	Men	12.7	11.3 - 14.2
	Women	10.7	9.6 - 11.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	11.5	10.5 - 12.4
	Non-Hisp. Black	16.0	12.8 - 19.1
	Hispanic	10.6	8.2 - 13.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	13.1	11.7 - 14.6
	Non-Hisp. White Women	9.9	8.7 - 11.1
	Non-Hisp. Black Men	15.9	10.9 - 20.9
	Non-Hisp. Black Women	16.0	12.1 - 20.0
	Hispanic Men	11.7	7.8 - 15.7
	Hispanic Women	9.6	6.6 - 12.6
<b>AGE GROUP</b>	18-44	2.3	1.6 - 2.9
	45-64	14.1	12.1 - 16.2
	65 & Older	23.5	21.5 - 25.6
<b>EDUCATION LEVEL</b>	<High School	20.3	16.4 - 24.2
	High School / GED	12.4	10.7 - 14.2
	>High School	9.5	8.5 - 10.5
<b>ANNUAL INCOME</b>	<\$25,000	16.1	13.8 - 18.4
	\$25,000-\$49,999	12.7	10.3 - 15.1
	\$50,000 or More	7.9	6.8 - 9.1
<b>MARITAL STATUS</b>	Married/Couple	12.0	10.7 - 13.3
	Not Married/Couple	11.4	10.1 - 12.7

## Percentage of adults with diabetes who ever had diabetes self-management education

		Measure	95% CI
<b>ALL</b>	Overall	66.3	59.6 - 73.1
<b>SEX</b>	Men	65.9	56.7 - 75.1
	Women	66.7	57.0 - 76.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	65.9	57.8 - 74.1
	Non-Hisp. Black	62.6	46.8 - 78.5
	Hispanic	68.3	48.5 - 88.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	59.6	47.8 - 71.4
	Non-Hisp. White Women	73.5	63.9 - 83.1
	Non-Hisp. Black Men	73.8	54.9 - 92.8
	Non-Hisp. Black Women	56.9	37.6 - 76.3
	Hispanic Men	NA	
	Hispanic Women	56.5	29.3 - 83.6
<b>AGE GROUP</b>	18-44	68.4	42.7 - 94.1
	45-64	64.1	51.0 - 77.2
	65 & Older	66.9	58.7 - 75.1
<b>EDUCATION LEVEL</b>	<High School	41.5	22.6 - 60.4
	High School / GED	68.3	58.0 - 78.6
	>High School	76.9	69.1 - 84.8
<b>ANNUAL INCOME</b>	<\$25,000	61.0	49.6 - 72.3
	\$25,000-\$49,999	74.9	63.9 - 85.8
	\$50,000 or More	82.9	75.6 - 90.2
<b>MARITAL STATUS</b>	Married/Couple	69.9	61.0 - 78.7
	Not Married/Couple	62.7	52.7 - 72.7

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**Diabetes**

**Percentage of adults that have had a test for high blood sugar or diabetes with in the past 3 years**

		Measure	95% CI
<b>ALL</b>	Overall	58.0	56.1 - 59.9
<b>SEX</b>	Men	55.8	53.0 - 58.6
	Women	59.8	57.2 - 62.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	61.2	59.3 - 63.1
	Non-Hisp. Black	52.7	47.0 - 58.5
	Hispanic	56.2	51.3 - 61.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	59.9	57.0 - 62.8
	Non-Hisp. White Women	62.3	59.8 - 64.9
	Non-Hisp. Black Men	47.5	39.0 - 55.9
	Non-Hisp. Black Women	57.2	49.4 - 64.9
	Hispanic Men	53.3	46.2 - 60.4
	Hispanic Women	58.7	51.9 - 65.6
<b>AGE GROUP</b>	18-44	43.6	40.5 - 46.7
	45-64	67.2	64.0 - 70.4
	65 & Older	71.9	69.2 - 74.7
<b>EDUCATION LEVEL</b>	<High School	51.8	46.0 - 57.7
	High School / GED	54.7	51.0 - 58.3
	>High School	61.2	58.9 - 63.6
<b>ANNUAL INCOME</b>	<\$25,000	52.6	48.4 - 56.7
	\$25,000-\$49,999	54.3	50.2 - 58.4
	\$50,000 or More	64.2	61.2 - 67.2
<b>MARITAL STATUS</b>	Married/Couple	64.8	62.4 - 67.3
	Not Married/Couple	50.7	47.8 - 53.6

**Percentage of adults who have ever been told they had pre-diabetes**

		Measure	95% CI
<b>ALL</b>	Overall	9.1	8.2 - 10.1
<b>SEX</b>	Men	8.9	7.5 - 10.3
	Women	9.4	8.1 - 10.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.0	8.9 - 11.0
	Non-Hisp. Black	8.7	5.9 - 11.5
	Hispanic	7.9	5.6 - 10.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	10.0	8.5 - 11.5
	Non-Hisp. White Women	9.9	8.5 - 11.3
	Non-Hisp. Black Men	6.3	2.1 - 10.5
	Non-Hisp. Black Women	10.7	6.9 - 14.5
	Hispanic Men	7.8	4.1 - 11.6
	Hispanic Women	8.0	5.0 - 11.0
<b>AGE GROUP</b>	18-44	4.7	3.4 - 6.0
	45-64	12.2	10.2 - 14.2
	65 & Older	11.8	10.3 - 13.4
<b>EDUCATION LEVEL</b>	<High School	7.7	5.3 - 10.1
	High School / GED	9.4	7.7 - 11.1
	>High School	9.4	8.2 - 10.7
<b>ANNUAL INCOME</b>	<\$25,000	9.8	8.0 - 11.6
	\$25,000-\$49,999	11.0	8.9 - 13.0
	\$50,000 or More	9.6	7.8 - 11.5
<b>MARITAL STATUS</b>	Married/Couple	9.9	8.7 - 11.2
	Not Married/Couple	8.4	7.0 - 9.8

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Average age at which diabetes was diagnosed

		Measure	95% CI
<b>ALL</b>	Overall	49.9	48.7 - 51.2
<b>SEX</b>	Men	50.8	49.2 - 52.4
	Women	48.9	47.0 - 50.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	51.3	50.1 - 52.6
	Non-Hisp. Black	47.5	43.4 - 51.7
	Hispanic	49.0	46.0 - 51.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	52.0	50.3 - 53.7
	Non-Hisp. White Women	50.5	48.8 - 52.2
	Non-Hisp. Black Men	50.9	46.5 - 55.3
	Non-Hisp. Black Women	44.9	42.4 - 47.4
	Hispanic Men	48.1	45.3 - 50.9
	Hispanic Women	50.1	44.1 - 56.1
<b>AGE GROUP</b>	18-44	27.4	25.3 - 29.4
	45-64	45.2	43.4 - 46.9
	65 & Older	57.4	56.1 - 58.8
<b>EDUCATION LEVEL</b>	<High School	49.5	46.1 - 52.9
	High School / GED	50.3	47.7 - 52.9
	>High School	49.8	48.4 - 51.1
<b>ANNUAL INCOME</b>	<\$25,000	48.8	46.7 - 50.9
	\$25,000-\$49,999	52.8	50.9 - 54.6
	\$50,000 or More	48.3	45.6 - 51.1
<b>MARITAL STATUS</b>	Married/Couple	50.7	49.1 - 52.3
	Not Married/Couple	48.9	46.9 - 50.8

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

**Disability****Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses**

		Measure	95% CI
<b>ALL</b>	Overall	5.3	4.7 - 5.9
<b>SEX</b>	Men	4.9	4.0 - 5.9
	Women	5.7	4.8 - 6.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.5	3.9 - 5.1
	Non-Hisp. Black	8.1	5.7 - 10.4
	Hispanic	5.3	3.6 - 6.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.4	3.5 - 5.3
	Non-Hisp. White Women	4.6	3.8 - 5.5
	Non-Hisp. Black Men	5.2	2.6 - 7.8
	Non-Hisp. Black Women	10.7	6.8 - 14.5
	Hispanic Men	6.3	3.4 - 9.3
	Hispanic Women	4.3	2.7 - 5.8
<b>AGE GROUP</b>	18-44	3.0	2.2 - 3.9
	45-64	6.4	5.1 - 7.7
	65 & Older	7.5	6.3 - 8.8
<b>EDUCATION LEVEL</b>	<High School	12.2	9.0 - 15.3
	High School / GED	6.0	4.8 - 7.1
	>High School	3.4	2.8 - 4.1
<b>ANNUAL INCOME</b>	<\$25,000	10.6	8.6 - 12.7
	\$25,000-\$49,999	4.0	3.0 - 4.9
	\$50,000 or More	2.2	1.5 - 2.8
<b>MARITAL STATUS</b>	Married/Couple	4.1	3.3 - 4.9
	Not Married/Couple	6.7	5.6 - 7.7

**Percentage of adults who are deaf or have serious difficulty hearing**

		Measure	95% CI
<b>ALL</b>	Overall	6.6	5.9 - 7.2
<b>SEX</b>	Men	8.7	7.6 - 9.7
	Women	4.6	3.9 - 5.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	8.4	7.5 - 9.2
	Non-Hisp. Black	4.1	2.4 - 5.8
	Hispanic	4.0	2.5 - 5.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.1	9.7 - 12.4
	Non-Hisp. White Women	5.8	4.9 - 6.7
	Non-Hisp. Black Men	5.4	2.5 - 8.2
	Non-Hisp. Black Women	3.0	1.1 - 4.8
	Hispanic Men	5.3	2.7 - 7.9
	Hispanic Women	2.8	1.1 - 4.6
<b>AGE GROUP</b>	18-44	2.8	1.8 - 3.7
	45-64	4.7	3.8 - 5.6
	65 & Older	14.8	13.2 - 16.3
<b>EDUCATION LEVEL</b>	<High School	8.9	6.5 - 11.2
	High School / GED	7.6	6.3 - 8.9
	>High School	5.7	4.9 - 6.4
<b>ANNUAL INCOME</b>	<\$25,000	7.3	5.8 - 8.7
	\$25,000-\$49,999	7.3	5.9 - 8.6
	\$50,000 or More	4.8	3.9 - 5.7
<b>MARITAL STATUS</b>	Married/Couple	6.8	5.9 - 7.8
	Not Married/Couple	6.4	5.5 - 7.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

**Disability**

Percentage of adults that have serious difficulty concentrating, remembering or making decisions due to a physical, mental, or emotional condition

		Measure	95% CI
<b>ALL</b>	Overall	12.9	11.8 - 14.0
<b>SEX</b>	Men	10.8	9.3 - 12.3
	Women	15.0	13.3 - 16.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.6	11.5 - 13.8
	Non-Hisp. Black	11.4	8.4 - 14.3
	Hispanic	14.6	11.5 - 17.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	10.4	8.9 - 11.9
	Non-Hisp. White Women	14.7	13.0 - 16.5
	Non-Hisp. Black Men	10.2	5.8 - 14.6
	Non-Hisp. Black Women	12.4	8.5 - 16.3
	Hispanic Men	12.4	8.4 - 16.5
	Hispanic Women	16.7	12.0 - 21.4
<b>AGE GROUP</b>	18-44	13.3	11.4 - 15.3
	45-64	14.5	12.4 - 16.6
	65 & Older	11.0	9.5 - 12.6
<b>EDUCATION LEVEL</b>	<High School	21.0	17.3 - 24.8
	High School / GED	15.9	13.5 - 18.3
	>High School	9.8	8.5 - 11.0
<b>ANNUAL INCOME</b>	<\$25,000	20.5	17.8 - 23.2
	\$25,000-\$49,999	14.6	11.9 - 17.3
	\$50,000 or More	6.1	4.9 - 7.3
<b>MARITAL STATUS</b>	Married/Couple	9.4	8.1 - 10.7
	Not Married/Couple	17.0	15.1 - 18.8

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

**Disability****Percentage of adults that have serious difficulty walking or climbing stairs**

		Measure	95% CI
<b>ALL</b>	Overall	16.2	15.1 - 17.4
<b>SEX</b>	Men	13.5	12.0 - 15.0
	Women	18.8	17.1 - 20.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	17.0	15.8 - 18.2
	Non-Hisp. Black	17.8	14.2 - 21.4
	Hispanic	14.5	11.4 - 17.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.5	12.9 - 16.1
	Non-Hisp. White Women	19.4	17.7 - 21.1
	Non-Hisp. Black Men	13.9	8.6 - 19.3
	Non-Hisp. Black Women	21.2	16.2 - 26.2
	Hispanic Men	12.3	8.3 - 16.3
	Hispanic Women	16.5	11.9 - 21.0
<b>AGE GROUP</b>	18-44	5.3	3.9 - 6.7
	45-64	19.9	17.7 - 22.1
	65 & Older	29.1	26.7 - 31.4
<b>EDUCATION LEVEL</b>	<High School	30.0	25.4 - 34.7
	High School / GED	17.8	15.6 - 19.9
	>High School	12.6	11.3 - 13.8
<b>ANNUAL INCOME</b>	<\$25,000	28.0	24.9 - 31.1
	\$25,000-\$49,999	15.8	13.6 - 18.1
	\$50,000 or More	7.8	6.7 - 9.0
<b>MARITAL STATUS</b>	Married/Couple	13.7	12.3 - 15.2
	Not Married/Couple	19.3	17.5 - 21.1

**Percentage of adults that have difficulty dressing or bathing**

		Measure	95% CI
<b>ALL</b>	Overall	4.0	3.4 - 4.5
<b>SEX</b>	Men	3.9	3.0 - 4.7
	Women	4.1	3.3 - 4.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.8	3.2 - 4.4
	Non-Hisp. Black	3.7	2.4 - 5.0
	Hispanic	4.1	2.6 - 5.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	3.5	2.7 - 4.3
	Non-Hisp. White Women	4.1	3.2 - 5.1
	Non-Hisp. Black Men	3.1	1.4 - 4.8
	Non-Hisp. Black Women	4.2	2.3 - 6.1
	Hispanic Men	5.2	2.5 - 7.9
	Hispanic Women	3.1	1.6 - 4.7
<b>AGE GROUP</b>	18-44	1.5	0.9 - 2.1
	45-64	5.9	4.7 - 7.1
	65 & Older	5.6	4.5 - 6.8
<b>EDUCATION LEVEL</b>	<High School	9.1	6.5 - 11.6
	High School / GED	4.1	3.0 - 5.1
	>High School	2.8	2.2 - 3.4
<b>ANNUAL INCOME</b>	<\$25,000	7.4	5.8 - 8.9
	\$25,000-\$49,999	2.7	1.9 - 3.6
	\$50,000 or More	1.7	1.1 - 2.3
<b>MARITAL STATUS</b>	Married/Couple	3.5	2.7 - 4.3
	Not Married/Couple	4.5	3.7 - 5.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

**Disability****Percentage of adults that have difficulty doing errands alone such as visiting a doctor's office or shopping**

		Measure	95% CI
<b>ALL</b>	Overall	7.6	6.8 - 8.4
<b>SEX</b>	Men	6.2	5.0 - 7.3
	Women	9.0	7.8 - 10.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	8.2	7.3 - 9.2
	Non-Hisp. Black	7.5	4.9 - 10.1
	Hispanic	6.3	4.4 - 8.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	6.5	5.3 - 7.8
	Non-Hisp. White Women	9.8	8.4 - 11.2
	Non-Hisp. Black Men	6.8	2.8 - 10.7
	Non-Hisp. Black Women	8.2	4.8 - 11.6
	Hispanic Men	5.7	2.8 - 8.6
	Hispanic Women	6.8	4.4 - 9.3
<b>AGE GROUP</b>	18-44	5.3	4.1 - 6.6
	45-64	8.1	6.8 - 9.5
	65 & Older	10.8	9.1 - 12.5
<b>EDUCATION LEVEL</b>	<High School	15.2	11.8 - 18.6
	High School / GED	8.6	7.0 - 10.3
	>High School	5.5	4.7 - 6.4
<b>ANNUAL INCOME</b>	<\$25,000	12.8	10.7 - 14.8
	\$25,000-\$49,999	7.5	5.6 - 9.5
	\$50,000 or More	3.2	2.4 - 4.0
<b>MARITAL STATUS</b>	Married/Couple	6.4	5.3 - 7.4
	Not Married/Couple	9.1	7.8 - 10.3

**Percentage of adults who have any disability**

		Measure	95% CI
<b>ALL</b>	Overall	31.0	29.5 - 32.5
<b>SEX</b>	Men	28.3	26.2 - 30.3
	Women	33.5	31.4 - 35.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	31.9	30.3 - 33.4
	Non-Hisp. Black	31.9	27.4 - 36.4
	Hispanic	30.0	26.0 - 34.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	29.7	27.5 - 31.9
	Non-Hisp. White Women	33.9	31.7 - 36.1
	Non-Hisp. Black Men	28.7	22.1 - 35.3
	Non-Hisp. Black Women	34.8	28.7 - 40.9
	Hispanic Men	27.1	21.6 - 32.7
	Hispanic Women	32.7	26.9 - 38.5
<b>AGE GROUP</b>	18-44	21.2	18.8 - 23.5
	45-64	32.5	29.7 - 35.2
	65 & Older	44.8	42.4 - 47.3
<b>EDUCATION LEVEL</b>	<High School	50.6	45.5 - 55.6
	High School / GED	34.4	31.5 - 37.2
	>High School	25.2	23.5 - 27.0
<b>ANNUAL INCOME</b>	<\$25,000	47.2	43.7 - 50.7
	\$25,000-\$49,999	33.4	30.1 - 36.7
	\$50,000 or More	17.1	15.3 - 18.9
<b>MARITAL STATUS</b>	Married/Couple	25.9	24.0 - 27.8
	Not Married/Couple	37.0	34.7 - 39.4

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

**Epilepsy****Percentage of adults who have ever been told that they have a seizure disorder or epilepsy**

		Measure	95% CI
<b>ALL</b>	Overall	2.0	1.6 - 2.4
<b>SEX</b>	Men	1.6	1.1 - 2.2
	Women	2.3	1.7 - 2.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	2.5	1.9 - 3.1
	Non-Hisp. Black	1.6	0.6 - 2.5
	Hispanic	0.9	0.3 - 1.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	2.1	1.2 - 2.9
	Non-Hisp. White Women	2.9	2.0 - 3.8
	Non-Hisp. Black Men	1.5	0.1 - 2.8
	Non-Hisp. Black Women	1.7	0.4 - 3.0
	Hispanic Men	0.8	0.1 - 1.5
	Hispanic Women	1.1	0.1 - 2.0
<b>AGE GROUP</b>	18-44	1.5	1.0 - 2.1
	45-64	2.4	1.6 - 3.2
	65 & Older	1.8	1.1 - 2.6
<b>EDUCATION LEVEL</b>	<High School	2.2	0.8 - 3.6
	High School / GED	1.8	1.1 - 2.4
	>High School	2.0	1.5 - 2.6
<b>ANNUAL INCOME</b>	<\$25,000	2.6	1.6 - 3.6
	\$25,000-\$49,999	2.9	1.8 - 4.0
	\$50,000 or More	1.4	0.8 - 1.9
<b>MARITAL STATUS</b>	Married/Couple	1.6	1.1 - 2.1
	Not Married/Couple	2.4	1.8 - 3.1

**Percentage of adults with seizure disorder or epilepsy who have had at least one seizure in the past year**

		Measure	95% CI
<b>ALL</b>	Overall	39.3	29.2 - 49.4
<b>SEX</b>	Men	40.6	23.3 - 57.9
	Women	38.4	27.6 - 49.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	37.1	26.2 - 47.9
	Non-Hisp. Black	NA	
	Hispanic	NA	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	32.8	14.5 - 51.0
	Non-Hisp. White Women	40.0	28.3 - 51.8
	Non-Hisp. Black Men	NA	
	Non-Hisp. Black Women	NA	
	Hispanic Men	NA	
	Hispanic Women	NA	
<b>AGE GROUP</b>	18-44	37.3	23.3 - 51.3
	45-64	49.1	31.8 - 66.5
	65 & Older	33.6	13.0 - 54.2
<b>EDUCATION LEVEL</b>	<High School	70.8	48.4 - 93.1
	High School / GED	32.3	16.3 - 48.3
	>High School	34.3	23.1 - 45.4
<b>ANNUAL INCOME</b>	<\$25,000	52.3	35.1 - 69.5
	\$25,000-\$49,999	46.2	25.3 - 67.1
	\$50,000 or More	24.6	13.0 - 36.2
<b>MARITAL STATUS</b>	Married/Couple	31.1	19.2 - 42.9
	Not Married/Couple	46.1	33.6 - 58.7

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

**Epilepsy****Percentage of adults with seizure disorder or epilepsy who have seen a neurologist or epilepsy specialist in the past year**

		Measure	95% CI
<b>ALL</b>	Overall	41.6	32.5 - 50.7
<b>SEX</b>	Men	35.1	18.1 - 52.1
	Women	45.7	36.1 - 55.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	42.1	31.5 - 52.6
	Non-Hisp. Black	NA	
	Hispanic	NA	
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	34.7	12.4 - 57.1
	Non-Hisp. White Women	46.7	37.6 - 55.8
	Non-Hisp. Black Men	NA	
	Non-Hisp. Black Women	NA	
	Hispanic Men	NA	
	Hispanic Women	NA	
<b>AGE GROUP</b>	18-44	28.3	17.7 - 38.9
	45-64	49.9	34.2 - 65.6
	65 & Older	51.2	36.4 - 66.1
<b>EDUCATION LEVEL</b>	<High School	62.7	29.7 - 95.6
	High School / GED	29.5	14.0 - 45.0
	>High School	41.5	32.9 - 50.2
<b>ANNUAL INCOME</b>	<\$25,000	59.8	44.7 - 75.0
	\$25,000-\$49,999	42.2	24.2 - 60.2
	\$50,000 or More	26.1	14.4 - 37.8
<b>MARITAL STATUS</b>	Married/Couple	41.1	27.3 - 54.9
	Not Married/Couple	42.6	29.6 - 55.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Hypertension Awareness &amp; Control

## Percentage of adults who have ever been told they had hypertension

		Measure	95% CI
<b>ALL</b>	Overall	33.5	32.1 - 35.0
<b>SEX</b>	Men	36.2	34.0 - 38.4
	Women	31.0	29.1 - 32.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	37.9	36.3 - 39.5
	Non-Hisp. Black	35.9	31.5 - 40.3
	Hispanic	23.5	20.1 - 26.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	42.6	40.2 - 45.0
	Non-Hisp. White Women	33.4	31.4 - 35.5
	Non-Hisp. Black Men	32.8	26.4 - 39.3
	Non-Hisp. Black Women	38.6	32.6 - 44.5
	Hispanic Men	24.3	19.3 - 29.2
	Hispanic Women	22.8	18.2 - 27.5
<b>AGE GROUP</b>	18-44	12.4	10.7 - 14.2
	45-64	39.3	36.5 - 42.1
	65 & Older	58.7	56.2 - 61.1
<b>EDUCATION LEVEL</b>	<High School	44.4	39.5 - 49.3
	High School / GED	35.6	32.8 - 38.4
	>High School	29.9	28.2 - 31.5
<b>ANNUAL INCOME</b>	<\$25,000	37.9	34.8 - 41.1
	\$25,000-\$49,999	33.1	30.0 - 36.2
	\$50,000 or More	30.3	28.0 - 32.6
<b>MARITAL STATUS</b>	Married/Couple	34.0	32.0 - 36.0
	Not Married/Couple	33.1	31.0 - 35.2

## Percentage of adults with hypertension who currently take high blood pressure medicine

		Measure	95% CI
<b>ALL</b>	Overall	77.8	75.6 - 80.1
<b>SEX</b>	Men	73.3	69.8 - 76.8
	Women	82.8	80.1 - 85.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	77.1	74.7 - 79.6
	Non-Hisp. Black	83.4	77.8 - 89.0
	Hispanic	73.9	66.5 - 81.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	74.2	70.6 - 77.8
	Non-Hisp. White Women	80.7	77.5 - 83.8
	Non-Hisp. Black Men	77.5	67.1 - 88.0
	Non-Hisp. Black Women	87.7	82.0 - 93.4
	Hispanic Men	65.6	53.9 - 77.3
	Hispanic Women	81.8	73.6 - 90.1
<b>AGE GROUP</b>	18-44	39.6	32.3 - 46.9
	45-64	73.8	69.8 - 77.8
	65 & Older	93.0	91.5 - 94.6
<b>EDUCATION LEVEL</b>	<High School	70.7	63.4 - 78.0
	High School / GED	81.7	78.0 - 85.5
	>High School	77.4	74.6 - 80.2
<b>ANNUAL INCOME</b>	<\$25,000	78.6	74.8 - 82.5
	\$25,000-\$49,999	80.9	76.2 - 85.6
	\$50,000 or More	74.2	70.1 - 78.2
<b>MARITAL STATUS</b>	Married/Couple	81.9	79.3 - 84.4
	Not Married/Couple	72.9	69.2 - 76.7

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Kidney Disease

## Percentage of adults who have ever been told they had kidney disease

		Measure	95% CI
<b>ALL</b>	Overall	4.0	3.4 - 4.6
<b>SEX</b>	Men	3.8	3.0 - 4.7
	Women	4.2	3.3 - 5.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.8	3.2 - 4.4
	Non-Hisp. Black	5.2	3.2 - 7.1
	Hispanic	4.2	2.5 - 5.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	3.7	2.9 - 4.5
	Non-Hisp. White Women	3.9	3.1 - 4.8
	Non-Hisp. Black Men	5.1	2.0 - 8.2
	Non-Hisp. Black Women	5.2	2.8 - 7.6
	Hispanic Men	3.8	1.6 - 6.0
	Hispanic Women	4.6	2.0 - 7.2
<b>AGE GROUP</b>	18-44	1.8	1.0 - 2.6
	45-64	4.2	3.0 - 5.4
	65 & Older	7.3	6.0 - 8.6
<b>EDUCATION LEVEL</b>	<High School	5.7	3.3 - 8.1
	High School / GED	3.7	2.6 - 4.7
	>High School	3.8	3.1 - 4.5
<b>ANNUAL INCOME</b>	<\$25,000	6.2	4.5 - 7.8
	\$25,000-\$49,999	4.1	2.7 - 5.4
	\$50,000 or More	2.7	2.0 - 3.5
<b>MARITAL STATUS</b>	Married/Couple	3.1	2.5 - 3.7
	Not Married/Couple	5.0	3.9 - 6.1

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**Overweight & Obesity**

**Percentage of adults who are overweight**

		Measure	95% CI
<b>ALL</b>	Overall	37.6	35.9 - 39.3
<b>SEX</b>	Men	42.6	40.2 - 45.1
	Women	32.5	30.2 - 34.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	37.8	36.1 - 39.5
	Non-Hisp. Black	35.1	30.1 - 40.0
	Hispanic	39.1	34.2 - 43.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	43.7	41.2 - 46.2
	Non-Hisp. White Women	31.9	29.6 - 34.1
	Non-Hisp. Black Men	39.7	32.4 - 47.0
	Non-Hisp. Black Women	30.8	24.1 - 37.6
	Hispanic Men	42.9	36.1 - 49.8
	Hispanic Women	35.2	28.3 - 42.2
<b>AGE GROUP</b>	18-44	35.5	32.5 - 38.5
	45-64	39.2	36.0 - 42.3
	65 & Older	39.2	36.8 - 41.6
<b>EDUCATION LEVEL</b>	<High School	36.7	31.5 - 41.9
	High School / GED	37.1	33.9 - 40.4
	>High School	38.2	36.1 - 40.4
<b>ANNUAL INCOME</b>	<\$25,000	34.7	31.2 - 38.1
	\$25,000-\$49,999	35.3	31.9 - 38.7
	\$50,000 or More	42.4	39.6 - 45.2
<b>MARITAL STATUS</b>	Married/Couple	40.2	37.8 - 42.5
	Not Married/Couple	34.7	32.2 - 37.1

**Percentage of adults who are obese**

		Measure	95% CI
<b>ALL</b>	Overall	27.0	25.6 - 28.5
<b>SEX</b>	Men	26.9	24.8 - 28.9
	Women	27.2	25.2 - 29.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	25.4	23.9 - 26.9
	Non-Hisp. Black	35.0	30.4 - 39.6
	Hispanic	28.2	24.2 - 32.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	27.5	25.2 - 29.7
	Non-Hisp. White Women	23.3	21.4 - 25.2
	Non-Hisp. Black Men	29.6	23.0 - 36.2
	Non-Hisp. Black Women	40.0	33.5 - 46.5
	Hispanic Men	27.5	21.8 - 33.3
	Hispanic Women	28.8	23.2 - 34.3
<b>AGE GROUP</b>	18-44	22.1	20.0 - 24.3
	45-64	32.6	29.7 - 35.5
	65 & Older	27.6	25.3 - 29.8
<b>EDUCATION LEVEL</b>	<High School	28.9	24.0 - 33.9
	High School / GED	30.3	27.5 - 33.1
	>High School	25.1	23.4 - 26.8
<b>ANNUAL INCOME</b>	<\$25,000	30.3	27.2 - 33.4
	\$25,000-\$49,999	29.8	26.7 - 33.0
	\$50,000 or More	25.0	22.8 - 27.2
<b>MARITAL STATUS</b>	Married/Couple	26.6	24.8 - 28.5
	Not Married/Couple	27.5	25.3 - 29.7

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**Overweight & Obesity**

**Percentage of adults who are overweight or obese**

		Measure	95% CI
<b>ALL</b>	Overall	64.6	62.9 - 66.3
<b>SEX</b>	Men	69.5	67.1 - 71.9
	Women	59.7	57.4 - 62.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	63.2	61.5 - 64.9
	Non-Hisp. Black	70.1	65.1 - 75.0
	Hispanic	67.2	62.5 - 71.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	71.2	68.9 - 73.4
	Non-Hisp. White Women	55.2	52.8 - 57.6
	Non-Hisp. Black Men	69.3	62.1 - 76.5
	Non-Hisp. Black Women	70.8	63.9 - 77.7
	Hispanic Men	70.5	63.8 - 77.1
	Hispanic Women	64.0	57.3 - 70.7
<b>AGE GROUP</b>	18-44	57.7	54.7 - 60.6
	45-64	71.8	68.9 - 74.7
	65 & Older	66.8	64.3 - 69.2
<b>EDUCATION LEVEL</b>	<High School	65.7	60.4 - 71.0
	High School / GED	67.5	64.4 - 70.5
	>High School	63.3	61.2 - 65.4
<b>ANNUAL INCOME</b>	<\$25,000	64.9	61.4 - 68.5
	\$25,000-\$49,999	65.1	61.5 - 68.7
	\$50,000 or More	67.4	64.8 - 70.0
<b>MARITAL STATUS</b>	Married/Couple	66.8	64.5 - 69.1
	Not Married/Couple	62.2	59.7 - 64.6

**Percentage of adults who have a healthy weight (BMI from 18.5 to 24.9)**

		Measure	95% CI
<b>ALL</b>	Overall	32.8	31.2 - 34.5
<b>SEX</b>	Men	28.6	26.2 - 30.9
	Women	37.0	34.7 - 39.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	34.2	32.6 - 35.9
	Non-Hisp. Black	28.5	23.6 - 33.5
	Hispanic	29.9	25.3 - 34.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	27.1	24.9 - 29.3
	Non-Hisp. White Women	41.4	39.0 - 43.8
	Non-Hisp. Black Men	29.0	21.8 - 36.2
	Non-Hisp. Black Women	28.1	21.3 - 34.9
	Hispanic Men	27.8	21.2 - 34.4
	Hispanic Women	32.1	25.6 - 38.5
<b>AGE GROUP</b>	18-44	39.5	36.5 - 42.4
	45-64	25.9	23.1 - 28.8
	65 & Older	30.7	28.3 - 33.0
<b>EDUCATION LEVEL</b>	<High School	30.4	25.2 - 35.5
	High School / GED	29.0	26.1 - 31.9
	>High School	34.8	32.7 - 36.9
<b>ANNUAL INCOME</b>	<\$25,000	31.5	28.1 - 35.0
	\$25,000-\$49,999	32.7	29.1 - 36.3
	\$50,000 or More	31.1	28.6 - 33.6
<b>MARITAL STATUS</b>	Married/Couple	31.5	29.2 - 33.8
	Not Married/Couple	34.3	31.9 - 36.7

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

**Cancer Screening/Breast****Percentage of women 40 years of age and older who received a mammogram in the past year**

		Measure	95% CI
<b>ALL</b>	Overall	56.2	53.2 - 59.2
<b>SEX</b>	Women	56.2	53.2 - 59.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	56.2	53.4 - 58.9
	Non-Hisp. Black	64.5	55.3 - 73.7
	Hispanic	54.1	44.2 - 64.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	56.2	53.4 - 58.9
	Non-Hisp. Black Women	64.5	55.3 - 73.7
	Hispanic Women	54.1	44.2 - 64.0
<b>AGE GROUP</b>	18-44	49.2	38.2 - 60.2
	45-64	57.3	52.5 - 62.1
	65 & Older	56.4	52.7 - 60.2
<b>EDUCATION LEVEL</b>	<High School	47.0	37.0 - 56.9
	High School / GED	54.8	48.5 - 61.0
	>High School	58.9	55.5 - 62.3
<b>ANNUAL INCOME</b>	<\$25,000	49.8	43.1 - 56.5
	\$25,000-\$49,999	55.0	49.2 - 60.9
	\$50,000 or More	66.0	61.2 - 70.8
<b>MARITAL STATUS</b>	Married/Couple	61.8	57.8 - 65.7
	Not Married/Couple	50.1	45.6 - 54.6

**Percentage of women aged 50 to 74 who had a mammogram in the past 2 years**

		Measure	95% CI
<b>ALL</b>	Overall	78.4	75.5 - 81.3
<b>SEX</b>	Women	78.4	75.5 - 81.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	77.5	74.6 - 80.3
	Non-Hisp. Black	85.0	76.9 - 93.0
	Hispanic	81.8	72.1 - 91.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	77.5	74.6 - 80.3
	Non-Hisp. Black Women	85.0	76.9 - 93.0
	Hispanic Women	81.8	72.1 - 91.5
<b>AGE GROUP</b>	45-64	76.4	72.5 - 80.3
	65 & Older	81.7	77.6 - 85.8
<b>EDUCATION LEVEL</b>	<High School	63.2	50.9 - 75.5
	High School / GED	78.5	72.9 - 84.2
	>High School	81.4	78.5 - 84.3
<b>ANNUAL INCOME</b>	<\$25,000	73.2	66.8 - 79.6
	\$25,000-\$49,999	79.6	74.6 - 84.5
	\$50,000 or More	84.0	80.0 - 88.0
<b>MARITAL STATUS</b>	Married/Couple	82.5	79.3 - 85.8
	Not Married/Couple	73.2	68.2 - 78.2

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**HIV/AIDS Screening**

**Percentage of adults less than 65 years old who have ever been tested for HIV**

		Measure	95% CI
<b>ALL</b>	Overall	60.7	58.6 - 62.8
<b>SEX</b>	Men	57.6	54.5 - 60.8
	Women	63.7	60.8 - 66.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	54.1	51.6 - 56.5
	Non-Hisp. Black	73.5	67.9 - 79.1
	Hispanic	67.1	62.4 - 71.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	52.3	48.8 - 55.8
	Non-Hisp. White Women	55.8	52.4 - 59.2
	Non-Hisp. Black Men	75.2	67.0 - 83.3
	Non-Hisp. Black Women	72.0	64.3 - 79.7
	Hispanic Men	59.2	52.1 - 66.3
	Hispanic Women	75.5	69.7 - 81.4
<b>AGE GROUP</b>	18-44	62.2	59.2 - 65.1
	45-64	58.8	55.8 - 61.8
<b>EDUCATION LEVEL</b>	<High School	53.6	46.8 - 60.4
	High School / GED	58.4	54.2 - 62.6
	>High School	63.2	60.6 - 65.8
<b>ANNUAL INCOME</b>	<\$25,000	63.5	59.0 - 68.0
	\$25,000-\$49,999	62.8	58.1 - 67.5
	\$50,000 or More	60.2	57.0 - 63.4
<b>MARITAL STATUS</b>	Married/Couple	60.5	57.6 - 63.4
	Not Married/Couple	60.9	57.7 - 64.0

**Percentage of adults who have ever been tested for HIV**

		Measure	95% CI
<b>ALL</b>	Overall	50.7	49.0 - 52.4
<b>SEX</b>	Men	50.3	47.7 - 52.9
	Women	51.1	48.7 - 53.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	42.2	40.4 - 44.1
	Non-Hisp. Black	66.0	60.9 - 71.1
	Hispanic	62.5	58.1 - 66.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	43.1	40.4 - 45.8
	Non-Hisp. White Women	41.5	39.0 - 43.9
	Non-Hisp. Black Men	68.8	61.1 - 76.5
	Non-Hisp. Black Women	63.4	56.6 - 70.2
	Hispanic Men	58.1	51.6 - 64.6
	Hispanic Women	66.7	60.8 - 72.6
<b>AGE GROUP</b>	18-44	62.2	59.2 - 65.1
	45-64	58.8	55.8 - 61.9
	65 & Older	24.3	22.1 - 26.6
<b>EDUCATION LEVEL</b>	<High School	45.9	40.6 - 51.2
	High School / GED	48.6	45.1 - 52.1
	>High School	52.9	50.7 - 55.0
<b>ANNUAL INCOME</b>	<\$25,000	54.4	50.7 - 58.1
	\$25,000-\$49,999	51.0	47.2 - 54.8
	\$50,000 or More	52.6	49.7 - 55.4
<b>MARITAL STATUS</b>	Married/Couple	49.7	47.3 - 52.1
	Not Married/Couple	51.7	49.1 - 54.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who received a flu shot in the past year

		Measure	95% CI
<b>ALL</b>	Overall	36.9	35.3 - 38.5
<b>SEX</b>	Men	34.3	32.1 - 36.6
	Women	39.3	37.0 - 41.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	42.8	41.1 - 44.6
	Non-Hisp. Black	32.2	27.5 - 36.9
	Hispanic	25.4	21.4 - 29.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	40.1	37.7 - 42.6
	Non-Hisp. White Women	45.4	43.0 - 47.8
	Non-Hisp. Black Men	32.0	24.8 - 39.2
	Non-Hisp. Black Women	32.4	26.3 - 38.6
	Hispanic Men	21.3	16.0 - 26.5
	Hispanic Women	29.4	23.5 - 35.3
<b>AGE GROUP</b>	18-44	25.5	22.9 - 28.0
	45-64	32.1	29.3 - 34.9
	65 & Older	58.3	55.8 - 60.8
<b>EDUCATION LEVEL</b>	<High School	32.4	27.4 - 37.3
	High School / GED	33.2	30.2 - 36.1
	>High School	39.7	37.7 - 41.7
<b>ANNUAL INCOME</b>	<\$25,000	33.7	30.3 - 37.2
	\$25,000-\$49,999	37.2	33.8 - 40.6
	\$50,000 or More	39.3	36.7 - 42.0
<b>MARITAL STATUS</b>	Married/Couple	38.3	36.2 - 40.4
	Not Married/Couple	35.5	33.1 - 37.9

## Percentage of adults 65 years of age and older who received a flu shot in the past year

		Measure	95% CI
<b>ALL</b>	Overall	58.3	55.8 - 60.8
<b>SEX</b>	Men	57.3	53.6 - 61.0
	Women	59.2	55.8 - 62.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	62.2	59.8 - 64.6
	Non-Hisp. Black	49.5	39.8 - 59.3
	Hispanic	47.4	36.9 - 57.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	60.7	57.1 - 64.3
	Non-Hisp. White Women	63.6	60.4 - 66.7
	Non-Hisp. Black Men	43.7	27.5 - 59.9
	Non-Hisp. Black Women	54.3	43.0 - 65.5
	Hispanic Men	50.3	34.3 - 66.3
	Hispanic Women	45.8	31.9 - 59.7
<b>AGE GROUP</b>	65 & Older	58.3	55.8 - 60.8
<b>EDUCATION LEVEL</b>	<High School	52.2	43.1 - 61.3
	High School / GED	56.6	51.9 - 61.4
	>High School	61.3	58.5 - 64.2
<b>ANNUAL INCOME</b>	<\$25,000	51.1	45.2 - 57.0
	\$25,000-\$49,999	60.1	55.3 - 64.9
	\$50,000 or More	61.9	57.5 - 66.3
<b>MARITAL STATUS</b>	Married/Couple	60.6	57.3 - 63.9
	Not Married/Couple	55.9	52.0 - 59.7

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who have ever received a pneumonia vaccination

		Measure	95% CI
<b>ALL</b>	Overall	35.4	33.8 - 37.0
<b>SEX</b>	Men	33.1	30.8 - 35.3
	Women	37.5	35.2 - 39.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	42.1	40.3 - 43.8
	Non-Hisp. Black	28.1	23.5 - 32.6
	Hispanic	22.2	18.0 - 26.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	39.5	37.0 - 42.1
	Non-Hisp. White Women	44.4	42.0 - 46.9
	Non-Hisp. Black Men	27.1	20.1 - 34.2
	Non-Hisp. Black Women	28.9	22.9 - 34.9
	Hispanic Men	18.4	13.0 - 23.7
	Hispanic Women	25.9	19.6 - 32.2
<b>AGE GROUP</b>	18-44	18.9	16.4 - 21.5
	45-64	24.1	21.4 - 26.9
	65 & Older	66.8	64.4 - 69.3
<b>EDUCATION LEVEL</b>	<High School	33.8	28.8 - 38.9
	High School / GED	33.2	30.2 - 36.2
	>High School	36.8	34.7 - 38.8
<b>ANNUAL INCOME</b>	<\$25,000	36.6	33.0 - 40.1
	\$25,000-\$49,999	36.2	32.8 - 39.6
	\$50,000 or More	30.2	27.7 - 32.6
<b>MARITAL STATUS</b>	Married/Couple	35.4	33.2 - 37.6
	Not Married/Couple	35.4	33.0 - 37.9

## Percentage of adults 65 years of age and older who have ever received a pneumonia vaccination

		Measure	95% CI
<b>ALL</b>	Overall	66.8	64.4 - 69.3
<b>SEX</b>	Men	65.0	61.3 - 68.7
	Women	68.4	65.1 - 71.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	72.5	70.3 - 74.7
	Non-Hisp. Black	56.5	46.5 - 66.5
	Hispanic	41.4	31.5 - 51.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	70.3	66.8 - 73.7
	Non-Hisp. White Women	74.5	71.7 - 77.4
	Non-Hisp. Black Men	53.6	36.3 - 70.9
	Non-Hisp. Black Women	58.8	47.4 - 70.1
	Hispanic Men	35.4	21.4 - 49.4
	Hispanic Women	44.8	31.8 - 57.8
<b>AGE GROUP</b>	65 & Older	66.8	64.4 - 69.3
<b>EDUCATION LEVEL</b>	<High School	55.0	46.0 - 64.0
	High School / GED	65.8	61.1 - 70.6
	>High School	70.8	68.2 - 73.5
<b>ANNUAL INCOME</b>	<\$25,000	60.8	55.1 - 66.5
	\$25,000-\$49,999	68.4	63.9 - 72.9
	\$50,000 or More	69.8	65.4 - 74.2
<b>MARITAL STATUS</b>	Married/Couple	67.9	64.6 - 71.3
	Not Married/Couple	65.5	61.8 - 69.2

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**Alcohol Consumption**

**Percentage of adults who engage in heavy or binge drinking**

		Measure	95% CI
<b>ALL</b>	Overall	18.0	16.8 - 19.3
<b>SEX</b>	Men	21.2	19.2 - 23.1
	Women	15.1	13.4 - 16.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	19.8	18.4 - 21.3
	Non-Hisp. Black	14.3	10.3 - 18.2
	Hispanic	17.1	13.9 - 20.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	23.6	21.3 - 25.8
	Non-Hisp. White Women	16.3	14.6 - 18.1
	Non-Hisp. Black Men	16.3	9.9 - 22.6
	Non-Hisp. Black Women	12.5	7.7 - 17.3
	Hispanic Men	20.2	15.5 - 25.0
	Hispanic Women	14.2	9.8 - 18.6
<b>AGE GROUP</b>	18-44	24.5	22.0 - 26.9
	45-64	17.9	15.5 - 20.2
	65 & Older	9.1	7.8 - 10.4
<b>EDUCATION LEVEL</b>	<High School	12.4	9.5 - 15.3
	High School / GED	17.3	14.8 - 19.8
	>High School	19.6	17.9 - 21.3
<b>ANNUAL INCOME</b>	<\$25,000	15.7	13.2 - 18.2
	\$25,000-\$49,999	18.1	15.0 - 21.1
	\$50,000 or More	22.4	20.1 - 24.7
<b>MARITAL STATUS</b>	Married/Couple	16.3	14.7 - 17.9
	Not Married/Couple	20.2	18.1 - 22.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

Physical Activity & Nutrition

Percentage of adults who are sedentary

		Measure	95% CI
<b>ALL</b>	Overall	26.5	25.0 - 28.0
<b>SEX</b>	Men	25.7	23.6 - 27.9
	Women	27.2	25.2 - 29.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	24.1	22.7 - 25.6
	Non-Hisp. Black	28.9	24.4 - 33.4
	Hispanic	31.5	27.5 - 35.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	23.7	21.5 - 25.8
	Non-Hisp. White Women	24.5	22.6 - 26.5
	Non-Hisp. Black Men	26.4	19.6 - 33.2
	Non-Hisp. Black Women	31.2	25.2 - 37.2
	Hispanic Men	28.6	23.1 - 34.1
	Hispanic Women	34.2	28.3 - 40.0
<b>AGE GROUP</b>	18-44	24.2	21.6 - 26.8
	45-64	27.3	24.8 - 29.9
	65 & Older	29.7	27.4 - 32.0
<b>EDUCATION LEVEL</b>	<High School	43.6	38.5 - 48.7
	High School / GED	31.1	28.2 - 34.0
	>High School	20.5	18.8 - 22.2
<b>ANNUAL INCOME</b>	<\$25,000	36.8	33.4 - 40.1
	\$25,000-\$49,999	26.5	23.6 - 29.5
	\$50,000 or More	17.6	15.4 - 19.7
<b>MARITAL STATUS</b>	Married/Couple	24.3	22.3 - 26.3
	Not Married/Couple	29.2	27.0 - 31.5

Percentage of adults who meet muscle strengthening recommendations

		Measure	95% CI
<b>ALL</b>	Overall	38.1	36.4 - 39.7
<b>SEX</b>	Men	41.4	39.0 - 43.8
	Women	34.9	32.6 - 37.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	38.7	37.0 - 40.4
	Non-Hisp. Black	41.1	35.8 - 46.4
	Hispanic	35.4	31.0 - 39.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	42.1	39.5 - 44.6
	Non-Hisp. White Women	35.4	33.1 - 37.8
	Non-Hisp. Black Men	41.4	33.7 - 49.0
	Non-Hisp. Black Women	40.8	33.5 - 48.1
	Hispanic Men	40.0	33.5 - 46.4
	Hispanic Women	31.2	25.1 - 37.3
<b>AGE GROUP</b>	18-44	41.2	38.2 - 44.1
	45-64	34.3	31.3 - 37.3
	65 & Older	38.1	35.6 - 40.6
<b>EDUCATION LEVEL</b>	<High School	28.8	23.9 - 33.6
	High School / GED	35.8	32.6 - 39.0
	>High School	41.3	39.2 - 43.5
<b>ANNUAL INCOME</b>	<\$25,000	33.8	30.3 - 37.3
	\$25,000-\$49,999	39.6	35.9 - 43.3
	\$50,000 or More	41.3	38.6 - 44.1
<b>MARITAL STATUS</b>	Married/Couple	37.4	35.1 - 39.6
	Not Married/Couple	38.7	36.2 - 41.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Physical Activity &amp; Nutrition

## Percentage of adults who consume two or more servings of vegetables per day

		Measure	95% CI
<b>ALL</b>	Overall	36.7	35.0 - 38.3
<b>SEX</b>	Men	31.9	29.6 - 34.2
	Women	41.1	38.7 - 43.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	41.3	39.5 - 43.1
	Non-Hisp. Black	31.4	25.9 - 36.9
	Hispanic	27.5	23.3 - 31.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	36.5	34.0 - 39.0
	Non-Hisp. White Women	45.7	43.3 - 48.2
	Non-Hisp. Black Men	23.0	15.5 - 30.5
	Non-Hisp. Black Women	38.8	31.2 - 46.4
	Hispanic Men	23.4	17.8 - 29.0
	Hispanic Women	31.6	25.3 - 38.0
<b>AGE GROUP</b>	18-44	35.9	33.0 - 38.8
	45-64	37.2	34.1 - 40.3
	65 & Older	36.9	34.4 - 39.3
<b>EDUCATION LEVEL</b>	<High School	28.4	23.5 - 33.4
	High School / GED	32.1	29.1 - 35.1
	>High School	40.3	38.2 - 42.5
<b>ANNUAL INCOME</b>	<\$25,000	33.2	29.8 - 36.7
	\$25,000-\$49,999	34.8	31.3 - 38.3
	\$50,000 or More	41.8	39.0 - 44.6
<b>MARITAL STATUS</b>	Married/Couple	38.9	36.6 - 41.2
	Not Married/Couple	33.9	31.4 - 36.4

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**Tobacco Use & Exposure**

**Percentage of adults who are current smokers**

		Measure	95% CI
<b>ALL</b>	Overall	14.8	13.7 - 15.9
<b>SEX</b>	Men	15.7	14.0 - 17.4
	Women	13.9	12.4 - 15.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	16.4	15.2 - 17.6
	Non-Hisp. Black	12.4	8.9 - 15.9
	Hispanic	12.6	9.8 - 15.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	15.6	13.8 - 17.4
	Non-Hisp. White Women	17.1	15.4 - 18.9
	Non-Hisp. Black Men	18.3	12.1 - 24.4
	Non-Hisp. Black Women	7.0	3.8 - 10.3
	Hispanic Men	16.2	11.8 - 20.7
	Hispanic Women	9.2	5.8 - 12.5
<b>AGE GROUP</b>	18-44	15.0	13.1 - 16.9
	45-64	19.6	17.3 - 22.0
	65 & Older	9.3	7.9 - 10.6
<b>EDUCATION LEVEL</b>	<High School	23.6	19.4 - 27.8
	High School / GED	20.0	17.5 - 22.4
	>High School	10.2	9.1 - 11.4
<b>ANNUAL INCOME</b>	<\$25,000	23.4	20.7 - 26.2
	\$25,000-\$49,999	17.9	15.1 - 20.7
	\$50,000 or More	9.9	8.4 - 11.5
<b>MARITAL STATUS</b>	Married/Couple	11.3	10.1 - 12.6
	Not Married/Couple	18.9	17.0 - 20.8

**Percentage of adults who are former smokers**

		Measure	95% CI
<b>ALL</b>	Overall	26.3	25.0 - 27.7
<b>SEX</b>	Men	29.5	27.5 - 31.5
	Women	23.3	21.5 - 25.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	33.9	32.4 - 35.5
	Non-Hisp. Black	14.2	11.1 - 17.3
	Hispanic	17.0	13.7 - 20.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	37.0	34.7 - 39.4
	Non-Hisp. White Women	31.0	28.9 - 33.1
	Non-Hisp. Black Men	14.4	9.8 - 19.0
	Non-Hisp. Black Women	14.0	9.7 - 18.3
	Hispanic Men	21.7	16.8 - 26.6
	Hispanic Women	12.6	8.1 - 17.1
<b>AGE GROUP</b>	18-44	14.4	12.6 - 16.1
	45-64	27.7	25.0 - 30.4
	65 & Older	42.8	40.4 - 45.2
<b>EDUCATION LEVEL</b>	<High School	24.2	19.9 - 28.5
	High School / GED	27.8	25.2 - 30.4
	>High School	26.1	24.4 - 27.7
<b>ANNUAL INCOME</b>	<\$25,000	24.1	21.1 - 27.2
	\$25,000-\$49,999	29.0	26.0 - 32.1
	\$50,000 or More	27.8	25.6 - 30.0
<b>MARITAL STATUS</b>	Married/Couple	29.6	27.7 - 31.5
	Not Married/Couple	22.4	20.5 - 24.4

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**Tobacco Use & Exposure**

**Percentage of adults who have never smoked**

		Measure	95% CI
<b>ALL</b>	Overall	58.9	57.3 - 60.5
<b>SEX</b>	Men	54.8	52.4 - 57.1
	Women	62.7	60.6 - 64.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	49.7	48.0 - 51.4
	Non-Hisp. Black	73.4	69.1 - 77.8
	Hispanic	70.4	66.4 - 74.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	47.3	44.8 - 49.8
	Non-Hisp. White Women	51.9	49.5 - 54.2
	Non-Hisp. Black Men	67.3	60.3 - 74.3
	Non-Hisp. Black Women	79.0	73.8 - 84.1
	Hispanic Men	62.1	56.1 - 68.0
	Hispanic Women	78.2	73.0 - 83.5
<b>AGE GROUP</b>	18-44	70.7	68.2 - 73.1
	45-64	52.6	49.6 - 55.6
	65 & Older	48.0	45.5 - 50.4
<b>EDUCATION LEVEL</b>	<High School	52.2	47.1 - 57.2
	High School / GED	52.2	49.1 - 55.3
	>High School	63.7	61.8 - 65.6
<b>ANNUAL INCOME</b>	<\$25,000	52.4	49.0 - 55.9
	\$25,000-\$49,999	53.1	49.5 - 56.6
	\$50,000 or More	62.2	59.7 - 64.7
<b>MARITAL STATUS</b>	Married/Couple	59.0	56.9 - 61.2
	Not Married/Couple	58.7	56.3 - 61.1

**Percentage of adult current smokers who tried to quit smoking at least once in the past year**

		Measure	95% CI
<b>ALL</b>	Overall	59.0	55.0 - 62.9
<b>SEX</b>	Men	55.3	49.4 - 61.1
	Women	62.9	57.6 - 68.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	55.3	51.2 - 59.5
	Non-Hisp. Black	70.8	57.2 - 84.5
	Hispanic	64.2	52.6 - 75.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	50.5	44.3 - 56.7
	Non-Hisp. White Women	59.4	53.9 - 64.9
	Non-Hisp. Black Men	71.8	55.1 - 88.5
	Non-Hisp. Black Women	68.5	44.8 - 92.1
	Hispanic Men	58.7	43.7 - 73.8
	Hispanic Women	73.5	56.3 - 90.8
<b>AGE GROUP</b>	18-44	61.5	54.8 - 68.1
	45-64	60.1	53.9 - 66.3
	65 & Older	49.9	42.3 - 57.5
<b>EDUCATION LEVEL</b>	<High School	58.1	47.9 - 68.2
	High School / GED	64.4	58.5 - 70.3
	>High School	54.7	48.9 - 60.5
<b>ANNUAL INCOME</b>	<\$25,000	67.8	62.0 - 73.5
	\$25,000-\$49,999	56.0	47.4 - 64.7
	\$50,000 or More	55.7	48.0 - 63.5
<b>MARITAL STATUS</b>	Married/Couple	55.8	50.0 - 61.6
	Not Married/Couple	61.1	55.6 - 66.6

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**Tobacco Use & Exposure**

**Percentage of adults who are current e-cigarette users**

		Measure	95% CI
<b>ALL</b>	Overall	7.5	6.5 - 8.5
<b>SEX</b>	Men	8.4	6.8 - 10.0
	Women	6.7	5.4 - 7.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	8.6	7.4 - 9.7
	Non-Hisp. Black	4.0	1.8 - 6.2
	Hispanic	6.3	3.5 - 9.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	9.5	7.7 - 11.3
	Non-Hisp. White Women	7.7	6.2 - 9.2
	Non-Hisp. Black Men	3.9	0.9 - 7.0
	Non-Hisp. Black Women	4.1	1.0 - 7.2
	Hispanic Men	7.8	3.5 - 12.1
	Hispanic Women	4.9	1.5 - 8.3
<b>AGE GROUP</b>	18-44	13.2	10.9 - 15.6
	45-64	5.9	4.6 - 7.2
	65 & Older	1.7	1.2 - 2.3
<b>EDUCATION LEVEL</b>	<High School	7.0	3.7 - 10.3
	High School / GED	7.5	5.8 - 9.3
	>High School	7.6	6.3 - 8.9
<b>ANNUAL INCOME</b>	<\$25,000	5.9	4.4 - 7.4
	\$25,000-\$49,999	8.5	6.5 - 10.6
	\$50,000 or More	8.6	6.7 - 10.5
<b>MARITAL STATUS</b>	Married/Couple	6.1	5.0 - 7.3
	Not Married/Couple	9.1	7.3 - 10.8

**Percentage of adults who are former e-cigarette users**

		Measure	95% CI
<b>ALL</b>	Overall	18.4	16.9 - 20.0
<b>SEX</b>	Men	19.4	17.0 - 21.7
	Women	17.6	15.5 - 19.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	19.3	17.7 - 20.9
	Non-Hisp. Black	19.1	13.7 - 24.5
	Hispanic	16.8	12.7 - 21.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	19.4	17.2 - 21.6
	Non-Hisp. White Women	19.3	17.0 - 21.6
	Non-Hisp. Black Men	23.7	14.5 - 32.9
	Non-Hisp. Black Women	15.2	9.2 - 21.2
	Hispanic Men	19.8	13.2 - 26.4
	Hispanic Women	14.1	9.0 - 19.2
<b>AGE GROUP</b>	18-44	27.0	23.8 - 30.1
	45-64	18.6	15.8 - 21.4
	65 & Older	7.2	5.9 - 8.5
<b>EDUCATION LEVEL</b>	<High School	16.5	12.9 - 20.2
	High School / GED	21.6	18.5 - 24.7
	>High School	17.3	15.3 - 19.3
<b>ANNUAL INCOME</b>	<\$25,000	20.8	17.5 - 24.1
	\$25,000-\$49,999	19.5	16.3 - 22.8
	\$50,000 or More	17.9	15.2 - 20.6
<b>MARITAL STATUS</b>	Married/Couple	14.9	13.0 - 16.9
	Not Married/Couple	22.1	19.6 - 24.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2019 Florida BRFSS Data

**Tobacco Use & Exposure**

**Percentage of adults who have never used e-cigarettes**

		Measure	95% CI
<b>ALL</b>	Overall	74.1	72.3 - 75.8
<b>SEX</b>	Men	72.2	69.5 - 74.8
	Women	75.7	73.5 - 78.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	72.1	70.3 - 73.9
	Non-Hisp. Black	76.9	71.3 - 82.5
	Hispanic	76.9	72.2 - 81.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	71.1	68.5 - 73.7
	Non-Hisp. White Women	73.0	70.5 - 75.5
	Non-Hisp. Black Men	72.4	63.1 - 81.7
	Non-Hisp. Black Women	80.7	74.2 - 87.2
	Hispanic Men	72.4	65.2 - 79.6
	Hispanic Women	81.0	75.1 - 86.8
<b>AGE GROUP</b>	18-44	59.8	56.3 - 63.2
	45-64	75.5	72.6 - 78.4
	65 & Older	91.1	89.7 - 92.5
<b>EDUCATION LEVEL</b>	<High School	76.4	71.8 - 81.1
	High School / GED	70.9	67.5 - 74.2
	>High School	75.1	72.8 - 77.3
<b>ANNUAL INCOME</b>	<\$25,000	73.3	69.8 - 76.8
	\$25,000-\$49,999	72.0	68.4 - 75.5
	\$50,000 or More	73.5	70.5 - 76.5
<b>MARITAL STATUS</b>	Married/Couple	78.9	76.7 - 81.1
	Not Married/Couple	68.8	66.1 - 71.6

**Percentage of adults who currently use chewing tobacco, snuff, or snus some days or every day**

		Measure	95% CI
<b>ALL</b>	Overall	2.2	1.8 - 2.6
<b>SEX</b>	Men	3.4	2.7 - 4.2
	Women	1.0	0.6 - 1.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	2.5	1.9 - 3.0
	Non-Hisp. Black	2.7	1.1 - 4.2
	Hispanic	1.4	0.7 - 2.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.6	3.5 - 5.7
	Non-Hisp. White Women	0.4	0.2 - 0.6
	Non-Hisp. Black Men	2.1	0.3 - 3.9
	Non-Hisp. Black Women	3.2	0.6 - 5.7
	Hispanic Men	1.8	0.6 - 3.1
	Hispanic Women	1.0	0.2 - 1.9
<b>AGE GROUP</b>	18-44	2.7	1.9 - 3.5
	45-64	2.3	1.5 - 3.1
	65 & Older	1.2	0.7 - 1.7
<b>EDUCATION LEVEL</b>	<High School	4.0	2.1 - 5.9
	High School / GED	2.1	1.5 - 2.8
	>High School	1.8	1.3 - 2.3
<b>ANNUAL INCOME</b>	<\$25,000	2.9	1.9 - 3.9
	\$25,000-\$49,999	1.6	1.1 - 2.2
	\$50,000 or More	2.1	1.4 - 2.8
<b>MARITAL STATUS</b>	Married/Couple	1.8	1.3 - 2.3
	Not Married/Couple	2.7	1.9 - 3.4

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Status &amp; Quality of Life

## Percentage of adults who said their overall health was "good" to "excellent"

		Measure	95% CI
<b>ALL</b>	Overall	80.3	79.0 - 81.5
<b>SEX</b>	Men	81.2	79.5 - 83.0
	Women	79.3	77.6 - 81.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	81.9	80.7 - 83.1
	Non-Hisp. Black	80.5	76.9 - 84.1
	Hispanic	75.9	72.4 - 79.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	82.6	80.9 - 84.3
	Non-Hisp. White Women	81.3	79.6 - 82.9
	Non-Hisp. Black Men	80.4	74.7 - 86.1
	Non-Hisp. Black Women	80.6	76.1 - 85.1
	Hispanic Men	78.1	73.1 - 83.0
	Hispanic Women	74.0	68.9 - 79.1
<b>AGE GROUP</b>	18-44	87.2	85.4 - 89.0
	45-64	77.0	74.6 - 79.4
	65 & Older	72.6	70.2 - 74.9
<b>EDUCATION LEVEL</b>	<High School	57.6	52.6 - 62.5
	High School / GED	78.5	76.2 - 80.9
	>High School	86.0	84.7 - 87.3
<b>ANNUAL INCOME</b>	<\$25,000	63.9	60.5 - 67.2
	\$25,000-\$49,999	82.2	79.8 - 84.5
	\$50,000 or More	91.1	89.8 - 92.4
<b>MARITAL STATUS</b>	Married/Couple	83.7	82.2 - 85.2
	Not Married/Couple	76.4	74.4 - 78.4

## Percentage of adults said their overall health was "fair" or "poor"

		Measure	95% CI
<b>ALL</b>	Overall	19.7	18.5 - 21.0
<b>SEX</b>	Men	18.8	17.0 - 20.5
	Women	20.7	18.9 - 22.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	18.1	16.9 - 19.3
	Non-Hisp. Black	19.5	15.9 - 23.1
	Hispanic	24.1	20.5 - 27.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	17.4	15.7 - 19.1
	Non-Hisp. White Women	18.7	17.1 - 20.4
	Non-Hisp. Black Men	19.6	13.9 - 25.3
	Non-Hisp. Black Women	19.4	14.9 - 23.9
	Hispanic Men	21.9	17.0 - 26.9
	Hispanic Women	26.0	20.9 - 31.1
<b>AGE GROUP</b>	18-44	12.8	11.0 - 14.6
	45-64	23.0	20.6 - 25.4
	65 & Older	27.4	25.1 - 29.8
<b>EDUCATION LEVEL</b>	<High School	42.4	37.5 - 47.4
	High School / GED	21.5	19.1 - 23.8
	>High School	14.0	12.7 - 15.3
<b>ANNUAL INCOME</b>	<\$25,000	36.1	32.8 - 39.5
	\$25,000-\$49,999	17.8	15.5 - 20.2
	\$50,000 or More	8.9	7.6 - 10.2
<b>MARITAL STATUS</b>	Married/Couple	16.3	14.8 - 17.8
	Not Married/Couple	23.6	21.6 - 25.6

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Status &amp; Quality of Life

## Percentage of adults with good physical health for the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	86.2	85.1 - 87.3
<b>SEX</b>	Men	88.0	86.6 - 89.5
	Women	84.5	82.9 - 86.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	85.7	84.6 - 86.9
	Non-Hisp. Black	88.2	85.3 - 91.2
	Hispanic	85.0	81.7 - 88.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	87.6	86.1 - 89.1
	Non-Hisp. White Women	83.9	82.3 - 85.5
	Non-Hisp. Black Men	89.8	85.4 - 94.2
	Non-Hisp. Black Women	86.9	82.9 - 90.8
	Hispanic Men	87.3	83.3 - 91.3
	Hispanic Women	82.8	77.8 - 87.8
<b>AGE GROUP</b>	18-44	92.3	90.8 - 93.9
	45-64	83.1	81.0 - 85.2
	65 & Older	80.0	77.7 - 82.2
<b>EDUCATION LEVEL</b>	<High School	76.0	71.5 - 80.6
	High School / GED	85.0	82.9 - 87.1
	>High School	88.9	87.7 - 90.1
<b>ANNUAL INCOME</b>	<\$25,000	76.1	73.1 - 79.2
	\$25,000-\$49,999	87.1	85.0 - 89.1
	\$50,000 or More	92.3	91.0 - 93.6
<b>MARITAL STATUS</b>	Married/Couple	87.7	86.3 - 89.1
	Not Married/Couple	84.5	82.7 - 86.2

## Percentage of adults who had poor physical health on 14 or more of the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	13.8	12.7 - 14.9
<b>SEX</b>	Men	12.0	10.5 - 13.4
	Women	15.5	13.9 - 17.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	14.3	13.1 - 15.4
	Non-Hisp. Black	11.8	8.8 - 14.7
	Hispanic	15.0	11.8 - 18.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.4	10.9 - 13.9
	Non-Hisp. White Women	16.1	14.5 - 17.7
	Non-Hisp. Black Men	10.2	5.8 - 14.6
	Non-Hisp. Black Women	13.1	9.2 - 17.1
	Hispanic Men	12.7	8.7 - 16.7
	Hispanic Women	17.2	12.2 - 22.2
<b>AGE GROUP</b>	18-44	7.7	6.1 - 9.2
	45-64	16.9	14.8 - 19.0
	65 & Older	20.0	17.8 - 22.3
<b>EDUCATION LEVEL</b>	<High School	24.0	19.4 - 28.5
	High School / GED	15.0	12.9 - 17.1
	>High School	11.1	9.9 - 12.3
<b>ANNUAL INCOME</b>	<\$25,000	23.9	20.8 - 26.9
	\$25,000-\$49,999	12.9	10.9 - 15.0
	\$50,000 or More	7.7	6.4 - 9.0
<b>MARITAL STATUS</b>	Married/Couple	12.3	10.9 - 13.7
	Not Married/Couple	15.5	13.8 - 17.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Status &amp; Quality of Life

## Percentage of adults with good mental health for the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	86.2	85.1 - 87.4
<b>SEX</b>	Men	88.6	87.1 - 90.1
	Women	83.9	82.2 - 85.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	85.0	83.7 - 86.3
	Non-Hisp. Black	87.7	84.3 - 91.1
	Hispanic	87.5	84.5 - 90.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	87.7	86.0 - 89.4
	Non-Hisp. White Women	82.5	80.6 - 84.3
	Non-Hisp. Black Men	86.0	80.0 - 92.1
	Non-Hisp. Black Women	89.1	85.6 - 92.6
	Hispanic Men	91.8	88.8 - 94.8
	Hispanic Women	83.5	78.4 - 88.6
<b>AGE GROUP</b>	18-44	84.4	82.3 - 86.4
	45-64	85.0	82.9 - 87.1
	65 & Older	90.3	88.6 - 91.9
<b>EDUCATION LEVEL</b>	<High School	80.5	76.4 - 84.5
	High School / GED	85.8	83.5 - 88.1
	>High School	87.5	86.2 - 88.9
<b>ANNUAL INCOME</b>	<\$25,000	79.1	76.2 - 82.1
	\$25,000-\$49,999	86.6	84.3 - 88.8
	\$50,000 or More	90.7	89.2 - 92.2
<b>MARITAL STATUS</b>	Married/Couple	89.3	88.0 - 90.7
	Not Married/Couple	82.6	80.7 - 84.5

## Percentage of adults who had poor mental health on 14 or more of the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	13.8	12.6 - 14.9
<b>SEX</b>	Men	11.4	9.9 - 12.9
	Women	16.1	14.3 - 17.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	15.0	13.7 - 16.3
	Non-Hisp. Black	12.3	8.9 - 15.7
	Hispanic	12.5	9.4 - 15.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.3	10.6 - 14.0
	Non-Hisp. White Women	17.5	15.7 - 19.4
	Non-Hisp. Black Men	14.0	7.9 - 20.0
	Non-Hisp. Black Women	10.9	7.4 - 14.4
	Hispanic Men	8.2	5.2 - 11.2
	Hispanic Women	16.5	11.4 - 21.6
<b>AGE GROUP</b>	18-44	15.6	13.6 - 17.7
	45-64	15.0	12.9 - 17.1
	65 & Older	9.7	8.1 - 11.4
<b>EDUCATION LEVEL</b>	<High School	19.5	15.5 - 23.6
	High School / GED	14.2	11.9 - 16.5
	>High School	12.5	11.1 - 13.8
<b>ANNUAL INCOME</b>	<\$25,000	20.9	17.9 - 23.8
	\$25,000-\$49,999	13.4	11.2 - 15.7
	\$50,000 or More	9.3	7.8 - 10.8
<b>MARITAL STATUS</b>	Married/Couple	10.7	9.3 - 12.0
	Not Married/Couple	17.4	15.5 - 19.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Status &amp; Quality of Life

Percentage of adults whose poor physical or mental health kept them from doing usual activities on 14 or more of the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	18.3	16.6 - 19.9
<b>SEX</b>	Men	17.8	15.3 - 20.3
	Women	18.6	16.3 - 20.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	19.5	17.6 - 21.3
	Non-Hisp. Black	17.8	12.0 - 23.6
	Hispanic	15.6	11.2 - 19.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	18.8	16.1 - 21.5
	Non-Hisp. White Women	20.0	17.5 - 22.5
	Non-Hisp. Black Men	19.6	9.7 - 29.5
	Non-Hisp. Black Women	16.3	9.7 - 23.0
	Hispanic Men	14.7	8.7 - 20.7
	Hispanic Women	16.1	10.2 - 22.1
<b>AGE GROUP</b>	18-44	12.3	9.7 - 14.9
	45-64	24.1	20.8 - 27.5
	65 & Older	21.7	18.8 - 24.5
<b>EDUCATION LEVEL</b>	<High School	30.2	24.1 - 36.3
	High School / GED	18.1	15.0 - 21.2
	>High School	15.6	13.6 - 17.6
<b>ANNUAL INCOME</b>	<\$25,000	27.2	23.1 - 31.2
	\$25,000-\$49,999	17.1	13.6 - 20.6
	\$50,000 or More	11.1	9.0 - 13.2
<b>MARITAL STATUS</b>	Married/Couple	17.6	15.3 - 19.9
	Not Married/Couple	18.8	16.3 - 21.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Status &amp; Quality of Life

## Average number of unhealthy physical days in the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	4.4	4.1 - 4.7
<b>SEX</b>	Men	3.8	3.4 - 4.2
	Women	4.9	4.5 - 5.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.5	4.2 - 4.7
	Non-Hisp. Black	3.8	3.0 - 4.6
	Hispanic	4.8	3.9 - 5.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	3.9	3.5 - 4.2
	Non-Hisp. White Women	5.0	4.6 - 5.4
	Non-Hisp. Black Men	3.4	2.2 - 4.7
	Non-Hisp. Black Women	4.2	3.1 - 5.2
	Hispanic Men	4.0	2.9 - 5.0
	Hispanic Women	5.5	4.2 - 6.8
<b>AGE GROUP</b>	18-44	2.8	2.4 - 3.3
	45-64	5.1	4.6 - 5.6
	65 & Older	6.0	5.4 - 6.6
<b>EDUCATION LEVEL</b>	<High School	7.2	6.1 - 8.3
	High School / GED	4.7	4.1 - 5.2
	>High School	3.6	3.3 - 4.0
<b>ANNUAL INCOME</b>	<\$25,000	7.1	6.3 - 7.8
	\$25,000-\$49,999	4.1	3.6 - 4.6
	\$50,000 or More	2.7	2.3 - 3.0
<b>MARITAL STATUS</b>	Married/Couple	3.9	3.5 - 4.2
	Not Married/Couple	4.9	4.5 - 5.4

## Average number of unhealthy mental days in the past 30 days

		Measure	95% CI
<b>ALL</b>	Overall	4.4	4.1 - 4.7
<b>SEX</b>	Men	3.7	3.3 - 4.1
	Women	5.0	4.5 - 5.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.6	4.3 - 4.9
	Non-Hisp. Black	4.0	3.1 - 4.9
	Hispanic	4.2	3.3 - 5.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	3.9	3.5 - 4.4
	Non-Hisp. White Women	5.2	4.8 - 5.7
	Non-Hisp. Black Men	4.3	2.7 - 5.8
	Non-Hisp. Black Women	3.8	2.8 - 4.7
	Hispanic Men	2.9	2.1 - 3.7
	Hispanic Women	5.4	4.0 - 6.8
<b>AGE GROUP</b>	18-44	5.1	4.6 - 5.6
	45-64	4.5	4.0 - 5.1
	65 & Older	3.0	2.6 - 3.5
<b>EDUCATION LEVEL</b>	<High School	5.9	4.8 - 7.0
	High School / GED	4.5	3.9 - 5.1
	>High School	4.0	3.6 - 4.4
<b>ANNUAL INCOME</b>	<\$25,000	6.3	5.5 - 7.1
	\$25,000-\$49,999	4.3	3.8 - 4.9
	\$50,000 or More	3.2	2.8 - 3.6
<b>MARITAL STATUS</b>	Married/Couple	3.4	3.1 - 3.8
	Not Married/Couple	5.5	5.0 - 6.0

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Status &amp; Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (among adults who have had at least one day of poor mental or physical health)

		Measure	95% CI
<b>ALL</b>	Overall	5.6	5.2 - 6.0
<b>SEX</b>	Men	5.5	4.8 - 6.1
	Women	5.7	5.1 - 6.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.9	5.4 - 6.3
	Non-Hisp. Black	5.3	4.0 - 6.5
	Hispanic	5.2	4.1 - 6.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.8	5.1 - 6.4
	Non-Hisp. White Women	6.0	5.4 - 6.5
	Non-Hisp. Black Men	5.9	3.6 - 8.3
	Non-Hisp. Black Women	4.8	3.6 - 5.9
	Hispanic Men	5.0	3.3 - 6.6
	Hispanic Women	5.3	3.9 - 6.8
<b>AGE GROUP</b>	18-44	4.0	3.4 - 4.6
	45-64	7.3	6.4 - 8.1
	65 & Older	6.4	5.7 - 7.1
<b>EDUCATION LEVEL</b>	<High School	8.7	7.2 - 10.2
	High School / GED	5.5	4.8 - 6.1
	>High School	5.0	4.5 - 5.5
<b>ANNUAL INCOME</b>	<\$25,000	8.0	7.0 - 9.1
	\$25,000-\$49,999	5.3	4.6 - 6.1
	\$50,000 or More	3.7	3.2 - 4.3
<b>MARITAL STATUS</b>	Married/Couple	5.3	4.7 - 5.8
	Not Married/Couple	5.9	5.3 - 6.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Care Access &amp; Coverage

## Percentage of adults with any type of health care insurance coverage

		Measure	95% CI
<b>ALL</b>	Overall	84.2	83.0 - 85.4
<b>SEX</b>	Men	81.9	80.0 - 83.9
	Women	86.3	84.8 - 87.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	88.6	87.4 - 89.7
	Non-Hisp. Black	81.4	77.3 - 85.4
	Hispanic	76.1	72.7 - 79.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	86.2	84.3 - 88.1
	Non-Hisp. White Women	90.8	89.4 - 92.1
	Non-Hisp. Black Men	78.6	72.3 - 85.0
	Non-Hisp. Black Women	83.7	78.5 - 89.0
	Hispanic Men	73.8	68.4 - 79.2
	Hispanic Women	78.2	73.9 - 82.6
<b>AGE GROUP</b>	18-44	75.4	73.1 - 77.7
	45-64	83.5	81.1 - 85.9
	65 & Older	98.1	97.4 - 98.8
<b>EDUCATION LEVEL</b>	<High School	69.0	64.4 - 73.6
	High School / GED	83.1	80.9 - 85.3
	>High School	88.0	86.5 - 89.5
<b>ANNUAL INCOME</b>	<\$25,000	76.1	73.2 - 79.1
	\$25,000-\$49,999	81.9	78.8 - 85.0
	\$50,000 or More	92.7	91.3 - 94.1
<b>MARITAL STATUS</b>	Married/Couple	88.0	86.5 - 89.5
	Not Married/Couple	79.9	77.8 - 82.0

## Percentage of adults who have a personal doctor

		Measure	95% CI
<b>ALL</b>	Overall	72.0	70.5 - 73.5
<b>SEX</b>	Men	66.6	64.3 - 68.9
	Women	77.1	75.2 - 79.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	76.8	75.3 - 78.3
	Non-Hisp. Black	72.1	67.6 - 76.6
	Hispanic	61.5	57.4 - 65.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	72.5	70.1 - 74.8
	Non-Hisp. White Women	80.9	79.0 - 82.9
	Non-Hisp. Black Men	65.7	58.4 - 73.0
	Non-Hisp. Black Women	77.6	72.3 - 82.9
	Hispanic Men	54.9	48.8 - 60.9
	Hispanic Women	67.5	62.3 - 72.8
<b>AGE GROUP</b>	18-44	54.6	51.9 - 57.4
	45-64	77.9	75.2 - 80.5
	65 & Older	91.2	89.6 - 92.7
<b>EDUCATION LEVEL</b>	<High School	60.4	55.4 - 65.3
	High School / GED	70.3	67.4 - 73.1
	>High School	75.3	73.5 - 77.2
<b>ANNUAL INCOME</b>	<\$25,000	69.2	66.0 - 72.3
	\$25,000-\$49,999	68.9	65.5 - 72.4
	\$50,000 or More	77.4	75.1 - 79.7
<b>MARITAL STATUS</b>	Married/Couple	76.2	74.2 - 78.1
	Not Married/Couple	67.2	64.9 - 69.6

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Care Access &amp; Coverage

## Percentage of adults who could not see a doctor in the past year due to cost

		Measure	95% CI
<b>ALL</b>	Overall	16.0	14.8 - 17.3
<b>SEX</b>	Men	15.8	13.9 - 17.8
	Women	16.2	14.6 - 17.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	13.5	12.3 - 14.7
	Non-Hisp. Black	16.8	13.0 - 20.7
	Hispanic	22.7	19.0 - 26.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.7	10.9 - 14.5
	Non-Hisp. White Women	14.3	12.6 - 15.9
	Non-Hisp. Black Men	15.9	9.9 - 21.9
	Non-Hisp. Black Women	17.7	12.6 - 22.7
	Hispanic Men	25.2	19.4 - 31.0
	Hispanic Women	20.4	15.9 - 24.8
<b>AGE GROUP</b>	18-44	21.9	19.6 - 24.2
	45-64	19.3	16.8 - 21.8
	65 & Older	3.7	3.0 - 4.4
<b>EDUCATION LEVEL</b>	<High School	21.4	17.7 - 25.0
	High School / GED	16.9	14.6 - 19.3
	>High School	14.5	12.8 - 16.2
<b>ANNUAL INCOME</b>	<\$25,000	25.7	22.8 - 28.6
	\$25,000-\$49,999	19.6	16.4 - 22.8
	\$50,000 or More	9.2	7.4 - 11.0
<b>MARITAL STATUS</b>	Married/Couple	13.0	11.4 - 14.7
	Not Married/Couple	19.5	17.4 - 21.5

## Percentage of adults who had a medical checkup in the past year

		Measure	95% CI
<b>ALL</b>	Overall	78.8	77.4 - 80.2
<b>SEX</b>	Men	74.1	71.8 - 76.3
	Women	83.2	81.5 - 84.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	80.6	79.2 - 81.9
	Non-Hisp. Black	82.7	78.9 - 86.4
	Hispanic	73.0	69.2 - 76.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	77.3	75.1 - 79.4
	Non-Hisp. White Women	83.6	81.9 - 85.4
	Non-Hisp. Black Men	75.8	69.3 - 82.4
	Non-Hisp. Black Women	88.6	84.9 - 92.3
	Hispanic Men	66.9	61.2 - 72.7
	Hispanic Women	78.4	73.6 - 83.3
<b>AGE GROUP</b>	18-44	65.5	62.8 - 68.2
	45-64	82.3	80.2 - 84.5
	65 & Older	94.1	92.8 - 95.3
<b>EDUCATION LEVEL</b>	<High School	73.7	69.5 - 78.0
	High School / GED	77.4	74.7 - 80.0
	>High School	80.4	78.7 - 82.1
<b>ANNUAL INCOME</b>	<\$25,000	77.4	74.6 - 80.3
	\$25,000-\$49,999	76.7	73.7 - 79.7
	\$50,000 or More	81.6	79.4 - 83.7
<b>MARITAL STATUS</b>	Married/Couple	81.8	80.0 - 83.6
	Not Married/Couple	75.4	73.3 - 77.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

---

## GLOSSARY

---

### 2019 Florida Behavioral Risk Factor Surveillance System Data

<b>Activities of Daily Living</b>	Usual activities, such as self-care, work or recreation.
<b>Adult</b>	Individual aged 18 years or older.
<b>Angina</b>	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
<b>Arthritis</b>	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint and other connective tissue; pattern, severity and location of symptoms can vary.
<b>Asthma</b>	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness and nighttime or early morning coughing.
<b>Binge Drinking*</b>	For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days.
<b>Blood Glucose</b>	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
<b>Blood Pressure</b>	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels and the lowest, or diastolic, occurs when the heart rests.
<b>Blood Sugar</b>	See Blood Glucose
<b>Body Mass Index (BMI)</b>	A number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
<b>Cancer</b>	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
<b>Cholesterol</b>	A substance the body uses to produce hormones, vitamin D and food-digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack or angina.
<b>Chronic Bronchitis</b>	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
<b>Chronic Diseases</b>	Diseases of long duration and generally slow progression (e.g., heart disease, stroke, cancer, diabetes); represent the leading causes of mortality worldwide.
<b>Chronic Obstructive Pulmonary</b>	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
<b>Coronary Artery Disease (CAD)</b>	Most common type of heart disease; occurs when a substance called plaque builds up on the inner walls of the arteries that supply blood to the heart, called coronary arteries; most common cause of a heart attack.
<b>Coronary Heart Disease (CHD)</b>	See Coronary Artery Disease (CAD)
<b>Current Smoker*</b>	Combination of everyday smoker and some days smoker.
<b>Depressive Disorders</b>	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite and mental processes are a common accompaniment.
<b>Diabetes</b>	General term for diabetes mellitus; disease in which blood glucose levels are above normal.
<b>E-Cigarettes</b>	An e-cigarette, also known as an electronic cigarette, is a device that allows a user to inhale nicotine and other vapors.
<b>Emphysema</b>	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD).

\*This term is defined using BRFSS standards.

---

## GLOSSARY

---

### 2019 Florida Behavioral Risk Factor Surveillance System Data

<b>Exercise</b>	See Physical Activity
<b>Fibromyalgia</b>	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
<b>Flu</b>	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
<b>Flu Shot</b>	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist or drop in the nose.
<b>Former Smoker</b>	Adults who reported smoking at least 100 cigarettes in their lifetimes but reported not smoking now.
<b>Gout</b>	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness and swelling of a joint.
<b>Health Behavior</b>	An action taken by a person to maintain, attain or regain good health and to prevent illness.
<b>Health Care Coverage</b>	Health insurance, pre-paid plans such as HMO's, government plans such as Medicare.
<b>Health Care Provider</b>	A person who by education, training, certification or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor, nurse practitioner, physician assistant, registered nurse).
<b>Health Risk Behavior</b>	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity, poor nutrition, tobacco use, excessive alcohol consumption).
<b>Healthy Weight</b>	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
<b>Heart Attack</b>	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
<b>Heavy Drinking*</b>	For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days.
<b>High Blood Cholesterol</b>	Condition where there is too much cholesterol in the blood for an extended period of time; increases the risk of coronary heart disease, heart attack or angina.
<b>High Blood Pressure</b>	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries and increases the risk of heart attack, stroke and kidney problems.
<b>Hispanic</b>	Adults of Cuban, Mexican, Puerto Rican, South or Central American or other Spanish culture or origin, regardless of race; self-reported demographic variable.
<b>HIV</b>	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
<b>Hypertension</b>	See High Blood Pressure
<b>Influenza</b>	See Flu
<b>Kidney Disease</b>	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
<b>Mental Health</b>	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully and is able to make a contribution to his or her community.
<b>Muscle Strengthening Recommendations*</b>	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights or elastic bands, at least two times per week in the past 30 days.
<b>Never Smoked*</b>	Adults who reported smoking less than 100 cigarettes in their lifetime.
<b>Non-Hispanic Black</b>	Adults not of Hispanic culture or origins reporting membership in only the black race category; self-reported demographic variable.

\*This term is defined using BRFSS standards.

---

## GLOSSARY

---

### 2019 Florida Behavioral Risk Factor Surveillance System Data

<b>Non-Hispanic White</b>	Adults not of Hispanic culture or origins reporting membership in only the white race category; self-reported demographic variable.
<b>Non-Smoker*</b>	Combination of former smoker and never smoked.
<b>Obese</b>	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
<b>Obesity</b>	A condition characterized by being obese.
<b>Overweight</b>	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
<b>Personal Doctor</b>	A health care provider that an adult identifies as their personal health care provider.
<b>Physical Activity</b>	Any bodily movement produced by the contraction of skeletal muscle that increases energy expenditure above basal level and that enhances or maintains physical fitness and overall health and wellness.
<b>Pneumococcal Vaccination</b>	Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia.
<b>Pneumonia</b>	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness.
<b>Poor Mental Health</b>	Adults who report that their mental health, which includes stress, depression and problems with emotions, was not good on 14 or more of the previous 30 days.
<b>Poor Physical Health</b>	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
<b>Pre-Diabetes</b>	A condition in which an individual's blood sugar is high, but not high enough to be diagnosed as diabetes.
<b>Race/Ethnicity</b>	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
<b>Routine Checkup</b>	A general physical exam; does not include exams conducted for a specific injury, illness or condition.
<b>Sex</b>	The condition or character of being male or female; self-reported demographic variable.
<b>Smoking</b>	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
<b>Stroke</b>	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.

\*This term is defined using BRFSS standards.

## 2019 Florida Behavioral Risk Factor Surveillance System Data

### Healthy People 2020 Objectives

#### Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

#### Arthritis

AOCBD-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

#### Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

#### Cholesterol Awareness

HDS-7. Reduce the proportion of adults with high total blood cholesterol levels

#### Diabetes

D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination

D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination

D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year

D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education

#### Health Care Access & Coverage

AHS-1. Increase the proportion of persons with medical insurance

AHS-3. Increase the proportion of persons with a usual primary care provider

AHS-6.2. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care

#### Health Status & Quality of Life

HRQOL/WB-1.1. Increase the proportion of adults who self-report good or better physical health

HRQOL/WB-1.2. Increase the proportion of adults who self-report good or better mental health

#### HIV/AIDS Screening

HIV-14.1. Increase the proportion of adolescents and adults who have ever been tested for HIV

#### Hypertension Awareness & Control

HDS-5.1. Reduce the proportion of adults with hypertension

## 2019 Florida Behavioral Risk Factor Surveillance System Data

### Healthy People 2020 Objectives

#### Immunization

IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated annually against seasonal influenza

IID-12.12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

#### Kidney Disease

CKD-1. Reduce the proportion of the U.S. population with chronic kidney disease

#### Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

#### Physical Activity & Nutrition

PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity

NWS-14. Increase the contribution of fruits to the diets of the population aged 2 years and older

NWS-15. Increase the variety and contribution of vegetables to the diets of the population aged 2 years and older

PA-2.1. Increase the proportion of adults who engage in aerobic physical activity of at least moderate intensity for at least 150 minutes/week, or 75 minutes/week of vigorous intensity, or an equivalent combination

PA-2.3. Increase the proportion of adults who perform muscle-strengthening activities on 2 or more days of the week

#### Tobacco Use & Exposure

TU-1.1. Reduce cigarette smoking by adults

TU-4. Increase smoking cessation attempts by adult smokers

#### Vision Impairment

V-5. Reduce visual impairment

***The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented.***



Prepared by:

Justine Gunderson, PhD  
Dwayne Mitchell, MPH

If you have any questions or comments  
please contact:

Florida Department of Health  
Division of Community Health Promotion  
Public Health Research  
4052 Bald Cypress Way, Bin A-24  
Tallahassee, Florida 32399-1744

Phone: 850-245-4793 or 866-779-6122  
BRFSS@flhealth.gov  
[www.floridahealth.gov/BRFSS](http://www.floridahealth.gov/BRFSS)