

# FLORIDA BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS) 2013 DATA



Florida Department of Health  
Division of Disease Control and Health Protection  
Bureau of Epidemiology  
Chronic Disease Epidemiology Section

Rick Scott  
Governor

John H. Armstrong, MD, FACS  
State Surgeon General & Secretary

# Introduction

The Florida Department of Health is pleased to release the 2013 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults.

The 2013 BRFSS was the fourth county-level survey conducted. It was previously conducted in 2002, 2007, and 2010. The 2013 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes.

Over 34,000 interviews were completed statewide in the 2013 calendar year, with a target sample size of 500 completed surveys in each county.

Broward County had approximately 1,396,944 adult residents in 2013, based on Florida CHARTS, and 931 adults responded to the 2013 county-level BRFSS survey.

The 2013 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. The following data tables present the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the confidence intervals overlap, there is no statistically significant difference in the prevalence rates. However, if the confidence intervals do not overlap, there is a statistically significant difference. The significance of measures with very wide confidence intervals should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or "weighted," by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2013 may not be comparable to data collected before 2011.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

# County Highlights

## Strengths\*

- Low percentage of adults who have ever been told they had skin cancer
- Low percentage of adults who have ever been told they had hypertension
- Low percentage of adults who are current smokers

## Challenges\*

- Low percentage of adults who received a flu shot in the past year

<b>Selected Indicators**</b>	<b>Percentage (%)</b>	<b>Estimated affected adult population</b>
Adults who are current smokers	12.1	169,147
Adults who are obese	25.8	360,632
Adults who are physically inactive or insufficiently active	54.4	759,703
Adults who have ever been told they had diabetes	10.7	149,283

---

---

\* These selected strengths and challenges are significantly different compared with overall state data.

\*\* These four selected indicators were used in the America's Health Rankings Report (2013 Edition).

**2013 Florida BRFSS Data  
Table of Contents**

---

<b>Health Status</b>	
Arthritis	1
Asthma	3
Cancer Prevalence	4
Cardiovascular Disease	5
Cholesterol Awareness	7
Chronic Obstructive Pulmonary Disease	8
Depression	9
Diabetes	10
Disability	14
Hypertension Awareness	15
Kidney Disease	16
Overweight & Obesity	17
Vision Impairment	19
<b>Health-Related Behaviors</b>	
Alcohol Consumption	20
Tobacco Use & Exposure	21
Physical Activity & Nutrition	23
<b>Health-Related Prevention</b>	
Cancer Screening/Breast	26
Cancer Screening/Cervical	27
Cancer Screening/Colorectal	28
HIV/AIDS Screening	29
Immunization	30
Injury Prevention	33
<b>Health-Related Quality of Life</b>	34
<b>Health Care Access &amp; Coverage</b>	38
<b>Glossary</b>	Appendix I
<b>Healthy People 2020 Objectives</b>	Appendix II

## Arthritis

Percentage of adults who have ever been told they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	20.3 *	16.4 - 24.1	26.0	25.1 - 26.9
<b>SEX</b>	Men	17.0	11.6 - 22.4	22.0	20.7 - 23.3
	Women	23.3	17.9 - 28.8	29.8	28.5 - 31.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	31.0	25.0 - 37.0	32.1	31.1 - 33.2
	Non-Hisp. Black	12.0	4.4 - 19.5	18.6	16.2 - 21.1
	Hispanic	15.4	7.1 - 23.6	16.9	14.5 - 19.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	28.2	18.5 - 38.0	28.3	26.7 - 29.9
	Non-Hisp. White Women	33.5	26.3 - 40.8	35.8	34.4 - 37.2
	Non-Hisp. Black Men	11.7	0.0 - 24.4	15.9	12.3 - 19.6
	Non-Hisp. Black Women	12.2	4.2 - 20.2	21.1	17.8 - 24.3
	Hispanic Men	8.3	2.0 - 14.6	11.1	8.4 - 13.8
	Hispanic Women	22.8	8.1 - 37.6	22.4	18.5 - 26.3
<b>AGE GROUP</b>	18-44	8.6	3.2 - 14.0	8.6	7.5 - 9.7
	45-64	18.1 *	11.8 - 24.4	30.8	29.1 - 32.6
	65 & Older	52.6	44.9 - 60.3	51.1	49.3 - 52.9
<b>EDUCATION LEVEL</b>	<High School	33.9	17.4 - 50.3	30.4	27.1 - 33.7
	High School / GED	22.4	14.0 - 30.8	27.2	25.4 - 29.0
	>High School	16.5 *	12.9 - 20.0	24.2	23.1 - 25.3
<b>ANNUAL INCOME</b>	<\$25,000	24.5	16.6 - 32.5	29.9	28.0 - 31.9
	\$25,000-\$49,999	20.3	11.4 - 29.1	26.8	24.9 - 28.7
	\$50,000 or More	14.1 *	9.2 - 18.9	21.8	20.3 - 23.2
<b>MARITAL STATUS</b>	Married/Couple	20.5	14.6 - 26.5	27.2	25.9 - 28.4
	Not Married/Couple	20.4	15.3 - 25.6	24.7	23.3 - 26.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Arthritis

## Percentage of adults who are limited in any way in any usual activities because of arthritis

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	12.3	9.0 - 15.6	12.8	12.1 - 13.5
<b>SEX</b>	Men	7.7	3.9 - 11.4	10.2	9.2 - 11.1
	Women	16.7	11.4 - 21.9	15.3	14.2 - 16.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	16.4	11.8 - 21.0	15.2	14.4 - 15.9
	Non-Hisp. Black	7.9	1.0 - 14.9	9.6	7.7 - 11.5
	Hispanic	12.1	4.3 - 20.0	9.5	7.5 - 11.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.8	5.7 - 18.0	12.7	11.5 - 13.8
	Non-Hisp. White Women	20.6	14.0 - 27.3	17.5	16.4 - 18.6
	Non-Hisp. Black Men	6.8	0.0 - 18.5	7.6	4.9 - 10.3
	Non-Hisp. Black Women	9.1	1.6 - 16.6	11.4	8.8 - 13.9
	Hispanic Men	3.9	0.0 - 8.1	5.6	3.5 - 7.7
	Hispanic Women	20.9	6.3 - 35.5	13.3	10.0 - 16.7
<b>AGE GROUP</b>	18-44	6.0	1.6 - 10.4	4.3	3.5 - 5.1
	45-64	13.0	7.1 - 18.9	17.2	15.7 - 18.7
	65 & Older	27.1	19.3 - 35.0	22.7	21.2 - 24.2
<b>EDUCATION LEVEL</b>	<High School	22.2	7.5 - 36.9	16.0	13.4 - 18.5
	High School / GED	13.5	6.1 - 21.0	13.4	12.0 - 14.9
	>High School	9.7	6.8 - 12.7	11.6	10.8 - 12.5
<b>ANNUAL INCOME</b>	<\$25,000	17.8	10.6 - 25.0	18.4	16.8 - 20.1
	\$25,000-\$49,999	11.4	4.0 - 18.7	12.2	10.8 - 13.6
	\$50,000 or More	8.1	3.9 - 12.2	9.0	8.0 - 10.0
<b>MARITAL STATUS</b>	Married/Couple	11.1	6.2 - 16.0	12.7	11.7 - 13.6
	Not Married/Couple	13.7	9.0 - 18.3	13.1	12.0 - 14.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Asthma

## Percentage of adults who currently have asthma

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	6.7	4.1 - 9.3	8.3	7.6 - 8.9
<b>SEX</b>	Men	4.2	1.5 - 6.9	5.7	4.8 - 6.5
	Women	9.0	4.8 - 13.3	10.7	9.7 - 11.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	6.9	3.5 - 10.4	8.3	7.6 - 9.0
	Non-Hisp. Black	8.7	2.3 - 15.1	8.9	6.9 - 10.8
	Hispanic	7.3	0.8 - 13.8	8.3	6.3 - 10.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.6	2.3 - 15.0	6.1	5.0 - 7.2
	Non-Hisp. White Women	5.5 *	2.1 - 8.8	10.4	9.5 - 11.3
	Non-Hisp. Black Men	1.7	0.0 - 5.1	5.7	3.3 - 8.0
	Non-Hisp. Black Women	16.0	4.1 - 27.8	11.7	8.7 - 14.7
	Hispanic Men	1.1	0.0 - 3.2	5.2	2.9 - 7.4
	Hispanic Women	13.9	1.4 - 26.5	11.4	8.1 - 14.6
<b>AGE GROUP</b>	18-44	3.6 *	0.3 - 6.9	8.0	7.0 - 8.9
	45-64	8.6	3.4 - 13.9	9.1	7.8 - 10.5
	65 & Older	10.4	5.2 - 15.7	7.8	6.8 - 8.8
<b>EDUCATION LEVEL</b>	<High School	14.4	1.5 - 27.3	12.5	9.7 - 15.3
	High School / GED	4.6	1.1 - 8.0	7.3	6.3 - 8.3
	>High School	5.9	3.3 - 8.5	7.7	7.0 - 8.4
<b>ANNUAL INCOME</b>	<\$25,000	12.6	6.6 - 18.6	12.4	10.8 - 14.0
	\$25,000-\$49,999	4.5	0.0 - 10.4	6.9	5.7 - 8.0
	\$50,000 or More	4.7	0.9 - 8.5	6.0	5.1 - 6.9
<b>MARITAL STATUS</b>	Married/Couple	7.0	2.3 - 11.6	6.7	6.0 - 7.5
	Not Married/Couple	6.7	3.9 - 9.5	10.2	9.0 - 11.3

## Percentage of adults who have ever been told they had asthma

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	11.3	8.0 - 14.6	13.5	12.7 - 14.4
<b>SEX</b>	Men	9.4	5.4 - 13.4	11.5	10.3 - 12.6
	Women	13.0	8.0 - 18.1	15.5	14.3 - 16.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.8	6.8 - 14.8	13.2	12.4 - 14.0
	Non-Hisp. Black	12.6	5.0 - 20.2	14.2	11.7 - 16.8
	Hispanic	13.0	4.7 - 21.3	14.6	12.0 - 17.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.0	5.1 - 19.0	11.5	10.3 - 12.8
	Non-Hisp. White Women	9.7	5.3 - 14.1	14.8	13.7 - 15.9
	Non-Hisp. Black Men	7.6	0.0 - 16.5	13.3	9.2 - 17.4
	Non-Hisp. Black Women	17.8	5.8 - 29.9	15.1	11.9 - 18.3
	Hispanic Men	5.0	0.0 - 10.0	10.8	7.8 - 13.8
	Hispanic Women	21.4	6.3 - 36.6	18.1	14.1 - 22.2
<b>AGE GROUP</b>	18-44	9.4	4.2 - 14.5	14.8	13.3 - 16.2
	45-64	12.6	6.8 - 18.4	13.9	12.4 - 15.4
	65 & Older	13.8	8.2 - 19.4	11.0	9.9 - 12.2
<b>EDUCATION LEVEL</b>	<High School	16.4	3.3 - 29.5	16.9	13.9 - 20.0
	High School / GED	8.3	3.3 - 13.3	13.3	11.7 - 14.9
	>High School	11.4	7.5 - 15.3	12.8	11.9 - 13.7
<b>ANNUAL INCOME</b>	<\$25,000	18.9	11.2 - 26.6	18.5	16.6 - 20.4
	\$25,000-\$49,999	7.4	1.0 - 13.7	12.1	10.5 - 13.8
	\$50,000 or More	9.7	4.6 - 14.7	10.5	9.3 - 11.6
<b>MARITAL STATUS</b>	Married/Couple	10.5	5.5 - 15.4	11.7	10.7 - 12.8
	Not Married/Couple	12.4	8.0 - 16.8	15.8	14.4 - 17.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Prevalence

## Percentage of adults who have ever been told they had skin cancer

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	6.5 *	4.9 - 8.2	9.2	8.7 - 9.7
<b>SEX</b>	Men	6.3 *	4.0 - 8.6	9.5	8.8 - 10.3
	Women	6.8	4.4 - 9.2	8.9	8.3 - 9.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	14.8	11.0 - 18.6	14.8	14.1 - 15.5
	Non-Hisp. Black	0.0		0.4	0.0 - 0.8
	Hispanic	1.9	0.0 - 3.8	2.2	1.4 - 3.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.4	8.9 - 20.0	15.1	13.9 - 16.2
	Non-Hisp. White Women	15.2	10.0 - 20.4	14.6	13.6 - 15.5
	Non-Hisp. Black Men	0.0		0.7	0.0 - 1.5
	Non-Hisp. Black Women	0.0		0.1	0.0 - 0.2
	Hispanic Men	2.4	0.0 - 5.4	2.8	1.5 - 4.1
	Hispanic Women	1.3	0.0 - 3.9	1.6	0.8 - 2.5
<b>AGE GROUP</b>	18-44	1.4	0.0 - 2.8	1.5	1.1 - 1.9
	45-64	4.3 *	1.9 - 6.6	8.5	7.6 - 9.4
	65 & Older	23.5	17.4 - 29.6	24.1	22.7 - 25.4
<b>EDUCATION LEVEL</b>	<High School	2.5	0.0 - 5.8	6.4	5.1 - 7.7
	High School / GED	10.3	5.3 - 15.3	8.7	7.9 - 9.6
	>High School	6.0 *	4.2 - 7.7	10.3	9.6 - 10.9
<b>ANNUAL INCOME</b>	<\$25,000	7.0	3.4 - 10.7	6.7	5.9 - 7.5
	\$25,000-\$49,999	6.8	3.4 - 10.2	9.8	8.9 - 10.8
	\$50,000 or More	5.4 *	3.0 - 7.7	10.4	9.5 - 11.3
<b>MARITAL STATUS</b>	Married/Couple	6.6 *	4.1 - 9.1	10.7	10.0 - 11.5
	Not Married/Couple	6.7	4.4 - 9.0	7.5	6.9 - 8.0

## Percentage of adults who have ever been told they had any other type of cancer except skin cancer

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	6.8	4.9 - 8.7	7.6	7.1 - 8.1
<b>SEX</b>	Men	7.1	4.2 - 10.1	6.7	6.0 - 7.3
	Women	6.4	3.9 - 8.9	8.4	7.6 - 9.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	11.6	7.9 - 15.3	10.0	9.4 - 10.6
	Non-Hisp. Black	4.2	0.7 - 7.7	4.3	3.2 - 5.5
	Hispanic	3.0	0.3 - 5.7	4.2	2.7 - 5.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.6	6.8 - 18.3	8.9	8.1 - 9.8
	Non-Hisp. White Women	10.7	5.9 - 15.5	10.9	10.1 - 11.8
	Non-Hisp. Black Men	5.2	0.0 - 11.2	3.7	2.2 - 5.1
	Non-Hisp. Black Women	3.2	0.0 - 6.8	4.9	3.1 - 6.7
	Hispanic Men	3.9	0.0 - 8.4	3.6	2.1 - 5.1
	Hispanic Women	2.0	0.0 - 4.9	4.8	2.4 - 7.2
<b>AGE GROUP</b>	18-44	1.9	0.0 - 3.9	2.6	1.9 - 3.3
	45-64	5.2	2.5 - 8.0	5.9	5.1 - 6.6
	65 & Older	19.8	13.4 - 26.2	18.8	17.5 - 20.1
<b>EDUCATION LEVEL</b>	<High School	3.7	0.0 - 8.8	6.7	5.1 - 8.3
	High School / GED	6.7	3.1 - 10.3	7.3	6.3 - 8.3
	>High School	7.5	5.0 - 10.0	7.9	7.3 - 8.5
<b>ANNUAL INCOME</b>	<\$25,000	7.2	3.6 - 10.8	7.0	6.0 - 7.9
	\$25,000-\$49,999	7.5	3.1 - 11.8	8.2	7.0 - 9.4
	\$50,000 or More	6.2	3.1 - 9.3	7.4	6.6 - 8.2
<b>MARITAL STATUS</b>	Married/Couple	8.9	5.6 - 12.3	8.6	7.8 - 9.4
	Not Married/Couple	5.0	2.9 - 7.0	6.3	5.7 - 6.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cardiovascular Disease

## Percentage of adults who have ever been told they had angina or coronary heart disease

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	3.5	1.5 - 5.4	5.0	4.6 - 5.4
<b>SEX</b>	Men	4.3	0.6 - 7.9	6.3	5.6 - 7.0
	Women	2.7	0.9 - 4.5	3.8	3.3 - 4.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	6.3	2.1 - 10.5	6.5	5.9 - 7.0
	Non-Hisp. Black	3.2	0.0 - 7.5	4.2	2.8 - 5.7
	Hispanic	0.2 *	0.0 - 0.5	2.5	1.6 - 3.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	9.2	0.8 - 17.7	8.4	7.4 - 9.3
	Non-Hisp. White Women	3.7	1.5 - 6.0	4.7	4.2 - 5.3
	Non-Hisp. Black Men	2.5	0.0 - 7.5	4.3	2.0 - 6.7
	Non-Hisp. Black Women	3.9	0.0 - 10.9	4.2	2.3 - 6.1
	Hispanic Men	0.0		3.2	1.6 - 4.8
	Hispanic Women	0.3	0.0 - 1.0	1.9	1.0 - 2.7
<b>AGE GROUP</b>	18-44	1.3	0.0 - 3.2	0.9	0.5 - 1.3
	45-64	3.7	0.0 - 8.2	5.1	4.3 - 6.0
	65 & Older	8.3	4.3 - 12.4	12.3	11.3 - 13.4
<b>EDUCATION LEVEL</b>	<High School	6.5	0.0 - 17.7	6.8	5.0 - 8.6
	High School / GED	2.3	0.3 - 4.3	4.6	4.0 - 5.3
	>High School	3.3	1.5 - 5.0	4.8	4.3 - 5.3
<b>ANNUAL INCOME</b>	<\$25,000	7.1	1.1 - 13.0	6.8	5.8 - 7.8
	\$25,000-\$49,999	1.2 *	0.0 - 3.2	4.9	4.1 - 5.8
	\$50,000 or More	2.9	0.4 - 5.5	3.8	3.2 - 4.4
<b>MARITAL STATUS</b>	Married/Couple	2.3 *	0.7 - 3.9	5.1	4.5 - 5.7
	Not Married/Couple	4.6	1.1 - 8.1	5.0	4.3 - 5.6

## Percentage of adults who have ever been told they had a heart attack

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	4.9	2.4 - 7.4	5.6	5.1 - 6.1
<b>SEX</b>	Men	7.4	2.5 - 12.2	7.3	6.4 - 8.2
	Women	2.6	0.9 - 4.4	4.1	3.5 - 4.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.6	1.3 - 9.8	6.6	6.1 - 7.2
	Non-Hisp. Black	7.7	0.6 - 14.9	4.2	2.8 - 5.5
	Hispanic	3.2	0.0 - 7.1	4.6	3.1 - 6.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.8	0.2 - 17.4	9.1	8.1 - 10.2
	Non-Hisp. White Women	2.7	0.6 - 4.8	4.3	3.7 - 4.9
	Non-Hisp. Black Men	10.9	0.0 - 23.4	5.6	3.1 - 8.0
	Non-Hisp. Black Women	4.4	0.0 - 10.8	2.9	1.7 - 4.1
	Hispanic Men	5.1	0.0 - 12.4	4.7	2.4 - 7.1
	Hispanic Women	1.1	0.0 - 3.3	4.5	2.5 - 6.5
<b>AGE GROUP</b>	18-44	1.5	0.0 - 3.2	1.0	0.6 - 1.4
	45-64	7.6	1.5 - 13.8	6.5	5.4 - 7.6
	65 & Older	8.1	3.5 - 12.6	12.9	11.6 - 14.2
<b>EDUCATION LEVEL</b>	<High School	12.6	0.0 - 25.5	9.5	7.2 - 11.9
	High School / GED	2.5	0.0 - 5.2	5.4	4.6 - 6.2
	>High School	4.1	1.5 - 6.6	4.7	4.2 - 5.2
<b>ANNUAL INCOME</b>	<\$25,000	5.9	0.0 - 11.8	8.0	6.7 - 9.3
	\$25,000-\$49,999	6.2	0.1 - 12.2	6.5	5.4 - 7.5
	\$50,000 or More	3.8	0.8 - 6.7	3.3	2.7 - 3.8
<b>MARITAL STATUS</b>	Married/Couple	3.7	0.9 - 6.4	5.6	4.9 - 6.2
	Not Married/Couple	6.1	1.9 - 10.3	5.8	4.9 - 6.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cardiovascular Disease

## Percentage of adults who have ever been told they had a stroke

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	3.7	2.1 - 5.3	3.7	3.3 - 4.1
<b>SEX</b>	Men	2.1	0.7 - 3.5	3.7	3.1 - 4.2
	Women	5.2	2.4 - 8.1	3.7	3.2 - 4.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.9	2.0 - 5.8	4.3	3.8 - 4.7
	Non-Hisp. Black	4.4	0.4 - 8.5	4.6	3.1 - 6.1
	Hispanic	2.4	0.0 - 5.9	2.0	1.2 - 2.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	3.6	1.1 - 6.1	4.3	3.6 - 4.9
	Non-Hisp. White Women	4.1	1.3 - 6.9	4.2	3.7 - 4.8
	Non-Hisp. Black Men	2.8	0.0 - 7.5	4.8	2.6 - 7.0
	Non-Hisp. Black Women	6.1	0.0 - 12.7	4.4	2.4 - 6.4
	Hispanic Men	0.1 *	0.0 - 0.3	2.0	0.9 - 3.1
	Hispanic Women	4.9	0.0 - 12.0	2.0	1.0 - 3.0
<b>AGE GROUP</b>	18-44	1.0	0.0 - 2.4	1.1	0.7 - 1.6
	45-64	3.8	1.0 - 6.5	4.1	3.4 - 4.8
	65 & Older	10.2	4.5 - 15.9	7.8	6.9 - 8.7
<b>EDUCATION LEVEL</b>	<High School	3.1	0.0 - 7.0	5.2	3.9 - 6.5
	High School / GED	5.8	1.0 - 10.5	3.7	3.0 - 4.3
	>High School	3.1	1.4 - 4.8	3.3	2.9 - 3.8
<b>ANNUAL INCOME</b>	<\$25,000	7.9	3.4 - 12.4	5.7	4.8 - 6.5
	\$25,000-\$49,999	3.6	0.0 - 7.2	4.1	3.3 - 4.9
	\$50,000 or More	0.7	0.0 - 1.5	1.9	1.4 - 2.3
<b>MARITAL STATUS</b>	Married/Couple	2.5	0.2 - 4.8	3.3	2.8 - 3.8
	Not Married/Couple	4.9	2.5 - 7.3	4.2	3.6 - 4.7

## Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	9.6	6.5 - 12.7	10.3	9.7 - 10.9
<b>SEX</b>	Men	9.9	4.8 - 14.9	11.9	10.8 - 12.9
	Women	9.3	5.7 - 12.9	8.8	8.0 - 9.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.3	5.7 - 14.8	12.2	11.5 - 12.9
	Non-Hisp. Black	14.1	5.5 - 22.6	10.0	7.8 - 12.2
	Hispanic	5.8	0.5 - 11.1	6.8	5.0 - 8.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	13.4	4.5 - 22.2	14.6	13.4 - 15.8
	Non-Hisp. White Women	7.5	4.1 - 10.9	9.9	9.1 - 10.8
	Non-Hisp. Black Men	13.7	0.6 - 26.8	10.9	7.4 - 14.3
	Non-Hisp. Black Women	14.5	3.6 - 25.4	9.3	6.5 - 12.1
	Hispanic Men	5.2	0.0 - 12.7	7.0	4.4 - 9.6
	Hispanic Women	6.3	0.0 - 13.8	6.5	4.3 - 8.7
<b>AGE GROUP</b>	18-44	3.0	0.3 - 5.6	2.3	1.7 - 2.9
	45-64	12.0	5.3 - 18.6	11.4	10.2 - 12.7
	65 & Older	21.5	14.5 - 28.5	23.4	21.8 - 25.0
<b>EDUCATION LEVEL</b>	<High School	15.9	2.6 - 29.3	15.2	12.6 - 17.9
	High School / GED	9.7	3.9 - 15.4	10.0	8.9 - 11.1
	>High School	8.2	5.0 - 11.4	9.2	8.5 - 10.0
<b>ANNUAL INCOME</b>	<\$25,000	15.0	7.7 - 22.3	14.3	12.7 - 15.8
	\$25,000-\$49,999	9.8	2.7 - 16.8	11.4	10.0 - 12.7
	\$50,000 or More	6.1	2.4 - 9.9	6.6	5.7 - 7.4
<b>MARITAL STATUS</b>	Married/Couple	6.9	3.3 - 10.5	10.1	9.3 - 11.0
	Not Married/Couple	12.3	7.3 - 17.2	10.6	9.6 - 11.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cholesterol Awareness

## Percentage of adults who have ever been told they had high blood cholesterol

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	28.4	23.9 - 32.9	33.4	32.3 - 34.4
<b>SEX</b>	Men	26.7	19.8 - 33.5	33.6	32.0 - 35.2
	Women	29.9	24.0 - 35.9	33.2	31.7 - 34.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	39.6	32.9 - 46.3	39.0	37.8 - 40.1
	Non-Hisp. Black	16.0	8.4 - 23.6	24.5	21.6 - 27.4
	Hispanic	25.7	15.4 - 36.1	27.5	24.4 - 30.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	36.8	25.5 - 48.1	39.0	37.2 - 40.8
	Non-Hisp. White Women	42.1	34.2 - 50.0	39.0	37.5 - 40.5
	Non-Hisp. Black Men	16.3	4.1 - 28.5	27.4	22.4 - 32.3
	Non-Hisp. Black Women	15.6	6.8 - 24.4	21.8	18.6 - 25.1
	Hispanic Men	21.9	9.2 - 34.6	25.6	21.3 - 29.9
	Hispanic Women	29.7	13.7 - 45.7	29.3	24.8 - 33.7
<b>AGE GROUP</b>	18-44	11.0	5.1 - 16.9	13.6	12.2 - 15.0
	45-64	35.7	27.6 - 43.9	42.4	40.4 - 44.4
	65 & Older	56.4	48.8 - 64.1	55.7	53.8 - 57.5
<b>EDUCATION LEVEL</b>	<High School	39.5	21.8 - 57.2	33.9	30.0 - 37.8
	High School / GED	23.3	15.1 - 31.5	32.8	30.8 - 34.7
	>High School	28.0	22.9 - 33.1	33.6	32.4 - 34.9
<b>ANNUAL INCOME</b>	<\$25,000	27.6	18.7 - 36.5	32.1	30.0 - 34.2
	\$25,000-\$49,999	34.2	23.7 - 44.6	34.5	32.2 - 36.7
	\$50,000 or More	23.0 *	16.8 - 29.2	34.0	32.2 - 35.7
<b>MARITAL STATUS</b>	Married/Couple	27.8 *	21.4 - 34.2	36.7	35.2 - 38.1
	Not Married/Couple	29.5	23.0 - 36.0	29.6	28.0 - 31.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Chronic Obstructive Pulmonary Disease

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

		2013 County Measure		2013 State Measure	
			95% CI		95% CI
<b>ALL</b>	Overall	6.3	3.9 - 8.7	7.4	6.9 - 7.9
<b>SEX</b>	Men	7.5	3.1 - 11.9	6.4	5.7 - 7.2
	Women	5.2 *	3.0 - 7.3	8.3	7.5 - 9.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	9.0	4.7 - 13.2	9.2	8.6 - 9.9
	Non-Hisp. Black	6.5	0.0 - 13.1	5.1	3.5 - 6.7
	Hispanic	3.7	0.7 - 6.8	4.6	3.3 - 5.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.7	3.7 - 19.8	8.2	7.3 - 9.2
	Non-Hisp. White Women	6.5	3.0 - 10.0	10.2	9.3 - 11.1
	Non-Hisp. Black Men	9.9	0.0 - 22.5	4.6	2.1 - 7.2
	Non-Hisp. Black Women	3.0	0.0 - 6.0	5.5	3.6 - 7.4
	Hispanic Men	2.8	0.0 - 6.7	3.5	1.8 - 5.2
	Hispanic Women	4.8	0.2 - 9.4	5.6	3.6 - 7.7
<b>AGE GROUP</b>	18-44	4.0	0.0 - 8.3	3.0	2.3 - 3.7
	45-64	5.4	2.5 - 8.4	8.5	7.5 - 9.4
	65 & Older	13.8	8.4 - 19.2	14.0	12.8 - 15.3
<b>EDUCATION LEVEL</b>	<High School	16.7	3.4 - 30.1	12.3	10.1 - 14.5
	High School / GED	4.7	1.1 - 8.2	7.5	6.6 - 8.4
	>High School	4.5	2.7 - 6.3	6.0	5.4 - 6.6
<b>ANNUAL INCOME</b>	<\$25,000	10.0	5.3 - 14.6	11.1	10.0 - 12.3
	\$25,000-\$49,999	5.7	0.0 - 11.3	7.4	6.3 - 8.5
	\$50,000 or More	3.0	1.0 - 5.1	3.9	3.2 - 4.6
<b>MARITAL STATUS</b>	Married/Couple	5.5	1.9 - 9.1	6.5	5.8 - 7.2
	Not Married/Couple	7.1	3.8 - 10.4	8.5	7.7 - 9.3

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Depression

## Percentage of adults who have ever been told they had a depressive disorder

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	14.6	10.9 - 18.4	16.8	15.9 - 17.6
<b>SEX</b>	Men	11.3	6.0 - 16.7	12.1	11.0 - 13.1
	Women	17.6	12.5 - 22.8	21.2	19.9 - 22.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	15.5	10.0 - 20.9	18.6	17.6 - 19.5
	Non-Hisp. Black	16.7	6.9 - 26.5	14.0	11.4 - 16.5
	Hispanic	11.2	4.2 - 18.2	13.8	11.6 - 16.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	13.6	4.5 - 22.8	13.1	11.9 - 14.4
	Non-Hisp. White Women	17.1	10.7 - 23.4	23.6	22.2 - 25.0
	Non-Hisp. Black Men	17.9	2.6 - 33.2	12.3	8.3 - 16.3
	Non-Hisp. Black Women	15.4	3.2 - 27.6	15.5	12.2 - 18.7
	Hispanic Men	2.7	0.0 - 6.3	8.5	6.2 - 10.9
	Hispanic Women	20.1	6.9 - 33.2	18.8	15.2 - 22.4
<b>AGE GROUP</b>	18-44	14.3	7.9 - 20.8	15.8	14.4 - 17.2
	45-64	14.5	8.7 - 20.2	19.6	18.1 - 21.1
	65 & Older	14.9	8.5 - 21.4	14.6	13.4 - 15.9
<b>EDUCATION LEVEL</b>	<High School	32.6	16.0 - 49.1	20.9	17.9 - 24.0
	High School / GED	9.5	3.6 - 15.4	15.8	14.3 - 17.3
	>High School	12.6	8.8 - 16.4	16.3	15.3 - 17.3
<b>ANNUAL INCOME</b>	<\$25,000	19.5	11.7 - 27.3	23.8	21.9 - 25.6
	\$25,000-\$49,999	11.7	4.3 - 19.0	16.5	14.8 - 18.2
	\$50,000 or More	9.3	4.9 - 13.7	11.3	10.2 - 12.4
<b>MARITAL STATUS</b>	Married/Couple	11.9	6.7 - 17.0	14.0	13.0 - 15.0
	Not Married/Couple	17.2	11.7 - 22.7	20.1	18.7 - 21.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults who have ever been told they had diabetes

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	10.7	7.3 - 14.0	11.2	10.5 - 11.9
<b>SEX</b>	Men	11.1	5.7 - 16.5	12.3	11.2 - 13.4
	Women	10.3	6.2 - 14.4	10.1	9.2 - 11.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	13.7	8.1 - 19.4	11.4	10.7 - 12.2
	Non-Hisp. Black	10.3	3.3 - 17.4	12.3	10.0 - 14.6
	Hispanic	8.5	1.9 - 15.2	10.8	8.7 - 12.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	17.3	6.5 - 28.1	12.9	11.7 - 14.1
	Non-Hisp. White Women	10.6	6.2 - 15.0	10.0	9.1 - 10.9
	Non-Hisp. Black Men	12.5	0.7 - 24.3	12.8	9.0 - 16.6
	Non-Hisp. Black Women	8.1	0.5 - 15.7	11.9	9.2 - 14.5
	Hispanic Men	3.6 *	0.0 - 7.7	11.2	8.1 - 14.2
	Hispanic Women	13.7	1.2 - 26.2	10.4	7.7 - 13.2
<b>AGE GROUP</b>	18-44	2.9	0.0 - 6.3	2.6	1.9 - 3.2
	45-64	15.8	8.6 - 23.1	13.5	12.1 - 14.9
	65 & Older	19.0	12.9 - 25.0	23.5	21.8 - 25.3
<b>EDUCATION LEVEL</b>	<High School	26.2	9.6 - 42.7	18.0	14.9 - 21.1
	High School / GED	7.9	2.0 - 13.9	11.5	10.3 - 12.6
	>High School	8.4	5.7 - 11.0	9.2	8.4 - 9.9
<b>ANNUAL INCOME</b>	<\$25,000	11.4	4.8 - 18.1	14.8	13.1 - 16.4
	\$25,000-\$49,999	12.7	4.1 - 21.3	11.9	10.4 - 13.4
	\$50,000 or More	7.7	4.0 - 11.4	7.5	6.6 - 8.4
<b>MARITAL STATUS</b>	Married/Couple	11.4	6.1 - 16.7	11.8	10.8 - 12.8
	Not Married/Couple	10.3	6.0 - 14.6	10.6	9.5 - 11.6

## Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	60.8	45.0 - 76.6	61.8	58.5 - 65.0
<b>SEX</b>	Men	47.4	20.8 - 74.0	56.5	51.9 - 61.2
	Women	74.1	59.2 - 89.1	67.4	63.0 - 71.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	48.4	24.9 - 71.9	58.9	55.3 - 62.5
	Non-Hisp. Black	NA		72.1	64.0 - 80.1
	Hispanic	NA		64.4	55.0 - 73.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	41.1	4.4 - 77.8	54.3	49.1 - 59.5
	Non-Hisp. White Women	59.9	38.7 - 81.2	64.3	59.4 - 69.2
	Non-Hisp. Black Men	NA		66.0	51.8 - 80.2
	Non-Hisp. Black Women	NA		77.7	68.8 - 86.7
	Hispanic Men	NA		56.0	42.1 - 70.0
	Hispanic Women	NA		71.5	60.0 - 83.0
<b>AGE GROUP</b>	18-44	NA		57.2	43.3 - 71.0
	45-64	73.3	54.2 - 92.5	61.8	56.6 - 67.1
	65 & Older	50.1	32.2 - 67.9	62.6	58.4 - 66.8
<b>EDUCATION LEVEL</b>	<High School	NA		64.3	55.4 - 73.2
	High School / GED	NA		65.2	60.2 - 70.2
	>High School	54.1	37.9 - 70.3	58.1	53.9 - 62.3
<b>ANNUAL INCOME</b>	<\$25,000	63.9	37.4 - 90.4	65.7	60.1 - 71.3
	\$25,000-\$49,999	NA		60.7	54.2 - 67.2
	\$50,000 or More	53.3	28.5 - 78.2	55.5	49.3 - 61.7
<b>MARITAL STATUS</b>	Married/Couple	54.9	29.5 - 80.3	59.5	55.1 - 63.9
	Not Married/Couple	67.3	48.8 - 85.7	65.0	60.1 - 69.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults with diabetes who had two A1C tests in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	63.9	44.3 - 83.6	69.3	65.8 - 72.9
<b>SEX</b>	Men	62.2	34.7 - 89.7	70.5	66.0 - 75.1
	Women	65.9	38.0 - 93.7	68.0	62.6 - 73.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	73.7	46.5 - 100.0	75.6	72.2 - 78.9
	Non-Hisp. Black	NA		68.6	58.9 - 78.3
	Hispanic	NA		52.6	41.4 - 63.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	NA		73.9	68.8 - 79.1
	Non-Hisp. White Women	91.9 *	82.9 - 100.0	77.7	73.7 - 81.6
	Non-Hisp. Black Men	NA		65.5	49.7 - 81.3
	Non-Hisp. Black Women	NA		71.6	59.8 - 83.4
	Hispanic Men	NA		64.5	50.5 - 78.4
	Hispanic Women	NA		41.2	26.9 - 55.5
<b>AGE GROUP</b>	18-44	NA		52.3	38.6 - 65.9
	45-64	63.8	37.1 - 90.6	66.2	60.4 - 72.1
	65 & Older	76.1	56.9 - 95.3	75.7	71.3 - 80.2
<b>EDUCATION LEVEL</b>	<High School	NA		55.7	44.3 - 67.1
	High School / GED	NA		71.2	66.2 - 76.1
	>High School	76.4	61.5 - 91.2	74.8	71.1 - 78.6
<b>ANNUAL INCOME</b>	<\$25,000	NA		64.0	57.5 - 70.4
	\$25,000-\$49,999	NA		69.1	61.5 - 76.7
	\$50,000 or More	NA		78.3	73.3 - 83.2
<b>MARITAL STATUS</b>	Married/Couple	59.1	30.2 - 88.1	70.3	65.4 - 75.3
	Not Married/Couple	70.8	49.1 - 92.6	68.0	62.9 - 73.0

## Percentage of adults with diabetes who had an annual foot exam

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	66.6	50.7 - 82.5	67.6	64.6 - 70.7
<b>SEX</b>	Men	64.8	39.9 - 89.8	70.3	66.0 - 74.5
	Women	68.5	48.9 - 88.1	64.8	60.4 - 69.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	67.0	43.7 - 90.2	68.6	65.2 - 71.9
	Non-Hisp. Black	NA		81.5	74.4 - 88.6
	Hispanic	NA		57.9	48.2 - 67.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	61.5	26.6 - 96.5	70.4	65.4 - 75.4
	Non-Hisp. White Women	76.0	54.7 - 97.4	66.4	61.9 - 70.9
	Non-Hisp. Black Men	NA		85.4	76.4 - 94.4
	Non-Hisp. Black Women	NA		77.9	67.8 - 88.1
	Hispanic Men	NA		66.7	54.3 - 79.1
	Hispanic Women	NA		49.8	35.5 - 64.2
<b>AGE GROUP</b>	18-44	NA		47.6	34.4 - 60.8
	45-64	75.1	55.5 - 94.7	65.3	60.3 - 70.2
	65 & Older	65.0	46.9 - 83.0	73.2	69.5 - 76.9
<b>EDUCATION LEVEL</b>	<High School	NA		66.3	57.8 - 74.7
	High School / GED	NA		66.7	61.6 - 71.8
	>High School	74.0	60.5 - 87.6	69.1	65.2 - 73.0
<b>ANNUAL INCOME</b>	<\$25,000	76.5	54.9 - 98.0	66.2	60.8 - 71.6
	\$25,000-\$49,999	NA		69.5	63.5 - 75.5
	\$50,000 or More	79.2	61.4 - 97.1	71.3	65.8 - 76.7
<b>MARITAL STATUS</b>	Married/Couple	70.3	46.2 - 94.4	68.8	64.8 - 72.8
	Not Married/Couple	63.4	42.1 - 84.7	66.1	61.3 - 70.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults with diabetes who had an annual eye exam

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	59.8	42.3 - 77.4	69.7	66.5 - 72.9
<b>SEX</b>	Men	59.1	33.4 - 84.7	71.6	67.3 - 75.9
	Women	60.6	36.8 - 84.4	67.7	63.0 - 72.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	62.5	38.5 - 86.5	71.4	68.0 - 74.7
	Non-Hisp. Black	NA		77.6	70.1 - 85.0
	Hispanic	NA		60.7	50.6 - 70.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	NA		71.9	67.0 - 76.7
	Non-Hisp. White Women	81.3	66.4 - 96.1	70.8	66.3 - 75.4
	Non-Hisp. Black Men	NA		82.6	73.3 - 91.9
	Non-Hisp. Black Women	NA		72.9	62.2 - 83.6
	Hispanic Men	NA		68.4	55.6 - 81.2
	Hispanic Women	NA		52.9	38.4 - 67.5
<b>AGE GROUP</b>	18-44	NA		43.7	31.1 - 56.3
	45-64	53.6	26.8 - 80.4	61.7	56.3 - 67.2
	65 & Older	73.4	57.5 - 89.2	80.9	77.5 - 84.3
<b>EDUCATION LEVEL</b>	<High School	NA		63.3	54.1 - 72.6
	High School / GED	NA		70.7	65.9 - 75.5
	>High School	72.6	57.5 - 87.8	72.7	68.8 - 76.6
<b>ANNUAL INCOME</b>	<\$25,000	78.6	58.2 - 98.9	68.5	63.3 - 73.7
	\$25,000-\$49,999	NA		65.7	58.5 - 73.0
	\$50,000 or More	68.0	44.4 - 91.6	75.9	70.1 - 81.6
<b>MARITAL STATUS</b>	Married/Couple	45.1	20.8 - 69.5	69.2	64.8 - 73.7
	Not Married/Couple	75.4	56.4 - 94.3	70.4	65.9 - 74.9

## Percentage of adults with diabetes who ever had diabetes self-management education

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	45.2	28.5 - 61.8	49.6	46.2 - 53.0
<b>SEX</b>	Men	38.7	12.7 - 64.7	47.1	42.3 - 51.9
	Women	51.8	30.2 - 73.5	52.4	47.6 - 57.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	45.4	21.6 - 69.1	53.1	49.5 - 56.6
	Non-Hisp. Black	NA		53.6	43.4 - 63.9
	Hispanic	NA		39.4	29.8 - 49.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	45.7	9.4 - 82.0	51.1	45.9 - 56.3
	Non-Hisp. White Women	44.8	23.5 - 66.1	55.4	50.6 - 60.1
	Non-Hisp. Black Men	NA		40.2	25.4 - 55.0
	Non-Hisp. Black Women	NA		66.2	56.1 - 76.3
	Hispanic Men	NA		39.7	26.1 - 53.3
	Hispanic Women	NA		39.2	25.3 - 53.1
<b>AGE GROUP</b>	18-44	NA		55.0	42.2 - 67.9
	45-64	54.3	27.3 - 81.2	52.1	46.5 - 57.7
	65 & Older	36.1	19.4 - 52.7	46.7	42.3 - 51.1
<b>EDUCATION LEVEL</b>	<High School	NA		34.3	25.3 - 43.2
	High School / GED	NA		48.9	43.6 - 54.2
	>High School	56.6	41.4 - 71.8	58.5	54.3 - 62.6
<b>ANNUAL INCOME</b>	<\$25,000	60.5	33.8 - 87.2	42.3	36.5 - 48.2
	\$25,000-\$49,999	NA		52.1	45.3 - 59.0
	\$50,000 or More	58.3	35.3 - 81.4	59.9	54.1 - 65.6
<b>MARITAL STATUS</b>	Married/Couple	33.9	13.4 - 54.5	50.7	46.2 - 55.2
	Not Married/Couple	57.3	36.9 - 77.7	48.1	42.9 - 53.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults who have ever been told they had pre-diabetes

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	8.6	5.2 - 11.9	7.1	6.6 - 7.7
<b>SEX</b>	Men	11.9	6.0 - 17.8	7.4	6.5 - 8.3
	Women	5.5	2.2 - 8.9	7.0	6.3 - 7.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	7.6	4.4 - 10.7	7.9	7.3 - 8.5
	Non-Hisp. Black	12.8	3.1 - 22.4	8.3	6.2 - 10.5
	Hispanic	5.2	0.0 - 11.1	4.8	3.5 - 6.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.6	5.3 - 18.0	8.4	7.4 - 9.4
	Non-Hisp. White Women	4.2 *	1.8 - 6.6	7.4	6.7 - 8.1
	Non-Hisp. Black Men	18.8	1.1 - 36.6	8.6	4.8 - 12.5
	Non-Hisp. Black Women	6.7	1.7 - 11.7	8.0	5.9 - 10.2
	Hispanic Men	7.6	0.0 - 17.9	4.8	2.7 - 6.8
	Hispanic Women	2.6	0.0 - 7.4	4.9	3.3 - 6.6
<b>AGE GROUP</b>	18-44	8.0	1.7 - 14.3	4.9	3.9 - 5.8
	45-64	7.3	2.6 - 12.0	7.9	7.0 - 8.8
	65 & Older	11.7	6.6 - 16.7	9.6	8.7 - 10.6
<b>EDUCATION LEVEL</b>	<High School	6.2	0.0 - 15.3	5.8	4.2 - 7.5
	High School / GED	11.7	2.8 - 20.7	7.2	6.1 - 8.3
	>High School	7.9	4.4 - 11.4	7.6	6.9 - 8.2
<b>ANNUAL INCOME</b>	<\$25,000	13.8	5.0 - 22.7	7.6	6.4 - 8.9
	\$25,000-\$49,999	5.6	2.0 - 9.1	7.5	6.4 - 8.5
	\$50,000 or More	8.8	3.0 - 14.5	6.7	5.8 - 7.5
<b>MARITAL STATUS</b>	Married/Couple	10.5	5.2 - 15.7	7.3	6.6 - 8.1
	Not Married/Couple	7.0	2.6 - 11.3	7.0	6.1 - 7.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Disability

## Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	21.0	16.8 - 25.2	21.2	20.2 - 22.1
<b>SEX</b>	Men	19.4	12.9 - 25.8	20.2	18.9 - 21.6
	Women	22.5	17.0 - 28.0	22.1	20.7 - 23.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	27.5	21.3 - 33.7	23.2	22.2 - 24.2
	Non-Hisp. Black	19.2	8.7 - 29.8	17.8	15.1 - 20.5
	Hispanic	13.7	6.0 - 21.4	18.6	15.8 - 21.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	27.3	16.9 - 37.7	22.6	21.1 - 24.1
	Non-Hisp. White Women	27.6	20.5 - 34.8	23.8	22.5 - 25.1
	Non-Hisp. Black Men	20.6	3.5 - 37.7	19.1	14.7 - 23.4
	Non-Hisp. Black Women	17.8	5.6 - 30.0	16.6	13.3 - 19.8
	Hispanic Men	8.6	1.1 - 16.1	15.7	12.2 - 19.3
	Hispanic Women	19.3	5.7 - 32.9	21.3	17.1 - 25.6
<b>AGE GROUP</b>	18-44	11.6	5.9 - 17.2	13.5	12.1 - 14.9
	45-64	26.5	18.4 - 34.6	26.0	24.2 - 27.8
	65 & Older	33.7	26.6 - 40.7	28.6	26.9 - 30.2
<b>EDUCATION LEVEL</b>	<High School	48.2	30.9 - 65.5	28.7	25.0 - 32.3
	High School / GED	17.9	11.0 - 24.9	21.8	20.1 - 23.6
	>High School	16.1	12.1 - 20.2	18.9	17.8 - 19.9
<b>ANNUAL INCOME</b>	<\$25,000	33.8	24.0 - 43.6	30.7	28.5 - 32.8
	\$25,000-\$49,999	18.3	9.9 - 26.7	20.4	18.5 - 22.3
	\$50,000 or More	9.1	4.9 - 13.3	12.8	11.7 - 14.0
<b>MARITAL STATUS</b>	Married/Couple	15.2	10.0 - 20.4	18.7	17.5 - 19.9
	Not Married/Couple	26.7	20.2 - 33.2	24.1	22.6 - 25.7

## Percentage of adults who use special equipment because of a health problem

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	8.0	5.7 - 10.3	8.8	8.2 - 9.3
<b>SEX</b>	Men	7.9	4.4 - 11.5	8.3	7.5 - 9.1
	Women	8.1	5.0 - 11.1	9.2	8.4 - 10.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	10.9	7.3 - 14.5	9.8	9.2 - 10.4
	Non-Hisp. Black	3.1 *	0.2 - 5.9	8.6	6.9 - 10.2
	Hispanic	7.1	2.0 - 12.2	6.5	5.0 - 8.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	9.4	4.8 - 14.1	9.2	8.3 - 10.1
	Non-Hisp. White Women	12.2	6.9 - 17.5	10.3	9.5 - 11.2
	Non-Hisp. Black Men	3.4	0.0 - 8.3	7.9	5.5 - 10.3
	Non-Hisp. Black Women	2.8 *	0.0 - 5.7	9.2	7.0 - 11.5
	Hispanic Men	10.0	0.9 - 19.0	6.2	4.1 - 8.4
	Hispanic Women	4.0	0.3 - 7.7	6.8	4.7 - 8.9
<b>AGE GROUP</b>	18-44	3.7	0.4 - 6.9	3.1	2.4 - 3.8
	45-64	5.9	2.4 - 9.4	9.5	8.4 - 10.5
	65 & Older	22.2	15.9 - 28.6	18.1	16.8 - 19.4
<b>EDUCATION LEVEL</b>	<High School	12.0	3.6 - 20.3	13.2	11.0 - 15.4
	High School / GED	5.4	2.3 - 8.5	8.4	7.4 - 9.4
	>High School	8.2	5.2 - 11.2	7.8	7.2 - 8.5
<b>ANNUAL INCOME</b>	<\$25,000	13.6	8.1 - 19.1	13.5	12.2 - 14.9
	\$25,000-\$49,999	4.2	0.5 - 7.9	7.9	6.9 - 8.8
	\$50,000 or More	4.4	1.4 - 7.3	4.8	4.1 - 5.5
<b>MARITAL STATUS</b>	Married/Couple	4.3 *	2.0 - 6.5	7.7	7.0 - 8.5
	Not Married/Couple	11.4	7.5 - 15.4	10.1	9.2 - 11.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Hypertension Awareness

## Percentage of adults who have ever been told they had hypertension

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	27.4 *	23.1 - 31.6	34.6	33.5 - 35.7
<b>SEX</b>	Men	30.2	23.0 - 37.3	37.2	35.6 - 38.9
	Women	24.8 *	19.9 - 29.7	32.1	30.7 - 33.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	37.3	30.8 - 43.8	38.4	37.3 - 39.5
	Non-Hisp. Black	25.5	16.0 - 35.0	33.7	30.4 - 37.0
	Hispanic	17.2	9.0 - 25.4	28.3	25.0 - 31.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	39.7	28.5 - 50.9	42.1	40.3 - 43.9
	Non-Hisp. White Women	35.2	28.1 - 42.2	35.0	33.6 - 36.4
	Non-Hisp. Black Men	28.4	12.4 - 44.4	35.1	29.6 - 40.6
	Non-Hisp. Black Women	22.6	12.5 - 32.6	32.4	28.6 - 36.3
	Hispanic Men	21.2	8.3 - 34.1	28.9	24.1 - 33.7
	Hispanic Women	13.0 *	3.2 - 22.7	27.6	23.1 - 32.1
<b>AGE GROUP</b>	18-44	7.4	2.4 - 12.5	13.8	12.4 - 15.2
	45-64	31.1 *	23.5 - 38.8	41.1	39.1 - 43.2
	65 & Older	67.7	60.7 - 74.8	62.8	61.1 - 64.6
<b>EDUCATION LEVEL</b>	<High School	37.2	20.9 - 53.6	42.3	38.2 - 46.3
	High School / GED	33.7	23.4 - 44.0	35.8	33.8 - 37.9
	>High School	22.8 *	18.7 - 27.0	31.9	30.7 - 33.1
<b>ANNUAL INCOME</b>	<\$25,000	27.9	19.4 - 36.4	37.5	35.3 - 39.7
	\$25,000-\$49,999	34.7	24.9 - 44.4	36.9	34.6 - 39.2
	\$50,000 or More	22.5 *	16.4 - 28.7	30.7	29.0 - 32.5
<b>MARITAL STATUS</b>	Married/Couple	29.7	23.3 - 36.0	35.8	34.4 - 37.3
	Not Married/Couple	25.9 *	20.1 - 31.8	33.5	31.8 - 35.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Kidney Disease

## Percentage of adults who have ever been told they had kidney disease

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	2.9	1.1 - 4.8	3.5	3.0 - 3.9
<b>SEX</b>	Men	3.7	0.1 - 7.3	3.3	2.7 - 3.8
	Women	2.3	0.9 - 3.6	3.6	3.0 - 4.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.8	0.0 - 7.9	3.5	3.0 - 4.0
	Non-Hisp. Black	1.2	0.0 - 2.9	2.4	1.5 - 3.2
	Hispanic	2.9	0.3 - 5.5	4.2	2.7 - 5.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.8	0.0 - 14.2	3.7	2.9 - 4.5
	Non-Hisp. White Women	2.0	0.5 - 3.4	3.3	2.9 - 3.8
	Non-Hisp. Black Men	0.0		2.0	0.8 - 3.1
	Non-Hisp. Black Women	2.5	0.0 - 5.9	2.7	1.5 - 3.9
	Hispanic Men	2.1	0.0 - 5.0	3.1	1.8 - 4.4
	Hispanic Women	3.8	0.0 - 8.2	5.2	2.7 - 7.8
<b>AGE GROUP</b>	18-44	0.7	0.0 - 1.8	1.9	1.2 - 2.6
	45-64	3.8	0.0 - 8.3	3.6	2.7 - 4.4
	65 & Older	5.4	2.0 - 8.7	5.9	5.2 - 6.7
<b>EDUCATION LEVEL</b>	<High School	7.3	0.0 - 18.5	4.6	3.1 - 6.2
	High School / GED	1.5	0.0 - 3.2	4.0	2.9 - 5.0
	>High School	2.5	1.1 - 3.9	2.9	2.5 - 3.3
<b>ANNUAL INCOME</b>	<\$25,000	5.7	0.0 - 11.6	5.0	4.0 - 6.0
	\$25,000-\$49,999	1.9	0.0 - 3.8	3.5	2.4 - 4.6
	\$50,000 or More	1.6	0.0 - 3.2	2.1	1.6 - 2.5
<b>MARITAL STATUS</b>	Married/Couple	2.4	0.7 - 4.1	3.4	2.8 - 4.0
	Not Married/Couple	3.3	0.1 - 6.5	3.6	2.9 - 4.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Overweight &amp; Obesity

## Percentage of adults who are overweight

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	34.8	29.6 - 39.9	36.4	35.2 - 37.6
<b>SEX</b>	Men	41.3	33.3 - 49.4	42.9	41.1 - 44.7
	Women	28.5	22.1 - 34.8	30.0	28.5 - 31.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	35.8	29.4 - 42.3	35.8	34.6 - 36.9
	Non-Hisp. Black	33.6	21.2 - 45.9	36.9	33.0 - 40.8
	Hispanic	35.0	23.2 - 46.7	38.6	34.9 - 42.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	47.5	36.3 - 58.7	43.5	41.6 - 45.3
	Non-Hisp. White Women	25.2	18.7 - 31.8	28.1	26.7 - 29.5
	Non-Hisp. Black Men	39.5	20.0 - 59.0	39.7	33.6 - 45.8
	Non-Hisp. Black Women	26.8	13.6 - 40.1	34.3	29.4 - 39.1
	Hispanic Men	39.5	22.9 - 56.2	44.4	39.0 - 49.7
	Hispanic Women	30.0	13.5 - 46.4	32.9	28.1 - 37.7
<b>AGE GROUP</b>	18-44	27.5	19.1 - 35.9	31.5	29.5 - 33.6
	45-64	40.1	31.6 - 48.6	39.4	37.3 - 41.5
	65 & Older	40.2	32.6 - 47.8	40.6	38.7 - 42.4
<b>EDUCATION LEVEL</b>	<High School	33.0	16.5 - 49.6	38.4	34.1 - 42.8
	High School / GED	28.4	17.9 - 38.9	35.4	33.2 - 37.6
	>High School	37.6	31.5 - 43.8	36.5	35.1 - 37.9
<b>ANNUAL INCOME</b>	<\$25,000	30.7	21.2 - 40.3	34.8	32.4 - 37.2
	\$25,000-\$49,999	33.2	23.1 - 43.2	37.1	34.7 - 39.6
	\$50,000 or More	35.9	27.5 - 44.2	37.8	35.9 - 39.8
<b>MARITAL STATUS</b>	Married/Couple	37.7	30.4 - 45.0	39.5	37.9 - 41.1
	Not Married/Couple	32.7	25.5 - 39.9	32.9	31.0 - 34.7

## Percentage of adults who are obese

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	25.8	21.0 - 30.7	26.4	25.3 - 27.4
<b>SEX</b>	Men	28.1	20.5 - 35.7	27.5	25.9 - 29.0
	Women	23.6	17.5 - 29.7	25.3	23.9 - 26.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	23.6	16.9 - 30.3	25.1	24.1 - 26.2
	Non-Hisp. Black	34.3	22.2 - 46.5	34.2	30.6 - 37.8
	Hispanic	25.0	14.4 - 35.6	26.4	23.4 - 29.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	29.6	18.0 - 41.2	27.5	25.8 - 29.2
	Non-Hisp. White Women	18.1	11.8 - 24.5	22.8	21.5 - 24.1
	Non-Hisp. Black Men	27.8	12.0 - 43.7	29.6	24.3 - 34.9
	Non-Hisp. Black Women	41.7	24.6 - 58.8	38.6	33.7 - 43.4
	Hispanic Men	30.3	14.3 - 46.3	27.9	23.5 - 32.4
	Hispanic Women	19.3	6.2 - 32.4	24.9	20.8 - 29.0
<b>AGE GROUP</b>	18-44	26.3	17.7 - 34.9	24.2	22.4 - 26.0
	45-64	27.8	20.0 - 35.6	30.3	28.5 - 32.2
	65 & Older	22.0	15.8 - 28.1	24.8	23.3 - 26.4
<b>EDUCATION LEVEL</b>	<High School	28.9	12.6 - 45.2	29.4	25.7 - 33.0
	High School / GED	37.1	25.5 - 48.7	28.4	26.4 - 30.5
	>High School	20.8	15.7 - 25.9	24.5	23.3 - 25.7
<b>ANNUAL INCOME</b>	<\$25,000	36.6	25.7 - 47.4	29.9	27.7 - 32.1
	\$25,000-\$49,999	21.8	13.0 - 30.5	27.7	25.5 - 29.8
	\$50,000 or More	24.0	16.6 - 31.5	24.6	22.9 - 26.3
<b>MARITAL STATUS</b>	Married/Couple	28.1	20.8 - 35.3	27.9	26.4 - 29.3
	Not Married/Couple	23.8	17.3 - 30.4	24.7	23.1 - 26.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Overweight &amp; Obesity

## Percentage of adults who are overweight or obese

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	60.6	55.3 - 65.9	62.8	61.6 - 64.0
<b>SEX</b>	Men	69.4	61.7 - 77.2	70.4	68.7 - 72.0
	Women	52.1	45.0 - 59.1	55.3	53.6 - 56.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	59.4	52.8 - 66.0	60.9	59.7 - 62.1
	Non-Hisp. Black	67.9	55.8 - 80.0	71.1	67.5 - 74.7
	Hispanic	60.0	47.6 - 72.4	64.9	61.4 - 68.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	77.1	68.7 - 85.5	71.0	69.3 - 72.6
	Non-Hisp. White Women	43.3	35.3 - 51.4	50.9	49.3 - 52.5
	Non-Hisp. Black Men	67.3	48.5 - 86.2	69.3	63.5 - 75.2
	Non-Hisp. Black Women	68.5	54.1 - 82.9	72.8	68.6 - 77.1
	Hispanic Men	69.8	53.3 - 86.4	72.3	67.5 - 77.1
	Hispanic Women	49.2	31.3 - 67.2	57.8	52.6 - 62.9
<b>AGE GROUP</b>	18-44	53.8	44.4 - 63.3	55.7	53.5 - 57.9
	45-64	67.9	60.3 - 75.5	69.7	68.0 - 71.5
	65 & Older	62.2	54.6 - 69.8	65.4	63.7 - 67.1
<b>EDUCATION LEVEL</b>	<High School	62.0	45.2 - 78.7	67.8	63.8 - 71.7
	High School / GED	65.5	54.3 - 76.7	63.8	61.5 - 66.1
	>High School	58.4	52.1 - 64.7	61.0	59.6 - 62.4
<b>ANNUAL INCOME</b>	<\$25,000	67.3	57.6 - 77.0	64.7	62.4 - 66.9
	\$25,000-\$49,999	54.9	44.1 - 65.8	64.8	62.4 - 67.2
	\$50,000 or More	59.9	51.4 - 68.4	62.4	60.5 - 64.4
<b>MARITAL STATUS</b>	Married/Couple	65.8	58.9 - 72.7	67.4	65.9 - 68.8
	Not Married/Couple	56.5	48.8 - 64.2	57.5	55.6 - 59.5

## Percentage of adults who have a healthy weight

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	35.8	30.7 - 41.0	35.0	33.8 - 36.1
<b>SEX</b>	Men	28.0	20.5 - 35.5	28.4	26.7 - 30.1
	Women	43.4	36.4 - 50.3	41.4	39.8 - 43.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	36.0	29.7 - 42.3	36.3	35.1 - 37.5
	Non-Hisp. Black	29.1	17.5 - 40.6	27.6	24.1 - 31.2
	Hispanic	37.4	25.2 - 49.6	33.8	30.2 - 37.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	20.3	12.5 - 28.2	27.7	26.0 - 29.3
	Non-Hisp. White Women	50.3	42.1 - 58.6	44.9	43.3 - 46.5
	Non-Hisp. Black Men	27.0	9.4 - 44.6	29.5	23.7 - 35.3
	Non-Hisp. Black Women	31.4	17.0 - 45.8	25.8	21.6 - 30.0
	Hispanic Men	30.2	13.6 - 46.7	27.1	22.3 - 31.9
	Hispanic Women	45.3	27.4 - 63.2	40.3	35.1 - 45.4
<b>AGE GROUP</b>	18-44	41.8	32.5 - 51.2	41.5	39.3 - 43.7
	45-64	29.2	22.1 - 36.4	28.5	26.8 - 30.2
	65 & Older	34.7	27.3 - 42.1	32.5	30.8 - 34.1
<b>EDUCATION LEVEL</b>	<High School	33.6	17.2 - 50.0	30.0	26.1 - 33.8
	High School / GED	34.5	23.3 - 45.6	34.4	32.1 - 36.7
	>High School	36.8	30.7 - 42.9	36.5	35.1 - 37.9
<b>ANNUAL INCOME</b>	<\$25,000	32.7	23.0 - 42.3	33.4	31.2 - 35.6
	\$25,000-\$49,999	37.5	27.0 - 48.0	33.0	30.6 - 35.3
	\$50,000 or More	37.0	28.6 - 45.4	35.6	33.6 - 37.6
<b>MARITAL STATUS</b>	Married/Couple	31.4	24.8 - 38.0	30.9	29.5 - 32.4
	Not Married/Couple	40.5	32.8 - 48.1	39.6	37.7 - 41.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Vision Impairment

## Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	3.8	1.7 - 6.0	5.2	4.7 - 5.8
<b>SEX</b>	Men	3.8	0.3 - 7.4	4.9	4.2 - 5.7
	Women	3.8	1.4 - 6.3	5.5	4.8 - 6.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.7	0.4 - 8.9	4.0	3.5 - 4.5
	Non-Hisp. Black	6.0	0.5 - 11.6	7.5	5.7 - 9.3
	Hispanic	2.1 *	0.0 - 4.3	7.2	5.4 - 8.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.9	0.0 - 14.2	3.7	2.9 - 4.5
	Non-Hisp. White Women	3.6	0.8 - 6.3	4.3	3.7 - 4.8
	Non-Hisp. Black Men	4.0	0.0 - 9.1	7.5	4.9 - 10.1
	Non-Hisp. Black Women	8.2	0.0 - 17.9	7.5	4.9 - 10.1
	Hispanic Men	1.2 *	0.0 - 3.5	6.1	3.8 - 8.3
	Hispanic Women	3.1	0.0 - 7.0	8.3	5.6 - 10.9
<b>AGE GROUP</b>	18-44	1.4	0.0 - 3.5	3.4	2.7 - 4.2
	45-64	5.7	0.7 - 10.6	7.4	6.2 - 8.5
	65 & Older	6.3	2.7 - 9.9	5.6	4.8 - 6.3
<b>EDUCATION LEVEL</b>	<High School	8.8	0.0 - 20.3	11.2	8.8 - 13.6
	High School / GED	3.9	1.0 - 6.9	5.6	4.6 - 6.7
	>High School	2.7	0.8 - 4.6	3.4	3.0 - 3.9
<b>ANNUAL INCOME</b>	<\$25,000	9.8	2.7 - 16.9	10.1	8.6 - 11.5
	\$25,000-\$49,999	1.6	0.1 - 3.1	3.9	3.1 - 4.7
	\$50,000 or More	0.8	0.0 - 1.7	1.9	1.4 - 2.3
<b>MARITAL STATUS</b>	Married/Couple	1.8 *	0.5 - 3.1	3.9	3.3 - 4.5
	Not Married/Couple	5.8	1.9 - 9.7	6.9	5.9 - 7.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Alcohol Consumption

## Percentage of adults who engage in heavy or binge drinking

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	19.0	14.4 - 23.6	17.6	16.6 - 18.6
<b>SEX</b>	Men	29.1	20.9 - 37.3	23.4	21.7 - 25.1
	Women	9.6	6.1 - 13.2	12.2	11.2 - 13.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	18.6	12.8 - 24.3	17.6	16.6 - 18.5
	Non-Hisp. Black	16.1	5.1 - 27.1	14.0	11.1 - 17.0
	Hispanic	23.5	12.8 - 34.2	19.6	16.4 - 22.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	22.5	12.2 - 32.8	21.4	19.8 - 23.0
	Non-Hisp. White Women	15.2	9.3 - 21.2	14.0	12.9 - 15.1
	Non-Hisp. Black Men	26.6	7.7 - 45.4	19.8	14.5 - 25.2
	Non-Hisp. Black Women	4.6	0.0 - 11.5	8.8	6.4 - 11.3
	Hispanic Men	39.3	22.1 - 56.5	30.1	24.8 - 35.3
	Hispanic Women	5.9	0.0 - 12.0	9.7	6.2 - 13.1
<b>AGE GROUP</b>	18-44	29.3	20.5 - 38.0	24.2	22.3 - 26.1
	45-64	14.6	8.4 - 20.7	16.9	15.3 - 18.5
	65 & Older	5.0	0.9 - 9.2	7.2	6.4 - 8.0
<b>EDUCATION LEVEL</b>	<High School	16.1	1.7 - 30.5	18.6	14.7 - 22.4
	High School / GED	21.4	11.1 - 31.7	16.3	14.6 - 18.1
	>High School	18.8	13.4 - 24.2	18.0	16.8 - 19.2
<b>ANNUAL INCOME</b>	<\$25,000	13.3	6.0 - 20.6	16.3	14.5 - 18.1
	\$25,000-\$49,999	20.2	10.8 - 29.6	17.9	15.7 - 20.1
	\$50,000 or More	23.2	15.4 - 31.0	20.3	18.6 - 22.0
<b>MARITAL STATUS</b>	Married/Couple	11.6	7.2 - 16.1	14.9	13.8 - 16.0
	Not Married/Couple	26.3	18.7 - 33.8	20.9	19.1 - 22.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Tobacco Use &amp; Exposure

## Percentage of adults who are current smokers

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	12.1 *	8.6 - 15.6	16.8	15.9 - 17.7
<b>SEX</b>	Men	15.0	9.2 - 20.8	19.5	18.0 - 21.0
	Women	9.4	5.2 - 13.5	14.4	13.3 - 15.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	13.8	9.1 - 18.5	18.6	17.6 - 19.5
	Non-Hisp. Black	12.2	2.5 - 21.9	14.4	11.7 - 17.1
	Hispanic	8.9	1.8 - 16.0	13.9	11.4 - 16.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	15.5	8.1 - 23.0	19.7	18.2 - 21.3
	Non-Hisp. White Women	12.3	6.3 - 18.4	17.4	16.2 - 18.6
	Non-Hisp. Black Men	21.8	4.2 - 39.4	19.3	14.6 - 24.1
	Non-Hisp. Black Women	2.1 *	0.0 - 4.8	9.9	7.3 - 12.4
	Hispanic Men	8.2	0.0 - 16.7	18.8	14.6 - 23.0
	Hispanic Women	9.7	0.0 - 21.2	9.3	6.4 - 12.1
<b>AGE GROUP</b>	18-44	14.8	8.0 - 21.7	19.2	17.5 - 20.8
	45-64	11.4 *	6.7 - 16.1	19.8	18.4 - 21.3
	65 & Older	7.8	4.3 - 11.2	8.7	7.4 - 9.9
<b>EDUCATION LEVEL</b>	<High School	14.2	1.8 - 26.6	24.8	21.4 - 28.3
	High School / GED	9.3 *	4.3 - 14.4	19.8	18.1 - 21.5
	>High School	12.8	8.2 - 17.3	13.1	12.2 - 14.1
<b>ANNUAL INCOME</b>	<\$25,000	13.6 *	7.4 - 19.9	22.3	20.4 - 24.2
	\$25,000-\$49,999	11.6	4.5 - 18.6	17.7	15.9 - 19.5
	\$50,000 or More	13.0	6.7 - 19.3	11.8	10.5 - 13.1
<b>MARITAL STATUS</b>	Married/Couple	7.9 *	4.2 - 11.5	13.6	12.5 - 14.6
	Not Married/Couple	16.2	10.4 - 22.1	20.8	19.2 - 22.3

## Percentage of adults who are former smokers (currently quit smoking)

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	28.0	23.6 - 32.4	28.1	27.1 - 29.2
<b>SEX</b>	Men	30.5	23.3 - 37.7	31.6	30.0 - 33.2
	Women	25.6	20.3 - 30.9	24.9	23.7 - 26.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	48.6 *	41.7 - 55.6	35.6	34.5 - 36.7
	Non-Hisp. Black	12.4	5.6 - 19.2	14.0	11.7 - 16.3
	Hispanic	11.3	5.2 - 17.4	19.3	16.5 - 22.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	53.4 *	42.0 - 64.7	39.3	37.5 - 41.1
	Non-Hisp. White Women	44.4 *	36.3 - 52.6	32.2	30.7 - 33.6
	Non-Hisp. Black Men	14.9	3.5 - 26.3	17.0	13.4 - 20.7
	Non-Hisp. Black Women	9.8	2.7 - 16.9	11.2	8.4 - 14.0
	Hispanic Men	13.0	3.6 - 22.3	22.5	18.2 - 26.7
	Hispanic Women	9.4	1.8 - 17.0	16.2	12.5 - 19.8
<b>AGE GROUP</b>	18-44	11.4	6.0 - 16.9	15.6	14.1 - 17.1
	45-64	34.7	26.7 - 42.7	30.3	28.5 - 32.2
	65 & Older	54.3	46.5 - 62.1	47.4	45.6 - 49.2
<b>EDUCATION LEVEL</b>	<High School	36.9	19.8 - 53.9	25.7	22.1 - 29.2
	High School / GED	23.6	15.7 - 31.5	27.7	25.9 - 29.5
	>High School	27.7	22.7 - 32.8	29.1	27.9 - 30.3
<b>ANNUAL INCOME</b>	<\$25,000	29.3	20.3 - 38.2	23.9	22.1 - 25.7
	\$25,000-\$49,999	28.2	19.0 - 37.5	31.9	29.6 - 34.3
	\$50,000 or More	27.3	20.4 - 34.3	30.0	28.4 - 31.7
<b>MARITAL STATUS</b>	Married/Couple	30.9	24.4 - 37.4	32.0	30.6 - 33.3
	Not Married/Couple	25.8	19.6 - 31.9	23.7	22.3 - 25.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Tobacco Use &amp; Exposure

## Percentage of adults who have never smoked

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	59.9	54.8 - 65.0	55.0	53.8 - 56.2
<b>SEX</b>	Men	54.4	46.3 - 62.6	48.9	47.1 - 50.8
	Women	65.0	58.8 - 71.2	60.7	59.2 - 62.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	37.5 *	31.0 - 44.1	45.8	44.6 - 47.1
	Non-Hisp. Black	75.4	64.4 - 86.4	71.6	68.3 - 74.9
	Hispanic	79.8 *	70.9 - 88.8	66.8	63.4 - 70.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	31.1	20.7 - 41.5	40.9	39.1 - 42.8
	Non-Hisp. White Women	43.2	35.1 - 51.3	50.4	48.8 - 52.0
	Non-Hisp. Black Men	63.3	44.4 - 82.3	63.6	58.0 - 69.2
	Non-Hisp. Black Women	88.1	80.5 - 95.7	78.9	75.2 - 82.6
	Hispanic Men	78.8 *	66.5 - 91.1	58.7	53.5 - 63.9
	Hispanic Women	81.0	67.7 - 94.2	74.6	70.2 - 78.9
<b>AGE GROUP</b>	18-44	73.8	65.6 - 81.9	65.2	63.2 - 67.2
	45-64	53.9	45.5 - 62.3	49.8	47.8 - 51.9
	65 & Older	37.9	30.3 - 45.5	43.9	42.1 - 45.8
<b>EDUCATION LEVEL</b>	<High School	48.9	31.3 - 66.5	49.5	45.3 - 53.7
	High School / GED	67.1 *	57.6 - 76.5	52.5	50.2 - 54.8
	>High School	59.5	53.5 - 65.5	57.8	56.4 - 59.2
<b>ANNUAL INCOME</b>	<\$25,000	57.1	47.0 - 67.2	53.8	51.4 - 56.1
	\$25,000-\$49,999	60.2	49.8 - 70.6	50.4	47.9 - 52.9
	\$50,000 or More	59.7	51.3 - 68.0	58.1	56.2 - 60.0
<b>MARITAL STATUS</b>	Married/Couple	61.3	54.2 - 68.3	54.5	52.9 - 56.0
	Not Married/Couple	58.0	50.5 - 65.5	55.5	53.6 - 57.4

## Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	69.1	54.8 - 83.5	61.1	58.3 - 63.9
<b>SEX</b>	Men	68.8	48.7 - 88.9	60.3	56.0 - 64.5
	Women	69.7	50.4 - 89.0	62.1	58.5 - 65.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	75.7 *	61.9 - 89.5	57.9	55.0 - 60.8
	Non-Hisp. Black	NA		71.1	61.8 - 80.3
	Hispanic	NA		62.6	53.1 - 72.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	76.5	58.5 - 94.4	57.9	53.4 - 62.4
	Non-Hisp. White Women	74.8	53.6 - 95.9	57.9	54.1 - 61.7
	Non-Hisp. Black Men	NA		64.6	51.4 - 77.8
	Non-Hisp. Black Women	NA		82.8	75.3 - 90.3
	Hispanic Men	NA		61.3	48.9 - 73.7
	Hispanic Women	NA		65.2	50.4 - 80.1
<b>AGE GROUP</b>	18-44	NA		65.8	61.4 - 70.3
	45-64	62.5	40.2 - 84.7	58.2	54.3 - 62.2
	65 & Older	59.9	38.1 - 81.7	52.7	44.7 - 60.8
<b>EDUCATION LEVEL</b>	<High School	NA		58.6	50.8 - 66.4
	High School / GED	NA		61.9	57.5 - 66.3
	>High School	75.7	61.7 - 89.7	61.8	57.9 - 65.6
<b>ANNUAL INCOME</b>	<\$25,000	74.0	53.4 - 94.6	63.9	59.3 - 68.5
	\$25,000-\$49,999	61.3	30.8 - 91.7	61.8	56.6 - 66.9
	\$50,000 or More	81.4 *	63.7 - 99.0	57.1	51.4 - 62.8
<b>MARITAL STATUS</b>	Married/Couple	78.9	62.0 - 95.8	60.9	56.9 - 64.9
	Not Married/Couple	64.8	46.0 - 83.7	61.2	57.3 - 65.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Physical Activity &amp; Nutrition

## Percentage of adults who are sedentary

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	26.9	22.2 - 31.7	27.7	26.6 - 28.9
<b>SEX</b>	Men	20.6	14.2 - 27.1	25.3	23.6 - 27.0
	Women	32.6	25.8 - 39.3	30.0	28.5 - 31.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	24.9	19.4 - 30.5	25.1	24.0 - 26.2
	Non-Hisp. Black	23.7	13.8 - 33.5	30.2	26.6 - 33.9
	Hispanic	26.9	15.4 - 38.5	31.6	28.1 - 35.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	22.8	14.2 - 31.5	22.9	21.3 - 24.4
	Non-Hisp. White Women	26.8	19.8 - 33.8	27.2	25.7 - 28.6
	Non-Hisp. Black Men	13.8	2.8 - 24.9	26.0	20.8 - 31.3
	Non-Hisp. Black Women	31.7	17.2 - 46.1	34.0	29.1 - 39.0
	Hispanic Men	13.5	0.8 - 26.2	29.0	23.9 - 34.2
	Hispanic Women	41.9	23.7 - 60.1	34.1	29.2 - 38.9
<b>AGE GROUP</b>	18-44	26.6	18.1 - 35.0	24.1	22.1 - 26.0
	45-64	21.6	14.7 - 28.5	29.5	27.5 - 31.4
	65 & Older	37.6	29.5 - 45.6	32.2	30.3 - 34.0
<b>EDUCATION LEVEL</b>	<High School	32.1	14.7 - 49.5	40.5	36.2 - 44.9
	High School / GED	33.5	22.4 - 44.7	31.2	29.0 - 33.4
	>High School	23.5	18.3 - 28.7	22.4	21.2 - 23.7
<b>ANNUAL INCOME</b>	<\$25,000	36.6	26.5 - 46.7	37.1	34.7 - 39.5
	\$25,000-\$49,999	29.0	18.9 - 39.1	28.8	26.5 - 31.2
	\$50,000 or More	20.4	13.3 - 27.4	18.1	16.5 - 19.6
<b>MARITAL STATUS</b>	Married/Couple	27.1	19.9 - 34.3	26.4	24.9 - 27.9
	Not Married/Couple	25.3	19.2 - 31.4	29.1	27.3 - 30.9

## Percentage of adults who consumed five or more servings of fruits or vegetables per day

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	20.7	16.2 - 25.2	18.3	17.3 - 19.4
<b>SEX</b>	Men	18.5	11.8 - 25.2	16.1	14.5 - 17.6
	Women	22.8	16.7 - 28.8	20.4	19.0 - 21.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	17.8	11.9 - 23.7	16.3	15.4 - 17.3
	Non-Hisp. Black	19.4	10.0 - 28.8	22.4	18.9 - 26.0
	Hispanic	22.0	11.4 - 32.6	19.8	16.8 - 22.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	17.2	7.2 - 27.2	14.0	12.6 - 15.5
	Non-Hisp. White Women	18.3	11.7 - 24.9	18.5	17.2 - 19.7
	Non-Hisp. Black Men	21.0	5.2 - 36.8	18.2	13.0 - 23.4
	Non-Hisp. Black Women	18.0	7.2 - 28.7	26.3	21.5 - 31.0
	Hispanic Men	17.3	4.0 - 30.6	19.0	14.5 - 23.5
	Hispanic Women	27.4	10.8 - 43.9	20.6	16.5 - 24.7
<b>AGE GROUP</b>	18-44	24.1	15.9 - 32.4	19.9	18.0 - 21.7
	45-64	18.5	12.2 - 24.8	17.9	16.3 - 19.5
	65 & Older	17.9	11.3 - 24.5	16.2	14.6 - 17.9
<b>EDUCATION LEVEL</b>	<High School	24.8	9.2 - 40.5	18.7	15.1 - 22.3
	High School / GED	14.7	5.9 - 23.4	14.5	12.6 - 16.3
	>High School	22.1	16.7 - 27.5	20.4	19.1 - 21.6
<b>ANNUAL INCOME</b>	<\$25,000	18.0	9.5 - 26.4	17.7	15.6 - 19.8
	\$25,000-\$49,999	25.2	15.1 - 35.3	19.0	16.8 - 21.2
	\$50,000 or More	22.0	14.7 - 29.4	19.7	18.1 - 21.3
<b>MARITAL STATUS</b>	Married/Couple	19.9	13.5 - 26.2	19.4	18.0 - 20.8
	Not Married/Couple	20.5	14.4 - 26.6	17.0	15.6 - 18.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Physical Activity &amp; Nutrition

## Percentage of adults who are inactive or insufficiently active

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	54.4	48.5 - 60.3	52.9	51.6 - 54.3
<b>SEX</b>	Men	51.1	41.8 - 60.3	51.1	49.0 - 53.1
	Women	57.2	49.7 - 64.7	54.5	52.8 - 56.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	52.6	45.3 - 59.8	48.8	47.5 - 50.1
	Non-Hisp. Black	51.4	36.8 - 66.0	56.9	52.6 - 61.3
	Hispanic	54.6	40.8 - 68.3	59.3	55.2 - 63.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	46.4	34.6 - 58.3	46.3	44.2 - 48.3
	Non-Hisp. White Women	57.9	49.5 - 66.3	51.0	49.3 - 52.7
	Non-Hisp. Black Men	52.4	28.2 - 76.6	54.2	47.1 - 61.2
	Non-Hisp. Black Women	50.5	33.2 - 67.9	59.4	54.0 - 64.7
	Hispanic Men	51.1	31.8 - 70.5	59.3	53.3 - 65.4
	Hispanic Women	58.1	38.7 - 77.5	59.3	53.7 - 64.9
<b>AGE GROUP</b>	18-44	52.3	41.7 - 62.8	54.3	51.7 - 56.8
	45-64	56.2	46.8 - 65.6	55.2	53.0 - 57.3
	65 & Older	54.5	46.2 - 62.8	47.5	45.5 - 49.4
<b>EDUCATION LEVEL</b>	<High School	58.3	38.1 - 78.6	64.2	59.9 - 68.6
	High School / GED	63.7	51.7 - 75.8	55.6	53.0 - 58.1
	>High School	50.6	43.6 - 57.6	48.4	46.8 - 50.0
<b>ANNUAL INCOME</b>	<\$25,000	63.0	52.5 - 73.5	61.0	58.4 - 63.6
	\$25,000-\$49,999	65.5	53.2 - 77.8	56.2	53.5 - 58.9
	\$50,000 or More	42.5	33.2 - 51.9	43.5	41.3 - 45.7
<b>MARITAL STATUS</b>	Married/Couple	54.8	46.5 - 63.1	50.5	48.7 - 52.2
	Not Married/Couple	52.5	44.1 - 61.0	55.8	53.7 - 57.9

## Percentage of adults who meet aerobic recommendations

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	48.9	43.1 - 54.6	50.2	48.9 - 51.5
<b>SEX</b>	Men	51.6	42.7 - 60.5	52.0	50.0 - 54.0
	Women	46.5	39.1 - 54.0	48.6	46.9 - 50.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	50.3	43.2 - 57.4	53.8	52.5 - 55.1
	Non-Hisp. Black	54.1	40.0 - 68.2	46.8	42.5 - 51.1
	Hispanic	48.3	34.9 - 61.8	45.0	41.0 - 49.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	54.8	43.1 - 66.4	56.3	54.3 - 58.2
	Non-Hisp. White Women	46.6	38.2 - 55.0	51.7	50.0 - 53.3
	Non-Hisp. Black Men	52.4	29.4 - 75.4	48.8	41.9 - 55.6
	Non-Hisp. Black Women	55.6	38.4 - 72.9	45.0	39.7 - 50.4
	Hispanic Men	52.2	33.7 - 70.7	45.3	39.4 - 51.2
	Hispanic Women	44.3	25.1 - 63.6	44.8	39.4 - 50.2
<b>AGE GROUP</b>	18-44	51.1	40.9 - 61.3	50.7	48.2 - 53.1
	45-64	48.3	39.1 - 57.5	47.6	45.4 - 49.7
	65 & Older	46.3	38.1 - 54.6	53.6	51.7 - 55.5
<b>EDUCATION LEVEL</b>	<High School	42.4	22.4 - 62.4	38.8	34.4 - 43.2
	High School / GED	44.6	32.2 - 56.9	47.7	45.2 - 50.2
	>High School	51.6	44.8 - 58.4	54.7	53.1 - 56.2
<b>ANNUAL INCOME</b>	<\$25,000	43.9	33.2 - 54.6	42.3	39.7 - 44.9
	\$25,000-\$49,999	38.6	26.5 - 50.8	47.8	45.1 - 50.4
	\$50,000 or More	58.9	49.8 - 68.0	59.2	57.1 - 61.3
<b>MARITAL STATUS</b>	Married/Couple	49.4	41.3 - 57.6	52.5	50.7 - 54.2
	Not Married/Couple	49.8	41.6 - 58.0	47.6	45.5 - 49.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Physical Activity &amp; Nutrition

## Percentage of adults who meet muscle strengthening recommendations

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	31.6	26.5 - 36.7	29.6	28.4 - 30.7
<b>SEX</b>	Men	39.4	31.0 - 47.9	36.0	34.1 - 37.8
	Women	24.7	18.9 - 30.4	23.6	22.2 - 25.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	30.8	24.2 - 37.4	29.3	28.1 - 30.4
	Non-Hisp. Black	37.2	24.0 - 50.4	35.0	31.0 - 38.9
	Hispanic	35.8	24.0 - 47.7	28.0	24.6 - 31.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	35.3	24.4 - 46.3	34.1	32.2 - 36.0
	Non-Hisp. White Women	26.6	18.9 - 34.4	24.8	23.4 - 26.2
	Non-Hisp. Black Men	44.1	21.7 - 66.5	45.0	38.7 - 51.4
	Non-Hisp. Black Women	31.7	16.8 - 46.5	25.9	21.5 - 30.3
	Hispanic Men	47.9	30.3 - 65.6	37.0	31.7 - 42.3
	Hispanic Women	22.6	9.5 - 35.7	19.4	15.4 - 23.5
<b>AGE GROUP</b>	18-44	37.0	27.8 - 46.2	37.4	35.2 - 39.5
	45-64	28.3	20.8 - 35.8	25.4	23.6 - 27.2
	65 & Older	26.8	19.4 - 34.2	21.8	20.2 - 23.3
<b>EDUCATION LEVEL</b>	<High School	27.8	11.9 - 43.7	20.7	16.8 - 24.6
	High School / GED	26.9	15.9 - 37.8	26.2	24.0 - 28.5
	>High School	34.2	28.1 - 40.3	33.8	32.3 - 35.2
<b>ANNUAL INCOME</b>	<\$25,000	26.0	17.1 - 34.9	23.6	21.5 - 25.7
	\$25,000-\$49,999	23.8	14.3 - 33.3	27.1	24.9 - 29.4
	\$50,000 or More	43.8	34.9 - 52.8	37.3	35.2 - 39.3
<b>MARITAL STATUS</b>	Married/Couple	29.8	22.9 - 36.6	28.1	26.6 - 29.6
	Not Married/Couple	34.0	26.4 - 41.6	31.3	29.5 - 33.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Screening/Breast

## Percentage of women aged 40 to 74 years who received a mammogram in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	49.8	40.8 - 58.9	57.5	55.3 - 59.6
<b>SEX</b>	Women	49.8	40.8 - 58.9	57.5	55.3 - 59.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	53.4	42.5 - 64.3	56.2	54.2 - 58.2
	Non-Hisp. Black	45.1	25.9 - 64.4	61.0	54.4 - 67.6
	Hispanic	NA		61.0	54.2 - 67.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	53.4	42.5 - 64.3	56.2	54.2 - 58.2
	Non-Hisp. Black Women	45.1	25.9 - 64.4	61.0	54.4 - 67.6
	Hispanic Women	NA		61.0	54.2 - 67.7
<b>AGE GROUP</b>	18-44	47.2	24.3 - 70.2	44.0	37.6 - 50.3
	45-64	45.7	34.7 - 56.6	57.0	54.2 - 59.8
	65 & Older	74.9	61.8 - 88.0	67.5	64.3 - 70.7
<b>EDUCATION LEVEL</b>	<High School	NA		49.3	40.5 - 58.1
	High School / GED	44.2	26.1 - 62.3	58.0	54.1 - 61.8
	>High School	58.5	47.9 - 69.2	59.0	56.6 - 61.5
<b>ANNUAL INCOME</b>	<\$25,000	49.4	32.1 - 66.6	52.4	47.8 - 57.0
	\$25,000-\$49,999	35.6	17.8 - 53.4	50.9	46.5 - 55.2
	\$50,000 or More	59.1	44.9 - 73.3	64.8	61.7 - 67.9
<b>MARITAL STATUS</b>	Married/Couple	51.7	38.3 - 65.1	59.9	57.3 - 62.6
	Not Married/Couple	48.3	36.2 - 60.4	53.6	50.1 - 57.2

## Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	55.6	48.1 - 63.1	56.0	54.2 - 57.7
<b>SEX</b>	Women	55.6	48.1 - 63.1	56.0	54.2 - 57.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	62.7	53.9 - 71.6	57.8	56.2 - 59.4
	Non-Hisp. Black	55.2	38.5 - 71.9	59.3	54.2 - 64.5
	Hispanic	45.8	26.5 - 65.1	50.2	44.7 - 55.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	62.7	53.9 - 71.6	57.8	56.2 - 59.4
	Non-Hisp. Black Women	55.2	38.5 - 71.9	59.3	54.2 - 64.5
	Hispanic Women	45.8	26.5 - 65.1	50.2	44.7 - 55.6
<b>AGE GROUP</b>	18-44	45.1	31.3 - 58.9	50.7	47.5 - 54.0
	45-64	59.9	48.7 - 71.1	60.1	57.3 - 62.9
	65 & Older	65.7	55.4 - 75.9	58.1	55.7 - 60.4
<b>EDUCATION LEVEL</b>	<High School	43.6	17.0 - 70.1	45.6	39.2 - 52.0
	High School / GED	54.5	40.1 - 68.9	51.2	47.9 - 54.5
	>High School	58.2	49.0 - 67.4	60.9	58.9 - 62.9
<b>ANNUAL INCOME</b>	<\$25,000	49.5	35.5 - 63.5	48.4	45.1 - 51.7
	\$25,000-\$49,999	57.4	41.7 - 73.1	52.6	49.1 - 56.1
	\$50,000 or More	63.7	50.9 - 76.6	67.8	65.0 - 70.5
<b>MARITAL STATUS</b>	Married/Couple	59.2	47.5 - 70.9	60.6	58.3 - 62.8
	Not Married/Couple	54.7	45.0 - 64.3	51.4	48.8 - 54.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Screening/Cervical

## Percentage of women 18 years of age and older who received a Pap test in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	56.2	47.9 - 64.6	51.4	49.3 - 53.5
<b>SEX</b>	Women	56.2	47.9 - 64.6	51.4	49.3 - 53.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	58.8	48.8 - 68.8	49.3	47.3 - 51.4
	Non-Hisp. Black	52.8	33.9 - 71.8	56.3	50.2 - 62.4
	Hispanic	58.4	36.4 - 80.3	53.5	47.5 - 59.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	58.8	48.8 - 68.8	49.3	47.3 - 51.4
	Non-Hisp. Black Women	52.8	33.9 - 71.8	56.3	50.2 - 62.4
	Hispanic Women	58.4	36.4 - 80.3	53.5	47.5 - 59.4
<b>AGE GROUP</b>	18-44	66.1	52.3 - 80.0	56.6	53.3 - 59.8
	45-64	52.7	40.5 - 64.9	52.3	49.0 - 55.6
	65 & Older	40.5	24.8 - 56.2	34.3	30.9 - 37.7
<b>EDUCATION LEVEL</b>	<High School	NA		48.0	40.6 - 55.5
	High School / GED	52.7	35.1 - 70.3	46.3	42.1 - 50.4
	>High School	57.3	47.2 - 67.4	54.6	52.2 - 57.0
<b>ANNUAL INCOME</b>	<\$25,000	60.1	45.5 - 74.8	48.3	44.5 - 52.1
	\$25,000-\$49,999	40.3	22.3 - 58.2	43.7	39.4 - 47.9
	\$50,000 or More	62.2	49.1 - 75.4	61.2	57.8 - 64.5
<b>MARITAL STATUS</b>	Married/Couple	55.2	42.7 - 67.7	55.3	52.5 - 58.0
	Not Married/Couple	58.8	47.9 - 69.8	47.4	44.3 - 50.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Screening/Colorectal

## Percentage of adults 50 years of age and older who received a stool blood test in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	12.0	7.9 - 16.0	13.9	12.8 - 15.0
<b>SEX</b>	Men	15.9	8.2 - 23.5	13.0	11.5 - 14.5
	Women	8.9 *	5.0 - 12.8	14.7	13.2 - 16.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.1	7.7 - 16.4	13.6	12.7 - 14.6
	Non-Hisp. Black	4.6 *	0.0 - 9.8	14.4	10.3 - 18.5
	Hispanic	18.4	4.1 - 32.6	13.9	9.7 - 18.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	13.4	6.3 - 20.5	13.4	12.0 - 14.8
	Non-Hisp. White Women	11.0	5.5 - 16.6	13.9	12.7 - 15.1
	Non-Hisp. Black Men	NA		13.9	6.8 - 21.0
	Non-Hisp. Black Women	4.1 *	0.0 - 9.3	14.9	10.6 - 19.2
	Hispanic Men	NA		10.9	5.2 - 16.5
	Hispanic Women	NA		16.2	10.2 - 22.2
<b>AGE GROUP</b>	45-64	8.8	3.5 - 14.2	9.3	7.9 - 10.6
	65 & Older	17.0	10.9 - 23.1	19.2	17.6 - 20.9
<b>EDUCATION LEVEL</b>	<High School	2.7 *	0.0 - 5.4	14.0	9.6 - 18.4
	High School / GED	12.3	2.0 - 22.5	14.4	12.6 - 16.2
	>High School	14.1	9.1 - 19.1	13.7	12.5 - 14.9
<b>ANNUAL INCOME</b>	<\$25,000	9.7	4.0 - 15.5	15.9	13.3 - 18.4
	\$25,000-\$49,999	9.3	3.1 - 15.6	13.4	11.6 - 15.3
	\$50,000 or More	18.1	8.5 - 27.6	12.9	11.3 - 14.6
<b>MARITAL STATUS</b>	Married/Couple	15.5	9.0 - 22.1	14.3	12.9 - 15.8
	Not Married/Couple	7.4 *	3.7 - 11.1	13.2	11.7 - 14.8

## Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	53.7	46.7 - 60.7	55.3	53.7 - 56.9
<b>SEX</b>	Men	62.1	51.1 - 73.2	57.1	54.7 - 59.6
	Women	46.9	38.0 - 55.9	53.7	51.6 - 55.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	51.5	43.2 - 59.8	56.6	55.2 - 58.1
	Non-Hisp. Black	67.9	50.1 - 85.7	57.1	51.4 - 62.8
	Hispanic	64.7	47.3 - 82.2	50.7	44.4 - 57.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	58.2	43.5 - 72.9	58.6	56.3 - 61.0
	Non-Hisp. White Women	46.3	36.8 - 55.8	54.9	53.1 - 56.8
	Non-Hisp. Black Men	NA		61.0	52.1 - 69.9
	Non-Hisp. Black Women	64.7	44.3 - 85.1	53.5	46.5 - 60.5
	Hispanic Men	NA		48.5	38.5 - 58.6
	Hispanic Women	NA		52.3	44.2 - 60.5
<b>AGE GROUP</b>	45-64	45.5	35.6 - 55.4	46.8	44.4 - 49.3
	65 & Older	67.1	59.2 - 74.9	65.1	63.3 - 66.9
<b>EDUCATION LEVEL</b>	<High School	37.8	13.4 - 62.1	47.5	41.4 - 53.7
	High School / GED	61.9	48.4 - 75.4	53.7	51.0 - 56.5
	>High School	53.8	45.7 - 61.8	58.4	56.6 - 60.2
<b>ANNUAL INCOME</b>	<\$25,000	54.8	41.2 - 68.4	49.0	45.7 - 52.4
	\$25,000-\$49,999	54.6	40.5 - 68.7	53.2	49.9 - 56.5
	\$50,000 or More	53.9	41.8 - 65.9	61.2	58.7 - 63.6
<b>MARITAL STATUS</b>	Married/Couple	57.4	47.7 - 67.0	58.6	56.7 - 60.6
	Not Married/Couple	49.0	39.3 - 58.8	50.0	47.4 - 52.7

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## HIV/AIDS Screening

## Percentage of adults who have ever been tested for HIV

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	45.7	40.2 - 51.2	42.6	41.4 - 43.9
<b>SEX</b>	Men	42.8	34.4 - 51.2	41.2	39.3 - 43.1
	Women	48.4	41.2 - 55.6	43.9	42.2 - 45.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	35.0	28.2 - 41.8	34.4	33.2 - 35.6
	Non-Hisp. Black	69.1	56.6 - 81.6	65.8	62.1 - 69.5
	Hispanic	41.6	29.0 - 54.2	48.7	44.9 - 52.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	39.4	28.1 - 50.6	35.3	33.4 - 37.2
	Non-Hisp. White Women	30.9	22.7 - 39.1	33.5	32.0 - 35.1
	Non-Hisp. Black Men	64.0	42.6 - 85.5	62.0	55.9 - 68.0
	Non-Hisp. Black Women	73.5	59.7 - 87.3	69.3	64.7 - 73.8
	Hispanic Men	42.4	25.4 - 59.4	44.9	39.5 - 50.4
	Hispanic Women	40.6	22.0 - 59.3	52.3	47.0 - 57.6
<b>AGE GROUP</b>	18-44	58.0	48.2 - 67.9	56.9	54.7 - 59.2
	45-64	44.9	36.2 - 53.7	42.7	40.6 - 44.8
	65 & Older	19.5	12.5 - 26.4	15.9	14.3 - 17.6
<b>EDUCATION LEVEL</b>	<High School	33.2	16.4 - 50.1	39.4	35.0 - 43.7
	High School / GED	43.0	30.9 - 55.2	39.8	37.4 - 42.3
	>High School	49.1	42.6 - 55.5	45.0	43.5 - 46.5
<b>ANNUAL INCOME</b>	<\$25,000	56.9	46.3 - 67.6	48.8	46.3 - 51.3
	\$25,000-\$49,999	35.2	24.9 - 45.5	40.8	38.2 - 43.4
	\$50,000 or More	49.8	40.8 - 58.8	41.7	39.6 - 43.8
<b>MARITAL STATUS</b>	Married/Couple	46.0	38.1 - 53.9	39.9	38.2 - 41.6
	Not Married/Couple	46.2	38.3 - 54.0	46.1	44.1 - 48.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who received a flu shot in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	25.0 *	20.6 - 29.4	30.7	29.6 - 31.8
<b>SEX</b>	Men	23.1	16.4 - 29.9	29.5	27.9 - 31.2
	Women	26.7	20.9 - 32.5	31.8	30.3 - 33.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	33.6	27.5 - 39.7	36.6	35.5 - 37.8
	Non-Hisp. Black	13.8	5.1 - 22.5	17.9	15.2 - 20.6
	Hispanic	27.1	15.7 - 38.6	26.1	22.6 - 29.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	28.8	19.8 - 37.8	35.3	33.6 - 37.0
	Non-Hisp. White Women	37.9	29.9 - 45.8	37.8	36.3 - 39.3
	Non-Hisp. Black Men	13.8	0.0 - 29.4	16.6	12.7 - 20.5
	Non-Hisp. Black Women	13.8	4.5 - 23.2	19.1	15.4 - 22.7
	Hispanic Men	24.7	9.2 - 40.2	25.5	20.6 - 30.4
	Hispanic Women	30.1	13.0 - 47.1	26.6	21.8 - 31.4
<b>AGE GROUP</b>	18-44	13.2	6.4 - 20.0	18.6	17.0 - 20.3
	45-64	24.0	16.7 - 31.2	29.5	27.6 - 31.4
	65 & Older	54.4	46.2 - 62.5	54.6	52.7 - 56.5
<b>EDUCATION LEVEL</b>	<High School	21.3	6.6 - 36.0	26.5	22.5 - 30.5
	High School / GED	25.1	15.9 - 34.4	28.8	26.7 - 30.8
	>High School	25.7 *	20.3 - 31.0	32.8	31.6 - 34.1
<b>ANNUAL INCOME</b>	<\$25,000	21.7	13.9 - 29.5	25.4	23.3 - 27.5
	\$25,000-\$49,999	25.7	16.6 - 34.8	31.3	29.0 - 33.5
	\$50,000 or More	23.7 *	16.8 - 30.6	34.0	32.2 - 35.8
<b>MARITAL STATUS</b>	Married/Couple	28.2	21.6 - 34.9	34.2	32.7 - 35.7
	Not Married/Couple	22.5	16.5 - 28.6	26.7	25.1 - 28.4

## Percentage of adults 65 years of age and older who received a flu shot in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	54.4	46.2 - 62.5	54.6	52.7 - 56.5
<b>SEX</b>	Men	49.1	36.9 - 61.3	54.4	51.2 - 57.5
	Women	59.3	48.9 - 69.6	54.7	52.4 - 57.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	60.0	51.3 - 68.8	58.5	56.9 - 60.2
	Non-Hisp. Black	24.4	4.4 - 44.5	34.3	26.6 - 41.9
	Hispanic	NA		46.6	37.1 - 56.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	54.8	41.0 - 68.6	57.7	55.0 - 60.4
	Non-Hisp. White Women	64.9	54.6 - 75.2	59.2	57.1 - 61.4
	Non-Hisp. Black Men	NA		27.5	16.3 - 38.7
	Non-Hisp. Black Women	NA		39.4	29.8 - 49.0
	Hispanic Men	NA		53.4	37.0 - 69.8
	Hispanic Women	NA		41.0	30.9 - 51.2
<b>AGE GROUP</b>	65 & Older	54.4	46.2 - 62.5	54.6	52.7 - 56.5
<b>EDUCATION LEVEL</b>	<High School	NA		49.0	41.6 - 56.4
	High School / GED	64.4	49.0 - 79.8	53.3	50.3 - 56.3
	>High School	48.8	38.9 - 58.8	57.0	54.9 - 59.2
<b>ANNUAL INCOME</b>	<\$25,000	55.1	40.9 - 69.4	48.2	43.7 - 52.7
	\$25,000-\$49,999	57.5	41.7 - 73.3	56.4	53.2 - 59.7
	\$50,000 or More	53.1	37.5 - 68.7	59.1	56.1 - 62.1
<b>MARITAL STATUS</b>	Married/Couple	55.0	42.3 - 67.6	55.6	53.0 - 58.2
	Not Married/Couple	53.8	43.4 - 64.2	53.2	50.4 - 56.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who have ever received a pneumococcal vaccination

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	29.3	24.5 - 34.2	33.1	32.0 - 34.3
<b>SEX</b>	Men	27.0	19.6 - 34.3	32.9	31.1 - 34.7
	Women	31.3	24.9 - 37.8	33.3	31.8 - 34.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	39.7	32.6 - 46.7	38.2	37.0 - 39.4
	Non-Hisp. Black	26.7	14.2 - 39.3	28.9	25.0 - 32.8
	Hispanic	19.6	9.6 - 29.6	24.6	21.3 - 28.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	38.5	27.2 - 49.9	38.0	36.1 - 39.9
	Non-Hisp. White Women	40.7	32.3 - 49.1	38.3	36.8 - 39.9
	Non-Hisp. Black Men	NA		29.7	23.0 - 36.4
	Non-Hisp. Black Women	27.2	12.9 - 41.4	28.2	23.7 - 32.7
	Hispanic Men	15.0	3.3 - 26.7	24.6	19.8 - 29.5
	Hispanic Women	24.0	8.2 - 39.8	24.6	20.0 - 29.2
<b>AGE GROUP</b>	18-44	23.4	14.8 - 31.9	19.7	17.7 - 21.7
	45-64	16.5	10.3 - 22.7	24.4	22.6 - 26.2
	65 & Older	64.9	57.0 - 72.9	66.2	64.2 - 68.1
<b>EDUCATION LEVEL</b>	<High School	27.4	11.5 - 43.2	29.6	25.7 - 33.4
	High School / GED	30.0	20.0 - 40.1	34.0	31.8 - 36.3
	>High School	29.5	23.5 - 35.5	33.6	32.2 - 35.0
<b>ANNUAL INCOME</b>	<\$25,000	31.2	21.7 - 40.6	32.7	30.4 - 34.9
	\$25,000-\$49,999	31.0	20.8 - 41.2	34.5	32.1 - 36.8
	\$50,000 or More	25.7	17.6 - 33.8	30.0	28.1 - 31.9
<b>MARITAL STATUS</b>	Married/Couple	25.1 *	18.7 - 31.5	33.4	31.8 - 34.9
	Not Married/Couple	33.5	26.2 - 40.8	32.8	31.0 - 34.5

## Percentage of adults 65 years of age and older who have ever received a pneumococcal vaccination

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	64.9	56.9 - 72.9	66.2	64.2 - 68.1
<b>SEX</b>	Men	63.5	50.8 - 76.2	62.7	59.4 - 66.1
	Women	66.2	56.3 - 76.0	69.0	66.6 - 71.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	67.4	58.5 - 76.3	71.0	69.4 - 72.6
	Non-Hisp. Black	45.9	16.4 - 75.4	49.1	40.3 - 57.9
	Hispanic	NA		47.4	37.6 - 57.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	61.8	46.9 - 76.6	67.5	64.9 - 70.1
	Non-Hisp. White Women	72.5	63.2 - 81.9	73.9	72.0 - 75.8
	Non-Hisp. Black Men	NA		42.6	27.9 - 57.4
	Non-Hisp. Black Women	NA		53.8	43.8 - 63.8
	Hispanic Men	NA		45.1	27.9 - 62.2
	Hispanic Women	NA		49.4	38.3 - 60.5
<b>AGE GROUP</b>	65 & Older	64.9	56.9 - 72.9	66.2	64.2 - 68.1
<b>EDUCATION LEVEL</b>	<High School	NA		55.3	47.5 - 63.1
	High School / GED	71.2	56.7 - 85.6	68.6	65.8 - 71.5
	>High School	64.5	54.7 - 74.3	68.2	66.0 - 70.4
<b>ANNUAL INCOME</b>	<\$25,000	61.9	46.6 - 77.3	60.6	55.8 - 65.3
	\$25,000-\$49,999	61.9	46.3 - 77.5	67.3	64.1 - 70.5
	\$50,000 or More	70.9	56.1 - 85.7	69.4	66.4 - 72.3
<b>MARITAL STATUS</b>	Married/Couple	68.8	56.7 - 80.9	67.0	64.4 - 69.6
	Not Married/Couple	61.2	50.8 - 71.5	64.9	61.8 - 68.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who have received a tetanus shot since 2005

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	45.1	39.4 - 50.9	51.2	49.9 - 52.5
<b>SEX</b>	Men	46.4	37.5 - 55.2	54.9	52.9 - 56.9
	Women	44.0	36.5 - 51.5	47.7	45.9 - 49.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	44.8	37.3 - 52.3	52.0	50.7 - 53.3
	Non-Hisp. Black	33.3	19.2 - 47.3	47.5	43.3 - 51.6
	Hispanic	43.8	30.5 - 57.1	42.8	38.9 - 46.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	52.4	40.3 - 64.4	57.0	55.1 - 59.0
	Non-Hisp. White Women	37.5	28.8 - 46.2	47.3	45.6 - 49.0
	Non-Hisp. Black Men	35.9	11.9 - 59.9	54.8	48.5 - 61.2
	Non-Hisp. Black Women	31.3	14.8 - 47.9	41.0	35.8 - 46.2
	Hispanic Men	37.8	20.4 - 55.2	42.1	36.5 - 47.8
	Hispanic Women	51.0	31.5 - 70.6	43.6	38.0 - 49.1
<b>AGE GROUP</b>	18-44	56.2	46.3 - 66.1	57.0	54.7 - 59.3
	45-64	38.2 *	29.4 - 46.9	49.1	47.0 - 51.3
	65 & Older	33.7	25.6 - 41.8	43.5	41.5 - 45.5
<b>EDUCATION LEVEL</b>	<High School	42.1	22.0 - 62.3	45.9	41.3 - 50.6
	High School / GED	40.2	27.0 - 53.5	49.7	47.2 - 52.2
	>High School	47.3	40.7 - 53.9	53.5	52.0 - 55.1
<b>ANNUAL INCOME</b>	<\$25,000	49.0	37.6 - 60.4	48.3	45.7 - 50.8
	\$25,000-\$49,999	44.4	32.6 - 56.1	49.6	47.0 - 52.2
	\$50,000 or More	45.0	35.7 - 54.3	55.4	53.3 - 57.5
<b>MARITAL STATUS</b>	Married/Couple	47.4	39.3 - 55.6	51.1	49.4 - 52.8
	Not Married/Couple	42.5	34.3 - 50.7	51.1	49.0 - 53.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Injury Prevention

## Percentage of adults who always or nearly always use a seatbelt when riding in a car

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	91.8	88.3 - 95.3	94.2	93.5 - 94.9
<b>SEX</b>	Men	88.5	82.3 - 94.7	91.9	90.7 - 93.1
	Women	94.7	91.1 - 98.4	96.3	95.6 - 97.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	92.6	87.2 - 97.9	94.7	94.0 - 95.4
	Non-Hisp. Black	89.7	79.4 - 99.9	91.8	89.2 - 94.4
	Hispanic	91.6	84.8 - 98.3	94.1	92.2 - 95.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	87.7	77.4 - 98.1	92.2	90.9 - 93.4
	Non-Hisp. White Women	97.0	94.3 - 99.8	97.1	96.5 - 97.7
	Non-Hisp. Black Men	87.7	70.9 -100.0	89.2	84.9 - 93.5
	Non-Hisp. Black Women	91.3	78.7 -100.0	94.1	91.1 - 97.1
	Hispanic Men	89.2	78.6 - 99.8	92.3	89.2 - 95.4
	Hispanic Women	94.2	86.3 -100.0	95.7	93.8 - 97.7
<b>AGE GROUP</b>	18-44	89.0	82.8 - 95.3	91.8	90.5 - 93.1
	45-64	94.2	88.6 - 99.8	95.6	94.6 - 96.6
	65 & Older	93.6	89.0 - 98.3	96.4	95.7 - 97.2
<b>EDUCATION LEVEL</b>	<High School	89.8	76.3 -100.0	89.5	86.7 - 92.2
	High School / GED	91.2	83.9 - 98.5	94.1	92.9 - 95.2
	>High School	92.4	88.3 - 96.4	95.4	94.7 - 96.2
<b>ANNUAL INCOME</b>	<\$25,000	85.6	76.8 - 94.3	91.7	90.1 - 93.3
	\$25,000-\$49,999	94.3	88.8 - 99.7	94.6	93.4 - 95.8
	\$50,000 or More	94.3	89.1 - 99.5	96.2	95.3 - 97.1
<b>MARITAL STATUS</b>	Married/Couple	95.9	92.1 - 99.7	95.8	95.1 - 96.5
	Not Married/Couple	88.0	82.2 - 93.9	92.3	91.1 - 93.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

## Percentage of adults who said their overall health was "good" to "excellent"

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	82.4	78.3 - 86.6	80.5	79.5 - 81.4
<b>SEX</b>	Men	83.9	77.7 - 90.0	81.6	80.2 - 83.0
	Women	81.1	75.5 - 86.7	79.4	78.1 - 80.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	81.5	75.7 - 87.3	82.3	81.4 - 83.2
	Non-Hisp. Black	84.7	76.1 - 93.3	80.3	77.3 - 83.2
	Hispanic	80.3	70.6 - 90.0	76.0	73.1 - 78.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	78.8	68.5 - 89.1	82.4	80.9 - 83.8
	Non-Hisp. White Women	83.8	77.9 - 89.8	82.2	81.0 - 83.4
	Non-Hisp. Black Men	85.3	72.7 - 97.8	81.8	77.3 - 86.3
	Non-Hisp. Black Women	84.1	72.4 - 95.8	78.8	75.1 - 82.6
	Hispanic Men	90.8	81.3 - 100.0	80.5	76.7 - 84.2
	Hispanic Women	69.1	52.9 - 85.4	71.7	67.4 - 76.1
<b>AGE GROUP</b>	18-44	86.8	80.1 - 93.5	86.9	85.5 - 88.4
	45-64	79.7	72.4 - 87.0	76.3	74.5 - 78.2
	65 & Older	78.2	72.0 - 84.4	74.6	72.9 - 76.2
<b>EDUCATION LEVEL</b>	<High School	60.6	43.6 - 77.7	63.3	59.5 - 67.2
	High School / GED	85.4	78.2 - 92.7	79.3	77.5 - 81.1
	>High School	86.2	81.9 - 90.5	85.8	84.8 - 86.8
<b>ANNUAL INCOME</b>	<\$25,000	66.9	56.6 - 77.2	66.3	64.0 - 68.5
	\$25,000-\$49,999	88.1	81.6 - 94.7	82.2	80.3 - 84.2
	\$50,000 or More	91.9	87.6 - 96.2	91.9	90.9 - 92.9
<b>MARITAL STATUS</b>	Married/Couple	85.4	79.8 - 91.0	82.5	81.2 - 83.7
	Not Married/Couple	79.5	73.3 - 85.6	78.0	76.4 - 79.5

## Percentage of adults who had poor physical health on 14 or more of the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	14.2	10.1 - 18.2	14.1	13.3 - 15.0
<b>SEX</b>	Men	12.8	6.8 - 18.8	13.0	11.8 - 14.3
	Women	15.4	9.9 - 20.9	15.2	14.0 - 16.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	13.3	8.2 - 18.4	13.9	13.0 - 14.7
	Non-Hisp. Black	13.4	3.2 - 23.6	12.4	9.8 - 15.0
	Hispanic	17.9	8.2 - 27.6	15.9	13.3 - 18.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.8	3.7 - 21.8	12.6	11.4 - 13.8
	Non-Hisp. White Women	13.8	8.4 - 19.2	15.0	13.9 - 16.2
	Non-Hisp. Black Men	20.9	3.5 - 38.3	13.5	8.9 - 18.1
	Non-Hisp. Black Women	4.9	0.0 - 11.9	11.4	8.6 - 14.2
	Hispanic Men	7.4	0.0 - 15.4	12.9	9.7 - 16.1
	Hispanic Women	29.1	12.5 - 45.6	18.9	14.9 - 22.9
<b>AGE GROUP</b>	18-44	10.6	4.8 - 16.4	9.7	8.5 - 11.0
	45-64	19.5	11.4 - 27.7	18.3	16.6 - 20.0
	65 & Older	11.9	7.5 - 16.4	16.6	15.2 - 18.0
<b>EDUCATION LEVEL</b>	<High School	41.9	23.8 - 60.0	24.7	21.0 - 28.3
	High School / GED	11.9	4.8 - 19.0	14.6	13.1 - 16.1
	>High School	9.0	5.7 - 12.2	11.2	10.3 - 12.0
<b>ANNUAL INCOME</b>	<\$25,000	25.5	15.4 - 35.5	24.2	22.2 - 26.2
	\$25,000-\$49,999	18.4	9.2 - 27.7	13.2	11.5 - 15.0
	\$50,000 or More	2.8 *	1.0 - 4.5	6.8	5.9 - 7.7
<b>MARITAL STATUS</b>	Married/Couple	12.6	6.9 - 18.3	12.9	11.9 - 14.0
	Not Married/Couple	15.7	9.8 - 21.6	15.5	14.2 - 16.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

## Percentage of adults who had poor mental health on 14 or more of the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	13.0	9.2 - 16.7	12.7	11.9 - 13.6
<b>SEX</b>	Men	12.9	7.1 - 18.8	10.9	9.7 - 12.2
	Women	13.0	8.3 - 17.7	14.4	13.2 - 15.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	11.8	6.7 - 16.8	11.9	11.1 - 12.8
	Non-Hisp. Black	19.8	9.1 - 30.5	14.7	11.7 - 17.6
	Hispanic	7.9	1.6 - 14.1	13.1	10.6 - 15.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.4	3.0 - 19.7	9.7	8.6 - 10.9
	Non-Hisp. White Women	12.1	6.1 - 18.1	14.0	12.8 - 15.2
	Non-Hisp. Black Men	28.3	10.0 - 46.6	14.8	9.8 - 19.7
	Non-Hisp. Black Women	11.1	1.6 - 20.6	14.6	11.0 - 18.1
	Hispanic Men	2.7 *	0.0 - 6.5	10.7	7.2 - 14.3
	Hispanic Women	13.5	1.5 - 25.5	15.5	11.7 - 19.2
<b>AGE GROUP</b>	18-44	14.8	8.1 - 21.4	12.6	11.2 - 14.0
	45-64	13.4	7.5 - 19.3	16.0	14.2 - 17.7
	65 & Older	6.8	2.9 - 10.7	8.4	7.2 - 9.5
<b>EDUCATION LEVEL</b>	<High School	31.5	13.6 - 49.5	19.7	16.1 - 23.3
	High School / GED	10.4	3.7 - 17.1	13.5	12.0 - 15.1
	>High School	10.2	6.8 - 13.6	10.4	9.5 - 11.3
<b>ANNUAL INCOME</b>	<\$25,000	23.0	14.0 - 32.1	20.1	18.2 - 22.0
	\$25,000-\$49,999	12.2	4.1 - 20.3	13.0	11.0 - 14.9
	\$50,000 or More	6.7	2.6 - 10.8	6.7	5.7 - 7.6
<b>MARITAL STATUS</b>	Married/Couple	10.6	5.2 - 16.1	10.5	9.4 - 11.5
	Not Married/Couple	15.2	9.9 - 20.6	15.4	13.9 - 16.8

## Average number of unhealthy physical days in the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	4.4	3.4 - 5.5	4.5	4.3 - 4.7
<b>SEX</b>	Men	4.0	2.4 - 5.6	4.2	3.8 - 4.5
	Women	4.8	3.4 - 6.2	4.8	4.5 - 5.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.4	3.0 - 5.7	4.5	4.2 - 4.7
	Non-Hisp. Black	4.7	2.0 - 7.5	4.2	3.5 - 4.9
	Hispanic	4.7	2.2 - 7.2	4.8	4.2 - 5.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.2	1.6 - 6.8	4.1	3.8 - 4.4
	Non-Hisp. White Women	4.5	3.4 - 5.7	4.8	4.5 - 5.1
	Non-Hisp. Black Men	6.7	2.0 - 11.5	4.4	3.2 - 5.6
	Non-Hisp. Black Women	2.4	0.3 - 4.5	4.1	3.4 - 4.8
	Hispanic Men	1.7	0.1 - 3.3	3.9	3.1 - 4.7
	Hispanic Women	7.8	3.3 - 12.3	5.7	4.7 - 6.8
<b>AGE GROUP</b>	18-44	3.3	1.8 - 4.8	3.4	3.0 - 3.7
	45-64	6.0	3.8 - 8.1	5.6	5.2 - 6.0
	65 & Older	4.2	3.1 - 5.3	5.1	4.8 - 5.4
<b>EDUCATION LEVEL</b>	<High School	11.9	6.8 - 16.9	7.4	6.4 - 8.3
	High School / GED	4.1	2.3 - 5.9	4.7	4.3 - 5.1
	>High School	2.9	2.2 - 3.6	3.7	3.5 - 3.9
<b>ANNUAL INCOME</b>	<\$25,000	7.5	4.8 - 10.2	7.2	6.7 - 7.7
	\$25,000-\$49,999	5.3	3.0 - 7.7	4.2	3.8 - 4.7
	\$50,000 or More	1.4 *	1.0 - 1.9	2.5	2.3 - 2.7
<b>MARITAL STATUS</b>	Married/Couple	4.0	2.5 - 5.5	4.2	3.9 - 4.4
	Not Married/Couple	4.8	3.3 - 6.3	4.9	4.6 - 5.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

## Average number of unhealthy mental days in the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	4.5	3.5 - 5.5	4.1	3.8 - 4.3
<b>SEX</b>	Men	4.6	3.0 - 6.3	3.5	3.2 - 3.9
	Women	4.4	3.3 - 5.6	4.6	4.3 - 4.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.0	2.7 - 5.3	3.8	3.6 - 4.0
	Non-Hisp. Black	6.1	3.3 - 9.0	4.5	3.8 - 5.2
	Hispanic	3.7	1.8 - 5.6	4.4	3.7 - 5.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.3	2.0 - 6.7	3.2	2.9 - 3.5
	Non-Hisp. White Women	3.7	2.4 - 4.9	4.3	4.0 - 4.6
	Non-Hisp. Black Men	8.9	4.0 - 13.7	4.5	3.2 - 5.8
	Non-Hisp. Black Women	3.3	1.1 - 5.6	4.5	3.8 - 5.3
	Hispanic Men	1.3	0.0 - 2.7	3.5	2.5 - 4.5
	Hispanic Women	6.3	2.9 - 9.7	5.2	4.2 - 6.2
<b>AGE GROUP</b>	18-44	5.5	3.7 - 7.4	4.2	3.9 - 4.6
	45-64	4.1	2.7 - 5.5	4.9	4.4 - 5.4
	65 & Older	2.5	1.4 - 3.7	2.6	2.3 - 2.9
<b>EDUCATION LEVEL</b>	<High School	10.2	5.6 - 14.8	6.1	5.1 - 7.1
	High School / GED	3.9	2.1 - 5.7	4.2	3.8 - 4.6
	>High School	3.6	2.7 - 4.5	3.5	3.2 - 3.7
<b>ANNUAL INCOME</b>	<\$25,000	7.9	5.5 - 10.2	6.0	5.5 - 6.5
	\$25,000-\$49,999	4.3	2.2 - 6.5	4.3	3.7 - 4.8
	\$50,000 or More	2.5	1.3 - 3.6	2.4	2.1 - 2.6
<b>MARITAL STATUS</b>	Married/Couple	3.4	1.9 - 4.9	3.3	3.0 - 3.6
	Not Married/Couple	5.6	4.2 - 6.9	5.0	4.6 - 5.4

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (Among adults who have had at least one day of poor mental or physical health)

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	4.8	3.4 - 6.1	5.1	4.8 - 5.4
<b>SEX</b>	Men	4.7	2.6 - 6.8	5.2	4.7 - 5.7
	Women	4.8	3.1 - 6.5	5.1	4.7 - 5.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.8	3.6 - 8.0	5.5	5.1 - 5.8
	Non-Hisp. Black	2.4	1.3 - 3.5	3.8	3.2 - 4.4
	Hispanic	4.5	1.1 - 7.9	5.1	4.2 - 6.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	6.7	2.4 - 11.1	5.5	4.9 - 6.0
	Non-Hisp. White Women	5.1	3.4 - 6.8	5.4	5.0 - 5.8
	Non-Hisp. Black Men	NA		3.6	2.8 - 4.4
	Non-Hisp. Black Women	2.5	1.0 - 4.1	3.9	3.1 - 4.8
	Hispanic Men	NA		5.1	3.8 - 6.4
	Hispanic Women	5.4	0.3 - 10.5	5.2	3.9 - 6.4
<b>AGE GROUP</b>	18-44	4.0	2.1 - 6.0	3.7	3.3 - 4.1
	45-64	5.5	2.8 - 8.2	6.8	6.1 - 7.4
	65 & Older	5.3	3.3 - 7.3	5.7	5.2 - 6.2
<b>EDUCATION LEVEL</b>	<High School	8.3	2.0 - 14.7	7.4	6.1 - 8.6
	High School / GED	4.1	2.3 - 5.9	5.3	4.8 - 5.8
	>High School	4.0	2.9 - 5.1	4.3	4.0 - 4.6
<b>ANNUAL INCOME</b>	<\$25,000	9.0	5.8 - 12.2	7.7	7.1 - 8.4
	\$25,000-\$49,999	2.5	1.2 - 3.8	3.8	3.4 - 4.2
	\$50,000 or More	2.3	1.4 - 3.2	3.0	2.6 - 3.3
<b>MARITAL STATUS</b>	Married/Couple	3.8	1.9 - 5.7	4.8	4.4 - 5.2
	Not Married/Couple	5.5	3.6 - 7.4	5.5	5.0 - 5.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Care Access &amp; Coverage

## Percentage of adults with any type of health care insurance coverage

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	78.7	74.0 - 83.4	77.1	76.0 - 78.2
<b>SEX</b>	Men	77.6	70.4 - 84.7	74.5	72.8 - 76.2
	Women	79.7	73.5 - 85.8	79.6	78.2 - 81.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	92.2 *	88.2 - 96.1	85.5	84.6 - 86.3
	Non-Hisp. Black	65.2	53.1 - 77.3	69.2	65.4 - 73.0
	Hispanic	77.0	66.1 - 87.8	64.0	60.6 - 67.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	91.1 *	84.8 - 97.5	83.2	81.8 - 84.6
	Non-Hisp. White Women	93.1	88.2 - 97.9	87.6	86.5 - 88.6
	Non-Hisp. Black Men	62.9	43.8 - 82.1	67.8	61.9 - 73.7
	Non-Hisp. Black Women	67.5	53.0 - 82.0	70.4	65.5 - 75.4
	Hispanic Men	79.1 *	65.7 - 92.6	59.7	54.6 - 64.7
	Hispanic Women	74.8	58.1 - 91.5	68.1	63.6 - 72.6
<b>AGE GROUP</b>	18-44	72.4	64.0 - 80.9	66.5	64.4 - 68.5
	45-64	78.1	70.8 - 85.4	76.4	74.6 - 78.3
	65 & Older	96.3	92.5 - 100.0	97.5	96.7 - 98.2
<b>EDUCATION LEVEL</b>	<High School	54.2	36.7 - 71.7	60.1	56.0 - 64.2
	High School / GED	69.3	58.7 - 80.0	72.1	69.9 - 74.2
	>High School	87.5	83.1 - 91.9	84.7	83.5 - 85.8
<b>ANNUAL INCOME</b>	<\$25,000	64.4	54.2 - 74.7	61.2	58.9 - 63.6
	\$25,000-\$49,999	72.0	62.0 - 81.9	76.0	73.5 - 78.4
	\$50,000 or More	92.6	86.7 - 98.4	92.6	91.5 - 93.8
<b>MARITAL STATUS</b>	Married/Couple	81.8	75.5 - 88.2	82.1	80.8 - 83.5
	Not Married/Couple	75.8	68.9 - 82.8	71.1	69.2 - 72.9

## Percentage of adults who have a personal doctor

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	73.8	68.8 - 78.7	73.2	72.1 - 74.4
<b>SEX</b>	Men	69.6	61.7 - 77.5	67.8	66.0 - 69.5
	Women	77.6	71.5 - 83.6	78.4	76.9 - 79.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	79.9	73.6 - 86.2	79.8	78.7 - 80.8
	Non-Hisp. Black	72.1	60.6 - 83.7	71.8	68.2 - 75.4
	Hispanic	69.5	58.0 - 81.1	59.7	56.2 - 63.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	74.2	63.1 - 85.3	75.1	73.3 - 76.8
	Non-Hisp. White Women	85.0	78.7 - 91.3	84.2	83.0 - 85.5
	Non-Hisp. Black Men	71.5	53.3 - 89.7	67.4	61.7 - 73.0
	Non-Hisp. Black Women	72.8	58.6 - 87.0	75.7	71.1 - 80.4
	Hispanic Men	65.0	48.3 - 81.8	52.1	46.9 - 57.4
	Hispanic Women	74.3	58.5 - 90.1	67.0	62.3 - 71.6
<b>AGE GROUP</b>	18-44	60.9	51.7 - 70.0	57.0	54.9 - 59.1
	45-64	76.8	69.8 - 83.8	78.0	76.2 - 79.9
	65 & Older	98.0 *	96.7 - 99.3	95.5	94.7 - 96.4
<b>EDUCATION LEVEL</b>	<High School	50.3	33.1 - 67.5	59.9	55.8 - 64.0
	High School / GED	71.0	59.9 - 82.1	71.2	69.0 - 73.4
	>High School	79.9	74.9 - 84.9	78.0	76.8 - 79.3
<b>ANNUAL INCOME</b>	<\$25,000	63.0	52.7 - 73.4	61.7	59.3 - 64.0
	\$25,000-\$49,999	77.2	67.8 - 86.5	73.2	70.7 - 75.7
	\$50,000 or More	80.9	74.3 - 87.6	85.1	83.7 - 86.5
<b>MARITAL STATUS</b>	Married/Couple	75.2	68.4 - 82.1	79.1	77.7 - 80.5
	Not Married/Couple	72.5	65.3 - 79.7	66.5	64.6 - 68.3

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Care Access &amp; Coverage

## Percentage of adults who could not see a doctor in the past year due to cost

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	23.8	18.9 - 28.6	20.8	19.7 - 21.8
<b>SEX</b>	Men	21.4	14.1 - 28.7	18.3	16.9 - 19.8
	Women	26.0	19.5 - 32.5	23.1	21.5 - 24.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	14.5	8.9 - 20.2	14.7	13.8 - 15.5
	Non-Hisp. Black	26.5	14.5 - 38.5	25.1	21.6 - 28.6
	Hispanic	28.7	17.7 - 39.7	30.9	27.6 - 34.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.1	4.3 - 23.8	13.5	12.2 - 14.9
	Non-Hisp. White Women	15.0	8.5 - 21.4	15.7	14.5 - 16.9
	Non-Hisp. Black Men	29.7	10.1 - 49.4	21.2	16.0 - 26.4
	Non-Hisp. Black Women	23.1	10.5 - 35.7	28.5	23.9 - 33.2
	Hispanic Men	18.4	6.1 - 30.7	26.4	22.2 - 30.6
	Hispanic Women	39.5	22.3 - 56.8	35.2	30.4 - 40.1
<b>AGE GROUP</b>	18-44	35.1	26.1 - 44.1	27.6	25.6 - 29.6
	45-64	21.2	14.1 - 28.3	23.4	21.7 - 25.1
	65 & Older	2.3	0.2 - 4.5	4.9	4.0 - 5.8
<b>EDUCATION LEVEL</b>	<High School	38.2	20.9 - 55.5	30.0	26.3 - 33.7
	High School / GED	25.4	15.0 - 35.7	22.4	20.3 - 24.5
	>High School	20.0	14.7 - 25.4	17.3	16.1 - 18.5
<b>ANNUAL INCOME</b>	<\$25,000	39.1	28.5 - 49.7	35.2	32.9 - 37.4
	\$25,000-\$49,999	29.7	19.3 - 40.1	21.3	19.1 - 23.5
	\$50,000 or More	11.9	5.5 - 18.2	8.9	7.5 - 10.3
<b>MARITAL STATUS</b>	Married/Couple	20.7	14.2 - 27.2	17.8	16.4 - 19.1
	Not Married/Couple	26.8	19.6 - 34.1	24.6	22.9 - 26.3

## Percentage of adults who had a medical checkup in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	70.0	64.9 - 75.2	70.3	69.1 - 71.4
<b>SEX</b>	Men	64.7	56.5 - 72.9	65.6	63.8 - 67.3
	Women	74.8	68.4 - 81.2	74.7	73.2 - 76.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	75.4	68.7 - 82.1	73.0	71.9 - 74.1
	Non-Hisp. Black	68.5	56.4 - 80.6	72.4	68.8 - 75.9
	Hispanic	70.5	59.1 - 81.9	64.7	61.2 - 68.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	70.3	58.7 - 81.9	69.9	68.1 - 71.6
	Non-Hisp. White Women	80.0	73.1 - 86.9	76.0	74.6 - 77.3
	Non-Hisp. Black Men	63.6	44.0 - 83.1	67.4	61.8 - 73.1
	Non-Hisp. Black Women	73.6	59.8 - 87.4	76.8	72.3 - 81.3
	Hispanic Men	63.2	46.6 - 79.8	56.9	51.8 - 62.0
	Hispanic Women	77.5	62.0 - 93.1	72.0	67.4 - 76.5
<b>AGE GROUP</b>	18-44	58.9	49.7 - 68.1	57.7	55.6 - 59.7
	45-64	71.1	62.9 - 79.3	71.6	69.7 - 73.5
	65 & Older	95.3	92.0 - 98.6	91.1	90.1 - 92.1
<b>EDUCATION LEVEL</b>	<High School	60.5	42.7 - 78.2	65.1	61.1 - 69.2
	High School / GED	72.8	62.4 - 83.1	69.9	67.8 - 72.1
	>High School	71.1	65.0 - 77.1	72.0	70.6 - 73.3
<b>ANNUAL INCOME</b>	<\$25,000	68.0	57.6 - 78.4	64.6	62.3 - 66.9
	\$25,000-\$49,999	76.0	66.7 - 85.4	67.7	65.2 - 70.1
	\$50,000 or More	68.5	60.0 - 77.1	76.4	74.7 - 78.1
<b>MARITAL STATUS</b>	Married/Couple	75.2	68.6 - 81.8	74.6	73.2 - 76.0
	Not Married/Couple	65.4	57.6 - 73.1	65.0	63.2 - 66.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>A1C</b>	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past three to four months.
<b>Activities of Daily Living</b>	Usual activities, such as self-care, work, or recreation.
<b>Adult</b>	Individual aged 18 years or older.
<b>Aerobic Recommendations*</b>	Performance of at least 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
<b>Angina</b>	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
<b>Arthritis</b>	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
<b>Asthma</b>	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
<b>Binge Drinking*</b>	For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days.
<b>Blood Glucose</b>	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
<b>Blood Pressure</b>	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
<b>Blood Sugar</b>	See Blood Glucose
<b>Body Mass Index (BMI)</b>	Body Mass Index (BMI) is a number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
<b>Cancer</b>	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
<b>Cholesterol</b>	A substance the body uses to produce hormones, vitamin D, and food-digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack, or angina.
<b>Chronic Bronchitis</b>	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
<b>Chronic Diseases</b>	Diseases of long duration and generally slow progression (e.g., heart disease; stroke; cancer; diabetes); represent the leading causes of mortality worldwide.
<b>Chronic Obstructive Pulmonary Disease (COPD)</b>	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
<b>Coronary Heart Disease (CHD)</b>	See Coronary Artery Disease (CAD)
<b>Current Smoker*</b>	Combination of everyday smoker and some day smoker.

\*This term is defined using BRFSS standards.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>Depressive Disorders</b>	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
<b>Diabetes</b>	General term for diabetes mellitus; disease in which the blood glucose levels are above normal.
<b>Emphysema</b>	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD)
<b>Everday Smoker*</b>	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking everyday now.
<b>Exercise</b>	See Physical Activity
<b>Fibromyalgia</b>	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
<b>Flu</b>	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
<b>Flu Shot</b>	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose called FluMist™.
<b>Former Smoker</b>	Adults who reported smoking at least 100 cigarettes in their lifetime but reported not smoking now.
<b>Gout</b>	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
<b>Health Behavior</b>	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
<b>Health Care Coverage</b>	Example: health insurance, pre-paid plans such as HMO's, government plans such as Medicare.
<b>Health Care Provider</b>	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor; nurse practitioner; physician assistant; registered nurse).
<b>Health Risk Behavior</b>	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity; poor nutrition; tobacco use; excessive alcohol consumption).
<b>Healthy Weight</b>	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
<b>Heart Attack</b>	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
<b>Heavy Drinking*</b>	For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days.
<b>High Blood Cholesterol</b>	Condition where there is too much cholesterol in the blood for an extended period of time; increases the risk of coronary heart disease, heart attack, or angina.
<b>High Blood Pressure</b>	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems.

\*This term is defined using BRFSS standards.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>Hispanic</b>	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
<b>HIV</b>	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
<b>Hypertension</b>	See High Blood Pressure
<b>Hysterectomy</b>	An operation to remove the uterus (womb) in women.
<b>Inactive*</b>	No leisure-time physical activity, performance of aerobic activity for less than 10 minutes at a time, or performance of only non-aerobic activities in the past 30 days.
<b>Influenza</b>	See Flu
<b>Insufficiently Active*</b>	Performance of less than 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
<b>Kidney Disease</b>	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
<b>Lupus</b>	A chronic inflammatory disease resulting from an attack by the body's own immune system.
<b>Mammogram</b>	Mammography is the process of using low-energy X-rays to examine the human breast; this test is ordered to detect tumors and differentiate between benign and malignant disease.
<b>Mental Health</b>	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
<b>Muscle Strengthening Recommendations*</b>	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights, or elastic bands, at least two times per week in the past 30 days.
<b>Never Smoked*</b>	Adults who reported smoking less than 100 cigarettes in their lifetime.
<b>Non-Hispanic Black</b>	Adults not of Hispanic culture or origins reporting membership in only the Black race category; self-reported demographic variable.
<b>Non-Hispanic White</b>	Adults not of Hispanic culture or origins reporting membership in only the White race category; self-reported demographic variable.
<b>Non-smoker*</b>	Combination of former smoker and never smoked.
<b>Obese</b>	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
<b>Obesity</b>	A condition characterized by being obese.
<b>Overweight</b>	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
<b>Pap Test</b>	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
<b>Personal Doctor</b>	A health care provider that an adult identifies as their personal health care provider.
<b>Pneumococcal Vaccination</b>	Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia.
<b>Pneumonia</b>	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness.

\*This term is defined using BRFSS standards.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

---

### GLOSSARY

---

<b>Poor Mental Health</b>	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
<b>Poor Physical Health</b>	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
<b>Race/Ethnicity</b>	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
<b>Routine Checkup</b>	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
<b>Sedentary*</b>	Participating in no leisure-time physical activity in the past 30 days.
<b>Sex</b>	The condition or character of being male or female; self-reported demographic variable.
<b>Sigmoidoscopy/Colonoscopy</b>	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
<b>Smoking</b>	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
<b>Some Day Smoking*</b>	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking some days now.
<b>Stool Blood Test</b>	A test that may use a special kit at home to determine whether the stool contains blood.
<b>Stroke</b>	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.
<b>Tetanus</b>	A bacterial infection that affects the central nervous system and can result in painful muscle spasms, stiff jaw, and potentially death.
<b>Tetanus Shot</b>	Tetanus vaccine; vaccine given with a needle, usually in the shoulder muscle; a booster tetanus vaccine should be received every ten years.

\*This term is defined using BRFSS standards.

# 2013 Florida Behavioral Risk Factor Surveillance System Data

## Healthy People 2020 Objectives

### Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

### Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

### Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

### Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

### Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-2. Reduce coronary heart disease deaths

HDS-3. Reduce stroke deaths

### Cholesterol Awareness

HDS-7. Reduce the proportion of adults with high total blood cholesterol levels

### Diabetes

D-1. Reduce the annual number of new cases of diagnosed diabetes in the population

D-5. Improve glycemic control among the population with diagnosed diabetes

D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination

D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination

D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year

D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education

### Disability

DH-13. (Developmental) Increase the proportion of people with disabilities who participate in social, spiritual, recreational, community, and civic activities to the degree that they wish

## 2013 Florida Behavioral Risk Factor Surveillance System Data

### Healthy People 2020 Objectives

#### Health Care Access & Coverage

AHS-1. Increase the proportion of persons with medical insurance

AHS-3. Increase the proportion of persons with a usual primary care provider

AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

#### Health-Related Quality of Life

HRQOL/WB-1.1. Increase the proportion of adults who self-report good or better physical health

HRQOL/WB-1.2. Increase the proportion of adults who self-report good or better mental health

#### HIV/AIDS Screening

HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

HIV-14.1. Increase the proportion of adolescents and adults who have ever been tested for HIV

#### Hypertension Awareness

HDS-5. Reduce the proportion of persons in the population with hypertension

#### Immunization

IID-12.12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

#### Injury Prevention

IVP-15. Increase use of safety belts in motor vehicles

#### Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

#### Physical Activity & Nutrition

PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity

PA-2. Increase the proportion of adults who meet current federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

#### Tobacco Use & Exposure

TU-1. Reduce tobacco smoking by adults

TU-4. Increase smoking cessation attempts by adult smokers

#### Vision Impairment

V-5. Reduce visual impairment

***The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented.***



Prepared by:

Alyssa Cohen, MPH  
Bo (Bonnie) Yu, MAS, MA  
Junwei Jiang, MPH  
Dongming Cui, MD, MPH, DrPH

If you have any questions or comments  
please contact:

Florida Department of Health  
Division of Disease Control and Health Protection  
Bureau of Epidemiology  
4052 Bald Cypress Way, Bin A-12  
Tallahassee, Florida 32399-1720

Phone: 850-245-4401

Fax: 850-922-9299

Email: [health@flhealth.gov](mailto:health@flhealth.gov)

Web: <http://www.floridahealth.gov/statistics-and-data/survey-data/index.html>