

# FLORIDA BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS) 2013 DATA



Florida Department of Health  
Division of Disease Control and Health Protection  
Bureau of Epidemiology  
Chronic Disease Epidemiology Section

Rick Scott  
Governor

John H. Armstrong, MD, FACS  
State Surgeon General & Secretary

# Introduction

The Florida Department of Health is pleased to release the 2013 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults.

The 2013 BRFSS was the fourth county-level survey conducted. It was previously conducted in 2002, 2007, and 2010. The 2013 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes.

Over 34,000 interviews were completed statewide in the 2013 calendar year, with a target sample size of 500 completed surveys in each county.

Marion County had approximately 274,221 adult residents in 2013, based on Florida CHARTS, and 618 adults responded to the 2013 county-level BRFSS survey.

The 2013 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. The following data tables present the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the confidence intervals overlap, there is no statistically significant difference in the prevalence rates. However, if the confidence intervals do not overlap, there is a statistically significant difference. The significance of measures with very wide confidence intervals should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or "weighted," by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2013 may not be comparable to data collected before 2011.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

# County Highlights

## Strengths\*

- High percentage of adults who had a medical checkup in the past year
- Low percentage of adults who engage in heavy or binge drinking

## Challenges\*

- High percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke
- High percentage of adults who have ever been told they had any other type of cancer except skin cancer
- High percentage of adults who have ever been told they had high blood cholesterol
- Low percentage of adults who have never smoked
- Low percentage of adults who consumed five or more servings of fruits or vegetables per day

Selected Indicators**	Percentage (%)	Estimated affected adult population
Adults who are current smokers	22.0	60,324
Adults who are obese	29.2	79,980
Adults who are physically inactive or insufficiently active	51.4	141,010
Adults who have ever been told they had diabetes	14.7	40,177

\* These selected strengths and challenges are significantly different compared with overall state data.

\*\* These four selected indicators were used in the America’s Health Rankings Report (2013 Edition).

**2013 Florida BRFSS Data  
Table of Contents**

---

<b>Health Status</b>	
Arthritis	1
Asthma	3
Cancer Prevalence	4
Cardiovascular Disease	5
Cholesterol Awareness	7
Chronic Obstructive Pulmonary Disease	8
Depression	9
Diabetes	10
Disability	14
Hypertension Awareness	15
Kidney Disease	16
Overweight & Obesity	17
Vision Impairment	19
<b>Health-Related Behaviors</b>	
Alcohol Consumption	20
Tobacco Use & Exposure	21
Physical Activity & Nutrition	23
<b>Health-Related Prevention</b>	
Cancer Screening/Breast	26
Cancer Screening/Cervical	27
Cancer Screening/Colorectal	28
HIV/AIDS Screening	29
Immunization	30
Injury Prevention	33
<b>Health-Related Quality of Life</b>	34
<b>Health Care Access &amp; Coverage</b>	38
<b>Glossary</b>	Appendix I
<b>Healthy People 2020 Objectives</b>	Appendix II

## Arthritis

Percentage of adults who have ever been told they had some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	31.0	26.5 - 35.5	26.0	25.1 - 26.9
<b>SEX</b>	Men	25.8	19.4 - 32.1	22.0	20.7 - 23.3
	Women	35.7	29.4 - 41.9	29.8	28.5 - 31.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	37.6	32.1 - 43.1	32.1	31.1 - 33.2
	Non-Hisp. Black	17.3	5.3 - 29.3	18.6	16.2 - 21.1
	Hispanic	8.3	1.8 - 14.8	16.9	14.5 - 19.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	32.5	24.3 - 40.8	28.3	26.7 - 29.9
	Non-Hisp. White Women	41.7	34.5 - 48.9	35.8	34.4 - 37.2
	Non-Hisp. Black Men	NA		15.9	12.3 - 19.6
	Non-Hisp. Black Women	NA		21.1	17.8 - 24.3
	Hispanic Men	NA		11.1	8.4 - 13.8
	Hispanic Women	12.4	2.6 - 22.3	22.4	18.5 - 26.3
<b>AGE GROUP</b>	18-44	8.5	2.4 - 14.5	8.6	7.5 - 9.7
	45-64	30.5	22.4 - 38.5	30.8	29.1 - 32.6
	65 & Older	53.8	46.9 - 60.7	51.1	49.3 - 52.9
<b>EDUCATION LEVEL</b>	<High School	32.6	19.7 - 45.6	30.4	27.1 - 33.7
	High School / GED	30.3	23.1 - 37.6	27.2	25.4 - 29.0
	>High School	31.4 *	25.5 - 37.3	24.2	23.1 - 25.3
<b>ANNUAL INCOME</b>	<\$25,000	36.5	27.4 - 45.5	29.9	28.0 - 31.9
	\$25,000-\$49,999	34.3	26.1 - 42.4	26.8	24.9 - 28.7
	\$50,000 or More	24.8	16.2 - 33.4	21.8	20.3 - 23.2
<b>MARITAL STATUS</b>	Married/Couple	33.1	27.0 - 39.3	27.2	25.9 - 28.4
	Not Married/Couple	27.9	21.5 - 34.4	24.7	23.3 - 26.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Arthritis

## Percentage of adults who are limited in any way in any usual activities because of arthritis

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	15.6	11.9 - 19.4	12.8	12.1 - 13.5
<b>SEX</b>	Men	12.3	7.4 - 17.3	10.2	9.2 - 11.1
	Women	18.6	13.2 - 24.0	15.3	14.2 - 16.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	18.4	13.7 - 23.1	15.2	14.4 - 15.9
	Non-Hisp. Black	11.5	0.8 - 22.2	9.6	7.7 - 11.5
	Hispanic	5.3	0.0 - 10.8	9.5	7.5 - 11.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	15.1	8.5 - 21.7	12.7	11.5 - 13.8
	Non-Hisp. White Women	21.1	14.6 - 27.6	17.5	16.4 - 18.6
	Non-Hisp. Black Men	NA		7.6	4.9 - 10.3
	Non-Hisp. Black Women	NA		11.4	8.8 - 13.9
	Hispanic Men	NA		5.6	3.5 - 7.7
	Hispanic Women	6.3	0.0 - 13.1	13.3	10.0 - 16.7
<b>AGE GROUP</b>	18-44	5.8	0.3 - 11.4	4.3	3.5 - 5.1
	45-64	18.7	11.6 - 25.8	17.2	15.7 - 18.7
	65 & Older	22.3	16.0 - 28.6	22.7	21.2 - 24.2
<b>EDUCATION LEVEL</b>	<High School	20.7	9.2 - 32.2	16.0	13.4 - 18.5
	High School / GED	14.5	8.8 - 20.2	13.4	12.0 - 14.9
	>High School	14.4	9.9 - 19.0	11.6	10.8 - 12.5
<b>ANNUAL INCOME</b>	<\$25,000	20.8	13.3 - 28.4	18.4	16.8 - 20.1
	\$25,000-\$49,999	15.4	8.5 - 22.4	12.2	10.8 - 13.6
	\$50,000 or More	11.4	4.5 - 18.3	9.0	8.0 - 10.0
<b>MARITAL STATUS</b>	Married/Couple	15.5	10.2 - 20.8	12.7	11.7 - 13.6
	Not Married/Couple	16.0	10.9 - 21.1	13.1	12.0 - 14.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Asthma

## Percentage of adults who currently have asthma

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	6.8	4.6 - 8.9	8.3	7.6 - 8.9
<b>SEX</b>	Men	3.9	1.7 - 6.2	5.7	4.8 - 6.5
	Women	9.3	5.8 - 12.9	10.7	9.7 - 11.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	6.8	4.4 - 9.1	8.3	7.6 - 9.0
	Non-Hisp. Black	5.3	0.0 - 12.6	8.9	6.9 - 10.8
	Hispanic	10.4	0.3 - 20.4	8.3	6.3 - 10.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.3	1.5 - 7.1	6.1	5.0 - 7.2
	Non-Hisp. White Women	8.7	5.1 - 12.4	10.4	9.5 - 11.3
	Non-Hisp. Black Men	NA		5.7	3.3 - 8.0
	Non-Hisp. Black Women	NA		11.7	8.7 - 14.7
	Hispanic Men	NA		5.2	2.9 - 7.4
	Hispanic Women	14.3	0.0 - 31.7	11.4	8.1 - 14.6
<b>AGE GROUP</b>	18-44	6.9	2.2 - 11.5	8.0	7.0 - 8.9
	45-64	6.3	2.9 - 9.7	9.1	7.8 - 10.5
	65 & Older	7.4	4.1 - 10.8	7.8	6.8 - 8.8
<b>EDUCATION LEVEL</b>	<High School	5.2	0.5 - 10.0	12.5	9.7 - 15.3
	High School / GED	5.8	2.1 - 9.4	7.3	6.3 - 8.3
	>High School	8.5	5.2 - 11.8	7.7	7.0 - 8.4
<b>ANNUAL INCOME</b>	<\$25,000	9.1	4.5 - 13.7	12.4	10.8 - 14.0
	\$25,000-\$49,999	6.6	2.5 - 10.6	6.9	5.7 - 8.0
	\$50,000 or More	4.9	1.3 - 8.5	6.0	5.1 - 6.9
<b>MARITAL STATUS</b>	Married/Couple	5.1	2.7 - 7.5	6.7	6.0 - 7.5
	Not Married/Couple	8.6	4.7 - 12.6	10.2	9.0 - 11.3

## Percentage of adults who have ever been told they had asthma

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	12.6	9.3 - 15.9	13.5	12.7 - 14.4
<b>SEX</b>	Men	10.2	5.5 - 14.8	11.5	10.3 - 12.6
	Women	14.8	10.2 - 19.4	15.5	14.3 - 16.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.0	8.5 - 15.6	13.2	12.4 - 14.0
	Non-Hisp. Black	12.7	0.8 - 24.6	14.2	11.7 - 16.8
	Hispanic	13.6	2.8 - 24.5	14.6	12.0 - 17.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.3	3.8 - 12.8	11.5	10.3 - 12.8
	Non-Hisp. White Women	15.0	9.8 - 20.2	14.8	13.7 - 15.9
	Non-Hisp. Black Men	NA		13.3	9.2 - 17.4
	Non-Hisp. Black Women	NA		15.1	11.9 - 18.3
	Hispanic Men	NA		10.8	7.8 - 13.8
	Hispanic Women	21.0	2.5 - 39.6	18.1	14.1 - 22.2
<b>AGE GROUP</b>	18-44	12.7	6.0 - 19.5	14.8	13.3 - 16.2
	45-64	14.0	7.9 - 20.2	13.9	12.4 - 15.4
	65 & Older	11.1	7.1 - 15.2	11.0	9.9 - 12.2
<b>EDUCATION LEVEL</b>	<High School	19.1	8.4 - 29.8	16.9	13.9 - 20.0
	High School / GED	9.9	5.2 - 14.6	13.3	11.7 - 14.9
	>High School	12.1	8.1 - 16.2	12.8	11.9 - 13.7
<b>ANNUAL INCOME</b>	<\$25,000	17.8	10.5 - 25.2	18.5	16.6 - 20.4
	\$25,000-\$49,999	10.8	5.7 - 15.9	12.1	10.5 - 13.8
	\$50,000 or More	10.0	3.8 - 16.1	10.5	9.3 - 11.6
<b>MARITAL STATUS</b>	Married/Couple	12.3	7.9 - 16.6	11.7	10.7 - 12.8
	Not Married/Couple	12.8	7.8 - 17.9	15.8	14.4 - 17.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Prevalence

## Percentage of adults who have ever been told they had skin cancer

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	9.6	7.2 - 12.1	9.2	8.7 - 9.7
<b>SEX</b>	Men	8.9	5.1 - 12.7	9.5	8.8 - 10.3
	Women	10.3	7.2 - 13.4	8.9	8.3 - 9.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.7	9.4 - 15.9	14.8	14.1 - 15.5
	Non-Hisp. Black	0.0		0.4	0.0 - 0.8
	Hispanic	1.3	0.0 - 3.6	2.2	1.4 - 3.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.4	7.0 - 17.7	15.1	13.9 - 16.2
	Non-Hisp. White Women	13.0	8.9 - 17.0	14.6	13.6 - 15.5
	Non-Hisp. Black Men	NA		0.7	0.0 - 1.5
	Non-Hisp. Black Women	NA		0.1	0.0 - 0.2
	Hispanic Men	NA		2.8	1.5 - 4.1
	Hispanic Women	2.8	0.0 - 7.4	1.6	0.8 - 2.5
<b>AGE GROUP</b>	18-44	0.0		1.5	1.1 - 1.9
	45-64	6.0	2.0 - 10.0	8.5	7.6 - 9.4
	65 & Older	22.6	17.0 - 28.1	24.1	22.7 - 25.4
<b>EDUCATION LEVEL</b>	<High School	6.0	0.0 - 12.0	6.4	5.1 - 7.7
	High School / GED	7.0	3.5 - 10.4	8.7	7.9 - 9.6
	>High School	13.5	9.6 - 17.5	10.3	9.6 - 10.9
<b>ANNUAL INCOME</b>	<\$25,000	4.9	1.8 - 8.0	6.7	5.9 - 7.5
	\$25,000-\$49,999	10.2	5.4 - 15.0	9.8	8.9 - 10.8
	\$50,000 or More	12.8	7.0 - 18.6	10.4	9.5 - 11.3
<b>MARITAL STATUS</b>	Married/Couple	12.0	8.3 - 15.8	10.7	10.0 - 11.5
	Not Married/Couple	6.0	3.7 - 8.3	7.5	6.9 - 8.0

## Percentage of adults who have ever been told they had any other type of cancer except skin cancer

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	11.9 *	8.9 - 14.8	7.6	7.1 - 8.1
<b>SEX</b>	Men	9.6	5.5 - 13.8	6.7	6.0 - 7.3
	Women	13.8 *	9.6 - 18.1	8.4	7.6 - 9.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	14.0	10.4 - 17.6	10.0	9.4 - 10.6
	Non-Hisp. Black	9.6	0.0 - 20.9	4.3	3.2 - 5.5
	Hispanic	1.4	0.0 - 3.8	4.2	2.7 - 5.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	11.7	6.4 - 17.0	8.9	8.1 - 9.8
	Non-Hisp. White Women	15.9	10.9 - 20.9	10.9	10.1 - 11.8
	Non-Hisp. Black Men	NA		3.7	2.2 - 5.1
	Non-Hisp. Black Women	NA		4.9	3.1 - 6.7
	Hispanic Men	NA		3.6	2.1 - 5.1
	Hispanic Women	2.9	0.0 - 7.8	4.8	2.4 - 7.2
<b>AGE GROUP</b>	18-44	3.6	0.0 - 7.1	2.6	1.9 - 3.3
	45-64	10.7	5.2 - 16.2	5.9	5.1 - 6.6
	65 & Older	19.4	14.0 - 24.8	18.8	17.5 - 20.1
<b>EDUCATION LEVEL</b>	<High School	11.5	2.8 - 20.2	6.7	5.1 - 8.3
	High School / GED	10.4	5.7 - 15.1	7.3	6.3 - 8.3
	>High School	13.6 *	9.6 - 17.6	7.9	7.3 - 8.5
<b>ANNUAL INCOME</b>	<\$25,000	12.3	6.1 - 18.4	7.0	6.0 - 7.9
	\$25,000-\$49,999	10.2	5.9 - 14.5	8.2	7.0 - 9.4
	\$50,000 or More	12.8	6.3 - 19.4	7.4	6.6 - 8.2
<b>MARITAL STATUS</b>	Married/Couple	12.2	8.2 - 16.1	8.6	7.8 - 9.4
	Not Married/Couple	11.5	6.9 - 16.1	6.3	5.7 - 6.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cardiovascular Disease

## Percentage of adults who have ever been told they had angina or coronary heart disease

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	6.7	4.3 - 9.2	5.0	4.6 - 5.4
<b>SEX</b>	Men	9.3	5.2 - 13.5	6.3	5.6 - 7.0
	Women	4.4	1.6 - 7.2	3.8	3.3 - 4.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	8.2	5.0 - 11.4	6.5	5.9 - 7.0
	Non-Hisp. Black	3.1	0.0 - 8.8	4.2	2.8 - 5.7
	Hispanic	2.9	0.0 - 6.5	2.5	1.6 - 3.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.1	6.5 - 17.8	8.4	7.4 - 9.3
	Non-Hisp. White Women	5.1	1.6 - 8.6	4.7	4.2 - 5.3
	Non-Hisp. Black Men	NA		4.3	2.0 - 6.7
	Non-Hisp. Black Women	NA		4.2	2.3 - 6.1
	Hispanic Men	NA		3.2	1.6 - 4.8
	Hispanic Women	3.5	0.0 - 8.7	1.9	1.0 - 2.7
<b>AGE GROUP</b>	18-44	2.0	0.0 - 4.5	0.9	0.5 - 1.3
	45-64	7.3	2.6 - 12.0	5.1	4.3 - 6.0
	65 & Older	11.0	6.0 - 16.0	12.3	11.3 - 13.4
<b>EDUCATION LEVEL</b>	<High School	6.1	0.4 - 11.9	6.8	5.0 - 8.6
	High School / GED	4.9	1.2 - 8.7	4.6	4.0 - 5.3
	>High School	8.7	4.8 - 12.7	4.8	4.3 - 5.3
<b>ANNUAL INCOME</b>	<\$25,000	8.0	3.1 - 12.9	6.8	5.8 - 7.8
	\$25,000-\$49,999	5.6	2.3 - 8.8	4.9	4.1 - 5.8
	\$50,000 or More	8.8	2.0 - 15.5	3.8	3.2 - 4.4
<b>MARITAL STATUS</b>	Married/Couple	4.6	2.1 - 7.2	5.1	4.5 - 5.7
	Not Married/Couple	9.6	5.0 - 14.3	5.0	4.3 - 5.6

## Percentage of adults who have ever been told they had a heart attack

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	7.7	5.3 - 10.2	5.6	5.1 - 6.1
<b>SEX</b>	Men	11.0	6.8 - 15.2	7.3	6.4 - 8.2
	Women	4.8	2.1 - 7.6	4.1	3.5 - 4.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	9.5	6.4 - 12.7	6.6	6.1 - 7.2
	Non-Hisp. Black	3.1	0.0 - 8.9	4.2	2.8 - 5.5
	Hispanic	3.9	0.0 - 8.0	4.6	3.1 - 6.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.1	8.5 - 19.7	9.1	8.1 - 10.2
	Non-Hisp. White Women	5.8	2.3 - 9.3	4.3	3.7 - 4.9
	Non-Hisp. Black Men	NA		5.6	3.1 - 8.0
	Non-Hisp. Black Women	NA		2.9	1.7 - 4.1
	Hispanic Men	NA		4.7	2.4 - 7.1
	Hispanic Women	3.9	0.0 - 10.0	4.5	2.5 - 6.5
<b>AGE GROUP</b>	18-44	1.0	0.0 - 2.3	1.0	0.6 - 1.4
	45-64	7.9	3.5 - 12.3	6.5	5.4 - 7.6
	65 & Older	14.0	8.7 - 19.4	12.9	11.6 - 14.2
<b>EDUCATION LEVEL</b>	<High School	9.2	2.1 - 16.2	9.5	7.2 - 11.9
	High School / GED	7.7	3.6 - 11.8	5.4	4.6 - 6.2
	>High School	7.3	4.3 - 10.3	4.7	4.2 - 5.2
<b>ANNUAL INCOME</b>	<\$25,000	12.2	5.9 - 18.4	8.0	6.7 - 9.3
	\$25,000-\$49,999	7.0	3.6 - 10.5	6.5	5.4 - 7.5
	\$50,000 or More	3.5	0.6 - 6.4	3.3	2.7 - 3.8
<b>MARITAL STATUS</b>	Married/Couple	6.8	3.8 - 9.9	5.6	4.9 - 6.2
	Not Married/Couple	9.1	5.0 - 13.2	5.8	4.9 - 6.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cardiovascular Disease

## Percentage of adults who have ever been told they had a stroke

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	6.5 *	4.1 - 8.8	3.7	3.3 - 4.1
<b>SEX</b>	Men	5.8	2.7 - 9.0	3.7	3.1 - 4.2
	Women	7.1	3.6 - 10.5	3.7	3.2 - 4.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	6.9	4.2 - 9.6	4.3	3.8 - 4.7
	Non-Hisp. Black	10.3	0.0 - 21.6	4.6	3.1 - 6.1
	Hispanic	2.9	0.0 - 6.5	2.0	1.2 - 2.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.9	2.2 - 9.7	4.3	3.6 - 4.9
	Non-Hisp. White Women	7.6	3.8 - 11.5	4.2	3.7 - 4.8
	Non-Hisp. Black Men	NA		4.8	2.6 - 7.0
	Non-Hisp. Black Women	NA		4.4	2.4 - 6.4
	Hispanic Men	NA		2.0	0.9 - 3.1
	Hispanic Women	3.5	0.0 - 8.7	2.0	1.0 - 3.0
<b>AGE GROUP</b>	18-44	1.9	0.0 - 4.9	1.1	0.7 - 1.6
	45-64	5.0	1.7 - 8.3	4.1	3.4 - 4.8
	65 & Older	12.8	7.5 - 18.1	7.8	6.9 - 8.7
<b>EDUCATION LEVEL</b>	<High School	6.8	0.5 - 13.2	5.2	3.9 - 6.5
	High School / GED	6.3	2.3 - 10.4	3.7	3.0 - 4.3
	>High School	6.6	3.6 - 9.5	3.3	2.9 - 3.8
<b>ANNUAL INCOME</b>	<\$25,000	13.3 *	6.6 - 19.9	5.7	4.8 - 6.5
	\$25,000-\$49,999	3.9	1.6 - 6.3	4.1	3.3 - 4.9
	\$50,000 or More	3.5	0.3 - 6.6	1.9	1.4 - 2.3
<b>MARITAL STATUS</b>	Married/Couple	4.5	2.2 - 6.9	3.3	2.8 - 3.8
	Not Married/Couple	9.3	4.7 - 13.8	4.2	3.6 - 4.7

## Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	14.4 *	11.0 - 17.8	10.3	9.7 - 10.9
<b>SEX</b>	Men	18.9 *	13.2 - 24.6	11.9	10.8 - 12.9
	Women	10.4	6.5 - 14.3	8.8	8.0 - 9.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	16.6	12.5 - 20.7	12.2	11.5 - 12.9
	Non-Hisp. Black	13.4	1.0 - 25.9	10.0	7.8 - 12.2
	Hispanic	5.4	0.4 - 10.5	6.8	5.0 - 8.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	23.1	15.7 - 30.5	14.6	13.4 - 15.8
	Non-Hisp. White Women	11.4	7.0 - 15.8	9.9	9.1 - 10.8
	Non-Hisp. Black Men	NA		10.9	7.4 - 14.3
	Non-Hisp. Black Women	NA		9.3	6.5 - 12.1
	Hispanic Men	NA		7.0	4.4 - 9.6
	Hispanic Women	6.4	0.0 - 14.1	6.5	4.3 - 8.7
<b>AGE GROUP</b>	18-44	3.6	0.0 - 7.5	2.3	1.7 - 2.9
	45-64	13.7	7.7 - 19.8	11.4	10.2 - 12.7
	65 & Older	25.6	19.1 - 32.1	23.4	21.8 - 25.0
<b>EDUCATION LEVEL</b>	<High School	18.6	8.5 - 28.7	15.2	12.6 - 17.9
	High School / GED	11.4	6.4 - 16.3	10.0	8.9 - 11.1
	>High School	15.3 *	10.6 - 20.1	9.2	8.5 - 10.0
<b>ANNUAL INCOME</b>	<\$25,000	22.6	14.5 - 30.6	14.3	12.7 - 15.8
	\$25,000-\$49,999	10.5	6.2 - 14.7	11.4	10.0 - 12.7
	\$50,000 or More	13.1	5.7 - 20.5	6.6	5.7 - 7.4
<b>MARITAL STATUS</b>	Married/Couple	11.9	7.9 - 16.0	10.1	9.3 - 11.0
	Not Married/Couple	17.9 *	12.0 - 23.7	10.6	9.6 - 11.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cholesterol Awareness

## Percentage of adults who have ever been told they had high blood cholesterol

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	40.4 *	35.6 - 45.2	33.4	32.3 - 34.4
<b>SEX</b>	Men	39.9	32.5 - 47.3	33.6	32.0 - 35.2
	Women	40.8	34.6 - 47.1	33.2	31.7 - 34.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	46.3 *	40.7 - 51.9	39.0	37.8 - 40.1
	Non-Hisp. Black	33.1	15.9 - 50.2	24.5	21.6 - 27.4
	Hispanic	16.8	7.9 - 25.8	27.5	24.4 - 30.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	47.0	38.0 - 55.9	39.0	37.2 - 40.8
	Non-Hisp. White Women	45.8	38.6 - 52.9	39.0	37.5 - 40.5
	Non-Hisp. Black Men	NA		27.4	22.4 - 32.3
	Non-Hisp. Black Women	NA		21.8	18.6 - 25.1
	Hispanic Men	NA		25.6	21.3 - 29.9
	Hispanic Women	22.3	8.3 - 36.3	29.3	24.8 - 33.7
<b>AGE GROUP</b>	18-44	9.7	4.5 - 14.9	13.6	12.2 - 15.0
	45-64	49.4	40.8 - 58.0	42.4	40.4 - 44.4
	65 & Older	59.3	52.6 - 66.1	55.7	53.8 - 57.5
<b>EDUCATION LEVEL</b>	<High School	31.1	18.7 - 43.5	33.9	30.0 - 37.8
	High School / GED	40.8	32.9 - 48.6	32.8	30.8 - 34.7
	>High School	44.2 *	37.6 - 50.7	33.6	32.4 - 34.9
<b>ANNUAL INCOME</b>	<\$25,000	45.8 *	36.3 - 55.3	32.1	30.0 - 34.2
	\$25,000-\$49,999	34.7	26.8 - 42.6	34.5	32.2 - 36.7
	\$50,000 or More	40.0	29.8 - 50.2	34.0	32.2 - 35.7
<b>MARITAL STATUS</b>	Married/Couple	41.6	35.3 - 47.9	36.7	35.2 - 38.1
	Not Married/Couple	38.2	30.6 - 45.7	29.6	28.0 - 31.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Chronic Obstructive Pulmonary Disease

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	7.6	5.4 - 9.7	7.4	6.9 - 7.9
<b>SEX</b>	Men	6.9	3.8 - 10.0	6.4	5.7 - 7.2
	Women	8.2	5.2 - 11.1	8.3	7.5 - 9.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	8.7	6.0 - 11.3	9.2	8.6 - 9.9
	Non-Hisp. Black	5.1	0.0 - 12.3	5.1	3.5 - 6.7
	Hispanic	0.0		4.6	3.3 - 5.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	8.1	4.3 - 12.0	8.2	7.3 - 9.2
	Non-Hisp. White Women	9.1	5.5 - 12.6	10.2	9.3 - 11.1
	Non-Hisp. Black Men	NA		4.6	2.1 - 7.2
	Non-Hisp. Black Women	NA		5.5	3.6 - 7.4
	Hispanic Men	NA		3.5	1.8 - 5.2
	Hispanic Women	0.0		5.6	3.6 - 7.7
<b>AGE GROUP</b>	18-44	1.5	0.0 - 3.2	3.0	2.3 - 3.7
	45-64	6.9	3.0 - 10.7	8.5	7.5 - 9.4
	65 & Older	13.5	9.0 - 18.1	14.0	12.8 - 15.3
<b>EDUCATION LEVEL</b>	<High School	6.6	1.6 - 11.5	12.3	10.1 - 14.5
	High School / GED	5.1	2.4 - 7.8	7.5	6.6 - 8.4
	>High School	10.5	6.6 - 14.4	6.0	5.4 - 6.6
<b>ANNUAL INCOME</b>	<\$25,000	7.2	3.0 - 11.4	11.1	10.0 - 12.3
	\$25,000-\$49,999	8.1	4.3 - 11.9	7.4	6.3 - 8.5
	\$50,000 or More	4.3	0.8 - 7.9	3.9	3.2 - 4.6
<b>MARITAL STATUS</b>	Married/Couple	7.0	4.3 - 9.7	6.5	5.8 - 7.2
	Not Married/Couple	8.3	4.8 - 11.9	8.5	7.7 - 9.3

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Depression

## Percentage of adults who have ever been told they had a depressive disorder

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	15.8	12.0 - 19.7	16.8	15.9 - 17.6
<b>SEX</b>	Men	9.5	5.2 - 13.8	12.1	11.0 - 13.1
	Women	21.5	15.6 - 27.4	21.2	19.9 - 22.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	16.6	12.1 - 21.2	18.6	17.6 - 19.5
	Non-Hisp. Black	15.9	2.7 - 29.1	14.0	11.4 - 16.5
	Hispanic	14.8	2.6 - 26.9	13.8	11.6 - 16.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	10.4	5.1 - 15.6	13.1	11.9 - 14.4
	Non-Hisp. White Women	21.8	15.0 - 28.5	23.6	22.2 - 25.0
	Non-Hisp. Black Men	NA		12.3	8.3 - 16.3
	Non-Hisp. Black Women	NA		15.5	12.2 - 18.7
	Hispanic Men	NA		8.5	6.2 - 10.9
	Hispanic Women	29.2	7.8 - 50.6	18.8	15.2 - 22.4
<b>AGE GROUP</b>	18-44	15.7	7.8 - 23.5	15.8	14.4 - 17.2
	45-64	19.3	12.2 - 26.4	19.6	18.1 - 21.1
	65 & Older	12.6	7.8 - 17.4	14.6	13.4 - 15.9
<b>EDUCATION LEVEL</b>	<High School	20.2	8.6 - 31.8	20.9	17.9 - 24.0
	High School / GED	14.8	9.0 - 20.5	15.8	14.3 - 17.3
	>High School	14.6	9.5 - 19.7	16.3	15.3 - 17.3
<b>ANNUAL INCOME</b>	<\$25,000	24.9	16.4 - 33.3	23.8	21.9 - 25.6
	\$25,000-\$49,999	18.1	10.9 - 25.4	16.5	14.8 - 18.2
	\$50,000 or More	6.7	2.7 - 10.8	11.3	10.2 - 12.4
<b>MARITAL STATUS</b>	Married/Couple	15.2	9.9 - 20.5	14.0	13.0 - 15.0
	Not Married/Couple	16.5	10.9 - 22.0	20.1	18.7 - 21.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults who have ever been told they had diabetes

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	14.7	11.3 - 18.0	11.2	10.5 - 11.9
<b>SEX</b>	Men	20.6 *	14.6 - 26.6	12.3	11.2 - 13.4
	Women	9.4	6.3 - 12.5	10.1	9.2 - 11.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	14.1	10.6 - 17.7	11.4	10.7 - 12.2
	Non-Hisp. Black	23.2	8.1 - 38.4	12.3	10.0 - 14.6
	Hispanic	9.2	2.1 - 16.2	10.8	8.7 - 12.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	18.9	12.4 - 25.4	12.9	11.7 - 14.1
	Non-Hisp. White Women	10.4	6.6 - 14.1	10.0	9.1 - 10.9
	Non-Hisp. Black Men	NA		12.8	9.0 - 16.6
	Non-Hisp. Black Women	NA		11.9	9.2 - 14.5
	Hispanic Men	NA		11.2	8.1 - 14.2
	Hispanic Women	9.9	0.8 - 19.0	10.4	7.7 - 13.2
<b>AGE GROUP</b>	18-44	3.7	0.4 - 7.1	2.6	1.9 - 3.2
	45-64	19.7	12.6 - 26.8	13.5	12.1 - 14.9
	65 & Older	20.6	15.1 - 26.1	23.5	21.8 - 25.3
<b>EDUCATION LEVEL</b>	<High School	10.7	3.3 - 18.1	18.0	14.9 - 21.1
	High School / GED	18.0	11.7 - 24.3	11.5	10.3 - 12.6
	>High School	13.8	9.7 - 17.9	9.2	8.4 - 9.9
<b>ANNUAL INCOME</b>	<\$25,000	18.0	11.5 - 24.6	14.8	13.1 - 16.4
	\$25,000-\$49,999	16.4	10.1 - 22.6	11.9	10.4 - 13.4
	\$50,000 or More	9.5	3.1 - 15.8	7.5	6.6 - 8.4
<b>MARITAL STATUS</b>	Married/Couple	15.3	10.7 - 19.9	11.8	10.8 - 12.8
	Not Married/Couple	13.9	9.1 - 18.6	10.6	9.5 - 11.6

## Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	64.1	51.9 - 76.3	61.8	58.5 - 65.0
<b>SEX</b>	Men	54.7	38.5 - 71.0	56.5	51.9 - 61.2
	Women	82.3	69.4 - 95.1	67.4	63.0 - 71.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	61.6	47.8 - 75.4	58.9	55.3 - 62.5
	Non-Hisp. Black	NA		72.1	64.0 - 80.1
	Hispanic	NA		64.4	55.0 - 73.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	45.7	27.3 - 64.0	54.3	49.1 - 59.5
	Non-Hisp. White Women	84.7 *	71.1 - 98.3	64.3	59.4 - 69.2
	Non-Hisp. Black Men	NA		66.0	51.8 - 80.2
	Non-Hisp. Black Women	NA		77.7	68.8 - 86.7
	Hispanic Men	NA		56.0	42.1 - 70.0
	Hispanic Women	NA		71.5	60.0 - 83.0
<b>AGE GROUP</b>	18-44	NA		57.2	43.3 - 71.0
	45-64	69.0	48.5 - 89.5	61.8	56.6 - 67.1
	65 & Older	64.0	49.5 - 78.6	62.6	58.4 - 66.8
<b>EDUCATION LEVEL</b>	<High School	NA		64.3	55.4 - 73.2
	High School / GED	64.1	44.9 - 83.4	65.2	60.2 - 70.2
	>High School	62.9	47.1 - 78.7	58.1	53.9 - 62.3
<b>ANNUAL INCOME</b>	<\$25,000	63.7	45.6 - 81.7	65.7	60.1 - 71.3
	\$25,000-\$49,999	65.5	43.6 - 87.4	60.7	54.2 - 67.2
	\$50,000 or More	NA		55.5	49.3 - 61.7
<b>MARITAL STATUS</b>	Married/Couple	58.5	41.7 - 75.3	59.5	55.1 - 63.9
	Not Married/Couple	72.7	57.4 - 88.0	65.0	60.1 - 69.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults with diabetes who had two A1C tests in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	74.9	63.3 - 86.6	69.3	65.8 - 72.9
<b>SEX</b>	Men	76.4	61.5 - 91.3	70.5	66.0 - 75.1
	Women	72.1	54.1 - 90.1	68.0	62.6 - 73.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	78.0	65.3 - 90.7	75.6	72.2 - 78.9
	Non-Hisp. Black	NA		68.6	58.9 - 78.3
	Hispanic	NA		52.6	41.4 - 63.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	79.7	63.3 - 96.2	73.9	68.8 - 79.1
	Non-Hisp. White Women	75.5	55.5 - 95.4	77.7	73.7 - 81.6
	Non-Hisp. Black Men	NA		65.5	49.7 - 81.3
	Non-Hisp. Black Women	NA		71.6	59.8 - 83.4
	Hispanic Men	NA		64.5	50.5 - 78.4
	Hispanic Women	NA		41.2	26.9 - 55.5
<b>AGE GROUP</b>	18-44	NA		52.3	38.6 - 65.9
	45-64	76.1	57.5 - 94.8	66.2	60.4 - 72.1
	65 & Older	85.4	74.2 - 96.5	75.7	71.3 - 80.2
<b>EDUCATION LEVEL</b>	<High School	NA		55.7	44.3 - 67.1
	High School / GED	75.2	56.8 - 93.7	71.2	66.2 - 76.1
	>High School	79.7	66.4 - 93.0	74.8	71.1 - 78.6
<b>ANNUAL INCOME</b>	<\$25,000	73.0	55.1 - 90.8	64.0	57.5 - 70.4
	\$25,000-\$49,999	75.0	53.8 - 96.1	69.1	61.5 - 76.7
	\$50,000 or More	NA		78.3	73.3 - 83.2
<b>MARITAL STATUS</b>	Married/Couple	74.6	59.4 - 89.8	70.3	65.4 - 75.3
	Not Married/Couple	75.5	57.8 - 93.1	68.0	62.9 - 73.0

## Percentage of adults with diabetes who had an annual foot exam

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	64.6	52.5 - 76.8	67.6	64.6 - 70.7
<b>SEX</b>	Men	60.4	43.3 - 77.4	70.3	66.0 - 74.5
	Women	72.3	58.1 - 86.5	64.8	60.4 - 69.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	67.2	54.1 - 80.4	68.6	65.2 - 71.9
	Non-Hisp. Black	NA		81.5	74.4 - 88.6
	Hispanic	NA		57.9	48.2 - 67.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	62.5	42.7 - 82.2	70.4	65.4 - 75.4
	Non-Hisp. White Women	73.7	58.3 - 89.1	66.4	61.9 - 70.9
	Non-Hisp. Black Men	NA		85.4	76.4 - 94.4
	Non-Hisp. Black Women	NA		77.9	67.8 - 88.1
	Hispanic Men	NA		66.7	54.3 - 79.1
	Hispanic Women	NA		49.8	35.5 - 64.2
<b>AGE GROUP</b>	18-44	NA		47.6	34.4 - 60.8
	45-64	59.9	38.3 - 81.5	65.3	60.3 - 70.2
	65 & Older	76.3	63.5 - 89.1	73.2	69.5 - 76.9
<b>EDUCATION LEVEL</b>	<High School	NA		66.3	57.8 - 74.7
	High School / GED	66.3	46.1 - 86.5	66.7	61.6 - 71.8
	>High School	68.7	53.7 - 83.6	69.1	65.2 - 73.0
<b>ANNUAL INCOME</b>	<\$25,000	76.8	60.5 - 93.0	66.2	60.8 - 71.6
	\$25,000-\$49,999	58.1	36.1 - 80.0	69.5	63.5 - 75.5
	\$50,000 or More	NA		71.3	65.8 - 76.7
<b>MARITAL STATUS</b>	Married/Couple	56.6	39.6 - 73.7	68.8	64.8 - 72.8
	Not Married/Couple	76.9	63.0 - 90.8	66.1	61.3 - 70.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults with diabetes who had an annual eye exam

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	64.7	52.8 - 76.6	69.7	66.5 - 72.9
<b>SEX</b>	Men	66.4	50.4 - 82.3	71.6	67.3 - 75.9
	Women	61.4	44.7 - 78.0	67.7	63.0 - 72.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	67.8	55.0 - 80.7	71.4	68.0 - 74.7
	Non-Hisp. Black	NA		77.6	70.1 - 85.0
	Hispanic	NA		60.7	50.6 - 70.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	71.6	54.0 - 89.1	71.9	67.0 - 76.7
	Non-Hisp. White Women	62.4	43.8 - 81.0	70.8	66.3 - 75.4
	Non-Hisp. Black Men	NA		82.6	73.3 - 91.9
	Non-Hisp. Black Women	NA		72.9	62.2 - 83.6
	Hispanic Men	NA		68.4	55.6 - 81.2
	Hispanic Women	NA		52.9	38.4 - 67.5
<b>AGE GROUP</b>	18-44	NA		43.7	31.1 - 56.3
	45-64	66.9	47.5 - 86.3	61.7	56.3 - 67.2
	65 & Older	72.6	58.7 - 86.4	80.9	77.5 - 84.3
<b>EDUCATION LEVEL</b>	<High School	NA		63.3	54.1 - 72.6
	High School / GED	56.4	36.6 - 76.1	70.7	65.9 - 75.5
	>High School	74.2	59.7 - 88.8	72.7	68.8 - 76.6
<b>ANNUAL INCOME</b>	<\$25,000	57.7	38.8 - 76.7	68.5	63.3 - 73.7
	\$25,000-\$49,999	55.2	34.0 - 76.5	65.7	58.5 - 73.0
	\$50,000 or More	NA		75.9	70.1 - 81.6
<b>MARITAL STATUS</b>	Married/Couple	64.4	48.2 - 80.6	69.2	64.8 - 73.7
	Not Married/Couple	65.1	48.0 - 82.3	70.4	65.9 - 74.9

## Percentage of adults with diabetes who ever had diabetes self-management education

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	49.0	36.9 - 61.1	49.6	46.2 - 53.0
<b>SEX</b>	Men	47.2	31.1 - 63.2	47.1	42.3 - 51.9
	Women	52.6	35.7 - 69.6	52.4	47.6 - 57.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	50.0	36.6 - 63.4	53.1	49.5 - 56.6
	Non-Hisp. Black	NA		53.6	43.4 - 63.9
	Hispanic	NA		39.4	29.8 - 49.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	51.4	32.7 - 70.2	51.1	45.9 - 56.3
	Non-Hisp. White Women	47.9	29.2 - 66.6	55.4	50.6 - 60.1
	Non-Hisp. Black Men	NA		40.2	25.4 - 55.0
	Non-Hisp. Black Women	NA		66.2	56.1 - 76.3
	Hispanic Men	NA		39.7	26.1 - 53.3
	Hispanic Women	NA		39.2	25.3 - 53.1
<b>AGE GROUP</b>	18-44	NA		55.0	42.2 - 67.9
	45-64	43.7	24.0 - 63.5	52.1	46.5 - 57.7
	65 & Older	56.2	41.2 - 71.2	46.7	42.3 - 51.1
<b>EDUCATION LEVEL</b>	<High School	NA		34.3	25.3 - 43.2
	High School / GED	52.1	32.3 - 71.9	48.9	43.6 - 54.2
	>High School	55.0	39.1 - 70.8	58.5	54.3 - 62.6
<b>ANNUAL INCOME</b>	<\$25,000	58.0	38.7 - 77.2	42.3	36.5 - 48.2
	\$25,000-\$49,999	43.3	23.4 - 63.3	52.1	45.3 - 59.0
	\$50,000 or More	NA		59.9	54.1 - 65.6
<b>MARITAL STATUS</b>	Married/Couple	44.6	28.8 - 60.4	50.7	46.2 - 55.2
	Not Married/Couple	55.8	38.5 - 73.2	48.1	42.9 - 53.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Diabetes

## Percentage of adults who have ever been told they had pre-diabetes

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	7.1	4.7 - 9.6	7.1	6.6 - 7.7
<b>SEX</b>	Men	7.4	3.3 - 11.4	7.4	6.5 - 8.3
	Women	6.9	4.2 - 9.7	7.0	6.3 - 7.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	7.5	4.7 - 10.3	7.9	7.3 - 8.5
	Non-Hisp. Black	5.1	0.0 - 12.4	8.3	6.2 - 10.5
	Hispanic	8.9	0.0 - 18.8	4.8	3.5 - 6.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	6.8	2.3 - 11.4	8.4	7.4 - 9.4
	Non-Hisp. White Women	8.0	4.5 - 11.5	7.4	6.7 - 8.1
	Non-Hisp. Black Men	NA		8.6	4.8 - 12.5
	Non-Hisp. Black Women	NA		8.0	5.9 - 10.2
	Hispanic Men	NA		4.8	2.7 - 6.8
	Hispanic Women	4.4	0.0 - 11.2	4.9	3.3 - 6.6
<b>AGE GROUP</b>	18-44	2.9	0.0 - 6.3	4.9	3.9 - 5.8
	45-64	10.3	5.1 - 15.5	7.9	7.0 - 8.8
	65 & Older	8.4	4.7 - 12.1	9.6	8.7 - 10.6
<b>EDUCATION LEVEL</b>	<High School	7.9	0.7 - 15.1	5.8	4.2 - 7.5
	High School / GED	5.6	2.3 - 9.0	7.2	6.1 - 8.3
	>High School	8.0	4.6 - 11.4	7.6	6.9 - 8.2
<b>ANNUAL INCOME</b>	<\$25,000	8.6	3.9 - 13.4	7.6	6.4 - 8.9
	\$25,000-\$49,999	5.7	2.5 - 9.0	7.5	6.4 - 8.5
	\$50,000 or More	7.5	1.6 - 13.4	6.7	5.8 - 7.5
<b>MARITAL STATUS</b>	Married/Couple	6.8	3.6 - 9.9	7.3	6.6 - 8.1
	Not Married/Couple	7.7	3.9 - 11.5	7.0	6.1 - 7.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Disability

## Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	21.9	17.7 - 26.1	21.2	20.2 - 22.1
<b>SEX</b>	Men	24.0	17.6 - 30.5	20.2	18.9 - 21.6
	Women	20.0	14.5 - 25.5	22.1	20.7 - 23.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	23.6	18.5 - 28.6	23.2	22.2 - 24.2
	Non-Hisp. Black	20.5	5.8 - 35.1	17.8	15.1 - 20.5
	Hispanic	17.3	4.8 - 29.8	18.6	15.8 - 21.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	26.8	18.8 - 34.7	22.6	21.1 - 24.1
	Non-Hisp. White Women	20.9	14.6 - 27.3	23.8	22.5 - 25.1
	Non-Hisp. Black Men	NA		19.1	14.7 - 23.4
	Non-Hisp. Black Women	NA		16.6	13.3 - 19.8
	Hispanic Men	NA		15.7	12.2 - 19.3
	Hispanic Women	22.3	2.7 - 41.9	21.3	17.1 - 25.6
<b>AGE GROUP</b>	18-44	12.0	4.6 - 19.3	13.5	12.1 - 14.9
	45-64	34.0	25.6 - 42.5	26.0	24.2 - 27.8
	65 & Older	19.4 *	13.9 - 24.8	28.6	26.9 - 30.2
<b>EDUCATION LEVEL</b>	<High School	30.1	16.7 - 43.6	28.7	25.0 - 32.3
	High School / GED	18.1	11.9 - 24.4	21.8	20.1 - 23.6
	>High School	21.8	16.4 - 27.3	18.9	17.8 - 19.9
<b>ANNUAL INCOME</b>	<\$25,000	30.6	21.9 - 39.3	30.7	28.5 - 32.8
	\$25,000-\$49,999	19.2	12.2 - 26.3	20.4	18.5 - 22.3
	\$50,000 or More	20.0	11.1 - 28.9	12.8	11.7 - 14.0
<b>MARITAL STATUS</b>	Married/Couple	22.1	16.3 - 27.9	18.7	17.5 - 19.9
	Not Married/Couple	21.7	15.5 - 27.8	24.1	22.6 - 25.7

## Percentage of adults who use special equipment because of a health problem

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	10.1	7.2 - 13.0	8.8	8.2 - 9.3
<b>SEX</b>	Men	11.6	7.0 - 16.2	8.3	7.5 - 9.1
	Women	8.7	5.1 - 12.3	9.2	8.4 - 10.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	11.9	8.2 - 15.5	9.8	9.2 - 10.4
	Non-Hisp. Black	4.0	0.0 - 10.7	8.6	6.9 - 10.2
	Hispanic	3.8	0.0 - 8.3	6.5	5.0 - 8.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	14.3	8.4 - 20.2	9.2	8.3 - 10.1
	Non-Hisp. White Women	9.9	5.4 - 14.4	10.3	9.5 - 11.2
	Non-Hisp. Black Men	NA		7.9	5.5 - 10.3
	Non-Hisp. Black Women	NA		9.2	7.0 - 11.5
	Hispanic Men	NA		6.2	4.1 - 8.4
	Hispanic Women	8.4	0.0 - 17.9	6.8	4.7 - 8.9
<b>AGE GROUP</b>	18-44	2.4	0.0 - 5.4	3.1	2.4 - 3.8
	45-64	14.4	8.2 - 20.5	9.5	8.4 - 10.5
	65 & Older	13.4	8.4 - 18.3	18.1	16.8 - 19.4
<b>EDUCATION LEVEL</b>	<High School	12.0	3.4 - 20.6	13.2	11.0 - 15.4
	High School / GED	9.8	5.0 - 14.6	8.4	7.4 - 9.4
	>High School	9.6	6.0 - 13.2	7.8	7.2 - 8.5
<b>ANNUAL INCOME</b>	<\$25,000	17.6	10.2 - 24.9	13.5	12.2 - 14.9
	\$25,000-\$49,999	10.4	5.6 - 15.2	7.9	6.9 - 8.8
	\$50,000 or More	2.4	0.0 - 4.8	4.8	4.1 - 5.5
<b>MARITAL STATUS</b>	Married/Couple	11.2	6.9 - 15.5	7.7	7.0 - 8.5
	Not Married/Couple	8.2	4.9 - 11.5	10.1	9.2 - 11.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Hypertension Awareness

## Percentage of adults who have ever been told they had hypertension

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	39.3	34.5 - 44.0	34.6	33.5 - 35.7
<b>SEX</b>	Men	43.6	36.0 - 51.2	37.2	35.6 - 38.9
	Women	35.4	29.5 - 41.3	32.1	30.7 - 33.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	45.1 *	39.6 - 50.7	38.4	37.3 - 39.5
	Non-Hisp. Black	38.9	21.3 - 56.5	33.7	30.4 - 37.0
	Hispanic	11.8 *	4.3 - 19.4	28.3	25.0 - 31.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	50.5	41.5 - 59.5	42.1	40.3 - 43.9
	Non-Hisp. White Women	40.8	33.9 - 47.7	35.0	33.6 - 36.4
	Non-Hisp. Black Men	NA		35.1	29.6 - 40.6
	Non-Hisp. Black Women	NA		32.4	28.6 - 36.3
	Hispanic Men	NA		28.9	24.1 - 33.7
	Hispanic Women	13.8	2.0 - 25.5	27.6	23.1 - 32.1
<b>AGE GROUP</b>	18-44	12.4	6.3 - 18.4	13.8	12.4 - 15.2
	45-64	42.1	33.6 - 50.6	41.1	39.1 - 43.2
	65 & Older	61.6	54.9 - 68.2	62.8	61.1 - 64.6
<b>EDUCATION LEVEL</b>	<High School	33.1	20.6 - 45.6	42.3	38.2 - 46.3
	High School / GED	37.6	30.0 - 45.3	35.8	33.8 - 37.9
	>High School	43.8 *	37.3 - 50.4	31.9	30.7 - 33.1
<b>ANNUAL INCOME</b>	<\$25,000	42.9	33.7 - 52.2	37.5	35.3 - 39.7
	\$25,000-\$49,999	37.0	29.0 - 45.1	36.9	34.6 - 39.2
	\$50,000 or More	39.3	29.1 - 49.6	30.7	29.0 - 32.5
<b>MARITAL STATUS</b>	Married/Couple	42.0	35.6 - 48.3	35.8	34.4 - 37.3
	Not Married/Couple	35.5	28.4 - 42.6	33.5	31.8 - 35.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Kidney Disease

## Percentage of adults who have ever been told they had kidney disease

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	3.7	1.9 - 5.5	3.5	3.0 - 3.9
<b>SEX</b>	Men	4.2	1.2 - 7.3	3.3	2.7 - 3.8
	Women	3.3	1.2 - 5.3	3.6	3.0 - 4.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.1	2.0 - 6.2	3.5	3.0 - 4.0
	Non-Hisp. Black	7.2	0.0 - 16.0	2.4	1.5 - 3.2
	Hispanic	0.0		4.2	2.7 - 5.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.0	1.2 - 8.7	3.7	2.9 - 4.5
	Non-Hisp. White Women	3.4	1.1 - 5.7	3.3	2.9 - 3.8
	Non-Hisp. Black Men	NA		2.0	0.8 - 3.1
	Non-Hisp. Black Women	NA		2.7	1.5 - 3.9
	Hispanic Men	NA		3.1	1.8 - 4.4
	Hispanic Women	0.0		5.2	2.7 - 7.8
<b>AGE GROUP</b>	18-44	2.2	0.0 - 5.3	1.9	1.2 - 2.6
	45-64	2.8	0.0 - 5.7	3.6	2.7 - 4.4
	65 & Older	5.8	2.6 - 9.0	5.9	5.2 - 6.7
<b>EDUCATION LEVEL</b>	<High School	2.6	0.0 - 5.7	4.6	3.1 - 6.2
	High School / GED	3.6	0.2 - 6.9	4.0	2.9 - 5.0
	>High School	4.5	1.8 - 7.2	2.9	2.5 - 3.3
<b>ANNUAL INCOME</b>	<\$25,000	6.6	2.1 - 11.1	5.0	4.0 - 6.0
	\$25,000-\$49,999	3.1	0.2 - 5.9	3.5	2.4 - 4.6
	\$50,000 or More	2.6	0.0 - 5.4	2.1	1.6 - 2.5
<b>MARITAL STATUS</b>	Married/Couple	3.9	1.5 - 6.4	3.4	2.8 - 4.0
	Not Married/Couple	3.5	0.8 - 6.2	3.6	2.9 - 4.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

Overweight & Obesity

Percentage of adults who are overweight

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	34.7	29.7 - 39.6	36.4	35.2 - 37.6
<b>SEX</b>	Men	37.6	30.1 - 45.1	42.9	41.1 - 44.7
	Women	32.0	25.5 - 38.5	30.0	28.5 - 31.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	34.8	29.3 - 40.3	35.8	34.6 - 36.9
	Non-Hisp. Black	42.8	24.0 - 61.6	36.9	33.0 - 40.8
	Hispanic	28.4	14.2 - 42.6	38.6	34.9 - 42.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	38.8	30.2 - 47.3	43.5	41.6 - 45.3
	Non-Hisp. White Women	31.4	24.2 - 38.6	28.1	26.7 - 29.5
	Non-Hisp. Black Men	NA		39.7	33.6 - 45.8
	Non-Hisp. Black Women	NA		34.3	29.4 - 39.1
	Hispanic Men	NA		44.4	39.0 - 49.7
	Hispanic Women	26.7	8.5 - 44.9	32.9	28.1 - 37.7
<b>AGE GROUP</b>	18-44	32.4	22.0 - 42.8	31.5	29.5 - 33.6
	45-64	31.1	22.8 - 39.3	39.4	37.3 - 41.5
	65 & Older	41.4	34.5 - 48.4	40.6	38.7 - 42.4
<b>EDUCATION LEVEL</b>	<High School	30.6	17.1 - 44.1	38.4	34.1 - 42.8
	High School / GED	26.6	19.6 - 33.7	35.4	33.2 - 37.6
	>High School	44.4	37.4 - 51.3	36.5	35.1 - 37.9
<b>ANNUAL INCOME</b>	<\$25,000	32.7	23.3 - 42.1	34.8	32.4 - 37.2
	\$25,000-\$49,999	34.6	26.0 - 43.1	37.1	34.7 - 39.6
	\$50,000 or More	41.5	31.0 - 51.9	37.8	35.9 - 39.8
<b>MARITAL STATUS</b>	Married/Couple	40.1	33.5 - 46.7	39.5	37.9 - 41.1
	Not Married/Couple	26.9	19.8 - 34.0	32.9	31.0 - 34.7

Percentage of adults who are obese

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	29.2	24.6 - 33.8	26.4	25.3 - 27.4
<b>SEX</b>	Men	28.3	21.3 - 35.2	27.5	25.9 - 29.0
	Women	30.0	23.9 - 36.1	25.3	23.9 - 26.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	30.9	25.6 - 36.2	25.1	24.1 - 26.2
	Non-Hisp. Black	15.3 *	3.0 - 27.7	34.2	30.6 - 37.8
	Hispanic	42.7	25.2 - 60.3	26.4	23.4 - 29.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	28.9	20.9 - 36.8	27.5	25.8 - 29.2
	Non-Hisp. White Women	32.6 *	25.6 - 39.7	22.8	21.5 - 24.1
	Non-Hisp. Black Men	NA		29.6	24.3 - 34.9
	Non-Hisp. Black Women	NA		38.6	33.7 - 43.4
	Hispanic Men	NA		27.9	23.5 - 32.4
	Hispanic Women	36.9	16.0 - 57.8	24.9	20.8 - 29.0
<b>AGE GROUP</b>	18-44	23.8	14.8 - 32.8	24.2	22.4 - 26.0
	45-64	39.1	30.6 - 47.6	30.3	28.5 - 32.2
	65 & Older	24.2	18.1 - 30.4	24.8	23.3 - 26.4
<b>EDUCATION LEVEL</b>	<High School	25.6	13.5 - 37.7	29.4	25.7 - 33.0
	High School / GED	33.0	25.3 - 40.8	28.4	26.4 - 30.5
	>High School	26.9	21.1 - 32.8	24.5	23.3 - 25.7
<b>ANNUAL INCOME</b>	<\$25,000	30.6	21.9 - 39.3	29.9	27.7 - 32.1
	\$25,000-\$49,999	27.7	20.2 - 35.2	27.7	25.5 - 29.8
	\$50,000 or More	28.2	18.6 - 37.8	24.6	22.9 - 26.3
<b>MARITAL STATUS</b>	Married/Couple	27.4	21.6 - 33.2	27.9	26.4 - 29.3
	Not Married/Couple	31.7	24.2 - 39.2	24.7	23.1 - 26.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Overweight &amp; Obesity

## Percentage of adults who are overweight or obese

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	63.8	58.7 - 68.9	62.8	61.6 - 64.0
<b>SEX</b>	Men	65.8	57.9 - 73.8	70.4	68.7 - 72.0
	Women	62.0	55.5 - 68.6	55.3	53.6 - 56.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	65.7	60.1 - 71.3	60.9	59.7 - 62.1
	Non-Hisp. Black	58.2	39.2 - 77.2	71.1	67.5 - 74.7
	Hispanic	71.1	55.0 - 87.3	64.9	61.4 - 68.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	67.6	58.5 - 76.8	71.0	69.3 - 72.6
	Non-Hisp. White Women	64.0 *	57.0 - 71.0	50.9	49.3 - 52.5
	Non-Hisp. Black Men	NA		69.3	63.5 - 75.2
	Non-Hisp. Black Women	NA		72.8	68.6 - 77.1
	Hispanic Men	NA		72.3	67.5 - 77.1
	Hispanic Women	63.6	42.6 - 84.5	57.8	52.6 - 62.9
<b>AGE GROUP</b>	18-44	56.2	45.0 - 67.3	55.7	53.5 - 57.9
	45-64	70.2	61.9 - 78.4	69.7	68.0 - 71.5
	65 & Older	65.7	59.1 - 72.3	65.4	63.7 - 67.1
<b>EDUCATION LEVEL</b>	<High School	56.2	41.4 - 71.1	67.8	63.8 - 71.7
	High School / GED	59.7	51.6 - 67.8	63.8	61.5 - 66.1
	>High School	71.3 *	65.2 - 77.4	61.0	59.6 - 62.4
<b>ANNUAL INCOME</b>	<\$25,000	63.3	53.7 - 73.0	64.7	62.4 - 66.9
	\$25,000-\$49,999	62.3	53.4 - 71.1	64.8	62.4 - 67.2
	\$50,000 or More	69.7	59.3 - 80.0	62.4	60.5 - 64.4
<b>MARITAL STATUS</b>	Married/Couple	67.5	61.3 - 73.7	67.4	65.9 - 68.8
	Not Married/Couple	58.6	50.2 - 67.0	57.5	55.6 - 59.5

## Percentage of adults who have a healthy weight

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	35.1	30.1 - 40.2	35.0	33.8 - 36.1
<b>SEX</b>	Men	33.7	25.8 - 41.7	28.4	26.7 - 30.1
	Women	36.4	29.9 - 42.9	41.4	39.8 - 43.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	33.6	28.0 - 39.3	36.3	35.1 - 37.5
	Non-Hisp. Black	41.8	22.8 - 60.8	27.6	24.1 - 31.2
	Hispanic	25.2	9.8 - 40.7	33.8	30.2 - 37.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	31.7	22.6 - 40.8	27.7	26.0 - 29.3
	Non-Hisp. White Women	35.3 *	28.3 - 42.3	44.9	43.3 - 46.5
	Non-Hisp. Black Men	NA		29.5	23.7 - 35.3
	Non-Hisp. Black Women	NA		25.8	21.6 - 30.0
	Hispanic Men	NA		27.1	22.3 - 31.9
	Hispanic Women	29.7	10.1 - 49.4	40.3	35.1 - 45.4
<b>AGE GROUP</b>	18-44	41.5	30.3 - 52.6	41.5	39.3 - 43.7
	45-64	29.5	21.3 - 37.7	28.5	26.8 - 30.2
	65 & Older	33.9	27.3 - 40.5	32.5	30.8 - 34.1
<b>EDUCATION LEVEL</b>	<High School	42.1	27.3 - 56.9	30.0	26.1 - 33.8
	High School / GED	40.2	32.1 - 48.3	34.4	32.1 - 36.7
	>High School	27.1 *	21.1 - 33.1	36.5	35.1 - 37.9
<b>ANNUAL INCOME</b>	<\$25,000	35.1	25.5 - 44.7	33.4	31.2 - 35.6
	\$25,000-\$49,999	37.5	28.6 - 46.3	33.0	30.6 - 35.3
	\$50,000 or More	29.1	18.8 - 39.4	35.6	33.6 - 37.6
<b>MARITAL STATUS</b>	Married/Couple	32.3	26.1 - 38.5	30.9	29.5 - 32.4
	Not Married/Couple	39.2	30.8 - 47.6	39.6	37.7 - 41.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Vision Impairment

## Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	5.1	2.7 - 7.4	5.2	4.7 - 5.8
<b>SEX</b>	Men	6.1	2.5 - 9.6	4.9	4.2 - 5.7
	Women	4.2	1.1 - 7.3	5.5	4.8 - 6.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.1	2.2 - 8.0	4.0	3.5 - 4.5
	Non-Hisp. Black	3.4	0.0 - 9.8	7.5	5.7 - 9.3
	Hispanic	4.9	0.0 - 10.9	7.2	5.4 - 8.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	5.4	1.2 - 9.6	3.7	2.9 - 4.5
	Non-Hisp. White Women	4.9	0.9 - 8.8	4.3	3.7 - 4.8
	Non-Hisp. Black Men	NA		7.5	4.9 - 10.1
	Non-Hisp. Black Women	NA		7.5	4.9 - 10.1
	Hispanic Men	NA		6.1	3.8 - 8.3
	Hispanic Women	1.9 *	0.0 - 5.5	8.3	5.6 - 10.9
<b>AGE GROUP</b>	18-44	3.3	0.0 - 7.5	3.4	2.7 - 4.2
	45-64	6.1	1.8 - 10.4	7.4	6.2 - 8.5
	65 & Older	6.0	2.2 - 9.7	5.6	4.8 - 6.3
<b>EDUCATION LEVEL</b>	<High School	5.9	0.0 - 12.1	11.2	8.8 - 13.6
	High School / GED	3.4	0.7 - 6.2	5.6	4.6 - 6.7
	>High School	6.2	2.3 - 10.2	3.4	3.0 - 3.9
<b>ANNUAL INCOME</b>	<\$25,000	12.5	5.3 - 19.6	10.1	8.6 - 11.5
	\$25,000-\$49,999	2.1	0.3 - 3.8	3.9	3.1 - 4.7
	\$50,000 or More	1.8	0.0 - 4.3	1.9	1.4 - 2.3
<b>MARITAL STATUS</b>	Married/Couple	4.5	1.3 - 7.7	3.9	3.3 - 4.5
	Not Married/Couple	5.8	2.4 - 9.2	6.9	5.9 - 7.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Alcohol Consumption

## Percentage of adults who engage in heavy or binge drinking

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	10.8 *	7.6 - 14.1	17.6	16.6 - 18.6
<b>SEX</b>	Men	16.7	10.6 - 22.7	23.4	21.7 - 25.1
	Women	5.5 *	2.9 - 8.1	12.2	11.2 - 13.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	11.3 *	7.5 - 15.1	17.6	16.6 - 18.5
	Non-Hisp. Black	7.2	0.0 - 19.3	14.0	11.1 - 17.0
	Hispanic	14.6	4.3 - 24.9	19.6	16.4 - 22.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	17.7	10.5 - 24.9	21.4	19.8 - 23.0
	Non-Hisp. White Women	6.0 *	2.9 - 9.2	14.0	12.9 - 15.1
	Non-Hisp. Black Men	NA		19.8	14.5 - 25.2
	Non-Hisp. Black Women	NA		8.8	6.4 - 11.3
	Hispanic Men	NA		30.1	24.8 - 35.3
	Hispanic Women	6.0	0.0 - 14.3	9.7	6.2 - 13.1
<b>AGE GROUP</b>	18-44	8.9 *	2.3 - 15.5	24.2	22.3 - 26.1
	45-64	13.6	7.8 - 19.4	16.9	15.3 - 18.5
	65 & Older	10.4	5.8 - 14.9	7.2	6.4 - 8.0
<b>EDUCATION LEVEL</b>	<High School	9.2	1.5 - 16.8	18.6	14.7 - 22.4
	High School / GED	11.5	5.5 - 17.5	16.3	14.6 - 18.1
	>High School	11.2 *	7.0 - 15.4	18.0	16.8 - 19.2
<b>ANNUAL INCOME</b>	<\$25,000	11.8	5.8 - 17.8	16.3	14.5 - 18.1
	\$25,000-\$49,999	10.0 *	4.8 - 15.2	17.9	15.7 - 20.1
	\$50,000 or More	16.5	7.7 - 25.4	20.3	18.6 - 22.0
<b>MARITAL STATUS</b>	Married/Couple	11.4	7.4 - 15.4	14.9	13.8 - 16.0
	Not Married/Couple	10.1 *	4.7 - 15.5	20.9	19.1 - 22.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Tobacco Use &amp; Exposure

## Percentage of adults who are current smokers

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	22.0	17.3 - 26.7	16.8	15.9 - 17.7
<b>SEX</b>	Men	22.3	15.0 - 29.6	19.5	18.0 - 21.0
	Women	21.7 *	15.8 - 27.7	14.4	13.3 - 15.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	22.7	17.3 - 28.1	18.6	17.6 - 19.5
	Non-Hisp. Black	18.4	3.9 - 32.9	14.4	11.7 - 17.1
	Hispanic	21.7	5.3 - 38.1	13.9	11.4 - 16.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	25.0	16.2 - 33.7	19.7	18.2 - 21.3
	Non-Hisp. White Women	20.9	14.3 - 27.5	17.4	16.2 - 18.6
	Non-Hisp. Black Men	NA		19.3	14.6 - 24.1
	Non-Hisp. Black Women	NA		9.9	7.3 - 12.4
	Hispanic Men	NA		18.8	14.6 - 23.0
	Hispanic Women	29.6	8.6 - 50.6	9.3	6.4 - 12.1
<b>AGE GROUP</b>	18-44	32.9 *	22.1 - 43.8	19.2	17.5 - 20.8
	45-64	24.7	17.2 - 32.3	19.8	18.4 - 21.3
	65 & Older	8.0	4.0 - 12.0	8.7	7.4 - 9.9
<b>EDUCATION LEVEL</b>	<High School	41.4	26.4 - 56.3	24.8	21.4 - 28.3
	High School / GED	24.4	17.2 - 31.7	19.8	18.1 - 21.5
	>High School	11.3	6.7 - 15.8	13.1	12.2 - 14.1
<b>ANNUAL INCOME</b>	<\$25,000	29.7	20.7 - 38.6	22.3	20.4 - 24.2
	\$25,000-\$49,999	20.0	11.7 - 28.3	17.7	15.9 - 19.5
	\$50,000 or More	16.5	7.4 - 25.7	11.8	10.5 - 13.1
<b>MARITAL STATUS</b>	Married/Couple	17.5	12.1 - 23.0	13.6	12.5 - 14.6
	Not Married/Couple	28.5	20.4 - 36.6	20.8	19.2 - 22.3

## Percentage of adults who are former smokers (currently quit smoking)

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	30.7	26.4 - 35.1	28.1	27.1 - 29.2
<b>SEX</b>	Men	38.4	31.1 - 45.7	31.6	30.0 - 33.2
	Women	23.8	18.8 - 28.8	24.9	23.7 - 26.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	35.3	30.1 - 40.5	35.6	34.5 - 36.7
	Non-Hisp. Black	9.8	0.0 - 19.9	14.0	11.7 - 16.3
	Hispanic	15.4	4.8 - 26.0	19.3	16.5 - 22.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	43.5	35.0 - 52.1	39.3	37.5 - 41.1
	Non-Hisp. White Women	28.6	22.4 - 34.7	32.2	30.7 - 33.6
	Non-Hisp. Black Men	NA		17.0	13.4 - 20.7
	Non-Hisp. Black Women	NA		11.2	8.4 - 14.0
	Hispanic Men	NA		22.5	18.2 - 26.7
	Hispanic Women	7.6	0.0 - 15.5	16.2	12.5 - 19.8
<b>AGE GROUP</b>	18-44	15.4	8.5 - 22.4	15.6	14.1 - 17.1
	45-64	24.8	17.3 - 32.3	30.3	28.5 - 32.2
	65 & Older	50.4	43.3 - 57.4	47.4	45.6 - 49.2
<b>EDUCATION LEVEL</b>	<High School	16.5	6.9 - 26.1	25.7	22.1 - 29.2
	High School / GED	29.6	22.5 - 36.8	27.7	25.9 - 29.5
	>High School	37.9 *	31.6 - 44.2	29.1	27.9 - 30.3
<b>ANNUAL INCOME</b>	<\$25,000	24.0	16.6 - 31.3	23.9	22.1 - 25.7
	\$25,000-\$49,999	34.5	26.6 - 42.5	31.9	29.6 - 34.3
	\$50,000 or More	35.0	25.2 - 44.8	30.0	28.4 - 31.7
<b>MARITAL STATUS</b>	Married/Couple	35.4	29.3 - 41.5	32.0	30.6 - 33.3
	Not Married/Couple	23.7	18.0 - 29.5	23.7	22.3 - 25.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Tobacco Use &amp; Exposure

## Percentage of adults who have never smoked

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	47.3 *	42.1 - 52.4	55.0	53.8 - 56.2
<b>SEX</b>	Men	39.3 *	31.5 - 47.0	48.9	47.1 - 50.8
	Women	54.5	47.9 - 61.1	60.7	59.2 - 62.2
<b>RACE/ETHNICITY</b>	Non-Hisp. White	42.0	36.4 - 47.6	45.8	44.6 - 47.1
	Non-Hisp. Black	71.8	55.2 - 88.3	71.6	68.3 - 74.9
	Hispanic	62.8	45.5 - 80.1	66.8	63.4 - 70.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	31.5	23.4 - 39.7	40.9	39.1 - 42.8
	Non-Hisp. White Women	50.5	43.2 - 57.9	50.4	48.8 - 52.0
	Non-Hisp. Black Men	NA		63.6	58.0 - 69.2
	Non-Hisp. Black Women	NA		78.9	75.2 - 82.6
	Hispanic Men	NA		58.7	53.5 - 63.9
	Hispanic Women	62.7	41.4 - 84.1	74.6	70.2 - 78.9
<b>AGE GROUP</b>	18-44	51.6 *	40.7 - 62.6	65.2	63.2 - 67.2
	45-64	50.4	41.6 - 59.2	49.8	47.8 - 51.9
	65 & Older	41.6	34.6 - 48.7	43.9	42.1 - 45.8
<b>EDUCATION LEVEL</b>	<High School	42.1	27.4 - 56.8	49.5	45.3 - 53.7
	High School / GED	45.9	37.7 - 54.2	52.5	50.2 - 54.8
	>High School	50.8	44.1 - 57.6	57.8	56.4 - 59.2
<b>ANNUAL INCOME</b>	<\$25,000	46.4	36.8 - 56.0	53.8	51.4 - 56.1
	\$25,000-\$49,999	45.5	36.6 - 54.4	50.4	47.9 - 52.9
	\$50,000 or More	48.5	37.8 - 59.2	58.1	56.2 - 60.0
<b>MARITAL STATUS</b>	Married/Couple	47.1	40.5 - 53.7	54.5	52.9 - 56.0
	Not Married/Couple	47.8	39.5 - 56.0	55.5	53.6 - 57.4

## Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	54.1	41.5 - 66.8	61.1	58.3 - 63.9
<b>SEX</b>	Men	52.7	33.2 - 72.1	60.3	56.0 - 64.5
	Women	55.5	39.5 - 71.6	62.1	58.5 - 65.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	49.0	34.8 - 63.3	57.9	55.0 - 60.8
	Non-Hisp. Black	NA		71.1	61.8 - 80.3
	Hispanic	NA		62.6	53.1 - 72.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	46.3	25.3 - 67.4	57.9	53.4 - 62.4
	Non-Hisp. White Women	51.7	33.0 - 70.5	57.9	54.1 - 61.7
	Non-Hisp. Black Men	NA		64.6	51.4 - 77.8
	Non-Hisp. Black Women	NA		82.8	75.3 - 90.3
	Hispanic Men	NA		61.3	48.9 - 73.7
	Hispanic Women	NA		65.2	50.4 - 80.1
<b>AGE GROUP</b>	18-44	NA		65.8	61.4 - 70.3
	45-64	54.7	37.1 - 72.3	58.2	54.3 - 62.2
	65 & Older	NA		52.7	44.7 - 60.8
<b>EDUCATION LEVEL</b>	<High School	NA		58.6	50.8 - 66.4
	High School / GED	52.5	34.8 - 70.3	61.9	57.5 - 66.3
	>High School	55.0	33.0 - 77.0	61.8	57.9 - 65.6
<b>ANNUAL INCOME</b>	<\$25,000	59.3	41.1 - 77.6	63.9	59.3 - 68.5
	\$25,000-\$49,999	NA		61.8	56.6 - 66.9
	\$50,000 or More	NA		57.1	51.4 - 62.8
<b>MARITAL STATUS</b>	Married/Couple	69.6	54.0 - 85.2	60.9	56.9 - 64.9
	Not Married/Couple	40.4 *	23.5 - 57.2	61.2	57.3 - 65.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Physical Activity &amp; Nutrition

## Percentage of adults who are sedentary

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	27.2	22.6 - 31.8	27.7	26.6 - 28.9
<b>SEX</b>	Men	27.9	20.6 - 35.3	25.3	23.6 - 27.0
	Women	26.5	20.7 - 32.2	30.0	28.5 - 31.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	30.2	24.6 - 35.7	25.1	24.0 - 26.2
	Non-Hisp. Black	10.5 *	2.0 - 19.1	30.2	26.6 - 33.9
	Hispanic	21.0	8.3 - 33.8	31.6	28.1 - 35.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	33.6	24.4 - 42.7	22.9	21.3 - 24.4
	Non-Hisp. White Women	27.4	20.8 - 33.9	27.2	25.7 - 28.6
	Non-Hisp. Black Men	NA		26.0	20.8 - 31.3
	Non-Hisp. Black Women	NA		34.0	29.1 - 39.0
	Hispanic Men	NA		29.0	23.9 - 34.2
	Hispanic Women	NA		34.1	29.2 - 38.9
<b>AGE GROUP</b>	18-44	19.4	10.5 - 28.4	24.1	22.1 - 26.0
	45-64	27.8	19.8 - 35.7	29.5	27.5 - 31.4
	65 & Older	34.3	27.3 - 41.4	32.2	30.3 - 34.0
<b>EDUCATION LEVEL</b>	<High School	36.9	21.7 - 52.1	40.5	36.2 - 44.9
	High School / GED	27.1	19.9 - 34.3	31.2	29.0 - 33.4
	>High School	23.5	18.0 - 29.0	22.4	21.2 - 23.7
<b>ANNUAL INCOME</b>	<\$25,000	39.4	29.9 - 48.8	37.1	34.7 - 39.5
	\$25,000-\$49,999	23.4	15.3 - 31.4	28.8	26.5 - 31.2
	\$50,000 or More	20.4	11.6 - 29.3	18.1	16.5 - 19.6
<b>MARITAL STATUS</b>	Married/Couple	27.4	21.3 - 33.5	26.4	24.9 - 27.9
	Not Married/Couple	26.5	19.5 - 33.5	29.1	27.3 - 30.9

## Percentage of adults who consumed five or more servings of fruits or vegetables per day

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	12.9 *	9.4 - 16.4	18.3	17.3 - 19.4
<b>SEX</b>	Men	11.5	6.1 - 16.9	16.1	14.5 - 17.6
	Women	14.2 *	9.7 - 18.7	20.4	19.0 - 21.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	9.5 *	6.6 - 12.4	16.3	15.4 - 17.3
	Non-Hisp. Black	26.4	10.2 - 42.6	22.4	18.9 - 26.0
	Hispanic	26.9	9.1 - 44.6	19.8	16.8 - 22.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	6.5 *	2.6 - 10.3	14.0	12.6 - 15.5
	Non-Hisp. White Women	12.0 *	7.8 - 16.3	18.5	17.2 - 19.7
	Non-Hisp. Black Men	NA		18.2	13.0 - 23.4
	Non-Hisp. Black Women	NA		26.3	21.5 - 31.0
	Hispanic Men	NA		19.0	14.5 - 23.5
	Hispanic Women	NA		20.6	16.5 - 24.7
<b>AGE GROUP</b>	18-44	15.1	7.3 - 23.0	19.9	18.0 - 21.7
	45-64	14.0	7.7 - 20.2	17.9	16.3 - 19.5
	65 & Older	10.0 *	6.0 - 13.9	16.2	14.6 - 17.9
<b>EDUCATION LEVEL</b>	<High School	11.3	1.2 - 21.5	18.7	15.1 - 22.3
	High School / GED	11.0	5.8 - 16.3	14.5	12.6 - 16.3
	>High School	15.5	10.5 - 20.4	20.4	19.1 - 21.6
<b>ANNUAL INCOME</b>	<\$25,000	13.6	7.3 - 19.9	17.7	15.6 - 19.8
	\$25,000-\$49,999	11.5 *	6.5 - 16.5	19.0	16.8 - 21.2
	\$50,000 or More	12.5	5.0 - 20.0	19.7	18.1 - 21.3
<b>MARITAL STATUS</b>	Married/Couple	10.9 *	6.9 - 14.9	19.4	18.0 - 20.8
	Not Married/Couple	16.0	9.7 - 22.2	17.0	15.6 - 18.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Physical Activity &amp; Nutrition

## Percentage of adults who are inactive or insufficiently active

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	51.4	45.8 - 57.0	52.9	51.6 - 54.3
<b>SEX</b>	Men	45.6	36.9 - 54.3	51.1	49.0 - 53.1
	Women	56.3	49.0 - 63.6	54.5	52.8 - 56.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	51.3	45.1 - 57.5	48.8	47.5 - 50.1
	Non-Hisp. Black	NA		56.9	52.6 - 61.3
	Hispanic	44.2	24.7 - 63.7	59.3	55.2 - 63.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	49.0	39.3 - 58.8	46.3	44.2 - 48.3
	Non-Hisp. White Women	53.3	45.2 - 61.4	51.0	49.3 - 52.7
	Non-Hisp. Black Men	NA		54.2	47.1 - 61.2
	Non-Hisp. Black Women	NA		59.4	54.0 - 64.7
	Hispanic Men	NA		59.3	53.3 - 65.4
	Hispanic Women	NA		59.3	53.7 - 64.9
<b>AGE GROUP</b>	18-44	53.3	39.8 - 66.7	54.3	51.7 - 56.8
	45-64	55.0	45.3 - 64.7	55.2	53.0 - 57.3
	65 & Older	46.8	39.4 - 54.2	47.5	45.5 - 49.4
<b>EDUCATION LEVEL</b>	<High School	54.8	37.5 - 72.2	64.2	59.9 - 68.6
	High School / GED	50.1	40.9 - 59.3	55.6	53.0 - 58.1
	>High School	51.4	44.1 - 58.7	48.4	46.8 - 50.0
<b>ANNUAL INCOME</b>	<\$25,000	62.7	52.5 - 72.9	61.0	58.4 - 63.6
	\$25,000-\$49,999	53.7	43.8 - 63.6	56.2	53.5 - 58.9
	\$50,000 or More	43.6	31.7 - 55.5	43.5	41.3 - 45.7
<b>MARITAL STATUS</b>	Married/Couple	53.3	46.1 - 60.5	50.5	48.7 - 52.2
	Not Married/Couple	48.3	39.5 - 57.2	55.8	53.7 - 57.9

## Percentage of adults who meet aerobic recommendations

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	51.4	46.0 - 56.9	50.2	48.9 - 51.5
<b>SEX</b>	Men	56.8	48.3 - 65.3	52.0	50.0 - 54.0
	Women	46.9	39.8 - 54.0	48.6	46.9 - 50.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	50.8	44.6 - 56.9	53.8	52.5 - 55.1
	Non-Hisp. Black	53.9	32.9 - 74.9	46.8	42.5 - 51.1
	Hispanic	62.6	45.7 - 79.5	45.0	41.0 - 49.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	52.3	42.5 - 62.0	56.3	54.3 - 58.2
	Non-Hisp. White Women	49.5	41.6 - 57.4	51.7	50.0 - 53.3
	Non-Hisp. Black Men	NA		48.8	41.9 - 55.6
	Non-Hisp. Black Women	NA		45.0	39.7 - 50.4
	Hispanic Men	NA		45.3	39.4 - 51.2
	Hispanic Women	NA		44.8	39.4 - 50.2
<b>AGE GROUP</b>	18-44	53.1	40.5 - 65.6	50.7	48.2 - 53.1
	45-64	47.9	38.4 - 57.3	47.6	45.4 - 49.7
	65 & Older	53.9	46.5 - 61.2	53.6	51.7 - 55.5
<b>EDUCATION LEVEL</b>	<High School	49.1	32.1 - 66.1	38.8	34.4 - 43.2
	High School / GED	52.2	43.4 - 61.1	47.7	45.2 - 50.2
	>High School	51.5	44.4 - 58.7	54.7	53.1 - 56.2
<b>ANNUAL INCOME</b>	<\$25,000	39.5	29.4 - 49.5	42.3	39.7 - 44.9
	\$25,000-\$49,999	51.7	42.0 - 61.4	47.8	45.1 - 50.4
	\$50,000 or More	58.2	46.6 - 69.7	59.2	57.1 - 61.3
<b>MARITAL STATUS</b>	Married/Couple	49.7	42.6 - 56.8	52.5	50.7 - 54.2
	Not Married/Couple	54.3	45.7 - 62.8	47.6	45.5 - 49.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Physical Activity &amp; Nutrition

## Percentage of adults who meet muscle strengthening recommendations

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	28.9	23.9 - 34.0	29.6	28.4 - 30.7
<b>SEX</b>	Men	34.9	26.9 - 42.8	36.0	34.1 - 37.8
	Women	23.6	17.4 - 29.9	23.6	22.2 - 25.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	25.3	19.9 - 30.6	29.3	28.1 - 30.4
	Non-Hisp. Black	40.4	21.5 - 59.3	35.0	31.0 - 38.9
	Hispanic	35.7	17.8 - 53.7	28.0	24.6 - 31.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	27.6	19.2 - 36.0	34.1	32.2 - 36.0
	Non-Hisp. White Women	23.3	16.4 - 30.2	24.8	23.4 - 26.2
	Non-Hisp. Black Men	NA		45.0	38.7 - 51.4
	Non-Hisp. Black Women	NA		25.9	21.5 - 30.3
	Hispanic Men	NA		37.0	31.7 - 42.3
	Hispanic Women	NA		19.4	15.4 - 23.5
<b>AGE GROUP</b>	18-44	39.5	28.3 - 50.7	37.4	35.2 - 39.5
	45-64	25.5	17.1 - 33.9	25.4	23.6 - 27.2
	65 & Older	24.3	17.8 - 30.9	21.8	20.2 - 23.3
<b>EDUCATION LEVEL</b>	<High School	27.0	12.7 - 41.3	20.7	16.8 - 24.6
	High School / GED	28.5	20.2 - 36.9	26.2	24.0 - 28.5
	>High School	29.9	23.1 - 36.6	33.8	32.3 - 35.2
<b>ANNUAL INCOME</b>	<\$25,000	26.5	17.3 - 35.6	23.6	21.5 - 25.7
	\$25,000-\$49,999	20.9	13.6 - 28.2	27.1	24.9 - 29.4
	\$50,000 or More	44.0	32.7 - 55.2	37.3	35.2 - 39.3
<b>MARITAL STATUS</b>	Married/Couple	28.7	22.3 - 35.1	28.1	26.6 - 29.6
	Not Married/Couple	29.3	21.1 - 37.5	31.3	29.5 - 33.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Screening/Breast

## Percentage of women aged 40 to 74 years who received a mammogram in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	64.7	56.8 - 72.6	57.5	55.3 - 59.6
<b>SEX</b>	Women	64.7	56.8 - 72.6	57.5	55.3 - 59.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	66.1	57.6 - 74.6	56.2	54.2 - 58.2
	Non-Hisp. Black	NA		61.0	54.4 - 67.6
	Hispanic	NA		61.0	54.2 - 67.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	66.1	57.6 - 74.6	56.2	54.2 - 58.2
	Non-Hisp. Black Women	NA		61.0	54.4 - 67.6
	Hispanic Women	NA		61.0	54.2 - 67.7
<b>AGE GROUP</b>	18-44	NA		44.0	37.6 - 50.3
	45-64	64.1	53.1 - 75.1	57.0	54.2 - 59.8
	65 & Older	65.1	53.7 - 76.5	67.5	64.3 - 70.7
<b>EDUCATION LEVEL</b>	<High School	NA		49.3	40.5 - 58.1
	High School / GED	67.8	55.1 - 80.5	58.0	54.1 - 61.8
	>High School	63.6	53.1 - 74.1	59.0	56.6 - 61.5
<b>ANNUAL INCOME</b>	<\$25,000	50.3	33.7 - 66.9	52.4	47.8 - 57.0
	\$25,000-\$49,999	69.3 *	56.0 - 82.7	50.9	46.5 - 55.2
	\$50,000 or More	69.2	53.5 - 84.9	64.8	61.7 - 67.9
<b>MARITAL STATUS</b>	Married/Couple	70.5	60.6 - 80.3	59.9	57.3 - 62.6
	Not Married/Couple	55.1	42.3 - 67.8	53.6	50.1 - 57.2

## Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	55.4	48.4 - 62.5	56.0	54.2 - 57.7
<b>SEX</b>	Women	55.4	48.4 - 62.5	56.0	54.2 - 57.7
<b>RACE/ETHNICITY</b>	Non-Hisp. White	54.9	47.1 - 62.7	57.8	56.2 - 59.4
	Non-Hisp. Black	NA		59.3	54.2 - 64.5
	Hispanic	NA		50.2	44.7 - 55.6
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	54.9	47.1 - 62.7	57.8	56.2 - 59.4
	Non-Hisp. Black Women	NA		59.3	54.2 - 64.5
	Hispanic Women	NA		50.2	44.7 - 55.6
<b>AGE GROUP</b>	18-44	57.3	41.9 - 72.6	50.7	47.5 - 54.0
	45-64	52.8	40.5 - 65.2	60.1	57.3 - 62.9
	65 & Older	57.7	48.2 - 67.2	58.1	55.7 - 60.4
<b>EDUCATION LEVEL</b>	<High School	NA		45.6	39.2 - 52.0
	High School / GED	57.5	46.5 - 68.5	51.2	47.9 - 54.5
	>High School	62.0	53.0 - 71.1	60.9	58.9 - 62.9
<b>ANNUAL INCOME</b>	<\$25,000	48.2	35.0 - 61.5	48.4	45.1 - 51.7
	\$25,000-\$49,999	59.2	46.9 - 71.6	52.6	49.1 - 56.1
	\$50,000 or More	62.8	48.8 - 76.8	67.8	65.0 - 70.5
<b>MARITAL STATUS</b>	Married/Couple	56.5	46.8 - 66.1	60.6	58.3 - 62.8
	Not Married/Couple	53.8	43.4 - 64.2	51.4	48.8 - 54.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Screening/Cervical

## Percentage of women 18 years of age and older who received a Pap test in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	43.6	34.8 - 52.4	51.4	49.3 - 53.5
<b>SEX</b>	Women	43.6	34.8 - 52.4	51.4	49.3 - 53.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	36.0 *	26.6 - 45.5	49.3	47.3 - 51.4
	Non-Hisp. Black	NA		56.3	50.2 - 62.4
	Hispanic	NA		53.5	47.5 - 59.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Women	36.0 *	26.6 - 45.5	49.3	47.3 - 51.4
	Non-Hisp. Black Women	NA		56.3	50.2 - 62.4
	Hispanic Women	NA		53.5	47.5 - 59.4
<b>AGE GROUP</b>	18-44	49.8	33.7 - 65.9	56.6	53.3 - 59.8
	45-64	44.1	28.7 - 59.5	52.3	49.0 - 55.6
	65 & Older	32.0	19.7 - 44.2	34.3	30.9 - 37.7
<b>EDUCATION LEVEL</b>	<High School	NA		48.0	40.6 - 55.5
	High School / GED	39.2	25.9 - 52.5	46.3	42.1 - 50.4
	>High School	46.8	34.9 - 58.7	54.6	52.2 - 57.0
<b>ANNUAL INCOME</b>	<\$25,000	43.0	27.3 - 58.7	48.3	44.5 - 52.1
	\$25,000-\$49,999	47.1	31.7 - 62.4	43.7	39.4 - 47.9
	\$50,000 or More	47.0	28.2 - 65.7	61.2	57.8 - 64.5
<b>MARITAL STATUS</b>	Married/Couple	48.4	36.2 - 60.6	55.3	52.5 - 58.0
	Not Married/Couple	37.4	24.8 - 50.0	47.4	44.3 - 50.5

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Cancer Screening/Colorectal

## Percentage of adults 50 years of age and older who received a stool blood test in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	18.5	14.0 - 23.0	13.9	12.8 - 15.0
<b>SEX</b>	Men	21.4	14.1 - 28.7	13.0	11.5 - 14.5
	Women	15.9	10.4 - 21.3	14.7	13.2 - 16.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	19.5	14.6 - 24.4	13.6	12.7 - 14.6
	Non-Hisp. Black	NA		14.4	10.3 - 18.5
	Hispanic	NA		13.9	9.7 - 18.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	22.6	14.5 - 30.7	13.4	12.0 - 14.8
	Non-Hisp. White Women	16.9	10.9 - 23.0	13.9	12.7 - 15.1
	Non-Hisp. Black Men	NA		13.9	6.8 - 21.0
	Non-Hisp. Black Women	NA		14.9	10.6 - 19.2
	Hispanic Men	NA		10.9	5.2 - 16.5
	Hispanic Women	NA		16.2	10.2 - 22.2
<b>AGE GROUP</b>	45-64	9.0	3.3 - 14.7	9.3	7.9 - 10.6
	65 & Older	26.3	19.8 - 32.7	19.2	17.6 - 20.9
<b>EDUCATION LEVEL</b>	<High School	25.3	9.4 - 41.1	14.0	9.6 - 18.4
	High School / GED	17.8	10.2 - 25.3	14.4	12.6 - 16.2
	>High School	17.1	11.5 - 22.7	13.7	12.5 - 14.9
<b>ANNUAL INCOME</b>	<\$25,000	12.5	5.5 - 19.5	15.9	13.3 - 18.4
	\$25,000-\$49,999	20.2	12.0 - 28.4	13.4	11.6 - 15.3
	\$50,000 or More	12.9	5.1 - 20.7	12.9	11.3 - 14.6
<b>MARITAL STATUS</b>	Married/Couple	19.0	13.4 - 24.7	14.3	12.9 - 15.8
	Not Married/Couple	17.7	10.2 - 25.2	13.2	11.7 - 14.8

## Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	53.5	47.3 - 59.6	55.3	53.7 - 56.9
<b>SEX</b>	Men	54.3	44.7 - 63.8	57.1	54.7 - 59.6
	Women	52.7	44.8 - 60.7	53.7	51.6 - 55.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	53.6	47.0 - 60.2	56.6	55.2 - 58.1
	Non-Hisp. Black	NA		57.1	51.4 - 62.8
	Hispanic	NA		50.7	44.4 - 57.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	55.2	44.8 - 65.7	58.6	56.3 - 61.0
	Non-Hisp. White Women	52.3	43.8 - 60.8	54.9	53.1 - 56.8
	Non-Hisp. Black Men	NA		61.0	52.1 - 69.9
	Non-Hisp. Black Women	NA		53.5	46.5 - 60.5
	Hispanic Men	NA		48.5	38.5 - 58.6
	Hispanic Women	NA		52.3	44.2 - 60.5
<b>AGE GROUP</b>	45-64	45.4	35.1 - 55.7	46.8	44.4 - 49.3
	65 & Older	60.1	52.9 - 67.2	65.1	63.3 - 66.9
<b>EDUCATION LEVEL</b>	<High School	48.0	27.4 - 68.5	47.5	41.4 - 53.7
	High School / GED	49.1	38.7 - 59.5	53.7	51.0 - 56.5
	>High School	59.1	51.4 - 66.8	58.4	56.6 - 60.2
<b>ANNUAL INCOME</b>	<\$25,000	44.2	32.4 - 55.9	49.0	45.7 - 52.4
	\$25,000-\$49,999	55.8	45.2 - 66.4	53.2	49.9 - 56.5
	\$50,000 or More	59.2	45.7 - 72.6	61.2	58.7 - 63.6
<b>MARITAL STATUS</b>	Married/Couple	53.4	45.3 - 61.4	58.6	56.7 - 60.6
	Not Married/Couple	53.4	44.0 - 62.8	50.0	47.4 - 52.7

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## HIV/AIDS Screening

## Percentage of adults who have ever been tested for HIV

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	33.0 *	27.8 - 38.1	42.6	41.4 - 43.9
<b>SEX</b>	Men	32.4	24.7 - 40.2	41.2	39.3 - 43.1
	Women	33.5 *	26.6 - 40.4	43.9	42.2 - 45.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	25.6 *	20.2 - 31.1	34.4	33.2 - 35.6
	Non-Hisp. Black	65.7	47.5 - 83.9	65.8	62.1 - 69.5
	Hispanic	51.6	33.4 - 69.8	48.7	44.9 - 52.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	26.3	17.8 - 34.9	35.3	33.4 - 37.2
	Non-Hisp. White Women	25.1	18.0 - 32.2	33.5	32.0 - 35.1
	Non-Hisp. Black Men	NA		62.0	55.9 - 68.0
	Non-Hisp. Black Women	NA		69.3	64.7 - 73.8
	Hispanic Men	NA		44.9	39.5 - 50.4
	Hispanic Women	NA		52.3	47.0 - 57.6
<b>AGE GROUP</b>	18-44	50.6	39.2 - 62.0	56.9	54.7 - 59.2
	45-64	39.5	30.5 - 48.4	42.7	40.6 - 44.8
	65 & Older	9.8 *	5.6 - 14.1	15.9	14.3 - 17.6
<b>EDUCATION LEVEL</b>	<High School	30.5	16.2 - 44.8	39.4	35.0 - 43.7
	High School / GED	32.1	23.8 - 40.5	39.8	37.4 - 42.3
	>High School	34.7 *	27.6 - 41.7	45.0	43.5 - 46.5
<b>ANNUAL INCOME</b>	<\$25,000	46.2	36.0 - 56.3	48.8	46.3 - 51.3
	\$25,000-\$49,999	26.5 *	17.9 - 35.2	40.8	38.2 - 43.4
	\$50,000 or More	36.5	25.5 - 47.4	41.7	39.6 - 43.8
<b>MARITAL STATUS</b>	Married/Couple	31.5	24.8 - 38.2	39.9	38.2 - 41.6
	Not Married/Couple	35.3 *	27.1 - 43.4	46.1	44.1 - 48.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who received a flu shot in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	35.7	30.8 - 40.5	30.7	29.6 - 31.8
<b>SEX</b>	Men	36.2	28.8 - 43.6	29.5	27.9 - 31.2
	Women	35.3	28.9 - 41.7	31.8	30.3 - 33.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	40.3	34.7 - 45.9	36.6	35.5 - 37.8
	Non-Hisp. Black	14.0	0.8 - 27.3	17.9	15.2 - 20.6
	Hispanic	39.4	21.1 - 57.6	26.1	22.6 - 29.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	39.7	31.1 - 48.3	35.3	33.6 - 37.0
	Non-Hisp. White Women	40.8	33.4 - 48.2	37.8	36.3 - 39.3
	Non-Hisp. Black Men	NA		16.6	12.7 - 20.5
	Non-Hisp. Black Women	NA		19.1	15.4 - 22.7
	Hispanic Men	NA		25.5	20.6 - 30.4
	Hispanic Women	NA		26.6	21.8 - 31.4
<b>AGE GROUP</b>	18-44	21.8	12.4 - 31.3	18.6	17.0 - 20.3
	45-64	22.9	15.7 - 30.2	29.5	27.6 - 31.4
	65 & Older	59.8	52.7 - 66.9	54.6	52.7 - 56.5
<b>EDUCATION LEVEL</b>	<High School	38.7	23.8 - 53.6	26.5	22.5 - 30.5
	High School / GED	30.3	22.8 - 37.8	28.8	26.7 - 30.8
	>High School	39.5	33.0 - 46.1	32.8	31.6 - 34.1
<b>ANNUAL INCOME</b>	<\$25,000	30.9	21.6 - 40.2	25.4	23.3 - 27.5
	\$25,000-\$49,999	38.3	29.8 - 46.9	31.3	29.0 - 33.5
	\$50,000 or More	33.7	24.0 - 43.3	34.0	32.2 - 35.8
<b>MARITAL STATUS</b>	Married/Couple	40.0	33.5 - 46.5	34.2	32.7 - 35.7
	Not Married/Couple	29.5	22.3 - 36.6	26.7	25.1 - 28.4

## Percentage of adults 65 years of age and older who received a flu shot in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	59.8	52.7 - 66.9	54.6	52.7 - 56.5
<b>SEX</b>	Men	61.4	50.9 - 72.0	54.4	51.2 - 57.5
	Women	58.5	49.0 - 68.0	54.7	52.4 - 57.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	60.7	53.2 - 68.1	58.5	56.9 - 60.2
	Non-Hisp. Black	NA		34.3	26.6 - 41.9
	Hispanic	NA		46.6	37.1 - 56.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	60.7	49.4 - 72.0	57.7	55.0 - 60.4
	Non-Hisp. White Women	60.6	50.7 - 70.6	59.2	57.1 - 61.4
	Non-Hisp. Black Men	NA		27.5	16.3 - 38.7
	Non-Hisp. Black Women	NA		39.4	29.8 - 49.0
	Hispanic Men	NA		53.4	37.0 - 69.8
	Hispanic Women	NA		41.0	30.9 - 51.2
<b>AGE GROUP</b>	65 & Older	59.8	52.7 - 66.9	54.6	52.7 - 56.5
<b>EDUCATION LEVEL</b>	<High School	NA		49.0	41.6 - 56.4
	High School / GED	54.6	42.0 - 67.2	53.3	50.3 - 56.3
	>High School	61.0	52.2 - 69.7	57.0	54.9 - 59.2
<b>ANNUAL INCOME</b>	<\$25,000	50.5	35.0 - 66.0	48.2	43.7 - 52.7
	\$25,000-\$49,999	63.2	52.0 - 74.5	56.4	53.2 - 59.7
	\$50,000 or More	63.3	49.2 - 77.5	59.1	56.1 - 62.1
<b>MARITAL STATUS</b>	Married/Couple	64.3	55.6 - 73.1	55.6	53.0 - 58.2
	Not Married/Couple	51.8	40.4 - 63.1	53.2	50.4 - 56.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who have ever received a pneumococcal vaccination

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	36.9	32.0 - 41.8	33.1	32.0 - 34.3
<b>SEX</b>	Men	35.9	28.3 - 43.4	32.9	31.1 - 34.7
	Women	37.7	31.2 - 44.2	33.3	31.8 - 34.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	38.9	33.3 - 44.4	38.2	37.0 - 39.4
	Non-Hisp. Black	20.6	5.3 - 35.8	28.9	25.0 - 32.8
	Hispanic	33.6	16.9 - 50.2	24.6	21.3 - 28.0
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	35.4	27.2 - 43.7	38.0	36.1 - 39.9
	Non-Hisp. White Women	41.6	34.1 - 49.1	38.3	36.8 - 39.9
	Non-Hisp. Black Men	NA		29.7	23.0 - 36.4
	Non-Hisp. Black Women	NA		28.2	23.7 - 32.7
	Hispanic Men	NA		24.6	19.8 - 29.5
	Hispanic Women	NA		24.6	20.0 - 29.2
<b>AGE GROUP</b>	18-44	14.9	6.7 - 23.0	19.7	17.7 - 21.7
	45-64	21.8	14.3 - 29.2	24.4	22.6 - 26.2
	65 & Older	69.6	62.7 - 76.5	66.2	64.2 - 68.1
<b>EDUCATION LEVEL</b>	<High School	28.6	14.5 - 42.7	29.6	25.7 - 33.4
	High School / GED	36.7	28.7 - 44.7	34.0	31.8 - 36.3
	>High School	40.2	33.6 - 46.9	33.6	32.2 - 35.0
<b>ANNUAL INCOME</b>	<\$25,000	34.2	25.2 - 43.3	32.7	30.4 - 34.9
	\$25,000-\$49,999	39.5	30.8 - 48.3	34.5	32.1 - 36.8
	\$50,000 or More	28.0	19.3 - 36.6	30.0	28.1 - 31.9
<b>MARITAL STATUS</b>	Married/Couple	37.9	31.4 - 44.3	33.4	31.8 - 34.9
	Not Married/Couple	35.5	27.7 - 43.3	32.8	31.0 - 34.5

## Percentage of adults 65 years of age and older who have ever received a pneumococcal vaccination

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	69.6	62.7 - 76.5	66.2	64.2 - 68.1
<b>SEX</b>	Men	69.1	58.2 - 79.9	62.7	59.4 - 66.1
	Women	70.0	61.0 - 79.0	69.0	66.6 - 71.3
<b>RACE/ETHNICITY</b>	Non-Hisp. White	68.6	61.2 - 76.0	71.0	69.4 - 72.6
	Non-Hisp. Black	NA		49.1	40.3 - 57.9
	Hispanic	NA		47.4	37.6 - 57.3
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	69.2	57.5 - 80.9	67.5	64.9 - 70.1
	Non-Hisp. White Women	68.2	58.5 - 77.8	73.9	72.0 - 75.8
	Non-Hisp. Black Men	NA		42.6	27.9 - 57.4
	Non-Hisp. Black Women	NA		53.8	43.8 - 63.8
	Hispanic Men	NA		45.1	27.9 - 62.2
	Hispanic Women	NA		49.4	38.3 - 60.5
<b>AGE GROUP</b>	65 & Older	69.6	62.7 - 76.5	66.2	64.2 - 68.1
<b>EDUCATION LEVEL</b>	<High School	NA		55.3	47.5 - 63.1
	High School / GED	68.0	55.9 - 80.0	68.6	65.8 - 71.5
	>High School	72.5	64.6 - 80.4	68.2	66.0 - 70.4
<b>ANNUAL INCOME</b>	<\$25,000	58.0	41.7 - 74.3	60.6	55.8 - 65.3
	\$25,000-\$49,999	77.0	67.5 - 86.5	67.3	64.1 - 70.5
	\$50,000 or More	67.6	53.2 - 82.0	69.4	66.4 - 72.3
<b>MARITAL STATUS</b>	Married/Couple	73.1	64.6 - 81.6	67.0	64.4 - 69.6
	Not Married/Couple	63.4	51.9 - 74.8	64.9	61.8 - 68.0

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Immunization

## Percentage of adults who have received a tetanus shot since 2005

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	49.5	44.1 - 55.0	51.2	49.9 - 52.5
<b>SEX</b>	Men	50.4	42.2 - 58.5	54.9	52.9 - 56.9
	Women	48.7	41.4 - 56.0	47.7	45.9 - 49.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	45.2	39.1 - 51.3	52.0	50.7 - 53.3
	Non-Hisp. Black	60.5	41.6 - 79.4	47.5	43.3 - 51.6
	Hispanic	56.0	37.6 - 74.3	42.8	38.9 - 46.8
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	43.5 *	34.3 - 52.8	57.0	55.1 - 59.0
	Non-Hisp. White Women	46.7	38.6 - 54.7	47.3	45.6 - 49.0
	Non-Hisp. Black Men	NA		54.8	48.5 - 61.2
	Non-Hisp. Black Women	NA		41.0	35.8 - 46.2
	Hispanic Men	NA		42.1	36.5 - 47.8
	Hispanic Women	NA		43.6	38.0 - 49.1
<b>AGE GROUP</b>	18-44	57.3	45.9 - 68.8	57.0	54.7 - 59.3
	45-64	50.5	41.3 - 59.8	49.1	47.0 - 51.3
	65 & Older	43.6	36.0 - 51.2	43.5	41.5 - 45.5
<b>EDUCATION LEVEL</b>	<High School	53.5	37.5 - 69.6	45.9	41.3 - 50.6
	High School / GED	49.3	40.6 - 58.0	49.7	47.2 - 52.2
	>High School	48.0	40.8 - 55.2	53.5	52.0 - 55.1
<b>ANNUAL INCOME</b>	<\$25,000	46.3	36.1 - 56.4	48.3	45.7 - 50.8
	\$25,000-\$49,999	56.8	47.5 - 66.2	49.6	47.0 - 52.2
	\$50,000 or More	40.4 *	29.4 - 51.3	55.4	53.3 - 57.5
<b>MARITAL STATUS</b>	Married/Couple	46.8	39.7 - 53.9	51.1	49.4 - 52.8
	Not Married/Couple	53.5	45.0 - 62.0	51.1	49.0 - 53.1

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Injury Prevention

## Percentage of adults who always or nearly always use a seatbelt when riding in a car

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	91.7	88.6 - 94.9	94.2	93.5 - 94.9
<b>SEX</b>	Men	90.9	86.4 - 95.4	91.9	90.7 - 93.1
	Women	92.5	88.0 - 97.0	96.3	95.6 - 97.0
<b>RACE/ETHNICITY</b>	Non-Hisp. White	92.5	88.9 - 96.1	94.7	94.0 - 95.4
	Non-Hisp. Black	95.5	88.9 - 100.0	91.8	89.2 - 94.4
	Hispanic	86.8	73.1 - 100.0	94.1	92.2 - 95.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	90.4	85.1 - 95.7	92.2	90.9 - 93.4
	Non-Hisp. White Women	94.3	89.4 - 99.1	97.1	96.5 - 97.7
	Non-Hisp. Black Men	NA		89.2	84.9 - 93.5
	Non-Hisp. Black Women	NA		94.1	91.1 - 97.1
	Hispanic Men	NA		92.3	89.2 - 95.4
	Hispanic Women	NA		95.7	93.8 - 97.7
<b>AGE GROUP</b>	18-44	85.7	77.3 - 94.1	91.8	90.5 - 93.1
	45-64	93.0	88.6 - 97.3	95.6	94.6 - 96.6
	65 & Older	95.5	92.4 - 98.5	96.4	95.7 - 97.2
<b>EDUCATION LEVEL</b>	<High School	84.5	72.7 - 96.4	89.5	86.7 - 92.2
	High School / GED	90.1	85.1 - 95.1	94.1	92.9 - 95.2
	>High School	96.1	93.2 - 98.9	95.4	94.7 - 96.2
<b>ANNUAL INCOME</b>	<\$25,000	88.0	81.6 - 94.4	91.7	90.1 - 93.3
	\$25,000-\$49,999	90.2	83.8 - 96.5	94.6	93.4 - 95.8
	\$50,000 or More	97.7	94.6 - 100.0	96.2	95.3 - 97.1
<b>MARITAL STATUS</b>	Married/Couple	92.4	88.3 - 96.6	95.8	95.1 - 96.5
	Not Married/Couple	90.7	85.7 - 95.6	92.3	91.1 - 93.6

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

## Percentage of adults who said their overall health was "good" to "excellent"

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	80.5	76.6 - 84.4	80.5	79.5 - 81.4
<b>SEX</b>	Men	79.3	73.4 - 85.2	81.6	80.2 - 83.0
	Women	81.6	76.4 - 86.8	79.4	78.1 - 80.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	79.2	74.5 - 83.9	82.3	81.4 - 83.2
	Non-Hisp. Black	87.4	76.7 - 98.1	80.3	77.3 - 83.2
	Hispanic	83.9	73.6 - 94.1	76.0	73.1 - 78.9
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	79.0	72.0 - 86.1	82.4	80.9 - 83.8
	Non-Hisp. White Women	79.3	73.0 - 85.6	82.2	81.0 - 83.4
	Non-Hisp. Black Men	NA		81.8	77.3 - 86.3
	Non-Hisp. Black Women	NA		78.8	75.1 - 82.6
	Hispanic Men	NA		80.5	76.7 - 84.2
	Hispanic Women	81.8	68.7 - 94.8	71.7	67.4 - 76.1
<b>AGE GROUP</b>	18-44	88.7	82.1 - 95.2	86.9	85.5 - 88.4
	45-64	72.3	64.7 - 80.0	76.3	74.5 - 78.2
	65 & Older	81.5	76.0 - 86.9	74.6	72.9 - 76.2
<b>EDUCATION LEVEL</b>	<High School	71.5	59.3 - 83.7	63.3	59.5 - 67.2
	High School / GED	82.9	77.1 - 88.8	79.3	77.5 - 81.1
	>High School	82.9	78.1 - 87.7	85.8	84.8 - 86.8
<b>ANNUAL INCOME</b>	<\$25,000	70.8	62.6 - 79.0	66.3	64.0 - 68.5
	\$25,000-\$49,999	82.5	75.7 - 89.4	82.2	80.3 - 84.2
	\$50,000 or More	89.8	83.0 - 96.5	91.9	90.9 - 92.9
<b>MARITAL STATUS</b>	Married/Couple	80.8	75.3 - 86.2	82.5	81.2 - 83.7
	Not Married/Couple	80.4	75.0 - 85.9	78.0	76.4 - 79.5

## Percentage of adults who had poor physical health on 14 or more of the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	12.2	9.1 - 15.2	14.1	13.3 - 15.0
<b>SEX</b>	Men	11.7	7.2 - 16.1	13.0	11.8 - 14.3
	Women	12.7	8.4 - 16.9	15.2	14.0 - 16.4
<b>RACE/ETHNICITY</b>	Non-Hisp. White	13.8	10.0 - 17.7	13.9	13.0 - 14.7
	Non-Hisp. Black	2.4 *	0.0 - 5.9	12.4	9.8 - 15.0
	Hispanic	11.4	2.2 - 20.5	15.9	13.3 - 18.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	13.5	7.8 - 19.3	12.6	11.4 - 13.8
	Non-Hisp. White Women	14.1	9.0 - 19.2	15.0	13.9 - 16.2
	Non-Hisp. Black Men	NA		13.5	8.9 - 18.1
	Non-Hisp. Black Women	NA		11.4	8.6 - 14.2
	Hispanic Men	NA		12.9	9.7 - 16.1
	Hispanic Women	11.9	1.0 - 22.7	18.9	14.9 - 22.9
<b>AGE GROUP</b>	18-44	5.9	1.7 - 10.1	9.7	8.5 - 11.0
	45-64	18.0	11.6 - 24.5	18.3	16.6 - 20.0
	65 & Older	12.4	7.8 - 17.0	16.6	15.2 - 18.0
<b>EDUCATION LEVEL</b>	<High School	14.4	5.6 - 23.3	24.7	21.0 - 28.3
	High School / GED	10.6	5.7 - 15.5	14.6	13.1 - 16.1
	>High School	12.0	8.0 - 16.0	11.2	10.3 - 12.0
<b>ANNUAL INCOME</b>	<\$25,000	21.1	13.6 - 28.6	24.2	22.2 - 26.2
	\$25,000-\$49,999	9.3	4.7 - 13.8	13.2	11.5 - 15.0
	\$50,000 or More	3.6	0.4 - 6.8	6.8	5.9 - 7.7
<b>MARITAL STATUS</b>	Married/Couple	11.5	7.2 - 15.8	12.9	11.9 - 14.0
	Not Married/Couple	12.5	8.3 - 16.7	15.5	14.2 - 16.8

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

## Percentage of adults who had poor mental health on 14 or more of the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	11.6	8.4 - 14.8	12.7	11.9 - 13.6
<b>SEX</b>	Men	11.5	6.7 - 16.3	10.9	9.7 - 12.2
	Women	11.7	7.3 - 16.0	14.4	13.2 - 15.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	12.1	8.2 - 16.0	11.9	11.1 - 12.8
	Non-Hisp. Black	16.1	3.4 - 28.8	14.7	11.7 - 17.6
	Hispanic	6.8	0.1 - 13.6	13.1	10.6 - 15.7
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	12.4	6.5 - 18.4	9.7	8.6 - 10.9
	Non-Hisp. White Women	11.8	6.7 - 16.9	14.0	12.8 - 15.2
	Non-Hisp. Black Men	NA		14.8	9.8 - 19.7
	Non-Hisp. Black Women	NA		14.6	11.0 - 18.1
	Hispanic Men	NA		10.7	7.2 - 14.3
	Hispanic Women	9.8	0.0 - 20.7	15.5	11.7 - 19.2
<b>AGE GROUP</b>	18-44	10.2	4.0 - 16.3	12.6	11.2 - 14.0
	45-64	17.3	10.9 - 23.7	16.0	14.2 - 17.7
	65 & Older	7.5	3.5 - 11.6	8.4	7.2 - 9.5
<b>EDUCATION LEVEL</b>	<High School	9.4	0.9 - 18.0	19.7	16.1 - 23.3
	High School / GED	12.5	7.5 - 17.5	13.5	12.0 - 15.1
	>High School	11.7	6.9 - 16.5	10.4	9.5 - 11.3
<b>ANNUAL INCOME</b>	<\$25,000	14.4	8.2 - 20.6	20.1	18.2 - 22.0
	\$25,000-\$49,999	14.1	7.7 - 20.5	13.0	11.0 - 14.9
	\$50,000 or More	8.4	2.0 - 14.8	6.7	5.7 - 7.6
<b>MARITAL STATUS</b>	Married/Couple	9.0	5.0 - 13.0	10.5	9.4 - 11.5
	Not Married/Couple	15.0	9.5 - 20.4	15.4	13.9 - 16.8

## Average number of unhealthy physical days in the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	4.0	3.2 - 4.8	4.5	4.3 - 4.7
<b>SEX</b>	Men	4.0	2.8 - 5.1	4.2	3.8 - 4.5
	Women	4.1	3.0 - 5.2	4.8	4.5 - 5.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	4.4	3.4 - 5.4	4.5	4.2 - 4.7
	Non-Hisp. Black	1.1 *	0.0 - 2.3	4.2	3.5 - 4.9
	Hispanic	3.8	1.5 - 6.0	4.8	4.2 - 5.5
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	4.3	2.8 - 5.8	4.1	3.8 - 4.4
	Non-Hisp. White Women	4.5	3.1 - 5.8	4.8	4.5 - 5.1
	Non-Hisp. Black Men	NA		4.4	3.2 - 5.6
	Non-Hisp. Black Women	NA		4.1	3.4 - 4.8
	Hispanic Men	NA		3.9	3.1 - 4.7
	Hispanic Women	4.4	1.7 - 7.2	5.7	4.7 - 6.8
<b>AGE GROUP</b>	18-44	2.5	1.3 - 3.7	3.4	3.0 - 3.7
	45-64	5.5	3.8 - 7.2	5.6	5.2 - 6.0
	65 & Older	4.0	2.9 - 5.2	5.1	4.8 - 5.4
<b>EDUCATION LEVEL</b>	<High School	5.0	2.6 - 7.4	7.4	6.4 - 8.3
	High School / GED	3.5	2.2 - 4.9	4.7	4.3 - 5.1
	>High School	3.8	2.8 - 4.8	3.7	3.5 - 3.9
<b>ANNUAL INCOME</b>	<\$25,000	6.4	4.5 - 8.4	7.2	6.7 - 7.7
	\$25,000-\$49,999	3.3	2.1 - 4.4	4.2	3.8 - 4.7
	\$50,000 or More	1.7	0.9 - 2.6	2.5	2.3 - 2.7
<b>MARITAL STATUS</b>	Married/Couple	3.9	2.8 - 5.1	4.2	3.9 - 4.4
	Not Married/Couple	4.0	2.9 - 5.0	4.9	4.6 - 5.2

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

## Average number of unhealthy mental days in the past 30 days

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	3.6	2.8 - 4.4	4.1	3.8 - 4.3
<b>SEX</b>	Men	3.3	2.1 - 4.4	3.5	3.2 - 3.9
	Women	3.8	2.8 - 4.9	4.6	4.3 - 4.9
<b>RACE/ETHNICITY</b>	Non-Hisp. White	3.8	2.8 - 4.7	3.8	3.6 - 4.0
	Non-Hisp. Black	3.8	1.1 - 6.6	4.5	3.8 - 5.2
	Hispanic	2.4	0.6 - 4.2	4.4	3.7 - 5.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	3.4	2.0 - 4.9	3.2	2.9 - 3.5
	Non-Hisp. White Women	4.0	2.7 - 5.3	4.3	4.0 - 4.6
	Non-Hisp. Black Men	NA		4.5	3.2 - 5.8
	Non-Hisp. Black Women	NA		4.5	3.8 - 5.3
	Hispanic Men	NA		3.5	2.5 - 4.5
	Hispanic Women	3.3	0.8 - 5.9	5.2	4.2 - 6.2
<b>AGE GROUP</b>	18-44	3.6	2.0 - 5.2	4.2	3.9 - 4.6
	45-64	4.6	3.2 - 6.0	4.9	4.4 - 5.4
	65 & Older	2.6	1.5 - 3.7	2.6	2.3 - 2.9
<b>EDUCATION LEVEL</b>	<High School	3.7	1.4 - 6.1	6.1	5.1 - 7.1
	High School / GED	3.8	2.5 - 5.0	4.2	3.8 - 4.6
	>High School	3.3	2.2 - 4.4	3.5	3.2 - 3.7
<b>ANNUAL INCOME</b>	<\$25,000	4.5	2.9 - 6.0	6.0	5.5 - 6.5
	\$25,000-\$49,999	4.2	2.6 - 5.8	4.3	3.7 - 4.8
	\$50,000 or More	2.7	1.2 - 4.2	2.4	2.1 - 2.6
<b>MARITAL STATUS</b>	Married/Couple	2.9	1.9 - 4.0	3.3	3.0 - 3.6
	Not Married/Couple	4.4	3.2 - 5.6	5.0	4.6 - 5.4

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health-Related Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (Among adults who have had at least one day of poor mental or physical health)

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	4.9	3.8 - 5.9	5.1	4.8 - 5.4
<b>SEX</b>	Men	5.2	3.3 - 7.0	5.2	4.7 - 5.7
	Women	4.6	3.3 - 5.8	5.1	4.7 - 5.5
<b>RACE/ETHNICITY</b>	Non-Hisp. White	5.5	4.1 - 6.8	5.5	5.1 - 5.8
	Non-Hisp. Black	NA		3.8	3.2 - 4.4
	Hispanic	6.2	2.7 - 9.7	5.1	4.2 - 6.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	6.5	3.8 - 9.1	5.5	4.9 - 6.0
	Non-Hisp. White Women	4.8	3.3 - 6.2	5.4	5.0 - 5.8
	Non-Hisp. Black Men	NA		3.6	2.8 - 4.4
	Non-Hisp. Black Women	NA		3.9	3.1 - 4.8
	Hispanic Men	NA		5.1	3.8 - 6.4
	Hispanic Women	NA		5.2	3.9 - 6.4
<b>AGE GROUP</b>	18-44	2.5	1.3 - 3.8	3.7	3.3 - 4.1
	45-64	5.4	3.4 - 7.4	6.8	6.1 - 7.4
	65 & Older	7.2	4.9 - 9.4	5.7	5.2 - 6.2
<b>EDUCATION LEVEL</b>	<High School	6.0	2.8 - 9.2	7.4	6.1 - 8.6
	High School / GED	4.4	2.6 - 6.2	5.3	4.8 - 5.8
	>High School	4.6	3.2 - 5.9	4.3	4.0 - 4.6
<b>ANNUAL INCOME</b>	<\$25,000	8.9	6.2 - 11.6	7.7	7.1 - 8.4
	\$25,000-\$49,999	3.3	2.0 - 4.5	3.8	3.4 - 4.2
	\$50,000 or More	1.7	0.3 - 3.1	3.0	2.6 - 3.3
<b>MARITAL STATUS</b>	Married/Couple	4.7	3.1 - 6.3	4.8	4.4 - 5.2
	Not Married/Couple	4.9	3.5 - 6.3	5.5	5.0 - 5.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Care Access &amp; Coverage

## Percentage of adults with any type of health care insurance coverage

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	78.0	73.5 - 82.5	77.1	76.0 - 78.2
<b>SEX</b>	Men	71.3	63.5 - 79.1	74.5	72.8 - 76.2
	Women	84.1	79.6 - 88.6	79.6	78.2 - 81.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	82.6	77.8 - 87.5	85.5	84.6 - 86.3
	Non-Hisp. Black	68.5	51.4 - 85.6	69.2	65.4 - 73.0
	Hispanic	63.4	47.6 - 79.2	64.0	60.6 - 67.4
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	76.1	67.1 - 85.1	83.2	81.8 - 84.6
	Non-Hisp. White Women	87.9	83.5 - 92.3	87.6	86.5 - 88.6
	Non-Hisp. Black Men	NA		67.8	61.9 - 73.7
	Non-Hisp. Black Women	NA		70.4	65.5 - 75.4
	Hispanic Men	NA		59.7	54.6 - 64.7
	Hispanic Women	67.0	48.2 - 85.7	68.1	63.6 - 72.6
<b>AGE GROUP</b>	18-44	63.1	52.8 - 73.5	66.5	64.4 - 68.5
	45-64	72.5	64.8 - 80.2	76.4	74.6 - 78.3
	65 & Older	97.7	95.6 - 99.8	97.5	96.7 - 98.2
<b>EDUCATION LEVEL</b>	<High School	66.4	52.3 - 80.6	60.1	56.0 - 64.2
	High School / GED	76.1	69.4 - 82.9	72.1	69.9 - 74.2
	>High School	85.5	80.4 - 90.7	84.7	83.5 - 85.8
<b>ANNUAL INCOME</b>	<\$25,000	68.8	59.7 - 77.8	61.2	58.9 - 63.6
	\$25,000-\$49,999	78.6	70.3 - 86.9	76.0	73.5 - 78.4
	\$50,000 or More	88.4	81.3 - 95.6	92.6	91.5 - 93.8
<b>MARITAL STATUS</b>	Married/Couple	82.2	77.1 - 87.3	82.1	80.8 - 83.5
	Not Married/Couple	72.1	64.1 - 80.0	71.1	69.2 - 72.9

## Percentage of adults who have a personal doctor

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	77.2	72.5 - 81.9	73.2	72.1 - 74.4
<b>SEX</b>	Men	67.7	59.7 - 75.7	67.8	66.0 - 69.5
	Women	85.7 *	81.1 - 90.3	78.4	76.9 - 79.8
<b>RACE/ETHNICITY</b>	Non-Hisp. White	82.9	78.1 - 87.6	79.8	78.7 - 80.8
	Non-Hisp. Black	75.4	58.7 - 92.2	71.8	68.2 - 75.4
	Hispanic	57.4	40.3 - 74.6	59.7	56.2 - 63.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	76.1	67.5 - 84.6	75.1	73.3 - 76.8
	Non-Hisp. White Women	88.3	83.6 - 93.0	84.2	83.0 - 85.5
	Non-Hisp. Black Men	NA		67.4	61.7 - 73.0
	Non-Hisp. Black Women	NA		75.7	71.1 - 80.4
	Hispanic Men	NA		52.1	46.9 - 57.4
	Hispanic Women	68.7	49.0 - 88.5	67.0	62.3 - 71.6
<b>AGE GROUP</b>	18-44	51.4	40.7 - 62.2	57.0	54.9 - 59.1
	45-64	81.5	74.8 - 88.2	78.0	76.2 - 79.9
	65 & Older	96.9	94.3 - 99.6	95.5	94.7 - 96.4
<b>EDUCATION LEVEL</b>	<High School	65.0	50.8 - 79.2	59.9	55.8 - 64.0
	High School / GED	73.9	66.5 - 81.3	71.2	69.0 - 73.4
	>High School	86.1 *	80.9 - 91.2	78.0	76.8 - 79.3
<b>ANNUAL INCOME</b>	<\$25,000	74.3 *	65.8 - 82.8	61.7	59.3 - 64.0
	\$25,000-\$49,999	78.4	70.1 - 86.7	73.2	70.7 - 75.7
	\$50,000 or More	82.4	72.9 - 91.9	85.1	83.7 - 86.5
<b>MARITAL STATUS</b>	Married/Couple	81.8	76.5 - 87.1	79.1	77.7 - 80.5
	Not Married/Couple	70.6	62.4 - 78.8	66.5	64.6 - 68.3

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## Health Care Access &amp; Coverage

## Percentage of adults who could not see a doctor in the past year due to cost

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	20.4	16.1 - 24.6	20.8	19.7 - 21.8
<b>SEX</b>	Men	19.4	12.8 - 25.9	18.3	16.9 - 19.8
	Women	21.3	15.7 - 26.8	23.1	21.5 - 24.6
<b>RACE/ETHNICITY</b>	Non-Hisp. White	16.9	12.4 - 21.4	14.7	13.8 - 15.5
	Non-Hisp. Black	28.7	12.0 - 45.3	25.1	21.6 - 28.6
	Hispanic	36.7	20.7 - 52.7	30.9	27.6 - 34.2
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	17.0	9.8 - 24.2	13.5	12.2 - 14.9
	Non-Hisp. White Women	16.8	11.1 - 22.4	15.7	14.5 - 16.9
	Non-Hisp. Black Men	NA		21.2	16.0 - 26.4
	Non-Hisp. Black Women	NA		28.5	23.9 - 33.2
	Hispanic Men	NA		26.4	22.2 - 30.6
	Hispanic Women	52.8	32.1 - 73.4	35.2	30.4 - 40.1
<b>AGE GROUP</b>	18-44	31.7	22.0 - 41.4	27.6	25.6 - 29.6
	45-64	25.8	18.2 - 33.5	23.4	21.7 - 25.1
	65 & Older	4.2	1.2 - 7.1	4.9	4.0 - 5.8
<b>EDUCATION LEVEL</b>	<High School	21.1	9.7 - 32.5	30.0	26.3 - 33.7
	High School / GED	22.1	15.2 - 28.9	22.4	20.3 - 24.5
	>High School	18.6	12.6 - 24.7	17.3	16.1 - 18.5
<b>ANNUAL INCOME</b>	<\$25,000	33.6	24.6 - 42.6	35.2	32.9 - 37.4
	\$25,000-\$49,999	12.6 *	6.8 - 18.4	21.3	19.1 - 23.5
	\$50,000 or More	15.3	6.0 - 24.7	8.9	7.5 - 10.3
<b>MARITAL STATUS</b>	Married/Couple	16.7	11.6 - 21.8	17.8	16.4 - 19.1
	Not Married/Couple	25.6	18.2 - 32.9	24.6	22.9 - 26.3

## Percentage of adults who had a medical checkup in the past year

		2013 County		2013 State	
		Measure	95% CI	Measure	95% CI
<b>ALL</b>	Overall	76.0 *	71.5 - 80.5	70.3	69.1 - 71.4
<b>SEX</b>	Men	70.5	63.0 - 78.0	65.6	63.8 - 67.3
	Women	81.0	76.0 - 86.0	74.7	73.2 - 76.1
<b>RACE/ETHNICITY</b>	Non-Hisp. White	79.5 *	74.7 - 84.3	73.0	71.9 - 74.1
	Non-Hisp. Black	82.5	69.7 - 95.3	72.4	68.8 - 75.9
	Hispanic	59.4	42.7 - 76.1	64.7	61.2 - 68.1
<b>SEX BY RACE/ETHNICITY</b>	Non-Hisp. White Men	74.9	66.6 - 83.2	69.9	68.1 - 71.6
	Non-Hisp. White Women	83.2 *	77.8 - 88.7	76.0	74.6 - 77.3
	Non-Hisp. Black Men	NA		67.4	61.8 - 73.1
	Non-Hisp. Black Women	NA		76.8	72.3 - 81.3
	Hispanic Men	NA		56.9	51.8 - 62.0
	Hispanic Women	58.3	36.8 - 79.8	72.0	67.4 - 76.5
<b>AGE GROUP</b>	18-44	58.4	47.8 - 69.0	57.7	55.6 - 59.7
	45-64	75.6	68.6 - 82.6	71.6	69.7 - 73.5
	65 & Older	93.3	89.9 - 96.7	91.1	90.1 - 92.1
<b>EDUCATION LEVEL</b>	<High School	67.1	53.2 - 81.0	65.1	61.1 - 69.2
	High School / GED	75.1	68.1 - 82.0	69.9	67.8 - 72.1
	>High School	81.8 *	76.6 - 87.0	72.0	70.6 - 73.3
<b>ANNUAL INCOME</b>	<\$25,000	70.3	61.7 - 78.8	64.6	62.3 - 66.9
	\$25,000-\$49,999	77.2	69.0 - 85.3	67.7	65.2 - 70.1
	\$50,000 or More	81.5	73.7 - 89.4	76.4	74.7 - 78.1
<b>MARITAL STATUS</b>	Married/Couple	80.7	75.5 - 85.8	74.6	73.2 - 76.0
	Not Married/Couple	69.3	61.4 - 77.2	65.0	63.2 - 66.9

\* Indicates that the difference observed between the 2013 county and state measures is statistically significant.

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>A1C</b>	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past three to four months.
<b>Activities of Daily Living</b>	Usual activities, such as self-care, work, or recreation.
<b>Adult</b>	Individual aged 18 years or older.
<b>Aerobic Recommendations*</b>	Performance of at least 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
<b>Angina</b>	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
<b>Arthritis</b>	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
<b>Asthma</b>	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
<b>Binge Drinking*</b>	For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days.
<b>Blood Glucose</b>	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
<b>Blood Pressure</b>	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
<b>Blood Sugar</b>	See Blood Glucose
<b>Body Mass Index (BMI)</b>	Body Mass Index (BMI) is a number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
<b>Cancer</b>	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
<b>Cholesterol</b>	A substance the body uses to produce hormones, vitamin D, and food-digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack, or angina.
<b>Chronic Bronchitis</b>	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
<b>Chronic Diseases</b>	Diseases of long duration and generally slow progression (e.g., heart disease; stroke; cancer; diabetes); represent the leading causes of mortality worldwide.
<b>Chronic Obstructive Pulmonary Disease (COPD)</b>	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
<b>Coronary Heart Disease (CHD)</b>	See Coronary Artery Disease (CAD)
<b>Current Smoker*</b>	Combination of everyday smoker and some day smoker.

\*This term is defined using BRFSS standards.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>Depressive Disorders</b>	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
<b>Diabetes</b>	General term for diabetes mellitus; disease in which the blood glucose levels are above normal.
<b>Emphysema</b>	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD)
<b>Everday Smoker*</b>	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking everyday now.
<b>Exercise</b>	See Physical Activity
<b>Fibromyalgia</b>	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
<b>Flu</b>	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
<b>Flu Shot</b>	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose called FluMist™.
<b>Former Smoker</b>	Adults who reported smoking at least 100 cigarettes in their lifetime but reported not smoking now.
<b>Gout</b>	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
<b>Health Behavior</b>	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
<b>Health Care Coverage</b>	Example: health insurance, pre-paid plans such as HMO's, government plans such as Medicare.
<b>Health Care Provider</b>	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor; nurse practitioner; physician assistant; registered nurse).
<b>Health Risk Behavior</b>	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity; poor nutrition; tobacco use; excessive alcohol consumption).
<b>Healthy Weight</b>	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
<b>Heart Attack</b>	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
<b>Heavy Drinking*</b>	For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days.
<b>High Blood Cholesterol</b>	Condition where there is too much cholesterol in the blood for an extended period of time; increases the risk of coronary heart disease, heart attack, or angina.
<b>High Blood Pressure</b>	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems.

\*This term is defined using BRFSS standards.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

### GLOSSARY

<b>Hispanic</b>	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
<b>HIV</b>	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
<b>Hypertension</b>	See High Blood Pressure
<b>Hysterectomy</b>	An operation to remove the uterus (womb) in women.
<b>Inactive*</b>	No leisure-time physical activity, performance of aerobic activity for less than 10 minutes at a time, or performance of only non-aerobic activities in the past 30 days.
<b>Influenza</b>	See Flu
<b>Insufficiently Active*</b>	Performance of less than 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
<b>Kidney Disease</b>	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
<b>Lupus</b>	A chronic inflammatory disease resulting from an attack by the body's own immune system.
<b>Mammogram</b>	Mammography is the process of using low-energy X-rays to examine the human breast; this test is ordered to detect tumors and differentiate between benign and malignant disease.
<b>Mental Health</b>	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
<b>Muscle Strengthening Recommendations*</b>	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights, or elastic bands, at least two times per week in the past 30 days.
<b>Never Smoked*</b>	Adults who reported smoking less than 100 cigarettes in their lifetime.
<b>Non-Hispanic Black</b>	Adults not of Hispanic culture or origins reporting membership in only the Black race category; self-reported demographic variable.
<b>Non-Hispanic White</b>	Adults not of Hispanic culture or origins reporting membership in only the White race category; self-reported demographic variable.
<b>Non-smoker*</b>	Combination of former smoker and never smoked.
<b>Obese</b>	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
<b>Obesity</b>	A condition characterized by being obese.
<b>Overweight</b>	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
<b>Pap Test</b>	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
<b>Personal Doctor</b>	A health care provider that an adult identifies as their personal health care provider.
<b>Pneumococcal Vaccination</b>	Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia.
<b>Pneumonia</b>	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness.

\*This term is defined using BRFSS standards.

## 2013 Florida Behavioral Risk Factor Surveillance System Data

---

### GLOSSARY

---

<b>Poor Mental Health</b>	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
<b>Poor Physical Health</b>	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
<b>Race/Ethnicity</b>	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
<b>Routine Checkup</b>	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
<b>Sedentary*</b>	Participating in no leisure-time physical activity in the past 30 days.
<b>Sex</b>	The condition or character of being male or female; self-reported demographic variable.
<b>Sigmoidoscopy/Colonoscopy</b>	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
<b>Smoking</b>	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
<b>Some Day Smoking*</b>	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking some days now.
<b>Stool Blood Test</b>	A test that may use a special kit at home to determine whether the stool contains blood.
<b>Stroke</b>	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.
<b>Tetanus</b>	A bacterial infection that affects the central nervous system and can result in painful muscle spasms, stiff jaw, and potentially death.
<b>Tetanus Shot</b>	Tetanus vaccine; vaccine given with a needle, usually in the shoulder muscle; a booster tetanus vaccine should be received every ten years.

\*This term is defined using BRFSS standards.

# 2013 Florida Behavioral Risk Factor Surveillance System Data

## Healthy People 2020 Objectives

### Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

### Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

### Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

### Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

### Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-2. Reduce coronary heart disease deaths

HDS-3. Reduce stroke deaths

### Cholesterol Awareness

HDS-7. Reduce the proportion of adults with high total blood cholesterol levels

### Diabetes

D-1. Reduce the annual number of new cases of diagnosed diabetes in the population

D-5. Improve glycemic control among the population with diagnosed diabetes

D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination

D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination

D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year

D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education

### Disability

DH-13. (Developmental) Increase the proportion of people with disabilities who participate in social, spiritual, recreational, community, and civic activities to the degree that they wish

# 2013 Florida Behavioral Risk Factor Surveillance System Data

## Healthy People 2020 Objectives

### Health Care Access & Coverage

AHS-1. Increase the proportion of persons with medical insurance

AHS-3. Increase the proportion of persons with a usual primary care provider

AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

### Health-Related Quality of Life

HRQOL/WB-1.1. Increase the proportion of adults who self-report good or better physical health

HRQOL/WB-1.2. Increase the proportion of adults who self-report good or better mental health

### HIV/AIDS Screening

HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

HIV-14.1. Increase the proportion of adolescents and adults who have ever been tested for HIV

### Hypertension Awareness

HDS-5. Reduce the proportion of persons in the population with hypertension

### Immunization

IID-12.12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

### Injury Prevention

IVP-15. Increase use of safety belts in motor vehicles

### Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

### Physical Activity & Nutrition

PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity

PA-2. Increase the proportion of adults who meet current federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

### Tobacco Use & Exposure

TU-1. Reduce tobacco smoking by adults

TU-4. Increase smoking cessation attempts by adult smokers

### Vision Impairment

V-5. Reduce visual impairment

***The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented.***



Prepared by:

Alyssa Cohen, MPH  
Bo (Bonnie) Yu, MAS, MA  
Junwei Jiang, MPH  
Dongming Cui, MD, MPH, DrPH

If you have any questions or comments  
please contact:

Florida Department of Health  
Division of Disease Control and Health Protection  
Bureau of Epidemiology  
4052 Bald Cypress Way, Bin A-12  
Tallahassee, Florida 32399-1720

Phone: 850-245-4401

Fax: 850-922-9299

Email: [health@flhealth.gov](mailto:health@flhealth.gov)

Web: <http://www.floridahealth.gov/statistics-and-data/survey-data/index.html>