

2016 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Community Health Promotion
Public Health Research Section
Epidemiology and Statistics

Rick Scott
Governor

Celeste Philip, M.D., MPH
State Surgeon General and Secretary

Introduction

The Florida Department of Health is pleased to release the 2016 Florida Behavioral Risk Factor Surveillance System (BRFSS) state and county data. This surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS is a statewide telephone survey that has been collecting and reporting health behavior data since 1986. This survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults.

The 2016 BRFSS was the fifth county-level survey to be conducted in Florida. It was previously conducted in 2002, 2007, 2010, and 2013. The 2016 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes. Almost 37,000 interviews were completed statewide during the 2016 calendar year, with a target sample size of 500 completed surveys in each county.

Leon County had 234,578 adult residents and 761 adults responded to the 2016 county-level BRFSS survey.

The 2016 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues including health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval. If the confidence intervals overlap, there is no statistically significant difference in the prevalence rates. However, if the confidence intervals do not overlap, there is a statistically significant difference. The significance of measures with very wide confidence intervals should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or "weighted," by the Centers for Disease Control and Prevention to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, and education level.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2016 may not be comparable to data collected before 2011.

If any assistance is needed with interpretation or survey methods, please contact the Florida Department of Health, Public Health Research Section at (850) 245-4585.

**2016 Florida BRFSS Data Report
Table of Contents**

Health Status	
Arthritis	1
Asthma	2
Cancer Prevalence	4
Cardiovascular Disease	6
Chronic Obstructive Pulmonary Disease	10
Depression	11
Diabetes	12
Disability	15
Kidney Disease	17
Overweight and Obesity	18
Vision Impairment	22
Health-Related Behaviors	
Alcohol Consumption	23
Marijuana Use	24
Tobacco Use and Exposure	25
Physical Activity and Nutrition	32
Health-Related Prevention	
Cancer Screening/Breast	36
Cancer Screening/Cervical	37
Cancer Screening/Colorectal	39
HIV/AIDS Screening	42
Immunization	44
Injury Prevention	47
Oral Health	48
Health-Related Quality of Life	50
Health Care Access and Coverage	60
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

Arthritis

Percentage of adults who have been told they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	25.9	^	22.4 29.5	24.8	23.9	25.6	16.4
SEX	Men	25.7	^	20.4 31.0	20.2	19.1	21.3	10.0
	Women	26.1		21.3 30.9	29.0	27.8	30.3	22.0
RACE/ETHNICITY	Non-Hisp. White	31.1	^	26.4 35.8	30.8	29.7	31.9	20.4
	Non-Hisp. Black	19.5		13.3 25.7	18.4	16.0	20.9	11.4
	Hispanic	7.0		0.0 15.5	15.9	14.1	17.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.9	^	25.8 40.1	26.0	24.6	27.5	14.8
	Non-Hisp. White Women	29.6		23.4 35.7	35.3	33.8	36.8	25.2
	Non-Hisp. Black Men	15.0		6.9 23.0	15.8	12.2	19.4	3.5
	Non-Hisp. Black Women	23.4		14.3 32.5	20.7	17.3	24.2	17.4
	Hispanic Men				10.5	8.4	12.5	
	Hispanic Women				21.0	18.1	23.9	
AGE GROUP	18-44	8.2		4.8 11.6	7.1	6.3	7.8	4.1
	45-64	30.5		24.1 36.9	29.5	27.9	31.2	24.5
	65 & Older	50.3		42.2 58.5	48.0	46.2	49.8	49.8
EDUCATION LEVEL	<High School	23.7		10.1 37.2	28.6	25.6	31.7	
	H.S. / GED	24.6		16.5 32.7	25.9	24.3	27.5	21.5
	>High School	26.4	^	22.3 30.5	23.4	22.4	24.4	13.9
ANNUAL INCOME	<\$25,000	23.9		17.3 30.4	29.8	28.0	31.7	14.1
	\$25,000-\$49,999	26.9		19.0 34.8	26.8	24.8	28.7	21.4
	\$50,000 or More	27.7 *	^	21.8 33.6	20.2	18.9	21.5	16.3
MARITAL STATUS	Married/Couple	29.8	^	24.4 35.2	25.1	23.9	26.3	18.8
	Not Married/Couple	21.6		17.1 26.2	24.5	23.3	25.7	13.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who currently have asthma

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	5.3	3.5	7.1	6.7	6.2	7.2	7.9
SEX	Men	2.7	1.0	4.5	5.2	4.5	5.9	3.4
	Women	7.5	4.5	10.5	8.2	7.5	8.9	11.9
RACE/ETHNICITY	Non-Hisp. White	6.0	3.6	8.4	6.9	6.3	7.4	9.5
	Non-Hisp. Black	5.2	1.6	8.8	7.6	6.0	9.3	6.4
	Hispanic	1.0 *	0.0	3.1	5.9	4.7	7.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.1	0.7	5.5	5.2	4.5	6.0	5.8
	Non-Hisp. White Women	8.5	4.6	12.4	8.4	7.6	9.3	12.6
	Non-Hisp. Black Men	1.9	0.0	4.8	6.0	3.5	8.6	0.0
	Non-Hisp. Black Women	8.1	1.9	14.3	9.1	7.0	11.2	11.3
	Hispanic Men				4.4	2.8	5.9	
	Hispanic Women				7.3	5.5	9.1	
AGE GROUP	18-44	4.8	2.2	7.5	6.6	5.8	7.4	7.1
	45-64	6.8	3.2	10.5	7.6	6.6	8.5	10.9
	65 & Older	3.9	1.2	6.5	5.9	5.0	6.7	5.5
EDUCATION LEVEL	<High School	2.9	0.0	8.4	8.9	6.9	10.9	
	H.S. / GED	5.4	1.6	9.2	6.7	5.8	7.6	7.6
	>High School	5.4	3.3	7.6	6.3	5.7	6.9	7.8
ANNUAL INCOME	<\$25,000	7.6	3.3	11.9	9.1	7.9	10.3	10.3
	\$25,000-\$49,999	3.0	0.1	5.9	5.8	4.8	6.8	8.1
	\$50,000 or More	6.0	3.0	9.1	6.0	5.1	6.8	5.7
MARITAL STATUS	Married/Couple	4.7	2.2	7.1	6.0	5.4	6.7	5.9
	Not Married/Couple	5.7	3.1	8.4	7.6	6.8	8.4	8.6

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who have ever had asthma

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	9.8	7.4	12.3	11.0	10.4	11.7	15.4
SEX	Men	6.0 *	3.3	8.7	9.8	8.8	10.8	10.7
	Women	13.2	9.3	17.0	12.2	11.3	13.1	19.5
RACE/ETHNICITY	Non-Hisp. White	10.4 ^	7.4	13.5	10.7	10.0	11.4	20.8
	Non-Hisp. Black	9.2	4.2	14.2	11.7	9.6	13.8	8.5
	Hispanic	3.9 *	0.0	9.1	11.8	10.0	13.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.8	3.3	10.4	9.1	8.1	10.1	17.5
	Non-Hisp. White Women	13.5	8.7	18.4	12.1	11.1	13.1	23.7
	Non-Hisp. Black Men	5.3	0.0	11.0	10.2	6.9	13.5	0.0
	Non-Hisp. Black Women	12.6	4.8	20.5	13.0	10.3	15.7	15.0
	Hispanic Men				11.2	8.6	13.8	
	Hispanic Women				12.4	10.1	14.7	
AGE GROUP	18-44	10.8	6.7	14.8	12.3	11.1	13.5	17.5
	45-64	11.2	6.7	15.6	11.0	9.9	12.1	14.4
	65 & Older	6.2	2.9	9.5	9.0	7.9	10.0	9.1
EDUCATION LEVEL	<High School	3.0 *	0.0	8.6	14.2	11.6	16.8	
	H.S. / GED	9.6	4.0	15.2	10.4	9.3	11.6	17.4
	>High School	10.4	7.5	13.3	10.6	9.8	11.3	15.0
ANNUAL INCOME	<\$25,000	11.6	6.3	16.8	13.6	12.1	15.0	18.6
	\$25,000-\$49,999	6.3	2.1	10.5	10.7	9.2	12.3	12.6
	\$50,000 or More	10.4	6.5	14.4	10.3	9.2	11.5	15.1
MARITAL STATUS	Married/Couple	8.8	5.6	12.0	9.6	8.7	10.5	10.6
	Not Married/Couple	10.9	7.2	14.6	12.7	11.6	13.7	19.2

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Prevalence

Percentage of adults who have been told they have had skin cancer

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	13.0 *	10.3	15.7	9.1	8.6	9.6	8.5
SEX	Men	13.7	9.4	17.9	9.9	9.1	10.7	8.4
	Women	12.4	8.8	16.0	8.4	7.7	9.0	8.6
RACE/ETHNICITY	Non-Hisp. White	19.1	15.1	23.1	14.4	13.6	15.2	12.8
	Non-Hisp. Black	0.5	0.0	1.3	0.8	0.0	1.7	1.2
	Hispanic	1.8	0.0	5.3	2.3	1.6	3.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.4	15.0	27.8	15.8	14.5	17.1	13.3
	Non-Hisp. White Women	17.2	12.1	22.3	13.1	12.1	14.1	12.4
	Non-Hisp. Black Men	0.6	0.0	1.7	1.6	0.0	3.4	0.0
	Non-Hisp. Black Women	0.5	0.0	1.5	0.2	0.0	0.4	2.1
	Hispanic Men				1.8	1.0	2.6	
	Hispanic Women				2.9	1.7	4.0	
AGE GROUP	18-44	1.9	0.0	3.8	1.7	1.2	2.1	3.7
	45-64	15.4 *	10.3	20.5	8.2	7.4	9.1	7.8
	65 & Older	29.3	21.7	36.9	22.7	21.2	24.1	30.9
EDUCATION LEVEL	<High School	7.8	0.0	16.4	6.4	4.6	8.1	
	H.S. / GED	6.6	2.3	11.0	7.8	6.9	8.7	14.4
	>High School	14.9 * ^	11.5	18.2	10.6	9.9	11.3	7.1
ANNUAL INCOME	<\$25,000	6.4	2.6	10.3	6.4	5.6	7.2	3.3
	\$25,000-\$49,999	12.1	6.2	17.9	9.9	8.7	11.1	10.5
	\$50,000 or More	17.5 *	12.5	22.6	11.2	10.2	12.2	11.6
MARITAL STATUS	Married/Couple	16.6 *	12.2	20.9	10.8	10.0	11.6	11.2
	Not Married/Couple	9.3	6.0	12.6	7.2	6.5	7.8	5.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Prevalence

Percentage of adults who have had any other type of cancer except skin cancer

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	8.5	6.2	10.7	7.5	7.0	8.0	7.0
SEX	Men	5.9	3.0	8.7	6.8	6.1	7.6	6.2
	Women	10.7	7.3	14.2	8.1	7.4	8.9	7.7
RACE/ETHNICITY	Non-Hisp. White	11.0	7.8	14.2	9.5	8.9	10.2	9.4
	Non-Hisp. Black	3.6	0.3	7.0	4.7	3.0	6.4	5.7
	Hispanic	1.0 *	0.0	3.1	4.6	3.5	5.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.6	3.5	11.7	8.7	7.8	9.7	7.5
	Non-Hisp. White Women	13.9	9.2	18.6	10.3	9.4	11.2	11.1
	Non-Hisp. Black Men	2.9	0.0	6.7	4.7	2.5	6.9	7.3
	Non-Hisp. Black Women	4.3	0.0	9.6	4.7	2.2	7.1	4.4
	Hispanic Men				3.5	2.1	4.9	
	Hispanic Women				5.7	4.1	7.3	
AGE GROUP	18-44	0.8	0.0	1.9	2.0	1.5	2.4	1.4
	45-64	10.1	5.9	14.3	6.8	5.9	7.8	11.9
	65 & Older	19.7	12.9	26.4	17.6	16.1	19.0	21.8
EDUCATION LEVEL	<High School	6.1	0.0	13.8	8.6	6.3	10.9	
	H.S. / GED	4.6	0.9	8.2	7.4	6.5	8.4	9.8
	>High School	9.5	6.8	12.3	7.3	6.8	7.9	6.4
ANNUAL INCOME	<\$25,000	3.2 *	0.6	5.8	8.3	7.0	9.6	4.5
	\$25,000-\$49,999	7.5	3.1	12.0	7.2	6.1	8.4	6.9
	\$50,000 or More	11.2	7.1	15.3	6.5	5.8	7.3	9.6
MARITAL STATUS	Married/Couple	10.1	6.6	13.7	7.9	7.1	8.7	9.5
	Not Married/Couple	6.8	3.9	9.6	7.1	6.4	7.9	4.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had angina or coronary heart disease

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	2.6 *	1.4	3.8	4.7	4.3	5.2	2.8
SEX	Men	3.4	1.3	5.4	5.7	5.0	6.3	2.9
	Women	1.9 *	0.6	3.2	3.9	3.3	4.4	2.7
RACE/ETHNICITY	Non-Hisp. White	3.1 *	1.5	4.7	5.9	5.4	6.4	2.0
	Non-Hisp. Black	1.6	0.0	3.4	3.2	1.9	4.5	3.7
	Hispanic	1.0	0.0	3.1	2.8	2.0	3.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.5	1.5	7.5	7.4	6.6	8.2	3.3
	Non-Hisp. White Women	1.8 *	0.4	3.3	4.4	3.8	5.1	1.0
	Non-Hisp. Black Men	0.0			3.7	1.5	5.9	1.8
	Non-Hisp. Black Women	3.0	0.0	6.5	2.8	1.2	4.3	5.2
	Hispanic Men				2.4	1.5	3.3	
	Hispanic Women				3.3	1.9	4.6	
AGE GROUP	18-44	0.0			1.0	0.6	1.3	0.3
	45-64	3.2	1.0	5.4	4.7	3.9	5.5	2.8
	65 & Older	6.4	2.7	10.2	11.1	9.9	12.3	10.3
EDUCATION LEVEL	<High School	1.2 *	0.0	3.6	7.0	5.1	9.0	
	H.S. / GED	4.5	0.4	8.6	4.2	3.5	4.9	5.6
	>High School	2.3 *	1.1	3.4	4.5	4.0	5.0	1.7
ANNUAL INCOME	<\$25,000	3.3	0.4	6.1	6.9	5.8	8.1	2.7
	\$25,000-\$49,999	4.2	0.6	7.7	4.8	4.0	5.6	3.6
	\$50,000 or More	2.0	0.6	3.3	3.3	2.7	3.9	1.9
MARITAL STATUS	Married/Couple	2.0 *	0.6	3.4	5.1	4.4	5.7	2.9
	Not Married/Couple	3.3	1.4	5.3	4.4	3.9	5.0	2.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a heart attack

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	3.8	2.2	5.5	5.2	4.7	5.6	2.7
SEX	Men	5.1	2.4	7.8	7.1	6.4	7.9	1.9
	Women	2.7	0.7	4.6	3.3	2.8	3.8	3.3
RACE/ETHNICITY	Non-Hisp. White	3.7 *	1.7	5.8	6.4	5.8	6.9	1.8
	Non-Hisp. Black	2.6	0.3	4.9	5.0	3.3	6.8	4.1
	Hispanic	4.7	0.0	13.3	2.8	2.1	3.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.5 *	1.4	7.7	8.8	7.8	9.7	2.1
	Non-Hisp. White Women	3.0	0.3	5.7	4.1	3.4	4.8	1.5
	Non-Hisp. Black Men	2.1	0.0	5.0	6.1	3.4	8.7	1.8
	Non-Hisp. Black Women	3.0	0.0	6.5	4.1	1.9	6.4	6.0
	Hispanic Men				4.5	3.0	5.9	
	Hispanic Women				1.3	0.8	1.7	
AGE GROUP	18-44	1.1	0.0	2.7	1.3	0.9	1.7	0.3
	45-64	5.0	1.6	8.4	4.9	4.2	5.7	4.6
	65 & Older	7.0	3.1	10.9	11.9	10.7	13.2	8.3
EDUCATION LEVEL	<High School	5.9	0.0	13.7	8.6	6.6	10.6	
	H.S. / GED	4.2	0.6	7.8	4.8	4.1	5.5	2.8
	>High School	3.6	1.7	5.5	4.5	4.0	5.1	2.2
ANNUAL INCOME	<\$25,000	5.2	1.8	8.5	7.5	6.4	8.6	4.2
	\$25,000-\$49,999	1.8 *	0.0	4.1	5.3	4.4	6.3	1.4
	\$50,000 or More	2.8	0.4	5.2	3.4	2.8	4.1	2.1
MARITAL STATUS	Married/Couple	4.2	1.7	6.7	5.0	4.4	5.6	1.9
	Not Married/Couple	3.5	1.4	5.6	5.4	4.8	6.1	3.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	3.3	1.9	4.7	3.5	3.2	3.8	3.0
SEX	Men	1.9	0.5	3.3	3.7	3.2	4.2	2.0
	Women	4.4	2.1	6.7	3.3	2.9	3.8	3.9
RACE/ETHNICITY	Non-Hisp. White	3.1	1.4	4.9	4.2	3.7	4.6	1.8
	Non-Hisp. Black	4.2	1.1	7.3	3.9	2.7	5.0	7.1
	Hispanic	0.1 *	0.0	0.3	1.8	1.2	2.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.3	0.3	4.3	4.5	3.9	5.2	1.9
	Non-Hisp. White Women	3.8	1.0	6.6	3.8	3.2	4.4	1.8
	Non-Hisp. Black Men	0.8	0.0	2.0	3.6	1.9	5.3	3.7
	Non-Hisp. Black Women	7.2	1.6	12.8	4.1	2.6	5.6	9.8
	Hispanic Men				2.1	1.1	3.0	
	Hispanic Women				1.6	0.8	2.3	
AGE GROUP	18-44	0.4	0.0	1.2	0.9	0.6	1.3	1.3
	45-64	5.2	2.3	8.1	3.8	3.2	4.4	4.0
	65 & Older	5.5	1.6	9.3	7.3	6.4	8.3	8.9
EDUCATION LEVEL	<High School	5.8	0.0	13.5	4.5	3.5	5.6	
	H.S. / GED	4.3	1.1	7.6	4.1	3.4	4.8	4.0
	>High School	2.8	1.3	4.4	3.0	2.6	3.4	2.3
ANNUAL INCOME	<\$25,000	8.0	3.6	12.4	5.5	4.7	6.3	4.0
	\$25,000-\$49,999	1.7	0.0	4.0	3.5	2.8	4.1	3.0
	\$50,000 or More	0.4 *	0.0	1.2	1.9	1.4	2.4	3.0
MARITAL STATUS	Married/Couple	1.8	0.4	3.1	3.0	2.6	3.5	2.9
	Not Married/Couple	5.0	2.5	7.6	4.1	3.5	4.6	3.2

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease, or stroke

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.4	6.1	10.6	9.8	9.2	10.4	6.2
SEX	Men	9.0	5.6	12.3	11.8	10.9	12.8	5.3
	Women	7.8	4.8	10.9	7.9	7.2	8.7	7.0
RACE/ETHNICITY	Non-Hisp. White	8.7	5.8	11.6	11.7	11.0	12.4	4.4
	Non-Hisp. Black	6.8	3.0	10.6	8.9	6.9	10.9	11.1
	Hispanic	5.7	0.0	14.7	6.1	5.0	7.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.9	5.5	14.2	14.4	13.3	15.6	5.8
	Non-Hisp. White Women	7.7	3.9	11.6	9.2	8.3	10.1	3.2
	Non-Hisp. Black Men	2.3 *	0.0	5.2	9.5	6.5	12.6	5.4
	Non-Hisp. Black Women	10.9	4.3	17.6	8.4	5.8	11.1	15.4
	Hispanic Men				7.2	5.4	8.9	
	Hispanic Women				5.2	3.6	6.7	
AGE GROUP	18-44	1.6	0.0	3.3	2.5	2.0	3.1	1.3
	45-64	11.0	6.6	15.4	9.9	8.8	10.9	8.2
	65 & Older	16.8	10.8	22.9	22.0	20.4	23.5	20.6
EDUCATION LEVEL	<High School	12.8	2.0	23.5	14.3	11.8	16.7	
	H.S. / GED	9.9	4.5	15.2	9.5	8.4	10.5	9.0
	>High School	7.7	5.1	10.2	9.0	8.3	9.7	4.2
ANNUAL INCOME	<\$25,000	12.0	6.7	17.3	14.4	12.9	15.9	7.8
	\$25,000-\$49,999	7.7	2.9	12.4	9.9	8.7	11.1	5.7
	\$50,000 or More	5.2	2.3	8.1	6.3	5.5	7.2	5.0
MARITAL STATUS	Married/Couple	7.6	4.5	10.7	9.6	8.7	10.4	6.0
	Not Married/Couple	9.4	6.1	12.8	10.2	9.3	11.1	6.6

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

COPD

Percentage of adults who have chronic obstructive pulmonary disease, emphysema or chronic bronchitis

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.4	5.3	9.6	7.1	6.6	7.6	4.8
SEX	Men	5.5	2.9	8.2	6.3	5.7	7.0	6.1
	Women	9.1	^	5.8 12.3	7.8	7.1	8.6	3.6
RACE/ETHNICITY	Non-Hisp. White	7.6	4.9	10.3	8.6	8.0	9.3	5.4
	Non-Hisp. Black	7.0	2.9	11.1	4.8	3.5	6.0	2.6
	Hispanic	2.8	0.0	6.8	5.0	3.8	6.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.2	2.0	8.4	8.0	7.1	8.9	6.8
	Non-Hisp. White Women	9.6	5.4	13.8	9.3	8.4	10.1	4.2
	Non-Hisp. Black Men	7.6	1.1	14.1	4.6	2.8	6.4	1.0
	Non-Hisp. Black Women	6.4	1.2	11.5	4.9	3.1	6.7	3.9
	Hispanic Men				3.4	2.2	4.6	
	Hispanic Women				6.4	4.5	8.4	
AGE GROUP	18-44	2.5	0.6	4.5	3.4	2.8	4.1	2.1
	45-64	8.7	4.7	12.7	8.2	7.3	9.2	8.2
	65 & Older	14.2	8.5	20.0	11.9	10.7	13.0	9.5
EDUCATION LEVEL	<High School	13.0	2.0	24.1	10.6	8.5	12.6	
	H.S. / GED	8.9	3.7	14.2	7.5	6.6	8.4	5.9
	>High School	6.7	4.3	9.0	6.1	5.6	6.7	3.6
ANNUAL INCOME	<\$25,000	10.8	5.9	15.7	11.2	9.9	12.5	7.1
	\$25,000-\$49,999	7.0	2.4	11.7	7.4	6.3	8.4	6.1
	\$50,000 or More	4.6	1.9	7.3	4.0	3.3	4.7	2.1
MARITAL STATUS	Married/Couple	5.1	2.6	7.5	6.2	5.5	6.9	3.7
	Not Married/Couple	10.2	6.5	13.9	8.2	7.5	9.0	4.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Depression

Percentage of adults who have a depressive disorder

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	17.4	14.2	20.5	14.2	13.5	15.0	17.7
SEX	Men	11.5	7.5	15.4	10.4	9.5	11.4	14.6
	Women	22.6	17.9	27.3	17.8	16.6	18.9	20.5
RACE/ETHNICITY	Non-Hisp. White	19.0	15.0	23.1	16.6	15.6	17.5	23.7
	Non-Hisp. Black	15.3	9.4	21.2	9.8	7.6	11.9	11.5
	Hispanic	13.2	1.7	24.8	12.1	10.4	13.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.6	7.3	18.0	12.2	11.0	13.5	19.6
	Non-Hisp. White Women	24.6	18.6	30.5	20.6	19.2	22.0	27.3
	Non-Hisp. Black Men	12.3	4.3	20.4	7.5	4.7	10.2	9.0
	Non-Hisp. Black Women	17.9	9.4	26.4	11.8	8.5	15.0	13.3
	Hispanic Men				8.1	6.2	10.1	
	Hispanic Women				15.9	13.2	18.5	
AGE GROUP	18-44	13.5	9.0	17.9	13.3	12.1	14.5	15.2
	45-64	25.6 *	19.4	31.7	17.3	15.9	18.7	21.9
	65 & Older	12.4	7.0	17.7	11.8	10.5	13.0	21.3
EDUCATION LEVEL	<High School	14.7	3.0	26.3	19.3	16.4	22.1	
	H.S. / GED	24.8 *	16.3	33.3	14.7	13.3	16.1	16.3
	>High School	15.8	12.4	19.3	12.9	12.0	13.8	18.2
ANNUAL INCOME	<\$25,000	21.6	15.0	28.2	20.6	18.9	22.2	20.7
	\$25,000-\$49,999	21.5	13.9	29.1	14.9	13.2	16.7	19.3
	\$50,000 or More	13.9	9.2	18.6	9.9	8.8	11.0	15.7
MARITAL STATUS	Married/Couple	16.0	11.7	20.4	12.0	11.0	13.0	14.4
	Not Married/Couple	19.3	14.7	23.9	17.0	15.8	18.1	21.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diagnosed diabetes

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	10.5	8.1	13.0	11.8	11.1	12.4	6.9
SEX	Men	9.9	6.4	13.4	12.5	11.5	13.5	7.9
	Women	11.0	7.6	14.5	11.0	10.2	11.9	6.0
RACE/ETHNICITY	Non-Hisp. White	9.9	6.9	12.9	11.5	10.8	12.2	7.5
	Non-Hisp. Black	14.5	8.9	20.1	14.5	12.3	16.8	6.8
	Hispanic	5.9	0.0	12.8	10.9	9.3	12.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.3	5.8	14.7	13.1	12.0	14.2	8.1
	Non-Hisp. White Women	9.6	5.4	13.7	10.0	9.1	10.9	7.0
	Non-Hisp. Black Men	9.2	1.9	16.4	15.1	11.6	18.7	7.3
	Non-Hisp. Black Women	19.2	10.8	27.7	14.0	11.1	16.9	6.5
	Hispanic Men				9.9	7.6	12.2	
	Hispanic Women				11.9	9.5	14.3	
AGE GROUP	18-44	2.6	0.7	4.5	3.4	2.7	4.1	1.1
	45-64	11.6	7.2	15.9	13.4	12.2	14.6	10.6
	65 & Older	23.1	16.1	30.0	23.5	21.8	25.1	24.5
EDUCATION LEVEL	<High School	16.0	4.5	27.5	18.6	15.9	21.3	
	H.S. / GED	14.4	7.7	21.1	12.6	11.3	13.8	8.1
	>High School	9.2	6.5	11.9	9.7	8.9	10.4	5.9
ANNUAL INCOME	<\$25,000	14.1	^	8.7	19.4	16.6	15.1	18.2
	\$25,000-\$49,999	7.3	2.6	11.9	11.9	10.5	13.4	9.4
	\$50,000 or More	7.4	4.1	10.7	8.0	7.0	8.9	7.7
MARITAL STATUS	Married/Couple	9.1	5.7	12.5	11.4	10.5	12.3	9.1
	Not Married/Couple	12.0	^	8.4	15.6	12.0	11.0	13.0

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with pre-diabetes

		2016 County			2016 State			2013 County	
		Measure	95% CI		Measure	95% CI		Measure	
ALL	Overall	13.1 *	^	10.4	15.9	9.4	8.7	10.0	6.0
SEX	Men	13.4	^	9.2	17.6	8.9	8.0	9.9	4.8
	Women	12.9		9.3	16.5	9.7	8.8	10.7	7.1
RACE/ETHNICITY	Non-Hisp. White	13.0	^	9.5	16.5	9.4	8.7	10.1	6.2
	Non-Hisp. Black	16.4	^	10.6	22.2	11.8	9.4	14.2	5.3
	Hispanic	5.1		0.0	12.1	7.2	5.8	8.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.9		8.4	19.4	9.1	8.1	10.1	6.1
	Non-Hisp. White Women	12.3		7.8	16.8	9.6	8.6	10.6	6.2
	Non-Hisp. Black Men	16.9	^	8.0	25.7	10.9	7.6	14.2	1.2
	Non-Hisp. Black Women	16.0		8.4	23.5	12.6	9.2	16.1	8.3
	Hispanic Men					6.4	4.5	8.3	
	Hispanic Women					7.8	5.9	9.8	
AGE GROUP	18-44	5.8		3.0	8.5	6.2	5.2	7.3	1.8
	45-64	15.8		10.9	20.8	11.5	10.2	12.7	11.3
	65 & Older	21.7 *		14.6	28.8	11.5	10.3	12.7	11.8
EDUCATION LEVEL	<High School	5.6		0.0	12.8	8.8	6.5	11.1	
	H.S. / GED	10.2		4.9	15.4	9.7	8.5	10.9	5.2
	>High School	14.3 *	^	11.0	17.7	9.4	8.5	10.2	6.2
ANNUAL INCOME	<\$25,000	9.6		5.2	14.0	9.9	8.5	11.2	4.3
	\$25,000-\$49,999	13.5		7.2	19.9	9.5	8.2	10.9	11.0
	\$50,000 or More	15.0 *	^	10.3	19.6	8.9	7.8	10.0	5.0
MARITAL STATUS	Married/Couple	15.2 *	^	11.0	19.4	10.0	9.1	11.0	5.6
	Not Married/Couple	10.8		7.3	14.2	8.6	7.6	9.5	6.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	50.0	46.3	53.6	48.2	47.1	49.4	51.5
SEX	Men	52.6	46.8	58.4	48.3	46.9	49.8	
	Women	47.8	43.2	52.3	48.1	46.4	49.9	52.1
RACE/ETHNICITY	Non-Hisp. White	51.7	46.9	56.6	50.7	49.6	51.8	51.4
	Non-Hisp. Black				42.5	39.0	46.1	
	Hispanic				46.7	44.3	49.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				50.2	48.7	51.7	
	Non-Hisp. White Women				51.4	49.6	53.1	
	Non-Hisp. Black Men				44.2	40.1	48.3	
	Non-Hisp. Black Women				40.7	34.9	46.4	
	Hispanic Men				45.3	41.1	49.6	
AGE GROUP	18-44				25.0	22.5	27.5	
	45-64	48.8	44.6	53.1	44.6	43.4	45.8	
	65 & Older	56.1	51.9	60.2	56.9	55.7	58.1	58.1
EDUCATION LEVEL	<High School				49.2	46.6	51.8	
	H.S. / GED				47.6	45.3	49.9	
	>High School	48.2	43.8	52.7	48.4	47.0	49.7	48.8
ANNUAL INCOME	<\$25,000				46.9	45.1	48.7	
	\$25,000-\$49,999				46.5	43.4	49.5	
	\$50,000 or More				48.7	47.0	50.4	
MARITAL STATUS	Married/Couple	53.1	46.6	59.6	48.6	47.2	50.0	53.6
	Not Married/Couple	47.8	43.5	52.1	48.0	46.3	49.8	47.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems
(Among adults who have had at least one day of poor mental or physical health)

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	21.8	18.4	25.2	21.2	20.3	22.1	15.5
SEX	Men	19.8	15.0	24.7	20.5	19.2	21.8	15.2
	Women	23.4	18.7	28.2	21.8	20.6	23.0	15.8
RACE/ETHNICITY	Non-Hisp. White	25.4	^ 20.9	29.8	25.4	24.3	26.5	15.6
	Non-Hisp. Black	18.8	12.3	25.3	18.1	15.2	21.1	9.1
	Hispanic	3.9	*	0.0	9.5	13.9	12.0	15.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.8	14.7	27.0	24.6	23.0	26.1	15.2
	Non-Hisp. White Women	29.3	^ 22.9	35.7	26.1	24.6	27.6	15.9
	Non-Hisp. Black Men	22.3	11.9	32.8	18.7	14.2	23.2	7.8
	Non-Hisp. Black Women	15.7	7.8	23.6	17.7	13.7	21.6	10.1
	Hispanic Men				12.9	10.2	15.7	
	Hispanic Women				14.9	12.3	17.5	
AGE GROUP	18-44	11.4	7.4	15.4	13.2	11.9	14.5	11.2
	45-64	29.3	22.9	35.8	26.4	24.7	28.0	17.8
	65 & Older	28.3	21.0	35.7	27.1	25.4	28.9	29.0
EDUCATION LEVEL	<High School	38.5	22.0	55.0	28.3	25.0	31.7	
	H.S. / GED	26.3	17.8	34.9	21.2	19.6	22.8	14.4
	>High School	19.6	15.8	23.4	19.4	18.4	20.5	14.6
ANNUAL INCOME	<\$25,000	29.8	22.3	37.3	29.7	27.8	31.6	18.0
	\$25,000-\$49,999	25.7	18.0	33.4	21.2	19.3	23.2	18.2
	\$50,000 or More	16.0	11.1	20.8	14.7	13.4	16.1	12.2
MARITAL STATUS	Married/Couple	20.2	15.5	24.9	18.8	17.7	20.0	16.3
	Not Married/Couple	24.2	19.1	29.2	23.9	22.6	25.3	14.3

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who use special equipment because of a health problem

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	9.1	6.8	11.3	9.9	9.2	10.5	6.2
SEX	Men	9.6	6.2	13.0	9.3	8.4	10.2	6.7
	Women	8.6	5.6	11.6	10.3	9.5	11.2	5.7
RACE/ETHNICITY	Non-Hisp. White	9.0	6.2	11.8	11.6	10.8	12.3	6.4
	Non-Hisp. Black	10.0	5.2	14.8	9.9	7.8	12.0	8.4
	Hispanic	3.8	0.0	9.4	6.5	5.2	7.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.0	5.6	14.4	11.0	9.9	12.0	8.4
	Non-Hisp. White Women	8.1	4.5	11.6	12.1	11.0	13.1	4.7
	Non-Hisp. Black Men	7.5	1.6	13.4	10.6	7.2	14.1	7.1
	Non-Hisp. Black Women	12.1	4.9	19.4	9.3	6.8	11.8	9.3
	Hispanic Men				5.3	3.4	7.2	
	Hispanic Women				7.7	5.7	9.7	
AGE GROUP	18-44	2.5	0.6	4.3	2.9	2.4	3.5	1.1
	45-64	12.0	7.6	16.4	10.9	9.8	12.0	8.5
	65 & Older	16.0	10.3	21.7	19.7	18.1	21.3	22.1
EDUCATION LEVEL	<High School	20.8	7.2	34.4	14.5	12.0	17.0	
	H.S. / GED	9.0	3.9	14.2	10.7	9.5	11.9	8.2
	>High School	8.2	^	5.8	10.7	8.2	7.5	8.8
ANNUAL INCOME	<\$25,000	16.7	10.9	22.5	15.7	14.2	17.1	8.5
	\$25,000-\$49,999	12.7	6.7	18.6	9.5	8.1	10.9	7.7
	\$50,000 or More	4.6	2.1	7.2	4.6	3.9	5.3	3.7
MARITAL STATUS	Married/Couple	6.1	3.4	8.7	8.2	7.4	9.0	5.9
	Not Married/Couple	12.8	^	9.0	16.6	11.7	10.8	12.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Kidney Disease

Percentage of adults who have kidney disease

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	1.8	0.8	2.9	3.2	2.8	3.5	2.0
SEX	Men	1.8	0.2	3.3	2.9	2.4	3.3	1.5
	Women	1.9	0.5	3.3	3.5	3.0	4.0	2.5
RACE/ETHNICITY	Non-Hisp. White	2.3	0.9	3.8	3.8	3.3	4.3	2.5
	Non-Hisp. Black	1.3	0.0	3.1	2.0	1.3	2.7	1.8
	Hispanic	0.0			2.6	1.8	3.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.2	0.1	4.4	3.5	2.9	4.2	2.2
	Non-Hisp. White Women	2.5	0.5	4.4	4.1	3.4	4.8	2.7
	Non-Hisp. Black Men	1.4	0.0	4.0	2.9	1.5	4.3	0.0
	Non-Hisp. Black Women	1.2	0.0	3.6	1.2	0.8	1.7	3.2
	Hispanic Men				1.5	0.8	2.2	
	Hispanic Women				3.5	2.3	4.7	
AGE GROUP	18-44	0.8	0.0	2.0	1.4	1.0	1.7	0.3
	45-64	2.4	0.5	4.2	3.1	2.5	3.7	3.6
	65 & Older	2.9	0.1	5.6	6.3	5.4	7.2	5.0
EDUCATION LEVEL	<High School	2.9	0.0	8.4	4.8	3.5	6.2	
	H.S. / GED	2.1	0.0	4.6	2.9	2.3	3.6	1.6
	>High School	1.7	0.6	2.8	2.9	2.5	3.3	2.1
ANNUAL INCOME	<\$25,000	1.4 *	0.0	3.1	4.4	3.7	5.2	3.3
	\$25,000-\$49,999	1.8	0.0	4.0	2.9	2.2	3.6	2.9
	\$50,000 or More	1.7	0.1	3.3	2.1	1.6	2.6	0.3
MARITAL STATUS	Married/Couple	1.5	0.3	2.8	3.1	2.6	3.6	2.0
	Not Married/Couple	2.2	0.5	3.9	3.3	2.8	3.9	1.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	64.2	60.1	68.3	63.2	62.1	64.3	56.3
SEX	Men	68.5	62.7	74.2	69.7	68.2	71.2	56.6
	Women	60.3	54.5	66.1	56.7	55.1	58.3	56.0
RACE/ETHNICITY	Non-Hisp. White	61.3	56.1	66.5	61.9	60.7	63.2	54.7
	Non-Hisp. Black	76.2	69.0	83.5	66.7	63.1	70.3	64.5
	Hispanic	61.5	43.8	79.3	67.7	65.0	70.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	68.7	61.6	75.8	70.5	68.8	72.2	63.3
	Non-Hisp. White Women	54.4	47.1	61.7	53.1	51.4	54.9	46.7
	Non-Hisp. Black Men	73.5	62.6	84.5	68.2	62.9	73.4	50.6
	Non-Hisp. Black Women	78.6	69.0	88.1	65.2	60.3	70.2	75.5
	Hispanic Men				71.2	67.4	74.9	
	Hispanic Women				64.1	60.3	68.0	
AGE GROUP	18-44	59.0	52.2	65.7	56.9	54.9	58.8	49.8
	45-64	70.5	63.9	77.0	69.3	67.5	71.1	67.7
	65 & Older	64.4	56.4	72.4	65.5	63.7	67.4	61.8
EDUCATION LEVEL	<High School	64.8	48.2	81.4	67.2	63.5	70.9	
	H.S. / GED	68.2	59.0	77.4	64.1	62.0	66.2	65.3
	>High School	63.3	58.5	68.0	61.9	60.6	63.3	52.3
ANNUAL INCOME	<\$25,000	56.9	48.3	65.4	63.8	61.6	66.0	54.0
	\$25,000-\$49,999	70.8	62.4	79.2	64.2	61.9	66.5	62.7
	\$50,000 or More	67.2	61.0	73.4	64.9	63.1	66.7	57.6
MARITAL STATUS	Married/Couple	66.1	60.4	71.8	67.1	65.7	68.6	62.3
	Not Married/Couple	61.7	55.7	67.7	58.8	57.1	60.4	51.3

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who have a healthy weight (BMI from 18.5 to 24.9)

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	34.5	30.4	38.6	34.5	33.4	35.6	41.0
SEX	Men	30.7	24.9	36.4	28.8	27.3	30.4	41.7
	Women	38.0	32.3	43.8	40.1	38.6	41.7	40.2
RACE/ETHNICITY	Non-Hisp. White	37.0	31.9	42.2	36.0	34.7	37.2	41.8
	Non-Hisp. Black	23.1	15.9	30.2	31.1	27.5	34.6	34.1
	Hispanic	38.0	20.2	55.7	29.8	27.2	32.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.6	23.5	37.6	28.4	26.7	30.0	35.3
	Non-Hisp. White Women	43.1	35.8	50.3	43.8	42.0	45.5	47.9
	Non-Hisp. Black Men	25.0	14.2	35.8	30.4	25.2	35.6	48.5
	Non-Hisp. Black Women	21.4	11.9	31.0	31.7	26.8	36.6	22.7
	Hispanic Men				26.5	22.9	30.1	
	Hispanic Women				33.2	29.4	37.0	
AGE GROUP	18-44	38.4	31.7	45.1	40.1	38.1	42.0	47.1
	45-64	29.0	22.5	35.5	29.1	27.3	30.9	31.4
	65 & Older	35.6	27.6	43.6	32.4	30.6	34.2	33.5
EDUCATION LEVEL	<High School	35.2	18.6	51.8	29.8	26.2	33.4	
	H.S. / GED	31.5	22.3	40.7	33.4	31.3	35.4	33.4
	>High School	35.1	30.4	39.9	36.0	34.7	37.4	44.5
ANNUAL INCOME	<\$25,000	41.6	33.1	50.2	33.4	31.2	35.5	44.7
	\$25,000-\$49,999	25.7	17.7	33.7	34.1	31.7	36.4	35.4
	\$50,000 or More	32.4	26.2	38.5	33.8	32.0	35.6	39.3
MARITAL STATUS	Married/Couple	33.2	27.5	38.9	31.3	29.8	32.7	34.0
	Not Married/Couple	36.4	30.5	42.4	38.1	36.4	39.8	46.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	33.8	29.9	37.8	35.8	34.7	36.9	28.6
SEX	Men	37.5	31.6	43.4	41.4	39.8	43.0	29.1
	Women	30.4	25.1	35.8	30.1	28.6	31.5	28.0
RACE/ETHNICITY	Non-Hisp. White	33.9	29.0	38.8	35.3	34.1	36.5	30.6
	Non-Hisp. Black	35.7	27.5	43.8	32.7	29.3	36.1	20.9
	Hispanic	40.2	22.7	57.7	40.4	37.6	43.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.6	31.3	45.9	41.5	39.7	43.3	33.2
	Non-Hisp. White Women	29.5	23.0	36.1	28.9	27.3	30.4	28.2
	Non-Hisp. Black Men	35.7	23.8	47.7	35.4	30.4	40.3	12.2
	Non-Hisp. Black Women	35.6	24.6	46.6	30.1	25.4	34.8	27.8
	Hispanic Men				45.9	41.9	49.9	
	Hispanic Women				34.8	30.9	38.7	
AGE GROUP	18-44	30.1	24.1	36.2	32.2	30.4	34.0	26.1
	45-64	35.1	28.2	41.9	37.2	35.3	39.1	30.5
	65 & Older	38.3	30.3	46.4	39.7	37.8	41.6	35.7
EDUCATION LEVEL	<High School	27.1	12.1	42.1	34.8	31.1	38.5	
	H.S. / GED	33.1	23.8	42.3	34.4	32.4	36.5	23.6
	>High School	34.5	29.9	39.0	36.8	35.4	38.1	29.1
ANNUAL INCOME	<\$25,000	21.3 *	14.7	27.9	32.2	30.1	34.3	23.6
	\$25,000-\$49,999	38.4	29.6	47.1	36.6	34.3	38.9	31.2
	\$50,000 or More	38.6	32.2	44.9	38.7	36.9	40.6	32.9
MARITAL STATUS	Married/Couple	37.8	32.0	43.6	38.4	36.9	39.9	35.2
	Not Married/Couple	29.4	24.0	34.8	32.7	31.1	34.3	22.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are obese

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	30.4	26.5	34.3	27.4	26.4	28.5	27.8
SEX	Men	31.0	25.3	36.6	28.3	26.9	29.7	27.5
	Women	29.9	24.5	35.2	26.6	25.2	28.0	28.0
RACE/ETHNICITY	Non-Hisp. White	27.4	22.7	32.0	26.6	25.5	27.7	24.1
	Non-Hisp. Black	40.6	32.3	48.9	34.0	30.5	37.5	43.6
	Hispanic	21.4	6.5	36.2	27.3	24.8	29.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.1	23.1	37.1	28.9	27.3	30.5	30.1
	Non-Hisp. White Women	24.9	18.7	31.0	24.3	22.8	25.7	18.5
	Non-Hisp. Black Men	37.8	25.8	49.7	32.8	27.8	37.7	38.4
	Non-Hisp. Black Women	43.0	31.6	54.4	35.2	30.2	40.1	47.6
	Hispanic Men				25.3	21.9	28.7	
	Hispanic Women				29.3	25.6	33.1	
AGE GROUP	18-44	28.8	22.9	34.8	24.7	23.0	26.3	23.7
	45-64	35.4	28.5	42.3	32.1	30.3	34.0	37.1
	65 & Older	26.1	18.6	33.5	25.8	24.2	27.5	26.2
EDUCATION LEVEL	<High School	37.7	21.1	54.4	32.4	28.7	36.1	
	H.S. / GED	35.2	25.5	44.8	29.7	27.7	31.6	41.7
	>High School	28.8	24.5	33.2	25.2	24.0	26.4	23.2
ANNUAL INCOME	<\$25,000	35.6	27.6	43.6	31.6	29.5	33.7	30.4
	\$25,000-\$49,999	32.4	23.8	41.0	27.6	25.5	29.7	31.5
	\$50,000 or More	28.7	22.8	34.6	26.2	24.5	27.9	24.7
MARITAL STATUS	Married/Couple	28.3	22.9	33.8	28.7	27.3	30.1	27.2
	Not Married/Couple	32.3	26.7	37.9	26.0	24.5	27.5	28.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Vision Impairment

Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

		2016 County			2016 State			2013 County Measure	
		Measure	95% CI		Measure	95% CI			
ALL	Overall	4.6	3.0	6.2	5.8	5.3	6.3	2.1	
SEX	Men	3.2	1.4	5.1	5.3	4.6	6.0	2.1	
	Women	5.8	3.2	8.4	6.3	5.5	7.1	2.1	
RACE/ETHNICITY	Non-Hisp. White	4.4	^	2.5	6.4	5.3	4.8	5.9	1.0
	Non-Hisp. Black	6.1		2.0	10.3	6.8	5.0	8.7	1.9
	Hispanic	1.4	*	0.0	3.5	6.7	5.4	8.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.3		0.9	5.6	5.3	4.5	6.1	1.4
	Non-Hisp. White Women	5.5	^	2.6	8.5	5.4	4.7	6.1	0.7
	Non-Hisp. Black Men	2.9		0.0	6.3	6.6	4.3	8.9	0.0
	Non-Hisp. Black Women	8.9		1.9	16.0	7.0	4.2	9.8	3.4
	Hispanic Men					5.1	3.5	6.8	
	Hispanic Women					8.3	6.1	10.5	
AGE GROUP	18-44	3.0		0.8	5.2	3.4	2.8	4.0	0.4
	45-64	4.6		1.8	7.4	7.8	6.7	8.9	5.5
	65 & Older	7.4	^	3.5	11.3	7.3	6.2	8.3	1.7
EDUCATION LEVEL	<High School	8.2		0.0	17.1	12.3	9.8	14.8	
	H.S. / GED	5.2		1.1	9.2	6.2	5.3	7.1	2.0
	>High School	4.2	^	2.4	6.0	4.1	3.6	4.6	1.2
ANNUAL INCOME	<\$25,000	7.4		3.1	11.8	10.4	9.0	11.7	5.4
	\$25,000-\$49,999	4.3		1.0	7.6	4.7	3.9	5.5	1.3
	\$50,000 or More	3.2	^	1.2	5.2	2.5	1.8	3.2	0.4
MARITAL STATUS	Married/Couple	2.6		1.0	4.3	4.9	4.2	5.7	0.5
	Not Married/Couple	7.0		4.0	9.9	6.8	6.1	7.5	3.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	20.4	16.8	23.9	17.5	16.7	18.4	19.7
SEX	Men	25.1	19.5	30.7	21.7	20.4	23.0	26.5
	Women	16.2	11.7	20.6	13.7	12.6	14.7	13.9
RACE/ETHNICITY	Non-Hisp. White	21.4	17.0	25.8	19.6	18.6	20.6	24.1
	Non-Hisp. Black	16.4	9.5	23.3	12.3	9.8	14.9	12.9
	Hispanic	25.1	10.2	40.1	16.1	14.1	18.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.3	17.5	31.0	22.9	21.4	24.5	29.7
	Non-Hisp. White Women	18.9	13.1	24.6	16.4	15.1	17.7	19.7
	Non-Hisp. Black Men	26.6	14.5	38.6	14.8	10.9	18.7	21.7
	Non-Hisp. Black Women	7.8	0.9	14.7	10.1	6.7	13.5	6.1
	Hispanic Men				22.9	19.6	26.2	
	Hispanic Women				9.7	7.5	12.0	
AGE GROUP	18-44	30.3	23.9	36.7	23.1	21.6	24.7	24.6
	45-64	16.5	11.2	21.8	17.2	15.8	18.6	13.5
	65 & Older	8.7	3.7	13.6	8.7	7.8	9.7	11.8
EDUCATION LEVEL	<High School	17.1	3.5	30.7	14.7	12.0	17.5	
	H.S. / GED	20.0	11.7	28.3	16.5	14.9	18.0	27.1
	>High School	20.7	16.6	24.7	18.8	17.7	19.9	19.0
ANNUAL INCOME	<\$25,000	18.4	11.6	25.2	15.1	13.6	16.7	18.5
	\$25,000-\$49,999	23.4	15.2	31.6	17.7	16.0	19.4	22.2
	\$50,000 or More	20.8	15.3	26.3	23.1	21.5	24.8	20.2
MARITAL STATUS	Married/Couple	17.6	13.1	22.1	16.6	15.5	17.7	18.6
	Not Married/Couple	23.2	17.7	28.8	18.8	17.5	20.1	20.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Marijuana Use

Percentage of adults who used marijuana or hashish during the past 30 days

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.3	5.8	10.8	7.4	6.7	8.0	
SEX	Men	11.9	7.7	16.2	9.9	8.8	10.9	
	Women	5.1	2.3	7.9	5.0	4.3	5.8	
RACE/ETHNICITY	Non-Hisp. White	6.6	4.0	9.1	8.3	7.4	9.1	
	Non-Hisp. Black	10.4	4.4	16.3	7.7	5.7	9.8	
	Hispanic	13.3	0.7	25.9	5.0	3.7	6.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.3	5.0	13.7	11.2	9.9	12.6	
	Non-Hisp. White Women	4.2	1.4	7.0	5.5	4.5	6.5	
	Non-Hisp. Black Men	15.4	5.5	25.4	10.5	6.8	14.2	
	Non-Hisp. Black Women	6.0	0.0	12.8	5.3	3.3	7.3	
	Hispanic Men				6.7	4.6	8.7	
	Hispanic Women				3.3	1.9	4.8	
AGE GROUP	18-44	13.3	8.4	18.3	11.7	10.4	13.0	
	45-64	5.2	2.1	8.3	6.4	5.4	7.4	
	65 & Older	4.4	0.8	8.0	1.8	1.3	2.3	
EDUCATION LEVEL	<High School	3.9	0.0	11.4	7.5	5.6	9.4	
	H.S. / GED	12.1	5.0	19.2	8.2	7.0	9.4	
	>High School	7.8	5.0	10.5	6.9	6.1	7.7	
ANNUAL INCOME	<\$25,000	15.1	8.6	21.7	8.8	7.5	10.0	
	\$25,000-\$49,999	8.2	3.0	13.5	7.4	6.1	8.7	
	\$50,000 or More	5.2	2.0	8.5	7.7	6.4	8.9	
MARITAL STATUS	Married/Couple	4.8	2.3	7.3	5.4	4.7	6.2	
	Not Married/Couple	12.6	8.1	17.2	9.6	8.5	10.7	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	12.8	10.0	15.6	15.5	14.7	16.2	12.0
SEX	Men	16.7	12.2	21.2	17.8	16.6	19.0	17.2
	Women	9.3	5.9	12.6	13.3	12.3	14.3	7.6
RACE/ETHNICITY	Non-Hisp. White	10.0 *	6.8	13.1	17.8	16.9	18.8	12.8
	Non-Hisp. Black	17.2	10.9	23.5	12.4	10.3	14.4	9.0
	Hispanic	14.2	2.1	26.3	11.7	10.0	13.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.8 *	6.8	16.7	18.8	17.3	20.3	18.2
	Non-Hisp. White Women	8.3 *	4.4	12.2	16.9	15.6	18.3	8.3
	Non-Hisp. Black Men	24.7	14.5	35.0	17.2	13.6	20.8	13.4
	Non-Hisp. Black Women	10.7	3.2	18.2	8.2	6.1	10.3	5.7
	Hispanic Men				16.0	13.0	18.9	
	Hispanic Women				7.8	5.9	9.7	
AGE GROUP	18-44	14.0	9.3	18.6	17.0	15.7	18.3	12.1
	45-64	11.8 *	7.2	16.4	19.0	17.5	20.4	15.9
	65 & Older	12.1	6.7	17.5	8.4	7.3	9.5	4.7
EDUCATION LEVEL	<High School	33.0	17.4	48.5	25.5	22.5	28.6	
	H.S. / GED	27.7	18.8	36.7	18.7	17.2	20.2	11.3
	>High School	8.0	5.3	10.6	11.5	10.6	12.3	11.2
ANNUAL INCOME	<\$25,000	20.6	13.9	27.4	23.5	21.7	25.2	15.9
	\$25,000-\$49,999	16.2	9.4	23.0	16.5	14.8	18.2	11.4
	\$50,000 or More	6.6	3.3	9.9	10.3	9.1	11.4	7.4
MARITAL STATUS	Married/Couple	8.3	5.1	11.5	11.6	10.7	12.5	9.3
	Not Married/Couple	18.2	13.5	23.0	19.9	18.6	21.2	13.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are former smokers

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	26.7	23.0	30.4	26.5	25.6	27.5	22.7
SEX	Men	29.2	23.7	34.6	30.9	29.5	32.4	23.8
	Women	24.5	19.5	29.6	22.4	21.3	23.6	21.9
RACE/ETHNICITY	Non-Hisp. White	32.3	27.5	37.2	33.7	32.6	34.8	29.9
	Non-Hisp. Black	12.3	6.8	17.9	11.5	9.2	13.8	11.8
	Hispanic	26.4	11.4	41.4	19.7	17.5	22.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.6	29.5	43.8	37.4	35.7	39.1	30.6
	Non-Hisp. White Women	28.4	22.0	34.9	30.2	28.7	31.7	29.3
	Non-Hisp. Black Men	10.6	3.4	17.8	15.4	11.4	19.3	12.7
	Non-Hisp. Black Women	13.8	5.6	22.1	8.1	5.5	10.7	11.1
	Hispanic Men				25.7	22.2	29.3	
	Hispanic Women				14.2	11.5	16.8	
AGE GROUP	18-44	20.6	15.2	25.9	15.3	13.9	16.6	16.3
	45-64	24.9	18.6	31.1	27.1	25.5	28.7	28.9
	65 & Older	40.0	31.8	48.1	44.2	42.3	46.1	38.8
EDUCATION LEVEL	<High School	22.3	9.2	35.4	22.9	19.7	26.1	
	H.S. / GED	28.2	19.2	37.1	25.9	24.2	27.6	33.9
	>High School	26.7	22.5	31.0	27.8	26.7	29.0	20.4
ANNUAL INCOME	<\$25,000	20.1	13.5	26.6	23.2	21.4	24.9	16.6
	\$25,000-\$49,999	35.3	26.6	44.0	27.1	25.1	29.1	25.7
	\$50,000 or More	28.1	22.2	33.9	30.0	28.4	31.7	26.3
MARITAL STATUS	Married/Couple	30.9	25.5	36.4	30.7	29.4	32.1	28.2
	Not Married/Couple	22.5	17.5	27.4	21.7	20.5	23.0	17.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	60.5	56.4	64.5	58.0	56.9	59.1	65.2
SEX	Men	54.1	48.1	60.2	51.3	49.7	52.9	59.0
	Women	66.2	60.8	71.6	64.3	62.9	65.6	70.5
RACE/ETHNICITY	Non-Hisp. White	57.7 *	52.6	62.8	48.5	47.2	49.7	57.3
	Non-Hisp. Black	70.5	62.8	78.1	76.2	73.3	79.1	79.2
	Hispanic	59.4	42.6	76.1	68.6	66.0	71.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	51.6	44.1	59.1	43.8	42.0	45.6	51.2
	Non-Hisp. White Women	63.2 *	56.4	70.1	52.9	51.2	54.5	62.3
	Non-Hisp. Black Men	64.7	53.2	76.2	67.5	62.6	72.3	73.9
	Non-Hisp. Black Women	75.5	65.3	85.7	83.7	80.5	86.9	83.2
	Hispanic Men				58.3	54.4	62.2	
	Hispanic Women				78.1	75.0	81.2	
AGE GROUP	18-44	65.5	59.2	71.7	67.7	66.0	69.4	71.6
	45-64	63.3 *	56.4	70.2	53.9	52.0	55.8	55.2
	65 & Older	47.9	39.6	56.2	47.4	45.5	49.3	56.6
EDUCATION LEVEL	<High School	44.7	28.2	61.3	51.6	47.9	55.3	
	H.S. / GED	44.1	34.1	54.1	55.3	53.3	57.4	54.8
	>High School	65.3	60.8	69.8	60.7	59.4	62.0	68.4
ANNUAL INCOME	<\$25,000	59.3	51.1	67.5	53.3	51.2	55.5	67.5
	\$25,000-\$49,999	48.5	39.4	57.7	56.4	54.1	58.7	62.9
	\$50,000 or More	65.4	59.3	71.4	59.7	57.9	61.5	66.3
MARITAL STATUS	Married/Couple	60.8	55.0	66.5	57.6	56.2	59.1	62.5
	Not Married/Couple	59.3	53.4	65.2	58.4	56.8	60.0	68.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	56.5	45.6	67.5	62.1	59.5	64.8	62.5
SEX	Men	60.8	45.8	75.8	61.3	57.5	65.1	59.2
	Women	49.6	34.2	65.0	63.2	59.5	67.0	
RACE/ETHNICITY	Non-Hisp. White	48.4	31.2	65.6	58.8	55.7	62.0	43.6
	Non-Hisp. Black				74.9	67.7	82.2	
	Hispanic				67.0	60.0	74.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				55.9	51.3	60.6	
	Non-Hisp. White Women				61.9	57.7	66.2	
	Non-Hisp. Black Men				77.4	69.2	85.7	
	Non-Hisp. Black Women				70.9	57.4	84.4	
	Hispanic Men				68.5	59.8	77.2	
	Hispanic Women				64.2	52.3	76.1	
AGE GROUP	18-44	55.6	37.6	73.6	67.5	63.5	71.6	
	45-64				60.0	55.9	64.1	
	65 & Older				50.3	43.6	57.0	
EDUCATION LEVEL	<High School				64.5	58.5	70.5	
	H.S. / GED	58.7	39.6	77.9	59.6	55.2	64.0	
	>High School	52.4	35.5	69.3	63.0	59.1	66.9	59.0
ANNUAL INCOME	<\$25,000	62.2	44.2	80.1	60.4	56.3	64.6	
	\$25,000-\$49,999				63.1	57.6	68.6	
	\$50,000 or More				64.3	58.7	69.9	
MARITAL STATUS	Married/Couple				60.1	55.9	64.3	
	Not Married/Couple	54.1	40.2	68.0	64.0	60.5	67.5	77.2

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current e-cigarette users

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.4	2.5	6.2	4.7	4.2	5.2	
SEX	Men	7.1	3.6	10.5	5.6	4.8	6.4	
	Women	2.0	0.4	3.5	3.9	3.3	4.5	
RACE/ETHNICITY	Non-Hisp. White	5.1	2.6	7.6	5.7	5.1	6.4	
	Non-Hisp. Black	2.1	0.0	4.4	2.8	1.7	3.9	
	Hispanic	8.0	0.0	18.1	3.4	2.3	4.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.0	3.4	12.6	6.2	5.2	7.1	
	Non-Hisp. White Women	2.5	0.4	4.7	5.3	4.5	6.2	
	Non-Hisp. Black Men	3.0	0.0	7.1	4.1	2.1	6.2	
	Non-Hisp. Black Women	1.3	0.0	3.8	1.6	0.6	2.6	
	Hispanic Men				5.1	3.1	7.2	
	Hispanic Women				1.8	0.8	2.8	
AGE GROUP	18-44	6.1	2.9	9.4	7.0	6.1	8.0	
	45-64	4.5	1.2	7.8	4.3	3.6	5.1	
	65 & Older	1.1	0.0	3.1	1.4	1.1	1.8	
EDUCATION LEVEL	<High School	6.3	0.0	14.4	4.6	3.2	6.0	
	H.S. / GED	9.0	3.1	15.0	6.1	5.0	7.2	
	>High School	3.2	1.3	5.1	4.0	3.5	4.6	
ANNUAL INCOME	<\$25,000	4.6	0.9	8.3	6.1	5.0	7.1	
	\$25,000-\$49,999	6.8	1.7	11.8	5.3	4.2	6.4	
	\$50,000 or More	3.9	1.2	6.6	4.7	3.8	5.6	
MARITAL STATUS	Married/Couple	3.6	1.2	5.9	3.3	2.8	3.8	
	Not Married/Couple	5.4	2.4	8.3	6.4	5.5	7.2	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are former e-cigarette users

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	14.1	11.1	17.0	15.5	14.7	16.3	
SEX	Men	17.0	12.5	21.6	17.5	16.2	18.7	
	Women	11.5	7.6	15.3	13.7	12.6	14.8	
RACE/ETHNICITY	Non-Hisp. White	13.4	10.0	16.9	17.0	16.0	18.0	
	Non-Hisp. Black	15.1	8.8	21.3	12.9	10.4	15.4	
	Hispanic	13.0	1.0	25.0	14.1	12.1	16.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.8	11.2	22.4	18.5	17.0	20.0	
	Non-Hisp. White Women	10.5	6.2	14.7	15.6	14.3	16.9	
	Non-Hisp. Black Men	20.6	10.6	30.7	16.4	12.3	20.5	
	Non-Hisp. Black Women	10.3	2.6	18.1	9.8	6.9	12.7	
	Hispanic Men				16.7	13.8	19.6	
	Hispanic Women				11.6	9.0	14.3	
AGE GROUP	18-44	24.0	18.3	29.6	23.2	21.7	24.8	
	45-64	6.7 *	3.1	10.3	13.7	12.3	15.0	
	65 & Older	7.2	2.4	11.9	5.3	4.4	6.1	
EDUCATION LEVEL	<High School	9.1	0.0	18.3	16.5	13.7	19.4	
	H.S. / GED	23.1	14.3	31.8	16.7	15.2	18.2	
	>High School	12.4	9.2	15.6	14.7	13.7	15.8	
ANNUAL INCOME	<\$25,000	20.8	14.1	27.5	17.7	16.1	19.2	
	\$25,000-\$49,999	14.1	7.7	20.5	15.5	13.8	17.1	
	\$50,000 or More	9.0	5.1	12.9	14.3	12.9	15.7	
MARITAL STATUS	Married/Couple	9.6	6.1	13.2	12.4	11.4	13.5	
	Not Married/Couple	19.1	14.2	24.0	19.1	17.8	20.4	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never used e-cigarettes

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	81.6	78.2	84.9	79.8	78.9	80.7	
SEX	Men	75.9	70.6	81.2	76.9	75.5	78.3	
	Women	86.6	82.5	90.7	82.4	81.2	83.6	
RACE/ETHNICITY	Non-Hisp. White	81.4	77.4	85.5	77.3	76.2	78.4	
	Non-Hisp. Black	82.9	76.3	89.4	84.3	81.7	87.0	
	Hispanic	78.9	64.4	93.5	82.5	80.3	84.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	75.2	68.4	81.9	75.4	73.7	77.0	
	Non-Hisp. White Women	87.0 *	82.4	91.7	79.1	77.6	80.5	
	Non-Hisp. Black Men	76.4	65.9	86.9	79.5	75.0	83.9	
	Non-Hisp. Black Women	88.4	80.4	96.4	88.6	85.5	91.6	
	Hispanic Men				78.2	74.8	81.5	
	Hispanic Women				86.6	83.8	89.4	
AGE GROUP	18-44	69.9	63.8	76.0	69.7	68.0	71.4	
	45-64	88.8 *	84.1	93.5	82.0	80.5	83.5	
	65 & Older	91.8	86.7	96.9	93.3	92.4	94.2	
EDUCATION LEVEL	<High School	84.6	72.8	96.4	78.9	75.8	81.9	
	H.S. / GED	67.9	58.3	77.6	77.2	75.4	78.9	
	>High School	84.4	80.8	88.0	81.2	80.1	82.3	
ANNUAL INCOME	<\$25,000	74.6	67.3	81.9	76.3	74.5	78.1	
	\$25,000-\$49,999	79.1	71.5	86.8	79.3	77.4	81.1	
	\$50,000 or More	87.1	82.5	91.7	81.1	79.5	82.6	
MARITAL STATUS	Married/Couple	86.8	82.7	90.9	84.2	83.1	85.3	
	Not Married/Couple	75.6	70.2	80.9	74.5	73.0	76.0	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who are inactive or insufficiently active

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	50.6 *	45.9	55.2	56.7	55.5	58.0	48.6
SEX	Men	44.9	37.9	51.9	53.5	51.6	55.3	42.7
	Women	55.0	48.8	61.3	59.7	58.1	61.4	53.3
RACE/ETHNICITY	Non-Hisp. White	48.6	42.8	54.4	51.7	50.3	53.1	43.4
	Non-Hisp. Black	55.5	46.1	64.9	61.7	57.7	65.7	55.9
	Hispanic	49.4	30.9	68.0	65.3	62.4	68.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	42.3	33.8	50.9	49.1	47.0	51.2	40.3
	Non-Hisp. White Women	53.7	46.0	61.5	54.2	52.3	56.0	45.9
	Non-Hisp. Black Men	51.1	36.8	65.4	57.0	51.1	63.0	
	Non-Hisp. Black Women	58.8	46.3	71.3	65.5	60.1	70.9	67.1
	Hispanic Men				60.7	56.3	65.0	
	Hispanic Women				69.6	65.8	73.4	
AGE GROUP	18-44	51.5	43.9	59.1	55.9	53.7	58.1	50.5
	45-64	50.4	42.5	58.4	58.4	56.3	60.4	49.7
	65 & Older	49.3	40.0	58.5	55.9	53.8	58.0	40.7
EDUCATION LEVEL	<High School	81.7	68.0	95.4	73.3	69.6	77.1	
	H.S. / GED	60.1	49.4	70.9	63.1	60.9	65.3	50.2
	>High School	45.7	40.3	51.1	48.4	46.9	50.0	47.0
ANNUAL INCOME	<\$25,000	62.3	53.2	71.4	67.5	65.2	69.7	53.5
	\$25,000-\$49,999	52.0	42.0	61.9	57.6	55.0	60.2	57.5
	\$50,000 or More	40.2	32.9	47.4	42.2	40.1	44.4	43.7
MARITAL STATUS	Married/Couple	47.6	41.0	54.3	54.0	52.3	55.7	50.2
	Not Married/Couple	53.3	46.7	60.0	59.6	57.8	61.5	46.2

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who meet aerobic recommendations

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	51.6 *	47.0	56.1	44.8	43.6	46.1	55.9
SEX	Men	57.8 *	51.1	64.6	48.0	46.2	49.8	62.0
	Women	46.4	40.2	52.5	41.9	40.3	43.6	50.9
RACE/ETHNICITY	Non-Hisp. White	54.2	48.6	59.9	50.0	48.7	51.4	59.9
	Non-Hisp. Black	44.7	35.3	54.0	40.1	36.1	44.1	50.0
	Hispanic	52.7	34.6	70.8	35.6	32.7	38.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	61.5	53.5	69.5	52.5	50.4	54.5	64.0
	Non-Hisp. White Women	47.9	40.2	55.5	47.7	45.9	49.6	56.6
	Non-Hisp. Black Men	48.9	34.6	63.2	45.5	39.5	51.6	
	Non-Hisp. Black Women	41.6	29.2	54.0	35.6	30.2	40.9	39.1
	Hispanic Men				39.8	35.4	44.1	
	Hispanic Women				31.9	28.1	35.6	
AGE GROUP	18-44	50.5	43.0	57.9	45.5	43.4	47.7	55.6
	45-64	51.4	43.6	59.2	43.4	41.3	45.5	54.8
	65 & Older	53.5	44.5	62.5	45.7	43.6	47.7	59.5
EDUCATION LEVEL	<High School	18.3	4.6	32.0	28.2	24.4	32.0	
	H.S. / GED	40.8	30.1	51.5	38.5	36.3	40.6	53.7
	>High School	56.6	51.4	61.8	53.0	51.5	54.6	56.8
ANNUAL INCOME	<\$25,000	38.2	29.2	47.3	34.0	31.8	36.3	56.7
	\$25,000-\$49,999	48.6	38.7	58.5	43.6	41.1	46.2	45.1
	\$50,000 or More	62.9	56.1	69.8	59.4	57.3	61.5	58.2
MARITAL STATUS	Married/Couple	55.8 *	49.5	62.2	47.6	45.9	49.3	53.8
	Not Married/Couple	47.1	40.5	53.8	41.8	40.0	43.7	58.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who are sedentary

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	23.3 *	19.9	26.6	29.8	28.8	30.8	16.6
SEX	Men	20.1 *	15.5	24.8	27.1	25.7	28.5	15.2
	Women	26.0 *	21.1	30.9	32.3	30.9	33.7	17.8
RACE/ETHNICITY	Non-Hisp. White	20.2 *	16.3	24.2	26.0	25.0	27.1	13.8
	Non-Hisp. Black	29.0	21.7	36.2	31.8	28.6	35.1	18.6
	Hispanic	26.0	12.1	40.0	38.3	35.7	40.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.6	12.9	24.2	24.2	22.7	25.7	14.0
	Non-Hisp. White Women	21.7	16.1	27.2	27.8	26.3	29.2	13.6
	Non-Hisp. Black Men	24.1	14.2	34.0	27.5	22.9	32.1	9.7
	Non-Hisp. Black Women	33.4	23.0	43.8	35.7	31.2	40.3	25.3
	Hispanic Men				33.6	30.0	37.2	
	Hispanic Women				42.8	39.2	46.4	
AGE GROUP	18-44	19.6	14.6	24.6	24.0	22.4	25.5	14.0
	45-64	25.1 *	19.2	31.0	32.8	31.0	34.6	20.0
	65 & Older	27.1	19.8	34.3	35.6	33.7	37.4	20.6
EDUCATION LEVEL	<High School	56.6	40.3	73.0	49.5	45.9	53.1	
	H.S. / GED	37.9	28.6	47.2	36.4	34.5	38.3	23.1
	>High School	17.4	13.9	20.9	21.6	20.5	22.7	13.7
ANNUAL INCOME	<\$25,000	35.6	27.9	43.3	42.6	40.5	44.8	19.0
	\$25,000-\$49,999	26.7	18.9	34.6	31.5	29.3	33.8	23.5
	\$50,000 or More	14.2	9.8	18.6	16.4	15.1	17.7	11.9
MARITAL STATUS	Married/Couple	19.5 *	15.0	24.1	28.0	26.6	29.3	14.8
	Not Married/Couple	27.0	21.9	32.1	32.0	30.5	33.6	17.3

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who meet muscle strengthening recommendations

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	38.8	33.8	43.8	38.2	36.8	39.6	33.9
SEX	Men	43.2	35.9	50.5	42.9	40.9	45.0	38.8
	Women	34.5	27.6	41.5	33.5	31.6	35.4	29.6
RACE/ETHNICITY	Non-Hisp. White	38.1	32.0	44.1	38.0	36.4	39.5	35.5
	Non-Hisp. Black	40.9	29.7	52.2	38.5	33.8	43.2	41.6
	Hispanic	37.3	17.0	57.6	37.2	33.5	40.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	42.0	33.1	50.8	41.7	39.4	43.9	41.4
	Non-Hisp. White Women	34.4	26.1	42.8	34.3	32.3	36.4	30.4
	Non-Hisp. Black Men	48.4	32.3	64.4	50.6	43.5	57.6	43.1
	Non-Hisp. Black Women	33.6	18.2	49.0	27.4	21.6	33.1	40.5
	Hispanic Men				41.3	35.9	46.7	
	Hispanic Women				32.8	27.8	37.7	
AGE GROUP	18-44	45.9	37.7	54.1	45.1	42.7	47.5	38.5
	45-64	33.1	24.9	41.4	34.3	31.9	36.6	27.9
	65 & Older	34.7	25.1	44.4	31.0	28.7	33.3	26.8
EDUCATION LEVEL	<High School				23.9	19.5	28.3	
	H.S. / GED	30.0	17.5	42.5	36.5	33.8	39.3	34.7
	>High School	40.8	35.2	46.4	41.1	39.4	42.8	34.2
ANNUAL INCOME	<\$25,000	22.7	13.0	32.5	31.8	28.9	34.7	31.9
	\$25,000-\$49,999	35.5	24.3	46.7	37.8	34.9	40.7	35.3
	\$50,000 or More	47.2	39.8	54.6	42.1	39.9	44.4	32.6
MARITAL STATUS	Married/Couple	38.9	32.2	45.7	35.5	33.7	37.3	28.3
	Not Married/Couple	37.7	30.2	45.2	41.5	39.3	43.7	39.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Breast

Percentage of women 40 years of age and older who received a mammogram in the past year

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	72.5 *	65.9	79.1	60.8	58.8	62.9	66.0
SEX	Women	72.5 *	65.9	79.1	60.8	58.8	62.9	66.0
RACE/ETHNICITY	Non-Hisp. White	71.1 *	63.1	79.1	60.9	58.8	63.0	68.7
	Non-Hisp. Black	75.5	62.0	88.9	61.7	54.5	68.9	59.7
	Hispanic				60.7	55.3	66.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	71.1 *	63.1	79.1	60.9	58.8	63.0	68.7
	Non-Hisp. Black Women	75.5	62.0	88.9	61.7	54.5	68.9	59.7
	Hispanic Women				60.7	55.3	66.1	
AGE GROUP	18-44	69.2 *	53.2	85.1	42.9	37.1	48.8	
	45-64	70.3	61.1	79.6	60.2	57.5	62.9	63.3
	65 & Older	79.1	68.0	90.2	71.4	68.5	74.4	75.1
EDUCATION LEVEL	<High School				50.7	43.2	58.3	
	H.S. / GED	59.2	40.1	78.3	58.4	54.5	62.3	
	>High School	75.7 *	68.8	82.7	64.1	61.8	66.4	68.6
ANNUAL INCOME	<\$25,000	58.5	42.2	74.8	53.5	49.4	57.5	34.6
	\$25,000-\$49,999	66.8	50.9	82.7	63.3	59.2	67.3	61.6
	\$50,000 or More	77.9 *	69.0	86.7	65.6	62.4	68.8	75.0
MARITAL STATUS	Married/Couple	77.9 *	69.7	86.0	62.9	60.3	65.5	69.9
	Not Married/Couple	65.5	55.1	75.9	58.2	55.0	61.3	59.7

Percentage of women aged 50 to 74 who had a mammogram in the past 2 years

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	87.4	81.3	93.5	81.7	80.1	83.4	87.6
SEX	Women	87.4	81.3	93.5	81.7	80.1	83.4	87.6
RACE/ETHNICITY	Non-Hisp. White	86.5	79.2	93.9	79.9	78.1	81.8	88.2
	Non-Hisp. Black				87.3	82.0	92.6	
	Hispanic				85.9	81.1	90.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	86.5	79.2	93.9	79.9	78.1	81.8	88.2
	Non-Hisp. Black Women				87.3	82.0	92.6	
	Hispanic Women				85.9	81.1	90.8	
AGE GROUP	45-64	84.8	76.2	93.5	79.1	76.8	81.4	85.3
	65 & Older	91.9	85.0	98.8	86.4	84.3	88.6	92.8
EDUCATION LEVEL	<High School				75.0	67.7	82.4	
	H.S. / GED				79.5	76.2	82.8	
	>High School	91.6 *	86.0	97.2	84.1	82.4	85.9	86.4
ANNUAL INCOME	<\$25,000	85.1	71.8	98.4	77.3	74.0	80.5	
	\$25,000-\$49,999	74.9	58.1	91.7	81.7	78.4	85.0	84.7
	\$50,000 or More	92.0	84.2	99.7	85.6	83.1	88.2	89.8
MARITAL STATUS	Married/Couple	92.3 *	85.5	99.0	82.4	80.1	84.7	89.1
	Not Married/Couple	81.7	71.6	91.8	80.8	78.4	83.1	85.3

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Cervical

Percentage of women 18 years of age and older who received a Pap test in the past year

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	58.0 *	51.1	64.9	48.4	46.6	50.2	60.1
SEX	Women	58.0 *	51.1	64.9	48.4	46.6	50.2	60.1
RACE/ETHNICITY	Non-Hisp. White	56.0	47.3	64.8	46.0	44.0	48.1	57.3
	Non-Hisp. Black	65.3	52.2	78.3	55.8	49.9	61.7	68.1
	Hispanic				51.5	47.3	55.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	56.0	47.3	64.8	46.0	44.0	48.1	57.3
	Non-Hisp. Black Women	65.3	52.2	78.3	55.8	49.9	61.7	68.1
	Hispanic Women				51.5	47.3	55.7	
AGE GROUP	18-44	64.2	54.6	73.8	52.5	49.7	55.3	61.9
	45-64	54.9	42.6	67.2	54.5	51.3	57.6	59.6
	65 & Older	44.0	28.2	59.8	28.5	25.4	31.6	47.7
EDUCATION LEVEL	<High School				42.4	36.2	48.5	
	H.S. / GED	48.3	30.9	65.7	43.3	39.8	46.8	65.7
	>High School	62.8 *	55.3	70.4	52.0	49.8	54.2	60.3
ANNUAL INCOME	<\$25,000	53.2	39.8	66.6	47.4	43.9	50.8	48.4
	\$25,000-\$49,999	68.1 *	55.7	80.5	45.5	41.8	49.3	69.6
	\$50,000 or More	59.2	47.5	70.8	56.7	53.5	60.0	66.2
MARITAL STATUS	Married/Couple	62.0	52.0	72.0	53.6	51.1	56.1	67.3
	Not Married/Couple	53.5	44.0	63.1	42.9	40.4	45.5	52.1

Percentage of women aged 21 to 65 who had a Pap test in the past 3 years

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	87.9 *	83.0	92.9	78.8	77.0	80.5	91.9
SEX	Women	87.9 *	83.0	92.9	78.8	77.0	80.5	91.9
RACE/ETHNICITY	Non-Hisp. White	86.6	79.7	93.6	78.3	76.4	80.3	93.5
	Non-Hisp. Black	90.5	82.2	98.7	82.1	77.0	87.2	88.4
	Hispanic				80.2	76.4	84.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	86.6	79.7	93.6	78.3	76.4	80.3	93.5
	Non-Hisp. Black Women	90.5	82.2	98.7	82.1	77.0	87.2	88.4
	Hispanic Women				80.2	76.4	84.0	
AGE GROUP	18-44	90.3 *	84.8	95.9	78.1	75.6	80.6	93.5
	45-64	84.6	75.2	94.0	79.9	77.5	82.3	89.0
	65 & Older				74.9	65.3	84.6	
EDUCATION LEVEL	<High School				77.0	71.6	82.4	
	H.S. / GED				71.8	67.7	76.0	
	>High School	89.5 *	84.4	94.7	82.0	80.1	83.9	93.2
ANNUAL INCOME	<\$25,000	84.6	74.9	94.4	75.4	72.1	78.6	92.2
	\$25,000-\$49,999	90.4 *	81.5	99.4	76.3	72.2	80.3	89.3
	\$50,000 or More	93.2	86.4	100.0	86.0	83.5	88.5	93.6
MARITAL STATUS	Married/Couple	93.6 *	87.9	99.3	82.8	80.6	84.9	92.9
	Not Married/Couple	81.3	73.1	89.6	73.8	71.0	76.7	90.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Cervical

Percentage of women who have had a hysterectomy

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	25.2	20.3	30.1	22.7	21.6	23.9	16.7
SEX	Women	25.2	20.3	30.1	22.7	21.6	23.9	16.7
RACE/ETHNICITY	Non-Hisp. White	28.5	22.2	34.8	27.7	26.3	29.1	17.8
	Non-Hisp. Black	21.9	12.1	31.6	19.7	15.8	23.6	19.4
	Hispanic				14.9	12.3	17.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	28.5	22.2	34.8	27.7	26.3	29.1	17.8
	Non-Hisp. Black Women	21.9	12.1	31.6	19.7	15.8	23.6	19.4
	Hispanic Women				14.9	12.3	17.5	
AGE GROUP	18-44	5.6	1.7	9.5	4.5	3.5	5.5	0.9
	45-64	32.2	23.4	41.0	27.7	25.3	30.0	33.9
	65 & Older	46.9	35.4	58.5	43.9	41.4	46.3	44.5
EDUCATION LEVEL	<High School				22.4	18.1	26.7	
	H.S. / GED	18.7	8.5	28.9	23.7	21.4	26.0	24.0
	>High School	26.4	^ 20.8	32.0	22.4	20.9	23.8	14.6
ANNUAL INCOME	<\$25,000	24.6	14.9	34.3	21.8	19.7	23.9	13.4
	\$25,000-\$49,999	14.6	6.3	23.0	25.0	22.2	27.9	25.7
	\$50,000 or More	29.9	^ 21.6	38.1	20.1	18.1	22.1	13.5
MARITAL STATUS	Married/Couple	27.2	19.8	34.6	23.7	22.0	25.5	16.5
	Not Married/Couple	23.5	16.8	30.2	21.5	19.8	23.1	16.8

Percentage of women 18 years of age and older who received a HPV test in the past five years

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.2	31.5	44.9	36.7	34.9	38.4	
SEX	Women	38.2	31.5	44.9	36.7	34.9	38.4	
RACE/ETHNICITY	Non-Hisp. White	34.1	25.9	42.3	32.8	30.9	34.7	
	Non-Hisp. Black	47.9	34.2	61.5	43.9	38.2	49.6	
	Hispanic				41.1	36.9	45.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	34.1	25.9	42.3	32.8	30.9	34.7	
	Non-Hisp. Black Women	47.9	34.2	61.5	43.9	38.2	49.6	
	Hispanic Women				41.1	36.9	45.2	
AGE GROUP	18-44	61.6	51.2	72.0	50.7	47.8	53.7	
	45-64	25.8	15.6	35.9	36.5	33.5	39.5	
	65 & Older	4.9 *	0.0	10.6	13.2	11.1	15.3	
EDUCATION LEVEL	<High School				31.8	25.8	37.8	
	H.S. / GED	31.4	15.5	47.3	29.1	26.1	32.2	
	>High School	40.2	32.7	47.8	41.4	39.2	43.6	
ANNUAL INCOME	<\$25,000	37.9	25.2	50.6	34.8	31.8	37.9	
	\$25,000-\$49,999	51.7	36.7	66.8	37.0	33.5	40.6	
	\$50,000 or More	33.9	23.7	44.2	45.2	41.9	48.4	
MARITAL STATUS	Married/Couple	36.8	27.1	46.5	39.4	36.9	41.9	
	Not Married/Couple	38.4	29.2	47.7	34.1	31.7	36.5	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	62.3 *	56.4	68.2	53.9	52.4	55.3	60.3
SEX	Men	62.9	54.2	71.7	54.1	51.9	56.3	65.6
	Women	61.8	53.9	69.8	53.7	51.7	55.7	55.4
RACE/ETHNICITY	Non-Hisp. White	63.8	57.1	70.6	55.9	54.4	57.4	60.6
	Non-Hisp. Black	64.8	50.7	78.9	51.2	45.4	56.9	63.9
	Hispanic				49.6	45.0	54.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	63.3	53.2	73.4	57.1	54.8	59.3	66.6
	Non-Hisp. White Women	64.3	55.2	73.4	54.9	52.8	56.9	55.8
	Non-Hisp. Black Men				52.5	43.9	61.0	
	Non-Hisp. Black Women	54.7	35.5	73.8	50.0	42.3	57.8	
	Hispanic Men				44.6	37.7	51.5	
	Hispanic Women				53.5	47.3	59.6	
AGE GROUP	45-64	59.3 *	51.0	67.7	46.1	43.9	48.3	54.6
	65 & Older	65.8	57.5	74.0	61.6	59.7	63.5	69.1
EDUCATION LEVEL	<High School				44.9	39.6	50.2	
	H.S. / GED	56.8	41.7	71.9	52.3	49.5	55.0	59.7
	>High School	65.1	58.6	71.6	56.9	55.2	58.7	62.4
ANNUAL INCOME	<\$25,000	57.0	44.3	69.6	46.4	43.4	49.3	56.4
	\$25,000-\$49,999	52.9	39.5	66.3	52.2	49.1	55.4	58.1
	\$50,000 or More	68.9	60.7	77.1	58.9	56.5	61.3	63.7
MARITAL STATUS	Married/Couple	62.9	55.1	70.7	57.4	55.5	59.4	60.8
	Not Married/Couple	60.8 *	51.7	69.9	48.9	46.7	51.2	58.3

Percentage of adults 50 years of age and older who have ever had a blood stool test

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	61.9 *	56.0	67.7	36.0	34.6	37.4	56.7
SEX	Men	61.1 *	52.4	69.8	34.9	32.9	37.0	47.8
	Women	62.5 *	54.6	70.4	37.0	35.1	38.8	64.8
RACE/ETHNICITY	Non-Hisp. White	65.7 *	59.0	72.3	38.5	37.1	40.0	61.8
	Non-Hisp. Black	57.2 *	42.8	71.6	37.0	31.4	42.6	30.1
	Hispanic				25.5	21.5	29.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	68.7 *	59.1	78.4	37.5	35.3	39.7	50.4
	Non-Hisp. White Women	63.2 *	54.0	72.3	39.5	37.6	41.4	71.1
	Non-Hisp. Black Men				36.8	28.2	45.4	
	Non-Hisp. Black Women	62.4	44.2	80.5	37.2	30.0	44.5	
	Hispanic Men				23.1	17.2	29.1	
	Hispanic Women				27.3	22.0	32.7	
AGE GROUP	45-64	51.8 *	43.4	60.1	25.6	23.7	27.4	48.2
	65 & Older	73.1 *	65.4	80.7	46.4	44.5	48.3	69.7
EDUCATION LEVEL	<High School				31.7	26.7	36.8	
	H.S. / GED	58.8 *	44.0	73.6	34.5	32.0	37.1	51.1
	>High School	63.5 *	56.9	70.1	37.8	36.1	39.4	62.5
ANNUAL INCOME	<\$25,000	52.7 *	40.1	65.3	34.4	31.7	37.2	34.9
	\$25,000-\$49,999	53.3	39.8	66.8	37.3	34.3	40.3	60.6
	\$50,000 or More	65.4 *	57.0	73.9	35.9	33.6	38.2	62.4
MARITAL STATUS	Married/Couple	66.2 *	58.7	73.8	36.4	34.5	38.2	56.9
	Not Married/Couple	54.4 *	45.3	63.6	35.7	33.6	37.8	56.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who have ever had a sigmoidoscopy or colonoscopy

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	81.7 *	77.0	86.3	69.2	67.8	70.7	80.6
SEX	Men	80.4 *	73.1	87.7	68.3	66.2	70.4	79.2
	Women	82.7 *	76.7	88.7	70.1	68.1	72.0	81.8
RACE/ETHNICITY	Non-Hisp. White	85.1 *	80.2	90.1	74.0	72.6	75.3	82.8
	Non-Hisp. Black	75.8	63.6	88.0	60.4	54.6	66.2	64.5
	Hispanic				58.0	53.6	62.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.5 *	75.6	91.4	73.2	71.1	75.3	81.3
	Non-Hisp. White Women	86.5 *	80.2	92.9	74.7	72.9	76.4	84.1
	Non-Hisp. Black Men				59.5	51.0	68.0	
	Non-Hisp. Black Women	67.1	49.5	84.7	61.1	53.1	69.2	
	Hispanic Men				54.2	47.5	60.9	
	Hispanic Women				61.1	55.1	67.1	
AGE GROUP	45-64	76.9 *	69.9	83.9	59.5	57.3	61.6	77.3
	65 & Older	86.8 *	80.8	92.8	79.0	77.2	80.7	85.5
EDUCATION LEVEL	<High School				54.5	49.3	59.7	
	H.S. / GED	77.5	64.9	90.1	67.3	64.7	69.9	86.5
	>High School	84.2 *	79.2	89.2	74.0	72.3	75.6	82.6
ANNUAL INCOME	<\$25,000	68.9	57.2	80.7	58.9	55.9	61.9	81.9
	\$25,000-\$49,999	74.1	62.0	86.1	69.9	66.9	72.9	73.7
	\$50,000 or More	87.4 *	81.4	93.4	76.0	73.7	78.3	85.1
MARITAL STATUS	Married/Couple	83.8 *	77.9	89.8	72.6	70.7	74.5	81.0
	Not Married/Couple	77.9 *	70.3	85.4	64.6	62.4	66.8	79.2

Percentage of adults aged 50 to 75 who had colorectal screening based on the most recent clinical guidelines

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	80.7 *	75.4	85.9	67.3	65.7	68.9	78.9
SEX	Men	76.2	67.6	84.8	65.7	63.4	68.1	79.2
	Women	84.5 *	78.1	90.8	68.7	66.5	71.0	78.7
RACE/ETHNICITY	Non-Hisp. White	83.2 *	77.5	89.0	71.3	69.7	72.9	83.7
	Non-Hisp. Black	82.3	70.9	93.6	66.0	60.0	71.9	
	Hispanic				54.7	49.6	59.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	77.7	67.7	87.7	70.1	67.7	72.5	82.7
	Non-Hisp. White Women	87.7 *	81.1	94.2	72.5	70.3	74.6	84.3
	Non-Hisp. Black Men				64.1	56.3	71.8	
	Non-Hisp. Black Women				67.6	58.7	76.6	
	Hispanic Men				50.8	43.4	58.2	
	Hispanic Women				58.0	51.1	64.9	
AGE GROUP	45-64	77.1 *	69.9	84.2	58.7	56.5	61.0	76.7
	65 & Older	86.1	78.6	93.7	81.3	79.3	83.2	83.9
EDUCATION LEVEL	<High School				53.2	47.1	59.2	
	H.S. / GED	74.7	59.9	89.5	64.8	61.7	67.9	81.1
	>High School	83.7 *	78.2	89.2	71.8	70.0	73.7	82.0
ANNUAL INCOME	<\$25,000	70.9	58.0	83.7	58.9	55.4	62.3	74.8
	\$25,000-\$49,999	68.3	54.6	82.1	67.8	64.4	71.1	72.0
	\$50,000 or More	85.9 *	79.1	92.8	72.2	69.7	74.8	84.3
MARITAL STATUS	Married/Couple	81.4 *	74.7	88.1	70.6	68.5	72.6	80.7
	Not Married/Couple	78.9 *	70.4	87.5	62.5	59.9	65.1	75.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	26.1 *	20.7	31.4	16.0	14.9	17.1	30.5
SEX	Men	22.2	14.5	29.8	15.3	13.7	16.9	28.8
	Women	29.3 *	21.9	36.6	16.6	15.0	18.1	32.1
RACE/ETHNICITY	Non-Hisp. White	26.5 *	20.2	32.8	15.7	14.6	16.8	32.3
	Non-Hisp. Black	30.1	16.5	43.6	18.6	14.1	23.0	13.2
	Hispanic				15.4	12.0	18.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.1	14.6	33.5	15.1	13.6	16.7	29.1
	Non-Hisp. White Women	28.4 *	20.0	36.8	16.3	14.7	17.8	34.8
	Non-Hisp. Black Men				15.5	10.2	20.8	
	Non-Hisp. Black Women	37.0	18.6	55.5	21.2	14.4	28.1	
	Hispanic Men				15.8	10.3	21.3	
	Hispanic Women				15.1	10.8	19.4	
AGE GROUP	45-64	24.6 *	17.3	31.9	10.6	9.3	12.0	26.0
	65 & Older	27.7	19.9	35.5	21.4	19.7	23.1	37.5
EDUCATION LEVEL	<High School				17.9	13.7	22.1	
	H.S. / GED	22.2	9.4	35.1	15.2	13.3	17.1	33.6
	>High School	27.2 *	21.1	33.3	15.8	14.5	17.1	31.3
ANNUAL INCOME	<\$25,000	22.9	12.8	33.0	18.3	15.9	20.8	23.0
	\$25,000-\$49,999	14.7	6.1	23.3	16.2	14.0	18.4	35.1
	\$50,000 or More	28.5 *	20.4	36.6	13.2	11.6	14.9	31.0
MARITAL STATUS	Married/Couple	26.4 *	19.1	33.6	15.3	13.8	16.7	33.1
	Not Married/Couple	26.1	18.3	33.8	17.1	15.4	18.8	26.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS Screening

Percentage of adults less than 65 years old who have ever been tested for HIV

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	54.0	48.9	59.0	55.3	53.9	56.7	55.0
SEX	Men	49.6	42.4	56.9	51.9	49.9	53.9	48.6
	Women	57.9	50.8	65.0	58.7	56.8	60.6	60.6
RACE/ETHNICITY	Non-Hisp. White	49.1	42.7	55.4	49.6	48.0	51.3	49.0
	Non-Hisp. Black	72.4	63.2	81.6	70.9	67.0	74.8	73.0
	Hispanic	41.3	23.0	59.7	60.3	57.4	63.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	44.1	35.1	53.1	46.9	44.5	49.3	37.3
	Non-Hisp. White Women	53.6	44.6	62.7	52.4	50.2	54.7	58.9
	Non-Hisp. Black Men	72.5	59.1	85.9	65.7	59.7	71.6	
	Non-Hisp. Black Women	72.2	59.6	84.9	75.8	70.7	80.8	76.9
	Hispanic Men				55.8	51.5	60.1	
	Hispanic Women				64.8	60.8	68.9	
AGE GROUP	18-44	59.1	52.3	65.9	59.0	57.1	60.9	59.6
	45-64	47.4	40.1	54.8	50.5	48.5	52.5	44.0
EDUCATION LEVEL	<High School	49.2	28.4	69.9	56.7	52.2	61.1	
	H.S. / GED	43.8	31.5	56.1	51.2	48.6	53.8	53.0
	>High School	56.3	50.6	62.0	57.2	55.5	58.9	55.5
ANNUAL INCOME	<\$25,000	59.9	49.7	70.2	61.0	58.4	63.6	58.2
	\$25,000-\$49,999	60.0	49.7	70.2	55.0	52.1	58.0	55.1
	\$50,000 or More	48.3	40.5	56.1	53.4	51.1	55.6	56.8
MARITAL STATUS	Married/Couple	49.7	42.6	56.7	54.8	52.9	56.6	55.5
	Not Married/Couple	58.1	50.8	65.4	56.0	54.0	58.0	53.8

Percentage of adults less than 65 years old who had an HIV test in the past 12 months

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	18.4	14.0	22.8	19.7	18.4	20.9	20.6
SEX	Men	13.6	8.0	19.1	18.7	16.9	20.5	20.9
	Women	22.6	15.9	29.2	20.7	18.8	22.5	20.4
RACE/ETHNICITY	Non-Hisp. White	12.4	7.6	17.1	13.9	12.7	15.2	11.6
	Non-Hisp. Black	32.8	21.6	44.0	36.1	31.3	40.8	41.8
	Hispanic	22.1	5.8	38.3	24.1	21.1	27.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.6	4.4	16.8	14.2	12.4	16.0	11.5
	Non-Hisp. White Women	13.9	6.6	21.3	13.7	11.9	15.4	11.6
	Non-Hisp. Black Men	25.1	8.5	41.7	32.1	25.3	38.9	
	Non-Hisp. Black Women	38.5	23.5	53.4	40.0	33.4	46.6	38.0
	Hispanic Men				22.1	17.9	26.3	
	Hispanic Women				26.2	22.0	30.5	
AGE GROUP	18-44	24.6	18.0	31.2	25.9	24.0	27.8	26.5
	45-64	10.6	5.3	16.0	11.4	9.9	12.9	6.3
EDUCATION LEVEL	<High School				19.5	15.3	23.7	
	H.S. / GED	15.4	5.3	25.4	18.7	16.3	21.2	32.9
	>High School	18.9	13.9	24.0	20.3	18.6	21.9	16.4
ANNUAL INCOME	<\$25,000	29.2	18.3	40.1	24.4	21.6	27.2	34.9
	\$25,000-\$49,999	20.6	10.8	30.3	20.0	17.4	22.6	20.2
	\$50,000 or More	12.4	6.9	17.9	17.2	15.1	19.3	10.6
MARITAL STATUS	Married/Couple	15.9	10.2	21.7	15.5	13.9	17.1	9.8
	Not Married/Couple	20.9	14.1	27.6	24.2	22.1	26.2	30.2

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS Screening

Percentage of adults who had ever been tested for HIV

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	46.9	42.6	51.1	46.9	45.8	48.1	50.2
SEX	Men	44.9	38.7	51.2	45.8	44.1	47.5	45.1
	Women	48.6	42.6	54.5	48.0	46.4	49.5	54.5
RACE/ETHNICITY	Non-Hisp. White	41.6	36.5	46.8	39.8	38.5	41.0	42.1
	Non-Hisp. Black	65.8	57.2	74.4	64.8	61.1	68.4	71.9
	Hispanic	40.1	23.1	57.1	55.9	53.1	58.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	40.5	32.9	48.0	40.0	38.1	41.8	34.0
	Non-Hisp. White Women	42.7	35.5	49.9	39.6	37.8	41.3	48.9
	Non-Hisp. Black Men	64.8	52.0	77.7	61.0	55.4	66.6	66.1
	Non-Hisp. Black Women	66.7	55.0	78.3	68.1	63.4	72.9	76.2
	Hispanic Men				52.8	48.7	56.8	
	Hispanic Women				58.9	55.1	62.7	
AGE GROUP	18-44	59.3	52.5	66.1	58.8	56.9	60.7	59.6
	45-64	47.9	40.5	55.2	50.5	48.5	52.4	44.0
	65 & Older	23.9	16.4	31.4	21.6	20.0	23.3	19.3
EDUCATION LEVEL	<High School	43.2	25.6	60.9	48.9	45.0	52.8	
	H.S. / GED	38.0	27.7	48.4	43.1	41.0	45.3	49.1
	>High School	48.9	44.0	53.7	48.5	47.1	49.9	50.0
ANNUAL INCOME	<\$25,000	50.8	42.0	59.6	52.7	50.4	54.9	57.2
	\$25,000-\$49,999	56.3	47.1	65.4	45.7	43.2	48.1	48.7
	\$50,000 or More	41.6	35.0	48.1	46.7	44.7	48.6	49.5
MARITAL STATUS	Married/Couple	42.2	36.3	48.0	45.6	44.0	47.1	48.4
	Not Married/Couple	51.9	45.6	58.2	48.5	46.7	50.2	51.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who received a flu shot in the past year

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	41.0 *	36.9	45.0	35.0	33.9	36.0	31.9
SEX	Men	36.5	30.6	42.4	32.8	31.3	34.3	27.4
	Women	44.9 *	39.2	50.6	37.0	35.5	38.4	35.8
RACE/ETHNICITY	Non-Hisp. White	47.5 *	42.3	52.7	39.8	38.6	41.0	42.0
	Non-Hisp. Black	26.0	18.6	33.3	26.3	23.2	29.4	15.1
	Hispanic	28.6	13.3	43.9	27.6	25.1	30.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	43.0	35.5	50.6	36.9	35.1	38.6	38.8
	Non-Hisp. White Women	51.5 *	44.4	58.6	42.7	41.0	44.3	44.8
	Non-Hisp. Black Men	26.3	^ 15.4	37.3	26.5	21.6	31.3	4.1
	Non-Hisp. Black Women	25.6	15.7	35.6	26.2	22.2	30.3	23.6
	Hispanic Men				26.6	23.1	30.0	
	Hispanic Women				28.5	25.1	31.9	
AGE GROUP	18-44	25.4	19.6	31.2	23.0	21.4	24.5	23.1
	45-64	42.3 *	35.3	49.3	32.7	31.0	34.5	33.8
	65 & Older	66.5	58.6	74.4	57.4	55.5	59.3	63.8
EDUCATION LEVEL	<High School	28.3	13.3	43.4	31.4	27.8	34.9	
	H.S. / GED	32.2	23.0	41.4	32.1	30.2	34.1	27.2
	>High School	43.7 *	39.0	48.5	37.3	36.1	38.6	35.0
ANNUAL INCOME	<\$25,000	26.5	19.3	33.7	29.8	27.8	31.7	18.1
	\$25,000-\$49,999	41.2	32.2	50.2	34.3	32.1	36.4	37.5
	\$50,000 or More	49.1 *	42.7	55.6	37.7	36.0	39.5	38.5
MARITAL STATUS	Married/Couple	44.0	38.2	49.7	37.7	36.2	39.1	41.3
	Not Married/Couple	37.0	^ 31.1	42.8	32.1	30.6	33.6	22.2

Percentage of adults 65 years of age and older who have ever received a pneumonia vaccination

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	74.0	66.6	81.3	65.6	63.7	67.5	78.2
SEX	Men	66.1	53.8	78.3	63.9	60.9	66.9	75.7
	Women	80.5 *	71.8	89.2	67.0	64.5	69.5	80.2
RACE/ETHNICITY	Non-Hisp. White	77.3	69.0	85.5	71.0	69.2	72.7	80.6
	Non-Hisp. Black				45.9	37.5	54.2	
	Hispanic				48.6	41.5	55.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	77.8	65.2	90.3	70.4	67.6	73.1	80.2
	Non-Hisp. White Women	76.9	65.9	87.8	71.4	69.1	73.7	80.9
	Non-Hisp. Black Men				43.0	29.6	56.3	
	Non-Hisp. Black Women				48.4	37.8	58.9	
	Hispanic Men				40.1	28.9	51.4	
	Hispanic Women				54.3	45.3	63.2	
AGE GROUP	65 & Older	74.0	66.6	81.3	65.6	63.7	67.5	78.2
EDUCATION LEVEL	<High School				54.0	46.8	61.3	
	H.S. / GED	65.7	46.6	84.7	65.2	61.7	68.7	
	>High School	74.1	65.7	82.6	68.7	66.6	70.9	76.0
ANNUAL INCOME	<\$25,000	68.1	51.6	84.5	60.2	56.2	64.2	
	\$25,000-\$49,999	84.7 *	70.4	98.9	65.3	61.2	69.3	80.7
	\$50,000 or More	66.1	53.9	78.3	70.5	67.2	73.7	75.6
MARITAL STATUS	Married/Couple	70.8	60.3	81.3	66.7	64.1	69.3	78.6
	Not Married/Couple	77.7	67.4	87.9	64.6	61.7	67.5	76.0

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults 65 years of age and older who received a flu shot in the past year

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	66.5	58.7	74.3	57.6	55.7	59.5	63.8
SEX	Men	65.5	53.9	77.1	58.5	55.5	61.4	59.3
	Women	67.3	56.5	78.1	56.9	54.4	59.4	67.5
RACE/ETHNICITY	Non-Hisp. White	70.5	61.9	79.2	60.3	58.4	62.2	65.5
	Non-Hisp. Black				46.5	38.3	54.7	
	Hispanic				51.0	44.1	57.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.3	61.3	85.3	61.1	58.3	64.0	62.9
	Non-Hisp. White Women	68.1	55.8	80.4	59.5	57.0	62.0	67.6
	Non-Hisp. Black Men				48.2	34.9	61.5	
	Non-Hisp. Black Women				45.0	35.0	55.1	
	Hispanic Men				51.3	40.1	62.5	
	Hispanic Women				50.8	42.0	59.5	
AGE GROUP	65 & Older	66.5	58.7	74.3	57.6	55.7	59.5	63.8
EDUCATION LEVEL	<High School				55.2	48.3	62.0	
	H.S. / GED	48.5	29.9	67.1	55.6	52.0	59.2	
	>High School	70.5 *	61.9	79.2	59.4	57.2	61.7	68.2
ANNUAL INCOME	<\$25,000	58.7	41.6	75.7	52.8	48.9	56.7	
	\$25,000-\$49,999	71.7	54.6	88.7	58.7	54.8	62.6	60.0
	\$50,000 or More	69.6	58.3	81.0	60.7	57.4	64.0	63.2
MARITAL STATUS	Married/Couple	65.7	54.9	76.6	59.7	57.1	62.3	62.5
	Not Married/Couple	66.3	54.5	78.1	55.8	52.9	58.6	63.6

Percentage of adults who have received a tetanus shot since 2005

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	56.5	51.9	61.0	52.9	51.7	54.1	56.7
SEX	Men	55.7	49.1	62.3	57.1	55.4	58.8	61.3
	Women	57.1 *	50.9	63.4	48.9	47.3	50.5	52.7
RACE/ETHNICITY	Non-Hisp. White	64.3 *	59.0	69.6	56.0	54.7	57.3	59.2
	Non-Hisp. Black	40.6	31.2	50.0	48.3	44.4	52.2	55.1
	Hispanic	35.5	17.9	53.1	47.7	44.8	50.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	65.7	58.0	73.4	60.2	58.3	62.1	62.7
	Non-Hisp. White Women	63.1 *	55.7	70.5	52.0	50.2	53.8	56.2
	Non-Hisp. Black Men	33.9	20.8	47.0	49.6	43.9	55.4	65.2
	Non-Hisp. Black Women	46.5	33.3	59.7	47.1	41.7	52.4	47.0
	Hispanic Men				53.7	49.5	57.8	
	Hispanic Women				42.1	38.1	46.1	
AGE GROUP	18-44	58.3	51.1	65.5	58.3	56.3	60.3	60.6
	45-64	61.4	53.9	68.8	52.7	50.7	54.7	52.2
	65 & Older	46.3	37.2	55.5	44.5	42.6	46.5	51.9
EDUCATION LEVEL	<High School	57.9	39.9	75.8	42.9	39.0	46.7	
	H.S. / GED	55.9	45.0	66.7	51.1	48.9	53.3	58.4
	>High School	56.5	51.3	61.7	56.4	55.0	57.8	56.3
ANNUAL INCOME	<\$25,000	49.9	40.6	59.2	49.1	46.8	51.5	62.4
	\$25,000-\$49,999	47.1	37.3	56.8	52.1	49.6	54.5	54.3
	\$50,000 or More	63.3	56.6	70.0	57.9	56.0	59.9	56.2
MARITAL STATUS	Married/Couple	60.5	54.3	66.7	54.8	53.2	56.4	51.0
	Not Married/Couple	52.9	46.2	59.6	51.0	49.2	52.7	63.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	38.1	33.9	42.4	34.6	33.5	35.7	34.1
SEX	Men	39.1	32.6	45.6	35.8	34.2	37.4	37.0
	Women	37.4	31.6	43.1	33.5	32.1	35.0	31.7
RACE/ETHNICITY	Non-Hisp. White	40.8	35.4	46.2	40.6	39.4	41.8	34.0
	Non-Hisp. Black	34.5	25.9	43.2	25.7	22.5	29.0	34.0
	Hispanic	28.4	11.6	45.2	24.9	22.3	27.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	42.5	34.3	50.7	41.0	39.1	42.8	37.7
	Non-Hisp. White Women	39.4	32.2	46.6	40.3	38.6	41.9	31.0
	Non-Hisp. Black Men	31.8	19.5	44.2	28.0	23.0	32.9	
	Non-Hisp. Black Women	36.8	24.6	48.9	23.8	19.7	28.0	32.8
	Hispanic Men				27.2	23.4	31.1	
	Hispanic Women				22.8	19.4	26.1	
AGE GROUP	18-44	25.7	19.1	32.3	21.6	19.8	23.4	27.0
	45-64	25.3	18.8	31.7	24.4	22.7	26.0	22.2
	65 & Older	74.0	66.6	81.4	65.4	63.5	67.3	78.2
EDUCATION LEVEL	<High School	35.2	18.7	51.6	31.1	27.5	34.7	
	H.S. / GED	36.9	26.5	47.3	34.9	32.8	37.0	43.3
	>High School	38.6	33.7	43.6	35.3	34.0	36.6	32.6
ANNUAL INCOME	<\$25,000	38.1	29.4	46.8	34.2	32.1	36.4	36.6
	\$25,000-\$49,999	33.4	24.2	42.6	35.6	33.3	37.9	34.1
	\$50,000 or More	36.4	29.9	42.9	32.7	30.9	34.5	30.5
MARITAL STATUS	Married/Couple	37.8	31.9	43.8	34.2	32.8	35.7	28.3
	Not Married/Couple	38.4	32.1	44.8	35.1	33.5	36.7	40.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults 45 years of age and older who had a fall-related injury in the past 12 months

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	12.1	8.4	15.7	9.9	9.1	10.7	
SEX	Men	5.6	1.9	9.3	7.6	6.7	8.6	
	Women	17.7	11.9	23.5	11.9	10.8	13.1	
RACE/ETHNICITY	Non-Hisp. White	11.8	7.8	15.9	10.9	10.0	11.7	
	Non-Hisp. Black	17.8	7.1	28.6	7.9	5.5	10.2	
	Hispanic				8.4	6.2	10.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.8	0.9	8.7	8.2	7.1	9.3	
	Non-Hisp. White Women	17.8	11.2	24.3	13.3	12.0	14.6	
	Non-Hisp. Black Men	10.4	0.0	23.7	5.0	2.7	7.3	
	Non-Hisp. Black Women	24.3	8.2	40.4	10.4	6.5	14.3	
	Hispanic Men				7.7	4.7	10.7	
	Hispanic Women				8.9	5.7	12.1	
AGE GROUP	45-64	12.2	7.4	17.0	10.1	9.0	11.2	
	65 & Older	11.9	6.4	17.3	9.7	8.6	10.7	
EDUCATION LEVEL	<High School				9.8	7.2	12.4	
	H.S. / GED	16.0	5.8	26.1	10.7	9.2	12.1	
	>High School	11.8	7.8	15.8	9.6	8.6	10.5	
ANNUAL INCOME	<\$25,000	11.9	4.2	19.7	13.9	12.1	15.7	
	\$25,000-\$49,999	12.0	4.1	19.8	10.7	8.9	12.4	
	\$50,000 or More	13.4 *	7.7	19.1	6.5	5.6	7.4	
MARITAL STATUS	Married/Couple	11.2	6.5	15.9	8.1	7.2	9.0	
	Not Married/Couple	12.9	7.4	18.4	12.4	11.1	13.7	

Percentage of adults who always or nearly always use a seatbelt when riding in a car

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	95.9	94.3	97.6	95.0	94.5	95.5	95.1
SEX	Men	96.0	93.6	98.3	93.2	92.3	94.1	93.6
	Women	95.9	93.6	98.2	96.7	96.1	97.2	96.4
RACE/ETHNICITY	Non-Hisp. White	97.6 *	96.0	99.1	95.3	94.7	95.8	97.5
	Non-Hisp. Black	92.6	88.0	97.2	92.3	90.4	94.3	89.8
	Hispanic	91.9	83.1	100.0	95.8	94.8	96.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	97.3 *	94.9	99.6	93.3	92.3	94.2	95.4
	Non-Hisp. White Women	97.8	95.7	99.9	97.2	96.5	97.8	99.3
	Non-Hisp. Black Men	93.9	88.1	99.8	88.8	85.2	92.5	84.9
	Non-Hisp. Black Women	91.5	84.7	98.3	95.4	93.9	97.0	93.5
	Hispanic Men				95.3	93.7	96.9	
	Hispanic Women				96.3	94.9	97.7	
AGE GROUP	18-44	93.6	90.4	96.8	92.9	91.9	93.9	93.8
	45-64	96.9	94.4	99.4	96.5	95.9	97.2	95.7
	65 & Older	98.6	97.0	100.0	96.4	95.6	97.1	99.1
EDUCATION LEVEL	<High School	94.7	86.8	100.0	92.2	90.3	94.0	
	H.S. / GED	92.3	86.8	97.9	94.4	93.5	95.4	96.4
	>High School	96.8	95.1	98.4	96.0	95.4	96.5	95.8
ANNUAL INCOME	<\$25,000	93.8	89.9	97.8	93.9	92.9	94.9	89.2
	\$25,000-\$49,999	91.6	86.2	97.0	95.1	94.0	96.1	98.5
	\$50,000 or More	99.2 *	98.3	100.0	95.6	94.7	96.4	96.0
MARITAL STATUS	Married/Couple	98.5 *	97.2	99.8	96.5	95.9	97.1	96.3
	Not Married/Couple	94.0	91.1	96.9	93.2	92.4	94.1	93.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who have seen a dentist in the past year

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	70.8 *	67.1	74.5	63.0	62.0	64.1	
SEX	Men	64.7	59.1	70.3	60.4	58.8	61.9	
	Women	76.2 *	71.4	81.0	65.5	64.0	66.9	
RACE/ETHNICITY	Non-Hisp. White	77.2 *	73.0	81.5	65.9	64.8	67.1	
	Non-Hisp. Black	57.9	49.8	66.0	57.5	54.0	61.0	
	Hispanic	68.3	53.5	83.2	58.7	56.1	61.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.6 *	67.2	80.0	63.7	62.0	65.5	
	Non-Hisp. White Women	80.4 *	74.8	86.0	68.0	66.5	69.6	
	Non-Hisp. Black Men	49.2	37.1	61.3	54.7	49.5	59.9	
	Non-Hisp. Black Women	65.5	54.9	76.0	60.0	55.2	64.7	
	Hispanic Men				55.1	51.2	58.9	
	Hispanic Women				62.1	58.6	65.7	
AGE GROUP	18-44	64.3	58.1	70.5	60.1	58.3	61.9	
	45-64	75.5 *	69.7	81.3	62.6	60.9	64.4	
	65 & Older	75.5	68.7	82.3	68.4	66.6	70.1	
EDUCATION LEVEL	<High School	45.6	28.8	62.5	45.2	41.6	48.9	
	H.S. / GED	55.2	45.4	64.9	55.5	53.5	57.6	
	>High School	76.1	72.2	80.0	71.0	69.8	72.3	
ANNUAL INCOME	<\$25,000	54.5	46.3	62.8	47.2	45.0	49.4	
	\$25,000-\$49,999	69.1	60.9	77.4	60.7	58.4	62.9	
	\$50,000 or More	82.2	77.4	87.0	76.2	74.6	77.9	
MARITAL STATUS	Married/Couple	75.3 *	70.4	80.2	67.1	65.7	68.5	
	Not Married/Couple	66.1 *	60.5	71.6	58.1	56.5	59.7	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	41.2 *	37.2	45.3	47.3	46.2	48.4	
SEX	Men	45.5	39.5	51.5	47.1	45.6	48.7	
	Women	37.4 *	32.1	42.8	47.5	46.0	49.0	
RACE/ETHNICITY	Non-Hisp. White	36.2 *	31.3	41.1	48.4	47.2	49.6	
	Non-Hisp. Black	55.5	47.5	63.6	50.5	47.0	54.0	
	Hispanic	38.7	22.6	54.8	44.7	42.1	47.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	40.1	32.7	47.6	49.0	47.2	50.8	
	Non-Hisp. White Women	32.7 *	26.2	39.2	47.8	46.2	49.5	
	Non-Hisp. Black Men	58.2	46.3	70.0	48.7	43.5	53.9	
	Non-Hisp. Black Women	53.2	42.2	64.2	52.1	47.3	56.9	
	Hispanic Men				43.0	39.1	46.8	
	Hispanic Women				46.4	42.7	50.1	
AGE GROUP	18-44	23.6	18.4	28.9	28.0	26.3	29.6	
	45-64	48.1	41.1	55.1	55.2	53.3	57.0	
	65 & Older	63.0	54.9	71.1	70.2	68.5	71.9	
EDUCATION LEVEL	<High School	70.8	55.5	86.1	63.9	60.3	67.4	
	H.S. / GED	51.5	41.8	61.1	52.1	50.1	54.2	
	>High School	36.7	32.2	41.3	40.8	39.5	42.1	
ANNUAL INCOME	<\$25,000	49.9	41.7	58.2	59.4	57.3	61.6	
	\$25,000-\$49,999	46.2	37.3	55.1	50.0	47.6	52.3	
	\$50,000 or More	34.0	27.9	40.2	36.3	34.5	38.0	
MARITAL STATUS	Married/Couple	39.2 *	33.5	44.8	47.6	46.1	49.1	
	Not Married/Couple	44.0	38.2	49.8	47.1	45.5	48.7	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults with "good" to "excellent" overall health

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	85.9 *	83.1	88.6	80.5	79.6	81.4	89.0
SEX	Men	85.0	80.8	89.1	81.4	80.1	82.7	92.4
	Women	86.7 *	83.0	90.3	79.7	78.5	80.9	86.1
RACE/ETHNICITY	Non-Hisp. White	86.6 *	83.3	90.0	82.3	81.4	83.2	90.2
	Non-Hisp. Black	83.2	77.3	89.2	81.3	78.5	84.1	89.9
	Hispanic	88.0 *	78.4	97.6	74.8	72.4	77.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	86.8	81.9	91.8	82.4	81.0	83.9	93.0
	Non-Hisp. White Women	86.5	81.9	91.1	82.1	80.9	83.3	87.8
	Non-Hisp. Black Men	83.7	75.1	92.3	82.1	78.0	86.1	91.7
	Non-Hisp. Black Women	82.9	74.7	91.1	80.7	76.8	84.6	88.4
	Hispanic Men				77.9	74.6	81.2	
	Hispanic Women				71.8	68.5	75.1	
AGE GROUP	18-44	92.2 *	88.8	95.5	86.1	84.7	87.4	93.0
	45-64	83.5	78.5	88.5	77.1	75.5	78.7	87.2
	65 & Older	78.1	71.6	84.7	75.7	74.0	77.4	78.1
EDUCATION LEVEL	<High School	58.5	42.5	74.5	57.3	53.7	60.9	
	H.S. / GED	78.4	70.4	86.5	78.9	77.3	80.4	81.9
	>High School	89.6	86.9	92.3	87.1	86.2	87.9	92.4
ANNUAL INCOME	<\$25,000	77.8 *	71.3	84.4	65.4	63.4	67.5	84.6
	\$25,000-\$49,999	83.3	76.8	89.8	83.2	81.4	85.0	89.5
	\$50,000 or More	93.2	90.0	96.4	91.6	90.6	92.7	94.4
MARITAL STATUS	Married/Couple	88.0 *	84.3	91.8	82.7	81.5	83.9	88.0
	Not Married/Couple	83.1	78.9	87.3	78.2	76.9	79.6	90.0

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults with good physical health for the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	88.8	86.3	91.3	87.1	86.4	87.8	89.1
SEX	Men	89.1	85.3	92.8	88.4	87.4	89.4	91.5
	Women	88.6	85.3	92.0	85.9	84.9	87.0	87.0
RACE/ETHNICITY	Non-Hisp. White	88.6	85.4	91.7	85.9	85.1	86.7	89.2
	Non-Hisp. Black	88.1	82.8	93.4	89.0	86.8	91.2	92.1
	Hispanic	91.5	83.2	99.8	88.2	86.5	89.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.5	86.1	94.8	86.7	85.4	88.0	92.2
	Non-Hisp. White Women	86.9	82.5	91.4	85.1	84.0	86.2	86.7
	Non-Hisp. Black Men	86.1	77.3	94.8	90.3	87.4	93.1	96.6
	Non-Hisp. Black Women	89.9	83.7	96.1	87.9	84.6	91.2	88.7
	Hispanic Men				90.6	88.5	92.7	
	Hispanic Women				85.9	83.3	88.5	
AGE GROUP	18-44	94.6	91.9	97.4	92.2	91.2	93.2	90.3
	45-64	84.7	79.7	89.6	83.1	81.7	84.4	89.5
	65 & Older	84.6	78.8	90.4	83.9	82.6	85.3	82.6
EDUCATION LEVEL	<High School	75.4	61.4	89.5	80.2	77.5	82.9	
	H.S. / GED	86.1	79.6	92.6	86.5	85.2	87.8	92.6
	>High School	90.5	87.8	93.1	89.1	88.3	90.0	89.2
ANNUAL INCOME	<\$25,000	83.8	77.9	89.7	77.6	75.8	79.4	82.6
	\$25,000-\$49,999	85.3	79.3	91.4	88.8	87.5	90.2	86.5
	\$50,000 or More	94.7	91.7	97.7	93.2	92.3	94.1	93.6
MARITAL STATUS	Married/Couple	90.7	87.3	94.1	88.8	87.9	89.7	88.0
	Not Married/Couple	86.5	82.6	90.3	85.4	84.3	86.5	90.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults with good mental health for the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	88.3	85.6	90.9	88.6	87.9	89.3	92.0
SEX	Men	90.9	87.5	94.3	90.5	89.6	91.4	93.5
	Women	85.9	82.0	89.8	86.8	85.8	87.8	90.8
RACE/ETHNICITY	Non-Hisp. White	89.0	85.9	92.1	87.8	87.0	88.6	90.8
	Non-Hisp. Black	86.9	81.3	92.6	89.2	87.0	91.4	91.8
	Hispanic	86.3	75.9	96.7	90.1	88.6	91.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	93.3	89.6	97.0	89.8	88.7	91.0	91.1
	Non-Hisp. White Women	85.2	80.3	90.0	85.9	84.7	87.1	90.5
	Non-Hisp. Black Men	86.2	77.6	94.9	90.6	87.7	93.6	97.2
	Non-Hisp. Black Women	87.6	80.0	95.1	88.0	84.7	91.3	87.8
	Hispanic Men				92.2	90.4	94.1	
	Hispanic Women				88.0	85.7	90.4	
AGE GROUP	18-44	88.3	84.2	92.4	87.5	86.2	88.7	92.8
	45-64	85.7	80.8	90.6	87.0	85.8	88.2	90.0
	65 & Older	91.8	87.5	96.1	92.7	91.7	93.6	92.2
EDUCATION LEVEL	<High School	79.4	66.2	92.7	84.7	82.2	87.2	
	H.S. / GED	80.3	72.5	88.1	87.9	86.6	89.2	88.5
	>High School	90.7	88.1	93.4	89.9	89.0	90.7	93.3
ANNUAL INCOME	<\$25,000	81.5	75.0	87.9	82.2	80.6	83.8	89.0
	\$25,000-\$49,999	86.3	80.3	92.3	88.1	86.6	89.7	86.4
	\$50,000 or More	93.8	90.7	97.0	92.4	91.3	93.4	96.0
MARITAL STATUS	Married/Couple	89.9	86.5	93.4	91.3	90.5	92.1	91.6
	Not Married/Couple	86.1	82.0	90.2	85.5	84.3	86.6	92.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults who had poor physical health on 14 or more of the past 30 days

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	11.2	8.7	13.7	12.9	12.2	13.6	10.9
SEX	Men	10.9	7.2	14.7	11.6	10.6	12.6	8.5
	Women	11.4	8.0	14.7	14.1	13.0	15.1	13.0
RACE/ETHNICITY	Non-Hisp. White	11.4	8.3	14.6	14.1	13.3	14.9	10.8
	Non-Hisp. Black	11.9	6.6	17.2	11.0	8.8	13.2	7.9
	Hispanic	8.5	0.2	16.8	11.8	10.1	13.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.5	5.2	13.9	13.3	12.0	14.6	7.8
	Non-Hisp. White Women	13.1	8.6	17.5	14.9	13.8	16.0	13.3
	Non-Hisp. Black Men	13.9	5.2	22.7	9.7	6.9	12.6	3.4
	Non-Hisp. Black Women	10.1	3.9	16.3	12.1	8.8	15.4	11.3
	Hispanic Men				9.4	7.3	11.5	
	Hispanic Women				14.1	11.5	16.7	
AGE GROUP	18-44	5.4	2.6	8.1	7.8	6.8	8.8	9.7
	45-64	15.3	10.4	20.3	16.9	15.6	18.3	10.5
	65 & Older	15.4	9.6	21.2	16.1	14.7	17.4	17.4
EDUCATION LEVEL	<High School	24.6	10.5	38.6	19.8	17.1	22.5	
	H.S. / GED	13.9	7.4	20.4	13.5	12.2	14.8	7.4
	>High School	9.5	6.9	12.2	10.9	10.0	11.7	10.8
ANNUAL INCOME	<\$25,000	16.2	10.3	22.1	22.4	20.6	24.2	17.4
	\$25,000-\$49,999	14.7	8.6	20.7	11.2	9.8	12.5	13.5
	\$50,000 or More	5.3	2.3	8.3	6.8	5.9	7.7	6.4
MARITAL STATUS	Married/Couple	9.3	5.9	12.7	11.2	10.3	12.1	12.0
	Not Married/Couple	13.5	9.7	17.4	14.6	13.5	15.7	9.6

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults who said their overall health was "fair" or "poor"

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	14.1 *	11.4	16.9	19.5	18.6	20.4	11.0
SEX	Men	15.0	10.9	19.2	18.6	17.3	19.9	7.6
	Women	13.3 *	9.7	17.0	20.3	19.1	21.5	13.9
RACE/ETHNICITY	Non-Hisp. White	13.4 *	10.0	16.7	17.7	16.8	18.6	9.8
	Non-Hisp. Black	16.8	10.8	22.7	18.7	15.9	21.5	10.1
	Hispanic	12.0 *	2.4	21.6	25.2	22.9	27.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.2	8.2	18.1	17.6	16.1	19.0	7.0
	Non-Hisp. White Women	13.5	8.9	18.1	17.9	16.7	19.1	12.2
	Non-Hisp. Black Men	16.3	7.7	24.9	17.9	13.9	22.0	8.3
	Non-Hisp. Black Women	17.1	8.9	25.3	19.3	15.4	23.2	11.6
	Hispanic Men				22.1	18.8	25.4	
	Hispanic Women				28.2	24.9	31.5	
AGE GROUP	18-44	7.8 *	4.5	11.2	13.9	12.6	15.3	7.0
	45-64	16.5	11.5	21.5	22.9	21.3	24.5	12.8
	65 & Older	21.9	15.3	28.4	24.3	22.6	26.0	21.9
EDUCATION LEVEL	<High School	41.5	25.5	57.5	42.7	39.1	46.3	
	H.S. / GED	21.6	13.5	29.6	21.1	19.6	22.7	18.1
	>High School	10.4	7.7	13.1	12.9	12.1	13.8	7.6
ANNUAL INCOME	<\$25,000	22.2 *	15.6	28.7	34.6	32.5	36.6	15.4
	\$25,000-\$49,999	16.7	10.2	23.2	16.8	15.0	18.6	10.5
	\$50,000 or More	6.8	3.6	10.0	8.4	7.3	9.4	5.6
MARITAL STATUS	Married/Couple	12.0 *	8.2	15.7	17.3	16.1	18.5	12.0
	Not Married/Couple	16.9	12.7	21.1	21.8	20.4	23.1	10.0

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (Among adults who have had at least one day of poor mental or physical health)

		2016 County			2016 State			2013 County	
		Measure	95% CI		Measure	95% CI		Measure	
ALL	Overall	5.5	4.4	6.6	5.7	5.4	6.0	3.6	
SEX	Men	5.1	3.4	6.7	5.6	5.1	6.1	3.8	
	Women	5.8	4.4	7.3	5.8	5.4	6.2	3.5	
RACE/ETHNICITY	Non-Hisp. White	5.6	^	4.3	7.0	5.9	5.5	6.2	3.2
	Non-Hisp. Black	6.3	^	3.9	8.7	5.9	4.9	6.9	2.5
	Hispanic					5.2	4.4	6.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.7	2.6	6.7	5.7	5.2	6.2	2.5	
	Non-Hisp. White Women	6.3	4.5	8.2	6.0	5.6	6.5	3.6	
	Non-Hisp. Black Men	6.9	2.8	10.9	5.9	4.3	7.4		
	Non-Hisp. Black Women	5.8	3.0	8.6	6.0	4.7	7.3	3.2	
	Hispanic Men				5.2	4.1	6.3		
	Hispanic Women				5.3	4.2	6.3		
AGE GROUP	18-44	3.6	2.4	4.8	4.0	3.6	4.4	3.2	
	45-64	7.5	^	5.3	9.8	7.6	7.0	8.2	3.6
	65 & Older	6.2	3.7	8.6	6.2	5.6	6.7	5.5	
EDUCATION LEVEL	<High School				8.3	7.2	9.5		
	H.S. / GED	6.4	3.7	9.1	5.8	5.2	6.3	3.6	
	>High School	5.0	3.8	6.2	4.9	4.6	5.3	3.3	
ANNUAL INCOME	<\$25,000	7.2	4.8	9.6	8.6	8.0	9.3	3.4	
	\$25,000-\$49,999	5.6	3.5	7.6	5.3	4.7	5.9	6.0	
	\$50,000 or More	3.9	2.2	5.5	3.3	3.0	3.7	2.1	
MARITAL STATUS	Married/Couple	4.8	3.2	6.4	5.3	4.9	5.7	3.7	
	Not Married/Couple	6.2	4.7	7.7	6.1	5.6	6.5	3.5	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Average number of unhealthy physical days in the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	3.8	3.1	4.4	4.0	3.8	4.2	3.4
SEX	Men	3.6	2.6	4.5	3.7	3.5	4.0	2.7
	Women	3.9	3.0	4.9	4.3	4.0	4.6	4.0
RACE/ETHNICITY	Non-Hisp. White	3.8	2.9	4.6	4.4	4.2	4.6	3.3
	Non-Hisp. Black	4.1	2.8	5.3	3.6	3.1	4.2	2.9
	Hispanic	2.9	0.6	5.1	3.6	3.1	4.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.3	2.1	4.4	4.2	3.8	4.5	2.4
	Non-Hisp. White Women	4.2	3.0	5.5	4.6	4.4	4.9	4.0
	Non-Hisp. Black Men	4.0	2.1	5.9	3.5	2.6	4.3	1.6
	Non-Hisp. Black Women	4.1	2.4	5.8	3.8	3.0	4.6	3.8
	Hispanic Men				3.1	2.5	3.6	
	Hispanic Women				4.0	3.3	4.7	
AGE GROUP	18-44	2.5	1.7	3.2	2.7	2.5	2.9	3.1
	45-64	4.9	3.5	6.2	5.0	4.7	5.4	3.2
	65 & Older	4.4	3.0	5.8	4.9	4.5	5.3	5.3
EDUCATION LEVEL	<High School	6.8	3.1	10.5	5.9	5.2	6.6	
	H.S. / GED	4.8	3.2	6.4	4.2	3.9	4.6	3.1
	>High School	3.3	2.6	4.0	3.5	3.3	3.7	3.3
ANNUAL INCOME	<\$25,000	5.4	3.9	7.0	6.6	6.1	7.1	4.6
	\$25,000-\$49,999	4.6	3.0	6.2	3.6	3.2	4.0	4.1
	\$50,000 or More	2.1	1.3	2.9	2.4	2.2	2.6	2.4
MARITAL STATUS	Married/Couple	2.9	2.1	3.7	3.5	3.3	3.8	3.6
	Not Married/Couple	4.7	3.7	5.8	4.6	4.3	4.8	3.2

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Average number of unhealthy mental days in the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	3.8	3.1	4.4	3.6	3.4	3.7	3.1
SEX	Men	3.0	2.2	3.8	3.0	2.8	3.3	2.7
	Women	4.5	3.5	5.5	4.1	3.8	4.3	3.5
RACE/ETHNICITY	Non-Hisp. White	3.5	2.7	4.3	3.8	3.6	4.0	3.6
	Non-Hisp. Black	4.4	2.9	5.9	3.5	2.9	4.1	2.6
	Hispanic	4.4	1.7	7.0	3.1	2.7	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.4	1.5	3.4	3.2	2.9	3.5	3.2
	Non-Hisp. White Women	4.4	3.2	5.6	4.3	4.1	4.6	3.9
	Non-Hisp. Black Men	4.3	2.3	6.4	3.1	2.3	3.9	1.5
	Non-Hisp. Black Women	4.4	2.3	6.6	3.9	3.0	4.7	3.4
	Hispanic Men				2.6	2.1	3.1	
	Hispanic Women				3.6	3.0	4.2	
AGE GROUP	18-44	4.1	3.1	5.2	4.0	3.7	4.3	3.2
	45-64	4.1	2.9	5.3	3.9	3.6	4.3	3.5
	65 & Older	2.6	1.5	3.7	2.3	2.0	2.5	2.3
EDUCATION LEVEL	<High School	6.0	2.3	9.7	4.6	3.9	5.2	
	H.S. / GED	5.7	3.7	7.7	3.8	3.5	4.2	3.5
	>High School	3.2	2.5	3.8	3.2	3.0	3.4	2.9
ANNUAL INCOME	<\$25,000	5.6	3.9	7.4	5.3	4.9	5.7	4.2
	\$25,000-\$49,999	4.6	3.1	6.1	3.7	3.3	4.1	4.3
	\$50,000 or More	2.2	1.5	3.0	2.6	2.4	2.9	2.2
MARITAL STATUS	Married/Couple	3.2	2.3	4.0	2.8	2.6	3.0	3.0
	Not Married/Couple	4.5	3.4	5.5	4.5	4.2	4.8	3.2

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults whose poor physical or mental health kept them from doing usual activities on 14 or more of the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	16.4	12.2	20.5	18.6	17.4	19.9	9.4
SEX	Men	15.4	9.1	21.8	18.6	16.7	20.5	11.6
	Women	17.1	11.7	22.5	18.7	17.1	20.3	8.0
RACE/ETHNICITY	Non-Hisp. White	15.1	10.1	20.1	19.1	17.8	20.5	7.4
	Non-Hisp. Black	22.2	^ 12.9	31.5	18.9	14.7	23.0	5.1
	Hispanic				17.3	14.2	20.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.5	4.9	20.2	18.7	16.7	20.7	5.6
	Non-Hisp. White Women	17.1	10.4	23.7	19.5	17.8	21.3	8.6
	Non-Hisp. Black Men	21.9	7.6	36.2	19.0	12.9	25.2	
	Non-Hisp. Black Women	22.5	10.2	34.8	18.7	13.2	24.3	6.6
	Hispanic Men				17.4	12.9	21.9	
	Hispanic Women				17.2	12.9	21.4	
AGE GROUP	18-44	8.9	4.3	13.6	12.0	10.4	13.6	7.1
	45-64	23.4	15.2	31.6	26.3	23.9	28.7	11.2
	65 & Older	20.8	11.0	30.6	20.2	18.0	22.4	16.2
EDUCATION LEVEL	<High School				29.7	25.0	34.5	
	H.S. / GED	21.6	11.5	31.7	19.7	17.5	21.9	12.6
	>High School	13.8	9.3	18.2	15.1	13.8	16.4	6.9
ANNUAL INCOME	<\$25,000	24.3	15.0	33.7	29.8	27.1	32.5	11.9
	\$25,000-\$49,999	13.6	6.3	21.0	17.4	14.7	20.0	16.8
	\$50,000 or More	11.1	5.1	17.2	9.6	8.1	11.1	3.0
MARITAL STATUS	Married/Couple	12.9	7.1	18.8	17.7	15.9	19.4	8.7
	Not Married/Couple	19.4	13.5	25.3	19.6	17.9	21.3	10.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	11.7	9.1	14.4	11.4	10.7	12.1	8.0
SEX	Men	9.1	5.7	12.5	9.5	8.6	10.4	6.5
	Women	14.1	10.2	18.0	13.2	12.2	14.2	9.2
RACE/ETHNICITY	Non-Hisp. White	11.0	7.9	14.1	12.2	11.4	13.0	9.2
	Non-Hisp. Black	13.1	7.4	18.7	10.8	8.6	13.0	8.2
	Hispanic	13.7	3.3	24.1	9.9	8.4	11.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.7	3.0	10.4	10.2	9.0	11.3	8.9
	Non-Hisp. White Women	14.8	10.0	19.7	14.1	12.9	15.3	9.5
	Non-Hisp. Black Men	13.8	5.1	22.4	9.4	6.4	12.3	2.8
	Non-Hisp. Black Women	12.4	4.9	20.0	12.0	8.7	15.3	12.2
	Hispanic Men				7.8	5.9	9.6	
	Hispanic Women				12.0	9.6	14.3	
AGE GROUP	18-44	11.7	7.6	15.8	12.5	11.3	13.8	7.2
	45-64	14.3	9.4	19.2	13.0	11.8	14.2	10.0
	65 & Older	8.2	3.9	12.5	7.3	6.4	8.3	7.8
EDUCATION LEVEL	<High School	20.6	7.3	33.8	15.3	12.8	17.8	
	H.S. / GED	19.7	11.9	27.5	12.1	10.8	13.4	11.5
	>High School	9.3	6.6	11.9	10.1	9.3	11.0	6.7
ANNUAL INCOME	<\$25,000	18.5	12.1	25.0	17.8	16.2	19.4	11.0
	\$25,000-\$49,999	13.7	7.7	19.7	11.9	10.3	13.4	13.6
	\$50,000 or More	6.2	3.0	9.3	7.6	6.6	8.7	4.0
MARITAL STATUS	Married/Couple	10.1	6.6	13.5	8.7	7.9	9.5	8.4
	Not Married/Couple	13.9	9.8	18.0	14.5	13.4	15.7	7.6

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who had a medical checkup in the past year

		2016 County			2016 State			2013 County	
		Measure	95% CI		Measure	95% CI		Measure	
ALL	Overall	80.4	^	77.2	83.7	76.5	75.6	77.5	69.9
SEX	Men	71.1		65.6	76.6	72.0	70.5	73.4	56.8
	Women	88.6 *		85.1	92.2	80.8	79.6	82.1	81.2
RACE/ETHNICITY	Non-Hisp. White	80.7		76.7	84.7	77.7	76.6	78.7	70.5
	Non-Hisp. Black	80.6		73.9	87.3	80.4	77.4	83.3	71.8
	Hispanic	71.5		56.6	86.3	71.9	69.5	74.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.0		66.3	79.7	74.4	72.8	76.0	60.4
	Non-Hisp. White Women	87.4 *		82.8	91.9	80.8	79.4	82.1	79.1
	Non-Hisp. Black Men	68.5		57.0	80.1	74.0	69.4	78.6	45.9
	Non-Hisp. Black Women	91.1		84.8	97.5	86.0	82.2	89.7	91.6
	Hispanic Men					65.2	61.5	68.9	
	Hispanic Women					78.3	75.2	81.5	
AGE GROUP	18-44	69.7		63.7	75.8	63.9	62.1	65.7	60.2
	45-64	85.3 *		80.5	90.1	78.9	77.4	80.4	79.3
	65 & Older	91.9		87.7	96.2	94.2	93.4	94.9	92.1
EDUCATION LEVEL	<High School	68.2		52.1	84.3	69.7	66.3	73.1	
	H.S. / GED	70.8		61.8	79.8	74.2	72.4	76.1	74.5
	>High School	83.5	^	80.1	87.0	79.3	78.2	80.4	69.0
ANNUAL INCOME	<\$25,000	73.2		65.7	80.6	72.6	70.6	74.5	64.4
	\$25,000-\$49,999	72.5		64.3	80.8	75.6	73.6	77.6	71.4
	\$50,000 or More	85.4 *		80.9	90.0	78.8	77.2	80.4	77.4
MARITAL STATUS	Married/Couple	82.0		77.6	86.4	79.3	78.1	80.5	78.4
	Not Married/Couple	78.7	^	73.8	83.6	73.4	71.9	74.9	62.0

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who have Medicare (Medicare is a coverage plan for people 65 or over and for certain disabled people.)

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	31.3 *	27.3	35.2	37.9	36.8	39.1	
SEX	Men	32.9	26.8	38.9	37.3	35.5	39.0	
	Women	30.0 *	24.7	35.2	38.5	37.0	40.0	
RACE/ETHNICITY	Non-Hisp. White	30.2 *	25.6	34.9	41.8	40.5	43.1	
	Non-Hisp. Black	35.5	26.8	44.2	31.7	28.2	35.1	
	Hispanic	29.0	11.2	46.8	31.8	28.8	34.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.2	24.8	39.5	40.6	38.7	42.5	
	Non-Hisp. White Women	28.6 *	22.6	34.7	42.8	41.1	44.5	
	Non-Hisp. Black Men	33.9	21.2	46.5	34.1	28.7	39.6	
	Non-Hisp. Black Women	36.8	25.1	48.6	29.6	25.2	34.1	
	Hispanic Men				30.0	25.6	34.5	
	Hispanic Women				33.4	29.4	37.4	
AGE GROUP	18-44	11.4	6.7	16.0	11.8	10.4	13.2	
	45-64	9.7 *	5.7	13.8	17.6	16.0	19.2	
	65 & Older	89.5	84.2	94.7	92.1	91.0	93.2	
EDUCATION LEVEL	<High School				51.7	47.0	56.4	
	H.S. / GED	41.4	31.0	51.7	41.5	39.3	43.7	
	>High School	28.5	24.2	32.8	33.4	32.1	34.7	
ANNUAL INCOME	<\$25,000	45.9	36.4	55.4	52.4	49.9	55.0	
	\$25,000-\$49,999	24.0 *	16.1	31.8	38.0	35.6	40.5	
	\$50,000 or More	25.9	20.3	31.5	24.0	22.4	25.6	
MARITAL STATUS	Married/Couple	28.6	23.2	34.0	34.6	33.2	36.1	
	Not Married/Couple	34.3 *	28.4	40.2	42.0	40.3	43.8	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	91.1 *	88.9	93.4	83.7	82.8	84.5	84.7
SEX	Men	89.8 *	86.2	93.4	82.0	80.7	83.2	80.5
	Women	92.3 *	89.4	95.1	85.3	84.1	86.4	88.3
RACE/ETHNICITY	Non-Hisp. White	95.8 *	93.8	97.8	89.5	88.8	90.3	91.0
	Non-Hisp. Black	84.4	78.8	90.0	81.0	78.1	83.8	79.3
	Hispanic	73.3	58.8	87.7	71.1	68.7	73.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	94.2 *	90.7	97.8	88.2	87.1	89.3	83.3
	Non-Hisp. White Women	97.2 *	95.0	99.3	90.8	89.8	91.8	97.7
	Non-Hisp. Black Men	82.8	74.2	91.4	77.9	73.5	82.3	74.6
	Non-Hisp. Black Women	85.9	78.6	93.2	83.7	80.1	87.4	82.9
	Hispanic Men				69.0	65.5	72.6	
	Hispanic Women				73.0	69.8	76.3	
AGE GROUP	18-44	85.2 *	80.7	89.7	74.5	72.8	76.1	79.7
	45-64	93.8 *	90.6	96.9	84.3	82.9	85.6	87.7
	65 & Older	97.8	95.3	100.0	98.1	97.6	98.6	99.5
EDUCATION LEVEL	<High School	58.3	41.9	74.6	64.7	61.2	68.1	
	H.S. / GED	87.6	81.3	93.9	80.6	78.9	82.3	80.2
	>High School	94.4 *	92.3	96.5	89.9	89.1	90.8	88.5
ANNUAL INCOME	<\$25,000	75.9	68.8	83.0	71.0	68.9	73.0	70.7
	\$25,000-\$49,999	92.1 *	87.3	96.8	84.2	82.5	86.0	90.1
	\$50,000 or More	99.0 *	97.9	100.0	94.4	93.5	95.3	94.5
MARITAL STATUS	Married/Couple	93.9 *	91.1	96.6	86.5	85.4	87.6	93.1
	Not Married/Couple	87.9 *	84.2	91.6	80.4	79.1	81.8	77.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor in the past year due to cost

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	13.5	10.7	16.4	16.6	15.8	17.4	12.4
SEX	Men	12.4	8.4	16.5	14.4	13.3	15.5	13.2
	Women	14.5	10.5	18.5	18.7	17.4	19.9	11.7
RACE/ETHNICITY	Non-Hisp. White	9.1 *	6.0	12.1	14.1	13.2	14.9	8.0
	Non-Hisp. Black	21.3	14.7	27.8	19.3	16.3	22.2	14.1
	Hispanic	28.7	13.5	43.8	21.3	19.1	23.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.8 *	2.1	9.5	12.2	11.1	13.3	7.2
	Non-Hisp. White Women	11.9	7.2	16.6	15.8	14.6	17.1	8.7
	Non-Hisp. Black Men	22.0	11.8	32.1	15.8	12.1	19.4	15.4
	Non-Hisp. Black Women	20.7	12.1	29.2	22.3	17.9	26.8	13.1
	Hispanic Men				19.8	16.8	22.7	
	Hispanic Women				22.7	19.7	25.7	
AGE GROUP	18-44	17.6	12.7	22.5	22.0	20.5	23.6	13.2
	45-64	14.3	9.4	19.3	18.4	17.0	19.9	14.6
	65 & Older	5.3	1.5	9.0	5.2	4.4	6.0	5.1
EDUCATION LEVEL	<High School	20.1	7.6	32.7	26.8	23.6	29.9	
	H.S. / GED	22.4	14.4	30.3	18.1	16.5	19.7	12.7
	>High School	11.0	8.0	14.1	13.4	12.5	14.4	10.7
ANNUAL INCOME	<\$25,000	30.0	22.3	37.6	27.7	25.8	29.7	24.5
	\$25,000-\$49,999	15.8	9.2	22.3	16.8	15.1	18.5	15.3
	\$50,000 or More	2.5 *	0.4	4.7	8.4	7.3	9.6	3.0
MARITAL STATUS	Married/Couple	8.9 *	5.5	12.3	14.6	13.5	15.7	9.6
	Not Married/Couple	19.0	14.4	23.7	19.0	17.7	20.3	15.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who have a personal doctor

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	82.3 *	79.1	85.4	72.0	71.0	73.0	74.7
SEX	Men	76.0 *	70.8	81.1	66.5	65.0	68.0	64.5
	Women	87.8 *	84.0	91.6	77.1	75.8	78.4	83.6
RACE/ETHNICITY	Non-Hisp. White	88.2 *	84.9	91.6	78.6	77.5	79.6	84.3
	Non-Hisp. Black	75.5	68.3	82.6	70.9	67.7	74.1	65.0
	Hispanic	57.3	40.8	73.7	57.7	55.1	60.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.5 *	77.8	89.1	73.9	72.3	75.5	77.0
	Non-Hisp. White Women	92.3 *	88.6	96.1	83.0	81.7	84.3	90.5
	Non-Hisp. Black Men	69.9	^ 58.9	80.9	63.1	58.0	68.1	39.0
	Non-Hisp. Black Women	80.4	71.1	89.8	77.8	73.8	81.9	85.3
	Hispanic Men				51.8	48.0	55.6	
	Hispanic Women				63.4	59.8	66.9	
AGE GROUP	18-44	67.5 *	61.4	73.7	54.3	52.5	56.1	63.3
	45-64	91.5 *	87.9	95.0	78.0	76.4	79.6	89.5
	65 & Older	94.8	91.2	98.5	93.2	92.3	94.1	97.1
EDUCATION LEVEL	<High School	59.8	43.4	76.3	57.5	53.9	61.0	
	H.S. / GED	70.6	61.7	79.4	68.5	66.6	70.4	74.7
	>High School	86.6 *	^ 83.3	89.9	77.3	76.1	78.4	75.5
ANNUAL INCOME	<\$25,000	68.1	60.2	75.9	64.9	62.8	67.0	54.0
	\$25,000-\$49,999	76.9	69.1	84.8	72.4	70.2	74.5	74.5
	\$50,000 or More	92.0 *	88.4	95.6	79.7	78.1	81.2	92.5
MARITAL STATUS	Married/Couple	87.4 *	83.5	91.2	76.2	74.9	77.5	84.2
	Not Married/Couple	77.6 *	72.5	82.6	67.0	65.4	68.6	65.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2016 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past 3 - 4 months; in general, an A1C of 7% or less is recommended.
Activities of Daily Living	Usual activities, such as self-care, work, or recreation.
Adult	Individual aged 18 years or older.
Aerobic Recommendations	Performance of at least 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Angina	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
Arthritis	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
Asthma	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
Binge Drinking	For women, consumption of 4 or more drinks during a single occasion; for men, consumption of 5 or more drinks during a single occasion.
Blood Glucose	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream; the state of low blood glucose is known as hypoglycemia (< 70) and the state of high blood glucose is known as hyperglycemia (>130 before meals; >180 one to two hours after the start of a meal).
Blood Pressure	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Blood Sugar	See Blood Glucose
Body Mass Index (BMI)	Body Mass Index (BMI) is a number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
Cancer	General name for a group of more than 100 diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
Cholesterol	A substance the body uses to produce hormones, vitamin D, and food-digesting acids.
Chronic Bronchitis	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
Chronic Diseases	Diseases of long duration and generally slow progression (e.g., heart disease; stroke; cancer; diabetes); represent the leading causes of mortality worldwide.
Chronic Obstructive Pulmonary Disease (COPD)	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
Coronary Heart Disease (CHD)	See Coronary Artery Disease (CAD)
Current Smoker	Combination of every day smoker and some day smoker.

2016 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Depressive Disorders	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
Diabetes	General term for diabetes mellitus; disease in which the blood glucose levels are above normal due to either the pancreas not producing enough insulin (Type-1 diabetes) or the body not using its own insulin as well as it should (Type-2 diabetes).
Emphysema	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed; destruction of lung tissue around smaller sacs, called alveoli, makes these air sacs unable to hold their functional shape upon exhalation. See also Chronic Obstructive Pulmonary Disease (COPD)
Every day Smoker	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking everyday now.
Exercise	See Physical Activity
Fibromyalgia	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
Flu	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death. Some people, such as older people, young children, and people with certain health conditions, are at high risk for serious flu complications.
Flu Shot	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm; approved for use in individuals older than 6 months, including healthy people and people with chronic medical conditions. The flu vaccine can also be administered by a spray, mist, or drop in the nose called FluMist™; approved for use in healthy individuals between 2 and 49 years old.
Former Smoker	Adults who reported smoking at least 100 cigarettes in their lifetime but reported not smoking now.
Good Mental Health	Adults who reported poor mental health on 13 or less days out of the past 30 days.
Good Physical Health	Adults who reported poor physical health on 13 or less days out of the past 30 days.
Gout	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
Health Behavior	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
Health Care Coverage	Example: health insurance, pre-paid plans such as HMO's, government plans such as Medicare.
Health Care Provider	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor; nurse practitioner; physician assistant; registered nurse).
Health Risk Behavior	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity; poor nutrition; tobacco use; excessive alcohol consumption).
Healthy Weight	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.

2016 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Heart Attack	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
Heavy Drinking	For women, consumption of more than 1 drink per day on average; for men, consumption of more than 2 drinks per day on average.
High Blood Cholesterol	Condition where there is too much cholesterol in the blood; increases the risk of coronary heart disease, heart attack, or angina.
High Blood Pressure	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems; a systolic measurement of 140 mmHg or higher OR a diastolic measurement of 90 mmHg or higher.
Hispanic	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
HIV	Human immunodeficiency virus (HIV) damages a person's body by destroying specific blood cells, called CD4+ T-cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
Hypertension	See High Blood Pressure
Hysterectomy	An operation to remove the uterus (womb) in women.
Inactive	No leisure-time physical activity, performance of aerobic activity for less than 10 minutes at a time, or performance of only non-aerobic activities.
Influenza	See Flu
Insufficiently Active	Performance of less than 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Kidney Disease	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
Lupus	A chronic inflammatory disease resulting from an attack by the body's own immune system.
Mammogram	Mammography is the process of using low-energy X-rays to examine the human breast; this test is ordered to detect tumors and differentiate between benign and malignant disease.
Mental Health	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
Muscle Strengthening Recommendations	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights, or elastic bands, at least two times per week in the past 30 days.
Never Smoked	Adults who reported smoking less than 100 cigarettes in their lifetime.
Non-Hispanic Black	Adults not of Hispanic culture or origins reporting membership in only the Black race category; self-reported demographic variable.
Non-Hispanic White	Adults not of Hispanic culture or origins reporting membership in only the White race category; self-reported demographic variable.
Non-smoker	Combination of former smoker and never smoked.
Obese	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
Obesity	A condition characterized by being obese.

2016 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a body mass index (BMI) that is greater than or equal to 25.0; BMI is calculated using self-reported height and weight.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Personal Doctor	A health care provider that an adult identifies as their personal health care provider.
Pneumonia	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness in people of all ages; signs can include coughing, fever, fatigue, nausea, vomiting, rapid breathing or shortness of breath, chills, or chest pain. Certain people are more likely to become ill with pneumonia (e.g., children aged 5 years or younger, adults aged 65 years or older; adults with disabilities, HIV/AIDS, or who smoke cigarettes).
Pneumonia Vaccination	Pneumococcal vaccine; vaccine given with a needle, usually in the arm; 23-valent pneumococcal polysaccharide vaccine (PPSV23) approved for use in adults 65 years or older as well as in adults 19-64 years who have specific underlying conditions (e.g., immune deficiency, asthma, COPD).
Race/Ethnicity	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
Routine Checkup	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
Sedentary	Participating in no leisure-time physical activity in the past 30 days.
Sex	The condition or character of being male or female; self-reported demographic variable.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Smoking	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
Some Day Smoking	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking some days now.
Stroke	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.
Tetanus	A bacterial infection that affects the central nervous system and can result in painful muscle spasms, stiff jaw, and potentially death.
Tetanus Shot	Tetanus vaccine; vaccine given with a needle, usually in the shoulder muscle; a booster tetanus vaccine should be received every ten years.

2016 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

AOCBC-9. Increase the proportion of adults with chronic joint symptoms who have seen a health care provider for their symptoms

AOCBC-11. Reduce hip fractures among older adults

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-2. Reduce coronary heart disease deaths

HDS-3. Reduce stroke deaths

HDS-4. Increase the proportion of adults who have had their blood pressure measured within the preceding two years and can state whether their blood pressure was normal or high

HDS-5. Reduce the proportion of persons in the population with hypertension

HDS-11. Increase the proportion of adults with hypertension who are taking the prescribed medications to lower their blood pressure

HDS-12. Increase the proportion of adults with hypertension whose blood pressure is under control

HDS-13. Increase the proportion of adults with elevated LDL cholesterol who have been advised by a health care provider regarding cholesterol-lowering management including lifestyle changes and, if indicated, medication

2016 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Diabetes

- D-1. Reduce the annual number of new cases of diagnosed diabetes in the population
- D-5. Improve glycemic control among the population with diagnosed diabetes
- D-8. Increase the proportion of persons with diagnosed diabetes who have at least an annual dental examination
- D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination
- D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination
- D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year
- D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily
- D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education
- V-5.2. Reduce visual impairment due to diabetic retinopathy

Disability

- DH-17. Increase the proportion of adults with disabilities who report sufficient social and emotional support

Exercise

- PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity
- PA-2. Increase the proportion of adults who meet current Federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Family Planning

- FP-1. Increase the proportion of pregnancies that are intended

Healthcare Access

- AHS-1. Increase the proportion of persons with health insurance
- AHS-3. Increase the proportion of persons with a usual primary care provider
- AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

HIV/AIDS

- HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

2016 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Immunization

- IID-1. Reduce, eliminate, or maintain elimination of cases of vaccine-preventable diseases
- IID-12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza
- IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against seasonal influenza
- IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease
- IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

- OA-11. Reduce the rate of emergency department visits due to falls among older adults

Oral Health

- OH-4. Reduce the proportion of adults who have ever had a permanent tooth extracted because of dental caries or periodontal disease
- OH-7. Increase the proportion of children, adolescents, and adults who used the oral health care system in the past year

Overweight & Obesity

- NWS-8. Increase the proportion of adults who are at a healthy weight
- NWS-9. Reduce the proportion of adults who are obese

Sleep

- SH-4. Increase the proportion of adults who get sufficient sleep

Substance Abuse

- SA-19. Reduce the past-year nonmedical use of prescription drugs

Tobacco Use & Exposure

- TU-1. Reduce tobacco use by adults
- TU-4. Increase smoking cessation attempts by adult smokers
- TU-5. Increase recent smoking cessation success by adult smokers
- TU-6. Increase smoking cessation during pregnancy

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Bo (Bonnie) Yu, M.A.S., M.A
Qiang An, M.P.H.
Leah L. Atwell, M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Division of Community Health Promotion
Public Health Research
4052 Bald Cypress Way, Bin A-24
Tallahassee, Florida 32399-1744

Phone: 850-245-4793
BRFSS@flhealth.gov
<http://www.floridahealth.gov/BRFSS>