


2016 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Community Health Promotion
Public Health Research Section
Epidemiology and Statistics

Rick Scott
Governor

Celeste Philip, M.D., MPH
State Surgeon General and Secretary

Introduction

The Florida Department of Health is pleased to release the 2016 Florida Behavioral Risk Factor Surveillance System (BRFSS) state and county data. This surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS is a statewide telephone survey that has been collecting and reporting health behavior data since 1986. This survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults.

The 2016 BRFSS was the fifth county-level survey to be conducted in Florida. It was previously conducted in 2002, 2007, 2010, and 2013. The 2016 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes. Almost 37,000 interviews were completed statewide during the 2016 calendar year, with a target sample size of 500 completed surveys in each county.

Polk County had 504,054 adult residents and 607 adults responded to the 2016 county-level BRFSS survey.

The 2016 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues including health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval. If the confidence intervals overlap, there is no statistically significant difference in the prevalence rates. However, if the confidence intervals do not overlap, there is a statistically significant difference. The significance of measures with very wide confidence intervals should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or "weighted," by the Centers for Disease Control and Prevention to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, and education level.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2016 may not be comparable to data collected before 2011.

If any assistance is needed with interpretation or survey methods, please contact the Florida Department of Health, Public Health Research Section at (850) 245-4585.

**2016 Florida BRFSS Data Report
Table of Contents**

Health Status	
Arthritis	1
Asthma	2
Cancer Prevalence	4
Cardiovascular Disease	6
Chronic Obstructive Pulmonary Disease	10
Depression	11
Diabetes	12
Disability	15
Kidney Disease	17
Overweight and Obesity	18
Vision Impairment	22
Health-Related Behaviors	
Alcohol Consumption	23
Marijuana Use	24
Tobacco Use and Exposure	25
Physical Activity and Nutrition	32
Health-Related Prevention	
Cancer Screening/Breast	36
Cancer Screening/Cervical	37
Cancer Screening/Colorectal	39
HIV/AIDS Screening	42
Immunization	44
Injury Prevention	47
Oral Health	48
Health-Related Quality of Life	50
Health Care Access and Coverage	60
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

Arthritis

Percentage of adults who have been told they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	33.9 *	29.7	38.1	24.8	23.9	25.6	28.5
SEX	Men	27.3 *	21.4	33.2	20.2	19.1	21.3	24.3
	Women	39.3 *	33.5	45.1	29.0	27.8	30.3	32.4
RACE/ETHNICITY	Non-Hisp. White	38.4 *	33.0	43.8	30.8	29.7	31.9	35.0
	Non-Hisp. Black	30.0	18.2	41.7	18.4	16.0	20.9	20.2
	Hispanic	25.0	16.4	33.6	15.9	14.1	17.7	11.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.9	25.2	40.7	26.0	24.6	27.5	30.7
	Non-Hisp. White Women	43.0	35.6	50.4	35.3	33.8	36.8	39.1
	Non-Hisp. Black Men				15.8	12.2	19.4	
	Non-Hisp. Black Women	44.2 *	27.9	60.5	20.7	17.3	24.2	
	Hispanic Men	22.7	10.2	35.3	10.5	8.4	12.5	
	Hispanic Women	26.8	15.1	38.5	21.0	18.1	23.9	21.3
AGE GROUP	18-44	11.8	7.0	16.6	7.1	6.3	7.8	12.1
	45-64	41.2 *	33.8	48.6	29.5	27.9	31.2	32.4
	65 & Older	55.2	46.8	63.5	48.0	46.2	49.8	51.4
EDUCATION LEVEL	<High School	42.4	31.2	53.5	28.6	25.6	31.7	28.0
	H.S. / GED	29.2	21.9	36.5	25.9	24.3	27.5	28.9
	>High School	33.8 *	28.1	39.6	23.4	22.4	24.4	28.4
ANNUAL INCOME	<\$25,000	36.4	28.2	44.7	29.8	28.0	31.7	28.8
	\$25,000-\$49,999	37.3 *	29.0	45.6	26.8	24.8	28.7	39.0
	\$50,000 or More	26.8	19.4	34.2	20.2	18.9	21.5	19.5
MARITAL STATUS	Married/Couple	33.5 *	27.9	39.1	25.1	23.9	26.3	30.6
	Not Married/Couple	34.5 *	28.1	41.0	24.5	23.3	25.7	25.3

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who currently have asthma

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	9.7	6.9	12.4	6.7	6.2	7.2	10.9
SEX	Men	8.3	4.4	12.2	5.2	4.5	5.9	7.3
	Women	10.8	7.0	14.6	8.2	7.5	8.9	14.3
RACE/ETHNICITY	Non-Hisp. White	11.1	7.4	14.8	6.9	6.3	7.4	13.6
	Non-Hisp. Black	5.4	0.8	10.0	7.6	6.0	9.3	5.8
	Hispanic	9.1	3.4	14.9	5.9	4.7	7.1	4.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.4	4.2	14.6	5.2	4.5	6.0	9.2
	Non-Hisp. White Women	12.5	7.3	17.8	8.4	7.6	9.3	17.8
	Non-Hisp. Black Men				6.0	3.5	8.6	
	Non-Hisp. Black Women	5.8	0.0	12.1	9.1	7.0	11.2	
	Hispanic Men	8.5	0.0	17.3	4.4	2.8	5.9	
	Hispanic Women	9.6	2.1	17.2	7.3	5.5	9.1	7.8
AGE GROUP	18-44	11.4	6.4	16.3	6.6	5.8	7.4	7.1
	45-64	9.6	5.1	14.1	7.6	6.6	8.5	14.6
	65 & Older	7.3	3.0	11.7	5.9	5.0	6.7	13.1
EDUCATION LEVEL	<High School	14.7	6.0	23.3	8.9	6.9	10.9	13.2
	H.S. / GED	10.5	5.4	15.6	6.7	5.8	7.6	9.1
	>High School	7.7	4.5	11.0	6.3	5.7	6.9	11.6
ANNUAL INCOME	<\$25,000	9.2	3.9	14.5	9.1	7.9	10.3	13.9
	\$25,000-\$49,999	7.2	2.7	11.7	5.8	4.8	6.8	12.3
	\$50,000 or More	11.7	6.3	17.1	6.0	5.1	6.8	8.5
MARITAL STATUS	Married/Couple	10.6 *	6.8	14.4	6.0	5.4	6.7	10.6
	Not Married/Couple	8.7	4.7	12.6	7.6	6.8	8.4	11.6

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who have ever had asthma

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	15.4 *	12.2	18.7	11.0	10.4	11.7	15.6
SEX	Men	14.5	9.6	19.3	9.8	8.8	10.8	12.6
	Women	16.2	11.8	20.7	12.2	11.3	13.1	18.4
RACE/ETHNICITY	Non-Hisp. White	17.8 *	13.4	22.2	10.7	10.0	11.4	17.6
	Non-Hisp. Black	8.9	2.3	15.4	11.7	9.6	13.8	12.8
	Hispanic	13.3	6.6	19.9	11.8	10.0	13.5	9.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.7 *	11.2	24.3	9.1	8.1	10.1	13.1
	Non-Hisp. White Women	17.8	12.0	23.7	12.1	11.1	13.1	21.8
	Non-Hisp. Black Men				10.2	6.9	13.5	
	Non-Hisp. Black Women	11.5	1.7	21.2	13.0	10.3	15.7	
	Hispanic Men	9.5	0.6	18.4	11.2	8.6	13.8	
	Hispanic Women	16.3	6.7	25.9	12.4	10.1	14.7	10.2
AGE GROUP	18-44	20.7 *	14.5	26.8	12.3	11.1	13.5	12.3
	45-64	14.4	9.2	19.7	11.0	9.9	12.1	19.7
	65 & Older	9.3	4.5	14.1	9.0	7.9	10.0	16.3
EDUCATION LEVEL	<High School	19.7	10.4	29.1	14.2	11.6	16.8	17.8
	H.S. / GED	17.3	11.0	23.5	10.4	9.3	11.6	13.5
	>High School	13.2	9.1	17.2	10.6	9.8	11.3	16.6
ANNUAL INCOME	<\$25,000	15.9	9.4	22.3	13.6	12.1	15.0	20.2
	\$25,000-\$49,999	13.6	7.6	19.6	10.7	9.2	12.3	15.5
	\$50,000 or More	14.9	9.0	20.8	10.3	9.2	11.5	11.7
MARITAL STATUS	Married/Couple	15.9 *	11.4	20.3	9.6	8.7	10.5	13.5
	Not Married/Couple	15.2	10.3	20.1	12.7	11.6	13.7	18.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Prevalence

Percentage of adults who have been told they have had skin cancer

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	7.5	5.3	9.7	9.1	8.6	9.6	9.3
SEX	Men	7.4	4.0	10.8	9.9	9.1	10.7	9.0
	Women	7.6	4.7	10.4	8.4	7.7	9.0	9.6
RACE/ETHNICITY	Non-Hisp. White	11.1	7.8	14.4	14.4	13.6	15.2	13.6
	Non-Hisp. Black	0.0			0.8	0.0	1.7	0.0
	Hispanic	1.0	0.0	2.9	2.3	1.6	3.0	1.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.6	5.7	15.6	15.8	14.5	17.1	12.8
	Non-Hisp. White Women	11.5	7.1	15.9	13.1	12.1	14.1	14.3
	Non-Hisp. Black Men				1.6	0.0	3.4	
	Non-Hisp. Black Women	0.0			0.2	0.0	0.4	
	Hispanic Men	2.2	0.0	6.5	1.8	1.0	2.6	
	Hispanic Women	0.0			2.9	1.7	4.0	1.1
AGE GROUP	18-44	0.9	0.0	2.2	1.7	1.2	2.1	0.6
	45-64	6.1	2.4	9.8	8.2	7.4	9.1	6.9
	65 & Older	18.7	12.7	24.8	22.7	21.2	24.1	26.8
EDUCATION LEVEL	<High School	3.4	0.0	7.3	6.4	4.6	8.1	12.8
	H.S. / GED	8.8	4.2	13.4	7.8	6.9	8.7	6.4
	>High School	8.1	5.2	11.1	10.6	9.9	11.3	10.5
ANNUAL INCOME	<\$25,000	6.6	2.9	10.3	6.4	5.6	7.2	7.1
	\$25,000-\$49,999	9.8	4.4	15.2	9.9	8.7	11.1	12.8
	\$50,000 or More	7.0	3.3	10.7	11.2	10.2	12.2	7.7
MARITAL STATUS	Married/Couple	8.9	5.5	12.3	10.8	10.0	11.6	10.9
	Not Married/Couple	5.9	3.4	8.4	7.2	6.5	7.8	7.0

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Prevalence

Percentage of adults who have had any other type of cancer except skin cancer

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	7.7	5.5	10.0	7.5	7.0	8.0	7.7
SEX	Men	7.8	4.5	11.1	6.8	6.1	7.6	7.3
	Women	7.7	4.6	10.7	8.1	7.4	8.9	8.0
RACE/ETHNICITY	Non-Hisp. White	9.5	6.5	12.6	9.5	8.9	10.2	10.0
	Non-Hisp. Black	3.1	0.0	7.7	4.7	3.0	6.4	3.1
	Hispanic	3.3	0.1	6.6	4.6	3.5	5.7	3.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.5	5.7	15.3	8.7	7.8	9.7	10.4
	Non-Hisp. White Women	8.7	4.7	12.7	10.3	9.4	11.2	9.6
	Non-Hisp. Black Men				4.7	2.5	6.9	
	Non-Hisp. Black Women	3.6	0.0	10.4	4.7	2.2	7.1	
	Hispanic Men	2.2	0.0	6.5	3.5	2.1	4.9	
	Hispanic Women	4.2	0.0	9.0	5.7	4.1	7.3	5.1
AGE GROUP	18-44	0.9	0.0	2.2	2.0	1.5	2.4	1.5
	45-64	8.0	4.1	11.9	6.8	5.9	7.8	6.4
	65 & Older	17.3	11.1	23.4	17.6	16.1	19.0	19.9
EDUCATION LEVEL	<High School	9.6	3.1	16.1	8.6	6.3	10.9	4.9
	H.S. / GED	8.1	4.0	12.2	7.4	6.5	8.4	7.4
	>High School	7.0	4.1	9.9	7.3	6.8	7.9	9.5
ANNUAL INCOME	<\$25,000	6.6	2.6	10.6	8.3	7.0	9.6	7.9
	\$25,000-\$49,999	7.4	3.1	11.6	7.2	6.1	8.4	8.6
	\$50,000 or More	8.3	4.1	12.6	6.5	5.8	7.3	6.0
MARITAL STATUS	Married/Couple	9.3	6.0	12.6	7.9	7.1	8.7	6.2
	Not Married/Couple	5.9	2.9	8.9	7.1	6.4	7.9	10.0

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had angina or coronary heart disease

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	4.2	2.5	6.0	4.7	4.3	5.2	7.5
SEX	Men	7.4	4.0	10.9	5.7	5.0	6.3	11.1
	Women	1.6 *	0.3	3.0	3.9	3.3	4.4	4.2
RACE/ETHNICITY	Non-Hisp. White	4.5	2.3	6.7	5.9	5.4	6.4	7.7
	Non-Hisp. Black	0.6 *	0.0	1.8	3.2	1.9	4.5	16.4
	Hispanic	4.2	0.2	8.2	2.8	2.0	3.7	1.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.7	4.1	13.4	7.4	6.6	8.2	10.3
	Non-Hisp. White Women	1.0 * ^	0.0	1.9	4.4	3.8	5.1	5.3
	Non-Hisp. Black Men				3.7	1.5	5.9	
	Non-Hisp. Black Women	1.0	0.0	2.9	2.8	1.2	4.3	
	Hispanic Men	7.2	0.0	15.0	2.4	1.5	3.3	
	Hispanic Women	1.8	0.0	5.3	3.3	1.9	4.6	0.0
AGE GROUP	18-44	0.0			1.0	0.6	1.3	2.8
	45-64	3.3	0.9	5.6	4.7	3.9	5.5	9.5
	65 & Older	11.7	6.2	17.2	11.1	9.9	12.3	13.3
EDUCATION LEVEL	<High School	8.4	2.0	14.9	7.0	5.1	9.0	10.2
	H.S. / GED	1.8	0.0	3.6	4.2	3.5	4.9	3.8
	>High School	4.2	1.9	6.6	4.5	4.0	5.0	10.2
ANNUAL INCOME	<\$25,000	5.6	2.0	9.2	6.9	5.8	8.1	11.8
	\$25,000-\$49,999	5.5	1.5	9.5	4.8	4.0	5.6	9.8
	\$50,000 or More	1.9	0.0	4.0	3.3	2.7	3.9	2.1
MARITAL STATUS	Married/Couple	5.4	2.7	8.2	5.1	4.4	5.7	5.4
	Not Married/Couple	2.8	0.9	4.7	4.4	3.9	5.0	10.6

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a heart attack

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	6.5	4.2	8.7	5.2	4.7	5.6	6.7
SEX	Men	10.4	6.4	14.4	7.1	6.4	7.9	8.8
	Women	3.2	0.9	5.6	3.3	2.8	3.8	4.7
RACE/ETHNICITY	Non-Hisp. White	7.5	4.4	10.5	6.4	5.8	6.9	9.2
	Non-Hisp. Black	4.0	0.0	8.9	5.0	3.3	6.8	2.6
	Hispanic	5.2	0.9	9.4	2.8	2.1	3.6	1.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.0	7.4	18.6	8.8	7.8	9.7	12.9
	Non-Hisp. White Women	2.8	0.0	5.7	4.1	3.4	4.8	5.8
	Non-Hisp. Black Men				6.1	3.4	8.7	
	Non-Hisp. Black Women	5.0	0.0	12.4	4.1	1.9	6.4	
	Hispanic Men	6.8	0.0	13.7	4.5	3.0	5.9	
	Hispanic Women	3.9	0.0	9.2	1.3	0.8	1.7	1.4
AGE GROUP	18-44	2.4	0.0	5.2	1.3	0.9	1.7	0.0
	45-64	4.7	1.5	8.0	4.9	4.2	5.7	10.3
	65 & Older	14.5	8.6	20.5	11.9	10.7	13.2	14.0
EDUCATION LEVEL	<High School	17.0	8.2	25.8	8.6	6.6	10.6	8.1
	H.S. / GED	4.8	1.0	8.6	4.8	4.1	5.5	6.6
	>High School	4.0	1.8	6.2	4.5	4.0	5.1	6.1
ANNUAL INCOME	<\$25,000	8.5	3.6	13.5	7.5	6.4	8.6	10.0
	\$25,000-\$49,999	5.7	2.0	9.4	5.3	4.4	6.3	9.1
	\$50,000 or More	3.4	0.5	6.3	3.4	2.8	4.1	1.4
MARITAL STATUS	Married/Couple	7.1	3.9	10.3	5.0	4.4	5.6	5.2
	Not Married/Couple	5.2	2.3	8.2	5.4	4.8	6.1	8.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	5.8	3.7	7.8	3.5	3.2	3.8	4.2
SEX	Men	6.2	3.0	9.3	3.7	3.2	4.2	5.5
	Women	5.4	2.8	8.1	3.3	2.9	3.8	2.9
RACE/ETHNICITY	Non-Hisp. White	5.9	3.4	8.4	4.2	3.7	4.6	3.7
	Non-Hisp. Black	7.0	0.1	13.9	3.9	2.7	5.0	11.2
	Hispanic	4.9	0.6	9.2	1.8	1.2	2.4	1.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.0	2.9	11.1	4.5	3.9	5.2	3.9
	Non-Hisp. White Women	4.9	1.9	8.0	3.8	3.2	4.4	3.5
	Non-Hisp. Black Men				3.6	1.9	5.3	
	Non-Hisp. Black Women	11.4	0.5	22.4	4.1	2.6	5.6	
	Hispanic Men	6.1	0.0	13.2	2.1	1.1	3.0	
	Hispanic Women	3.9	0.0	9.2	1.6	0.8	2.3	0.0
AGE GROUP	18-44	3.4	0.6	6.1	0.9	0.6	1.3	0.0
	45-64	4.0	1.3	6.6	3.8	3.2	4.4	10.1
	65 & Older	11.6	6.2	16.9	7.3	6.4	8.3	3.9
EDUCATION LEVEL	<High School	9.6	3.0	16.2	4.5	3.5	5.6	13.2
	H.S. / GED	6.4	2.7	10.1	4.1	3.4	4.8	1.6
	>High School	4.2	1.8	6.6	3.0	2.6	3.4	2.0
ANNUAL INCOME	<\$25,000	7.8	3.4	12.3	5.5	4.7	6.3	5.4
	\$25,000-\$49,999	7.3	3.0	11.6	3.5	2.8	4.1	6.0
	\$50,000 or More	3.7	0.6	6.8	1.9	1.4	2.4	0.6
MARITAL STATUS	Married/Couple	7.0 *	3.9	10.0	3.0	2.6	3.5	2.9
	Not Married/Couple	3.8	1.5	6.1	4.1	3.5	4.6	6.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease, or stroke

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	11.8	8.9	14.7	9.8	9.2	10.4	12.1
SEX	Men	15.7	10.9	20.5	11.8	10.9	12.8	16.0
	Women	8.6	5.2	12.1	7.9	7.2	8.7	8.5
RACE/ETHNICITY	Non-Hisp. White	12.9	9.2	16.6	11.7	11.0	12.4	13.3
	Non-Hisp. Black	10.9	2.6	19.1	8.9	6.9	10.9	22.1
	Hispanic	8.4	3.0	13.9	6.1	5.0	7.3	1.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	19.0	12.5	25.5	14.4	13.3	15.6	16.4
	Non-Hisp. White Women	7.8	3.7	11.9	9.2	8.3	10.1	10.5
	Non-Hisp. Black Men				9.5	6.5	12.6	
	Non-Hisp. Black Women	16.3	3.6	29.1	8.4	5.8	11.1	
	Hispanic Men	12.0	2.5	21.6	7.2	5.4	8.9	
	Hispanic Women	5.7	0.0	11.9	5.2	3.6	6.7	1.4
AGE GROUP	18-44	4.6	1.0	8.1	2.5	2.0	3.1	2.8
	45-64	9.2	4.9	13.5	9.9	8.8	10.9	18.3
	65 & Older	25.5	18.3	32.8	22.0	20.4	23.5	20.8
EDUCATION LEVEL	<High School	21.4	11.8	31.1	14.3	11.8	16.7	18.1
	H.S. / GED	10.6	5.6	15.7	9.5	8.4	10.5	8.2
	>High School	9.4	6.0	12.8	9.0	8.3	9.7	13.3
ANNUAL INCOME	<\$25,000	15.3	9.2	21.3	14.4	12.9	15.9	17.7
	\$25,000-\$49,999	13.7	7.9	19.5	9.9	8.7	11.1	15.4
	\$50,000 or More	6.0	2.2	9.9	6.3	5.5	7.2	3.1
MARITAL STATUS	Married/Couple	13.4	9.2	17.5	9.6	8.7	10.4	9.3
	Not Married/Couple	9.5	5.7	13.4	10.2	9.3	11.1	16.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

COPD

Percentage of adults who have chronic obstructive pulmonary disease, emphysema or chronic bronchitis

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	8.0	5.6	10.5	7.1	6.6	7.6	10.4
SEX	Men	7.3	3.5	11.1	6.3	5.7	7.0	7.9
	Women	8.6	5.3	11.8	7.8	7.1	8.6	12.8
RACE/ETHNICITY	Non-Hisp. White	9.0	5.7	12.3	8.6	8.0	9.3	13.8
	Non-Hisp. Black	4.2	0.0	9.1	4.8	3.5	6.0	3.8
	Hispanic	7.0	1.9	12.2	5.0	3.8	6.1	2.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.9	2.9	12.8	8.0	7.1	8.9	10.8
	Non-Hisp. White Women	9.9	5.6	14.3	9.3	8.4	10.1	16.7
	Non-Hisp. Black Men				4.6	2.8	6.4	
	Non-Hisp. Black Women	6.0	0.0	13.5	4.9	3.1	6.7	
	Hispanic Men	7.4	0.0	15.4	3.4	2.2	4.6	
	Hispanic Women	6.7	0.1	13.3	6.4	4.5	8.4	4.0
AGE GROUP	18-44	4.1	0.8	7.4	3.4	2.8	4.1	2.5
	45-64	12.6	7.7	17.5	8.2	7.3	9.2	16.4
	65 & Older	7.3	3.0	11.7	11.9	10.7	13.0	16.5
EDUCATION LEVEL	<High School	16.2	7.5	24.9	10.6	8.5	12.6	16.4
	H.S. / GED	9.0	4.3	13.7	7.5	6.6	8.4	8.4
	>High School	4.9	2.4	7.5	6.1	5.6	6.7	9.2
ANNUAL INCOME	<\$25,000	11.0	6.0	16.0	11.2	9.9	12.5	13.8
	\$25,000-\$49,999	7.3	2.6	12.1	7.4	6.3	8.4	13.2
	\$50,000 or More	4.1	0.9	7.4	4.0	3.3	4.7	4.4
MARITAL STATUS	Married/Couple	7.4	4.2	10.5	6.2	5.5	6.9	7.7
	Not Married/Couple	9.0	5.0	13.0	8.2	7.5	9.0	14.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Depression

Percentage of adults who have a depressive disorder

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	15.0	11.7	18.3	14.2	13.5	15.0	17.8
SEX	Men	11.2	7.0	15.5	10.4	9.5	11.4	10.5
	Women	18.1	13.3	22.9	17.8	16.6	18.9	24.6
RACE/ETHNICITY	Non-Hisp. White	17.0	12.6	21.4	16.6	15.6	17.5	20.8
	Non-Hisp. Black	10.9	2.8	18.9	9.8	7.6	11.9	10.4
	Hispanic	11.0	5.1	17.0	12.1	10.4	13.7	11.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.5	6.2	16.9	12.2	11.0	13.5	13.3
	Non-Hisp. White Women	21.6	15.1	28.2	20.6	19.2	22.0	27.9
	Non-Hisp. Black Men				7.5	4.7	10.2	
	Non-Hisp. Black Women	15.8	3.6	28.0	11.8	8.5	15.0	
	Hispanic Men	11.7	2.4	20.9	8.1	6.2	10.1	
	Hispanic Women	10.5	2.8	18.3	15.9	13.2	18.5	20.0
AGE GROUP	18-44	11.1	6.2	15.9	13.3	12.1	14.5	8.8
	45-64	22.2	15.9	28.5	17.3	15.9	18.7	29.2
	65 & Older	10.8	5.5	16.0	11.8	10.5	13.0	19.1
EDUCATION LEVEL	<High School	16.6	8.0	25.1	19.3	16.4	22.1	23.1
	H.S. / GED	15.7	9.5	21.8	14.7	13.3	16.1	15.8
	>High School	13.8	9.6	18.1	12.9	12.0	13.8	16.5
ANNUAL INCOME	<\$25,000	18.9	12.0	25.8	20.6	18.9	22.2	27.5
	\$25,000-\$49,999	10.6	5.5	15.7	14.9	13.2	16.7	17.2
	\$50,000 or More	13.0	7.1	18.8	9.9	8.8	11.0	7.9
MARITAL STATUS	Married/Couple	11.4	7.6	15.3	12.0	11.0	13.0	14.4
	Not Married/Couple	19.8	14.3	25.4	17.0	15.8	18.1	22.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diagnosed diabetes

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	14.7	11.5	17.9	11.8	11.1	12.4	16.1
SEX	Men	17.4	12.4	22.5	12.5	11.5	13.5	15.3
	Women	12.5	8.4	16.6	11.0	10.2	11.9	16.8
RACE/ETHNICITY	Non-Hisp. White	16.4	12.2	20.6	11.5	10.8	12.2	18.8
	Non-Hisp. Black	9.3	1.7	16.9	14.5	12.3	16.8	12.4
	Hispanic	13.4	6.7	20.1	10.9	9.3	12.6	8.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.3	11.8	24.7	13.1	12.0	14.2	16.9
	Non-Hisp. White Women	14.8	9.3	20.4	10.0	9.1	10.9	20.5
	Non-Hisp. Black Men				15.1	11.6	18.7	
	Non-Hisp. Black Women	7.1	0.0	15.1	14.0	11.1	16.9	
	Hispanic Men	19.4	8.0	30.8	9.9	7.6	12.2	
	Hispanic Women	8.5	1.0	16.0	11.9	9.5	14.3	11.0
AGE GROUP	18-44	2.4	0.3	4.6	3.4	2.7	4.1	3.0
	45-64	16.9	11.2	22.6	13.4	12.2	14.6	23.2
	65 & Older	29.1	21.3	36.9	23.5	21.8	25.1	29.9
EDUCATION LEVEL	<High School	18.6	10.0	27.2	18.6	15.9	21.3	16.2
	H.S. / GED	13.1	7.7	18.6	12.6	11.3	13.8	16.9
	>High School	14.6	10.1	19.0	9.7	8.9	10.4	15.2
ANNUAL INCOME	<\$25,000	18.3	11.6	25.1	16.6	15.1	18.2	15.0
	\$25,000-\$49,999	13.8	7.5	20.1	11.9	10.5	13.4	24.8
	\$50,000 or More	8.4	4.1	12.7	8.0	7.0	8.9	9.7
MARITAL STATUS	Married/Couple	14.2	10.0	18.4	11.4	10.5	12.3	17.9
	Not Married/Couple	15.2	10.3	20.1	12.0	11.0	13.0	13.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with pre-diabetes

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	10.0	7.3	12.7	9.4	8.7	10.0	9.3
SEX	Men	7.1	3.7	10.4	8.9	8.0	9.9	7.3
	Women	12.4	8.3	16.6	9.7	8.8	10.7	11.2
RACE/ETHNICITY	Non-Hisp. White	10.7	7.2	14.3	9.4	8.7	10.1	8.7
	Non-Hisp. Black	15.7	6.2	25.2	11.8	9.4	14.2	18.9
	Hispanic	5.3	0.9	9.8	7.2	5.8	8.5	5.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.9	4.3	13.5	9.1	8.1	10.1	6.6
	Non-Hisp. White Women	12.3	6.9	17.6	9.6	8.6	10.6	10.6
	Non-Hisp. Black Men				10.9	7.6	14.2	
	Non-Hisp. Black Women	24.4	9.8	39.1	12.6	9.2	16.1	
	Hispanic Men	2.5	0.0	7.4	6.4	4.5	8.3	
	Hispanic Women	7.5	0.6	14.5	7.8	5.9	9.8	9.9
AGE GROUP	18-44	8.1	3.9	12.3	6.2	5.2	7.3	7.1
	45-64	12.2	7.1	17.2	11.5	10.2	12.7	12.0
	65 & Older	9.6	5.0	14.2	11.5	10.3	12.7	9.8
EDUCATION LEVEL	<High School	12.8	5.1	20.5	8.8	6.5	11.1	8.4
	H.S. / GED	8.2	3.9	12.6	9.7	8.5	10.9	10.7
	>High School	10.2	6.4	14.0	9.4	8.5	10.2	8.3
ANNUAL INCOME	<\$25,000	11.2	5.7	16.8	9.9	8.5	11.2	9.2
	\$25,000-\$49,999	9.0	3.6	14.4	9.5	8.2	10.9	12.7
	\$50,000 or More	10.0	5.2	14.7	8.9	7.8	10.0	6.5
MARITAL STATUS	Married/Couple	9.6	6.1	13.1	10.0	9.1	11.0	7.0
	Not Married/Couple	10.7	6.3	15.2	8.6	7.6	9.5	12.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	48.5	45.6	51.5	48.2	47.1	49.4	51.3
SEX	Men	48.9	44.7	53.2	48.3	46.9	49.8	54.5
	Women	48.0	43.5	52.6	48.1	46.4	49.9	48.6
RACE/ETHNICITY	Non-Hisp. White	50.1	46.9	53.3	50.7	49.6	51.8	50.5
	Non-Hisp. Black				42.5	39.0	46.1	
	Hispanic				46.7	44.3	49.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	51.7	47.3	56.2	50.2	48.7	51.7	51.3
	Non-Hisp. White Women				51.4	49.6	53.1	49.9
	Non-Hisp. Black Men				44.2	40.1	48.3	
	Non-Hisp. Black Women				40.7	34.9	46.4	
	Hispanic Men				45.3	41.1	49.6	
	Hispanic Women				47.7	45.1	50.4	
AGE GROUP	18-44				25.0	22.5	27.5	
	45-64	46.1	43.0	49.2	44.6	43.4	45.8	47.7
	65 & Older	53.9	50.1	57.7	56.9	55.7	58.1	59.4
EDUCATION LEVEL	<High School				49.2	46.6	51.8	
	H.S. / GED				47.6	45.3	49.9	51.9
	>High School	49.6	46.3	52.9	48.4	47.0	49.7	52.9
ANNUAL INCOME	<\$25,000				46.9	45.1	48.7	47.8
	\$25,000-\$49,999				46.5	43.4	49.5	57.5
	\$50,000 or More				48.7	47.0	50.4	
MARITAL STATUS	Married/Couple	48.0	43.5	52.4	48.6	47.2	50.0	52.9
	Not Married/Couple	49.0	44.5	53.5	48.0	46.3	49.8	47.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems
(Among adults who have had at least one day of poor mental or physical health)

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	24.8	20.7	28.9	21.2	20.3	22.1	23.0
SEX	Men	26.3	20.1	32.5	20.5	19.2	21.8	19.7
	Women	23.5	18.0	29.0	21.8	20.6	23.0	26.2
RACE/ETHNICITY	Non-Hisp. White	29.3	23.9	34.8	25.4	24.3	26.5	26.0
	Non-Hisp. Black	15.6	6.1	25.0	18.1	15.2	21.1	28.0
	Hispanic	16.4	8.8	24.0	13.9	12.0	15.8	8.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.1	22.0	38.2	24.6	23.0	26.1	21.5
	Non-Hisp. White Women	28.7	21.2	36.2	26.1	24.6	27.6	30.1
	Non-Hisp. Black Men				18.7	14.2	23.2	
	Non-Hisp. Black Women	13.6	1.7	25.5	17.7	13.7	21.6	
	Hispanic Men	19.3	7.0	31.6	12.9	10.2	15.7	
	Hispanic Women	14.1	4.8	23.4	14.9	12.3	17.5	12.0
AGE GROUP	18-44	16.0	10.2	21.9	13.2	11.9	14.5	8.1
	45-64	33.1	25.8	40.5	26.4	24.7	28.0	33.0
	65 & Older	25.9	17.4	34.3	27.1	25.4	28.9	35.1
EDUCATION LEVEL	<High School	29.0	18.3	39.7	28.3	25.0	31.7	35.3
	H.S. / GED	24.2	16.8	31.6	21.2	19.6	22.8	20.8
	>High School	23.0	17.4	28.6	19.4	18.4	20.5	18.6
ANNUAL INCOME	<\$25,000	30.0	21.7	38.4	29.7	27.8	31.6	29.0
	\$25,000-\$49,999	25.2	17.3	33.1	21.2	19.3	23.2	24.2
	\$50,000 or More	17.7	10.9	24.4	14.7	13.4	16.1	7.9
MARITAL STATUS	Married/Couple	23.4	18.1	28.7	18.8	17.7	20.0	19.6
	Not Married/Couple	27.0	20.5	33.6	23.9	22.6	25.3	28.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who use special equipment because of a health problem

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	11.5	8.5	14.5	9.9	9.2	10.5	9.7
SEX	Men	9.6	5.7	13.5	9.3	8.4	10.2	8.3
	Women	13.1	8.7	17.5	10.3	9.5	11.2	11.0
RACE/ETHNICITY	Non-Hisp. White	13.4	9.3	17.5	11.6	10.8	12.3	11.0
	Non-Hisp. Black	7.7	0.5	14.9	9.9	7.8	12.0	11.1
	Hispanic	7.5	2.2	12.8	6.5	5.2	7.9	3.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.5	6.3	16.8	11.0	9.9	12.0	9.2
	Non-Hisp. White Women	14.9	8.9	20.8	12.1	11.0	13.1	12.6
	Non-Hisp. Black Men				10.6	7.2	14.1	
	Non-Hisp. Black Women	8.8	0.0	18.2	9.3	6.8	11.8	
	Hispanic Men	5.3	0.0	12.5	5.3	3.4	7.2	
	Hispanic Women	9.2	1.6	16.9	7.7	5.7	9.7	6.3
AGE GROUP	18-44	3.6	0.8	6.4	2.9	2.4	3.5	2.2
	45-64	15.0	9.5	20.6	10.9	9.8	12.0	10.0
	65 & Older	18.4	11.0	25.9	19.7	18.1	21.3	21.8
EDUCATION LEVEL	<High School	10.0	3.4	16.7	14.5	12.0	17.0	10.1
	H.S. / GED	10.1	5.2	15.1	10.7	9.5	11.9	10.9
	>High School	12.4	8.0	16.9	8.2	7.5	8.8	8.2
ANNUAL INCOME	<\$25,000	15.9	9.6	22.3	15.7	14.2	17.1	13.7
	\$25,000-\$49,999	12.1	5.5	18.7	9.5	8.1	10.9	10.6
	\$50,000 or More	5.3	1.6	9.0	4.6	3.9	5.3	2.3
MARITAL STATUS	Married/Couple	8.5	5.2	11.9	8.2	7.4	9.0	8.5
	Not Married/Couple	15.5	10.1	20.8	11.7	10.8	12.7	11.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Kidney Disease

Percentage of adults who have kidney disease

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.3	2.5	6.0	3.2	2.8	3.5	4.9
SEX	Men	6.5	3.2	9.7	2.9	2.4	3.3	6.8
	Women	2.5	0.7	4.2	3.5	3.0	4.0	3.1
RACE/ETHNICITY	Non-Hisp. White	4.2	2.0	6.4	3.8	3.3	4.3	4.8
	Non-Hisp. Black	2.2	0.0	6.4	2.0	1.3	2.7	6.6
	Hispanic	5.6	1.1	10.1	2.6	1.8	3.3	5.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.9	2.6	11.2	3.5	2.9	4.2	5.4
	Non-Hisp. White Women	1.9	0.2	3.6	4.1	3.4	4.8	4.3
	Non-Hisp. Black Men				2.9	1.5	4.3	
	Non-Hisp. Black Women	3.6	0.0	10.4	1.2	0.8	1.7	
	Hispanic Men	7.7	0.1	15.4	1.5	0.8	2.2	
	Hispanic Women	3.9	0.0	9.2	3.5	2.3	4.7	0.0
AGE GROUP	18-44	2.0	0.0	4.1	1.4	1.0	1.7	2.8
	45-64	4.8	1.7	7.9	3.1	2.5	3.7	3.4
	65 & Older	6.7	2.4	11.1	6.3	5.4	7.2	10.6
EDUCATION LEVEL	<High School	7.2	1.5	13.0	4.8	3.5	6.2	7.6
	H.S. / GED	3.2	0.4	6.0	2.9	2.3	3.6	3.6
	>High School	4.0	1.6	6.3	2.9	2.5	3.3	4.8
ANNUAL INCOME	<\$25,000	5.0	1.5	8.6	4.4	3.7	5.2	6.0
	\$25,000-\$49,999	2.1	0.0	4.3	2.9	2.2	3.6	5.5
	\$50,000 or More	4.4	0.8	7.9	2.1	1.6	2.6	0.6
MARITAL STATUS	Married/Couple	4.5	2.0	7.0	3.1	2.6	3.6	4.9
	Not Married/Couple	4.0	1.4	6.6	3.3	2.8	3.9	4.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	69.6 *	65.2	74.1	63.2	62.1	64.3	71.5
SEX	Men	76.1	70.1	82.1	69.7	68.2	71.2	71.4
	Women	63.8	57.5	70.2	56.7	55.1	58.3	71.6
RACE/ETHNICITY	Non-Hisp. White	68.2	62.6	73.7	61.9	60.7	63.2	72.8
	Non-Hisp. Black	69.8	56.8	82.7	66.7	63.1	70.3	57.6
	Hispanic	77.7	68.9	86.6	67.7	65.0	70.3	76.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	78.8	71.6	85.9	70.5	68.8	72.2	74.7
	Non-Hisp. White Women	58.5	50.4	66.5	53.1	51.4	54.9	70.8
	Non-Hisp. Black Men				68.2	62.9	73.4	
	Non-Hisp. Black Women	68.8	52.2	85.4	65.2	60.3	70.2	
	Hispanic Men	75.1	61.7	88.5	71.2	67.4	74.9	
	Hispanic Women	80.0 *	68.4	91.7	64.1	60.3	68.0	76.8
AGE GROUP	18-44	63.0	55.4	70.6	56.9	54.9	58.8	69.7
	45-64	73.4	66.2	80.6	69.3	67.5	71.1	71.0
	65 & Older	73.7	65.6	81.8	65.5	63.7	67.4	75.7
EDUCATION LEVEL	<High School	72.6	61.8	83.4	67.2	63.5	70.9	73.6
	H.S. / GED	70.8	62.9	78.7	64.1	62.0	66.2	73.1
	>High School	67.7	61.6	73.9	61.9	60.6	63.3	68.5
ANNUAL INCOME	<\$25,000	72.9	64.8	81.0	63.8	61.6	66.0	69.2
	\$25,000-\$49,999	71.1	62.8	79.4	64.2	61.9	66.5	77.0
	\$50,000 or More	67.7	59.4	75.9	64.9	63.1	66.7	76.4
MARITAL STATUS	Married/Couple	71.5	65.6	77.4	67.1	65.7	68.6	76.6
	Not Married/Couple	67.3 *	60.7	73.9	58.8	57.1	60.4	64.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who have a healthy weight (BMI from 18.5 to 24.9)

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	28.4 *	24.1	32.8	34.5	33.4	35.6	27.5
SEX	Men	22.8	16.9	28.7	28.8	27.3	30.4	28.2
	Women	33.5	27.3	39.7	40.1	38.6	41.7	26.7
RACE/ETHNICITY	Non-Hisp. White	29.8	24.3	35.3	36.0	34.7	37.2	25.8
	Non-Hisp. Black	30.2	17.3	43.2	31.1	27.5	34.6	42.4
	Hispanic	19.3	11.0	27.7	29.8	27.2	32.4	23.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.4	13.4	27.4	28.4	26.7	30.0	24.9
	Non-Hisp. White Women	38.4	30.4	46.4	43.8	42.0	45.5	26.8
	Non-Hisp. Black Men				30.4	25.2	35.6	
	Non-Hisp. Black Women	31.2	14.6	47.8	31.7	26.8	36.6	
	Hispanic Men	22.0	9.3	34.7	26.5	22.9	30.1	
	Hispanic Women	16.9 *	6.0	27.9	33.2	29.4	37.0	23.2
AGE GROUP	18-44	34.7	27.2	42.2	40.1	38.1	42.0	30.3
	45-64	25.9	18.7	33.0	29.1	27.3	30.9	26.7
	65 & Older	23.1	15.3	30.9	32.4	30.6	34.2	23.2
EDUCATION LEVEL	<High School	24.1	13.8	34.3	29.8	26.2	33.4	24.3
	H.S. / GED	27.4	19.7	35.1	33.4	31.3	35.4	26.3
	>High School	30.6	24.6	36.7	36.0	34.7	37.4	30.5
ANNUAL INCOME	<\$25,000	26.2	18.2	34.1	33.4	31.2	35.5	28.6
	\$25,000-\$49,999	27.5	19.2	35.7	34.1	31.7	36.4	22.3
	\$50,000 or More	31.5	23.3	39.7	33.8	32.0	35.6	23.5
MARITAL STATUS	Married/Couple	26.9	21.1	32.8	31.3	29.8	32.7	22.6
	Not Married/Couple	30.3	23.9	36.8	38.1	36.4	39.8	33.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	30.8	26.5	35.2	35.8	34.7	36.9	34.6
SEX	Men	33.2 *	26.8	39.6	41.4	39.8	43.0	36.5
	Women	28.7	22.8	34.7	30.1	28.6	31.5	32.6
RACE/ETHNICITY	Non-Hisp. White	29.6	24.4	34.8	35.3	34.1	36.5	34.8
	Non-Hisp. Black	22.7	11.1	34.3	32.7	29.3	36.1	28.5
	Hispanic	40.7	29.7	51.7	40.4	37.6	43.2	40.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.2	24.5	39.9	41.5	39.7	43.3	37.7
	Non-Hisp. White Women	27.3	20.3	34.3	28.9	27.3	30.4	31.9
	Non-Hisp. Black Men				35.4	30.4	40.3	
	Non-Hisp. Black Women	9.8 *	0.0	19.9	30.1	25.4	34.8	
	Hispanic Men	32.2	17.2	47.3	45.9	41.9	49.9	
	Hispanic Women	48.2	32.9	63.4	34.8	30.9	38.7	39.6
AGE GROUP	18-44	23.9	17.2	30.7	32.2	30.4	34.0	31.7
	45-64	31.8	24.6	39.1	37.2	35.3	39.1	30.5
	65 & Older	39.4	30.6	48.2	39.7	37.8	41.6	44.5
EDUCATION LEVEL	<High School	30.4	19.2	41.5	34.8	31.1	38.5	36.2
	H.S. / GED	31.4	23.3	39.4	34.4	32.4	36.5	35.9
	>High School	29.9	24.1	35.6	36.8	35.4	38.1	32.2
ANNUAL INCOME	<\$25,000	26.3	18.2	34.3	32.2	30.1	34.3	30.9
	\$25,000-\$49,999	35.9	27.1	44.6	36.6	34.3	38.9	43.1
	\$50,000 or More	34.0	25.9	42.1	38.7	36.9	40.6	37.2
MARITAL STATUS	Married/Couple	31.2	25.3	37.1	38.4	36.9	39.9	41.0
	Not Married/Couple	30.6	24.2	37.0	32.7	31.1	34.3	25.3

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are obese

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	38.8 *	34.1	43.5	27.4	26.4	28.5	36.9
SEX	Men	42.9 *	36.0	49.8	28.3	26.9	29.7	34.9
	Women	35.1 *	28.8	41.4	26.6	25.2	28.0	39.0
RACE/ETHNICITY	Non-Hisp. White	38.5 *	32.7	44.3	26.6	25.5	27.7	38.0
	Non-Hisp. Black	47.1	33.2	61.0	34.0	30.5	37.5	29.0
	Hispanic	37.0	26.4	47.7	27.3	24.8	29.8	36.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.6 *	38.0	55.1	28.9	27.3	30.5	37.0
	Non-Hisp. White Women	31.2	23.5	38.8	24.3	22.8	25.7	38.9
	Non-Hisp. Black Men				32.8	27.8	37.7	
	Non-Hisp. Black Women	59.0 *	41.4	76.5	35.2	30.2	40.1	
	Hispanic Men	42.9	26.8	58.9	25.3	21.9	28.7	
	Hispanic Women	31.9	18.0	45.7	29.3	25.6	33.1	37.2
AGE GROUP	18-44	39.1 *	31.3	46.9	24.7	23.0	26.3	38.0
	45-64	41.6	33.7	49.5	32.1	30.3	34.0	40.4
	65 & Older	34.3	25.6	43.0	25.8	24.2	27.5	31.2
EDUCATION LEVEL	<High School	42.3	29.9	54.6	32.4	28.7	36.1	37.4
	H.S. / GED	39.5	30.8	48.1	29.7	27.7	31.6	37.2
	>High School	37.9 *	31.6	44.1	25.2	24.0	26.4	36.3
ANNUAL INCOME	<\$25,000	46.6 *	37.3	55.8	31.6	29.5	33.7	38.3
	\$25,000-\$49,999	35.3	26.2	44.4	27.6	25.5	29.7	33.9
	\$50,000 or More	33.7	25.6	41.7	26.2	24.5	27.9	39.2
MARITAL STATUS	Married/Couple	40.3 *	33.9	46.7	28.7	27.3	30.1	35.6
	Not Married/Couple	36.7 *	29.8	43.6	26.0	24.5	27.5	39.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Vision Impairment

Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.9	5.5	10.3	5.8	5.3	6.3	6.4
SEX	Men	8.4	4.6	12.1	5.3	4.6	6.0	6.9
	Women	7.5	4.3	10.7	6.3	5.5	7.1	5.9
RACE/ETHNICITY	Non-Hisp. White	7.2	4.2	10.1	5.3	4.8	5.9	5.1
	Non-Hisp. Black	6.7	0.8	12.5	6.8	5.0	8.7	13.0
	Hispanic	9.7	3.9	15.6	6.7	5.4	8.1	5.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.8	4.0	13.7	5.3	4.5	6.1	4.8
	Non-Hisp. White Women	5.8	2.2	9.4	5.4	4.7	6.1	5.3
	Non-Hisp. Black Men				6.6	4.3	8.9	
	Non-Hisp. Black Women	10.0	0.7	19.4	7.0	4.2	9.8	
	Hispanic Men	9.4	1.2	17.6	5.1	3.5	6.8	
	Hispanic Women	10.0	1.7	18.3	8.3	6.1	10.5	4.7
AGE GROUP	18-44	5.5	2.3	8.8	3.4	2.8	4.0	3.5
	45-64	9.7	5.2	14.1	7.8	6.7	8.9	9.5
	65 & Older	8.9	3.8	14.0	7.3	6.2	8.3	7.3
EDUCATION LEVEL	<High School	10.1	3.5	16.7	12.3	9.8	14.8	11.6
	H.S. / GED	4.6	1.1	8.1	6.2	5.3	7.1	6.0
	>High School	8.2 *	4.8	11.7	4.1	3.6	4.6	4.0
ANNUAL INCOME	<\$25,000	12.4	6.8	18.0	10.4	9.0	11.7	9.2
	\$25,000-\$49,999	7.6	2.9	12.3	4.7	3.9	5.5	4.7
	\$50,000 or More	2.5	0.0	5.1	2.5	1.8	3.2	5.9
MARITAL STATUS	Married/Couple	5.5	2.7	8.2	4.9	4.2	5.7	5.1
	Not Married/Couple	11.2	6.8	15.5	6.8	6.1	7.5	8.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	12.2 *	9.2	15.2	17.5	16.7	18.4	13.7
SEX	Men	17.8	12.4	23.1	21.7	20.4	23.0	21.3
	Women	7.6 *	4.4	10.8	13.7	12.6	14.7	6.6
RACE/ETHNICITY	Non-Hisp. White	11.2 *	7.6	14.7	19.6	18.6	20.6	16.1
	Non-Hisp. Black	11.6	3.0	20.2	12.3	9.8	14.9	3.7
	Hispanic	14.5	7.0	21.9	16.1	14.1	18.0	16.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.5 *	8.5	20.6	22.9	21.4	24.5	22.7
	Non-Hisp. White Women	8.3 *	4.2	12.5	16.4	15.1	17.7	9.8
	Non-Hisp. Black Men				14.8	10.9	18.7	
	Non-Hisp. Black Women	11.2	0.2	22.3	10.1	6.7	13.5	
	Hispanic Men	27.9	14.0	41.8	22.9	19.6	26.2	
	Hispanic Women	2.7 *	0.0	6.8	9.7	7.5	12.0	0.0
AGE GROUP	18-44	17.7	11.9	23.5	23.1	21.6	24.7	20.0
	45-64	13.0	7.8	18.2	17.2	15.8	18.6	12.2
	65 & Older	3.2 *	0.2	6.1	8.7	7.8	9.7	5.4
EDUCATION LEVEL	<High School	13.3	5.2	21.4	14.7	12.0	17.5	16.4
	H.S. / GED	10.3	5.3	15.3	16.5	14.9	18.0	17.4
	>High School	13.1 *	8.8	17.4	18.8	17.7	19.9	8.3
ANNUAL INCOME	<\$25,000	10.8	5.3	16.3	15.1	13.6	16.7	9.9
	\$25,000-\$49,999	12.4	6.5	18.4	17.7	16.0	19.4	18.3
	\$50,000 or More	19.4	12.6	26.1	23.1	21.5	24.8	18.1
MARITAL STATUS	Married/Couple	9.0 *	5.5	12.6	16.6	15.5	17.7	15.5
	Not Married/Couple	16.6	11.4	21.9	18.8	17.5	20.1	11.3

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Marijuana Use

Percentage of adults who used marijuana or hashish during the past 30 days

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	6.1	3.8	8.4	7.4	6.7	8.0	
SEX	Men	8.5	4.5	12.5	9.9	8.8	10.9	
	Women	4.1	1.7	6.6	5.0	4.3	5.8	
RACE/ETHNICITY	Non-Hisp. White	7.0	3.9	10.1	8.3	7.4	9.1	
	Non-Hisp. Black	8.4	0.8	16.1	7.7	5.7	9.8	
	Hispanic	1.6	0.0	4.2	5.0	3.7	6.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.5	4.9	16.1	11.2	9.9	12.6	
	Non-Hisp. White Women	4.1	1.1	7.2	5.5	4.5	6.5	
	Non-Hisp. Black Men				10.5	6.8	14.2	
	Non-Hisp. Black Women	12.4	0.3	24.4	5.3	3.3	7.3	
	Hispanic Men	3.4	0.0	8.8	6.7	4.6	8.7	
	Hispanic Women	0.0			3.3	1.9	4.8	
AGE GROUP	18-44	9.8	5.2	14.4	11.7	10.4	13.0	
	45-64	3.4	0.6	6.3	6.4	5.4	7.4	
	65 & Older	4.4	0.7	8.1	1.8	1.3	2.3	
EDUCATION LEVEL	<High School	6.1	0.6	11.6	7.5	5.6	9.4	
	H.S. / GED	6.8	2.3	11.2	8.2	7.0	9.4	
	>High School	5.8	2.8	8.9	6.9	6.1	7.7	
ANNUAL INCOME	<\$25,000	8.4	3.4	13.5	8.8	7.5	10.0	
	\$25,000-\$49,999	5.8	1.5	10.1	7.4	6.1	8.7	
	\$50,000 or More	5.8	1.6	10.0	7.7	6.4	8.9	
MARITAL STATUS	Married/Couple	3.1	1.0	5.3	5.4	4.7	6.2	
	Not Married/Couple	10.1	5.7	14.5	9.6	8.5	10.7	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	16.0	12.6	19.3	15.5	14.7	16.2	14.3
SEX	Men	17.9	12.5	23.2	17.8	16.6	19.0	15.5
	Women	14.4	10.3	18.5	13.3	12.3	14.3	13.2
RACE/ETHNICITY	Non-Hisp. White	17.4	13.1	21.7	17.8	16.9	18.8	16.6
	Non-Hisp. Black	19.3	8.1	30.5	12.4	10.3	14.4	14.7
	Hispanic	7.0	2.1	12.0	11.7	10.0	13.4	7.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.2	10.6	23.7	18.8	17.3	20.3	16.7
	Non-Hisp. White Women	17.6	11.9	23.3	16.9	15.6	18.3	16.5
	Non-Hisp. Black Men				17.2	13.6	20.8	
	Non-Hisp. Black Women	11.4	0.9	21.8	8.2	6.1	10.3	
	Hispanic Men	8.3	0.0	16.7	16.0	13.0	18.9	
	Hispanic Women	6.0	0.1	11.9	7.8	5.9	9.7	0.3
AGE GROUP	18-44	16.2	10.8	21.6	17.0	15.7	18.3	12.8
	45-64	20.7	14.5	26.9	19.0	17.5	20.4	22.1
	65 & Older	8.8	4.0	13.6	8.4	7.3	9.5	7.2
EDUCATION LEVEL	<High School	20.0	10.9	29.0	25.5	22.5	28.6	26.9
	H.S. / GED	20.6	14.0	27.2	18.7	17.2	20.2	12.3
	>High School	12.3	8.1	16.4	11.5	10.6	12.3	9.4
ANNUAL INCOME	<\$25,000	18.1	11.5	24.7	23.5	21.7	25.2	20.3
	\$25,000-\$49,999	16.1	9.6	22.5	16.5	14.8	18.2	13.5
	\$50,000 or More	10.0	5.0	15.0	10.3	9.1	11.4	7.6
MARITAL STATUS	Married/Couple	10.5	6.8	14.2	11.6	10.7	12.5	11.3
	Not Married/Couple	23.3	17.4	29.1	19.9	18.6	21.2	19.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are former smokers

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	27.6	23.5	31.6	26.5	25.6	27.5	32.2
SEX	Men	32.0	25.7	38.3	30.9	29.5	32.4	38.6
	Women	23.9	18.8	29.0	22.4	21.3	23.6	26.1
RACE/ETHNICITY	Non-Hisp. White	32.2	26.9	37.4	33.7	32.6	34.8	39.7
	Non-Hisp. Black	19.6	8.9	30.4	11.5	9.2	13.8	13.9
	Hispanic	19.9	11.9	27.8	19.7	17.5	22.0	22.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.6	29.4	45.7	37.4	35.7	39.1	45.9
	Non-Hisp. White Women	27.6	21.0	34.2	30.2	28.7	31.7	34.0
	Non-Hisp. Black Men				15.4	11.4	19.3	
	Non-Hisp. Black Women	15.8	2.8	28.8	8.1	5.5	10.7	
	Hispanic Men	20.4	8.3	32.4	25.7	22.2	29.3	
	Hispanic Women	19.5	8.8	30.1	14.2	11.5	16.8	14.4
AGE GROUP	18-44	17.8	11.9	23.7	15.3	13.9	16.6	22.3
	45-64	23.9	17.6	30.3	27.1	25.5	28.7	30.9
	65 & Older	47.4	38.7	56.0	44.2	42.3	46.1	50.3
EDUCATION LEVEL	<High School	30.5	19.7	41.3	22.9	19.7	26.1	25.6
	H.S. / GED	25.0	18.0	32.0	25.9	24.2	27.6	36.4
	>High School	28.4	22.9	33.9	27.8	26.7	29.0	31.4
ANNUAL INCOME	<\$25,000	25.1	17.7	32.6	23.2	21.4	24.9	21.5
	\$25,000-\$49,999	25.6	18.1	33.2	27.1	25.1	29.1	43.5
	\$50,000 or More	34.3	26.4	42.1	30.0	28.4	31.7	37.3
MARITAL STATUS	Married/Couple	29.9	24.4	35.4	30.7	29.4	32.1	35.1
	Not Married/Couple	24.1	18.2	29.9	21.7	20.5	23.0	28.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	56.5	52.0	61.0	58.0	56.9	59.1	53.5
SEX	Men	50.1	43.3	57.0	51.3	49.7	52.9	45.9
	Women	61.7	55.8	67.6	64.3	62.9	65.6	60.7
RACE/ETHNICITY	Non-Hisp. White	50.4	44.8	56.1	48.5	47.2	49.7	43.7
	Non-Hisp. Black	61.1	47.7	74.5	76.2	73.3	79.1	71.4
	Hispanic	73.1	64.3	82.0	68.6	66.0	71.1	70.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.3	36.9	53.6	43.8	42.0	45.6	37.4
	Non-Hisp. White Women	54.8	47.3	62.3	52.9	51.2	54.5	49.6
	Non-Hisp. Black Men				67.5	62.6	72.3	
	Non-Hisp. Black Women	72.9	57.6	88.2	83.7	80.5	86.9	
	Hispanic Men	71.3	57.7	84.9	58.3	54.4	62.2	
	Hispanic Women	74.5	62.9	86.1	78.1	75.0	81.2	85.3
AGE GROUP	18-44	66.0	58.9	73.1	67.7	66.0	69.4	64.9
	45-64	55.3	47.7	62.9	53.9	52.0	55.8	47.1
	65 & Older	43.8	35.1	52.5	47.4	45.5	49.3	42.5
EDUCATION LEVEL	<High School	49.6	37.9	61.2	51.6	47.9	55.3	47.4
	H.S. / GED	54.4	46.2	62.6	55.3	53.3	57.4	51.3
	>High School	59.3	53.3	65.4	60.7	59.4	62.0	59.1
ANNUAL INCOME	<\$25,000	56.8	48.2	65.4	53.3	51.2	55.5	58.2
	\$25,000-\$49,999	58.3	49.7	66.9	56.4	54.1	58.7	42.9
	\$50,000 or More	55.7	47.5	64.0	59.7	57.9	61.5	55.1
MARITAL STATUS	Married/Couple	59.6	53.6	65.5	57.6	56.2	59.1	53.7
	Not Married/Couple	52.7	45.8	59.6	58.4	56.8	60.0	52.2

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	70.4	59.8	80.9	62.1	59.5	64.8	65.2
SEX	Men	69.6	54.3	85.0	61.3	57.5	65.1	65.2
	Women	71.1	56.8	85.3	63.2	59.5	67.0	65.2
RACE/ETHNICITY	Non-Hisp. White	70.3	57.7	82.9	58.8	55.7	62.0	63.4
	Non-Hisp. Black				74.9	67.7	82.2	
	Hispanic				67.0	60.0	74.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				55.9	51.3	60.6	
	Non-Hisp. White Women	72.8	56.8	88.7	61.9	57.7	66.2	58.6
	Non-Hisp. Black Men				77.4	69.2	85.7	
	Non-Hisp. Black Women				70.9	57.4	84.4	
	Hispanic Men				68.5	59.8	77.2	
	Hispanic Women				64.2	52.3	76.1	
AGE GROUP	18-44	77.4	62.2	92.7	67.5	63.5	71.6	
	45-64	72.7	57.7	87.8	60.0	55.9	64.1	60.6
	65 & Older				50.3	43.6	57.0	
EDUCATION LEVEL	<High School				64.5	58.5	70.5	
	H.S. / GED	72.0	55.6	88.4	59.6	55.2	64.0	
	>High School	72.0	55.7	88.2	63.0	59.1	66.9	58.5
ANNUAL INCOME	<\$25,000	62.4	42.7	82.0	60.4	56.3	64.6	61.8
	\$25,000-\$49,999				63.1	57.6	68.6	
	\$50,000 or More				64.3	58.7	69.9	
MARITAL STATUS	Married/Couple	72.8	56.2	89.3	60.1	55.9	64.3	76.4
	Not Married/Couple	69.0	55.5	82.4	64.0	60.5	67.5	55.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current e-cigarette users

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	3.7	2.0	5.4	4.7	4.2	5.2	
SEX	Men	3.2	0.9	5.5	5.6	4.8	6.4	
	Women	4.1	1.7	6.6	3.9	3.3	4.5	
RACE/ETHNICITY	Non-Hisp. White	4.9	2.4	7.3	5.7	5.1	6.4	
	Non-Hisp. Black	1.4	0.0	4.2	2.8	1.7	3.9	
	Hispanic	1.4	0.0	3.6	3.4	2.3	4.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.2	0.9	7.6	6.2	5.2	7.1	
	Non-Hisp. White Women	5.4	1.8	9.0	5.3	4.5	6.2	
	Non-Hisp. Black Men				4.1	2.1	6.2	
	Non-Hisp. Black Women	2.3	0.0	6.9	1.6	0.6	2.6	
	Hispanic Men	0.6 *	0.0	1.9	5.1	3.1	7.2	
	Hispanic Women	2.0	0.0	5.9	1.8	0.8	2.8	
AGE GROUP	18-44	4.5	1.4	7.5	7.0	6.1	8.0	
	45-64	3.3	0.9	5.8	4.3	3.6	5.1	
	65 & Older	3.2	0.0	6.5	1.4	1.1	1.8	
EDUCATION LEVEL	<High School	0.0			4.6	3.2	6.0	
	H.S. / GED	4.9	1.5	8.3	6.1	5.0	7.2	
	>High School	4.3	1.7	6.8	4.0	3.5	4.6	
ANNUAL INCOME	<\$25,000	3.2	0.4	6.0	6.1	5.0	7.1	
	\$25,000-\$49,999	4.1	0.7	7.5	5.3	4.2	6.4	
	\$50,000 or More	4.5	0.8	8.1	4.7	3.8	5.6	
MARITAL STATUS	Married/Couple	3.3	1.2	5.4	3.3	2.8	3.8	
	Not Married/Couple	4.3	1.5	7.2	6.4	5.5	7.2	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are former e-cigarette users

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	14.0	10.7	17.3	15.5	14.7	16.3	
SEX	Men	16.7	11.3	22.1	17.5	16.2	18.7	
	Women	11.8	7.8	15.8	13.7	12.6	14.8	
RACE/ETHNICITY	Non-Hisp. White	17.0	12.5	21.5	17.0	16.0	18.0	
	Non-Hisp. Black	13.9	3.7	24.2	12.9	10.4	15.4	
	Hispanic	5.2 *	1.2	9.2	14.1	12.1	16.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.5	11.4	25.7	18.5	17.0	20.0	
	Non-Hisp. White Women	15.7	9.9	21.4	15.6	14.3	16.9	
	Non-Hisp. Black Men				16.4	12.3	20.5	
	Non-Hisp. Black Women	2.5 *	0.0	6.1	9.8	6.9	12.7	
	Hispanic Men	5.4 *	0.0	11.0	16.7	13.8	19.6	
	Hispanic Women	5.1	0.0	10.7	11.6	9.0	14.3	
AGE GROUP	18-44	20.9	14.8	26.9	23.2	21.7	24.8	
	45-64	13.4	7.8	19.0	13.7	12.3	15.0	
	65 & Older	4.8	0.4	9.1	5.3	4.4	6.1	
EDUCATION LEVEL	<High School	14.6	5.8	23.4	16.5	13.7	19.4	
	H.S. / GED	15.9	9.7	22.0	16.7	15.2	18.2	
	>High School	13.0	8.6	17.3	14.7	13.7	15.8	
ANNUAL INCOME	<\$25,000	13.1	7.1	19.1	17.7	16.1	19.2	
	\$25,000-\$49,999	16.2	9.4	23.0	15.5	13.8	17.1	
	\$50,000 or More	11.6	6.0	17.3	14.3	12.9	15.7	
MARITAL STATUS	Married/Couple	11.5	7.6	15.5	12.4	11.4	13.5	
	Not Married/Couple	17.6	12.0	23.2	19.1	17.8	20.4	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never used e-cigarettes

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	82.3	78.7	85.8	79.8	78.9	80.7	
SEX	Men	80.1	74.4	85.8	76.9	75.5	78.3	
	Women	84.0	79.5	88.6	82.4	81.2	83.6	
RACE/ETHNICITY	Non-Hisp. White	78.1	73.2	83.0	77.3	76.2	78.4	
	Non-Hisp. Black	84.6	74.2	95.1	84.3	81.7	87.0	
	Hispanic	93.4 *	88.8	97.9	82.5	80.3	84.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	77.2	69.7	84.8	75.4	73.7	77.0	
	Non-Hisp. White Women	78.9	72.5	85.3	79.1	77.6	80.5	
	Non-Hisp. Black Men				79.5	75.0	83.9	
	Non-Hisp. Black Women	95.2	89.4	100.0	88.6	85.5	91.6	
	Hispanic Men	93.9 *	88.2	99.7	78.2	74.8	81.5	
	Hispanic Women	92.9	86.2	99.6	86.6	83.8	89.4	
AGE GROUP	18-44	74.7	68.2	81.1	69.7	68.0	71.4	
	45-64	83.3	77.3	89.3	82.0	80.5	83.5	
	65 & Older	92.1	86.7	97.4	93.3	92.4	94.2	
EDUCATION LEVEL	<High School	85.4	76.6	94.2	78.9	75.8	81.9	
	H.S. / GED	79.2	72.5	86.0	77.2	75.4	78.9	
	>High School	82.8	77.9	87.6	81.2	80.1	82.3	
ANNUAL INCOME	<\$25,000	83.7	77.2	90.1	76.3	74.5	78.1	
	\$25,000-\$49,999	79.7	72.4	87.0	79.3	77.4	81.1	
	\$50,000 or More	83.9	77.5	90.3	81.1	79.5	82.6	
MARITAL STATUS	Married/Couple	85.2	80.8	89.5	84.2	83.1	85.3	
	Not Married/Couple	78.1	72.1	84.1	74.5	73.0	76.0	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who are inactive or insufficiently active

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	59.2	54.1	64.2	56.7	55.5	58.0	58.0
SEX	Men	57.1	49.6	64.5	53.5	51.6	55.3	59.1
	Women	61.0	54.2	67.8	59.7	58.1	61.4	57.1
RACE/ETHNICITY	Non-Hisp. White	52.4	46.0	58.8	51.7	50.3	53.1	59.3
	Non-Hisp. Black	65.2	50.8	79.6	61.7	57.7	65.7	51.3
	Hispanic	74.8	65.0	84.6	65.3	62.4	68.2	65.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.1	42.7	61.5	49.1	47.0	51.2	59.9
	Non-Hisp. White Women	52.6	43.9	61.3	54.2	52.3	56.0	58.8
	Non-Hisp. Black Men				57.0	51.1	63.0	
	Non-Hisp. Black Women	73.1	56.1	90.0	65.5	60.1	70.9	
	Hispanic Men	72.1	57.3	86.8	60.7	56.3	65.0	
	Hispanic Women	77.1	64.1	90.1	69.6	65.8	73.4	
AGE GROUP	18-44	60.1	51.5	68.7	55.9	53.7	58.1	53.9
	45-64	62.2	54.0	70.3	58.4	56.3	60.4	65.5
	65 & Older	53.8	44.4	63.2	55.9	53.8	58.0	54.5
EDUCATION LEVEL	<High School	84.1	75.4	92.9	73.3	69.6	77.1	75.4
	H.S. / GED	57.7	48.7	66.6	63.1	60.9	65.3	60.3
	>High School	50.9	43.8	58.0	48.4	46.9	50.0	46.5
ANNUAL INCOME	<\$25,000	70.3	61.9	78.6	67.5	65.2	69.7	63.5
	\$25,000-\$49,999	64.5	55.0	74.1	57.6	55.0	60.2	58.4
	\$50,000 or More	42.0	32.4	51.5	42.2	40.1	44.4	51.3
MARITAL STATUS	Married/Couple	60.5	53.8	67.2	54.0	52.3	55.7	57.6
	Not Married/Couple	58.0	50.5	65.5	59.6	57.8	61.5	59.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who meet aerobic recommendations

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	41.5	36.5	46.5	44.8	43.6	46.1	44.4
SEX	Men	43.7	36.4	51.1	48.0	46.2	49.8	45.0
	Women	39.6	32.8	46.4	41.9	40.3	43.6	43.7
RACE/ETHNICITY	Non-Hisp. White	48.3	42.0	54.7	50.0	48.7	51.4	43.9
	Non-Hisp. Black	34.8	20.4	49.2	40.1	36.1	44.1	48.7
	Hispanic	25.2	15.4	35.0	35.6	32.7	38.5	36.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.8	39.4	58.1	52.5	50.4	54.5	45.8
	Non-Hisp. White Women	47.9	39.3	56.6	47.7	45.9	49.6	42.2
	Non-Hisp. Black Men				45.5	39.5	51.6	
	Non-Hisp. Black Women	26.9	10.0	43.9	35.6	30.2	40.9	
	Hispanic Men	27.9	13.2	42.7	39.8	35.4	44.1	
	Hispanic Women	22.9	9.9	35.9	31.9	28.1	35.6	45.7
AGE GROUP	18-44	40.3	31.7	48.8	45.5	43.4	47.7	49.6
	45-64	38.8	30.7	46.9	43.4	41.3	45.5	36.6
	65 & Older	47.0	37.6	56.3	45.7	43.6	47.7	46.4
EDUCATION LEVEL	<High School	15.9	7.1	24.6	28.2	24.4	32.0	26.4
	H.S. / GED	42.9	33.9	51.9	38.5	36.3	40.6	43.7
	>High School	50.0	43.0	57.0	53.0	51.5	54.6	54.5
ANNUAL INCOME	<\$25,000	30.1	21.7	38.4	34.0	31.8	36.3	37.9
	\$25,000-\$49,999	35.8	26.3	45.4	43.6	41.1	46.2	46.8
	\$50,000 or More	59.3	50.0	68.7	59.4	57.3	61.5	50.7
MARITAL STATUS	Married/Couple	40.3	33.6	47.0	47.6	45.9	49.3	45.0
	Not Married/Couple	42.6	35.2	50.1	41.8	40.0	43.7	42.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who are sedentary

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	32.5	28.3	36.8	29.8	28.8	30.8	32.7
SEX	Men	33.4	27.1	39.8	27.1	25.7	28.5	30.2
	Women	31.8	26.2	37.4	32.3	30.9	33.7	35.1
RACE/ETHNICITY	Non-Hisp. White	27.8	22.8	32.9	26.0	25.0	27.1	34.9
	Non-Hisp. Black	29.4	17.4	41.5	31.8	28.6	35.1	27.2
	Hispanic	44.7	34.8	54.6	38.3	35.7	40.9	34.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.9	22.2	37.7	24.2	22.7	25.7	29.1
	Non-Hisp. White Women	26.1	19.4	32.7	27.8	26.3	29.2	40.2
	Non-Hisp. Black Men				27.5	22.9	32.1	
	Non-Hisp. Black Women	34.7	18.9	50.5	35.7	31.2	40.3	
	Hispanic Men	46.4	31.6	61.1	33.6	30.0	37.2	
	Hispanic Women	43.4	30.1	56.6	42.8	39.2	46.4	18.2
AGE GROUP	18-44	26.5	19.9	33.0	24.0	22.4	25.5	23.7
	45-64	37.3	30.0	44.7	32.8	31.0	34.6	36.3
	65 & Older	34.6	26.6	42.6	35.6	33.7	37.4	42.7
EDUCATION LEVEL	<High School	59.8	48.6	70.9	49.5	45.9	53.1	43.0
	H.S. / GED	27.6	20.2	34.9	36.4	34.5	38.3	32.6
	>High School	26.2	20.8	31.6	21.6	20.5	22.7	27.4
ANNUAL INCOME	<\$25,000	43.4	34.9	51.9	42.6	40.5	44.8	37.1
	\$25,000-\$49,999	39.9	31.2	48.6	31.5	29.3	33.8	31.3
	\$50,000 or More	14.4	8.6	20.2	16.4	15.1	17.7	25.3
MARITAL STATUS	Married/Couple	32.6	27.0	38.3	28.0	26.6	29.3	29.9
	Not Married/Couple	33.1	26.7	39.5	32.0	30.5	33.6	37.3

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who meet muscle strengthening recommendations

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	32.4	26.8	38.1	38.2	36.8	39.6	22.5
SEX	Men	40.2	31.4	49.0	42.9	40.9	45.0	28.6
	Women	25.9	18.9	33.0	33.5	31.6	35.4	17.0
RACE/ETHNICITY	Non-Hisp. White	33.9	^ 27.0	40.8	38.0	36.4	39.5	19.4
	Non-Hisp. Black	35.5	18.1	52.8	38.5	33.8	43.2	28.5
	Hispanic	29.4	15.6	43.1	37.2	33.5	40.9	28.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	41.3	30.6	52.1	41.7	39.4	43.9	22.9
	Non-Hisp. White Women	27.7	19.2	36.2	34.3	32.3	36.4	16.3
	Non-Hisp. Black Men				50.6	43.5	57.6	
	Non-Hisp. Black Women				27.4	21.6	33.1	
	Hispanic Men				41.3	35.9	46.7	
	Hispanic Women				32.8	27.8	37.7	16.4
AGE GROUP	18-44	43.4	33.9	53.0	45.1	42.7	47.5	33.7
	45-64	27.8	18.3	37.3	34.3	31.9	36.6	17.1
	65 & Older	20.6	11.6	29.5	31.0	28.7	33.3	11.4
EDUCATION LEVEL	<High School				23.9	19.5	28.3	16.3
	H.S. / GED	22.9 *	14.5	31.3	36.5	33.8	39.3	19.6
	>High School	36.5	28.8	44.3	41.1	39.4	42.8	29.3
ANNUAL INCOME	<\$25,000	20.7	10.6	30.8	31.8	28.9	34.7	21.6
	\$25,000-\$49,999	32.0	21.0	43.0	37.8	34.9	40.7	21.3
	\$50,000 or More	32.2	23.0	41.5	42.1	39.9	44.4	24.5
MARITAL STATUS	Married/Couple	29.1	21.7	36.5	35.5	33.7	37.3	17.5
	Not Married/Couple	36.3	27.4	45.2	41.5	39.3	43.7	30.5

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Breast

Percentage of women 40 years of age and older who received a mammogram in the past year

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	72.7 *	65.4	80.0	60.8	58.8	62.9	50.7
SEX	Women	72.7 *	65.4	80.0	60.8	58.8	62.9	50.7
RACE/ETHNICITY	Non-Hisp. White	68.5	59.3	77.7	60.9	58.8	63.0	51.1
	Non-Hisp. Black				61.7	54.5	68.9	
	Hispanic				60.7	55.3	66.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	68.5	59.3	77.7	60.9	58.8	63.0	51.1
	Non-Hisp. Black Women				61.7	54.5	68.9	
	Hispanic Women				60.7	55.3	66.1	
AGE GROUP	18-44				42.9	37.1	48.8	
	45-64	68.2	58.2	78.2	60.2	57.5	62.9	49.6
	65 & Older	85.1 *	76.0	94.3	71.4	68.5	74.4	63.2
EDUCATION LEVEL	<High School				50.7	43.2	58.3	
	H.S. / GED	72.8	58.9	86.6	58.4	54.5	62.3	41.6
	>High School	72.7	63.4	82.0	64.1	61.8	66.4	57.0
ANNUAL INCOME	<\$25,000	73.0 *	58.1	87.9	53.5	49.4	57.5	43.1
	\$25,000-\$49,999	73.8	61.2	86.5	63.3	59.2	67.3	38.5
	\$50,000 or More	79.6	68.3	91.0	65.6	62.4	68.8	74.4
MARITAL STATUS	Married/Couple	75.0 *	65.9	84.1	62.9	60.3	65.5	50.4
	Not Married/Couple	69.2	57.2	81.2	58.2	55.0	61.3	49.6

Percentage of women aged 50 to 74 who had a mammogram in the past 2 years

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	91.0 *	86.0	96.0	81.7	80.1	83.4	70.6
SEX	Women	91.0 *	86.0	96.0	81.7	80.1	83.4	70.6
RACE/ETHNICITY	Non-Hisp. White	87.7	80.8	94.6	79.9	78.1	81.8	70.6
	Non-Hisp. Black				87.3	82.0	92.6	
	Hispanic				85.9	81.1	90.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	87.7	80.8	94.6	79.9	78.1	81.8	70.6
	Non-Hisp. Black Women				87.3	82.0	92.6	
	Hispanic Women				85.9	81.1	90.8	
AGE GROUP	45-64	91.1 *	83.9	98.3	79.1	76.8	81.4	65.3
	65 & Older	90.9	84.2	97.6	86.4	84.3	88.6	77.8
EDUCATION LEVEL	<High School				75.0	67.7	82.4	
	H.S. / GED	90.9	81.6	100.0	79.5	76.2	82.8	68.6
	>High School	90.7	84.2	97.2	84.1	82.4	85.9	80.5
ANNUAL INCOME	<\$25,000	87.5	75.1	99.9	77.3	74.0	80.5	62.9
	\$25,000-\$49,999	92.7 *	85.7	99.7	81.7	78.4	85.0	72.4
	\$50,000 or More	93.9	85.4	100.0	85.6	83.1	88.2	86.9
MARITAL STATUS	Married/Couple	93.1 *	87.1	99.0	82.4	80.1	84.7	74.6
	Not Married/Couple	88.4	80.0	96.9	80.8	78.4	83.1	62.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Cervical

Percentage of women 18 years of age and older who received a Pap test in the past year

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	55.1	47.8	62.4	48.4	46.6	50.2	51.4
SEX	Women	55.1	47.8	62.4	48.4	46.6	50.2	51.4
RACE/ETHNICITY	Non-Hisp. White	48.6	39.1	58.1	46.0	44.0	48.1	44.1
	Non-Hisp. Black				55.8	49.9	61.7	
	Hispanic	68.8	54.8	82.8	51.5	47.3	55.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	48.6	39.1	58.1	46.0	44.0	48.1	44.1
	Non-Hisp. Black Women				55.8	49.9	61.7	
	Hispanic Women	68.8	54.8	82.8	51.5	47.3	55.7	
AGE GROUP	18-44	60.1	49.5	70.7	52.5	49.7	55.3	64.1
	45-64	56.5	43.2	69.7	54.5	51.3	57.6	43.6
	65 & Older	42.4	27.1	57.8	28.5	25.4	31.6	32.9
EDUCATION LEVEL	<High School	61.6	43.7	79.6	42.4	36.2	48.5	
	H.S. / GED	52.6	39.6	65.6	43.3	39.8	46.8	62.5
	>High School	55.2	45.0	65.3	52.0	49.8	54.2	39.9
ANNUAL INCOME	<\$25,000	53.8	40.7	66.9	47.4	43.9	50.8	58.2
	\$25,000-\$49,999	51.2	36.9	65.6	45.5	41.8	49.3	34.9
	\$50,000 or More	59.2	45.5	72.9	56.7	53.5	60.0	48.3
MARITAL STATUS	Married/Couple	62.4	52.9	71.9	53.6	51.1	56.1	45.0
	Not Married/Couple	46.2	35.1	57.3	42.9	40.4	45.5	61.2

Percentage of women aged 21 to 65 who had a Pap test in the past 3 years

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	80.2	73.0	87.3	78.8	77.0	80.5	86.7
SEX	Women	80.2	73.0	87.3	78.8	77.0	80.5	86.7
RACE/ETHNICITY	Non-Hisp. White	77.8	67.6	87.9	78.3	76.4	80.3	85.1
	Non-Hisp. Black				82.1	77.0	87.2	
	Hispanic	83.2	70.7	95.6	80.2	76.4	84.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	77.8	67.6	87.9	78.3	76.4	80.3	85.1
	Non-Hisp. Black Women				82.1	77.0	87.2	
	Hispanic Women	83.2	70.7	95.6	80.2	76.4	84.0	
AGE GROUP	18-44	81.5	72.5	90.6	78.1	75.6	80.6	93.3
	45-64	78.8	66.8	90.7	79.9	77.5	82.3	77.6
	65 & Older				74.9	65.3	84.6	
EDUCATION LEVEL	<High School				77.0	71.6	82.4	
	H.S. / GED	70.3	55.2	85.4	71.8	67.7	76.0	90.7
	>High School	86.9	78.1	95.7	82.0	80.1	83.9	87.5
ANNUAL INCOME	<\$25,000	78.1	65.4	90.9	75.4	72.1	78.6	85.0
	\$25,000-\$49,999	80.9	65.8	96.1	76.3	72.2	80.3	82.1
	\$50,000 or More	83.2	70.5	96.0	86.0	83.5	88.5	91.4
MARITAL STATUS	Married/Couple	86.4	78.8	94.1	82.8	80.6	84.9	89.0
	Not Married/Couple	70.4	56.9	83.9	73.8	71.0	76.7	82.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Cervical

Percentage of women who have had a hysterectomy

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	26.2	20.7	31.7	22.7	21.6	23.9	27.0
SEX	Women	26.2	20.7	31.7	22.7	21.6	23.9	27.0
RACE/ETHNICITY	Non-Hisp. White	31.5	24.2	38.8	27.7	26.3	29.1	32.8
	Non-Hisp. Black	25.4	10.7	40.0	19.7	15.8	23.6	
	Hispanic	10.6	2.5	18.7	14.9	12.3	17.5	13.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	31.5	24.2	38.8	27.7	26.3	29.1	32.8
	Non-Hisp. Black Women	25.4	10.7	40.0	19.7	15.8	23.6	
	Hispanic Women	10.6	2.5	18.7	14.9	12.3	17.5	13.4
AGE GROUP	18-44	2.6	0.0	6.1	4.5	3.5	5.5	7.6
	45-64	37.8	27.8	47.8	27.7	25.3	30.0	28.4
	65 & Older	41.0	29.4	52.5	43.9	41.4	46.3	51.3
EDUCATION LEVEL	<High School	21.0	8.0	34.0	22.4	18.1	26.7	33.4
	H.S. / GED	24.6	14.8	34.4	23.7	21.4	26.0	26.0
	>High School	28.8	21.2	36.5	22.4	20.9	23.8	25.5
ANNUAL INCOME	<\$25,000	25.9	16.3	35.6	21.8	19.7	23.9	27.3
	\$25,000-\$49,999	29.8	19.2	40.3	25.0	22.2	27.9	29.3
	\$50,000 or More	23.9	13.1	34.7	20.1	18.1	22.1	22.2
MARITAL STATUS	Married/Couple	25.8	18.5	33.0	23.7	22.0	25.5	27.9
	Not Married/Couple	25.2	17.0	33.4	21.5	19.8	23.1	24.0

Percentage of women 18 years of age and older who received a HPV test in the past five years

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	36.7	30.0	43.5	36.7	34.9	38.4	
SEX	Women	36.7	30.0	43.5	36.7	34.9	38.4	
RACE/ETHNICITY	Non-Hisp. White	31.6	23.2	40.0	32.8	30.9	34.7	
	Non-Hisp. Black	46.0	26.8	65.3	43.9	38.2	49.6	
	Hispanic	48.7	33.0	64.5	41.1	36.9	45.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	31.6	23.2	40.0	32.8	30.9	34.7	
	Non-Hisp. Black Women	46.0	26.8	65.3	43.9	38.2	49.6	
	Hispanic Women	48.7	33.0	64.5	41.1	36.9	45.2	
AGE GROUP	18-44	54.6	43.0	66.2	50.7	47.8	53.7	
	45-64	34.3	22.7	45.8	36.5	33.5	39.5	
	65 & Older	14.7	5.4	24.0	13.2	11.1	15.3	
EDUCATION LEVEL	<High School	39.1	20.8	57.4	31.8	25.8	37.8	
	H.S. / GED	32.9	21.1	44.7	29.1	26.1	32.2	
	>High School	38.3	29.0	47.6	41.4	39.2	43.6	
ANNUAL INCOME	<\$25,000	42.3	30.1	54.4	34.8	31.8	37.9	
	\$25,000-\$49,999	31.6	19.2	44.0	37.0	33.5	40.6	
	\$50,000 or More	34.8	21.8	47.8	45.2	41.9	48.4	
MARITAL STATUS	Married/Couple	36.3	27.2	45.3	39.4	36.9	41.9	
	Not Married/Couple	38.4	27.7	49.0	34.1	31.7	36.5	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	52.4	46.0	58.7	53.9	52.4	55.3	59.4
SEX	Men	48.1	38.6	57.7	54.1	51.9	56.3	62.1
	Women	55.7	47.3	64.1	53.7	51.7	55.7	57.2
RACE/ETHNICITY	Non-Hisp. White	52.9	45.4	60.3	55.9	54.4	57.4	57.2
	Non-Hisp. Black				51.2	45.4	56.9	
	Hispanic	48.9	31.8	66.1	49.6	45.0	54.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.7	36.5	59.0	57.1	54.8	59.3	61.2
	Non-Hisp. White Women	56.8	47.1	66.4	54.9	52.8	56.9	54.0
	Non-Hisp. Black Men				52.5	43.9	61.0	
	Non-Hisp. Black Women				50.0	42.3	57.8	
	Hispanic Men				44.6	37.7	51.5	
	Hispanic Women				53.5	47.3	59.6	
AGE GROUP	45-64	49.6	40.7	58.6	46.1	43.9	48.3	57.7
	65 & Older	55.1	46.3	63.9	61.6	59.7	63.5	61.1
EDUCATION LEVEL	<High School	32.0	16.0	48.1	44.9	39.6	50.2	56.3
	H.S. / GED	58.7	47.1	70.3	52.3	49.5	55.0	48.5
	>High School	55.0	46.6	63.4	56.9	55.2	58.7	70.7
ANNUAL INCOME	<\$25,000	34.6	22.8	46.4	46.4	43.4	49.3	55.6
	\$25,000-\$49,999	55.9	44.4	67.4	52.2	49.1	55.4	59.2
	\$50,000 or More	54.4	42.8	66.0	58.9	56.5	61.3	61.0
MARITAL STATUS	Married/Couple	55.5	47.3	63.7	57.4	55.5	59.4	58.8
	Not Married/Couple	48.1	38.1	58.0	48.9	46.7	51.2	60.1

Percentage of adults 50 years of age and older who have ever had a blood stool test

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.0	32.0	44.0	36.0	34.6	37.4	42.3
SEX	Men	32.1	23.4	40.7	34.9	32.9	37.0	41.0
	Women	42.8	34.6	50.9	37.0	35.1	38.8	43.5
RACE/ETHNICITY	Non-Hisp. White	42.4	35.3	49.6	38.5	37.1	40.0	43.6
	Non-Hisp. Black				37.0	31.4	42.6	
	Hispanic	23.7	9.0	38.4	25.5	21.5	29.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	40.2	29.4	51.1	37.5	35.3	39.7	39.7
	Non-Hisp. White Women	44.2	34.7	53.6	39.5	37.6	41.4	46.7
	Non-Hisp. Black Men				36.8	28.2	45.4	
	Non-Hisp. Black Women				37.2	30.0	44.5	
	Hispanic Men				23.1	17.2	29.1	
	Hispanic Women				27.3	22.0	32.7	
AGE GROUP	45-64	29.1	21.2	37.0	25.6	23.7	27.4	33.7
	65 & Older	46.9	38.3	55.6	46.4	44.5	48.3	50.6
EDUCATION LEVEL	<High School	33.0	17.6	48.5	31.7	26.7	36.8	47.4
	H.S. / GED	36.3	25.3	47.2	34.5	32.0	37.1	43.8
	>High School	40.8	32.7	49.0	37.8	36.1	39.4	38.5
ANNUAL INCOME	<\$25,000	40.6	28.1	53.1	34.4	31.7	37.2	47.1
	\$25,000-\$49,999	40.6	29.5	51.7	37.3	34.3	40.3	43.0
	\$50,000 or More	42.0	31.0	53.1	35.9	33.6	38.2	36.9
MARITAL STATUS	Married/Couple	39.5	31.6	47.4	36.4	34.5	38.2	40.9
	Not Married/Couple	36.3	27.1	45.4	35.7	33.6	37.8	45.0

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who have ever had a sigmoidoscopy or colonoscopy

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	69.7	64.0	75.5	69.2	67.8	70.7	74.2
SEX	Men	64.1	54.9	73.3	68.3	66.2	70.4	73.9
	Women	74.2	66.9	81.5	70.1	68.1	72.0	74.4
RACE/ETHNICITY	Non-Hisp. White	71.9	65.2	78.5	74.0	72.6	75.3	73.6
	Non-Hisp. Black				60.4	54.6	66.2	
	Hispanic	63.4	46.8	79.9	58.0	53.6	62.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	64.8	53.9	75.6	73.2	71.1	75.3	75.7
	Non-Hisp. White Women	77.3	69.3	85.4	74.7	72.9	76.4	72.0
	Non-Hisp. Black Men				59.5	51.0	68.0	
	Non-Hisp. Black Women				61.1	53.1	69.2	
	Hispanic Men				54.2	47.5	60.9	
	Hispanic Women				61.1	55.1	67.1	
AGE GROUP	45-64	64.1	55.4	72.7	59.5	57.3	61.6	69.1
	65 & Older	75.5	67.9	83.1	79.0	77.2	80.7	79.0
EDUCATION LEVEL	<High School	58.7	41.6	75.7	54.5	49.3	59.7	63.1
	H.S. / GED	76.0	66.3	85.6	67.3	64.7	69.9	73.3
	>High School	69.5	61.7	77.3	74.0	72.3	75.6	80.6
ANNUAL INCOME	<\$25,000	53.9	41.0	66.7	58.9	55.9	61.9	69.6
	\$25,000-\$49,999	73.1	63.0	83.3	69.9	66.9	72.9	75.2
	\$50,000 or More	74.9	64.7	85.0	76.0	73.7	78.3	75.4
MARITAL STATUS	Married/Couple	74.0	66.7	81.3	72.6	70.7	74.5	76.5
	Not Married/Couple	64.3	54.9	73.7	64.6	62.4	66.8	69.7

Percentage of adults aged 50 to 75 who had colorectal screening based on the most recent clinical guidelines

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	71.7	65.6	77.8	67.3	65.7	68.9	69.7
SEX	Men	62.2	52.0	72.4	65.7	63.4	68.1	62.6
	Women	79.2 *	71.8	86.6	68.7	66.5	71.0	75.7
RACE/ETHNICITY	Non-Hisp. White	73.6	66.4	80.8	71.3	69.7	72.9	70.2
	Non-Hisp. Black				66.0	60.0	71.9	
	Hispanic	65.3	48.2	82.5	54.7	49.6	59.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	66.4	54.4	78.4	70.1	67.7	72.5	64.0
	Non-Hisp. White Women	79.0	70.2	87.9	72.5	70.3	74.6	75.1
	Non-Hisp. Black Men				64.1	56.3	71.8	
	Non-Hisp. Black Women				67.6	58.7	76.6	
	Hispanic Men				50.8	43.4	58.2	
	Hispanic Women				58.0	51.1	64.9	
AGE GROUP	45-64	63.8	55.1	72.4	58.7	56.5	61.0	63.0
	65 & Older	83.4	75.7	91.1	81.3	79.3	83.2	81.0
EDUCATION LEVEL	<High School	64.2	46.3	82.2	53.2	47.1	59.2	56.5
	H.S. / GED	76.8	66.3	87.3	64.8	61.7	67.9	75.4
	>High School	71.4	63.1	79.8	71.8	70.0	73.7	73.1
ANNUAL INCOME	<\$25,000	59.9	45.8	74.0	58.9	55.4	62.3	64.5
	\$25,000-\$49,999	82.1 *	73.0	91.3	67.8	64.4	71.1	70.7
	\$50,000 or More	67.1	55.0	79.1	72.2	69.7	74.8	74.1
MARITAL STATUS	Married/Couple	71.8	63.7	79.8	70.6	68.5	72.6	73.1
	Not Married/Couple	72.6	62.9	82.3	62.5	59.9	65.1	63.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	18.2	13.5	22.9	16.0	14.9	17.1	13.4
SEX	Men	13.6	7.1	20.0	15.3	13.7	16.9	13.0
	Women	22.0	15.2	28.7	16.6	15.0	18.1	13.7
RACE/ETHNICITY	Non-Hisp. White	20.1	14.4	25.8	15.7	14.6	16.8	12.8
	Non-Hisp. Black				18.6	14.1	23.0	
	Hispanic	9.5	0.0	19.8	15.4	12.0	18.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.1	7.9	24.3	15.1	13.6	16.7	11.0
	Non-Hisp. White Women	23.2	15.3	31.0	16.3	14.7	17.8	14.2
	Non-Hisp. Black Men				15.5	10.2	20.8	
	Non-Hisp. Black Women				21.2	14.4	28.1	
	Hispanic Men				15.8	10.3	21.3	
	Hispanic Women				15.1	10.8	19.4	
AGE GROUP	45-64	12.2	6.5	18.0	10.6	9.3	12.0	8.4
	65 & Older	24.3	16.9	31.7	21.4	19.7	23.1	18.2
EDUCATION LEVEL	<High School	20.4	7.0	33.8	17.9	13.7	22.1	14.1
	H.S. / GED	19.8	10.8	28.7	15.2	13.3	17.1	16.0
	>High School	17.2	11.1	23.4	15.8	14.5	17.1	10.8
ANNUAL INCOME	<\$25,000	22.6	12.0	33.2	18.3	15.9	20.8	18.0
	\$25,000-\$49,999	21.8	12.6	31.0	16.2	14.0	18.4	12.3
	\$50,000 or More	17.6	9.1	26.1	13.2	11.6	14.9	13.7
MARITAL STATUS	Married/Couple	17.0	11.1	23.0	15.3	13.8	16.7	13.4
	Not Married/Couple	20.0	12.4	27.7	17.1	15.4	18.8	13.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS Screening

Percentage of adults less than 65 years old who have ever been tested for HIV

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	48.7	43.1	54.2	55.3	53.9	56.7	48.1
SEX	Men	39.7 *	31.8	47.6	51.9	49.9	53.9	40.8
	Women	56.8	49.3	64.3	58.7	56.8	60.6	55.6
RACE/ETHNICITY	Non-Hisp. White	41.1	34.0	48.3	49.6	48.0	51.3	37.1
	Non-Hisp. Black	83.6	72.4	94.7	70.9	67.0	74.8	69.6
	Hispanic	51.4	40.3	62.4	60.3	57.4	63.3	61.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.8	26.7	46.9	46.9	44.5	49.3	30.0
	Non-Hisp. White Women	45.0	35.0	54.9	52.4	50.2	54.7	44.8
	Non-Hisp. Black Men				65.7	59.7	71.6	
	Non-Hisp. Black Women	92.7 *	84.6	100.0	75.8	70.7	80.8	
	Hispanic Men	33.3 *	18.2	48.3	55.8	51.5	60.1	
	Hispanic Women	68.2	53.9	82.4	64.8	60.8	68.9	
AGE GROUP	18-44	55.9	48.3	63.6	59.0	57.1	60.9	55.1
	45-64	40.7	32.9	48.6	50.5	48.5	52.5	38.9
EDUCATION LEVEL	<High School	58.0	44.5	71.6	56.7	52.2	61.1	44.7
	H.S. / GED	49.4	39.5	59.3	51.2	48.6	53.8	46.2
	>High School	44.7 *	37.0	52.4	57.2	55.5	58.9	52.6
ANNUAL INCOME	<\$25,000	60.7	50.4	71.0	61.0	58.4	63.6	50.9
	\$25,000-\$49,999	44.1	33.4	54.8	55.0	52.1	58.0	43.5
	\$50,000 or More	39.1 *	29.5	48.7	53.4	51.1	55.6	44.2
MARITAL STATUS	Married/Couple	47.8	40.4	55.2	54.8	52.9	56.6	42.9
	Not Married/Couple	49.4	40.9	57.8	56.0	54.0	58.0	55.4

Percentage of adults less than 65 years old who had an HIV test in the past 12 months

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	16.7	12.0	21.4	19.7	18.4	20.9	13.0
SEX	Men	10.4 *	4.9	15.9	18.7	16.9	20.5	11.6
	Women	22.8	15.5	30.1	20.7	18.8	22.5	14.5
RACE/ETHNICITY	Non-Hisp. White	12.9	7.5	18.3	13.9	12.7	15.2	5.1
	Non-Hisp. Black	37.8	18.6	57.0	36.1	31.3	40.8	26.7
	Hispanic	17.8	8.0	27.6	24.1	21.1	27.1	28.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.4	2.9	15.9	14.2	12.4	16.0	7.0
	Non-Hisp. White Women	16.2 ^	7.9	24.4	13.7	11.9	15.4	3.0
	Non-Hisp. Black Men				32.1	25.3	38.9	
	Non-Hisp. Black Women				40.0	33.4	46.6	
	Hispanic Men	3.4 *	0.0	10.0	22.1	17.9	26.3	
	Hispanic Women	33.0	15.9	50.1	26.2	22.0	30.5	
AGE GROUP	18-44	20.7	13.6	27.7	25.9	24.0	27.8	19.9
	45-64	12.8	6.7	18.9	11.4	9.9	12.9	4.1
EDUCATION LEVEL	<High School	23.8	10.5	37.1	19.5	15.3	23.7	14.4
	H.S. / GED	18.0	9.2	26.9	18.7	16.3	21.2	12.4
	>High School	13.6	7.8	19.4	20.3	18.6	21.9	12.9
ANNUAL INCOME	<\$25,000	27.6	16.3	39.0	24.4	21.6	27.2	14.2
	\$25,000-\$49,999	12.2	4.8	19.5	20.0	17.4	22.6	12.3
	\$50,000 or More	10.9	4.3	17.5	17.2	15.1	19.3	10.0
MARITAL STATUS	Married/Couple	13.8	8.0	19.6	15.5	13.9	17.1	10.5
	Not Married/Couple	19.7	12.2	27.2	24.2	22.1	26.2	16.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS Screening

Percentage of adults who had ever been tested for HIV

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	42.5	37.9	47.2	46.9	45.8	48.1	38.6
SEX	Men	35.3 *	28.6	42.0	45.8	44.1	47.5	36.1
	Women	48.4	42.1	54.8	48.0	46.4	49.5	41.0
RACE/ETHNICITY	Non-Hisp. White	36.0	30.3	41.7	39.8	38.5	41.0	28.3
	Non-Hisp. Black	72.6	60.4	84.8	64.8	61.1	68.4	63.8
	Hispanic	47.8	37.4	58.1	55.9	53.1	58.6	58.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	31.6	23.6	39.5	40.0	38.1	41.8	27.5
	Non-Hisp. White Women	39.6	31.7	47.5	39.6	37.8	41.3	29.1
	Non-Hisp. Black Men				61.0	55.4	66.6	
	Non-Hisp. Black Women	77.9	64.1	91.7	68.1	63.4	72.9	
	Hispanic Men	32.6 *	18.4	46.8	52.8	48.7	56.8	
	Hispanic Women	60.9	46.9	74.9	58.9	55.1	62.7	63.8
AGE GROUP	18-44	55.9	48.3	63.6	58.8	56.9	60.7	55.1
	45-64	41.3	33.5	49.1	50.5	48.5	52.4	38.9
	65 & Older	23.9 ^	15.9	31.8	21.6	20.0	23.3	9.3
EDUCATION LEVEL	<High School	47.9	36.1	59.7	48.9	45.0	52.8	38.3
	H.S. / GED	43.2	34.7	51.7	43.1	41.0	45.3	35.2
	>High School	40.5 *	34.1	46.9	48.5	47.1	49.9	42.6
ANNUAL INCOME	<\$25,000	51.3	42.2	60.3	52.7	50.4	54.9	41.9
	\$25,000-\$49,999	39.0	30.2	47.7	45.7	43.2	48.1	31.6
	\$50,000 or More	37.0	28.8	45.3	46.7	44.7	48.6	39.2
MARITAL STATUS	Married/Couple	40.6	34.4	46.8	45.6	44.0	47.1	34.1
	Not Married/Couple	44.6	37.4	51.7	48.5	46.7	50.2	45.0

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who received a flu shot in the past year

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	37.6	33.2	42.0	35.0	33.9	36.0	29.0
SEX	Men	34.7	28.2	41.2	32.8	31.3	34.3	29.4
	Women	39.9	33.9	45.9	37.0	35.5	38.4	28.5
RACE/ETHNICITY	Non-Hisp. White	39.6	34.1	45.2	39.8	38.6	41.0	31.9
	Non-Hisp. Black	37.8	24.6	51.1	26.3	23.2	29.4	14.7
	Hispanic	30.4	21.0	39.8	27.6	25.1	30.0	30.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.6	28.4	44.8	36.9	35.1	38.6	32.7
	Non-Hisp. White Women	42.1	34.6	49.6	42.7	41.0	44.3	31.3
	Non-Hisp. Black Men				26.5	21.6	31.3	
	Non-Hisp. Black Women	43.7	26.6	60.7	26.2	22.2	30.3	
	Hispanic Men	32.3	18.3	46.4	26.6	23.1	30.0	
	Hispanic Women	28.9	16.3	41.4	28.5	25.1	31.9	19.9
AGE GROUP	18-44	21.6	15.4	27.8	23.0	21.4	24.5	18.0
	45-64	39.5	31.9	47.0	32.7	31.0	34.5	31.2
	65 & Older	58.2	49.5	66.8	57.4	55.5	59.3	44.4
EDUCATION LEVEL	<High School	39.0	27.6	50.4	31.4	27.8	34.9	29.4
	H.S. / GED	32.7	25.1	40.3	32.1	30.2	34.1	27.9
	>High School	39.4	33.3	45.4	37.3	36.1	38.6	30.0
ANNUAL INCOME	<\$25,000	32.6	24.5	40.7	29.8	27.8	31.7	31.5
	\$25,000-\$49,999	39.7	31.1	48.3	34.3	32.1	36.4	27.7
	\$50,000 or More	36.4	28.6	44.3	37.7	36.0	39.5	24.8
MARITAL STATUS	Married/Couple	40.3	^ 34.3	46.2	37.7	36.2	39.1	26.1
	Not Married/Couple	34.9	28.3	41.6	32.1	30.6	33.6	31.9

Percentage of adults 65 years of age and older who have ever received a pneumonia vaccination

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	70.5	62.3	78.8	65.6	63.7	67.5	70.3
SEX	Men	77.8	66.6	88.9	63.9	60.9	66.9	67.0
	Women	65.9	54.7	77.0	67.0	64.5	69.5	72.5
RACE/ETHNICITY	Non-Hisp. White	74.5	65.9	83.1	71.0	69.2	72.7	71.7
	Non-Hisp. Black				45.9	37.5	54.2	
	Hispanic				48.6	41.5	55.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	80.9	69.5	92.4	70.4	67.6	73.1	71.8
	Non-Hisp. White Women	69.8	57.7	81.8	71.4	69.1	73.7	71.6
	Non-Hisp. Black Men				43.0	29.6	56.3	
	Non-Hisp. Black Women				48.4	37.8	58.9	
	Hispanic Men				40.1	28.9	51.4	
	Hispanic Women				54.3	45.3	63.2	
AGE GROUP	65 & Older	70.5	62.3	78.8	65.6	63.7	67.5	70.3
EDUCATION LEVEL	<High School				54.0	46.8	61.3	
	H.S. / GED	62.4	45.4	79.3	65.2	61.7	68.7	55.6
	>High School	72.3	62.0	82.7	68.7	66.6	70.9	76.6
ANNUAL INCOME	<\$25,000	70.2	54.9	85.5	60.2	56.2	64.2	79.7
	\$25,000-\$49,999	64.3	48.4	80.3	65.3	61.2	69.3	59.4
	\$50,000 or More	72.5	57.7	87.3	70.5	67.2	73.7	73.2
MARITAL STATUS	Married/Couple	75.7	65.9	85.6	66.7	64.1	69.3	65.3
	Not Married/Couple	65.2	52.0	78.3	64.6	61.7	67.5	78.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults 65 years of age and older who received a flu shot in the past year

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	58.2	49.5	66.9	57.6	55.7	59.5	44.4
SEX	Men	58.7	45.4	72.0	58.5	55.5	61.4	52.8
	Women	57.8	46.3	69.2	56.9	54.4	59.4	38.9
RACE/ETHNICITY	Non-Hisp. White	60.5	50.8	70.1	60.3	58.4	62.2	48.0
	Non-Hisp. Black				46.5	38.3	54.7	
	Hispanic				51.0	44.1	57.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	60.5	46.0	74.9	61.1	58.3	64.0	57.9
	Non-Hisp. White Women	60.5	47.6	73.3	59.5	57.0	62.0	41.6
	Non-Hisp. Black Men				48.2	34.9	61.5	
	Non-Hisp. Black Women				45.0	35.0	55.1	
	Hispanic Men				51.3	40.1	62.5	
	Hispanic Women				50.8	42.0	59.5	
AGE GROUP	65 & Older	58.2	49.5	66.9	57.6	55.7	59.5	44.4
EDUCATION LEVEL	<High School				55.2	48.3	62.0	
	H.S. / GED	49.1	32.2	66.0	55.6	52.0	59.2	40.1
	>High School	62.3	51.2	73.3	59.4	57.2	61.7	49.4
ANNUAL INCOME	<\$25,000	52.7	36.1	69.3	52.8	48.9	56.7	35.0
	\$25,000-\$49,999	55.8	40.1	71.5	58.7	54.8	62.6	46.2
	\$50,000 or More	54.3	37.1	71.4	60.7	57.4	64.0	48.7
MARITAL STATUS	Married/Couple	63.7	52.5	74.8	59.7	57.1	62.3	45.8
	Not Married/Couple	53.8	40.6	66.9	55.8	52.9	58.6	42.0

Percentage of adults who have received a tetanus shot since 2005

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	52.9	48.1	57.7	52.9	51.7	54.1	52.4
SEX	Men	59.1	52.2	66.1	57.1	55.4	58.8	56.4
	Women	47.5	41.0	54.1	48.9	47.3	50.5	48.6
RACE/ETHNICITY	Non-Hisp. White	56.6	50.7	62.6	56.0	54.7	57.3	54.8
	Non-Hisp. Black	35.0	^ 21.4	48.5	48.3	44.4	52.2	67.4
	Hispanic	49.3	38.6	59.9	47.7	44.8	50.7	35.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	62.5	53.9	71.1	60.2	58.3	62.1	58.1
	Non-Hisp. White Women	51.7	43.6	59.8	52.0	50.2	53.8	51.8
	Non-Hisp. Black Men				49.6	43.9	55.4	
	Non-Hisp. Black Women	39.2	21.7	56.8	47.1	41.7	52.4	
	Hispanic Men	60.4	45.6	75.3	53.7	49.5	57.8	
	Hispanic Women	39.0	24.7	53.3	42.1	38.1	46.1	26.5
AGE GROUP	18-44	52.4	44.4	60.5	58.3	56.3	60.3	54.3
	45-64	55.9	48.0	63.7	52.7	50.7	54.7	53.3
	65 & Older	49.3	40.2	58.3	44.5	42.6	46.5	48.5
EDUCATION LEVEL	<High School	49.8	37.7	62.0	42.9	39.0	46.7	38.1
	H.S. / GED	46.0	37.3	54.7	51.1	48.9	53.3	49.5
	>High School	57.7	51.3	64.1	56.4	55.0	57.8	62.6
ANNUAL INCOME	<\$25,000	50.0	40.9	59.2	49.1	46.8	51.5	42.7
	\$25,000-\$49,999	51.8	42.6	61.0	52.1	49.6	54.5	61.9
	\$50,000 or More	58.6	49.9	67.2	57.9	56.0	59.9	56.8
MARITAL STATUS	Married/Couple	55.0	48.6	61.4	54.8	53.2	56.4	48.8
	Not Married/Couple	51.0	43.7	58.3	51.0	49.2	52.7	57.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	37.9	33.3	42.6	34.6	33.5	35.7	38.4
SEX	Men	41.6	34.4	48.8	35.8	34.2	37.4	36.7
	Women	35.0	29.0	41.1	33.5	32.1	35.0	40.0
RACE/ETHNICITY	Non-Hisp. White	41.7	35.8	47.5	40.6	39.4	41.8	38.5
	Non-Hisp. Black	31.2	18.1	44.3	25.7	22.5	29.0	51.8
	Hispanic	28.0	17.9	38.2	24.9	22.3	27.4	29.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	44.6	35.6	53.6	41.0	39.1	42.8	38.5
	Non-Hisp. White Women	39.3	31.6	47.0	40.3	38.6	41.9	38.5
	Non-Hisp. Black Men				28.0	23.0	32.9	
	Non-Hisp. Black Women	36.5	19.3	53.7	23.8	19.7	28.0	
	Hispanic Men	40.9	24.1	57.6	27.2	23.4	31.1	
	Hispanic Women	18.8	7.3	30.2	22.8	19.4	26.1	
AGE GROUP	18-44	22.7	15.6	29.9	21.6	19.8	23.4	22.2
	45-64	27.6	20.6	34.6	24.4	22.7	26.0	33.1
	65 & Older	70.5	62.4	78.7	65.4	63.5	67.3	70.3
EDUCATION LEVEL	<High School	44.1	31.8	56.4	31.1	27.5	34.7	40.9
	H.S. / GED	33.2	25.1	41.3	34.9	32.8	37.0	35.0
	>High School	39.0	32.6	45.3	35.3	34.0	36.6	40.5
ANNUAL INCOME	<\$25,000	37.5	28.7	46.3	34.2	32.1	36.4	48.8
	\$25,000-\$49,999	39.9	30.8	49.0	35.6	33.3	37.9	38.1
	\$50,000 or More	32.4	24.1	40.6	32.7	30.9	34.5	19.8
MARITAL STATUS	Married/Couple	36.2	30.1	42.4	34.2	32.8	35.7	29.9
	Not Married/Couple	39.8	32.6	47.0	35.1	33.5	36.7	52.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults 45 years of age and older who had a fall-related injury in the past 12 months

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	14.6	10.3	19.0	9.9	9.1	10.7	
SEX	Men	9.5	4.0	14.9	7.6	6.7	8.6	
	Women	18.7	12.3	25.1	11.9	10.8	13.1	
RACE/ETHNICITY	Non-Hisp. White	17.3 *	11.8	22.7	10.9	10.0	11.7	
	Non-Hisp. Black	6.8	0.0	16.6	7.9	5.5	10.2	
	Hispanic	9.2	0.2	18.1	8.4	6.2	10.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.5	4.4	18.6	8.2	7.1	9.3	
	Non-Hisp. White Women	21.5	13.7	29.4	13.3	12.0	14.6	
	Non-Hisp. Black Men				5.0	2.7	7.3	
	Non-Hisp. Black Women				10.4	6.5	14.3	
	Hispanic Men				7.7	4.7	10.7	
	Hispanic Women				8.9	5.7	12.1	
AGE GROUP	45-64	15.3	9.6	21.0	10.1	9.0	11.2	
	65 & Older	13.8	7.1	20.4	9.7	8.6	10.7	
EDUCATION LEVEL	<High School	12.7	2.5	23.0	9.8	7.2	12.4	
	H.S. / GED	14.0	5.9	22.1	10.7	9.2	12.1	
	>High School	15.6	9.7	21.6	9.6	8.6	10.5	
ANNUAL INCOME	<\$25,000	13.9	6.0	21.8	13.9	12.1	15.7	
	\$25,000-\$49,999	20.3	10.9	29.6	10.7	8.9	12.4	
	\$50,000 or More	10.4	3.1	17.8	6.5	5.6	7.4	
MARITAL STATUS	Married/Couple	11.2	6.3	16.1	8.1	7.2	9.0	
	Not Married/Couple	20.1	12.2	28.0	12.4	11.1	13.7	

Percentage of adults who always or nearly always use a seatbelt when riding in a car

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	94.6	92.5	96.8	95.0	94.5	95.5	93.7
SEX	Men	91.5	87.5	95.5	93.2	92.3	94.1	92.3
	Women	97.3	95.2	99.3	96.7	96.1	97.2	95.0
RACE/ETHNICITY	Non-Hisp. White	94.0	91.0	96.9	95.3	94.7	95.8	93.3
	Non-Hisp. Black	95.3	88.9	100.0	92.3	90.4	94.3	89.1
	Hispanic	97.2	93.9	100.0	95.8	94.8	96.9	97.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	91.0	85.6	96.4	93.3	92.3	94.2	90.6
	Non-Hisp. White Women	96.5	93.7	99.4	97.2	96.5	97.8	95.7
	Non-Hisp. Black Men				88.8	85.2	92.5	
	Non-Hisp. Black Women	96.1	88.8	100.0	95.4	93.9	97.0	
	Hispanic Men	94.1	87.1	100.0	95.3	93.7	96.9	
	Hispanic Women	100.0 *	100.0	100.0	96.3	94.9	97.7	96.8
AGE GROUP	18-44	91.8	87.3	96.3	92.9	91.9	93.9	92.4
	45-64	96.0	93.0	99.1	96.5	95.9	97.2	95.3
	65 & Older	96.8	93.8	99.8	96.4	95.6	97.1	93.6
EDUCATION LEVEL	<High School	89.2	81.3	97.1	92.2	90.3	94.0	89.3
	H.S. / GED	94.4	90.7	98.2	94.4	93.5	95.4	94.9
	>High School	96.4	94.0	98.8	96.0	95.4	96.5	94.7
ANNUAL INCOME	<\$25,000	94.1	89.7	98.6	93.9	92.9	94.9	93.6
	\$25,000-\$49,999	94.5	90.7	98.3	95.1	94.0	96.1	93.2
	\$50,000 or More	95.1	91.3	99.0	95.6	94.7	96.4	95.0
MARITAL STATUS	Married/Couple	96.4	93.9	98.8	96.5	95.9	97.1	93.2
	Not Married/Couple	92.3	88.4	96.2	93.2	92.4	94.1	94.2

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who have seen a dentist in the past year

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	54.6 *	50.1	59.1	63.0	62.0	64.1	
SEX	Men	49.2 *	42.5	55.8	60.4	58.8	61.9	
	Women	59.1	53.1	65.1	65.5	64.0	66.9	
RACE/ETHNICITY	Non-Hisp. White	56.3 *	50.7	61.9	65.9	64.8	67.1	
	Non-Hisp. Black	56.9	44.0	69.9	57.5	54.0	61.0	
	Hispanic	47.9	37.9	58.0	58.7	56.1	61.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	51.9 *	43.5	60.2	63.7	62.0	65.5	
	Non-Hisp. White Women	60.1	52.6	67.6	68.0	66.5	69.6	
	Non-Hisp. Black Men				54.7	49.5	59.9	
	Non-Hisp. Black Women	65.1	49.7	80.6	60.0	55.2	64.7	
	Hispanic Men	44.1	29.3	58.8	55.1	51.2	58.9	
	Hispanic Women	51.1	37.5	64.8	62.1	58.6	65.7	
AGE GROUP	18-44	49.7 *	42.3	57.2	60.1	58.3	61.9	
	45-64	53.9	46.3	61.4	62.6	60.9	64.4	
	65 & Older	62.6	54.3	71.0	68.4	66.6	70.1	
EDUCATION LEVEL	<High School	33.5	22.7	44.3	45.2	41.6	48.9	
	H.S. / GED	53.0	44.9	61.0	55.5	53.5	57.6	
	>High School	62.2 *	56.2	68.2	71.0	69.8	72.3	
ANNUAL INCOME	<\$25,000	45.0	36.5	53.6	47.2	45.0	49.4	
	\$25,000-\$49,999	52.4	43.6	61.2	60.7	58.4	62.9	
	\$50,000 or More	68.8	60.9	76.8	76.2	74.6	77.9	
MARITAL STATUS	Married/Couple	58.9 *	52.9	64.9	67.1	65.7	68.5	
	Not Married/Couple	49.5 *	42.7	56.3	58.1	56.5	59.7	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	53.3 *	48.8	57.8	47.3	46.2	48.4	
SEX	Men	51.9	45.2	58.6	47.1	45.6	48.7	
	Women	54.4	48.3	60.5	47.5	46.0	49.0	
RACE/ETHNICITY	Non-Hisp. White	53.2	47.6	58.9	48.4	47.2	49.6	
	Non-Hisp. Black	57.2	44.0	70.5	50.5	47.0	54.0	
	Hispanic	49.0	39.0	59.0	44.7	42.1	47.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.5	44.1	60.8	49.0	47.2	50.8	
	Non-Hisp. White Women	53.9	46.2	61.6	47.8	46.2	49.5	
	Non-Hisp. Black Men				48.7	43.5	53.9	
	Non-Hisp. Black Women	57.0	40.2	73.8	52.1	47.3	56.9	
	Hispanic Men	43.9	29.2	58.5	43.0	39.1	46.8	
	Hispanic Women	53.3	39.8	66.8	46.4	42.7	50.1	
AGE GROUP	18-44	31.7	24.8	38.6	28.0	26.3	29.6	
	45-64	59.7	52.2	67.2	55.2	53.3	57.0	
	65 & Older	76.4	69.2	83.6	70.2	68.5	71.9	
EDUCATION LEVEL	<High School	57.6	46.2	69.0	63.9	60.3	67.4	
	H.S. / GED	52.4	44.2	60.6	52.1	50.1	54.2	
	>High School	52.1 *	46.0	58.2	40.8	39.5	42.1	
ANNUAL INCOME	<\$25,000	61.4	53.0	69.9	59.4	57.3	61.6	
	\$25,000-\$49,999	55.0	46.3	63.7	50.0	47.6	52.3	
	\$50,000 or More	40.4	32.2	48.6	36.3	34.5	38.0	
MARITAL STATUS	Married/Couple	49.2	43.1	55.2	47.6	46.1	49.1	
	Not Married/Couple	58.1 *	51.4	64.9	47.1	45.5	48.7	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults with "good" to "excellent" overall health

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	76.4	72.6	80.3	80.5	79.6	81.4	75.3
SEX	Men	76.6	70.9	82.4	81.4	80.1	82.7	75.9
	Women	76.2	71.1	81.4	79.7	78.5	80.9	74.7
RACE/ETHNICITY	Non-Hisp. White	78.2	73.4	82.9	82.3	81.4	83.2	77.7
	Non-Hisp. Black	84.2	75.1	93.4	81.3	78.5	84.1	69.5
	Hispanic	66.5	57.2	75.7	74.8	72.4	77.1	69.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	76.0	68.7	83.2	82.4	81.0	83.9	79.8
	Non-Hisp. White Women	80.0	73.7	86.3	82.1	80.9	83.3	75.8
	Non-Hisp. Black Men				82.1	78.0	86.1	
	Non-Hisp. Black Women	75.8	62.0	89.6	80.7	76.8	84.6	
	Hispanic Men	69.3	55.8	82.8	77.9	74.6	81.2	
	Hispanic Women	64.2	51.5	76.8	71.8	68.5	75.1	68.1
AGE GROUP	18-44	81.6	75.7	87.4	86.1	84.7	87.4	86.8
	45-64	70.6	63.7	77.5	77.1	75.5	78.7	62.7
	65 & Older	77.0	69.9	84.2	75.7	74.0	77.4	70.7
EDUCATION LEVEL	<High School	56.2	45.0	67.4	57.3	53.7	60.9	51.4
	H.S. / GED	80.6	74.3	87.0	78.9	77.3	80.4	77.4
	>High School	81.1 *	76.2	86.0	87.1	86.2	87.9	86.5
ANNUAL INCOME	<\$25,000	62.6	54.3	71.0	65.4	63.4	67.5	59.1
	\$25,000-\$49,999	76.0	68.5	83.5	83.2	81.4	85.0	78.1
	\$50,000 or More	90.5	85.7	95.2	91.6	90.6	92.7	95.9
MARITAL STATUS	Married/Couple	78.5	73.6	83.4	82.7	81.5	83.9	77.0
	Not Married/Couple	73.9	67.9	80.0	78.2	76.9	79.6	72.2

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults with good physical health for the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	83.9	80.5	87.2	87.1	86.4	87.8	81.8
SEX	Men	84.2	79.2	89.2	88.4	87.4	89.4	82.2
	Women	83.6	79.1	88.2	85.9	84.9	87.0	81.4
RACE/ETHNICITY	Non-Hisp. White	80.9	76.3	85.4	85.9	85.1	86.7	83.6
	Non-Hisp. Black	93.4	87.7	99.2	89.0	86.8	91.2	70.0
	Hispanic	87.0	80.5	93.5	88.2	86.5	89.9	83.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	81.2	74.4	87.9	86.7	85.4	88.0	87.6
	Non-Hisp. White Women	80.6	74.4	86.8	85.1	84.0	86.2	79.8
	Non-Hisp. Black Men				90.3	87.4	93.1	
	Non-Hisp. Black Women	92.1	83.7	100.0	87.9	84.6	91.2	
	Hispanic Men	87.6	77.8	97.4	90.6	88.5	92.7	
	Hispanic Women	86.6	77.9	95.2	85.9	83.3	88.5	81.4
AGE GROUP	18-44	88.5	83.6	93.4	92.2	91.2	93.2	89.7
	45-64	78.0	71.8	84.2	83.1	81.7	84.4	71.3
	65 & Older	85.3	79.1	91.6	83.9	82.6	85.3	81.0
EDUCATION LEVEL	<High School	74.7	64.5	84.8	80.2	77.5	82.9	60.5
	H.S. / GED	85.8	80.0	91.5	86.5	85.2	87.8	88.5
	>High School	86.0	81.7	90.3	89.1	88.3	90.0	84.9
ANNUAL INCOME	<\$25,000	78.7	71.5	86.0	77.6	75.8	79.4	67.8
	\$25,000-\$49,999	83.6	77.1	90.2	88.8	87.5	90.2	86.4
	\$50,000 or More	93.8	90.1	97.5	93.2	92.3	94.1	95.9
MARITAL STATUS	Married/Couple	84.5	80.2	88.8	88.8	87.9	89.7	85.7
	Not Married/Couple	82.8	77.5	88.2	85.4	84.3	86.5	76.7

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults with good mental health for the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	88.7	85.9	91.6	88.6	87.9	89.3	87.0
SEX	Men	90.2	86.0	94.3	90.5	89.6	91.4	89.9
	Women	87.6	83.6	91.6	86.8	85.8	87.8	84.3
RACE/ETHNICITY	Non-Hisp. White	86.6	82.7	90.5	87.8	87.0	88.6	88.8
	Non-Hisp. Black	93.9	88.2	99.7	89.2	87.0	91.4	77.9
	Hispanic	91.3	85.7	96.8	90.1	88.6	91.6	89.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.8	82.1	93.4	89.8	88.7	91.0	91.0
	Non-Hisp. White Women	85.6	80.2	91.0	85.9	84.7	87.1	86.7
	Non-Hisp. Black Men				90.6	87.7	93.6	
	Non-Hisp. Black Women	90.3	81.3	99.3	88.0	84.7	91.3	
	Hispanic Men	92.6	84.7	100.0	92.2	90.4	94.1	
	Hispanic Women	90.2	82.5	97.9	88.0	85.7	90.4	87.4
AGE GROUP	18-44	89.0	84.3	93.8	87.5	86.2	88.7	89.2
	45-64	84.5	78.9	90.1	87.0	85.8	88.2	78.2
	65 & Older	94.1	90.3	97.8	92.7	91.7	93.6	94.5
EDUCATION LEVEL	<High School	84.2	75.5	92.9	84.7	82.2	87.2	74.5
	H.S. / GED	86.4	80.6	92.3	87.9	86.6	89.2	87.8
	>High School	91.9	88.8	95.0	89.9	89.0	90.7	93.2
ANNUAL INCOME	<\$25,000	81.5	74.6	88.4	82.2	80.6	83.8	79.2
	\$25,000-\$49,999	92.7	88.4	97.0	88.1	86.6	89.7	90.7
	\$50,000 or More	92.8	88.7	96.9	92.4	91.3	93.4	95.0
MARITAL STATUS	Married/Couple	91.6	88.2	94.9	91.3	90.5	92.1	88.4
	Not Married/Couple	84.9	79.9	89.9	85.5	84.3	86.6	86.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults who had poor physical health on 14 or more of the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	16.1	12.8	19.5	12.9	12.2	13.6	18.2
SEX	Men	15.8	10.8	20.8	11.6	10.6	12.6	17.8
	Women	16.4	11.8	20.9	14.1	13.0	15.1	18.6
RACE/ETHNICITY	Non-Hisp. White	19.1	14.6	23.7	14.1	13.3	14.9	16.4
	Non-Hisp. Black	6.6	0.8	12.3	11.0	8.8	13.2	30.0
	Hispanic	13.0	6.5	19.5	11.8	10.1	13.5	16.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.8	12.1	25.6	13.3	12.0	14.6	12.4
	Non-Hisp. White Women	19.4	13.2	25.6	14.9	13.8	16.0	20.2
	Non-Hisp. Black Men				9.7	6.9	12.6	
	Non-Hisp. Black Women	7.9	0.0	16.3	12.1	8.8	15.4	
	Hispanic Men	12.4	2.6	22.2	9.4	7.3	11.5	
	Hispanic Women	13.4	4.8	22.1	14.1	11.5	16.7	18.6
AGE GROUP	18-44	11.5	6.6	16.4	7.8	6.8	8.8	10.3
	45-64	22.0	15.8	28.2	16.9	15.6	18.3	28.7
	65 & Older	14.7	8.4	20.9	16.1	14.7	17.4	19.0
EDUCATION LEVEL	<High School	25.3	15.2	35.5	19.8	17.1	22.5	39.5
	H.S. / GED	14.2	8.5	20.0	13.5	12.2	14.8	11.5
	>High School	14.0	9.7	18.3	10.9	10.0	11.7	15.1
ANNUAL INCOME	<\$25,000	21.3	14.0	28.5	22.4	20.6	24.2	32.2
	\$25,000-\$49,999	16.4	9.8	22.9	11.2	9.8	12.5	13.6
	\$50,000 or More	6.2	2.5	9.9	6.8	5.9	7.7	4.1
MARITAL STATUS	Married/Couple	15.5	11.2	19.8	11.2	10.3	12.1	14.3
	Not Married/Couple	17.2	11.8	22.5	14.6	13.5	15.7	23.3

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults who said their overall health was "fair" or "poor"

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	23.6	19.7	27.4	19.5	18.6	20.4	24.7
SEX	Men	23.4	17.6	29.1	18.6	17.3	19.9	24.1
	Women	23.8	18.6	28.9	20.3	19.1	21.5	25.3
RACE/ETHNICITY	Non-Hisp. White	21.8	17.1	26.6	17.7	16.8	18.6	22.3
	Non-Hisp. Black	15.8	6.6	24.9	18.7	15.9	21.5	30.5
	Hispanic	33.5	24.3	42.8	25.2	22.9	27.6	30.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.0	16.8	31.3	17.6	16.1	19.0	20.2
	Non-Hisp. White Women	20.0	13.7	26.3	17.9	16.7	19.1	24.2
	Non-Hisp. Black Men				17.9	13.9	22.0	
	Non-Hisp. Black Women	24.2	10.4	38.0	19.3	15.4	23.2	
	Hispanic Men	30.7	17.2	44.2	22.1	18.8	25.4	
	Hispanic Women	35.8	23.2	48.5	28.2	24.9	31.5	31.9
AGE GROUP	18-44	18.4	12.6	24.3	13.9	12.6	15.3	13.2
	45-64	29.4	22.5	36.3	22.9	21.3	24.5	37.3
	65 & Older	23.0	15.8	30.1	24.3	22.6	26.0	29.3
EDUCATION LEVEL	<High School	43.8	32.6	55.0	42.7	39.1	46.3	48.6
	H.S. / GED	19.4	13.0	25.7	21.1	19.6	22.7	22.6
	>High School	18.9 *	14.0	23.8	12.9	12.1	13.8	13.5
ANNUAL INCOME	<\$25,000	37.4	29.0	45.7	34.6	32.5	36.6	40.9
	\$25,000-\$49,999	24.0	16.5	31.5	16.8	15.0	18.6	21.9
	\$50,000 or More	9.5	4.8	14.3	8.4	7.3	9.4	4.1
MARITAL STATUS	Married/Couple	21.5	16.6	26.4	17.3	16.1	18.5	23.0
	Not Married/Couple	26.1	20.0	32.1	21.8	20.4	23.1	27.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (Among adults who have had at least one day of poor mental or physical health)

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	6.6	5.2	8.0	5.7	5.4	6.0	5.7
SEX	Men	8.1	5.7	10.5	5.6	5.1	6.1	5.1
	Women	5.5	3.9	7.1	5.8	5.4	6.2	6.2
RACE/ETHNICITY	Non-Hisp. White	7.2	5.4	9.0	5.9	5.5	6.2	6.0
	Non-Hisp. Black	4.6	1.9	7.4	5.9	4.9	6.9	
	Hispanic	6.0	2.9	9.1	5.2	4.4	6.0	5.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.5 *	6.4	12.5	5.7	5.2	6.2	5.2
	Non-Hisp. White Women	5.4	3.3	7.4	6.0	5.6	6.5	6.6
	Non-Hisp. Black Men				5.9	4.3	7.4	
	Non-Hisp. Black Women				6.0	4.7	7.3	
	Hispanic Men				5.2	4.1	6.3	
	Hispanic Women				5.3	4.2	6.3	
AGE GROUP	18-44	5.7	3.6	7.8	4.0	3.6	4.4	3.6
	45-64	8.4	5.9	10.9	7.6	7.0	8.2	7.7
	65 & Older	5.5	3.0	8.0	6.2	5.6	6.7	6.4
EDUCATION LEVEL	<High School	9.4	5.2	13.6	8.3	7.2	9.5	8.2
	H.S. / GED	6.7	4.2	9.3	5.8	5.2	6.3	5.2
	>High School	5.5	3.8	7.1	4.9	4.6	5.3	4.6
ANNUAL INCOME	<\$25,000	8.0	5.3	10.7	8.6	8.0	9.3	7.7
	\$25,000-\$49,999	5.7	3.3	8.0	5.3	4.7	5.9	3.5
	\$50,000 or More	3.4	1.5	5.3	3.3	3.0	3.7	2.2
MARITAL STATUS	Married/Couple	7.5	5.3	9.6	5.3	4.9	5.7	6.1
	Not Married/Couple	6.0	4.2	7.8	6.1	5.6	6.5	5.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Average number of unhealthy physical days in the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	4.7	3.8	5.5	4.0	3.8	4.2	5.8
SEX	Men	4.7	3.5	6.0	3.7	3.5	4.0	5.8
	Women	4.6	3.5	5.7	4.3	4.0	4.6	5.9
RACE/ETHNICITY	Non-Hisp. White	5.4	4.2	6.5	4.4	4.2	4.6	5.2
	Non-Hisp. Black	2.6	0.9	4.3	3.6	3.1	4.2	9.9
	Hispanic	3.8	2.3	5.4	3.6	3.1	4.0	5.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.6	3.8	7.4	4.2	3.8	4.5	4.2
	Non-Hisp. White Women	5.1	3.7	6.6	4.6	4.4	4.9	6.3
	Non-Hisp. Black Men				3.5	2.6	4.3	
	Non-Hisp. Black Women	3.1	0.6	5.5	3.8	3.0	4.6	
	Hispanic Men	3.7	1.4	6.0	3.1	2.5	3.6	
	Hispanic Women	3.9	1.7	6.1	4.0	3.3	4.7	5.3
AGE GROUP	18-44	3.5	2.3	4.8	2.7	2.5	2.9	3.4
	45-64	6.0	4.4	7.6	5.0	4.7	5.4	8.9
	65 & Older	4.4	3.0	5.8	4.9	4.5	5.3	6.3
EDUCATION LEVEL	<High School	7.4	4.8	10.0	5.9	5.2	6.6	11.7
	H.S. / GED	4.1	2.6	5.6	4.2	3.9	4.6	3.9
	>High School	4.0	3.0	5.0	3.5	3.3	3.7	5.1
ANNUAL INCOME	<\$25,000	6.3	4.4	8.1	6.6	6.1	7.1	9.9
	\$25,000-\$49,999	4.4	2.9	5.9	3.6	3.2	4.0	4.9
	\$50,000 or More	1.9	1.2	2.7	2.4	2.2	2.6	1.6
MARITAL STATUS	Married/Couple	4.5	3.4	5.6	3.5	3.3	3.8	4.7
	Not Married/Couple	4.9	3.6	6.2	4.6	4.3	4.8	7.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Average number of unhealthy mental days in the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	3.6	2.9	4.3	3.6	3.4	3.7	4.2
SEX	Men	3.1	2.0	4.2	3.0	2.8	3.3	3.4
	Women	4.0	2.9	5.0	4.1	3.8	4.3	5.1
RACE/ETHNICITY	Non-Hisp. White	4.1	3.0	5.1	3.8	3.6	4.0	3.7
	Non-Hisp. Black	3.0	1.6	4.4	3.5	2.9	4.1	7.6
	Hispanic	2.7	1.3	4.2	3.1	2.7	3.5	3.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.6	2.1	5.1	3.2	2.9	3.5	3.1
	Non-Hisp. White Women	4.4	3.0	5.9	4.3	4.1	4.6	4.3
	Non-Hisp. Black Men				3.1	2.3	3.9	
	Non-Hisp. Black Women	3.8	1.8	5.8	3.9	3.0	4.7	
	Hispanic Men	2.2	0.3	4.1	2.6	2.1	3.1	
	Hispanic Women	3.2	1.1	5.3	3.6	3.0	4.2	4.1
AGE GROUP	18-44	3.8	2.5	5.0	4.0	3.7	4.3	3.6
	45-64	4.6	3.1	6.0	3.9	3.6	4.3	6.9
	65 & Older	2.0	1.0	3.0	2.3	2.0	2.5	2.0
EDUCATION LEVEL	<High School	5.1	2.8	7.5	4.6	3.9	5.2	7.2
	H.S. / GED	4.4	2.9	5.8	3.8	3.5	4.2	4.2
	>High School	2.5	1.7	3.4	3.2	3.0	3.4	2.7
ANNUAL INCOME	<\$25,000	5.5	3.7	7.3	5.3	4.9	5.7	6.6
	\$25,000-\$49,999	2.7	1.6	3.8	3.7	3.3	4.1	3.3
	\$50,000 or More	2.4	1.2	3.5	2.6	2.4	2.9	1.7
MARITAL STATUS	Married/Couple	2.8	1.9	3.7	2.8	2.6	3.0	3.5
	Not Married/Couple	4.7	3.4	5.9	4.5	4.2	4.8	5.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults whose poor physical or mental health kept them from doing usual activities on 14 or more of the past 30 days

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	22.5	17.1	28.0	18.6	17.4	19.9	17.9
SEX	Men	28.4	19.5	37.4	18.6	16.7	20.5	14.2
	Women	17.9	11.3	24.5	18.7	17.1	20.3	20.5
RACE/ETHNICITY	Non-Hisp. White	23.9	16.9	30.9	19.1	17.8	20.5	19.4
	Non-Hisp. Black	15.1	3.3	26.9	18.9	14.7	23.0	
	Hispanic	23.5	10.2	36.8	17.3	14.2	20.3	15.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.4 *	21.0	43.7	18.7	16.7	20.7	14.0
	Non-Hisp. White Women	17.0	8.7	25.3	19.5	17.8	21.3	23.4
	Non-Hisp. Black Men				19.0	12.9	25.2	
	Non-Hisp. Black Women				18.7	13.2	24.3	
	Hispanic Men				17.4	12.9	21.9	
	Hispanic Women				17.2	12.9	21.4	
AGE GROUP	18-44	19.9	11.1	28.7	12.0	10.4	13.6	8.5
	45-64	29.1	19.3	38.9	26.3	23.9	28.7	27.2
	65 & Older	16.8	7.7	25.9	20.2	18.0	22.4	20.5
EDUCATION LEVEL	<High School	33.3	18.2	48.5	29.7	25.0	34.5	30.0
	H.S. / GED	24.2	14.0	34.4	19.7	17.5	21.9	13.9
	>High School	17.3	10.6	24.0	15.1	13.8	16.4	14.0
ANNUAL INCOME	<\$25,000	27.8	17.0	38.6	29.8	27.1	32.5	24.6
	\$25,000-\$49,999	19.0	9.5	28.5	17.4	14.7	20.0	8.3
	\$50,000 or More	11.5	3.1	20.0	9.6	8.1	11.1	6.4
MARITAL STATUS	Married/Couple	25.2	17.0	33.3	17.7	15.9	19.4	18.8
	Not Married/Couple	20.7	13.1	28.2	19.6	17.9	21.3	16.1

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health-Related Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

		2016 County			2016 State			2013 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	11.3	8.4	14.1	11.4	10.7	12.1	13.0
SEX	Men	9.8	5.7	14.0	9.5	8.6	10.4	10.1
	Women	12.4	8.4	16.4	13.2	12.2	14.2	15.7
RACE/ETHNICITY	Non-Hisp. White	13.4	9.5	17.3	12.2	11.4	13.0	11.2
	Non-Hisp. Black	6.1	0.3	11.8	10.8	8.6	13.0	22.1
	Hispanic	8.7	3.2	14.3	9.9	8.4	11.4	10.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.2	6.6	17.9	10.2	9.0	11.3	9.0
	Non-Hisp. White Women	14.4	9.0	19.8	14.1	12.9	15.3	13.3
	Non-Hisp. Black Men				9.4	6.4	12.3	
	Non-Hisp. Black Women	9.7	0.7	18.7	12.0	8.7	15.3	
	Hispanic Men	7.4	0.0	15.3	7.8	5.9	9.6	
	Hispanic Women	9.8	2.1	17.5	12.0	9.6	14.3	12.6
AGE GROUP	18-44	11.0	6.2	15.7	12.5	11.3	13.8	10.8
	45-64	15.5	9.9	21.1	13.0	11.8	14.2	21.8
	65 & Older	5.9	2.2	9.7	7.3	6.4	8.3	5.5
EDUCATION LEVEL	<High School	15.8	7.1	24.5	15.3	12.8	17.8	25.5
	H.S. / GED	13.6	7.7	19.4	12.1	10.8	13.4	12.2
	>High School	8.1	5.0	11.2	10.1	9.3	11.0	6.8
ANNUAL INCOME	<\$25,000	18.5	11.6	25.4	17.8	16.2	19.4	20.8
	\$25,000-\$49,999	7.3	3.0	11.6	11.9	10.3	13.4	9.3
	\$50,000 or More	7.2	3.1	11.3	7.6	6.6	8.7	5.0
MARITAL STATUS	Married/Couple	8.4	5.1	11.8	8.7	7.9	9.5	11.6
	Not Married/Couple	15.1	10.1	20.1	14.5	13.4	15.7	13.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who had a medical checkup in the past year

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	77.7	74.0	81.4	76.5	75.6	77.5	72.4
SEX	Men	68.5	62.3	74.7	72.0	70.5	73.4	69.2
	Women	85.2	81.0	89.4	80.8	79.6	82.1	75.3
RACE/ETHNICITY	Non-Hisp. White	77.7	73.1	82.3	77.7	76.6	78.7	71.8
	Non-Hisp. Black	85.8	77.0	94.7	80.4	77.4	83.3	78.9
	Hispanic	76.5	68.1	84.9	71.9	69.5	74.4	69.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	70.8	63.3	78.3	74.4	72.8	76.0	72.3
	Non-Hisp. White Women	83.4	77.9	89.0	80.8	79.4	82.1	71.3
	Non-Hisp. Black Men				74.0	69.4	78.6	
	Non-Hisp. Black Women	93.7	88.0	99.4	86.0	82.2	89.7	
	Hispanic Men	65.6	51.7	79.6	65.2	61.5	68.9	
	Hispanic Women	85.7	76.4	95.0	78.3	75.2	81.5	85.5
AGE GROUP	18-44	64.5	57.5	71.6	63.9	62.1	65.7	62.7
	45-64	80.2	74.3	86.2	78.9	77.4	80.4	69.9
	65 & Older	93.0	89.0	97.0	94.2	93.4	94.9	91.1
EDUCATION LEVEL	<High School	77.9	68.5	87.2	69.7	66.3	73.1	72.5
	H.S. / GED	76.1	69.1	83.0	74.2	72.4	76.1	74.0
	>High School	78.3	73.3	83.3	79.3	78.2	80.4	70.4
ANNUAL INCOME	<\$25,000	78.3	71.1	85.5	72.6	70.6	74.5	70.9
	\$25,000-\$49,999	82.1	75.6	88.6	75.6	73.6	77.6	72.9
	\$50,000 or More	71.9	64.3	79.5	78.8	77.2	80.4	71.7
MARITAL STATUS	Married/Couple	77.8	72.7	82.8	79.3	78.1	80.5	69.6
	Not Married/Couple	77.6	72.1	83.1	73.4	71.9	74.9	75.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who have Medicare (Medicare is a coverage plan for people 65 or over and for certain disabled people.)

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	38.3	33.4	43.1	37.9	36.8	39.1	
SEX	Men	35.2	28.0	42.4	37.3	35.5	39.0	
	Women	40.6	34.1	47.2	38.5	37.0	40.0	
RACE/ETHNICITY	Non-Hisp. White	39.7	33.7	45.6	41.8	40.5	43.1	
	Non-Hisp. Black	40.3	25.7	55.0	31.7	28.2	35.1	
	Hispanic	30.7	19.3	42.0	31.8	28.8	34.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.0	27.2	44.9	40.6	38.7	42.5	
	Non-Hisp. White Women	42.5	34.4	50.5	42.8	41.1	44.5	
	Non-Hisp. Black Men				34.1	28.7	39.6	
	Non-Hisp. Black Women	51.6	32.7	70.5	29.6	25.2	34.1	
	Hispanic Men	36.1	18.6	53.6	30.0	25.6	34.5	
	Hispanic Women	26.4	11.6	41.3	33.4	29.4	37.4	
AGE GROUP	18-44	12.5	6.3	18.7	11.8	10.4	13.2	
	45-64	22.3	15.5	29.1	17.6	16.0	19.2	
	65 & Older	89.0	83.0	95.0	92.1	91.0	93.2	
EDUCATION LEVEL	<High School	50.4	36.6	64.1	51.7	47.0	56.4	
	H.S. / GED	31.5	23.0	40.0	41.5	39.3	43.7	
	>High School	38.0	31.5	44.4	33.4	32.1	34.7	
ANNUAL INCOME	<\$25,000	51.8	41.4	62.2	52.4	49.9	55.0	
	\$25,000-\$49,999	35.2	26.2	44.3	38.0	35.6	40.5	
	\$50,000 or More	22.8	15.5	30.1	24.0	22.4	25.6	
MARITAL STATUS	Married/Couple	31.0	25.1	36.9	34.6	33.2	36.1	
	Not Married/Couple	49.1	41.1	57.1	42.0	40.3	43.8	

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	84.2	81.0	87.5	83.7	82.8	84.5	76.6
SEX	Men	82.0	76.8	87.1	82.0	80.7	83.2	77.8
	Women	86.1	81.9	90.3	85.3	84.1	86.4	75.5
RACE/ETHNICITY	Non-Hisp. White	89.9	86.5	93.2	89.5	88.8	90.3	84.2
	Non-Hisp. Black	79.4	68.4	90.4	81.0	78.1	83.8	68.6
	Hispanic	70.3	61.2	79.3	71.1	68.7	73.5	58.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.5	82.3	92.7	88.2	87.1	89.3	88.8
	Non-Hisp. White Women	91.8	[^] 87.6	96.1	90.8	89.8	91.8	79.8
	Non-Hisp. Black Men				77.9	73.5	82.3	
	Non-Hisp. Black Women	79.3	65.9	92.6	83.7	80.1	87.4	
	Hispanic Men	67.1	53.2	81.0	69.0	65.5	72.6	
	Hispanic Women	72.9	61.0	84.7	73.0	69.8	76.3	62.0
AGE GROUP	18-44	72.3	65.7	78.9	74.5	72.8	76.1	64.3
	45-64	86.6	81.4	91.7	84.3	82.9	85.6	76.1
	65 & Older	98.0	95.6	100.0	98.1	97.6	98.6	98.6
EDUCATION LEVEL	<High School	71.5	61.4	81.6	64.7	61.2	68.1	66.2
	H.S. / GED	80.4	74.0	86.9	80.6	78.9	82.3	79.3
	>High School	90.4	86.8	94.0	89.9	89.1	90.8	80.1
ANNUAL INCOME	<\$25,000	74.3	66.9	81.8	71.0	68.9	73.0	67.8
	\$25,000-\$49,999	87.9	82.2	93.6	84.2	82.5	86.0	80.4
	\$50,000 or More	96.2	93.1	99.3	94.4	93.5	95.3	87.6
MARITAL STATUS	Married/Couple	89.4	85.7	93.2	86.5	85.4	87.6	80.7
	Not Married/Couple	77.9	72.2	83.5	80.4	79.1	81.8	70.8

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

[^] Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor in the past year due to cost

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	16.3	12.9	19.6	16.6	15.8	17.4	20.3
SEX	Men	15.4	10.6	20.3	14.4	13.3	15.5	17.2
	Women	17.0	12.4	21.5	18.7	17.4	19.9	23.3
RACE/ETHNICITY	Non-Hisp. White	15.0	10.8	19.1	14.1	13.2	14.9	16.8
	Non-Hisp. Black	10.9	3.0	18.8	19.3	16.3	22.2	24.2
	Hispanic	23.3	15.1	31.5	21.3	19.1	23.4	30.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.6	10.3	22.9	12.2	11.1	13.3	15.8
	Non-Hisp. White Women	13.6	8.2	19.1	15.8	14.6	17.1	17.8
	Non-Hisp. Black Men				15.8	12.1	19.4	
	Non-Hisp. Black Women	14.9	3.1	26.8	22.3	17.9	26.8	
	Hispanic Men	19.4	7.9	30.9	19.8	16.8	22.7	
	Hispanic Women	26.5	15.0	37.9	22.7	19.7	25.7	43.1
AGE GROUP	18-44	25.1	18.8	31.5	22.0	20.5	23.6	27.7
	45-64	12.5	7.6	17.4	18.4	17.0	19.9	22.8
	65 & Older	8.8	3.5	14.1	5.2	4.4	6.0	4.3
EDUCATION LEVEL	<High School	20.3	11.4	29.1	26.8	23.6	29.9	25.2
	H.S. / GED	15.2	9.5	21.0	18.1	16.5	19.7	22.3
	>High School	15.3	10.8	19.9	13.4	12.5	14.4	15.4
ANNUAL INCOME	<\$25,000	23.9	16.5	31.3	27.7	25.8	29.7	31.4
	\$25,000-\$49,999	14.8	8.7	20.8	16.8	15.1	18.5	16.9
	\$50,000 or More	10.1	4.5	15.7	8.4	7.3	9.6	10.0
MARITAL STATUS	Married/Couple	12.5	8.5	16.5	14.6	13.5	15.7	17.1
	Not Married/Couple	20.8	15.3	26.3	19.0	17.7	20.3	25.4

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who have a personal doctor

		2016 County			2016 State			2013 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	74.6	70.7	78.5	72.0	71.0	73.0	72.4
SEX	Men	66.7	60.5	73.0	66.5	65.0	68.0	66.0
	Women	81.1	76.4	85.8	77.1	75.8	78.4	78.5
RACE/ETHNICITY	Non-Hisp. White	80.9	76.6	85.2	78.6	77.5	79.6	76.9
	Non-Hisp. Black	76.5	65.0	88.1	70.9	67.7	74.1	79.2
	Hispanic	54.8	45.0	64.6	57.7	55.1	60.3	49.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.1	65.9	80.3	73.9	72.3	75.5	70.4
	Non-Hisp. White Women	87.4	82.3	92.4	83.0	81.7	84.3	83.0
	Non-Hisp. Black Men				63.1	58.0	68.1	
	Non-Hisp. Black Women	80.5	66.7	94.3	77.8	73.8	81.9	
	Hispanic Men	45.7	31.1	60.2	51.8	48.0	55.6	
	Hispanic Women	62.2	49.4	75.0	63.4	59.8	66.9	60.9
AGE GROUP	18-44	53.7	46.3	61.0	54.3	52.5	56.1	56.3
	45-64	81.9	76.1	87.7	78.0	76.4	79.6	73.8
	65 & Older	94.2	90.4	97.9	93.2	92.3	94.1	97.9
EDUCATION LEVEL	<High School	60.1	49.1	71.2	57.5	53.9	61.0	54.0
	H.S. / GED	68.6	61.2	76.1	68.5	66.6	70.4	74.8
	>High School	82.8	78.2	87.4	77.3	76.1	78.4	80.7
ANNUAL INCOME	<\$25,000	65.3	57.1	73.5	64.9	62.8	67.0	60.5
	\$25,000-\$49,999	81.5 *	74.9	88.0	72.4	70.2	74.5	73.1
	\$50,000 or More	78.5	71.5	85.6	79.7	78.1	81.2	85.7
MARITAL STATUS	Married/Couple	76.8	71.7	81.9	76.2	74.9	77.5	76.3
	Not Married/Couple	71.8	65.7	77.8	67.0	65.4	68.6	66.9

* Indicates that the difference observed between the 2016 county and 2016 state measure is statistically significant.

^ Indicates that the difference observed between the 2016 county and 2013 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2016 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past 3 - 4 months; in general, an A1C of 7% or less is recommended.
Activities of Daily Living	Usual activities, such as self-care, work, or recreation.
Adult	Individual aged 18 years or older.
Aerobic Recommendations	Performance of at least 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Angina	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
Arthritis	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
Asthma	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
Binge Drinking	For women, consumption of 4 or more drinks during a single occasion; for men, consumption of 5 or more drinks during a single occasion.
Blood Glucose	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream; the state of low blood glucose is known as hypoglycemia (< 70) and the state of high blood glucose is known as hyperglycemia (>130 before meals; >180 one to two hours after the start of a meal).
Blood Pressure	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Blood Sugar	See Blood Glucose
Body Mass Index (BMI)	Body Mass Index (BMI) is a number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
Cancer	General name for a group of more than 100 diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
Cholesterol	A substance the body uses to produce hormones, vitamin D, and food-digesting acids.
Chronic Bronchitis	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
Chronic Diseases	Diseases of long duration and generally slow progression (e.g., heart disease; stroke; cancer; diabetes); represent the leading causes of mortality worldwide.
Chronic Obstructive Pulmonary Disease (COPD)	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
Coronary Heart Disease (CHD)	See Coronary Artery Disease (CAD)
Current Smoker	Combination of every day smoker and some day smoker.

2016 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Depressive Disorders	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
Diabetes	General term for diabetes mellitus; disease in which the blood glucose levels are above normal due to either the pancreas not producing enough insulin (Type-1 diabetes) or the body not using its own insulin as well as it should (Type-2 diabetes).
Emphysema	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed; destruction of lung tissue around smaller sacs, called alveoli, makes these air sacs unable to hold their functional shape upon exhalation. See also Chronic Obstructive Pulmonary Disease (COPD)
Every day Smoker	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking everyday now.
Exercise	See Physical Activity
Fibromyalgia	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
Flu	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death. Some people, such as older people, young children, and people with certain health conditions, are at high risk for serious flu complications.
Flu Shot	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm; approved for use in individuals older than 6 months, including healthy people and people with chronic medical conditions. The flu vaccine can also be administered by a spray, mist, or drop in the nose called FluMist™; approved for use in healthy individuals between 2 and 49 years old.
Former Smoker	Adults who reported smoking at least 100 cigarettes in their lifetime but reported not smoking now.
Good Mental Health	Adults who reported poor mental health on 13 or less days out of the past 30 days.
Good Physical Health	Adults who reported poor physical health on 13 or less days out of the past 30 days.
Gout	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
Health Behavior	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
Health Care Coverage	Example: health insurance, pre-paid plans such as HMO's, government plans such as Medicare.
Health Care Provider	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor; nurse practitioner; physician assistant; registered nurse).
Health Risk Behavior	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity; poor nutrition; tobacco use; excessive alcohol consumption).
Healthy Weight	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.

2016 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Heart Attack	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
Heavy Drinking	For women, consumption of more than 1 drink per day on average; for men, consumption of more than 2 drinks per day on average.
High Blood Cholesterol	Condition where there is too much cholesterol in the blood; increases the risk of coronary heart disease, heart attack, or angina.
High Blood Pressure	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems; a systolic measurement of 140 mmHg or higher OR a diastolic measurement of 90 mmHg or higher.
Hispanic	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
HIV	Human immunodeficiency virus (HIV) damages a person's body by destroying specific blood cells, called CD4+ T-cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
Hypertension	See High Blood Pressure
Hysterectomy	An operation to remove the uterus (womb) in women.
Inactive	No leisure-time physical activity, performance of aerobic activity for less than 10 minutes at a time, or performance of only non-aerobic activities.
Influenza	See Flu
Insufficiently Active	Performance of less than 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Kidney Disease	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
Lupus	A chronic inflammatory disease resulting from an attack by the body's own immune system.
Mammogram	Mammography is the process of using low-energy X-rays to examine the human breast; this test is ordered to detect tumors and differentiate between benign and malignant disease.
Mental Health	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
Muscle Strengthening Recommendations	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights, or elastic bands, at least two times per week in the past 30 days.
Never Smoked	Adults who reported smoking less than 100 cigarettes in their lifetime.
Non-Hispanic Black	Adults not of Hispanic culture or origins reporting membership in only the Black race category; self-reported demographic variable.
Non-Hispanic White	Adults not of Hispanic culture or origins reporting membership in only the White race category; self-reported demographic variable.
Non-smoker	Combination of former smoker and never smoked.
Obese	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
Obesity	A condition characterized by being obese.

2016 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a body mass index (BMI) that is greater than or equal to 25.0; BMI is calculated using self-reported height and weight.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Personal Doctor	A health care provider that an adult identifies as their personal health care provider.
Pneumonia	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness in people of all ages; signs can include coughing, fever, fatigue, nausea, vomiting, rapid breathing or shortness of breath, chills, or chest pain. Certain people are more likely to become ill with pneumonia (e.g., children aged 5 years or younger, adults aged 65 years or older; adults with disabilities, HIV/AIDS, or who smoke cigarettes).
Pneumonia Vaccination	Pneumococcal vaccine; vaccine given with a needle, usually in the arm; 23-valent pneumococcal polysaccharide vaccine (PPSV23) approved for use in adults 65 years or older as well as in adults 19-64 years who have specific underlying conditions (e.g., immune deficiency, asthma, COPD).
Race/Ethnicity	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
Routine Checkup	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
Sedentary	Participating in no leisure-time physical activity in the past 30 days.
Sex	The condition or character of being male or female; self-reported demographic variable.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Smoking	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
Some Day Smoking	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking some days now.
Stroke	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.
Tetanus	A bacterial infection that affects the central nervous system and can result in painful muscle spasms, stiff jaw, and potentially death.
Tetanus Shot	Tetanus vaccine; vaccine given with a needle, usually in the shoulder muscle; a booster tetanus vaccine should be received every ten years.

2016 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

AOCBC-9. Increase the proportion of adults with chronic joint symptoms who have seen a health care provider for their symptoms

AOCBC-11. Reduce hip fractures among older adults

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-2. Reduce coronary heart disease deaths

HDS-3. Reduce stroke deaths

HDS-4. Increase the proportion of adults who have had their blood pressure measured within the preceding two years and can state whether their blood pressure was normal or high

HDS-5. Reduce the proportion of persons in the population with hypertension

HDS-11. Increase the proportion of adults with hypertension who are taking the prescribed medications to lower their blood pressure

HDS-12. Increase the proportion of adults with hypertension whose blood pressure is under control

HDS-13. Increase the proportion of adults with elevated LDL cholesterol who have been advised by a health care provider regarding cholesterol-lowering management including lifestyle changes and, if indicated, medication

2016 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Diabetes

- D-1. Reduce the annual number of new cases of diagnosed diabetes in the population
- D-5. Improve glycemic control among the population with diagnosed diabetes
- D-8. Increase the proportion of persons with diagnosed diabetes who have at least an annual dental examination
- D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination
- D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination
- D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year
- D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily
- D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education
- V-5.2. Reduce visual impairment due to diabetic retinopathy

Disability

- DH-17. Increase the proportion of adults with disabilities who report sufficient social and emotional support

Exercise

- PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity
- PA-2. Increase the proportion of adults who meet current Federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Family Planning

- FP-1. Increase the proportion of pregnancies that are intended

Healthcare Access

- AHS-1. Increase the proportion of persons with health insurance
- AHS-3. Increase the proportion of persons with a usual primary care provider
- AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

HIV/AIDS

- HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

2016 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Immunization

- IID-1. Reduce, eliminate, or maintain elimination of cases of vaccine-preventable diseases
- IID-12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza
- IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against seasonal influenza
- IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease
- IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

- OA-11. Reduce the rate of emergency department visits due to falls among older adults

Oral Health

- OH-4. Reduce the proportion of adults who have ever had a permanent tooth extracted because of dental caries or periodontal disease
- OH-7. Increase the proportion of children, adolescents, and adults who used the oral health care system in the past year

Overweight & Obesity

- NWS-8. Increase the proportion of adults who are at a healthy weight
- NWS-9. Reduce the proportion of adults who are obese

Sleep

- SH-4. Increase the proportion of adults who get sufficient sleep

Substance Abuse

- SA-19. Reduce the past-year nonmedical use of prescription drugs

Tobacco Use & Exposure

- TU-1. Reduce tobacco use by adults
- TU-4. Increase smoking cessation attempts by adult smokers
- TU-5. Increase recent smoking cessation success by adult smokers
- TU-6. Increase smoking cessation during pregnancy

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Bo (Bonnie) Yu, M.A.S., M.A
Qiang An, M.P.H.
Leah L. Atwell, M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Division of Community Health Promotion
Public Health Research
4052 Bald Cypress Way, Bin A-24
Tallahassee, Florida 32399-1744

Phone: 850-245-4793
BRFSS@flhealth.gov
<http://www.floridahealth.gov/BRFSS>