2022 Florida Behavioral Risk Factor Surveillance System Data Book







Florida Department of Health Division of Community Health Promotion Public Health Research Unit

Ron DeSantis, Governor

Joseph A. Ladapo, MD, PhD State Surgeon General October 2023



Introduction

The Florida Department of Health is pleased to release the 2022 Florida Behavioral Risk Factor Surveillance System (BRFSS) State Data. The Florida BRFSS has been used to collect and report health behavior data since 1986. A total of 13,393 Florida adults, aged 18 years and older, responded to the 2022 BRFSS survey.

This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions of and related risk behaviors by Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices by Florida adults. These data are used to: (1) determine priority health issues and identify populations at risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

The following data tables present the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practices. Each indicator was analyzed by sex, race/ethnicity, age, education, income, and marital status.

Since BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the CIs overlap between subpopulations (e.g., males compared to females), there is no statistically significant difference in the prevalence rates. However, if the CIs do not overlap, there is a statistically significant difference. For example, if the CI for men is 21.4% - 24.5% and the CI for women is 29.4% - 32.5%, then there is a statistically higher prevalence of women having that particular indicator compared to men as the two CIs do not overlap.

The CIs are determined by many factors, sample size in particular. As the data are divided for analysis by race/ethnicity, age, etc., the sample size for each group becomes smaller, the CIs become larger, and the estimates become less reliable. The significance of measures with very wide CIs should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or "weighted," by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2022 may not be comparable to data collected before 2011.

2022 Florida BRFSS Data Report Table of Contents

| Health Status | |
|---------------------------------------|-------------|
| Arthritis | 1 |
| Asthma | 2 |
| Cancer Prevalence | 3 |
| Cardiovascular Disease | 4 |
| Cholesterol Awareness | 6 |
| Chronic Obstructive Pulmonary Disease | 9 |
| Cognitive Decline | 10 |
| Depression | 13 |
| Diabetes | 14 |
| Disability | 15 |
| Epilepsy | 19 |
| Hypertension Awareness & Control | 21 |
| Kidney Disease | 22 |
| Long COVID | 23 |
| Oral Health | 25 |
| Overweight & Obesity | 26 |
| Health-Related Prevention | |
| Cancer Screening/Breast | 28 |
| Cancer Screening/Cervical | 29 |
| Cancer Screening/Colorectal | 31 |
| Cancer Screening/Lung | 33 |
| HIV/AIDS Screening | 35 |
| Immunization | 36 |
| Health-Related Behaviors | |
| Alcohol Consumption | 39 |
| Physical Activity & Nutrition | 40 |
| Tobacco Use & Exposure | 41 |
| Health Status & Quality of Life | 44 |
| Health Care Access & Coverage | 51 |
| Social & Economic Factors | 53 |
| Glossary | Appendix I |
| Healthy People 2030 Objectives | Appendix II |

Arthritis

Percentage of adults who have been told they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 28.4 | 27.0 - 29.9 |
| SEX | Men | 24.8 | 22.8 - 26.9 |
| | Women | 31.8 | 29.6 - 33.9 |
| RACE/ETHNICITY | Non-Hisp. White | 35.2 | 33.5 - 36.9 |
| | Non-Hisp. Black | 23.3 | 18.9 - 27.8 |
| | Hispanic | 19.4 | 15.9 - 22.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 31.2 | 28.8 - 33.6 |
| | Non-Hisp. White Women | 38.9 | 36.5 - 41.3 |
| | Non-Hisp. Black Men | 20.2 | 13.2 - 27.1 |
| | Non-Hisp. Black Women | 26.1 | 20.4 - 31.8 |
| | Hispanic Men | 15.4 | 10.8 - 19.9 |
| | Hispanic Women | 23.2 | 17.8 - 28.5 |
| AGE GROUP | 18-44 | 8.2 | 6.8 - 9.6 |
| | 45-64 | 34.0 | 31.0 - 37.0 |
| | 65 & Older | 52.3 | 49.5 - 55.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>31.6</th><th>25.3 - 37.9</th></high> | 31.6 | 25.3 - 37.9 |
| | High School / GED | 27.0 | 24.2 - 29.7 |
| | >High School | 28.5 | 26.8 - 30.3 |
| ANNUAL INCOME | <\$25,000 | 33.6 | 29.1 - 38.1 |
| | \$25,000-\$49,999 | 30.6 | 27.3 - 33.9 |
| | \$50,000 or More | 28.0 | 25.1 - 30.8 |
| MARITAL STATUS | Married/Couple | 30.6 | 28.5 - 32.8 |
| | Not Married/Couple | 26.0 | 23.9 - 28.0 |
| | | | |

| hma | | | |
|-----------------------|---|---------|-------------|
| entage of adults who | currently have asthma | | |
| | | Measure | 95% CI |
| ALL | Overall | 9.3 | 8.3 - 10.3 |
| SEX | Men | 5.1 | 4.0 - 6.1 |
| | Women | 13.2 | 11.5 - 14.9 |
| RACE/ETHNICITY | Non-Hisp. White | 8.8 | 7.8 - 9.9 |
| | Non-Hisp. Black | 10.3 | 6.8 - 13.8 |
| | Hispanic | 9.6 | 7.2 - 12.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 5.3 | 4.1 - 6.6 |
| | Non-Hisp. White Women | 12.2 | 10.5 - 13.8 |
| | Non-Hisp. Black Men | 5.0 | 0.7 - 9.3 |
| | Non-Hisp. Black Women | 14.9 | 9.7 - 20.2 |
| | Hispanic Men | 4.5 | 2.2 - 6.8 |
| | Hispanic Women | 14.5 | 10.2 - 18.7 |
| AGE GROUP | 18-44 | 8.8 | 7.2 - 10.5 |
| | 45-64 | 11.1 | 8.9 - 13.2 |
| | 65 & Older | 8.4 | 6.8 - 10.1 |
| EDUCATION LEVEL | <high school<="" td=""><td>8.5</td><td>5.1 - 11.8</td></high> | 8.5 | 5.1 - 11.8 |
| | High School / GED | 9.6 | 7.4 - 11.7 |
| | >High School | 9.4 | 8.2 - 10.6 |
| ANNUAL INCOME | <\$25,000 | 13.1 | 10.2 - 16.0 |
| | \$25,000-\$49,999 | 11.0 | 8.3 - 13.8 |
| | \$50,000 or More | 8.3 | 6.5 - 10.2 |
| MARITAL STATUS | Married/Couple | 8.4 | 7.1 - 9.7 |
| | Not Married/Couple | 10.5 | 8.8 - 12.2 |

Percentage of adults who have ever been told they have asthma

| | | Measure | 95% CI |
|-----------------------|--|---------|-------------|
| ALL | Overall | 14.5 | 13.3 - 15.8 |
| SEX | Men | 9.9 | 8.5 - 11.3 |
| | Women | 18.9 | 16.9 - 20.8 |
| RACE/ETHNICITY | Non-Hisp. White | 13.0 | 11.8 - 14.2 |
| | Non-Hisp. Black | 17.2 | 13.0 - 21.4 |
| | Hispanic | 16.2 | 13.0 - 19.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 9.9 | 8.3 - 11.5 |
| | Non-Hisp. White Women | 15.9 | 14.0 - 17.7 |
| | Non-Hisp. Black Men | 11.7 | 6.1 - 17.3 |
| | Non-Hisp. Black Women | 21.9 | 15.9 - 28.0 |
| | Hispanic Men | 7.7 | 4.8 - 10.7 |
| | Hispanic Women | 24.4 | 19.0 - 29.8 |
| AGE GROUP | 18-44 | 15.0 | 13.0 - 17.0 |
| | 45-64 | 15.8 | 13.3 - 18.3 |
| | 65 & Older | 13.1 | 11.1 - 15.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>13.0</th><th>8.8 - 17.2</th></high> | 13.0 | 8.8 - 17.2 |
| | High School / GED | 15.5 | 13.0 - 18.1 |
| | >High School | 14.4 | 12.9 - 15.9 |
| ANNUAL INCOME | <\$25,000 | 20.2 | 16.2 - 24.1 |
| | \$25,000-\$49,999 | 15.4 | 12.5 - 18.3 |
| | \$50,000 or More | 12.8 | 10.6 - 15.0 |
| MARITAL STATUS | Married/Couple | 13.5 | 11.9 - 15.1 |
| | Not Married/Couple | 15.9 | 14.0 - 17.9 |

CI=Confidence Interval

Cancer Prevalence

| Development and a final solidar solars | In account of the second secon | | |
|--|--|--------------------------|---------------------------|
| Percentage of adults who | nave ever been told the | ev nad anv other type of | cancer except skin cancer |

| - | - | | - | |
|-----------------------|---|--------|-------------|--|
| | | Measur | re 95% CI | |
| ALL | Overall | 9.6 | 8.8 - 10.4 | |
| SEX | Men | 8.8 | 7.7 - 10.0 | |
| | Women | 10.3 | 9.1 - 11.5 | |
| RACE/ETHNICITY | Non-Hisp. White | 14.6 | 13.4 - 15.9 | |
| | Non-Hisp. Black | 3.3 | 1.4 - 5.3 | |
| | Hispanic | 4.4 | 2.9 - 5.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 14.2 | 12.4 - 15.9 | |
| | Non-Hisp. White Women | 15.1 | 13.4 - 16.8 | |
| | Non-Hisp. Black Men | 2.1 | 0.4 - 3.8 | |
| | Non-Hisp. Black Women | 4.4 | 1.1 - 7.7 | |
| | Hispanic Men | 2.5 | 0.5 - 4.5 | |
| | Hispanic Women | 6.2 | 4.0 - 8.4 | |
| AGE GROUP | 18-44 | 1.6 | 1.0 - 2.1 | |
| | 45-64 | 9.1 | 7.5 - 10.7 | |
| | 65 & Older | 21.5 | 19.4 - 23.5 | |
| EDUCATION LEVEL | <high school<="" td=""><td>7.1</td><td>4.8 - 9.4</td><td></td></high> | 7.1 | 4.8 - 9.4 | |
| | High School / GED | 9.0 | 7.5 - 10.5 | |
| | >High School | 10.4 | 9.3 - 11.5 | |
| ANNUAL INCOME | <\$25,000 | 9.9 | 7.7 - 12.2 | |
| | \$25,000-\$49,999 | 10.6 | 8.6 - 12.6 | |
| | \$50,000 or More | 10.5 | 8.8 - 12.2 | |
| MARITAL STATUS | Married/Couple | 10.7 | 9.5 - 11.9 | |
| | Not Married/Couple | 8.5 | 7.3 - 9.6 | |
| | | | | |

Percentage of adults who have ever been told they have had skin cancer

| | | Measure | 95% CI | |
|-----------------------|---|---------|-------------|--|
| ALL | Overall | 8.3 | 7.5 - 9.0 | |
| SEX | Men | 7.4 | 6.5 - 8.3 | |
| | Women | 9.1 | 7.9 - 10.2 | |
| RACE/ETHNICITY | Non-Hisp. White | 13.8 | 12.7 - 15.0 | |
| | Non-Hisp. Black | 0.0 | 0.0 - 0.1 | |
| | Hispanic | 2.3 | 1.1 - 3.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 12.1 | 10.6 - 13.6 | |
| | Non-Hisp. White Women | 15.5 | 13.7 - 17.3 | |
| | Non-Hisp. Black Men | 0.0 | 0.0 - 0.1 | |
| | Non-Hisp. Black Women | 0.0 | 0.0 - 0.1 | |
| | Hispanic Men | 1.8 | 0.5 - 3.1 | |
| | Hispanic Women | 2.7 | 0.7 - 4.7 | |
| AGE GROUP | 18-44 | 1.2 | 0.6 - 1.7 | |
| | 45-64 | 6.7 | 5.4 - 8.0 | |
| | 65 & Older | 20.3 | 18.3 - 22.3 | |
| EDUCATION LEVEL | <high school<="" td=""><td>4.6</td><td>2.5 - 6.6</td><td></td></high> | 4.6 | 2.5 - 6.6 | |
| | High School / GED | 8.3 | 6.8 - 9.8 | |
| | >High School | 9.0 | 8.1 - 9.9 | |
| ANNUAL INCOME | <\$25,000 | 7.7 | 5.2 - 10.2 | |
| | \$25,000-\$49,999 | 8.0 | 6.4 - 9.7 | |
| | \$50,000 or More | 9.1 | 7.5 - 10.7 | |
| MARITAL STATUS | Married/Couple | 10.2 | 9.1 - 11.4 | |
| | Not Married/Couple | 6.0 | 5.2 - 6.9 | |

CI=Confidence Interval

| diovascular Disease | | | | |
|--------------------------|---|--------------|------------|--|
| rcentage of adults who l | have ever been told they had a | heart attack | | |
| | | Measure | 95% CI | |
| ALL | Overall | 4.7 | 4.1 - 5.3 | |
| SEX | Men | 5.8 | 4.9 - 6.8 | |
| | Women | 3.6 | 2.9 - 4.3 | |
| RACE/ETHNICITY | Non-Hisp. White | 6.2 | 5.5 - 7.0 | |
| | Non-Hisp. Black | 2.7 | 1.0 - 4.4 | |
| | Hispanic | 3.1 | 1.7 - 4.4 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 7.5 | 6.4 - 8.7 | |
| | Non-Hisp. White Women | 5.0 | 4.0 - 5.9 | |
| | Non-Hisp. Black Men | 3.3 | 0.0 - 6.6 | |
| | Non-Hisp. Black Women | 2.2 | 0.9 - 3.6 | |
| | Hispanic Men | 4.6 | 2.2 - 6.9 | |
| | Hispanic Women | 1.6 | 0.3 - 2.9 | |
| AGE GROUP | 18-44 | 0.4 | 0.2 - 0.7 | |
| | 45-64 | 5.4 | 4.0 - 6.7 | |
| | 65 & Older | 10.4 | 8.9 - 11.9 | |
| EDUCATION LEVEL | <high school<="" td=""><td>6.5</td><td>4.3 - 8.8</td><td></td></high> | 6.5 | 4.3 - 8.8 | |
| | High School / GED | 4.8 | 3.9 - 5.8 | |
| | >High School | 4.3 | 3.5 - 5.1 | |
| ANNUAL INCOME | <\$25,000 | 8.1 | 5.9 - 10.3 | |
| | \$25,000-\$49,999 | 5.5 | 4.1 - 6.9 | |
| | \$50,000 or More | 4.2 | 3.1 - 5.3 | |
| MARITAL STATUS | Married/Couple | 4.6 | 3.8 - 5.5 | |
| | Not Married/Couple | 4.8 | 3.9 - 5.6 | |

Percentage of adults who have ever been told they had a stroke

| | | Measure | 95% CI | |
|-----------------------|---|---------|-----------|--|
| ALL | Overall | 3.6 | 3.1 - 4.2 | |
| SEX | Men | 3.5 | 2.8 - 4.2 | |
| | Women | 3.8 | 3.0 - 4.6 | |
| RACE/ETHNICITY | Non-Hisp. White | 4.5 | 3.8 - 5.2 | |
| | Non-Hisp. Black | 3.8 | 2.3 - 5.3 | |
| | Hispanic | 1.7 | 0.7 - 2.7 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.3 | 3.3 - 5.4 | |
| | Non-Hisp. White Women | 4.6 | 3.6 - 5.6 | |
| | Non-Hisp. Black Men | 3.8 | 1.2 - 6.3 | |
| | Non-Hisp. Black Women | 3.9 | 2.1 - 5.6 | |
| | Hispanic Men | 0.8 | 0.3 - 1.4 | |
| | Hispanic Women | 2.5 | 0.6 - 4.3 | |
| AGE GROUP | 18-44 | 0.8 | 0.3 - 1.3 | |
| | 45-64 | 4.0 | 2.9 - 5.1 | |
| | 65 & Older | 7.2 | 6.0 - 8.4 | |
| EDUCATION LEVEL | <high school<="" th=""><th>3.6</th><th>2.3 - 4.9</th><th></th></high> | 3.6 | 2.3 - 4.9 | |
| | High School / GED | 3.5 | 2.4 - 4.6 | |
| | >High School | 3.7 | 3.0 - 4.4 | |
| ANNUAL INCOME | <\$25,000 | 6.7 | 4.8 - 8.6 | |
| | \$25,000-\$49,999 | 5.4 | 3.9 - 6.8 | |
| | \$50,000 or More | 2.7 | 1.6 - 3.8 | |
| MARITAL STATUS | Married/Couple | 3.5 | 2.7 - 4.3 | |
| | Not Married/Couple | 3.9 | 3.1 - 4.6 | |
| | | | | |

CI=Confidence Interval

| have ever been told they had an | gina or coronary heart | disease | |
|--|---|---|---|
| | Measure | 95% CI | |
| Overall | 5.0 | 4.4 - 5.6 | |
| Men | 5.8 | 4.8 - 6.8 | |
| Women | 4.2 | 3.4 - 4.9 | |
| Non-Hisp. White | 6.6 | 5.8 - 7.5 | |
| Non-Hisp. Black | 2.2 | 0.9 - 3.6 | |
| Hispanic | 3.8 | 2.3 - 5.3 | |
| Non-Hisp. White Men | 8.1 | 6.8 - 9.4 | |
| Non-Hisp. White Women | 5.3 | 4.3 - 6.3 | |
| Non-Hisp. Black Men | 2.3 | 0.0 - 4.9 | |
| Non-Hisp. Black Women | 2.1 | 0.9 - 3.4 | |
| Hispanic Men | 4.2 | 1.8 - 6.7 | |
| Hispanic Women | 3.3 | 1.6 - 5.1 | |
| 18-44 | 0.4 | 0.2 - 0.7 | |
| 45-64 | 5.3 | 3.9 - 6.7 | |
| 65 & Older | 11.5 | 10.0 - 13.1 | |
| <high school<="" td=""><td>7.3</td><td>4.1 - 10.4</td><td></td></high> | 7.3 | 4.1 - 10.4 | |
| High School / GED | 4.9 | 3.8 - 5.9 | |
| >High School | 4.6 | 3.9 - 5.3 | |
| <\$25,000 | 8.1 | 5.7 - 10.6 | |
| \$25,000-\$49,999 | 6.2 | 4.8 - 7.6 | |
| \$50,000 or More | 3.8 | 2.9 - 4.7 | |
| Married/Couple | 4.9 | 4.1 - 5.6 | |
| Not Married/Couple | 5.2 | 4.2 - 6.2 | |
| | OverallMenWomenNon-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women18-4445-6465 & Older <high school<="" td="">High School>High School<\$25,000</high> | Measure Overall 5.0 Men 5.8 Women 4.2 Non-Hisp. White 6.6 Non-Hisp. Black 2.2 Hispanic 3.8 Non-Hisp. White Men 8.1 Non-Hisp. White Women 5.3 Non-Hisp. Black Men 2.3 Non-Hisp. Black Men 2.3 Non-Hisp. Black Women 2.1 Hispanic Men 4.2 Hispanic Men 3.3 18-44 0.4 45-64 5.3 65 & Older 11.5 <high school<="" td=""> 7.3 High School / GED 4.9 >High School 8.1 \$25,000 8.1 \$25,000 8.1 \$25,000 or More 3.8 Married/Couple 4.9</high> | Overall 5.0 4.4 - 5.6 Men 5.8 4.8 - 6.8 Women 4.2 3.4 - 4.9 Non-Hisp. White 6.6 5.8 - 7.5 Non-Hisp. Black 2.2 0.9 - 3.6 Hispanic 3.8 2.3 - 5.3 Non-Hisp. White Men 8.1 6.8 - 9.4 Non-Hisp. White Women 5.3 4.3 - 6.3 Non-Hisp. Black Men 2.3 0.0 - 4.9 Non-Hisp. Black Women 2.1 0.9 - 3.4 Hispanic Men 4.2 1.8 - 6.7 Hispanic Women 3.3 1.6 - 5.1 18-44 0.4 0.2 - 0.7 45-64 5.3 3.9 - 6.7 65 & Older 11.5 10.0 - 13.1 <high school<="" td=""> 7.3 4.1 - 10.4 High School / GED 4.9 3.8 5.9<!--</td--></high> |

Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

| | | Measure | e 95% Cl | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 9.9 | 9.0 - 10.8 | |
| SEX | Men | 11.5 | 10.1 - 12.9 | |
| | Women | 8.4 | 7.4 - 9.5 | |
| RACE/ETHNICITY | Non-Hisp. White | 12.6 | 11.5 - 13.7 | |
| | Non-Hisp. Black | 7.6 | 5.0 - 10.2 | |
| | Hispanic | 6.5 | 4.5 - 8.4 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 14.7 | 12.9 - 16.4 | |
| | Non-Hisp. White Women | 10.6 | 9.3 - 11.9 | |
| | Non-Hisp. Black Men | 8.6 | 3.8 - 13.4 | |
| | Non-Hisp. Black Women | 6.7 | 4.3 - 9.2 | |
| | Hispanic Men | 6.9 | 4.0 - 9.8 | |
| | Hispanic Women | 6.0 | 3.3 - 8.7 | |
| AGE GROUP | 18-44 | 1.4 | 0.9 - 1.9 | |
| | 45-64 | 10.8 | 8.9 - 12.7 | |
| | 65 & Older | 21.6 | 19.5 - 23.6 | |
| EDUCATION LEVEL | <high school<="" td=""><td>13.8</td><td>10.1 - 17.6</td><td></td></high> | 13.8 | 10.1 - 17.6 | |
| | High School / GED | 9.7 | 8.1 - 11.3 | |
| | >High School | 9.3 | 8.3 - 10.4 | |
| ANNUAL INCOME | <\$25,000 | 15.7 | 12.6 - 18.7 | |
| | \$25,000-\$49,999 | 12.4 | 10.2 - 14.6 | |
| | \$50,000 or More | 8.8 | 7.1 - 10.5 | |
| MARITAL STATUS | Married/Couple | 10.0 | 8.8 - 11.2 | |
| | Not Married/Couple | 10.0 | 8.8 - 11.3 | |

CI=Confidence Interval

| lesterol Awareness | | | | |
|-------------------------|--|-------------------------|-------------|--|
| centage of adults who l | have ever been told that they have | ave high blood choleste | rol | |
| | | Measure | 95% CI | |
| ALL | Overall | 36.7 | 34.8 - 38.6 | |
| SEX | Men | 37.2 | 34.4 - 39.9 | |
| | Women | 36.3 | 33.8 - 38.9 | |
| RACE/ETHNICITY | Non-Hisp. White | 42.5 | 40.5 - 44.5 | |
| | Non-Hisp. Black | 30.4 | 24.2 - 36.7 | |
| | Hispanic | 29.2 | 24.3 - 34.1 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 41.7 | 38.7 - 44.6 | |
| | Non-Hisp. White Women | 43.2 | 40.4 - 46.0 | |
| | Non-Hisp. Black Men | 31.1 | 21.1 - 41.1 | |
| | Non-Hisp. Black Women | 30.0 | 22.0 - 37.9 | |
| | Hispanic Men | 30.8 | 23.7 - 37.9 | |
| | Hispanic Women | 27.8 | 21.0 - 34.5 | |
| AGE GROUP | 18-44 | 15.4 | 12.9 - 17.8 | |
| | 45-64 | 43.9 | 40.3 - 47.5 | |
| | 65 & Older | 52.6 | 49.6 - 55.6 | |
| EDUCATION LEVEL | <high school<="" td=""><td>31.0</td><td>23.9 - 38.0</td><td></td></high> | 31.0 | 23.9 - 38.0 | |
| | High School / GED | 36.8 | 33.2 - 40.4 | |
| | >High School | 37.8 | 35.6 - 40.1 | |
| ANNUAL INCOME | <\$25,000 | 37.6 | 32.3 - 42.8 | |
| | \$25,000-\$49,999 | 38.9 | 34.9 - 42.9 | |
| | \$50,000 or More | 37.4 | 33.7 - 41.2 | |
| MARITAL STATUS | Married/Couple | 39.1 | 36.5 - 41.6 | |
| | Not Married/Couple | 33.6 | 30.8 - 36.4 | |
| | | | | |

Cholesterol Awareness

Percentage of adults who have ever been told that they have high blood cholesterol among adults who had their cholesterol checked within the past five years

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 39.3 | 37.3 - 41.2 | |
| SEX | Men | 40.4 | 37.5 - 43.4 | |
| | Women | 38.3 | 35.6 - 41.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 45.4 | 43.3 - 47.5 | |
| | Non-Hisp. Black | 31.4 | 24.9 - 37.9 | |
| | Hispanic | 31.0 | 25.8 - 36.2 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 45.4 | 42.3 - 48.6 | |
| | Non-Hisp. White Women | 45.4 | 42.5 - 48.2 | |
| | Non-Hisp. Black Men | 31.9 | 21.3 - 42.5 | |
| | Non-Hisp. Black Women | 31.0 | 22.8 - 39.2 | |
| | Hispanic Men | 33.3 | 25.6 - 41.0 | |
| | Hispanic Women | 29.1 | 22.1 - 36.1 | |
| AGE GROUP | 18-44 | 18.1 | 15.2 - 21.0 | |
| | 45-64 | 45.4 | 41.6 - 49.1 | |
| | 65 & Older | 53.3 | 50.3 - 56.3 | |
| EDUCATION LEVEL | <high school<="" th=""><th>34.4</th><th>26.5 - 42.4</th><th></th></high> | 34.4 | 26.5 - 42.4 | |
| | High School / GED | 39.5 | 35.6 - 43.4 | |
| | >High School | 40.0 | 37.7 - 42.4 | |
| ANNUAL INCOME | <\$25,000 | 41.0 | 35.5 - 46.5 | |
| | \$25,000-\$49,999 | 42.4 | 38.2 - 46.7 | |
| | \$50,000 or More | 39.0 | 35.0 - 42.9 | |
| MARITAL STATUS | Married/Couple | 41.0 | 38.3 - 43.6 | |
| | Not Married/Couple | 36.8 | 33.8 - 39.8 | |
| | | | | |

| olesterol Awareness | | | | |
|-------------------------|--|--------------------------|-------------|--|
| centage of adults who l | nave had their cholesterol cheo | ked in the past five yea | rs | |
| | | Measure | 95% CI | |
| ALL | Overall | 92.8 | 91.7 - 93.9 | |
| SEX | Men | 90.5 | 88.5 - 92.4 | |
| | Women | 94.8 | 93.5 - 96.1 | |
| RACE/ETHNICITY | Non-Hisp. White | 93.6 | 92.5 - 94.8 | |
| | Non-Hisp. Black | 92.9 | 89.6 - 96.2 | |
| | Hispanic | 93.7 | 91.4 - 96.0 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 91.6 | 89.6 - 93.5 | |
| | Non-Hisp. White Women | 95.5 | 94.1 - 96.9 | |
| | Non-Hisp. Black Men | 88.2 | 81.4 - 94.9 | |
| | Non-Hisp. Black Women | 96.5 | 93.9 - 99.0 | |
| | Hispanic Men | 92.1 | 88.7 - 95.5 | |
| | Hispanic Women | 95.1 | 91.9 - 98.3 | |
| AGE GROUP | 18-44 | 85.4 | 82.6 - 88.3 | |
| | 45-64 | 95.3 | 93.9 - 96.7 | |
| | 65 & Older | 97.7 | 96.6 - 98.7 | |
| EDUCATION LEVEL | <high school<="" td=""><td>85.1</td><td>79.7 - 90.4</td><td></td></high> | 85.1 | 79.7 - 90.4 | |
| | High School / GED | 92.2 | 90.1 - 94.4 | |
| | >High School | 94.5 | 93.3 - 95.8 | |
| ANNUAL INCOME | <\$25,000 | 87.8 | 82.9 - 92.7 | |
| | \$25,000-\$49,999 | 91.6 | 89.1 - 94.1 | |
| | \$50,000 or More | 94.8 | 93.2 - 96.4 | |
| MARITAL STATUS | Married/Couple | 94.6 | 93.3 - 95.9 | |
| | Not Married/Couple | 90.5 | 88.5 - 92.5 | |

Percentage of adults who have had their cholesterol checked in the past two years

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 91.5 | 90.3 - 92.7 |
| SEX | Men | 90.0 | 88.2 - 91.9 |
| | Women | 92.7 | 91.2 - 94.1 |
| RACE/ETHNICITY | Non-Hisp. White | 93.3 | 92.2 - 94.3 |
| | Non-Hisp. Black | 92.3 | 88.4 - 96.2 |
| | Hispanic | 89.4 | 86.5 - 92.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 91.3 | 89.4 - 93.2 |
| | Non-Hisp. White Women | 94.9 | 93.8 - 96.1 |
| | Non-Hisp. Black Men | 87.4 | 79.0 - 95.9 |
| | Non-Hisp. Black Women | 95.8 | 93.1 - 98.5 |
| | Hispanic Men | 88.8 | 84.7 - 92.9 |
| | Hispanic Women | 89.9 | 85.7 - 94.1 |
| AGE GROUP | 18-44 | 82.9 | 79.9 - 85.9 |
| | 45-64 | 93.3 | 91.7 - 95.0 |
| | 65 & Older | 98.1 | 97.4 - 98.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>86.8</th><th>81.8 - 91.8</th></high> | 86.8 | 81.8 - 91.8 |
| | High School / GED | 90.7 | 88.1 - 93.2 |
| | >High School | 92.9 | 91.7 - 94.0 |
| ANNUAL INCOME | <\$25,000 | 88.8 | 84.8 - 92.7 |
| | \$25,000-\$49,999 | 91.9 | 89.6 - 94.2 |
| | \$50,000 or More | 90.8 | 88.0 - 93.6 |
| MARITAL STATUS | Married/Couple | 93.6 | 92.4 - 94.8 |
| | Not Married/Couple | 88.9 | 86.7 - 91.0 |

CI=Confidence Interval

Chronic Obstructive Pulmonary Disease (COPD)

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

| | | Measur | e 95% Cl | |
|-----------------------|--|--------|-------------|--|
| ALL | Overall | 7.4 | 6.6 - 8.1 | |
| SEX | Men | 6.7 | 5.6 - 7.9 | |
| | Women | 7.9 | 6.9 - 9.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 9.5 | 8.6 - 10.4 | |
| | Non-Hisp. Black | 5.5 | 2.8 - 8.2 | |
| | Hispanic | 3.6 | 2.3 - 5.0 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 8.2 | 7.0 - 9.5 | |
| | Non-Hisp. White Women | 10.7 | 9.3 - 12.1 | |
| | Non-Hisp. Black Men | 8.0 | 2.6 - 13.4 | |
| | Non-Hisp. Black Women | 3.3 | 1.8 - 4.8 | |
| | Hispanic Men | 2.7 | 0.9 - 4.5 | |
| | Hispanic Women | 4.5 | 2.5 - 6.5 | |
| AGE GROUP | 18-44 | 2.8 | 1.8 - 3.8 | |
| | 45-64 | 7.6 | 6.3 - 9.0 | |
| | 65 & Older | 13.1 | 11.5 - 14.7 | |
| EDUCATION LEVEL | <high school<="" td=""><td>7.9</td><td>5.6 - 10.1</td><td></td></high> | 7.9 | 5.6 - 10.1 | |
| | High School / GED | 9.0 | 7.5 - 10.5 | |
| | >High School | 6.4 | 5.4 - 7.4 | |
| ANNUAL INCOME | <\$25,000 | 13.8 | 11.1 - 16.6 | |
| | \$25,000-\$49,999 | 8.7 | 7.0 - 10.4 | |
| | \$50,000 or More | 4.9 | 3.8 - 6.0 | |
| MARITAL STATUS | Married/Couple | 6.6 | 5.7 - 7.6 | |
| | Not Married/Couple | 8.3 | 7.1 - 9.5 | |

Cognitive Decline

Percentage of adults who can get the help they need (Among adults who need assistance with day-to-day activities due to confusion or memory loss)

| | | Measure | 95% CI |
|--------------------------|---|---------------------------------|-------------|
| ALL | Overall | 87.8 | 81.0 - 94.5 |
| SEX | Men | 92.8 | 88.1 - 97.6 |
| | Women | 84.7 | 73.9 - 95.5 |
| RACE/ETHNICITY | Non-Hisp. White | 78.7 | 71.9 - 85.5 |
| | Non-Hisp. Black | 97.7 | 96.4 - 99.1 |
| | Hispanic | NA | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 83.7 | 71.4 - 96.0 |
| | Non-Hisp. White Women | 76.6 | 66.3 - 86.8 |
| | Non-Hisp. Black Men | NA | |
| | Non-Hisp. Black Women | NA | |
| | Hispanic Men | NA | |
| | Hispanic Women | NA | |
| AGE GROUP | 45-64 | 79.8 | 67.8 - 91.9 |
| | 65 & Older | 93.6 | 88.1 - 99.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>96.5</th><th>93.0 - 99.9</th></high> | 96.5 | 93.0 - 99.9 |
| | High School / GED | 94.2 | 87.2 -100.0 |
| | >High School | 76.0 | 61.8 - 90.2 |
| ANNUAL INCOME | <\$25,000 | 84.2 | 73.2 - 95.2 |
| | \$25,000-\$49,999 | 92.8 | 87.5 - 98.1 |
| | \$50,000 or More | 85.0 | 59.7 -100.0 |
| MARITAL STATUS | Married/Couple | 94.3 | 88.2 -100.0 |
| | Not Married/Couple | 79.0 | 67.1 - 90.9 |
| Percentage of adults who | liscussed confusion or m | emory loss with a health care n | rofessional |

Percentage of adults who discussed confusion or memory loss with a health care professional

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 51.1 | 43.4 - 58.9 |
| SEX | Men | 50.0 | 38.0 - 62.1 |
| | Women | 51.9 | 42.1 - 61.8 |
| RACE/ETHNICITY | Non-Hisp. White | 46.8 | 40.0 - 53.5 |
| | Non-Hisp. Black | 36.8 | 13.9 - 59.8 |
| | Hispanic | 63.5 | 39.4 - 87.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 41.5 | 31.9 - 51.2 |
| | Non-Hisp. White Women | 50.3 | 41.4 - 59.3 |
| | Non-Hisp. Black Men | NA | |
| | Non-Hisp. Black Women | 39.7 | 10.3 - 69.1 |
| | Hispanic Men | NA | |
| | Hispanic Women | 49.2 | 18.4 - 80.0 |
| AGE GROUP | 45-64 | 50.7 | 39.1 - 62.3 |
| | 65 & Older | 51.4 | 41.0 - 61.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>57.2</th><th>37.6 - 76.7</th></high> | 57.2 | 37.6 - 76.7 |
| | High School / GED | 54.9 | 44.5 - 65.2 |
| | >High School | 46.5 | 36.9 - 56.0 |
| ANNUAL INCOME | <\$25,000 | 47.6 | 31.6 - 63.5 |
| | \$25,000-\$49,999 | 54.1 | 42.3 - 66.0 |
| | \$50,000 or More | 53.9 | 42.6 - 65.2 |
| MARITAL STATUS | Married/Couple | 58.5 | 48.5 - 68.5 |
| | Not Married/Couple | 44.5 | 34.0 - 55.0 |

Cognitive Decline

Percentage of adults who experienced confusion or memory loss that is happening more often or is getting worse over past 12 months

| ALL Overall 10.9 9.3 - 12.4 SEX Men 9.6 7.4 - 11.8 Women 12.0 9.7 - 14.2 RACE/ETHNICITY Non-Hisp. White 10.1 8.7 - 11.4 Non-Hisp. Black 7.5 4.0 - 11.0 Hispanic 12.5 6.5 - 18.5 SEX BY RACE/ETHNICITY Non-Hisp. White Men 8.9 7.2 - 10.5 Non-Hisp. Black Men 6.1 1.0 - 11.2 Non-Hisp. Black Men 6.1 1.0 - 11.2 Non-Hisp. Black Women 11.0 1.1 - 19.9 Hispanic Men 11.0 2.1 - 19.9 Hispanic Women 13.8 5.6 - 22.0 AGE GROUP 45-64 9.0 7.0 - 10.9 65 & Older 13.0 10.5 - 15.5 EDUCATION LEVEL +High School 23.0 14.3 - 31.8 High School / GED 10.7 8.3 - 13.0 >High School / GED 10.7 8.3 - 13.0 >High School 8.6 7.1 - 10.2 ANNUAL INCOME <\$25,000 < 24.2 18.1 - 30.3 \$25,000 - \$49,999 10.8 8.3 - 13.3< | | | Measure | 95% CI | |
|--|-----------------------|--|---------|-------------|--|
| Women 12.0 9.7 14.2 RACE/ETHNICITY Non-Hisp. White 10.1 8.7 11.4 Non-Hisp. Black 7.5 4.0 11.0 Hispanic 12.5 6.5 18.5 SEX BY RACE/ETHNICITY Non-Hisp. White Men 8.9 7.2 10.5 Non-Hisp. White Women 11.1 9.1 13.1 Non-Hisp. Black Men 6.1 1.0 11.2 Non-Hisp. Black Men 8.6 3.8 13.5 Hispanic Men 11.0 2.1 19.9 Hispanic Men 13.8 5.6 22.0 AGE GROUP 45-64 9.0 7.0 10.9 EDUCATION LEVEL <high school<="" td=""> 23.0 14.3 31.8 High School / GED 10.7 8.3 13.0 >High School / GED 10.7 8.3 13.0 >High School / GED 10.7 8.3 13.3 \$25,000-\$49,999 10.8 8.3 13.3 \$25,0000 r More 6</high> | ALL | Overall | 10.9 | 9.3 - 12.4 | |
| RACE/ETHNICITY Non-Hisp. White 10.1 8.7 11.4 Non-Hisp. Black 7.5 4.0 11.0 Hispanic 12.5 6.5 18.5 SEX BY RACE/ETHNICITY Non-Hisp. White Men 8.9 7.2 10.5 Non-Hisp. White Women 11.1 9.1 13.1 Non-Hisp. Black Men 6.1 1.0 11.2 Non-Hisp. Black Women 8.6 3.8 13.5 Hispanic Men 11.0 2.1 19.9 Hispanic Men 11.0 2.1 19.9 Hispanic Men 13.8 5.6 22.0 AGE GROUP 45-64 9.0 7.0 10.9 65 & Older 13.0 10.5 15.5 EDUCATION LEVEL <high ged<="" school="" td=""> 10.7 8.3 13.0 High School / GED 10.7 8.3 13.0 >High School / GED 10.7 8.3 13.0 >High School / GED 10.8 8.3 13.3 \$25,000-\$49,999</high> | SEX | Men | 9.6 | 7.4 - 11.8 | |
| Non-Hisp. Black 7.5 4.0 11.0 Hispanic 12.5 6.5 18.5 SEX BY RACE/ETHNICITY Non-Hisp. White Men 8.9 7.2 10.5 Non-Hisp. White Women 11.1 9.1 13.1 Non-Hisp. Black Men 6.1 1.0 11.2 Non-Hisp. Black Men 6.1 1.0 11.2 Non-Hisp. Black Women 8.6 3.8 13.5 Hispanic Men 11.0 2.1 19.9 Hispanic Men 13.8 5.6 22.0 AGE GROUP 45.64 9.0 7.0 10.9 65 & Older 13.0 10.5 15.5 EDUCATION LEVEL <high school<="" td=""> 23.0 14.3 31.8 High School / GED 10.7 8.3 13.0 > High School 8.6 7.1 10.2 ANNUAL INCOME <\$25,000 24.2 18.1 30.3 \$25,000 24.2 18.1 30.3 32.5 \$25,000 <td< th=""><th></th><th>Women</th><th>12.0</th><th>9.7 - 14.2</th><th></th></td<></high> | | Women | 12.0 | 9.7 - 14.2 | |
| Hispanic 12.5 6.5 - 18.5 SEX BY RACE/ETHNICITY Non-Hisp. White Men 8.9 7.2 - 10.5 Non-Hisp. White Women 11.1 9.1 - 13.1 Non-Hisp. Black Men 6.1 1.0 - 11.2 Non-Hisp. Black Women 8.6 3.8 - 13.5 Hispanic Men 11.0 2.1 - 19.9 Hispanic Women 13.8 5.6 - 22.0 AGE GROUP 45-64 9.0 7.0 - 10.9 65 & Older 13.0 10.5 - 15.5 EDUCATION LEVEL <high school<="" td=""> 23.0 14.3 - 31.8 High School / GED 10.7 8.3 - 13.0 >High School / GED 10.7 8.3 - 13.0 >High School / GED 10.7 8.3 - 13.0 25,000 24.2 18.1 - 30.3 25,000 24.2 18.1 - 30.3 25,000 - \$49,999 10.8 8.3 - 13.3 \$50,000 or More 6.5<!--</th--><th>RACE/ETHNICITY</th><th>Non-Hisp. White</th><th>10.1</th><th>8.7 - 11.4</th><th></th></high> | RACE/ETHNICITY | Non-Hisp. White | 10.1 | 8.7 - 11.4 | |
| SEX BY RACE/ETHNICITY Non-Hisp. White Men 8.9 7.2 10.5 Non-Hisp. White Women 11.1 9.1 13.1 Non-Hisp. Black Men 6.1 1.0 11.2 Non-Hisp. Black Women 8.6 3.8 13.5 Hispanic Men 11.0 2.1 19.9 Hispanic Men 13.8 5.6 22.0 AGE GROUP 45-64 9.0 7.0 10.9 G5 & Older 13.0 10.5 15.5 EDUCATION LEVEL +High School / GED 10.7 8.3 13.0 High School / GED 10.7 8.3 13.0 ANNUAL INCOM \$25,000 24.2 18.1 30.3 \$25,000-\$49,999 10.8 8.3 13.3 \$25,000-\$49,999 10.8 8.3 13.3 \$20,000 or More 6.5 4.8 8.2 MARITAL STATUS Married/Couple 8.9 7.0 10.8 | | Non-Hisp. Black | 7.5 | 4.0 - 11.0 | |
| Non-Hisp. White Women 11.1 9.1 13.1 Non-Hisp. Black Men 6.1 1.0 11.2 Non-Hisp. Black Women 8.6 3.8 13.5 Hispanic Men 11.0 2.1 19.9 Hispanic Women 13.8 5.6 22.0 AGE GROUP 45-64 9.0 7.0 10.9 65 & Older 13.0 10.5 15.5 EDUCATION LEVEL <high school<="" td=""> 23.0 14.3 31.8 High School / GED 10.7 8.3 13.0 >High School 8.6 7.1 10.2 ANNUAL INCOME <\$25,000 24.2 18.1 30.3 \$25,000-\$49,999 10.8 8.3 13.3 \$25,000 or More 6.5 4.8 8.2 MARITAL STATUS Married/Couple 8.9 7.0 10.8</high> | | Hispanic | 12.5 | 6.5 - 18.5 | |
| Non-Hisp. Black Men 6.1 1.0 11.2 Non-Hisp. Black Women 8.6 3.8 13.5 Hispanic Men 11.0 2.1 19.9 Hispanic Women 13.8 5.6 22.0 AGE GROUP 45-64 9.0 7.0 10.9 65 & Older 13.0 10.5 15.5 EDUCATION LEVEL <high school<="" td=""> 23.0 14.3 31.8 High School / GED 10.7 8.3 13.0 >High School ANNUAL INCOME <\$25,000 24.2 18.1 30.3 \$25,000-\$49,999 10.8 8.3 13.3 \$25,000 or More 6.5 4.8 8.2 MARITAL STATUS Married/Couple 8.9 7.0 10.8</high> | SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 8.9 | 7.2 - 10.5 | |
| Non-Hisp. Black Women 8.6 3.8 13.5 Hispanic Men 11.0 2.1 19.9 Hispanic Women 13.8 5.6 22.0 AGE GROUP 45-64 9.0 7.0 10.9 65 & Older 13.0 10.5 15.5 EDUCATION LEVEL <high school<="" td=""> 23.0 14.3 31.8 High School / GED 10.7 8.3 13.0 >High School 8.6 7.1 10.2 ANNUAL INCOME <\$25,000 24.2 18.1 30.3 \$25,000 *J9.999 10.8 8.3 13.3 \$20,000 or More 6.5 4.8 8.2 MARITAL STATUS Married/Couple 8.9 7.0 10.8</high> | | Non-Hisp. White Women | 11.1 | 9.1 - 13.1 | |
| Hispanic Men 11.0 2.1 - 19.9 Hispanic Women 13.8 5.6 - 22.0 AGE GROUP 45-64 9.0 7.0 - 10.9 65 & Older 13.0 10.5 - 15.5 EDUCATION LEVEL <high school<="" td=""> 23.0 14.3 - 31.8 High School / GED 10.7 8.3 - 13.0 >High School 8.6 7.1 - 10.2 ANNUAL INCOME <\$25,000 24.2 18.1 - 30.3 \$25,000-\$49,999 10.8 8.3 - 13.3 \$50,000 or More 6.5 4.8 - 8.2 MARITAL STATUS Married/Couple 8.9 7.0 - 10.8</high> | | Non-Hisp. Black Men | 6.1 | 1.0 - 11.2 | |
| Hispanic Women 13.8 5.6 22.0 AGE GROUP 45-64 9.0 7.0 10.9 65 & Older 13.0 10.5 15.5 EDUCATION LEVEL <high school<="" td=""> 23.0 14.3 31.8 High School / GED 10.7 8.3 13.0 >High School 8.6 7.1 10.2 ANNUAL INCOME <\$25,000 24.2 18.1 30.3 \$25,000-\$49,999 10.8 8.3 13.3 \$50,000 or More 6.5 4.8 8.2 MARITAL STATUS Married/Couple 8.9 7.0 10.8</high> | | Non-Hisp. Black Women | 8.6 | 3.8 - 13.5 | |
| AGE GROUP 45-64 9.0 7.0 10.9 65 & Older 13.0 10.5 15.5 EDUCATION LEVEL High School / GED 23.0 14.3 31.8 ANNUAL INCOME >High School / GED 10.7 8.3 13.0 Section 22,000 24.2 18.1 30.3 ANNUAL INCOME \$25,000-\$49,999 10.8 8.3 13.3 Section 32,000 or More 6.5 4.8 8.2 MARITAL STATUS Married/Couple 8.9 7.0 10.8 | | Hispanic Men | 11.0 | 2.1 - 19.9 | |
| 65 & Older 13.0 10.5 - 15.5 EDUCATION LEVEL <high school<="" td=""> 23.0 14.3 - 31.8 High School / GED 10.7 8.3 - 13.0 >High School 8.6 7.1 - 10.2 ANNUAL INCOME <\$25,000 24.2 18.1 - 30.3 \$25,000-\$49,999 10.8 8.3 - 13.3 \$50,000 or More 6.5 4.8 - 8.2 MARITAL STATUS Married/Couple 8.9 7.0 - 10.8</high> | | Hispanic Women | 13.8 | 5.6 - 22.0 | |
| EDUCATION LEVEL <high school<="" td=""> 23.0 14.3 - 31.8 High School / GED 10.7 8.3 - 13.0 >High School 8.6 7.1 - 10.2 ANNUAL INCOME <\$25,000 24.2 18.1 - 30.3 \$25,000-\$49,999 10.8 8.3 - 13.3 \$50,000 or More 6.5 4.8 - 8.2 MARITAL STATUS Married/Couple 8.9 7.0 - 10.8</high> | AGE GROUP | 45-64 | 9.0 | 7.0 - 10.9 | |
| High School / GED 10.7 8.3 - 13.0 >High School 8.6 7.1 - 10.2 ANNUAL INCOME <\$25,000 24.2 18.1 - 30.3 \$25,000-\$49,999 10.8 8.3 - 13.3 \$50,000 or More 6.5 4.8 - 8.2 MARITAL STATUS Married/Couple 8.9 7.0 - 10.8 | | 65 & Older | 13.0 | 10.5 - 15.5 | |
| >High School 8.6 7.1 10.2 ANNUAL INCOME <a>\$25,000 24.2 18.1 - 30.3 \$25,000-\$49,999 10.8 8.3 - 13.3 \$50,000 or More 6.5 4.8 - 8.2 MARITAL STATUS Married/Couple 8.9 7.0 - 10.8 | EDUCATION LEVEL | <high school<="" td=""><td>23.0</td><td>14.3 - 31.8</td><td></td></high> | 23.0 | 14.3 - 31.8 | |
| ANNUAL INCOME <\$25,000 | | High School / GED | 10.7 | 8.3 - 13.0 | |
| \$25,000-\$49,999 10.8 8.3 - 13.3 \$50,000 or More 6.5 4.8 - 8.2 MARITAL STATUS Married/Couple 8.9 7.0 - 10.8 | | >High School | 8.6 | 7.1 - 10.2 | |
| \$50,000 or More 6.5 4.8 8.2 MARITAL STATUS Married/Couple 8.9 7.0 10.8 | ANNUAL INCOME | <\$25,000 | 24.2 | 18.1 - 30.3 | |
| MARITAL STATUSMarried/Couple8.97.0 - 10.8 | | \$25,000-\$49,999 | 10.8 | 8.3 - 13.3 | |
| | | \$50,000 or More | 6.5 | 4.8 - 8.2 | |
| Not Married/Couple 14.1 11.4 - 16.8 | MARITAL STATUS | Married/Couple | 8.9 | 7.0 - 10.8 | |
| ······································ | | Not Married/Couple | 14.1 | 11.4 - 16.8 | |

Percentage of adults who need assistance with day-to-day activities due to confusion or memory loss

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 38.9 | 30.7 - 47.1 |
| SEX | Men | 35.5 | 22.1 - 48.9 |
| | Women | 41.2 | 31.4 - 51.1 |
| RACE/ETHNICITY | Non-Hisp. White | 31.1 | 24.5 - 37.6 |
| | Non-Hisp. Black | 46.8 | 24.3 - 69.3 |
| | Hispanic | 56.6 | 31.8 - 81.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 23.0 | 15.1 - 30.8 |
| | Non-Hisp. White Women | 36.8 | 27.7 - 45.9 |
| | Non-Hisp. Black Men | NA | |
| | Non-Hisp. Black Women | 56.8 | 29.2 - 84.5 |
| | Hispanic Men | NA | |
| | Hispanic Women | 43.7 | 13.8 - 73.7 |
| AGE GROUP | 45-64 | 41.8 | 30.8 - 52.8 |
| | 65 & Older | 37.9 | 26.5 - 49.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>57.6</th><th>37.6 - 77.6</th></high> | 57.6 | 37.6 - 77.6 |
| | High School / GED | 34.5 | 24.0 - 45.0 |
| | >High School | 31.7 | 22.7 - 40.6 |
| ANNUAL INCOME | <\$25,000 | 51.4 | 35.3 - 67.6 |
| | \$25,000-\$49,999 | 32.6 | 20.4 - 44.8 |
| | \$50,000 or More | 28.3 | 17.2 - 39.5 |
| MARITAL STATUS | Married/Couple | 45.9 | 34.3 - 57.4 |
| | Not Married/Couple | 32.5 | 22.9 - 42.1 |

Cognitive Decline

Percentage of adults whose confusion or memory loss interfered with their ability to work, volunteer, or engage in social activities outside the home during past 12 months

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 46.4 | 38.6 - 54.2 |
| SEX | Men | 43.4 | 30.5 - 56.3 |
| | Women | 48.5 | 38.7 - 58.3 |
| RACE/ETHNICITY | Non-Hisp. White | 35.1 | 28.5 - 41.6 |
| | Non-Hisp. Black | 48.7 | 26.5 - 70.9 |
| | Hispanic | 78.2 | 63.8 - 92.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 32.2 | 22.8 - 41.7 |
| | Non-Hisp. White Women | 37.0 | 28.1 - 45.9 |
| | Non-Hisp. Black Men | NA | |
| | Non-Hisp. Black Women | 61.7 | 38.2 - 85.2 |
| | Hispanic Men | NA | |
| | Hispanic Women | 74.3 | 54.4 - 94.2 |
| AGE GROUP | 45-64 | 57.4 | 46.9 - 67.9 |
| | 65 & Older | 38.0 | 26.5 - 49.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>64.1</th><th>45.5 - 82.8</th></high> | 64.1 | 45.5 - 82.8 |
| | High School / GED | 38.0 | 26.9 - 49.1 |
| | >High School | 42.0 | 31.7 - 52.4 |
| ANNUAL INCOME | <\$25,000 | 57.4 | 42.3 - 72.4 |
| | \$25,000-\$49,999 | 35.6 | 23.0 - 48.1 |
| | \$50,000 or More | 33.2 | 20.3 - 46.1 |
| MARITAL STATUS | Married/Couple | 45.8 | 34.0 - 57.5 |
| | Not Married/Couple | 47.3 | 36.6 - 58.0 |

Percentage of adults whose confusion or memory loss kept them from doing day-to-day household activities or chores, such as cooking, cleaning, taking medications, driving, or paying bills during past 12 months

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 37.8 | 30.0 - 45.5 |
| SEX | Men | 34.3 | 21.2 - 47.4 |
| | Women | 40.2 | 30.7 - 49.8 |
| RACE/ETHNICITY | Non-Hisp. White | 35.5 | 28.7 - 42.2 |
| | Non-Hisp. Black | 38.0 | 17.6 - 58.4 |
| | Hispanic | 55.0 | 29.6 - 80.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 25.9 | 17.4 - 34.4 |
| | Non-Hisp. White Women | 42.1 | 33.1 - 51.1 |
| | Non-Hisp. Black Men | NA | |
| | Non-Hisp. Black Women | 38.2 | 13.3 - 63.1 |
| | Hispanic Men | NA | |
| | Hispanic Women | 49.3 | 19.1 - 79.5 |
| AGE GROUP | 45-64 | 43.4 | 32.6 - 54.1 |
| | 65 & Older | 34.4 | 22.9 - 45.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>57.6</td><td>36.9 - 78.2</td></high> | 57.6 | 36.9 - 78.2 |
| | High School / GED | 34.1 | 23.9 - 44.3 |
| | >High School | 29.2 | 21.9 - 36.6 |
| ANNUAL INCOME | <\$25,000 | 53.1 | 39.6 - 66.6 |
| | \$25,000-\$49,999 | 41.5 | 29.4 - 53.5 |
| | \$50,000 or More | 27.6 | 16.1 - 39.0 |
| MARITAL STATUS | Married/Couple | 40.7 | 28.2 - 53.2 |
| | Not Married/Couple | 34.8 | 26.6 - 42.9 |

| ression | | | |
|----------------------|---|---------------------|-------------|
| entage of adults who | have ever been told they had a | depressive disorder | |
| | | Measure | 95% CI |
| ALL | Overall | 17.8 | 16.5 - 19.0 |
| SEX | Men | 14.0 | 12.2 - 15.7 |
| | Women | 21.3 | 19.4 - 23.2 |
| RACE/ETHNICITY | Non-Hisp. White | 19.3 | 17.9 - 20.8 |
| | Non-Hisp. Black | 14.2 | 10.2 - 18.2 |
| | Hispanic | 16.9 | 13.8 - 20.0 |
| BY RACE/ETHNICITY | Non-Hisp. White Men | 14.5 | 12.6 - 16.5 |
| | Non-Hisp. White Women | 23.9 | 21.8 - 26.0 |
| | Non-Hisp. Black Men | 17.0 | 9.7 - 24.3 |
| | Non-Hisp. Black Women | 11.7 | 7.9 - 15.5 |
| | Hispanic Men | 12.1 | 8.4 - 15.7 |
| | Hispanic Women | 21.4 | 16.5 - 26.3 |
| AGE GROUP | 18-44 | 19.6 | 17.4 - 21.9 |
| | 45-64 | 18.8 | 16.3 - 21.3 |
| | 65 & Older | 14.5 | 12.7 - 16.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>22.9</td><td>17.5 - 28.4</td></high> | 22.9 | 17.5 - 28.4 |
| | High School / GED | 16.0 | 13.7 - 18.3 |
| | >High School | 17.7 | 16.2 - 19.3 |
| ANNUAL INCOME | <\$25,000 | 27.5 | 23.2 - 31.8 |
| | \$25,000-\$49,999 | 19.7 | 16.9 - 22.5 |
| | \$50,000 or More | 16.5 | 13.9 - 19.2 |
| MARITAL STATUS | Married/Couple | 14.4 | 12.9 - 16.0 |
| | Not Married/Couple | 21.9 | 19.7 - 24.1 |
| | | | |

| etes | | | |
|-----------------------|---|---------|-------------|
| age age at which diab | etes was diagnosed | | |
| | | Measure | 95% CI |
| ALL | Overall | 49.6 | 48.3 - 50.8 |
| SEX | Men | 50.5 | 48.9 - 52.1 |
| | Women | 48.4 | 46.6 - 50.1 |
| RACE/ETHNICITY | Non-Hisp. White | 51.4 | 49.8 - 52.9 |
| | Non-Hisp. Black | 48.4 | 45.4 - 51.5 |
| | Hispanic | 46.7 | 44.0 - 49.5 |
| EX BY RACE/ETHNICITY | Non-Hisp. White Men | 51.4 | 49.4 - 53.4 |
| | Non-Hisp. White Women | 51.3 | 48.9 - 53.7 |
| | Non-Hisp. Black Men | 51.3 | 47.6 - 55.1 |
| | Non-Hisp. Black Women | 45.1 | 40.6 - 49.7 |
| | Hispanic Men | 48.3 | 45.2 - 51.5 |
| | Hispanic Women | 44.6 | 41.2 - 48.0 |
| AGE GROUP | 18-44 | 30.1 | 27.4 - 32.9 |
| | 45-64 | 44.8 | 43.0 - 46.5 |
| | 65 & Older | 55.7 | 54.3 - 57.1 |
| EDUCATION LEVEL | <high school<="" td=""><td>50.4</td><td>49.2 - 51.7</td></high> | 50.4 | 49.2 - 51.7 |
| | High School / GED | 49.0 | 46.6 - 51.4 |
| | >High School | 49.5 | 48.1 - 50.9 |
| ANNUAL INCOME | <\$25,000 | 50.1 | 47.9 - 52.4 |
| | \$25,000-\$49,999 | 50.7 | 48.8 - 52.6 |
| | \$50,000 or More | 48.9 | 46.0 - 51.8 |
| MARITAL STATUS | Married/Couple | 50.8 | 49.1 - 52.4 |
| | Not Married/Couple | 47.9 | 46.2 - 49.7 |

Percentage of adults who have ever been told they had diabetes

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 12.2 | 11.1 - 13.3 | |
| SEX | Men | 14.0 | 12.2 - 15.7 | |
| | Women | 10.5 | 9.1 - 12.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 11.5 | 10.5 - 12.6 | |
| | Non-Hisp. Black | 18.9 | 14.2 - 23.6 | |
| | Hispanic | 10.8 | 8.1 - 13.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 13.5 | 11.8 - 15.1 | |
| | Non-Hisp. White Women | 9.7 | 8.4 - 11.0 | |
| | Non-Hisp. Black Men | 20.3 | 13.2 - 27.4 | |
| | Non-Hisp. Black Women | 17.7 | 11.4 - 24.0 | |
| | Hispanic Men | 13.1 | 8.5 - 17.6 | |
| | Hispanic Women | 8.6 | 5.8 - 11.5 | |
| AGE GROUP | 18-44 | 2.6 | 1.7 - 3.4 | |
| | 45-64 | 13.3 | 11.2 - 15.5 | |
| | 65 & Older | 25.4 | 22.7 - 28.1 | |
| EDUCATION LEVEL | <high school<="" td=""><td>20.6</td><td>14.9 - 26.2</td><td></td></high> | 20.6 | 14.9 - 26.2 | |
| | High School / GED | 11.8 | 9.9 - 13.6 | |
| | >High School | 10.8 | 9.6 - 12.0 | |
| ANNUAL INCOME | <\$25,000 | 20.9 | 16.7 - 25.1 | |
| | \$25,000-\$49,999 | 14.9 | 12.3 - 17.5 | |
| | \$50,000 or More | 8.9 | 7.4 - 10.4 | |
| MARITAL STATUS | Married/Couple | 13.0 | 11.4 - 14.7 | |
| | Not Married/Couple | 11.6 | 10.0 - 13.1 | |

CI=Confidence Interval

| lity | | | | |
|------------------------|--|--------------------------|----------------------------|--|
| ntage of adults that h | nave difficulty doing errands alo | one such as visiting a d | octor's office or shopping | |
| | | Measure | 95% CI | |
| ALL | Overall | 7.6 | 6.7 - 8.6 | |
| SEX | Men | 6.4 | 5.2 - 7.7 | |
| | Women | 8.7 | 7.4 - 10.1 | |
| RACE/ETHNICITY | Non-Hisp. White | 7.3 | 6.3 - 8.3 | |
| | Non-Hisp. Black | 7.3 | 4.5 - 10.1 | |
| | Hispanic | 8.3 | 5.8 - 10.8 | |
| BY RACE/ETHNICITY | Non-Hisp. White Men | 5.2 | 4.0 - 6.5 | |
| | Non-Hisp. White Women | 9.3 | 7.7 - 10.8 | |
| | Non-Hisp. Black Men | 8.5 | 3.5 - 13.5 | |
| | Non-Hisp. Black Women | 6.2 | 3.3 - 9.0 | |
| | Hispanic Men | 7.8 | 4.3 - 11.2 | |
| | Hispanic Women | 8.8 | 5.2 - 12.4 | |
| AGE GROUP | 18-44 | 6.3 | 4.9 - 7.7 | |
| | 45-64 | 8.4 | 6.6 - 10.2 | |
| | 65 & Older | 9.0 | 7.1 - 10.9 | |
| EDUCATION LEVEL | <high school<="" td=""><td>15.7</td><td>10.7 - 20.6</td><td></td></high> | 15.7 | 10.7 - 20.6 | |
| | High School / GED | 7.8 | 6.1 - 9.4 | |
| | >High School | 6.1 | 5.1 - 7.0 | |
| ANNUAL INCOME | <\$25,000 | 17.3 | 13.4 - 21.2 | |
| | \$25,000-\$49,999 | 9.0 | 7.1 - 11.0 | |
| | \$50,000 or More | 4.7 | 3.1 - 6.3 | |
| MARITAL STATUS | Married/Couple | 5.6 | 4.5 - 6.7 | |
| | Not Married/Couple | 10.1 | 8.5 - 11.7 | |

Percentage of adults that have difficulty dressing or bathing

| | | Measure | 95% CI |
|-----------------------|---|---------|------------|
| ALL | Overall | 4.1 | 3.4 - 4.8 |
| SEX | Men | 4.6 | 3.4 - 5.7 |
| | Women | 3.7 | 2.9 - 4.5 |
| RACE/ETHNICITY | Non-Hisp. White | 3.9 | 3.2 - 4.6 |
| | Non-Hisp. Black | 7.0 | 3.5 - 10.5 |
| | Hispanic | 3.5 | 2.1 - 4.8 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 3.6 | 2.7 - 4.6 |
| | Non-Hisp. White Women | 4.1 | 3.0 - 5.2 |
| | Non-Hisp. Black Men | 9.9 | 3.2 - 16.6 |
| | Non-Hisp. Black Women | 4.5 | 1.9 - 7.0 |
| | Hispanic Men | 4.4 | 2.1 - 6.8 |
| | Hispanic Women | 2.6 | 1.2 - 3.9 |
| AGE GROUP | 18-44 | 2.0 | 1.3 - 2.8 |
| | 45-64 | 5.4 | 4.0 - 6.9 |
| | 65 & Older | 5.8 | 4.3 - 7.4 |
| EDUCATION LEVEL | <high school<="" td=""><td>7.2</td><td>3.6 - 10.8</td></high> | 7.2 | 3.6 - 10.8 |
| | High School / GED | 4.5 | 3.2 - 5.9 |
| | >High School | 3.4 | 2.7 - 4.1 |
| ANNUAL INCOME | <\$25,000 | 8.2 | 5.8 - 10.6 |
| | \$25,000-\$49,999 | 5.5 | 3.5 - 7.5 |
| | \$50,000 or More | 2.9 | 1.7 - 4.1 |
| MARITAL STATUS | Married/Couple | 3.9 | 2.9 - 4.9 |
| | Not Married/Couple | 4.5 | 3.6 - 5.4 |

CI=Confidence Interval

Disability

Percentage of adults that have serious difficulty concentrating, remembering or making decisions due to a physical, mental, or emotional condition

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 13.5 | 12.2 - 14.7 | |
| SEX | Men | 12.6 | 10.8 - 14.5 | |
| | Women | 14.2 | 12.4 - 16.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 11.8 | 10.6 - 13.0 | |
| | Non-Hisp. Black | 11.6 | 7.6 - 15.5 | |
| | Hispanic | 17.4 | 13.8 - 20.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 10.9 | 9.1 - 12.6 | |
| | Non-Hisp. White Women | 12.7 | 11.1 - 14.4 | |
| | Non-Hisp. Black Men | 11.4 | 5.3 - 17.6 | |
| | Non-Hisp. Black Women | 11.7 | 6.6 - 16.8 | |
| | Hispanic Men | 17.5 | 12.2 - 22.8 | |
| | Hispanic Women | 17.3 | 12.4 - 22.1 | |
| AGE GROUP | 18-44 | 16.9 | 14.5 - 19.3 | |
| | 45-64 | 11.7 | 9.7 - 13.7 | |
| | 65 & Older | 11.1 | 8.9 - 13.3 | |
| EDUCATION LEVEL | <high school<="" td=""><td>27.2</td><td>20.9 - 33.5</td><td></td></high> | 27.2 | 20.9 - 33.5 | |
| | High School / GED | 14.5 | 12.1 - 16.9 | |
| | >High School | 10.4 | 9.1 - 11.8 | |
| ANNUAL INCOME | <\$25,000 | 28.2 | 23.3 - 33.1 | |
| | \$25,000-\$49,999 | 15.4 | 12.6 - 18.1 | |
| | \$50,000 or More | 8.5 | 6.3 - 10.6 | |
| MARITAL STATUS | Married/Couple | 10.0 | 8.4 - 11.5 | |
| | Not Married/Couple | 17.8 | 15.6 - 19.9 | |

| Disability | | | |
|-----------------------------|---|-------------------------------|---------------|
| Percentage of adults that h | ave serious difficulty walki | ng or climbing stairs | |
| | | Measure | 95% CI |
| ALL | Overall | 14.7 | 13.5 - 15.8 |
| SEX | Men | 13.6 | 11.9 - 15.4 |
| | Women | 15.6 | 14.0 - 17.3 |
| RACE/ETHNICITY | Non-Hisp. White | 14.8 | 13.6 - 16.1 |
| | Non-Hisp. Black | 18.7 | 14.0 - 23.3 |
| | Hispanic | 12.8 | 10.0 - 15.6 |
| SEX BY RACE/ETHNICITY | | 12.6 | 10.9 - 14.3 |
| | Non-Hisp. White Women | 17.0 | 15.1 - 18.9 |
| | Non-Hisp. Black Men | 21.9 | 13.6 - 30.1 |
| | Non-Hisp. Black Women | 15.9 | 11.4 - 20.5 |
| | Hispanic Men | 11.5 | 7.7 - 15.2 |
| | Hispanic Women | 14.0 | 9.8 - 18.1 |
| AGE GROUP | | 5.0 | 3.7 - 6.2 |
| | 45-64 | 17.2 | 14.7 - 19.6 |
| | 65 & Older | 25.7 | 23.2 - 28.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>25.1</td><td>19.6 - 30.6</td></high> | 25.1 | 19.6 - 30.6 |
| | High School / GED | 15.9 | 13.7 - 18.2 |
| | >High School | 12.1 | 10.8 - 13.4 |
| ANNUAL INCOME | <\$25,000 | 30.4 | 26.1 - 34.8 |
| | \$25,000-\$49,999 | 17.9 | 15.1 - 20.7 |
| | \$50,000 or More | 10.3 | 8.3 - 12.4 |
| MARITAL STATUS | Married/Couple | 13.7 | 12.1 - 15.4 |
| | Not Married/Couple | 16.0 | 14.2 - 17.7 |
| rcentage of adults who a | are blind or have serious di | fficulty seeing, even when we | aring glasses |
| | | Measure | 95% CI |
| ALL | Overall | 6.8 | 5.9 - 7.7 |
| SEX | Men | 6.5 | 5.2 - 7.9 |
| | Women | 7.1 | 5.9 - 8.3 |
| RACE/ETHNICITY | Non-Hisp. White | 5.1 | 4.3 - 5.9 |
| | Non-Hisp. Black | 8.7 | 5.8 - 11.7 |
| | Hispanic | 9.3 | 6.7 - 11.8 |
| SEX BY RACE/ETHNICITY | | 4.3 | 3.3 - 5.4 |
| | Non-Hisp. White Women | 5.8 | 4.6 - 6.9 |
| | Non-Hisp. Black Men | 9.6 | 4.6 - 14.6 |
| | Non-Hisp. Black Women | 8.0 | 4.7 - 11.3 |
| | Hispanic Men | 9.1 | 5.2 - 13.0 |
| | Hispanic Women | 9.4 | 6.0 - 12.8 |
| AGE GROUP | 18-44 | 4.7 | 3.5 - 6.0 |
| | | | |

7.4

9.1

15.1

6.6

5.4

14.8

7.0

3.5

5.7

8.1

5.7 - 9.1

7.2 - 11.0

10.3 - 19.9

5.0 - 8.1

4.4 - 6.3

11.1 - 18.6

5.2 - 8.8

2.3 - 4.7

4.5 - 6.9

6.7 - 9.5

Cl=Confidence Interval

NA=Not available due to respondent counts of less than 30.

MARITAL STATUS Married/Couple

45-64

EDUCATION LEVEL <High School

ANNUAL INCOME <\$25,000

65 & Older

High School / GED

>High School

\$25,000-\$49,999

\$50,000 or More

Not Married/Couple

| tage of adults who | are deaf or have serious difficul | ty hearing | |
|--|--|--|---|
| litage of adults who | are deal of have serious difficul | | |
| | | Measure | 95% CI |
| | Overall | 7.8 | 6.7 - 8.8 |
| SEX | Men | 9.5 | 7.8 - 11.2 |
| | Women | 6.1 | 5.0 - 7.2 |
| RACE/ETHNICITY | Non-Hisp. White | 8.6 | 7.7 - 9.5 |
| | Non-Hisp. Black | 6.1 | 2.8 - 9.4 |
| | Hispanic | 6.5 | 3.8 - 9.3 |
| X BY RACE/ETHNICITY | Non-Hisp. White Men | 9.7 | 8.4 - 11.0 |
| | Non-Hisp. White Women | 7.5 | 6.2 - 8.7 |
| | Non-Hisp. Black Men | 10.7 | 4.1 - 17.4 |
| | Non-Hisp. Black Women | 2.1 | 0.5 - 3.7 |
| | Hispanic Men | 7.6 | 3.2 - 12.0 |
| | Hispanic Women | 5.5 | 2.3 - 8.7 |
| AGE GROUP | 18-44 | 2.7 | 1.5 - 3.8 |
| | 45-64 | 5.4 | 3.9 - 6.9 |
| | 65 & Older | 17.4 | 14.8 - 20.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>14.5</td><td>8.9 - 20.2</td></high> | 14.5 | 8.9 - 20.2 |
| | High School / GED | 7.6 | 6.3 - 8.9 |
| | >High School | 6.5 | 5.4 - 7.6 |
| ANNUAL INCOME | <\$25,000 | 14.4 | 9.8 - 18.9 |
| | \$25,000-\$49,999 | 7.4 | 5.6 - 9.3 |
| | \$50,000 or More | 6.6 | 5.2 - 8.0 |
| MARITAL STATUS | Married/Couple | 8.2 | 6.7 - 9.6 |
| | Not Married/Couple | 7.4 | 6.0 - 8.8 |
| entage of adults who l | have any disability | | |
| | | Measure | 95% CI |
| ALL | Overall | 31.2 | 29.5 - 32.9 |
| SEX | Men | 30.7 | 28.2 - 33.1 |
| | | | |
| | Women | 31.6 | 29.3 - 34.0 |
| RACE/ETHNICITY | | 31.6 30.4 | 29.3 - 34.0 28.7 - 32.1 |
| RACE/ETHNICITY | | | |
| RACE/ETHNICITY | Non-Hisp. White | 30.4 | 28.7 - 32.1 |
| RACE/ETHNICITY | Non-Hisp. White Non-Hisp. Black Hispanic | 30.4 31.6 | 28.7 - 32.1 26.1 - 37.1 |
| | Non-Hisp. White Non-Hisp. Black Hispanic | 30.4 31.6 32.3 | 28.7 - 32.1 26.1 - 37.1 28.0 - 36.7 26.1 - 30.9 |
| | Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Men | 30.4 31.6 32.3 28.5 | 28.7 - 32.1 26.1 - 37.1 28.0 - 36.7 26.1 - 30.9 29.8 - 34.6 |
| | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White Women | 30.4 31.6 32.3 28.5 32.2 | 28.7 - 32.1 26.1 - 37.1 28.0 - 36.7 26.1 - 30.9 29.8 - 34.6 |
| | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black Women | 30.4 31.6 32.3 28.5 32.2 32.8 | 28.7 - 32.1 26.1 - 37.1 28.0 - 36.7 26.1 - 30.9 29.8 - 34.6 23.9 - 41.7 23.7 - 37.3 |
| | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic Men | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 | 28.7 - 32.1 26.1 - 37.1 28.0 - 36.7 26.1 - 30.9 29.8 - 34.6 23.9 - 41.7 23.7 - 37.3 26.7 - 39.3 |
| EX BY RACE/ETHNICITY | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 31.7 | 28.7 - 32.1 26.1 - 37.1 28.0 - 36.7 26.1 - 30.9 29.8 - 34.6 23.9 - 41.7 23.7 - 37.3 26.7 - 39.3 25.6 - 37.7 |
| | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 31.7 24.9 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| EX BY RACE/ETHNICITY | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women18-4445-64 | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 31.7 24.9 29.6 | $\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$ |
| EX BY RACE/ETHNICITY | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women18-4445-6465 & Older | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 31.7 24.9 29.6 42.1 | $\begin{array}{rrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrrr$ |
| EX BY RACE/ETHNICITY | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women18-4445-6465 & Older <high school<="" td=""></high> | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 31.7 24.9 29.6 42.1 50.6 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| EX BY RACE/ETHNICITY | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women18-4445-6465 & Older <high ged<="" school="" td=""></high> | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 31.7 24.9 29.6 42.1 50.6 32.3 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| EX BY RACE/ETHNICITY AGE GROUP EDUCATION LEVEL | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women18-4445-6465 & Older <high ged<="" school="" td="">>High School</high> | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 31.7 24.9 29.6 42.1 50.6 32.3 26.9 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| EX BY RACE/ETHNICITY | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women18-4445-6465 & Older <high school<="" td="">High School>High School<\$25,000</high> | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 31.7 24.9 29.6 42.1 50.6 32.3 26.9 55.0 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| EX BY RACE/ETHNICITY AGE GROUP EDUCATION LEVEL | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women18-4445-6465 & Older <high ged<="" school="" td="">>High School\$25,000\$25,000-\$49,999</high> | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 31.7 24.9 29.6 42.1 50.6 32.3 26.9 55.0 35.2 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |
| EX BY RACE/ETHNICITY AGE GROUP EDUCATION LEVEL | Non-Hisp. WhiteNon-Hisp. BlackHispanicNon-Hisp. White MenNon-Hisp. White WomenNon-Hisp. Black MenNon-Hisp. Black WomenHispanic MenHispanic Women18-4445-6465 & Older <high school<="" td="">High SchoolHigh School×High School\$25,000\$25,000-\$49,999\$50,000 or More</high> | 30.4 31.6 32.3 28.5 32.2 32.8 30.5 33.0 31.7 24.9 29.6 42.1 50.6 32.3 26.9 55.0 | $\begin{array}{cccccccccccccccccccccccccccccccccccc$ |

CI=Confidence Interval

| ilepsy | | | |
|------------------------|--|----------------------------------|------------------------|
| rcentage of adults who | have ever been told that t | hey have a seizure disorder or e | pilepsy |
| | | Measure | 95% CI |
| ALL | Overall | 2.0 | 1.3 - 2.7 |
| SEX | Men | 1.5 | 0.7 - 2.2 |
| | Women | 2.4 | 1.4 - 3.5 |
| RACE/ETHNICITY | Non-Hisp. White | 1.9 | 1.3 - 2.5 |
| | Non-Hisp. Black | 2.7 | 0.0 - 6.2 |
| | Hispanic | 2.0 | 0.4 - 3.5 |
| SEX BY RACE/ETHNICITY | | 1.5 | 0.8 - 2.2 |
| | Non-Hisp. White Women | 2.2 | 1.3 - 3.2 |
| | Non-Hisp. Black Men | 1.3 | 0.0 - 3.7 |
| | Non-Hisp. Black Women | 3.6 | 0.0 - 9.1 |
| | Hispanic Men | 1.8 | 0.0 - 4.2 |
| | Hispanic Women | 2.1 | 0.1 - 4.1 |
| AGE GROUP | • | 3.1 | 1.4 - 4.8 |
| | 45-64 | 1.7 | 0.7 - 2.6 |
| | 65 & Older | 1.2 | 0.6 - 1.8 |
| EDUCATION LEVEL | <high school<="" td=""><td>3.2</td><td>0.2 - 6.1</td></high> | 3.2 | 0.2 - 6.1 |
| | High School / GED | 1.7 | 0.9 - 2.5 |
| | >High School | 1.9 | 1.0 - 2.8 |
| ANNUAL INCOME | | 6.2 | 2.4 - 10.1 |
| | \$25,000-\$49,999 | 1.2 | 0.6 - 1.9 |
| | \$50,000 or More | 1.7 | 0.7 - 2.8 |
| MARITAL STATUS | | 1.1 | 0.5 - 1.7 |
| | Not Married/Couple | 3.2 | 1.8 - 4.5 |
| centage of adults with | | sy who have had at least one se | izure in the past year |
| | | Measure | 95% CI |
| AL 1 | Overall | 41.0 | 24.8 - 57.1 |
| | Men | 25.4 | 9.1 - 41.7 |
| ULA | Women | 48.2 | 28.2 - 68.3 |
| RACE/ETHNICITY | | 36.9 | 26.0 - 47.9 |
| | | | 20.0 - 47.9 |
| | Non-Hisp. Black | | |
| | Hispanic | NA | 16.0 52.0 |
| SEX BY RACE/ETHNICITY | | 34.5 | 16.0 - 53.0 |
| | Non-Hisp. White Women | 38.1 | 24.3 - 52.0 |
| | Non-Hisp. Black Men | NA | |
| | Non-Hisp. Black Women | NA | |
| | Hispanic Men | NA | |
| | Hispanic Women | NA | |

58.6

33.6 - 83.5

| | 45-64 | 21.3 | 8.2 - 34.3 | |
|-----------------|---|------|-------------|--|
| | 65 & Older | 19.6 | 4.2 - 35.0 | |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th><th></th></high> | NA | | |
| | High School / GED | 43.6 | 21.8 - 65.4 | |
| | >High School | 51.9 | 28.2 - 75.7 | |
| ANNUAL INCOME | <\$25,000 | 49.8 | 22.8 - 76.7 | |
| | \$25,000-\$49,999 | 57.7 | 41.1 - 74.3 | |
| | \$50,000 or More | 31.1 | 10.0 - 52.3 | |
| MARITAL STATUS | Married/Couple | 23.1 | 15.0 - 31.3 | |
| | Not Married/Couple | 49.2 | 27.5 - 70.8 | |
| | | | | |

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

AGE GROUP 18-44

| pilepsy | | | |
|-----------------------------|--|--------------------------|---|
| Percentage of adults with s | seizure disorder or epilepsy whe | o have seen a neurologis | st or epilepsy specialist in the past yea |
| | | Measure | 95% CI |
| ALL | Overall | 43.4 | 27.5 - 59.3 |
| SEX | Men | 28.7 | 8.0 - 49.4 |
| | Women | 51.1 | 31.7 - 70.5 |
| RACE/ETHNICITY | Non-Hisp. White | 48.1 | 34.4 - 61.8 |
| | Non-Hisp. Black | NA | |
| | Hispanic | NA | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 45.9 | 20.1 - 71.7 |
| | Non-Hisp. White Women | 49.5 | 33.3 - 65.6 |
| | Non-Hisp. Black Men | NA | |
| | Non-Hisp. Black Women | NA | |
| | Hispanic Men | NA | |
| | Hispanic Women | NA | |
| AGE GROUP | 18-44 | 46.4 | 19.1 - 73.7 |
| | 45-64 | 43.2 | 22.9 - 63.4 |
| | 65 & Older | 40.6 | 17.0 - 64.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>NA</th><th></th></high> | NA | |
| | High School / GED | 39.0 | 17.5 - 60.4 |
| | >High School | 58.5 | 37.2 - 79.7 |
| ANNUAL INCOME | <\$25,000 | 45.0 | 15.8 - 74.1 |
| | \$25,000-\$49,999 | 53.0 | 36.0 - 69.9 |
| | \$50,000 or More | 21.4 | 4.7 - 38.2 |
| MARITAL STATUS | Married/Couple | 42.0 | 28.2 - 55.9 |
| | Not Married/Couple | 44.0 | 21.6 - 66.4 |
| | | | |

Hypertension Awareness & Control Percentage of adults who have ever been told they had hypertension 95% CI Measure ALL Overall 38.5 36.6 - 40.3 SEX Men 41.3 38.5 - 44.0 Women 36.0 33.6 - 38.5 RACE/ETHNICITY Non-Hisp. White 41.3 39.4 - 43.3 Non-Hisp. Black 40.6 34.5 - 46.8 Hispanic 28.5 - 38.5 33.5 SEX BY RACE/ETHNICITY Non-Hisp. White Men 45.2 42.2 - 48.2 Non-Hisp. White Women 37.9 35.3 - 40.5 Non-Hisp. Black Men 40.9 30.8 - 51.0 Non-Hisp. Black Women 40.4 32.8 - 48.1 Hispanic Men 32.8 25.8 - 39.8 Hispanic Women 34.1 27.0 - 41.2 **AGE GROUP** 18-44 15.1 12.7 - 17.6 45-64 42.3 38.8 - 45.9 65 & Older 61.8 59.0 - 64.6 EDUCATION LEVEL <High School 41.9 34.7 - 49.0 High School / GED 37.2 33.7 - 40.7 >High School 36.2 - 40.7 38.5 ANNUAL INCOME <\$25,000 44.5 39.0 - 49.9 \$25,000-\$49,999 41.6 37.6 - 45.5 \$50,000 or More 37.9 34.2 - 41.7 MARITAL STATUS Married/Couple 38.8 36.2 - 41.3 Not Married/Couple 38.2 35.4 - 40.9

Percentage of adults with hypertension who currently take high blood pressure medicine

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 81.7 | 79.3 - 84.1 |
| SEX | Men | 80.8 | 77.4 - 84.1 |
| | Women | 82.6 | 79.1 - 86.1 |
| RACE/ETHNICITY | Non-Hisp. White | 83.6 | 81.2 - 85.9 |
| | Non-Hisp. Black | 76.8 | 68.5 - 85.1 |
| | Hispanic | 80.4 | 73.2 - 87.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 81.8 | 78.1 - 85.5 |
| | Non-Hisp. White Women | 85.4 | 82.5 - 88.3 |
| | Non-Hisp. Black Men | 79.5 | 67.1 - 91.9 |
| | Non-Hisp. Black Women | 74.7 | 63.7 - 85.6 |
| | Hispanic Men | 82.6 | 73.8 - 91.3 |
| | Hispanic Women | 78.6 | 67.6 - 89.5 |
| AGE GROUP | 18-44 | 39.1 | 31.2 - 47.0 |
| | 45-64 | 83.3 | 79.2 - 87.3 |
| | 65 & Older | 92.2 | 90.0 - 94.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>78.8</th><th>70.5 - 87.1</th></high> | 78.8 | 70.5 - 87.1 |
| | High School / GED | 81.9 | 77.4 - 86.4 |
| | >High School | 82.2 | 79.2 - 85.2 |
| ANNUAL INCOME | <\$25,000 | 85.1 | 80.1 - 90.2 |
| | \$25,000-\$49,999 | 82.1 | 76.6 - 87.6 |
| | \$50,000 or More | 82.3 | 77.1 - 87.5 |
| MARITAL STATUS | Married/Couple | 85.5 | 82.7 - 88.3 |
| | Not Married/Couple | 76.7 | 72.6 - 80.8 |

CI=Confidence Interval

| Kidney Disease | | | | |
|---------------------------|--|--------------|------------|--|
| ercentage of adults who h | nave ever been told they had ki | dney disease | | |
| | | Measure | 95% CI | |
| ALL | Overall | 4.3 | 3.6 - 4.9 | |
| SEX | Men | 4.3 | 3.2 - 5.3 | |
| | Women | 4.2 | 3.4 - 5.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 4.5 | 3.8 - 5.2 | |
| | Non-Hisp. Black | 5.3 | 2.9 - 7.7 | |
| | Hispanic | 3.4 | 1.8 - 5.1 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.1 | 3.3 - 5.0 | |
| | Non-Hisp. White Women | 4.8 | 3.9 - 5.8 | |
| | Non-Hisp. Black Men | 5.8 | 1.4 - 10.2 | |
| | Non-Hisp. Black Women | 4.8 | 2.5 - 7.2 | |
| | Hispanic Men | 4.5 | 1.5 - 7.4 | |
| | Hispanic Women | 2.5 | 0.9 - 4.1 | |
| AGE GROUP | 18-44 | 0.9 | 0.5 - 1.4 | |
| | 45-64 | 4.2 | 3.1 - 5.3 | |
| | 65 & Older | 9.1 | 7.2 - 11.1 | |
| EDUCATION LEVEL | <high school<="" td=""><td>6.6</td><td>2.9 - 10.4</td><td></td></high> | 6.6 | 2.9 - 10.4 | |
| | High School / GED | 4.0 | 3.0 - 5.1 | |
| | >High School | 3.8 | 3.2 - 4.5 | |
| ANNUAL INCOME | <\$25,000 | 8.4 | 5.4 - 11.3 | |
| | \$25,000-\$49,999 | 4.3 | 2.8 - 5.9 | |
| | \$50,000 or More | 3.9 | 2.7 - 5.1 | |
| MARITAL STATUS | Married/Couple | 4.4 | 3.4 - 5.4 | |
| | Not Married/Couple | 4.2 | 3.4 - 5.0 | |
| | · · · · · · · · · · · · · · · · · · · | | | |

| ng COVID | | | | |
|------------------------|--|---------|-------------|--|
| rcentage of adults who | ever tested positive for COVID 19 | | | |
| | | Measure | 95% CI | |
| ALL | Overall | 32.3 | 30.5 - 34.1 | |
| SEX | Men | 31.2 | 28.7 - 33.7 | |
| | Women | 33.4 | 30.9 - 35.9 | |
| RACE/ETHNICITY | Non-Hisp. White | 30.8 | 28.9 - 32.6 | |
| | Non-Hisp. Black | 33.0 | 27.0 - 39.1 | |
| | Hispanic | 37.3 | 32.6 - 42.0 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 30.5 | 27.8 - 33.2 | |
| | Non-Hisp. White Women | 31.0 | 28.5 - 33.5 | |
| | Non-Hisp. Black Men | 29.7 | 20.1 - 39.2 | |
| | Non-Hisp. Black Women | 35.8 | 28.0 - 43.5 | |
| | Hispanic Men | 35.5 | 29.2 - 41.8 | |
| | Hispanic Women | 39.1 | 32.2 - 46.0 | |
| AGE GROUP | 18-44 | 41.1 | 37.8 - 44.3 | |
| | 45-64 | 31.9 | 28.7 - 35.1 | |
| | 65 & Older | 21.1 | 18.6 - 23.6 | |
| EDUCATION LEVEL | <high school<="" td=""><td>24.3</td><td>18.1 - 30.5</td><td></td></high> | 24.3 | 18.1 - 30.5 | |
| | High School / GED | 32.5 | 28.8 - 36.2 | |
| | >High School | 33.8 | 31.6 - 35.9 | |
| ANNUAL INCOME | <\$25,000 | 26.9 | 22.1 - 31.8 | |
| | \$25,000-\$49,999 | 33.8 | 29.8 - 37.8 | |
| | \$50,000 or More | 35.7 | 32.1 - 39.3 | |
| MARITAL STATUS | Married/Couple | 34.6 | 32.2 - 37.0 | |
| | Not Married/Couple | 29.8 | 27.1 - 32.5 | |
| | | | | |

Long COVID

Percentage of adults who had symptoms lasting three months or longer (Among adults who ever tested positive for COVID 19)

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 21.6 | 19.0 - 24.3 |
| SEX | Men | 14.5 | 11.3 - 17.7 |
| | Women | 27.9 | 23.8 - 32.0 |
| RACE/ETHNICITY | Non-Hisp. White | 22.7 | 19.6 - 25.7 |
| | Non-Hisp. Black | 17.7 | 10.0 - 25.3 |
| | Hispanic | 19.6 | 13.5 - 25.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 16.4 | 12.6 - 20.2 |
| | Non-Hisp. White Women | 28.6 | 24.0 - 33.2 |
| | Non-Hisp. Black Men | 8.7 | 0.0 - 18.2 |
| | Non-Hisp. Black Women | 23.7 | 12.9 - 34.5 |
| | Hispanic Men | 12.3 | 5.3 - 19.3 |
| | Hispanic Women | 26.0 | 16.5 - 35.6 |
| AGE GROUP | 18-44 | 21.5 | 17.6 - 25.4 |
| | 45-64 | 24.8 | 19.4 - 30.1 |
| | 65 & Older | 17.5 | 13.5 - 21.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>23.1</th><th>12.7 - 33.5</th></high> | 23.1 | 12.7 - 33.5 |
| | High School / GED | 19.5 | 14.6 - 24.4 |
| | >High School | 22.3 | 19.0 - 25.7 |
| ANNUAL INCOME | <\$25,000 | 26.9 | 19.1 - 34.7 |
| | \$25,000-\$49,999 | 20.1 | 15.1 - 25.2 |
| | \$50,000 or More | 23.2 | 17.9 - 28.4 |
| MARITAL STATUS | Married/Couple | 19.9 | 16.6 - 23.3 |
| | Not Married/Couple | 24.2 | 19.9 - 28.5 |
| | | | |

| Health | | | | |
|-------------------------|--|-----------------------|-------------------|---|
| centage of adults who l | nad a permanent tooth removed | because of tooth deca | ay or gum disease | |
| | | Measure | 95% CI | |
| ALL | Overall | 45.8 | 44.0 - 47.6 | _ |
| SEX | Men | 44.0 | 41.5 - 46.5 | |
| | Women | 47.5 | 44.9 - 50.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 46.2 | 44.3 - 48.0 | |
| | Non-Hisp. Black | 48.4 | 42.7 - 54.1 | |
| | Hispanic | 44.1 | 39.6 - 48.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 46.6 | 43.9 - 49.3 | |
| | Non-Hisp. White Women | 45.8 | 43.2 - 48.4 | |
| | Non-Hisp. Black Men | 45.2 | 36.5 - 54.0 | |
| | Non-Hisp. Black Women | 51.2 | 43.7 - 58.7 | |
| | Hispanic Men | 39.6 | 33.5 - 45.6 | |
| | Hispanic Women | 48.3 | 41.9 - 54.8 | |
| AGE GROUP | 18-44 | 28.5 | 25.7 - 31.3 | |
| | 45-64 | 51.0 | 47.7 - 54.2 | |
| | 65 & Older | 66.4 | 63.8 - 68.9 | |
| EDUCATION LEVEL | <high school<="" td=""><td>64.2</td><td>57.5 - 70.9</td><td></td></high> | 64.2 | 57.5 - 70.9 | |
| | High School / GED | 49.3 | 45.8 - 52.8 | |
| | >High School | 40.8 | 38.7 - 42.9 | |
| ANNUAL INCOME | <\$25,000 | 64.7 | 59.7 - 69.7 | |
| | \$25,000-\$49,999 | 51.2 | 47.3 - 55.0 | |
| | \$50,000 or More | 42.8 | 39.2 - 46.4 | |
| MARITAL STATUS | Married/Couple | 47.2 | 44.8 - 49.6 | |
| | Not Married/Couple | 44.5 | 41.9 - 47.2 | |

Percentage of adults who have seen a dentist in the past year

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 61.2 | 59.4 - 62.9 |
| SEX | Men | 56.9 | 54.4 - 59.5 |
| | Women | 65.1 | 62.8 - 67.4 |
| RACE/ETHNICITY | Non-Hisp. White | 63.7 | 61.9 - 65.5 |
| | Non-Hisp. Black | 62.0 | 56.5 - 67.4 |
| | Hispanic | 56.4 | 52.0 - 60.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 60.4 | 57.8 - 63.1 |
| | Non-Hisp. White Women | 66.8 | 64.3 - 69.2 |
| | Non-Hisp. Black Men | 55.8 | 47.1 - 64.5 |
| | Non-Hisp. Black Women | 67.3 | 60.6 - 74.0 |
| | Hispanic Men | 52.1 | 46.0 - 58.2 |
| | Hispanic Women | 60.4 | 54.3 - 66.5 |
| AGE GROUP | 18-44 | 58.3 | 55.3 - 61.3 |
| | 45-64 | 59.8 | 56.6 - 63.0 |
| | 65 & Older | 66.9 | 64.2 - 69.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>39.6</th><th>32.9 - 46.3</th></high> | 39.6 | 32.9 - 46.3 |
| | High School / GED | 57.0 | 53.6 - 60.4 |
| | >High School | 67.3 | 65.4 - 69.3 |
| ANNUAL INCOME | <\$25,000 | 38.2 | 33.2 - 43.2 |
| | \$25,000-\$49,999 | 56.4 | 52.7 - 60.2 |
| | \$50,000 or More | 66.2 | 62.8 - 69.6 |
| MARITAL STATUS | Married/Couple | 66.2 | 63.9 - 68.4 |
| | Not Married/Couple | 55.3 | 52.7 - 58.0 |

CI=Confidence Interval

| Overweight & Obesity | | | | |
|----------------------------|--|---------|-------------|--|
| Percentage of adults who a | are obese | | | |
| | | Measure | 95% CI | |
| ALL | Overall | 31.6 | 29.8 - 33.4 | |
| SEX | Men | 32.4 | 29.9 - 34.8 | |
| | Women | 30.8 | 28.3 - 33.3 | |
| RACE/ETHNICITY | Non-Hisp. White | 29.8 | 28.0 - 31.6 | |
| | Non-Hisp. Black | 37.6 | 31.8 - 43.4 | |
| | Hispanic | 35.2 | 30.5 - 39.8 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 33.2 | 30.5 - 35.9 | |
| | Non-Hisp. White Women | 26.2 | 23.8 - 28.6 | |
| | Non-Hisp. Black Men | 31.7 | 22.9 - 40.5 | |
| | Non-Hisp. Black Women | 43.2 | 35.4 - 50.9 | |
| | Hispanic Men | 36.3 | 29.9 - 42.8 | |
| | Hispanic Women | 34.0 | 27.3 - 40.7 | |
| AGE GROUP | 18-44 | 29.6 | 26.7 - 32.6 | |
| | 45-64 | 36.7 | 33.5 - 40.0 | |
| | 65 & Older | 29.3 | 26.5 - 32.2 | |
| EDUCATION LEVEL | <high school<="" td=""><td>38.4</td><td>31.0 - 45.7</td><td></td></high> | 38.4 | 31.0 - 45.7 | |
| | High School / GED | 34.1 | 30.7 - 37.5 | |
| | >High School | 29.2 | 27.1 - 31.2 | |
| ANNUAL INCOME | <\$25,000 | 37.9 | 32.7 - 43.1 | |
| | \$25,000-\$49,999 | 34.6 | 30.9 - 38.4 | |
| | \$50,000 or More | 32.2 | 28.7 - 35.6 | |
| MARITAL STATUS | Married/Couple | 31.7 | 29.3 - 34.1 | |
| | Not Married/Couple | 31.7 | 29.1 - 34.4 | |
| Percentage of adults who a | are overweight | | | |
| | | Measure | 95% CI | |

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 34.5 | 32.7 - 36.3 | |
| SEX | Men | 38.8 | 36.2 - 41.3 | |
| | Women | 30.1 | 27.6 - 32.5 | |
| RACE/ETHNICITY | Non-Hisp. White | 35.1 | 33.3 - 37.0 | |
| | Non-Hisp. Black | 37.5 | 31.3 - 43.7 | |
| | Hispanic | 33.3 | 28.8 - 37.7 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 39.9 | 37.2 - 42.7 | |
| | Non-Hisp. White Women | 30.1 | 27.7 - 32.6 | |
| | Non-Hisp. Black Men | 39.2 | 30.2 - 48.3 | |
| | Non-Hisp. Black Women | 35.9 | 27.3 - 44.4 | |
| | Hispanic Men | 37.4 | 31.1 - 43.6 | |
| | Hispanic Women | 29.2 | 22.9 - 35.4 | |
| AGE GROUP | 18-44 | 30.3 | 27.3 - 33.3 | |
| | 45-64 | 36.5 | 33.2 - 39.9 | |
| | 65 & Older | 38.4 | 35.6 - 41.2 | |
| EDUCATION LEVEL | <high school<="" th=""><th>30.7</th><th>24.1 - 37.3</th><th></th></high> | 30.7 | 24.1 - 37.3 | |
| | High School / GED | 32.1 | 28.7 - 35.5 | |
| | >High School | 36.3 | 34.2 - 38.4 | |
| ANNUAL INCOME | <\$25,000 | 30.9 | 26.0 - 35.8 | |
| | \$25,000-\$49,999 | 33.4 | 29.7 - 37.2 | |
| | \$50,000 or More | 37.4 | 33.8 - 41.0 | |
| MARITAL STATUS | Married/Couple | 36.5 | 34.1 - 38.8 | |
| | Not Married/Couple | 31.9 | 29.2 - 34.6 | |

CI=Confidence Interval

| verweight & Obesity | | | | |
|--------------------------|--|---------|-------------|--|
| rcentage of adults who a | are overweight or obese | | | |
| | | Measure | 95% CI | |
| ALL | Overall | 66.1 | 64.3 - 67.9 | |
| SEX | Men | 71.1 | 68.7 - 73.6 | |
| | Women | 60.9 | 58.3 - 63.5 | |
| RACE/ETHNICITY | Non-Hisp. White | 64.9 | 63.0 - 66.8 | |
| | Non-Hisp. Black | 75.1 | 69.9 - 80.3 | |
| | Hispanic | 68.5 | 64.0 - 73.0 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 73.1 | 70.7 - 75.6 | |
| | Non-Hisp. White Women | 56.3 | 53.6 - 59.1 | |
| | Non-Hisp. Black Men | 71.0 | 62.4 - 79.5 | |
| | Non-Hisp. Black Women | 79.0 | 73.2 - 84.9 | |
| | Hispanic Men | 73.7 | 68.0 - 79.5 | |
| | Hispanic Women | 63.2 | 56.3 - 70.0 | |
| AGE GROUP | 18-44 | 59.9 | 56.7 - 63.1 | |
| | 45-64 | 73.3 | 70.2 - 76.3 | |
| | 65 & Older | 67.8 | 65.1 - 70.4 | |
| EDUCATION LEVEL | <high school<="" td=""><td>69.1</td><td>62.5 - 75.6</td><td></td></high> | 69.1 | 62.5 - 75.6 | |
| | High School / GED | 66.2 | 62.6 - 69.8 | |
| | >High School | 65.5 | 63.4 - 67.6 | |
| ANNUAL INCOME | <\$25,000 | 68.8 | 63.9 - 73.8 | |
| | \$25,000-\$49,999 | 68.1 | 64.6 - 71.5 | |
| | \$50,000 or More | 69.6 | 66.0 - 73.1 | |
| MARITAL STATUS | Married/Couple | 68.2 | 65.8 - 70.5 | |
| | Not Married/Couple | 63.7 | 60.9 - 66.4 | |

Percentage of adults who have a healthy weight (BMI from 18.5 to 24.9)

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 31.8 | 30.0 - 33.6 |
| SEX | Men | 27.1 | 24.7 - 29.5 |
| | Women | 36.6 | 34.0 - 39.2 |
| RACE/ETHNICITY | Non-Hisp. White | 32.8 | 31.0 - 34.7 |
| | Non-Hisp. Black | 23.4 | 18.3 - 28.5 |
| | Hispanic | 29.4 | 25.0 - 33.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 25.4 | 23.1 - 27.8 |
| | Non-Hisp. White Women | 40.5 | 37.8 - 43.2 |
| | Non-Hisp. Black Men | 26.7 | 18.3 - 35.2 |
| | Non-Hisp. Black Women | 20.3 | 14.5 - 26.1 |
| | Hispanic Men | 23.8 | 18.3 - 29.4 |
| | Hispanic Women | 35.1 | 28.3 - 41.9 |
| AGE GROUP | 18-44 | 37.3 | 34.1 - 40.5 |
| | 45-64 | 25.3 | 22.3 - 28.3 |
| | 65 & Older | 30.2 | 27.6 - 32.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>27.6</th><th>21.4 - 33.8</th></high> | 27.6 | 21.4 - 33.8 |
| | High School / GED | 31.2 | 27.6 - 34.8 |
| | >High School | 32.8 | 30.7 - 34.9 |
| ANNUAL INCOME | <\$25,000 | 28.1 | 23.3 - 32.9 |
| | \$25,000-\$49,999 | 29.6 | 26.2 - 33.0 |
| | \$50,000 or More | 28.9 | 25.4 - 32.4 |
| MARITAL STATUS | Married/Couple | 30.3 | 28.0 - 32.7 |
| | Not Married/Couple | 33.5 | 30.8 - 36.2 |

CI=Confidence Interval

| | ears of age and older who receiv | eu a mannogram m | the past year | |
|----------------------|--|------------------|---------------|--|
| | | Measure | 95% CI | |
| ALL | Overall | 55.5 | 52.6 - 58.3 | |
| SEX | Women | 55.5 | 52.6 - 58.3 | |
| RACE/ETHNICITY | Non-Hisp. White | 55.4 | 52.6 - 58.2 | |
| | Non-Hisp. Black | 62.5 | 53.7 - 71.3 | |
| | Hispanic | 56.8 | 48.2 - 65.3 | |
| EX BY RACE/ETHNICITY | Non-Hisp. White Women | 55.4 | 52.6 - 58.2 | |
| | Non-Hisp. Black Women | 62.5 | 53.7 - 71.3 | |
| | Hispanic Women | 56.8 | 48.2 - 65.3 | |
| AGE GROUP | 18-44 | 41.4 | 32.3 - 50.5 | |
| | 45-64 | 56.9 | 52.2 - 61.5 | |
| | 65 & Older | 57.4 | 53.7 - 61.1 | |
| EDUCATION LEVEL | <high school<="" td=""><td>42.7</td><td>31.0 - 54.4</td><td></td></high> | 42.7 | 31.0 - 54.4 | |
| | High School / GED | 56.9 | 51.0 - 62.7 | |
| | >High School | 56.5 | 53.1 - 60.0 | |
| ANNUAL INCOME | <\$25,000 | 42.1 | 35.3 - 48.9 | |
| | \$25,000-\$49,999 | 51.9 | 45.9 - 57.9 | |
| | \$50,000 or More | 57.6 | 51.6 - 63.6 | |
| MARITAL STATUS | Married/Couple | 60.0 | 56.4 - 63.6 | |
| | Not Married/Couple | 49.5 | 44.9 - 54.0 | |

Percentage of women aged 50 to 74 who had a mammogram in the past 2 years

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 78.0 | 75.0 - 81.0 | |
| SEX | Women | 78.0 | 75.0 - 81.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 76.9 | 73.9 - 79.8 | |
| | Non-Hisp. Black | 86.3 | 79.9 - 92.6 | |
| | Hispanic | 79.6 | 69.8 - 89.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 76.9 | 73.9 - 79.8 | |
| | Non-Hisp. Black Women | 86.3 | 79.9 - 92.6 | |
| | Hispanic Women | 79.6 | 69.8 - 89.5 | |
| AGE GROUP | 45-64 | 76.5 | 72.4 - 80.7 | |
| | 65 & Older | 80.2 | 76.1 - 84.3 | |
| EDUCATION LEVEL | <high school<="" th=""><th>71.8</th><th>60.0 - 83.5</th><th></th></high> | 71.8 | 60.0 - 83.5 | |
| | High School / GED | 76.5 | 70.7 - 82.3 | |
| | >High School | 79.2 | 75.5 - 82.9 | |
| ANNUAL INCOME | <\$25,000 | 63.0 | 53.7 - 72.3 | |
| | \$25,000-\$49,999 | 76.2 | 69.9 - 82.6 | |
| | \$50,000 or More | 82.2 | 77.1 - 87.2 | |
| MARITAL STATUS | Married/Couple | 80.3 | 77.0 - 83.7 | |
| | Not Married/Couple | 74.5 | 69.1 - 79.9 | |

Cancer Screening/Cervical

Percentage of women 18 years of age and older who received a cervical cancer screening in the past five years

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| SEX | Women | 65.9 | 62.8 - 69.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 61.0 | 57.9 - 64.2 | |
| | Non-Hisp. Black | 71.8 | 59.8 - 83.8 | |
| | Hispanic | 70.4 | 61.8 - 79.0 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 61.0 | 57.9 - 64.2 | |
| | Non-Hisp. Black Women | 71.8 | 59.8 - 83.8 | |
| | Hispanic Women | 70.4 | 61.8 - 79.0 | |
| AGE GROUP | 18-44 | 80.5 | 75.4 - 85.6 | |
| | 45-64 | 69.0 | 63.6 - 74.3 | |
| | 65 & Older | 45.5 | 40.1 - 50.8 | |
| EDUCATION LEVEL | <high school<="" th=""><th>56.6</th><th>39.8 - 73.3</th><th></th></high> | 56.6 | 39.8 - 73.3 | |
| | High School / GED | 59.3 | 51.7 - 66.8 | |
| | >High School | 68.6 | 65.2 - 71.9 | |
| ANNUAL INCOME | <\$25,000 | 52.7 | 44.0 - 61.5 | |
| | \$25,000-\$49,999 | 65.0 | 59.0 - 71.1 | |
| | \$50,000 or More | 72.7 | 67.5 - 77.9 | |
| MARITAL STATUS | Married/Couple | 68.3 | 64.6 - 72.1 | |
| | Not Married/Couple | 63.2 | 58.0 - 68.3 | |

Percentage of women 18 years of age and older who received a cervical cancer screening in the past year

| | Measure | 95% CI | |
|--|--|---|---|
| Women | 34.4 | 31.4 - 37.5 | |
| Non-Hisp. White | 32.1 | 29.1 - 35.2 | |
| Non-Hisp. Black | 37.2 | 26.1 - 48.4 | |
| Hispanic | 36.4 | 28.2 - 44.6 | |
| Non-Hisp. White Women | 32.1 | 29.1 - 35.2 | |
| Non-Hisp. Black Women | 37.2 | 26.1 - 48.4 | |
| Hispanic Women | 36.4 | 28.2 - 44.6 | |
| 18-44 | 39.3 | 33.5 - 45.2 | |
| 45-64 | 38.7 | 33.5 - 44.0 | |
| 65 & Older | 23.4 | 18.7 - 28.2 | |
| <high school<="" th=""><th>28.2</th><th>14.5 - 42.0</th><th></th></high> | 28.2 | 14.5 - 42.0 | |
| High School / GED | 30.2 | 23.6 - 36.7 | |
| >High School | 36.1 | 32.6 - 39.6 | |
| <\$25,000 | 24.8 | 17.5 - 32.1 | |
| \$25,000-\$49,999 | 34.2 | 27.3 - 41.0 | |
| \$50,000 or More | 35.0 | 29.2 - 40.8 | |
| Married/Couple | 36.7 | 32.8 - 40.6 | |
| Not Married/Couple | 31.8 | 26.9 - 36.7 | |
| | Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Women Non-Hisp. Black Women Hispanic Women 18-44 45-64 65 & Older <high school<br="">High School >High School >High School \$25,000 \$25,000 or More Married/Couple</high> | Women 34.4 Non-Hisp. White 32.1 Non-Hisp. Black 37.2 Hispanic 36.4 Non-Hisp. White Women 32.1 Non-Hisp. White Women 32.1 Non-Hisp. Black Women 37.2 Hispanic Women 36.4 18-44 39.3 45-64 38.7 65 & Older 23.4 <high school<="" td=""> 28.2 High School / GED 30.2 >High School 26.1 <\$25,000 24.8 \$25,000 34.2 \$50,000 or More 35.0 Married/Couple 36.7</high> | Women 34.4 31.4 37.5 Non-Hisp. White 32.1 29.1 - 35.2 Non-Hisp. Black 37.2 26.1 - 48.4 Hispanic 36.4 28.2 - 44.6 Non-Hisp. White Women 32.1 29.1 - 35.2 Non-Hisp. White Women 32.1 29.1 - 35.2 Non-Hisp. Black Women 37.2 26.1 - 48.4 Hispanic Women 36.4 28.2 - 44.6 18-44 39.3 33.5 - 45.2 45-64 38.7 33.5 - 44.0 65 & Older 23.4 18.7 28.2 <high school<="" td=""> 28.2 14.5 - 42.0 High School / GED 30.2 23.6 - 36.7 >High School 36.1 32.6 - 39.6 <\$25,000 24.8 17.5 - 32.1 \$25,000-\$49,999 34.2 27.3 - 41.0 \$25,000 or More 35.0 29</high> |

| Cancer Screening/Cervical |
|--|
| Percentage of women 18 years of age and older who received a HPV test at last cervical cancer screen |

| | | Measure | 95% CI | |
|-------------------------|--|---------|-------------|--|
| SEX | Women | 58.2 | 54.5 - 61.9 | |
| RACE/ETHNICITY | Non-Hisp. White | 50.8 | 47.0 - 54.7 | |
| | Non-Hisp. Black | 64.1 | 51.7 - 76.6 | |
| | Hispanic | 68.0 | 58.8 - 77.3 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 50.8 | 47.0 - 54.7 | |
| | Non-Hisp. Black Women | 64.1 | 51.7 - 76.6 | |
| | Hispanic Women | 68.0 | 58.8 - 77.3 | |
| AGE GROUP | 18-44 | 78.1 | 72.5 - 83.7 | |
| | 45-64 | 59.1 | 52.7 - 65.6 | |
| | 65 & Older | 29.9 | 23.4 - 36.5 | |
| EDUCATION LEVEL | <high school<="" th=""><th>39.9</th><th>22.7 - 57.1</th><th></th></high> | 39.9 | 22.7 - 57.1 | |
| | High School / GED | 65.4 | 57.9 - 73.0 | |
| | >High School | 57.4 | 53.2 - 61.6 | |
| ANNUAL INCOME | <\$25,000 | 58.3 | 49.1 - 67.6 | |
| | \$25,000-\$49,999 | 58.5 | 50.4 - 66.6 | |
| | \$50,000 or More | 61.6 | 54.5 - 68.6 | |
| MARITAL STATUS | Married/Couple | 52.0 | 47.2 - 56.7 | |
| | Not Married/Couple | 64.9 | 59.5 - 70.4 | |
| Percentage of women who | have had a hysterectomy | | | |

Percentage of women who have had a hysterectomy

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 22.9 | 20.9 - 24.8 | |
| SEX | Women | 22.9 | 20.9 - 24.8 | |
| RACE/ETHNICITY | Non-Hisp. White | 27.2 | 24.9 - 29.4 | |
| | Non-Hisp. Black | 24.1 | 17.5 - 30.7 | |
| | Hispanic | 14.6 | 10.0 - 19.2 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 27.2 | 24.9 - 29.4 | |
| | Non-Hisp. Black Women | 24.1 | 17.5 - 30.7 | |
| | Hispanic Women | 14.6 | 10.0 - 19.2 | |
| AGE GROUP | 18-44 | 4.3 | 2.3 - 6.3 | |
| | 45-64 | 26.4 | 22.3 - 30.6 | |
| | 65 & Older | 43.5 | 39.7 - 47.3 | |
| EDUCATION LEVEL | <high school<="" td=""><td>27.7</td><td>19.0 - 36.4</td><td></td></high> | 27.7 | 19.0 - 36.4 | |
| | High School / GED | 22.5 | 18.6 - 26.4 | |
| | >High School | 22.1 | 19.8 - 24.5 | |
| ANNUAL INCOME | <\$25,000 | 28.4 | 22.8 - 34.1 | |
| | \$25,000-\$49,999 | 23.2 | 18.9 - 27.6 | |
| | \$50,000 or More | 20.2 | 16.3 - 24.1 | |
| MARITAL STATUS | Married/Couple | 23.3 | 20.6 - 26.0 | |
| | Not Married/Couple | 22.7 | 19.7 - 25.7 | |

| ncer Screening/Colorect | tal | | | |
|---|--|---------|-------------|--|
| rcentage of adults 50 years of age and older who have ever had a sigmoidoscopy or colonoscopy | | | | |
| | | Measure | 95% CI | |
| ALL | Overall | 76.4 | 74.4 - 78.5 | |
| SEX | Men | 75.4 | 72.1 - 78.6 | |
| | Women | 77.4 | 74.7 - 80.1 | |
| RACE/ETHNICITY | Non-Hisp. White | 79.8 | 78.0 - 81.7 | |
| | Non-Hisp. Black | 75.2 | 67.1 - 83.3 | |
| | Hispanic | 66.6 | 59.3 - 73.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 80.0 | 77.3 - 82.8 | |
| | Non-Hisp. White Women | 79.6 | 77.2 - 82.1 | |
| | Non-Hisp. Black Men | 69.9 | 55.5 - 84.4 | |
| | Non-Hisp. Black Women | 80.2 | 73.0 - 87.4 | |
| | Hispanic Men | 64.3 | 53.7 - 74.9 | |
| | Hispanic Women | 68.8 | 58.9 - 78.7 | |
| AGE GROUP | 45-64 | 65.8 | 62.2 - 69.5 | |
| | 65 & Older | 85.5 | 83.3 - 87.6 | |
| EDUCATION LEVEL | <high school<="" td=""><td>61.8</td><td>52.4 - 71.3</td><td></td></high> | 61.8 | 52.4 - 71.3 | |
| | High School / GED | 77.5 | 74.0 - 81.0 | |
| | >High School | 78.7 | 76.3 - 81.1 | |
| ANNUAL INCOME | <\$25,000 | 64.3 | 57.7 - 70.9 | |
| | \$25,000-\$49,999 | 73.1 | 68.4 - 77.8 | |
| | \$50,000 or More | 78.4 | 74.5 - 82.3 | |
| MARITAL STATUS | Married/Couple | 80.8 | 78.2 - 83.3 | |
| | Not Married/Couple | 69.6 | 66.1 - 73.1 | |
| | | | | |

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

| | Measure | 95% CI |
|---|--|---|
| Overall | 66.2 | 63.6 - 68.7 |
| Men | 65.5 | 61.6 - 69.4 |
| Women | 66.8 | 63.4 - 70.2 |
| Non-Hisp. White | 69.6 | 67.2 - 71.9 |
| Non-Hisp. Black | 70.6 | 61.4 - 79.7 |
| Hispanic | 53.2 | 44.5 - 61.9 |
| Non-Hisp. White Men | 70.0 | 66.5 - 73.5 |
| Non-Hisp. White Women | 69.2 | 66.0 - 72.3 |
| Non-Hisp. Black Men | 67.1 | 51.7 - 82.5 |
| Non-Hisp. Black Women | 74.3 | 65.3 - 83.2 |
| Hispanic Men | 53.7 | 41.4 - 66.0 |
| Hispanic Women | 52.7 | 40.4 - 65.0 |
| 45-64 | 57.1 | 53.0 - 61.2 |
| 65 & Older | 74.8 | 71.8 - 77.8 |
| <high school<="" th=""><th>52.9</th><th>42.0 - 63.7</th></high> | 52.9 | 42.0 - 63.7 |
| High School / GED | 66.0 | 61.4 - 70.6 |
| >High School | 68.8 | 65.8 - 71.8 |
| <\$25,000 | 51.7 | 44.2 - 59.2 |
| \$25,000-\$49,999 | 63.6 | 58.1 - 69.2 |
| \$50,000 or More | 69.6 | 64.8 - 74.5 |
| Married/Couple | 71.7 | 68.5 - 74.9 |
| Not Married/Couple | 57.6 | 53.4 - 61.8 |
| | Men Women Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Men Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Men Hispanic Women 45-64 65 & Older <high school<br="">High School High School School / GED >High School \$25,000 \$25,000 or More Married/Couple</high> | Overall 66.2 Men 65.5 Women 66.8 Non-Hisp. White 69.6 Non-Hisp. Black 70.6 Hispanic 53.2 Non-Hisp. White Men 70.0 Non-Hisp. White Women 69.2 Non-Hisp. Black Men 67.1 Non-Hisp. Black Men 74.3 Hispanic Men 53.7 Hispanic Men 52.7 45-64 57.1 65 & Older 74.8 <high school<="" td=""> 52.9 High School / GED 66.0 >High School 51.7 \$25,000 51.7 \$25,000 51.7 \$25,000 or More 69.6 Married/Couple 71.7</high> |

| 22 Florida BRFSS Data ncer Screening/Colorect | | | | |
|--|---|---------|-------------|--|
| rcentage of adults aged 45 to 75 who had colorectal screening based on the most recent clinical guidelines | | | | |
| centage of adults ageu | 45 to 75 who had colorectal scre | - | - | |
| | | Measure | 95% CI | |
| ALL | Overall | 58.5 | 56.0 - 60.9 | |
| SEX | Men | 56.5 | 53.0 - 60.0 | |
| | Women | 60.3 | 56.8 - 63.8 | |
| RACE/ETHNICITY | Non-Hisp. White | 64.1 | 61.8 - 66.5 | |
| | Non-Hisp. Black | 54.3 | 46.0 - 62.5 | |
| | Hispanic | 48.4 | 41.5 - 55.4 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 63.6 | 60.2 - 67.0 | |
| | Non-Hisp. White Women | 64.6 | 61.4 - 67.9 | |
| | Non-Hisp. Black Men | 47.3 | 34.9 - 59.7 | |
| | Non-Hisp. Black Women | 60.5 | 50.1 - 70.8 | |
| | Hispanic Men | 46.8 | 37.5 - 56.0 | |
| | Hispanic Women | 50.0 | 39.8 - 60.3 | |
| AGE GROUP | 45-64 | 51.0 | 47.8 - 54.2 | |
| | 65 & Older | 72.0 | 68.4 - 75.6 | |
| EDUCATION LEVEL | <high school<="" td=""><td>36.7</td><td>27.8 - 45.6</td></high> | 36.7 | 27.8 - 45.6 | |
| | High School / GED | 59.2 | 54.4 - 64.0 | |
| | >High School | 62.0 | 59.1 - 64.8 | |
| ANNUAL INCOME | <\$25,000 | 51.1 | 44.5 - 57.8 | |
| | \$25,000-\$49,999 | 60.6 | 54.9 - 66.2 | |
| | \$50,000 or More | 64.6 | 60.2 - 69.0 | |
| MARITAL STATUS | <u> </u> | 62.2 | 59.1 - 65.3 | |
| | Not Married/Couple | 52.9 | 48.9 - 56.9 | |
| | | | | |

| cer Screening/Lung | | | | |
|---|---|---------|-------------|--|
| centage of adults who ever had CT or CAT scan of chest area mainly to check or screen for lung cancer | | | | |
| | | Measure | 95% CI | |
| ALL | Overall | 22.0 | 19.7 - 24.2 | |
| SEX | Men | 22.6 | 19.3 - 25.8 | |
| | Women | 21.4 | 18.3 - 24.5 | |
| RACE/ETHNICITY | Non-Hisp. White | 21.9 | 19.7 - 24.2 | |
| | Non-Hisp. Black | 19.4 | 12.5 - 26.4 | |
| | Hispanic | 22.8 | 16.4 - 29.1 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 21.7 | 18.6 - 24.8 | |
| | Non-Hisp. White Women | 22.2 | 18.9 - 25.5 | |
| | Non-Hisp. Black Men | 20.7 | 9.7 - 31.6 | |
| | Non-Hisp. Black Women | 18.0 | 9.8 - 26.2 | |
| | Hispanic Men | 24.5 | 15.3 - 33.8 | |
| | Hispanic Women | 21.0 | 12.3 - 29.6 | |
| AGE GROUP | 18-44 | 9.5 | 6.1 - 12.9 | |
| | 45-64 | 22.3 | 18.3 - 26.4 | |
| | 65 & Older | 29.2 | 25.7 - 32.7 | |
| EDUCATION LEVEL | <high school<="" td=""><td>35.6</td><td>25.6 - 45.6</td></high> | 35.6 | 25.6 - 45.6 | |
| | High School / GED | 22.7 | 18.6 - 26.8 | |
| | >High School | 19.0 | 16.4 - 21.5 | |
| ANNUAL INCOME | <\$25,000 | 31.9 | 25.1 - 38.6 | |
| | \$25,000-\$49,999 | 26.0 | 21.0 - 30.9 | |
| | \$50,000 or More | 18.0 | 13.7 - 22.3 | |
| MARITAL STATUS | Married/Couple | 22.0 | 19.0 - 25.0 | |
| | Not Married/Couple | 22.0 | 18.6 - 25.4 | |
| | | | | |

Percentage of adults who had CT or CAT scan of chest area mainly to check or screen for lung cancer in the past 3 years

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 69.6 | 63.9 - 75.2 |
| SEX | Men | 65.7 | 56.9 - 74.6 |
| | Women | 73.8 | 67.2 - 80.4 |
| RACE/ETHNICITY | Non-Hisp. White | 68.8 | 63.1 - 74.5 |
| | Non-Hisp. Black | 82.2 | 70.8 - 93.6 |
| | Hispanic | 69.1 | 54.5 - 83.8 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 65.2 | 56.6 - 73.7 |
| | Non-Hisp. White Women | 72.7 | 65.8 - 79.6 |
| | Non-Hisp. Black Men | 72.6 | 50.1 - 95.1 |
| | Non-Hisp. Black Women | 93.2 | 85.7 -100.0 |
| | Hispanic Men | 75.2 | 55.4 - 95.0 |
| | Hispanic Women | 61.9 | 41.6 - 82.2 |
| AGE GROUP | 18-44 | 72.7 | 56.2 - 89.2 |
| | 45-64 | 75.6 | 67.2 - 84.0 |
| | 65 & Older | 66.8 | 60.1 - 73.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>64.6</th><th>46.0 - 83.2</th></high> | 64.6 | 46.0 - 83.2 |
| | High School / GED | 65.1 | 55.7 - 74.5 |
| | >High School | 73.1 | 65.8 - 80.3 |
| ANNUAL INCOME | <\$25,000 | 73.6 | 62.1 - 85.0 |
| | \$25,000-\$49,999 | 65.2 | 53.6 - 76.9 |
| | \$50,000 or More | 63.8 | 48.5 - 79.0 |
| MARITAL STATUS | Married/Couple | 70.5 | 63.3 - 77.7 |
| | Not Married/Couple | 68.1 | 59.3 - 77.0 |

CI=Confidence Interval
| cer Screening/Lung | | | | |
|-------------------------|--|------------------------|-----------------------------|-------------|
| centage of adults who l | nad CT or CAT scan of chest are | a mainly to check or s | creen for lung cancer in th | e past 5 ye |
| | | Measure | 95% CI | |
| ALL | Overall | 82.0 | 77.3 - 86.8 | |
| SEX | Men | 78.8 | 70.9 - 86.6 | |
| | Women | 85.6 | 80.6 - 90.6 | |
| RACE/ETHNICITY | Non-Hisp. White | 80.7 | 75.9 - 85.4 | |
| | Non-Hisp. Black | 91.1 | 83.0 - 99.1 | |
| | Hispanic | 86.8 | 77.1 - 96.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 78.2 | 71.0 - 85.4 | |
| | Non-Hisp. White Women | 83.3 | 77.2 - 89.4 | |
| | Non-Hisp. Black Men | 84.8 | 68.9 -100.0 | |
| | Non-Hisp. Black Women | 98.3 | 95.6 -100.0 | |
| | Hispanic Men | 88.9 | 76.0 -100.0 | |
| | Hispanic Women | 84.2 | 70.0 - 98.4 | |
| AGE GROUP | 18-44 | 76.6 | 60.5 - 92.8 | |
| | 45-64 | 86.9 | 81.0 - 92.8 | |
| | 65 & Older | 82.7 | 77.9 - 87.4 | |
| EDUCATION LEVEL | <high school<="" td=""><td>88.4</td><td>80.4 - 96.3</td><td></td></high> | 88.4 | 80.4 - 96.3 | |
| | High School / GED | 76.8 | 67.6 - 85.9 | |
| | >High School | 82.5 | 75.5 - 89.5 | |
| ANNUAL INCOME | <\$25,000 | 92.7 | 88.5 - 97.0 | |
| | \$25,000-\$49,999 | 79.3 | 70.1 - 88.5 | |
| | \$50,000 or More | 74.9 | 58.9 - 91.0 | |
| MARITAL STATUS | Married/Couple | 82.7 | 77.6 - 87.8 | |
| | Not Married/Couple | 81.0 | 72.5 - 89.4 | |
| | | | | |

Percentage of adults who had CT or CAT scan of chest area mainly to check or screen for lung cancer in the past year

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 47.6 | 41.7 - 53.6 |
| SEX | Men | 43.5 | 34.6 - 52.5 |
| | Women | 52.1 | 44.6 - 59.6 |
| RACE/ETHNICITY | Non-Hisp. White | 44.7 | 39.0 - 50.4 |
| | Non-Hisp. Black | 64.3 | 46.4 - 82.2 |
| | Hispanic | 51.4 | 36.1 - 66.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 39.4 | 31.8 - 46.9 |
| | Non-Hisp. White Women | 50.3 | 42.0 - 58.6 |
| | Non-Hisp. Black Men | 55.8 | 24.1 - 87.4 |
| | Non-Hisp. Black Women | 74.1 | 55.9 - 92.3 |
| | Hispanic Men | 58.0 | 35.7 - 80.4 |
| | Hispanic Women | 43.5 | 23.6 - 63.4 |
| AGE GROUP | 18-44 | 42.4 | 22.0 - 62.8 |
| | 45-64 | 50.1 | 39.9 - 60.3 |
| | 65 & Older | 49.0 | 42.1 - 56.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>49.9</td><td>30.1 - 69.7</td></high> | 49.9 | 30.1 - 69.7 |
| | High School / GED | 42.8 | 33.9 - 51.7 |
| | >High School | 49.6 | 42.2 - 57.1 |
| ANNUAL INCOME | <\$25,000 | 49.9 | 38.0 - 61.7 |
| | \$25,000-\$49,999 | 40.0 | 27.1 - 53.0 |
| | \$50,000 or More | 43.7 | 29.8 - 57.6 |
| MARITAL STATUS | Married/Couple | 51.0 | 43.0 - 59.0 |
| | Not Married/Couple | 43.7 | 35.1 - 52.4 |

CI=Confidence Interval

g

| | | Measure | 95% CI |
|----------------|---|---------|-------------|
| ALL | Overall | 52.6 | 50.2 - 55.1 |
| SEX | Men | 49.4 | 46.0 - 52.8 |
| | Women | 55.9 | 52.4 - 59.4 |
| RACE/ETHNICITY | Non-Hisp. White | 47.5 | 44.7 - 50.3 |
| | Non-Hisp. Black | 64.0 | 56.9 - 71.0 |
| | Hispanic | 56.3 | 51.0 - 61.6 |
| RACE/ETHNICITY | Non-Hisp. White Men | 44.7 | 40.7 - 48.6 |
| | Non-Hisp. White Women | 50.4 | 46.4 - 54.4 |
| | Non-Hisp. Black Men | 58.4 | 47.3 - 69.4 |
| | Non-Hisp. Black Women | 68.9 | 60.0 - 77.7 |
| | Hispanic Men | 53.0 | 45.8 - 60.1 |
| | Hispanic Women | 59.8 | 52.1 - 67.5 |
| AGE GROUP | 18-44 | 51.5 | 48.1 - 54.8 |
| | 45-64 | 54.2 | 50.7 - 57.6 |
| UCATION LEVEL | <high school<="" td=""><td>45.7</td><td>37.1 - 54.2</td></high> | 45.7 | 37.1 - 54.2 |
| | High School / GED | 46.4 | 41.5 - 51.2 |
| | >High School | 56.9 | 54.0 - 59.8 |
| ANNUAL INCOME | <\$25,000 | 53.1 | 46.2 - 60.0 |
| | \$25,000-\$49,999 | 58.3 | 53.1 - 63.5 |
| | \$50,000 or More | 53.9 | 49.1 - 58.7 |
| ARITAL STATUS | Married/Couple | 53.4 | 50.1 - 56.7 |
| | Not Married/Couple | 52.0 | 48.3 - 55.6 |

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 44.1 | 42.2 - 46.1 | |
| SEX | Men | 43.0 | 40.3 - 45.7 | |
| | Women | 45.2 | 42.4 - 47.9 | |
| RACE/ETHNICITY | Non-Hisp. White | 36.5 | 34.5 - 38.5 | |
| | Non-Hisp. Black | 59.1 | 52.8 - 65.4 | |
| | Hispanic | 51.0 | 46.0 - 55.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 36.3 | 33.5 - 39.1 | |
| | Non-Hisp. White Women | 36.7 | 34.0 - 39.5 | |
| | Non-Hisp. Black Men | 57.1 | 47.1 - 67.0 | |
| | Non-Hisp. Black Women | 60.8 | 52.8 - 68.8 | |
| | Hispanic Men | 48.1 | 41.5 - 54.8 | |
| | Hispanic Women | 53.8 | 46.6 - 60.9 | |
| AGE GROUP | 18-44 | 51.5 | 48.1 - 54.8 | |
| | 45-64 | 54.2 | 50.7 - 57.7 | |
| | 65 & Older | 23.4 | 20.8 - 26.0 | |
| EDUCATION LEVEL | <high school<="" th=""><th>38.9</th><th>31.9 - 46.0</th><th></th></high> | 38.9 | 31.9 - 46.0 | |
| | High School / GED | 38.9 | 35.1 - 42.7 | |
| | >High School | 47.5 | 45.2 - 49.8 | |
| ANNUAL INCOME | <\$25,000 | 47.1 | 41.6 - 52.7 | |
| | \$25,000-\$49,999 | 46.8 | 42.7 - 50.8 | |
| | \$50,000 or More | 45.8 | 41.9 - 49.7 | |
| MARITAL STATUS | Married/Couple | 43.1 | 40.5 - 45.6 | |
| | Not Married/Couple | 45.5 | 42.6 - 48.5 | |

| munization | | | | |
|--------------------------|--|------------------------|------------------|--|
| rcentage of adults 65 ye | ars of age and older who have | ever received a pneumo | onia vaccination | |
| | | Measure | 95% CI | |
| ALL | Overall | 65.5 | 62.7 - 68.4 | |
| SEX | Men | 64.0 | 59.9 - 68.2 | |
| | Women | 66.8 | 62.8 - 70.8 | |
| RACE/ETHNICITY | Non-Hisp. White | 68.1 | 65.5 - 70.7 | |
| | Non-Hisp. Black | 67.5 | 56.4 - 78.6 | |
| | Hispanic | 51.8 | 39.2 - 64.3 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 66.8 | 63.1 - 70.5 | |
| | Non-Hisp. White Women | 69.2 | 65.5 - 73.0 | |
| | Non-Hisp. Black Men | 68.2 | 50.4 - 86.0 | |
| | Non-Hisp. Black Women | 67.0 | 53.0 - 81.0 | |
| | Hispanic Men | 52.3 | 33.2 - 71.5 | |
| | Hispanic Women | 51.2 | 34.8 - 67.6 | |
| AGE GROUP | 65 & Older | 65.5 | 62.7 - 68.4 | |
| EDUCATION LEVEL | <high school<="" td=""><td>51.8</td><td>37.7 - 65.9</td><td></td></high> | 51.8 | 37.7 - 65.9 | |
| | High School / GED | 64.6 | 59.6 - 69.6 | |
| | >High School | 68.8 | 65.7 - 71.9 | |
| ANNUAL INCOME | <\$25,000 | 58.3 | 49.5 - 67.1 | |
| | \$25,000-\$49,999 | 66.1 | 61.0 - 71.2 | |
| | \$50,000 or More | 66.7 | 61.5 - 71.9 | |
| MARITAL STATUS | Married/Couple | 67.1 | 63.3 - 71.0 | |
| | Not Married/Couple | 62.7 | 58.5 - 66.9 | |

Percentage of adults 65 years of age and older who received a flu shot in the past year

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 62.7 | 59.8 - 65.6 | |
| SEX | Men | 63.3 | 58.9 - 67.7 | |
| | Women | 62.1 | 58.1 - 66.2 | |
| RACE/ETHNICITY | Non-Hisp. White | 66.1 | 63.5 - 68.7 | |
| | Non-Hisp. Black | 55.2 | 42.3 - 68.2 | |
| | Hispanic | 52.8 | 40.4 - 65.2 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 68.1 | 64.5 - 71.6 | |
| | Non-Hisp. White Women | 64.4 | 60.7 - 68.2 | |
| | Non-Hisp. Black Men | 57.1 | 34.8 - 79.5 | |
| | Non-Hisp. Black Women | 53.9 | 38.7 - 69.1 | |
| | Hispanic Men | 45.7 | 26.4 - 65.1 | |
| | Hispanic Women | 59.1 | 42.6 - 75.5 | |
| AGE GROUP | 65 & Older | 62.7 | 59.8 - 65.6 | |
| EDUCATION LEVEL | <high school<="" th=""><th>44.2</th><th>30.3 - 58.0</th><th></th></high> | 44.2 | 30.3 - 58.0 | |
| | High School / GED | 61.0 | 55.8 - 66.2 | |
| | >High School | 67.3 | 64.2 - 70.4 | |
| ANNUAL INCOME | <\$25,000 | 41.6 | 33.8 - 49.5 | |
| | \$25,000-\$49,999 | 66.2 | 61.2 - 71.2 | |
| | \$50,000 or More | 65.9 | 60.7 - 71.1 | |
| MARITAL STATUS | Married/Couple | 63.5 | 59.5 - 67.5 | |
| | Not Married/Couple | 61.1 | 56.9 - 65.3 | |

| mmunization | | | | | | |
|----------------------------|--|---------|-------------|--|--|--|
| Percentage of adults who h | ercentage of adults who have ever received a pneumonia vaccination | | | | | |
| | | Measure | 95% CI | | | |
| ALL | Overall | 31.5 | 29.8 - 33.2 | | | |
| SEX | Men | 30.1 | 27.6 - 32.6 | | | |
| | Women | 32.8 | 30.5 - 35.2 | | | |
| RACE/ETHNICITY | Non-Hisp. White | 38.6 | 36.7 - 40.4 | | | |
| | Non-Hisp. Black | 31.3 | 25.2 - 37.4 | | | |
| | Hispanic | 19.6 | 15.5 - 23.7 | | | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 35.5 | 32.9 - 38.2 | | | |
| | Non-Hisp. White Women | 41.4 | 38.7 - 44.1 | | | |
| | Non-Hisp. Black Men | 31.7 | 21.7 - 41.7 | | | |
| | Non-Hisp. Black Women | 30.9 | 23.4 - 38.4 | | | |
| | Hispanic Men | 20.6 | 14.6 - 26.5 | | | |
| | Hispanic Women | 18.6 | 13.0 - 24.3 | | | |
| AGE GROUP | 18-44 | 14.4 | 11.8 - 16.9 | | | |
| | 45-64 | 19.4 | 16.9 - 21.8 | | | |
| | 65 & Older | 65.5 | 62.6 - 68.4 | | | |
| EDUCATION LEVEL | <high school<="" th=""><th>22.6</th><th>16.0 - 29.2</th><th></th></high> | 22.6 | 16.0 - 29.2 | | | |
| | High School / GED | 28.6 | 25.4 - 31.7 | | | |
| | >High School | 34.6 | 32.6 - 36.7 | | | |
| ANNUAL INCOME | <\$25,000 | 31.7 | 26.9 - 36.6 | | | |
| | \$25,000-\$49,999 | 33.7 | 30.0 - 37.3 | | | |
| | \$50,000 or More | 29.6 | 26.4 - 32.8 | | | |
| MARITAL STATUS | Married/Couple | 33.5 | 31.1 - 35.8 | | | |
| | Not Married/Couple | 29.1 | 26.7 - 31.5 | | | |

Percentage of adults who have received a tetanus shot in past ten years

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 58.8 | 56.8 - 60.7 |
| SEX | Men | 62.2 | 59.5 - 64.9 |
| | Women | 55.4 | 52.6 - 58.2 |
| RACE/ETHNICITY | Non-Hisp. White | 62.7 | 60.7 - 64.7 |
| | Non-Hisp. Black | 46.6 | 40.0 - 53.2 |
| | Hispanic | 55.0 | 50.1 - 60.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 65.9 | 63.1 - 68.7 |
| | Non-Hisp. White Women | 59.6 | 56.8 - 62.4 |
| | Non-Hisp. Black Men | 53.9 | 43.6 - 64.2 |
| | Non-Hisp. Black Women | 39.7 | 31.7 - 47.7 |
| | Hispanic Men | 58.5 | 51.8 - 65.1 |
| | Hispanic Women | 51.5 | 44.2 - 58.8 |
| AGE GROUP | 18-44 | 60.0 | 56.6 - 63.3 |
| | 45-64 | 59.0 | 55.4 - 62.6 |
| | 65 & Older | 57.4 | 54.4 - 60.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>56.3</td><td>48.9 - 63.7</td></high> | 56.3 | 48.9 - 63.7 |
| | High School / GED | 53.8 | 49.9 - 57.8 |
| | >High School | 61.6 | 59.3 - 63.9 |
| ANNUAL INCOME | <\$25,000 | 51.9 | 46.4 - 57.4 |
| | \$25,000-\$49,999 | 52.1 | 48.0 - 56.3 |
| | \$50,000 or More | 62.9 | 59.0 - 66.7 |
| MARITAL STATUS | Married/Couple | 61.8 | 59.3 - 64.4 |
| | Not Married/Couple | 55.5 | 52.5 - 58.5 |

CI=Confidence Interval

| nmunization | | | |
|---------------------------|---|---------|-------------|
| ercentage of adults who i | received a flu shot in the past yea | ar | |
| | | Measure | 95% CI |
| ALL | Overall | 39.0 | 37.2 - 40.8 |
| SEX | Men | 37.9 | 35.4 - 40.4 |
| | Women | 40.1 | 37.6 - 42.7 |
| RACE/ETHNICITY | Non-Hisp. White | 45.1 | 43.2 - 47.1 |
| | Non-Hisp. Black | 30.7 | 25.2 - 36.2 |
| | Hispanic | 30.5 | 26.1 - 35.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 42.4 | 39.6 - 45.1 |
| | Non-Hisp. White Women | 47.9 | 45.1 - 50.6 |
| | Non-Hisp. Black Men | 28.0 | 19.5 - 36.5 |
| | Non-Hisp. Black Women | 32.9 | 25.7 - 40.1 |
| | Hispanic Men | 30.8 | 24.6 - 37.1 |
| | Hispanic Women | 30.2 | 23.9 - 36.5 |
| AGE GROUP | 18-44 | 23.8 | 21.0 - 26.5 |
| | 45-64 | 36.0 | 32.7 - 39.3 |
| | 65 & Older | 62.7 | 59.7 - 65.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>22.1</td><td>16.4 - 27.9</td></high> | 22.1 | 16.4 - 27.9 |
| | High School / GED | 34.1 | 30.6 - 37.6 |
| | >High School | 44.6 | 42.5 - 46.8 |
| ANNUAL INCOME | <\$25,000 | 29.2 | 24.7 - 33.6 |
| | \$25,000-\$49,999 | 36.6 | 32.9 - 40.4 |
| | \$50,000 or More | 40.7 | 37.0 - 44.4 |
| MARITAL STATUS | Married/Couple | 43.7 | 41.2 - 46.1 |
| | Not Married/Couple | 33.7 | 31.1 - 36.3 |
| | | | |

| ohol Consumption | | | |
|-----------------------|---|---------|-------------|
| centage of adults who | engage in heavy or binge drinking | | |
| | | Measure | 95% CI |
| ALL | Overall | 16.7 | 15.3 - 18.1 |
| SEX | Men | 19.5 | 17.4 - 21.7 |
| | Women | 13.9 | 12.2 - 15.6 |
| RACE/ETHNICITY | Non-Hisp. White | 17.8 | 16.3 - 19.3 |
| | Non-Hisp. Black | 11.8 | 8.0 - 15.5 |
| | Hispanic | 16.4 | 12.7 - 20.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 20.2 | 17.9 - 22.6 |
| | Non-Hisp. White Women | 15.4 | 13.5 - 17.3 |
| | Non-Hisp. Black Men | 17.5 | 10.3 - 24.7 |
| | Non-Hisp. Black Women | 6.9 | 4.0 - 9.8 |
| | Hispanic Men | 19.9 | 14.1 - 25.6 |
| | Hispanic Women | 13.1 | 8.4 - 17.7 |
| AGE GROUP | 18-44 | 22.2 | 19.7 - 24.7 |
| | 45-64 | 16.7 | 14.0 - 19.3 |
| | 65 & Older | 9.4 | 7.4 - 11.4 |
| EDUCATION LEVEL | <high school<="" td=""><td>17.4</td><td>11.3 - 23.5</td></high> | 17.4 | 11.3 - 23.5 |
| | High School / GED | 16.3 | 13.5 - 19.1 |
| | >High School | 16.7 | 15.2 - 18.3 |
| ANNUAL INCOME | <\$25,000 | 12.2 | 8.9 - 15.6 |
| | \$25,000-\$49,999 | 15.4 | 12.5 - 18.4 |
| | \$50,000 or More | 17.1 | 14.3 - 19.8 |
| MARITAL STATUS | Married/Couple | 16.1 | 14.2 - 18.1 |
| | Not Married/Couple | 17.4 | 15.4 - 19.5 |
| | | | |

| ysical Activity & Nutritio | n | | | |
|----------------------------|--|---------|-------------|--|
| rcentage of adults who a | are sedentary | | | |
| | | Measure | 95% CI | |
| ALL | Overall | 24.5 | 22.9 - 26.0 | |
| SEX | Men | 22.2 | 20.1 - 24.3 | |
| | Women | 26.6 | 24.4 - 28.8 | |
| RACE/ETHNICITY | Non-Hisp. White | 21.6 | 20.1 - 23.0 | |
| | Non-Hisp. Black | 24.4 | 19.6 - 29.2 | |
| | Hispanic | 29.6 | 25.7 - 33.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 20.7 | 18.6 - 22.8 | |
| | Non-Hisp. White Women | 22.4 | 20.4 - 24.4 | |
| | Non-Hisp. Black Men | 23.4 | 16.0 - 30.8 | |
| | Non-Hisp. Black Women | 25.3 | 19.2 - 31.4 | |
| | Hispanic Men | 24.5 | 19.2 - 29.7 | |
| | Hispanic Women | 34.5 | 28.6 - 40.4 | |
| AGE GROUP | 18-44 | 19.7 | 17.2 - 22.1 | |
| | 45-64 | 26.8 | 23.9 - 29.7 | |
| | 65 & Older | 29.2 | 26.6 - 31.8 | |
| EDUCATION LEVEL | <high school<="" td=""><td>43.4</td><td>36.8 - 50.0</td><td></td></high> | 43.4 | 36.8 - 50.0 | |
| | High School / GED | 28.2 | 25.2 - 31.1 | |
| | >High School | 18.9 | 17.3 - 20.5 | |
| ANNUAL INCOME | <\$25,000 | 39.9 | 34.9 - 44.9 | |
| | \$25,000-\$49,999 | 28.7 | 25.3 - 32.2 | |
| | \$50,000 or More | 19.1 | 16.4 - 21.8 | |
| MARITAL STATUS | Married/Couple | 23.1 | 21.1 - 25.2 | |
| | Not Married/Couple | 26.2 | 23.9 - 28.5 | |
| | | | | |

| obacco Use & Exposure | | | | |
|--|--|---------|-------------|--|
| Percentage of adult current smokers who tried to quit smoking at least once in the past year | | | | |
| | | Measure | 95% CI | |
| ALL | Overall | 52.5 | 47.2 - 57.9 | |
| SEX | Men | 52.0 | 44.0 - 60.0 | |
| | Women | 53.2 | 46.5 - 59.8 | |
| RACE/ETHNICITY | Non-Hisp. White | 48.3 | 42.7 - 53.8 | |
| | Non-Hisp. Black | 69.7 | 50.9 - 88.5 | |
| | Hispanic | 60.3 | 44.4 - 76.2 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 42.6 | 34.3 - 50.9 | |
| | Non-Hisp. White Women | 54.0 | 46.8 - 61.3 | |
| | Non-Hisp. Black Men | 68.7 | 43.9 - 93.4 | |
| | Non-Hisp. Black Women | 72.2 | 49.0 - 95.4 | |
| | Hispanic Men | 62.2 | 40.2 - 84.3 | |
| | Hispanic Women | 57.5 | 34.7 - 80.4 | |
| AGE GROUP | 18-44 | 56.4 | 46.8 - 65.9 | |
| | 45-64 | 50.9 | 42.9 - 59.0 | |
| | 65 & Older | 46.5 | 37.2 - 55.8 | |
| EDUCATION LEVEL | <high school<="" td=""><td>53.9</td><td>38.7 - 69.1</td><td></td></high> | 53.9 | 38.7 - 69.1 | |
| | High School / GED | 53.9 | 45.3 - 62.5 | |
| | >High School | 50.9 | 43.4 - 58.3 | |
| ANNUAL INCOME | <\$25,000 | 58.1 | 46.6 - 69.5 | |
| | \$25,000-\$49,999 | 54.4 | 45.0 - 63.9 | |
| | \$50,000 or More | 55.4 | 42.1 - 68.8 | |
| MARITAL STATUS | Married/Couple | 47.9 | 39.6 - 56.2 | |
| | Not Married/Couple | 56.4 | 49.5 - 63.3 | |

Percentage of adults who are current e-cigarette users

| | | Measure | 95% CI |
|-----------------------|--|---------|------------|
| ALL | Overall | 6.1 | 5.2 - 7.1 |
| SEX | Men | 6.9 | 5.6 - 8.3 |
| | Women | 5.4 | 4.1 - 6.7 |
| RACE/ETHNICITY | Non-Hisp. White | 6.4 | 5.4 - 7.5 |
| | Non-Hisp. Black | 5.5 | 1.8 - 9.1 |
| | Hispanic | 5.3 | 3.1 - 7.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 6.9 | 5.4 - 8.4 |
| | Non-Hisp. White Women | 6.0 | 4.6 - 7.4 |
| | Non-Hisp. Black Men | 5.3 | 1.8 - 8.9 |
| | Non-Hisp. Black Women | 5.6 | 0.0 - 11.6 |
| | Hispanic Men | 7.4 | 3.8 - 10.9 |
| | Hispanic Women | 3.4 | 0.6 - 6.1 |
| AGE GROUP | 18-44 | 10.6 | 8.7 - 12.4 |
| | 45-64 | 5.1 | 3.2 - 7.1 |
| | 65 & Older | 1.2 | 0.7 - 1.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>6.8</th><th>3.8 - 9.8</th></high> | 6.8 | 3.8 - 9.8 |
| | High School / GED | 7.2 | 5.2 - 9.1 |
| | >High School | 5.5 | 4.4 - 6.6 |
| ANNUAL INCOME | <\$25,000 | 5.8 | 4.0 - 7.7 |
| | \$25,000-\$49,999 | 7.5 | 5.5 - 9.6 |
| | \$50,000 or More | 6.6 | 4.9 - 8.4 |
| MARITAL STATUS | Married/Couple | 4.5 | 3.4 - 5.5 |
| | Not Married/Couple | 8.1 | 6.4 - 9.7 |

CI=Confidence Interval

| obacco Use & Exposure | | | | | |
|--|--|---------|-------------|--|--|
| Percentage of adults who are current smokers | | | | | |
| | | Measure | 95% CI | | |
| ALL | Overall | 11.3 | 10.2 - 12.4 | | |
| SEX | Men | 13.0 | 11.2 - 14.7 | | |
| | Women | 9.7 | 8.4 - 11.0 | | |
| RACE/ETHNICITY | Non-Hisp. White | 13.0 | 11.7 - 14.3 | | |
| | Non-Hisp. Black | 9.3 | 5.6 - 12.9 | | |
| | Hispanic | 9.0 | 6.6 - 11.4 | | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 13.9 | 12.0 - 15.9 | | |
| | Non-Hisp. White Women | 12.1 | 10.4 - 13.7 | | |
| | Non-Hisp. Black Men | 13.9 | 6.8 - 20.9 | | |
| | Non-Hisp. Black Women | 5.3 | 2.6 - 8.1 | | |
| | Hispanic Men | 11.3 | 7.2 - 15.4 | | |
| | Hispanic Women | 6.8 | 4.1 - 9.4 | | |
| AGE GROUP | 18-44 | 12.4 | 10.4 - 14.5 | | |
| | 45-64 | 14.6 | 12.5 - 16.7 | | |
| | 65 & Older | 6.7 | 5.5 - 7.8 | | |
| EDUCATION LEVEL | <high school<="" td=""><td>17.7</td><td>13.0 - 22.3</td><td></td></high> | 17.7 | 13.0 - 22.3 | | |
| | High School / GED | 14.1 | 11.8 - 16.4 | | |
| | >High School | 8.8 | 7.6 - 9.9 | | |
| ANNUAL INCOME | <\$25,000 | 16.0 | 12.7 - 19.3 | | |
| | \$25,000-\$49,999 | 14.7 | 12.1 - 17.3 | | |
| | \$50,000 or More | 10.3 | 8.0 - 12.6 | | |
| MARITAL STATUS | Married/Couple | 9.4 | 8.0 - 10.8 | | |
| | Not Married/Couple | 13.5 | 11.8 - 15.3 | | |

Percentage of adults who are former smokers

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 27.1 | 25.6 - 28.7 |
| SEX | Men | 29.9 | 27.7 - 32.2 |
| | Women | 24.4 | 22.3 - 26.5 |
| RACE/ETHNICITY | Non-Hisp. White | 34.5 | 32.7 - 36.4 |
| | Non-Hisp. Black | 16.7 | 12.0 - 21.5 |
| | Hispanic | 18.2 | 14.7 - 21.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 37.6 | 34.8 - 40.3 |
| | Non-Hisp. White Women | 31.6 | 29.1 - 34.0 |
| | Non-Hisp. Black Men | 19.4 | 12.3 - 26.5 |
| | Non-Hisp. Black Women | 14.4 | 7.9 - 20.9 |
| | Hispanic Men | 19.4 | 14.6 - 24.3 |
| | Hispanic Women | 17.0 | 11.8 - 22.1 |
| AGE GROUP | 18-44 | 17.0 | 14.8 - 19.2 |
| | 45-64 | 28.5 | 25.4 - 31.6 |
| | 65 & Older | 39.5 | 36.8 - 42.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>24.8</th><th>19.1 - 30.5</th></high> | 24.8 | 19.1 - 30.5 |
| | High School / GED | 29.4 | 26.2 - 32.5 |
| | >High School | 26.4 | 24.7 - 28.2 |
| ANNUAL INCOME | <\$25,000 | 27.3 | 23.1 - 31.5 |
| | \$25,000-\$49,999 | 25.9 | 22.8 - 29.0 |
| | \$50,000 or More | 28.5 | 25.4 - 31.6 |
| MARITAL STATUS | Married/Couple | 30.0 | 27.8 - 32.1 |
| | Not Married/Couple | 24.0 | 21.8 - 26.3 |

Cl=Confidence Interval

| acco Use & Exposure | | | | | |
|--|---|---------|-----------|--|--|
| ercentage of adults who currently use chewing tobacco, snuff, or snus some days or every day | | | | | |
| | | Measure | 95% CI | | |
| ALL | Overall | 2.3 | 1.8 - 2.8 | | |
| SEX | Men | 3.8 | 2.9 - 4.6 | | |
| | Women | 0.9 | 0.3 - 1.4 | | |
| RACE/ETHNICITY | Non-Hisp. White | 2.8 | 2.2 - 3.4 | | |
| | Non-Hisp. Black | 0.9 | 0.0 - 1.8 | | |
| | Hispanic | 2.0 | 0.7 - 3.3 | | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 5.2 | 3.9 - 6.4 | | |
| | Non-Hisp. White Women | 0.5 | 0.2 - 0.8 | | |
| | Non-Hisp. Black Men | 1.8 | 0.0 - 3.7 | | |
| | Non-Hisp. Black Women | 0.1 | 0.0 - 0.3 | | |
| | Hispanic Men | 2.3 | 0.3 - 4.3 | | |
| | Hispanic Women | 1.8 | 0.0 - 3.5 | | |
| AGE GROUP | 18-44 | 3.1 | 2.2 - 4.1 | | |
| | 45-64 | 2.3 | 1.4 - 3.2 | | |
| | 65 & Older | 1.1 | 0.5 - 1.7 | | |
| EDUCATION LEVEL | <high school<="" td=""><td>3.6</td><td>1.5 - 5.8</td><td></td></high> | 3.6 | 1.5 - 5.8 | | |
| | High School / GED | 2.8 | 1.7 - 3.8 | | |
| | >High School | 1.8 | 1.2 - 2.4 | | |
| ANNUAL INCOME | <\$25,000 | 2.0 | 0.7 - 3.4 | | |
| | \$25,000-\$49,999 | 2.6 | 1.3 - 4.0 | | |
| | \$50,000 or More | 2.2 | 1.3 - 3.2 | | |
| MARITAL STATUS | Married/Couple | 2.0 | 1.4 - 2.7 | | |
| | Not Married/Couple | 2.6 | 1.8 - 3.4 | | |

Percentage of adults who have never smoked

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 61.6 | 59.8 - 63.3 |
| SEX | Men | 57.1 | 54.5 - 59.7 |
| | Women | 65.8 | 63.5 - 68.2 |
| RACE/ETHNICITY | Non-Hisp. White | 52.5 | 50.5 - 54.4 |
| | Non-Hisp. Black | 74.0 | 68.5 - 79.6 |
| | Hispanic | 72.8 | 68.8 - 76.8 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 48.5 | 45.7 - 51.3 |
| | Non-Hisp. White Women | 56.4 | 53.7 - 59.0 |
| | Non-Hisp. Black Men | 66.7 | 57.8 - 75.7 |
| | Non-Hisp. Black Women | 80.3 | 73.5 - 87.1 |
| | Hispanic Men | 69.2 | 63.4 - 75.0 |
| | Hispanic Women | 76.3 | 70.7 - 81.8 |
| AGE GROUP | 18-44 | 70.6 | 67.8 - 73.4 |
| | 45-64 | 56.9 | 53.6 - 60.3 |
| | 65 & Older | 53.8 | 51.0 - 56.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>57.5</th><th>50.7 - 64.3</th></high> | 57.5 | 50.7 - 64.3 |
| | High School / GED | 56.5 | 53.0 - 60.1 |
| | >High School | 64.8 | 62.8 - 66.8 |
| ANNUAL INCOME | <\$25,000 | 56.7 | 51.6 - 61.7 |
| | \$25,000-\$49,999 | 59.4 | 55.8 - 63.1 |
| | \$50,000 or More | 61.2 | 57.7 - 64.7 |
| MARITAL STATUS | Married/Couple | 60.7 | 58.3 - 63.0 |
| | Not Married/Couple | 62.4 | 59.8 - 65.0 |

Cl=Confidence Interval

Health Status & Quality of Life

Average number of days where poor mental or physical health interferred with activities of daily living in the past 30 days (among adults who have had at least one day of poor mental or physical health)

| | | Measure | 95% CI | |
|-----------------------|--|---------|------------|--|
| ALL | Overall | 5.9 | 5.4 - 6.3 | |
| SEX | Men | 6.2 | 5.5 - 6.9 | |
| | Women | 5.6 | 5.0 - 6.1 | |
| RACE/ETHNICITY | Non-Hisp. White | 5.8 | 5.3 - 6.3 | |
| | Non-Hisp. Black | 4.9 | 3.7 - 6.1 | |
| | Hispanic | 6.8 | 5.6 - 7.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 6.0 | 5.2 - 6.8 | |
| | Non-Hisp. White Women | 5.7 | 5.1 - 6.3 | |
| | Non-Hisp. Black Men | 6.0 | 3.9 - 8.1 | |
| | Non-Hisp. Black Women | 4.0 | 3.0 - 5.0 | |
| | Hispanic Men | 7.3 | 5.5 - 9.1 | |
| | Hispanic Women | 6.4 | 4.8 - 7.9 | |
| AGE GROUP | 18-44 | 5.1 | 4.4 - 5.7 | |
| | 45-64 | 6.7 | 5.9 - 7.6 | |
| | 65 & Older | 6.4 | 5.5 - 7.3 | |
| EDUCATION LEVEL | <high school<="" th=""><th>9.3</th><th>7.3 - 11.4</th><th></th></high> | 9.3 | 7.3 - 11.4 | |
| | High School / GED | 6.3 | 5.5 - 7.1 | |
| | >High School | 5.0 | 4.5 - 5.4 | |
| ANNUAL INCOME | <\$25,000 | 9.2 | 7.9 - 10.5 | |
| | \$25,000-\$49,999 | 5.9 | 4.8 - 7.0 | |
| | \$50,000 or More | 4.7 | 4.0 - 5.4 | |
| MARITAL STATUS | Married/Couple | 5.4 | 4.7 - 6.0 | |
| | Not Married/Couple | 6.4 | 5.7 - 7.0 | |
| | | | | |

| alth Status & Quality of I | | | | |
|----------------------------|---|---------|-----------|--|
| erage number of unheal | thy mental days in the past 30 days | | | |
| | | Measure | 95% CI | |
| ALL | Overall | 4.7 | 4.4 - 5.0 | |
| SEX | Men | 4.2 | 3.8 - 4.6 | |
| | Women | 5.2 | 4.7 - 5.6 | |
| RACE/ETHNICITY | Non-Hisp. White | 4.7 | 4.3 - 5.0 | |
| | Non-Hisp. Black | 5.0 | 4.0 - 6.0 | |
| | Hispanic | 4.7 | 3.9 - 5.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.2 | 3.7 - 4.7 | |
| | Non-Hisp. White Women | 5.2 | 4.7 - 5.6 | |
| | Non-Hisp. Black Men | 4.9 | 3.2 - 6.6 | |
| | Non-Hisp. Black Women | 5.1 | 3.9 - 6.2 | |
| | Hispanic Men | 3.7 | 2.8 - 4.7 | |
| | Hispanic Women | 5.6 | 4.3 - 6.9 | |
| AGE GROUP | 18-44 | 6.0 | 5.4 - 6.5 | |
| | 45-64 | 4.5 | 3.9 - 5.0 | |
| | 65 & Older | 3.2 | 2.8 - 3.7 | |
| EDUCATION LEVEL | <high school<="" td=""><td>6.4</td><td>5.0 - 7.7</td><td></td></high> | 6.4 | 5.0 - 7.7 | |
| | High School / GED | 5.0 | 4.3 - 5.6 | |
| | >High School | 4.3 | 4.0 - 4.6 | |
| ANNUAL INCOME | <\$25,000 | 7.4 | 6.3 - 8.4 | |
| | \$25,000-\$49,999 | 5.6 | 4.9 - 6.3 | |
| | \$50,000 or More | 4.3 | 3.7 - 5.0 | |
| MARITAL STATUS | Married/Couple | 3.8 | 3.4 - 4.2 | |
| | Not Married/Couple | 5.8 | 5.3 - 6.3 | |

Average number of unhealthy physical days in the past 30 days

| | | Measure | 95% CI | |
|-----------------------|---|---------|-----------|--|
| ALL | Overall | 4.0 | 3.7 - 4.3 | |
| SEX | Men | 3.9 | 3.5 - 4.3 | |
| | Women | 4.2 | 3.8 - 4.6 | |
| RACE/ETHNICITY | Non-Hisp. White | 4.3 | 3.9 - 4.6 | |
| | Non-Hisp. Black | 4.0 | 3.0 - 4.9 | |
| | Hispanic | 3.9 | 3.2 - 4.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.0 | 3.5 - 4.5 | |
| | Non-Hisp. White Women | 4.5 | 4.1 - 5.0 | |
| | Non-Hisp. Black Men | 4.1 | 2.5 - 5.8 | |
| | Non-Hisp. Black Women | 3.8 | 2.9 - 4.8 | |
| | Hispanic Men | 3.6 | 2.6 - 4.6 | |
| | Hispanic Women | 4.1 | 3.1 - 5.1 | |
| AGE GROUP | 18-44 | 2.7 | 2.3 - 3.1 | |
| | 45-64 | 4.9 | 4.3 - 5.5 | |
| | 65 & Older | 5.1 | 4.5 - 5.7 | |
| EDUCATION LEVEL | <high school<="" th=""><th>6.4</th><th>5.0 - 7.8</th><th></th></high> | 6.4 | 5.0 - 7.8 | |
| | High School / GED | 4.2 | 3.6 - 4.8 | |
| | >High School | 3.5 | 3.2 - 3.8 | |
| ANNUAL INCOME | <\$25,000 | 7.8 | 6.7 - 8.8 | |
| | \$25,000-\$49,999 | 4.5 | 3.8 - 5.3 | |
| | \$50,000 or More | 3.2 | 2.7 - 3.6 | |
| MARITAL STATUS | Married/Couple | 3.8 | 3.4 - 4.2 | |
| | Not Married/Couple | 4.4 | 4.0 - 4.9 | |
| | | | | |

CI=Confidence Interval

| 2 Florida BRFSS Data | lifo | | |
|---------------------------|---|---------|-------------|
| | | " | |
| rcentage of adults said t | heir overall health was "fair" or ' | poor | |
| | | Measure | 95% CI |
| ALL | Overall | 17.4 | 16.1 - 18.7 |
| SEX | Men | 17.3 | 15.3 - 19.3 |
| | Women | 17.5 | 15.7 - 19.3 |
| RACE/ETHNICITY | Non-Hisp. White | 15.9 | 14.6 - 17.2 |
| | Non-Hisp. Black | 18.5 | 14.2 - 22.9 |
| | Hispanic | 20.3 | 16.8 - 23.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 16.1 | 14.1 - 18.0 |
| | Non-Hisp. White Women | 15.7 | 13.9 - 17.5 |
| | Non-Hisp. Black Men | 15.3 | 9.1 - 21.5 |
| | Non-Hisp. Black Women | 21.3 | 15.3 - 27.4 |
| | Hispanic Men | 19.5 | 14.3 - 24.7 |
| | Hispanic Women | 21.2 | 16.4 - 26.0 |
| AGE GROUP | 18-44 | 11.8 | 9.7 - 13.8 |
| | 45-64 | 20.2 | 17.7 - 22.7 |
| | 65 & Older | 23.1 | 20.5 - 25.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>38.3</td><td>31.9 - 44.7</td></high> | 38.3 | 31.9 - 44.7 |
| | High School / GED | 17.9 | 15.5 - 20.3 |
| | >High School | 13.2 | 11.8 - 14.6 |
| ANNUAL INCOME | <\$25,000 | 39.8 | 34.8 - 44.8 |
| | \$25,000-\$49,999 | 19.7 | 16.7 - 22.7 |
| | \$50,000 or More | 10.9 | 8.9 - 13.0 |
| MARITAL STATUS | Married/Couple | 15.3 | 13.5 - 17.1 |
| | Not Married/Couple | 20.1 | 18.1 - 22.2 |
| | | | |

Percentage of adults who had poor mental health on 14 or more of the past 30 days

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 15.0 | 13.8 - 16.3 |
| SEX | Men | 13.1 | 11.4 - 14.8 |
| | Women | 16.8 | 15.0 - 18.6 |
| RACE/ETHNICITY | Non-Hisp. White | 14.9 | 13.6 - 16.2 |
| | Non-Hisp. Black | 15.4 | 11.4 - 19.4 |
| | Hispanic | 15.3 | 12.1 - 18.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 12.9 | 11.0 - 14.8 |
| | Non-Hisp. White Women | 16.7 | 14.8 - 18.7 |
| | Non-Hisp. Black Men | 15.0 | 8.6 - 21.4 |
| | Non-Hisp. Black Women | 15.7 | 10.7 - 20.8 |
| | Hispanic Men | 11.6 | 7.9 - 15.4 |
| | Hispanic Women | 18.6 | 13.7 - 23.5 |
| AGE GROUP | 18-44 | 18.8 | 16.5 - 21.0 |
| | 45-64 | 14.1 | 12.0 - 16.2 |
| | 65 & Older | 10.6 | 8.7 - 12.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>22.9</th><th>17.3 - 28.4</th></high> | 22.9 | 17.3 - 28.4 |
| | High School / GED | 16.0 | 13.6 - 18.5 |
| | >High School | 13.2 | 11.9 - 14.5 |
| ANNUAL INCOME | <\$25,000 | 25.3 | 21.3 - 29.4 |
| | \$25,000-\$49,999 | 18.1 | 15.2 - 21.1 |
| | \$50,000 or More | 13.3 | 10.8 - 15.9 |
| MARITAL STATUS | Married/Couple | 11.9 | 10.3 - 13.4 |
| | Not Married/Couple | 18.8 | 16.8 - 20.8 |

CI=Confidence Interval

| 2022 Florida BRFSS Data | | | | |
|----------------------------|--|--------------------------|-------------|--|
| Health Status & Quality of | Life | | | |
| Percentage of adults who I | nad poor physical health on 14 | or more of the past 30 d | ays | |
| | | Measure | 95% CI | |
| ALL | Overall | 13.0 | 11.8 - 14.1 | |
| SEX | Men | 12.7 | 11.0 - 14.5 | |
| | Women | 13.2 | 11.5 - 14.8 | |
| RACE/ETHNICITY | Non-Hisp. White | 13.2 | 11.9 - 14.4 | |
| | Non-Hisp. Black | 12.5 | 8.9 - 16.2 | |
| | Hispanic | 13.7 | 10.5 - 16.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 12.0 | 10.3 - 13.8 | |
| | Non-Hisp. White Women | 14.2 | 12.5 - 16.0 | |
| | Non-Hisp. Black Men | 14.8 | 8.3 - 21.3 | |
| | Non-Hisp. Black Women | 10.6 | 6.9 - 14.3 | |
| | Hispanic Men | 13.2 | 8.7 - 17.7 | |
| | Hispanic Women | 14.2 | 9.6 - 18.8 | |
| AGE GROUP | 18-44 | 7.7 | 6.2 - 9.2 | |
| | 45-64 | 16.2 | 13.8 - 18.6 | |
| | 65 & Older | 17.2 | 14.7 - 19.7 | |
| EDUCATION LEVEL | <high school<="" th=""><th>23.4</th><th>17.4 - 29.3</th><th></th></high> | 23.4 | 17.4 - 29.3 | |
| | High School / GED | 13.5 | 11.2 - 15.7 | |
| | >High School | 10.7 | 9.6 - 11.9 | |
| ANNUAL INCOME | <\$25,000 | 28.4 | 23.9 - 32.9 | |
| | \$25,000-\$49,999 | 13.9 | 11.1 - 16.8 | |
| | \$50,000 or More | 9.2 | 7.3 - 11.1 | |
| MARITAL STATUS | Married/Couple | 12.2 | 10.6 - 13.9 | |
| | Not Married/Couple | 14.1 | 12.3 - 15.8 | |

Percentage of adults who said their overall health was "good" to "excellent"

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 82.6 | 81.3 - 83.9 |
| SEX | Men | 82.7 | 80.7 - 84.7 |
| | Women | 82.5 | 80.7 - 84.3 |
| RACE/ETHNICITY | Non-Hisp. White | 84.1 | 82.8 - 85.4 |
| | Non-Hisp. Black | 81.5 | 77.1 - 85.8 |
| | Hispanic | 79.7 | 76.1 - 83.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 83.9 | 82.0 - 85.9 |
| | Non-Hisp. White Women | 84.3 | 82.5 - 86.1 |
| | Non-Hisp. Black Men | 84.7 | 78.5 - 90.9 |
| | Non-Hisp. Black Women | 78.7 | 72.6 - 84.7 |
| | Hispanic Men | 80.5 | 75.3 - 85.7 |
| | Hispanic Women | 78.8 | 74.0 - 83.6 |
| AGE GROUP | 18-44 | 88.2 | 86.2 - 90.3 |
| | 45-64 | 79.8 | 77.3 - 82.3 |
| | 65 & Older | 76.9 | 74.3 - 79.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>61.7</td><td>55.3 - 68.1</td></high> | 61.7 | 55.3 - 68.1 |
| | High School / GED | 82.1 | 79.7 - 84.5 |
| | >High School | 86.8 | 85.4 - 88.2 |
| ANNUAL INCOME | <\$25,000 | 60.2 | 55.2 - 65.2 |
| | \$25,000-\$49,999 | 80.3 | 77.3 - 83.3 |
| | \$50,000 or More | 89.1 | 87.0 - 91.1 |
| MARITAL STATUS | Married/Couple | 84.7 | 82.9 - 86.5 |
| | Not Married/Couple | 79.9 | 77.8 - 81.9 |

CI=Confidence Interval

| Ith Status & Quality of | Life | | |
|-------------------------|---|---------|-------------|
| centage of adults who | sleep at least 7 hours each night | | |
| | | Measure | 95% CI |
| ALL | Overall | 62.6 | 60.8 - 64.3 |
| SEX | Men | 61.9 | 59.4 - 64.5 |
| | Women | 63.2 | 60.8 - 65.6 |
| RACE/ETHNICITY | Non-Hisp. White | 65.4 | 63.5 - 67.2 |
| | Non-Hisp. Black | 53.5 | 47.7 - 59.3 |
| | Hispanic | 63.0 | 58.7 - 67.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 64.8 | 62.1 - 67.5 |
| | Non-Hisp. White Women | 65.9 | 63.4 - 68.5 |
| | Non-Hisp. Black Men | 54.7 | 45.8 - 63.7 |
| | Non-Hisp. Black Women | 52.4 | 44.9 - 60.0 |
| | Hispanic Men | 63.0 | 57.0 - 68.9 |
| | Hispanic Women | 62.9 | 56.9 - 68.9 |
| AGE GROUP | 18-44 | 59.5 | 56.5 - 62.5 |
| | 45-64 | 58.5 | 55.3 - 61.8 |
| | 65 & Older | 72.1 | 69.5 - 74.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>56.2</td><td>49.5 - 62.9</td></high> | 56.2 | 49.5 - 62.9 |
| | High School / GED | 61.9 | 58.4 - 65.3 |
| | >High School | 64.0 | 61.9 - 66.0 |
| ANNUAL INCOME | <\$25,000 | 56.6 | 51.4 - 61.8 |
| | \$25,000-\$49,999 | 61.3 | 57.5 - 65.0 |
| | \$50,000 or More | 60.9 | 57.3 - 64.6 |
| MARITAL STATUS | Married/Couple | 65.5 | 63.2 - 67.7 |
| | Not Married/Couple | 59.0 | 56.3 - 61.7 |

Health Status & Quality of Life

Percentage of adults whose poor physical or mental health kept them from doing usual activities on 14 or more of the past 30 days

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 18.3 | 16.5 - 20.1 | |
| SEX | Men | 19.6 | 16.7 - 22.6 | |
| | Women | 17.3 | 15.0 - 19.5 | |
| RACE/ETHNICITY | Non-Hisp. White | 18.0 | 16.1 - 19.9 | |
| | Non-Hisp. Black | 12.4 | 8.0 - 16.9 | |
| | Hispanic | 23.1 | 17.9 - 28.4 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 18.3 | 15.3 - 21.3 | |
| | Non-Hisp. White Women | 17.8 | 15.2 - 20.3 | |
| | Non-Hisp. Black Men | 16.0 | 7.3 - 24.7 | |
| | Non-Hisp. Black Women | 9.7 | 5.7 - 13.8 | |
| | Hispanic Men | 26.5 | 17.9 - 35.1 | |
| | Hispanic Women | 20.7 | 14.2 - 27.2 | |
| AGE GROUP | 18-44 | 15.4 | 12.8 - 18.1 | |
| | 45-64 | 20.6 | 17.3 - 23.9 | |
| | 65 & Older | 21.1 | 17.2 - 25.0 | |
| EDUCATION LEVEL | <high school<="" th=""><th>34.0</th><th>25.5 - 42.5</th><th></th></high> | 34.0 | 25.5 - 42.5 | |
| | High School / GED | 19.8 | 16.4 - 23.1 | |
| | >High School | 14.6 | 12.7 - 16.4 | |
| ANNUAL INCOME | <\$25,000 | 32.1 | 26.2 - 37.9 | |
| | \$25,000-\$49,999 | 18.2 | 14.4 - 22.1 | |
| | \$50,000 or More | 13.9 | 10.7 - 17.1 | |
| MARITAL STATUS | Married/Couple | 16.8 | 14.1 - 19.5 | |
| | Not Married/Couple | 19.9 | 17.4 - 22.4 | |
| | | | | |

| ealth Status & Quality of Life | | | | |
|--|---------------------------|---------|-------------|--|
| ercentage of adults with good m | ental health for the past | 30 days | | |
| | | Measure | 95% CI | |
| ALL Overall | | 85.0 | 83.7 - 86.2 | |
| SEX Men | | 86.9 | 85.2 - 88.6 | |
| Womer | 1 | 83.2 | 81.4 - 85.0 | |
| RACE/ETHNICITY Non-His | sp. White | 85.1 | 83.8 - 86.4 | |
| Non-His | sp. Black | 84.6 | 80.6 - 88.6 | |
| Hispani | С | 84.7 | 81.6 - 87.9 | |
| SEX BY RACE/ETHNICITY Non-His | sp. White Men | 87.1 | 85.2 - 89.0 | |
| Non-His | sp. White Women | 83.3 | 81.3 - 85.2 | |
| Non-His | sp. Black Men | 85.0 | 78.6 - 91.4 | |
| Non-His | sp. Black Women | 84.3 | 79.2 - 89.3 | |
| Hispani | c Men | 88.4 | 84.6 - 92.1 | |
| Hispani | c Women | 81.4 | 76.5 - 86.3 | |
| AGE GROUP 18-44 | | 81.2 | 79.0 - 83.5 | |
| 45-64 | | 85.9 | 83.8 - 88.0 | |
| 65 & OI | der | 89.4 | 87.4 - 91.3 | |
| EDUCATION LEVEL <high s<="" td=""><td>School</td><td>77.1</td><td>71.6 - 82.7</td><td></td></high> | School | 77.1 | 71.6 - 82.7 | |
| High So | chool / GED | 84.0 | 81.5 - 86.4 | |
| >High S | School | 86.8 | 85.5 - 88.1 | |
| ANNUAL INCOME <\$25,00 | 00 | 74.7 | 70.6 - 78.7 | |
| \$25,000 |)-\$49,999 | 81.9 | 78.9 - 84.8 | |
| \$50,000 |) or More | 86.7 | 84.1 - 89.2 | |
| MARITAL STATUS Married | /Couple | 88.1 | 86.6 - 89.7 | |
| Not Ma | rried/Couple | 81.2 | 79.2 - 83.2 | |

Percentage of adults with good physical health for the past 30 days

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 87.0 | 85.9 - 88.2 |
| SEX | Men | 87.3 | 85.5 - 89.0 |
| | Women | 86.8 | 85.2 - 88.5 |
| RACE/ETHNICITY | Non-Hisp. White | 86.8 | 85.6 - 88.1 |
| | Non-Hisp. Black | 87.5 | 83.8 - 91.1 |
| | Hispanic | 86.3 | 83.1 - 89.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 88.0 | 86.2 - 89.7 |
| | Non-Hisp. White Women | 85.8 | 84.0 - 87.5 |
| | Non-Hisp. Black Men | 85.2 | 78.7 - 91.7 |
| | Non-Hisp. Black Women | 89.4 | 85.7 - 93.1 |
| | Hispanic Men | 86.8 | 82.3 - 91.3 |
| | Hispanic Women | 85.8 | 81.2 - 90.4 |
| AGE GROUP | 18-44 | 92.3 | 90.8 - 93.8 |
| | 45-64 | 83.8 | 81.4 - 86.2 |
| | 65 & Older | 82.8 | 80.3 - 85.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>76.6</th><th>70.7 - 82.6</th></high> | 76.6 | 70.7 - 82.6 |
| | High School / GED | 86.5 | 84.3 - 88.8 |
| | >High School | 89.3 | 88.1 - 90.4 |
| ANNUAL INCOME | <\$25,000 | 71.6 | 67.1 - 76.1 |
| | \$25,000-\$49,999 | 86.1 | 83.2 - 88.9 |
| | \$50,000 or More | 90.8 | 88.9 - 92.7 |
| MARITAL STATUS | Married/Couple | 87.8 | 86.1 - 89.4 |
| | Not Married/Couple | 85.9 | 84.2 - 87.7 |

CI=Confidence Interval

| Care Access & Cove | <u> </u> | | |
|-----------------------|---|---------------------|-------------|
| ntage of adults who o | ould not see a doctor in the pa | st year due to cost | |
| | | Measure | 95% CI |
| ALL | Overall | 13.3 | 12.0 - 14.5 |
| SEX | Men | 12.2 | 10.4 - 13.9 |
| | Women | 14.3 | 12.5 - 16.1 |
| RACE/ETHNICITY | Non-Hisp. White | 9.9 | 8.8 - 11.0 |
| | Non-Hisp. Black | 15.2 | 10.8 - 19.6 |
| | Hispanic | 19.5 | 16.0 - 22.9 |
| X BY RACE/ETHNICITY | Non-Hisp. White Men | 8.9 | 7.2 - 10.5 |
| | Non-Hisp. White Women | 10.8 | 9.3 - 12.4 |
| | Non-Hisp. Black Men | 15.0 | 8.1 - 21.9 |
| | Non-Hisp. Black Women | 15.4 | 9.7 - 21.1 |
| | Hispanic Men | 18.3 | 13.7 - 22.8 |
| | Hispanic Women | 20.6 | 15.5 - 25.7 |
| AGE GROUP | 18-44 | 18.9 | 16.5 - 21.2 |
| | 45-64 | 15.7 | 13.1 - 18.3 |
| | 65 & Older | 2.8 | 1.8 - 3.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>22.1</td><td>16.9 - 27.3</td></high> | 22.1 | 16.9 - 27.3 |
| | High School / GED | 14.7 | 12.0 - 17.4 |
| | >High School | 10.9 | 9.6 - 12.2 |
| ANNUAL INCOME | <\$25,000 | 27.5 | 22.8 - 32.2 |
| | \$25,000-\$49,999 | 15.1 | 12.3 - 17.9 |
| | \$50,000 or More | 9.8 | 7.6 - 12.0 |
| MARITAL STATUS | Married/Couple | 10.4 | 8.9 - 12.0 |
| | Not Married/Couple | 16.8 | 14.7 - 18.9 |

Percentage of adults who had a medical checkup in the past year

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 77.3 | 75.8 - 78.9 |
| SEX | Men | 72.9 | 70.6 - 75.3 |
| | Women | 81.5 | 79.5 - 83.4 |
| RACE/ETHNICITY | Non-Hisp. White | 78.5 | 76.9 - 80.1 |
| | Non-Hisp. Black | 81.0 | 76.5 - 85.4 |
| | Hispanic | 75.9 | 72.3 - 79.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 74.0 | 71.5 - 76.6 |
| | Non-Hisp. White Women | 82.7 | 80.7 - 84.6 |
| | Non-Hisp. Black Men | 75.3 | 67.6 - 82.9 |
| | Non-Hisp. Black Women | 85.9 | 81.1 - 90.8 |
| | Hispanic Men | 71.0 | 65.6 - 76.4 |
| | Hispanic Women | 80.5 | 75.8 - 85.2 |
| AGE GROUP | 18-44 | 64.6 | 61.7 - 67.5 |
| | 45-64 | 78.5 | 75.7 - 81.3 |
| | 65 & Older | 93.9 | 92.8 - 95.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>73.2</th><th>67.3 - 79.1</th></high> | 73.2 | 67.3 - 79.1 |
| | High School / GED | 77.2 | 74.3 - 80.1 |
| | >High School | 78.2 | 76.4 - 80.0 |
| ANNUAL INCOME | <\$25,000 | 77.2 | 72.7 - 81.8 |
| | \$25,000-\$49,999 | 76.8 | 73.6 - 80.1 |
| | \$50,000 or More | 76.6 | 73.4 - 79.9 |
| MARITAL STATUS | Married/Couple | 81.7 | 79.9 - 83.4 |
| | Not Married/Couple | 72.2 | 69.6 - 74.7 |

CI=Confidence Interval

| Health Care Access & Cove | erage | | | |
|----------------------------|--|---------|-------------|--|
| Percentage of adults who l | nave a personal doctor | | | |
| | | Measure | 95% CI | |
| ALL | Overall | 79.2 | 77.6 - 80.7 | |
| SEX | Men | 75.3 | 73.0 - 77.6 | |
| | Women | 82.8 | 80.7 - 84.9 | |
| RACE/ETHNICITY | Non-Hisp. White | 84.9 | 83.5 - 86.3 | |
| | Non-Hisp. Black | 82.3 | 77.8 - 86.8 | |
| | Hispanic | 69.1 | 65.0 - 73.2 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 81.3 | 79.1 - 83.4 | |
| | Non-Hisp. White Women | 88.3 | 86.6 - 90.0 | |
| | Non-Hisp. Black Men | 76.9 | 69.0 - 84.8 | |
| | Non-Hisp. Black Women | 87.0 | 82.3 - 91.6 | |
| | Hispanic Men | 65.1 | 59.4 - 70.9 | |
| | Hispanic Women | 72.8 | 67.0 - 78.6 | |
| AGE GROUP | 18-44 | 65.1 | 62.1 - 68.0 | |
| | 45-64 | 83.3 | 80.6 - 86.0 | |
| | 65 & Older | 94.3 | 92.9 - 95.8 | |
| EDUCATION LEVEL | <high school<="" td=""><td>63.2</td><td>56.7 - 69.7</td><td></td></high> | 63.2 | 56.7 - 69.7 | |
| | High School / GED | 76.5 | 73.4 - 79.6 | |
| | >High School | 83.5 | 81.8 - 85.2 | |
| ANNUAL INCOME | <\$25,000 | 70.7 | 65.6 - 75.8 | |
| | \$25,000-\$49,999 | 75.8 | 72.3 - 79.4 | |
| | \$50,000 or More | 83.4 | 80.2 - 86.5 | |
| MARITAL STATUS | Married/Couple | 84.0 | 82.1 - 85.8 | |
| | Not Married/Couple | 73.6 | 71.0 - 76.1 | |

Percentage of adults with any type of health care insurance coverage

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 88.2 | 86.9 - 89.5 |
| SEX | Men | 86.4 | 84.5 - 88.3 |
| | Women | 89.9 | 88.2 - 91.6 |
| RACE/ETHNICITY | Non-Hisp. White | 92.7 | 91.7 - 93.7 |
| | Non-Hisp. Black | 86.2 | 81.8 - 90.5 |
| | Hispanic | 80.9 | 77.5 - 84.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 91.7 | 90.2 - 93.3 |
| | Non-Hisp. White Women | 93.6 | 92.2 - 94.9 |
| | Non-Hisp. Black Men | 81.9 | 74.6 - 89.2 |
| | Non-Hisp. Black Women | 90.1 | 85.2 - 95.1 |
| | Hispanic Men | 77.9 | 72.8 - 83.0 |
| | Hispanic Women | 83.6 | 79.0 - 88.1 |
| AGE GROUP | 18-44 | 80.5 | 78.0 - 83.1 |
| | 45-64 | 88.5 | 86.3 - 90.7 |
| | 65 & Older | 98.3 | 97.7 - 99.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>72.7</th><th>66.6 - 78.9</th></high> | 72.7 | 66.6 - 78.9 |
| | High School / GED | 84.7 | 81.9 - 87.4 |
| | >High School | 92.7 | 91.5 - 93.8 |
| ANNUAL INCOME | <\$25,000 | 78.6 | 74.0 - 83.1 |
| | \$25,000-\$49,999 | 84.6 | 81.5 - 87.8 |
| | \$50,000 or More | 93.8 | 92.2 - 95.4 |
| MARITAL STATUS | Married/Couple | 91.4 | 89.9 - 92.9 |
| | Not Married/Couple | 84.4 | 82.3 - 86.5 |

CI=Confidence Interval

| al & Economic Factors | ; | | |
|------------------------|---|---------|-------------|
| entage of adults who a | are satisfied with their life | | |
| | | Measure | 95% CI |
| ALL | Overall | 92.8 | 91.4 - 94.1 |
| SEX | Men | 92.5 | 90.5 - 94.6 |
| | Women | 92.9 | 91.2 - 94.7 |
| RACE/ETHNICITY | Non-Hisp. White | 93.2 | 91.7 - 94.7 |
| | Non-Hisp. Black | 91.1 | 86.5 - 95.6 |
| | Hispanic | 93.1 | 90.3 - 95.9 |
| EX BY RACE/ETHNICITY | Non-Hisp. White Men | 92.9 | 90.9 - 95.0 |
| | Non-Hisp. White Women | 93.4 | 91.2 - 95.6 |
| | Non-Hisp. Black Men | 96.1 | 92.1 -100.0 |
| | Non-Hisp. Black Women | 87.6 | 80.6 - 94.6 |
| | Hispanic Men | 91.4 | 86.8 - 96.1 |
| | Hispanic Women | 94.6 | 91.3 - 97.9 |
| AGE GROUP | 18-44 | 89.7 | 86.6 - 92.9 |
| | 45-64 | 92.8 | 90.8 - 94.8 |
| | 65 & Older | 96.0 | 94.8 - 97.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>90.1</td><td>85.7 - 94.6</td></high> | 90.1 | 85.7 - 94.6 |
| | High School / GED | 92.0 | 89.1 - 94.9 |
| | >High School | 93.7 | 92.2 - 95.2 |
| ANNUAL INCOME | <\$25,000 | 83.0 | 77.8 - 88.3 |
| | \$25,000-\$49,999 | 92.2 | 89.7 - 94.6 |
| | \$50,000 or More | 94.2 | 91.4 - 97.1 |
| MARITAL STATUS | Married/Couple | 95.9 | 94.4 - 97.3 |
| | Not Married/Couple | 88.9 | 86.5 - 91.3 |

Percentage of adults who feel socially isolated from others

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 29.1 | 27.1 - 31.2 |
| SEX | Men | 28.5 | 25.4 - 31.7 |
| | Women | 29.7 | 26.9 - 32.5 |
| RACE/ETHNICITY | Non-Hisp. White | 25.4 | 23.5 - 27.4 |
| | Non-Hisp. Black | 37.3 | 29.9 - 44.7 |
| | Hispanic | 28.6 | 23.4 - 33.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 24.1 | 21.1 - 27.1 |
| | Non-Hisp. White Women | 26.6 | 24.0 - 29.3 |
| | Non-Hisp. Black Men | 35.3 | 23.0 - 47.6 |
| | Non-Hisp. Black Women | 38.7 | 29.5 - 47.9 |
| | Hispanic Men | 29.3 | 21.9 - 36.8 |
| | Hispanic Women | 27.9 | 20.6 - 35.1 |
| AGE GROUP | 18-44 | 39.3 | 35.1 - 43.4 |
| | 45-64 | 24.6 | 21.2 - 27.9 |
| | 65 & Older | 22.6 | 19.6 - 25.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>39.1</th><th>30.9 - 47.3</th></high> | 39.1 | 30.9 - 47.3 |
| | High School / GED | 31.3 | 27.2 - 35.3 |
| | >High School | 26.3 | 23.9 - 28.7 |
| ANNUAL INCOME | <\$25,000 | 44.4 | 38.1 - 50.6 |
| | \$25,000-\$49,999 | 32.2 | 28.1 - 36.3 |
| | \$50,000 or More | 24.7 | 20.4 - 29.0 |
| MARITAL STATUS | Married/Couple | 21.5 | 19.0 - 23.9 |
| | Not Married/Couple | 39.0 | 35.6 - 42.4 |

Cl=Confidence Interval

Social & Economic Factors

Percentage of adults who feel tense, restless, nervous, or anxious, or are unable to sleep at night because their mind is troubled all the time in past 30 days

| | | Measure | 95% CI |
|-----------------------|---|---------|-------------|
| ALL | Overall | 36.3 | 34.1 - 38.5 |
| SEX | Men | 32.2 | 29.0 - 35.4 |
| | Women | 39.9 | 36.9 - 42.9 |
| RACE/ETHNICITY | Non-Hisp. White | 32.7 | 30.5 - 34.9 |
| | Non-Hisp. Black | 35.6 | 28.4 - 42.9 |
| | Hispanic | 43.9 | 37.9 - 49.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 29.3 | 26.1 - 32.5 |
| | Non-Hisp. White Women | 35.8 | 32.8 - 38.8 |
| | Non-Hisp. Black Men | 30.0 | 17.9 - 42.1 |
| | Non-Hisp. Black Women | 39.2 | 30.2 - 48.3 |
| | Hispanic Men | 40.4 | 31.9 - 48.8 |
| | Hispanic Women | 47.2 | 38.7 - 55.7 |
| AGE GROUP | 18-44 | 48.9 | 44.7 - 53.1 |
| | 45-64 | 38.1 | 34.1 - 42.0 |
| | 65 & Older | 21.7 | 18.8 - 24.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>48.3</th><th>39.8 - 56.8</th></high> | 48.3 | 39.8 - 56.8 |
| | High School / GED | 37.8 | 33.5 - 42.1 |
| | >High School | 33.5 | 30.9 - 36.1 |
| ANNUAL INCOME | <\$25,000 | 53.4 | 47.2 - 59.5 |
| | \$25,000-\$49,999 | 39.4 | 35.1 - 43.7 |
| | \$50,000 or More | 31.6 | 27.2 - 36.1 |
| MARITAL STATUS | Married/Couple | 29.4 | 26.7 - 32.1 |
| | Not Married/Couple | 45.3 | 41.8 - 48.8 |
| | | | |

| I & Economic Factors | ; | | |
|-----------------------|---|-----------------|-------------|
| ntage of adults who | get the social and emotional su | pport they need | |
| | | Measure | 95% CI |
| ALL | Overall | 90.9 | 89.4 - 92.3 |
| SEX | Men | 88.5 | 86.2 - 90.9 |
| | Women | 92.9 | 91.1 - 94.7 |
| RACE/ETHNICITY | Non-Hisp. White | 92.3 | 90.8 - 93.7 |
| | Non-Hisp. Black | 91.1 | 86.6 - 95.7 |
| | Hispanic | 88.7 | 84.8 - 92.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 90.0 | 87.5 - 92.6 |
| | Non-Hisp. White Women | 94.2 | 92.7 - 95.8 |
| | Non-Hisp. Black Men | 92.4 | 86.8 - 97.9 |
| | Non-Hisp. Black Women | 90.3 | 83.7 - 96.9 |
| | Hispanic Men | 86.9 | 81.3 - 92.4 |
| | Hispanic Women | 90.4 | 84.8 - 96.0 |
| AGE GROUP | 18-44 | 87.8 | 84.7 - 91.0 |
| | 45-64 | 91.5 | 89.2 - 93.9 |
| | 65 & Older | 93.9 | 92.4 - 95.4 |
| EDUCATION LEVEL | <high school<="" td=""><td>83.6</td><td>77.3 - 90.0</td></high> | 83.6 | 77.3 - 90.0 |
| | High School / GED | 87.7 | 84.4 - 91.0 |
| | >High School | 93.8 | 92.4 - 95.2 |
| ANNUAL INCOME | <\$25,000 | 80.9 | 75.4 - 86.4 |
| | \$25,000-\$49,999 | 89.8 | 87.2 - 92.3 |
| | \$50,000 or More | 95.3 | 93.7 - 97.0 |
| MARITAL STATUS | Married/Couple | 93.7 | 92.1 - 95.4 |
| | Not Married/Couple | 87.3 | 84.8 - 89.9 |
| | | | |

Percentage of adults who had an electric, gas, oil, or water company threaten to shut off services in the last 12 months

| | | Measure | 95% CI | |
|-----------------------|---|---------|-------------|--|
| ALL | Overall | 7.1 | 5.8 - 8.4 | |
| SEX | Men | 7.0 | 5.1 - 9.0 | |
| | Women | 7.1 | 5.3 - 9.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 4.7 | 3.8 - 5.7 | |
| | Non-Hisp. Black | 15.7 | 10.2 - 21.3 | |
| | Hispanic | 6.3 | 3.2 - 9.4 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.5 | 3.0 - 6.0 | |
| | Non-Hisp. White Women | 4.9 | 3.7 - 6.1 | |
| | Non-Hisp. Black Men | 20.5 | 9.2 - 31.8 | |
| | Non-Hisp. Black Women | 12.5 | 7.7 - 17.3 | |
| | Hispanic Men | 5.7 | 2.0 - 9.3 | |
| | Hispanic Women | 7.0 | 2.0 - 11.9 | |
| AGE GROUP | 18-44 | 9.7 | 7.2 - 12.2 | |
| | 45-64 | 8.6 | 5.9 - 11.3 | |
| | 65 & Older | 2.9 | 1.3 - 4.6 | |
| EDUCATION LEVEL | <high school<="" td=""><td>14.1</td><td>8.0 - 20.3</td><td></td></high> | 14.1 | 8.0 - 20.3 | |
| | High School / GED | 7.2 | 4.7 - 9.7 | |
| | >High School | 5.7 | 4.3 - 7.1 | |
| ANNUAL INCOME | <\$25,000 | 15.6 | 11.5 - 19.7 | |
| | \$25,000-\$49,999 | 9.9 | 7.0 - 12.8 | |
| | \$50,000 or More | 5.3 | 2.1 - 8.5 | |
| MARITAL STATUS | Married/Couple | 4.5 | 3.1 - 5.9 | |
| | Not Married/Couple | 10.3 | 7.9 - 12.7 | |

CI=Confidence Interval

| al & Economic Factors | ; | | | |
|------------------------|--|-------------------------|-------------|--|
| entage of adults who l | ost employment or had hours | reduced in last 12 mont | hs | |
| | | Measure | 95% CI | |
| ALL | Overall | 13.8 | 12.0 - 15.7 | |
| SEX | Men | 16.3 | 13.4 - 19.1 | |
| | Women | 11.7 | 9.4 - 14.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 9.5 | 8.1 - 10.9 | |
| | Non-Hisp. Black | 20.5 | 13.2 - 27.8 | |
| | Hispanic | 17.6 | 13.3 - 22.0 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 10.3 | 8.1 - 12.6 | |
| | Non-Hisp. White Women | 8.7 | 6.9 - 10.5 | |
| | Non-Hisp. Black Men | 30.5 | 16.7 - 44.3 | |
| | Non-Hisp. Black Women | 13.7 | 6.8 - 20.6 | |
| | Hispanic Men | 23.3 | 16.4 - 30.3 | |
| | Hispanic Women | 12.2 | 7.1 - 17.4 | |
| AGE GROUP | 18-44 | 23.5 | 19.5 - 27.4 | |
| | 45-64 | 14.4 | 11.2 - 17.6 | |
| | 65 & Older | 3.5 | 2.5 - 4.5 | |
| EDUCATION LEVEL | <high school<="" td=""><td>16.6</td><td>10.4 - 22.7</td><td></td></high> | 16.6 | 10.4 - 22.7 | |
| | High School / GED | 14.2 | 10.7 - 17.8 | |
| | >High School | 13.2 | 11.0 - 15.4 | |
| ANNUAL INCOME | <\$25,000 | 23.0 | 17.0 - 28.9 | |
| | \$25,000-\$49,999 | 18.3 | 14.4 - 22.2 | |
| | \$50,000 or More | 11.3 | 7.5 - 15.1 | |
| MARITAL STATUS | Married/Couple | 8.2 | 6.5 - 9.9 | |
| | Not Married/Couple | 21.0 | 17.7 - 24.4 | |
| | | | | |

Social & Economic Factors

Percentage of adults who received food stamps, also called SNAP, the Supplemental Nutrition Assistance Program on an EBT card in last 12 months

| | | Measure | 95% CI | |
|-----------------------|--|---------|-------------|--|
| ALL | Overall | 14.8 | 13.0 - 16.7 | |
| SEX | Men | 11.1 | 8.6 - 13.6 | |
| | Women | 18.1 | 15.5 - 20.8 | |
| RACE/ETHNICITY | Non-Hisp. White | 7.4 | 6.2 - 8.6 | |
| | Non-Hisp. Black | 22.1 | 16.3 - 27.9 | |
| | Hispanic | 28.2 | 22.3 - 34.0 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 5.4 | 3.9 - 7.0 | |
| | Non-Hisp. White Women | 9.2 | 7.5 - 10.9 | |
| | Non-Hisp. Black Men | 13.6 | 6.4 - 20.9 | |
| | Non-Hisp. Black Women | 27.8 | 19.7 - 35.9 | |
| | Hispanic Men | 24.3 | 15.8 - 32.9 | |
| | Hispanic Women | 31.7 | 23.5 - 39.9 | |
| AGE GROUP | 18-44 | 18.9 | 15.6 - 22.3 | |
| | 45-64 | 14.7 | 11.7 - 17.8 | |
| | 65 & Older | 11.3 | 7.8 - 14.8 | |
| EDUCATION LEVEL | <high school<="" td=""><td>36.1</td><td>27.5 - 44.7</td><td></td></high> | 36.1 | 27.5 - 44.7 | |
| | High School / GED | 17.5 | 14.1 - 20.9 | |
| | >High School | 9.4 | 7.6 - 11.3 | |
| ANNUAL INCOME | <\$25,000 | 42.7 | 36.5 - 49.0 | |
| | \$25,000-\$49,999 | 15.6 | 12.3 - 18.9 | |
| | \$50,000 or More | 5.9 | 2.9 - 9.0 | |
| MARITAL STATUS | Married/Couple | 9.0 | 6.8 - 11.2 | |
| | Not Married/Couple | 21.9 | 18.9 - 24.9 | |

| Social & Economic Factors | |
|---|--|
| Percentage of adults who were not able to pay their mortgage, rent or utility bills in last 12 months | |

| | | Measur | e 95% CI | |
|-----------------------|--|--------|-------------|--|
| ALL | Overall | 11.2 | 9.7 - 12.8 | |
| SEX | Men | 9.4 | 7.2 - 11.6 | |
| | Women | 12.8 | 10.6 - 15.1 | |
| RACE/ETHNICITY | Non-Hisp. White | 7.1 | 6.0 - 8.3 | |
| | Non-Hisp. Black | 22.4 | 15.6 - 29.3 | |
| | Hispanic | 13.3 | 9.4 - 17.1 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 5.7 | 4.2 - 7.3 | |
| | Non-Hisp. White Women | 8.4 | 6.8 - 10.0 | |
| | Non-Hisp. Black Men | 22.1 | 10.5 - 33.8 | |
| | Non-Hisp. Black Women | 22.6 | 14.3 - 31.0 | |
| | Hispanic Men | 13.3 | 7.3 - 19.4 | |
| | Hispanic Women | 13.2 | 8.3 - 18.2 | |
| AGE GROUP | 18-44 | 17.6 | 14.3 - 20.9 | |
| | 45-64 | 11.2 | 8.5 - 13.9 | |
| | 65 & Older | 5.0 | 2.8 - 7.2 | |
| EDUCATION LEVEL | <high school<="" th=""><th>19.4</th><th>12.5 - 26.2</th><th></th></high> | 19.4 | 12.5 - 26.2 | |
| | High School / GED | 12.9 | 9.7 - 16.0 | |
| | >High School | 9.0 | 7.2 - 10.7 | |
| ANNUAL INCOME | <\$25,000 | 27.3 | 21.5 - 33.0 | |
| | \$25,000-\$49,999 | 14.1 | 11.2 - 16.9 | |
| | \$50,000 or More | 7.8 | 4.2 - 11.3 | |
| MARITAL STATUS | Married/Couple | 6.5 | 4.9 - 8.1 | |
| | Not Married/Couple | 17.4 | 14.5 - 20.3 | |

Percentage of adults whose food that they bought did not last, and they didn't have money to get more in last 12 months

| Men | 13.9 | 11.3 - 16.5 | |
|--|--|---|--|
| Women | 17.9 | 15.4 - 20.5 | |
| Non-Hisp. White | 9.0 | 7.7 - 10.3 | |
| Non-Hisp. Black | 27.2 | 20.5 - 34.0 | |
| Hispanic | 25.3 | 20.1 - 30.5 | |
| Non-Hisp. White Men | 7.9 | 5.9 - 9.9 | |
| Non-Hisp. White Women | 10.0 | 8.2 - 11.8 | |
| Non-Hisp. Black Men | 28.8 | 16.9 - 40.7 | |
| Non-Hisp. Black Women | 26.2 | 18.2 - 34.1 | |
| Hispanic Men | 20.2 | 13.7 - 26.8 | |
| Hispanic Women | 30.1 | 22.2 - 38.0 | |
| 18-44 | 21.1 | 17.4 - 24.8 | |
| 45-64 | 16.1 | 13.1 - 19.2 | |
| 65 & Older | 11.0 | 8.4 - 13.6 | |
| <high school<="" td=""><td>38.5</td><td>30.2 - 46.8</td><td></td></high> | 38.5 | 30.2 - 46.8 | |
| High School / GED | 19.5 | 15.8 - 23.1 | |
| >High School | 10.1 | 8.3 - 11.8 | |
| <\$25,000 | 43.4 | 37.1 - 49.7 | |
| \$25,000-\$49,999 | 20.3 | 16.4 - 24.2 | |
| \$50,000 or More | 5.4 | 2.9 - 8.0 | |
| Married/Couple | 10.5 | 8.5 - 12.6 | |
| Not Married/Couple | 23.2 | 20.1 - 26.4 | |
| | Non-Hisp. White Non-Hisp. Black Hispanic Non-Hisp. White Men Non-Hisp. White Women Non-Hisp. Black Men Non-Hisp. Black Women Hispanic Men Hispanic Women 18-44 45-64 65 & Older <high school<br="">High School / GED >High School <\$25,000 \$25,000 or More Married/Couple</high> | Men 13.9 Women 17.9 Non-Hisp. White 9.0 Non-Hisp. Black 27.2 Hispanic 25.3 Non-Hisp. White Men 7.9 Non-Hisp. White Women 10.0 Non-Hisp. Black Men 28.8 Non-Hisp. Black Men 26.2 Hispanic Men 20.2 Hispanic Women 30.1 18-44 21.1 45-64 16.1 65 & Older 11.0 <high school<="" td=""> 38.5 High School 10.1 <\$25,000</high> | Overall 16.0 14.2 17.8 Men 13.9 11.3 16.5 Women 17.9 15.4 20.5 Non-Hisp. White 9.0 7.7 10.3 Non-Hisp. Black 27.2 20.5 34.0 Hispanic 25.3 20.1 30.5 Non-Hisp. White Men 7.9 5.9 9.9 Non-Hisp. White Women 10.0 8.2 11.8 Non-Hisp. Black Men 28.8 16.9 40.7 Non-Hisp. Black Men 20.2 13.7 26.8 Hispanic Men 20.2 13.7 26.8 Hispanic Women 30.1 22.2 38.0 18-44 21.1 17.4 24.8 45-64 16.1 13.1 19.2 65 & Older 11.0 8.4 13.6 High School 38.5 30.2 46.8 High School / GED 19.5 15.8 23.1 >High School / GED 19.5 15.8 23.1 >High School 10.1 8.3 11.8 |

CI=Confidence Interval

Social & Economic Factors

Percentage of adults whose lack of reliable transportation kept them from medical appointments, meetings, work, or from getting things needed for daily living in last 12 months

| | | Measur | e 95% Cl | |
|-----------------------|--|--------|-------------|--|
| ALL | Overall | 7.9 | 6.7 - 9.2 | |
| SEX | Men | 7.8 | 5.7 - 9.8 | |
| | Women | 8.1 | 6.5 - 9.6 | |
| RACE/ETHNICITY | Non-Hisp. White | 5.5 | 4.4 - 6.5 | |
| | Non-Hisp. Black | 9.1 | 4.6 - 13.6 | |
| | Hispanic | 10.9 | 7.2 - 14.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 5.1 | 3.5 - 6.7 | |
| | Non-Hisp. White Women | 5.8 | 4.4 - 7.2 | |
| | Non-Hisp. Black Men | 9.8 | 0.1 - 19.4 | |
| | Non-Hisp. Black Women | 8.7 | 4.9 - 12.5 | |
| | Hispanic Men | 12.6 | 6.5 - 18.7 | |
| | Hispanic Women | 9.2 | 5.1 - 13.4 | |
| AGE GROUP | 18-44 | 12.3 | 9.5 - 15.0 | |
| | 45-64 | 6.8 | 5.1 - 8.5 | |
| | 65 & Older | 4.8 | 2.7 - 6.9 | |
| EDUCATION LEVEL | <high school<="" th=""><th>17.2</th><th>10.6 - 23.8</th><th></th></high> | 17.2 | 10.6 - 23.8 | |
| | High School / GED | 8.8 | 6.2 - 11.3 | |
| | >High School | 5.8 | 4.6 - 7.0 | |
| ANNUAL INCOME | <\$25,000 | 22.5 | 17.2 - 27.7 | |
| | \$25,000-\$49,999 | 8.9 | 6.4 - 11.4 | |
| | \$50,000 or More | 4.7 | 2.2 - 7.1 | |
| MARITAL STATUS | Married/Couple | 4.4 | 3.0 - 5.8 | |
| | Not Married/Couple | 12.4 | 10.1 - 14.7 | |
| | | | | |

GLOSSARY

2022 Florida Behavioral Risk Factor Surveillance System Data

| Activities of Daily Living | Usual activities, such as self-care, work, or recreation. |
|-------------------------------|---|
| Adult | Individual aged 18 years or older. |
| Angina | Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood. |
| Arthritis | Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can var |
| Asthma | Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing. |
| Binge Drinking* | For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days. |
| Blood Glucose | Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream. |
| Blood Pressure | The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests. |
| Blood Sugar | See Blood Glucose |
| Body Mass Index (BMI) | A number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems. |
| Cancer | General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues. |
| Cholesterol | A substance the body uses to produce hormones, vitamin D, and food-digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack, or angina. |
| Chronic Bronchitis | A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs. |
| Chronic Diseases | Diseases of long duration and generally slow progression (e.g., heart disease, stroke, cancer, diabetes); represent the leading causes of mortality worldwide. |
| Chronic Obstructive Pulmonary | Term that refers to a group of diseases that cause airflow blockage and breathing- related problems, including emphysema and chronic bronchitis. |
| Coronary Artery Disease (CAD) | Most common type of heart disease; occurs when a substance called plaque builds up on the inner walls of the arteries that supply blood to the heart, called coronary arteries; most common cause of a heart attack. |
| Coronary Heart Disease (CHD) | See Coronary Artery Disease (CAD) |
| Current Smoker* | Combination of everyday smoker and some days smoker. |
| Depressive Disorders | Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment. |
| Diabetes | General term for diabetes mellitus; disease in which blood glucose levels are above normal. |
| E-Cigarettes | An e-cigarette, also known as an electronic cigarette, is a device that allows a user to inhale nicotine and other vapors. |
| Emphysema | Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD). |

GLOSSARY

2022 Florida Behavioral Risk Factor Surveillance System Data

| Exercise | See Physical Activity |
|------------------------|---|
| Fibromyalgia | A musculoskeletal condition causing widespread muscle and joint pain and fatigue. |
| Flu | Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death. |
| Flu Shot | Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose. |
| Former Smoker | Adults who reported smoking at least 100 cigarettes in their lifetimes but reported not smoking now. |
| Gout | A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint. |
| Health Behavior | An action taken by a person to maintain, attain, or regain good health and to prevent illness. |
| Health Care Coverage | Health insurance, pre-paid plans such as HMO's, government plans such as Medicare. |
| Health Care Provider | A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor, nurse practitioner, physician assistant, registered nurse). |
| Health Risk Behavior | An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity, poor nutrition, tobacco use, excessive alcohol consumption). |
| Healthy Weight | Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self- reported height and weight. |
| Heart Attack | Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply. |
| Heavy Drinking* | For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days. |
| High Blood Cholesterol | Condition where there is too much cholesterol in the blood for an extended period of time; increases the risk of coronary heart disease, heart attack, or angina. |
| High Blood Pressure | Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems. |
| Hispanic | Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable. |
| HIV | Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS). |
| Hypertension | See High Blood Pressure |
| Influenza | See Flu |
| Kidney Disease | Also called renal disease; general term for any damage that reduces the functioning of the kidney. |
| Mental Health | A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community. |
| Never Smoked* | Adults who reported smoking less than 100 cigarettes in their lifetime. |
| Non-Hispanic Black | Adults not of Hispanic culture or origins reporting membership in only the black race category; self-reported demographic variable. |
| Non-Hispanic White | Adults not of Hispanic culture or origins reporting membership in only the white race category; self-reported demographic variable. |

| 2022 Florida | Behavioral Risk Factor Surveillance System Data |
|--------------------------|---|
| Non-Smoker* | Combination of former smoker and never smoked. |
| Obese | Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight. |
| Obesity | A condition characterized by being obese. |
| Overweight | Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self- reported height and weight. |
| Personal Doctor | A health care provider that an adult identifies as their personal health care provider. |
| Physical Activity | Any bodily movement produced by the contraction of skeletal muscle that increases energy expenditure above basal level and that enhances or maintains physical fitness and overall health and wellness. |
| Pneumococcal Vaccination | Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia. |
| Pneumonia | Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness. |
| Poor Mental Health | Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days. |
| Poor Physical Health | Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days. |
| Race/Ethnicity | A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable. |
| Routine Checkup | A general physical exam; does not include exams conducted for a specific injury, illness, or condition. |
| Sedentary* | Participating in no leisure-time physical activity in the past 30 days. |
| Sex | The condition or character of being male or female; self-reported demographic variable. |
| Smoking | Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco. |
| Stroke | Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts. |

Healthy People 2030 Objectives

Alcohol Consumption

SU-10. Reduce the proportion of people aged 21 years and over who engaged in binge drinking in the past month

Arthritis

A-02. Reduce the proportion of adults with arthritis whose arthritis limits their activities

Cancer Screening

C-05. Increase the proportion of females who get screened for breast cancer

C-07. Increase the proportion of adults who get screened for colorectal cancer

C-09. Increase the proportion of females who get screened for cervical cancer

Cardiovascular Disease

HDS-01. Improve cardiovascular health in adults

HDS-02. Reduce coronary heart disease deaths

HDS-03. Reduce stroke deaths

Cholesterol Awareness

HDS-06. Reduce cholesterol in adults

Diabetes

D-01. Reduce the number of diabetes cases diagnosed yearly

D-04. Increase the proportion of adults with diabetes who have a yearly eye exam

D-06. Increase the proportion of people with diabetes who get formal diabetes education

D-07. Increase the proportion of adults with diabetes using insulin who monitor their blood sugar daily

V-04. Reduce vision loss from diabetic retinopathy

Family Planning

FP-01. Reduce the proportion of unintended pregnancies

Hypertension Awareness & Control

HDS-05. Increase control of high blood pressure in adults

Immunization

IID-09. Increase the proportion of people who get the flu vaccine every year

Injury Prevention

OA-03. Reduce the rate of emergency department visits due to falls among older adults

Kidney Disease

CKD-01. Reduce the proportion of adults with chronic kidney disease

CKD-02. Increase the proportion of adults with chronic kidney disease who know they have it

Healthy People 2030 Objectives

Oral Health

OH-08. Increase use of the oral health care system

OH-05. Reduce the proportion of adults aged 45 years and over who have lost all their teeth

Overweight & Obesity

NWS-03. Reduce the proportion of adults with obesity

Physical Activity

PA-01. Reduce the proportion of adults who do no physical activity in their free time

Sleep

SH-03. Increase the proportion of adults who get enough sleep

Tobacco Use & Exposure

TU-15. Increase successful quit attempts in pregnant women who smoke

TU-01. Reduce current tobacco use in adults

TU-02. Reduce current cigarette smoking in adults

TU-03. Reduce current cigarette, cigar, and pipe smoking in adults

TU-11. Increase past-year attempts to quit smoking in adults

TU-14. Increase successful quit attempts in adults who smoke



Prepared by:

Katie McDaniel, MPH

If you have any questions or comments please contact:

Florida Department of Health Behavioral Risk Factor Surveillance System Survey Programs 4052 Bald Cypress Way, Bin A-24 Tallahassee, Florida 32399-1744

> Phone: 866-779-6122 BRFSS@flhealth.gov www.floridahealth.gov/BRFSS