


2017-2019 Florida Behavioral Risk Factor Surveillance System (BRFSS)



Florida Department of Health
Division of Community Health Promotion
Public Health Research Section

Ron DeSantis
Governor

Joseph A. Ladapo, MD, PhD
State Surgeon General

Introduction

The Florida Department of Health is pleased to release 2017-2019 Florida Behavioral Risk Factor Surveillance System (BRFSS) county-level data. This surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS is a statewide telephone survey that has been collecting and reporting health behavior data since 1986. This survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions and preventive health care practices among Florida adults. Beginning in 2007, the BRFSS has been providing counties with local-level data every three years to estimate the prevalence of personal health behaviors and chronic health conditions that contribute to morbidity and mortality.

County-level surveys were previously conducted in 2002, 2007, 2010, 2013 and 2016. In 2017, the Department began using a three-year rolling rate methodology to provide county-level data. Combining three years of data creates a larger sample size, which decreases data suppression and allows annual reporting of county estimates. Completed surveys from each of the 67 counties were combined across the 2017-2019 survey period in order to produce statistically valid county-level estimates. This new methodology was designed in collaboration with the CHDs to better meet programmatic needs for local-level data.

A total of 54,260 interviews were completed statewide during the 2017-2019 period. 1,073 adults in Bay County responded to the BRFSS across these three years.

This report presents survey data on a variety of issues including health status, health care access, lifestyle, chronic illnesses and disease prevention practices. Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Measures listed in the data tables include the 95% confidence interval. If the confidence intervals overlap, there is no statistically significant difference in the prevalence rates. However, if the confidence intervals do not overlap, there is a statistically significant difference. The significance of measures with very wide confidence intervals should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are weighted by the Centers for Disease Control and Prevention to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county, as well as age, sex, marital status, race/ethnicity and education level.

**2017-2019 Florida BRFSS Data Report
Table of Contents**

| | |
|---------------------------------------|--------------------|
| Health Status | |
| Arthritis | 1 |
| Asthma | 2 |
| Cancer Prevalence | 4 |
| Cardiovascular Disease | 6 |
| Chronic Obstructive Pulmonary Disease | 10 |
| Depression | 11 |
| Diabetes | 12 |
| Disability | 17 |
| Kidney Disease | 24 |
| Overweight & Obesity | 25 |
| Health-Related Prevention | |
| HIV/AIDS Screening | 29 |
| Immunization | 31 |
| Health-Related Behaviors | |
| Alcohol Consumption | 35 |
| Physical Activity & Nutrition | 36 |
| Tobacco Use & Exposure | 37 |
| Health Status & Quality of Life | 45 |
| Health Care Access & Coverage | 55 |
| Glossary | Appendix I |
| Healthy People 2030 Objectives | Appendix II |

Arthritis

Percentage of adults who have been told they have some form of arthritis, rheumatoid arthritis, gout, lupus or fibromyalgia

| | | 2017-2019 County Measure | | | 2019 State Measure | | | 2016 County Measure |
|------------------------------|-----------------------|--------------------------|--------|------|--------------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 28.9 | 25.1 | 32.6 | 25.1 | 23.8 | 26.4 | 32.0 |
| SEX | Men | 22.7 | 17.6 | 27.9 | 21.1 | 19.4 | 22.8 | 23.4 |
| | Women | 34.9 | 29.5 | 40.4 | 28.9 | 27.0 | 30.8 | 40.6 |
| RACE/ETHNICITY | Non-Hisp. White | 30.2 | 25.8 | 34.6 | 30.9 | 29.4 | 32.3 | 32.9 |
| | Non-Hisp. Black | 19.0 | 9.0 | 29.0 | 20.8 | 17.3 | 24.2 | 29.0 |
| | Hispanic | 26.9 | 15.0 | 38.8 | 16.4 | 13.2 | 19.6 | 31.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 22.9 | 17.0 | 28.7 | 26.7 | 24.7 | 28.8 | 22.1 |
| | Non-Hisp. White Women | 37.1 | 30.7 | 43.4 | 34.8 | 32.7 | 36.9 | 42.7 |
| | Non-Hisp. Black Men | 14.3 | 1.6 | 27.0 | 17.7 | 12.7 | 22.8 | 29.1 |
| | Non-Hisp. Black Women | 25.2 | 10.7 | 39.7 | 23.4 | 18.7 | 28.2 | 28.9 |
| | Hispanic Men | 25.9 | 9.7 | 42.0 | 13.9 | 9.6 | 18.2 | 23.1 |
| | Hispanic Women | 28.8 | 11.9 | 45.7 | 18.7 | 14.1 | 23.4 | 41.8 |
| AGE GROUP | 18-44 | 12.6 | 8.0 | 17.2 | 7.6 | 6.3 | 8.9 | 10.4 |
| | 45-64 | 36.5 | 29.6 | 43.5 | 29.9 | 27.2 | 32.6 | 37.7 |
| | 65 & Older | 49.7 | 42.4 | 57.0 | 47.7 | 45.3 | 50.2 | 52.3 |
| EDUCATION LEVEL | <High School | 34.7 | 21.2 | 48.2 | 29.5 | 25.2 | 33.8 | 40.8 |
| | H.S. / GED | 29.2 | 22.3 | 36.1 | 26.2 | 23.6 | 28.8 | 32.0 |
| | >High School | 27.2 | 22.6 | 31.8 | 23.9 | 22.3 | 25.4 | 30.0 |
| ANNUAL INCOME | <\$25,000 | 36.7 | 28.8 | 44.6 | 31.2 | 28.1 | 34.2 | 44.0 |
| | \$25,000-\$49,999 | 27.6 | 20.3 | 34.9 | 26.2 | 23.4 | 29.1 | 29.6 |
| | \$50,000 or More | 24.8 | 18.2 | 31.5 | 22.7 | 20.5 | 24.8 | 18.8 |
| MARITAL STATUS | Married/Couple | 28.3 | 23.2 | 33.3 | 25.7 | 23.9 | 27.5 | 32.0 |
| | Not Married/Couple | 30.0 | 24.1 | 35.9 | 24.6 | 22.7 | 26.5 | 32.2 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who have ever been told they have asthma

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 12.0 | 9.1 | 14.9 | 12.7 | 11.7 | 13.8 | 11.0 |
| SEX | Men | 11.5 | 7.0 | 16.0 | 10.1 | 8.7 | 11.5 | 9.4 |
| | Women | 12.5 | 8.8 | 16.3 | 15.2 | 13.6 | 16.8 | 12.6 |
| RACE/ETHNICITY | Non-Hisp. White | 12.5 | 9.0 | 16.0 | 12.3 | 11.2 | 13.4 | 12.8 |
| | Non-Hisp. Black | 9.0 | 1.3 | 16.7 | 14.2 | 10.9 | 17.5 | 11.4 |
| | Hispanic | 11.3 | 0.4 | 22.1 | 13.8 | 10.9 | 16.7 | 4.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 11.5 | 6.2 | 16.8 | 10.0 | 8.6 | 11.4 | 12.3 |
| | Non-Hisp. White Women | 13.4 | 8.9 | 17.9 | 14.5 | 12.9 | 16.1 | 13.2 |
| | Non-Hisp. Black Men | 10.7 | 0.0 | 22.8 | 12.0 | 7.1 | 17.0 | 10.6 |
| | Non-Hisp. Black Women | 6.8 | 0.0 | 15.9 | 16.1 | 11.6 | 20.6 | 12.5 |
| | Hispanic Men | 13.2 | 0.0 | 29.5 | 11.0 | 7.3 | 14.8 | 3.4 |
| | Hispanic Women | 8.0 | 0.0 | 17.3 | 16.3 | 11.9 | 20.7 | 5.7 |
| AGE GROUP | 18-44 | 13.4 | 8.3 | 18.5 | 14.2 | 12.4 | 16.1 | 8.9 |
| | 45-64 | 12.7 | 7.8 | 17.7 | 12.9 | 10.9 | 14.9 | 14.4 |
| | 65 & Older | 8.7 | 4.3 | 13.0 | 10.5 | 9.1 | 12.0 | 8.3 |
| EDUCATION LEVEL | <High School | 15.2 | 5.0 | 25.4 | 14.2 | 11.0 | 17.4 | 10.0 |
| | H.S. / GED | 10.4 | 5.9 | 15.0 | 11.9 | 9.9 | 13.9 | 11.0 |
| | >High School | 12.1 | 8.3 | 15.9 | 12.8 | 11.5 | 14.2 | 11.4 |
| ANNUAL INCOME | <\$25,000 | 17.1 | 10.8 | 23.4 | 17.8 | 14.9 | 20.7 | 16.6 |
| | \$25,000-\$49,999 | 9.8 | 4.4 | 15.2 | 12.3 | 10.1 | 14.4 | 7.1 |
| | \$50,000 or More | 9.5 | 4.3 | 14.7 | 11.0 | 9.4 | 12.6 | 9.2 |
| MARITAL STATUS | Married/Couple | 10.3 | 6.6 | 14.0 | 11.6 | 10.2 | 12.9 | 8.5 |
| | Not Married/Couple | 14.5 | 9.7 | 19.3 | 14.1 | 12.4 | 15.8 | 12.7 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who currently have asthma

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 8.8 | 6.3 | 11.3 | 7.4 | 6.6 | 8.3 | 6.6 |
| SEX | Men | 7.8 | 4.0 | 11.7 | 4.4 | 3.6 | 5.2 | 4.6 |
| | Women | 9.8 | 6.4 | 13.1 | 10.3 | 8.9 | 11.6 | 8.7 |
| RACE/ETHNICITY | Non-Hisp. White | 9.2 | 6.2 | 12.2 | 7.5 | 6.6 | 8.3 | 8.4 |
| | Non-Hisp. Black | 7.3 | 0.2 | 14.4 | 7.8 | 5.5 | 10.0 | 8.7 |
| | Hispanic | 4.5 | 0.0 | 9.0 | 7.3 | 5.1 | 9.5 | 1.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 8.0 | 3.4 | 12.7 | 5.1 | 4.1 | 6.1 | 5.9 |
| | Non-Hisp. White Women | 10.2 | 6.3 | 14.2 | 9.7 | 8.4 | 11.0 | 10.6 |
| | Non-Hisp. Black Men | 7.8 | 0.0 | 18.4 | 3.6 | 1.8 | 5.4 | 5.7 |
| | Non-Hisp. Black Women | 6.7 | 0.0 | 15.8 | 11.4 | 7.5 | 15.2 | 12.5 |
| | Hispanic Men | 2.3 | 0.0 | 6.8 | 3.9 | 1.7 | 6.0 | 1.8 |
| | Hispanic Women | 8.0 | 0.0 | 17.3 | 10.4 | 6.7 | 14.1 | 1.3 |
| AGE GROUP | 18-44 | 7.7 | 3.7 | 11.8 | 6.7 | 5.4 | 7.9 | 6.0 |
| | 45-64 | 12.5 | 7.5 | 17.4 | 8.6 | 6.9 | 10.3 | 8.4 |
| | 65 & Older | 5.7 | 2.3 | 9.1 | 7.5 | 6.1 | 8.8 | 4.6 |
| EDUCATION LEVEL | <High School | 12.6 | 3.1 | 22.1 | 10.0 | 7.3 | 12.6 | 9.3 |
| | H.S. / GED | 6.5 | 3.0 | 9.9 | 7.4 | 5.7 | 9.1 | 6.5 |
| | >High School | 9.1 | 5.7 | 12.4 | 6.9 | 5.9 | 7.8 | 6.1 |
| ANNUAL INCOME | <\$25,000 | 14.0 | 8.1 | 20.0 | 12.3 | 9.9 | 14.7 | 12.7 |
| | \$25,000-\$49,999 | 4.3 | 1.0 | 7.7 | 6.7 | 5.1 | 8.2 | 3.7 |
| | \$50,000 or More | 8.2 | 3.3 | 13.1 | 5.9 | 4.7 | 7.1 | 3.1 |
| MARITAL STATUS | Married/Couple | 7.8 | 4.5 | 11.1 | 6.7 | 5.7 | 7.7 | 4.0 |
| | Not Married/Couple | 10.3 | 6.2 | 14.3 | 8.2 | 6.9 | 9.5 | 8.6 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Prevalence

Percentage of adults who have ever been told they have had skin cancer

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 11.4 | 8.9 | 13.9 | 10.4 | 9.5 | 11.3 | 9.0 |
| SEX | Men | 10.8 | 7.2 | 14.3 | 10.9 | 9.4 | 12.4 | 8.9 |
| | Women | 12.0 | 8.4 | 15.6 | 9.8 | 8.8 | 10.9 | 9.0 |
| RACE/ETHNICITY | Non-Hisp. White | 13.6 | 10.5 | 16.7 | 16.7 | 15.5 | 17.9 | 13.4 |
| | Non-Hisp. Black | 0.3 | 0.0 | 0.8 | 0.5 | 0.1 | 0.8 | 0.0 |
| | Hispanic | 7.7 | 0.0 | 15.6 | 2.7 | 1.0 | 4.4 | 4.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 12.8 | 8.3 | 17.3 | 16.7 | 15.0 | 18.4 | 14.6 |
| | Non-Hisp. White Women | 14.3 | 10.0 | 18.7 | 16.7 | 15.1 | 18.3 | 12.2 |
| | Non-Hisp. Black Men | 0.5 | 0.0 | 1.5 | 0.5 | 0.0 | 0.9 | 0.0 |
| | Non-Hisp. Black Women | 0.0 | 0.0 | 0.1 | 0.5 | 0.0 | 1.1 | 0.0 |
| | Hispanic Men | 11.5 | 0.0 | 24.0 | 3.7 | 0.6 | 6.8 | 3.7 |
| | Hispanic Women | 1.3 | 0.0 | 3.4 | 1.7 | 0.1 | 3.4 | 4.3 |
| AGE GROUP | 18-44 | 3.4 | 0.7 | 6.0 | 1.7 | 1.0 | 2.4 | 1.5 |
| | 45-64 | 10.3 | 6.0 | 14.5 | 9.7 | 8.0 | 11.3 | 8.0 |
| | 65 & Older | 27.9 | 21.3 | 34.5 | 24.2 | 22.3 | 26.0 | 20.7 |
| EDUCATION LEVEL | <High School | 7.2 | 1.2 | 13.2 | 6.4 | 4.3 | 8.4 | 10.9 |
| | H.S. / GED | 8.5 | 4.7 | 12.3 | 8.5 | 7.2 | 9.9 | 6.8 |
| | >High School | 14.1 | 10.4 | 17.8 | 11.8 | 10.7 | 13.0 | 9.7 |
| ANNUAL INCOME | <\$25,000 | 8.7 | 4.7 | 12.8 | 7.2 | 5.8 | 8.6 | 9.8 |
| | \$25,000-\$49,999 | 9.2 | 4.7 | 13.6 | 11.3 | 9.1 | 13.4 | 7.9 |
| | \$50,000 or More | 16.6 | 10.9 | 22.3 | 11.6 | 10.2 | 13.0 | 7.2 |
| MARITAL STATUS | Married/Couple | 12.0 | 8.5 | 15.4 | 12.4 | 11.0 | 13.9 | 13.0 |
| | Not Married/Couple | 10.8 | 7.1 | 14.5 | 8.1 | 7.1 | 9.0 | 5.4 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Cancer Prevalence | | | | | | | | | |
|--|-----------------------|-------------------------|---------------|------|-------------------|---------------|------|--------------------|--|
| Percentage of adults who have ever been told they had any other type of cancer except skin cancer | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 8.4 | 6.2 | 10.5 | 8.0 | 7.3 | 8.7 | 8.2 | |
| SEX | Men | 8.0 | 4.9 | 11.1 | 7.6 | 6.5 | 8.6 | 7.1 | |
| | Women | 8.8 | 5.8 | 11.8 | 8.4 | 7.4 | 9.3 | 9.2 | |
| RACE/ETHNICITY | Non-Hisp. White | 8.8 | 6.3 | 11.3 | 10.8 | 9.8 | 11.7 | 9.3 | |
| | Non-Hisp. Black | 3.7 | 0.0 | 9.2 | 3.8 | 2.5 | 5.2 | 3.5 | |
| | Hispanic | 16.0 | 3.4 | 28.5 | 4.7 | 3.1 | 6.3 | 7.1 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 7.5 | 4.2 | 10.9 | 10.0 | 8.6 | 11.4 | 9.3 | |
| | Non-Hisp. White Women | 9.9 | 6.2 | 13.6 | 11.5 | 10.2 | 12.8 | 9.3 | |
| | Non-Hisp. Black Men | 5.4 | 0.0 | 15.0 | 3.1 | 1.6 | 4.7 | 4.5 | |
| | Non-Hisp. Black Women | 1.6 | 0.0 | 4.6 | 4.4 | 2.2 | 6.6 | 2.1 | |
| | Hispanic Men | 23.5 | 5.0 | 41.9 | 4.8 | 2.4 | 7.2 | 5.4 | |
| | Hispanic Women | 3.6 | 0.0 | 10.6 | 4.6 | 2.5 | 6.6 | 9.0 | |
| AGE GROUP | 18-44 | 2.7 | 0.6 | 4.9 | 1.5 | 0.9 | 2.1 | 1.5 | |
| | 45-64 | 9.5 | 5.4 | 13.7 | 7.7 | 6.4 | 9.1 | 10.6 | |
| | 65 & Older | 17.7 | 12.1 | 23.3 | 18.5 | 16.7 | 20.2 | 13.5 | |
| EDUCATION LEVEL | <High School | 10.2 | 2.3 | 18.0 | 7.7 | 5.1 | 10.3 | 10.5 | |
| | H.S. / GED | 8.8 | 4.5 | 13.0 | 7.8 | 6.6 | 9.1 | 7.5 | |
| | >High School | 7.8 | 5.3 | 10.2 | 8.2 | 7.3 | 9.1 | 7.6 | |
| ANNUAL INCOME | <\$25,000 | 9.1 | 4.5 | 13.7 | 8.9 | 7.2 | 10.5 | 10.2 | |
| | \$25,000-\$49,999 | 7.9 | 3.4 | 12.5 | 8.9 | 7.1 | 10.6 | 5.7 | |
| | \$50,000 or More | 8.2 | 4.4 | 11.9 | 7.3 | 6.2 | 8.4 | 5.4 | |
| MARITAL STATUS | Married/Couple | 8.6 | 5.7 | 11.4 | 8.4 | 7.5 | 9.4 | 7.4 | |
| | Not Married/Couple | 8.3 | 4.9 | 11.6 | 7.4 | 6.4 | 8.5 | 8.1 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever been told they had a heart attack

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 5.1 | 3.3 | 6.9 | 4.7 | 4.1 | 5.3 | 6.4 |
| SEX | Men | 6.4 | 3.5 | 9.3 | 6.0 | 5.1 | 6.9 | 7.8 |
| | Women | 3.8 | 1.6 | 6.1 | 3.5 | 2.7 | 4.2 | 5.0 |
| RACE/ETHNICITY | Non-Hisp. White | 4.7 | 2.7 | 6.8 | 5.6 | 5.0 | 6.3 | 7.7 |
| | Non-Hisp. Black | 1.9 | 0.0 | 4.0 | 2.5 | 1.6 | 3.4 | 5.8 |
| | Hispanic | 12.9 | 2.6 | 23.3 | 4.2 | 2.4 | 5.9 | 4.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 6.2 | 3.1 | 9.2 | 7.3 | 6.2 | 8.4 | 7.3 |
| | Non-Hisp. White Women | 3.4 | 0.7 | 6.2 | 4.1 | 3.3 | 4.9 | 8.1 |
| | Non-Hisp. Black Men | 0.0 | | | 2.7 | 1.4 | 4.0 | 10.4 |
| | Non-Hisp. Black Women | 4.3 | 0.0 | 8.9 | 2.3 | 1.1 | 3.6 | 0.0 |
| | Hispanic Men | 13.9 | 0.0 | 28.7 | 5.3 | 2.6 | 8.0 | 8.8 |
| | Hispanic Women | 11.5 | 0.0 | 24.3 | 3.1 | 0.8 | 5.4 | 0.0 |
| AGE GROUP | 18-44 | 1.0 | 0.0 | 2.0 | 0.9 | 0.3 | 1.5 | 0.0 |
| | 45-64 | 7.6 | 3.7 | 11.6 | 5.3 | 4.0 | 6.6 | 9.5 |
| | 65 & Older | 9.4 | 4.5 | 14.3 | 10.2 | 8.9 | 11.4 | 10.1 |
| EDUCATION LEVEL | <High School | 12.1 | 2.7 | 21.5 | 8.0 | 5.3 | 10.7 | 13.1 |
| | H.S. / GED | 5.2 | 2.2 | 8.2 | 5.3 | 4.2 | 6.4 | 6.3 |
| | >High School | 3.2 | 1.8 | 4.6 | 3.7 | 3.1 | 4.2 | 5.0 |
| ANNUAL INCOME | <\$25,000 | 8.2 | 3.6 | 12.9 | 7.8 | 6.1 | 9.6 | 11.1 |
| | \$25,000-\$49,999 | 2.9 | 0.6 | 5.3 | 5.2 | 3.9 | 6.5 | 4.8 |
| | \$50,000 or More | 3.6 | 0.6 | 6.6 | 2.8 | 2.1 | 3.4 | 2.6 |
| MARITAL STATUS | Married/Couple | 4.8 | 2.5 | 7.1 | 4.4 | 3.7 | 5.2 | 3.8 |
| | Not Married/Couple | 5.5 | 2.5 | 8.5 | 5.0 | 4.1 | 5.9 | 9.0 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever been told they had angina or coronary heart disease

| | | 2017-2019 County | | | 2019 State | | | 2016 County Measure |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 4.7 | 3.1 | 6.3 | 4.7 | 4.0 | 5.3 | 7.3 |
| SEX | Men | 6.0 | 3.4 | 8.5 | 5.8 | 4.6 | 7.0 | 7.2 |
| | Women | 3.5 | 1.6 | 5.5 | 3.6 | 3.0 | 4.2 | 7.5 |
| RACE/ETHNICITY | Non-Hisp. White | 4.9 | 3.0 | 6.7 | 5.9 | 5.2 | 6.6 | 7.3 |
| | Non-Hisp. Black | 1.6 | 0.0 | 3.8 | 3.9 | 2.3 | 5.5 | 9.6 |
| | Hispanic | 5.7 | 0.0 | 11.9 | 1.8 | 0.9 | 2.7 | 6.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 6.5 | 3.5 | 9.4 | 7.1 | 6.0 | 8.2 | 5.7 |
| | Non-Hisp. White Women | 3.4 | 1.1 | 5.7 | 4.8 | 3.9 | 5.6 | 8.7 |
| | Non-Hisp. Black Men | 0.0 | | | 3.8 | 1.4 | 6.2 | 9.5 |
| | Non-Hisp. Black Women | 3.7 | 0.0 | 8.7 | 4.0 | 1.9 | 6.1 | 9.7 |
| | Hispanic Men | 8.0 | 0.0 | 17.8 | 2.7 | 0.9 | 4.5 | 8.6 |
| | Hispanic Women | 1.8 | 0.0 | 4.1 | 1.0 | 0.4 | 1.7 | 4.3 |
| AGE GROUP | 18-44 | 1.4 | 0.0 | 2.9 | 0.4 | 0.2 | 0.6 | 1.4 |
| | 45-64 | 4.8 | 2.0 | 7.7 | 4.4 | 3.4 | 5.5 | 11.9 |
| | 65 & Older | 11.1 | 6.4 | 15.8 | 11.0 | 9.6 | 12.4 | 8.0 |
| EDUCATION LEVEL | <High School | 5.0 | 0.0 | 10.5 | 5.5 | 3.4 | 7.6 | 9.1 |
| | H.S. / GED | 5.0 | 1.7 | 8.2 | 5.1 | 4.0 | 6.1 | 8.3 |
| | >High School | 4.6 | 2.8 | 6.3 | 3.9 | 3.3 | 4.4 | 6.5 |
| ANNUAL INCOME | <\$25,000 | 4.6 | 1.4 | 7.8 | 6.2 | 4.9 | 7.5 | 13.0 |
| | \$25,000-\$49,999 | 4.1 | 1.3 | 6.9 | 4.5 | 3.3 | 5.8 | 4.6 |
| | \$50,000 or More | 5.1 | 2.2 | 8.0 | 3.5 | 2.8 | 4.3 | 5.3 |
| MARITAL STATUS | Married/Couple | 4.6 | 2.6 | 6.6 | 4.9 | 3.8 | 6.0 | 5.4 |
| | Not Married/Couple | 4.9 | 2.3 | 7.5 | 4.4 | 3.7 | 5.2 | 9.3 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever been told they had a stroke

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|-----|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 4.5 | 2.9 | 6.1 | 3.6 | 3.1 | 4.1 | 5.8 |
| SEX | Men | 4.9 | 2.6 | 7.2 | 3.7 | 2.9 | 4.4 | 4.2 |
| | Women | 4.2 | 2.0 | 6.4 | 3.5 | 2.9 | 4.2 | 7.3 |
| RACE/ETHNICITY | Non-Hisp. White | 4.2 | 2.5 | 5.8 | 4.1 | 3.6 | 4.7 | 8.6 |
| | Non-Hisp. Black | 3.2 | 0.0 | 6.8 | 4.7 | 3.0 | 6.4 | 5.3 |
| | Hispanic | 7.8 | 0.0 | 16.2 | 2.3 | 1.1 | 3.6 | 0.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 3.8 | 1.9 | 5.6 | 4.2 | 3.4 | 5.1 | 6.4 |
| | Non-Hisp. White Women | 4.5 | 1.8 | 7.2 | 4.0 | 3.3 | 4.8 | 10.7 |
| | Non-Hisp. Black Men | 4.0 | 0.0 | 10.0 | 4.3 | 1.6 | 6.9 | 4.7 |
| | Non-Hisp. Black Women | 2.3 | 0.0 | 5.2 | 5.1 | 2.8 | 7.3 | 6.1 |
| | Hispanic Men | 12.4 | 0.0 | 25.6 | 2.8 | 1.0 | 4.7 | 0.0 |
| | Hispanic Women | 0.5 | 0.0 | 1.2 | 1.9 | 0.2 | 3.6 | 0.0 |
| AGE GROUP | 18-44 | 1.4 | 0.2 | 2.7 | 0.5 | 0.3 | 0.7 | 0.3 |
| | 45-64 | 6.1 | 2.5 | 9.8 | 4.2 | 3.1 | 5.4 | 7.6 |
| | 65 & Older | 8.3 | 4.6 | 12.0 | 7.5 | 6.4 | 8.7 | 10.3 |
| EDUCATION LEVEL | <High School | 9.7 | 1.9 | 17.5 | 6.8 | 4.4 | 9.1 | 7.8 |
| | H.S. / GED | 3.0 | 0.9 | 5.0 | 3.9 | 2.9 | 4.9 | 7.0 |
| | >High School | 4.0 | 2.3 | 5.7 | 2.8 | 2.3 | 3.3 | 4.7 |
| ANNUAL INCOME | <\$25,000 | 6.2 | 2.2 | 10.1 | 6.1 | 4.6 | 7.5 | 11.6 |
| | \$25,000-\$49,999 | 1.9 | 0.5 | 3.3 | 4.0 | 2.9 | 5.2 | 3.7 |
| | \$50,000 or More | 4.8 | 1.7 | 8.0 | 2.2 | 1.5 | 2.8 | 1.9 |
| MARITAL STATUS | Married/Couple | 3.9 | 2.0 | 5.8 | 3.3 | 2.7 | 3.9 | 4.2 |
| | Not Married/Couple | 5.4 | 2.6 | 8.1 | 4.0 | 3.2 | 4.8 | 6.9 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever been told they had coronary heart disease, heart attack or stroke

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 10.3 | 8.0 | 12.6 | 9.5 | 8.6 | 10.4 | 13.0 |
| SEX | Men | 12.1 | 8.5 | 15.8 | 10.9 | 9.4 | 12.3 | 13.2 |
| | Women | 8.5 | 5.5 | 11.5 | 8.3 | 7.2 | 9.4 | 12.8 |
| RACE/ETHNICITY | Non-Hisp. White | 10.1 | 7.5 | 12.7 | 11.2 | 10.3 | 12.1 | 15.6 |
| | Non-Hisp. Black | 5.5 | 0.9 | 10.0 | 9.0 | 6.7 | 11.3 | 11.8 |
| | Hispanic | 17.1 | 5.6 | 28.6 | 6.2 | 4.2 | 8.3 | 8.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 11.9 | 8.1 | 15.8 | 12.8 | 11.4 | 14.2 | 14.2 |
| | Non-Hisp. White Women | 8.4 | 4.9 | 12.0 | 9.7 | 8.5 | 10.9 | 16.8 |
| | Non-Hisp. Black Men | 4.0 | 0.0 | 10.0 | 8.9 | 5.3 | 12.4 | 11.0 |
| | Non-Hisp. Black Women | 7.4 | 0.7 | 14.1 | 9.1 | 6.1 | 12.1 | 12.8 |
| | Hispanic Men | 19.7 | 3.1 | 36.4 | 7.0 | 4.2 | 9.9 | 12.4 |
| | Hispanic Women | 12.8 | 0.0 | 25.8 | 5.5 | 2.6 | 8.4 | 4.3 |
| AGE GROUP | 18-44 | 3.0 | 1.0 | 5.0 | 1.6 | 0.9 | 2.3 | 1.7 |
| | 45-64 | 11.8 | 7.2 | 16.3 | 10.2 | 8.4 | 11.9 | 18.8 |
| | 65 & Older | 22.5 | 16.3 | 28.7 | 20.5 | 18.7 | 22.3 | 18.9 |
| EDUCATION LEVEL | <High School | 16.9 | 6.6 | 27.2 | 14.5 | 11.2 | 17.8 | 20.8 |
| | H.S. / GED | 8.8 | 4.9 | 12.7 | 10.5 | 8.9 | 12.1 | 15.9 |
| | >High School | 9.4 | 6.9 | 11.9 | 7.6 | 6.8 | 8.4 | 9.8 |
| ANNUAL INCOME | <\$25,000 | 14.0 | 8.4 | 19.6 | 13.9 | 11.7 | 16.1 | 21.9 |
| | \$25,000-\$49,999 | 6.8 | 3.5 | 10.2 | 10.0 | 8.3 | 11.6 | 10.2 |
| | \$50,000 or More | 9.3 | 5.3 | 13.4 | 6.4 | 5.4 | 7.4 | 7.3 |
| MARITAL STATUS | Married/Couple | 9.4 | 6.6 | 12.3 | 9.3 | 8.0 | 10.6 | 10.9 |
| | Not Married/Couple | 11.6 | 7.6 | 15.5 | 9.8 | 8.6 | 11.1 | 14.8 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Chronic Obstructive Pulmonary Disease (COPD)

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema or chronic bronchitis

| | | 2017-2019 County Measure | | | 2019 State Measure | | | 2016 County Measure |
|------------------------------|-----------------------|--------------------------|--------|------|--------------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 10.6 | 7.9 | 13.3 | 7.7 | 7.0 | 8.3 | 7.8 |
| SEX | Men | 8.5 | 4.5 | 12.6 | 6.5 | 5.6 | 7.5 | 6.6 |
| | Women | 12.5 | 8.9 | 16.2 | 8.7 | 7.7 | 9.7 | 9.0 |
| RACE/ETHNICITY | Non-Hisp. White | 12.0 | 8.7 | 15.3 | 10.1 | 9.2 | 11.0 | 10.2 |
| | Non-Hisp. Black | 4.5 | 0.0 | 10.2 | 5.4 | 3.5 | 7.2 | 8.0 |
| | Hispanic | 5.2 | 0.0 | 11.1 | 4.5 | 2.9 | 6.2 | 0.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 9.8 | 4.7 | 14.8 | 8.8 | 7.5 | 10.0 | 8.4 |
| | Non-Hisp. White Women | 14.1 | 9.6 | 18.5 | 11.4 | 10.1 | 12.7 | 11.9 |
| | Non-Hisp. Black Men | 6.4 | 0.0 | 16.5 | 4.1 | 1.6 | 6.7 | 9.5 |
| | Non-Hisp. Black Women | 2.1 | 0.0 | 5.1 | 6.5 | 3.8 | 9.1 | 6.2 |
| | Hispanic Men | 6.8 | 0.0 | 15.9 | 3.9 | 1.4 | 6.3 | 0.0 |
| | Hispanic Women | 2.5 | 0.0 | 6.1 | 5.1 | 2.9 | 7.4 | 0.0 |
| AGE GROUP | 18-44 | 3.4 | 0.6 | 6.3 | 3.1 | 2.1 | 4.0 | 3.1 |
| | 45-64 | 16.6 | 10.8 | 22.3 | 8.9* | 7.5 | 10.3 | 8.9 |
| | 65 & Older | 15.8 | 10.0 | 21.6 | 13.5 | 12.0 | 14.9 | 12.3 |
| EDUCATION LEVEL | <High School | 18.5 | 7.4 | 29.6 | 9.4 | 7.1 | 11.8 | 12.2 |
| | H.S. / GED | 14.5 | 8.8 | 20.3 | 9.2 | 7.9 | 10.5 | 8.7 |
| | >High School | 6.4 | 4.0 | 8.7 | 6.5 | 5.6 | 7.4 | 6.3 |
| ANNUAL INCOME | <\$25,000 | 14.5 | 8.8 | 20.2 | 11.7 | 10.0 | 13.4 | 16.3 |
| | \$25,000-\$49,999 | 14.9 | 7.6 | 22.2 | 9.5 | 7.6 | 11.4 | 3.5^ |
| | \$50,000 or More | 3.6 | 1.0 | 6.3 | 4.6 | 3.6 | 5.6 | 2.4 |
| MARITAL STATUS | Married/Couple | 8.6 | 5.3 | 11.9 | 6.5 | 5.6 | 7.3 | 5.7 |
| | Not Married/Couple | 13.3 | 8.7 | 17.9 | 9.0 | 7.8 | 10.1 | 9.5 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Depression

Percentage of adults who have ever been told they had a depressive disorder

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 20.0 | 16.6 | 23.4 | 17.7 | 16.4 | 18.9 | 13.2 [^] |
| SEX | Men | 14.5 | 10.2 | 18.9 | 13.1 | 11.4 | 14.8 | 12.0 |
| | Women | 25.4 | 20.4 | 30.5 | 21.9 | 20.1 | 23.8 | 14.4 [^] |
| RACE/ETHNICITY | Non-Hisp. White | 20.9 | 16.9 | 24.9 | 20.0 | 18.6 | 21.4 | 16.0 |
| | Non-Hisp. Black | 10.1 | 3.1 | 17.2 | 11.9 | 9.1 | 14.8 | 9.3 |
| | Hispanic | 18.4 | 9.0 | 27.9 | 14.8 | 11.8 | 17.8 | 7.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 14.4 | 9.3 | 19.5 | 14.5 | 12.7 | 16.3 | 12.8 |
| | Non-Hisp. White Women | 27.0 | 21.1 | 33.0 | 25.2 | 23.2 | 27.2 | 18.8 |
| | Non-Hisp. Black Men | 9.3 | 0.0 | 19.7 | 12.1 | 7.5 | 16.8 | 10.8 |
| | Non-Hisp. Black Women | 11.2 | 2.4 | 20.0 | 11.8 | 8.3 | 15.2 | 7.3 |
| | Hispanic Men | 20.5 | 6.8 | 34.3 | 9.9 | 6.5 | 13.3 | 8.6 |
| | Hispanic Women | 15.0 | 4.9 | 25.1 | 19.3 | 14.5 | 24.1 | 6.5 |
| AGE GROUP | 18-44 | 19.7 | 13.8 | 25.6 | 17.5 | 15.5 | 19.5 | 10.9 |
| | 45-64 | 23.9 | 18.1 | 29.7 | 20.4 | 18.0 | 22.8 | 15.4 |
| | 65 & Older | 15.3 | 10.4 | 20.2 | 14.5 | 12.8 | 16.2 | 12.7 |
| EDUCATION LEVEL | <High School | 23.5 | 11.4 | 35.7 | 22.9 | 18.7 | 27.1 | 12.7 |
| | H.S. / GED | 18.9 | 13.0 | 24.9 | 16.1 | 14.0 | 18.3 | 11.2 |
| | >High School | 19.8 | 15.7 | 23.9 | 17.1 | 15.6 | 18.6 | 14.4 |
| ANNUAL INCOME | <\$25,000 | 33.2 | 25.2 | 41.3 | 25.5 | 22.5 | 28.4 | 21.1 |
| | \$25,000-\$49,999 | 19.3 | 12.9 | 25.7 | 19.2 | 16.4 | 22.0 | 7.0 [^] |
| | \$50,000 or More | 15.9 | 10.4 | 21.5 | 12.9 | 11.2 | 14.5 | 8.3 |
| MARITAL STATUS | Married/Couple | 17.3 | 12.9 | 21.6 | 13.9 | 12.3 | 15.5 | 11.2 |
| | Not Married/Couple | 24.0 | 18.5 | 29.6 | 22.2 | 20.2 | 24.2 | 14.5 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

[^] Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults that have had a test for high blood sugar or diabetes with in the past 3 years

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 58.8 | 53.4 | 64.1 | 58.0 | 56.1 | 59.9 | 57.1 |
| SEX | Men | 56.3 | 48.2 | 64.5 | 55.8 | 53.0 | 58.6 | 55.2 |
| | Women | 61.2 | 54.3 | 68.1 | 59.8 | 57.2 | 62.4 | 58.9 |
| RACE/ETHNICITY | Non-Hisp. White | 61.3 | 55.6 | 67.0 | 61.2 | 59.3 | 63.1 | 57.9 |
| | Non-Hisp. Black | 53.3 | 31.6 | 75.1 | 52.7 | 47.0 | 58.5 | 52.8 |
| | Hispanic | 58.7 | 42.4 | 75.0 | 56.2 | 51.3 | 61.2 | 62.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 61.8 | 53.4 | 70.2 | 59.9 | 57.0 | 62.8 | 58.7 |
| | Non-Hisp. White Women | 60.8 | 53.1 | 68.6 | 62.3 | 59.8 | 64.9 | 57.1 |
| | Non-Hisp. Black Men | 36.6 | 9.9 | 63.2 | 47.5 | 39.0 | 55.9 | |
| | Non-Hisp. Black Women | 76.1 | 55.1 | 97.0 | 57.2 | 49.4 | 64.9 | |
| | Hispanic Men | 52.9 | 31.1 | 74.7 | 53.3 | 46.2 | 60.4 | 54.7 |
| | Hispanic Women | 67.4 | 44.4 | 90.5 | 58.7 | 51.9 | 65.6 | 70.6 |
| AGE GROUP | 18-44 | 45.6 | 36.9 | 54.2 | 43.6 | 40.5 | 46.7 | 40.7 |
| | 45-64 | 68.8 | 61.1 | 76.4 | 67.2 | 64.0 | 70.4 | 62.8 |
| | 65 & Older | 73.0 | 65.4 | 80.6 | 71.9 | 69.2 | 74.7 | 73.8 |
| EDUCATION LEVEL | <High School | 46.0 | 27.6 | 64.4 | 51.8 | 46.0 | 57.7 | 46.9 |
| | H.S. / GED | 51.5 | 42.0 | 61.0 | 54.7 | 51.0 | 58.3 | 53.4 |
| | >High School | 65.9 | 59.7 | 72.0 | 61.2 | 58.9 | 63.6 | 61.6 |
| ANNUAL INCOME | <\$25,000 | 56.3 | 46.3 | 66.4 | 52.6 | 48.4 | 56.7 | 50.5 |
| | \$25,000-\$49,999 | 66.8 | 57.3 | 76.2 | 54.3 | 50.2 | 58.4 | 64.3 |
| | \$50,000 or More | 64.1 | 55.3 | 72.8 | 64.2 | 61.2 | 67.2 | 58.3 |
| MARITAL STATUS | Married/Couple | 65.6 | 59.2 | 72.0 | 64.8 | 62.4 | 67.3 | 64.5 |
| | Not Married/Couple | 50.2 | 41.7 | 58.7 | 50.7 | 47.8 | 53.6 | 51.6 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults who have ever been told they had pre-diabetes

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 8.7 | 6.3 | 11.2 | 9.1 | 8.2 | 10.1 | 7.5 |
| SEX | Men | 9.6 | 5.7 | 13.4 | 8.9 | 7.5 | 10.3 | 6.4 |
| | Women | 7.9 | 4.9 | 10.9 | 9.4 | 8.1 | 10.6 | 8.5 |
| RACE/ETHNICITY | Non-Hisp. White | 9.6 | 6.7 | 12.5 | 10.0 | 8.9 | 11.0 | 8.3 |
| | Non-Hisp. Black | 10.4 | 0.7 | 20.2 | 8.7 | 5.9 | 11.5 | 8.0 |
| | Hispanic | 3.1 | 0.0 | 6.6 | 7.9 | 5.6 | 10.3 | 5.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 10.0 | 5.6 | 14.5 | 10.0 | 8.5 | 11.5 | 9.5 |
| | Non-Hisp. White Women | 9.2 | 5.4 | 13.0 | 9.9 | 8.5 | 11.3 | 7.3 |
| | Non-Hisp. Black Men | 15.5 | 0.0 | 32.3 | 6.3 | 2.1 | 10.5 | 3.8 |
| | Non-Hisp. Black Women | 3.3 | 0.0 | 7.2 | 10.7 | 6.9 | 14.5 | 13.3 |
| | Hispanic Men | 2.3 | 0.0 | 6.7 | 7.8 | 4.1 | 11.6 | 0.0 |
| | Hispanic Women | 4.5 | 0.0 | 10.3 | 8.0 | 5.0 | 11.0 | 11.2 |
| AGE GROUP | 18-44 | 4.5 | 1.7 | 7.3 | 4.7 | 3.4 | 6.0 | 3.6 |
| | 45-64 | 12.4 | 7.2 | 17.7 | 12.2 | 10.2 | 14.2 | 7.6 |
| | 65 & Older | 11.5 | 6.6 | 16.4 | 11.8 | 10.3 | 13.4 | 12.1 |
| EDUCATION LEVEL | <High School | 8.2 | 1.3 | 15.2 | 7.7 | 5.3 | 10.1 | 5.9 |
| | H.S. / GED | 8.0 | 3.7 | 12.2 | 9.4 | 7.7 | 11.1 | 7.7 |
| | >High School | 9.4 | 6.1 | 12.7 | 9.4 | 8.2 | 10.7 | 7.8 |
| ANNUAL INCOME | <\$25,000 | 9.4 | 4.1 | 14.7 | 9.8 | 8.0 | 11.6 | 9.6 |
| | \$25,000-\$49,999 | 9.4 | 4.4 | 14.4 | 11.0 | 8.9 | 13.0 | 8.9 |
| | \$50,000 or More | 9.0 | 4.4 | 13.7 | 9.6 | 7.8 | 11.5 | 4.7 |
| MARITAL STATUS | Married/Couple | 11.3 | 7.7 | 14.9 | 9.9 | 8.7 | 11.2 | 6.9 |
| | Not Married/Couple | 5.5 | 2.4 | 8.6 | 8.4 | 7.0 | 9.8 | 8.1 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults who have ever been told they had diabetes

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 11.6 | 9.1 | 14.1 | 11.7 | 10.8 | 12.6 | 14.1 |
| SEX | Men | 13.0 | 8.9 | 17.0 | 12.7 | 11.3 | 14.2 | 16.3 |
| | Women | 10.3 | 7.2 | 13.4 | 10.7 | 9.6 | 11.9 | 11.9 |
| RACE/ETHNICITY | Non-Hisp. White | 11.2 | 8.3 | 14.1 | 11.5 | 10.5 | 12.4 | 12.7 |
| | Non-Hisp. Black | 10.4 | 3.7 | 17.0 | 16.0 | 12.8 | 19.1 | 21.7 |
| | Hispanic | 18.9 | 7.4 | 30.5 | 10.6 | 8.2 | 13.1 | 12.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 11.7 | 7.2 | 16.2 | 13.1 | 11.7 | 14.6 | 11.9 |
| | Non-Hisp. White Women | 10.8 | 7.0 | 14.6 | 9.9 | 8.7 | 11.1 | 13.3 |
| | Non-Hisp. Black Men | 11.6 | 0.9 | 22.4 | 15.9 | 10.9 | 20.9 | 25.8 |
| | Non-Hisp. Black Women | 8.8 | 1.7 | 15.8 | 16.0 | 12.1 | 20.0 | 16.7 |
| | Hispanic Men | 23.7 | 7.1 | 40.2 | 11.7 | 7.8 | 15.7 | 19.1 |
| | Hispanic Women | 11.1 | 0.0 | 23.9 | 9.6 | 6.6 | 12.6 | 4.3 |
| AGE GROUP | 18-44 | 3.7 | 1.1 | 6.3 | 2.3 | 1.6 | 2.9 | 1.7 |
| | 45-64 | 14.6 | 9.5 | 19.8 | 14.1 | 12.1 | 16.2 | 17.9 |
| | 65 & Older | 21.4 | 15.8 | 27.1 | 23.5 | 21.5 | 25.6 | 24.9 |
| EDUCATION LEVEL | <High School | 20.5 | 9.9 | 31.1 | 20.3 | 16.4 | 24.2 | 18.1 |
| | H.S. / GED | 11.5 | 6.7 | 16.3 | 12.4 | 10.7 | 14.2 | 17.2 |
| | >High School | 9.4 | 6.8 | 11.9 | 9.5 | 8.5 | 10.5 | 11.8 |
| ANNUAL INCOME | <\$25,000 | 17.1 | 11.4 | 22.8 | 16.1 | 13.8 | 18.4 | 20.2 |
| | \$25,000-\$49,999 | 8.6 | 4.1 | 13.2 | 12.7 | 10.3 | 15.1 | 10.6 |
| | \$50,000 or More | 9.5 | 5.1 | 13.8 | 7.9 | 6.8 | 9.1 | 12.1 |
| MARITAL STATUS | Married/Couple | 12.0 | 8.5 | 15.5 | 12.0 | 10.7 | 13.3 | 16.7 |
| | Not Married/Couple | 11.3 | 7.6 | 15.0 | 11.4 | 10.1 | 12.7 | 11.5 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 47.0 | 42.6 | 51.4 | 49.9 | 48.7 | 51.2 | 51.0 |
| SEX | Men | 46.4 | 41.2 | 51.6 | 50.8 | 49.2 | 52.4 | 49.1 |
| | Women | 47.7 | 39.4 | 55.9 | 48.9 | 46.9 | 50.9 | 54.3 |
| RACE/ETHNICITY | Non-Hisp. White | 48.8 | 43.3 | 54.3 | 51.3 | 50.1 | 52.6 | 53.3 |
| | Non-Hisp. Black | | | | 47.5 | 43.4 | 51.7 | |
| | Hispanic | | | | 49.0 | 46.0 | 51.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 49.7 | 44.1 | 55.3 | 52.0 | 50.3 | 53.7 | |
| | Non-Hisp. White Women | 48.0 | 38.2 | 57.7 | 50.5 | 48.8 | 52.2 | |
| | Non-Hisp. Black Men | | | | 50.9 | 46.5 | 55.3 | |
| | Non-Hisp. Black Women | | | | 44.9 | 42.4 | 47.4 | |
| | Hispanic Men | | | | 48.1 | 45.3 | 50.9 | |
| | Hispanic Women | | | | 50.1 | 44.1 | 56.1 | |
| AGE GROUP | 18-44 | | | | 27.4 | 25.3 | 29.4 | |
| | 45-64 | 42.6 | 38.8 | 46.3 | 45.2 | 43.4 | 46.9 | 45.6 |
| | 65 & Older | 59.4 | 56.3 | 62.5 | 57.4 | 56.1 | 58.8 | 60.9 |
| EDUCATION LEVEL | <High School | | | | 49.5 | 46.1 | 52.9 | |
| | H.S. / GED | 40.3 | 31.7 | 48.9 | 50.3 | 47.7 | 52.9 | |
| | >High School | 51.8 | 48.4 | 55.2 | 49.8 | 48.4 | 51.1 | 51.1 |
| ANNUAL INCOME | <\$25,000 | 48.1 | 41.4 | 54.7 | 48.8 | 46.7 | 50.9 | 49.5 |
| | \$25,000-\$49,999 | | | | 52.8 | 50.9 | 54.6 | |
| | \$50,000 or More | 47.2 | 37.5 | 56.8 | 48.3 | 45.6 | 51.1 | |
| MARITAL STATUS | Married/Couple | 45.2 | 39.0 | 51.3 | 50.7 | 49.1 | 52.3 | 50.8 |
| | Not Married/Couple | 49.7 | 43.3 | 56.0 | 48.9 | 46.9 | 50.8 | 52.2 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who ever had diabetes self-management education

| | | 2017-2019 County | | | 2019 State | | | 2016 County Measure |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 51.7 | 38.2 | 65.2 | 66.3 | 59.6 | 73.1 | 51.9 |
| SEX | Men | 47.4 | 28.2 | 66.6 | 65.9 | 56.7 | 75.1 | 50.8 |
| | Women | 55.8 | 38.5 | 73.1 | 66.7 | 57.0 | 76.4 | 53.4 |
| RACE/ETHNICITY | Non-Hisp. White | 52.5 | 37.2 | 67.9 | 65.9 | 57.8 | 74.1 | 49.8 |
| | Non-Hisp. Black | | | | 62.6 | 46.8 | 78.5 | |
| | Hispanic | | | | 68.3 | 48.5 | 88.1 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 49.1 | 24.7 | 73.5 | 59.6 | 47.8 | 71.4 | |
| | Non-Hisp. White Women | 55.0 | 35.4 | 74.6 | 73.5 | 63.9 | 83.1 | 48.7 |
| | Non-Hisp. Black Men | | | | 73.8 | 54.9 | 92.8 | |
| | Non-Hisp. Black Women | | | | 56.9 | 37.6 | 76.3 | |
| | Hispanic Men | | | | | | | |
| | Hispanic Women | | | | 56.5 | 29.3 | 83.6 | |
| AGE GROUP | 18-44 | | | | 68.4 | 42.7 | 94.1 | |
| | 45-64 | 59.2 | 35.8 | 82.6 | 64.1 | 51.0 | 77.2 | 61.3 |
| | 65 & Older | 51.8 | 34.8 | 68.9 | 66.9 | 58.7 | 75.1 | 42.0 |
| EDUCATION LEVEL | <High School | | | | 41.5 | 22.6 | 60.4 | |
| | H.S. / GED | 42.0 | 18.2 | 65.8 | 68.3 | 58.0 | 78.6 | |
| | >High School | 70.0 | 54.2 | 85.7 | 76.9 | 69.1 | 84.8 | 69.0 |
| ANNUAL INCOME | <\$25,000 | 52.8 | 32.1 | 73.6 | 61.0 | 49.6 | 72.3 | 43.1 |
| | \$25,000-\$49,999 | | | | 74.9 | 63.9 | 85.8 | |
| | \$50,000 or More | | | | 82.9 | 75.6 | 90.2 | |
| MARITAL STATUS | Married/Couple | 60.6 | 43.1 | 78.1 | 69.9 | 61.0 | 78.7 | 57.3 |
| | Not Married/Couple | 40.3 | 22.8 | 57.8 | 62.7 | 52.7 | 72.7 | 46.5 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Disability | | | | | | | | | |
|--|-----------------------|-------------------------|---------------|------|-------------------|---------------|------|--------------------|--|
| Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 5.4 | 3.5 | 7.3 | 5.3 | 4.7 | 5.9 | 7.4 | |
| SEX | Men | 5.5 | 2.5 | 8.5 | 4.9 | 4.0 | 5.9 | 7.7 | |
| | Women | 5.2 | 2.9 | 7.6 | 5.7 | 4.8 | 6.5 | 7.1 | |
| RACE/ETHNICITY | Non-Hisp. White | 4.2 | 2.4 | 6.0 | 4.5 | 3.9 | 5.1 | 6.4 | |
| | Non-Hisp. Black | 7.1 | 1.2 | 13.1 | 8.1 | 5.7 | 10.4 | 18.6 | |
| | Hispanic | 7.4 | 0.0 | 18.1 | 5.3 | 3.6 | 6.9 | 2.8 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 3.4 | 0.7 | 6.1 | 4.4 | 3.5 | 5.3 | 3.7 | |
| | Non-Hisp. White Women | 4.9 | 2.4 | 7.5 | 4.6 | 3.8 | 5.5 | 8.9 | |
| | Non-Hisp. Black Men | 9.1 | 0.0 | 19.0 | 5.2 | 2.6 | 7.8 | 24.6 | |
| | Non-Hisp. Black Women | 4.6 | 0.0 | 10.1 | 10.7 | 6.8 | 14.5 | 10.4 | |
| | Hispanic Men | 11.2 | 0.0 | 27.8 | 6.3 | 3.4 | 9.3 | 5.3 | |
| | Hispanic Women | 1.2 | 0.0 | 3.7 | 4.3 | 2.7 | 5.8 | 0.0 | |
| AGE GROUP | 18-44 | 4.7 | 1.7 | 7.8 | 3.0 | 2.2 | 3.9 | 2.6 | |
| | 45-64 | 6.4 | 2.9 | 9.9 | 6.4 | 5.1 | 7.7 | 9.9 | |
| | 65 & Older | 4.7 | 1.8 | 7.6 | 7.5 | 6.3 | 8.8 | 10.0 | |
| EDUCATION LEVEL | <High School | 5.5 | 0.0 | 11.1 | 12.2 | 9.0 | 15.3 | 5.6 | |
| | H.S. / GED | 8.7 | 4.0 | 13.4 | 6.0 | 4.8 | 7.1 | 12.6 | |
| | >High School | 3.5 | 1.8 | 5.3 | 3.4 | 2.8 | 4.1 | 5.2 | |
| ANNUAL INCOME | <\$25,000 | 5.6 | 2.3 | 8.8 | 10.6 | 8.6 | 12.7 | 14.2 | |
| | \$25,000-\$49,999 | 5.0 | 1.4 | 8.5 | 4.0 | 3.0 | 4.9 | 4.7 | |
| | \$50,000 or More | 5.2 | 1.1 | 9.4 | 2.2 | 1.5 | 2.8 | 1.5 | |
| MARITAL STATUS | Married/Couple | 5.1 | 2.7 | 7.6 | 4.1 | 3.3 | 4.9 | 4.3 | |
| | Not Married/Couple | 5.3 | 2.4 | 8.2 | 6.7 | 5.6 | 7.7 | 9.9 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are deaf or have serious difficulty hearing

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 9.1 | 6.7 | 11.5 | 6.6 | 5.9 | 7.2 | 6.6 |
| SEX | Men | 11.4 | 7.5 | 15.3 | 8.7 | 7.6 | 9.7 | 6.5 |
| | Women | 6.9 | 4.1 | 9.6 | 4.6 | 3.9 | 5.4 | 6.7 |
| RACE/ETHNICITY | Non-Hisp. White | 10.3 | 7.4 | 13.2 | 8.4 | 7.5 | 9.2 | 7.4 |
| | Non-Hisp. Black | 2.0 | 0.0 | 4.3 | 4.1 | 2.4 | 5.8 | 7.8 |
| | Hispanic | 5.6 | 0.5 | 10.8 | 4.0 | 2.5 | 5.6 | 4.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 13.8 | 8.9 | 18.8 | 11.1 | 9.7 | 12.4 | 8.4 |
| | Non-Hisp. White Women | 7.1 | 3.8 | 10.3 | 5.8 | 4.9 | 6.7 | 6.4 |
| | Non-Hisp. Black Men | 1.4 | 0.0 | 4.2 | 5.4 | 2.5 | 8.2 | 5.1 |
| | Non-Hisp. Black Women | 2.8 | 0.0 | 6.6 | 3.0 | 1.1 | 4.8 | 11.6 |
| | Hispanic Men | 2.1 | 0.0 | 6.2 | 5.3 | 2.7 | 7.9 | 3.7 |
| | Hispanic Women | 11.3 | 0.0 | 23.0 | 2.8 | 1.1 | 4.6 | 4.3 |
| AGE GROUP | 18-44 | 4.5 | 1.7 | 7.3 | 2.8 | 1.8 | 3.7 | 1.0 |
| | 45-64 | 7.4 | 3.5 | 11.3 | 4.7 | 3.8 | 5.6 | 7.5 |
| | 65 & Older | 20.6 | 14.2 | 27.0 | 14.8 | 13.2 | 16.3 | 13.0 |
| EDUCATION LEVEL | <High School | 15.3 | 5.7 | 24.9 | 8.9 | 6.5 | 11.2 | 1.8 [^] |
| | H.S. / GED | 6.0 | 2.5 | 9.4 | 7.6 | 6.3 | 8.9 | 6.6 |
| | >High School | 9.3 | 6.3 | 12.2 | 5.7 | 4.9 | 6.4 | 7.8 |
| ANNUAL INCOME | <\$25,000 | 13.1 | 7.4 | 18.7 | 7.3 | 5.8 | 8.7 | 10.4 |
| | \$25,000-\$49,999 | 10.3 | 5.2 | 15.5 | 7.3 | 5.9 | 8.6 | 3.5 |
| | \$50,000 or More | 5.8 | 2.5 | 9.2 | 4.8 | 3.9 | 5.7 | 3.2 |
| MARITAL STATUS | Married/Couple | 9.4 | 6.2 | 12.6 | 6.8 | 5.9 | 7.8 | 5.6 |
| | Not Married/Couple | 8.9 | 5.3 | 12.4 | 6.4 | 5.5 | 7.3 | 7.6 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
[^] Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults that have serious difficulty concentrating, remembering or making decisions due to a physical, mental or emotional condition

| | | 2017-2019 County Measure | | | 2019 State Measure | | | 2016 County Measure |
|------------------------------|-----------------------|--------------------------|--------|------|--------------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 14.2 | 11.1 | 17.2 | 12.9 | 11.8 | 14.0 | 14.4 |
| SEX | Men | 12.1 | 7.9 | 16.2 | 10.8 | 9.3 | 12.3 | 14.8 |
| | Women | 16.2 | 11.7 | 20.7 | 15.0 | 13.3 | 16.6 | 14.1 |
| RACE/ETHNICITY | Non-Hisp. White | 14.5 | 10.8 | 18.2 | 12.6 | 11.5 | 13.8 | 16.0 |
| | Non-Hisp. Black | 12.4 | 4.4 | 20.4 | 11.4 | 8.4 | 14.3 | 13.3 |
| | Hispanic | 10.2 | 3.7 | 16.7 | 14.6 | 11.5 | 17.8 | 8.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 13.3 | 8.0 | 18.5 | 10.4 | 8.9 | 11.9 | 15.2 |
| | Non-Hisp. White Women | 15.6 | 10.5 | 20.8 | 14.7 | 13.0 | 16.5 | 16.7 |
| | Non-Hisp. Black Men | 10.4 | 0.0 | 20.9 | 10.2 | 5.8 | 14.6 | 19.3 |
| | Non-Hisp. Black Women | 14.9 | 3.2 | 26.7 | 12.4 | 8.5 | 16.3 | 4.9 |
| | Hispanic Men | 12.6 | 2.9 | 22.2 | 12.4 | 8.4 | 16.5 | 7.9 |
| | Hispanic Women | 6.3 | 0.0 | 12.9 | 16.7 | 12.0 | 21.4 | 8.6 |
| AGE GROUP | 18-44 | 14.8 | 9.4 | 20.2 | 13.3 | 11.4 | 15.3 | 12.1 |
| | 45-64 | 16.3 | 11.0 | 21.5 | 14.5 | 12.4 | 16.6 | 14.7 |
| | 65 & Older | 10.1 | 5.8 | 14.4 | 11.0 | 9.5 | 12.6 | 17.4 |
| EDUCATION LEVEL | <High School | 19.8 | 8.3 | 31.3 | 21.0 | 17.3 | 24.8 | 23.1 |
| | H.S. / GED | 13.9 | 8.6 | 19.3 | 15.9 | 13.5 | 18.3 | 18.1 |
| | >High School | 12.9 | 9.1 | 16.6 | 9.8 | 8.5 | 11.0 | 10.5 |
| ANNUAL INCOME | <\$25,000 | 22.7 | 15.6 | 29.8 | 20.5 | 17.8 | 23.2 | 26.5 |
| | \$25,000-\$49,999 | 15.0 | 8.5 | 21.5 | 14.6 | 11.9 | 17.3 | 8.2 |
| | \$50,000 or More | 8.7 | 3.7 | 13.6 | 6.1 | 4.9 | 7.3 | 6.2 |
| MARITAL STATUS | Married/Couple | 13.0 | 8.9 | 17.2 | 9.4 | 8.1 | 10.7 | 11.4 |
| | Not Married/Couple | 15.9 | 11.2 | 20.6 | 17.0 | 15.1 | 18.8 | 17.6 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults that have serious difficulty walking or climbing stairs

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 19.2 | 15.9 | 22.5 | 16.2 | 15.1 | 17.4 | 19.7 |
| SEX | Men | 15.5 | 10.9 | 20.1 | 13.5 | 12.0 | 15.0 | 16.7 |
| | Women | 22.8 | 18.0 | 27.6 | 18.8 | 17.1 | 20.5 | 22.7 |
| RACE/ETHNICITY | Non-Hisp. White | 19.5 | 15.6 | 23.3 | 17.0 | 15.8 | 18.2 | 20.7 |
| | Non-Hisp. Black | 14.1 | 5.2 | 23.1 | 17.8 | 14.2 | 21.4 | 32.9 |
| | Hispanic | 15.3 | 7.0 | 23.7 | 14.5 | 11.4 | 17.5 | 7.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 16.5 | 11.2 | 21.8 | 14.5 | 12.9 | 16.1 | 13.0 |
| | Non-Hisp. White Women | 22.2 | 16.7 | 27.7 | 19.4 | 17.7 | 21.1 | 27.8 |
| | Non-Hisp. Black Men | 9.8 | 0.0 | 21.3 | 13.9 | 8.6 | 19.3 | 39.6 |
| | Non-Hisp. Black Women | 19.8 | 6.8 | 32.9 | 21.2 | 16.2 | 26.2 | 23.7 |
| | Hispanic Men | 6.7 | 0.3 | 13.2 | 12.3 | 8.3 | 16.3 | 9.3 |
| | Hispanic Women | 29.0 | 11.1 | 46.9 | 16.5 | 11.9 | 21.0 | 4.3 |
| AGE GROUP | 18-44 | 10.7 | 6.1 | 15.2 | 5.3 | 3.9 | 6.7 | 8.6 |
| | 45-64 | 24.4 | 18.2 | 30.7 | 19.9 | 17.7 | 22.1 | 25.3 |
| | 65 & Older | 28.0 | 21.4 | 34.7 | 29.1 | 26.7 | 31.4 | 26.3 |
| EDUCATION LEVEL | <High School | 30.4 | 17.1 | 43.7 | 30.0 | 25.4 | 34.7 | 25.7 |
| | H.S. / GED | 18.7 | 12.5 | 24.9 | 17.8 | 15.6 | 19.9 | 23.9 |
| | >High School | 16.5 | 12.8 | 20.3 | 12.6 | 11.3 | 13.8 | 16.2 |
| ANNUAL INCOME | <\$25,000 | 34.0 | 26.3 | 41.7 | 28.0 | 24.9 | 31.1 | 32.1 |
| | \$25,000-\$49,999 | 15.8 | 9.8 | 21.8 | 15.8 | 13.6 | 18.1 | 13.9 |
| | \$50,000 or More | 11.8 | 6.4 | 17.3 | 7.8 | 6.7 | 9.0 | 7.8 |
| MARITAL STATUS | Married/Couple | 15.3 | 11.1 | 19.4 | 13.7 | 12.3 | 15.2 | 15.5 |
| | Not Married/Couple | 24.6 | 18.9 | 30.2 | 19.3 | 17.5 | 21.1 | 23.1 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults that have difficulty dressing or bathing

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 6.2 | 4.1 | 8.3 | 4.0 | 3.4 | 4.5 | 8.0 |
| SEX | Men | 4.9 | 2.3 | 7.4 | 3.9 | 3.0 | 4.7 | 8.3 |
| | Women | 7.5 | 4.3 | 10.7 | 4.1 | 3.3 | 4.8 | 7.8 |
| RACE/ETHNICITY | Non-Hisp. White | 6.0 | 3.7 | 8.3 | 3.8 | 3.2 | 4.4 | 6.0 |
| | Non-Hisp. Black | 10.9 | 1.7 | 20.1 | 3.7 | 2.4 | 5.0 | 15.2 |
| | Hispanic | 4.0 | 0.0 | 8.7 | 4.1 | 2.6 | 5.7 | 7.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 5.6 | 2.3 | 9.0 | 3.5 | 2.7 | 4.3 | 3.3 |
| | Non-Hisp. White Women | 6.3 | 3.1 | 9.5 | 4.1 | 3.2 | 5.1 | 8.5 |
| | Non-Hisp. Black Men | 3.2 | 0.0 | 7.1 | 3.1 | 1.4 | 4.8 | 18.8 |
| | Non-Hisp. Black Women | 20.9 | 2.7 | 39.1 | 4.2 | 2.3 | 6.1 | 10.4 |
| | Hispanic Men | 3.7 | 0.0 | 10.8 | 5.2 | 2.5 | 7.9 | 9.6 |
| | Hispanic Women | 4.4 | 0.0 | 9.3 | 3.1 | 1.6 | 4.7 | 4.3 |
| AGE GROUP | 18-44 | 3.3 | 0.4 | 6.2 | 1.5 | 0.9 | 2.1 | 4.4 |
| | 45-64 | 10.6 | 6.3 | 15.0 | 5.9 | 4.7 | 7.1 | 10.0 |
| | 65 & Older | 5.5 | 2.6 | 8.5 | 5.6 | 4.5 | 6.8 | 10.0 |
| EDUCATION LEVEL | <High School | 10.3 | 1.7 | 18.8 | 9.1 | 6.5 | 11.6 | 14.2 |
| | H.S. / GED | 7.7 | 3.4 | 11.9 | 4.1 | 3.0 | 5.1 | 9.1 |
| | >High School | 4.4 | 2.5 | 6.3 | 2.8 | 2.2 | 3.4 | 6.0 |
| ANNUAL INCOME | <\$25,000 | 12.2 | 6.9 | 17.6 | 7.4 | 5.8 | 8.9 | 12.7 |
| | \$25,000-\$49,999 | 3.4 | 0.3 | 6.5 | 2.7 | 1.9 | 3.6 | 7.5 |
| | \$50,000 or More | 3.3 | 0.1 | 6.5 | 1.7 | 1.1 | 2.3 | 4.2 |
| MARITAL STATUS | Married/Couple | 5.2 | 2.6 | 7.9 | 3.5 | 2.7 | 4.3 | 5.3 |
| | Not Married/Couple | 7.6 | 4.3 | 10.9 | 4.5 | 3.7 | 5.3 | 10.2 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults that have difficulty doing errands alone such as visiting a doctor's office or shopping

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 10.1 | 7.4 | 12.8 | 7.6 | 6.8 | 8.4 | 10.0 |
| SEX | Men | 6.4 | 3.5 | 9.2 | 6.2 | 5.0 | 7.3 | 7.1 |
| | Women | 13.8 | 9.4 | 18.2 | 9.0 | 7.8 | 10.1 | 13.0 |
| RACE/ETHNICITY | Non-Hisp. White | 11.0 | 7.7 | 14.3 | 8.2 | 7.3 | 9.2 | 9.9 |
| | Non-Hisp. Black | 5.1 | 1.2 | 9.1 | 7.5 | 4.9 | 10.1 | 18.1 |
| | Hispanic | 6.2 | 0.9 | 11.6 | 6.3 | 4.4 | 8.2 | 5.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 7.2 | 3.5 | 10.9 | 6.5 | 5.3 | 7.8 | 4.6 |
| | Non-Hisp. White Women | 14.5 | 9.3 | 19.8 | 9.8 | 8.4 | 11.2 | 14.7 |
| | Non-Hisp. Black Men | 2.0 | 0.0 | 5.0 | 6.8 | 2.8 | 10.7 | 18.8 |
| | Non-Hisp. Black Women | 9.3 | 1.5 | 17.1 | 8.2 | 4.8 | 11.6 | 17.1 |
| | Hispanic Men | 6.9 | 0.0 | 14.9 | 5.7 | 2.8 | 8.6 | 4.0 |
| | Hispanic Women | 5.2 | 0.0 | 10.6 | 6.8 | 4.4 | 9.3 | 6.5 |
| AGE GROUP | 18-44 | 8.2 | 3.7 | 12.8 | 5.3 | 4.1 | 6.6 | 5.7 |
| | 45-64 | 12.7 | 8.1 | 17.2 | 8.1 | 6.8 | 9.5 | 12.5 |
| | 65 & Older | 9.8 | 5.5 | 14.0 | 10.8 | 9.1 | 12.5 | 12.0 |
| EDUCATION LEVEL | <High School | 19.8 | 7.5 | 32.1 | 15.2 | 11.8 | 18.6 | 11.2 |
| | H.S. / GED | 7.7 | 4.1 | 11.3 | 8.6 | 7.0 | 10.3 | 11.9 |
| | >High School | 8.9 | 5.9 | 11.8 | 5.5 | 4.7 | 6.4 | 8.8 |
| ANNUAL INCOME | <\$25,000 | 17.9 | 10.9 | 25.0 | 12.8 | 10.7 | 14.8 | 19.7 |
| | \$25,000-\$49,999 | 11.1 | 5.6 | 16.5 | 7.5 | 5.6 | 9.5 | 6.0 |
| | \$50,000 or More | 3.8 | 1.1 | 6.4 | 3.2 | 2.4 | 4.0 | 3.2 |
| MARITAL STATUS | Married/Couple | 9.2 | 5.5 | 12.9 | 6.4 | 5.3 | 7.4 | 8.7 |
| | Not Married/Couple | 11.5 | 7.5 | 15.4 | 9.1 | 7.8 | 10.3 | 10.9 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who have any disability

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 33.4 | 29.2 | 37.6 | 31.0 | 29.5 | 32.5 | 31.4 |
| SEX | Men | 30.4 | 24.4 | 36.5 | 28.3 | 26.2 | 30.3 | 30.1 |
| | Women | 36.2 | 30.4 | 42.1 | 33.5 | 31.4 | 35.6 | 32.7 |
| RACE/ETHNICITY | Non-Hisp. White | 33.6 | 28.9 | 38.4 | 31.9 | 30.3 | 33.4 | 32.8 |
| | Non-Hisp. Black | 27.8 | 14.0 | 41.6 | 31.9 | 27.4 | 36.4 | 35.1 |
| | Hispanic | 36.4 | 22.8 | 49.9 | 30.0 | 26.0 | 34.0 | 22.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 30.9 | 23.9 | 37.8 | 29.7 | 27.5 | 31.9 | 27.5 |
| | Non-Hisp. White Women | 36.1 | 29.5 | 42.7 | 33.9 | 31.7 | 36.1 | 37.7 |
| | Non-Hisp. Black Men | 24.3 | 6.0 | 42.5 | 28.7 | 22.1 | 35.3 | 43.4 |
| | Non-Hisp. Black Women | 32.5 | 13.3 | 51.6 | 34.8 | 28.7 | 40.9 | 23.7 |
| | Hispanic Men | 36.9 | 18.2 | 55.7 | 27.1 | 21.6 | 32.7 | 25.1 |
| | Hispanic Women | 35.5 | 16.8 | 54.2 | 32.7 | 26.9 | 38.5 | 19.4 |
| AGE GROUP | 18-44 | 27.0 | 20.1 | 33.9 | 21.2 | 18.8 | 23.5 | 19.0 |
| | 45-64 | 33.4 | 26.5 | 40.2 | 32.5 | 29.7 | 35.2 | 33.8 |
| | 65 & Older | 45.8 | 38.4 | 53.2 | 44.8 | 42.4 | 47.3 | 44.9 |
| EDUCATION LEVEL | <High School | 50.4 | 34.1 | 66.7 | 50.6 | 45.5 | 55.6 | 39.6 |
| | H.S. / GED | 29.9 | 22.4 | 37.3 | 34.4 | 31.5 | 37.2 | 40.0 |
| | >High School | 30.8 | 25.8 | 35.7 | 25.2 | 23.5 | 27.0 | 25.3 |
| ANNUAL INCOME | <\$25,000 | 49.7 | 41.2 | 58.3 | 47.2 | 43.7 | 50.7 | 47.2 |
| | \$25,000-\$49,999 | 33.5 | 25.1 | 41.9 | 33.4 | 30.1 | 36.7 | 22.9 |
| | \$50,000 or More | 23.8 | 17.0 | 30.7 | 17.1 | 15.3 | 18.9 | 17.6 |
| MARITAL STATUS | Married/Couple | 29.0 | 23.7 | 34.4 | 25.9 | 24.0 | 27.8 | 27.4 |
| | Not Married/Couple | 39.1 | 32.1 | 46.0 | 37.0 | 34.7 | 39.4 | 34.8 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Kidney Disease

Percentage of adults who have ever been told they had kidney disease

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|-----|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 4.3 | 2.6 | 6.0 | 4.0 | 3.4 | 4.6 | 1.7 |
| SEX | Men | 3.3 | 1.3 | 5.3 | 3.8 | 3.0 | 4.7 | 0.7 |
| | Women | 5.4 | 2.7 | 8.1 | 4.2 | 3.3 | 5.0 | 2.7 |
| RACE/ETHNICITY | Non-Hisp. White | 3.7 | 1.9 | 5.4 | 3.8 | 3.2 | 4.4 | 2.7 |
| | Non-Hisp. Black | 6.0 | 0.0 | 14.1 | 5.2 | 3.2 | 7.1 | 1.3 |
| | Hispanic | 8.8 | 1.0 | 16.6 | 4.2 | 2.5 | 5.9 | 0.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 3.0 | 0.6 | 5.4 | 3.7 | 2.9 | 4.5 | 1.3 |
| | Non-Hisp. White Women | 4.3 | 1.7 | 6.9 | 3.9 | 3.1 | 4.8 | 3.9 |
| | Non-Hisp. Black Men | 0.1 | 0.0 | 0.3 | 5.1* | 2.0 | 8.2 | 0.0 |
| | Non-Hisp. Black Women | 13.6 | 0.0 | 30.4 | 5.2 | 2.8 | 7.6 | 3.0 |
| | Hispanic Men | 11.1 | 0.0 | 22.4 | 3.8 | 1.6 | 6.0 | 0.0 |
| | Hispanic Women | 5.1 | 0.0 | 14.1 | 4.6 | 2.0 | 7.2 | 0.0 |
| AGE GROUP | 18-44 | 3.4 | 0.7 | 6.1 | 1.8 | 1.0 | 2.6 | 0.0 |
| | 45-64 | 4.9 | 1.7 | 8.0 | 4.2 | 3.0 | 5.4 | 3.6 |
| | 65 & Older | 5.0 | 2.5 | 7.4 | 7.3 | 6.0 | 8.6 | 1.1^ |
| EDUCATION LEVEL | <High School | 8.2 | 0.6 | 15.9 | 5.7 | 3.3 | 8.1 | 4.0 |
| | H.S. / GED | 4.6 | 1.5 | 7.8 | 3.7 | 2.6 | 4.7 | 1.6 |
| | >High School | 3.2 | 1.7 | 4.6 | 3.8 | 3.1 | 4.5 | 1.3 |
| ANNUAL INCOME | <\$25,000 | 9.0 | 4.1 | 13.9 | 6.2 | 4.5 | 7.8 | 2.5 |
| | \$25,000-\$49,999 | 3.2 | 0.1 | 6.2 | 4.1 | 2.7 | 5.4 | 1.2 |
| | \$50,000 or More | 2.9 | 0.7 | 5.1 | 2.7 | 2.0 | 3.5 | 0.9 |
| MARITAL STATUS | Married/Couple | 4.0 | 1.8 | 6.1 | 3.1 | 2.5 | 3.7 | 2.5 |
| | Not Married/Couple | 4.9 | 2.1 | 7.7 | 5.0 | 3.9 | 6.1 | 1.1 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Overweight & Obesity | | | | | | | | | |
|---|-----------------------|------------------|--------|------|------------|--------|------|-------------|--|
| Percentage of adults who are overweight | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 36.4 | 31.9 | 40.9 | 37.6 | 35.9 | 39.3 | 35.7 | |
| SEX | Men | 34.6 | 28.1 | 41.0 | 42.6 | 40.2 | 45.1 | 37.5 | |
| | Women | 38.4 | 32.2 | 44.6 | 32.5 | 30.2 | 34.8 | 33.8 | |
| RACE/ETHNICITY | Non-Hisp. White | 39.3 | 34.2 | 44.4 | 37.8 | 36.1 | 39.5 | 34.9 | |
| | Non-Hisp. Black | 20.5 | 8.6 | 32.3 | 35.1 | 30.1 | 40.0 | 36.2 | |
| | Hispanic | 40.9 | 26.3 | 55.4 | 39.1 | 34.2 | 43.9 | 36.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 35.4 | 28.2 | 42.6 | 43.7 | 41.2 | 46.2 | 41.0 | |
| | Non-Hisp. White Women | 43.0 | 35.9 | 50.1 | 31.9* | 29.6 | 34.1 | 28.7 | |
| | Non-Hisp. Black Men | 26.3 | 6.8 | 45.7 | 39.7 | 32.4 | 47.0 | 38.5 | |
| | Non-Hisp. Black Women | 11.0 | 1.9 | 20.0 | 30.8* | 24.1 | 37.6 | | |
| | Hispanic Men | 46.6 | 26.9 | 66.3 | 42.9 | 36.1 | 49.8 | 26.8 | |
| | Hispanic Women | 30.7 | 9.4 | 52.0 | 35.2 | 28.3 | 42.2 | 48.6 | |
| AGE GROUP | 18-44 | 31.2 | 23.5 | 38.9 | 35.5 | 32.5 | 38.5 | 29.6 | |
| | 45-64 | 40.1 | 32.8 | 47.4 | 39.2 | 36.0 | 42.3 | 42.3 | |
| | 65 & Older | 40.2 | 32.9 | 47.4 | 39.2 | 36.8 | 41.6 | 33.0 | |
| EDUCATION LEVEL | <High School | 32.1 | 16.7 | 47.4 | 36.7 | 31.5 | 41.9 | 33.9 | |
| | H.S. / GED | 30.9 | 23.1 | 38.8 | 37.1 | 33.9 | 40.4 | 30.2 | |
| | >High School | 40.4 | 34.8 | 45.9 | 38.2 | 36.1 | 40.4 | 39.0 | |
| ANNUAL INCOME | <\$25,000 | 25.5 | 17.7 | 33.2 | 34.7 | 31.2 | 38.1 | 34.2 | |
| | \$25,000-\$49,999 | 34.2 | 25.6 | 42.7 | 35.3 | 31.9 | 38.7 | 34.7 | |
| | \$50,000 or More | 48.2 | 40.2 | 56.2 | 42.4 | 39.6 | 45.2 | 33.8 | |
| MARITAL STATUS | Married/Couple | 40.8 | 34.9 | 46.8 | 40.2 | 37.8 | 42.5 | 38.7 | |
| | Not Married/Couple | 30.5 | 23.8 | 37.1 | 34.7 | 32.2 | 37.1 | 32.5 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Overweight & Obesity | | | | | | | | | |
|---|-----------------------|-------------------------|---------------|------|-------------------|---------------|------|--------------------|--|
| Percentage of adults who are obese | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 29.9 | 25.7 | 34.0 | 27.0 | 25.6 | 28.5 | 30.5 | |
| SEX | Men | 32.7 | 26.3 | 39.1 | 26.9 | 24.8 | 28.9 | 33.7 | |
| | Women | 26.8 | 21.5 | 32.1 | 27.2 | 25.2 | 29.2 | 27.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 28.5 | 23.8 | 33.1 | 25.4 | 23.9 | 26.9 | 27.7 | |
| | Non-Hisp. Black | 39.0 | 21.9 | 56.2 | 35.0 | 30.4 | 39.6 | 43.6 | |
| | Hispanic | 40.4 | 24.8 | 56.1 | 28.2 | 24.2 | 32.1 | 32.2 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 33.7 | 26.4 | 40.9 | 27.5 | 25.2 | 29.7 | 30.6 | |
| | Non-Hisp. White Women | 23.4 | 17.7 | 29.1 | 23.3 | 21.4 | 25.2 | 24.7 | |
| | Non-Hisp. Black Men | 31.3 | 9.2 | 53.3 | 29.6 | 23.0 | 36.2 | 38.2 | |
| | Non-Hisp. Black Women | 51.8 | 31.3 | 72.3 | 40.0 | 33.5 | 46.5 | | |
| | Hispanic Men | 40.7 | 19.8 | 61.5 | 27.5 | 21.8 | 33.3 | 39.6 | |
| | Hispanic Women | 40.0 | 17.3 | 62.7 | 28.8 | 23.2 | 34.3 | 23.1 | |
| AGE GROUP | 18-44 | 27.8 | 20.7 | 34.9 | 22.1 | 20.0 | 24.3 | 27.8 | |
| | 45-64 | 32.9 | 26.0 | 39.9 | 32.6 | 29.7 | 35.5 | 34.3 | |
| | 65 & Older | 29.0 | 22.1 | 35.8 | 27.6 | 25.3 | 29.8 | 28.0 | |
| EDUCATION LEVEL | <High School | 27.2 | 14.7 | 39.7 | 28.9 | 24.0 | 33.9 | 27.1 | |
| | H.S. / GED | 32.8 | 24.5 | 41.2 | 30.3 | 27.5 | 33.1 | 36.4 | |
| | >High School | 28.9 | 23.8 | 33.9 | 25.1 | 23.4 | 26.8 | 28.6 | |
| ANNUAL INCOME | <\$25,000 | 41.4 | 32.8 | 49.9 | 30.3 | 27.2 | 33.4 | 28.4 | |
| | \$25,000-\$49,999 | 35.6 | 26.7 | 44.5 | 29.8 | 26.7 | 33.0 | 39.5 | |
| | \$50,000 or More | 21.3 | 14.9 | 27.7 | 25.0 | 22.8 | 27.2 | 28.6 | |
| MARITAL STATUS | Married/Couple | 29.8 | 24.4 | 35.2 | 26.6 | 24.8 | 28.5 | 31.8 | |
| | Not Married/Couple | 30.2 | 23.6 | 36.8 | 27.5 | 25.3 | 29.7 | 29.4 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|-------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 66.3 | 61.4 | 71.1 | 64.6 | 62.9 | 66.3 | 66.3 |
| SEX | Men | 67.3 | 59.7 | 74.8 | 69.5 | 67.1 | 71.9 | 71.2 |
| | Women | 65.2 | 59.2 | 71.3 | 59.7 | 57.4 | 62.1 | 60.8 |
| RACE/ETHNICITY | Non-Hisp. White | 67.7 | 62.7 | 72.7 | 63.2 | 61.5 | 64.9 | 62.6 |
| | Non-Hisp. Black | 59.5 | 37.9 | 81.1 | 70.1 | 65.1 | 75.0 | 79.7 |
| | Hispanic | 81.3 | 70.4 | 92.2 | 67.2 | 62.5 | 71.9 | 68.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 69.1 | 61.7 | 76.6 | 71.2 | 68.9 | 73.4 | 71.6 |
| | Non-Hisp. White Women | 66.4 | 59.7 | 73.0 | 55.2 * | 52.8 | 57.6 | 53.4 |
| | Non-Hisp. Black Men | 57.5 | 25.9 | 89.2 | 69.3 | 62.1 | 76.5 | 76.7 |
| | Non-Hisp. Black Women | 62.7 | 41.8 | 83.7 | 70.8 | 63.9 | 77.7 | |
| | Hispanic Men | 87.3 | 74.2 | 100.0 | 70.5 | 63.8 | 77.1 | 66.4 |
| | Hispanic Women | 70.7 | 51.7 | 89.7 | 64.0 | 57.3 | 70.7 | 71.6 |
| AGE GROUP | 18-44 | 59.0 | 50.0 | 68.0 | 57.7 | 54.7 | 60.6 | 57.4 |
| | 45-64 | 73.0 | 66.5 | 79.6 | 71.8 | 68.9 | 74.7 | 76.6 |
| | 65 & Older | 69.1 | 62.2 | 76.0 | 66.8 | 64.3 | 69.2 | 61.1 |
| EDUCATION LEVEL | <High School | 59.3 | 40.4 | 78.2 | 65.7 | 60.4 | 71.0 | 60.9 |
| | H.S. / GED | 63.8 | 55.1 | 72.4 | 67.5 | 64.4 | 70.5 | 66.6 |
| | >High School | 69.3 | 64.0 | 74.5 | 63.3 | 61.2 | 65.4 | 67.5 |
| ANNUAL INCOME | <\$25,000 | 66.8 | 58.4 | 75.2 | 64.9 | 61.4 | 68.5 | 62.6 |
| | \$25,000-\$49,999 | 69.7 | 61.0 | 78.4 | 65.1 | 61.5 | 68.7 | 74.2 |
| | \$50,000 or More | 69.5 | 62.0 | 77.0 | 67.4 | 64.8 | 70.0 | 62.4 |
| MARITAL STATUS | Married/Couple | 70.6 | 64.9 | 76.4 | 66.8 | 64.5 | 69.1 | 70.6 |
| | Not Married/Couple | 60.7 | 52.6 | 68.7 | 62.2 | 59.7 | 64.6 | 62.0 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Overweight & Obesity | | | | | | | | | |
|--|-----------------------|------------------|--------|------|------------|--------|------|-------------|--|
| Percentage of adults who have a healthy weight (BMI from 18.5 to 24.9) | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 30.4 | 25.6 | 35.2 | 32.8 | 31.2 | 34.5 | 31.4 | |
| SEX | Men | 30.7 | 23.2 | 38.2 | 28.6 | 26.2 | 30.9 | 27.0 | |
| | Women | 30.1 | 24.2 | 35.9 | 37.0 | 34.7 | 39.4 | 36.3 | |
| RACE/ETHNICITY | Non-Hisp. White | 28.8 | 24.0 | 33.7 | 34.2 | 32.6 | 35.9 | 34.5 | |
| | Non-Hisp. Black | 37.6 | 15.4 | 59.8 | 28.5 | 23.6 | 33.5 | 16.3 | |
| | Hispanic | 14.2 | 5.3 | 23.0 | 29.9* | 25.3 | 34.5 | 30.8 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 29.3 | 22.0 | 36.6 | 27.1 | 24.9 | 29.3 | 25.4 | |
| | Non-Hisp. White Women | 28.3 | 22.0 | 34.7 | 41.4* | 39.0 | 43.8 | 43.9^ | |
| | Non-Hisp. Black Men | 38.9 | 6.1 | 71.8 | 29.0 | 21.8 | 36.2 | 22.9 | |
| | Non-Hisp. Black Women | 35.3 | 14.2 | 56.3 | 28.1 | 21.3 | 34.9 | | |
| | Hispanic Men | 7.1 | 0.0 | 15.4 | 27.8* | 21.2 | 34.4 | 33.6^ | |
| | Hispanic Women | 26.7 | 8.2 | 45.2 | 32.1 | 25.6 | 38.5 | 27.3 | |
| AGE GROUP | 18-44 | 36.0 | 27.0 | 45.1 | 39.5 | 36.5 | 42.4 | 38.9 | |
| | 45-64 | 25.2 | 18.7 | 31.7 | 25.9 | 23.1 | 28.8 | 22.9 | |
| | 65 & Older | 28.3 | 21.5 | 35.0 | 30.7 | 28.3 | 33.0 | 35.4 | |
| EDUCATION LEVEL | <High School | 35.5 | 16.0 | 54.9 | 30.4 | 25.2 | 35.5 | 38.3 | |
| | H.S. / GED | 32.6 | 24.0 | 41.1 | 29.0 | 26.1 | 31.9 | 28.4 | |
| | >High School | 28.1 | 22.9 | 33.2 | 34.8 | 32.7 | 36.9 | 31.1 | |
| ANNUAL INCOME | <\$25,000 | 27.9 | 19.7 | 36.1 | 31.5 | 28.1 | 35.0 | 32.9 | |
| | \$25,000-\$49,999 | 27.5 | 19.1 | 35.9 | 32.7 | 29.1 | 36.3 | 25.0 | |
| | \$50,000 or More | 29.7 | 22.2 | 37.1 | 31.1 | 28.6 | 33.6 | 35.5 | |
| MARITAL STATUS | Married/Couple | 26.9 | 21.3 | 32.4 | 31.5 | 29.2 | 33.8 | 27.9 | |
| | Not Married/Couple | 34.9 | 26.8 | 43.0 | 34.3 | 31.9 | 36.7 | 34.9 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS Screening

Percentage of adults who have ever been tested for HIV

| | | 2017-2019 County | | | 2019 State | | | 2016 County Measure |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 54.2 | 49.2 | 59.1 | 50.7 | 49.0 | 52.4 | 51.5 |
| SEX | Men | 53.1 | 45.5 | 60.7 | 50.3 | 47.7 | 52.9 | 55.8 |
| | Women | 55.2 | 48.9 | 61.4 | 51.1 | 48.7 | 53.5 | 47.1 |
| RACE/ETHNICITY | Non-Hisp. White | 50.6 | 45.2 | 56.0 | 42.2 * | 40.4 | 44.1 | 49.3 |
| | Non-Hisp. Black | 60.8 | 39.5 | 82.1 | 66.0 | 60.9 | 71.1 | 66.9 |
| | Hispanic | 58.6 | 43.6 | 73.6 | 62.5 | 58.1 | 66.9 | 45.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 51.3 | 43.2 | 59.5 | 43.1 | 40.4 | 45.8 | 58.0 |
| | Non-Hisp. White Women | 49.8 | 42.6 | 57.0 | 41.5 | 39.0 | 43.9 | 41.4 |
| | Non-Hisp. Black Men | 48.0 | 18.7 | 77.3 | 68.8 | 61.1 | 76.5 | 58.2 |
| | Non-Hisp. Black Women | 77.6 | 58.7 | 96.4 | 63.4 | 56.6 | 70.2 | |
| | Hispanic Men | 59.1 | 39.5 | 78.7 | 58.1 | 51.6 | 64.6 | 47.5 |
| | Hispanic Women | 58.0 | 34.8 | 81.1 | 66.7 | 60.8 | 72.6 | 43.8 |
| AGE GROUP | 18-44 | 64.7 | 55.6 | 73.8 | 62.2 | 59.2 | 65.1 | 58.0 |
| | 45-64 | 59.8 | 52.4 | 67.2 | 58.8 | 55.8 | 61.9 | 58.0 |
| | 65 & Older | 26.2 | 19.1 | 33.3 | 24.3 | 22.1 | 26.6 | 30.8 |
| EDUCATION LEVEL | <High School | 49.0 | 30.9 | 67.2 | 45.9 | 40.6 | 51.2 | 56.4 |
| | H.S. / GED | 55.9 | 47.0 | 64.8 | 48.6 | 45.1 | 52.1 | 49.4 |
| | >High School | 54.7 | 48.9 | 60.5 | 52.9 | 50.7 | 55.0 | 51.5 |
| ANNUAL INCOME | <\$25,000 | 61.3 | 52.7 | 69.9 | 54.4 | 50.7 | 58.1 | 59.7 |
| | \$25,000-\$49,999 | 54.1 | 44.7 | 63.5 | 51.0 | 47.2 | 54.8 | 48.4 |
| | \$50,000 or More | 52.5 | 44.4 | 60.7 | 52.6 | 49.7 | 55.4 | 48.7 |
| MARITAL STATUS | Married/Couple | 55.1 | 49.0 | 61.2 | 49.7 | 47.3 | 52.1 | 50.4 |
| | Not Married/Couple | 53.0 | 44.8 | 61.1 | 51.7 | 49.1 | 54.3 | 52.3 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS Screening

Percentage of adults less than 65 years old who have ever been tested for HIV

| | | 2017-2019 County | | | 2019 State | | | 2016 County Measure |
|------------------------------|-----------------------|------------------|--------|-------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 62.5 | 56.5 | 68.5 | 60.7 | 58.6 | 62.8 | 58.1 |
| SEX | Men | 60.4 | 51.1 | 69.7 | 57.6 | 54.5 | 60.8 | 59.2 |
| | Women | 64.7 | 57.3 | 72.1 | 63.7 | 60.8 | 66.5 | 56.8 |
| RACE/ETHNICITY | Non-Hisp. White | 59.3 | 52.8 | 65.9 | 54.1 | 51.6 | 56.5 | 56.3 |
| | Non-Hisp. Black | 64.8 | 40.1 | 89.5 | 73.5 | 67.9 | 79.1 | 67.4 |
| | Hispanic | 60.9 | 43.5 | 78.3 | 67.1 | 62.4 | 71.8 | 53.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 58.2 | 48.4 | 67.9 | 52.3 | 48.8 | 55.8 | 64.2 |
| | Non-Hisp. White Women | 60.5 | 51.7 | 69.2 | 55.8 | 52.4 | 59.2 | 48.6 |
| | Non-Hisp. Black Men | | | | 75.2 | 67.0 | 83.3 | 56.7 |
| | Non-Hisp. Black Women | 79.3 | 58.3 | 100.0 | 72.0 | 64.3 | 79.7 | |
| | Hispanic Men | | | | 59.2 | 52.1 | 66.3 | 51.7 |
| | Hispanic Women | | | | 75.5 | 69.7 | 81.4 | |
| AGE GROUP | 18-44 | 64.7 | 55.6 | 73.8 | 62.2 | 59.2 | 65.1 | 57.9 |
| | 45-64 | 59.8 | 52.4 | 67.2 | 58.8 | 55.8 | 61.8 | 58.3 |
| EDUCATION LEVEL | <High School | 57.3 | 31.3 | 83.3 | 53.6 | 46.8 | 60.4 | 70.7 |
| | H.S. / GED | 63.4 | 53.1 | 73.6 | 58.4 | 54.2 | 62.6 | 56.4 |
| | >High School | 63.1 | 56.3 | 70.0 | 63.2 | 60.6 | 65.8 | 56.4 |
| ANNUAL INCOME | <\$25,000 | 69.8 | 60.3 | 79.2 | 63.5 | 59.0 | 68.0 | 68.4 |
| | \$25,000-\$49,999 | 64.9 | 53.4 | 76.3 | 62.8 | 58.1 | 67.5 | 55.7 |
| | \$50,000 or More | 60.3 | 50.9 | 69.7 | 60.2 | 57.0 | 63.4 | 50.5 |
| MARITAL STATUS | Married/Couple | 63.6 | 56.5 | 70.7 | 60.5 | 57.6 | 63.4 | 56.7 |
| | Not Married/Couple | 61.0 | 50.7 | 71.3 | 60.9 | 57.7 | 64.0 | 59.2 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Immunization | | | | | | | | | |
|---|-----------------------|------------------|--------|------|------------|--------|------|-------------|--|
| Percentage of adults who received a flu shot in the past year | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 33.7 | 29.3 | 38.0 | 36.9 | 35.3 | 38.5 | 34.6 | |
| SEX | Men | 28.8 | 22.6 | 34.9 | 34.3 | 32.1 | 36.6 | 35.1 | |
| | Women | 38.5 | 32.6 | 44.4 | 39.3 | 37.0 | 41.5 | 34.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 35.4 | 30.6 | 40.3 | 42.8 * | 41.1 | 44.6 | 40.5 | |
| | Non-Hisp. Black | 25.4 | 10.9 | 39.9 | 32.2 | 27.5 | 36.9 | 24.9 | |
| | Hispanic | 30.9 | 16.5 | 45.2 | 25.4 | 21.4 | 29.4 | 27.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 29.2 | 22.3 | 36.1 | 40.1 * | 37.7 | 42.6 | 42.8 | |
| | Non-Hisp. White Women | 41.2 | 34.4 | 47.9 | 45.4 | 43.0 | 47.8 | 38.5 | |
| | Non-Hisp. Black Men | 22.5 | 2.5 | 42.5 | 32.0 | 24.8 | 39.2 | 24.2 | |
| | Non-Hisp. Black Women | 29.1 | 9.5 | 48.7 | 32.4 | 26.3 | 38.6 | 25.9 | |
| | Hispanic Men | 30.5 | 11.4 | 49.6 | 21.3 | 16.0 | 26.5 | 26.4 | |
| | Hispanic Women | 31.4 | 9.8 | 53.0 | 29.4 | 23.5 | 35.3 | 29.6 | |
| AGE GROUP | 18-44 | 20.7 | 14.1 | 27.3 | 25.5 | 22.9 | 28.0 | 25.2 | |
| | 45-64 | 34.3 | 27.3 | 41.3 | 32.1 | 29.3 | 34.9 | 32.2 | |
| | 65 & Older | 54.3 | 46.7 | 61.9 | 58.3 | 55.8 | 60.8 | 51.4 | |
| EDUCATION LEVEL | <High School | 25.4 | 13.2 | 37.6 | 32.4 | 27.4 | 37.3 | 28.0 | |
| | H.S. / GED | 23.9 | 16.8 | 31.1 | 33.2 | 30.2 | 36.1 | 27.7 | |
| | >High School | 40.4 | 34.9 | 46.0 | 39.7 | 37.7 | 41.7 | 39.7 | |
| ANNUAL INCOME | <\$25,000 | 32.3 | 24.3 | 40.3 | 33.7 | 30.3 | 37.2 | 30.5 | |
| | \$25,000-\$49,999 | 30.8 | 22.7 | 38.9 | 37.2 | 33.8 | 40.6 | 33.8 | |
| | \$50,000 or More | 41.0 | 33.1 | 48.8 | 39.3 | 36.7 | 42.0 | 41.3 | |
| MARITAL STATUS | Married/Couple | 37.2 | 31.4 | 43.0 | 38.3 | 36.2 | 40.4 | 42.2 | |
| | Not Married/Couple | 28.6 | 22.3 | 34.9 | 35.5 | 33.1 | 37.9 | 26.5 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Immunization | | | | | | | | | |
|---|-----------------------|------------------|--------|------|------------|--------|------|-------------|--|
| Percentage of adults 65 years of age and older who received a flu shot in the past year | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 54.3 | 46.6 | 61.9 | 58.3 | 55.8 | 60.8 | 51.1 | |
| SEX | Men | 50.9 | 39.1 | 62.7 | 57.3 | 53.6 | 61.0 | 60.1 | |
| | Women | 57.4 | 47.5 | 67.2 | 59.2 | 55.8 | 62.6 | 44.8 | |
| RACE/ETHNICITY | Non-Hisp. White | 53.4 | 45.0 | 61.8 | 62.2 | 59.8 | 64.6 | 54.4 | |
| | Non-Hisp. Black | | | | 49.5 | 39.8 | 59.3 | | |
| | Hispanic | | | | 47.4 | 36.9 | 57.9 | | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 46.2 | 33.4 | 59.1 | 60.7 | 57.1 | 64.3 | 61.2 | |
| | Non-Hisp. White Women | 59.4 | 48.7 | 70.2 | 63.6 | 60.4 | 66.7 | 49.4 | |
| | Non-Hisp. Black Men | | | | 43.7 | 27.5 | 59.9 | | |
| | Non-Hisp. Black Women | | | | 54.3 | 43.0 | 65.5 | | |
| | Hispanic Men | | | | 50.3 | 34.3 | 66.3 | | |
| | Hispanic Women | | | | 45.8 | 31.9 | 59.7 | | |
| AGE GROUP | 65 & Older | 54.3 | 46.6 | 61.9 | 58.3 | 55.8 | 60.8 | 51.1 | |
| EDUCATION LEVEL | <High School | 54.4 | 32.7 | 76.2 | 52.2 | 43.1 | 61.3 | | |
| | H.S. / GED | 48.6 | 34.0 | 63.3 | 56.6 | 51.9 | 61.4 | 45.1 | |
| | >High School | 56.7 | 47.4 | 66.0 | 61.3 | 58.5 | 64.2 | 56.7 | |
| ANNUAL INCOME | <\$25,000 | 51.4 | 35.3 | 67.4 | 51.1 | 45.2 | 57.0 | 49.1 | |
| | \$25,000-\$49,999 | 57.5 | 43.9 | 71.1 | 60.1 | 55.3 | 64.9 | 46.3 | |
| | \$50,000 or More | 62.3 | 48.3 | 76.4 | 61.9 | 57.5 | 66.3 | 70.9 | |
| MARITAL STATUS | Married/Couple | 55.1 | 44.6 | 65.6 | 60.6 | 57.3 | 63.9 | 61.5 | |
| | Not Married/Couple | 53.0 | 41.8 | 64.1 | 55.9 | 52.0 | 59.7 | 42.2 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Immunization | | | | | | | | | |
|---|-----------------------|------------------|--------|------|------------|--------|------|-------------|--|
| Percentage of adults who have ever received a pneumonia vaccination | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 32.1 | 27.7 | 36.4 | 35.4 | 33.8 | 37.0 | 35.1 | |
| SEX | Men | 31.5 | 24.8 | 38.1 | 33.1 | 30.8 | 35.3 | 32.8 | |
| | Women | 32.6 | 26.9 | 38.3 | 37.5 | 35.2 | 39.8 | 37.4 | |
| RACE/ETHNICITY | Non-Hisp. White | 33.7 | 28.8 | 38.5 | 42.1 * | 40.3 | 43.8 | 38.3 | |
| | Non-Hisp. Black | 24.8 | 9.5 | 40.2 | 28.1 | 23.5 | 32.6 | 34.5 | |
| | Hispanic | 29.8 | 15.2 | 44.4 | 22.2 | 18.0 | 26.3 | 31.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 33.8 | 26.4 | 41.3 | 39.5 | 37.0 | 42.1 | 33.4 | |
| | Non-Hisp. White Women | 33.5 | 27.1 | 39.9 | 44.4 * | 42.0 | 46.9 | 42.5 | |
| | Non-Hisp. Black Men | 21.0 | 0.6 | 41.5 | 27.1 | 20.1 | 34.2 | 39.0 | |
| | Non-Hisp. Black Women | 29.8 | 8.5 | 51.1 | 28.9 | 22.9 | 34.9 | | |
| | Hispanic Men | 21.5 | 2.8 | 40.2 | 18.4 | 13.0 | 23.7 | 30.8 | |
| | Hispanic Women | 40.5 | 18.4 | 62.6 | 25.9 | 19.6 | 32.2 | 33.1 | |
| AGE GROUP | 18-44 | 17.8 | 11.1 | 24.5 | 18.9 | 16.4 | 21.5 | 18.4 | |
| | 45-64 | 25.9 | 19.2 | 32.6 | 24.1 | 21.4 | 26.9 | 31.1 | |
| | 65 & Older | 62.8 | 55.2 | 70.5 | 66.8 | 64.4 | 69.3 | 61.1 | |
| EDUCATION LEVEL | <High School | 37.7 | 21.1 | 54.2 | 33.8 | 28.8 | 38.9 | 26.7 | |
| | H.S. / GED | 25.3 | 18.2 | 32.4 | 33.2 | 30.2 | 36.2 | 31.9 | |
| | >High School | 34.1 | 28.8 | 39.5 | 36.8 | 34.7 | 38.8 | 38.9 | |
| ANNUAL INCOME | <\$25,000 | 41.3 | 32.3 | 50.3 | 36.6 | 33.0 | 40.1 | 39.6 | |
| | \$25,000-\$49,999 | 31.7 | 23.5 | 39.8 | 36.2 | 32.8 | 39.6 | 34.4 | |
| | \$50,000 or More | 27.6 | 20.7 | 34.5 | 30.2 | 27.7 | 32.6 | 34.1 | |
| MARITAL STATUS | Married/Couple | 27.9 | 22.5 | 33.2 | 35.4 * | 33.2 | 37.6 | 38.6 | |
| | Not Married/Couple | 38.1 | 30.6 | 45.5 | 35.4 | 33.0 | 37.9 | 32.5 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Immunization | | | | | | | | | |
|---|-----------------------|------------------|--------|------|------------|--------|------|-------------|--|
| Percentage of adults 65 years of age and older who have ever received a pneumonia vaccination | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 62.8 | 55.2 | 70.5 | 66.8 | 64.4 | 69.3 | 61.7 | |
| SEX | Men | 59.6 | 47.6 | 71.5 | 65.0 | 61.3 | 68.7 | 54.9 | |
| | Women | 65.7 | 56.1 | 75.4 | 68.4 | 65.1 | 71.7 | 66.4 | |
| RACE/ETHNICITY | Non-Hisp. White | 64.1 | 55.8 | 72.4 | 72.5 | 70.3 | 74.7 | 67.8 | |
| | Non-Hisp. Black | | | | 56.5 | 46.5 | 66.5 | | |
| | Hispanic | | | | 41.4 | 31.5 | 51.4 | | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 60.9 | 48.0 | 73.9 | 70.3 | 66.8 | 73.7 | 55.6 | |
| | Non-Hisp. White Women | 66.7 | 56.2 | 77.2 | 74.5 | 71.7 | 77.4 | 76.7 | |
| | Non-Hisp. Black Men | | | | 53.6 | 36.3 | 70.9 | | |
| | Non-Hisp. Black Women | | | | 58.8 | 47.4 | 70.1 | | |
| | Hispanic Men | | | | 35.4 | 21.4 | 49.4 | | |
| | Hispanic Women | | | | 44.8 | 31.8 | 57.8 | | |
| AGE GROUP | 65 & Older | 62.8 | 55.2 | 70.5 | 66.8 | 64.4 | 69.3 | 61.7 | |
| EDUCATION LEVEL | <High School | 58.6 | 36.8 | 80.3 | 55.0 | 46.0 | 64.0 | | |
| | H.S. / GED | 58.1 | 43.2 | 72.9 | 65.8 | 61.1 | 70.6 | 65.4 | |
| | >High School | 66.5 | 57.1 | 75.8 | 70.8 | 68.2 | 73.5 | 66.5 | |
| ANNUAL INCOME | <\$25,000 | 66.1 | 50.4 | 81.8 | 60.8 | 55.1 | 66.5 | 59.5 | |
| | \$25,000-\$49,999 | 64.9 | 51.3 | 78.6 | 68.4 | 63.9 | 72.9 | 55.7 | |
| | \$50,000 or More | 57.0 | 41.8 | 72.2 | 69.8 | 65.4 | 74.2 | 84.4 | |
| MARITAL STATUS | Married/Couple | 60.7 | 50.1 | 71.3 | 67.9 | 64.6 | 71.3 | 71.8 | |
| | Not Married/Couple | 65.2 | 54.2 | 76.3 | 65.5 | 61.8 | 69.2 | 53.8 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 15.1 | 11.5 | 18.7 | 18.0 | 16.8 | 19.3 | 17.7 |
| SEX | Men | 17.4 | 11.8 | 22.9 | 21.2 | 19.2 | 23.1 | 18.1 |
| | Women | 13.0 | 8.4 | 17.5 | 15.1 | 13.4 | 16.8 | 17.2 |
| RACE/ETHNICITY | Non-Hisp. White | 14.7 | 10.7 | 18.7 | 19.8 | 18.4 | 21.3 | 21.4 |
| | Non-Hisp. Black | 11.2 | 0.0 | 22.3 | 14.3 | 10.3 | 18.2 | 14.7 |
| | Hispanic | 16.4 | 4.6 | 28.1 | 17.1 | 13.9 | 20.3 | 10.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 18.3 | 11.8 | 24.8 | 23.6 | 21.3 | 25.8 | 23.6 |
| | Non-Hisp. White Women | 11.5 | 6.7 | 16.3 | 16.3 | 14.6 | 18.1 | 19.4 |
| | Non-Hisp. Black Men | 4.0 | 0.0 | 11.8 | 16.3 | 9.9 | 22.6 | 10.8 |
| | Non-Hisp. Black Women | 19.1 | 0.0 | 38.8 | 12.5 | 7.7 | 17.3 | |
| | Hispanic Men | 16.8 | 0.4 | 33.3 | 20.2 | 15.5 | 25.0 | 10.3 |
| | Hispanic Women | 15.6 | 0.1 | 31.2 | 14.2 | 9.8 | 18.6 | 10.2 |
| AGE GROUP | 18-44 | 22.6 | 15.7 | 29.5 | 24.5 | 22.0 | 26.9 | 26.1 |
| | 45-64 | 9.7 | 5.2 | 14.2 | 17.9* | 15.5 | 20.2 | 17.2 |
| | 65 & Older | 8.7 | 3.9 | 13.4 | 9.1 | 7.8 | 10.4 | 6.4 |
| EDUCATION LEVEL | <High School | 14.1 | 3.1 | 25.1 | 12.4 | 9.5 | 15.3 | 8.8 |
| | H.S. / GED | 11.6 | 4.8 | 18.4 | 17.3 | 14.8 | 19.8 | 17.8 |
| | >High School | 17.2 | 12.7 | 21.8 | 19.6 | 17.9 | 21.3 | 20.0 |
| ANNUAL INCOME | <\$25,000 | 14.6 | 7.2 | 22.0 | 15.7 | 13.2 | 18.2 | 16.0 |
| | \$25,000-\$49,999 | 13.7 | 7.5 | 19.9 | 18.1 | 15.0 | 21.1 | 17.7 |
| | \$50,000 or More | 16.9 | 11.0 | 22.9 | 22.4 | 20.1 | 24.7 | 26.8 |
| MARITAL STATUS | Married/Couple | 14.0 | 9.8 | 18.3 | 16.3 | 14.7 | 17.9 | 12.2 |
| | Not Married/Couple | 16.4 | 10.2 | 22.6 | 20.2 | 18.1 | 22.3 | 22.7 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percentage of adults who are sedentary

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 29.7 | 25.4 | 33.9 | 26.5 | 25.0 | 28.0 | 37.0 |
| SEX | Men | 27.3 | 21.2 | 33.4 | 25.7 | 23.6 | 27.9 | 32.8 |
| | Women | 32.0 | 26.2 | 37.7 | 27.2 | 25.2 | 29.2 | 41.3 |
| RACE/ETHNICITY | Non-Hisp. White | 29.3 | 24.5 | 34.0 | 24.1 | 22.7 | 25.6 | 36.2 |
| | Non-Hisp. Black | 29.5 | 14.9 | 44.2 | 28.9 | 24.4 | 33.4 | 42.0 |
| | Hispanic | 35.1 | 21.3 | 48.9 | 31.5 | 27.5 | 35.6 | 38.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 26.4 | 19.4 | 33.3 | 23.7 | 21.5 | 25.8 | 31.6 |
| | Non-Hisp. White Women | 31.8 | 25.3 | 38.3 | 24.5 | 22.6 | 26.5 | 40.4 |
| | Non-Hisp. Black Men | 32.7 | 9.9 | 55.5 | 26.4 | 19.6 | 33.2 | 52.7 |
| | Non-Hisp. Black Women | 25.5 | 7.1 | 43.9 | 31.2 | 25.2 | 37.2 | 28.3 |
| | Hispanic Men | 32.0 | 14.9 | 49.2 | 28.6 | 23.1 | 34.1 | 25.1 |
| | Hispanic Women | 39.7 | 17.8 | 61.6 | 34.2 | 28.3 | 40.0 | 54.0 |
| AGE GROUP | 18-44 | 24.8 | 17.7 | 31.9 | 24.2 | 21.6 | 26.8 | 25.4 |
| | 45-64 | 34.1 | 27.1 | 41.2 | 27.3 | 24.8 | 29.9 | 40.3 |
| | 65 & Older | 32.2 | 25.3 | 39.1 | 29.7 | 27.4 | 32.0 | 47.4 |
| EDUCATION LEVEL | <High School | 51.8 | 34.8 | 68.8 | 43.6 | 38.5 | 48.7 | 57.2 |
| | H.S. / GED | 30.4 | 22.4 | 38.5 | 31.1 | 28.2 | 34.0 | 44.5 |
| | >High School | 23.6 | 19.1 | 28.1 | 20.5 | 18.8 | 22.2 | 27.8 |
| ANNUAL INCOME | <\$25,000 | 44.9 | 36.1 | 53.7 | 36.8 | 33.4 | 40.1 | 50.4 |
| | \$25,000-\$49,999 | 24.3 | 16.7 | 31.9 | 26.5 | 23.6 | 29.5 | 34.6 |
| | \$50,000 or More | 21.6 | 15.3 | 28.0 | 17.6 | 15.4 | 19.7 | 21.0 |
| MARITAL STATUS | Married/Couple | 26.8 | 21.5 | 32.2 | 24.3 | 22.3 | 26.3 | 32.5 |
| | Not Married/Couple | 33.4 | 26.5 | 40.3 | 29.2 | 27.0 | 31.5 | 40.6 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 51.1 | 46.4 | 55.8 | 58.9 * | 57.3 | 60.5 | 53.9 |
| SEX | Men | 48.6 | 41.4 | 55.8 | 54.8 | 52.4 | 57.1 | 51.1 |
| | Women | 53.6 | 47.4 | 59.8 | 62.7 * | 60.6 | 64.9 | 56.8 |
| RACE/ETHNICITY | Non-Hisp. White | 47.0 | 41.8 | 52.2 | 49.7 | 48.0 | 51.4 | 49.0 |
| | Non-Hisp. Black | 68.2 | 53.3 | 83.2 | 73.4 | 69.1 | 77.8 | 62.8 |
| | Hispanic | 74.0 | 62.5 | 85.6 | 70.4 | 66.4 | 74.4 | 64.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 41.0 | 33.3 | 48.7 | 47.3 | 44.8 | 49.8 | 49.4 |
| | Non-Hisp. White Women | 52.4 | 45.4 | 59.5 | 51.9 | 49.5 | 54.2 | 48.7 |
| | Non-Hisp. Black Men | 68.6 | 46.6 | 90.6 | 67.3 | 60.3 | 74.3 | 51.2 |
| | Non-Hisp. Black Women | 67.8 | 48.7 | 86.8 | 79.0 | 73.8 | 84.1 | 78.8 |
| | Hispanic Men | 73.0 | 57.1 | 88.9 | 62.1 | 56.1 | 68.0 | 56.0 |
| | Hispanic Women | 75.6 | 59.4 | 91.8 | 78.2 | 73.0 | 83.5 | 73.6 |
| AGE GROUP | 18-44 | 58.3 | 50.2 | 66.3 | 70.7 * | 68.2 | 73.1 | 59.2 |
| | 45-64 | 41.8 | 34.5 | 49.0 | 52.6 * | 49.6 | 55.6 | 52.1 |
| | 65 & Older | 50.8 | 43.2 | 58.4 | 48.0 | 45.5 | 50.4 | 49.3 |
| EDUCATION LEVEL | <High School | 46.9 | 29.9 | 63.9 | 52.2 | 47.1 | 57.2 | 38.7 |
| | H.S. / GED | 41.6 | 32.9 | 50.4 | 52.2 | 49.1 | 55.3 | 46.0 |
| | >High School | 56.9 | 51.4 | 62.5 | 63.7 | 61.8 | 65.6 | 61.8 |
| ANNUAL INCOME | <\$25,000 | 36.7 | 28.5 | 44.8 | 52.4 * | 49.0 | 55.9 | 45.7 |
| | \$25,000-\$49,999 | 43.6 | 34.4 | 52.8 | 53.1 | 49.5 | 56.6 | 48.5 |
| | \$50,000 or More | 57.0 | 49.1 | 65.0 | 62.2 | 59.7 | 64.7 | 61.6 |
| MARITAL STATUS | Married/Couple | 49.2 | 43.2 | 55.2 | 59.0 * | 56.9 | 61.2 | 52.4 |
| | Not Married/Couple | 52.7 | 45.2 | 60.2 | 58.7 | 56.3 | 61.1 | 55.3 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 22.1 | 18.2 | 26.0 | 14.8 * | 13.7 | 15.9 | 17.1 |
| SEX | Men | 23.2 | 17.5 | 28.9 | 15.7 * | 14.0 | 17.4 | 18.4 |
| | Women | 21.1 | 15.8 | 26.3 | 13.9 * | 12.4 | 15.4 | 15.8 |
| RACE/ETHNICITY | Non-Hisp. White | 23.7 | 19.1 | 28.3 | 16.4 * | 15.2 | 17.6 | 18.0 |
| | Non-Hisp. Black | 15.9 | 6.5 | 25.3 | 12.4 | 8.9 | 15.9 | 21.2 |
| | Hispanic | 11.5 | 3.4 | 19.6 | 12.6 | 9.8 | 15.4 | 10.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 26.8 | 19.8 | 33.7 | 15.6 * | 13.8 | 17.4 | 19.0 |
| | Non-Hisp. White Women | 20.8 | 14.8 | 26.8 | 17.1 | 15.4 | 18.9 | 17.1 |
| | Non-Hisp. Black Men | 16.6 | 2.2 | 31.1 | 18.3 | 12.1 | 24.4 | 28.9 |
| | Non-Hisp. Black Women | 14.9 | 3.6 | 26.3 | 7.0 | 3.8 | 10.3 | 10.6 |
| | Hispanic Men | 11.7 | 0.7 | 22.6 | 16.2 | 11.8 | 20.7 | 11.2 |
| | Hispanic Women | 11.1 | 0.0 | 22.9 | 9.2 | 5.8 | 12.5 | 9.8 |
| AGE GROUP | 18-44 | 24.3 | 17.5 | 31.0 | 15.0 * | 13.1 | 16.9 | 24.1 |
| | 45-64 | 25.9 | 19.2 | 32.7 | 19.6 | 17.3 | 22.0 | 15.1 |
| | 65 & Older | 12.9 | 7.7 | 18.2 | 9.3 | 7.9 | 10.6 | 10.1 |
| EDUCATION LEVEL | <High School | 30.8 | 16.2 | 45.4 | 23.6 | 19.4 | 27.8 | 25.0 |
| | H.S. / GED | 30.2 | 22.3 | 38.1 | 20.0 | 17.5 | 22.4 | 19.7 |
| | >High School | 15.7 | 11.8 | 19.7 | 10.2 * | 9.1 | 11.4 | 13.5 |
| ANNUAL INCOME | <\$25,000 | 38.3 | 29.7 | 46.9 | 23.4 * | 20.7 | 26.2 | 25.0 |
| | \$25,000-\$49,999 | 26.8 | 18.4 | 35.3 | 17.9 | 15.1 | 20.7 | 16.4 |
| | \$50,000 or More | 10.0 | 5.2 | 14.9 | 9.9 | 8.4 | 11.5 | 11.4 |
| MARITAL STATUS | Married/Couple | 20.2 | 15.0 | 25.4 | 11.3 * | 10.1 | 12.6 | 11.8 |
| | Not Married/Couple | 25.1 | 19.0 | 31.1 | 18.9 | 17.0 | 20.8 | 21.9 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adult current smokers who tried to quit smoking at least once in the past year

| | | 2017-2019 County | | | 2019 State | | | 2016 County Measure |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 60.7 | 51.1 | 70.3 | 59.0 | 55.0 | 62.9 | 52.6 |
| SEX | Men | 48.3 | 34.5 | 62.2 | 55.3 | 49.4 | 61.1 | 56.7 |
| | Women | 74.1 | 62.6 | 85.6 | 62.9 | 57.6 | 68.1 | 47.7 |
| RACE/ETHNICITY | Non-Hisp. White | 60.6 | 49.7 | 71.6 | 55.3 | 51.2 | 59.5 | 54.3 |
| | Non-Hisp. Black | | | | 70.8 | 57.2 | 84.5 | |
| | Hispanic | | | | 64.2 | 52.6 | 75.8 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 49.5 | 34.0 | 65.0 | 50.5 | 44.3 | 56.7 | 47.8 |
| | Non-Hisp. White Women | 73.8 | 60.0 | 87.5 | 59.4 | 53.9 | 64.9 | 60.7 |
| | Non-Hisp. Black Men | | | | 71.8 | 55.1 | 88.5 | |
| | Non-Hisp. Black Women | | | | 68.5 | 44.8 | 92.1 | |
| | Hispanic Men | | | | 58.7 | 43.7 | 73.8 | |
| | Hispanic Women | | | | 73.5 | 56.3 | 90.8 | |
| AGE GROUP | 18-44 | 62.6 | 48.1 | 77.2 | 61.5 | 54.8 | 68.1 | 61.3 |
| | 45-64 | 58.5 | 43.4 | 73.6 | 60.1 | 53.9 | 66.3 | 54.8 |
| | 65 & Older | 60.3 | 38.9 | 81.6 | 49.9 | 42.3 | 57.5 | |
| EDUCATION LEVEL | <High School | | | | 58.1 | 47.9 | 68.2 | |
| | H.S. / GED | 52.3 | 36.9 | 67.7 | 64.4 | 58.5 | 70.3 | 56.1 |
| | >High School | 68.8 | 56.7 | 80.9 | 54.7 | 48.9 | 60.5 | 42.1 |
| ANNUAL INCOME | <\$25,000 | 68.5 | 55.2 | 81.8 | 67.8 | 62.0 | 73.5 | 53.2 |
| | \$25,000-\$49,999 | 46.7 | 28.1 | 65.2 | 56.0 | 47.4 | 64.7 | |
| | \$50,000 or More | 73.6 | 53.8 | 93.3 | 55.7 | 48.0 | 63.5 | |
| MARITAL STATUS | Married/Couple | 60.2 | 46.2 | 74.2 | 55.8 | 50.0 | 61.6 | 36.1 |
| | Not Married/Couple | 61.3 | 48.3 | 74.2 | 61.1 | 55.6 | 66.6 | 59.7 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Tobacco Use & Exposure | | | | | | | | | |
|---|-----------------------|------------------|--------|------|------------|--------|------|-------------|--|
| Percentage of adults who are former smokers | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 26.8 | 22.8 | 30.8 | 26.3 | 25.0 | 27.7 | 28.9 | |
| SEX | Men | 28.2 | 22.2 | 34.2 | 29.5 | 27.5 | 31.5 | 30.5 | |
| | Women | 25.4 | 20.0 | 30.8 | 23.3 | 21.5 | 25.2 | 27.4 | |
| RACE/ETHNICITY | Non-Hisp. White | 29.4 | 24.7 | 34.0 | 33.9 | 32.4 | 35.5 | 33.0 | |
| | Non-Hisp. Black | 15.9 | 4.4 | 27.3 | 14.2 | 11.1 | 17.3 | 16.0 | |
| | Hispanic | 14.5 | 5.6 | 23.3 | 17.0 | 13.7 | 20.3 | 25.3 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 32.2 | 25.2 | 39.3 | 37.0 | 34.7 | 39.4 | 31.6 | |
| | Non-Hisp. White Women | 26.7 | 20.6 | 32.8 | 31.0 | 28.9 | 33.1 | 34.2 | |
| | Non-Hisp. Black Men | 14.8 | 0.0 | 29.6 | 14.4 | 9.8 | 19.0 | 19.9 | |
| | Non-Hisp. Black Women | 17.3 | 0.0 | 34.9 | 14.0 | 9.7 | 18.3 | 10.6 | |
| | Hispanic Men | 15.3 | 2.8 | 27.7 | 21.7 | 16.8 | 26.6 | 32.7 | |
| | Hispanic Women | 13.3 | 1.4 | 25.2 | 12.6 | 8.1 | 17.1 | 16.7 | |
| AGE GROUP | 18-44 | 17.5 | 11.5 | 23.5 | 14.4 | 12.6 | 16.1 | 16.6 | |
| | 45-64 | 32.3 | 25.2 | 39.4 | 27.7 | 25.0 | 30.4 | 32.8 | |
| | 65 & Older | 36.3 | 29.0 | 43.6 | 42.8 | 40.4 | 45.2 | 40.6 | |
| EDUCATION LEVEL | <High School | 22.3 | 10.3 | 34.3 | 24.2 | 19.9 | 28.5 | 36.3 | |
| | H.S. / GED | 28.1 | 20.4 | 35.9 | 27.8 | 25.2 | 30.4 | 34.3 | |
| | >High School | 27.3 | 22.4 | 32.3 | 26.1 | 24.4 | 27.7 | 24.7 | |
| ANNUAL INCOME | <\$25,000 | 25.1 | 17.9 | 32.3 | 24.1 | 21.1 | 27.2 | 29.3 | |
| | \$25,000-\$49,999 | 29.5 | 21.2 | 37.8 | 29.0 | 26.0 | 32.1 | 35.0 | |
| | \$50,000 or More | 32.9 | 25.3 | 40.6 | 27.8 | 25.6 | 30.0 | 27.0 | |
| MARITAL STATUS | Married/Couple | 30.6 | 25.0 | 36.2 | 29.6 | 27.7 | 31.5 | 35.8 | |
| | Not Married/Couple | 22.2 | 16.6 | 27.8 | 22.4 | 20.5 | 24.4 | 22.8 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

| Tobacco Use & Exposure | | | | | | | | | |
|--|-----------------------|------------------|--------|------|------------|--------|-----|-------------|--|
| Percentage of adults who currently use chewing tobacco, snuff or snus some days or every day | | | | | | | | | |
| | | 2017-2019 County | | | 2019 State | | | 2016 County | |
| | | Measure | 95% CI | | Measure | 95% CI | | Measure | |
| ALL | Overall | 4.4 | 2.4 | 6.4 | 2.2 | 1.8 | 2.6 | 1.6 | |
| SEX | Men | 7.4 | 3.6 | 11.1 | 3.4 | 2.7 | 4.2 | 2.7 | |
| | Women | 1.4 | 0.2 | 2.7 | 1.0 | 0.6 | 1.4 | 0.5 | |
| RACE/ETHNICITY | Non-Hisp. White | 5.0 | 2.5 | 7.5 | 2.5 | 1.9 | 3.0 | 2.0 | |
| | Non-Hisp. Black | 3.8 | 0.0 | 7.9 | 2.7 | 1.1 | 4.2 | 3.7 | |
| | Hispanic | 0.2 | 0.0 | 0.4 | 1.4 * | 0.7 | 2.1 | 0.0 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 9.3 | 4.3 | 14.2 | 4.6 | 3.5 | 5.7 | 4.1 | |
| | Non-Hisp. White Women | 1.1 | 0.0 | 2.5 | 0.4 | 0.2 | 0.6 | 0.0 | |
| | Non-Hisp. Black Men | 2.4 | 0.0 | 7.1 | 2.1 | 0.3 | 3.9 | 3.2 | |
| | Non-Hisp. Black Women | 5.6 | 0.0 | 12.6 | 3.2 | 0.6 | 5.7 | 4.4 | |
| | Hispanic Men | 0.2 | 0.0 | 0.7 | 1.8 | 0.6 | 3.1 | 0.0 | |
| | Hispanic Women | 0.0 | | | 1.0 | 0.2 | 1.9 | 0.0 | |
| AGE GROUP | 18-44 | 5.0 | 1.4 | 8.6 | 2.7 | 1.9 | 3.5 | 2.4 | |
| | 45-64 | 4.2 | 1.0 | 7.4 | 2.3 | 1.5 | 3.1 | 1.2 | |
| | 65 & Older | 3.6 | 0.6 | 6.5 | 1.2 | 0.7 | 1.7 | 1.1 | |
| EDUCATION LEVEL | <High School | 7.2 | 0.3 | 14.1 | 4.0 | 2.1 | 5.9 | 2.1 | |
| | H.S. / GED | 3.0 | 0.0 | 6.0 | 2.1 | 1.5 | 2.8 | 2.0 | |
| | >High School | 4.4 | 1.8 | 7.1 | 1.8 | 1.3 | 2.3 | 1.3 | |
| ANNUAL INCOME | <\$25,000 | 2.4 | 0.0 | 5.2 | 2.9 | 1.9 | 3.9 | 1.7 | |
| | \$25,000-\$49,999 | 6.0 | 1.3 | 10.7 | 1.6 | 1.1 | 2.2 | 0.9 | |
| | \$50,000 or More | 5.4 | 1.2 | 9.6 | 2.1 | 1.4 | 2.8 | 1.4 | |
| MARITAL STATUS | Married/Couple | 4.5 | 1.8 | 7.2 | 1.8 | 1.3 | 2.3 | 2.2 | |
| | Not Married/Couple | 4.3 | 1.3 | 7.2 | 2.7 | 1.9 | 3.4 | 1.1 | |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never used e-cigarettes

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|-------|------------|--------|------|-------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 68.3 | 63.6 | 72.9 | 74.1 | 72.3 | 75.8 | 79.4 [^] |
| SEX | Men | 65.8 | 58.8 | 72.7 | 72.2 | 69.5 | 74.8 | 79.7 [^] |
| | Women | 70.8 | 64.7 | 77.0 | 75.7 | 73.5 | 78.0 | 79.2 |
| RACE/ETHNICITY | Non-Hisp. White | 66.2 | 61.0 | 71.5 | 72.1 | 70.3 | 73.9 | 75.4 |
| | Non-Hisp. Black | 82.2 | 70.3 | 94.0 | 76.9 | 71.3 | 82.5 | 80.9 |
| | Hispanic | 91.3 | 84.8 | 97.9 | 76.9* | 72.2 | 81.5 | 89.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 61.2 | 53.2 | 69.2 | 71.1 | 68.5 | 73.7 | 75.4 |
| | Non-Hisp. White Women | 71.0 | 64.2 | 77.8 | 73.0 | 70.5 | 75.5 | 75.3 |
| | Non-Hisp. Black Men | 83.8 | 69.3 | 98.3 | 72.4 | 63.1 | 81.7 | 76.5 |
| | Non-Hisp. Black Women | 79.8 | 60.7 | 99.0 | 80.7 | 74.2 | 87.2 | 87.1 |
| | Hispanic Men | 96.8 | 92.2 | 100.0 | 72.4* | 65.2 | 79.6 | 88.3 |
| | Hispanic Women | 83.0 | 68.6 | 97.5 | 81.0 | 75.1 | 86.8 | 90.5 |
| AGE GROUP | 18-44 | 56.5 | 47.8 | 65.2 | 59.8 | 56.3 | 63.2 | 67.6 |
| | 45-64 | 68.3 | 60.7 | 75.8 | 75.5 | 72.6 | 78.4 | 83.8 [^] |
| | 65 & Older | 89.1 | 83.7 | 94.4 | 91.1 | 89.7 | 92.5 | 89.2 |
| EDUCATION LEVEL | <High School | 77.7 | 64.4 | 91.1 | 76.4 | 71.8 | 81.1 | 73.1 |
| | H.S. / GED | 64.5 | 55.6 | 73.4 | 70.9 | 67.5 | 74.2 | 75.8 |
| | >High School | 67.4 | 61.6 | 73.2 | 75.1 | 72.8 | 77.3 | 83.5 [^] |
| ANNUAL INCOME | <\$25,000 | 63.2 | 54.5 | 71.8 | 73.3 | 69.8 | 76.8 | 70.5 |
| | \$25,000-\$49,999 | 60.4 | 50.8 | 70.0 | 72.0 | 68.4 | 75.5 | 81.8 [^] |
| | \$50,000 or More | 75.9 | 68.0 | 83.7 | 73.5 | 70.5 | 76.5 | 83.9 |
| MARITAL STATUS | Married/Couple | 69.9 | 63.8 | 76.0 | 78.9* | 76.7 | 81.1 | 86.0 [^] |
| | Not Married/Couple | 65.9 | 58.6 | 73.3 | 68.8 | 66.1 | 71.6 | 74.5 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

[^] Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current e-cigarette users

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------------|--------|------|------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 9.1 | 6.2 | 12.1 | 7.5 | 6.5 | 8.5 | 3.9 [^] |
| SEX | Men | 9.7 | 5.2 | 14.2 | 8.4 | 6.8 | 10.0 | 3.3 |
| | Women | 8.5 | 4.7 | 12.3 | 6.7 | 5.4 | 7.9 | 4.6 |
| RACE/ETHNICITY | Non-Hisp. White | 10.3 | 6.7 | 14.0 | 8.6 | 7.4 | 9.7 | 6.2 |
| | Non-Hisp. Black | 4.5 | 0.0 | 9.8 | 4.0 | 1.8 | 6.2 | 0.8 |
| | Hispanic | 0.9 | 0.0 | 2.4 | 6.3 [*] | 3.5 | 9.0 | 0.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 12.0 | 6.1 | 17.9 | 9.5 | 7.7 | 11.3 | 5.6 |
| | Non-Hisp. White Women | 8.8 | 4.3 | 13.2 | 7.7 | 6.2 | 9.2 | 6.7 |
| | Non-Hisp. Black Men | 5.3 | 0.0 | 13.1 | 3.9 | 0.9 | 7.0 | 1.3 |
| | Non-Hisp. Black Women | 3.4 | 0.0 | 10.2 | 4.1 | 1.0 | 7.2 | 0.0 |
| | Hispanic Men | 0.2 | 0.0 | 0.4 | 7.8 [*] | 3.5 | 12.1 | 0.0 |
| | Hispanic Women | 2.0 | 0.0 | 5.9 | 4.9 | 1.5 | 8.3 | 0.0 |
| AGE GROUP | 18-44 | 13.6 | 8.0 | 19.3 | 13.2 | 10.9 | 15.6 | 5.0 |
| | 45-64 | 9.0 | 3.9 | 14.0 | 5.9 | 4.6 | 7.2 | 4.2 |
| | 65 & Older | 1.4 | 0.1 | 2.8 | 1.7 | 1.2 | 2.3 | 1.9 |
| EDUCATION LEVEL | <High School | 10.4 | 0.0 | 20.9 | 7.0 | 3.7 | 10.3 | 5.3 |
| | H.S. / GED | 9.0 | 3.9 | 14.1 | 7.5 | 5.8 | 9.3 | 4.1 |
| | >High School | 8.9 | 5.3 | 12.5 | 7.6 | 6.3 | 8.9 | 3.5 |
| ANNUAL INCOME | <\$25,000 | 10.2 | 4.7 | 15.7 | 5.9 | 4.4 | 7.4 | 6.9 |
| | \$25,000-\$49,999 | 12.5 | 5.1 | 19.9 | 8.5 | 6.5 | 10.6 | 2.7 |
| | \$50,000 or More | 10.4 | 4.9 | 15.9 | 8.6 | 6.7 | 10.5 | 3.9 |
| MARITAL STATUS | Married/Couple | 11.0 | 6.5 | 15.5 | 6.1 | 5.0 | 7.3 | 2.9 [^] |
| | Not Married/Couple | 6.7 | 3.4 | 10.1 | 9.1 | 7.3 | 10.8 | 4.5 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

[^] Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are former e-cigarette users

| | | 2017-2019 County | | | 2019 State | | | 2016 County Measure |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 22.6 | 18.5 | 26.8 | 18.4 | 16.9 | 20.0 | 16.6 |
| SEX | Men | 24.5 | 18.3 | 30.7 | 19.4 | 17.0 | 21.7 | 17.0 |
| | Women | 20.7 | 15.1 | 26.2 | 17.6 | 15.5 | 19.6 | 16.2 |
| RACE/ETHNICITY | Non-Hisp. White | 23.4 | 18.7 | 28.1 | 19.3 | 17.7 | 20.9 | 18.4 |
| | Non-Hisp. Black | 13.3 | 2.7 | 23.9 | 19.1 | 13.7 | 24.5 | 18.3 |
| | Hispanic | 7.8 | 1.4 | 14.1 | 16.8 | 12.7 | 21.0 | 10.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 26.8 | 19.6 | 34.0 | 19.4 | 17.2 | 21.6 | 18.9 |
| | Non-Hisp. White Women | 20.3 | 14.2 | 26.3 | 19.3 | 17.0 | 21.6 | 17.9 |
| | Non-Hisp. Black Men | 10.9 | 0.0 | 22.5 | 23.7 | 14.5 | 32.9 | 22.2 |
| | Non-Hisp. Black Women | 16.7 | 0.0 | 35.3 | 15.2 | 9.2 | 21.2 | 12.9 |
| | Hispanic Men | 3.1 | 0.0 | 7.6 | 19.8* | 13.2 | 26.4 | 11.7 |
| | Hispanic Women | 15.0 | 1.0 | 28.9 | 14.1 | 9.0 | 19.2 | 9.5 |
| AGE GROUP | 18-44 | 29.8 | 22.0 | 37.6 | 27.0 | 23.8 | 30.1 | 27.4 |
| | 45-64 | 22.8 | 16.1 | 29.5 | 18.6 | 15.8 | 21.4 | 12.0 |
| | 65 & Older | 9.5 | 4.3 | 14.7 | 7.2 | 5.9 | 8.5 | 8.9 |
| EDUCATION LEVEL | <High School | 11.9 | 2.7 | 21.0 | 16.5 | 12.9 | 20.2 | 21.6 |
| | H.S. / GED | 26.5 | 18.1 | 35.0 | 21.6 | 18.5 | 24.7 | 20.2 |
| | >High School | 23.7 | 18.3 | 29.0 | 17.3 | 15.3 | 19.3 | 12.9 [^] |
| ANNUAL INCOME | <\$25,000 | 26.6 | 18.6 | 34.6 | 20.8 | 17.5 | 24.1 | 22.6 |
| | \$25,000-\$49,999 | 27.1 | 18.5 | 35.7 | 19.5 | 16.3 | 22.8 | 15.5 |
| | \$50,000 or More | 13.7 | 7.2 | 20.3 | 17.9 | 15.2 | 20.6 | 12.2 |
| MARITAL STATUS | Married/Couple | 19.1 | 13.9 | 24.3 | 14.9 | 13.0 | 16.9 | 11.1 |
| | Not Married/Couple | 27.3 | 20.4 | 34.3 | 22.1 | 19.6 | 24.5 | 21.0 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

[^] Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who said their overall health was "good" to "excellent"

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 79.1 | 75.7 | 82.5 | 80.3 | 79.0 | 81.5 | 75.2 |
| SEX | Men | 78.5 | 73.3 | 83.7 | 81.2 | 79.5 | 83.0 | 77.9 |
| | Women | 79.6 | 75.1 | 84.1 | 79.3 | 77.6 | 81.1 | 72.5 |
| RACE/ETHNICITY | Non-Hisp. White | 80.0 | 76.1 | 83.8 | 81.9 | 80.7 | 83.1 | 74.9 |
| | Non-Hisp. Black | 78.8 | 67.2 | 90.4 | 80.5 | 76.9 | 84.1 | 71.6 |
| | Hispanic | 64.8 | 51.4 | 78.1 | 75.9 | 72.4 | 79.5 | 77.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 80.6 | 75.0 | 86.2 | 82.6 | 80.9 | 84.3 | 83.1 |
| | Non-Hisp. White Women | 79.3 | 74.1 | 84.6 | 81.3 | 79.6 | 82.9 | 67.6 |
| | Non-Hisp. Black Men | 73.9 | 54.1 | 93.7 | 80.4 | 74.7 | 86.1 | 66.3 |
| | Non-Hisp. Black Women | 85.0 | 74.8 | 95.2 | 80.6 | 76.1 | 85.1 | 78.6 |
| | Hispanic Men | 68.5 | 51.3 | 85.6 | 78.1 | 73.1 | 83.0 | 71.3 |
| | Hispanic Women | 58.2 | 37.2 | 79.1 | 74.0 | 68.9 | 79.1 | 83.8 |
| AGE GROUP | 18-44 | 86.4 | 81.6 | 91.2 | 87.2 | 85.4 | 89.0 | 85.5 |
| | 45-64 | 71.8 | 65.4 | 78.3 | 77.0 | 74.6 | 79.4 | 67.7 |
| | 65 & Older | 75.6 | 69.4 | 81.7 | 72.6 | 70.2 | 74.9 | 73.1 |
| EDUCATION LEVEL | <High School | 60.4 | 46.0 | 74.7 | 57.6 | 52.6 | 62.5 | 57.5 |
| | H.S. / GED | 77.7 | 71.5 | 83.9 | 78.5 | 76.2 | 80.9 | 68.6 |
| | >High School | 84.6 | 80.9 | 88.3 | 86.0 | 84.7 | 87.3 | 82.4 |
| ANNUAL INCOME | <\$25,000 | 62.0 | 53.9 | 70.1 | 63.9 | 60.5 | 67.2 | 59.8 |
| | \$25,000-\$49,999 | 85.8 | 80.1 | 91.4 | 82.2 | 79.8 | 84.5 | 82.3 |
| | \$50,000 or More | 90.3 | 86.0 | 94.7 | 91.1 | 89.8 | 92.4 | 91.1 |
| MARITAL STATUS | Married/Couple | 81.0 | 76.6 | 85.4 | 83.7 | 82.2 | 85.2 | 74.9 |
| | Not Married/Couple | 76.2 | 70.7 | 81.7 | 76.4 | 74.4 | 78.4 | 75.9 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults said their overall health was "fair" or "poor"

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 20.9 | 17.5 | 24.3 | 19.7 | 18.5 | 21.0 | 24.8 |
| SEX | Men | 21.5 | 16.3 | 26.7 | 18.8 | 17.0 | 20.5 | 22.1 |
| | Women | 20.4 | 15.9 | 24.9 | 20.7 | 18.9 | 22.4 | 27.5 |
| RACE/ETHNICITY | Non-Hisp. White | 20.0 | 16.2 | 23.9 | 18.1 | 16.9 | 19.3 | 25.1 |
| | Non-Hisp. Black | 21.2 | 9.6 | 32.8 | 19.5 | 15.9 | 23.1 | 28.4 |
| | Hispanic | 35.2 | 21.9 | 48.6 | 24.1 | 20.5 | 27.6 | 23.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 19.4 | 13.8 | 25.0 | 17.4 | 15.7 | 19.1 | 16.9 |
| | Non-Hisp. White Women | 20.7 | 15.4 | 25.9 | 18.7 | 17.1 | 20.4 | 32.4 |
| | Non-Hisp. Black Men | 26.1 | 6.3 | 45.9 | 19.6 | 13.9 | 25.3 | 33.7 |
| | Non-Hisp. Black Women | 15.0 | 4.8 | 25.2 | 19.4 | 14.9 | 23.9 | 21.4 |
| | Hispanic Men | 31.5 | 14.4 | 48.7 | 21.9 | 17.0 | 26.9 | 28.7 |
| | Hispanic Women | 41.8 | 20.9 | 62.8 | 26.0 | 20.9 | 31.1 | 16.2 |
| AGE GROUP | 18-44 | 13.6 | 8.8 | 18.4 | 12.8 | 11.0 | 14.6 | 14.5 |
| | 45-64 | 28.2 | 21.7 | 34.6 | 23.0 | 20.6 | 25.4 | 32.3 |
| | 65 & Older | 24.4 | 18.3 | 30.6 | 27.4 | 25.1 | 29.8 | 26.9 |
| EDUCATION LEVEL | <High School | 39.6 | 25.3 | 54.0 | 42.4 | 37.5 | 47.4 | 42.5 |
| | H.S. / GED | 22.3 | 16.1 | 28.5 | 21.5 | 19.1 | 23.8 | 31.4 |
| | >High School | 15.4 | 11.7 | 19.1 | 14.0 | 12.7 | 15.3 | 17.6 |
| ANNUAL INCOME | <\$25,000 | 38.0 | 29.9 | 46.1 | 36.1 | 32.8 | 39.5 | 40.2 |
| | \$25,000-\$49,999 | 14.2 | 8.6 | 19.9 | 17.8 | 15.5 | 20.2 | 17.7 |
| | \$50,000 or More | 9.7 | 5.3 | 14.0 | 8.9 | 7.6 | 10.2 | 8.9 |
| MARITAL STATUS | Married/Couple | 19.0 | 14.6 | 23.4 | 16.3 | 14.8 | 17.8 | 25.1 |
| | Not Married/Couple | 23.8 | 18.3 | 29.3 | 23.6 | 21.6 | 25.6 | 24.1 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 17.9 | 14.3 | 21.4 | 13.8 | 12.6 | 14.9 | 12.8 |
| SEX | Men | 14.2 | 9.4 | 19.0 | 11.4 | 9.9 | 12.9 | 9.8 |
| | Women | 21.5 | 16.3 | 26.7 | 16.1 | 14.3 | 17.8 | 15.8 |
| RACE/ETHNICITY | Non-Hisp. White | 19.0 | 14.7 | 23.2 | 15.0 | 13.7 | 16.3 | 13.9 |
| | Non-Hisp. Black | 9.2 | 2.4 | 16.1 | 12.3 | 8.9 | 15.7 | 19.4 |
| | Hispanic | 14.3 | 5.4 | 23.2 | 12.5 | 9.4 | 15.5 | 7.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 14.8 | 9.0 | 20.5 | 12.3 | 10.6 | 14.0 | 9.1 |
| | Non-Hisp. White Women | 22.9 | 16.7 | 29.1 | 17.5 | 15.7 | 19.4 | 18.0 |
| | Non-Hisp. Black Men | 7.6 | 0.0 | 16.9 | 14.0 | 7.9 | 20.0 | 21.6 |
| | Non-Hisp. Black Women | 11.4 | 1.8 | 20.9 | 10.9 | 7.4 | 14.4 | 16.7 |
| | Hispanic Men | 7.7 | 0.3 | 15.2 | 8.2 | 5.2 | 11.2 | 5.6 |
| | Hispanic Women | 25.8 | 6.7 | 44.9 | 16.5 | 11.4 | 21.6 | 9.0 |
| AGE GROUP | 18-44 | 21.5 | 14.8 | 28.2 | 15.6 | 13.6 | 17.7 | 9.4 ^ |
| | 45-64 | 19.0 | 13.7 | 24.4 | 15.0 | 12.9 | 17.1 | 18.8 |
| | 65 & Older | 9.6 | 5.5 | 13.7 | 9.7 | 8.1 | 11.4 | 8.1 |
| EDUCATION LEVEL | <High School | 18.7 | 7.1 | 30.4 | 19.5 | 15.5 | 23.6 | 18.2 |
| | H.S. / GED | 17.0 | 10.3 | 23.6 | 14.2 | 11.9 | 16.5 | 16.8 |
| | >High School | 18.2 | 13.8 | 22.6 | 12.5 | 11.1 | 13.8 | 9.7 ^ |
| ANNUAL INCOME | <\$25,000 | 23.5 | 16.2 | 30.9 | 20.9 | 17.9 | 23.8 | 24.0 |
| | \$25,000-\$49,999 | 14.9 | 8.8 | 21.1 | 13.4 | 11.2 | 15.7 | 7.7 |
| | \$50,000 or More | 15.8 | 9.7 | 21.9 | 9.3 | 7.8 | 10.8 | 7.3 |
| MARITAL STATUS | Married/Couple | 15.6 | 10.9 | 20.3 | 10.7 | 9.3 | 12.0 | 10.1 |
| | Not Married/Couple | 20.3 | 14.8 | 25.9 | 17.4 | 15.5 | 19.3 | 15.2 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who had poor physical health on 14 or more of the past 30 days

| | | 2017-2019 County | | | 2019 State | | | 2016 County Measure |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 14.9 | 12.0 | 17.9 | 13.8 | 12.7 | 14.9 | 16.6 |
| SEX | Men | 10.3 | 6.5 | 14.0 | 12.0 | 10.5 | 13.4 | 12.8 |
| | Women | 19.6 | 15.0 | 24.1 | 15.5 | 13.9 | 17.1 | 20.4 |
| RACE/ETHNICITY | Non-Hisp. White | 15.4 | 11.9 | 18.9 | 14.3 | 13.1 | 15.4 | 16.6 |
| | Non-Hisp. Black | 7.2 | 2.3 | 12.2 | 11.8 | 8.8 | 14.7 | 16.5 |
| | Hispanic | 8.6 | 2.4 | 14.8 | 15.0 | 11.8 | 18.3 | 16.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 9.9 | 5.7 | 14.1 | 12.4 | 10.9 | 13.9 | 7.1 |
| | Non-Hisp. White Women | 20.5 | 15.1 | 25.9 | 16.1 | 14.5 | 17.7 | 25.4 |
| | Non-Hisp. Black Men | 2.2 | 0.0 | 5.4 | 10.2* | 5.8 | 14.6 | 20.7 |
| | Non-Hisp. Black Women | 13.7 | 4.0 | 23.5 | 13.1 | 9.2 | 17.1 | 11.6 |
| | Hispanic Men | 9.2 | 0.2 | 18.3 | 12.7 | 8.7 | 16.7 | 20.2 |
| | Hispanic Women | 7.4 | 0.9 | 14.0 | 17.2 | 12.2 | 22.2 | 11.5 |
| AGE GROUP | 18-44 | 9.4 | 5.1 | 13.7 | 7.7 | 6.1 | 9.2 | 7.3 |
| | 45-64 | 19.5 | 13.9 | 25.1 | 16.9 | 14.8 | 19.0 | 22.7 |
| | 65 & Older | 19.1 | 13.4 | 24.9 | 20.0 | 17.8 | 22.3 | 19.7 |
| EDUCATION LEVEL | <High School | 28.4 | 15.2 | 41.5 | 24.0 | 19.4 | 28.5 | 27.3 |
| | H.S. / GED | 14.9 | 9.8 | 20.0 | 15.0 | 12.9 | 17.1 | 19.0 |
| | >High School | 11.5 | 8.4 | 14.7 | 11.1 | 9.9 | 12.3 | 13.1 |
| ANNUAL INCOME | <\$25,000 | 25.7 | 18.5 | 32.9 | 23.9 | 20.8 | 26.9 | 28.4 |
| | \$25,000-\$49,999 | 10.5 | 5.5 | 15.4 | 12.9 | 10.9 | 15.0 | 10.2 |
| | \$50,000 or More | 9.1 | 4.7 | 13.5 | 7.7 | 6.4 | 9.0 | 6.5 |
| MARITAL STATUS | Married/Couple | 11.5 | 8.0 | 15.0 | 12.3 | 10.9 | 13.7 | 15.2 |
| | Not Married/Couple | 19.8 | 14.5 | 25.0 | 15.5 | 13.8 | 17.3 | 17.4 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults whose poor physical or mental health kept them from doing usual activities on 14 or more of the past 30 days

| | | 2017-2019 County Measure | | | 2019 State Measure | | | 2016 County Measure |
|------------------------------|-----------------------|--------------------------|--------|------|--------------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 19.1 | 14.6 | 23.6 | 18.3 | 16.6 | 19.9 | 29.0 |
| SEX | Men | 12.7 | 7.6 | 17.9 | 17.8 | 15.3 | 20.3 | 25.4 |
| | Women | 24.1 | 17.3 | 30.8 | 18.6 | 16.3 | 20.9 | 32.4 |
| RACE/ETHNICITY | Non-Hisp. White | 19.5 | 14.3 | 24.8 | 19.5 | 17.6 | 21.3 | 29.0 |
| | Non-Hisp. Black | 12.3 | 3.0 | 21.6 | 17.8 | 12.0 | 23.6 | 36.3 |
| | Hispanic | 14.5 | 4.1 | 24.9 | 15.6 | 11.2 | 19.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 14.3 | 7.8 | 20.7 | 18.8 | 16.1 | 21.5 | 20.7 |
| | Non-Hisp. White Women | 23.3 | 15.7 | 30.9 | 20.0 | 17.5 | 22.5 | 35.3 |
| | Non-Hisp. Black Men | | | | 19.6 | 9.7 | 29.5 | |
| | Non-Hisp. Black Women | 18.6 | 2.7 | 34.6 | 16.3 | 9.7 | 23.0 | |
| | Hispanic Men | | | | 14.7 | 8.7 | 20.7 | |
| | Hispanic Women | | | | 16.1 | 10.2 | 22.1 | |
| AGE GROUP | 18-44 | 13.0 | 6.3 | 19.7 | 12.3 | 9.7 | 14.9 | 14.2 |
| | 45-64 | 25.3 | 17.4 | 33.2 | 24.1 | 20.8 | 27.5 | 36.1 |
| | 65 & Older | 22.2 | 13.0 | 31.4 | 21.7 | 18.8 | 24.5 | 36.3 |
| EDUCATION LEVEL | <High School | 30.4 | 14.6 | 46.2 | 30.2 | 24.1 | 36.3 | 30.1 |
| | H.S. / GED | 20.0 | 12.0 | 28.0 | 18.1 | 15.0 | 21.2 | 33.5 |
| | >High School | 15.3 | 10.3 | 20.2 | 15.6 | 13.6 | 17.6 | 26.5 |
| ANNUAL INCOME | <\$25,000 | 32.4 | 22.4 | 42.4 | 27.2 | 23.1 | 31.2 | 38.2 |
| | \$25,000-\$49,999 | 11.9 | 4.8 | 18.9 | 17.1 | 13.6 | 20.6 | 21.9 |
| | \$50,000 or More | 7.8 | 2.3 | 13.3 | 11.1 | 9.0 | 13.2 | 15.9 |
| MARITAL STATUS | Married/Couple | 16.4 | 9.9 | 22.9 | 17.6 | 15.3 | 19.9 | 34.0 [^] |
| | Not Married/Couple | 22.2 | 15.9 | 28.4 | 18.8 | 16.3 | 21.3 | 24.2 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

[^] Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good mental health for the past 30 days

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|-------|------------|--------|------|-------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 82.1 | 78.6 | 85.7 | 86.2 | 85.1 | 87.4 | 87.2 |
| SEX | Men | 85.8 | 81.0 | 90.6 | 88.6 | 87.1 | 90.1 | 90.2 |
| | Women | 78.5 | 73.3 | 83.7 | 83.9 | 82.2 | 85.7 | 84.2 |
| RACE/ETHNICITY | Non-Hisp. White | 81.0 | 76.8 | 85.3 | 85.0 | 83.7 | 86.3 | 86.1 |
| | Non-Hisp. Black | 90.8 | 83.9 | 97.6 | 87.7 | 84.3 | 91.1 | 80.6 |
| | Hispanic | 85.7 | 76.8 | 94.6 | 87.5 | 84.5 | 90.6 | 92.8 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 85.2 | 79.5 | 91.0 | 87.7 | 86.0 | 89.4 | 90.9 |
| | Non-Hisp. White Women | 77.1 | 70.9 | 83.3 | 82.5 | 80.6 | 84.3 | 82.0 |
| | Non-Hisp. Black Men | 92.4 | 83.1 | 100.0 | 86.0 | 80.0 | 92.1 | 78.4 |
| | Non-Hisp. Black Women | 88.6 | 79.1 | 98.2 | 89.1 | 85.6 | 92.6 | 83.3 |
| | Hispanic Men | 92.3 | 84.8 | 99.7 | 91.8 | 88.8 | 94.8 | 94.4 |
| | Hispanic Women | 74.2 | 55.1 | 93.3 | 83.5 | 78.4 | 88.6 | 91.0 |
| AGE GROUP | 18-44 | 78.5 | 71.8 | 85.2 | 84.4 | 82.3 | 86.4 | 90.6 [^] |
| | 45-64 | 81.0 | 75.6 | 86.3 | 85.0 | 82.9 | 87.1 | 81.2 |
| | 65 & Older | 90.4 | 86.3 | 94.5 | 90.3 | 88.6 | 91.9 | 91.9 |
| EDUCATION LEVEL | <High School | 81.3 | 69.6 | 92.9 | 80.5 | 76.4 | 84.5 | 81.8 |
| | H.S. / GED | 83.0 | 76.4 | 89.7 | 85.8 | 83.5 | 88.1 | 83.2 |
| | >High School | 81.8 | 77.4 | 86.2 | 87.5 | 86.2 | 88.9 | 90.3 [^] |
| ANNUAL INCOME | <\$25,000 | 76.5 | 69.1 | 83.8 | 79.1 | 76.2 | 82.1 | 76.0 |
| | \$25,000-\$49,999 | 85.1 | 78.9 | 91.2 | 86.6 | 84.3 | 88.8 | 92.3 |
| | \$50,000 or More | 84.2 | 78.1 | 90.3 | 90.7 | 89.2 | 92.2 | 92.7 |
| MARITAL STATUS | Married/Couple | 84.4 | 79.7 | 89.1 | 89.3 | 88.0 | 90.7 | 89.9 |
| | Not Married/Couple | 79.7 | 74.1 | 85.2 | 82.6 | 80.7 | 84.5 | 84.8 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

[^] Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good physical health for the past 30 days

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|-------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 85.1 | 82.1 | 88.0 | 86.2 | 85.1 | 87.3 | 83.4 |
| SEX | Men | 89.7 | 86.0 | 93.5 | 88.0 | 86.6 | 89.5 | 87.2 |
| | Women | 80.4 | 75.9 | 85.0 | 84.5 | 82.9 | 86.1 | 79.6 |
| RACE/ETHNICITY | Non-Hisp. White | 84.6 | 81.1 | 88.1 | 85.7 | 84.6 | 86.9 | 83.4 |
| | Non-Hisp. Black | 92.8 | 87.8 | 97.7 | 88.2 | 85.3 | 91.2 | 83.5 |
| | Hispanic | 91.4 | 85.2 | 97.6 | 85.0 | 81.7 | 88.2 | 83.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 90.1 | 85.9 | 94.3 | 87.6 | 86.1 | 89.1 | 92.9 |
| | Non-Hisp. White Women | 79.5 | 74.1 | 84.9 | 83.9 | 82.3 | 85.5 | 74.6 |
| | Non-Hisp. Black Men | 97.8 | 94.6 | 100.0 | 89.8* | 85.4 | 94.2 | 79.3 |
| | Non-Hisp. Black Women | 86.3 | 76.5 | 96.0 | 86.9 | 82.9 | 90.8 | 88.4 |
| | Hispanic Men | 90.8 | 81.7 | 99.8 | 87.3 | 83.3 | 91.3 | 79.8 |
| | Hispanic Women | 92.6 | 86.0 | 99.1 | 82.8 | 77.8 | 87.8 | 88.5 |
| AGE GROUP | 18-44 | 90.6 | 86.3 | 94.9 | 92.3 | 90.8 | 93.9 | 92.7 |
| | 45-64 | 80.5 | 74.9 | 86.1 | 83.1 | 81.0 | 85.2 | 77.3 |
| | 65 & Older | 80.9 | 75.1 | 86.6 | 80.0 | 77.7 | 82.2 | 80.3 |
| EDUCATION LEVEL | <High School | 71.6 | 58.5 | 84.8 | 76.0 | 71.5 | 80.6 | 72.7 |
| | H.S. / GED | 85.1 | 80.0 | 90.2 | 85.0 | 82.9 | 87.1 | 81.0 |
| | >High School | 88.5 | 85.3 | 91.6 | 88.9 | 87.7 | 90.1 | 86.9 |
| ANNUAL INCOME | <\$25,000 | 74.3 | 67.1 | 81.5 | 76.1 | 73.1 | 79.2 | 71.6 |
| | \$25,000-\$49,999 | 89.5 | 84.6 | 94.5 | 87.1 | 85.0 | 89.1 | 89.8 |
| | \$50,000 or More | 90.9 | 86.5 | 95.3 | 92.3 | 91.0 | 93.6 | 93.5 |
| MARITAL STATUS | Married/Couple | 88.5 | 85.0 | 92.0 | 87.7 | 86.3 | 89.1 | 84.8 |
| | Not Married/Couple | 80.2 | 75.0 | 85.5 | 84.5 | 82.7 | 86.2 | 82.6 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|-----|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 4.6 | 3.9 | 5.4 | 4.4 | 4.1 | 4.7 | 4.9 |
| SEX | Men | 3.5 | 2.5 | 4.6 | 3.8 | 3.4 | 4.2 | 3.9 |
| | Women | 5.7 | 4.6 | 6.8 | 4.9 | 4.5 | 5.3 | 5.8 |
| RACE/ETHNICITY | Non-Hisp. White | 4.9 | 4.0 | 5.8 | 4.5 | 4.2 | 4.7 | 5.0 |
| | Non-Hisp. Black | 2.4 | 1.1 | 3.6 | 3.8 | 3.0 | 4.6 | 4.7 |
| | Hispanic | 2.6 | 1.1 | 4.1 | 4.8 | 3.9 | 5.6 | 4.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 3.6 | 2.5 | 4.7 | 3.9 | 3.5 | 4.2 | 2.9 |
| | Non-Hisp. White Women | 6.1 | 4.7 | 7.5 | 5.0 | 4.6 | 5.4 | 7.0 |
| | Non-Hisp. Black Men | 0.9 | -0.1 | 2.0 | 3.4 * | 2.2 | 4.7 | 5.4 |
| | Non-Hisp. Black Women | 4.3 | 1.8 | 6.7 | 4.2 | 3.1 | 5.2 | 4.0 |
| | Hispanic Men | 2.7 | 0.6 | 4.8 | 4.0 | 2.9 | 5.0 | 5.3 |
| | Hispanic Women | 2.5 | 0.8 | 4.1 | 5.5 * | 4.2 | 6.8 | 3.8 |
| AGE GROUP | 18-44 | 3.0 | 2.0 | 4.0 | 2.8 | 2.4 | 3.3 | 2.5 |
| | 45-64 | 6.3 | 4.7 | 7.8 | 5.1 | 4.6 | 5.6 | 6.5 |
| | 65 & Older | 5.6 | 4.0 | 7.1 | 6.0 | 5.4 | 6.6 | 5.5 |
| EDUCATION LEVEL | <High School | 8.3 | 5.0 | 11.6 | 7.2 | 6.1 | 8.3 | 7.7 |
| | H.S. / GED | 4.6 | 3.3 | 6.0 | 4.7 | 4.1 | 5.2 | 5.7 |
| | >High School | 3.7 | 2.9 | 4.5 | 3.6 | 3.3 | 4.0 | 3.9 |
| ANNUAL INCOME | <\$25,000 | 7.8 | 5.9 | 9.6 | 7.1 | 6.3 | 7.8 | 7.8 |
| | \$25,000-\$49,999 | 3.5 | 2.3 | 4.8 | 4.1 | 3.6 | 4.6 | 3.3 |
| | \$50,000 or More | 2.7 | 1.6 | 3.7 | 2.7 | 2.3 | 3.0 | 2.2 |
| MARITAL STATUS | Married/Couple | 3.6 | 2.8 | 4.5 | 3.9 | 3.5 | 4.2 | 4.5 |
| | Not Married/Couple | 6.0 | 4.7 | 7.4 | 4.9 | 4.5 | 5.4 | 5.2 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy mental days in the past 30 days

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|-----|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 5.5 | 4.6 | 6.4 | 4.4 | 4.1 | 4.7 | 3.7 ^ |
| SEX | Men | 4.4 | 3.1 | 5.7 | 3.7 | 3.3 | 4.1 | 2.8 |
| | Women | 6.5 | 5.2 | 7.8 | 5.0 | 4.5 | 5.4 | 4.6 |
| RACE/ETHNICITY | Non-Hisp. White | 5.8 | 4.7 | 6.9 | 4.6 | 4.3 | 4.9 | 4.2 |
| | Non-Hisp. Black | 2.7 | 1.2 | 4.1 | 4.0 | 3.1 | 4.9 | 5.7 |
| | Hispanic | 4.6 | 2.1 | 7.1 | 4.2 | 3.3 | 5.0 | 1.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.7 | 3.1 | 6.2 | 3.9 | 3.5 | 4.4 | 2.8 |
| | Non-Hisp. White Women | 6.8 | 5.3 | 8.4 | 5.2 | 4.8 | 5.7 | 5.4 |
| | Non-Hisp. Black Men | 1.6 | -0.1 | 3.3 | 4.3 | 2.7 | 5.8 | 5.9 |
| | Non-Hisp. Black Women | 4.0 | 1.6 | 6.4 | 3.8 | 2.8 | 4.7 | 5.4 |
| | Hispanic Men | 3.0 | 0.7 | 5.2 | 2.9 | 2.1 | 3.7 | 1.5 |
| | Hispanic Women | 7.6 | 2.3 | 12.9 | 5.4 | 4.0 | 6.8 | 1.9 |
| AGE GROUP | 18-44 | 6.7 | 5.0 | 8.4 | 5.1 | 4.6 | 5.6 | 3.2 ^ |
| | 45-64 | 5.6 | 4.3 | 7.0 | 4.5 | 4.0 | 5.1 | 5.1 |
| | 65 & Older | 3.0 | 1.9 | 4.1 | 3.0 | 2.6 | 3.5 | 2.2 |
| EDUCATION LEVEL | <High School | 5.9 | 2.8 | 9.0 | 5.9 | 4.8 | 7.0 | 4.8 |
| | H.S. / GED | 5.4 | 3.5 | 7.2 | 4.5 | 3.9 | 5.1 | 4.5 |
| | >High School | 5.4 | 4.4 | 6.5 | 4.0 * | 3.6 | 4.4 | 3.1 ^ |
| ANNUAL INCOME | <\$25,000 | 7.3 | 5.4 | 9.1 | 6.3 | 5.5 | 7.1 | 6.4 |
| | \$25,000-\$49,999 | 4.4 | 2.9 | 5.9 | 4.3 | 3.8 | 4.9 | 2.3 |
| | \$50,000 or More | 4.9 | 3.4 | 6.4 | 3.2 | 2.8 | 3.6 | 2.3 |
| MARITAL STATUS | Married/Couple | 4.4 | 3.3 | 5.5 | 3.4 | 3.1 | 3.8 | 2.9 |
| | Not Married/Couple | 6.8 | 5.3 | 8.3 | 5.5 | 5.0 | 6.0 | 4.4 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (among adults who have had at least one day of poor mental or physical health)

| | | 2017-2019 County Measure | | | 2019 State Measure | | | 2016 County Measure |
|------------------------------|-----------------------|--------------------------|--------|------|--------------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 6.0 | 4.9 | 7.1 | 5.6 | 5.2 | 6.0 | 7.9 |
| SEX | Men | 4.5 | 3.2 | 5.7 | 5.5 | 4.8 | 6.1 | 6.8 |
| | Women | 7.2 | 5.5 | 8.9 | 5.7 | 5.1 | 6.2 | 8.9 |
| RACE/ETHNICITY | Non-Hisp. White | 6.1 | 4.8 | 7.5 | 5.9 | 5.4 | 6.3 | 7.7 |
| | Non-Hisp. Black | 4.2 | 1.2 | 7.1 | 5.3 | 4.0 | 6.5 | 8.8 |
| | Hispanic | 5.1 | 1.7 | 8.5 | 5.2 | 4.1 | 6.3 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.6 | 3.0 | 6.2 | 5.8 | 5.1 | 6.4 | 5.5 |
| | Non-Hisp. White Women | 7.2 | 5.2 | 9.2 | 6.0 | 5.4 | 6.5 | 9.3 |
| | Non-Hisp. Black Men | | | | 5.9 | 3.6 | 8.3 | |
| | Non-Hisp. Black Women | 6.3 | 0.8 | 11.8 | 4.8 | 3.6 | 5.9 | |
| | Hispanic Men | | | | 5.0 | 3.3 | 6.6 | |
| | Hispanic Women | | | | 5.3 | 3.9 | 6.8 | |
| AGE GROUP | 18-44 | 4.7 | 2.9 | 6.5 | 4.0 | 3.4 | 4.6 | 4.3 |
| | 45-64 | 7.6 | 5.7 | 9.5 | 7.3 | 6.4 | 8.1 | 9.6 |
| | 65 & Older | 6.1 | 3.8 | 8.4 | 6.4 | 5.7 | 7.1 | 9.6 |
| EDUCATION LEVEL | <High School | 9.5 | 5.4 | 13.6 | 8.7 | 7.2 | 10.2 | 9.5 |
| | H.S. / GED | 5.9 | 4.0 | 7.9 | 5.5 | 4.8 | 6.1 | 7.8 |
| | >High School | 5.0 | 3.8 | 6.2 | 5.0 | 4.5 | 5.5 | 7.5 |
| ANNUAL INCOME | <\$25,000 | 9.8 | 7.2 | 12.4 | 8.0 | 7.0 | 9.1 | 10.2 |
| | \$25,000-\$49,999 | 3.7 | 2.0 | 5.5 | 5.3 | 4.6 | 6.1 | 5.9 |
| | \$50,000 or More | 3.3 | 2.1 | 4.5 | 3.7 | 3.2 | 4.3 | 4.5 |
| MARITAL STATUS | Married/Couple | 5.3 | 3.5 | 7.0 | 5.3 | 4.7 | 5.8 | 9.1 |
| | Not Married/Couple | 6.8 | 5.4 | 8.3 | 5.9 | 5.3 | 6.5 | 6.7 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who have a personal doctor

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 69.9 | 65.5 | 74.3 | 72.0 | 70.5 | 73.5 | 71.2 |
| SEX | Men | 61.5 | 54.5 | 68.5 | 66.6 | 64.3 | 68.9 | 67.8 |
| | Women | 78.2 | 73.0 | 83.4 | 77.1 | 75.2 | 79.0 | 74.6 |
| RACE/ETHNICITY | Non-Hisp. White | 74.4 | 69.9 | 78.8 | 76.8 | 75.3 | 78.3 | 73.1 |
| | Non-Hisp. Black | 52.8 | 33.6 | 72.0 | 72.1 | 67.6 | 76.6 | 69.9 |
| | Hispanic | 51.9 | 37.9 | 65.9 | 61.5 | 57.4 | 65.5 | 68.8 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 66.1 | 58.9 | 73.3 | 72.5 | 70.1 | 74.8 | 68.3 |
| | Non-Hisp. White Women | 82.1 | 76.6 | 87.5 | 80.9 | 79.0 | 82.9 | 77.4 |
| | Non-Hisp. Black Men | 45.9 | 18.1 | 73.7 | 65.7 | 58.4 | 73.0 | 73.5 |
| | Non-Hisp. Black Women | 61.6 | 40.6 | 82.5 | 77.6 | 72.3 | 82.9 | 65.3 |
| | Hispanic Men | 41.5 | 23.9 | 59.1 | 54.9 | 48.8 | 60.9 | 63.4 |
| | Hispanic Women | 69.0 | 47.8 | 90.2 | 67.5 | 62.3 | 72.8 | 75.2 |
| AGE GROUP | 18-44 | 49.1 | 41.0 | 57.2 | 54.6 | 51.9 | 57.4 | 53.5 |
| | 45-64 | 80.7 | 75.0 | 86.3 | 77.9 | 75.2 | 80.5 | 75.1 |
| | 65 & Older | 93.6 | 90.2 | 97.1 | 91.2 | 89.6 | 92.7 | 89.2 |
| EDUCATION LEVEL | <High School | 67.1 | 49.8 | 84.4 | 60.4 | 55.4 | 65.3 | 57.4 |
| | H.S. / GED | 59.7 | 51.3 | 68.1 | 70.3 | 67.4 | 73.1 | 67.3 |
| | >High School | 76.2 | 71.6 | 80.8 | 75.3 | 73.5 | 77.2 | 76.6 |
| ANNUAL INCOME | <\$25,000 | 59.7 | 51.2 | 68.1 | 69.2 | 66.0 | 72.3 | 62.5 |
| | \$25,000-\$49,999 | 68.4 | 59.7 | 77.0 | 68.9 | 65.5 | 72.4 | 74.0 |
| | \$50,000 or More | 80.2 | 74.0 | 86.4 | 77.4 | 75.1 | 79.7 | 80.5 |
| MARITAL STATUS | Married/Couple | 77.1 | 72.3 | 82.0 | 76.2 | 74.2 | 78.1 | 78.9 |
| | Not Married/Couple | 61.4 | 53.8 | 69.1 | 67.2 | 64.9 | 69.6 | 63.5 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|-------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 84.0 | 80.0 | 88.0 | 84.2 | 83.0 | 85.4 | 82.1 |
| SEX | Men | 77.5 | 70.7 | 84.4 | 81.9 | 80.0 | 83.9 | 82.7 |
| | Women | 90.4 | 86.6 | 94.1 | 86.3 | 84.8 | 87.9 | 81.4 |
| RACE/ETHNICITY | Non-Hisp. White | 89.2 | 86.0 | 92.4 | 88.6 | 87.4 | 89.7 | 84.4 |
| | Non-Hisp. Black | 68.7 | 46.5 | 90.9 | 81.4 | 77.3 | 85.4 | 74.6 |
| | Hispanic | 56.5 | 42.3 | 70.7 | 76.1 * | 72.7 | 79.6 | 79.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 84.3 | 78.7 | 90.0 | 86.2 | 84.3 | 88.1 | 85.2 |
| | Non-Hisp. White Women | 93.6 | 90.6 | 96.7 | 90.8 | 89.4 | 92.1 | 83.8 ^ |
| | Non-Hisp. Black Men | 51.2 | 21.0 | 81.3 | 78.6 | 72.3 | 85.0 | 65.7 |
| | Non-Hisp. Black Women | 90.4 | 73.9 | 100.0 | 83.7 | 78.5 | 89.0 | 86.1 |
| | Hispanic Men | 52.5 | 33.9 | 71.0 | 73.8 | 68.4 | 79.2 | 84.9 ^ |
| | Hispanic Women | 63.0 | 41.1 | 84.9 | 78.2 | 73.9 | 82.6 | 72.1 |
| AGE GROUP | 18-44 | 70.0 | 61.9 | 78.0 | 75.4 | 73.1 | 77.7 | 70.0 |
| | 45-64 | 91.3 | 87.1 | 95.4 | 83.5 * | 81.1 | 85.9 | 84.3 |
| | 65 & Older | 100.0 | 100.0 | 100.0 | 98.1 * | 97.4 | 98.8 | 94.9 ^ |
| EDUCATION LEVEL | <High School | 73.1 | 55.4 | 90.8 | 69.0 | 64.4 | 73.6 | 64.7 |
| | H.S. / GED | 80.3 | 73.6 | 87.0 | 83.1 | 80.9 | 85.3 | 79.5 |
| | >High School | 88.9 | 85.3 | 92.5 | 88.0 | 86.5 | 89.5 | 87.8 |
| ANNUAL INCOME | <\$25,000 | 75.0 | 67.5 | 82.4 | 76.1 | 73.2 | 79.1 | 71.0 |
| | \$25,000-\$49,999 | 84.1 | 77.3 | 91.0 | 81.9 | 78.8 | 85.0 | 87.0 |
| | \$50,000 or More | 89.8 | 84.3 | 95.3 | 92.7 | 91.3 | 94.1 | 93.3 |
| MARITAL STATUS | Married/Couple | 89.5 | 85.9 | 93.1 | 88.0 | 86.5 | 89.5 | 87.6 |
| | Not Married/Couple | 77.0 | 69.4 | 84.6 | 79.9 | 77.8 | 82.0 | 76.7 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor in the past year due to cost

| | | 2017-2019 County | | | 2019 State | | | 2016 County Measure |
|------------------------------|-----------------------|------------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 16.4 | 13.2 | 19.7 | 16.0 | 14.8 | 17.3 | 18.7 |
| SEX | Men | 15.2 | 10.6 | 19.7 | 15.8 | 13.9 | 17.8 | 19.1 |
| | Women | 17.6 | 13.1 | 22.2 | 16.2 | 14.6 | 17.8 | 18.3 |
| RACE/ETHNICITY | Non-Hisp. White | 15.8 | 12.1 | 19.4 | 13.5 | 12.3 | 14.7 | 17.0 |
| | Non-Hisp. Black | 13.0 | 3.1 | 22.9 | 16.8 | 13.0 | 20.7 | 19.0 |
| | Hispanic | 22.5 | 9.7 | 35.3 | 22.7 | 19.0 | 26.3 | 20.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 13.8 | 8.8 | 18.8 | 12.7 | 10.9 | 14.5 | 16.0 |
| | Non-Hisp. White Women | 17.6 | 12.3 | 22.8 | 14.3 | 12.6 | 15.9 | 17.8 |
| | Non-Hisp. Black Men | 8.0 | 0.0 | 17.3 | 15.9 | 9.9 | 21.9 | 23.1 |
| | Non-Hisp. Black Women | 19.5 | 2.1 | 36.8 | 17.7 | 12.6 | 22.7 | 13.7 |
| | Hispanic Men | 20.6 | 3.2 | 38.0 | 25.2 | 19.4 | 31.0 | 23.5 |
| | Hispanic Women | 25.6 | 7.0 | 44.2 | 20.4 | 15.9 | 24.8 | 17.9 |
| AGE GROUP | 18-44 | 20.7 | 14.8 | 26.6 | 21.9 | 19.6 | 24.2 | 20.0 |
| | 45-64 | 20.1 | 14.3 | 25.8 | 19.3 | 16.8 | 21.8 | 23.9 |
| | 65 & Older | 2.9 | 1.1 | 4.7 | 3.7 | 3.0 | 4.4 | 8.5 |
| EDUCATION LEVEL | <High School | 19.9 | 8.5 | 31.3 | 21.4 | 17.7 | 25.0 | 30.3 |
| | H.S. / GED | 19.9 | 13.3 | 26.5 | 16.9 | 14.6 | 19.3 | 17.2 |
| | >High School | 13.7 | 10.2 | 17.2 | 14.5 | 12.8 | 16.2 | 16.8 |
| ANNUAL INCOME | <\$25,000 | 25.1 | 18.1 | 32.2 | 25.7 | 22.8 | 28.6 | 33.2 |
| | \$25,000-\$49,999 | 18.1 | 11.1 | 25.0 | 19.6 | 16.4 | 22.8 | 9.2 |
| | \$50,000 or More | 10.3 | 4.9 | 15.7 | 9.2 | 7.4 | 11.0 | 10.8 |
| MARITAL STATUS | Married/Couple | 13.7 | 9.7 | 17.7 | 13.0 | 11.4 | 14.7 | 14.9 |
| | Not Married/Couple | 19.9 | 14.5 | 25.3 | 19.5 | 17.4 | 21.5 | 22.4 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.
 ^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who had a medical checkup in the past year

| | | 2017-2019 County | | | 2019 State | | | 2016 County |
|------------------------------|-----------------------|------------------|--------|-------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 72.6 | 68.1 | 77.1 | 78.8 * | 77.4 | 80.2 | 79.7 |
| SEX | Men | 66.9 | 59.8 | 74.1 | 74.1 | 71.8 | 76.3 | 77.2 |
| | Women | 78.0 | 72.7 | 83.3 | 83.2 | 81.5 | 84.8 | 82.1 |
| RACE/ETHNICITY | Non-Hisp. White | 73.8 | 69.2 | 78.4 | 80.6 * | 79.2 | 81.9 | 79.4 |
| | Non-Hisp. Black | 65.7 | 44.1 | 87.3 | 82.7 | 78.9 | 86.4 | 84.4 |
| | Hispanic | 71.0 | 58.6 | 83.3 | 73.0 | 69.2 | 76.7 | 82.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 69.0 | 61.8 | 76.2 | 77.3 | 75.1 | 79.4 | 78.2 |
| | Non-Hisp. White Women | 78.2 | 72.3 | 84.1 | 83.6 | 81.9 | 85.4 | 80.5 |
| | Non-Hisp. Black Men | 51.6 | 21.4 | 81.7 | 75.8 | 69.3 | 82.4 | 76.3 |
| | Non-Hisp. Black Women | 83.4 | 65.8 | 100.0 | 88.6 | 84.9 | 92.3 | 94.1 |
| | Hispanic Men | 71.8 | 55.8 | 87.8 | 66.9 | 61.2 | 72.7 | 79.2 |
| | Hispanic Women | 69.8 | 50.5 | 89.0 | 78.4 | 73.6 | 83.3 | 85.8 |
| AGE GROUP | 18-44 | 56.0 | 47.7 | 64.2 | 65.5 | 62.8 | 68.2 | 66.1 |
| | 45-64 | 81.3 | 75.8 | 86.9 | 82.3 | 80.2 | 84.5 | 82.9 |
| | 65 & Older | 90.6 | 86.8 | 94.5 | 94.1 | 92.8 | 95.3 | 92.7 |
| EDUCATION LEVEL | <High School | 71.9 | 54.1 | 89.8 | 73.7 | 69.5 | 78.0 | 82.0 |
| | H.S. / GED | 67.8 | 59.6 | 76.0 | 77.4 | 74.7 | 80.0 | 78.2 |
| | >High School | 75.2 | 70.3 | 80.2 | 80.4 | 78.7 | 82.1 | 79.9 |
| ANNUAL INCOME | <\$25,000 | 66.9 | 58.6 | 75.1 | 77.4 | 74.6 | 80.3 | 77.4 |
| | \$25,000-\$49,999 | 72.4 | 63.9 | 80.9 | 76.7 | 73.7 | 79.7 | 79.2 |
| | \$50,000 or More | 80.1 | 73.6 | 86.6 | 81.6 | 79.4 | 83.7 | 78.7 |
| MARITAL STATUS | Married/Couple | 76.9 | 71.9 | 81.9 | 81.8 | 80.0 | 83.6 | 79.4 |
| | Not Married/Couple | 67.2 | 59.4 | 75.1 | 75.4 | 73.3 | 77.5 | 79.6 |

* Indicates that the difference observed between the 2017-2019 county and 2019 state measure is statistically significant.

^ Indicates that the difference observed between the 2017-2019 county and 2016 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

GLOSSARY

2017-2019 Florida Behavioral Risk Factor Surveillance System Data Report

| | |
|--------------------------------------|---|
| Activities of Daily Living | Usual activities, such as self-care, work, or recreation. |
| Adult | Individual aged 18 years or older. |
| Angina | Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood. |
| Arthritis | Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary. |
| Asthma | Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing. |
| Binge Drinking* | For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days. |
| Blood Glucose | Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream. |
| Blood Sugar | See Blood Glucose |
| Body Mass Index (BMI) | A number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems. |
| Cancer | General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues. |
| Chronic Bronchitis | A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs. |
| Chronic Diseases | Diseases of long duration and generally slow progression (e.g., heart disease, stroke, cancer, diabetes); represent the leading causes of mortality worldwide. |
| Chronic Obstructive Pulmonary | Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis. |
| Coronary Artery Disease (CAD) | Most common type of heart disease; occurs when a substance called plaque builds up on the inner walls of the arteries that supply blood to the heart, called coronary arteries; most common cause of a heart attack. |
| Coronary Heart Disease (CHD) | See Coronary Artery Disease (CAD) |
| Current Smoker* | Combination of everyday smoker and some days smoker. |
| Depressive Disorders | Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment. |
| Diabetes | General term for diabetes mellitus; disease in which blood glucose levels are above normal. |
| E-Cigarettes | An e-cigarette, also known as an electronic cigarette, is a device that allows a user to inhale nicotine and other vapors. |
| Emphysema | Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD). |
| Fibromyalgia | A musculoskeletal condition causing widespread muscle and joint pain and fatigue. |
| Flu | Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death. |

*This term is defined using BRFSS standards.

GLOSSARY

2017-2019 Florida Behavioral Risk Factor Surveillance System Data Report

| | |
|---------------------------------|---|
| Flu Shot | Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose. |
| Former Smoker | Adults who reported smoking at least 100 cigarettes in their lifetimes but reported not smoking now. |
| Gout | A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint. |
| Health Behavior | An action taken by a person to maintain, attain, or regain good health and to prevent illness. |
| Health Care Coverage | Health insurance, pre-paid plans such as HMO's, government plans such as Medicare. |
| Health Care Provider | A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor, nurse practitioner, physician assistant, registered nurse). |
| Health Risk Behavior | An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity, poor nutrition, tobacco use, excessive alcohol consumption). |
| Healthy Weight | Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight. |
| Heart Attack | Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply. |
| Heavy Drinking* | For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days. |
| Hispanic | Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable. |
| HIV | Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS). |
| Influenza | See Flu |
| Kidney Disease | Also called renal disease; general term for any damage that reduces the functioning of the kidney. |
| Mental Health | A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community. |
| Never Smoked* | Adults who reported smoking less than 100 cigarettes in their lifetime. |
| Non-Hispanic Black | Adults not of Hispanic culture or origins reporting membership in only the black race category; self-reported demographic variable. |
| Non-Hispanic White | Adults not of Hispanic culture or origins reporting membership in only the white race category; self-reported demographic variable. |
| Obese | Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight. |
| Obesity | A condition characterized by being obese. |
| Overweight | Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight. |
| Personal Doctor | A health care provider that an adult identifies as their personal health care provider. |
| Physical Activity | Any bodily movement produced by the contraction of skeletal muscle that increases energy expenditure above basal level and that enhances or maintains physical fitness and overall health and wellness. |
| Pneumococcal Vaccination | Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia. |

*This term is defined using BRFSS standards.

GLOSSARY

2017-2019 Florida Behavioral Risk Factor Surveillance System Data Report

| | |
|-----------------------------|--|
| Pneumonia | Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness. |
| Poor Mental Health | Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days. |
| Poor Physical Health | Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days. |
| Pre-Diabetes | A condition in which an individual's blood sugar is high, but not high enough to be diagnosed as diabetes. |
| Race/Ethnicity | A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable. |
| Routine Checkup | A general physical exam; does not include exams conducted for a specific injury, illness, or condition. |
| Sedentary* | Participating in no leisure-time physical activity in the past 30 days. |
| Sex | The condition or character of being male or female; self-reported demographic variable. |
| Smoking | Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco. |
| Stroke | Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts. |

*This term is defined using BRFSS standards.

2017-2019 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2030 Objectives

The U.S. Department of Health and Human Services, Office of Disease Prevention and Health Promotion's Healthy People initiative identifies public health priorities that can improve the health and well-being of individuals. Organizations and communities can use Healthy People objectives to help set and measure progress toward benchmarks. The Healthy People 2030 objectives listed in this appendix are directly or indirectly related to the data presented in this report.

Alcohol Consumption

SU-10. Reduce the proportion of people aged 21 years and over who engaged in binge drinking in the past month

Arthritis

A-02. Reduce the proportion of adults with arthritis whose arthritis limits their activities

Cardiovascular Disease

HDS-01. Improve cardiovascular health in adults

HDS-02. Reduce coronary heart disease deaths

HDS-03. Reduce stroke deaths

Cholesterol Awareness

HDS-06. Reduce cholesterol in adults

Diabetes

D-01. Reduce the number of diabetes cases diagnosed yearly

D-06. Increase the proportion of people with diabetes who get formal diabetes education

D-07. Increase the proportion of adults with diabetes using insulin who monitor their blood sugar daily

Hypertension Awareness & Control

HDS-05. Increase control of high blood pressure in adults

Immunization

IID-09. Increase the proportion of people who get the flu vaccine every year

Kidney Disease

CKD-01. Reduce the proportion of adults with chronic kidney disease

CKD-02. Increase the proportion of adults with chronic kidney disease who know they have it

Overweight & Obesity

NWS-03. Reduce the proportion of adults with obesity

Physical Activity

PA-01. Reduce the proportion of adults who do no physical activity in their free time

2017-2019 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2030 Objectives

Tobacco Use & Exposure

TU-01. Reduce current tobacco use in adults

TU-02. Reduce current cigarette smoking in adults

TU-03. Reduce current cigarette, cigar, and pipe smoking in adults

TU-11. Increase past-year attempts to quit smoking in adults

TU-14. Increase successful quit attempts in adults who smoke

TU-15. Increase successful quit attempts in pregnant women who smoke



Prepared by:

Justine Gunderson, PhD
Katie McDaniel, MPH

If you have any questions or comments
please contact:

Florida Department of Health
Division of Community Health Promotion
Public Health Research
4052 Bald Cypress Way, Bin A-24
Tallahassee, Florida 32399-1744

Phone: 850-245-4793 or 866-779-6122
BRFSS@flhealth.gov
www.floridahealth.gov/BRFSS