

# Florida Arbovirus Surveillance Week 34: August 19-25, 2018

Arbovirus surveillance in Florida includes endemic mosquito-borne viruses such as West Nile virus (WNV), Eastern equine encephalitis virus (EEEV), and St. Louis encephalitis virus (SLEV), as well as exotic viruses such as dengue virus (DENV), chikungunya virus (CHIKV) and California encephalitis group viruses (CEV). Malaria, a parasitic mosquito-borne disease is also included. During the period of August 19-25, 2018, the following arboviral activity was recorded in Florida.

**WNV activity:** Five human cases of WNV infection were reported this week in Bay, Duval (2), Manatee, and Nassau counties. One horse with WNV infection was reported this week in Levy County. Two mosquito pools tested positive for WNV this week in Sarasota County. Forty-seven sentinel chickens tested positive for antibodies to WNV this week in Alachua, Bay, Charlotte, Duval, Leon, Manatee, Nassau, Sarasota, St. Johns, and Walton counties. In 2018, positive samples from six humans, one blood donor, one horse, one crow, 20 mosquito pools, and 165 sentinel chickens have been reported from 17 counties.

**SLEV activity:** No human cases of SLEV infection were reported this week. No sentinel chickens tested positive for antibodies to SLEV this week. In 2018, there have been no positive samples reported.

**EEEV activity:** No human cases of EEEV infection were reported this week. No horses with EEEV infection were reported this week. Six sentinel chickens tested positive for antibodies to EEEV this week in Citrus, Leon, and Walton counties. In 2018, positive samples from three humans, 49 horses, one mule, one donkey, one owl, one emu, five emu flocks, two mosquito pools, and 139 sentinel chickens have been reported from 31 counties.

**International Travel-Associated Dengue Fever Cases:** One case of dengue fever was reported this week in a person that had international travel. In 2018, 15 travel-associated cases have been reported.

**Dengue Fever Cases Acquired in Florida:** No cases of locally acquired dengue fever were reported this week. In 2018, no cases of locally acquired dengue fever have been reported.

**International Travel-Associated Chikungunya Fever Cases:** No cases of chikungunya fever were reported this week in persons that had international travel. In 2018, two travel-associated cases have been reported.

Chikungunya Fever Cases Acquired in Florida: No cases of locally acquired chikungunya fever were reported this week. In 2018, no cases of locally acquired chikungunya fever have been reported.

**International Travel-Associated Zika Fever Cases:** One case of Zika fever was reported this week in a person that had international travel. In 2018, 64 cases have been reported.

**Zika Fever Cases Acquired in Florida:** No cases of locally acquired Zika fever were reported this week. In 2018, no cases of locally acquired Zika fever have been reported.

**Advisories/Alerts**: Columbia, Lake, Manatee, Marion, Nassau, Okeechobee, Orange, Sarasota, St. Johns, Suwannee, Taylor, Volusia, and Walton counties are currently under a mosquito-borne illness advisory. Bay, Duval, and Levy counties are currently under a mosquito-borne illness alert. No other counties are currently under mosquito-borne illness advisory or alert.

There are no areas of ongoing, active Zika transmission in Florida. For additional information on current CDC recommendations, please visit <a href="https://www.cdc.gov/zika/intheus/florida-update.html">https://www.cdc.gov/zika/intheus/florida-update.html</a>. For additional information on Zika virus cases from 2016 or 2017, including up-to-date numbers, please visit <a href="https://zikafreefl.org/">https://zikafreefl.org/</a>.

There is a Level 2 (Alert) Travel Health Notice from the CDC for multiple countries in Africa, the Caribbean, Central and South America, Southeast Asia, and Pacific Islands related to Zika virus transmission and an association with poor pregnancy outcomes. Pregnant women should consider postponing travel to these areas. There is also a Level 2 Travel Health Notice for Brazil and a Level 1 Travel Health Notice in Nigeria related to the transmission of yellow fever virus. Additional information on travel health notices can be found at the following link: <a href="http://wwwnc.cdc.gov/travel/notices">http://wwwnc.cdc.gov/travel/notices</a>. For a map of arboviral disease activity in the United States, please visit the following link: <a href="https://wwwn.cdc.gov/arbonet/maps/ADB">https://wwwn.cdc.gov/arbonet/maps/ADB</a> Diseases Map/index.html.

### 2018 Human Case Summary\*

West Nile Virus Illnesses Acquired in Florida: A total of six human cases of WNV illness acquired in Florida have been reported in 2018; two in Bay (July), two in Duval (August), one in Manatee (July), and one in Nassau (August) counties. One asymptomatic positive blood donor was reported from Bay County (June).

**EEEV Infection Acquired in Florida:** Three human cases of Eastern equine encephalitis acquired in Florida have been reported in 2018 in Columbia (July), Taylor (May), and Volusia (July) counties.

**International Travel-Associated Chikungunya Fever Cases:** Two cases of chikungunya fever with onset in 2018 have been reported in individuals with travel history to a chikungunya endemic country in the two weeks prior to onset. Country of origin was: Brazil (2). Counties reporting the case were: Orange and Miami-Dade.

International Travel-Associated Dengue Fever Cases: Fifteen cases of dengue fever with onset in 2018 have been reported in individuals with travel history to a dengue endemic country in the two weeks prior to onset. Countries of origin were: Cuba (8), Haiti (4), Thailand, and Venezuela (2). Counties reporting cases were: Broward (3), Hillsborough (4), Lake, Lee, Miami-Dade (4), Orange, and Palm Beach. Two cases met the criteria for severe dengue (dengue shock syndrome [DSS] or dengue hemorrhagic fever [DHF]). Those at greater risk for DSS and DHF include persons with previous dengue infection, pregnant women, infants, the elderly, and those with co-morbidities. However, severe illness can also occur in those without any of these risk factors. In 2018, 14 cases of dengue reported in Florida have been serotyped by PCR. Additional serotyping and strain typing are being conducted.

	# of cases per serotype – 2018
DENV-1	6
DENV-2	8
Total	14

International Travel-Associated Zika Fever Cases: In 2018, 64 cases of Zika fever have been reported in individuals with travel history to a country or area experiencing Zika virus activity. Countries of origin were: Brazil (3), Brazil/Haiti, Brazil/Mexico, Cuba (15), Cuba/Mexico, Dominica, Dominican Republic, Guatemala (2), Guatemala/Mexico, Haiti (22), Honduras (4), Jamaica, Puerto Rico, Turks and Caicos, and Venezuela (9). Counties reporting cases were: Broward (4), Collier (23), Hernando, Hillsborough, Lee, Miami-Dade (16), Orange (9), Osceola (3), Palm Beach (4), Pinellas, and Walton. Eight cases were reported in non-Florida residents. Florida is monitoring a total of 47ven pregnant women in 2018.


International Travel-Associated Malaria Cases: Forty-three cases of malaria with onset in 2018 have been reported. Countries of origin were: Afghanistan (2), Angola, Brazil, Cameroon, Dominican Republic, Ethiopia, Gabon, Ghana (3), Haiti (2), India (5), Kenya, Liberia, Mali/Togo, Nicaragua (3), Nigeria (14), Sierra Leone, South Africa, and Togo (3). Counties reporting cases were: Broward (12), Duval (3), Escambia, Hillsborough (5), Miami-Dade (11), Okaloosa, Orange (3), Palm Beach (2), Pasco, Polk, Sarasota, and Seminole (2). Eight cases were reported in non-Florida residents.


Twenty-six cases (60%) were diagnosed with *Plasmodium falciparum*. Thirteen cases (30%) were diagnosed with *Plasmodium vivax*. Three cases (7%) were diagnosed with *Plasmodium ovale*. One case (2%) was diagnosed with *Plasmodium malariae*.

# **Veterinary Cases\***

\*Veterinary cases are reported by date of onset. Only mammalian veterinary cases are included in the graphs.

One horse with WNV infection was reported this week in Levy County.






#### Sentinel Chickens\*

The table below is for the reporting of confirmatory laboratory results from this week. Some of the samples were collected at earlier dates. The date of collection is recorded for samples collected on that day along with the total number of positives and the corresponding seroconversion rate for the week the sample was collected.


Forty-seven sentinel chickens tested positive for antibodies to WNV this week in Alachua, Bay, Charlotte, Duval, Leon, Manatee, Nassau, Sarasota, St. Johns, and Walton counties. Six sentinel chickens tested positive for antibodies to EEEV this week in Citrus, Leon, and Walton counties.

		Seroconversion Rates (%)				County Totals			
County	Collection Date	Flavi	SLEV	WNV	Alpha	EEEV	HJV	Collection Week	YTD
Alachua	8/14/18	8.33		8.33				1 WNV	8 WNV, 8 EEEV
Bay	8/13/18	20.00		20.00				3 WNV	13 WNV
Charlotte	8/10/18	4.76		4.76				2 WNV	3 WNV
Citrus	8/14/18				1.41	1.41		1 EEEV	1 WNV, 8 EEEV
Duval	8/13/18	15.00		15.00				3 WNV	10 WNV, 4 EEEV
Loon	8/8/18				3.23	3.23		1 EEEV	6 WNV, 11 EEEV, 1
Leon	8/13/18	6.35		6.35	1.61	1.61		4 WNV, 1 EEEV	HJV
Manatee	8/14/18	3.23		3.23				2 WNV	6 WNV, 1 EEEV
Nassau	8/11/18	37.50		37.50				9 WNV	30 WNV, 10 EEEV, 1 HJV
Corocata	8/10/18	8.77		8.77				5 WNV	22 WNV
Sarasota	8/13/18	1.82		1.82				1 WNV	ZZ VVINV
St. Johns	8/13/18	1.72		1.72				1 WNV	1 WNV, 36 EEEV
Walton	8/9/18 8/13/18	6.61 14.66		6.61 14.66	1.56 1.67	1.56 1.67		8 WNV, 2 EEEV 17 WNV, 2 EEEV	53 WNV, 29 EEEV, 1 HJV

#### Sentinel Seroconversions to EEEV in Florida, 2017-2018



#### Sentinel Seroconversions to WNV in Florida, 2017-2018



<sup>\*</sup>Please note that a change in testing procedure starting on week 50 of 2017 resulted in an artificial spike in positive test results that cannot be directly compared with past results.

# **Mosquito Pools**

Two mosquito pools tested positive for WNV this week in Sarasota County.

County	Collection Date	Result	Species	County YTD
Sarasota	8/9/18	WNV WNV	Cx. quinquefasciatus Cx. quinquefasciatus	15 WNV

### **Dead Birds**


The Fish and Wildlife Conservation Commission (FWC) collects reports of dead birds, which can be an indication of arbovirus circulation in an area. This week, nine reports representing a total of 21 dead birds, including one jay and two doves, were received from eight counties.


In 2018, 324 reports representing a total of 887 dead birds (18 crows, 21 jays, 66 raptors, 28 doves) were received from 43 of Florida's 67 counties. Please note that FWC collects reports of birds that have died from a variety of causes, not only arboviruses. Dead birds should be reported to <a href="https://www.myfwc.com/bird/">www.myfwc.com/bird/</a>.

2018

County	Total Dead Birds	Crows	Jays	Raptors	Dove
Bay	3	0	0	0	0
Broward	10	0	0	0	0
Hillsborough	1	0	0	0	0
Lee	2	0	0	0	2
Pinellas	1	0	0	0	0
Santa Rosa	2	0	0	0	0
Sarasota	1	0	0	0	0
St. Johns	1	0	1	0	0

# Maps





	2018 Arbovirus Activity by County
County	Arbovirus Activity
Alachua	WNV: 1 crow (7/1), 8 sentinels (7/10, 7/18, 7/31, 8/7, 8/14) EEEV: 8 sentinels (5/15, 5/22, 6/5, 6/19, 6/26, 8/7)
Baker	EEEV: 1 horse (3/11)
Bay	WNV: 1 asymptomatic blood donor (June), 2 humans (July), 13 sentinels (7/9, 7/16, 7/30, 8/6, 8/13)
Bradford	EEEV: 1 horse (6/8)
Charlotte	WNV: 3 sentinels (7/27, 8/10)
Citrus	WNV: 1 sentinel (4/17) EEEV: 8 sentinels (1/8, 4/30, 5/7, 7/9, 7/23, 8/7, 8/14)
Clay	WNV: 1 mosquito pool (7/17) EEEV: 1 horse (7/10)
Columbia	EEEV: 1 human (July), 2 horses (3/5, 5/30)
Duval	WNV: 2 humans (August), 10 sentinels (7/30, 8/6, 8/13) EEEV: 4 sentinels (6/11, 6/18, 6/25)
Flagler	EEEV: 1 horse (3/6)
Gilchrist	EEEV: 2 horses (5/4, 6/11)
Hamilton	EEEV: 1 horse (4/3)

Hillsborough	WNV: 9 sentinels (1/10, 1/16, 2/13, 3/6, 3/13, 4/3, 5/15)
Jackson	EEEV: 1 horse (7/2)
Lake	EEEV: 2 horses (5/24, 5/30), 1 mosquito pool (6/13)
Leon	WNV: 6 sentinels (7/31, 8/13) EEEV: 11 sentinels (6/5, 6/25, 7/9, 7/31, 8/8, 8/13) HJV: 1 sentinel (7/19)
Levy	WNV: 1 horse (8/10) EEEV: 3 horses (2/24, 3/5, 5/18), 1 mule (4/17), emu flock outbreak (3/2 for first emu), 1 mosquito pool (5/10)
Manatee	WNV: 1 human (July), 6 sentinels (1/9, 2/13, 8/7, 8/14) EEEV: 1 sentinel (4/10)
Marion	EEEV: 12 horses (2/28, 4/23, 5/3, 5/14, 6/1, 6/12, 6/19, 6/21, 7/20, 7/21, 7/24, 8/1), 1 emu flock outbreak (5/2 for first emu)
Nassau	WNV: 1 human (August), 30 sentinels (7/12, 7/14, 7/27, 7/28, 8/2, 8/3, 8/11) EEEV: 4 horses (1/29, 4/30, 5/25, 6/2), 1 emu flock outbreak (7/5 for first emu), 10 sentinels (5/17, 5/25, 5/31, 6/8, 6/23, 6/28, 7/5, 7/12) HJV: 1 sentinel (7/5)
Okeechobee	EEEV: 2 horses (6/11, 6/17), 1 emu flock outbreak (6/3 for first emu)
Orange	WNV: 1 sentinel (1/10) EEEV: 13 sentinels (2/27, 3/13, 6/5, 6/7, 6/12, 6/14, 6/21, 6/26, 7/17, 8/2)
Osceola	EEEV: 1 horse (7/2)
Pasco	EEEV: 1 horse (6/10)
Polk	WNV: 1 sentinel (7/13) EEEV: 2 horses (2/27, 7/9)
Putnam	EEEV: 1 horse (4/21), 1 emu (2/13), 8 sentinels (5/30, 7/13, 7/18)
Sarasota	WNV: 15 mosquito pools (7/3, 7/10, 7/24, 7/26, 8/2, 8/9), 22 sentinels (1/12, 2/2, 4/2, 4/9, 4/16, 5/11, 5/18, 7/20, 7/27, 7/30, 8/3, 8/6, 8/10, 8/13)
Seminole	EEEV: 1 horse (5/29)
St. Johns	WNV: 1 sentinel (8/13) EEEV: 2 horses (1/9, 5/25), 36 sentinels (4/16, 4/23, 4/30, 5/7, 5/14, 5/21, 5/29, 6/4, 6/18, 6/25, 7/16, 7/23)
Sumter	WNV: 1 sentinel (7/24) EEEV: 1 horse (6/15), 1 sentinel (6/12)
Suwannee	EEEV: 1 owl (4/6), 3 horses (6/4, 6/22, 7/14)
Taylor	EEEV: 1 human (May), 1 horse (5/31)
Union	EEEV: 1 horse (7/3)
Volusia	EEEV: 1 human (July), 1 emu flock outbreak (5/9 for first emu), 10 sentinels (4/9, 4/16, 4/23, 4/30, 5/7, 5/21), 1 donkey (6/21), 2 horses (6/21, 8/1)
Walton	WNV: 4 mosquito pools (7/10, 7/19), 53 sentinels (1/9, 1/22, 1/23, 2/26, 6/11, 6/18, 6/25, 7/2, 7/9, 7/16, 7/23, 7/30, 8/6, 8/13) EEEV: 29 sentinels (2/5, 3/5, 3/19, 4/2, 4/16, 4/30, 5/1, 6/11, 6/25, 7/2, 7/9, 7/10, 7/16, 7/23, 7/30, 7/31, 8/6, 8/9, 8/13) HJV: 1 sentinel (7/9)

### **Acknowledgements and Data Sources**

Contributors: Andrea Morrison, PhD, MSPH, Dana Giandomenico, MPH, and Danielle Stanek, DVM, DOH Bureau of Epidemiology; Lea Heberlein-Larson, Maribel Castaneda, and Valerie Mock, DOH Bureau of Public Health Laboratories; Carina Blackmore, DVM, PhD, DOH Division of Disease Control and Health Protection.

For more surveillance information, please see the DOH website at: <a href="http://www.floridahealth.gov/diseases-and-conditions/mosquito-borne-diseases/surveillance.html">http://www.floridahealth.gov/diseases-and-conditions/mosquito-borne-diseases/surveillance.html</a>

For arbovirus surveillance information for the United States, please see the Centers for Disease Control and Prevention website at: http://www.cdc.gov/ncidod/dvbid/westnile/surv&control.htm

Case tallies included in the weekly Florida arbovirus surveillance report include confirmed and probable cases for EEE, WNV infection, SLE, dengue, chikungunya, and malaria by date of onset. Suspect cases are not included. Activity is mapped by county of exposure rather than county of residence. Case definitions being used in Florida are consistent with national criteria provided by the Council of State and Territorial Epidemiologists (CSTE) and may be viewed at: <a href="http://www.floridahealth.gov/diseases-and-conditions/disease-reporting-and-management/disease-reporting-and-surveillance/index.html">http://www.floridahealth.gov/diseases-and-conditions/disease-reporting-and-management/disease-reporting-and-surveillance/index.html</a>. Case tallies reported by CDC do not include suspect cases and cases are reported by patient state of residence rather than where the exposure occurred. Data is provided by county health departments, Department of Health Bureau of Public Health Laboratories, Department of Agriculture and Consumer Services, mosquito control agencies, Florida Fish and Wildlife Conservation Commission, medical providers and veterinarians. Equine cases are provided by the Department of Agriculture and Consumer Services.