

Florida Arbovirus Surveillance Week 47: November 16 - 22, 2014

Arbovirus surveillance in Florida includes endemic mosquito-borne viruses such as West Nile virus (WNV), Eastern equine encephalitis virus (EEEV), and St. Louis encephalitis virus (SLEV), as well as exotic viruses such as dengue virus (DENV), chikungunya virus (CHIKV) and California encephalitis group viruses (CEV). Malaria, a non-viral mosquito-borne disease is also included. During the period of November 16-22, 2014 the following arboviral activity was recorded in Florida.

WNV activity: Two human cases of WNV illness were reported this week in Clay and Duval Counties. No horses with WNV infection were reported this week. Thirteen sentinel chickens tested positive for antibodies to WNV this week in Alachua, Brevard, Citrus, Duval, Lee, Orange, Putnam, St. Johns and Walton Counties. In 2014, positive samples from 314 sentinel chickens, 5 horses, 15 human cases, and 2 asymptomatic blood donors have been received from 30 counties.

SLEV activity: No human cases of SLE were reported this week. Three sentinel chickens tested positive for antibodies to SLEV this week in Charlotte, Nassau and Palm Beach Counties. In 2014, positive samples from 2 human cases and 104 sentinel chickens have been received from 13 counties.

EEEV activity: No human cases of EEE were reported this week. No horses with EEEV infection were reported this week. Four sentinel chickens tested positive for antibodies to EEEV this week in Orange County. In 2014, positive samples from 167 sentinel chickens, 2 deer, and 56 horses have been received from 32 counties.

International Travel-Associated Dengue Fever Cases: Two cases of dengue fever were reported this week in persons that had international travel. In 2014, 75 travel-associated cases have been reported.

Dengue Fever Cases Acquired in Florida: No new cases of locally acquired dengue fever were reported this week. In 2014, a total of six cases of locally acquired dengue fever have been reported.

International Travel-Associated Chikungunya Fever Cases: Twelve cases of chikungunya fever were reported this week in persons that had international travel. In 2014, 383 travel-associated cases have been reported.

Chikungunya Fever Cases Acquired in Florida: No new cases of locally acquired chikungunya fever were reported this week. In 2014, a total of 11 cases of locally acquired chikungunya fever have been reported.

Advisories/Alerts: Alachua, Broward, Clay, Columbia, Flagler, Jefferson, Leon, Levy, Lafayette, Marion, Pasco, Polk, Putnam, Santa Rosa, St. Johns, Suwannee and Washington Counties are currently under a mosquito-borne illness advisory. Duval, Escambia, Miami-Dade, Palm Beach, St. Lucie and Volusia Counties are currently under a mosquito-borne illness alert. No other counties are currently under mosquito-borne illness advisory or alert. A CDC Health Alert Network (HAN) health advisory was issued in December for the Caribbean region announcing the first locally acquired cases of chikungunya fever in the Americas. There is a Level 1 (Watch) Travel Health Notice from the CDC for multiple countries in the Caribbean related to the continued transmission of chikungunya which was updated October 21, 2014. http://wwwnc.cdc.gov/travel/notices/watch/chikungunya-caribbean

2014 Human Case Summary*

West Nile Virus Illnesses Acquired in Florida: A total of fifteen human cases of WNV illness acquired in Florida have been reported in 2014; one in Alachua (August), one in Clay (October), three in Escambia (July, August, September), two in Duval (August, September), one in Leon (August), one in Marion (October), one in Pasco (August), one in Polk (September) and four in Volusia (August, September) Counties. Two asymptomatic positive blood donors were reported from Santa Rosa (July) and St. Johns (September) Counties.

International Travel-Associated Dengue Fever Cases: Seventy-five cases of dengue with onset in 2014 have been reported in individuals with travel history to a dengue endemic country in the two weeks prior to onset. Countries of origin were: Bangladesh, Bolivia, Brazil (2), Caribbean, Columbia, Costa Rica (3), Cuba (27), Cuba/Bahamas, Dominican Republic (9), El Salvador (2), Guadeloupe, Guatemala, Guyana, Haiti (3), Honduras (7), Jamaica (2), Mexico (2), Puerto Rico (5), Sri Lanka, Trinidad, and Venezuela (3). Counties reporting cases were: Alachua, Brevard (2), Broward (7), Clay, Collier, Highlands, Hillsborough (5), Lee, Manatee (2), Marion, Miami-Dade (34), Orange (4), Osceola (5), Palm Beach (4), Pinellas, Seminole (2), St. Lucie (2), and Volusia. Six of the cases were reported in non-Florida residents. In 2014, 34 of the 75 cases of dengue reported in Florida have been serotyped by PCR. Additional serotyping and strain typing are being conducted.

| | # of cases per serotype - 2014 |
|---------|--------------------------------|
| DENV-1 | 11 |
| DENV-2 | 12 |
| DENV-3 | 3 |
| DENV-4 | 7 |
| DEN-1&2 | 1 |
| | 34 |

Dengue Fever Cases Acquired in Florida: In 2014, a total of six cases of locally acquired dengue fever have been reported. Six cases of dengue in Miami-Dade residents with onset in June, August, and September have been reported as acquired in Miami-Dade County.

International Travel-Associated Chikungunya Fever Cases: Three hundred and eighty-three cases of chikungunya with onset in 2014 have been reported in individuals with travel history to a chikungunya endemic country or area experiencing an outbreak in the two weeks prior to onset. Countries of origin were: Antigua (2), Antigua/Barbuda, Barbados, Bequia, Cuba (6), Dominica/Guadalupe, Dominican Republic (85), El Salvador (3), Grenada, Guatemala, Guyana (10), Haiti (104), Haiti/Dominican Republic, Honduras, India, Indonesia, Jamaica (46), Martinique (2), Nicaragua, Philippines, Puerto Rico (97), Puerto Rico/Dominican Republic (2), South America, St. Lucia (2), St. Thomas/St. Martin/Bahamas (2), St. Thomas, St. Vincent and the Grenadines, Trinidad, Trinidad/Tobago, Venezuela, and Virgin Islands (4). Counties reporting cases were: Alachua (2), Brevard (4), Broward (72), Charlotte (2), Clay (2), Collier (2), Duval (8), Escambia (2), Flagler, Hernando (3), Highlands, Hillsborough (34), Indian River (2), Lake (5), Lee (14), Leon (2), Manatee (3), Marion, Miami-Dade (64), Monroe, Nassau, Okaloosa (2), Orange (44), Osceola (17), Palm Beach (38), Pasco (4), Pinellas (10), Polk (20), Santa Rosa, Sarasota (3), Seminole (9), St. Johns (2), St. Lucie (3), and Volusia (4). Twenty-nine of the cases were reported in non-Florida residents.

Chikungunya Fever Cases Acquired in Florida: In 2014, a total of eleven cases of locally acquired chikungunya fever have been reported. One case of chikungunya fever with onset in July was acquired in Broward County. Two cases of chikungunya fever with onset in June were acquired in Miami-Dade County. Four cases of chikungunya fever with onset in July were acquired in Palm Beach County. Four cases of chikungunya fever with onset in July and August were acquired in St. Lucie County.

International Travel-Associated Malaria Cases: Fifty-four cases of malaria with onset in 2014 have been reported. Countries of origin were: Angola (3), Cameroon, Dominican Republic, East Africa,

Equatorial Guinea (2), Ghana (2), Ghana/Rwanda, Ghana/Senegal, Ghana/Togo, Guatemala, Guyana, Haiti, Honduras, India (8), Ivory Coast (3), Kenya (3), Liberia, Nigeria (7), Nigeria/Ethiopia, Papua New Guinea, Peru, Sierra Leone (5), Sudan, Togo, Uganda (2), and multiple sub-Saharan African countries (3). Counties reporting cases were: Broward (7), Clay, Duval (3), Escambia, Hernando, Hillsborough (8), Leon, Miami-Dade (11), Okaloosa (2), Orange (7), Osceola (2), Palm Beach (5), Pasco, Pinellas (2), Santa Rosa, and Seminole. Thirteen of the cases were reported in non-Florida residents.


Thirty-eight cases (70%) were diagnosed with *Plasmodium falciparum*. Eleven cases (20%) were diagnosed with *Plasmodium vivax*. Two cases (4%) were diagnosed with *Plasmodium malariae*. Three cases (6%) were diagnosed with *Plasmodium ovale*.

Veterinary Cases*


*Veterinary cases are reported by date of onset

No horses with EEEV or WNV infection were reported this week.

Veterinary EEE in Florida, November 2013-2014



Veterinary WNV Disease in Florida, November 2013-2014




Sentinel Chickens

The table below is for the reporting of confirmatory laboratory results from this week. Some of the samples were collected at earlier dates. The date of collection is recorded for samples collected on that day along with the total number of positives and the corresponding seroconversion rate for the week the sample was collected.


Thirteen sentinel chickens tested positive for antibodies to WNV this week in Alachua, Brevard, Citrus, Duval, Lee, Orange, Putnam, St. Johns and Walton Counties. Three sentinel chickens tested positive for antibodies to SLEV this week in Charlotte, Nassau and Palm Beach Counties. Four sentinel chickens tested positive for antibodies to EEEV this week in Orange County.

| | | | | Seroconversion Rates (%) | | | | County Totals | | |
|------------|--------------------|-------|------|--------------------------|-------|------|-----|--------------------------|-----------------------------------|--|
| County | Collection Date | Flavi | SLEV | WNV | Alpha | EEEV | HJV | Collection Week | YTD | |
| Alachua | 11/10/14 | 13.33 | | 13.33 | | | | 2 WNV | 11 EEEV,2 HJV,14 WNV | |
| Brevard | 10/22/14 | 2.44 | | 2.44 | | | | 1 WNV | 31 WNV | |
| Charlotte | 10/24/14 | 5.00 | 5.00 | | | | | 1 SLEV | 1 WNV, 2 SLEV | |
| Citrus | 11/10/14 | 1.61 | | 1.61 | | | | 1 WNV | 16 EEEV, 8 HJV,19WNV | |
| Duval | 10/23/14 | 13.33 | | 13.33 | | | | 2 WNV | 3 EEEV,6 HJV,3 WNV, 1 SLEV | |
| Lee | 11/10/14 | 1.30 | | 1.30 | | | | 1 WNV | 8 SLEV,3 WNV | |
| Nassau | 10/25/14 | 6.45 | 3.23 | | | | | 1 SLEV, 1 EEEV, 1 WNV | 14 EEEV, 4 HJV, 15 WNV, 6 SLEV | |
| Orange | 10/27/14 | 5.66 | | 5.66 | | | | 6 WNV, 4 EEEV | | |
| | 11/3; 11/6/14 | | | | 3.92 | 3.92 | | 4 EEEV | 28 EEEV, 4 HJV, 39 WNV, 1 SLEV | |
| Palm Beach | 11/03/14 | 5.56 | 5.56 | | | | | 1 SLEV | 1 SLEV | |
| Putnam | 10/28/14 | 20.00 | • | 20.00 | • | • | | 3 WNV, 2 HJV | 7 EEEV,25 WNV,10 HJV | |
| St. Johns | 10/27/14 | 2.13 | • | 2.13 | | | | 1 WNV | 20 EEEV,7 HJV,48 WNV | |
| Walton | 10/27/14 | 0.96 | | 0.96 | | | | 1 WNV, 1 EEEV, 1 HJV | 35 EEEV, 17 HJV, 8 WNV, 1 SLEV | |

Sentinel Seroconversions to EEEV in Florida, 2013-2014



Sentinel Seroconversions to WNV in Florida, 2013-2014




Dead Birds


The Fish and Wildlife Conservation Commission (FWC) collects reports of dead birds, which can be an indication of arbovirus circulation in an area. This week, 1 report representing 1 dead bird was received from 1 county.


In 2014, 356 reports representing a total of 996 dead birds (28 crows, 7 jay, 74 raptors, and 34 doves) were received from 47 of Florida's 67 counties. Please note that FWC collects reports of birds that have died from a variety of causes, not only arboviruses. Dead birds should be reported to www.myfwc.com/bird/

| County | Total Dead Birds | Crows | Jays | Raptors | Dove |
|---------|------------------|-------|------|---------|------|
| Brevard | 1 | 0 | 0 | 0 | 0 |

Maps







| | 2014 Arbovirus Activity by County |
|-----------|--|
| County | Arbovirus Activity |
| Alachua | EEEV: 3 horses (6/17, 6/20, 7/4); 11 sentinels (6/9, 6/30, 7/7, 7/14, 7/21, 7/28, 10/20) HJV: 2 sentinels (8/4, 10/20) WNV: 1 human (August); 14 sentinels (8/12, 8/18, 8/25, 9/16, 9/22, 9/29, 10/13, 10/20, 11/10) |
| Baker | EEEV: 3 horses (3/13, 7/10, 7/16) |
| Bay | EEEV: 2 horses (6/15, 9/22); 6 sentinels (4/28, 5/6, 5/13, 5/22, 5/30) HJV: 1 sentinel (2/18) WNV: 14 apprinels (4/49, 8/25, 0/2, 0/45, 0/23) |
| Brevard | WNV: 14 sentinels (8/19, 8/26, 9/2, 9/9, 9/16, 9/23) WNV: 1 horse (8/1); 31 sentinels (7/17, 8/8, 8/15, 8/20, 8/29, 9/5, 9/11, 9/12, 9/17, 9/18, 9/19, 9/26, 10/2, 10/8, 10/9, 10/10, 10/15, 10/16, 10/22, 10/31) |
| Broward | Chikungunya: 1 human (July) |
| Charlotte | WNV: 1 sentinel (9/12) SLEV: 2 sentinels (9/26, 10/24) |
| Citrus | EEEV: 16 sentinels (3/24, 3/31, 5/12, 5/26, 6/2, 6/30, 7/7, 7/14, 7/21, 8/4, 8/11, 9/8) HJV: 8 sentinels (2/17, 2/24, 8/11, 8/18, 9/29, 10/20) WNV: 19 sentinels (1/2, 9/2, 9/15, 9/22, 9/29, 10/13, 10/20, 10/27, 11/10) |
| Clay | EEEV: 5 horses (5/2, 7/16, 7/19, 7/20, 8/2) WNV: 1 human (October); 1 horse (9/3) |
| Columbia | EEEV: 3 horses (6/25, 7/18, 8/1) |

| Dixie | EEEV: 1 horse (5/22) |
|--------------|---|
| | EEEV: 3 sentinels (6/16, 6/19, 6/30) |
| Duval | HJV: 6 sentinels (8/18, 8/21, 8/25) |
| | WNV: 2 humans (August, September); 3 sentinels (9/15, 10/20, 10/23) |
| | SLEV: 2 humans (August); 1 sentinel (9/2) |
| | EEEV: 1 horse (7/16) |
| Escambia | WNV: 3 humans (July, August, September) |
| | EEEV: 2 horses (4/21, 10/24); 11 sentinels (4/14, 4/28, 5/5, 5/27, 6/2, 6/16, 6/23, 6/30, 7/7) |
| Florior | HJV: 6 sentinels (7/21, 8/18, 8/25, 9/29) |
| Flagler | |
| | WNV: 16 sentinels (7/14, 8/18, 9/2, 9/8, 9/15, 9/22, 9/29, 10/6, 10/20, 10/27) |
| Gadsden | EEEV: 1 horse (9/16) |
| Gilchrist | EEEV: 2 horses (5/18, 6/23) |
| Hernando | EEEV: 2 sentinels (6/9, 7/9) |
| Tiorriariae | WNV: 5 sentinels (8/25, 10/6, 10/13, 10/20) |
| | EEEV: 2 sentinels (5/13, 7/1) |
| Hillsborough | SLEV: 14 sentinels (1/7, 2/18, 9/2, 9/9, 9/16, 9/30, 10/14) |
| | WNV: 12 sentinels (3/18, 9/2, 9/16, 9/30, 10/14, 10/21, 10/28) |
| Jackson | EEEV: 1 horse (9/3) |
| Jefferson | EEEV: 2 horses (7/7, 8/25) |
| Lafayette | EEEV: 2 deer (6/24); 1 horse (9/18) |
| Lake | WNV: 1 horse (8/19) |
| Luno | SLEV: 8 sentinels (1/13, 1/14, 2/11, 3/25, 9/16, 10/27) |
| Lee | WNV: 3 sentinels (10/27, 11/10) |
| | EEEV: 1 sentinel (7/14) |
| Leon | WNV: 1 human (August), 1 sentinel (8/19) |
| Lever | |
| Levy | EEEV: 5 horses (6/7, 6/21, 6/27, 6/28, 8/17) |
| Manatee | SLEV: 23 sentinels (7/29, 9/2, 9/16, 9/23, 9/30, 10/15, 10/20, 10/28, 11/4) |
| | WNV: 1 sentinel (10/7) |
| Marion | EEEV: 9 horses (4/12, 5/31, 6/19, 6/26, 6/29, 7/4, 7/14, 7/30, 9/10) |
| | WNV: 1 human (October); 1 horse (9/5) |
| Miami-Dade | Chikungunya: 2 humans (June) |
| Milaini-Dauc | Dengue: 6 humans (June, August, September) |
| | EEEV: 14 sentinels (5/27, 5/31, 6/13, 6/20, 6/23, 6/27, 7/11, 7/19, 8/22, 10/20) |
| Nassau | HJV: 4 sentinels (7/25, 8/18, 8/22) |
| Nassau | WNV: 15 sentinels (8/8, 8/18, 8/22, 8/25, 9/2, 9/12, 9/15, 9/19, 9/27, 10/18, 10/20) |
| | SLEV: 6 sentinels (8/29, 9/12, 10/13, 10/18, 10/25) |
| Okaloosa | EEEV: 1 horse (8/15) |
| | EEEV: 28 sentinels (5/29, 6/5, 6/16, 6/19, 6/23, 6/25, 6/26, 7/7, 7/10, 7/21, 7/31, 8/7, 8/18, 10/16, |
| Orange | 10/20, 10/27, 10/30, 11/3, 11/6) |
| g- | HJV: 4 sentinels (1/2, 2/17, 8/25) |
| | WNV: 39 sentinels (8/4, 8/25, 9/2, 9/8, 9/22, 9/29, 10/9, 10/13, 10/16, 10/20, 10/27, 10/30) |
| | SLEV: 1 sentinel (9/15) |
| Osceola | EEEV: 1 horse (7/30) |
| | Chikungunya: 4 humans (July) |
| Palm Beach | SLEV: 1 sentinel (11/3) |
| | EEEV: 2 horses (5/31, 6/25); 4 sentinels (5/27, 6/10, 7/15) |
| Pasco | HJV: 1 sentinel (7/22) |
| ı ascu | · · · |
| | WNV: 1 human (August) |
| Dimelle - | SLEV: 32 sentinels (7/21, 7/25, 7/28, 8/4, 8/11, 8/18, 8/25, 9/2, 9/8, 9/15, 10/6, 10/13) |
| Pinellas | HJV: 1 sentinel (8/25) |
| | WNV: 6 sentinels (9/15, 9/22, 9/29, 10/27) |
| | EEEV: 5 sentinels (6/23, 6/30, 7/7); 1 horse (8/3) |
| Polk | SLEV: 2 sentinels (8/25, 10/27) |
| | WNV: 1 human (September); 2 sentinels (9/2, 9/22) |
| | EEEV: 2 horses (6/17, 7/28); 7 sentinels (5/27, 6/17, 6/24, 7/8, 7/15, 7/22, 8/5) |
| Putnam | WNV: 25 sentinels (8/5, 8/12, 8/26, 9/9, 9/16, 9/23, 10/14, 10/21, 10/28) |
| | HJV: 10 sentinels (8/26, 9/23, 10/14, 10/28) |
| Sarasota | SLEV: 11 sentinels (2/6, 2/14, 2/28, 7/28, 9/2, 9/22, 9/29, 11/3) |
| JaiaSUld | WNV: 1 sentinel (4/25) |
| Santa Rosa | WNV: 1 asymptomatic blood donor (July) |
| | · · · · · · · · · · · · · · · · · · · |

| Seminole | WNV: 18 sentinels (7/30, 8/5, 9/15, 9/22, 9/29, 10/6, 10/13, 10/20, 10/27) | | | |
|------------|--|--|--|--|
| St. Johns | EEEV: 20 sentinels (5/5, 5/12, 5/27, 6/16, 6/23, 6/30, 7/21, 7/28, 9/9) | | | |
| | HJV: 7 sentinels (7/28, 8/18, 8/25) | | | |
| St. Johns | WNV: 1 asymptomatic blood donor (September); 48 sentinels (7/21, 7/28, 8/4, 8/11, 8/18, 8/25, | | | |
| | 9/2, 9/8, 9/15, 9/22, 9/29, 10/6, 10/13, 10/20, 10/27, 11/3) | | | |
| St. Lucie | Chikungunya: 4 humans (July, August) | | | |
| Sumter | WNV: 5 sentinels (9/8, 9/29, 10/14, 10/20) | | | |
| Suwannee | EEEV: 3 horses (8/5, 8/13, 8/15) | | | |
| | EEEV: 3 horses (3/19, 5/19, 5/24); 3 sentinels (5/27, 6/9) | | | |
| | HJV: 1 sentinel (8/18) | | | |
| Volusia | WNV: 4 humans (August, September); 1 horse (7/15); 27 sentinels (7/14, 7/21, 7/28, 8/4, 8/5, 8/12, | | | |
| | 8/18, 8/25, 9/1, 9/8, 9/15, 9/22, 9/29, 10/20) | | | |
| | SLEV: 2 sentinels (9/15) | | | |
| | EEEV: 35 sentinels (2/24, 5/12, 5/19, 5/27, 6/3, 6/9, 6/16, 6/23, 6/30, 7/7, 7/14, 7/15, 7/21, 7/28, | | | |
| Walton | 8/4, 8/11, 8/12, 8/18, 8/26, 10/28) | | | |
| | HJV: 17 sentinels (3/10, 3/24, 5/12, 5/19, 6/16, 6/30, 7/15, 8/4, 8/11, 8/18, 8/25, 9/2, 10/21, 10/28) | | | |
| | WNV: 8 sentinels (3/10, 3/17, 6/9, 9/15, 9/22, 10/13, 10/27) | | | |
| | SLEV: 1 sentinel (9/23) | | | |
| Washington | EEEV: 2 horses (7/15, 7/22) | | | |

Acknowledgements and Data Sources

Contributors: Andrea Bingham, PhD, MSPH, Shaiasia Itwaru-Womack, Katherine Kendrick, MPH, Danielle Stanek, DVM, and Carina Blackmore, DVM, Ph.D., DOH Bureau of Epidemiology; Lea Heberlein-Larson and Valerie Mock, DOH Bureau of Public Health Laboratories.

For more surveillance information, please see the DOH website at:

http://www.floridahealth.gov/diseases-and-conditions/mosquito-borne-diseases/surveillance.html

For arbovirus surveillance information for the United States, please see the Centers for Disease Control and Prevention website at: http://www.cdc.gov/ncidod/dvbid/westnile/surv&control.htm

**Case tallies included in the weekly Florida arbovirus surveillance report include confirmed and probable cases for EEE, WNV infection, SLE, dengue, and malaria by date of onset. Suspect cases are not included. Activity is mapped by county of exposure rather than county of residence. Case definitions being used in Florida are consistent with national criteria provided by the Council of State and Territorial Epidemiologists (CSTE) and may be viewed at: http://www.floridahealth.gov/diseases-and-conditions/disease-reporting-and-management/disease-reporting-and-surveillance/index.html

Case tallies reported by CDC do not include suspect cases and cases are reported by patient state of residence rather than where the exposure occurred. Data is provided by county health departments, Department of Health Bureau of Public Health Laboratories, Department of Agriculture and Consumer Services, mosquito control agencies, Florida Fish and Wildlife Conservation Commission, medical providers and veterinarians. Equine cases are provided by the Department of Agriculture and Consumer Services.