

### **Temperature Log for Refrigerator (Celsius)**

Day 1 – 15

Month/Year:	
VFC PIN #:	

- Completing this temperature log: Check the temperature in the refrigerator compartment of your vaccine storage unit at least twice each working day. Place an "X" in the box that corresponds with the temperature, the time of the temperature reading, and your initials. Save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.
- Temperatures warmer than 8°C or colder than 2°C are outside the acceptable temperature range. You must take action!


_	- 1		-	4.5		
<b>≫</b> 1		70	Λ	cti		nl
		~	$\overline{}$	·ч	v	I I i

If temperature is **too warm** (above 8°C) or **too cold** (below 2°C):

- 1. **Store the vaccine** under proper conditions as guickly as possible.
- 2. Temporarily mark exposed vaccine "do not use" until you have verified whether or not the vaccine may be used.
- 3. Call the VFC Program for further assistance at 1-800-483-2543.
- 4. Document the action taken on the "Vaccine Storage Troubleshooting Record."

														\	/FC Cu	ıstom	er Ser	vice R	epres	entat	ive		Imm	uniza	tion S	ectio	n Area	a Field	J Staf	f Office
Staff Initials																														
Day of Month		1		2		3	4	4	į	5	6	5	7	7	8	3	!	9	1	0	1	1	1	2	1	3	1	4	1	5
Room Temp																														
Exact Time																														
	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm
Min/Max Temp (since previous reading)	. and a second	and the second s	and the second	and the second s	and the second second	and the second second	and the second		and the second second	and the second second		and the second second	and the second	and the second second	and the second	and the second s	and the second	and the second second	and the second	and the second second	and the second	and the second	and the second second	and the same of th	and the second second	and the second second				

\*Write any unacceptable temps (above 46°F or below 36°F) on the lines below. Then take action!



**Danger! Temperatures below 2°C are too cold!** Write any unacceptable temperature on the lines above\* and call your VFC Program immediately!



Date	Time	Storage Unit Temp	Room Temp	Problem	Action Taken	Results	Initials



#### **Temperature Log for Refrigerator (Celsius)**

Day 16 - 31

Month/Year:	
VFC PIN #:	

- Completing this temperature log: Check the temperature in the refrigerator compartment of your vaccine storage unit at least twice each working day. Place an "X" in the box that corresponds with the temperature, the time of the temperature reading, and your initials. Save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.
- Temperatures warmer than 8°C or colder than 2°C are outside the acceptable temperature range. You must take action!


#### **→** Take Action!

If temperature is **too warm** (above 8°C) or **too cold** (below 2°C):

- 1. **Store the vaccine** under proper conditions as quickly as possible.
- 2. **Temporarily mark exposed vaccine "do not use"** until you have verified whether or not the vaccine may be used.
- 3. Call the VFC Program for further assistance at 1-800-483-2543.
- 4. **Document the action taken** on the reverse side of this log.

															\ [	/FC Cı	ustom	er Ser	vice F	Repres	entat	ive		Imm	nuniza	ation !	Sectio	n Are	a Field	d Staf	f Offi	ce
Staff Initials																													<u> </u>			
Day of Month	1	6	1	7	1	8	1	9	2	0	2		2	2	2	3	2	4	2	:5	2	6	2	7	2	.8	2	.9	3	0	3	31
Room Temp																																
Exact Time																																
	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm
Min/Max Temp (since previous reading)		, and a second		, and a second	and the second			and the second s														and the second s	and the second second	and the second s						, and the second		

<sup>\*</sup>Write any unacceptable temps (above 46°F or below 36°F) on the lines below. Then take action!



**Danger! Temperatures below 2°C are too cold!** Write any unacceptable temperature on the lines above\* and call your VFC Program immediately!



See back for "Vaccine Storage Troubleshooting Record"

Florida Vaccines for Children Program 4052 Bald Cypress Way, Bin A-11 Tallahassee. FL 32399 Phone: 1-800-483-2543, Fax: 850-245-4734 Email: FloridaVFC@FLHealth.gov www.lmmunizeFlorida.org/vfc



Date	Time	Storage Unit Temp	Room Temp	Problem	Action Taken	Results	Initials



### **Temperature Log for Freezer (Celsius)**

Day 1 – 15

Month/Year:	
VFC PIN #:	

Immunization Section Area Field Staff Office

- Completing this temperature log: Check the temperature in the freezer compartment of your vaccine storage unit at least twice each working day. Place an "X" in the box that corresponds with the temperature, the time of the temperature reading, and your initials. Save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.
- Temperatures warmer than -15°C are outside the acceptable temperature range. You must take action!

T = I		^	443		. 1
ıaı	ke	A	CTI	or	1

If temperature is **too warm** (above -15°C):

**VFC Customer Service Representative** 

- 1. **Store the vaccine** under proper conditions as quickly as possible.
- 2. **Temporarily mark exposed vaccine "do not use"** until you have verified whether or not the vaccine may be used.
- 3. Call the VFC Program for further assistance at 1-800-483-2543.
- 4. **Document the action taken** on the reverse side of this log.

Staff Initials																														
Day of Month		1	2	2		3	4	4		5	6	)		7	8	3	9	9	1	0	1	1	1	2	1	3	1	4	1	5
Room Temp																														
Exact Time																														
	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm
Min/Max Temp (since previous reading)	and the second second	, and the second	and the second	and the second second		and the second s	and the second	and the second second	and the second	, and a second	and the second second	and the second second	and the second	and the second second	and the second	and the second second	and the second	and the second second	and the second	and the second second	and the second	and the second second	and the second	and the second second	and the second	and the second second	and the second	and the second second	and the second	, and the second

\*Write any unacceptable temps (above 46°F or below 36°F) on the lines below. Then take action!

Dange	er! To	empe	erati	ıres	abov	∕e -1	5°C a	are t	00 W	varm	! Wri	ite an	y una	ccepta	able te	empei	rature	on th	ne line	s abo	ve* a	nd ca	ll you	ır VFC	Prog	ram ir	nmed	iately	!
-15°																													
-16°																									ĺ				
-17°																													
-18°																													
-19°																													
-20°																													
-21°																													
-22°																													
-23°C to -40°C and colder †																													

† Some frozen vaccines must not be stored colder than -50°C. Check the Prescribing Information on the vaccine manufacturer's website for specific storage temperature instructions.

See back for "Vaccine Storage Troubleshooting Record"



Flor HE

Date	Time	Storage Unit Temp	Room Temp	Problem	Action Taken	Results	Initials



### **Temperature Log for Freezer (Celsius)**

Day 16 - 31

Month/Year:	
VFC PIN #:	

- Completing this temperature log: Check the temperature in the freezer compartment of your vaccine storage unit at least twice each working day. Place an "X" in the box that corresponds with the temperature, the time of the temperature reading, and your initials. Save each month's completed form for 3 years, unless state or local jurisdictions require a longer time period.
- Temperatures warmer than -15°C are outside the acceptable temperature range. You must take action!

#### → Take Action!

If temperature is **too warm** (above -15°C):

- 1. **Store the vaccine** under proper conditions as quickly as possible.
- 2. **Temporarily mark exposed vaccine "do not use"** until you have verified whether or not the vaccine may be used.
- 3. **Call the VFC Program** for further assistance at 1-800-483-2543.
- 4. **Document the action taken** on the reverse side of this log.

															\	/FC Cı	ustom	er Ser	vice R	Repres	entat	ive		Imm	nuniza	ation !	Sectio	n Are	a Field	d Staf	f Offic	ce
Staff Initials																																
Day of Month	1	6		7	1	8	1	9	2	0	2		2	2	2	3	2	4	2	5	2	6	2		2	18	2	29	3	0	3	1
Room Temp																																
Exact Time																																
	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm	am	pm
Min/Max Temp (since previous reading)	and the second		and the second second	, and a second second	and the second				and the second second		and the second second				and the second second	, and a second	and the second second							and the second second		a de la companya de				and the second second	and the second second	

<sup>\*</sup>Write any unacceptable temps (above 46°F or below 36°F) on the lines below. Then take action!

	D	anger!	Tem	perat	ures	abo	ve 5	°F aı	re to	00 W	arm!	Writ	e any	unaco	eptable	e ten	npera	iture (	on the	lines	abov	e* an	d cal	l your	VFC I	Progra	am im	medi	ately!	,	
	-15°																														
es	-16°															$\Box$															
ture	-17°																														
	-18°																														
Tempera	-19°																														
	-20°																														
able	-21°																														
ept	-22°																														
Acceptable	-23°F to -40°F and colder †																														

† Some frozen vaccines must not be stored colder than -50°C Check the Prescribing Information on the vaccine manufacturer's website for specific storage temperature instructions.

See back for "Vaccine Storage Troubleshooting Record"



Date	Time	Storage Unit Temp	Room Temp	Problem	Action Taken	Results	Initials