

2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Charlie Crist
Governor

Ana M. Viamonte Ros, M.D., M.P.H.
State Surgeon General

**2007 Florida BRFSS Data Report
Table of Contents**

Introduction	i
Air Quality	1
Alcohol Consumption	1
Antibiotic Resistance	2
Arthritis	3
Asthma	4
Cancer Screening	5
Cardiovascular Disease	9
Cholesterol Awareness	10
Dental Care	11
Diabetes	12
Disability	16
Folic Acid	17
Gastrointestinal Disease	18
Health Care Access & Coverage	19
Health Status & Quality of Life	21
HIV/AIDS	25
Hypertension Awareness & Control	26
Immunization	28
Overweight & Obesity	32
Physical Activity & Nutrition	35
Sexual Violence	37
Tobacco Use & Exposure	38
Glossary	Appendix I
Healthy People 2010 Objectives	Appendix II

Hillsborough

Completed Surveys: 537

County Adult Population: 896,853

The Florida Department of Health is pleased to release the 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The 2007 county-level BRFSS is the first since the initial county-level effort in 2002. The 2007 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county-developed questions and increase sample sizes. In addition, 2007 county-level questionnaires included all of the questions asked on a state level, unlike 2002 in which an abbreviated questionnaire was administered.

Over 39,000 interviews were completed in the 2007 calendar year, with a target sample size of 500 completed surveys in each county. Three counties provided funding to increase overall sample sizes: Duval, Highlands, and Sarasota. Through funding from the Hispanic Obesity Prevention Education Program (HOPE), larger samples of Hispanic populations were possible in eight counties: Collier, DeSoto, Hardee, Hendry, Miami-Dade, Okeechobee, Orange, and Osceola. Five counties provided county-added questions: Clay, Collier, Duval, Monroe, and Orange.

The 2007 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

These data can be used to: (1) determine priority health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2002 county-level survey are included for comparison purposes. Due to updated methods from the Centers for Disease Control and Prevention, some point estimates included in the 2002 BRFSS report may be slightly different than the 2002 measures in this report. The methods used to calculate the 2002 point estimates were updated to provide the best comparison between the two years. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology, Chronic Disease Epidemiology Section at (850) 245-4401.

Air Quality

Percent of adults who reduced or changed outdoor activity because the air quality was bad.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	24.7	20.0	30.1	19.2	18.2	20.3	
SEX	Men	21.5	14.9	30.0	16.7	15.1	18.4	
	Women	27.8	21.6	35.0	21.6	20.3	23.0	
RACE/ETHNICITY	Non-Hisp. White	24.7	19.4	30.8	20.4	19.2	21.5	
	Non-Hisp. Black	10.4	3.9	24.7	17.2	14.2	20.7	
	Hispanic	28.6	16.4	45.0	16.0	13.2	19.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	19.9	12.9	29.2	17.4	15.7	19.4	
	Non-Hisp. White Women	29.6	22.4	37.9	23.2	21.8	24.6	
	Non-Hisp. Black Men				11.8	8.5	16.0	
	Non-Hisp. Black Women	14.5	5.0	35.5	20.5	16.3	25.5	
	Hispanic Men				16.3	12.1	21.6	
	Hispanic Women	25.8	12.2	46.6	15.7	12.1	20.0	
AGE GROUP	18-44	27.1	19.5	36.3	20.1	18.2	22.1	
	45-64	27.2	20.7	34.9	21.0	19.6	22.6	
	65 & Older	11.6	6.9	18.9	14.8	13.6	16.2	
EDUCATION LEVEL	<High School	27.1	12.0	50.3	18.8	15.5	22.5	
	HS / Some College	18.6	11.8	28.1	18.5	16.4	20.7	
	4+ Yrs. College	27.0	21.2	33.8	19.7 *	18.4	21.0	
ANNUAL INCOME	<\$25,000	30.5	20.6	42.6	22.4	20.0	25.0	
	\$25,000-\$49,999	27.4	17.4	40.4	19.2	17.3	21.2	
	\$50,000 or More	22.7	16.1	31.0	18.0	16.5	19.6	
MARITAL STATUS	Married/Couple	25.5	19.6	32.5	19.4	18.2	20.7	
	Not Married/Couple	23.3	16.3	32.2	19.0	17.2	20.9	

Alcohol Consumption

Percent of adults who engage in heavy or binge drinking.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	19.6	14.5	25.9	16.2	15.3	17.2	15.6
SEX	Men	28.4	20.0	38.6	20.3	18.8	22.0	25.0
	Women	11.1	6.4	18.7	12.4	11.3	13.5	7.1
RACE/ETHNICITY	Non-Hisp. White	18.3	12.9	25.3	17.9	16.9	19.0	17.7
	Non-Hisp. Black	32.5	14.9	56.9	10.9 *	8.2	14.3	8.4
	Hispanic	17.8	7.2	37.6	14.3	11.6	17.6	13.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.8	15.8	36.8	21.5	19.8	23.3	
	Non-Hisp. White Women	11.5	7.2	18.1	14.5	13.3	15.7	
	Non-Hisp. Black Men				13.5	9.4	19.1	
	Non-Hisp. Black Women	22.8	5.2	61.4	9.2	5.9	13.9	27.7
	Hispanic Men				20.1	15.5	25.6	8.1
	Hispanic Women	3.2	0.7	13.2	8.6	6.0	12.2	15.9
AGE GROUP	18-44	25.7	17.0	36.9	21.6	19.8	23.5	20.6
	45-64	17.9	12.5	24.9	14.6	13.5	15.8	11.8
	65 & Older	3.8	1.5	9.4	7.7	6.9	8.7	4.1
EDUCATION LEVEL	<High School	29.2	13.3	52.6	13.6	10.9	16.8	12.0
	HS / Some College	27.8	16.6	42.7	15.8	14.1	17.7	12.4
	4+ Yrs. College	14.0	9.4	20.4	16.8	15.6	18.1	18.0
ANNUAL INCOME	<\$25,000	24.2	13.8	38.8	14.2	12.0	16.8	13.1
	\$25,000-\$49,999	14.7	7.3	27.3	14.7	13.1	16.5	12.0
	\$50,000 or More	16.0	10.1	24.5	19.9	18.4	21.4	23.6
MARITAL STATUS	Married/Couple	12.4	7.7	19.3	15.2	14.1	16.4	15.9
	Not Married/Couple	32.0	22.2	43.6	17.9 *	16.2	19.7	15.4 *

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Antibiotic Resistance

Percent of adults who have heard of antibiotic resistance infections.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	57.7	51.5	63.6	58.3	57.1	59.6	
SEX	Men	54.5	44.9	63.8	57.4	55.4	59.4	
	Women	60.7	53.0	67.9	59.2	57.6	60.7	
RACE/ETHNICITY	Non-Hisp. White	69.2	62.3	75.4	63.3	62.1	64.6	
	Non-Hisp. Black	20.6	10.6	36.2	42.3 *	38.0	46.7	
	Hispanic	44.5	29.8	60.3	49.0	45.1	52.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	66.7	55.3	76.4	63.6	61.6	65.5	
	Non-Hisp. White Women	71.8	63.8	78.6	63.1	61.5	64.7	
	Non-Hisp. Black Men				38.1	31.2	45.6	
	Non-Hisp. Black Women	19.7	8.2	40.4	45.0	39.8	50.4	
	Hispanic Men				43.4	37.4	49.6	
	Hispanic Women	59.7	41.7	75.5	54.6	49.8	59.4	
AGE GROUP	18-44	46.7	37.2	56.4	55.6	53.3	57.9	
	45-64	76.2	69.0	82.2	67.2 *	65.5	68.9	
	65 & Older	56.3	46.6	65.6	51.0	49.2	52.8	
EDUCATION LEVEL	<High School	25.6	12.2	46.1	33.3	29.7	37.0	
	HS / Some College	38.3	27.9	49.8	45.9	43.5	48.3	
	4+ Yrs. College	72.3	65.5	78.3	67.7	66.3	69.2	
ANNUAL INCOME	<\$25,000	40.2	29.4	52.1	46.3	43.5	49.1	
	\$25,000-\$49,999	46.7	34.7	59.0	55.1	52.7	57.5	
	\$50,000 or More	74.1	65.1	81.4	68.3	66.3	70.2	
MARITAL STATUS	Married/Couple	66.8	59.2	73.7	62.3	60.8	63.8	
	Not Married/Couple	41.5	32.4	51.2	51.3	49.1	53.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percent of adults who have been told they have some form of arthritis.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	20.5	16.9	24.6	24.3	23.4	25.2	
SEX	Men	20.7	15.2	27.5	20.8	19.5	22.1	
	Women	20.2	15.9	25.4	27.6 *	26.4	28.8	
RACE/ETHNICITY	Non-Hisp. White	24.2	19.5	29.5	27.5	26.5	28.5	
	Non-Hisp. Black	14.0	6.6	27.0	20.4	17.5	23.6	
	Hispanic	13.7	7.2	24.6	15.0	12.8	17.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	22.5	15.8	31.0	23.7	22.3	25.2	
	Non-Hisp. White Women	25.8	20.1	32.5	31.2	29.9	32.5	
	Non-Hisp. Black Men				17.6	13.2	23.0	
	Non-Hisp. Black Women	8.2	3.0	20.6	22.2	18.6	26.3	
	Hispanic Men				11.5	8.6	15.1	
AGE GROUP	Hispanic Women	14.9	6.9	29.3	18.5	15.3	22.2	
	18-44	7.1	4.0	12.4	8.9	7.9	10.1	
	45-64	30.9	24.3	38.4	29.7	28.2	31.3	
EDUCATION LEVEL	65 & Older	41.4	32.5	50.9	47.6	45.8	49.3	
	<High School	17.2	8.5	31.5	29.5	26.4	32.9	
	HS / Some College	21.4	14.7	30.1	25.2	23.5	27.0	
ANNUAL INCOME	4+ Yrs. College	20.8	16.4	26.0	23.1	22.0	24.2	
	<\$25,000	27.6	19.6	37.3	31.0	28.8	33.2	
	\$25,000-\$49,999	21.8	14.0	32.3	25.4	23.7	27.2	
MARITAL STATUS	\$50,000 or More	15.7	11.0	21.8	18.7	17.5	20.0	
	Married/Couple	20.5	15.9	26.0	23.3	22.2	24.4	
	Not Married/Couple	20.4	15.2	26.8	26.0	24.5	27.6	

Percent of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	13.5	10.7	16.9	12.5	11.8	13.2	
SEX	Men	14.3	9.9	20.1	10.4	9.5	11.4	
	Women	12.7	9.5	16.8	14.4	13.5	15.4	
RACE/ETHNICITY	Non-Hisp. White	16.8	12.9	21.6	13.2	12.5	14.0	
	Non-Hisp. Black	4.3	1.7	10.3	11.9	9.7	14.4	
	Hispanic	6.7	3.1	13.7	8.9	7.2	11.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.0	11.2	25.0	11.3	10.4	12.4	
	Non-Hisp. White Women	16.6	12.1	22.3	15.1	14.1	16.1	
	Non-Hisp. Black Men				8.4	5.8	11.9	
	Non-Hisp. Black Women	5.4	1.9	14.3	14.2	11.3	17.8	
	Hispanic Men				7.1	4.8	10.4	
AGE GROUP	Hispanic Women	6.0	1.9	17.6	10.7	8.4	13.6	
	18-44	6.0	3.3	10.8	5.7	4.9	6.6	
	45-64	22.1	16.6	28.8	17.2	16.0	18.6	
EDUCATION LEVEL	65 & Older	19.3	13.2	27.2	19.4	18.1	20.9	
	<High School	19.6	9.5	36.3	19.2	16.6	22.0	
	HS / Some College	10.1	6.1	16.2	13.2	11.9	14.6	
ANNUAL INCOME	4+ Yrs. College	13.9	10.5	18.2	11.1	10.4	11.9	
	<\$25,000	19.6	13.3	27.8	21.0	19.3	22.9	
	\$25,000-\$49,999	10.0	5.9	16.5	12.3	11.1	13.7	
MARITAL STATUS	\$50,000 or More	9.1	5.6	14.3	7.4	6.6	8.3	
	Married/Couple	12.4	8.9	17.0	11.0	10.2	11.9	
	Not Married/Couple	15.4	11.2	20.8	15.0	13.8	16.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percent of adults who had symptoms of pain, aching, or stiffness in or around a joint.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	35.5	30.2	41.2	37.2	36.1	38.4	
SEX	Men	40.6	32.2	49.7	35.9	34.2	37.7	
	Women	30.5	24.3	37.5	38.4	37.0	39.9	
RACE/ETHNICITY	Non-Hisp. White	40.8	34.5	47.4	40.4	39.2	41.7	
	Non-Hisp. Black	30.4	14.1	53.7	33.5	29.8	37.5	
	Hispanic	17.5	10.0	28.8	27.4	24.2	30.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	44.6	34.5	55.1	40.3	38.3	42.3	
	Non-Hisp. White Women	37.0	30.1	44.4	40.6	39.0	42.1	
	Non-Hisp. Black Men				26.0	20.8	32.0	
	Non-Hisp. Black Women	30.4	10.2	62.7	38.5	33.6	43.7	
	Hispanic Men				24.3	19.6	29.7	
AGE GROUP	Hispanic Women	10.3	4.4	22.5	30.6 *	26.5	35.0	
	18-44	27.0	18.9	37.1	27.1	25.2	29.1	
	45-64	45.9	38.3	53.7	43.7	42.0	45.5	
	65 & Older	40.8	31.9	50.4	48.4	46.6	50.2	
EDUCATION LEVEL	<High School	38.3	20.9	59.2	42.0	38.2	45.9	
	HS / Some College	36.8	26.2	48.8	38.0	35.8	40.2	
	4+ Yrs. College	34.5	28.5	41.1	36.2	34.8	37.7	
ANNUAL INCOME	<\$25,000	43.1	31.5	55.5	44.7	42.1	47.3	
	\$25,000-\$49,999	28.3	19.5	39.1	36.8	34.7	39.0	
	\$50,000 or More	32.3	24.7	41.0	33.4	31.6	35.2	
MARITAL STATUS	Married/Couple	32.4	26.4	39.0	36.7	35.3	38.2	
	Not Married/Couple	40.8	31.4	51.0	38.1	36.2	40.1	

Asthma

Percent of adults who currently have asthma.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	6.9	4.8	9.8	6.2	5.7	6.7	5.1
SEX	Men	6.5	3.6	11.6	4.9	4.1	5.7	4.7
	Women	7.2	4.6	11.0	7.4	6.7	8.1	5.5
RACE/ETHNICITY	Non-Hisp. White	5.1	3.1	8.4	6.4	5.8	7.0	3.4
	Non-Hisp. Black	9.5	3.6	22.9	7.6	5.8	9.9	6.9
	Hispanic	8.0	3.3	18.3	4.8	3.6	6.3	9.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.3	2.4	11.3	5.2	4.3	6.2	
	Non-Hisp. White Women	4.9	2.7	9.0	7.5	6.8	8.3	
	Non-Hisp. Black Men				5.7	3.2	9.9	
	Non-Hisp. Black Women	14.8	5.5	34.3	9.0	6.7	11.9	3.3
	Hispanic Men				3.9	2.3	6.5	3.6
AGE GROUP	Hispanic Women	8.5	3.2	20.6	5.7	4.1	7.8	1.9
	18-44	5.8	3.0	11.1	5.8	5.0	6.8	4.0
	45-64	7.9	4.7	12.9	6.7	6.0	7.6	9.1
	65 & Older	8.3	4.8	14.2	6.1	5.4	6.9	1.6
EDUCATION LEVEL	<High School	7.9	2.9	19.5	8.4	6.5	10.7	7.6
	HS / Some College	7.8	4.1	14.3	5.9	5.1	6.8	6.8
	4+ Yrs. College	6.4	3.9	10.4	6.0	5.3	6.7	3.7
ANNUAL INCOME	<\$25,000	5.4	2.8	10.4	7.8	6.8	8.9	12.4
	\$25,000-\$49,999	10.5	5.0	20.7	5.8	5.0	6.8	1.8 *
	\$50,000 or More	5.2	2.6	10.1	5.2	4.4	6.1	3.3
MARITAL STATUS	Married/Couple	6.2	3.7	10.4	5.7	5.1	6.4	3.4
	Not Married/Couple	8.1	5.0	12.8	7.0	6.1	7.9	7.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of women 40 years of age and older who received a mammogram in the past year.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	66.0	58.6	72.6	64.9	63.3	66.4	65.5
SEX	Men							
	Women	66.0	58.6	72.6	64.9	63.3	66.4	65.5
RACE/ETHNICITY	Non-Hisp. White	64.8	56.6	72.2	65.4	63.8	67.0	62.7
	Non-Hisp. Black				70.2	64.3	75.5	
	Hispanic				63.2	57.2	68.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	64.8	56.6	72.2	65.4	63.8	67.0	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.2	64.3	75.5	
	Hispanic Men							62.7
	Hispanic Women				63.2	57.2	68.9	
AGE GROUP	18-44				50.0	44.9	55.1	
	45-64	69.3	59.2	77.8	65.7	63.5	67.9	72.5
	65 & Older	67.4	56.2	77.0	70.0	67.7	72.2	56.1
EDUCATION LEVEL	<High School				61.3	56.0	66.4	
	HS / Some College	65.6	51.3	77.5	62.0	59.1	64.9	60.5
	4+ Yrs. College	65.8	56.8	73.8	66.9	64.8	68.8	73.1
ANNUAL INCOME	<\$25,000	61.5	46.3	74.7	57.6	54.3	60.9	51.0
	\$25,000-\$49,999	68.9	53.9	80.8	64.2	61.2	67.1	65.4
	\$50,000 or More	69.3	56.2	79.8	70.3	67.5	72.9	77.8
MARITAL STATUS	Married/Couple	67.6	57.4	76.4	67.9	65.7	70.0	69.8
	Not Married/Couple	63.1	52.8	72.4	60.4	58.1	62.7	60.3

Percent of women 18 years of age and older who had a clinical breast exam in the past year.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	61.6	53.8	68.8	65.0	63.4	66.5	
SEX	Men							
	Women	61.6	53.8	68.8	65.0	63.4	66.5	
RACE/ETHNICITY	Non-Hisp. White	69.2	61.7	75.9	67.3	65.7	68.8	
	Non-Hisp. Black	35.3	17.1	59.1	67.8 *	62.3	72.8	
	Hispanic	68.4	49.7	82.6	58.7	54.0	63.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	69.2	61.7	75.9	67.3	65.7	68.8	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women	35.3	17.1	59.1	67.8 *	62.3	72.8	
	Hispanic Men							
	Hispanic Women	68.4	49.7	82.6	58.7	54.0	63.4	
AGE GROUP	18-44	57.9	44.8	69.9	63.5	60.7	66.3	
	45-64	70.3	60.0	78.9	69.4	67.1	71.5	
	65 & Older	56.0	44.4	66.9	62.1	59.7	64.4	
EDUCATION LEVEL	<High School				52.8	47.6	57.8	
	HS / Some College	45.3	31.5	59.8	57.5	54.6	60.5	
	4+ Yrs. College	70.3	61.4	77.9	70.2	68.3	72.0	
ANNUAL INCOME	<\$25,000	44.0	29.7	59.3	53.6	50.3	56.9	
	\$25,000-\$49,999	67.6	51.8	80.3	61.4	58.5	64.3	
	\$50,000 or More	73.4	61.7	82.5	75.9	73.5	78.2	
MARITAL STATUS	Married/Couple	70.4	61.5	78.0	68.6	66.6	70.5	
	Not Married/Couple	49.3	37.1	61.5	59.6	57.1	62.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of women 18 years of age and older who received a PAP test in the past year.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	64.4	55.3	72.5	64.8	63.0	66.5	74.1
SEX	Men							
	Women	64.4	55.3	72.5	64.8	63.0	66.5	74.1
RACE/ETHNICITY	Non-Hisp. White	66.3	56.9	74.7	64.4	62.4	66.3	79.9
	Non-Hisp. Black				70.9	64.7	76.4	65.7
	Hispanic	73.2	55.7	85.6	64.5	59.4	69.2	69.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	66.3	56.9	74.7	64.4	62.4	66.3	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.9	64.7	76.4	
	Hispanic Men							79.9
	Hispanic Women	73.2	55.7	85.6	64.5	59.4	69.2	
AGE GROUP	18-44	64.4	50.7	76.1	69.1	66.3	71.8	80.2
	45-64	70.4	58.4	80.1	66.4	63.6	69.1	69.7
	65 & Older	42.5	26.3	60.5	48.0	44.7	51.3	
EDUCATION LEVEL	<High School				51.9	45.5	58.2	
	HS / Some College	55.2	36.2	72.7	55.6	51.9	59.2	66.2
	4+ Yrs. College	69.6	59.7	78.0	70.4	68.3	72.4	81.0
ANNUAL INCOME	<\$25,000	53.6	33.9	72.2	53.6	49.4	57.6	65.1
	\$25,000-\$49,999	69.8	54.1	81.9	62.1	58.6	65.4	81.5
	\$50,000 or More	73.4	60.2	83.4	76.1	73.5	78.6	82.2
MARITAL STATUS	Married/Couple	66.4	55.8	75.6	69.4	67.2	71.5	76.9
	Not Married/Couple	61.5	45.7	75.2	57.7	54.6	60.8	71.6

Percent of men 50 years of age and older who received a PSA test in the past two years.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	65.8	54.2	75.8	72.3	70.2	74.4	
SEX	Men	65.8	54.2	75.8	72.3	70.2	74.4	
	Women							
RACE/ETHNICITY	Non-Hisp. White	63.2	50.0	74.7	74.6	72.4	76.6	
	Non-Hisp. Black				71.5	60.1	80.7	
	Hispanic				61.2	51.5	70.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	63.2	50.0	74.7	74.6	72.4	76.6	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				71.5	60.1	80.7	
	Non-Hisp. Black Women							
	Hispanic Men				61.2	51.5	70.1	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	62.2	47.1	75.2	64.5	61.2	67.7	
	65 & Older	72.9	55.2	85.4	81.4	78.9	83.6	
EDUCATION LEVEL	<High School				62.2	54.7	69.1	
	HS / Some College				61.6	56.9	66.1	
	4+ Yrs. College	73.9	60.2	84.1	77.6	75.1	80.0	
ANNUAL INCOME	<\$25,000				59.2	54.0	64.1	
	\$25,000-\$49,999				73.9	69.7	77.6	
	\$50,000 or More	72.0	54.6	84.6	78.5	75.2	81.4	
MARITAL STATUS	Married/Couple	69.9	55.9	81.0	75.6	73.1	78.0	
	Not Married/Couple	53.4	34.7	71.2	63.4	59.2	67.4	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of men 50 years of age and older who received a digital rectal exam in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	50.7	39.6	61.6	56.3	54.0	58.5	
SEX	Men	50.7	39.6	61.6	56.3	54.0	58.5	
	Women							
RACE/ETHNICITY	Non-Hisp. White	46.1	34.0	58.7	59.1	56.8	61.3	
	Non-Hisp. Black				51.0	39.9	62.0	
	Hispanic				40.2	31.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.1	34.0	58.7	59.1	56.8	61.3	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				51.0	39.9	62.0	
	Non-Hisp. Black Women							
	Hispanic Men				40.2	31.2	50.0	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	49.1	35.1	63.2	50.1	46.8	53.5	
	65 & Older	53.7	36.8	69.7	63.4	60.5	66.2	
EDUCATION LEVEL	<High School				47.8	40.3	55.4	
	HS / Some College				47.0	42.5	51.5	
	4+ Yrs. College	51.1	37.7	64.3	60.8	58.1	63.5	
ANNUAL INCOME	<\$25,000				48.5	43.6	53.4	
	\$25,000-\$49,999				52.6	48.1	56.9	
	\$50,000 or More	59.1	42.4	73.9	62.5	58.9	65.9	
MARITAL STATUS	Married/Couple	57.2	43.4	69.9	59.0	56.2	61.7	
	Not Married/Couple	32.8	18.6	51.1	49.2	45.1	53.2	

Percent of adults 50 years of age and older who received a blood stool test in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.6	16.5	27.7	21.2	20.1	22.3	16.2
SEX	Men	23.8	15.9	34.2	23.7	21.9	25.5	16.6
	Women	19.4	13.7	26.7	19.1	17.8	20.5	15.8
RACE/ETHNICITY	Non-Hisp. White	22.2	16.5	29.2	23.3	22.1	24.6	17.4
	Non-Hisp. Black				21.7	17.1	27.1	
	Hispanic				8.7	6.1	12.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	22.2	13.6	34.1	26.0	24.1	28.1	
	Non-Hisp. White Women	22.2	15.3	30.9	21.0	19.5	22.5	
	Non-Hisp. Black Men				21.3	14.4	30.3	
	Non-Hisp. Black Women				22.0	16.2	29.1	17.9
	Hispanic Men				9.9	6.0	15.9	16.8
	Hispanic Women				7.8	4.7	12.9	
AGE GROUP	18-44							
	45-64	18.8	12.4	27.4	15.6	14.3	17.1	14.4
	65 & Older	25.6	18.3	34.7	27.1	25.5	28.8	18.7
EDUCATION LEVEL	<High School				20.0	16.2	24.3	9.7
	HS / Some College	12.1	6.3	21.9	19.6	17.8	21.5	15.3
	4+ Yrs. College	26.2	19.5	34.4	22.1	20.7	23.6	19.2
ANNUAL INCOME	<\$25,000	17.4	10.3	28.0	20.1	18.0	22.3	13.5
	\$25,000-\$49,999	15.7	7.8	29.3	22.1	20.1	24.3	22.6
	\$50,000 or More	28.4	18.7	40.5	21.5	19.6	23.6	11.4
MARITAL STATUS	Married/Couple	24.9	17.9	33.5	22.0	20.6	23.5	17.9
	Not Married/Couple	15.4	10.1	22.9	19.9	18.2	21.6	13.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	50.1	43.1	57.0	53.7	52.3	55.1	38.6
SEX	Men	49.6	38.7	60.6	55.7	53.4	57.9	46.2
	Women	50.5	42.0	59.0	52.1	50.3	53.9	32.1
RACE/ETHNICITY	Non-Hisp. White	51.7	44.0	59.4	56.8	55.3	58.2	38.4
	Non-Hisp. Black				48.9	42.6	55.2	
	Hispanic				39.0	33.3	45.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	49.7	37.5	62.0	59.1	56.8	61.3	
	Non-Hisp. White Women	53.5	44.0	62.8	54.8	53.0	56.6	
	Non-Hisp. Black Men				50.4	39.4	61.4	
	Non-Hisp. Black Women				47.7	40.4	55.1	42.5
	Hispanic Men				37.9	29.1	47.6	34.4
	Hispanic Women				39.9	32.7	47.5	
AGE GROUP	18-44							
	45-64	49.5	40.1	58.9	46.6	44.5	48.7	39.2
	65 & Older	50.9	41.2	60.6	61.4	59.6	63.2	37.7
EDUCATION LEVEL	<High School				41.7	37.3	46.3	31.2
	HS / Some College	40.7	28.6	54.1	51.3	48.8	53.8	33.4
	4+ Yrs. College	53.7	45.0	62.2	56.7	54.9	58.5	44.0
ANNUAL INCOME	<\$25,000	43.8	31.7	56.7	47.2	44.4	50.1	28.3
	\$25,000-\$49,999	40.2	26.3	55.9	50.7	48.0	53.4	32.6
	\$50,000 or More	55.2	42.8	67.0	59.7	57.2	62.1	48.5
MARITAL STATUS	Married/Couple	52.0	42.6	61.2	57.5	55.7	59.3	44.6
	Not Married/Couple	46.7	37.1	56.5	47.3	45.1	49.5	28.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percent of adults who have ever had a stroke.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	3.6	2.4	5.5	3.1	2.8	3.5	
SEX	Men	3.5	1.9	6.5	2.9	2.5	3.4	
	Women	3.8	2.2	6.5	3.4	2.9	3.8	
RACE/ETHNICITY	Non-Hisp. White	4.4	2.8	6.9	3.5	3.2	3.9	
	Non-Hisp. Black	3.3	0.8	12.8	3.7	2.4	5.5	
	Hispanic	1.5	0.2	9.5	1.4	0.9	2.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.3	2.1	8.5	3.4	2.8	4.0	
	Non-Hisp. White Women	4.5	2.5	8.1	3.6	3.2	4.2	
	Non-Hisp. Black Men				2.2	1.3	3.8	
	Non-Hisp. Black Women	2.4	0.3	15.5	4.7	2.8	7.7	
	Hispanic Men				1.1	0.5	2.5	
	Hispanic Women	2.9	0.4	17.8	1.6	0.9	2.8	
AGE GROUP	18-44	0.9	0.2	3.7	1.1	0.7	1.6	
	45-64	3.0	1.3	6.6	2.7	2.3	3.3	
	65 & Older	14.0	8.7	21.7	7.9	7.0	8.8	
EDUCATION LEVEL	<High School	3.3	0.8	12.5	6.0	4.6	7.8	
	HS / Some College	3.3	1.4	7.6	3.7	3.1	4.4	
	4+ Yrs. College	3.6	2.1	6.1	2.4	2.1	2.7	
ANNUAL INCOME	<\$25,000	6.2	3.2	11.7	5.7	4.8	6.7	
	\$25,000-\$49,999	3.1	1.0	9.2	3.6	2.9	4.5	
	\$50,000 or More	1.4	0.5	3.9	1.2	1.0	1.6	
MARITAL STATUS	Married/Couple	3.4	1.9	5.9	2.6	2.3	3.0	
	Not Married/Couple	4.1	2.3	7.5	4.0	3.5	4.6	

Percent of adults who have ever had a heart attack, angina, or coronary heart disease.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.1	6.0	10.7	9.3	8.7	9.8	
SEX	Men	9.9	6.6	14.7	10.3	9.5	11.2	
	Women	6.3	4.2	9.5	8.3	7.7	9.0	
RACE/ETHNICITY	Non-Hisp. White	10.5	7.6	14.2	10.6	10.0	11.3	
	Non-Hisp. Black	6.6	2.5	16.5	7.8	6.1	9.9	
	Hispanic	3.0	0.9	9.7	5.3	4.2	6.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.0	9.1	20.8	12.1	11.1	13.2	
	Non-Hisp. White Women	6.9	4.3	10.8	9.2	8.5	9.9	
	Non-Hisp. Black Men				6.0	4.1	8.9	
	Non-Hisp. Black Women	7.5	2.4	20.8	9.0	6.6	12.2	
	Hispanic Men				5.7	4.1	7.9	
	Hispanic Women	5.0	1.2	18.2	4.9	3.6	6.6	
AGE GROUP	18-44	0.9	0.2	3.6	2.2	1.7	2.8	
	45-64	10.7	6.7	16.5	9.1	8.2	10.1	
	65 & Older	25.7	18.5	34.6	23.9	22.5	25.4	
EDUCATION LEVEL	<High School	4.4	1.4	13.3	15.0	12.9	17.5	
	HS / Some College	8.4	4.8	14.3	10.5	9.4	11.6	
	4+ Yrs. College	8.5	5.9	12.1	7.8	7.2	8.4	
ANNUAL INCOME	<\$25,000	13.4	8.4	20.6	14.9	13.4	16.4	
	\$25,000-\$49,999	6.0	2.8	12.5	10.1	9.1	11.3	
	\$50,000 or More	5.0	2.7	9.3	5.1	4.5	5.8	
MARITAL STATUS	Married/Couple	8.8	6.1	12.6	8.8	8.1	9.5	
	Not Married/Couple	6.9	4.4	10.6	10.1	9.2	11.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percent of adults who had their cholesterol checked in the past five years.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	78.0	71.6	83.3	78.5	77.4	79.7	78.3
SEX	Men	71.5	61.3	80.0	76.7	74.9	78.5	79.7
	Women	84.1	76.2	89.8	80.2	78.8	81.6	77.1
RACE/ETHNICITY	Non-Hisp. White	83.9	78.0	88.5	84.4	83.3	85.4	78.7
	Non-Hisp. Black	65.1	41.0	83.4	76.3	71.9	80.3	87.0
	Hispanic	68.0	48.8	82.6	60.1	56.3	63.8	72.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	80.4	70.7	87.5	82.5	80.7	84.1	
	Non-Hisp. White Women	87.6	80.0	92.6	86.1	84.9	87.3	
	Non-Hisp. Black Men				73.1	65.0	79.9	
	Non-Hisp. Black Women	71.9	37.2	91.7	78.6	73.5	83.0	80.7
	Hispanic Men				59.7	53.8	65.3	76.6
	Hispanic Women	87.3	74.5	94.2	60.5 *	55.7	65.1	85.4
AGE GROUP	18-44	64.5	53.9	73.9	64.7	62.5	66.9	67.1
	45-64	90.5	84.7	94.2	87.3	86.0	88.5	90.1
	65 & Older	93.3	87.9	96.4	93.2	92.2	94.2	95.1
EDUCATION LEVEL	<High School	51.8	31.4	71.6	62.0	57.9	65.9	76.7
	HS / Some College	70.6	55.6	82.1	70.6	68.0	73.1	75.0
	4+ Yrs. College	86.9	81.4	91.0	85.0	83.8	86.1	80.6
ANNUAL INCOME	<\$25,000	74.4	59.2	85.4	68.4	65.6	71.1	75.8
	\$25,000-\$49,999	79.1	65.5	88.3	75.8	73.4	78.1	71.7
	\$50,000 or More	81.9	73.4	88.1	86.3	84.8	87.8	85.4
MARITAL STATUS	Married/Couple	79.4	71.2	85.8	81.8	80.5	83.0	84.6
	Not Married/Couple	75.3	64.3	83.7	73.0	70.8	75.1	71.1

Percent of adults who have diagnosed high blood cholesterol.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	35.8	30.6	41.3	37.1	35.9	38.3	36.9
SEX	Men	37.8	29.4	46.9	38.9	37.0	40.9	37.8
	Women	34.1	27.8	41.1	35.4	34.0	36.9	36.0
RACE/ETHNICITY	Non-Hisp. White	36.7	30.7	43.1	38.7	37.4	40.0	39.4
	Non-Hisp. Black	19.0	8.8	36.3	29.7	25.8	33.9	32.8
	Hispanic	42.9	27.8	59.4	34.7	30.4	39.2	32.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.6	27.2	47.2	39.6	37.6	41.7	
	Non-Hisp. White Women	36.7	29.8	44.2	37.8	36.3	39.4	
	Non-Hisp. Black Men				34.1	26.9	42.0	
	Non-Hisp. Black Women	21.9	9.1	44.0	26.8	22.5	31.6	39.7
	Hispanic Men				38.8	32.0	46.2	39.1
	Hispanic Women	30.5	14.1	54.1	30.7	25.7	36.2	
AGE GROUP	18-44	25.0	16.7	35.6	23.0	20.8	25.4	23.9
	45-64	41.4	33.8	49.5	42.8	41.0	44.7	41.6
	65 & Older	48.4	38.8	58.1	49.8	48.0	51.6	60.3
EDUCATION LEVEL	<High School	55.6	29.9	78.7	45.5	41.1	50.1	51.9
	HS / Some College	28.9	20.9	38.6	37.8	35.6	40.0	40.4
	4+ Yrs. College	35.5	29.1	42.5	35.8	34.3	37.3	32.5
ANNUAL INCOME	<\$25,000	38.7	28.2	50.3	41.6	39.1	44.2	40.8
	\$25,000-\$49,999	33.1	22.9	45.1	37.9	35.7	40.3	32.3
	\$50,000 or More	30.7	23.0	39.7	33.4	31.5	35.3	38.6
MARITAL STATUS	Married/Couple	37.1	30.6	44.0	36.8	35.4	38.3	37.6
	Not Married/Couple	32.9	24.7	42.2	37.4	35.3	39.5	35.9

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Dental Care

Percent of adults who could not see a dentist in the past year because of cost.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	18.5	14.3	23.5	19.2	18.2	20.2	
SEX	Men	19.5	13.0	28.2	16.8	15.3	18.5	
	Women	17.5	12.8	23.4	21.4	20.2	22.7	
RACE/ETHNICITY	Non-Hisp. White	16.8	12.0	22.9	15.7	14.8	16.7	
	Non-Hisp. Black	25.5	12.1	46.0	23.7	20.4	27.4	
	Hispanic	19.4	11.1	31.7	28.3	25.0	31.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.3	8.5	25.9	13.9	12.5	15.5	
	Non-Hisp. White Women	18.2	12.6	25.7	17.5	16.3	18.8	
	Non-Hisp. Black Men				18.3	13.3	24.6	
	Non-Hisp. Black Women	18.9	7.3	40.9	27.2	23.0	32.0	
	Hispanic Men				25.4	20.5	31.1	
	Hispanic Women	19.4	9.5	35.8	31.3	27.2	35.8	
AGE GROUP	18-44	17.8	11.3	26.8	23.6	21.8	25.6	
	45-64	23.6	17.5	31.0	19.5	18.1	21.0	
	65 & Older	10.0	5.8	16.7	9.8	8.7	11.0	
EDUCATION LEVEL	<High School	36.2	18.3	59.0	33.9	30.2	37.7	
	HS / Some College	25.7	17.1	36.6	23.2	21.2	25.3	
	4+ Yrs. College	11.8	8.1	16.8	15.2	14.0	16.4	
ANNUAL INCOME	<\$25,000	31.6	21.3	44.1	36.7	34.1	39.4	
	\$25,000-\$49,999	20.5	12.3	32.0	21.5	19.6	23.6	
	\$50,000 or More	7.6	4.0	13.9	9.0	7.8	10.3	
MARITAL STATUS	Married/Couple	15.3	10.9	21.0	16.2	15.1	17.4	
	Not Married/Couple	24.3	16.5	34.4	24.4	22.5	26.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diagnosed diabetes.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.0	5.0	9.7	8.7	8.2	9.3	6.3
SEX	Men	7.9	4.7	13.0	9.4	8.6	10.3	7.2
	Women	6.1	4.1	9.0	8.1	7.5	8.9	5.5
RACE/ETHNICITY	Non-Hisp. White	7.8	5.1	11.7	9.0	8.4	9.6	5.3
	Non-Hisp. Black	10.5	4.9	20.9	12.4	10.4	14.8	12.1
	Hispanic	4.8	2.0	10.9	6.6	5.2	8.2	6.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.5	5.2	16.9	10.0	9.1	11.1	
	Non-Hisp. White Women	6.0	3.7	9.8	7.9	7.2	8.7	
	Non-Hisp. Black Men				11.2	8.3	14.8	
	Non-Hisp. Black Women	11.5	4.8	25.2	13.3	10.6	16.5	5.1
	Hispanic Men				6.8	4.8	9.5	5.4
	Hispanic Women	4.3	1.3	13.7	6.4	4.7	8.6	12.8
AGE GROUP	18-44	1.3	0.2	6.4	2.4	1.9	3.1	2.6
	45-64	11.3	7.3	17.0	10.9	9.9	12.1	5.5
	65 & Older	16.3	10.3	25.0	18.5	17.2	19.9	21.7
EDUCATION LEVEL	<High School	13.4	5.5	29.2	14.4	12.3	16.7	15.3
	HS / Some College	5.4	2.6	11.0	9.5	8.4	10.7	5.6
	4+ Yrs. College	6.5	4.2	9.7	7.5	6.9	8.1	5.0
ANNUAL INCOME	<\$25,000	10.6	6.3	17.2	13.3	11.9	14.9	9.3
	\$25,000-\$49,999	8.2	4.4	14.9	8.5	7.6	9.5	5.9
	\$50,000 or More	4.0	1.9	8.1	5.9	5.2	6.7	5.0
MARITAL STATUS	Married/Couple	7.9	5.2	12.0	8.3	7.7	9.0	7.0
	Not Married/Couple	5.4	3.3	8.6	9.5	8.6	10.6	5.6

Percent of adults with diabetes who self-monitor blood glucose at least once a day on average.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	63.8	45.4	78.9	65.7	62.6	68.7	
SEX	Men				61.8	57.1	66.3	
	Women				70.0	66.0	73.7	
RACE/ETHNICITY	Non-Hisp. White	58.6	36.2	77.9	64.0	60.5	67.3	
	Non-Hisp. Black				62.0	52.6	70.6	
	Hispanic				79.3	68.4	87.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				59.9	54.7	64.8	
	Non-Hisp. White Women				69.1	64.6	73.2	
	Non-Hisp. Black Men				58.1	43.0	71.9	
	Non-Hisp. Black Women				64.4	52.3	74.9	
	Hispanic Men				78.2	59.5	89.7	
	Hispanic Women				80.4	67.8	88.9	
AGE GROUP	18-44				72.0	61.6	80.6	
	45-64				63.1	57.8	68.0	
	65 & Older				66.3	62.4	70.1	
EDUCATION LEVEL	<High School				67.3	58.8	74.8	
	HS / Some College				67.6	61.8	73.0	
	4+ Yrs. College				64.1	59.9	68.1	
ANNUAL INCOME	<\$25,000				69.0	63.7	73.9	
	\$25,000-\$49,999				65.9	60.5	70.9	
	\$50,000 or More				61.9	55.2	68.1	
MARITAL STATUS	Married/Couple				65.1	61.1	69.0	
	Not Married/Couple				66.5	61.5	71.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diabetes who had two A1C tests in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	75.3	54.9	88.5	71.2	67.7	74.4	
SEX	Men				68.0	62.5	73.0	
	Women				74.7	70.6	78.4	
RACE/ETHNICITY	Non-Hisp. White				73.3	69.6	76.7	
	Non-Hisp. Black				77.1	68.8	83.8	
	Hispanic				52.5	39.2	65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				70.3	64.7	75.4	
	Non-Hisp. White Women				76.8	72.6	80.6	
	Non-Hisp. Black Men				79.9	67.7	88.3	
	Non-Hisp. Black Women				75.3	63.7	84.2	
	Hispanic Men				41.5	25.5	59.5	
	Hispanic Women				66.0	48.6	80.0	
AGE GROUP	18-44				65.2	52.8	75.9	
	45-64				70.0	64.0	75.3	
	65 & Older				74.2	70.0	78.0	
EDUCATION LEVEL	<High School				63.9	54.2	72.6	
	HS / Some College				67.2	59.8	73.9	
	4+ Yrs. College				75.5	71.3	79.2	
ANNUAL INCOME	<\$25,000				66.7	59.7	73.1	
	\$25,000-\$49,999				72.8	67.2	77.7	
	\$50,000 or More				75.5	68.5	81.3	
MARITAL STATUS	Married/Couple				70.4	66.0	74.5	
	Not Married/Couple				72.8	66.9	77.9	

Percent of adults with diabetes who had an annual foot exam.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	71.1	51.5	85.1	75.6	72.6	78.4	
SEX	Men				77.0	72.4	81.0	
	Women				74.1	70.0	77.8	
RACE/ETHNICITY	Non-Hisp. White	72.4	46.9	88.7	75.0	71.8	78.0	
	Non-Hisp. Black				85.0	77.8	90.2	
	Hispanic				68.4	55.4	79.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				76.2	71.3	80.5	
	Non-Hisp. White Women				73.7	69.5	77.5	
	Non-Hisp. Black Men				83.3	70.4	91.2	
	Non-Hisp. Black Women				86.1	76.6	92.2	
	Hispanic Men				73.6	53.3	87.2	
	Hispanic Women				62.6	45.6	77.1	
AGE GROUP	18-44				70.9	59.8	80.0	
	45-64				74.5	69.3	79.1	
	65 & Older				78.0	74.1	81.4	
EDUCATION LEVEL	<High School				72.0	63.5	79.2	
	HS / Some College				71.4	64.8	77.2	
	4+ Yrs. College				79.1	75.6	82.3	
ANNUAL INCOME	<\$25,000				74.9	69.0	80.1	
	\$25,000-\$49,999				74.8	69.8	79.2	
	\$50,000 or More				79.5	73.8	84.2	
MARITAL STATUS	Married/Couple				75.6	71.9	78.9	
	Not Married/Couple				75.5	70.1	80.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diabetes who had an annual eye exam.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	79.4	63.9	89.3	77.4	74.7	80.0	
SEX	Men				78.5	74.5	82.0	
	Women				76.3	72.3	79.9	
RACE/ETHNICITY	Non-Hisp. White				75.9	72.7	78.9	
	Non-Hisp. Black				78.9	71.1	85.0	
	Hispanic				81.1	70.1	88.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				75.7	70.7	80.1	
	Non-Hisp. White Women				76.1	72.1	79.7	
	Non-Hisp. Black Men				79.5	66.9	88.1	
	Non-Hisp. Black Women				78.5	68.0	86.3	
	Hispanic Men				89.3	81.0	94.2	
	Hispanic Women				72.3	53.9	85.3	
AGE GROUP	18-44				60.9	48.8	71.8	
	45-64				75.0	70.7	78.8	
	65 & Older				83.6	80.1	86.7	
EDUCATION LEVEL	<High School				71.4	64.1	77.7	
	HS / Some College				74.2	68.5	79.2	
	4+ Yrs. College				81.1	77.5	84.3	
ANNUAL INCOME	<\$25,000				72.9	67.5	77.8	
	\$25,000-\$49,999				77.9	73.0	82.1	
	\$50,000 or More				81.0	75.9	85.3	
MARITAL STATUS	Married/Couple				79.4	76.2	82.2	
	Not Married/Couple				74.7	69.5	79.3	

Percent of adults with diabetes who ever had diabetes self-management education.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	48.5	32.4	64.9	51.4	48.2	54.6	
SEX	Men				50.5	45.8	55.2	
	Women	47.8	29.2	67.0	52.4	48.0	56.8	
RACE/ETHNICITY	Non-Hisp. White	48.4	28.6	68.7	53.2	49.6	56.8	
	Non-Hisp. Black				47.7	39.1	56.5	
	Hispanic				46.3	35.0	58.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				48.1	43.1	53.2	
	Non-Hisp. White Women				59.3	54.5	63.8	
	Non-Hisp. Black Men				49.9	36.0	63.7	
	Non-Hisp. Black Women				46.4	35.6	57.6	
	Hispanic Men				60.1	44.1	74.2	
	Hispanic Women				32.2	20.5	46.6	
AGE GROUP	18-44				52.8	40.6	64.6	
	45-64				53.6	48.4	58.7	
	65 & Older				49.4	45.3	53.4	
EDUCATION LEVEL	<High School				35.3	28.7	42.6	
	HS / Some College				52.3	46.2	58.4	
	4+ Yrs. College				55.7	51.3	60.0	
ANNUAL INCOME	<\$25,000				47.3	41.6	53.0	
	\$25,000-\$49,999				54.1	48.5	59.7	
	\$50,000 or More				57.0	50.5	63.3	
MARITAL STATUS	Married/Couple				52.7	48.6	56.8	
	Not Married/Couple				49.4	44.1	54.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	50.3	45.3	55.3	50.9	49.7	52.1	
SEX	Men				50.5	49.1	51.9	
	Women				51.4	49.4	53.4	
RACE/ETHNICITY	Non-Hisp. White				52.0	50.5	53.5	
	Non-Hisp. Black				50.4	47.9	52.9	
	Hispanic				46.6	43.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				51.9	50.3	53.5	
	Non-Hisp. White Women				52.2	49.5	54.9	
	Non-Hisp. Black Men				49.9	45.3	54.5	
	Non-Hisp. Black Women				50.7	47.7	53.6	
	Hispanic Men				44.6	41.6	47.6	
	Hispanic Women				48.8	42.8	54.9	
AGE GROUP	18-44				29.1	26.5	31.7	
	45-64				45.9	44.8	47.1	
	65 & Older				61.9	61.0	62.9	
EDUCATION LEVEL	<High School				52.3	49.7	54.9	
	HS / Some College				51.9	49.2	54.6	
	4+ Yrs. College				50.0	48.6	51.5	
ANNUAL INCOME	<\$25,000				51.9	49.9	53.8	
	\$25,000-\$49,999				50.9	49.0	52.8	
	\$50,000 or More				47.8	46.1	49.6	
MARITAL STATUS	Married/Couple				50.5	49.2	51.8	
	Not Married/Couple				51.6	49.3	53.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percent of adults who are limited in any way in any activities because of physical, mental, or emotional problems.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	18.8	15.3	23.0	17.8	17.1	18.6	
SEX	Men	18.8	13.6	25.5	16.9	15.7	18.1	
	Women	18.9	14.5	24.2	18.8	17.8	19.8	
RACE/ETHNICITY	Non-Hisp. White	21.0	16.7	26.0	19.7	18.8	20.6	
	Non-Hisp. Black	17.8	8.2	34.2	16.8	14.1	19.7	
	Hispanic	11.4	5.7	21.4	10.6	8.9	12.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.4	14.1	28.6	18.6	17.3	20.1	
	Non-Hisp. White Women	21.7	16.4	28.0	20.7	19.6	21.9	
	Non-Hisp. Black Men				14.8	10.9	19.7	
	Non-Hisp. Black Women	19.2	7.9	39.7	18.1	14.8	22.0	
	Hispanic Men				9.9	7.3	13.4	
AGE GROUP	Hispanic Women	7.9	3.3	17.8	11.3	9.1	13.9	
	18-44	11.0	6.9	17.2	10.3	9.2	11.4	
	45-64	25.5	19.5	32.7	21.7	20.4	23.1	
EDUCATION LEVEL	65 & Older	30.5	22.7	39.7	27.6	26.0	29.2	
	<High School	16.6	8.1	30.8	24.2	21.4	27.2	
	HS / Some College	18.2	12.2	26.3	19.6	18.0	21.2	
ANNUAL INCOME	4+ Yrs. College	19.6	15.1	25.0	16.1	15.2	17.1	
	<\$25,000	29.1	20.6	39.3	30.3	28.1	32.5	
	\$25,000-\$49,999	14.7	9.1	22.9	17.7	16.2	19.2	
MARITAL STATUS	\$50,000 or More	11.9	7.7	17.8	10.8	9.8	11.8	
	Married/Couple	16.7	12.6	21.8	15.5	14.6	16.4	
	Not Married/Couple	22.5	16.4	30.0	21.9	20.5	23.4	

Percent of adults who use special equipment because of a health problem.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.3	6.2	11.0	7.1	6.6	7.7	
SEX	Men	10.5	7.0	15.4	6.9	6.1	7.7	
	Women	6.2	4.1	9.3	7.4	6.8	8.0	
RACE/ETHNICITY	Non-Hisp. White	9.1	6.5	12.6	7.4	6.9	8.0	
	Non-Hisp. Black	9.6	3.4	24.1	8.1	6.4	10.1	
	Hispanic	3.9	1.6	9.3	5.1	3.7	6.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.0	6.1	15.9	6.8	6.1	7.7	
	Non-Hisp. White Women	8.2	5.3	12.5	8.0	7.3	8.7	
	Non-Hisp. Black Men				6.6	4.5	9.6	
	Non-Hisp. Black Women	5.0	0.9	22.8	9.1	6.8	12.0	
	Hispanic Men				5.9	3.7	9.4	
AGE GROUP	Hispanic Women	1.4	0.3	5.7	4.3	3.0	6.1	
	18-44	1.1	0.4	2.6	2.3	1.8	3.0	
	45-64	13.6	9.0	20.2	7.5 *	6.7	8.5	
EDUCATION LEVEL	65 & Older	20.3	13.9	28.7	16.3	15.1	17.7	
	<High School	8.8	3.6	19.7	12.0	10.0	14.2	
	HS / Some College	9.9	5.7	16.7	8.1	7.1	9.3	
ANNUAL INCOME	4+ Yrs. College	7.5	5.1	10.8	5.9	5.4	6.5	
	<\$25,000	16.8	10.8	25.1	13.8	12.4	15.3	
	\$25,000-\$49,999	6.0	2.7	12.6	6.6	5.7	7.6	
MARITAL STATUS	\$50,000 or More	3.8	1.9	7.4	2.9	2.4	3.5	
	Married/Couple	6.8	4.5	10.2	5.3	4.8	5.9	
	Not Married/Couple	10.9	7.2	16.2	10.3	9.3	11.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Folic Acid

Percent of adults who take a multivitamin.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	52.4	46.4	58.4	58.5	57.3	59.8	
SEX	Men	45.7	36.7	55.0	53.9	51.9	56.0	
	Women	59.0	51.3	66.4	62.9	61.3	64.4	
RACE/ETHNICITY	Non-Hisp. White	57.1	50.4	63.7	62.1	60.8	63.4	
	Non-Hisp. Black	39.6	22.2	59.9	52.6	48.1	57.1	
	Hispanic	40.6	26.4	56.5	47.7	43.7	51.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	50.8	40.3	61.2	58.2	56.1	60.3	
	Non-Hisp. White Women	63.7	55.3	71.3	65.9	64.3	67.5	
	Non-Hisp. Black Men				48.4	40.6	56.3	
	Non-Hisp. Black Women	31.5	14.4	55.6	55.4	50.0	60.8	
	Hispanic Men				41.8	35.7	48.2	
AGE GROUP	Hispanic Women	62.2	43.1	78.1	53.7	48.8	58.6	
	18-44	43.1	33.7	53.0	51.2	48.9	53.5	
	45-64	60.7	52.5	68.4	61.5	59.7	63.2	
	65 & Older	66.0	56.3	74.5	69.2	67.4	70.9	
EDUCATION LEVEL	<High School	37.8	20.0	59.7	43.5	39.4	47.6	
	HS / Some College	44.0	32.7	56.0	51.8	49.3	54.2	
	4+ Yrs. College	59.0	52.1	65.6	63.9	62.4	65.4	
ANNUAL INCOME	<\$25,000	44.6	32.7	57.3	53.2	50.4	56.0	
	\$25,000-\$49,999	48.3	36.1	60.7	58.1	55.7	60.5	
	\$50,000 or More	61.1	52.3	69.3	62.2	60.2	64.1	
MARITAL STATUS	Married/Couple	54.3	46.9	61.6	59.4	57.9	61.0	
	Not Married/Couple	49.0	38.8	59.2	57.1	54.9	59.3	

Percent of women under age 45 who take a multivitamin.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	51.2	38.8	63.5	56.4	53.5	59.2	
SEX	Men							
	Women	51.2	38.8	63.5	56.4	53.5	59.2	
RACE/ETHNICITY	Non-Hisp. White	47.4	32.8	62.4	59.9	56.6	63.1	
	Non-Hisp. Black				51.0	43.4	58.6	
	Hispanic				48.2	41.4	55.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	47.4	32.8	62.4	59.9	56.6	63.1	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				51.0	43.4	58.6	
	Hispanic Men							
AGE GROUP	Hispanic Women				48.2	41.4	55.1	
	18-44	51.5	38.9	63.9	56.2	53.3	59.1	
	45-64							
	65 & Older							
EDUCATION LEVEL	<High School				34.0	25.5	43.7	
	HS / Some College				44.8	39.2	50.6	
	4+ Yrs. College	66.9	52.6	78.7	63.6	60.3	66.8	
ANNUAL INCOME	<\$25,000				46.5	40.2	52.9	
	\$25,000-\$49,999				54.7	49.5	59.9	
	\$50,000 or More	66.7	50.2	80.0	63.6	59.2	67.8	
MARITAL STATUS	Married/Couple	65.4	50.7	77.6	59.2	55.8	62.5	
	Not Married/Couple	31.1	15.6	52.4	51.7	46.6	56.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Gastrointestinal Disease

Percent of adults who had diarrhea in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	19.4	14.6	25.4	14.1	13.3	15.0	
SEX	Men	19.4	12.5	29.1	13.8	12.6	15.2	
	Women	19.4	13.4	27.4	14.4	13.4	15.4	
RACE/ETHNICITY	Non-Hisp. White	21.9	16.1	29.0	15.6	14.7	16.6	
	Non-Hisp. Black	25.8	9.8	52.7	11.5	8.8	14.9	
	Hispanic	10.7	4.1	24.8	10.0	8.0	12.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	25.1	15.7	37.7	15.8	14.3	17.5	
	Non-Hisp. White Women	18.5	13.4	24.9	15.4	14.4	16.5	
	Non-Hisp. Black Men				6.8	4.7	9.7	
	Non-Hisp. Black Women	35.5	13.1	66.9	14.5	10.5	19.8	
	Hispanic Men				9.3	6.6	12.9	
AGE GROUP	Hispanic Women	16.1	5.1	40.5	10.7	8.0	14.1	
	18-44	23.2	15.1	33.9	14.6	13.1	16.1	
	45-64	15.3	10.6	21.6	14.0	12.8	15.2	
	65 & Older	16.1	9.8	25.5	13.4	12.2	14.6	
EDUCATION LEVEL	<High School	16.8	4.8	44.5	12.4	10.1	15.2	
	HS / Some College	22.2	12.9	35.5	13.6	12.2	15.1	
	4+ Yrs. College	18.3	12.9	25.4	14.6	13.5	15.7	
ANNUAL INCOME	<\$25,000	25.3	14.6	40.1	16.7	14.9	18.7	
	\$25,000-\$49,999	10.2	5.5	18.1	12.5	11.1	13.9	
	\$50,000 or More	21.2	13.9	30.9	14.8	13.5	16.3	
MARITAL STATUS	Married/Couple	14.4	10.1	20.2	13.9	12.9	14.9	
	Not Married/Couple	28.3	18.6	40.5	14.5 *	13.2	16.0	

Percent of adults who had diarrhea in the past 30 days and who visited a doctor.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	3.4	1.6	7.2	2.4	2.0	2.8	
SEX	Men	5.4	2.0	13.3	2.2	1.6	2.9	
	Women	1.6	0.7	3.7	2.6	2.2	3.0	
RACE/ETHNICITY	Non-Hisp. White	4.1	1.5	10.5	2.5	2.1	3.0	
	Non-Hisp. Black	4.6	1.3	14.4	2.2	1.4	3.6	
	Hispanic	1.3	0.2	9.0	2.1	1.3	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.5	2.0	19.3	2.2	1.6	3.1	
	Non-Hisp. White Women	1.6	0.5	4.8	2.7	2.3	3.2	
	Non-Hisp. Black Men				1.5	0.7	3.3	
	Non-Hisp. Black Women	2.6	0.3	16.9	2.7	1.5	4.8	
	Hispanic Men				2.3	1.0	5.0	
AGE GROUP	Hispanic Women	0.0			2.0	1.2	3.3	
	18-44	3.7	1.0	12.4	2.0	1.4	2.7	
	45-64	3.4	1.4	7.8	2.5	2.0	3.2	
	65 & Older	2.8	0.9	8.0	3.0	2.4	3.7	
EDUCATION LEVEL	<High School	1.5	0.4	6.4	2.3	1.6	3.2	
	HS / Some College	3.0	1.1	7.9	2.8	2.2	3.6	
	4+ Yrs. College	3.5	1.1	10.4	2.2	1.7	2.7	
ANNUAL INCOME	<\$25,000	3.1	1.2	8.2	3.5	2.7	4.4	
	\$25,000-\$49,999	2.2	0.6	8.6	2.8	2.1	3.7	
	\$50,000 or More	3.3	0.6	15.5	1.6	1.1	2.2	
MARITAL STATUS	Married/Couple	2.5	1.2	5.3	2.1	1.7	2.6	
	Not Married/Couple	5.0	1.4	16.6	2.8	2.2	3.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percent of adults with any type of health care insurance coverage.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	77.0	70.8	82.3	81.4	80.3	82.4	83.6
SEX	Men	77.3	67.4	84.9	80.3	78.5	82.0	81.2
	Women	76.8	68.6	83.3	82.4	81.0	83.7	85.8
RACE/ETHNICITY	Non-Hisp. White	89.1	84.2	92.6	87.8	86.9	88.7	89.5
	Non-Hisp. Black	57.4	36.7	75.8	77.2	72.9	81.1	76.7
	Hispanic	48.4	33.9	63.2	61.4	57.6	65.0	68.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.9	84.0	95.0	87.6	86.2	88.8	
	Non-Hisp. White Women	87.2	79.6	92.3	88.1	86.9	89.1	
	Non-Hisp. Black Men				74.9	67.0	81.5	
	Non-Hisp. Black Women	63.5	35.1	84.8	78.8	73.7	83.2	88.0
	Hispanic Men				57.7	51.8	63.5	90.9
	Hispanic Women	54.2	36.2	71.3	64.9	60.3	69.3	74.4
AGE GROUP	18-44	64.6	54.3	73.7	72.4	70.3	74.4	79.6
	45-64	85.1	78.8	89.8	82.7	81.3	84.1	84.7
	65 & Older	99.0	95.8	99.7	97.3	96.5	97.9	96.7
EDUCATION LEVEL	<High School	46.4	27.6	66.3	60.8	56.8	64.6	70.3
	HS / Some College	65.6	52.0	77.0	73.8	71.3	76.1	76.6
	4+ Yrs. College	88.1	82.2	92.3	88.3	87.1	89.3	90.2
ANNUAL INCOME	<\$25,000	53.1	40.9	64.9	64.5	61.7	67.3	70.5
	\$25,000-\$49,999	81.4	67.7	90.1	79.0	76.8	81.0	82.8
	\$50,000 or More	94.8	87.9	97.9	93.2	91.8	94.3	96.1
MARITAL STATUS	Married/Couple	84.8	76.9	90.4	85.3	84.1	86.4	88.4
	Not Married/Couple	63.6	53.1	72.8	74.9	72.7	76.9	77.8

Percent of adults who have a personal doctor.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	72.2	65.9	77.8	77.1	75.9	78.2	76.9
SEX	Men	65.2	55.3	74.0	72.8	71.0	74.6	70.9
	Women	78.8	71.0	84.9	81.1	79.7	82.4	82.3
RACE/ETHNICITY	Non-Hisp. White	78.3	71.5	83.8	82.2	81.1	83.2	80.6
	Non-Hisp. Black	67.2	43.0	84.7	75.6	71.4	79.4	76.7
	Hispanic	53.6	38.1	68.4	61.7	58.0	65.2	66.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.1	60.8	81.2	77.9	76.0	79.7	
	Non-Hisp. White Women	84.6	77.3	89.9	86.3	85.0	87.4	
	Non-Hisp. Black Men				70.8	63.6	77.1	
	Non-Hisp. Black Women	68.6	37.2	88.9	78.8	73.5	83.3	75.4
	Hispanic Men				58.2	52.4	63.8	85.5
	Hispanic Women	67.4	48.7	81.9	65.2	60.5	69.5	72.6
AGE GROUP	18-44	56.9	46.9	66.3	64.7	62.5	66.8	69.5
	45-64	84.8	78.6	89.4	83.3	81.9	84.6	84.5
	65 & Older	93.5	87.9	96.6	92.9	91.9	93.8	88.6
EDUCATION LEVEL	<High School	54.2	33.4	73.6	62.8	58.9	66.5	64.8
	HS / Some College	62.6	49.4	74.2	71.4	68.9	73.7	69.2
	4+ Yrs. College	80.7	74.2	85.8	82.1	80.8	83.4	83.8
ANNUAL INCOME	<\$25,000	55.8	43.0	67.8	66.8	64.1	69.4	64.3
	\$25,000-\$49,999	73.9	60.6	84.0	74.2	71.8	76.4	79.0
	\$50,000 or More	82.3	74.1	88.3	84.8	83.2	86.3	85.1
MARITAL STATUS	Married/Couple	79.6	72.0	85.6	80.6	79.3	81.8	85.3
	Not Married/Couple	59.1	48.6	68.7	71.1 *	68.9	73.2	65.9

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percent of adults who could not see a doctor at least once in the past year due to cost.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	15.6	12.0	20.1	15.1	14.2	16.0	
SEX	Men	14.1	8.9	21.4	13.3	11.9	14.7	
	Women	17.1	12.4	23.1	16.8	15.7	18.0	
RACE/ETHNICITY	Non-Hisp. White	13.0	9.3	18.1	11.5	10.8	12.4	
	Non-Hisp. Black	22.8	10.9	41.5	20.9	17.8	24.4	
	Hispanic	17.7	9.7	30.0	23.5	20.6	26.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.3	6.4	19.2	9.8	8.6	11.0	
	Non-Hisp. White Women	14.8	9.7	22.0	13.2	12.2	14.3	
	Non-Hisp. Black Men				16.7	12.2	22.6	
	Non-Hisp. Black Women	18.9	7.9	38.8	23.8	19.9	28.2	
	Hispanic Men				22.9	18.4	28.2	
AGE GROUP	Hispanic Women	22.4	10.8	40.6	24.1	20.5	28.2	
	18-44	17.6	11.6	25.7	19.9	18.3	21.6	
	45-64	18.0	13.0	24.3	15.8	14.5	17.2	
	65 & Older	4.8	2.2	10.0	4.5	3.7	5.3	
EDUCATION LEVEL	<High School	23.7	11.4	42.8	25.6	22.6	28.9	
	HS / Some College	23.5	15.5	33.8	19.0	17.1	21.0	
	4+ Yrs. College	10.7	7.1	15.9	11.7	10.7	12.8	
ANNUAL INCOME	<\$25,000	27.5	18.9	38.2	29.3	26.9	31.9	
	\$25,000-\$49,999	16.9	9.7	27.6	18.4	16.5	20.5	
	\$50,000 or More	6.7	3.3	13.4	6.3	5.4	7.4	
MARITAL STATUS	Married/Couple	10.8	7.1	16.0	12.7	11.8	13.8	
	Not Married/Couple	24.1	17.1	32.9	19.3	17.6	21.0	

Percent of adults who had a medical checkup in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	73.7	68.1	78.5	74.6	73.5	75.7	
SEX	Men	71.8	62.6	79.5	70.5	68.7	72.3	
	Women	75.4	68.7	81.0	78.5	77.1	79.8	
RACE/ETHNICITY	Non-Hisp. White	73.5	67.4	78.8	75.0	73.8	76.2	
	Non-Hisp. Black	90.9	79.3	96.3	82.7	79.0	85.9	
	Hispanic	60.5	44.1	74.9	70.1	66.5	73.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.4	63.4	81.4	71.0	69.1	72.9	
	Non-Hisp. White Women	73.6	66.0	80.1	78.8	77.3	80.2	
	Non-Hisp. Black Men				76.9	69.3	83.1	
	Non-Hisp. Black Women	91.7	79.5	97.0	86.8	83.3	89.6	
	Hispanic Men				66.0	60.2	71.3	
AGE GROUP	Hispanic Women	71.6	51.1	85.8	74.3	70.0	78.3	
	18-44	64.2	54.5	72.8	64.0	61.8	66.1	
	45-64	80.8	74.3	85.9	77.7	76.2	79.1	
	65 & Older	87.7	81.1	92.2	91.5	90.4	92.4	
EDUCATION LEVEL	<High School	74.5	52.7	88.4	71.4	67.6	74.9	
	HS / Some College	70.6	58.4	80.4	72.8	70.5	75.0	
	4+ Yrs. College	74.8	68.3	80.3	76.0	74.6	77.4	
ANNUAL INCOME	<\$25,000	77.1	66.7	84.9	73.0	70.4	75.3	
	\$25,000-\$49,999	67.4	55.1	77.6	72.4	70.1	74.5	
	\$50,000 or More	74.3	65.7	81.3	75.7	73.9	77.4	
MARITAL STATUS	Married/Couple	73.8	66.4	80.0	75.6	74.3	77.0	
	Not Married/Couple	73.3	64.6	80.5	73.1	71.0	75.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults with good to excellent overall health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	81.4	75.9	85.9	83.4	82.5	84.2	85.7
SEX	Men	79.4	70.2	86.3	83.8	82.4	85.1	88.2
	Women	83.4	76.4	88.6	82.9	81.8	84.0	83.5
RACE/ETHNICITY	Non-Hisp. White	87.8	83.8	90.9	85.8	85.0	86.6	88.2
	Non-Hisp. Black	74.7	51.0	89.3	80.8	77.5	83.7	86.6
	Hispanic	64.1	46.8	78.3	77.2	74.1	80.1	73.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	86.2	79.3	91.0	86.1	84.8	87.3	
	Non-Hisp. White Women	89.5	84.8	92.9	85.6	84.6	86.5	
	Non-Hisp. Black Men				84.0	79.6	87.6	
	Non-Hisp. Black Women	66.0	37.0	86.5	78.5	73.8	82.5	89.7
	Hispanic Men				77.5	72.5	81.7	86.8
AGE GROUP	Hispanic Women	76.7	59.6	88.0	77.0	73.0	80.6	90.8
	18-44	82.3	71.5	89.5	89.5	88.1	90.8	89.9
	45-64	79.8	73.1	85.1	80.4	78.8	81.8	82.6
	65 & Older	82.0	74.7	87.5	75.2	73.6	76.8	75.4
EDUCATION LEVEL	<High School	58.4	37.7	76.5	66.1	62.5	69.4	62.6
	HS / Some College	74.6	60.5	85.0	79.0	77.1	80.8	81.3
	4+ Yrs. College	88.8	84.6	92.0	88.1	87.1	89.0	92.4
ANNUAL INCOME	<\$25,000	57.7	45.2	69.2	65.7	63.2	68.1	70.1
	\$25,000-\$49,999	87.7	79.9	92.8	83.9	82.3	85.4	89.1
	\$50,000 or More	94.2	89.7	96.8	93.3	92.2	94.2	94.1
MARITAL STATUS	Married/Couple	83.5	76.0	89.0	85.1	84.0	86.1	85.8
	Not Married/Couple	77.8	68.6	84.9	80.3	78.7	81.7	85.2

Percent of adults who are "very satisfied" or "satisfied" with their lives.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	94.0	90.9	96.1	94.2	93.6	94.8	
SEX	Men	94.6	90.1	97.1	94.0	92.9	94.9	
	Women	93.5	88.4	96.5	94.5	93.8	95.1	
RACE/ETHNICITY	Non-Hisp. White	94.7	90.9	96.9	94.9	94.3	95.4	
	Non-Hisp. Black	94.8	79.7	98.8	93.0	91.0	94.7	
	Hispanic	95.8	88.6	98.5	93.5	90.8	95.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	94.2	87.7	97.4	94.8	93.9	95.6	
	Non-Hisp. White Women	95.1	90.0	97.6	95.0	94.3	95.5	
	Non-Hisp. Black Men				90.3	85.9	93.4	
	Non-Hisp. Black Women	92.9	68.5	98.7	94.9	92.8	96.5	
	Hispanic Men				93.0	87.9	96.0	
AGE GROUP	Hispanic Women	98.5	89.9	99.8	94.0	91.3	95.9	
	18-44	93.7	87.7	96.9	94.6	93.4	95.6	
	45-64	93.6	88.8	96.4	92.7	91.7	93.6	
	65 & Older	95.8	91.0	98.1	95.8	95.0	96.5	
EDUCATION LEVEL	<High School	90.1	74.7	96.6	91.7	89.7	93.4	
	HS / Some College	92.0	83.3	96.3	92.7	91.1	94.1	
	4+ Yrs. College	96.1	92.6	97.9	95.3	94.6	95.9	
ANNUAL INCOME	<\$25,000	84.2	74.4	90.7	87.8	86.0	89.3	
	\$25,000-\$49,999	96.9	91.4	98.9	94.8	93.6	95.8	
	\$50,000 or More	98.0	92.9	99.5	97.2	96.2	98.0	
MARITAL STATUS	Married/Couple	97.9	95.3	99.0	96.4	95.7	96.9	
	Not Married/Couple	87.3	79.5	92.4	90.5	89.2	91.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults who always or usually receive the social and emotional support they need.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	73.9	67.7	79.3	77.9	76.8	79.0	
SEX	Men	72.6	62.5	80.8	76.6	74.7	78.3	
	Women	75.2	67.2	81.8	79.2	77.9	80.5	
RACE/ETHNICITY	Non-Hisp. White	84.0	78.8	88.2	82.3	81.3	83.3	
	Non-Hisp. Black	54.6	34.0	73.7	67.0	62.7	71.0	
	Hispanic	57.3	40.2	72.9	68.5	64.6	72.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	84.9	76.9	90.5	81.2	79.6	82.8	
	Non-Hisp. White Women	83.2	75.7	88.7	83.4	82.2	84.5	
	Non-Hisp. Black Men				65.3	58.1	71.9	
	Non-Hisp. Black Women	50.4	26.1	74.4	68.1	62.7	73.0	
	Hispanic Men				64.7	58.2	70.6	
AGE GROUP	Hispanic Women	81.6	67.0	90.6	72.3	67.9	76.4	
	18-44	69.2	58.2	78.3	78.2	76.1	80.1	
	45-64	80.9	74.1	86.2	78.1	76.5	79.6	
EDUCATION LEVEL	65 & Older	74.7	65.7	82.0	77.4	75.9	78.9	
	<High School	52.8	31.8	72.7	63.3	59.3	67.0	
	HS / Some College	59.5	46.3	71.5	71.9	69.5	74.2	
	4+ Yrs. College	84.9	79.3	89.2	82.9	81.6	84.1	
ANNUAL INCOME	<\$25,000	58.1	45.1	70.1	63.4	60.7	66.1	
	\$25,000-\$49,999	67.6	54.4	78.5	76.0	73.8	78.0	
	\$50,000 or More	89.6	83.0	93.8	87.1	85.6	88.5	
MARITAL STATUS	Married/Couple	78.6	70.4	85.0	83.1	81.9	84.3	
	Not Married/Couple	65.7	55.3	74.8	68.9	66.8	70.9	

Percent of adults with good physical health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	89.4	86.0	92.0	88.8	88.1	89.5	
SEX	Men	88.7	82.8	92.7	89.8	88.7	90.8	
	Women	90.0	86.0	93.0	87.8	86.9	88.7	
RACE/ETHNICITY	Non-Hisp. White	87.1	82.4	90.7	88.5	87.7	89.2	
	Non-Hisp. Black	90.9	80.1	96.1	88.0	85.5	90.1	
	Hispanic	95.1	88.7	97.9	90.6	88.5	92.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	84.9	76.6	90.7	89.6	88.4	90.7	
	Non-Hisp. White Women	89.3	84.2	92.9	87.4	86.4	88.4	
	Non-Hisp. Black Men				89.1	85.2	92.0	
	Non-Hisp. Black Women	87.9	71.9	95.3	87.3	83.9	90.0	
	Hispanic Men				91.4	87.8	94.0	
AGE GROUP	Hispanic Women	95.4	85.2	98.7	89.8	87.3	91.9	
	18-44	93.9	88.7	96.8	92.5	91.4	93.5	
	45-64	85.2	78.7	90.0	86.5	85.2	87.6	
EDUCATION LEVEL	65 & Older	83.4	75.9	88.9	84.3	82.9	85.5	
	<High School	86.7	71.2	94.5	82.6	80.1	84.8	
	HS / Some College	87.3	79.6	92.3	86.6	85.1	87.9	
	4+ Yrs. College	91.2	87.2	94.0	90.8	89.9	91.6	
ANNUAL INCOME	<\$25,000	82.6	74.7	88.4	80.3	78.5	82.0	
	\$25,000-\$49,999	92.7	85.9	96.4	89.1	87.7	90.3	
	\$50,000 or More	93.4	87.7	96.6	93.5	92.5	94.4	
MARITAL STATUS	Married/Couple	90.2	85.8	93.3	90.4	89.5	91.1	
	Not Married/Couple	88.5	82.8	92.5	86.1	84.8	87.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults with good mental health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	91.2	86.8	94.2	90.3	89.6	91.0	
SEX	Men	93.8	89.4	96.5	91.9	90.9	92.9	
	Women	88.6	80.8	93.5	88.7	87.7	89.7	
RACE/ETHNICITY	Non-Hisp. White	92.8	89.2	95.3	90.9	90.2	91.6	
	Non-Hisp. Black	79.0	52.3	92.8	87.2	83.8	90.0	
	Hispanic	94.4	84.1	98.2	89.8	87.4	91.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	92.5	85.9	96.1	92.2	91.2	93.2	
	Non-Hisp. White Women	93.1	88.7	95.8	89.7	88.7	90.5	
	Non-Hisp. Black Men				90.2	86.2	93.1	
	Non-Hisp. Black Women	68.6	37.5	88.9	85.2	80.1	89.2	
	Hispanic Men				92.0	88.2	94.6	
	Hispanic Women	93.7	71.0	98.9	87.7	84.2	90.5	
AGE GROUP	18-44	90.4	81.6	95.3	88.9	87.5	90.1	
	45-64	89.0	83.8	92.7	89.2	88.2	90.3	
	65 & Older	97.9	94.1	99.3	94.5	93.6	95.2	
EDUCATION LEVEL	<High School	89.0	73.1	96.0	84.2	81.0	87.0	
	HS / Some College	89.3	75.1	95.9	89.0	87.6	90.3	
	4+ Yrs. College	92.5	88.1	95.3	91.8	90.9	92.6	
ANNUAL INCOME	<\$25,000	79.9	66.1	89.0	83.9	81.9	85.8	
	\$25,000-\$49,999	92.7	86.2	96.3	88.7	87.1	90.1	
	\$50,000 or More	96.9	93.6	98.5	94.3	93.4	95.1	
MARITAL STATUS	Married/Couple	94.5	90.6	96.9	92.0	91.2	92.8	
	Not Married/Couple	85.2	75.0	91.7	87.2	85.8	88.5	

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.0	2.8	5.1	4.5	4.2	4.7	
SEX	Men	3.7	2.2	5.2	4.6	4.1	5.0	
	Women	4.2	2.5	5.9	4.4	4.1	4.7	
RACE/ETHNICITY	Non-Hisp. White	4.2	2.9	5.5	4.5	4.2	4.8	
	Non-Hisp. Black				4.5	3.7	5.3	
	Hispanic				3.9	3.1	4.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.1	2.1	6.1	4.6	4.1	5.1	
	Non-Hisp. White Women	4.3	2.6	6.0	4.3	4.0	4.7	
	Non-Hisp. Black Men				4.5	2.9	6.1	
	Non-Hisp. Black Women				4.5	3.6	5.5	
	Hispanic Men				3.7	2.3	5.0	
	Hispanic Women				4.0	3.1	5.0	
AGE GROUP	18-44	3.1	1.4	4.7	3.4	3.0	3.9	
	45-64	4.6	2.7	6.4	5.1	4.7	5.6	
	65 & Older	6.4	3.2	9.5	5.8	5.2	6.4	
EDUCATION LEVEL	<High School				6.2	5.2	7.1	
	HS / Some College	4.9	3.0	6.9	5.4	4.9	6.0	
	4+ Yrs. College	3.9	2.3	5.5	3.8	3.4	4.1	
ANNUAL INCOME	<\$25,000	7.6	4.6	10.5	7.5	6.8	8.2	
	\$25,000-\$49,999	1.6	0.6	2.7	4.4 *	3.9	4.9	
	\$50,000 or More	2.4	1.1	3.8	2.5	2.2	2.8	
MARITAL STATUS	Married/Couple	2.8	1.7	4.0	4.0	3.7	4.3	
	Not Married/Couple	5.4	3.2	7.5	5.2	4.7	5.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	3.6	2.9	4.4	3.6	3.4	3.8	
SEX	Men	4.1	2.7	5.4	3.3	3.0	3.6	
	Women	3.3	2.4	4.1	3.9	3.7	4.1	
RACE/ETHNICITY	Non-Hisp. White	4.0	3.0	5.0	3.7	3.5	3.8	
	Non-Hisp. Black	4.6	2.3	6.9	4.1	3.5	4.8	
	Hispanic	2.1	0.7	3.5	3.0	2.5	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.7	3.0	6.4	3.4	3.1	3.7	
	Non-Hisp. White Women	3.2	2.2	4.2	3.9	3.7	4.2	
	Non-Hisp. Black Men				3.4	2.5	4.3	
	Non-Hisp. Black Women	5.9	2.8	8.9	4.6	3.7	5.5	
	Hispanic Men				2.7	1.9	3.5	
	Hispanic Women	1.5	0.1	2.8	3.3	2.7	4.0	
AGE GROUP	18-44	2.8	1.8	3.8	2.7	2.4	2.9	
	45-64	4.4	2.9	5.8	4.2	3.9	4.5	
	65 & Older	4.7	3.0	6.5	4.8	4.4	5.1	
EDUCATION LEVEL	<High School	5.4	2.6	8.2	5.5	4.8	6.2	
	HS / Some College	4.9	3.1	6.7	4.3	3.9	4.7	
	4+ Yrs. College	2.9	2.0	3.7	3.1	2.9	3.3	
ANNUAL INCOME	<\$25,000	7.1	5.3	9.0	6.3	5.8	6.8	
	\$25,000-\$49,999	2.5	1.2	3.8	3.5	3.2	3.8	
	\$50,000 or More	2.4	1.3	3.5	2.3	2.0	2.5	
MARITAL STATUS	Married/Couple	3.2	2.2	4.1	3.2	3.0	3.4	
	Not Married/Couple	4.5	3.2	5.8	4.4	4.0	4.7	

Average number of unhealthy mental days in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	3.2	2.1	4.3	3.3	3.1	3.5	
SEX	Men	2.6	1.5	3.6	2.8	2.5	3.1	
	Women	3.8	2.0	5.6	3.7	3.4	4.0	
RACE/ETHNICITY	Non-Hisp. White	2.4	1.6	3.2	3.1	2.9	3.2	
	Non-Hisp. Black	6.9	0.7	13.2	4.1	3.2	5.0	
	Hispanic	3.1	0.7	5.5	3.5	2.8	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.5	1.1	3.9	2.7	2.4	2.9	
	Non-Hisp. White Women	2.4	1.6	3.2	3.4 *	3.2	3.7	
	Non-Hisp. Black Men				3.3	2.3	4.3	
	Non-Hisp. Black Women	10.1	1.5	18.7	4.6	3.4	5.9	
	Hispanic Men				3.0	1.9	4.0	
	Hispanic Women	2.9	-0.4	6.3	4.0	3.1	5.0	
AGE GROUP	18-44	3.8	1.7	5.8	3.8	3.4	4.2	
	45-64	3.4	2.3	4.6	3.5	3.2	3.8	
	65 & Older	0.9	0.2	1.7	1.8	1.6	2.0	
EDUCATION LEVEL	<High School	4.7	0.9	8.5	5.2	4.3	6.1	
	HS / Some College	3.9	0.7	7.0	3.7	3.3	4.1	
	4+ Yrs. College	2.7	1.8	3.6	2.8	2.6	3.0	
ANNUAL INCOME	<\$25,000	7.3	3.7	11.0	5.2	4.6	5.7	
	\$25,000-\$49,999	2.5	1.3	3.6	3.6	3.2	4.0	
	\$50,000 or More	1.5	0.9	2.1	2.2	1.9	2.4	
MARITAL STATUS	Married/Couple	2.2	1.3	3.1	2.7	2.5	2.9	
	Not Married/Couple	4.9	2.5	7.4	4.3	3.9	4.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percent of adults less than 65 years of age who have ever been tested for HIV.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	50.3	43.5	57.0	49.1	47.6	50.6	45.4
SEX	Men	44.9	34.9	55.3	46.4	44.0	48.8	47.7
	Women	55.7	47.3	63.8	51.8	50.0	53.7	43.2
RACE/ETHNICITY	Non-Hisp. White	45.4	37.6	53.5	45.3	43.6	47.0	39.6
	Non-Hisp. Black	76.9	55.1	90.0	68.4	63.9	72.6	64.5
	Hispanic	48.3	32.2	64.7	50.7	46.5	54.9	54.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.6	36.6	60.7	45.2	42.6	47.8	
	Non-Hisp. White Women	42.0	32.6	51.9	45.4	43.3	47.5	
	Non-Hisp. Black Men				61.9	53.8	69.5	
	Non-Hisp. Black Women				72.9	67.8	77.5	42.5
	Hispanic Men				44.2	37.8	50.8	36.9
	Hispanic Women	68.6	50.3	82.5	57.5	52.4	62.5	
AGE GROUP	18-44	56.8	46.9	66.2	58.5	56.3	60.7	49.0
	45-64	39.9	32.2	48.1	35.9	34.2	37.7	39.8
	65 & Older							
EDUCATION LEVEL	<High School	47.6	26.0	70.1	48.1	43.0	53.3	56.4
	HS / Some College	53.1	38.6	67.1	46.9	43.8	50.0	47.4
	4+ Yrs. College	49.8	42.0	57.6	50.2	48.4	52.1	42.9
ANNUAL INCOME	<\$25,000	62.8	47.3	76.1	54.1	50.5	57.7	60.8
	\$25,000-\$49,999	48.4	33.7	63.4	48.0	45.1	51.0	39.7
	\$50,000 or More	47.4	38.3	56.7	49.5	47.3	51.7	43.8
MARITAL STATUS	Married/Couple	44.8	36.9	53.0	47.7	45.9	49.5	43.7
	Not Married/Couple	60.1	48.3	70.9	51.7	48.9	54.4	48.1

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percent of adults with diagnosed hypertension.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	28.3	23.7	33.4	28.2	27.2	29.2	25.1
SEX	Men	30.0	22.9	38.1	28.8	27.2	30.4	28.9
	Women	26.7	20.9	33.4	27.6	26.4	28.8	21.7
RACE/ETHNICITY	Non-Hisp. White	30.2	24.8	36.2	30.4	29.3	31.5	24.5
	Non-Hisp. Black	33.1	16.9	54.5	32.5	28.9	36.3	36.2
	Hispanic	21.6	13.1	33.5	19.1	16.5	22.1	18.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	31.0	22.5	41.0	31.0	29.3	32.7	
	Non-Hisp. White Women	29.4	23.3	36.3	29.8	28.5	31.2	
	Non-Hisp. Black Men				30.9	25.4	37.1	
	Non-Hisp. Black Women	34.3	13.8	62.9	33.6	29.1	38.4	29.5
	Hispanic Men				20.9	16.7	25.9	19.8
	Hispanic Women	18.1	9.6	31.5	17.3	14.3	20.8	32.5
AGE GROUP	18-44	12.5	6.8	21.8	11.6	10.3	13.1	12.8
	45-64	40.5	33.1	48.3	33.9	32.3	35.5	31.4
	65 & Older	52.4	43.1	61.5	53.5	51.8	55.3	56.6
EDUCATION LEVEL	<High School	39.0	21.8	59.6	31.9	28.7	35.3	40.6
	HS / Some College	25.6	16.7	37.3	29.5	27.6	31.3	29.9
	4+ Yrs. College	27.6	22.5	33.3	27.0	25.8	28.3	19.7
ANNUAL INCOME	<\$25,000	37.5	26.5	49.9	35.3	33.0	37.6	35.2
	\$25,000-\$49,999	24.7	17.2	34.1	29.2	27.3	31.1	23.7
	\$50,000 or More	22.1	16.3	29.3	23.2	21.7	24.8	20.7
MARITAL STATUS	Married/Couple	28.0	22.6	34.1	27.4	26.2	28.6	24.0
	Not Married/Couple	28.9	20.8	38.7	29.6	28.0	31.3	27.1

Percent of adults with hypertension who engage in blood pressure control measures.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	95.3	87.7	98.3	96.4	95.5	97.2	
SEX	Men	93.4	79.4	98.1	95.9	94.1	97.1	
	Women	97.2	87.4	99.4	97.0	95.9	97.8	
RACE/ETHNICITY	Non-Hisp. White	93.3	82.3	97.7	97.1	96.3	97.8	
	Non-Hisp. Black				96.0	91.9	98.1	
	Hispanic				94.6	89.1	97.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.1	70.9	97.2	97.0	95.7	97.9	
	Non-Hisp. White Women	96.7	80.2	99.5	97.3	96.0	98.1	
	Non-Hisp. Black Men				94.3	84.7	98.0	
	Non-Hisp. Black Women				97.1	92.6	98.9	
	Hispanic Men				93.1	83.0	97.4	
	Hispanic Women				96.4	91.1	98.6	
AGE GROUP	18-44				90.0	85.5	93.2	
	45-64	95.1	84.5	98.6	96.9	95.7	97.9	
	65 & Older	98.3	88.9	99.8	98.8	98.1	99.2	
EDUCATION LEVEL	<High School				94.3	90.6	96.6	
	HS / Some College	95.9	75.4	99.4	96.2	94.2	97.5	
	4+ Yrs. College	97.8	89.9	99.5	97.0	95.7	97.9	
ANNUAL INCOME	<\$25,000	99.1	93.9	99.9	96.2	94.1	97.6	
	\$25,000-\$49,999	96.7	80.1	99.5	97.1	95.4	98.2	
	\$50,000 or More	100.0			96.7	94.6	98.0	
MARITAL STATUS	Married/Couple	93.7	81.6	98.0	96.1	94.7	97.2	
	Not Married/Couple	97.9	91.3	99.5	96.9	95.5	97.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percent of adults with hypertension who were advised by a health care provider to engage in blood pressure control measures.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	90.0	74.1	96.6	95.5	94.4	96.4	
SEX	Men	95.6	83.9	98.9	95.6	94.1	96.7	
	Women	84.6	57.1	95.8	95.5	93.6	96.8	
RACE/ETHNICITY	Non-Hisp. White	94.6	85.5	98.1	96.3	95.4	97.1	
	Non-Hisp. Black				93.8	84.4	97.7	
	Hispanic				92.9	87.5	96.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	96.6	79.3	99.5	96.7	95.5	97.6	
	Non-Hisp. White Women	92.7	77.7	97.9	96.0	94.4	97.1	
	Non-Hisp. Black Men				96.1	91.1	98.3	
	Non-Hisp. Black Women				92.4	76.5	97.8	
	Hispanic Men				90.1	80.3	95.3	
	Hispanic Women				96.2	91.6	98.3	
AGE GROUP	18-44				89.8	84.5	93.5	
	45-64	92.4	80.2	97.3	96.3	94.8	97.4	
	65 & Older	100.0			97.2	96.2	98.0	
EDUCATION LEVEL	<High School				93.7	90.5	95.9	
	HS / Some College	70.0	34.5	91.1	95.5 *	92.3	97.4	
	4+ Yrs. College	96.0	87.2	98.9	95.8	94.5	96.9	
ANNUAL INCOME	<\$25,000	82.3	45.8	96.2	94.4	90.9	96.6	
	\$25,000-\$49,999	100.0			95.5	93.4	96.9	
	\$50,000 or More	97.0	81.4	99.6	96.4	94.6	97.6	
MARITAL STATUS	Married/Couple	93.0	82.8	97.3	95.7	94.4	96.8	
	Not Married/Couple	85.1	46.0	97.5	95.2	92.9	96.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults in high-risk groups who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.6	28.7	49.6	44.6	42.4	46.8	
SEX	Men	29.0	17.0	44.8	46.4	42.8	50.1	
	Women	46.5	31.6	62.1	43.2	40.6	45.9	
RACE/ETHNICITY	Non-Hisp. White	47.4	35.5	59.6	50.2	47.8	52.6	
	Non-Hisp. Black				24.7	19.5	30.8	
	Hispanic				34.1	26.8	42.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.8	20.2	55.1	50.3	46.3	54.4	
	Non-Hisp. White Women	59.8	44.6	73.3	50.1	47.3	52.9	
	Non-Hisp. Black Men				22.4	14.0	33.9	
	Non-Hisp. Black Women				25.6	19.4	33.0	
	Hispanic Men				39.9	27.4	53.9	
	Hispanic Women				29.9	21.8	39.5	
AGE GROUP	18-44	27.2	13.0	48.2	25.1	21.4	29.2	
	45-64	43.5	29.9	58.3	41.6	38.4	44.9	
	65 & Older	52.0	34.8	68.8	72.1 *	68.9	75.1	
EDUCATION LEVEL	<High School				34.6	28.9	40.9	
	HS / Some College	23.0	10.2	44.0	42.8	38.6	47.2	
	4+ Yrs. College	46.1	34.3	58.3	46.6	43.9	49.3	
ANNUAL INCOME	<\$25,000	33.8	16.4	57.1	41.8	37.6	46.2	
	\$25,000-\$49,999	36.9	20.4	57.2	44.1	40.1	48.1	
	\$50,000 or More	43.2	27.8	60.2	45.7	42.1	49.4	
MARITAL STATUS	Married/Couple	37.0	25.2	50.6	46.4	43.6	49.1	
	Not Married/Couple	41.0	24.7	59.5	42.0	38.5	45.6	

Percent of adults in high-risk groups who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	34.1	24.5	45.2	37.0	35.0	39.1	
SEX	Men	33.4	20.0	50.3	40.4	36.9	44.0	
	Women	34.6	22.1	49.6	34.7	32.3	37.1	
RACE/ETHNICITY	Non-Hisp. White	35.1	24.6	47.2	43.0	40.8	45.4	
	Non-Hisp. Black				20.9	16.1	26.8	
	Hispanic				21.8	16.3	28.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	34.0	18.2	54.4	45.3	41.4	49.4	
	Non-Hisp. White Women	36.1	23.8	50.5	41.2	38.6	43.9	
	Non-Hisp. Black Men				30.0	18.7	44.6	
	Non-Hisp. Black Women				17.4	13.0	22.8	
	Hispanic Men				19.3	11.9	29.7	
	Hispanic Women				23.6	16.3	32.7	
AGE GROUP	18-44	17.9	6.3	41.2	12.7	10.0	16.1	
	45-64	32.4	20.2	47.6	30.1	27.3	33.1	
	65 & Older	71.4	53.5	84.5	73.5	70.4	76.5	
EDUCATION LEVEL	<High School				38.8	32.3	45.8	
	HS / Some College				38.9	34.9	43.0	
	4+ Yrs. College	37.3	26.1	50.2	36.0	33.5	38.5	
ANNUAL INCOME	<\$25,000	43.8	21.9	68.5	41.6	37.5	45.9	
	\$25,000-\$49,999				41.1	37.2	45.1	
	\$50,000 or More	29.8	17.0	46.7	28.5	25.4	31.8	
MARITAL STATUS	Married/Couple	33.7	22.1	47.6	37.6	35.0	40.2	
	Not Married/Couple	34.7	19.9	53.2	36.3	33.2	39.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	30.2	25.5	35.3	32.7	31.7	33.7	23.3
SEX	Men	28.0	21.2	36.1	31.7	30.1	33.3	23.7
	Women	32.2	26.2	38.8	33.6	32.3	34.9	22.9
RACE/ETHNICITY	Non-Hisp. White	34.0	28.4	40.2	38.0	36.8	39.2	24.9
	Non-Hisp. Black	15.2	7.0	30.2	23.0	19.9	26.3	25.7
	Hispanic	29.6	18.3	44.1	20.6	17.9	23.6	15.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.4	26.4	45.6	36.5	34.7	38.4	
	Non-Hisp. White Women	32.7	26.4	39.7	39.4	37.9	40.9	
	Non-Hisp. Black Men				22.9	17.9	28.8	
	Non-Hisp. Black Women	16.2	6.5	34.8	23.0	19.3	27.1	23.7
	Hispanic Men				19.5	15.6	24.2	26.0
AGE GROUP	Hispanic Women	43.3	26.5	61.8	21.7 *	18.2	25.7	29.2
	18-44	21.3	14.7	29.9	18.3	16.7	20.0	12.3
	45-64	31.0	24.3	38.7	30.6	29.1	32.2	24.2
	65 & Older	56.6	47.1	65.6	64.6	62.9	66.4	62.6
EDUCATION LEVEL	<High School	17.5	8.8	31.7	26.0	23.2	29.0	27.6
	HS / Some College	27.2	19.3	36.8	30.4	28.6	32.3	25.7
	4+ Yrs. College	34.2	28.1	40.9	34.8	33.5	36.2	21.1 *
ANNUAL INCOME	<\$25,000	28.8	20.1	39.4	33.8	31.5	36.3	24.3
	\$25,000-\$49,999	32.6	23.0	44.0	31.3	29.4	33.3	22.0
	\$50,000 or More	28.9	21.7	37.4	31.9	30.3	33.6	21.7
MARITAL STATUS	Married/Couple	28.4	23.0	34.5	33.3	32.0	34.6	25.8
	Not Married/Couple	33.3	25.2	42.6	31.8	30.0	33.6	20.5

Percent of adults age 65 and older who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	56.6	47.1	65.6	64.6	62.9	66.4	62.6
SEX	Men	46.8	31.8	62.3	65.9 *	63.1	68.5	57.4
	Women	64.1	53.0	73.9	63.7	61.4	65.9	66.2
RACE/ETHNICITY	Non-Hisp. White	57.7	47.1	67.6	68.3	66.5	70.0	64.6
	Non-Hisp. Black				44.7	36.9	52.8	
	Hispanic				45.3	37.3	53.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	44.7	29.0	61.5	69.3 *	66.5	71.9	
	Non-Hisp. White Women	67.9	55.4	78.2	67.5	65.2	69.7	
	Non-Hisp. Black Men				44.4	32.4	57.2	
	Non-Hisp. Black Women				44.9	35.0	55.2	
	Hispanic Men				47.4	34.6	60.5	68.5
AGE GROUP	Hispanic Women				43.7	33.9	54.1	
	18-44							
	45-64							
	65 & Older	56.6	47.1	65.6	64.6	62.9	66.4	62.6
EDUCATION LEVEL	<High School				50.8	45.3	56.3	
	HS / Some College	50.6	34.5	66.6	62.1	59.0	65.1	
	4+ Yrs. College	63.0	50.9	73.6	69.4	67.1	71.6	65.9
ANNUAL INCOME	<\$25,000	48.1	32.4	64.2	59.8	56.6	63.0	63.8
	\$25,000-\$49,999	51.2	32.8	69.3	63.7	60.4	67.0	
	\$50,000 or More				70.5	66.8	73.9	
MARITAL STATUS	Married/Couple	56.7	43.0	69.5	68.5	66.1	70.7	64.5
	Not Married/Couple	56.3	44.5	67.5	59.3	56.6	61.9	60.2

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.6	17.7	26.1	25.9	25.0	26.9	17.0
SEX	Men	20.8	14.9	28.1	25.6	24.1	27.2	15.7
	Women	22.4	17.5	28.2	26.2	25.0	27.4	18.0
RACE/ETHNICITY	Non-Hisp. White	23.7	19.1	29.1	30.0	28.9	31.1	17.5
	Non-Hisp. Black	16.5	7.6	32.1	17.5	14.9	20.5	16.0
	Hispanic	19.7	10.3	34.4	16.1	13.5	19.2	17.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.4	14.6	30.1	28.6	26.9	30.3	
	Non-Hisp. White Women	25.8	20.0	32.7	31.3	29.9	32.6	
	Non-Hisp. Black Men				20.1	15.6	25.6	
	Non-Hisp. Black Women	4.5	1.5	13.1	15.8	12.8	19.3	16.5
	Hispanic Men				17.3	13.1	22.5	18.5
	Hispanic Women	28.3	14.2	48.6	15.0	12.0	18.5	7.7
AGE GROUP	18-44	8.7	4.7	15.6	11.4	10.0	13.0	8.7
	45-64	22.1	15.9	29.8	18.4	17.1	19.8	10.4
	65 & Older	57.4	47.9	66.3	63.0	61.2	64.8	53.7
EDUCATION LEVEL	<High School	13.6	5.5	29.7	25.1	22.4	28.1	34.4
	HS / Some College	22.3	15.1	31.7	27.7	25.8	29.8	19.3
	4+ Yrs. College	23.0	18.1	28.9	25.2	24.1	26.4	11.9 *
ANNUAL INCOME	<\$25,000	24.5	16.2	35.2	31.6	29.4	33.8	27.8
	\$25,000-\$49,999	27.8	19.2	38.5	26.8	25.0	28.6	13.2
	\$50,000 or More	15.8	10.7	22.6	19.5	18.1	21.1	7.4
MARITAL STATUS	Married/Couple	19.3	14.7	25.0	24.8	23.6	26.0	15.3
	Not Married/Couple	25.9	19.2	34.0	27.9	26.3	29.6	19.6

Percent of adults age 65 and older who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	57.4	47.9	66.3	63.0	61.2	64.8	53.7
SEX	Men	50.2	34.5	66.0	62.8	60.0	65.5	48.5
	Women	62.2	51.1	72.1	63.2	60.8	65.4	57.3
RACE/ETHNICITY	Non-Hisp. White	61.4	50.9	71.0	67.7	65.9	69.4	56.5
	Non-Hisp. Black				44.8	36.9	53.0	
	Hispanic				33.4	26.3	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.5	35.8	70.3	67.0	64.3	69.6	
	Non-Hisp. White Women	66.7	54.6	77.0	68.2	65.9	70.5	
	Non-Hisp. Black Men				41.6	29.6	54.7	
	Non-Hisp. Black Women				46.6	36.4	57.1	
	Hispanic Men				33.4	22.6	46.4	63.3
	Hispanic Women				33.3	24.4	43.6	
AGE GROUP	18-44							
	45-64							
	65 & Older	57.4	47.9	66.3	63.0	61.2	64.8	53.7
EDUCATION LEVEL	<High School				51.3	45.8	56.8	
	HS / Some College	63.6	46.9	77.6	61.3	58.1	64.3	
	4+ Yrs. College	56.3	43.9	67.9	67.0	64.6	69.2	61.8
ANNUAL INCOME	<\$25,000	46.5	31.5	62.1	60.2	56.8	63.4	54.3
	\$25,000-\$49,999	66.7	47.5	81.6	64.4	61.1	67.7	
	\$50,000 or More				64.2	60.3	67.9	
MARITAL STATUS	Married/Couple	56.8	43.1	69.5	64.4	62.0	66.8	47.5
	Not Married/Couple	58.2	45.9	69.5	61.0	58.3	63.7	62.8

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who were at risk and who have received a hepatitis B vaccination.

	2007 County		2007 State		2002 County Measure
	Measure	95% CI	Measure	95% CI	
ALL Overall			43.8	37.6 50.2	
SEX Men			43.1	35.4 51.1	
Women			45.7	35.9 55.8	
RACE/ETHNICITY Non-Hisp. White			44.2	37.1 51.6	
Non-Hisp. Black			46.1	31.7 61.1	
Hispanic			41.5	21.0 65.4	
SEX BY RACE/ETHNICITY Non-Hisp. White Men			42.3	33.6 51.6	
Non-Hisp. White Women			50.8	41.5 60.0	
Non-Hisp. Black Men			39.8	24.2 57.8	
Non-Hisp. Black Women			51.6	29.2 73.4	
Hispanic Men			47.5	21.9 74.5	
Hispanic Women			18.9	6.8 42.9	
AGE GROUP 18-44			50.3	41.7 59.0	
45-64			34.0	26.5 42.4	
65 & Older			10.9	5.3 21.1	
EDUCATION LEVEL <High School			46.1	28.9 64.4	
HS / Some College			42.9	31.2 55.4	
4+ Yrs. College			44.1	36.5 52.0	
ANNUAL INCOME <\$25,000			36.5	26.8 47.4	
\$25,000-\$49,999			46.5	36.0 57.4	
\$50,000 or More			46.2	35.0 57.8	
MARITAL STATUS Married/Couple			42.5	32.7 53.0	
Not Married/Couple			44.6	36.9 52.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults who are overweight.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	39.4	33.9	45.1	38.0	36.8	39.2	36.6
SEX	Men	45.2	36.6	54.1	46.0	44.1	48.0	44.7
	Women	33.8	27.5	40.8	30.2	28.8	31.6	28.7
RACE/ETHNICITY	Non-Hisp. White	41.8	35.3	48.5	38.2	37.0	39.5	37.6
	Non-Hisp. Black	27.0	14.1	45.4	36.4	32.5	40.5	38.1
	Hispanic	36.8	24.2	51.5	37.5	33.8	41.3	33.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.1	37.9	58.5	46.3	44.3	48.4	
	Non-Hisp. White Women	35.0	27.6	43.1	30.2	28.7	31.7	
	Non-Hisp. Black Men				41.1	34.2	48.4	
	Non-Hisp. Black Women	29.2	14.1	50.9	33.1	28.7	37.8	48.0
	Hispanic Men				46.6	40.7	52.7	27.4
	Hispanic Women	32.6	19.4	49.3	28.2	24.3	32.4	37.8
AGE GROUP	18-44	39.3	30.4	48.9	36.4	34.2	38.6	30.8
	45-64	38.9	31.4	46.9	38.4	36.7	40.2	41.6
	65 & Older	40.6	31.6	50.4	40.6	38.9	42.4	46.2
EDUCATION LEVEL	<High School	43.8	24.3	65.5	37.5	33.7	41.4	36.7
	HS / Some College	34.3	25.2	44.8	37.2	35.0	39.6	39.2
	4+ Yrs. College	41.0	34.4	47.9	38.4	36.9	39.9	35.4
ANNUAL INCOME	<\$25,000	37.6	26.5	50.2	34.9	32.3	37.5	32.7
	\$25,000-\$49,999	40.0	28.8	52.4	39.0	36.7	41.4	39.7
	\$50,000 or More	42.3	34.0	51.0	40.4	38.5	42.4	38.8
MARITAL STATUS	Married/Couple	43.9	37.0	50.9	40.2	38.7	41.7	38.5
	Not Married/Couple	31.9	23.7	41.5	34.2	32.2	36.2	34.6

Percent of adults who are obese.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	24.8	20.5	29.7	24.1	23.1	25.1	22.6
SEX	Men	23.6	17.5	30.9	25.2	23.6	26.9	25.0
	Women	26.0	20.2	32.8	23.0	21.8	24.3	20.4
RACE/ETHNICITY	Non-Hisp. White	22.3	17.6	28.0	22.3	21.3	23.3	19.2
	Non-Hisp. Black	30.8	17.9	47.7	34.7	30.9	38.8	35.0
	Hispanic	31.9	19.9	46.9	26.5	23.2	30.1	26.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.1	14.2	30.1	24.6	23.0	26.4	
	Non-Hisp. White Women	23.7	17.7	30.9	19.9	18.8	21.1	
	Non-Hisp. Black Men				28.5	22.7	35.1	
	Non-Hisp. Black Women	29.0	14.2	50.0	39.0	34.2	44.1	24.5
	Hispanic Men				26.9	21.7	32.8	14.0
	Hispanic Women	37.5	20.5	58.1	26.1	22.3	30.4	31.2
AGE GROUP	18-44	20.9	14.6	29.1	23.1	21.3	25.0	22.8
	45-64	33.9	27.0	41.6	28.1	26.5	29.7	27.0
	65 & Older	18.0	12.0	26.1	20.6	19.2	22.0	12.5
EDUCATION LEVEL	<High School	32.4	17.9	51.3	30.7	27.2	34.4	42.1
	HS / Some College	23.9	16.3	33.5	24.8	22.9	26.8	21.3
	4+ Yrs. College	23.9	18.6	30.1	22.8	21.5	24.1	19.9
ANNUAL INCOME	<\$25,000	29.9	20.8	41.0	26.5	24.5	28.7	24.2
	\$25,000-\$49,999	29.9	20.5	41.3	25.7	23.6	27.9	22.1
	\$50,000 or More	20.9	14.9	28.6	22.6	21.0	24.3	23.2
MARITAL STATUS	Married/Couple	26.2	20.8	32.6	24.1	22.9	25.4	26.5
	Not Married/Couple	22.4	16.0	30.6	23.9	22.2	25.8	18.1

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults who are overweight or obese.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	64.2	58.4	69.6	62.1	60.9	63.2	59.2
SEX	Men	68.8	59.7	76.6	71.2	69.5	72.9	69.7
	Women	59.8	52.3	66.8	53.2	51.6	54.7	49.1
RACE/ETHNICITY	Non-Hisp. White	64.1	57.6	70.1	60.5	59.2	61.8	56.9
	Non-Hisp. Black	57.8	36.5	76.5	71.1	66.6	75.3	73.2
	Hispanic	68.7	52.9	81.0	64.0	60.2	67.6	60.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.2	58.8	78.0	71.0	69.1	72.8	
	Non-Hisp. White Women	58.6	50.7	66.1	50.1	48.5	51.7	
	Non-Hisp. Black Men				69.6	61.5	76.7	
	Non-Hisp. Black Women	58.2	30.9	81.3	72.1	66.8	76.9	72.4
	Hispanic Men				73.5	68.0	78.3	41.4
	Hispanic Women	70.0	52.1	83.4	54.3	49.4	59.2	69.0
AGE GROUP	18-44	60.2	50.4	69.2	59.4	57.2	61.6	53.6
	45-64	72.8	65.2	79.2	66.5	64.8	68.2	68.6
	65 & Older	58.7	48.9	67.8	61.2	59.5	62.9	58.7
EDUCATION LEVEL	<High School	76.2	52.3	90.3	68.2	64.1	72.0	78.8
	HS / Some College	58.2	46.5	69.1	62.0	59.7	64.3	60.5
	4+ Yrs. College	64.9	58.2	71.1	61.2	59.7	62.6	55.3
ANNUAL INCOME	<\$25,000	67.5	53.5	79.0	61.4	58.7	64.0	56.8
	\$25,000-\$49,999	69.9	57.3	80.0	64.7	62.5	66.9	61.8
	\$50,000 or More	63.2	54.6	71.1	63.0	61.1	64.8	62.0
MARITAL STATUS	Married/Couple	70.1	63.4	76.0	64.3	62.9	65.7	65.0
	Not Married/Couple	54.4	44.4	64.0	58.1	56.0	60.2	52.6

Percent of adults whose body weight increased by five pounds or more in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	26.5	21.5	32.2	22.4	21.3	23.5	
SEX	Men	27.8	20.2	36.9	21.4	19.8	23.2	
	Women	25.2	19.1	32.6	23.3	22.0	24.7	
RACE/ETHNICITY	Non-Hisp. White	24.8	18.9	31.7	19.2	18.1	20.3	
	Non-Hisp. Black	40.8	23.6	60.6	34.9	30.7	39.4	
	Hispanic	14.9	7.6	27.0	27.0	23.7	30.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	27.1	18.2	38.3	19.0	17.3	20.7	
	Non-Hisp. White Women	22.3	15.7	30.6	19.4	18.1	20.7	
	Non-Hisp. Black Men				32.0	24.8	40.1	
	Non-Hisp. Black Women	40.9	20.2	65.4	37.0	32.1	42.2	
	Hispanic Men				26.3	21.3	32.1	
	Hispanic Women	15.7	6.1	35.0	27.6	23.7	31.9	
AGE GROUP	18-44	34.8	26.3	44.6	30.2	28.2	32.3	
	45-64	21.3	15.4	28.5	18.3	17.0	19.7	
	65 & Older	10.7	6.4	17.5	12.5	11.4	13.8	
EDUCATION LEVEL	<High School	33.6	17.7	54.5	27.7	23.9	32.0	
	HS / Some College	30.2	20.9	41.5	25.2	23.1	27.4	
	4+ Yrs. College	23.4	17.5	30.6	20.4	19.1	21.7	
ANNUAL INCOME	<\$25,000	23.0	14.8	34.0	23.0	20.8	25.3	
	\$25,000-\$49,999	37.6	25.8	51.1	24.7	22.5	27.1	
	\$50,000 or More	24.9	17.3	34.5	21.1	19.5	22.8	
MARITAL STATUS	Married/Couple	25.6	19.6	32.6	21.7	20.5	23.0	
	Not Married/Couple	28.1	19.7	38.3	23.5	21.6	25.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults whose body weight decreased by five pounds or more in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	23.7	19.1	29.1	23.0	22.0	24.1	
SEX	Men	23.7	16.8	32.4	22.5	20.9	24.2	
	Women	23.8	18.1	30.6	23.5	22.2	24.9	
RACE/ETHNICITY	Non-Hisp. White	23.0	17.5	29.5	22.7	21.6	23.8	
	Non-Hisp. Black	30.9	16.2	50.7	24.8	21.5	28.5	
	Hispanic	26.5	15.5	41.3	23.4	20.1	27.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.8	15.5	34.8	22.3	20.6	24.1	
	Non-Hisp. White Women	22.0	16.1	29.4	23.0	21.6	24.5	
	Non-Hisp. Black Men				23.7	18.3	30.1	
	Non-Hisp. Black Women	26.7	11.3	50.9	25.6	21.5	30.2	
	Hispanic Men				22.9	17.9	28.8	
	Hispanic Women	31.6	16.2	52.5	23.9	20.0	28.2	
AGE GROUP	18-44	22.8	15.6	32.1	22.9	21.0	24.9	
	45-64	25.1	18.8	32.7	23.7	22.2	25.2	
	65 & Older	24.4	16.6	34.3	22.6	21.1	24.1	
EDUCATION LEVEL	<High School	17.8	5.9	43.1	25.7	22.5	29.3	
	HS / Some College	22.4	14.5	32.9	22.1	20.2	24.1	
	4+ Yrs. College	25.6	20.0	32.2	23.1	21.7	24.5	
ANNUAL INCOME	<\$25,000	22.3	13.5	34.5	27.3	24.8	30.0	
	\$25,000-\$49,999	20.3	13.0	30.4	23.1	21.2	25.2	
	\$50,000 or More	23.0	16.3	31.4	20.5	19.0	22.1	
MARITAL STATUS	Married/Couple	22.8	17.6	29.0	21.4	20.1	22.7	
	Not Married/Couple	25.3	17.2	35.7	25.9	24.0	27.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who are sedentary.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	25.3	20.3	30.9	25.4	24.4	26.5	27.4
SEX	Men	23.0	15.8	32.3	22.5	20.9	24.1	18.1
	Women	27.4	21.2	34.6	28.1	26.8	29.6	35.7
RACE/ETHNICITY	Non-Hisp. White	18.7	14.7	23.5	21.3	20.3	22.3	25.3
	Non-Hisp. Black	38.1	20.9	58.9	32.0	28.0	36.3	28.9
	Hispanic	39.6	25.1	56.2	37.0	33.5	40.6	30.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.7	9.6	21.8	18.3	16.9	19.8	
	Non-Hisp. White Women	22.9	17.3	29.6	24.1	22.8	25.4	
	Non-Hisp. Black Men				29.2	22.5	36.9	
	Non-Hisp. Black Women	50.2	27.6	72.8	33.9	29.2	39.0	17.7 *
	Hispanic Men				33.1	28.0	38.7	32.5
	Hispanic Women	25.7	13.7	43.1	40.8	36.3	45.5	7.3
AGE GROUP	18-44	23.2	15.3	33.7	22.8	21.0	24.8	27.6
	45-64	25.4	19.2	32.8	25.3	23.8	26.8	27.6
	65 & Older	31.3	23.5	40.3	30.9	29.3	32.5	26.5
EDUCATION LEVEL	<High School	40.8	22.5	62.0	49.2	45.3	53.0	40.4
	HS / Some College	37.6	26.6	50.1	33.6	31.4	35.8	30.2
	4+ Yrs. College	17.0	12.7	22.4	17.7	16.6	18.9	22.9
ANNUAL INCOME	<\$25,000	48.5	36.8	60.4	40.2	37.7	42.9	47.5
	\$25,000-\$49,999	24.5	16.3	35.1	28.3	26.2	30.5	28.1
	\$50,000 or More	10.9	6.8	17.0	13.9	12.5	15.3	12.5
MARITAL STATUS	Married/Couple	22.9	16.8	30.3	22.5	21.3	23.8	19.1
	Not Married/Couple	29.5	21.6	38.9	30.1	28.3	32.1	37.7

Percent of adults who are inactive at work.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	69.1	61.0	76.2	64.5	62.8	66.1	64.1
SEX	Men	63.5	51.2	74.2	58.4	55.9	60.9	58.2
	Women	76.4	67.6	83.4	71.5	69.4	73.4	71.4
RACE/ETHNICITY	Non-Hisp. White	80.6	73.0	86.5	67.3 *	65.5	69.1	66.3
	Non-Hisp. Black				64.5	59.1	69.5	60.4
	Hispanic	45.8	28.0	64.9	56.9	52.1	61.5	57.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	80.1	68.3	88.2	61.7 *	59.0	64.4	
	Non-Hisp. White Women	81.4	71.7	88.3	73.9	71.7	76.0	
	Non-Hisp. Black Men				58.6	49.0	67.7	
	Non-Hisp. Black Women				68.7	62.5	74.3	65.4
	Hispanic Men				49.1	42.3	55.9	67.5
	Hispanic Women				67.6	61.4	73.2	
AGE GROUP	18-44	63.1	51.3	73.4	60.3	57.8	62.8	66.0
	45-64	78.4	69.4	85.3	69.6	67.5	71.6	61.7
	65 & Older				75.6	71.0	79.7	
EDUCATION LEVEL	<High School				50.2	43.4	57.1	
	HS / Some College	48.7	32.2	65.4	51.1	47.6	54.6	58.4
	4+ Yrs. College	79.7	72.2	85.6	71.1	69.1	72.9	71.7
ANNUAL INCOME	<\$25,000	54.9	34.1	74.0	52.7	48.0	57.4	42.5
	\$25,000-\$49,999	63.7	48.1	77.0	56.5	53.1	59.8	63.1
	\$50,000 or More	78.1	69.1	85.1	71.4	69.2	73.6	74.0
MARITAL STATUS	Married/Couple	69.3	59.1	78.0	66.2	64.2	68.1	66.6
	Not Married/Couple	68.7	55.3	79.5	61.0	58.0	64.0	61.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who consume at least five servings of fruits and vegetables a day.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	26.1	21.6	31.1	26.2	25.2	27.3	23.2
SEX	Men	18.8	13.2	26.1	21.9	20.4	23.6	20.5
	Women	33.1	26.7	40.1	30.3	28.9	31.7	25.7
RACE/ETHNICITY	Non-Hisp. White	24.4	19.7	29.9	26.9	25.8	28.1	25.1
	Non-Hisp. Black	41.2	23.7	61.1	28.2	24.6	32.1	17.2
	Hispanic	28.0	16.6	43.0	22.1	19.1	25.4	24.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.0	12.0	26.1	22.7	21.0	24.6	
	Non-Hisp. White Women	31.0	24.5	38.4	30.9	29.4	32.4	
	Non-Hisp. Black Men				26.4	20.7	33.1	
	Non-Hisp. Black Women	36.4	16.9	61.7	29.4	25.0	34.3	24.9
	Hispanic Men				17.1	13.1	22.0	25.3
	Hispanic Women	45.0	27.6	63.6	27.0	22.9	31.6	11.0
AGE GROUP	18-44	25.6	18.6	34.3	25.1	23.2	27.0	19.0
	45-64	26.4	20.2	33.7	26.4	24.8	28.0	25.8
	65 & Older	26.0	18.6	35.1	28.3	26.8	29.9	32.4
EDUCATION LEVEL	<High School	15.3	6.8	31.1	19.3	16.4	22.5	16.8
	HS / Some College	25.8	17.3	36.5	24.0	21.9	26.2	21.6
	4+ Yrs. College	28.3	22.7	34.6	28.4	27.0	29.7	25.3
ANNUAL INCOME	<\$25,000	21.2	13.9	31.1	24.8	22.7	27.1	21.6
	\$25,000-\$49,999	29.3	19.3	41.7	25.6	23.6	27.6	19.7
	\$50,000 or More	28.1	21.3	36.0	27.3	25.6	29.0	27.7
MARITAL STATUS	Married/Couple	25.2	19.9	31.3	25.6	24.4	26.9	28.7
	Not Married/Couple	27.7	20.0	36.9	27.4	25.5	29.4	15.5

Percent of adults who meet moderate physical activity recommendations.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	33.7	28.6	39.3	34.6	33.5	35.8	33.7
SEX	Men	29.9	22.6	38.4	33.2	31.4	35.1	37.4
	Women	37.4	30.7	44.7	36.0	34.5	37.5	30.5
RACE/ETHNICITY	Non-Hisp. White	37.0	31.1	43.3	37.1	35.9	38.4	36.1
	Non-Hisp. Black	39.3	22.0	59.8	28.1	24.3	32.2	31.7
	Hispanic	19.6	10.4	33.8	27.7	24.3	31.3	22.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.6	24.2	42.3	35.6	33.6	37.5	
	Non-Hisp. White Women	41.4	33.9	49.4	38.6	37.1	40.2	
	Non-Hisp. Black Men				29.8	23.3	37.2	
	Non-Hisp. Black Women	29.2	12.9	53.7	27.0	22.6	31.8	41.1
	Hispanic Men				25.4	20.3	31.2	31.5
	Hispanic Women	34.4	18.5	54.7	30.0	25.8	34.5	34.7
AGE GROUP	18-44	31.5	23.6	40.8	34.8	32.7	37.0	33.8
	45-64	36.4	29.1	44.5	35.7	34.0	37.5	39.7
	65 & Older	34.7	26.0	44.6	32.5	30.8	34.2	21.5
EDUCATION LEVEL	<High School	17.6	7.3	36.7	26.5	23.0	30.2	20.0
	HS / Some College	36.1	25.7	47.9	33.8	31.6	36.1	37.8
	4+ Yrs. College	35.7	29.5	42.4	36.2	34.8	37.7	34.5
ANNUAL INCOME	<\$25,000	29.0	19.9	40.1	31.2	28.8	33.8	24.6
	\$25,000-\$49,999	33.5	22.5	46.5	33.4	31.2	35.6	32.8
	\$50,000 or More	39.4	31.4	47.9	38.7	36.8	40.7	42.5
MARITAL STATUS	Married/Couple	34.7	28.5	41.5	35.3	33.8	36.7	32.2
	Not Married/Couple	32.0	23.4	42.0	33.5	31.5	35.6	35.2

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who meet vigorous physical activity recommendations.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	28.6	23.4	34.3	26.0	24.9	27.2	25.3
SEX	Men	31.6	23.7	40.7	29.6	27.7	31.5	32.3
	Women	25.7	19.4	33.1	22.7	21.4	24.2	19.2
RACE/ETHNICITY	Non-Hisp. White	27.3	21.6	33.8	26.9	25.7	28.2	26.3
	Non-Hisp. Black	29.8	14.5	51.6	21.3	17.8	25.2	34.0
	Hispanic	25.0	14.0	40.5	24.2	20.7	28.0	16.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.8	23.6	43.6	30.7	28.7	32.7	
	Non-Hisp. White Women	21.7	15.9	28.9	23.4	22.0	24.9	
	Non-Hisp. Black Men				25.1	19.4	31.8	
	Non-Hisp. Black Women	18.9	5.5	47.9	18.8	14.7	23.8	30.6
	Hispanic Men				28.7	23.0	35.1	22.3
AGE GROUP	Hispanic Women	38.4	21.5	58.7	19.8	16.1	24.0	43.6
	18-44	38.4	29.4	48.3	34.5	32.3	36.7	30.2
	45-64	22.7	16.8	30.0	22.3	20.9	23.9	25.0
	65 & Older	10.1	5.7	17.3	14.0	12.8	15.3	7.5
EDUCATION LEVEL	<High School	20.6	7.2	46.4	16.1	12.9	20.0	11.5
	HS / Some College	20.2	12.1	31.7	20.6	18.6	22.8	23.8
	4+ Yrs. College	33.9	27.5	41.0	30.0	28.5	31.6	29.1
ANNUAL INCOME	<\$25,000	19.1	10.4	32.5	17.7	15.3	20.3	11.6
	\$25,000-\$49,999	29.0	18.0	43.2	23.3	21.3	25.5	26.1
	\$50,000 or More	38.5	30.5	47.3	33.7	31.8	35.7	34.5
MARITAL STATUS	Married/Couple	26.6	20.9	33.2	26.3	24.9	27.7	26.6
	Not Married/Couple	32.0	22.7	43.0	25.6	23.6	27.8	23.1

Sexual Violence

Percent of adults who had an unwanted sexual experience in the past 12 months.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.1	4.8	10.3	6.7	6.1	7.4	
SEX	Men	1.5	0.6	3.6	2.9	2.2	3.9	
	Women	12.4	8.3	18.2	10.3	9.4	11.2	
RACE/ETHNICITY	Non-Hisp. White	7.5	5.0	11.1	7.1	6.5	7.8	
	Non-Hisp. Black	10.6	2.8	32.6	7.2	5.2	9.7	
	Hispanic	3.5	1.0	11.5	4.5	2.8	7.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.3	0.4	3.5	2.9	2.2	3.8	
	Non-Hisp. White Women	13.9	9.2	20.5	11.2	10.2	12.3	
	Non-Hisp. Black Men				2.5	1.3	4.8	
	Non-Hisp. Black Women				10.4	7.4	14.4	
	Hispanic Men				3.2	1.0	9.2	
AGE GROUP	Hispanic Women	3.4	0.5	20.9	5.8	3.9	8.7	
	18-44	8.7	4.9	14.9	8.6	7.4	9.9	
	45-64	7.4	4.7	11.6	6.9	6.1	7.7	
	65 & Older	1.4	0.3	5.5	2.2	1.8	2.8	
EDUCATION LEVEL	<High School	0.0			4.5	3.3	6.1	
	HS / Some College	7.4	3.0	17.0	6.2	4.9	7.8	
	4+ Yrs. College	8.2	5.5	12.2	7.2	6.5	8.0	
ANNUAL INCOME	<\$25,000	3.0	1.3	6.6	8.3 *	6.9	9.9	
	\$25,000-\$49,999	17.5	9.7	29.5	7.0 *	6.0	8.1	
	\$50,000 or More	6.0	3.3	10.9	6.0	5.0	7.2	
MARITAL STATUS	Married/Couple	4.5	2.5	8.0	5.2	4.6	5.9	
	Not Married/Couple	11.9	7.1	19.2	9.3	8.0	10.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adults who are current smokers.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	22.1	17.3	27.8	19.3	18.3	20.3	22.8
SEX	Men	25.5	18.3	34.5	21.2	19.6	22.9	27.7
	Women	18.8	13.0	26.5	17.5	16.4	18.6	18.5
RACE/ETHNICITY	Non-Hisp. White	20.7	15.5	27.1	20.6	19.5	21.6	24.0
	Non-Hisp. Black	34.6	17.3	57.2	18.5	15.2	22.4	21.6
	Hispanic	17.5	8.2	33.5	16.0	13.2	19.1	21.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.3	16.1	34.8	21.5	19.8	23.3	
	Non-Hisp. White Women	17.0	11.4	24.6	19.7	18.5	20.9	
	Non-Hisp. Black Men				23.6	17.8	30.6	
	Non-Hisp. Black Women	37.2	15.7	65.3	15.0	11.3	19.6	29.8
	Hispanic Men				19.9	15.4	25.4	18.6
	Hispanic Women	10.0	2.8	29.6	12.0	9.4	15.3	23.7
AGE GROUP	18-44	25.9	17.8	36.0	22.1	20.4	24.0	25.9
	45-64	23.4	17.4	30.8	22.0	20.6	23.4	23.6
	65 & Older	6.8	3.4	12.9	9.7	8.7	10.8	10.6
EDUCATION LEVEL	<High School	48.9	29.4	68.7	28.6	25.2	32.2	38.1
	HS / Some College	34.0	23.6	46.2	25.0	22.9	27.1	27.7
	4+ Yrs. College	11.0	7.7	15.7	15.3	14.2	16.4	17.3
ANNUAL INCOME	<\$25,000	40.8	29.0	53.8	25.0 *	22.8	27.3	29.5
	\$25,000-\$49,999	18.4	10.6	29.9	21.3	19.4	23.4	19.4
	\$50,000 or More	11.3	7.0	17.6	15.5	14.2	17.0	20.2
MARITAL STATUS	Married/Couple	17.2	12.1	23.7	16.6	15.5	17.7	18.2
	Not Married/Couple	30.7	21.8	41.3	24.1	22.4	25.9	28.6

Percent of adults who are former smokers.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.6	17.7	26.1	26.2	25.3	27.2	21.1
SEX	Men	25.1	18.8	32.7	28.9	27.4	30.5	26.3
	Women	18.3	13.8	23.7	23.7	22.5	24.9	16.5
RACE/ETHNICITY	Non-Hisp. White	27.0	21.9	32.7	31.5	30.4	32.6	23.2
	Non-Hisp. Black	12.2	4.9	27.2	12.4	10.2	14.9	15.3
	Hispanic	15.1	7.4	28.5	16.4	13.8	19.2	17.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.8	21.8	39.2	34.1	32.4	35.9	
	Non-Hisp. White Women	24.1	18.4	31.0	29.0	27.6	30.4	
	Non-Hisp. Black Men				16.2	12.2	21.1	
	Non-Hisp. Black Women	8.7	2.2	29.0	9.7	7.5	12.6	26.5
	Hispanic Men				16.8	13.1	21.3	20.2
	Hispanic Women	11.8	3.7	32.1	15.9	12.7	19.7	23.8
AGE GROUP	18-44	11.9	7.1	19.1	14.7	13.3	16.3	13.8
	45-64	25.5	19.4	32.6	28.3	26.8	29.8	27.9
	65 & Older	45.2	36.0	54.6	46.5	44.7	48.2	34.5
EDUCATION LEVEL	<High School	11.8	3.6	32.1	21.1	18.4	24.0	24.3
	HS / Some College	19.6	13.0	28.5	25.0	23.3	26.8	22.8
	4+ Yrs. College	24.5	19.4	30.3	27.7	26.4	29.0	19.7
ANNUAL INCOME	<\$25,000	21.6	14.2	31.5	23.7	21.7	25.8	14.3
	\$25,000-\$49,999	23.1	14.7	34.3	26.4	24.6	28.2	18.9
	\$50,000 or More	19.5	13.9	26.7	27.4	25.8	29.0	28.3
MARITAL STATUS	Married/Couple	24.6	19.4	30.7	28.4	27.2	29.7	25.8
	Not Married/Couple	16.5	11.4	23.4	22.5	21.0	24.1	15.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adults who have never smoked.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	56.3	50.6	61.8	54.5	53.3	55.7	55.9
SEX	Men	49.3	40.5	58.2	49.9	48.0	51.8	45.7
	Women	62.9	55.6	69.7	58.8	57.4	60.3	65.0
RACE/ETHNICITY	Non-Hisp. White	52.3	45.9	58.6	47.9	46.7	49.2	52.8
	Non-Hisp. Black	53.2	33.9	71.5	69.1	65.0	72.9	63.1
	Hispanic	67.4	51.7	80.0	67.7	64.1	71.1	59.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.0	36.1	56.2	44.4	42.3	46.4	
	Non-Hisp. White Women	58.9	51.1	66.2	51.3	49.8	52.9	
	Non-Hisp. Black Men				60.2	52.9	67.0	
	Non-Hisp. Black Women	54.1	29.8	76.5	75.3	70.5	79.5	43.7
	Hispanic Men				63.3	57.4	68.7	61.3
	Hispanic Women	78.2	57.9	90.3	72.1	67.7	76.1	52.5
AGE GROUP	18-44	62.2	52.3	71.2	63.1	61.0	65.2	60.3
	45-64	51.1	43.5	58.7	49.7	48.0	51.5	48.5
	65 & Older	48.1	39.0	57.3	43.8	42.1	45.6	54.9
EDUCATION LEVEL	<High School	39.3	22.9	58.6	50.3	46.5	54.2	37.6
	HS / Some College	46.4	35.2	57.9	50.0	47.7	52.3	49.5
	4+ Yrs. College	64.5	58.1	70.4	57.1	55.6	58.5	62.7
ANNUAL INCOME	<\$25,000	37.6	27.5	48.8	51.3	48.7	53.9	55.6
	\$25,000-\$49,999	58.6	46.5	69.7	52.3	49.9	54.6	61.7
	\$50,000 or More	69.2	61.2	76.3	57.1 *	55.2	59.0	51.4 *
MARITAL STATUS	Married/Couple	58.2	51.2	64.9	55.0	53.6	56.4	55.9
	Not Married/Couple	52.8	43.1	62.2	53.4	51.3	55.5	55.6

Percent of non-smoking adults who were exposed to secondhand smoke in the past seven days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	15.0	9.2	23.4	14.9	13.6	16.4	
SEX	Men	18.7	9.2	34.2	17.2	14.8	19.8	
	Women	12.0	6.2	21.9	13.1	11.7	14.8	
RACE/ETHNICITY	Non-Hisp. White	15.5	8.5	26.6	14.7	13.2	16.5	
	Non-Hisp. Black	25.3	8.2	56.4	19.2	15.1	24.1	
	Hispanic	9.1	1.9	33.9	13.3	10.2	17.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.5	11.6	44.7	17.6	14.8	20.8	
	Non-Hisp. White Women	7.7	3.7	15.6	12.4	10.9	14.1	
	Non-Hisp. Black Men				22.0	14.3	32.4	
	Non-Hisp. Black Women				17.6	13.3	23.0	
	Hispanic Men				14.3	9.6	20.7	
	Hispanic Women	15.8	3.5	49.1	12.4	8.7	17.4	
AGE GROUP	18-44	20.0	10.9	33.8	18.9	16.6	21.5	
	45-64	7.9	3.5	16.9	13.2	11.4	15.1	
	65 & Older	8.4	3.5	18.7	6.3	5.2	7.6	
EDUCATION LEVEL	<High School				13.3	9.9	17.6	
	HS / Some College	22.3	10.2	41.9	17.8	14.9	21.3	
	4+ Yrs. College	14.4	7.7	25.3	14.0	12.5	15.8	
ANNUAL INCOME	<\$25,000	9.9	3.4	25.8	16.0	13.1	19.3	
	\$25,000-\$49,999	21.5	8.9	43.3	16.8	14.0	19.9	
	\$50,000 or More	17.5	9.0	31.2	13.0	11.1	15.2	
MARITAL STATUS	Married/Couple	7.1	3.2	14.9	11.5	10.2	13.0	
	Not Married/Couple	31.1	18.1	48.0	21.2	18.4	24.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adult current smokers who tried to quit smoking at least once in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	49.3	35.7	63.0	53.2	50.4	56.0	56.2
SEX	Men	58.0	39.6	74.4	52.8	48.5	57.1	53.8
	Women	38.0	22.0	57.1	53.6	50.2	57.0	59.4
RACE/ETHNICITY	Non-Hisp. White	45.6	30.2	61.8	49.3	46.4	52.2	50.0
	Non-Hisp. Black				62.9	51.1	73.4	
	Hispanic				62.8	53.3	71.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				47.5	42.9	52.1	
	Non-Hisp. White Women	35.7	19.5	56.1	51.2	47.8	54.6	
	Non-Hisp. Black Men				58.7	42.5	73.2	
	Non-Hisp. Black Women				67.6	49.7	81.5	47.8
	Hispanic Men				68.1	55.6	78.5	53.2
	Hispanic Women				54.1	41.1	66.6	
AGE GROUP	18-44	46.9	27.3	67.5	58.3	53.7	62.9	66.3
	45-64	53.5	37.1	69.1	48.5	45.0	52.1	35.4
	65 & Older				45.0	39.1	51.1	
EDUCATION LEVEL	<High School				55.0	47.8	62.0	
	HS / Some College	44.1	25.5	64.6	50.9	46.1	55.8	64.6
	4+ Yrs. College	50.4	32.3	68.4	54.2	50.4	58.1	55.4
ANNUAL INCOME	<\$25,000	50.7	29.2	71.9	54.0	48.8	59.1	62.2
	\$25,000-\$49,999				53.5	48.1	58.8	52.1
	\$50,000 or More				54.5	49.6	59.4	51.3
MARITAL STATUS	Married/Couple	54.9	36.4	72.2	53.3	49.5	57.0	66.6
	Not Married/Couple	43.8	25.6	63.9	53.0	48.7	57.2	46.9

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Hepatitis B Groups	Those who have hemophilia and have received clotting factor concentrate, had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
High Risk Influenza Groups	Health care workers who routinely have direct contact with patients or adults who currently have health problems such as asthma, lung problems, heart problems, diabetes, kidney problems, weakened immune systems (caused by a chronic illness, such as cancer or HIV/AIDS, or medicines, such as steroids), or sickle cell anemia or other anemia.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Leisure-Time Physical Activity or Exercise	Engaging in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise, other than participation in these activities or exercise as part of a regular job.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Moderate Physical Activity	Engaging in activities such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate for at least 30 minutes per day on five or more days per week.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sedentary	Engaging in no leisure-time physical activity.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Vigorous Physical Activity	Engaging in vigorous activities, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate for at least 20 minutes per day on three or more days per week.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Alcohol Consumption

- 26-12. Reduce the average annual alcohol consumption.
- 26-13. Reduce the proportion of adults who exceed guidelines for low-risk drinking.
- 26-11. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages.

Arthritis

- 2-2. Reduce the proportion of adults with chronic joint symptoms who experience a limitation in activity due to arthritis.

Cancer Screening

- 3-11. Increase the proportion of women who receive a Pap test.
- 3-12. Increase the proportion of adults who receive a colorectal cancer screening examination.
- 3-13. Increase the proportion of women aged 40 years and older who have received a mammogram within the preceding 2 years.

Cholesterol Awareness

- 12-14. Reduce the proportion of adults with high total blood cholesterol levels.
- 12-15. Increase the proportion of adults who have had their blood cholesterol checked within the preceding 5 years.

Diabetes

- 5-3. Reduce the overall rate of diabetes that is clinically diagnosed.
- 5-13. Increase the proportion of adults with diabetes who have an annual dilated eye examination.
- 5-14. Increase the proportion of adults with diabetes who have at least an annual foot examination.
- 5-17. Increase the proportion of adults with diabetes who perform self-blood-glucose-monitoring at least once daily.
- 5-1. Increase the proportion of persons with diabetes who receive formal diabetes education.

Health Care Access & Coverage

- 1-5. Increase the proportion of persons with a usual primary care provider.
- 1-1. Increase the proportion of persons with health insurance.

Hypertension Awareness & Control

- 12-11. Increase the proportion of adults with high blood pressure who are taking action (for example, losing weight, increasing physical activity, or reducing sodium intake) to help control their blood pressure.
- 12-12. Increase the proportion of adults who have had their blood pressure measured within the preceding 2 years and can state whether their blood pressure was normal or high.
- 12-10. Increase the proportion of adults with high blood pressure whose blood pressure is under control.
- 12-9. Reduce the proportion of adults with high blood pressure.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Immunization

14-28. Increase hepatitis B vaccine coverage among high-risk groups.

14-29. Increase the proportion of adults who are vaccinated annually against influenza and ever vaccinated against pneumococcal disease.

Overweight & Obesity

19-2. Reduce the proportion of adults who are obese.

19-1. Increase the proportion of adults who are at a healthy weight.

Physical Activity & Nutrition

22-3. Increase the proportion of adults who engage in vigorous physical activity that promotes the development and maintenance of cardiorespiratory fitness 3 or more days per week for 20 or more minutes per occasion.

22-2. Increase the proportion of adults who engage regularly, preferably daily, in moderate physical activity for at least 30 minutes per day.

22-1. Reduce the proportion of adults who engage in no leisure-time physical activity.

19-5. Increase the proportion of persons aged 2 years and older who consume at least two daily servings of fruit.

19-6. Increase the proportion of persons aged 2 years and older who consume at least three daily servings of vegetables, with at least one-third being dark green or orange vegetables.

Sexual Violence

15-35. Reduce the annual rate of rape or attempted rape.

15-36. Reduce sexual assault other than rape.

Tobacco Use & Exposure

27-10. Reduce the proportion of non-smokers exposed to environmental tobacco smoke.

27-5. Increase smoking cessation attempts by adult smokers.

The Healthy People 2010 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Tammie M. Johnson, M.P.H.
Bo (Bonnie) Yu, M.A.S., M.A.
Melissa Murray, M.S.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org