2025

YOUR GUIDE TO

Eating Fish

CAUGHT IN

Florida

Prepared in coordination with Florida Department of Environmental Protection and Florida Fish and Wildlife Conservation Commission

Fish consumption advisories are published by the Florida Department of Health to provide information about the possibility of health impacts from specific fish species caught in Florida's waters.




2025 Florida Fish Consumption Advisories

Table of Contents

Information about the Guidebook page 3
Calculating Advisory Levels page 6
Consumption Advisories:

Marine Water page 9
Consumption Advisories:
Freshwater

| Version Number | Date Published | Change Summary |
|----------------|------------------|------------------------|
| Vl | October 31, 2025 | Updated list for 2025. |



View the online database for updated information by visiting **FloridaHealth.gov/FishAdvisory** or by scanning the QR code:



Information About this Guidebook

Fish can be part of a healthy diet. Along with being rich in vitamins and low in fat, fish contains healthy protein. Eating fish low in contamination is part of a heart-healthy dietary pattern, especially for young children and women during pregnancy.

Most freshwater fish caught in Florida can be eaten without harm. Bream (such as bluegill, redear sunfish, redbreast sunfish or spotted sunfish) and marine fish (such as mullet, flounder, and Atlantic croaker) are generally lower in chemical concentration, including mercury.

Florida state agencies work together to analyze fish tissue. Florida Fish and Wildlife Conservation Commission biologists collect and prepare the fish for testing. Florida Department of Environmental Protection, or an overflow lab, test the fish following U.S. Environmental Protection Agency laboratory standards.

Fish in Florida have been tested for chemicals such as mercury, arsenic, pesticides, and other contaminants. The chemicals may increase in amounts or bioaccumulate over time (as the fish are exposed and as fish age), which may impact health when consumed. Based on test results, the Florida Department of Health determines safe consumption guidelines for different species of fish, within different waterbodies.

These guidelines help reduce the risk of health effects. The chemicals tested are known to impact health if consumed in high amounts and for a long duration of time. The Florida Department of Health completes the calculation using information such as amount of contaminant detected, average body weight of adults, and contaminant-specific reference information to determine the consumption limits.

TABLE 1: List of Chemicals Monitored in Fish and Known Health Effects of Those Chemicals

| Chemical in Fish | Possible Health Effects if Too Much Fish is Consumed (ATSDR 2021) | | |
|-------------------------------------|---|--|--|
| Arsenic | Decrease production of red and white blood cells Abnormal heart rhythm Sensation of "pins and needles" in hands and feet | | |
| Dioxins | Development of cancerDevelopment of diabetesFertility issues | | |
| Lead | Nervous system impacts Decreased learning, memory, and attention Weakness in fingers, wrists, or ankles Anemia | | |
| Mercury | Nervous system, heart functioning, and immune system impactsImpaired learning and memory | | |
| Polychlorinated Biphenyls (PCBs) | Changes in motor skills and memories in babiesDevelopment of cancerImmune system impacts | | |
| Pesticides | Development of cancer Nervous system, liver, and reproductive system impacts Nausea, vomiting Neurological symptoms (vertigo, muscle weakness) | | |

Looking up guidelines for the fish you plan to catch and eat. To find current guidelines, look for the waterbody that you are fishing in to see if the species that you caught is listed. If the fish species is not listed in the waterbody it was caught in, look at nearby waterbodies for guidelines on consumption (mercury). For other chemicals, such as pesticides, guidelines will be more specific to each waterbody.

Do not look at each fish consumption advisory individually, but instead, combined. As an example, iftwo different fish species fall under the two meals per week category, you should not consumemore than two fish total in a week, regardless of fish species. This means you can have two of onespecies or one of each during the week. Use the most restrictive category when determining howmuch you should consume.

The guidebook has **five different categories**:

- 1. 2 meals per week = you can eat 8 ounces of fish twice in that week, and no other fish.
- 2. 1 meal per week = you can eat 8 ounces of fish one in that week, and no other fish.
- 3. 2 meal per month = you can eat 8 ounces of fish twice in that month, and no other fish.
- **4. 1 meal per month** = you can eat 8 ounces of fish once in that month, and no other fish.
- **5. Do Not Consume** = you can catch these fish, but do not eat them.

When eating fish from waterbodies under an advisory, you should space out your meals based on the advice provided. Cooking will not remove chemicals from the fish.

A person's weight can help decide how much fish they can eat. For people that weigh 180 pounds, a meal is considered 6 ounces of cooked fish or 8 ounces of uncooked fish. Depending on your weight, the ounces of fish to safely eat may be more if you weigh over 180 pounds or less if you are under 180 pounds.

It is possible to reduce the health risks from contaminated fish. Just remember your H.E.A.L.T.H.


- Have current recommendations
- Eat safely
- Avoid contaminants
- Limit specific fish
- Two meals of fish a week is recommended
- Health is key

TABLE 2: Determining Meal Size Based on Individual Body Weight

| Weight of Person in pounds | Amount per Serving of Uncooked Fish in ounces |
|-------------------------------|---|
| <250-270 | 12 |
| <230-250 | 11 |
| <210-230 | 10 |
| <190-210 | 9 |
| <170-190 | 8 |
| <150-170 | 7 |
| <130-150 | 6 |
| <110-130 | 5 |
| <90-110 | 4 |
| <70-90 | 3 |
| 50-70 | 2 |

There are ways to reduce some risks of eating contaminated parts of fish by cleaning or cooking fish to reduce fat.

- · Remove head and all guts
- Remove the skin and trim all fat from the areas shown in the picture
- Don't pan-fry or deep fry. Broil, bake, poach, or boil your fish so the fatty juices drip away
- Don't eat or use any of the cooking liquids



We have made some updates to this guidebook.

Without good studies to understand what concentrations of mercury affect the general public, we have removed one category from the list of advisories. However, we added a table to explain how much a person can safely eat based on their weight. We also added more information about how the advisories are calculated.

In addition, Florida bass has now been designated a separate species from largemouth bass. Florida bass and largemouth bass will be considered within the same species for regulations since they are visually indistinguishable. Learn more about bass by visiting MyFWC.com.

If you are viewing a printed copy of this guidebook,

make sure to also check the online database for any updates by visiting **FloridaHealth.gov/FishAdvisory** or by scanning the QR code:



PUFFER FISH

There are some fish that you should avoid entirely, as they contain toxins at harmful amounts. These include the southern puffer, northern puffer, marbled puffer, bandtail puffer, checkered puffer, and least puffer.

Eating puffer fish (also called blowfish) can cause saxitoxin poisoning which can lead to neurological symptoms such as tingling, drowsiness, incoherent speech, and difficulty breathing. In severe cases, the poisoning can cause death. Saxitoxin has no taste, color, or smell. If you experience any of the symptoms, contact your physician or visit the emergency room immediately.

According to the Florida Fish and Wildlife Conservation Commission, it is illegal from harvesting puffer fish caught in Volusia, Brevard, Indian River, St. Lucie, and Martin counties.

Calculating Fish Consumption Advisory Levels

The Florida Department of Health uses the chemical concentration results for eight or more specific type of fish per waterbody to calculate a safe consumption amount and advisory. Consumption advisories are reported as the recommended maximum number of meals a person can eat per week, month, or as "Do Not Consume."

Consumption advisories are dependent on an individual's body weight and fish size, per meal. A larger meal size will lead to a higher chemical concentration consumed. People with a higher body weight can tolerate a larger meal size than people with a lower body weight. As body weight changes, the meal size can change while keeping the risk level the same.

Non-Cancer Fish Consumption Advisory Calculations

Fish consumption advisories are calculated using equations from the U.S. Environmental Protection Agency's (EPA) guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 1 and Volume 2, November 2000 [EPA 2000]. These equations calculate the daily chemical dose a person is exposed to (the amount of chemical per body weight per day).

The equations also consider the chemical concentration in the collected fish and chemical-specific toxicity guidelines obtained from EPA's Integrated Risk Information System [EPA 2022]. The equations consider the meal size and human body weight for non-cancer effects.

Fish Consumption Advisory Levels

Working with our state partners, the Florida Department of Health obtains the test results for the chemical tested (e.g. mercury, pesticide, arsenic, etc.) in each sample of fish tissue. The Florida Department of Health uses the concentration per fish species, per waterbody, such as calculating the 95% upper confidence limit (95% UCL) of the mean chemical concentration in muscle tissue to use in Equation 1 below. The 95% UCL is a statistical estimate that equals or exceeds the actual mean 95% of the time and has a very low (5%) chance of underestimating exposure [ATSDR 2022].

EQUATION 1: Meals per Month Based on Non-Cancer Health Effects

Meals per Month =

RfD (mg/kg/day) x BW (kg) x Time (days/mo)

Contaminant Conc (mg/kg) x Meal (kg/meal)

RfD = Reference Dose calculated by EPA

mg/kg/day = Milligram of Contaminant per kilogram per day

BW = Average body weight of an adult

kg = Kilogram

Time = Average number of days in a month (30.44 days per month)

days/mo = Days per month

Contaminant Conc = Amount of chemical contaminant in the meat tested

mg/kg = Milligram per kilogram

Meal = Set size of the meal in kg (8 oz or .227 kg)

kg/meal = Kilogram per meal

The Florida Department of Health uses an adult body weight of 180 pounds. This is about the average body weight for U.S. citizens between the ages of 18 to 65 years. The body weight is based on the National Health and Nutrition Examination Survey (NHANES) [EPA 2015]. EPA lists the typical meal size of 8 ounces of uncooked fish [EPA 2000].

In addition, the Florida Department of Health uses an EPA's reference dose (RfD) or ATSDR minimal risk level for the chemical that was analyzed. The list of chemicals and their respective value is seen in the Table 3. EPA's RfD is an estimate of a daily exposure of a specific chemical that is not likely to lead to adverse health effects in humans, including sensitive subgroups, during a lifetime (EPA estimates at 70 years) [EPA 2022].

| Chemical | Minimal Risk Level/ Reference Dose mg/kg per day | Oral Slope (cancer) mg/kg per day |
|---|--|---|
| Methylmercury | 0.0001 | 2 |
| PCB (sum of all related chemicals) | 0.00002 | 2 |
| Arsenic | 0.00006 | 1.5 |
| Pesticides | | |
| DDD/DDE/DDT (sum of any detected) | 0.0005 | 0.24/0.34/0.34 |
| Endosulfan (sum of all related chemicals) | 0.005 | 0.24/0.34/0.34 |
| Chlordane (sum of all related chemicals) | 0.0006 | 0.35 |
| Aldrin | 0.00003 | 17 |
| Dieldrin | 0.00005 | 16 |
| Toxaphene | 0.002 | 1.1 |
| а-внс | 0.0009 | 6.3 |
| b-BHC | 0.00005 | 1.8 |
| d-BHC | 0.00005 | |
| д-внс | 0.0005 | 6.3 |

TABLE 3: List of Chemicals and their Respective MRL/RfD and Oral Slope

The results of this equation, in meals per month, would lead us to the amount of fish one could consume while not increasing the risk of non-cancer health effects. For carcinogenic chemicals, this result was also compared to the cancer health effects limit. The more limited result was used for the final consumption recommendations.

Cancer Risk Fish Consumption Advisory Calculations

Some chemicals are carcinogenic, which means the chemical may cause cancer if exposed to high enough amounts. To determine safe consumption limits based on cancer health effects, in terms of meals per month, the Florida Department of Health uses the equations in EPA's guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories, Volume 1 and Volume 2, November 2000 [EPA 2000] regarding cancer effects.

In addition to both considering the meal size and average adult body weight, Equation 2 uses oral slope values for the specific chemical and a reference risk level for cancer effects (Table 3). Equation 3 uses the calculated consumption rate limit to determine the meals per month category.

EQUATION 2: Consumption Rate Limits per Fish Species Based on Cancer Health Effects

Consumption Rate Limit = Maximum allowable daily limit

Risk Level = An estimate of the daily human exposure to a hazardous

substance that is likely to be without appreciable risk of adverse

health effects over a specified duration of exposure.

BW = Average body weight of adults

kg = Kilogram

Contaminant Conc = Maximum or 95% UCL value

mg/kg = Milligram per kilogram

Contaminant Oral Slope = Chemical-specific standard mg/kg/day = Milligram per kilogram per day

EQUATION 3: Meals per Month Based on Cancer Health Effects

Meals per Month = Consumption Rate Limit x Time (days/mo)

Meal (kg/meal)

Consumption Rate Limit = Maximum allowable daily limit

Time = Average number of days in a month (30.44 days per month)

days/mo = Days per month

Meal = Set size of the meal in kg kg/meal = Kilogram per meal

In addition, the Florida Department of Health uses the concentration per fish species per waterbody such as calculating the 95% upper confidence limit (95% UCL) of the mean chemical concentration in muscle tissue. The 95% UCL is a statistical estimate that equals or exceeds the actual mean 95% of the time and has a very low (5%) chance of underestimating exposure [ATSDR 2022].

In addition, the Florida Department of Health uses the guideline (cancer slope factor or oral slope) used to evaluate increased cancer risk for each chemical that is carcinogenic. Table 3 lists the known oral slope values used in the calculations if the specific chemical was detected. If the type of cancer formed is the same for multiple chemicals, the concentrations and oral slopes for the different chemicals are both utilized to calculate the consumption rate limit. This result is used to determine the meals per month consumption recommendations.

References

- [AHA 2025] Heart.org/en/healthy-living/healthy-eating/eat-smart/fats/fish-and-omega-3-fattyacids
- [ATSDR 2021] CDC.gov/TSP/ToxFAQs/ToxFAQsLanding.aspx
- [ATSDR 2022] <u>ATSDR.CDC.gov/pha-guidance/conducting_scientific_evaluations/epcs_and_exposure_calculations/estimating-exposure-point-concentrations.html</u>
- [EPA 2000] EPA.gov/choose-fish-and-shellfish-wisely/epa-guidance-developing-fish-advisories
- EPA 2015] EPA.gov/sites/default/files/2015-10/documents/human-health-2015-update-factsheet.pdf
- [EPA 2022] <u>EPA.gov/iris</u>



Florida Fish Consumption Advisories: <u>Marine Water</u>



| Water Body | County | Species | Meal Amounts | Contaminant |
|--------------------|-------------|------------------------------|---------------|-------------|
| All coastal waters | All coastal | Almaco jack | One per month | Mercury |
| | counties | Atlantic croaker | Two per week | Mercury |
| | | Atlantic spadefish | One per week | Mercury |
| | | Atlantic stingray | One per month | Mercury |
| | | Atlantic thread herring | One per week | Mercury |
| | | Atlantic weakfish | One per week | Mercury |
| | | Black drum | One per week | Mercury |
| | | Black grouper | One per month | Mercury |
| | | Blackfin tuna | DO NOT EAT | Mercury |
| | | Bluefish | One per month | Mercury |
| | | Bluntnose sting ray | One per week | Mercury |
| | | Bonefish | One per month | Mercury |
| | | Cobia | DO NOT EAT | Mercury |
| | | Dolphin | One per week | Mercury |
| | | Fantail mullet | Two per week | Mercury |
| | | Florida pompano | One per week | Mercury |
| | | Gafftopsail catfish | One per month | Mercury |
| | | Gag | One per month | Mercury |
| | | Greater amberjack | One per month | Mercury |
| | | Gulf flounder | One per month | Mercury |
| | | Hardhead catfish | One per week | Mercury |
| | | Hogfish | One per week | Mercury |
| | | King mackerel, any size | DO NOT EAT | Mercury |
| | | Ladyfish | One per month | Mercury |
| | | Lane snapper | One per month | Mercury |
| | | Little tunny | DO NOT EAT | Mercury |
| | | Lookdown | One per week | Mercury |
| | | Mutton snapper | One per month | Mercury |
| | | Pigfish | One per week | Mercury |
| | | Pinfish | One per week | Mercury |
| | | Red drum | One per month | Mercury |
| | | Red grouper | One per month | Mercury |
| | | Red snapper | One per week | Mercury |
| | | Sand seatrout | One per month | Mercury |
| | | Scamp | One per month | Mercury |
| | | Shark, all species, any size | DO NOT EAT | Mercury |
| | | Sheepshead | One per month | Mercury |





| Water Body | County | Species | Meal Amounts | Contaminant |
|---|----------------------|---------------------|---------------|-------------|
| All coastal waters | All coastal | Silver perch | One per month | Mercury |
| | counties | Skipjack tuna | One per month | Mercury |
| | | Snook | One per month | Mercury |
| | | Snowy grouper | One per month | Mercury |
| | | Southern flounder | One per week | Mercury |
| | | Southern kingfish | One per month | Mercury |
| | | Spanish mackerel | One per month | Mercury |
| | | Spot | One per week | Mercury |
| | | Spotted seatrout | One per month | Mercury |
| | | Striped mojarra | Two per week | Mercury |
| | | Striped mullet | Two per week | Mercury |
| | | Tarpon | One per week | Mercury |
| | | Tripletail | One per month | Mercury |
| | | Vermillion snapper | One per week | Mercury |
| | | Wahoo | One per month | Mercury |
| | | White grunt | One per month | Mercury |
| | | White mullet | Two per week | Mercury |
| | | Yellow-edge grouper | One per month | Mercury |
| | | Yellowfin tuna | One per month | Mercury |
| | | Yellowtail snapper | One per week | Mercury |
| All coastal waters | All coastal counties | Crevalle jack | One per month | Mercury |
| (excluding Florida | excluding Miami- | Gray snapper | One per week | Mercury |
| Bay, Biscayne Bay, and Florida Keys) | Dade and Monroe | Great barracuda | One per month | Mercury |
| Florida Bay, | Miami-Dade | Crevalle jack | DO NOT EAT | Mercury |
| Biscayne Bay, and | Monroe | Gray snapper | One per month | Mercury |
| Florida Keys | | Great barracuda | DO NOT EAT | Mercury |
| Indian River Lagoon | Brevard Indian | All puffer fish | DO NOT EAT | Saxitoxin |
| and all marine | River Martin | Bank seabass | DO NOT EAT | PCBs |
| waters of the listed counties | St. Lucie Volusia | Scamp grouper | DO NOT EAT | PCBs |

Florida HF ΔI TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|------------------------|--------------|------------------------|---------------|-------------|
| Al Lopez Park Pond | Pinellas | Florida bass | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Alafia River | Hillsborough | Bluegill | One per Week | Mercury |
| | Polk | Florida bass | Two per Month | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| Alapaha River | Hamilton | Black crappie | Two per Month | Mercury |
| · | | Bluegill | One per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted bullhead | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Suwannee bass | One per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Month | Mercury |
| Alaqua Creek | Walton | Bluegill | One per Week | Mercury |
| · | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| Alberta Lake | Leon | Florida bass | Two per Month | Mercury |
| Alligator Alley (I-75) | Broward | Blue tilapia | Two per Week | Mercury |
| Canals | Collier | Bluegill | Two per Week | Mercury |
| | | Bowfin | One per Month | Mercury |
| | | Bullseye snakehead | Two per Week | Mercury |
| | | Butterfly peacock bass | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Florida gar | One per Month | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| | | Oscar | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | One per Month | Mercury |
| | | | | |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|------------------------|-------------------|-------------------|---------------|-------------|
| Alligator Creek | Okaloosa | Bluegill | One per Week | Mercury |
| | Santa Rosa | Chain pickerel | One per Month | Mercury |
| | | Choctaw bass | DO NOT EAT | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Longear sunfish | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Shadow bass | One per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Alligator Lake | Columbia | Black crappie | Two per Week | Mercury |
| (Columbia County) | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Alligator Lake | Osceola | Black crappie | One per Month | Mercury |
| (Osceola County) | | Bluegill | Two per Month | Mercury |
| | | Channel catfish | One per Week | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| Anclote River | Pasco | Bluegill | Two per Week | Mercury |
| | Pinellas | Florida bass | Two per Month | Mercury |
| Apalachicola River | Calhoun | Blue catfish | Two per Week | Mercury |
| [see separate advisory | Franklin | Bluegill | One per Week | Mercury |
| for Lake Seminole] | Gadsden | Channel catfish | Two per Week | Mercury |
| | Gulf | Flathead catfish | Two per Week | Mercury |
| | Jackson | Florida bass | Two per Month | Mercury |
| | Liberty | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Striped bass | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Aucilla River | Jefferson | Florida bass | One per Month | Mercury |
| | Madison Taylor | Redbreast sunfish | One per Week | Mercury |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|---|----------------------|-----------------|---------------|-------------|
| Banana Lake | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Basin Bayou | Walton | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| Bear Creek (Bay County) | Bay | Spotted sunfish | Two per Month | Mercury |
| Bear Lake | Seminole | Florida bass | One per Month | Mercury |
| (Seminole County) | | Redear sunfish | Two per Week | Mercury |
| Bear Lake Fish | Santa Rosa | Bluegill | Two per Week | Mercury |
| Management Area | | Florida bass | Two per Month | Mercury |
| (FMA) | | Redear sunfish | Two per Week | Mercury |
| Bear Turne Youth Conservation Center's Lake | Jefferson | Channel catfish | Two per Week | Mercury |
| Bellamy Lake | Citrus | Florida bass | Two per Month | Mercury |
| Berkshire Pond | Collier | Florida bass | Two per Week | Mercury |
| Bethea Lake | Suwannee | Florida bass | One per Week | Mercury |
| Bethel Lake | Volusia | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Big Coldwater Creek | Santa Rosa | Bluegill | One per Week | Mercury |
| | | Chain pickerel | One per Month | Mercury |
| | | Choctaw bass | DO NOT EAT | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Longear sunfish | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Shadow bass | One per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Big Creek | Liberty | Spotted sunfish | Two per Month | Mercury |
| Big Cypress National | Collier | Florida bass | Two per Month | Mercury |
| Preserve | Monroe Miami-Dade | Mayan cichlid | One per Month | Mercury |
| Big Gant Lake | Sumter | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant |
|---------------------------------------|----------------------|------------------------|---------------|-------------|
| Big Henderson Lake | Citrus | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Big Juniper Creek | Santa Rosa | Bluegill | One per Week | Mercury |
| | | Chain pickerel | One per Month | Mercury |
| | | Choctaw bass | DO NOT EAT | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Longear sunfish | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Shadow bass | One per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Big Sand Lake | Orange | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Black Creek | Clay | Bluegill | One per Week | Mercury |
| (South Fork) | , | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | Two per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| Black Creek Canal | Miami-Dade | Bluegill | Two per Week | Mercury |
| (C-1) | | Butterfly peacock bass | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Midas cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| Black Pond | Holmes | Florida bass | One per Month | Mercury |
| Blackwater Creek (Hillsborough and | Hillsborough Polk | Spotted sunfish | One per Week | Mercury |
| Polk counties) | | | | |
| Blackwater Creek | Lake | Bluegill | One per Week | Mercury |
| (Lake County) | | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | Two per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | White catfish | Two per Week | Mercury |
| | 1 | • | • | |

Florida



| Water Body | County | Species | Meal Amounts | |
|--------------------------|--------------|--|---------------|---------|
| Blackwater River and | Okaloosa | Bluegill | One per Week | Mercury |
| tributaries (including | Santa Rosa | Chain pickerel | One per Month | Mercury |
| Alligator Creek, | | Choctaw bass | DO NOT EAT | Mercury |
| Big Coldwater Creek, | | Florida bass | DO NOT EAT | Mercury |
| Big Juniper Creek, | | Longear sunfish | Two per Month | Mercury |
| and Sweetwater | | Redear sunfish | One per Week | Mercury |
| Creek) | | Shadow bass | One per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Blue Cypress Lake | Indian River | Black crappie | One per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | White catfish | One per Week | Mercury |
| Bobby Hicks Fish | Hillsborough | Bluegill | Two per Week | Mercury |
| Management Area (FMA) | Pinellas | Florida bass | Two per Week | Mercury |
| Bonable Lake | Marion | Florida bass | Two per Month | Mercury |
| Bonnet Lake | Polk | Florida bass | One per Week | Mercury |
| Brick Lake | Osceola | Bluegill | One per Month | Mercury |
| | | Channel catfish | One per Month | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Buck Lake | Brevard | Bluegill | Two per Month | Mercury |
| | Volusia | Bowfin | One per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Bullfrog Creek | Hillsborough | Spotted sunfish | One per Week | Mercury |
| Bulow Creek | Flagler | Bluegill | Two per Week | Mercury |
| | Volusia | , and the second | , | , |
| Burnt Grocery Creek | Santa Rosa | Florida bass | One per Month | Mercury |
| ĺ | | Spotted sunfish | One per Week | Mercury |
| Burrell Lake | Hillsborough | Florida bass | Two per Month | Mercury |
| | | | | |

Florida HF AITH



| Water Body | County | Species | Meal Amounts | Contaminant |
|---------------------------|------------|------------------------|---------------|-------------|
| Butler Lake Chain | Orange | Black crappie | Two per Month | Mercury |
| (including Lakes | | Bluegill | One per Week | Mercury |
| Bessie, Butler, Chase, | | Chain pickerel | Two per Month | Mercury |
| Down, Little Fish, | | Florida bass | One per Month | Mercury |
| Louise, Palmer, | | Redear sunfish | Two per Week | Mercury |
| Pocket, Sheen, and Tibet) | | Warmouth | Two per Week | Mercury |
| Bystre Lake | Hernando | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| C-111 Aerojet Canal | Miami-Dade | Bluegill | Two per Week | Mercury |
| and Southern Glades | | Florida bass | Two per Month | Mercury |
| Wildlife and | | Mayan cichlid | One per Week | Mercury |
| Environmental Area | | Redear sunfish | Two per Week | Mercury |
| (WEA) | | Spotted sunfish | Two per Week | Mercury |
| C-13 Canal | Broward | Bullseye snakehead | One per Week | Mercury |
| C-44 Canal | Martin | Black crappie | One per Month | Mercury |
| (St. Lucie Canal) | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| California Lake | Dixie | Florida bass | DO NOT EAT | Mercury |
| Caloosa Fish | Palm Beach | Bluegill | Two per Week | Mercury |
| Management Area | | Butterfly peacock bass | Two per Week | Mercury |
| (FMA) | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| Caloosahatchee River | Glades | Blue tilapia | Two per Week | Mercury |
| and tributaries | Hendry | Bluegill | One per Week | Mercury |
| (including | Lee | Common snook | One per Week | Mercury |
| Lake Hicpochee) | | Florida bass | Two per Month | Mercury |
| | | Gray snapper | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Red drum | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|------------------------|------------|-------------------|---------------|-------------|
| Camel Lake | Liberty | Bluegill | Two per Week | Mercury |
| | · | Florida bass | One per Month | Mercury |
| Campbell Lake | Walton | Florida bass | One per Month | Mercury |
| Caraway Lake | Volusia | Florida bass | One per Month | Mercury |
| Chassahowitzka River | Citrus | Florida bass | Two per Month | Mercury |
| | | Gray snapper | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| Chattahoochee River | Jackson | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| Cherry Lake | Lake | Black crappie | Two per Month | Mercury |
| (Lake County) | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Cherry Lake | Madison | Black crappie | One per Week | Mercury |
| (Madison County) | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Chipola River and | Bay | Black crappie | Two per Month | Mercury |
| tributaries (including | Calhoun | Bluegill | One per Week | Mercury |
| Juniper Creek and | Gulf | Chain pickerel | Two per Month | Mercury |
| Dead Lakes) | Jackson | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Shadow bass | Two per Month | Mercury |
| | | Spotted bullhead | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| Choctawhatchee River | Bay | Black crappie | Two per Month | Mercury |
| and tributaries | Holmes | Bluegill | Two per Month | Mercury |
| | Walton | Channel catfish | One per Week | Mercury |
| | Washington | Flathead catfish | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Clear Lake | Orange | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Clearwater Lake | Putnam | Florida bass | One per Week | Mercury |
| Cocoplum Waterway | Sarasota | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant | |
|---------------------|------------|-------------------|---------------|-------------|--|
| Colt Creek | Polk | Bluegill | Two per Week | Mercury | |
| | | Florida bass | One per Week | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| Compass Lake | Jackson | Bluegill | One per Week | Mercury | |
| | | Florida bass | DO NOT EAT | Mercury | |
| | | Warmouth | One per Month | Mercury | |
| Conway Chain | Orange | Bluegill | Two per Week | Mercury | |
| (Lake Conway, | | Brown bullhead | Two per Week | Mercury | |
| Little Lake Conway) | | Chain pickerel | Two per Month | Mercury | |
| | | Florida bass | One per Month | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| | | Warmouth | Two per Week | Mercury | |
| Corbett Water | Palm Beach | Bluegill | One per Week | Mercury | |
| Management Area | | Florida bass | Two per Month | Mercury | |
| (WMA)-all ponds on | | Redear sunfish | One per Week | Mercury | |
| property | | Warmouth | Two per Month | Mercury | |
| Cowpen Lake | Putnam | Bluegill | Two per Month | Mercury | |
| | | Florida bass | One per Month | Mercury | |
| | | Redear sunfish | Two per Month | Mercury | |
| Crescent Lake | Flagler | Black crappie | Two per Week | Mercury | |
| (Flagler and Putnam | Putnam | Bluegill | Two per Week | Mercury | |
| counties) | | Brown bullhead | Two per Week | Mercury | |
| | | Channel catfish | Two per Week | Mercury | |
| | | Florida bass | One per Week | Mercury | |
| | | Redbreast sunfish | Two per Week | Mercury | |
| | | Spotted sunfish | One per Week | Mercury | |
| | | White catfish | Two per Week | Mercury | |
| Crescent Lake | Escambia | Chain pickerel | One per Month | Mercury | |
| (Escambia County) | | Florida bass | DO NOT EAT | Mercury | |
| | | Redear sunfish | Two per Month | Mercury | |
| Crescent Lake/ | Flagler | Black crappie | Two per Week | Mercury | |
| Dunns Creek | Putnam | Bluegill | Two per Week | Mercury | |
| | | Brown bullhead | Two per Week | Mercury | |
| | | Channel catfish | Two per Week | Mercury | |
| | | Florida bass | One per Week | Mercury | |
| | | Redbreast sunfish | Two per Week | Mercury | |
| | | Spotted sunfish | One per Week | Mercury | |
| | | White catfish | Two per Week | Mercury | |
| Croft Lake | Citrus | Florida bass | Two per Month | Mercury | |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant | |
|-------------------------------|------------|------------------------|---------------|-------------|--|
| Crooked Lake | Polk | Bluegill | Two per Week | Mercury | |
| | | Florida bass | One per Month | Mercury | |
| | | Redear sunfish | One per Week | Mercury | |
| Crooked River | Franklin | Bluegill | Two per Month | Mercury | |
| | | Florida bass | Two per Month | Mercury | |
| | | Spotted sunfish | One per Week | Mercury | |
| Crystal River | Citrus | Florida bass | One per Week | Mercury | |
| Crystal Springs Park | Duval | Bluegill | Two per Week | Mercury | |
| Fish Management Area (FMA) | | Florida bass | Two per Month | Mercury | |
| Cue Lake | Putnam | Florida bass | One per Month | Mercury | |
| Cutler Drain Canal | Miami-Dade | Bluegill | Two per Week | Mercury | |
| (C-100) System | | Butterfly peacock bass | One per Week | Mercury | |
| | | Florida bass | Two per Week | Mercury | |
| | | Midas cichlid | Two per Week | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| Cypress Creek | Calhoun | Bluegill | One per Week | Mercury | |
| (Calhoun County) | | Florida bass | One per Month | Mercury | |
| | | Warmouth | One per Week | Mercury | |
| | | Yellow perch | Two per Month | Mercury | |
| Cypress Creek Canal | Broward | Bluegill | Two per Week | Mercury | |
| (C-14) System | | Bullseye snakehead | Two per Month | Mercury | |
| | | Florida bass | One per Week | Mercury | |
| | | Mayan cichlid | Two per Week | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| | | Spotted tilapia | Two per Week | Mercury | |
| Daughtrey Creek | Lee | Florida bass | One per Month | Mercury | |
| Davis Lake | Citrus | Bluegill | One per Week | Mercury | |
| | | Chain pickerel | Two per Month | Mercury | |
| | | Florida bass | One per Month | Mercury | |
| | | Redear sunfish | One per Week | Mercury | |
| Dead Lake | Flagler | Black crappie | One per Week | Mercury | |
| (Flagler County) | | Bluegill | Two per Week | Mercury | |
| | | Brown bullhead | Two per Week | Mercury | |
| | | Florida bass | Two per Month | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| | | White catfish | Two per Week | Mercury | |

Florida Florida Fish Consumption Advisories: Freshwater



| Water Body | County | Species | Meal Amounts | Contaminant |
|---------------------|--------------|-------------------|---------------|-------------|
| Dead Lakes | Gulf | Black crappie | Two per Month | Mercury |
| (Gulf County) | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Shadow bass | Two per Month | Mercury |
| | | Spotted bullhead | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| Deep Creek | Columbia | Spotted sunfish | Two per Month | Mercury |
| Deerpoint Reservoir | Bay | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| Depot Creek | Gulf | Florida bass | Two per Month | Mercury |
| Derby Lake | Polk | Black crappie | One per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Dinners Lake | Highlands | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Doctors Lake | Clay | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Red drum | Two per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Dodd Lake | Citrus | Florida bass | Two per Month | Mercury |
| Doe Lake | Marion | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Double Pond | Holmes | Florida bass | Two per Month | Mercury |
| Dover District Park | Hillsborough | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | | · | ĺ |
| | | | | |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|-------------------------------|------------|------------------------|---------------|-------------|
| Dunns Creek | Putnam | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| E-4 Canal System | Palm Beach | Black crappie | Two per Week | Mercury |
| (Lake Ida, | | Bluegill | Two per Week | Mercury |
| Lake Osborne, | | Bullseye snakehead | Two per Week | Mercury |
| Canals) | | Butterfly peacock bass | Two per Week | Mercury |
| | | Clown knifefish | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| Eagle Lake | Hamilton | Bluegill | One per Week | Mercury |
| (Hamilton County) | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| Eagle Lake | Polk | Bluegill | Two per Week | Mercury |
| (Polk County) | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Earman River Canal | Palm Beach | Bluegill | Two per Week | Mercury |
| (C-17) System | | Florida bass | Two per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| East Lake | Seminole | Florida bass | Two per Month | Mercury |
| East Lake | Osceola | Black crappie | Two per Month | Mercury |
| Tohopekaliga | | Bluegill | Two per Week | Mercury |
| , , | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Econfina Creek | Bay | Florida bass | One per Month | Mercury |
| (Bay and Washington counties) | Washington | Spotted sunfish | Two per Month | Mercury |

Florida Florida Fish Consumption Advisories: HEALTH Freshwater



| | 1 | | | |
|---------------------|----------|-------------------|---------------|-------------|
| Water Body | County | Species | Meal Amounts | Contaminant |
| Econfina River | Taylor | Florida bass | One per Month | Mercury |
| (Taylor County) | | Redbreast sunfish | Two per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| Econlockhatchee | Orange | Black crappie | Two per Month | Mercury |
| River | Seminole | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | White catfish | Two per Week | Mercury |
| Ella Lake | Lake | Black crappie | Two per Month | Mercury |
| | Marion | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Emeralda Marsh | Lake | Black crappie | Two per Week | Mercury |
| Conservation Area 2 | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| | | | | |



| Websi Bede | | | Marsh A | |
|---------------------|------------|---------------------------|---------------|-------------|
| Water Body | County | Species | Meal Amounts | Contaminant |
| Emeralda Marsh | Lake | Black crappie | Two per Week | Mercury |
| Conservation Area 3 | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| Emeralda Marsh | Lake | Black crappie | Two per Week | Mercury |
| Conservation Area 4 | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| Equaloxic Creek | Liberty | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | One per Month | Mercury |
| Escambia Bay; | Escambia | Channel catfish | One per Week | Mercury |
| Upper and Lower | Santa Rosa | Striped mullet (w/o skin) | One per Week | PCBs |
| Escambia River and | Escambia | Bluegill | Two per Month | Mercury |
| tributaries | Santa Rosa | Channel catfish | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Longear sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Striped mullet (w/o skin) | | PCBs |
| | | Warmouth | Two per Month | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant |
|--|-------------------|------------------|---------------|-------------|
| Etonia Creek | Putnam | Florida bass | One per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Common snook | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| Everglades National Park West: All drainages West of Shark Slough and South of Tamiami Trail to Park boundary (includes Broad River, Rogers River, Lostmans River, New River, Turner River, Halfway Creek, and Barron River) | Collier Monroe | Redear sunfish | One per Week | Mercury |
| Everglades National | Miami-Dade | Bluegill | Two per Month | Mercury |
| Park: Nine Mile Pond | | Florida bass | One per Month | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| Everglades National | Miami-Dade | Common snook | One per Month | Mercury |
| Park: Shark River | Monroe | Florida bass | One per Month | Mercury |
| Slough south of | | Gray snapper | One per Week | Mercury |
| Tamiami Trail, | | Mayan cichlid | One per Month | Mercury |
| including Harney and | | Red drum | Two per Month | Mercury |
| Shark Rivers and Tarpon Bay and its | | Sheepshead | One per Week | Mercury |
| tributaries (Squawk, | | Spanish Mackerel | One per Month | Mercury |
| Rookery, North Prong, and Otter Creeks) | | Spotted seatrout | Two per Month | Mercury |
| Everglades National Park: Taylor Slough | Miami-Dade | Florida bass | Two per Month | Mercury |
| Evers Reservoir/Ward | Manatee | Bluegill | One per Week | Mercury |
| Lake | | Florida bass | One per Week | Mercury |
| Faka Union Canal | Collier | Bluegill | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant | |
|---|---------------------|-------------------|---------------|-------------|--|
| Farles Lake | Marion | Bluegill | One per Week | Mercury | |
| | | Florida bass | One per Month | Mercury | |
| Farm 13 Reservoir | Indian River | Black crappie | Two per Week | Mercury | |
| (including Stick | | Bluegill | Two per Week | Mercury | |
| Marsh) | | Florida bass | Two per Month | Mercury | |
| | | Redbreast sunfish | Two per Week | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| | | White catfish | Two per Week | Mercury | |
| Fellsmere Fish | Indian River | Bluegill | Two per Week | Mercury | |
| Management Area | | Florida bass | One per Week | Mercury | |
| (FMA) (Headwaters Lake) | | Redear sunfish | Two per Week | Mercury | |
| Fenholloway River | Taylor | Bowfin | One per Week | Mercury | |
| | | Florida bass | One per Week | Mercury | |
| | | Redear sunfish | One per Week | Mercury | |
| | | Spotted sunfish | Two per Week | Mercury | |
| | | White catfish | Two per Week | Mercury | |
| Fisheating Creek | Glades Highlands | Blue tilapia | Two per Week | Mercury | |
| | | Bluegill | One per Month | Mercury | |
| | | Florida bass | DO NOT EAT | Mercury | |
| | | Spotted sunfish | One per Month | Mercury | |
| | | White catfish | Two per Month | Mercury | |
| Floral City Pool of the | Citrus | Bluegill | Two per Month | Mercury | |
| Tsala Apopka Chain of | | Florida bass | One per Month | Mercury | |
| Lakes (Hampton, Tussock, and Floral City Lakes) | | Redear sunfish | One per Week | Mercury | |
| Florida City Canal | Miami-Dade | Florida bass | One per Month | Mercury | |
| Florida River | Liberty | Bluegill | One per Week | Mercury | |
| | | Florida bass | Two per Month | Mercury | |
| | | Redear sunfish | One per Week | Mercury | |
| Fort Family Regional Park | Duval | Florida bass | Two per Month | Mercury | |
| | | | | | |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|-------------------|------------|-----------------|---------------|-------------|
| Fox/South Lakes | Brevard | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Chain pickerel | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Frog Creek | Manatee | Spotted sunfish | Two per Week | Mercury |
| Gap Lake | Washington | Black crappie | One per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| Gator Lake | Lee | Florida bass | DO NOT EAT | Mercury |
| Georges Lake | Putnam | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Golden Gate Canal | Collier | Florida bass | Two per Week | Mercury |
| Grasshopper Lake | Marion | Bluegill | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Warmouth | One per Month | Mercury |
| Grassy Lake | Highlands | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Grassy Waters | Palm Beach | Bluegill | Two per Week | Mercury |
| Preserve | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | One per Week | Mercury |
| Halfmoon Lake | Marion | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Hampton Lake | Citrus | Bluegill | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | | | |

Florida HF AITH



| Water Body | County | Species | Meal Amounts | Contaminant | |
|-------------------------|------------|-------------------|---------------|-------------|--|
| Hardee Lakes Fish | Hardee | Black crappie | Two per Week | Mercury | |
| Management Area | | Bluegill | Two per Week | Mercury | |
| (FMA) | | Brown bullhead | Two per Week | Mercury | |
| | | Florida bass | Two per Week | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| Harold Campbell Fish | Palm Beach | Bluegill | Two per Week | Mercury | |
| Management Area | | Florida bass | Two per Month | Mercury | |
| (FMA) | | Mayan cichlid | Two per Week | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| | | Spotted sunfish | One per Week | Mercury | |
| | | Warmouth | One per Week | Mercury | |
| Harris Chain of Lakes | Lake | Black crappie | Two per Week | Mercury | |
| (including Lakes | | Blue tilapia | Two per Week | Mercury | |
| Apopka, Beauclair, | | Bluegill | Two per Week | Mercury | |
| Carlton, Dora, Eustis, | | Brown bullhead | Two per Week | Mercury | |
| Griffin, and Harris and | | Florida bass | Two per Week | Mercury | |
| connected waters of | | Redbreast sunfish | Two per Week | Mercury | |
| Emeralda Marsh | | Redear sunfish | Two per Week | Mercury | |
| Conservation Areas 2, | | Spotted sunfish | Two per Week | Mercury | |
| 3, and 4) | | Sunshine bass | Two per Month | Mercury | |
| | | Warmouth | Two per Week | Mercury | |
| | | White catfish | Two per Week | Mercury | |
| | | Yellow bullhead | Two per Week | Mercury | |
| Haw Creek | Flagler | Spotted sunfish | Two per Month | Mercury | |
| Hay Pond | Jefferson | Florida bass | One per Week | Mercury | |
| Henderson Lake | Citrus | Bluegill | One per Week | Mercury | |
| | | Chain pickerel | Two per Month | Mercury | |
| | | Florida bass | One per Month | Mercury | |
| | | Redear sunfish | One per Week | Mercury | |
| Hernando Lake | Citrus | Florida bass | Two per Month | Mercury | |
| Hernando Pool of the | | Florida bass | Two per Month | Mercury | |
| Tsala Apopka Chain of | | | | · | |
| Lakes (Bellamy, Dodd, | | | | | |
| Todd, Croft, Van Ness | | | | | |
| and Hernando Lakes) | | | | | |
| Highlands Hammock | Highlands | Spotted sunfish | Two per Month | Mercury | |
| State Park (Little | _ | | | · | |
| Charlie Bowlegs | | | | | |
| Creek) | | | | | |
| | • | • | • | | |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|-----------------------|----------------------|--------------------------|---------------|-------------|
| Hillsboro Canal | Palm Beach | Bluegill | One per Week | Mercury |
| (G-08) | raiiii beacii | Bullseye snakehead | One per Week | Mercury |
| (G-06) | | Florida bass | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | | |
| Lillah anawah Diwan | L Pillada a na conda | | Two per Week | Mercury |
| Hillsborough River | Hillsborough | Bluegill Florida bass | One per Week | Mercury |
| and tributaries | Pasco | | One per Month | Mercury |
| | | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | One per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Hogtown Creek | Alachua | Florida bass | Two per Month | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| Holeyland Wildlife | Palm Beach | Bluegill | Two per Week | Mercury |
| Management | | Florida bass | Two per Month | Mercury |
| Area (WMA) | | Mayan cichlid | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Holly Chain of Lakes | Lake | Black crappie | Two per Month | Mercury |
| (Including Ella Lake, | Marion | Bluegill | One per Week | Mercury |
| Holly Lake, and | | Chain pickerel | Two per Month | Mercury |
| connected small | | Florida bass | Two per Month | Mercury |
| ponds) | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Holly Lake | Lake | Black crappie | Two per Month | Mercury |
| (Lake County) | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Holly Lake | Holmes | Florida bass | One per Month | Mercury |
| (Holmes County) | | | | , |
| Holmes Creek | Washington | Choctaw bass | One per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| Homosassa River | Citrus | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Gray snapper | One per Week | Mercury |
| Hooker Lake | Hillsborough | Florida bass | Two per Week | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant |
|---|------------|-----------------|---------------|-------------|
| Huguenot Pond | Duval | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| Hungryland Wildlife | Martin | Bluegill | Two per Month | Mercury |
| and Environmental | Palm Beach | Florida bass | One per Month | Mercury |
| Area (WEA) Canal | | Redear sunfish | Two per Month | Mercury |
| Hunters Creek Pond | Orange | Florida bass | Two per Month | Mercury |
| Hunters Lake | Hernando | Black crappie | One per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Hurricane Lake Fish | Okaloosa | Bluegill | Two per Week | Mercury |
| Management Area | | Florida bass | Two per Month | Mercury |
| (FMA) | | Redear sunfish | Two per Week | Mercury |
| Hydrilla Lake | Polk | Black crappie | One per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Ichetucknee River | Columbia | Florida bass | Two per Month | Mercury |
| | Suwannee | Spotted sunfish | One per Week | Mercury |
| Inverness Pool of the | Citrus | Bluegill | One per Week | Mercury |
| Tsala Apopka Chain of | | Chain pickerel | Two per Month | Mercury |
| Lakes (Henderson, Big | | Florida bass | One per Month | Mercury |
| Henderson, Tsala Apopka, Spivey, and Davis Lakes) | | Redear sunfish | One per Week | Mercury |
| Jack's Branch | Hendry | Florida bass | One per Month | Mercury |
| | | Spotted sunfish | One per Month | Mercury |
| Jacks Lake | Lake | Florida bass | One per Week | Mercury |
| Joe Budd Pond | Leon | Bluegill | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Sunshine bass | Two per Week | Mercury |
| | | | | |

Florida HF AI TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|---------------------|----------|-------------------|---------------|-------------|
| Johns Lake | Lake | Black crappie | Two per Month | Mercury |
| | Orange | Bluegill | Two per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Juniper Creek | Bay | Black crappie | Two per Month | Mercury |
| | Calhoun | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Shadow bass | Two per Month | Mercury |
| | | Spotted bullhead | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| Juniper Lake | Walton | Bluegill | Two per Week | Mercury |
| · | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Juniper Run | Marion | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| Karick Lake Fish | Okaloosa | Bluegill | Two per Week | Mercury |
| Management Area | | Brown bullhead | Two per Week | Mercury |
| (FMA) | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Kathryn Abbey Hanna | Duval | Black crappie | Two per Week | Mercury |
| Park Lake | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Kenansville Lake | Brevard | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | |
|---------------------|------------|--------------------|---------------|---------|
| Kimberly Lake Canal | Lee | Florida bass | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| Kissimmee River | Highlands | Black crappie | One per Week | Mercury |
| System (all Pools) | Okeechobee | Blue tilapia | Two per Week | Mercury |
| | Osceola | Bluegill | One per Week | Mercury |
| | Polk | Channel catfish | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | One per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | White catfish | Two per Week | Mercury |
| Koon Lake | Lafayette | Bluegill | Two per Week | Mercury |
| | - | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| L-35 Canal | Broward | Bluegill | Two per Week | Mercury |
| | | Bullseye snakehead | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| L-35A Canal | Broward | Bluegill | Two per Week | Mercury |
| | | Bullseye snakehead | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | I . | I | I | |

Florida Florida Fish Consumption Advisories: HEALTH Freshwater



| | | | 1 | |
|------------------|------------|------------------------|---------------|-------------|
| Water Body | County | Species | Meal Amounts | Contaminant |
| L-35B Canal | Broward | Black crappie | One per Month | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Butterfly peacock bass | Two per Month | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Florida gar | Two per Month | Mercury |
| | | Mayan cichlid | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | Two per Month | Mercury |
| L-36 North Canal | Palm Beach | Bullseye snakehead | Two per Week | Mercury |
| L-38E Canal | Broward | Black crappie | One per Month | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Butterfly peacock bass | Two per Month | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Florida gar | Two per Month | Mercury |
| | | Mayan cichlid | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | Two per Month | Mercury |
| L-38W Canal | Broward | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Bowfin | One per Month | Mercury |
| | | Bullseye snakehead | Two per Week | Mercury |
| | | Butterfly peacock bass | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Florida gar | One per Month | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| | | Oscar | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | One per Month | Mercury |
| | | | | |



| | 1 | 1 | | |
|------------|------------|------------------------|---------------|-------------|
| Water Body | County | Species | Meal Amounts | Contaminant |
| L-39 Canal | Palm Beach | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| L-40 Canal | Palm Beach | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| L-6 Canal | Broward | Black crappie | One per Month | Mercury |
| | Palm Beach | Bluegill | Two per Week | Mercury |
| | | Butterfly peacock bass | Two per Month | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Florida gar | Two per Month | Mercury |
| | | Mayan cichlid | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | Two per Month | Mercury |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | <u> </u> | | |



| Water Body | County | Species | Meal Amounts | |
|-------------|------------|------------------------|---------------|---------|
| L-67 Canal | Broward | Blue tilapia | Two per Week | Mercury |
| | Miami-Dade | Bluegill | Two per Week | Mercury |
| | | Bowfin | One per Month | Mercury |
| | | Bullseye snakehead | Two per Week | Mercury |
| | | Butterfly peacock bass | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Florida gar | One per Month | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| | | Oscar | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | One per Month | Mercury |
| L-67C Canal | Broward | Asian swamp eel | One per Week | Mercury |
| | Miami-Dade | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Butterfly peacock bass | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Jaguar guapote | Two per Week | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| L-7 Canal | Palm Beach | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Lake 2 | Polk | Black crappie | One per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | | | |

Florida HF ΔI TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|---------------------------------|----------|-----------------|---------------|-------------|
| Lake 5 | Polk | Black crappie | One per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake A | Polk | Black crappie | One per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Agnes | Polk | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Alcyone | Hamilton | Florida bass | Two per Month | Mercury |
| Lake Alfred | Polk | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Alice Conservation Area | Alachua | Florida bass | Two per Month | Mercury |
| Lake Alto | Alachua | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Annie | Polk | Bluegill | Two per Week | Mercury |
| (Polk County) | | Florida bass | Two per Month | Mercury |



| | _ | | | |
|----------------|----------------|------------------------|---------------|-----------------------|
| Water Body | County | Species | Meal Amounts | Contaminant |
| Lake Apopka | Lake Orange | Black crappie | Two per Week | Mercury Pesticides |
| | | Blue tilapia | Two per Week | Mercury Pesticides |
| | | Bluegill | One per Week | Pesticides |
| | | Brown bullhead catfish | Two per Week | Mercury Pesticides |
| | | Florida Bass | Two per Week | Mercury Pesticides |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury Pesticides |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | Warmouth | Two per Week | Mercury Pesticides |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| Lake Apthorpe | Highlands | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Arbuckle | Polk | Black crappie | Two per Month | Mercury |
| | | Bluegill | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | White catfish | One per Week | Mercury |
| Lake Ariana | Polk | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Chain pickerel | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Arrowhead | Lee | Florida bass | One per Week | Mercury |
| Lake Ashby | Volusia | Black crappie | Two per Month | Mercury |
| · | | Bluegill | One per Week | Mercury |
| | | Brown hoplo catfish | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Lake Ashton | Polk | Florida bass | One per Month | Mercury |

Florida HF AI TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|----------------|---------|------------------------|---------------|-------------|
| Lake Avalon | Collier | Florida bass | Two per Week | Mercury |
| Lake B | Polk | Black crappie | One per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Baldwin | Orange | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Beauclair | Lake | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | | | Pesticides |
| | | Brown bullhead catfish | Two per Week | Mercury |
| | | Florida Bass | One per Week | Mercury |
| | | | | Pesticides |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | | | Pesticides |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| Lake Berry | Orange | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Bessie | Orange | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Bethesda | Duval | Florida bass | One per Week | Mercury |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|-----------------|-----------|-----------------|-----------------------------|-------------|
| Lake Bradford | Leon | Bluegill | One per Week | Mercury |
| Lake Diaululu | Leon | Florida bass | DO NOT EAT | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Lake Brantley | Seminole | Bluegill | Two per Week | Mercury |
| Lake Dianiley | Germinole | Florida bass | Two per Week Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Broward | Putnam | Florida bass | One per Month | Mercury |
| | | Black crappie | Two per Week | Mercury |
| Lake Bryant | Marion | Bluegill | Two per Week | Mercury |
| | | Florida bass | · · · | |
| | | Redear sunfish | Two per Month One per Week | Mercury |
| | | Warmouth | | Mercury |
| L. L. D. ((| D. II | | One per Week | Mercury |
| Lake Buffum | Polk | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Lake Butler | Orange | Black crappie | Two per Month | Mercury |
| (Orange County) | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Butler | Union | Black crappie | One per Week | Mercury |
| (Union County) | | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| Lake Cannon | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|----------------|------------|------------------------|---------------|-------------|
| Lake Carlton | Lake | Black crappie | Two per Week | Mercury |
| | Orange | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| Lake Cassidy | Holmes | Bluegill | One per Week | Mercury |
| | | Chain pickerel | One per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Lake Catherine | Marion | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Lake Charles | Marion | Bluegill | Two per Month | Mercury |
| Lake Charlotte | Highlands | Florida bass | One per Month | Mercury |
| Lake Chase | Orange | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Chekika | Miami-Dade | Butterfly peacock bass | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Jaguar gaupote | One per Week | Mercury |
| | | Mayan cichlid | One per Week | Mercury |
| | | Oscar | One per Week | Mercury |
| Lake Claire | Orange | Florida bass | One per Month | Mercury |
| | | | | |



| taminant eury eury eury eury eury eury |
|--|
| eury eury eury eury |
| eury eury eury |
| eury eury eury |
| eury |
| ury |
| |
| |
| ury |
| |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|------------------------------|---------|-------------------|---------------|-------------|
| Lake Cypress | Osceola | Black crappie | Two per Month | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Dalhousie | Lake | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Daugharty | Volusia | Bluegill | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| Lake Deaton | Sumter | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Delancy | Marion | Black crappie | Two per Month | Mercury |
| | Putnam | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Delevoe | Broward | Florida bass | Two per Month | Mercury |
| Lake Dexter | Volusia | Black crappie | One per Week | Mercury |
| (Volusia County) | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Lake Dexter (Polk County) | Polk | Florida bass | One per Week | Mercury |
| Lake Dias | Volusia | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Disston | Flagler | Black crappie | One per Month | Mercury |
| | | Bluegill | Two per Month | Mercury |
| | | Channel catfish | Two per Month | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |

Florida Florida Fish Consumption Advisories: Frosbust Frosbust



| IILALIII | | <u> </u> | | |
|---------------|---------|-------------------|---------------|---------|
| Water Body | County | Species | Meal Amounts | |
| Lake Dora | Lake | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| Lake Dorr | Lake | Black crappie | Two per Month | Mercury |
| | | Bluegill | Two per Month | Mercury |
| | | Chain pickerel | One per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Lake Down | Orange | Black crappie | Two per Month | Mercury |
| | - | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Eaton | Marion | Black crappie | Two per Month | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | One per Week | Mercury |
| Lake Eldorado | Lake | Florida bass | Two per Month | Mercury |
| Lake Ellen | Wakulla | Black crappie | One per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | | · | , |
| | | | | |
| | | l . | | |





| Water Body | County | Species | Meal Amounts | Contaminant |
|----------------|-----------|-------------------|---------------|-------------|
| Lake Eloise | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Emma | Lake | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| Lake Enola | Lake | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| Lake Eustis | Lake | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| Lake Eva | Polk | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Fairview | Orange | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Francis | Highlands | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Lake Frederica | Orange | Florida bass | Two per Month | Mercury |
| | | | | |



| | 1 | | | |
|---------------|-----------|-------------------|---------------|-------------|
| Water Body | County | Species | Meal Amounts | Contaminant |
| Lake Garfield | Polk | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Geneva | Clay | Florida bass | Two per Month | Mercury |
| Lake Gentry | Osceola | Black crappie | One per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | DO NOT EAT | Mercury |
| | | Channel catfish | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Lake Glenada | Highlands | Florida bass | One per Week | Mercury |
| Lake Glona | Lake | Florida bass | One per Month | Mercury |
| Lake Gordon | Polk | Florida bass | Two per Month | Mercury |
| Lake Griffin | Lake | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| Lake Haines | Polk | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Hamilton | Polk | Black crappie | Two per Month | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | | | |
| | | | | |

Florida HF Δ I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|-----------------|----------|-------------------|---------------|-------------|
| Lake Hampton | Bradford | Black crappie | One per Month | Mercury |
| | | Bluegill | Two per Month | Mercury |
| | | Chain pickerel | One per Month | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Lake Hancock | Polk | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Bowfin | One per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| Lake Harris | Lake | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| Lake Hartridge | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Hatchineha | Osceola | Black crappie | Two per Month | Mercury |
| | Polk | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | White catfish | One per Week | Mercury |
| Lake Henry | Polk | Florida bass | One per Week | Mercury |
| ĺ | | | | · |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|-----------------|------------|------------------------|---------------|-------------|
| Lake Hicpochee | Glades | Blue tilapia | Two per Week | Mercury |
| Zano i noposito | J.aaoo | Bluegill | One per Week | Mercury |
| | | Common snook | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Gray snapper | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Red drum | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Howard | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Huntley | Highlands | Bluegill | One per Week | Mercury |
| Í | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Lake lamonia | Leon | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Lake Ida | Palm Beach | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Bullseye snakehead | Two per Week | Mercury |
| | | Butterfly peacock bass | Two per Week | Mercury |
| | | Clown knifefish | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|--------------------|-----------|-------------------|---------------|-------------|
| Lake Idylwild | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Istokpoga | Highlands | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Brown bullhead | One per Week | Mercury |
| | | Channel catfish | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | White catfish | One per Week | Mercury |
| Lake Ivanhoe | Orange | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Jackson | Highlands | Black crappie | Two per Month | Mercury |
| (Highlands County) | | Bluegill | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Lake Jackson | Leon | Black crappie | Two per Week | Mercury |
| (Leon County) | | Bluegill | Two per Week | Mercury |
| | | Chain pickerel | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Jackson | Osceola | Black crappie | One per Month | Mercury |
| (Osceola County) | | Bluegill | One per Week | Mercury |
| " | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Lake Jackson | Walton | Florida bass | Two per Month | Mercury |
| (Walton County) | | Warmouth | One per Week | Mercury |
| Lake Jeffery | Columbia | Florida bass | Two per Month | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant |
|---------------------|-----------|----------------|---------------|-------------|
| Lake Jessie | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Jesup | Seminole | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Lake Joanna | Lake | Florida bass | One per Month | Mercury |
| Lake Josephine | Highlands | Black crappie | One per Week | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Juliana | Polk | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake June-in-Winter | Highlands | Bluegill | Two per Week | Mercury |
| | | Chain pickerel | One per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Kerr | Marion | Black crappie | One per Week | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Lake Kissimmee | Osceola | Black crappie | Two per Month | Mercury |
| | Polk | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Chain pickerel | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | • | • | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|---------------------|-----------|-----------------|---------------|-------------|
| Lake Lang | Hamilton | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Livingston | Polk | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | White catfish | One per Week | Mercury |
| Lake Lochloosa | Alachua | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Lotela | Highlands | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Louisa | Lake | Black crappie | Two per Month | Mercury |
| | | Bluegill | Two per Month | Mercury |
| | | Brown bullhead | One per Week | Mercury |
| | | Channel catfish | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | White catfish | One per Month | Mercury |
| Lake Louise (Orange | Orange | Black crappie | Two per Month | Mercury |
| County) | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Louise | Suwannee | Florida bass | Two per Month | Mercury |
| Lake Lowrey | Polk | Florida bass | Two per Month | Mercury |
| Lake Lucien | Orange | Florida bass | Two per Month | Mercury |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|----------------|--------------|-------------------|---------------|-------------|
| Lake Lulu | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Macy | Volusia | Florida bass | Two per Month | Mercury |
| Lake Magdalene | Hillsborough | Florida bass | Two per Month | Mercury |
| Lake Maggiore | Pinellas | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| Lake Maitland | Orange | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Manatee | Manatee | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Lake Mann | Orange | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Margaret | Putnam | Bluegill | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| Lake Marian | Osceola | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|---------------------|--------------|-----------------|---------------|-------------|
| Lake Marion | Polk | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Lake Mary | Marion | Bluegill | Two per Month | Mercury |
| | | Warmouth | One per Month | Mercury |
| Lake Mary Jane/Lake | Orange | Black crappie | One per Month | Mercury |
| Hart | | Bluegill | Two per Month | Mercury |
| | | Chain pickerel | One per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| Lake Mattie | Polk | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake McLeod | Polk | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Lake Medard | Hillsborough | Bluegill | Two per Week | Mercury |
| (Edward Medard | | Channel catfish | Two per Week | Mercury |
| Reservoir) | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Sunshine bass | Two per Month | Mercury |
| | | White catfish | Two per Week | Mercury |
| Lake Miccosukee | Jefferson | Bluegill | Two per Week | Mercury |
| | Leon | Florida bass | Two per Month | Mercury |
| Lake Minnehaha | Lake | Bluegill | Two per Month | Mercury |
| (Lake County) | | Channel catfish | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | White catfish | Two per Month | Mercury |
| | | Yellow bullhead | One per Month | Mercury |
| | | | | |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|------------------|----------|-------------------|---------------|-------------|
| Lake Minnehaha | Orange | Black crappie | Two per Week | Mercury |
| (Orange County) | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Minneola | Lake | Bluegill | Two per Week | Mercury |
| | | Chain pickerel | One per Week | Mercury |
| | | Channel catfish | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Miona | Sumter | Bluegill | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Lake Mirror | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Mizell | Orange | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Munson | Leon | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Lake Norris | Lake | Bluegill | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Lake Octahatchee | Hamilton | Bluegill | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |

Florida HF AI TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|-----------------|------------|------------------------|---------------|-------------|
| Lake Okahumpka | Sumter | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Okeechobee | Okeechobee | Black crappie | One per Week | Mercury |
| and | | Blue tilapia | Two per Week | Mercury |
| Rim Canals | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Chain pickerel | One per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Lake Orienta | Seminole | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Osborne | Palm Beach | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Bullseye snakehead | Two per Week | Mercury |
| | | Butterfly peacock bass | Two per Week | Mercury |
| | | Clown knifefish | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| Lake Osceola | Orange | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Palmer | Orange | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |

Florida HF Δ I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|------------------|------------|------------------------|---------------|-------------|
| Lake Panasoffkee | Sumter | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Park | Lee | Florida bass | Two per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| Lake Parker | Polk | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Parrish | Manatee | Florida bass | Two per Week | Mercury |
| Lake Pasadena | Pasco | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Pickett | Orange | Florida bass | One per Month | Mercury |
| Lake Pierce | Polk | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Chain pickerel | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Pine | Palm Beach | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Bullseye snakehead | Two per Week | Mercury |
| | | Butterfly peacock bass | Two per Week | Mercury |
| | | Clown knifefish | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| Lake Placid | Highlands | Black crappie | One per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Ponte Vedra | St. Johns | Red drum | Two per Week | Mercury |
| | | Striped mullet | Two per Week | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant |
|---------------|----------|----------------|---------------|-------------|
| Lake Rochelle | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Rosalie | Polk | Bluegill | Two per Week | Mercury |
| Lake Rousseau | Citrus | Black crappie | Two per Week | Mercury |
| | Levy | Bluegill | Two per Week | Mercury |
| | Marion | Brown bullhead | Two per Week | Mercury |
| | | Chain pickerel | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Rowell | Bradford | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Lake Roy | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Russell | Osceola | Bluegill | One per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| Lake Sampson | Bradford | Black crappie | Two per Month | Mercury |
| · | | Bluegill | One per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Lake Santa Fe | Alachua | Bluegill | Two per Week | Mercury |
| | Bradford | Florida bass | One per Month | Mercury |
| | Putnam | Redear sunfish | Two per Week | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant |
|-------------------|--------------|-----------------|---------------|-------------|
| Lake Sebring | Highlands | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Seminole | Jackson | Black crappie | Two per Week | Mercury |
| (Jackson County) | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Seminole | Pinellas | Black crappie | Two per Week | Mercury |
| (Pinellas County) | | Bluegill | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Shangri-La | Hillsborough | Florida bass | Two per Week | Mercury |
| Lake Sheen | Orange | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Shipp | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Smart | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Stone Fish | Escambia | Bluegill | Two per Week | Mercury |
| Management Area | | Florida bass | Two per Month | Mercury |
| (FMA) | | Redear sunfish | Two per Week | Mercury |
| | | | | |



| | | | 1 | |
|-------------------|--------------|-------------------|---------------|-------------|
| Water Body | County | Species | Meal Amounts | Contaminant |
| Lake Streety | Polk | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Lake Sue | Orange | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Summit | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Sylvan | Seminole | Florida bass | One per Month | Mercury |
| Lake Talquin | Gadsden | Black crappie | Two per Week | Mercury |
| | Leon | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted bullhead | Two per Week | Mercury |
| Lake Tarpon | Pinellas | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Lake Thonotosassa | Hillsborough | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | | | · |
| | | | | |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|-------------------|-----------|-------------------|---------------|-------------|
| Lake Tibet | Orange | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Tohopekaliga | Osceola | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Tom John | Leon | Florida bass | Two per Month | Mercury |
| Lake Tozour | St. Lucie | Florida bass | One per Month | Mercury |
| Lake Tracy | Polk | Bluegill | Two per Week | Mercury |
| , | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Trafford | Collier | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Lake Umatilla | Lake | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Lake Victor | Holmes | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Virginia | Orange | Black crappie | Two per Week | Mercury |
| Ŭ | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Wales | Polk | Florida bass | One per Week | Mercury |
| | | | 1 | |



| | | | , | |
|--------------------|--------------|-------------------|---------------|-------------|
| Water Body | County | Species | Meal Amounts | Contaminant |
| Lake Walk-in-Water | Polk | Black crappie | One per Week | Mercury |
| (Weohyakapka) | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Lake Wauberg | Alachua | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Lake Weir | Marion | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Lake Wilson | Hillsborough | Florida bass | Two per Month | Mercury |
| Lake Winterset | Polk | Black crappie | Two per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Lake Woodruff | Volusia | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Lake Yale | Lake | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | | · | · |
| | | <u> </u> | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|------------------------|----------|-------------------|---------------|-------------|
| Lakes Woodruff | Volusia | Black crappie | One per Week | Mercury |
| System (including | | Bluegill | Two per Week | Mercury |
| Lakes Dexter, | | Brown bullhead | Two per Week | Mercury |
| Woodruff, and Spring | | Florida bass | One per Week | Mercury |
| Garden Lake) | | Warmouth | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Largo Central Park | Pinellas | Bluegill | Two per Week | Mercury |
| Nature Preserve | | Channel catfish | Two per Week | Mercury |
| Lawne Lake | Orange | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Legs Lake | Polk | Black crappie | One per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Leitner Creek | Lee | Florida bass | Two per Month | Mercury |
| Lester Lake | Polk | Florida bass | One per Week | Mercury |
| Little Econlockhatchee | Orange | Bluegill | Two per Week | Mercury |
| River | Seminole | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| Little Fish Lake | Orange | Black crappie | Two per Month | Mercury |
| | - | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Little Lake Conway | Orange | Bluegill | Two per Week | Mercury |
| | - | Brown bullhead | Two per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| | - | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|--|--------------|-----------------|---------------|-------------|
| Little Manatee River | Hillsborough | Bluegill | One per Week | Mercury |
| | Manatee | Florida bass | One per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| Little Orange Lake | Alachua | Bluegill | Two per Week | Mercury |
| | Putnam | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Little River | Gadsden | Florida bass | Two per Month | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| Little Withlacoochee River | Sumter | Spotted sunfish | Two per Month | Mercury |
| Lost Creek | Wakulla | Spotted sunfish | Two per Month | Mercury |
| Lostmans Five | Monroe | Gray snapper | Two per Month | Mercury |
| Loughman Lake | Brevard | Black crappie | Two per Month | Mercury |
| , and the second | | Bluegill | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| Lowry Lake | Clay | Bluegill | One per Week | Mercury |
| _ | , | Florida bass | One per Month | Mercury |
| Loxahatchee River | Martin | Florida bass | Two per Month | Mercury |
| | Palm Beach | Gray snapper | Two per Week | Mercury |
| Loxahatchee Slough | Palm Beach | Blue tilapia | Two per Week | Mercury |
| Canal | | Bluegill | One per Week | Mercury |
| (C-18) | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | One per Week | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| Lucas Lake | Washington | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| Magnolia Lake | Clay | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| Manatee River | Manatee | Florida bass | Two per Month | Mercury |
| Martin Lake | Bay | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Meritt's Mill Pond | Jackson | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant |
|-------------------------------|------------|------------------------|---------------|-------------|
| Miami Canals in | Miami-Dade | Asian swamp eel | One per Week | Mercury |
| Water Conservation | | Blue tilapia | Two per Week | Mercury |
| Area (WCA) 3 | | Bluegill | Two per Week | Mercury |
| | | Butterfly peacock bass | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Jaguar guapote | Two per Week | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| Middle Lake | Pasco | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| Mill Creek (Marion County) | Marion | Spotted sunfish | One per Week | Mercury |
| Milldam Lake | Marion | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Montgomery Lake | Columbia | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Moore Creek | St. Lucie | Blue tilapia | Two per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| Moore Lake | Leon | Florida bass | One per Month | Mercury |
| Mosaic Fish | Polk | Black crappie | Two per Month | Mercury |
| Management Area | | Bluegill | Two per Week | Mercury |
| (FMA) - all lakes on | | Channel catfish | Two per Week | Mercury |
| property | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Mossy Pond | Calhoun | Florida bass | One per Month | Mercury |
| Mountain Lake | Hernando | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| Mule Creek | Liberty | Spotted sunfish | Two per Month | Mercury |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|-----------------------|-----------|------------------------|---------------|-------------|
| Myakka River | Charlotte | Blue tilapia | Two per Week | Mercury |
| | Manatee | Bluegill | One per Week | Mercury |
| | Sarasota | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Mystic Lake | Liberty | Florida bass | One per Month | Mercury |
| Nassau River | Nassau | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | White catfish | Two per Month | Mercury |
| New River | Franklin | Bluegill | Two per Month | Mercury |
| (Franklin and Liberty | Liberty | Florida bass | DO NOT EAT | Mercury |
| counties) | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | Two per Month | Mercury |
| Newnans Lake | Alachua | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| North Mosquito Creek | Gadsden | Florida bass | Two per Week | Mercury |
| North New River | Broward | Bluegill | One per Week | Mercury |
| Canal | | Bullseye snakehead | Two per Week | Mercury |
| (G-15) | | Butterfly peacock bass | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|-------------------|----------|-------------------|---------------|-------------|
| North Prong Otter | Monroe | Bluegill | One per Month | Mercury |
| Creek | | Common snook | DO NOT EAT | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Gray snapper | Two per Month | Mercury |
| | | Mayan cichlid | One per Month | Mercury |
| | | Red drum | One per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| Oak Creek | Lee | Florida bass | One per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| Ocean Pond | Baker | Black crappie | DO NOT EAT | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Oceanway Pond | Duval | Bluegill | Two per Week | Mercury |
| Ocheesee Pond | Jackson | Bluegill | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| Ochlockonee River | Gadsden | Black crappie | One per Month | Mercury |
| and tributaries | Leon | Bluegill | Two per Month | Mercury |
| (North of | | Channel catfish | Two per Month | Mercury |
| Lake Talquin) | | Flathead catfish | One per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | Two per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Ochlockonee River | Franklin | Bluegill | Two per Month | Mercury |
| and tributaries | Leon | Channel catfish | Two per Month | Mercury |
| (South of | Liberty | Flathead catfish | One per Month | Mercury |
| Lake Talquin) | Wakulla | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | Two per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Striped bass | One per Month | Mercury |
| | | Warmouth | One per Month | Mercury |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|--|------------|--------------------|---------------|-------------|
| Ocklawaha River- | Marion | Bluegill | One per Week | Mercury |
| Lower Section from | Putnam | Brown bullhead | Two per Week | Mercury |
| below Rodman | | Chain pickerel | Two per Month | Mercury |
| Reservoir Dam to the | | Channel catfish | Two per Week | Mercury |
| confluence with the | | Florida bass | One per Month | Mercury |
| St. Johns River | | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | White catfish | Two per Week | Mercury |
| Ocklawaha River- | Lake | Blue tilapia | Two per Week | Mercury |
| Upper Section from | Marion | Bluegill | One per Week | Mercury |
| Lake Griffin outflow to | Putnam | Florida bass | One per Month | Mercury |
| Rodman Reservoir | | Redbreast sunfish | One per Week | Mercury |
| Dam | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Okeeheelee Park | Palm Beach | Bluegill | One per Week | Mercury |
| Pond | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Old Everglades Pump Rd Canal | Palm Beach | Bullseye snakehead | Two per Week | Mercury |
| Old Lake Davenport | Osceola | Bluegill | One per Week | Mercury |
| · · | Polk | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Orange Creek | Marion | Florida bass | Two per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| Orange Lake | Alachua | Black crappie | Two per Week | Mercury |
| | Marion | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Otter Creek (tributary to the Choctawhatchee River) | Вау | Bluegill | One per Month | Arsenic |



| Water Body | County | Species | Meal Amounts | Contaminant |
|-------------------|------------|-----------------|---------------|-------------|
| Otter Lake | Wakulla | Bluegill | One per Month | Mercury |
| | | Brown bullhead | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | One per Month | Mercury |
| Palestine Lake | Union | Bluegill | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Palm Lake Fish | St. Lucie | Black crappie | Two per Week | Mercury |
| Management Area | | Bluegill | Two per Week | Mercury |
| (FMA) | | Channel catfish | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Pate Lake | Washington | Bluegill | One per Month | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| Peace River and | Charlotte | Blue tilapia | Two per Week | Mercury |
| tributaries | Desoto | Bluegill | One per Week | Mercury |
| | Hardee | Brown bullhead | Two per Week | Mercury |
| | Polk | Channel catfish | Two per Week | Mercury |
| | | Common snook | One per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | White catfish | One per Week | Mercury |
| | | Yellow bullhead | One per Week | Mercury |
| Peach Lake | Orange | Florida bass | Two per Month | Mercury |
| Peachland Canal | Charlotte | Florida bass | Two per Week | Mercury |
| Pellicer Creek | Flagler | Bluegill | One per Week | Mercury |
| | St. Johns | Florida bass | One per Month | Mercury |
| | | Warmouth | One per Week | Mercury |
| Perdido River and | Escambia | Bluegill | Two per Month | Mercury |
| tributaries | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|--------------------------|--------------|-------------------------|---------------|-------------|
| Picnic Lake | Polk | Black crappie | One per Week | Mercury |
| | | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Pine Meadows | Lake | Black crappie | Two per Week | Mercury |
| Conservation Area | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Hoplo catfish | Two per Week | Mercury |
| | | Yellow bullhead catfish | Two per Week | Arsenic |
| | | | | Pesticides |
| Piney Z Lake | Leon | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Plantation Heritage | Broward | Bluegill | Two per Week | Mercury |
| Pond | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Mayan cichlid | One per Week | Mercury |
| Platt Lake | Hillsborough | Florida bass | One per Month | Mercury |
| Pocket Lake | Orange | Black crappie | Two per Month | Mercury |
| | | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Week | Mercury |
| Pope Duval Fish | Duval | Bluegill | One per Week | Mercury |
| Management Area (FMA) | | | | |
| Porter Lake | Washington | Bluegill | Two per Month | Mercury |
| | | Chain pickerel | One per Month | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Powell Lake | Bay | Florida bass | Two per Month | Mercury |
| | | Spotted sunfish | One per Week | Mercury |

Florida HF Δ I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|--|--------------|-------------------|---------------|-------------|
| Red Beach Lake | Highlands | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Red Bug Slough | Sarasota | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Reedy Creek | Orange | Florida bass | Two per Month | Mercury |
| Reedy Lake | Polk | Black crappie | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Riggins Lake | Madison | Florida bass | One per Week | Mercury |
| Roberts Lake | Polk | Florida bass | One per Month | Mercury |
| Rock Lake | Hillsborough | Florida bass | One per Month | Mercury |
| Rock Springs Run | Orange | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| Rocky Creek | Taylor | Spotted sunfish | Two per Month | Mercury |
| Rocky Glades Public | Miami-Dade | Florida bass | One per Week | Mercury |
| Small Game Area | | Warmouth | Two per Week | Mercury |
| Rodgers Creek | Monroe | Bluegill | One per Month | Mercury |
| | | Common snook | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| | | Red drum | Two per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| Rodman Reservoir | Putnam | Bluegill | Two per Week | Mercury |
| | Marion | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Ronnie Vanzant Park Fish Management Area (FMA) | Clay | Florida bass | Two per Month | Mercury |
| Rotenberger Wildlife | Palm Beach | Bluegill | One per Week | Mercury |
| Management Area | | Florida bass | Two per Month | Mercury |
| (WMA) | | Redear sunfish | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant |
|----------------------------|--------------|-------------------|---------------|-------------|
| Saddle Creek Park | Polk | Black crappie | One per Week | Mercury |
| Lake | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Sampson Creek | St. Johns | Spotted sunfish | One per Month | Mercury |
| Sand Hammock Pond | Holmes | Florida bass | Two per Month | Mercury |
| Sandy Creek | Bay | Spotted sunfish | Two per Month | Mercury |
| Santa Fe River | Alachua | Bluegill | One per Week | Mercury |
| (Lower-downstream of | Columbia | Channel catfish | One per Week | Mercury |
| "rise") | Gilchrist | Florida bass | One per Month | Mercury |
| | Suwannee | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted bullhead | Two per Month | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Suwannee bass | One per Week | Mercury |
| Santa Fe River | Alachua | Black crappie | One per Month | Mercury |
| (Upper-upstream of | Bradford | Bluegill | One per Week | Mercury |
| "sink") | Columbia | Channel catfish | Two per Month | Mercury |
| | Union | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | Two per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Suwannee bass | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Savanas Recreation Area | St. Lucie | Florida bass | One per Month | Mercury |
| Sebastian River | Indian River | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Gray snapper | Two per Week | Mercury |
| Shell Creek | Charlotte | Bluegill | One per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant | |
|---------------------|--------------|------------------------|---------------|-------------|--|
| Shoal River | Okaloosa | Choctaw bass | One per Month | Mercury | |
| | Walton | Florida bass | Two per Month | Mercury | |
| | | Longear sunfish | One per Week | Mercury | |
| | | Shadow bass | One per Month | Mercury | |
| | | Spotted sunfish | Two per Month | Mercury | |
| Shop Lake | Polk | Black crappie | One per Week | Mercury | |
| | | Blue tilapia | Two per Week | Mercury | |
| | | Bluegill | Two per Week | Mercury | |
| | | Brown bullhead | Two per Week | Mercury | |
| | | Channel catfish | Two per Week | Mercury | |
| | | Florida bass | Two per Week | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| Six Mile Creek | Hillsborough | Florida bass | Two per Month | Mercury | |
| | | Spotted sunfish | One per Week | Mercury | |
| Sixteen Mile Creek | St. Johns | Florida bass | Two per Month | Mercury | |
| Smith Lake | Marion | Florida bass | One per Month | Mercury | |
| Snake Creek Canal | Broward | Asian swamp eel | One per Week | Mercury | |
| (C-9) | Miami-Dade | Bluegill | Two per Week | Mercury | |
| | | Butterfly peacock bass | Two per Week | Mercury | |
| | | Florida bass | Two per Week | Mercury | |
| | | Mayan cichlid | Two per Week | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| Snapper Creek Canal | Miami-Dade | Bluegill | Two per Week | Mercury | |
| (C-2) | | Butterfly peacock bass | One per Week | Mercury | |
| | | Florida bass | One per Week | Mercury | |
| | | Jaguar gaupote | Two per Week | Mercury | |
| | | Mayan cichlid | Two per Week | Mercury | |
| | | Midas cichlid | Two per Week | Mercury | |
| | | Redear sunfish | Two per Week | Mercury | |
| Sopchoppy River | Wakulla | Bluegill | Two per Month | Mercury | |
| | | Florida bass | One per Month | Mercury | |
| | | Redbreast sunfish | One per Week | Mercury | |
| | | Spotted sunfish | One per Week | Mercury | |
| Sorrento Lake | Sarasota | Florida bass | Two per Week | Mercury | |
| | | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|---|----------|------------------------|---------------|-------------|
| South New River | Broward | Bluegill | Two per Week | Mercury |
| Canal | | Butterfly peacock bass | Two per Week | Mercury |
| (C-11) | | Florida bass | Two per Week | Mercury |
| | | Jaguar guapote | Two per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| Spivey Lake | Citrus | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Spring Garden Lake | Volusia | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Brown bullhead | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Spring Lake | Seminole | Florida bass | One per Week | Mercury |
| St. Augustine Road Ponds Fish Management Area (FMA) | Duval | Bluegill | Two per Week | Mercury |
| St. Johns River from north of the Route 115 Bridge (Mathews Bridge) to south of E 21 St (Center Point Terminal Co) | Duval | Weakfish | DO NOT EAT | Mercury |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|-----------------------|----------------------|-------------------|---------------|-------------|
| St. Johns River North | | | | PCBs |
| of SR 415 including | Clay Duval | Black crappie | One per Week | Pesticides |
| Lakes George and | Flagler | Bluegill | Two per Week | Mercury |
| Monroe (Lower River) | Lake | Brown bullhead | Two per Week | Mercury |
| | Marion | Channel catfish | Two per Week | Mercury |
| | Putnam | Florida bass | One per Week | Mercury |
| | Seminole | Redbreast sunfish | Two per Week | Mercury |
| | St. Johns Volusia | Redear sunfish | Two per Week | Mercury |
| | Volusia | Spotted sunfish | Two per Week | Mercury |
| | | Striped bass | Two per Week | Mercury |
| | | Sunshine bass | Two per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| St. Johns River South | Brevard | American shad | Two per Week | Mercury |
| of SR 415, including | Orange | Black crappie | Two per Month | Mercury |
| Lakes Harney, Puzzle, | Osceola | Bluegill | One per Week | Mercury |
| Poinsett, Winder, | Seminole | Brown bullhead | Two per Week | Mercury |
| Washington, | Volusia | Channel catfish | Two per Week | Mercury |
| Sawgrass & Hellen | | Florida bass | Two per Month | Mercury |
| Blazes (Upper River) | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | One per Week | Mercury |
| St. Marks River | Jefferson | Black crappie | Two per Month | Mercury |
| (St Marks Wildlife | Leon | Bluegill | Two per Week | Mercury |
| Refuge) | Wakulla | Florida bass | Two per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Striped mullet | Two per Week | Mercury |
| | | Suwannee bass | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| St. Mary's River and | Baker | Bluegill | Two per Month | Mercury |
| tributaries | Nassau | Brown bullhead | Two per Month | Mercury |
| | | Channel catfish | Two per Month | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Redbreast sunfish | Two per Month | Mercury |
| | | Redear sunfish | Two per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | White catfish | One per Month | Mercury |

Florida HF A I TH



| | 1 | | | |
|--|--------------|-----------------------|---------------|-------------|
| Water Body | County | Species | Meal Amounts | Contaminant |
| Starke Lake | Orange | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Steinhatchee River | Dixie | Florida bass | One per Month | Mercury |
| | Lafayette | Redbreast sunfish | Two per Month | Mercury |
| | Taylor | Redear sunfish | Two per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| Stephen J Wortham | Hillsborough | Bluegill | Two per Week | Mercury |
| Park Lake Fish Management Area (FMA) | | Florida bass | Two per Month | Mercury |
| Suwannee Lake | Suwannee | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Suwannee River | Columbia | Black crappie | Two per Month | Mercury |
| | Dixie | Bluegill | One per Week | Mercury |
| | Gilchrist | Channel catfish | Two per Week | Mercury |
| | Hamilton | Florida/Suwannee bass | One per Month | Mercury |
| | Lafayette | Redbreast sunfish | Two per Week | Mercury |
| | Levy | Redear sunfish | One per Week | Mercury |
| | Madison | Spotted bullhead | One per Week | Mercury |
| | Suwannee | Spotted sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Month | Mercury |
| Suwannee River | Columbia | Black crappie | Two per Month | Mercury |
| System (Including | Dixie | Bluegill | One per Week | Mercury |
| Alapaha, Suwannee, | Gilchrist | Channel catfish | Two per Week | Mercury |
| and Withlacoochee | Hamilton | Florida bass | One per Month | Mercury |
| Rivers; See separate | Lafayette | Redbreast sunfish | Two per Week | Mercury |
| advisory for Santa Fe | Levy | Redear sunfish | One per Week | Mercury |
| River) | Madison | Spotted bullhead | One per Week | Mercury |
| | Suwannee | Spotted sunfish | One per Week | Mercury |
| | | Suwannee bass | One per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Month | Mercury |
| Swan Lake | Brevard | Florida bass | Two per Month | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant |
|--------------------|--------------|------------------------|---------------|-------------|
| Sweetwater Creek | Santa Rosa | Bluegill | One per Week | Mercury |
| | | Chain pickerel | One per Month | Mercury |
| | | Choctaw bass | DO NOT EAT | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Longear sunfish | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Shadow bass | One per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Swift Creek Pond | Union | Black crappie | Two per Month | Mercury |
| | | Bluegill | Two per Month | Mercury |
| | | Flier | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Tamiami Canal | Miami-Dade | Blue tilapia | Two per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Bowfin | One per Month | Mercury |
| | | Bullseye snakehead | Two per Week | Mercury |
| | | Butterfly peacock bass | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Florida gar | One per Month | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| | | Oscar | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | One per Month | Mercury |
| Tamiami Canal-East | Miami-Dade | Bluegill | Two per Week | Mercury |
| (City of Miami) | | Butterfly peacock bass | Two per Week | Mercury |
| | | Florida bass | One per Week | Mercury |
| | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Tampa-Bypass Canal | Hillsborough | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | White catfish | Two per Week | Mercury |

Florida HF A I TH



| Water Body | County | Species | Meal Amounts | Contaminant |
|--|------------|------------------------|---------------|-------------|
| Telogia Creek | Gadsden | Florida bass | One per Month | Mercury |
| | Liberty | Redbreast sunfish | Two per Month | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| Ten-Mile Canal | Lee | Florida bass | Two per Month | Mercury |
| Tenmile Creek | St. Lucie | Mayan cichlid | Two per Week | Mercury |
| Tenoroc Fish | Polk | Black crappie | One per Week | Mercury |
| Management Area | | Blue tilapia | Two per Week | Mercury |
| (FMA) including: | | Bluegill | Two per Week | Mercury |
| Lake 2, Lake 5, | | Brown bullhead | Two per Week | Mercury |
| Lake A, Lake B, Derby | | Channel catfish | Two per Week | Mercury |
| Lake, Hydrilla Lake, | | Florida bass | Two per Week | Mercury |
| Legs Lake, Picnic Lake, and Shop Lake | | Redear sunfish | Two per Week | Mercury |
| Tiger Lake | Polk | Black crappie | One per Week | Mercury |
| | | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | White catfish | Two per Week | Mercury |
| Tiger Tail Lake | Broward | Bullseye snakehead | One per Week | Mercury |
| Todd Lake | Citrus | Florida bass | Two per Month | Mercury |
| Tomoka River | Volusia | Bluegill | One per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Gray snapper | One per Week | Mercury |
| | | Redbreast sunfish | One per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Triplet Lake | Seminole | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| Tropical Park Fish | Miami-Dade | Bluegill | Two per Week | Mercury |
| Management Area | | Butterfly peacock bass | One per Week | Mercury |
| (FMA) | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| Trout Lake | Lake | Florida bass | Two per Month | Mercury |



| Water Body | County | Species | Meal Amounts | Contaminant |
|------------------------|------------|---------------------|---------------|-------------|
| Tsala Apopka Lake | Citrus | Bluegill | One per Week | Mercury |
| | | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Turkey Lake | Orange | Black crappie | Two per Week | Mercury |
| Tussock Lake | Citrus | Bluegill | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| Van Ness Lake | Citrus | Florida bass | Two per Month | Mercury |
| Waccasassa River and | Levy | Bluegill | One per Week | Mercury |
| tributaries (Including | | Florida bass | DO NOT EAT | Mercury |
| Otter Creek and | | Redbreast sunfish | One per Week | Mercury |
| Wekiva River) | | Spotted sunfish | Two per Month | Mercury |
| | | White catfish | Two per Month | Mercury |
| Wacissa River | Jefferson | Florida bass | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Suwannee bass | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Wagner Creek | Miami-Dade | Checker puffer fish | DO NOT EAT | Mercury |
| | | Striped mojarra | DO NOT EAT | Dioxin |
| Wakulla River | Wakulla | Florida bass | Two per Month | Dioxin |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| Walsingham Park Lake | Pinellas | Bluegill | Two per Week | Mercury |
| Fish Management | | Florida bass | One per Week | Mercury |
| Area (FMA) | | Redear sunfish | Two per Week | Mercury |
| Water Conservation | Palm Beach | Black crappie | One per Week | Mercury |
| Area (WCA) 1 | | Bluegill | Two per Week | Mercury |
| (Including the L-7, | | Florida bass | Two per Month | Mercury |
| L-39, and L-40 Canals) | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | l | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|-----------------------|------------|------------------------|---------------|-------------|
| Water Conservation | Broward | Black crappie | One per Month | Mercury |
| Area (WCA) 2A | Palm Beach | Bluegill | Two per Week | Mercury |
| (Including the L-6, | | Butterfly peacock bass | Two per Month | Mercury |
| L-35B and L-38E | | Florida bass | One per Week | Mercury |
| Canals) | | Florida gar | Two per Month | Mercury |
| | | Mayan cichlid | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | Two per Month | Mercury |
| Water Conservation | Broward | Bluegill | Two per Week | Mercury |
| Area (WCA) 2B | | Bullseye snakehead | One per Week | Mercury |
| (Including the L-35 | | Florida bass | Two per Month | Mercury |
| and L-35A Canals) | | Mayan cichlid | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Water Conservation | Broward | Blue tilapia | Two per Week | Mercury |
| Area (WCA) 3A | Collier | Bluegill | Two per Week | Mercury |
| (Including Alligator | Miami-Dade | Bowfin | One per Month | Mercury |
| Alley Canals, Tamiami | | Bullseye snakehead | Two per Week | Mercury |
| Canal, L-38W Canal, | | Butterfly peacock bass | One per Week | Mercury |
| and L-67 Canal) | | Florida bass | Two per Month | Mercury |
| | | Florida gar | One per Month | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| | | Oscar | One per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | Two per Month | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | Yellow bullhead | One per Month | Mercury |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



| Water Body | County | Species | Meal Amounts | Contaminant |
|-------------------------|------------|------------------------|---------------|-------------|
| Water Conservation | Broward | Asian swamp eel | One per Week | Mercury |
| Area (WCA) 3B | Miami-Dade | Blue tilapia | Two per Week | Mercury |
| (Including L-67C and | | Bluegill | Two per Week | Mercury |
| Miami Canals) | | Butterfly peacock bass | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Jaguar guapote | Two per Week | Mercury |
| | | Mayan cichlid | Two per Month | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted tilapia | Two per Week | Mercury |
| Waters Lake | Gilchrist | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| Watertown Lake | Columbia | Bluegill | Two per Week | Mercury |
| (Columbia County) | | Florida bass | One per Week | Mercury |
| Watertown Lake | Hamilton | Bluegill | Two per Week | Mercury |
| (Hamilton County) | | Florida bass | One per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Webb Lake | Charlotte | Bluegill | Two per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Nile tilapia | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| Weeki Wachee River | Hernando | Bluegill | Two per Week | Mercury |
| | | Florida bass | Two per Month | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| Wekiva River | Lake | Bluegill | Two per Week | Mercury |
| | Orange | Florida bass | Two per Month | Mercury |
| | Seminole | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | Two per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Warmouth | One per Week | Mercury |
| | | Yellow bullhead | Two per Week | Mercury |
| Western Lake | Walton | Bluegill | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| Whiskey George Creek | Franklin | Spotted sunfish | One per Week | Mercury |
| Whiting Field Fishing | Santa Rosa | Bluegill | Two per Week | Mercury |
| Pond | | Florida bass | Two per Month | Mercury |

Florida HF A I TH



| Water Dade | Country | Crosina | Mari Amanuta | Cantaminant |
|---|----------|-------------------|---------------|-------------|
| Water Body | County | Species | Meal Amounts | Contaminant |
| Wildcat Lake | Lake | Bluegill | One per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Warmouth | One per Month | Mercury |
| Winter Haven Lake | Polk | Black crappie | Two per Week | Mercury |
| Chain (Including | | Blue tilapia | Two per Week | Mercury |
| Lakes Cannon, | | Bluegill | Two per Week | Mercury |
| Conine, Eloise, | | Brown bullhead | Two per Week | Mercury |
| Hartridge, Howard, | | Florida bass | One per Week | Mercury |
| Idylwild, Jessie, Lulu, | | Redear sunfish | Two per Week | Mercury |
| Mirror, Rochelle, Roy, Shipp, Smart, Summit, and Winterset) | | Warmouth | Two per Week | Mercury |
| Winter Park Lake | Orange | Black crappie | Two per Week | Mercury |
| Chain (Including | - | Bluegill | Two per Week | Mercury |
| Lakes Berry, Maitland, | | Florida bass | Two per Month | Mercury |
| Minnehaha, Mizell, | | Redbreast sunfish | Two per Week | Mercury |
| Osceola, Sue, and | | Redear sunfish | Two per Week | Mercury |
| Virginia) | | Warmouth | Two per Week | Mercury |
| Withlacoochee River | Hamilton | Black crappie | Two per Month | Mercury |
| | Madison | Bluegill | One per Week | Mercury |
| | | Channel catfish | Two per Week | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Redbreast sunfish | Two per Week | Mercury |
| | | Redear sunfish | One per Week | Mercury |
| | | Spotted bullhead | One per Week | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Suwannee bass | One per Month | Mercury |
| | | Warmouth | Two per Month | Mercury |
| | | White catfish | Two per Week | Mercury |
| | | Yellow bullhead | Two per Month | Mercury |
| Withlacoochee River | Citrus | Bluegill | Two per Month | Mercury |
| South | Hernando | Brown bullhead | One per Week | Mercury |
| | Levy | Florida bass | One per Month | Mercury |
| | Marion | Gray snapper | Two per Week | Mercury |
| | Pasco | Redbreast sunfish | Two per Week | Mercury |
| | Polk | Redear sunfish | Two per Month | Mercury |
| | Sumter | Spotted sunfish | One per Week | Mercury |





| Water Body | County | Species | Meal Amounts | Contaminant |
|------------------|------------|-----------------|---------------|-------------|
| Wolf Lake | Highlands | Bluegill | Two per Month | Mercury |
| Woodbine Spring | Santa Rosa | Bluegill | One per Month | Mercury |
| Lake | | Channel catfish | Two per Month | Mercury |
| | | Florida bass | DO NOT EAT | Mercury |
| | | Redear sunfish | One per Month | Mercury |
| Yellow River and | Okaloosa | Bluegill | One per Week | Mercury |
| tributaries | Santa Rosa | Chain pickerel | Two per Month | Mercury |
| | | Florida bass | One per Month | Mercury |
| | | Longear sunfish | One per Week | Mercury |
| | | Redear sunfish | One per Month | Mercury |
| | | Spotted sunfish | One per Week | Mercury |
| | | Warmouth | Two per Month | Mercury |
| Yon Creek | Gadsden | Spotted sunfish | Two per Month | Mercury |