
# Florida Influenza Surveillance

Week Ending May 7, 2005 (Week 18)

Angela Fix, MPH, Respiratory Disease Epidemiologist

Brittni Jones, Influenza Surveillance Coordinator



### **Summary**

Influenza-like illness (ILI) activity decreased in four of the seven regions across the State for the week ending May 7, 2005 (Week 18). Three County Health Departments (Polk, Union, and Volusia) reported sporadic ILI activity during Week 18. Sixteen counties reported no ILI activity and forty-eight counties did not report an activity code.

## Florida Influenza and Influenza-like Illness (ILI) Surveillance

The table below outlines the weighted ILI activity by region. The overall weighted percent ILI activity for the State for the week ending May 7, 2005 was 0.89%, this is a statistically significant decrease (p = 0.0222) compared to the previous week's ILI activity of 1.16%. The Southeast region reported the highest influenza activity (1.38%). The Northeast and Northwest regions reported no influenza activity (0.00%). Only 43% of the sentinel physicians across the State had reported at the time this report was written.


Weighted ILI Activity, by Region, Week ending May 7, 2005	
REGION	REPORTED ILI%
Centraleast	0.84%
Centralwest	0.75%
Northcentral	0.19%
Northeast	0.00%
Northwest	0.00%
Southeast	1.38%
Southwest	0.05%


The ILI activity levels are based on information reported by the Florida Sentinel Physician Influenza Surveillance Network and weighted by the 2004-2005 population estimates.


# Influenza-like Illness Graphs By Region


Baseline: A bar line that exceeds the baseline indicates moderate ILI activity


-▲▲▲▲ Threshold: A bar line that exceeds the threshold indicates high ILI activity























#### Influenza Surveillance - Definitions and Reminders

#### Influenza Surveillance Regions

**Centraleast**: Brevard, Indian River, Lake, Martin, Orange, Osceola, Seminole, St. Lucie and Volusia.

**Centralwest**: Citrus, Hardee, Hernando, Hillsborough, Manatee, Pasco, Pinellas, Polk and Sumter.

**Northcentral**: Columbia, Dixie, Franklin, Gadsden, Hamilton, Jefferson, Lafayette, Leon, Liberty, Madison, Suwannee, Taylor, and Wakulla.

**Northeast**: Alachua, Baker, Bradford, Clay, Duval, Flagler, Gilchrist, Levy, Marion, Nassau, Putnam, St. Johns and Union.

**Northwest:** Bay, Calhoun, Escambia, Gulf, Holmes, Jackson, Okaloosa, Santa Rosa, Walton and Washington.

Southeast: Broward, Miami-Dade, Monroe and Palm Beach.

**Southwest:** Charlotte, Collier, Desoto, Glade, Hendry, Highlands, Lee, Okeechobee and Sarasota.

#### Definitions of the influenza activity codes

**No Activity**: No laboratory-confirmed cases of influenza and no reported increase in the number of cases of ILI.

**Sporadic**: Small numbers of laboratory-confirmed influenza cases or a single influenza outbreak has been reported, but there is no increase in cases of ILI.

**Local**: Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed influenza in a single region of the State.

**Regional**: Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed influenza in at least two but less than half the regions of the State.

**Widespread**: Outbreaks of influenza or increases in ILI cases and recent laboratory-confirmed influenza in at least half the regions of the State.

#### **Important Reminders**

- \* Influenza activity reporting by sentinel providers is voluntary.
- \* The influenza surveillance data is used to answer the question of where, when, and what viruses are circulating. It can be used to determine if influenza activity is increasing or decreasing, but it cannot be used to ascertain how many people have become ill with influenza so far this season.
- \* Reporting is incomplete for this week. Numbers may change dramatically as more reports are received.