
# Hepatitis A Surveillance

### December Key Points


5 cases




19-29 year olds had the highest incidence

40% of cases were not up-to-date and 60% of cases had unknown vaccination status


The number of reported hepatitis A cases in December decreased from the previous month and was below the previous 5-year average.



In December 2023, 5 hepatitis A cases were reported in 5 counties, outlined in black in the map below. From October 2023 through December 2023, the average county rates were lowest in northwest Florida.



#### In 2023, 100 hepatitis A cases were reported.




\*The white bars indicate the total number of cases as of December for each year

The best way to prevent hepatitis A infection is through vaccination. In December 2023, 40% of cases were not up-to-date on hepatitis A vaccinations and 60% of cases had unknown hepatitis A vaccination status. Since 2006, hepatitis A vaccine has been recommended for all children at age 1 year. Hepatitis A vaccine is also recommended for certain adult high-risk groups, including persons using injection and non-injection drugs, persons experiencing homelessness, and men who have sex with men. To learn more about the hepatitis A vaccine, talk to your doctor or visit: www.CDC.gov/Vaccines/HCP/VIS/VIS-Statements/Hep-A.html.



## **Hepatitis A Surveillance**



#### National activity

Hepatitis A rates have decreased by more than 95% since the first vaccine became available in 1995. However, since outbreaks were first identified in 2016, the Centers for Disease Control and Prevention has been monitoring outbreaks in 37 states. More information about these outbreaks can be found here: <a href="https://www.cdc.gov/hepatitis/outbreaks/2017March-HepatitisA.htm">www.cdc.gov/hepatitis/outbreaks/2017March-HepatitisA.htm</a>

#### Hepatitis A surveillance goals

- Identify cases to limit transmission
- Identify and prevent outbreaks
- Monitor effectiveness of immunization programs and vaccines


To learn more about hepatitis A, please visit <u>FloridaHealth.gov/diseases-and-conditions/vaccine-preventable-disease/hepatitis-a</u>. For more information on the data sources used in Florida for hepatitis A surveillance, see the last page of this report.

## **Hepatitis A Surveillance**

Vaccination is the best way to prevent hepatitis A infection. Health care providers are encouraged to actively offer the hepatitis A vaccine to individuals at risk including men who have sex with men.

For more information about hepatitis A vaccination in Florida visit: <u>https://www.floridahealth.gov/diseases-and-conditions/</u> <u>hepatitis/hepatitis-vaccination-testing-program.html</u>

In 2023, 29% of the 100 cases in Florida reported at least one of the risk factors below, while 71% reported no or unknown risk factors. The most commonly identified risk factor was any drug use, reported by 21 cases (21%). The next most common risk factors were non-injection drug use (10%) reported in 10 cases and men who have sex with men (10%) reported in 10 cases followed by injection drug use (6%) reported in 6 cases. Recent homelessness was reported in 5% of cases.



Hepatitis A infections can be severe, leading to inpatient hospitalization and sometimes death. In 2023, 60 cases (60%) reported in Florida have been hospitalized due to hepatitis A infection. No deaths have been identified as hepatitis A associated in 2023.

The Florida Department of Health is actively working to vaccinate those most at risk for hepatitis A infection. In December 2023, 3,024 doses were administered. The number of first doses of hepatitis A vaccine administered by both private providers and county health departments to adults age 18 years and older, as recorded in Florida SHOTS, decreased and was below the previous 5-year-average. Vaccination is the best way to prevent hepatitis A infection.

