- This checklist is for applicants using DOH Form DH-1054 to apply for or renew a category 3L(I) radioactive materials license authorizing possession and use of portable gauging devices. DOH Regulatory Guide 1.10 provides detailed instructions for preparing the application. Appendices, exhibits and supplements referenced below are found in the guide, which is available on the Internet at <a href="http://www.doh.state.fl.us/environment/radiation/">http://www.doh.state.fl.us/environment/radiation/</a> or by calling the Florida Bureau of Radiation Control (bureau) at (850) 245-4545.
- U.S. DOT regulations (49 CFR) are available on the Internet at < <a href="http://www.access.gpo.gov/nara/cfr/cfr-table-search.html#page1">http://www.access.gpo.gov/nara/cfr/cfr-table-search.html#page1</a>>.
- To prevent the potential for identity theft, never submit documentation that lists individuals' social security numbers or birth dates.

CHECK WHE ADDRESSED	APPLICATION ITEM	NOTES
☐ 1.a.	Name/Mailing Address	<ul> <li>Unless applying as an individual, list the business name registered with the Florida Division of Corporations; name registration may be verified by phone at (800) 755-5111 or online at <a href="http://www.sunbiz.org/">http://www.sunbiz.org/</a>; list the Federal Employer Identification (FEI) number if applicable; if doing business as (d/b/a) a fictitious name, add "d/b/a <i>Fictitious Name</i>"</li> <li>Under "Mailing Address," list address to be used for license-related correspondence</li> </ul>
□ 1.b.	Location of Use and/or Storage	<ul> <li>For location of use, list "temporary job sites"; for location of storage, list the street address of the permanent facility where portable gauging devices will be stored &amp; where records will be available for inspection; if gauges will also be stored overnight at temporary job sites, add "&amp; at temporary job sites"; 64E-5.208(2), .213(5)</li> </ul>
<b>2</b> .	License Category/Fee	- The license category is 3L(I); a non-refundable application fee (\$726.00 as of 8/07) is required for new license applications; there is no fee for license renewal applications; annual/reclamation fees (\$1,216.95 as of 8/07) are due within 60 days of license issuance & annually thereafter; 64E-5.204
<b>□</b> 3.	<b>Purpose of Application</b>	- Check the appropriate box; if applying to renew a license, list the license number
<b>4.</b>	Individual Users	<ul> <li>List the name of the RSO &amp; all authorized users (AUs) – individuals trained to use or supervise the use of portable gauging devices; 64E-5.208(2)</li> </ul>
<b>□</b> 5.	Rad. Safety Officer (RSO)	- List the name of the RSO (must be an AU); 64E-5.208(2), .1305(1)
<ul><li>□ 6.</li></ul>	Training and Experience in Radiation Safety	- Enclose <u>relevant</u> documentation on training for the RSO & each AU (i.e., training certificates, not resumes); min. of 8 hrs training covering 64E-5.1307(1) subjects; if training provided by a third party, it may be necessary to submit a separate record of training on in-house O&E procedures; a description of experience not required unless seeking approval to be an instructor for in-house training; 64E-5.208(1), .1305, .1307
<b>7</b> .	Radioactive Material	<ul> <li>List the element, source manufacturer &amp; model no., maximum activity for each source &amp; no. of sources requested; 64E-5.208(2)</li> </ul>
8.	Use	<ul> <li>List the manufacturer, model no. &amp; intended use for each device, &amp; brief description of the intended use(s); 64E-5.208(2)</li> </ul>
*	<b>Current RAM Inventory</b>	<ul> <li>For renewal applications, submit current inventory of <u>all</u> radioactive material, including exempt, generally &amp; specifically licensed sources/devices; 64E-5.212(2)</li> </ul>
9.	Radiation Detection Instruments	<ul> <li>A survey meter is not typically required, but if used, list the manufacturer, model no., detection capability &amp; range of each instrument; 64E-5.208(2)</li> <li>If using a survey meter, confirm access to an equivalent backup instrument when the primary meter is unavailable due to calibration or repair; 64E-5.208(2)</li> <li>If not using a survey meter, confirm that arrangements have been made to obtain a calibrated survey meter for use in conducting radiation surveys in the event of an accident or to assess suspected damage to a portable gauging device; 64E-5.208(2)</li> </ul>

	CK WHEN RESSED	APPLICATION ITEM	NOTES
	10.	Calibration of Radiation Detection Instruments	<ul> <li>If applicable, list the name, license no. &amp; address of the instrument calibration vendor (may include option of using other licensed vendors) &amp; confirm annual calibration frequency; if seeking to conduct in-house calibrations, submit detailed procedures (additional guidance is available from the bureau); 64E-5.208(2), .314</li> </ul>
	11.	Personnel Monitoring (PM) Devices	<ul> <li>List the type of whole body PM badge (e.g., FB, OSLD, TLD) used, the supplier, &amp; exchange frequency (at least quarterly); if using gauges containing Am-241 sources, PM badges must be capable of detecting neutrons; a list of approved suppliers is available from the bureau; 64E-5.208(2), .314, .315</li> </ul>
	12.	Facilities & Equipment	<ul> <li>Submit a diagram of the permanent facility showing the portable gauging device storage location &amp; all adjacent areas; indicate the storage area's proximity to work stations (see Exhibit A for a sample facility diagram); 64E-5.208(2)</li> </ul>
			<ul> <li>Describe the storage area (e.g., cabinet, locker, closet) demonstrates adequate capacity for maximum number of devices authorized by license; 64E-5.208(2)</li> <li>Describe security at the perm. facility to prevent access to stored devices (minimum</li> </ul>
			of 2 independent physical controls representing tangible barriers must be used to secure the devices from unauthorized access or removal); 64E-5.208(2), .320, .1311
	13.	Rad. Protection Program	64E-5. 208(2), .303
	<b>A.</b>	Member of Public (MOP) Dose Study	<ul> <li>Refer to Appendix A for guidance; 64E-5.208(2), .303, .313</li> <li>New license applicants: submit procedures for demonstrating compliance with MOP dose limits (&lt; 2 mrem in any 1 hr in unrestricted areas, &lt; 100 mrem/yr)</li> <li>Renewals: submit completed study demonstrating compliance with public dose limits</li> </ul>
	В.	ALARA Policy	Submit policy describing management's commitment to ALARA principles & to performance of an annual rad. protection program review/ALARA audit; <b>App. B</b> is a model ALARA policy; <b>Ex. F</b> is a model audit form; 64E-5.208(2), .303
•	C.	Radiation Safety Officer	64E-5.208(2), .1305
	(1)	RSO Duties	<ul> <li>Describe the RSO's duties, equivalent to the duties listed in 64E-5.1305(3);</li> <li>App. C is a model procedure</li> </ul>
	(2)	Notification of RSO Change	<ul> <li>Submit a statement confirming that written notification will be submitted to the BRC within 30 days of a change of RSO or other safety positions (App. C includes this commitment); 64E-5.213(7)</li> </ul>
	D	Radiation Safety Training Program	<ul> <li>Submit a program that addresses all training components described below; App. D is a model program; 64E-5.208(2), .1307(2); .1312, .1313, .1501, .1502, 49 CFR</li> </ul>
	(1)	Instructions to Workers	<ul> <li>Describe how "Instructions to Workers" (radiation awareness) training will be provided to occupational radiation workers per 64E-5.902</li> </ul>
	(2)	AU Training	<ul> <li>Describe how AU training will be provided to all operators per 64E-5.1307 &amp; .1312</li> <li>[min. of 8 hrs. formal training covering .1307(1) subjects]; identify any third parties used to provide rad. safety training</li> </ul>
			<ul> <li>If seeking to conduct AU training in-house, describe the proposed course per 64E-5.1307(2), including instructor qualifications, course description, method of testing (w/ sample exam) &amp; retesting; Supp. E is a model training course outline</li> </ul>

may be done in-house or by third parties, & may be part of rad, awareness training; address record-keeping requirements per 49 CFR 172.704    E. PM Program   Submit instructions for administration of the PM program; App. E is a memory of the procedures of the PM procedures of the P	K WHEN RESSED	APPLICATION ITEM	NOTES
may be done in-house or by third parties, & may be part of rad, awareness training; address record-keeping requirements per 49 CFR 172.704    E. PM Program	13. R	Rad. Protection Program	(contd.)
F. Operating & Emergency (O&E) Procedures   Procedures must address all applicable subjects identified in 64E-5.1302	D.(3)		<ul> <li>Describe hazmat employee training provided to satisfy 49 CFR Part 172; training may be done in-house or by third parties, &amp; may be part of rad. awareness/AU training; address record-keeping requirements per 49 CFR 172.704</li> </ul>
(1) Operating Procedure	Е.	PM Program	– Submit instructions for administration of the PM program; <b>App. E</b> is a model procedure; 64E-5.208(2), .315, .339, .903, .1302
monitoring devices, methods and occasions for conducting radiation survescuring portable gauging devices from unauthorized access or removal, and roumaintenance and availability of procedures; App. F provides model C procedures; 64E-5.208(2), .1302  (i) O&E Procedures	F. (		Procedures must address all applicable subjects identified in 64E-5.1302
(i) O&E Procedures	(1)	Operating Procedure	· · · · · · · · · · · · · · · · · · ·
gauging devices at all times    Gauge Manuals	(a)	<b>Procedure Availability</b>	- Refer to <b>Sec. II of App. F</b> ; 64E-5.208(2), .1302
nance manuals for each device model authorized by the license on file for reference of 4E-5.303(2), .1302(1)  (c) General Rules of Use - Sec. IV of App. F provides model procedures; 64E-5.208(2), .303(2), .1302(1)  (i) ALARA Principles - Provide instructions on proper handling & use of devices to minimize exposures  (ii) Precautions - Provide instructions to: (a) use devices in accordance w/ manufacturer's instruction of pen/remove sources from source holders; (c) prohibit contact with or diviewing of source rod or placement of hands, etc. in radiation field  (iii) Radiation Surveys - Provide instructions to have the RSO arrange for a survey to be performed if dam to a portable gauging device is suspected  (d) Security - Provide instructions on securing portable gauging devices to prevent unauthor access, including a commitment to maintain direct surveillance when not in stor & to provide two locks between a stored device & the public; refer to Sec. V of A F for model procedures & Ex. C for a model utilization log (recommended for u of multiple gauges); 64E-5.320, .321, .1302(3), .1311  (e) Routine Maintenance - Provide instructions to: (a) restrict performance of routine maintenance & cleanin AUs in accordance w/ manufacturer's instructions; & (b) prohibit non-rou maintenance or repair requiring removal of the source/source Sec. VI of App. F is a model procedure; 64E-5.208(2)  (f) Special Procedures for Depth Probes - If requesting authorization for depth probes (devices capable of extending to depth 3'), include O&E procedures providing instructions specific to those devices (CPN Model 501, 503, Troxler Model 4300 Series); 64E-5.208(8), .212(2), .1302		(i) O&E Procedures	<ul> <li>Provide instructions to have a copy of the O&amp;E procedures accompany portable gauging devices at all times</li> </ul>
Ce   General Rules of Use   Sec. IV of App. F provides model procedures; 64E-5.208(2), .303(2), .1302(1)	(	ii) Gauge Manuals	<ul> <li>Provide a commitment to maintain copies of the manufacturer's operation/maintenance manuals for each device model authorized by the license on file for reference</li> </ul>
(i) ALARA Principles — Provide instructions on proper handling & use of devices to minimize exposures  (ii) Precautions — Provide instructions to: (a) use devices in accordance w/ manufacturer's instruction to one open/remove sources from source holders; (c) prohibit contact with or diviewing of source rod or placement of hands, etc. in radiation field  (iii) Radiation Surveys — Provide instructions to have the RSO arrange for a survey to be performed if dame to a portable gauging device is suspected  — Provide instructions on securing portable gauging devices to prevent unauthor access, including a commitment to maintain direct surveillance when not in store & to provide two locks between a stored device & the public; refer to Sec. V of A F for model procedures & Ex. C for a model utilization log (recommended for use of multiple gauges); 64E-5.320, .321, .1302(3), .1311  — Routine Maintenance — Provide instructions to: (a) restrict performance of routine maintenance & cleaning AUs in accordance w/ manufacturer's instructions; & (b) prohibit non-roung maintenance or repair requiring removal of the source/source Sec. VI of App. F is a model procedure; 64E-5.208(2)  — (f) Special Procedures for Depth Probes — If requesting authorization for depth probes (devices capable of extending to depth 3'), include O&E procedures providing instructions specific to those devices (CPN Model 501, 503, Troxler Model 4300 Series); 64E-5.208(8), .212(2), .1302  — (2) Emergency Procedures — Provide instructions for handling portable gauging device loss, theft or daminclude emergency notification numbers for the RSO & FL BRC; App. G is a minclude emergency notification numbers for the RSO & FL BRC; App. G is a minclude emergency notification numbers for the RSO & FL BRC; App. G is a minclude emergency notification numbers for the RSO & FL BRC; App. G is a minclude emergency notification numbers for the RSO & FL BRC; App. G is a minclude emergency notification numbers for the RSO & FL BRC; App. G is a minclude emergency notification	<b>(b)</b>	PM Procedures	<ul> <li>Submit instructions for use of PM badges; Sec. III of App. F is a model procedure; 64E-5.303(2), .1302(1)</li> </ul>
Precautions	(c)	General Rules of Use	- <b>Sec. IV of App. F</b> provides model procedures; 64E-5.208(2), .303(2), .1302(1)
(b) not open/remove sources from source holders; (c) prohibit contact with or diviewing of source rod or placement of hands, etc. in radiation field  (iii) Radiation Surveys - Provide instructions to have the RSO arrange for a survey to be performed if dam to a portable gauging device is suspected  - Provide instructions on securing portable gauging devices to prevent unauthor access, including a commitment to maintain direct surveillance when not in stor & to provide two locks between a stored device & the public; refer to Sec. V of A F for model procedures & Ex. C for a model utilization log (recommended for u of multiple gauges); 64E-5.320, .321, .1302(3), .1311  - Provide instructions to: (a) restrict performance of routine maintenance & cleanin AUs in accordance w/ manufacturer's instructions; & (b) prohibit non-rou maintenance or repair requiring removal of the source/source Sec. VI of App. F is a model procedure; 64E-5.208(2)  - If requesting authorization for depth probes (devices capable of extending to depth 3'), include O&E procedures providing instructions specific to those devices (CPN Model 501, 503, Troxler Model 4300 Series); 64E-5.208(8), .212(2), .1302  - Provide instructions for handling portable gauging device loss, theft or dam include emergency notification numbers for the RSO & FL BRC; App. G is a model and include emergency notification numbers for the RSO & FL BRC; App. G is a model and include emergency notification numbers for the RSO & FL BRC; App. G is a model and include emergency notification numbers for the RSO & FL BRC; App. G is a model and include emergency notification numbers for the RSO & FL BRC; App. G is a model and include emergency notification numbers for the RSO & FL BRC; App. G is a model and include emergency notification numbers for the RSO & FL BRC; App. G is a model and include emergency notification numbers for the RSO & FL BRC; App. G is a model and include emergency notification numbers for the RSO & FL BRC; App. G is a model number of the RSO & FL BRC; App. G		(i) ALARA Principles	- Provide instructions on proper handling & use of devices to minimize exposures
to a portable gauging device is suspected    George   Provide instructions on securing portable gauging devices to prevent unauthor access, including a commitment to maintain direct surveillance when not in stor & to provide two locks between a stored device & the public; refer to Sec. V of A F for model procedures & Ex. C for a model utilization log (recommended for u of multiple gauges); 64E-5.320, .321, .1302(3), .1311    George   Routine Maintenance   Provide instructions to: (a) restrict performance of routine maintenance & cleanin AUs in accordance w/ manufacturer's instructions; & (b) prohibit non-rou maintenance or repair requiring removal of the source/source Sec. VI of App. F is a model procedure; 64E-5.208(2)    George   George   Frocedures   First   Fi	(	ii) Precautions	<ul> <li>Provide instructions to: (a) use devices in accordance w/ manufacturer's instructions;</li> <li>(b) not open/remove sources from source holders;</li> <li>(c) prohibit contact with or direct viewing of source rod or placement of hands, etc. in radiation field</li> </ul>
access, including a commitment to maintain direct surveillance when not in stor & to provide two locks between a stored device & the public; refer to Sec. V of A F for model procedures & Ex. C for a model utilization log (recommended for u of multiple gauges); 64E-5.320, .321, .1302(3), .1311    Provide instructions to: (a) restrict performance of routine maintenance & cleaning AUs in accordance w/ manufacturer's instructions; & (b) prohibit non-rout maintenance or repair requiring removal of the source/source Sec. VI of App. F is a model procedure; 64E-5.208(2)    Special Procedures for Depth Probes   If requesting authorization for depth probes (devices capable of extending to depth 3'), include O&E procedures providing instructions specific to those devices (CPN Model 501, 503, Troxler Model 4300 Series); 64E-5.208(8), .212(2), .1302	(i	ii) Radiation Surveys	<ul> <li>Provide instructions to have the RSO arrange for a survey to be performed if damage to a portable gauging device is suspected</li> </ul>
AUs in accordance w/ manufacturer's instructions; & (b) prohibit non-round maintenance or repair requiring removal of the source/source Sec. VI of App. F is a model procedure; 64E-5.208(2)  (f) Special Procedures for Depth Probes  - If requesting authorization for depth probes (devices capable of extending to depth 3'), include O&E procedures providing instructions specific to those devices (CPN Model 501, 503, Troxler Model 4300 Series); 64E-5.208(8), .212(2), .1302  - Provide instructions for handling portable gauging device loss, theft or dam include emergency notification numbers for the RSO & FL BRC; App. G is a metallic procedure.	(d)	Security	<ul> <li>Provide instructions on securing portable gauging devices to prevent unauthorized access, including a commitment to maintain direct surveillance when not in storage, &amp; to provide two locks between a stored device &amp; the public; refer to Sec. V of App. F for model procedures &amp; Ex. C for a model utilization log (recommended for users of multiple gauges); 64E-5.320, .321, .1302(3), .1311</li> </ul>
for Depth Probes  3'), include O&E procedures providing instructions specific to those devices ( CPN Model 501, 503, Troxler Model 4300 Series); 64E-5.208(8), .212(2), .1302  ☐ (2) Emergency Procedures  - Provide instructions for handling portable gauging device loss, theft or dam include emergency notification numbers for the RSO & FL BRC; App. G is a me	(e)	Routine Maintenance	AUs in accordance w/ manufacturer's instructions; & (b) prohibit non-routine maintenance or repair requiring removal of the source/source rod;
include emergency notification numbers for the RSO & FL BRC; App. G is a me	( <b>f</b> )	<del>-</del>	<ul> <li>If requesting authorization for depth probes (devices capable of extending to depths &gt; 3'), include O&amp;E procedures providing instructions specific to those devices (e.g., CPN Model 501, 503, Troxler Model 4300 Series); 64E-5.208(8), .212(2), .1302</li> </ul>
L CONTRACTOR	 (2)	<b>Emergency Procedures</b>	<ul> <li>Provide instructions for handling portable gauging device loss, theft or damage; include emergency notification numbers for the RSO &amp; FL BRC; App. G is a model procedure; 64E-5.208(2), .1302</li> </ul>

	CK WHEN RESSED	APPLICATION ITEM	NOTES
	13.	Rad. Protection Program	(contd.)
	F.(3	Ordering, Receiving, Opening & Shipping	– Provide instructions for ordering, receiving and opening shipments; <b>Sections I and II of App. G</b> ; 64E-5.208(2), .327, .1302, .1501, .1502, 49 CFR
			<ul> <li>Provide instructions for transport of portable gauging devices per DOT regs (inspection, packaging, marking, labeling, blocking/bracing, security); Section III of App. G; 64E-5.321, .1302, .1311, .1501, .1502, 49 CFR</li> </ul>
<u>-</u>			<ul> <li>Provide sample shipping papers &amp; an emergency response information (ERI) sheet;</li> <li>Ex. D-1 and D-2 are model shipping papers;</li> <li>Ex. E. is a model ERI sheet;</li> <li>64E-5.208(2), .1302, .1501, .1502, 49 CFR</li> </ul>
	(4)	Posting	<ul> <li>Provide instructions to address posting requirements specified in 64E-5 Parts III, IX</li> <li>XIII; App. I is a model procedure; 64E-5.208(2), .323, .901, .1302</li> </ul>
	(5)	Record Retention Procedure	<ul> <li>Submit procedure addressing record-keeping requirements specified in 64E-5;</li> <li>App. J is a model procedure; 64E-5.208(2), .1302</li> </ul>
_			<ul> <li>Provide commitment to maintain on file, for at least 1 year after the last shipment, copies of the testing methods &amp; results for each Type A package in use (contact device manufacturers for the documentation); 64E-5.1502(2), 49 CFR 173.415(a)</li> </ul>
	<b>G.</b> _	Leak Testing (LT)	- <b>App. K</b> is a model procedure; 64E-5.208(2), .1303
	(1)	LT Kit & Vendor	<ul> <li>List: (a) manufacturer name &amp; model no. of LT kit used, &amp; (b) name &amp; license no. of vendor contracted to perform LT sample analysis (may include option of using other licensed vendors)</li> </ul>
	(2)	LT Procedure	<ul> <li>Provide instructions for: (a) the interval LTs will be performed (6/12 months) &amp;</li> <li>(b) collecting LT samples</li> </ul>
	Н.	Inventory	<ul> <li>Submit procedure for performance of semi-annual physical inventories, including sample inventory form; App. L provides a model procedure; Ex. B is a model inventory sheet; 64E-5.208(2), .1304</li> </ul>
	I.	Notification and Reporting Procedure	<ul> <li>Submit procedure addressing applicable notification and reporting requirements;</li> <li>App. M is a model procedure; .64E-5.208(2) and Part III</li> </ul>
	14.	Waste Disposal	<ul> <li>Submit procedure with a commitment that portable gauging devices will be transferred only to licensed recipients (e.g., manufacturer, waste broker); App. K is a model procedure; 64E-5.208(2), Part III, .1302</li> </ul>
	15.	Certificate	<ul> <li>Have application signed &amp; dated by a certifying official – a person authorized to make legally binding statements on behalf of the applicant; e.g., president, CEO, etc.</li> </ul>

**Notes**: