

**DEPARTMENT OF HEALTH
ELECTROLYSIS COUNCIL
GENERAL BUSINESS MEETING
BY TELEPHONE CONFERENCE CALL
January 13, 2020**

DIAL-IN NUMBER: 1-888-585-9008

When prompted, enter the following conference room number:

564-341-766, followed by the # sign.

Participants in this public meeting should be aware that these proceedings are being recorded and that an audio file of the meeting will be posted to the council's website.

10:00 a.m. (ET)

Call to Order – General Business Meeting

PERSONAL APPEARANCE PURSUANT TO SECTION 456.013(3)(c) F.S.

1. Haneen Kahala, Examination

INDIVIDUAL CONSIDERATIONS

2. Oksana Pokrasov, Endorsement
3. Ritta Hanna, Examination

320-HOUR COMBINED ELECTROLYSIS TRAINING PROGRAM

4. Boca Beauty Academy - Parkland

LICENSURE RATIFICATION LIST

5. Licensed Electrologists

RULES REVIEW AND DEVELOPMENT

6. Rule 64B8-55, F.A.C., Discipline & Licensure Restrictions
7. Discussion: Questions re: Training Program Rules & Requirements

REPORT OF ASSISTANT ATTORNEY GENERAL – Rachelle Munson, Esquire

8. Rule Status Report
 - Rule 64B8-51.001, F.A.C., Manner of Application
 - Rule 64B8-51.006, F.A.C., Rule Governing Licensure and Inspection of Electrology Facilities
 - Rule 64B8-52.003, F.A.C., Procedure for Approval of Attendance at Continuing Education Courses

- Rule 64B8-56.002, F.A.C., Equipment and Devices; Protocols for Laser and Light-Based Devices
9. Office of Fiscal Accountability and Regulatory Reform (OFARR) Enhanced Oversight of Rulemaking Process

REPORTS, IF ANY

10. Council Chair – Jolynn Greenhalgh, DNP, ARNP
- Other Council Members:
11. Executive Director - Allen Hall
- Cash Balance Report
 - Expenditures by Function Report

OLD BUSINESS

12. October 7, 2019 Electrologist Council Meeting Minutes

NEW BUSINESS

13. Council Member Vacancies
14. 2020 Council Officer Elections
15. 2020 Conviction Records Guidelines
16. 2020 Delegation of Authority
17. 2021 Proposed Council Meeting Dates

OTHER BUSINESS AND INFORMATION

18. Spotlight on Unlicensed Activity
19. Final Order: Amaralis E. Danser, DOH Case No. 2018-22358