HEALTHY START INF	HEALTHY START INFANT CARE COORDINATION RECORD REVIEW								
Review Date: Partic	inant's Ir	nitials	•	DOF	<b>3</b> ·				
Care Coordinator's Initials: Revie	wer's Na	ime:			·- <u></u>				
HS Care Coordination Provider:				Site:					
Initial Contact (IC)	Yes	No	N/A		Comments				
HS Screen Date: Score:									
Date received : by CHD									
by Coordinator Referred (by other than screen) Date:									
				Data					
IC attempt within five days from receipt screen	OI			Date:					
2nd IC attempt within 10 days of 1st				Date:	Total # of IC attempts:				
If high risk, face-to-face attempt prior to				Date.					
closure	<b>^</b>								
IC actually made				Date:	Level at IC:				
Each risk factor assessed for intervention									
Each intervention appropriate for risk									
Follow-up with provider within 30 days				Date:					
of 1st attempt to contact									
IPC completed on IC					cking Initial Assessment Declined				
All IC components present in record				No Services Needed					
				Una	ble to Contact				
Closed at IC and encounter/level met				DICK D	A CED INTERVENTION				
Risk Factor Identified by Screen		RISK-BASED INTERVENTION  Documentation must reflect that each risk factor was							
or Assessment		assessed for intervention							
	Yes	Info	Refe						
Abnormal Conditions (assisted ventilati		Info	Refe		Was Intervention Appropriate?				
Abnormal Conditions (assisted ventilati 30 min. or more, NICU admissions, RD	on	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces  Infant transferred within 24 hours of	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or lethan 4 pounds, 7 ounces Infant transferred within 24 hours of delivery	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or lethan 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces  Infant transferred within 24 hours of delivery  Mother is not married  Principal source of payment Medicaid	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more trimesters	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more trimesters Prenatal visits less than 2 or unknown	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more trimesters	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more trimesters Prenatal visits less than 2 or unknown Maternal age less than 18 or unknown	on S, y).	Info	Refe		Was Intervention Appropriate?				
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more trimesters Prenatal visits less than 2 or unknown Maternal age less than 18 or unknown Other risk factors identified (Specify)	on S, y).	Info	Refe						
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more trimesters Prenatal visits less than 2 or unknown Maternal age less than 18 or unknown Other risk factors identified (Specify)	on S, y).			rral F/U	Was Intervention Appropriate?				
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more trimesters Prenatal visits less than 2 or unknown Maternal age less than 18 or unknown Other risk factors identified (Specify)  Initial Assessment (IA)  Y  IA attempt within 10 days of IC IA actually completed	on S, y).			rral F/U	Was Intervention Appropriate?  Comments				
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more trimesters Prenatal visits less than 2 or unknown Maternal age less than 18 or unknown Other risk factors identified (Specify)  Initial Assessment (IA)  Y IA attempt within 10 days of IC IA actually completed Face-to-face attempt prior to	on S, y).			Total # c	Comments  Of IA attempts:				
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or lethan 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more trimesters Prenatal visits less than 2 or unknown Maternal age less than 18 or unknown Other risk factors identified (Specify)  Initial Assessment (IA)  Y IA attempt within 10 days of IC IA actually completed Face-to-face attempt prior to closure as unable to locate	on S, y).			Total # c	Comments  Of IA attempts:				
30 min. or more, NICU admissions, RD seizure, surfactant replacement therapy Birth weight less than 2000 grams or le than 4 pounds, 7 ounces Infant transferred within 24 hours of delivery Mother is not married Principal source of payment Medicaid Maternal race black Father's name not present or unknown Mother used tobacco in one or more trimesters Prenatal visits less than 2 or unknown Maternal age less than 18 or unknown Other risk factors identified (Specify)  Initial Assessment (IA)  Y IA attempt within 10 days of IC IA actually completed Face-to-face attempt prior to	on S, y).			Total # c	Comments  Of IA attempts:				

Each intervention appropri	riate for				
risk					
IPC for IA follow-up done	:41 : 00				
Follow-up with provider w	ithin 30				
days of IA	// 1				
Closed at IA and encount	er/level				
met Care Coordination (CC)					Date: Level at 1st CC encounter:
Tracking contacts comple	ted				Total # of CC Tracking Attempts:
Face-to-face contacts completed					Total # of CC Face to Face Attempts:
IPC evaluated at each en					Total # of GC T ace to T ace Attempts.
Family Support Plan	Counter				
Appropriate referrals educ	cation and				
follow-up	cation and				
Number of encounters is	consistent				If "no," note reason:
with level	CONSISTENT				ii iio, note reason.
Appropriate closure					Date:
Closure activities docume	ented				
Face-to-face attempt prior	r to				
closure as unable to locat					
Lost to follow up					Date:
CC level of need and risk		Level 1	Level 2	Level 3	
Dates of any change in le	vel from				
1st CC encounter (dd/mm	n/yy)				
"Other" Healthy Start	# of encounters	CC Qualified Per HSSG			Was the Curriculum or Plan Followed and
Services Provided	encounters				Documented in the Record?
by Care Coordinator					
Parenting Education					
Childbirth Education					
Psychosocial					
Counseling					
Tobacco Cessation					
Nutrition Counseling					
Breastfeeding					
Education					
Interconceptional E & C					

## INSTRUCTIONS FOR THE HEALTHY START INFANT CARE COORDINATION RECORD REVIEW CHECKLIST

NOTE: The Healthy Start Care Coordination Record Review Checklist contains <u>confidential</u> information and should only be used by authorized personnel as a quality assurance/quality improvement tool. The checklist is designed to provide the record reviewer with a format for recording care coordination services provided. Items expected to be found in the record are consistent with Healthy Start standards and provide the reviewer with information needed to determine whether appropriate and adequate risk- based interventions (i.e., risk appropriate care) were provided. The checklist may be used by supervisors, inhouse peer reviewers, or external auditors.

The checklist includes sections for 1) descriptive information; 2) initial contact; 3) recording of risk factors identified by screen and/or assessment; risk-based intervention provided to address the risk factors; 4) initial assessment 5) ongoing care coordination services provided and 6) other Healthy Start services received. Note that not every service will be provided to each participant since the provision of services is based on the presence of risk and a corresponding need for intervention. However, in the event the participant has a risk factor that does not require intervention from the provider or for which the participant refuses intervention, documentation should always reflect that the risk was addressed. In addition, if there are no resources available to address the risk factor, this too should be discussed with the participant.

- 1. DESCRIPTIVE INFORMATION: Record the review date, participant's initials and DOB, EDC, reviewer's name, the county and whether the participant receives prenatal health care in the public or private sector.
- 2. INITIAL CONTACT: The left column contains services and activities related to the participant's HS Screen and initial contact. The next three <u>columns</u> to the right provide space to check "YES", "NO", or "N/A" (not applicable) for each service or activity in the left column. The far right <u>column</u> in this area gives space for comments, dates, and indication of whether the record reflected, after the completion of the initial contact, a plan of care that included "Tracking ","Initial Assessment", "Declined", "Receiving care coordination", "No services needed," or "Unable to Contact". This information should be found in the record and describes the HS care coordinator's plan and the HS participant's intensity of need at the time of initial contact.
- 3. RISK FACTOR IDENTIFIED BY SCREEN/ASSESSMENT & RISK-BASED INTERVENTION: The left column contains a list of risk factors from the Healthy Start screen and blank spaces to specify any other risk factors that may have been identified during interactions with the participant. The second column provides a space to check "YES" to specify all risk factors that apply to the participant whose record is being reviewed. The third and fourth columns provide spaces to indicate whether information and/or referrals were made related to the particular risk factor. The fifth column provides a space to check whether appropriate follow-up for the risk factor was provided and requires the reviewer to assess the seriousness of the risk factor and the interventions provided. Each identified risk factor must be adequately addressed for appropriate follow-up to have occurred. Adequacy of intervention depends on the seriousness of the risk, the desires of the participant, and the resources of the provider and community, and is therefore, a subjective determination on the part of the reviewer. Providers and record reviewers must take these factors into consideration when determining whether appropriate intervention was provided. The last column is for comments.
- 4. INITIAL ASSESSMENT and CARE COORDINATION: The left column lists items that correspond to standards and criteria for initial assessment and ongoing care coordination. The next three <u>columns</u> to the right provide space to check "YES", "NO", or "N/A" (not applicable) for each service or activity in the left column. The far right <u>column</u> in this area gives space for comments, dates, and indication of whether the record reflected, after the completion of the initial assessment and ongoing care coordination, a plan of care that included a participant level, and plans for future encounters. The last column provides space to document comments and attempts made to provide telephone or face-to-face contacts. Were referrals, participation in prenatal/infant health care, and other services tracked to assure access to these services? If it was known that the participant missed a scheduled appointment ("no show"), did someone re-connect with the participant to explore barriers? Did all participants have an Individualized Plan of Care and a Family Support Plan in the record if the participant received level 3 care coordination? Was a rationale documented when the case was closed?
- 5. OTHER HS SERVICES PROVIDED: Document the number of Other HS Services provided by the CC, if the CC was qualified to provide the services and if the documentation followed the appropriate curriculum.