



**2002 County BRFSS**  
**BREVARD COUNTY**

Bureau of Epidemiology  
Florida Department of Health



## A Guide to Using the 2002 County BRFSS Data

This report provides an overview of the Behavioral Risk Factor Surveillance System (BRFSS), a population-based telephone survey. A guide to interpreting the data from the 2002 County BRFSS survey is also provided. The 2002 County BRFSS survey was conducted from September 2002 to January 2003, with at least 500 completed interviews for each of Florida's 67 counties.

### **The BRFSS: A Brief Overview**

The Centers for Disease Control and Prevention (CDC) began the BRFSS in the early 1980s, with a handful of states. Today all states, as well as the District of Columbia and Puerto Rico, participate. The Virgin Islands and Guam participate by conducting point-in-time surveys. Data gathered through the BRFSS provide important information for the development of public health programs. BRFSS data can be used for:

- assessing risk for chronic diseases
- identifying demographic differences
- measuring trends in health-related behaviors
- designing and monitoring health intervention and services
- addressing emergent and critical health issues
- formulating policy and proposing legislation for health initiatives
- measuring progress toward achieving state and national health objectives

### **Purpose of 2002 County BRFSS Survey**

BRFSS survey data have been widely used to monitor health behavior and health status at the state and national levels. However, due to small sample sizes, the statewide BRFSS cannot provide accurate and reliable data at the county level for public health program planning and evaluation. Therefore, with support from county health departments and others, the Bureau of Epidemiology designed and implemented the 2002 County BRFSS to provide data on behavioral risk factors and chronic disease conditions for every one of Florida's 67 counties.

The County BRFSS is comparable to the State BRFSS. The County BRFSS survey methodology followed the State BRFSS protocol and adapted its questions from the State BRFSS. Both the protocol and the questions were developed by the CDC. The County BRFSS was designed to achieve approximately 500 completed interviews in order to obtain stable estimates of prevalence. In many cases, analyses can be conducted for subpopulations within each county; however, some subpopulations in some counties may have sample sizes too small to generate stable estimates.

### **Survey Protocol**

The BRFSS is an anonymous telephone survey of a sample of adults (age 18 and older) in households with telephones. Survey respondents are randomly selected to ensure that the survey data will be representative of all adults in Florida. The CDC has developed a detailed survey protocol to ensure the quality of the survey and comparability of the data. Detailed information on the protocol can be found at the CDC website (<http://www.cdc.gov/brfss/training.htm>).

The standardized interview takes 10 to 20 minutes, depending on the number of questions being asked. For the 2002 County BRFSS, which has 76 questions, interviews took, on average, 13 minutes. Responses are entered directly into the computer by interviewers.

### **Survey Estimates**

BRFSS survey data are adjusted, or "weighted," so that the resulting estimates can be generalized to a county's entire population, not just to those who responded to the survey. Data weighting is a statistical process that includes the consideration of factors such as: (1) number of residential telephones in household; (2) number of adults in household; (3) geographic or density stratification; and (4) age, race, and sex distribution of the population.

**Strengths and Limitations of the BRFSS**

In order to use the BRFSS correctly, users should be aware of the strengths and limitations of the data. The major strengths of the BRFSS include: (1) it is flexible and relatively inexpensive for collecting public health data; (2) it is a population-based survey, allowing the data to be generalized to overall adult populations; and (3) the BRFSS has been conducted in many states annually for many years. Thus, states can compare their data with each other as well as analyze the data for trends over time. However, the BRFSS has limitations: (1) the survey is a telephone survey, so households without a land-line telephone are not included in the survey sample; (2) the data collected consists of self-reported information that has not been verified; (3) the survey has a limited number of completed interviews and the sample size may be too small for analysis on sub-populations; and, finally, (4) the BRFSS survey uses complex sampling methods and the data from the survey are subject to sampling errors.

**How to Interpret the Data**

As noted above, prevalence from the BRFSS survey is an **estimate** of the real population prevalence. When prevalence is derived from a sample rather than a census of a population, **sampling errors** occur. Because sampling errors are inherent in these types of surveys, we calculate 95% **confidence intervals (CIs)** for each prevalence estimate to determine the accuracy of that estimate. Simply, a 95% confidence interval is the range in which the real population prevalence is likely to be found 95% of the time. The smaller the confidence interval, the more accurate the estimated prevalence. For example, the table below shows that 22.1% of adults in Florida are current smokers. The CI is 21.1 to 23.2; just 1 percentage point below and above the prevalence of 22.1%, suggesting that the real population prevalence is very likely to be in the narrow range and close to the estimate of 22.1%.

Current Smoker	%	CI	
All	22.1	21.1	23.2
Men	24.4	22.7	26.0
Women	20.1	18.8	21.4

The CIs are determined by many factors, in particular the sample size. Compare the CIs for men and women in the above table. As we divide the data for analysis by sex, race/ethnicity, age, etc., the sample size for each group becomes smaller, and the CIs become larger and the estimates less reliable.

In addition to estimating the accuracy of the prevalence, the CIs are used to compare prevalence between populations. As a rule, the difference between the prevalence of two populations is statistically significant if the CIs of the two prevalence estimates do not overlap. From the above example, we can see that the CI for men (22.7-26.0) and CI for women (18.8-21.4) do not overlap. We can thus conclude that there is a significant difference in the prevalence of current smoking between men and women, and that men have a higher prevalence of current smoking than women.

When making comparisons among groups of survey respondents, always compare the CIs, not just the estimates. This way you can accurately use and interpret the data.

**For more information about your County BRFSS data, please contact:**

Marie A. Bailey, MA, MSW  
 Florida Department of Health Bureau of Epidemiology  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 Ext. 2434; marie\_bailey@doh.state.fl.us

# Prevalence of Major Behavioral Risk Factors in Brevard County

## A Report from the 2002 County Behavior Risk Factor Surveillance System (BRFSS) Survey

### Bureau of Epidemiology Florida Department of Health

The 2002 County BRFSS survey was conducted in September 2002 through January 2003. In Brevard County, 511 adults were randomly selected and interviewed for the survey. The purpose of this survey was to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, life style, chronic illnesses, and disease prevention practice in the Brevard County. These data can be used to: (1) determine priority health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease. The data listed in this report include the prevalence for all adults and for subpopulations as well.

Because the BRFSS is a random survey and all estimates of prevalence are subject to random sample errors, we include 95% confidence intervals (CI) with each prevalence (%) in the tables. Prevalence is excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

Population Size and Health Status								
	Population Size*		Health Status is Fair or Poor			Mostly sitting/standing at job		
	County	State	%	CI		%	CI	
				Lower	Upper		Lower	Upper
<b>All</b>	476,230	15,982,378	15.7	12.1	19.3	61.5	52.1	70.9
<b>Sex</b>								
Men	49.0%	48.8%	13.6	8.5	18.7	56.0	45.0	67.0
Women	51.0%	51.2%	17.7	12.4	22.9	67.2	53.4	81.1
<b>Race/ethnicity</b>								
NH White	83.7%	65.4%	15.5	11.6	19.3	62.7	52.3	73.2
NH Black	8.2%	14.2%	.	.	.	.	.	.
Hispanic	4.6%	16.8%	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>								
NH White men	41.1%	31.9%	13.2	8.0	18.4	56.1	44.3	67.9
NH White women	42.6%	33.6%	17.6	11.7	23.5	70.3	55.3	85.3
NH Black men	3.9%	6.8%	.	.	.	.	.	.
NH Black women	4.3%	7.4%	.	.	.	.	.	.
Hispanic men	2.3%	8.4%	.	.	.	.	.	.
Hispanic women	2.3%	8.4%	.	.	.	.	.	.
<b>Age</b>								
18-44	33.9%	36.9%	7.0	3.0	10.9	61.3	47.3	75.3
45-64	24.3%	22.7%	19.0	12.1	25.9	59.0	47.5	70.4
65 and older	19.9%	17.6%	26.1	18.7	33.5	.	.	.
<b>Marital Status</b>								
Never married	19.2%	22.5%	7.5	0.0	15.2	51.5	31.6	71.4
Married/ living together as a couple	57.1%	53.7%	13.3	8.6	17.9	65.8	53.3	78.3
Divorced/ widowed/separated	23.7%	23.8%	25.4	18.5	32.2	55.0	40.7	69.3
<b>Education</b>								
0-11 years	13.7%	20.1%	29.3	12.0	46.7	.	.	.
HS Grad/GED	28.9%	28.7%	21.5	14.2	28.9	33.0	19.3	46.8
1 or more years of college	57.5%	51.1%	11.1	7.3	14.9	76.3	67.0	85.5
<b>Employment</b>								
Employed for wages	54.0%	54.9%	5.1	2.2	8.0	61.5	52.1	70.9
<b>Household Income</b>								
\$24,999 or less	28.9%	30.8%	24.7	13.2	36.1	60.1	27.9	92.3
\$25,000 – 49,999	32.4%	31.6%	12.2	6.7	17.7	57.8	45.1	70.5
\$50,000 or more	38.7%	37.6%	6.7	2.3	11.1	62.4	50.2	74.7

\*Per Census Bureau calculations, the following demographic categories are limited to specific age groups: Marital Status, >=15 years old; Education, >=25 years old; Employment, >=16 years old.



Risk Factors: Physical Activity										
Related Healthy People 2010 Objective(s) 22-1, 22-2, 22-3		No leisure time physical activity			No regular moderate physical activity <sup>(1)</sup>			No regular vigorous physical activity <sup>(2)</sup>		
		%	CI		%	CI		%	CI	
<b>All</b>		20.5	16.1	24.8	53.4	47.0	59.7	75.4	70.6	80.3
<b>Sex</b>	Men	18.3	11.9	24.8	44.6	36.9	52.3	65.4	57.8	72.9
	Women	22.4	16.2	28.6	61.4	52.7	70.1	84.6	79.7	89.5
<b>Race/ethnicity</b>	NH White	20.2	15.5	25.0	53.7	46.7	60.6	74.7	69.4	80.1
	NH Black	.	.	.	.	.	.	.	.	.
	Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>	NH White men	17.4	10.5	24.2	45.8	37.5	54.0	64.4	56.2	72.5
	NH White women	22.9	15.9	29.8	60.9	51.1	70.8	84.4	79.0	89.8
	NH Black men	.	.	.	.	.	.	.	.	.
	NH Black women	.	.	.	.	.	.	.	.	.
	Hispanic men	.	.	.	.	.	.	.	.	.
	Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>	18-44	15.4	8.3	22.5	51.2	38.3	64.2	65.6	54.9	76.2
	45-64	19.7	12.9	26.5	56.0	47.5	64.6	81.5	74.9	88.1
	65 and older	27.9	20.1	35.8	51.8	43.2	60.3	83.1	76.7	89.6
<b>Marital Status</b>	Never married	13.6	3.8	23.4	46.7	30.1	63.3	62.7	47.0	78.4
	Married/ living together as a couple	19.7	13.7	25.7	54.3	45.4	63.1	75.9	69.4	82.4
	Divorced/ widowed/separated	25.2	18.3	32.1	53.8	45.2	62.3	79.3	71.9	86.8
<b>Education</b>	0-11 years	39.9	19.2	60.6	61.9	41.0	82.7	87.1	72.5	100.0
	HS Grad/GED	24.6	16.3	32.9	55.5	46.2	64.9	79.9	71.7	88.0
	1 or more years of college	16.1	11.2	20.9	50.9	41.8	60.0	71.8	65.0	78.6
<b>Employment</b>	Employed for wages	11.7	6.6	16.8	52.3	42.0	62.6	69.2	61.0	77.4
<b>Household Income</b>	\$24,999 or less	23.3	12.3	34.3	64.3	48.7	79.9	85.4	76.9	93.9
	\$25,000 – 49,999	20.3	13.2	27.3	49.2	40.5	57.9	69.8	61.5	78.0
	\$50,000 or more	8.8	1.9	15.8	44.7	34.7	54.8	67.9	58.3	77.5

Risk Factors: Overweight and Nutrition										
Related Healthy People 2010 Objective(s) 19-1, 19-2, 19-5, 19-6		Overweight <sup>(3)</sup>			Obese <sup>(4)</sup>			Less than 5-A-Day <sup>(5)</sup>		
		%	CI		%	CI		%	CI	
<b>All</b>		36.4	30.8	42.1	19.0	14.7	23.4	75.8	71.3	80.3
<b>Sex</b>	Men	49.7	42.0	57.5	21.0	14.2	27.7	78.3	72.3	84.4
	Women	24.3	17.8	30.8	17.3	11.9	22.7	73.6	66.7	80.4
<b>Race/ethnicity</b>	NH White	35.8	29.7	41.9	18.9	14.3	23.5	77.1	72.4	81.9
	NH Black	.	.	.	.	.	.	.	.	.
	Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>	NH White men	47.5	39.2	55.7	21.0	13.8	28.2	78.6	72.2	85.0
	NH White women	25.0	17.7	32.4	17.0	11.2	22.7	75.8	68.7	82.9
	NH Black men	.	.	.	.	.	.	.	.	.
	NH Black women	.	.	.	.	.	.	.	.	.
	Hispanic men	.	.	.	.	.	.	.	.	.
	Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>	18-44	28.5	19.0	38.1	18.1	10.5	25.7	85.6	79.7	91.6
	45-64	42.1	33.6	50.6	26.1	18.2	34.0	73.1	65.4	80.9
	65 and older	43.6	35.0	52.1	12.7	7.2	18.2	64.9	56.8	73.0
<b>Marital Status</b>	Never married	13.9	3.8	24.1	24.8	10.5	39.0	87.8	79.1	96.6
	Married/ living together as a couple	39.5	31.3	47.7	18.8	13.0	24.7	75.5	69.3	81.7
	Divorced/ widowed/separated	37.5	29.2	45.8	17.4	10.8	24.1	72.4	65.0	79.9
<b>Education</b>	0-11 years	35.3	14.1	56.5	16.0	1.8	30.3	77.7	61.8	93.6
	HS Grad/GED	35.6	26.8	44.4	21.2	13.0	29.3	79.7	72.8	86.6
	1 or more years of college	37.3	29.5	45.1	18.5	13.0	24.0	74.0	67.7	80.3
<b>Employment</b>	Employed for wages	35.9	27.2	44.6	19.4	12.9	26.0	80.4	74.4	86.4
<b>Household Income</b>	\$24,999 or less	30.2	16.4	44.0	13.7	5.5	21.9	75.3	63.7	86.8
	\$25,000 – 49,999	38.5	29.9	47.0	14.4	8.6	20.2	77.5	70.5	84.5
	\$50,000 or more	41.2	31.5	50.9	24.4	15.0	33.8	81.8	74.9	88.7

Risk Factors: Tobacco and Alcohol Use									
Related Healthy People 2010 Objective(s) 27-1a, 27-5, 26-11c	Current smoker <sup>(6)</sup>			Ever quit smoking in the past 12 months			Engage in heavy or binge drinking <sup>(7)</sup>		
	%	CI		%	CI		%	CI	
<b>All</b>	26.7	19.0	34.4	42.9	25.6	60.3	17.0	8.8	25.2
<b>Sex</b>									
Men	24.4	17.5	31.3	54.4	37.8	70.9	19.5	13.3	25.7
Women	28.8	15.7	41.8	34.0	10.7	57.3	14.6	0.0	29.6
<b>Race/ethnicity</b>									
NH White	27.8	19.1	36.6	40.7	22.4	59.0	18.7	9.4	28.1
NH Black	.	.	.	.	.	.	.	.	.
Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>									
NH White men	26.1	18.4	33.7	54.0	36.5	71.6	21.8	14.8	28.8
NH White women	29.4	14.4	44.5	29.8	6.9	52.7	15.9	0.0	33.3
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	.	.	.	.	.	.	.	.	.
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>									
18-44	37.2	22.1	52.3	45.3	15.8	74.8	26.9	10.2	43.7
45-64	21.2	14.3	28.2	38.2	19.1	57.3	16.0	9.7	22.3
65 and older	15.1	9.2	21.1	.	.	.	1.5	0.0	3.2
<b>Marital Status</b>									
Never married	38.2	22.0	54.4	.	.	.	22.2	7.1	37.3
Married/ living together as a couple	23.6	11.9	35.4	28.4	6.5	50.4	18.5	6.3	30.8
Divorced/ widowed/separated	29.9	21.9	37.9	57.0	40.8	73.2	11.1	5.8	16.5
<b>Education</b>									
0-11 years	32.9	12.6	53.1	.	.	.	9.4	0.0	22.5
HS Grad/GED	24.5	16.1	32.9	51.9	30.7	73.2	12.1	6.0	18.1
1 or more years of college	27.1	15.6	38.6	37.4	14.6	60.1	20.4	8.0	32.7
<b>Employment</b>									
Employed for wages	31.8	19.2	44.4	40.2	15.6	64.7	26.1	12.8	39.3
<b>Household Income</b>									
\$24,999 or less	43.0	21.0	64.9	36.0	2.3	69.8	25.3	0.0	53.1
\$25,000 – 49,999	26.8	19.0	34.7	45.6	27.3	63.9	17.0	10.5	23.5
\$50,000 or more	18.0	9.6	26.3	.	.	.	17.1	9.1	25.0
Health Care Coverage and Access									
Related Healthy People 2010 Objective(s) 1-1, 1-5	No health care coverage			No personal health care provider(s)			Unable to get medical care in past 12 mos.		
	%	CI		%	CI		%	CI	
<b>All</b>	17.2	12.9	21.4	18.1	13.6	22.6	12.0	3.7	20.2
<b>Sex</b>									
Men	21.1	14.3	28.0	27.5	19.9	35.0	7.3	3.0	11.6
Women	13.5	8.8	18.3	9.6	5.7	13.4	16.3	1.7	30.8
<b>Race/ethnicity</b>									
NH White	16.0	11.5	20.4	17.0	12.3	21.8	11.8	2.2	21.4
NH Black	.	.	.	.	.	.	.	.	.
Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>									
NH White men	19.4	12.2	26.5	25.9	17.8	33.9	6.2	1.9	10.5
NH White women	12.9	7.8	17.9	9.0	5.0	12.9	17.0	0.0	34.0
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	.	.	.	.	.	.	.	.	.
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>									
18-44	24.7	15.6	33.8	24.4	15.1	33.7	17.9	0.2	35.7
45-64	18.9	12.2	25.6	17.6	11.1	24.1	9.3	3.9	14.7
65 and older	2.8	0.0	5.8	8.4	2.7	14.2	6.0	1.1	11.0
<b>Marital Status</b>									
Never married	29.8	15.1	44.5	40.7	24.2	57.3	8.8	0.1	17.4
Married/ living together as a couple	15.4	9.8	20.9	14.9	9.3	20.5	14.0	1.6	26.4
Divorced/ widowed/separated	16.4	9.8	22.9	17.2	10.1	24.3	8.1	3.7	12.5
<b>Education</b>									
0-11 years	38.0	16.9	59.2	33.0	12.0	53.9	9.7	0.0	23.1
HS Grad/GED	23.8	15.1	32.6	22.7	13.5	31.8	10.2	4.2	16.3
1 or more years of college	11.4	7.2	15.6	14.0	9.2	18.8	13.2	0.5	25.9
<b>Employment</b>									
Employed for wages	22.4	15.3	29.5	22.4	15.1	29.8	14.3	0.1	28.5
<b>Household Income</b>									
\$24,999 or less	23.8	12.1	35.5	23.7	11.8	35.7	29.0	2.7	55.3
\$25,000 – 49,999	21.0	13.4	28.7	20.0	12.5	27.5	7.0	2.5	11.5
\$50,000 or more	6.2	0.0	12.8	14.2	5.6	22.7	2.8	0.3	5.4

Oral Health									
Related Healthy People 2010 Objective(s) 21-10, 21-3	Visited a dentist within past year			No teeth removed			Had teeth cleaned within past year		
	%	CI		%	CI		%	CI	
	<b>All</b>	66.7	59.3	74.1	49.1	42.4	55.8	68.2	60.2
<b>Sex</b>									
Men	64.7	57.2	72.3	49.0	41.0	56.9	65.0	57.1	72.9
Women	68.5	55.8	81.2	49.2	38.6	59.8	71.2	57.0	85.5
<b>Race/ethnicity</b>									
NH White	67.0	58.6	75.4	49.9	42.5	57.2	68.5	59.3	77.7
NH Black	.	.	.	.	.	.	.	.	.
Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>									
NH White men	68.0	60.2	75.8	49.4	40.9	57.9	67.3	59.1	75.5
NH White women	66.1	51.8	80.4	50.3	38.5	62.1	69.7	53.2	86.1
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	.	.	.	.	.	.	.	.	.
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>									
18-44	62.7	47.6	77.7	73.1	63.6	82.6	60.6	45.6	75.6
45-64	73.0	65.5	80.6	41.8	33.4	50.3	75.9	68.4	83.4
65 and older	66.2	57.7	74.8	16.6	10.3	22.9	73.7	64.4	82.9
<b>Marital Status</b>									
Never married	70.9	55.5	86.4	72.1	57.7	86.5	68.5	52.4	84.6
Married/ living together as a couple	67.8	56.9	78.8	49.4	39.9	58.9	68.0	56.4	79.7
Divorced/ widowed/separated	61.9	53.7	70.1	38.3	29.6	47.0	68.3	59.8	76.9
<b>Education</b>									
0-11 years	31.7	12.6	50.9	19.5	3.2	35.8	.	.	.
HS Grad/GED	67.7	58.8	76.5	37.9	28.7	47.2	68.8	59.3	78.3
1 or more years of college	70.3	59.0	81.5	57.7	49.2	66.2	71.5	59.6	83.5
<b>Employment</b>									
Employed for wages	66.0	53.7	78.2	65.1	56.2	73.9	66.3	53.6	79.0
<b>Household Income</b>									
\$24,999 or less	40.1	23.4	56.7	50.4	30.3	70.4	38.6	20.4	56.9
\$25,000 – 49,999	68.0	59.9	76.1	42.6	33.8	51.4	72.2	64.0	80.5
\$50,000 or more	83.9	76.2	91.6	59.8	49.6	70.0	85.3	77.8	92.8

Chronic Health Conditions: Hypertension and Weight Control									
Related Healthy People 2010 Objective(s) 12-9, 12-10	Had high blood pressure (HBP)			Now taking HBP medication, if had HBP			Received advice about weight in past year		
	%	CI		%	CI		%	CI	
	<b>All</b>	34.4	27.1	41.7	65.0	46.7	83.2	23.8	16.1
<b>Sex</b>									
Men	35.5	28.2	42.8	67.3	55.2	79.4	19.9	13.6	26.1
Women	33.4	21.0	45.8	62.7	29.6	95.8	27.4	14.2	40.6
<b>Race/ethnicity</b>									
NH White	36.2	28.1	44.4	62.6	43.0	82.2	23.4	14.5	32.3
NH Black	.	.	.	.	.	.	.	.	.
Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>									
NH White men	35.7	28.0	43.5	64.5	51.4	77.5	19.3	12.9	25.7
NH White women	36.7	22.9	50.5	60.9	26.3	95.5	27.2	11.9	42.5
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	.	.	.	.	.	.	.	.	.
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>									
18-44	22.0	4.6	39.5	.	.	.	23.1	6.0	40.2
45-64	33.0	24.9	41.1	78.9	66.4	91.5	28.7	20.7	36.6
65 and older	55.5	47.0	64.1	84.8	76.1	93.4	19.2	12.5	25.8
<b>Marital Status</b>									
Never married	20.6	6.4	34.8	.	.	.	12.5	1.6	23.4
Married/ living together as a couple	37.0	26.6	47.4	65.3	39.3	91.2	28.1	16.8	39.4
Divorced/ widowed/separated	33.3	25.7	41.0	74.4	60.7	88.1	17.5	11.7	23.2
<b>Education</b>									
0-11 years	53.7	32.1	75.3	.	.	.	11.2	0.0	22.9
HS Grad/GED	30.8	22.7	38.9	81.7	69.9	93.5	25.3	17.2	33.4
1 or more years of college	34.1	23.3	44.9	55.7	30.4	80.9	24.3	12.6	36.0
<b>Employment</b>									
Employed for wages	27.3	14.3	40.3	45.2	15.4	75.0	25.2	12.0	38.3
<b>Household Income</b>									
\$24,999 or less	49.5	29.5	69.5	46.9	10.6	83.1	35.7	11.4	60.0
\$25,000 – 49,999	30.4	22.6	38.2	71.9	57.1	86.7	14.9	9.3	20.5
\$50,000 or more	26.9	18.2	35.6	80.1	62.2	97.9	22.2	14.4	30.1

Chronic Health Conditions: High Cholesterol									
Related Healthy People 2010 Objective(s) 12-15	Ever had blood cholesterol checked			If yes, cholesterol checked in past 2 years			Blood cholesterol is high		
	%	CI		%	CI		%	CI	
<b>All</b>	84.9	80.8	89.0	93.2	90.4	96.0	38.0	31.7	44.4
<b>Sex</b>									
Men	81.5	74.8	88.2	93.6	89.4	97.8	39.6	31.5	47.8
Women	88.0	83.4	92.6	92.9	89.1	96.7	36.7	27.3	46.1
<b>Race/ethnicity</b>									
NH White	86.1	81.9	90.4	92.9	90.0	95.9	38.8	31.8	45.8
NH Black	.	.	.	.	.	.	.	.	.
Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>									
NH White men	82.3	75.2	89.3	92.6	87.8	97.4	39.7	31.0	48.4
NH White women	89.7	85.3	94.1	93.2	89.6	96.9	38.0	27.4	48.6
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	.	.	.	.	.	.	.	.	.
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>									
18-44	74.2	64.8	83.6	90.8	84.7	97.0	21.8	11.8	31.9
45-64	90.8	86.0	95.5	92.5	87.9	97.0	42.1	33.1	51.1
65 and older	96.2	92.9	99.5	97.5	94.4	100.0	51.7	42.9	60.5
<b>Marital Status</b>									
Never married	79.2	65.3	93.0	88.3	74.8	100.0	15.2	4.5	25.8
Married/ living together as a couple	84.5	78.9	90.1	93.6	90.0	97.1	41.2	31.8	50.5
Divorced/ widowed/separated	88.0	82.1	93.8	94.0	90.0	97.9	38.8	29.8	47.8
<b>Education</b>									
0-11 years	68.5	47.7	89.3	.	.	.	.	.	.
HS Grad/GED	82.4	74.1	90.7	94.4	89.7	99.2	43.9	34.2	53.6
1 or more years of college	88.1	83.8	92.5	92.1	88.3	95.9	34.8	26.5	43.0
<b>Employment</b>									
Employed for wages	81.1	74.4	87.9	90.3	85.5	95.1	30.4	21.3	39.5
<b>Household Income</b>									
\$24,999 or less	89.7	82.2	97.1	93.8	87.9	99.7	31.4	16.1	46.6
\$25,000 – 49,999	77.9	69.7	86.1	96.8	93.6	100.0	44.6	35.2	54.0
\$50,000 or more	86.4	78.8	94.0	89.5	83.2	95.9	36.0	25.8	46.1

Chronic Health Conditions: Asthma & Diabetes									
Related Healthy People 2010 Objective(s) 5-3	Ever had asthma			If yes, still have asthma			Have diabetes		
	%	CI		%	CI		%	CI	
<b>All</b>	12.3	8.8	15.8	63.1	49.1	77.1	7.2	4.7	9.6
<b>Sex</b>									
Men	10.8	5.9	15.7	.	.	.	9.6	5.4	13.8
Women	13.7	8.6	18.8	74.8	60.6	89.1	4.9	2.3	7.5
<b>Race/ethnicity</b>									
NH White	11.4	7.9	14.8	54.2	38.5	69.9	7.1	4.5	9.7
NH Black	.	.	.	.	.	.	.	.	.
Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>									
NH White men	10.7	5.4	16.0	.	.	.	9.1	4.8	13.4
NH White women	12.0	7.3	16.7	66.1	48.8	83.3	5.2	2.3	8.2
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	.	.	.	.	.	.	.	.	.
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>									
18-44	15.9	8.8	23.0	.	.	.	3.4	0.4	6.3
45-64	11.7	6.6	16.8	.	.	.	8.3	3.5	13.0
65 and older	6.7	2.5	11.0	.	.	.	12.0	6.7	17.3
<b>Marital Status</b>									
Never married	25.9	10.3	41.5	.	.	.	4.1	0.0	10.6
Married/ living together as a couple	8.9	5.0	12.9	.	.	.	6.5	3.3	9.6
Divorced/ widowed/separated	15.5	9.2	21.8	.	.	.	10.1	5.4	14.7
<b>Education</b>									
0-11 years	12.9	0.0	27.5	.	.	.	10.9	0.0	22.0
HS Grad/GED	15.1	8.0	22.1	.	.	.	9.3	4.3	14.3
1 or more years of college	11.0	6.9	15.1	58.1	39.7	76.5	5.8	3.0	8.6
<b>Employment</b>									
Employed for wages	13.2	7.8	18.6	65.8	45.9	85.6	5.6	2.5	8.7
<b>Household Income</b>									
\$24,999 or less	10.1	3.3	17.0	.	.	.	7.2	2.5	11.9
\$25,000 – 49,999	13.2	7.3	19.0	.	.	.	4.3	1.4	7.3
\$50,000 or more	13.2	5.8	20.6	.	.	.	7.7	2.7	12.6

Disease Prevention: Cardiovascular Disease Prevention									
	Being advised by a health professional to...								
	Eat fewer high fat or cholesterol foods			Eat more fruits and vegetables			Be more physically active		
	%	CI		%	CI		%	CI	
<b>All</b>	18.8	14.6	23.0	26.6	21.7	31.6	26.4	21.5	31.4
<b>Sex</b>									
Men	19.3	13.0	25.6	26.5	19.4	33.5	27.7	20.7	34.7
Women	18.4	12.8	24.0	26.8	19.7	33.8	25.2	18.4	32.1
<b>Race/ethnicity</b>									
NH White	18.4	13.9	22.8	24.5	19.4	29.6	24.0	18.9	29.0
NH Black	.	.	.	.	.	.	.	.	.
Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>									
NH White men	18.6	11.9	25.3	24.6	17.3	31.9	26.5	19.2	33.9
NH White women	18.2	12.2	24.2	24.3	17.1	31.5	21.7	15.0	28.4
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	.	.	.	.	.	.	.	.	.
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>									
18-44	12.7	6.5	18.8	20.8	12.8	28.8	21.3	13.3	29.3
45-64	27.8	19.9	35.6	32.2	24.1	40.3	34.8	26.3	43.3
65 and older	19.3	12.3	26.4	30.3	21.9	38.8	26.4	18.6	34.1
<b>Marital Status</b>									
Never married	11.9	1.2	22.6	23.7	9.4	37.9	18.7	6.3	31.1
Married/ living together as a couple	19.8	14.0	25.5	26.4	19.7	33.2	28.5	21.5	35.4
Divorced/ widowed/separated	19.5	12.3	26.6	28.5	20.5	36.4	24.6	16.7	32.4
<b>Education</b>									
0-11 years	9.7	0.2	19.3	42.1	20.7	63.4	29.6	10.1	49.2
HS Grad/GED	29.1	20.5	37.7	38.0	28.9	47.1	33.8	25.1	42.4
1 or more years of college	14.9	10.2	19.6	19.6	14.0	25.1	22.6	16.5	28.8
<b>Employment</b>									
Employed for wages	15.1	9.6	20.7	21.1	14.5	27.6	23.5	16.5	30.5
<b>Household Income</b>									
\$24,999 or less	19.1	9.1	29.1	27.9	14.8	41.0	26.1	13.6	38.6
\$25,000 – 49,999	19.0	12.2	25.7	25.4	18.0	32.9	23.9	16.8	31.1
\$50,000 or more	20.7	12.8	28.6	26.4	17.5	35.3	30.0	20.7	39.3

Preventive Health Behaviors: Annual Flu and One-Time Pneumonia Shots									
Related Healthy People 2010 Objective(s) 14-29	Received flu shot within past 12 months			Received flu shot at county health dept.			Ever had a pneumonia shot		
	%	CI		%	CI		%	CI	
<b>All</b>	27.9	23.0	32.7	2.1	0.8	3.4	26.9	21.8	32.0
<b>Sex</b>									
Men	27.2	20.6	33.8	1.6	0.0	3.5	26.1	18.6	33.6
Women	28.5	21.2	35.7	2.6	0.8	4.5	27.6	20.5	34.8
<b>Race/ethnicity</b>									
NH White	27.5	22.3	32.7	2.3	0.8	3.8	27.3	21.8	32.9
NH Black	.	.	.	.	.	.	.	.	.
Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>									
NH White men	26.6	19.7	33.5	1.9	0.0	4.1	25.2	17.4	32.9
NH White women	28.3	20.5	36.2	2.7	0.7	4.7	29.2	21.0	37.4
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	.	.	.	.	.	.	.	.	.
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>									
18-44	12.3	6.0	18.5	0.4	0.0	1.3	14.2	6.2	22.2
45-64	25.0	17.7	32.3	2.7	0.0	5.8	18.2	11.6	24.9
65 and older	57.3	48.7	65.9	4.4	1.2	7.5	55.7	47.1	64.3
<b>Marital Status</b>									
Never married	17.3	4.8	29.8	.	.	.	28.5	11.2	45.7
Married/ living together as a couple	26.7	20.1	33.2	.	.	.	23.8	17.3	30.4
Divorced/ widowed/separated	34.6	26.8	42.4	.	.	.	34.5	26.5	42.6
<b>Education</b>									
0-11 years	45.8	24.4	67.2	.	.	.	.	.	.
HS Grad/GED	29.4	21.2	37.5	.	.	.	35.0	25.8	44.3
1 or more years of college	25.6	19.4	31.8	.	.	.	22.2	16.2	28.2
<b>Employment</b>									
Employed for wages	18.5	12.3	24.7	1.4	0.0	3.1	14.1	7.8	20.5
<b>Household Income</b>									
\$24,999 or less	29.9	16.6	43.2	2.1	0.0	4.3	30.1	16.0	44.3
\$25,000 – 49,999	31.8	23.9	39.7	0.8	0.0	2.1	28.0	20.2	35.8
\$50,000 or more	18.0	10.3	25.6	0.7	0.0	2.0	17.0	8.6	25.4

Preventive Health Behaviors: Mammograms & Pap Smear Tests									
Related Healthy People 2010 Objective(s) 3-13, 3-11a, 3-11b	Women age 40+			All adult women					
	Had mammogram in past 2 years			Ever had Pap smear test			Had Pap smear test in past 2 years		
	%	CI		%	CI		%	CI	
<b>All</b>	85.9	81.3	90.4	95.5	91.9	99.1	73.8	55.6	91.9
<b>Sex</b>									
Men	.	.	.	.	.	.	.	.	.
Women	85.9	81.3	90.4	95.5	91.9	99.1	73.8	55.6	91.9
<b>Race/ethnicity</b>									
NH White	85.0	80.0	89.9	98.1	96.3	99.9	72.1	50.7	93.5
NH Black	.	.	.	.	.	.	.	.	.
Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>									
NH White men	.	.	.	.	.	.	.	.	.
NH White women	85.0	80.0	89.9	98.1	96.3	99.9	72.1	50.7	93.5
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	.	.	.	.	.	.	.	.	.
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>									
18-44	73.7	57.7	89.6	95.6	89.7	100.0	69.4	37.8	100.0
45-64	87.0	80.5	93.5	95.6	90.4	100.0	80.1	70.0	90.1
65 and older	90.1	83.8	96.4	97.0	92.9	100.0	77.9	65.8	90.0
<b>Marital Status</b>									
Never married	.	.	.	82.2	61.3	100.0	78.4	57.3	99.5
Married/ living together as a couple	87.6	81.7	93.5	99.3	97.9	100.0	72.3	44.0	100.0
Divorced/ widowed/separated	85.3	78.1	92.5	93.0	86.8	99.3	74.9	64.4	85.4
<b>Education</b>									
0-11 years	.	.	.	.	.	.	.	.	.
HS Grad/GED	84.4	75.0	93.7	90.4	80.8	99.9	75.9	63.9	87.9
1 or more years of college	86.9	81.7	92.1	97.9	95.1	100.0	72.9	46.0	99.8
<b>Employment</b>									
Employed for wages	87.4	80.8	94.0	95.1	89.3	100.0	68.5	38.9	98.1
<b>Household Income</b>									
\$24,999 or less	77.2	65.8	88.6	92.0	82.0	100.0	46.8	11.3	82.3
\$25,000 – 49,999	86.8	78.5	95.1	99.1	97.2	100.0	85.6	76.8	94.4
\$50,000 or more	87.5	77.7	97.2	96.7	90.0	100.0	89.6	80.4	98.8

Preventive Health Behaviors: Colorectal Cancer Screening									
Related Healthy People 2010 Objective(s) 3-12a, 3-12b	For respondents 50 years and older . . .								
	Ever had blood stool test			Had blood stool test in past 2 years			Ever had sigmoidoscopy		
	%	CI		%	CI		%	CI	
<b>All</b>	53.1	46.5	59.8	42.2	35.7	48.7	56.0	49.4	62.6
<b>Sex</b>									
Men	44.3	33.7	54.8	36.7	26.6	46.7	57.0	46.5	67.5
Women	61.1	53.0	69.2	47.2	38.9	55.6	55.1	46.8	63.4
<b>Race/ethnicity</b>									
NH White	55.0	48.2	61.8	43.3	36.6	50.0	57.3	50.6	64.0
NH Black	.	.	.	.	.	.	.	.	.
Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>									
NH White men	47.6	36.3	58.8	38.5	27.7	49.2	59.8	48.9	70.7
NH White women	60.9	52.6	69.2	47.1	38.6	55.6	55.4	46.9	63.8
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	.	.	.	.	.	.	.	.	.
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>									
18-44	.	.	.	.	.	.	.	.	.
45-64	44.4	34.1	54.7	34.8	24.8	44.7	44.8	34.3	55.3
65 and older	60.0	51.5	68.6	48.2	39.5	56.8	64.6	56.5	72.8
<b>Marital Status</b>									
Never married	.	.	.	.	.	.	.	.	.
Married/ living together as a couple	50.9	42.0	59.7	41.3	32.7	49.9	56.1	47.2	64.9
Divorced/ widowed/separated	57.5	47.7	67.4	44.0	34.1	53.9	57.7	48.0	67.4
<b>Education</b>									
0-11 years	.	.	.	.	.	.	.	.	.
HS Grad/GED	51.0	39.2	62.8	39.5	28.2	50.8	48.8	37.0	60.6
1 or more years of college	54.0	45.4	62.5	42.6	34.3	51.0	62.2	54.0	70.4
<b>Employment</b>									
Employed for wages	50.6	37.7	63.4	38.7	26.1	51.3	41.9	29.2	54.6
<b>Household Income</b>									
\$24,999 or less	50.6	37.6	63.5	39.1	26.4	51.7	44.8	32.0	57.6
\$25,000 – 49,999	46.7	35.0	58.3	40.4	29.1	51.8	58.8	47.4	70.2
\$50,000 or more	53.2	37.7	68.7	44.1	29.0	59.3	55.8	40.4	71.2




Preventive Health Behaviors: HIV/AIDS Tests										
For respondents 64 years and younger . . .										
		Ever been tested for HIV			If yes, the test was done in the past 2 years			In past 12 months, health professional talked to you about preventing sexually transmitted diseases through condom use.		
		%	CI		%	CI		%	CI	
<b>All</b>		52.1	43.8	60.3	88.1	83.9	92.4	15.4	4.6	26.2
<b>Sex</b>	Men	51.7	42.2	61.2	86.4	79.6	93.3	8.1	2.7	13.4
	Women	52.4	39.2	65.6	89.7	84.6	94.8	22.2	3.5	40.9
<b>Race/ethnicity</b>	NH White	50.8	41.3	60.3	87.8	83.1	92.5	14.3	1.4	27.1
	NH Black	.	.	.	.	.	.	.	.	.
	Hispanic	.	.	.	.	.	.	.	.	.
<b>Race/ethnicity-Sex</b>	NH White men	47.9	37.7	58.0	86.6	79.4	93.9	6.2	1.5	10.9
	NH White women	53.7	38.3	69.1	88.9	83.0	94.9	22.1	0.0	44.9
	NH Black men	.	.	.	.	.	.	.	.	.
	NH Black women	.	.	.	.	.	.	.	.	.
	Hispanic men	.	.	.	.	.	.	.	.	.
	Hispanic women	.	.	.	.	.	.	.	.	.
<b>Age</b>	18-44	64.0	52.9	75.2	85.9	79.2	92.5	22.4	5.1	39.7
	45-64	35.2	26.9	43.5	90.9	85.6	96.3	6.3	2.2	10.4
	65 and older	.	.	.	.	.	.	.	.	.
<b>Marital Status</b>	Never married	58.8	42.4	75.2	92.8	82.0	100.0	21.7	7.9	35.5
	Married/ living together as a couple	50.5	38.8	62.1	87.7	82.0	93.3	14.7	0.0	30.7
	Divorced/ widowed/A80separated	52.2	39.9	64.5	86.3	78.2	94.4	13.1	4.7	21.5
<b>Education</b>	0-11 years	.	.	.	.	.	.	.	.	.
	HS Grad/GED	44.0	32.3	55.7	89.7	82.9	96.4	12.4	4.0	20.8
	1 or more years of college	54.0	43.1	64.9	87.2	81.5	92.9	16.0	0.1	31.9
<b>Employment</b>	Employed for wages	51.9	41.0	62.7	89.3	84.1	94.4	19.3	4.8	33.9
<b>Household Income</b>	\$24,999 or less	68.4	48.0	88.9	91.7	82.6	100.0	41.5	8.6	74.4
	\$25,000 – 49,999	54.5	43.9	65.0	86.2	78.1	94.4	10.7	4.0	17.4
	\$50,000 or more	41.9	31.4	52.4	87.7	81.4	94.1	7.4	1.9	12.9

- (1) People who do not engage in regular moderate physical activity (at least 30 minutes a day and 5 five days a week) or regular vigorous physical activity (at least 20 minutes a day and 3 days a week).
- (2) People who do not engage in regular vigorous physical activity (at least 20 minutes a day and 3 days a week).
- (3) People with a Body Mass Index (BMI) between 25 and 30.
- (4) People with a Body Mass Index (BMI) equal to or greater than 30.
- (5) People who consume less than 5 servings of fruits and vegetables a day.
- (6) People who have smoked at least 100 cigarettes in their lifetimes and who also smoked some days or every day in the past month.
- (7) People who have consumed 5+ drinks at one occasion in the past month (binge drinker), or men who have 2+ drinks every day or women who have 1+ drink(s) every day (heavy drinker).

For more information about your County BRFSS data, please contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 Ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)








For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)










# Prevalence of "No Health Plan"

Data from the 2002 County BRFSS Survey


State Prevalence = 18.7%

County Prevalence	
	10.8 - 15.4
	15.5 - 17.6
	17.7 - 19.8
	19.9 - 23.6
	23.7 - 42.0

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)











# Prevalence of "No Personal Health Care Provider(s)"


Data from the 2002 County BRFSS Survey

State Prevalence = 23.9%

County Prevalence	
	13.7 - 19.5
	19.6 - 22.6
	22.7 - 25.0
	25.1 - 28.9
	29.0 - 44.9

For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)










# Prevalence of "No Access to Needed Medical Care in Past 12 Months"

Data from the 2002 County BRFSS Survey


State Prevalence = 8.7%

County Prevalence	
	3.6 - 6.6
	6.7 - 7.6
	7.7 - 9.6
	9.7 - 10.8
	10.9 - 22.4

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us










# Prevalence of "No Leisure Time Physical Activity in Past Month"


Data from the 2002 County BRFSS Survey

State Prevalence = 26.4%

County Prevalence	
	16.9 - 22.8
	22.9 - 25.1
	25.2 - 27.6
	27.7 - 33.3
	33.4 - 45.9

For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
 marie\_bailey@doh.state.fl.us





# Prevalence of "Consumed Less Than 5 Servings of Fruits and Vegetables a Day"


Data from the 2002 County BRFSS Survey

State Prevalence = 74.3%


For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us






For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
 marie\_bailey@doh.state.fl.us







# Prevalence of "Presently Taking Medicine for Hypertension"


Data from the 2002 County BRFSS Survey

State Prevalence = 76.0%

	51.0 - 70.0
	70.1 - 73.9
	74.0 - 78.0
	78.1 - 81.4
	81.5 - 88.1

For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
 marie\_bailey@doh.state.fl.us











# Prevalence of "Ever Had Blood Cholesterol Checked"


Data from the 2002 County BRFSS Survey

State Prevalence = 83.1%

County Prevalence	
	59.6 - 79.2
	79.3 - 81.9
	82.0 - 84.1
	84.2 - 86.0
	86.1 - 90.1

For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)










## Prevalence of "Had Blood Cholesterol Checked Within Past 2 Years"


Data from the 2002 County BRFSS Survey


State Prevalence = 91.8%

County Prevalence	
	83.6 - 89.5
	89.6 - 91.0
	91.1 - 92.4
	92.5 - 93.6
	93.7 - 96.1






For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us







**Prevalence of "High Blood Cholesterol"**  
 Data from the 2002 County BRFSS Survey  
 State Prevalence = 35.2%

County Prevalence	
	26.7 - 30.0
	30.1 - 33.8
	33.9 - 36.6
	36.7 - 39.6
	39.7 - 47.9

For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
 marie\_bailey@doh.state.fl.us





## Prevalence of "Ever Had Asthma"

Data from the 2002 County BRFSS Survey

State Prevalence = 10.7%

County Prevalence	
	6.8 - 9.0
	9.1 - 9.8
	9.9 - 11.4
	11.5 - 13.2
	13.3 - 22.0


For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
 marie\_bailey@doh.state.fl.us
















## Prevalence of "Dental Visit Within Past Year"

Data from the 2002 County BRFSS Survey


State Prevalence = 70.2%

County Prevalence	
	50.1 - 62.6
	62.7 - 68.7
	68.8 - 71.5
	71.6 - 74.1
	74.2 - 80.3

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us





## Prevalence of "No Teeth Removed Due to Tooth Decay or Gum Disease"

Data from the 2002 County BRFSS Survey

State Prevalence = 46.7%


### County Prevalence

	29.3 - 36.2
	36.3 - 45.3
	45.4 - 48.0
	48.1 - 52.0
	52.1 - 64.2

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us










## Prevalence of "Had Teeth Cleaned Within the Past Year"

Data from the 2002 County BRFSS Survey

State Prevalence = 70.5%


County Prevalence	
	49.5 - 61.0
	61.1 - 69.1
	69.2 - 71.8
	71.9 - 73.7
	73.8 - 79.4

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us












# Prevalence of "Had Flu Shot at County Health Dept. in Past 12 Months"


Data from the 2002 County BRFSS Survey

State Prevalence = 1.2%

County Prevalence	
	0.0 - 0.6
	0.7 - 0.9
	1.0 - 1.3
	1.4 - 2.7
	2.8 - 8.1

For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
 marie\_bailey@doh.state.fl.us





## Prevalence of "Ever Had Pneumonia Shot"


Data from the 2002 County BRFSS Survey

State Prevalence = 22.7%

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us










## Prevalence of "Current Cigarette Smoking"

Data from the 2002 County BRFSS Survey

State Prevalence = 22.2%


County Prevalence	
	16.4 - 18.9
	19.0 - 21.0
	21.1 - 23.2
	23.3 - 27.5
	27.6 - 35.5

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)












## Prevalence of "Having Stopped Smoking for at Least One Day in Past 12 Months"

Data from the 2002 County BRFSS Survey


State Prevalence = 55.3%

County Prevalence	
	40.7 - 49.1
	49.2 - 52.6
	52.7 - 58.0
	58.1 - 63.3
	63.4 - 78.5

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us











## Prevalence of "Heavy or Binge Drinking"


Data from the 2002 County BRFSS Survey

State Prevalence = 14.1%

County Prevalence	
	6.5 - 10.5
	10.6 - 13.0
	13.1 - 15.0
	15.1 - 16.7
	16.8 - 25.7






For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)






## Prevalence of "Overweight"

Data from the 2002 County BRFSS Survey  
State Prevalence = 35.1%

County Prevalence	
	21.3 - 31.6
	31.7 - 33.8
	33.9 - 36.3
	36.4 - 37.6
	37.7 - 43.8


For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)






# Prevalence of "Obesity"

Data from the 2002 County BRFSS Survey  
 State Prevalence = 22.3%



For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)






## Prevalence of "Had a Mammogram Within the Past 2 Years" Among Women 40 and Older

Data from the 2002 County BRFSS Survey


State Prevalence = 79.0%



For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us





## Prevalence of "Ever Had Pap Smear" Among Adult Women


Data from the 2002 County BRFSS Survey

State Prevalence = 93.5%

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us










## Prevalence of "Had Last Pap Smear Within Past 2 Years" Among Adult Women

Data from the 2002 County BRFSS Survey


State Prevalence = 82.2%

County Prevalence	
	51.7 - 76.9
	77.0 - 80.6
	80.7 - 83.7
	83.8 - 85.9
	86.0 - 89.9

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us










## Prevalence of "No Regular Moderate Physical Activity"

Data from the 2002 County BRFSS Survey

State Prevalence = 55.1%


County Prevalence	
	39.3 - 51.4
	51.5 - 53.7
	53.8 - 56.4
	56.5 - 58.6
	58.7 - 65.4

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us








For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)






## Prevalence of "Received Advice About Weight from Health Care Professional in Past Year"

Data from the 2002 County BRFSS Survey  
State Prevalence = 21.1%

County Prevalence	
	15.2 - 17.2
	17.3 - 19.9
	20.0 - 22.3
	22.4 - 24.3
	24.4 - 31.0

For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
 marie\_bailey@doh.state.fl.us










## Prevalence of "Advised in Past Year by Health Care Professional to Eat Fewer High Fat/Cholesterol Foods"

Data from the 2002 County BRFSS Survey


State Prevalence = 21.0%

County Prevalence	
	13.4 - 17.3
	17.4 - 19.8
	19.9 - 22.1
	22.2 - 24.2
	24.3 - 32.6

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us










## Prevalence of "Advised in Past Year by Health Care Professional to Eat More Fruits and Vegetables"

Data from the 2002 County BRFSS Survey


State Prevalence = 27.9%

County Prevalence	
	17.6 - 24.0
	24.1 - 26.6
	26.7 - 29.1
	29.2 - 33.0
	33.1 - 43.3

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us










# Prevalence of "Advised in Past Year by Health Care Professional to Be More Physically Active"

Data from the 2002 County BRFSS Survey


State Prevalence = 28.0%

County Prevalence	
	18.2 - 24.3
	24.4 - 26.6
	26.7 - 29.2
	29.3 - 33.0
	33.1 - 40.1

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us











## Prevalence of "Ever Had Blood Stool Test" Among Adults 50 and Older


Data from the 2002 County BRFSS Survey

State Prevalence = 44.4%

County Prevalence	
	25.7 - 37.0
	37.1 - 42.6
	42.7 - 46.2
	46.3 - 51.0
	51.1 - 60.8

For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)






## Prevalence of "Had Blood Stool Test Within Past 2 Years" Among Adults 50 and Older

Data from the 2002 County BRFSS Survey

State Prevalence = 33.5%


### County Prevalence



For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us










## Prevalence of "Ever Had Sigmoidoscopy" Among Adults 50 and Older

Data from the 2002 County BRFSS Survey

State Prevalence = 52.6%


County Prevalence	
	38.9 - 47.9
	48.0 - 50.7
	50.8 - 54.4
	54.5 - 58.0
	58.1 - 67.1

For more information about your County BRFSS data contact:

Marie A. Bailey, MA, MSW  
Bureau of Epidemiology  
Department of Health  
4052 Bald Cypress Way, Bin #A-12  
Tallahassee, FL 32399-1720  
850-245-4444 ext. 2434  
marie\_bailey@doh.state.fl.us












## Prevalence of "Ever Had HIV Test" Among Adults Under 65


Data from the 2002 County BRFSS Survey

State Prevalence = 47.7%

County Prevalence	
	37.2 - 42.9
	43.0 - 46.0
	46.1 - 49.3
	49.4 - 52.1
	52.2 - 59.7


For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)





For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)






## Prevalence of "Discussed with Health Care Professional STD Prevention Through Condom Use" Among Adults Under 65

Data from the 2002 County BRFSS Survey

State Prevalence = 16.3%



For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)










## Prevalence of "Sedentary Employment"

Data from the 2002 County BRFSS Survey

State Prevalence = 62.8%

County Prevalence	
	32.9 - 56.1
	56.2 - 61.0
	61.1 - 64.6
	64.7 - 66.5
	66.6 - 70.9

For more information about your County BRFSS data contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)



# Prevalence of Major Behavioral Risk Factors in Florida

## A Report from the 2002 County Behavior Risk Factor Surveillance System (BRFSS) Survey

### Bureau of Epidemiology Florida Department of Health

The 2002 County BRFSS survey was conducted among adults in Florida from September 2002 through January 2003. Overall, 34551 adults were randomly selected and interviewed for the survey; about 500 adults were surveyed in each county. The purpose of this survey was to obtain county-level estimates of the prevalence of personal health behaviors that contribute to morbidity and mortality. These estimates might differ slightly from estimates obtained through the 2002 Florida State BRFSS because sampling methods of the two surveys were different. Data in this report can be used to make comparisons between counties and the state overall on a variety of health-related issues. These data can also be used to: (1) prioritize health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

Because the BRFSS is a random survey and all estimates of prevalence are subject to random sample errors, we include 95% confidence intervals (CI) with each prevalence (%) in the tables. Prevalence is excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

Population Size and Health Status									
		Population Size*		Health Status is Fair or Poor			Mostly sitting/standing at job		
				%	CI		%	CI	
		<b>All</b>		100.0%	15,982,378	16.7	15.7	17.8	62.8
<b>Sex</b>	Men	48.8%	7,797,715	16.1	14.4	17.9	55.8	53.3	58.3
	Women	51.2%	8,184,663	17.2	16.0	18.5	70.2	67.9	72.5
<b>Race/ethnicity</b>	NH White	65.4%	10,458,509	15.1	14.3	16.0	64.1	62.4	65.9
	NH Black	14.2%	2,264,268	18.3	15.1	21.5	61.8	55.0	68.6
	Hispanic	16.8%	2,682,715	25.4	20.0	30.8	54.3	46.7	61.9
<b>Race/ethnicity-Sex</b>	NH White men	31.9%	5,092,899	14.5	13.3	15.7	58.6	56.2	61.0
	NH White women	33.6%	5,365,610	15.7	14.5	16.9	70.5	68.0	73.0
	NH Black men	6.8%	1,084,497	13.5	9.6	17.3	49.1	39.9	58.3
	NH Black women	7.4%	1,179,771	21.2	16.6	25.8	69.4	61.5	77.2
	Hispanic men	8.4%	1,340,109	30.1	21.0	39.2	42.1	31.2	52.9
	Hispanic women	8.4%	1,342,606	20.7	15.2	26.3	71.7	63.6	79.9
<b>Age</b>	18-44	36.9%	5,899,949	9.7	8.5	10.9	60.2	57.8	62.5
	45-64	22.7%	3,628,492	19.8	17.4	22.1	66.5	63.8	69.1
	65 and older	17.6%	2,807,597	27.6	25.6	29.7	71.5	64.3	78.6
<b>Marital Status</b>	Never married	22.5%	3,076,457	13.1	9.0	17.3	60.5	55.9	65.2
	Married/ living together as a couple	53.7%	7,341,958	14.7	13.6	15.8	64.6	62.4	66.8
	Divorced/ widowed/separated	23.8%	3,252,217	24.3	22.6	26.1	59.8	56.2	63.4
<b>Education</b>	0-11 years	20.1%	2,219,948	42.9	37.5	48.2	43.8	37.0	50.6
	HS Grad/GED	28.7%	3,165,748	17.9	16.4	19.5	51.3	47.9	54.7
	1 or more years of college	51.1%	5,638,949	11.4	10.4	12.4	70.1	68.1	72.0
<b>Employment</b>	Employed for wages	54.9%	6,995,047	9.0	8.0	10.1	62.8	61.1	64.6
<b>Household Income</b>	\$24,999 or less	30.8%	1,952,500	29.9	27.0	32.9	55.1	49.9	60.3
	\$25,000 – 49,999	31.6%	2,005,008	12.9	11.5	14.2	59.1	56.0	62.2
	\$50,000 or more	37.6%	2,383,613	6.4	5.4	7.3	70.6	68.2	72.9

\*Per Census Bureau calculations, the following demographic categories are limited to specific age groups: Marital Status, >=15 years old; Education, >=25 years old; Employment, >=16 years old.

Risk Factors: Physical Activity									
Related Healthy People 2010 Objective(s) 22-1, 22-2, 22-3	No leisure time physical activity			No regular moderate physical activity <sup>(1)</sup>			No regular vigorous physical activity <sup>(2)</sup>		
	%	CI		%	CI		%	CI	
<b>All</b>	26.4	25.2	27.6	55.1	53.8	56.4	75.6	74.4	76.8
<b>Sex</b>									
Men	22.8	21.0	24.7	52.6	50.7	54.6	71.1	69.3	72.8
Women	29.5	27.9	31.1	57.3	55.5	59.0	79.6	77.9	81.3
<b>Race/ethnicity</b>									
NH White	22.5	21.4	23.6	53.4	52.1	54.7	75.7	74.6	76.8
NH Black	31.9	27.6	36.1	55.2	49.6	60.7	72.6	66.4	78.8
Hispanic	39.2	33.4	45.1	58.7	52.9	64.4	75.1	70.1	80.1
<b>Race/ethnicity-Sex</b>									
NH White men	19.7	18.3	21.0	51.0	49.1	52.8	71.5	69.8	73.2
NH White women	25.1	23.4	26.7	55.7	53.9	57.4	79.6	78.2	81.0
NH Black men	22.0	16.8	27.1	44.7	37.6	51.8	63.7	56.1	71.4
NH Black women	37.7	31.6	43.9	61.4	53.4	69.3	77.9	68.8	87.0
Hispanic men	40.9	31.3	50.4	60.9	51.9	70.0	69.4	61.1	77.7
Hispanic women	37.6	30.7	44.5	56.4	49.1	63.6	80.8	75.1	86.6
<b>Age</b>									
18-44	23.6	21.8	25.4	49.2	47.1	51.3	66.5	64.4	68.6
45-64	27.4	24.9	29.9	59.1	57.0	61.3	80.8	79.2	82.4
65 and older	30.8	28.7	32.8	62.0	59.8	64.1	87.4	85.8	89.0
<b>Marital Status</b>									
Never married	27.1	22.5	31.7	46.0	41.4	50.5	61.1	56.6	65.6
Married/ living together as a couple	23.7	22.3	25.0	55.2	53.7	56.8	76.7	75.4	78.0
Divorced/ widowed/separated	32.8	30.8	34.8	61.5	59.4	63.7	83.6	82.0	85.1
<b>Education</b>									
0-11 years	48.9	43.8	54.0	69.4	65.6	73.3	86.4	83.8	88.9
HS Grad/GED	32.4	30.4	34.5	57.2	55.0	59.4	79.5	77.7	81.4
1 or more years of college	19.1	17.8	20.5	51.4	49.7	53.1	71.5	69.9	73.2
<b>Employment</b>									
Employed for wages	21.7	20.3	23.1	52.6	50.8	54.4	70.7	68.9	72.5
<b>Household Income</b>									
\$24,999 or less	37.8	34.8	40.8	60.0	56.9	63.1	80.3	77.2	83.3
\$25,000 – 49,999	25.6	23.4	27.8	54.4	52.0	56.7	75.3	73.3	77.3
\$50,000 or more	13.0	11.5	14.5	47.9	45.8	50.1	68.2	66.2	70.2

Risk Factors: Overweight and Nutrition									
Related Healthy People 2010 Objective(s) 19-1, 19-2, 19-5, 19-6	Overweight <sup>(3)</sup>			Obese <sup>(4)</sup>			Less than 5-A-Day <sup>(5)</sup>		
	%	CI		%	CI		%	CI	
<b>All</b>	35.1	33.9	36.3	22.3	21.3	23.3	74.3	73.1	75.4
<b>Sex</b>									
Men	43.9	42.0	45.9	21.9	20.4	23.4	78.2	76.4	80.1
Women	27.4	25.9	28.9	22.6	21.3	23.9	70.9	69.4	72.3
<b>Race/ethnicity</b>									
NH White	35.0	33.8	36.2	21.4	20.4	22.3	73.3	72.2	74.4
NH Black	31.9	27.7	36.2	34.8	30.3	39.3	75.8	71.6	79.9
Hispanic	39.4	33.7	45.0	20.8	16.3	25.2	81.5	77.2	85.7
<b>Race/ethnicity-Sex</b>									
NH White men	45.0	43.2	46.8	21.7	20.3	23.2	78.5	77.1	79.9
NH White women	25.7	24.3	27.2	21.0	19.7	22.3	68.6	67.0	70.1
NH Black men	38.4	31.5	45.4	27.2	20.4	34.0	78.1	70.6	85.5
NH Black women	28.1	22.9	33.2	39.3	33.1	45.6	74.4	69.4	79.5
Hispanic men	45.7	36.5	54.8	23.3	16.0	30.5	86.2	80.2	92.3
Hispanic women	33.3	26.4	40.1	18.3	13.0	23.7	76.8	71.0	82.6
<b>Age</b>									
18-44	31.2	29.3	33.0	21.0	19.4	22.5	78.7	77.2	80.3
45-64	38.6	36.4	40.8	27.2	25.4	29.1	73.0	70.5	75.4
65 and older	40.0	37.8	42.2	18.5	16.8	20.2	67.4	65.3	69.4
<b>Marital Status</b>									
Never married	29.1	25.7	32.6	19.4	16.8	22.1	77.5	73.3	81.7
Married/ living together as a couple	37.5	36.0	39.0	23.2	21.9	24.5	73.7	72.4	75.0
Divorced/ widowed/separated	33.7	31.6	35.7	22.3	20.6	24.0	73.7	71.8	75.5
<b>Education</b>									
0-11 years	30.6	26.4	34.7	29.2	25.2	33.1	80.6	74.8	86.3
HS Grad/GED	34.5	32.4	36.6	24.0	22.2	25.8	77.5	75.7	79.3
1 or more years of college	36.4	34.8	38.0	20.2	19.0	21.4	71.5	70.1	72.9
<b>Employment</b>									
Employed for wages	36.4	34.7	38.1	22.7	21.4	24.1	76.6	75.2	78.0
<b>Household Income</b>									
\$24,999 or less	32.4	29.7	35.0	24.5	22.4	26.6	77.3	74.4	80.1
\$25,000 – 49,999	35.3	33.1	37.6	22.5	20.7	24.4	74.0	72.0	76.0
\$50,000 or more	39.6	37.5	41.7	20.8	19.1	22.6	74.4	72.6	76.2

Risk Factors: Tobacco and Alcohol Use									
Related Healthy People 2010 Objective(s) 27-1a, 27-5, 26-11c	Current smoker <sup>(6)</sup>			Ever quit smoking in the past 12 months			Engage in heavy or binge drinking <sup>(7)</sup>		
	%	CI		%	CI		%	CI	
<b>All</b>	22.2	21.1	23.2	55.3	52.7	58.0	14.1	13.1	15.0
<b>Sex</b>									
Men	24.5	22.8	26.1	55.0	51.1	58.9	20.9	19.3	22.4
Women	20.2	18.9	21.5	55.6	52.0	59.2	8.2	7.2	9.1
<b>Race/ethnicity</b>									
NH White	23.9	22.8	25.0	52.5	49.8	55.3	15.2	14.3	16.2
NH Black	14.9	12.1	17.7	66.2	57.6	74.8	7.8	5.3	10.3
Hispanic	21.1	15.8	26.3	56.7	40.7	72.7	16.3	11.2	21.5
<b>Race/ethnicity-Sex</b>									
NH White men	24.9	23.3	26.5	50.3	46.5	54.0	22.3	20.7	23.9
NH White women	23.0	21.4	24.5	54.8	50.8	58.8	8.7	7.6	9.8
NH Black men	20.2	15.1	25.4	65.4	52.4	78.5	14.0	8.3	19.6
NH Black women	11.7	8.7	14.8	67.0	53.9	80.0	4.2	2.2	6.2
Hispanic men	27.5	18.3	36.7	60.0	35.9	84.1	23.3	14.3	32.3
Hispanic women	14.8	10.1	19.6	50.8	35.2	66.4	9.4	5.0	13.8
<b>Age</b>									
18-44	26.9	25.1	28.7	57.7	53.9	61.5	20.1	18.4	21.8
45-64	24.1	22.2	26.0	53.0	48.6	57.4	11.4	10.1	12.6
65 and older	10.3	9.1	11.6	50.7	44.2	57.3	5.5	4.5	6.5
<b>Marital Status</b>									
Never married	24.9	21.9	27.9	58.5	52.7	64.4	22.2	19.2	25.1
Married/ living together as a couple	19.5	18.1	20.8	54.6	50.7	58.4	12.6	11.5	13.8
Divorced/ widowed/separated	26.9	24.8	29.0	55.2	50.8	59.7	11.5	10.2	12.9
<b>Education</b>									
0-11 years	31.2	27.1	35.4	50.8	43.6	57.9	13.9	10.4	17.5
HS Grad/GED	27.2	25.1	29.3	57.5	53.0	61.9	13.6	12.0	15.2
1 or more years of college	17.9	16.7	19.1	55.1	51.5	58.7	14.3	13.2	15.5
<b>Employment</b>									
Employed for wages	25.2	23.6	26.7	54.9	51.4	58.4	18.2	16.8	19.5
<b>Household Income</b>									
\$24,999 or less	28.3	25.8	30.8	61.5	56.7	66.3	13.8	11.8	15.8
\$25,000 – 49,999	23.8	21.8	25.8	57.8	53.2	62.3	13.5	12.0	15.0
\$50,000 or more	17.6	16.0	19.3	47.7	42.7	52.7	17.7	16.0	19.3

Health Care Coverage and Access									
Related Healthy People 2010 Objective(s) 1-1, 1-5	No health care coverage			No personal health care provider(s)			Unable to get medical care in past 12 mos.		
	%	CI		%	CI		%	CI	
<b>All</b>	18.7	17.7	19.8	23.9	22.7	25.0	8.7	7.7	9.6
<b>Sex</b>									
Men	19.1	17.5	20.8	30.0	28.1	31.9	7.3	5.6	9.0
Women	18.4	17.1	19.7	18.6	17.3	19.9	9.8	8.8	10.9
<b>Race/ethnicity</b>									
NH White	13.6	12.7	14.4	20.0	18.9	21.0	6.8	6.1	7.5
NH Black	27.5	23.0	32.0	28.4	23.9	32.9	9.6	7.3	12.0
Hispanic	40.1	34.2	46.0	38.0	32.2	43.9	17.2	12.0	22.5
<b>Race/ethnicity-Sex</b>									
NH White men	13.9	12.7	15.2	25.8	24.1	27.4	5.1	4.3	5.8
NH White women	13.2	12.1	14.3	14.6	13.5	15.7	8.4	7.3	9.5
NH Black men	30.6	22.5	38.7	37.1	29.1	45.1	5.8	3.0	8.5
NH Black women	25.6	20.4	30.8	23.2	18.4	28.0	11.9	8.6	15.3
Hispanic men	48.3	38.9	57.7	48.8	39.3	58.2	19.5	10.5	28.5
Hispanic women	32.2	25.7	38.6	27.6	21.8	33.5	15.0	9.5	20.4
<b>Age</b>									
18-44	27.0	25.1	28.8	34.1	32.1	36.1	10.3	9.0	11.6
45-64	18.1	16.4	19.7	19.2	17.5	20.9	10.2	7.8	12.6
65 and older	3.0	2.1	3.9	9.3	7.9	10.7	3.5	2.7	4.3
<b>Marital Status</b>									
Never married	31.0	27.3	34.7	37.5	33.6	41.5	10.5	6.4	14.5
Married/ living together as a couple	15.0	13.7	16.2	20.5	19.1	21.9	7.4	6.4	8.4
Divorced/ widowed/separated	19.0	17.1	20.8	22.1	20.2	24.1	10.2	8.9	11.5
<b>Education</b>									
0-11 years	31.7	27.3	36.1	34.2	29.7	38.7	17.7	11.4	23.9
HS Grad/GED	24.5	22.5	26.6	28.3	26.0	30.5	9.0	7.7	10.3
1 or more years of college	13.3	12.2	14.4	19.6	18.3	20.9	6.9	6.0	7.7
<b>Employment</b>									
Employed for wages	19.5	18.1	21.0	27.0	25.4	28.6	8.1	7.0	9.2
<b>Household Income</b>									
\$24,999 or less	31.6	29.0	34.2	32.1	29.4	34.7	15.7	12.8	18.5
\$25,000 – 49,999	19.0	17.0	21.0	25.4	23.1	27.8	7.7	6.4	9.0
\$50,000 or more	5.8	4.7	6.9	15.0	13.4	16.6	3.8	2.9	4.7



Oral Health									
Related Healthy People 2010 Objective(s) 21-10, 21-3	Visited a dentist within past year			No teeth removed			Had teeth cleaned within past year		
	%	CI		%	CI		%	CI	
<b>All</b>	70.2	68.8	71.5	46.7	45.4	48.0	70.5	69.2	71.8
<b>Sex</b>									
Men	68.2	66.2	70.1	47.7	45.8	49.7	69.3	67.5	71.1
Women	71.9	70.1	73.7	45.8	44.0	47.5	71.5	69.6	73.4
<b>Race/ethnicity</b>									
NH White	72.3	71.2	73.5	48.1	46.8	49.4	73.0	71.7	74.2
NH Black	62.0	56.4	67.7	34.4	29.7	39.1	60.6	54.6	66.6
Hispanic	64.0	58.4	69.7	51.8	45.9	57.8	62.8	56.8	68.7
<b>Race/ethnicity-Sex</b>									
NH White men	70.6	69.0	72.2	48.7	46.9	50.5	71.1	69.4	72.9
NH White women	73.9	72.3	75.6	47.6	45.8	49.4	74.7	72.9	76.4
NH Black men	60.9	53.5	68.4	38.1	30.3	46.0	63.7	55.9	71.5
NH Black women	62.7	54.8	70.6	32.2	26.5	37.9	58.9	50.7	67.0
Hispanic men	60.7	51.5	69.9	51.8	42.3	61.3	57.7	48.0	67.4
Hispanic women	67.3	60.5	74.1	51.9	44.6	59.1	67.6	60.8	74.4
<b>Age</b>									
18-44	68.5	66.4	70.7	67.2	65.2	69.3	66.2	64.1	68.4
45-64	72.0	69.5	74.5	35.1	33.0	37.1	72.9	70.8	74.9
65 and older	70.8	68.7	72.9	18.8	17.0	20.6	77.6	75.5	79.8
<b>Marital Status</b>									
Never married	63.8	58.8	68.8	66.5	61.6	71.5	63.0	58.6	67.4
Married/ living together as a couple	74.0	72.6	75.4	46.7	45.1	48.3	74.2	72.7	75.6
Divorced/ widowed/separated	64.9	62.7	67.1	31.8	29.7	33.9	66.0	63.6	68.4
<b>Education</b>									
0-11 years	48.4	43.3	53.4	24.8	21.2	28.5	52.8	48.1	57.5
HS Grad/GED	65.4	63.3	67.6	39.0	36.7	41.3	65.3	63.0	67.6
1 or more years of college	76.5	74.8	78.2	54.6	52.9	56.3	75.6	73.8	77.3
<b>Employment</b>									
Employed for wages	71.5	69.7	73.4	55.4	53.6	57.3	70.1	68.2	71.9
<b>Household Income</b>									
\$24,999 or less	53.7	50.5	56.9	35.3	32.5	38.0	54.3	51.1	57.5
\$25,000 – 49,999	71.2	69.1	73.3	46.3	43.9	48.7	70.6	68.4	72.8
\$50,000 or more	83.1	81.5	84.8	60.4	58.3	62.4	81.5	79.7	83.3
Chronic Health Conditions: Hypertension and Weight Control									
Related Healthy People 2010 Objective(s) 12-9, 12-10	Had high blood pressure (HBP)			Now taking HBP medication, if had HBP			Received advice about weight in past year		
	%	CI		%	CI		%	CI	
<b>All</b>	27.7	26.6	28.7	76.0	74.0	78.0	21.1	20.0	22.3
<b>Sex</b>									
Men	28.8	27.2	30.4	70.8	67.9	73.8	20.1	18.2	21.9
Women	26.7	25.3	28.1	80.8	78.1	83.4	22.0	20.6	23.4
<b>Race/ethnicity</b>									
NH White	28.7	27.6	29.8	78.1	76.0	80.2	19.7	18.7	20.7
NH Black	32.2	28.0	36.4	77.1	71.8	82.3	24.3	20.4	28.3
Hispanic	20.2	15.5	24.9	56.4	42.9	69.9	26.5	21.3	31.7
<b>Race/ethnicity-Sex</b>									
NH White men	30.2	28.5	31.8	73.7	70.8	76.6	19.2	17.8	20.7
NH White women	27.4	25.8	28.9	82.4	79.4	85.5	20.2	18.8	21.6
NH Black men	32.5	26.2	38.8	68.5	58.9	78.0	17.6	11.7	23.4
NH Black women	32.0	26.4	37.5	82.3	76.4	88.2	28.3	22.9	33.8
Hispanic men	23.4	15.7	31.1	51.0	32.1	69.9	25.9	17.7	34.0
Hispanic women	17.1	11.7	22.5	63.6	48.6	78.5	27.1	20.6	33.7
<b>Age</b>									
18-44	11.8	10.5	13.0	40.2	34.9	45.4	16.5	15.0	18.0
45-64	33.3	31.2	35.3	78.1	75.4	80.9	27.4	24.9	29.9
65 and older	53.1	50.9	55.4	90.5	88.6	92.4	22.5	20.6	24.4
<b>Marital Status</b>									
Never married	14.7	12.2	17.2	51.2	42.7	59.8	18.0	13.9	22.1
Married/ living together as a couple	27.5	26.2	28.9	77.5	74.8	80.1	21.8	20.5	23.2
Divorced/ widowed/separated	37.4	35.3	39.5	81.0	78.2	83.7	21.5	19.7	23.2
<b>Education</b>									
0-11 years	39.0	34.5	43.5	71.5	65.0	78.0	25.5	19.6	31.4
HS Grad/GED	30.0	28.1	31.9	76.7	73.5	79.8	20.9	19.1	22.7
1 or more years of college	24.5	23.2	25.9	76.8	74.0	79.5	20.4	19.1	21.7
<b>Employment</b>									
Employed for wages	19.5	18.2	20.8	64.0	60.3	67.7	19.5	18.2	20.9
<b>Household Income</b>									
\$24,999 or less	34.0	31.4	36.6	71.0	66.7	75.4	24.0	21.1	27.0
\$25,000 – 49,999	26.1	24.3	28.0	77.1	73.8	80.3	20.3	18.5	22.0
\$50,000 or more	21.5	19.8	23.2	73.8	70.0	77.7	20.7	18.9	22.4



Chronic Health Conditions: High Cholesterol									
Related Healthy People 2010 Objective(s) 12-15	Ever had blood cholesterol checked			If yes, cholesterol checked in past 2 years			Blood cholesterol is high		
	%	CI		%	CI		%	CI	
	<b>All</b>	83.1	82.0	84.1	91.8	91.1	92.4	35.2	33.9
<b>Sex</b>									
Men	81.2	79.6	82.8	91.4	90.3	92.4	36.8	34.6	39.0
Women	84.7	83.3	86.1	92.1	91.2	93.0	33.9	32.2	35.6
<b>Race/ethnicity</b>									
NH White	85.9	84.9	86.9	91.0	90.2	91.7	37.7	36.4	39.0
NH Black	78.4	74.5	82.2	93.9	91.6	96.3	25.9	21.5	30.3
Hispanic	67.4	61.6	73.2	94.8	92.0	97.7	30.5	23.9	37.1
<b>Race/ethnicity-Sex</b>									
NH White men	84.5	83.2	85.9	90.8	89.7	92.0	38.1	36.2	40.0
NH White women	87.2	85.7	88.7	91.1	90.1	92.1	37.4	35.6	39.2
NH Black men	75.5	68.3	82.7	90.2	84.7	95.7	26.7	20.1	33.3
NH Black women	80.1	75.7	84.4	96.0	94.3	97.8	25.4	19.6	31.3
Hispanic men	59.6	50.0	69.1	97.3	95.8	98.8	37.9	26.5	49.3
Hispanic women	75.1	69.1	81.1	92.9	88.0	97.7	24.5	16.8	32.1
<b>Age</b>									
18-44	72.2	70.2	74.1	87.6	86.2	89.0	20.2	18.4	22.0
45-64	90.2	88.9	91.5	92.3	91.3	93.4	42.7	40.1	45.3
65 and older	95.6	94.8	96.4	97.2	96.6	97.9	49.0	46.7	51.3
<b>Marital Status</b>									
Never married	67.3	63.2	71.3	89.3	86.8	91.7	24.7	18.9	30.5
Married/ living together as a couple	85.7	84.5	86.9	91.8	90.9	92.6	35.6	34.0	37.1
Divorced/ widowed/separated	88.0	86.5	89.4	93.1	92.0	94.2	40.1	37.7	42.5
<b>Education</b>									
0-11 years	74.2	70.2	78.3	94.2	92.2	96.1	45.0	38.4	51.6
HS Grad/GED	78.6	76.7	80.6	92.2	90.9	93.4	38.7	36.3	41.1
1 or more years of college	87.0	85.8	88.3	91.2	90.3	92.1	32.2	30.7	33.7
<b>Employment</b>									
Employed for wages	80.4	79.0	81.8	89.8	88.8	90.8	29.0	27.2	30.8
<b>Household Income</b>									
\$24,999 or less	77.9	75.7	80.2	91.7	90.2	93.2	38.8	35.2	42.5
\$25,000 – 49,999	82.5	80.3	84.7	91.3	90.0	92.6	33.2	31.0	35.4
\$50,000 or more	89.5	88.2	90.9	90.7	89.4	92.0	32.9	30.7	35.0

Chronic Health Conditions: Asthma & Diabetes									
Related Healthy People 2010 Objective(s) 5-3	Ever had asthma			If yes, still have asthma			Have diabetes		
	%	CI		%	CI		%	CI	
	<b>All</b>	10.7	9.9	11.4	60.4	56.4	64.4	8.2	7.6
<b>Sex</b>									
Men	9.6	8.4	10.7	54.8	48.6	61.1	8.9	7.9	9.8
Women	11.7	10.6	12.7	64.3	59.1	69.5	7.7	6.9	8.5
<b>Race/ethnicity</b>									
NH White	11.1	10.2	12.0	62.4	57.8	67.1	8.0	7.4	8.6
NH Black	10.4	7.6	13.2	49.0	34.6	63.4	10.6	8.2	13.1
Hispanic	11.4	8.0	14.9	58.9	43.0	74.9	8.2	4.6	11.9
<b>Race/ethnicity-Sex</b>									
NH White men	9.8	8.6	11.0	56.4	49.8	62.9	8.6	7.6	9.5
NH White women	12.3	11.0	13.6	66.8	60.2	73.4	7.5	6.7	8.3
NH Black men	9.8	4.0	15.6	26.3	11.1	41.5	9.2	5.7	12.6
NH Black women	10.8	7.8	13.7	61.1	47.3	74.9	11.5	8.2	14.8
Hispanic men	10.4	5.6	15.2	68.6	46.2	91.0	10.8	4.6	17.1
Hispanic women	12.4	7.5	17.3	51.3	29.0	73.5	5.7	1.9	9.6
<b>Age</b>									
18-44	11.7	10.5	12.8	55.0	49.5	60.5	2.8	2.2	3.4
45-64	11.0	9.4	12.5	61.7	53.3	70.1	10.5	9.2	11.8
65 and older	8.3	7.2	9.5	72.1	65.8	78.3	16.5	14.9	18.1
<b>Marital Status</b>									
Never married	12.9	10.8	15.1	52.7	44.6	60.9	3.9	2.8	5.0
Married/ living together as a couple	9.5	8.6	10.4	62.9	57.9	67.9	8.2	7.4	9.1
Divorced/ widowed/separated	12.1	10.3	13.9	61.4	51.8	71.0	11.2	10.0	12.5
<b>Education</b>									
0-11 years	11.4	9.2	13.6	71.6	62.7	80.4	13.9	11.1	16.7
HS Grad/GED	10.7	9.1	12.3	57.5	48.4	66.6	8.6	7.4	9.7
1 or more years of college	10.6	9.7	11.5	59.8	55.3	64.3	7.0	6.3	7.8
<b>Employment</b>									
Employed for wages	10.2	9.1	11.3	49.5	43.9	55.2	4.7	4.0	5.4
<b>Household Income</b>									
\$24,999 or less	12.5	10.6	14.3	65.3	56.5	74.1	11.5	10.0	12.9
\$25,000 – 49,999	10.8	9.4	12.2	53.4	46.2	60.5	7.5	6.4	8.7
\$50,000 or more	9.7	8.5	10.9	57.4	51.0	63.8	4.9	4.0	5.8

Disease Prevention: Cardiovascular Disease Prevention									
	Being advised by a health professional to...								
	Eat fewer high fat or cholesterol foods			Eat more fruits and vegetables			Be more physically active		
	%	CI		%	CI		%	CI	
<b>All</b>	21.0	19.9	22.1	27.9	26.7	29.1	28.0	26.7	29.2
<b>Sex</b>									
Men	20.2	18.4	22.1	26.4	24.5	28.3	26.8	24.9	28.8
Women	21.7	20.4	23.0	29.1	27.6	30.7	28.9	27.4	30.5
<b>Race/ethnicity</b>									
NH White	19.3	18.4	20.3	23.1	22.1	24.1	24.3	23.2	25.4
NH Black	20.9	17.4	24.4	35.9	31.2	40.5	36.0	31.3	40.7
Hispanic	27.6	22.3	32.9	41.5	35.7	47.3	35.9	30.3	41.5
<b>Race/ethnicity-Sex</b>									
NH White men	19.1	17.6	20.5	22.6	21.1	24.2	23.8	22.2	25.4
NH White women	19.6	18.3	20.8	23.5	22.2	24.9	24.8	23.3	26.4
NH Black men	18.3	13.4	23.3	32.4	25.5	39.4	35.4	28.0	42.8
NH Black women	22.4	17.7	27.1	37.8	31.6	44.1	36.4	30.2	42.5
Hispanic men	27.8	19.3	36.3	42.9	33.6	52.2	37.9	28.9	46.9
Hispanic women	27.4	21.0	33.9	40.1	33.0	47.2	33.9	27.2	40.6
<b>Age</b>									
18-44	14.6	13.3	15.9	23.2	21.5	24.8	22.9	21.3	24.6
45-64	28.6	26.1	31.1	33.0	30.5	35.5	36.0	33.5	38.6
65 and older	24.4	22.4	26.4	31.0	28.9	33.2	28.1	26.0	30.1
<b>Marital Status</b>									
Never married	15.8	11.8	19.9	24.0	19.9	28.2	22.9	18.7	27.0
Married/ living together as a couple	21.8	20.5	23.0	28.4	26.9	29.8	29.3	27.8	30.7
Divorced/ widowed/separated	22.9	21.1	24.8	29.2	27.2	31.2	28.7	26.5	30.9
<b>Education</b>									
0-11 years	29.3	23.5	35.1	39.9	34.4	45.4	35.2	29.5	40.8
HS Grad/GED	21.3	19.6	23.0	29.5	27.5	31.5	29.6	27.5	31.8
1 or more years of college	19.4	18.2	20.7	24.9	23.5	26.3	25.8	24.4	27.2
<b>Employment</b>									
Employed for wages	18.6	17.3	19.9	24.6	23.2	26.1	26.4	24.9	28.0
<b>Household Income</b>									
\$24,999 or less	23.2	20.4	26.1	33.9	30.9	36.8	31.7	28.7	34.8
\$25,000 – 49,999	19.6	17.9	21.3	26.7	24.7	28.8	26.7	24.6	28.7
\$50,000 or more	19.7	17.9	21.4	23.4	21.6	25.2	26.5	24.6	28.5

Preventive Health Behaviors: Annual Flu and One-Time Pneumonia Shots									
Related Healthy People 2010 Objective(s) 14-29	Received flu shot within past 12 months			Received flu shot at county health dept.			Ever had a pneumonia shot		
	%	CI		%	CI		%	CI	
<b>All</b>	26.2	25.2	27.2	1.2	1.0	1.3	22.7	21.8	23.7
<b>Sex</b>									
Men	26.9	25.4	28.4	1.2	0.9	1.4	23.3	21.8	24.7
Women	25.6	24.3	26.9	1.2	0.9	1.4	22.3	21.1	23.5
<b>Race/ethnicity</b>									
NH White	29.9	28.8	31.0	1.3	1.1	1.5	26.3	25.3	27.3
NH Black	19.6	16.3	22.9	1.0	0.6	1.4	14.3	11.5	17.1
Hispanic	14.2	10.7	17.6	0.8	0.2	1.5	14.9	10.2	19.5
<b>Race/ethnicity-Sex</b>									
NH White men	30.1	28.5	31.7	1.2	0.9	1.5	25.8	24.3	27.4
NH White women	29.7	28.2	31.2	1.3	1.0	1.6	26.7	25.3	28.2
NH Black men	24.0	18.4	29.5	1.0	0.4	1.6	14.4	10.3	18.5
NH Black women	17.0	13.0	21.0	1.0	0.5	1.5	14.3	10.5	18.0
Hispanic men	13.9	8.6	19.1	0.4	0.0	0.8	19.9	11.5	28.2
Hispanic women	14.4	9.8	19.0	1.3	0.1	2.5	10.1	6.0	14.2
<b>Age</b>									
18-44	11.9	10.8	13.0	0.6	0.4	0.9	9.6	8.4	10.7
45-64	24.8	23.1	26.5	1.1	0.8	1.3	16.0	14.6	17.5
65 and older	56.7	54.4	59.0	2.4	1.9	2.9	56.5	54.2	58.8
<b>Marital Status</b>									
Never married	15.4	13.1	17.6	1.0	0.5	1.4	13.8	11.4	16.3
Married/ living together as a couple	27.2	25.9	28.4	1.1	0.9	1.3	22.5	21.2	23.7
Divorced/ widowed/separated	31.8	29.9	33.7	1.5	1.1	1.9	30.0	28.1	31.8
<b>Education</b>									
0-11 years	25.1	21.8	28.5	1.9	1.0	2.8	24.8	21.3	28.4
HS Grad/GED	26.1	24.3	27.8	1.0	0.7	1.2	24.4	22.6	26.2
1 or more years of college	26.4	25.1	27.7	1.1	0.9	1.4	21.5	20.3	22.7
<b>Employment</b>									
Employed for wages	17.2	16.0	18.3	0.7	0.5	0.9	11.5	10.5	12.6
<b>Household Income</b>									
\$24,999 or less	25.3	23.2	27.4	1.6	1.1	2.0	25.9	23.8	28.1
\$25,000 – 49,999	25.6	23.8	27.4	1.2	0.8	1.6	22.7	20.9	24.5
\$50,000 or more	22.7	21.1	24.3	0.6	0.4	0.8	15.9	14.3	17.4

Preventive Health Behaviors: Mammograms & Pap Tests									
Related Healthy People 2010 Objective(s) 3-13, 3-11a, 3-11b	Women age 40+			All adult women					
	Had mammogram in past 2 years			Ever had Pap smear test			Had Pap smear test in past 2 years		
	%	CI		%	CI		%	CI	
<b>All</b>	79.0	77.5	80.5	93.5	92.5	94.6	82.2	80.7	83.7
<b>Sex</b>									
Men	.	.	.	.	.	.	.	.	.
Women	79.0	77.5	80.5	93.5	92.5	94.6	82.2	80.7	83.7
<b>Race/ethnicity</b>									
NH White	79.7	78.3	81.2	95.6	94.8	96.4	83.0	81.3	84.6
NH Black	76.7	71.1	82.3	94.9	92.9	97.0	88.2	84.7	91.7
Hispanic	84.6	77.9	91.4	88.8	83.2	94.3	78.3	71.7	84.9
<b>Race/ethnicity-Sex</b>									
NH White men	.	.	.	.	.	.	.	.	.
NH White women	79.7	78.3	81.2	95.6	94.8	96.4	83.0	81.3	84.6
NH Black men	.	.	.	.	.	.	.	.	.
NH Black women	76.7	71.1	82.3	94.9	92.9	97.0	88.2	84.8	91.7
Hispanic men	.	.	.	.	.	.	.	.	.
Hispanic women	84.6	78.1	91.2	88.8	83.3	94.3	78.3	71.7	84.9
<b>Age</b>									
18-44	67.0	62.5	71.5	93.1	91.6	94.6	85.5	83.4	87.6
45-64	80.4	78.3	82.4	95.5	93.6	97.3	80.6	77.8	83.4
65 and older	82.6	80.4	84.8	92.2	89.9	94.4	73.0	69.3	76.8
<b>Marital Status</b>									
Never married	72.9	64.1	81.6	87.6	83.8	91.3	81.1	76.8	85.5
Married/ living together as a couple	81.3	79.5	83.2	95.1	93.8	96.3	85.5	83.6	87.5
Divorced/ widowed/separated	76.2	73.8	78.7	94.5	92.9	96.1	75.3	72.4	78.3
<b>Education</b>									
0-11 years	73.0	67.9	78.2	89.2	85.8	92.6	71.5	65.8	77.2
HS Grad/GED	78.8	76.4	81.2	92.1	90.1	94.1	78.6	75.9	81.3
1 or more years of college	80.5	78.5	82.5	95.0	93.8	96.3	85.8	83.8	87.7
<b>Employment</b>									
Employed for wages	78.3	76.0	80.6	94.8	93.4	96.2	85.8	83.8	87.8
<b>Household Income</b>									
\$24,999 or less	74.1	71.0	77.2	92.5	90.6	94.4	75.4	71.6	79.2
\$25,000 – 49,999	77.9	75.0	80.8	94.6	92.6	96.7	83.6	80.9	86.3
\$50,000 or more	85.5	83.2	87.9	96.9	95.5	98.3	91.8	89.9	93.7

Preventive Health Behaviors: Colorectal Cancer Screening									
Related Healthy People 2010 Objective(s) 3-12a, 3-12b	For respondents 50 years and older . . .								
	Ever had blood stool test			Had blood stool test in past 2 years			Ever had sigmoidoscopy		
	%	CI		%	CI		%	CI	
<b>All</b>	44.4	42.7	46.2	33.5	31.9	35.1	52.6	50.8	54.4
<b>Sex</b>									
Men	42.0	39.3	44.7	32.3	29.8	34.7	55.2	52.1	58.2
Women	46.4	44.1	48.6	34.4	32.3	36.5	50.5	48.2	52.8
<b>Race/ethnicity</b>									
NH White	48.8	47.2	50.5	36.2	34.6	37.8	56.2	54.5	57.9
NH Black	35.1	28.4	41.7	28.0	21.8	34.2	44.0	37.0	51.0
Hispanic	31.4	20.2	42.7	25.3	14.7	36.0	48.2	37.4	59.1
<b>Race/ethnicity-Sex</b>									
NH White men	45.4	43.0	47.7	34.2	32.0	36.5	59.4	57.0	61.8
NH White women	51.7	49.4	54.0	37.8	35.6	40.1	53.5	51.1	55.8
NH Black men	33.8	23.5	44.1	27.9	18.3	37.5	41.1	30.8	51.4
NH Black women	35.9	27.1	44.8	28.1	19.8	36.3	46.0	36.6	55.3
Hispanic men	31.1	12.6	49.5	23.2	6.5	39.8	57.2	41.0	73.4
Hispanic women	31.7	17.0	46.4	26.9	12.7	41.2	41.9	27.9	55.8
<b>Age</b>									
18-44	22.9	21.3	24.6	22.9	21.3	24.6	22.9	21.3	24.6
45-64	36.0	33.5	38.6	36.0	33.5	38.6	36.0	33.5	38.6
65 and older	28.1	26.0	30.1	28.1	26.0	30.1	28.1	26.0	30.1
<b>Marital Status</b>									
Never married	31.0	16.3	45.6	24.0	10.7	37.3	36.8	20.9	52.8
Married/ living together as a couple	47.1	45.0	49.1	35.9	33.9	37.8	56.0	53.9	58.1
Divorced/ widowed/separated	41.4	38.7	44.0	30.3	27.9	32.7	48.6	45.7	51.4
<b>Education</b>									
0-11 years	34.5	28.3	40.8	26.6	21.1	32.0	44.8	37.5	52.2
HS Grad/GED	44.1	41.3	47.0	33.0	30.4	35.6	49.5	46.5	52.5
1 or more years of college	47.1	45.0	49.2	35.5	33.4	37.6	56.3	54.1	58.4
<b>Employment</b>									
Employed for wages	38.1	35.1	41.0	29.5	26.7	32.4	43.5	40.4	46.5
<b>Household Income</b>									
\$24,999 or less	38.7	34.9	42.5	29.2	25.8	32.6	46.6	42.4	50.8
\$25,000 – 49,999	47.2	44.3	50.1	34.9	32.2	37.6	52.4	49.3	55.5
\$50,000 or more	45.7	42.5	48.8	35.0	31.9	38.0	57.7	54.5	60.9

Preventive Health Behaviors: HIV/AIDS Tests										
For respondents 64 years and younger . . .										
		Ever been tested for HIV			If yes, the test was done in the past 2 years			In past 12 months, health professional talked to you about preventing sexually transmitted diseases through condom use.		
		%	CI		%	CI		%	CI	
<b>All</b>		47.7	46.1	49.3	86.7	85.7	87.7	16.3	14.7	17.8
<b>Sex</b>	Men	46.0	43.7	48.4	88.0	86.5	89.5	14.9	12.7	17.2
	Women	49.2	47.1	51.3	85.5	84.2	86.8	17.5	15.4	19.6
<b>Race/ethnicity</b>	NH White	44.2	42.7	45.8	85.4	84.3	86.5	10.0	8.9	11.0
	NH Black	59.7	53.3	66.0	91.5	88.6	94.4	29.9	23.2	36.6
	Hispanic	53.0	46.7	59.2	88.8	85.1	92.5	28.3	22.8	33.7
<b>Race/ethnicity-Sex</b>	NH White men	43.7	41.5	45.9	87.0	85.4	88.6	8.6	7.3	9.9
	NH White women	44.7	42.5	46.9	83.8	82.2	85.3	11.2	9.7	12.8
	NH Black men	56.4	47.8	65.0	91.9	85.8	98.1	22.9	15.3	30.4
	NH Black women	61.5	52.6	70.5	91.3	88.4	94.2	34.0	24.7	43.2
	Hispanic men	49.1	39.5	58.8	89.2	83.5	95.0	30.6	21.9	39.4
	Hispanic women	56.9	49.1	64.6	88.3	83.8	92.9	25.8	19.5	32.1
<b>Age</b>	18-44	57.3	55.1	59.5	83.8	82.3	85.2	21.3	19.2	23.3
	45-64	33.2	31.1	35.3	90.7	89.5	91.8	8.8	6.4	11.2
	65 and older	.	.	.	.	.	.	.	.	.
<b>Marital Status</b>	Never married	49.6	45.0	54.2	92.0	90.4	93.6	31.4	26.3	36.5
	Married/ living together as a couple	46.0	44.2	47.9	85.1	83.8	86.5	11.2	9.8	12.6
	Divorced/ widowed/A80separated	51.2	48.2	54.2	85.1	83.0	87.2	15.0	13.0	17.0
<b>Education</b>	0-11 years	44.0	37.6	50.4	90.8	88.3	93.4	28.6	20.6	36.6
	HS Grad/GED	47.0	44.3	49.8	88.6	86.9	90.3	18.1	16.0	20.3
	1 or more years of college	48.6	46.7	50.6	85.1	83.8	86.4	13.5	11.6	15.4
<b>Employment</b>	Employed for wages	48.9	47.1	50.8	85.7	84.5	86.9	15.1	13.3	16.8
<b>Household Income</b>	\$24,999 or less	52.8	48.7	56.9	88.2	86.2	90.2	31.6	27.0	36.2
	\$25,000 – 49,999	49.3	46.4	52.1	85.5	83.6	87.4	14.7	12.8	16.6
	\$50,000 or more	45.7	43.4	48.0	83.4	81.6	85.2	7.0	5.7	8.3

- (1) People who do not engage in regular moderate physical activity (at least 30 minutes a day and 5 five days a week) or regular vigorous physical activity (at least 20 minutes a day and 3 days a week).
- (2) People who do not engage in regular vigorous physical activity (at least 20 minutes a day and 3 days a week).
- (3) People with a Body Mass Index (BMI) between 25 and 30.
- (4) People with a Body Mass Index (BMI) equal to or greater than 30.
- (5) People who consume less than 5 servings of fruits and vegetables a day.
- (6) People who have smoked at least 100 cigarettes in their lifetimes and who also smoked some days or every day in the past month.
- (7) People who have consumed 5+ drinks at one occasion in the past month (binge drinker), or men who have 2+ drinks every day or women who have 1+ drink(s) every day (heavy drinker).

For more information about your County BRFSS data, please contact:  
 Marie A. Bailey, MA, MSW  
 Bureau of Epidemiology  
 Department of Health  
 4052 Bald Cypress Way, Bin #A-12  
 Tallahassee, FL 32399-1720  
 850-245-4444 Ext. 2434  
[marie\\_bailey@doh.state.fl.us](mailto:marie_bailey@doh.state.fl.us)

