


2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Charlie Crist
Governor

Ana M. Viamonte Ros, M.D., M.P.H.
State Surgeon General

2007 Florida BRFSS Data Report
Table of Contents

Introduction	i
Air Quality	1
Alcohol Consumption	1
Antibiotic Resistance	2
Arthritis	3
Asthma	4
Cancer Screening	5
Cardiovascular Disease	9
Cholesterol Awareness	10
Dental Care	11
Diabetes	12
Disability	16
Folic Acid	17
Gastrointestinal Disease	18
Health Care Access & Coverage	19
Health Status & Quality of Life	21
HIV/AIDS	25
Hypertension Awareness & Control	26
Immunization	28
Overweight & Obesity	32
Physical Activity & Nutrition	35
Sexual Violence	37
Tobacco Use & Exposure	38
Glossary	Appendix I
Healthy People 2010 Objectives	Appendix II

Liberty

Completed Surveys: 557

County Adult Population: 6,157

The Florida Department of Health is pleased to release the 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The 2007 county-level BRFSS is the first since the initial county-level effort in 2002. The 2007 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county-developed questions and increase sample sizes. In addition, 2007 county-level questionnaires included all of the questions asked on a state level, unlike 2002 in which an abbreviated questionnaire was administered.

Over 39,000 interviews were completed in the 2007 calendar year, with a target sample size of 500 completed surveys in each county. Three counties provided funding to increase overall sample sizes: Duval, Highlands, and Sarasota. Through funding from the Hispanic Obesity Prevention Education Program (HOPE), larger samples of Hispanic populations were possible in eight counties: Collier, DeSoto, Hardee, Hendry, Miami-Dade, Okeechobee, Orange, and Osceola. Five counties provided county-added questions: Clay, Collier, Duval, Monroe, and Orange.

The 2007 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

These data can be used to: (1) determine priority health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2002 county-level survey are included for comparison purposes. Due to updated methods from the Centers for Disease Control and Prevention, some point estimates included in the 2002 BRFSS report may be slightly different than the 2002 measures in this report. The methods used to calculate the 2002 point estimates were updated to provide the best comparison between the two years. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology, Chronic Disease Epidemiology Section at (850) 245-4401.

Air Quality

Percent of adults who reduced or changed outdoor activity because the air quality was bad.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.7	5.0	14.6	19.2 *	18.2	20.3	
SEX	Men	6.9	3.1	14.8	16.7 *	15.1	18.4	
	Women	12.2	6.5	21.9	21.6	20.3	23.0	
RACE/ETHNICITY	Non-Hisp. White	9.0	4.6	16.8	20.4 *	19.2	21.5	
	Non-Hisp. Black	34.3	12.9	64.7	17.2	14.2	20.7	
	Hispanic	2.5	0.6	9.0	16.0 *	13.2	19.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.1	2.2	15.6	17.4 *	15.7	19.4	
	Non-Hisp. White Women	16.0	8.4	28.3	23.2	21.8	24.6	
	Non-Hisp. Black Men				11.8	8.5	16.0	
	Non-Hisp. Black Women				20.5	16.3	25.5	
	Hispanic Men				16.3	12.1	21.6	
	Hispanic Women				15.7	12.1	20.0	
AGE GROUP	18-44	7.6	3.2	17.1	20.1 *	18.2	22.1	
	45-64	10.7	6.2	18.0	21.0 *	19.6	22.6	
	65 & Older	10.0	4.8	19.9	14.8	13.6	16.2	
EDUCATION LEVEL	<High School	6.9	1.6	25.9	18.8	15.5	22.5	
	HS / Some College	11.8	6.4	20.8	18.5	16.4	20.7	
	4+ Yrs. College	7.4	3.2	16.1	19.7 *	18.4	21.0	
ANNUAL INCOME	<\$25,000	23.0	13.0	37.5	22.4	20.0	25.0	
	\$25,000-\$49,999	6.1	3.0	12.0	19.2 *	17.3	21.2	
	\$50,000 or More	3.0	1.1	7.8	18.0 *	16.5	19.6	
MARITAL STATUS	Married/Couple	6.7	4.0	11.1	19.4 *	18.2	20.7	
	Not Married/Couple	11.2	4.0	27.7	19.0	17.2	20.9	

Alcohol Consumption

Percent of adults who engage in heavy or binge drinking.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	32.8	14.0	59.4	16.2	15.3	17.2	14.8
SEX	Men	49.2	24.0	74.9	20.3 *	18.8	22.0	26.2
	Women	2.0	1.0	3.8	12.4 *	11.3	13.5	4.7
RACE/ETHNICITY	Non-Hisp. White	37.8	15.2	67.3	17.9	16.9	19.0	16.0
	Non-Hisp. Black	17.3	4.5	48.4	10.9	8.2	14.3	8.1
	Hispanic	16.6	4.5	45.7	14.3	11.6	17.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	54.3	25.4	80.6	21.5 *	19.8	23.3	
	Non-Hisp. White Women	2.0	1.0	4.1	14.5 *	13.3	15.7	
	Non-Hisp. Black Men				13.5	9.4	19.1	
	Non-Hisp. Black Women				9.2	5.9	13.9	25.5
	Hispanic Men				20.1	15.5	25.6	4.5
	Hispanic Women				8.6	6.0	12.2	
AGE GROUP	18-44	47.1	20.0	76.1	21.6	19.8	23.5	19.3
	45-64	13.9	8.1	22.7	14.6	13.5	15.8	12.1
	65 & Older	2.3	0.8	6.2	7.7 *	6.9	8.7	1.8
EDUCATION LEVEL	<High School	62.9	22.6	90.8	13.6 *	10.9	16.8	16.7
	HS / Some College	13.3	7.2	23.1	15.8	14.1	17.7	13.2
	4+ Yrs. College	27.3	7.4	63.8	16.8	15.6	18.1	15.9
ANNUAL INCOME	<\$25,000	14.1	6.5	27.8	14.2	12.0	16.8	12.7
	\$25,000-\$49,999	12.4	5.9	24.2	14.7	13.1	16.5	18.5
	\$50,000 or More	58.0	25.1	85.1	19.9 *	18.4	21.4	12.0 *
MARITAL STATUS	Married/Couple	25.2	10.0	50.6	15.2	14.1	16.4	8.7
	Not Married/Couple	42.4	11.4	80.8	17.9	16.2	19.7	27.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Antibiotic Resistance

Percent of adults who have heard of antibiotic resistance infections.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI	95% CI	Measure	95% CI	95% CI	
ALL	Overall	67.6	52.5	79.8	58.3	57.1	59.6	
SEX	Men	67.6	46.6	83.3	57.4	55.4	59.4	
	Women	67.6	49.7	81.5	59.2	57.6	60.7	
RACE/ETHNICITY	Non-Hisp. White	70.5	52.9	83.5	63.3	62.1	64.6	
	Non-Hisp. Black	27.2	11.6	51.4	42.3	38.0	46.7	
	Hispanic	69.8	38.8	89.4	49.0	45.1	52.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.7	52.7	88.7	63.6	61.6	65.5	
	Non-Hisp. White Women	60.2	40.7	76.8	63.1	61.5	64.7	
	Non-Hisp. Black Men				38.1	31.2	45.6	
	Non-Hisp. Black Women				45.0	39.8	50.4	
	Hispanic Men				43.4	37.4	49.6	
	Hispanic Women				54.6	49.8	59.4	
AGE GROUP	18-44	76.0	57.3	88.2	55.6	53.3	57.9	
	45-64	55.2	38.7	70.6	67.2	65.5	68.9	
	65 & Older	46.6	21.4	73.6	51.0	49.2	52.8	
EDUCATION LEVEL	<High School	64.7	23.7	91.5	33.3	29.7	37.0	
	HS / Some College	60.2	43.3	74.9	45.9	43.5	48.3	
	4+ Yrs. College	77.4	58.8	89.1	67.7	66.3	69.2	
ANNUAL INCOME	<\$25,000	43.1	26.8	60.9	46.3	43.5	49.1	
	\$25,000-\$49,999	52.5	33.5	70.8	55.1	52.7	57.5	
	\$50,000 or More	85.4	66.0	94.6	68.3	66.3	70.2	
MARITAL STATUS	Married/Couple	63.0	47.2	76.4	62.3	60.8	63.8	
	Not Married/Couple	73.8	47.4	89.8	51.3	49.1	53.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percent of adults who have been told they have some form of arthritis.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	22.5	13.3	35.4	24.3	23.4	25.2	
SEX	Men	17.4	8.8	31.6	20.8	19.5	22.1	
	Women	31.9	16.3	52.9	27.6	26.4	28.8	
RACE/ETHNICITY	Non-Hisp. White	24.6	13.0	41.5	27.5	26.5	28.5	
	Non-Hisp. Black	57.4	31.6	79.7	20.4 *	17.5	23.6	
	Hispanic	1.5	0.4	5.8	15.0 *	12.8	17.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.1	6.9	33.0	23.7	22.3	25.2	
	Non-Hisp. White Women	42.9	23.8	64.4	31.2	29.9	32.5	
	Non-Hisp. Black Men				17.6	13.2	23.0	
	Non-Hisp. Black Women				22.2	18.6	26.3	
	Hispanic Men				11.5	8.6	15.1	
	Hispanic Women				18.5	15.3	22.2	
AGE GROUP	18-44	6.2	2.6	13.9	8.9	7.9	10.1	
	45-64	50.2	34.0	66.5	29.7 *	28.2	31.3	
	65 & Older	45.2	21.5	71.4	47.6	45.8	49.3	
EDUCATION LEVEL	<High School	12.4	3.4	36.3	29.5	26.4	32.9	
	HS / Some College	24.2	15.1	36.5	25.2	23.5	27.0	
	4+ Yrs. College	29.4	13.1	53.6	23.1	22.0	24.2	
ANNUAL INCOME	<\$25,000	22.7	14.1	34.4	31.0	28.8	33.2	
	\$25,000-\$49,999	31.7	16.7	51.8	25.4	23.7	27.2	
	\$50,000 or More	19.9	6.4	47.6	18.7	17.5	20.0	
MARITAL STATUS	Married/Couple	23.3	14.2	35.9	23.3	22.2	24.4	
	Not Married/Couple	21.4	7.5	48.0	26.0	24.5	27.6	

Percent of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	18.2	9.6	31.6	12.5	11.8	13.2	
SEX	Men	12.4	5.9	24.3	10.4	9.5	11.4	
	Women	29.0	12.6	53.6	14.4	13.5	15.4	
RACE/ETHNICITY	Non-Hisp. White	14.0	7.2	25.4	13.2	12.5	14.0	
	Non-Hisp. Black	38.4	16.4	66.5	11.9 *	9.7	14.4	
	Hispanic	32.0	6.0	77.5	8.9	7.2	11.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.0	4.3	25.4	11.3	10.4	12.4	
	Non-Hisp. White Women	20.4	9.7	37.9	15.1	14.1	16.1	
	Non-Hisp. Black Men				8.4	5.8	11.9	
	Non-Hisp. Black Women				14.2	11.3	17.8	
	Hispanic Men				7.1	4.8	10.4	
	Hispanic Women				10.7	8.4	13.6	
AGE GROUP	18-44	12.7	3.7	35.7	5.7	4.9	6.6	
	45-64	23.0	14.1	35.4	17.2	16.0	18.6	
	65 & Older	34.4	13.8	63.3	19.4	18.1	20.9	
EDUCATION LEVEL	<High School	11.7	3.1	35.3	19.2	16.6	22.0	
	HS / Some College	24.5	9.5	50.0	13.2	11.9	14.6	
	4+ Yrs. College	17.5	7.7	35.2	11.1	10.4	11.9	
ANNUAL INCOME	<\$25,000	18.1	10.5	29.3	21.0	19.3	22.9	
	\$25,000-\$49,999	20.3	7.7	43.8	12.3	11.1	13.7	
	\$50,000 or More	9.1	2.9	25.1	7.4	6.6	8.3	
MARITAL STATUS	Married/Couple	23.9	11.8	42.5	11.0	10.2	11.9	
	Not Married/Couple	10.9	4.3	25.2	15.0	13.8	16.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percent of adults who had symptoms of pain, aching, or stiffness in or around a joint.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	33.6	20.5	49.9	37.2	36.1	38.4	
SEX	Men	23.4	12.1	40.2	35.9	34.2	37.7	
	Women	52.7	32.8	71.8	38.4	37.0	39.9	
RACE/ETHNICITY	Non-Hisp. White	32.4	18.0	51.1	40.4	39.2	41.7	
	Non-Hisp. Black	48.4	23.5	74.1	33.5	29.8	37.5	
	Hispanic	32.5	6.3	77.5	27.4	24.2	30.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.0	10.3	43.5	40.3	38.3	42.3	
	Non-Hisp. White Women	52.7	33.0	71.6	40.6	39.0	42.1	
	Non-Hisp. Black Men				26.0	20.8	32.0	
	Non-Hisp. Black Women				38.5	33.6	43.7	
	Hispanic Men				24.3	19.6	29.7	
	Hispanic Women				30.6	26.5	35.0	
AGE GROUP	18-44	19.2	7.5	41.0	27.1	25.2	29.1	
	45-64	61.7	46.2	75.1	43.7 *	42.0	45.5	
	65 & Older	48.2	23.4	73.9	48.4	46.6	50.2	
EDUCATION LEVEL	<High School	25.0	6.8	60.4	42.0	38.2	45.9	
	HS / Some College	39.8	22.8	59.5	38.0	35.8	40.2	
	4+ Yrs. College	35.2	17.3	58.5	36.2	34.8	37.7	
ANNUAL INCOME	<\$25,000	34.4	22.4	48.8	44.7	42.1	47.3	
	\$25,000-\$49,999	39.4	23.0	58.7	36.8	34.7	39.0	
	\$50,000 or More	23.6	8.1	51.9	33.4	31.6	35.2	
MARITAL STATUS	Married/Couple	37.4	22.8	54.6	36.7	35.3	38.2	
	Not Married/Couple	28.9	10.9	57.4	38.1	36.2	40.1	

Asthma

Percent of adults who currently have asthma.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.0	2.0	7.9	6.2	5.7	6.7	9.2
SEX	Men	1.2	0.4	3.0	4.9 *	4.1	5.7	6.8 *
	Women	8.9	4.0	18.7	7.4	6.7	8.1	11.4
RACE/ETHNICITY	Non-Hisp. White	4.7	2.1	10.1	6.4	5.8	7.0	9.4
	Non-Hisp. Black	3.1	0.9	9.7	7.6	5.8	9.9	6.4
	Hispanic	0.4	0.0	3.0	4.8 *	3.6	6.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.4	0.5	3.9	5.2 *	4.3	6.2	
	Non-Hisp. White Women	11.1	4.7	24.0	7.5	6.8	8.3	
	Non-Hisp. Black Men				5.7	3.2	9.9	
	Non-Hisp. Black Women				9.0	6.7	11.9	6.9
	Hispanic Men				3.9	2.3	6.5	12.5
	Hispanic Women				5.7	4.1	7.8	
AGE GROUP	18-44	2.4	0.6	8.6	5.8	5.0	6.8	7.0
	45-64	7.5	3.1	17.0	6.7	6.0	7.6	11.3
	65 & Older	3.7	1.7	8.0	6.1	5.4	6.9	12.9
EDUCATION LEVEL	<High School	8.3	1.9	29.5	8.4	6.5	10.7	14.5
	HS / Some College	1.7	0.8	3.3	5.9 *	5.1	6.8	7.7 *
	4+ Yrs. College	2.7	1.3	5.5	6.0	5.3	6.7	8.5
ANNUAL INCOME	<\$25,000	6.1	2.1	16.2	7.8	6.8	8.9	11.9
	\$25,000-\$49,999	8.6	2.6	25.1	5.8	5.0	6.8	7.6
	\$50,000 or More	1.4	0.5	3.8	5.2 *	4.4	6.1	6.3
MARITAL STATUS	Married/Couple	2.1	1.2	3.7	5.7 *	5.1	6.4	9.5 *
	Not Married/Couple	6.5	2.1	18.5	7.0	6.1	7.9	8.8

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of women 40 years of age and older who received a mammogram in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	48.5	25.8	71.9	64.9	63.3	66.4	65.2
SEX	Men							
	Women	48.5	25.8	71.9	64.9	63.3	66.4	65.2
RACE/ETHNICITY	Non-Hisp. White	47.2	23.7	72.0	65.4	63.8	67.0	61.7
	Non-Hisp. Black				70.2	64.3	75.5	
	Hispanic				63.2	57.2	68.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	47.2	23.7	72.0	65.4	63.8	67.0	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.2	64.3	75.5	
	Hispanic Men							61.7
	Hispanic Women				63.2	57.2	68.9	
AGE GROUP	18-44	27.1	9.0	58.3	50.0	44.9	55.1	49.5
	45-64	37.6	14.7	67.8	65.7	63.5	67.9	73.0
	65 & Older	81.2	60.5	92.4	70.0	67.7	72.2	60.9
EDUCATION LEVEL	<High School	30.1	12.3	56.8	61.3	56.0	66.4	51.3
	HS / Some College	67.6	56.9	76.7	62.0	59.1	64.9	66.8
	4+ Yrs. College	47.2	13.8	83.2	66.9	64.8	68.8	70.5
ANNUAL INCOME	<\$25,000	55.6	32.6	76.4	57.6	54.3	60.9	53.7
	\$25,000-\$49,999	44.4	19.5	72.5	64.2	61.2	67.1	78.1
	\$50,000 or More	43.6	9.8	84.5	70.3	67.5	72.9	73.2
MARITAL STATUS	Married/Couple	75.2	60.4	85.7	67.9	65.7	70.0	69.0
	Not Married/Couple	26.1	9.3	54.7	60.4 *	58.1	62.7	59.4

Percent of women 18 years of age and older who had a clinical breast exam in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	80.8	68.9	88.9	65.0 *	63.4	66.5	
SEX	Men							
	Women	80.8	68.9	88.9	65.0 *	63.4	66.5	
RACE/ETHNICITY	Non-Hisp. White	76.8	63.1	86.6	67.3	65.7	68.8	
	Non-Hisp. Black				67.8	62.3	72.8	
	Hispanic				58.7	54.0	63.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	76.8	63.1	86.6	67.3	65.7	68.8	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				67.8	62.3	72.8	
	Hispanic Men							
	Hispanic Women				58.7	54.0	63.4	
AGE GROUP	18-44	79.4	59.4	91.1	63.5	60.7	66.3	
	45-64	85.9	70.1	94.0	69.4	67.1	71.5	
	65 & Older	75.3	51.5	89.7	62.1	59.7	64.4	
EDUCATION LEVEL	<High School	48.6	21.4	76.6	52.8	47.6	57.8	
	HS / Some College	84.6	67.8	93.5	57.5 *	54.6	60.5	
	4+ Yrs. College	86.6	72.9	93.9	70.2 *	68.3	72.0	
ANNUAL INCOME	<\$25,000	68.1	41.4	86.5	53.6	50.3	56.9	
	\$25,000-\$49,999	80.7	60.5	92.0	61.4	58.5	64.3	
	\$50,000 or More	90.8	76.4	96.8	75.9	73.5	78.2	
MARITAL STATUS	Married/Couple	86.1	74.2	93.0	68.6 *	66.6	70.5	
	Not Married/Couple	72.9	48.3	88.6	59.6	57.1	62.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of women 18 years of age and older who received a PAP test in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	77.7	62.2	88.1	64.8	63.0	66.5	80.0
SEX	Men							
	Women	77.7	62.2	88.1	64.8	63.0	66.5	80.0
RACE/ETHNICITY	Non-Hisp. White	73.7	55.1	86.5	64.4	62.4	66.3	71.0
	Non-Hisp. Black				70.9	64.7	76.4	
	Hispanic				64.5	59.4	69.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	73.7	55.1	86.5	64.4	62.4	66.3	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.9	64.7	76.4	
	Hispanic Men							71.0
	Hispanic Women				64.5	59.4	69.2	
AGE GROUP	18-44	74.7	52.7	88.7	69.1	66.3	71.8	82.0
	45-64	89.1	71.2	96.4	66.4 *	63.6	69.1	84.0
	65 & Older	43.9	25.2	64.5	48.0	44.7	51.3	55.5
EDUCATION LEVEL	<High School	57.5	22.3	86.4	51.9	45.5	58.2	
	HS / Some College	76.3	51.7	90.6	55.6	51.9	59.2	83.8
	4+ Yrs. College	85.3	66.8	94.3	70.4	68.3	72.4	75.4
ANNUAL INCOME	<\$25,000	70.5	38.3	90.2	53.6	49.4	57.6	82.0
	\$25,000-\$49,999	80.8	57.0	93.0	62.1	58.6	65.4	74.7
	\$50,000 or More	87.0	61.9	96.5	76.1	73.5	78.6	83.1
MARITAL STATUS	Married/Couple	78.9	61.6	89.7	69.4	67.2	71.5	85.8
	Not Married/Couple	76.7	50.0	91.6	57.7	54.6	60.8	67.5

Percent of men 50 years of age and older who received a PSA test in the past two years.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	64.1	47.3	78.0	72.3	70.2	74.4	
SEX	Men	64.1	47.3	78.0	72.3	70.2	74.4	
	Women							
RACE/ETHNICITY	Non-Hisp. White	68.5	50.6	82.3	74.6	72.4	76.6	
	Non-Hisp. Black				71.5	60.1	80.7	
	Hispanic				61.2	51.5	70.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	68.5	50.6	82.3	74.6	72.4	76.6	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				71.5	60.1	80.7	
	Non-Hisp. Black Women							
	Hispanic Men				61.2	51.5	70.1	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	45.9	32.0	60.5	64.5 *	61.2	67.7	
	65 & Older	92.1	78.6	97.4	81.4	78.9	83.6	
EDUCATION LEVEL	<High School				62.2	54.7	69.1	
	HS / Some College	52.1	34.5	69.2	61.6	56.9	66.1	
	4+ Yrs. College	78.3	53.4	91.9	77.6	75.1	80.0	
ANNUAL INCOME	<\$25,000	42.1	24.2	62.3	59.2	54.0	64.1	
	\$25,000-\$49,999				73.9	69.7	77.6	
	\$50,000 or More	63.9	35.6	85.0	78.5	75.2	81.4	
MARITAL STATUS	Married/Couple	70.1	49.8	84.7	75.6	73.1	78.0	
	Not Married/Couple	45.6	28.9	63.3	63.4	59.2	67.4	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of men 50 years of age and older who received a digital rectal exam in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	60.1	42.7	75.4	56.3	54.0	58.5	
SEX	Men	60.1	42.7	75.4	56.3	54.0	58.5	
	Women							
RACE/ETHNICITY	Non-Hisp. White	61.0	41.2	77.7	59.1	56.8	61.3	
	Non-Hisp. Black				51.0	39.9	62.0	
	Hispanic				40.2	31.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	61.0	41.2	77.7	59.1	56.8	61.3	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				51.0	39.9	62.0	
	Non-Hisp. Black Women							
	Hispanic Men				40.2	31.2	50.0	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	45.3	31.1	60.4	50.1	46.8	53.5	
	65 & Older	82.6	58.7	94.1	63.4	60.5	66.2	
EDUCATION LEVEL	<High School				47.8	40.3	55.4	
	HS / Some College	51.6	33.7	69.1	47.0	42.5	51.5	
	4+ Yrs. College	69.4	42.4	87.5	60.8	58.1	63.5	
ANNUAL INCOME	<\$25,000	40.8	22.1	62.6	48.5	43.6	53.4	
	\$25,000-\$49,999				52.6	48.1	56.9	
	\$50,000 or More	60.1	30.6	83.8	62.5	58.9	65.9	
MARITAL STATUS	Married/Couple	71.1	50.8	85.4	59.0	56.2	61.7	
	Not Married/Couple	27.7	15.8	44.0	49.2 *	45.1	53.2	

Percent of adults 50 years of age and older who received a blood stool test in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	26.6	14.6	43.4	21.2	20.1	22.3	32.9
SEX	Men	30.7	14.4	53.9	23.7	21.9	25.5	30.8
	Women	21.0	9.7	39.6	19.1	17.8	20.5	34.7
RACE/ETHNICITY	Non-Hisp. White	27.0	13.4	46.9	23.3	22.1	24.6	34.4
	Non-Hisp. Black				21.7	17.1	27.1	
	Hispanic				8.7	6.1	12.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.0	15.3	61.6	26.0	24.1	28.1	
	Non-Hisp. White Women	18.3	8.0	36.5	21.0	19.5	22.5	
	Non-Hisp. Black Men				21.3	14.4	30.3	
	Non-Hisp. Black Women				22.0	16.2	29.1	32.4
	Hispanic Men				9.9	6.0	15.9	36.3
	Hispanic Women				7.8	4.7	12.9	
AGE GROUP	18-44							
	45-64	18.4	10.2	31.0	15.6	14.3	17.1	32.4
	65 & Older	43.4	17.9	73.1	27.1	25.5	28.8	33.7
EDUCATION LEVEL	<High School	16.4	8.5	29.4	20.0	16.2	24.3	30.3
	HS / Some College	26.4	15.7	40.9	19.6	17.8	21.5	31.9
	4+ Yrs. College	29.0	9.5	61.3	22.1	20.7	23.6	36.3
ANNUAL INCOME	<\$25,000	24.8	13.0	42.0	20.1	18.0	22.3	27.6
	\$25,000-\$49,999	26.0	12.2	46.9	22.1	20.1	24.3	42.2
	\$50,000 or More	27.3	8.6	60.0	21.5	19.6	23.6	28.9
MARITAL STATUS	Married/Couple	35.2	19.0	55.6	22.0	20.6	23.5	36.4
	Not Married/Couple	11.3	4.8	24.4	19.9	18.2	21.6	26.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	53.1	36.0	69.4	53.7	52.3	55.1	46.2
SEX	Men	47.0	29.4	65.5	55.7	53.4	57.9	47.9
	Women	61.9	32.7	84.4	52.1	50.3	53.9	44.7
RACE/ETHNICITY	Non-Hisp. White	57.7	38.4	74.9	56.8	55.3	58.2	48.7
	Non-Hisp. Black				48.9	42.6	55.2	
	Hispanic				39.0	33.3	45.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.9	32.4	74.1	59.1	56.8	61.3	
	Non-Hisp. White Women	62.2	31.0	85.7	54.8	53.0	56.6	
	Non-Hisp. Black Men				50.4	39.4	61.4	
	Non-Hisp. Black Women				47.7	40.4	55.1	52.8
	Hispanic Men				37.9	29.1	47.6	44.7
	Hispanic Women				39.9	32.7	47.5	
AGE GROUP	18-44							
	45-64	56.2	35.7	74.8	46.6	44.5	48.7	42.8
	65 & Older	47.6	22.6	73.9	61.4	59.6	63.2	52.6
EDUCATION LEVEL	<High School	34.1	20.3	51.2	41.7	37.3	46.3	41.6
	HS / Some College	46.0	30.5	62.3	51.3	48.8	53.8	42.3
	4+ Yrs. College	62.1	32.1	85.0	56.7	54.9	58.5	55.6
ANNUAL INCOME	<\$25,000	34.6	20.3	52.4	47.2	44.4	50.1	37.5
	\$25,000-\$49,999	70.8	46.2	87.3	50.7	48.0	53.4	46.6
	\$50,000 or More	54.8	24.8	81.7	59.7	57.2	62.1	58.2
MARITAL STATUS	Married/Couple	48.7	30.9	66.8	57.5	55.7	59.3	51.6
	Not Married/Couple	61.4	32.1	84.3	47.3	45.1	49.5	36.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percent of adults who have ever had a stroke.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	4.9	1.5	15.0	3.1	2.8	3.5	
SEX	Men	1.9	0.5	7.2	2.9	2.5	3.4	
	Women	10.0	2.3	34.7	3.4	2.9	3.8	
RACE/ETHNICITY	Non-Hisp. White	2.2	0.8	5.9	3.5	3.2	3.9	
	Non-Hisp. Black	4.6	0.9	20.3	3.7	2.4	5.5	
	Hispanic	20.6	3.2	67.1	1.4 *	0.9	2.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.2	0.5	9.2	3.4	2.8	4.0	
	Non-Hisp. White Women	2.3	1.1	4.5	3.6	3.2	4.2	
	Non-Hisp. Black Men				2.2	1.3	3.8	
	Non-Hisp. Black Women				4.7	2.8	7.7	
	Hispanic Men				1.1	0.5	2.5	
	Hispanic Women				1.6	0.9	2.8	
AGE GROUP	18-44	6.4	1.3	26.0	1.1	0.7	1.6	
	45-64	1.8	0.9	3.7	2.7	2.3	3.3	
	65 & Older	4.8	2.0	11.1	7.9	7.0	8.8	
EDUCATION LEVEL	<High School	0.9	0.2	3.4	6.0 *	4.6	7.8	
	HS / Some College	10.8	2.4	37.2	3.7	3.1	4.4	
	4+ Yrs. College	2.8	0.7	11.4	2.4	2.1	2.7	
ANNUAL INCOME	<\$25,000	16.4	4.8	43.0	5.7	4.8	6.7	
	\$25,000-\$49,999	0.8	0.2	2.4	3.6 *	2.9	4.5	
	\$50,000 or More	0.5	0.1	1.9	1.2	1.0	1.6	
MARITAL STATUS	Married/Couple	6.2	1.3	24.5	2.6	2.3	3.0	
	Not Married/Couple	3.1	0.8	11.3	4.0	3.5	4.6	

Percent of adults who have ever had a heart attack, angina, or coronary heart disease.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	10.6	5.3	20.1	9.3	8.7	9.8	
SEX	Men	9.3	4.1	19.7	10.3	9.5	11.2	
	Women	12.7	3.9	34.0	8.3	7.7	9.0	
RACE/ETHNICITY	Non-Hisp. White	8.4	4.1	16.1	10.6	10.0	11.3	
	Non-Hisp. Black	18.0	4.9	48.2	7.8	6.1	9.9	
	Hispanic	21.1	3.4	66.9	5.3	4.2	6.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.2	4.0	23.6	12.1	11.1	13.2	
	Non-Hisp. White Women	4.9	2.8	8.4	9.2 *	8.5	9.9	
	Non-Hisp. Black Men				6.0	4.1	8.9	
	Non-Hisp. Black Women				9.0	6.6	12.2	
	Hispanic Men				5.7	4.1	7.9	
	Hispanic Women				4.9	3.6	6.6	
AGE GROUP	18-44	7.3	1.8	25.7	2.2	1.7	2.8	
	45-64	11.6	6.8	18.9	9.1	8.2	10.1	
	65 & Older	23.5	8.4	50.7	23.9	22.5	25.4	
EDUCATION LEVEL	<High School	5.1	1.5	16.2	15.0	12.9	17.5	
	HS / Some College	17.3	6.7	37.7	10.5	9.4	11.6	
	4+ Yrs. College	9.0	3.1	23.4	7.8	7.2	8.4	
ANNUAL INCOME	<\$25,000	27.7	13.8	47.9	14.9	13.4	16.4	
	\$25,000-\$49,999	10.4	2.0	40.3	10.1	9.1	11.3	
	\$50,000 or More	1.7	0.6	4.6	5.1	4.5	5.8	
MARITAL STATUS	Married/Couple	12.5	5.1	27.3	8.8	8.1	9.5	
	Not Married/Couple	8.0	3.1	18.8	10.1	9.2	11.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percent of adults who had their cholesterol checked in the past five years.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	62.8	40.3	80.9	78.5	77.4	79.7	77.0
SEX	Men	52.0	25.8	77.2	76.7	74.9	78.5	70.2
	Women	81.5	66.2	90.8	80.2	78.8	81.6	82.8
RACE/ETHNICITY	Non-Hisp. White	63.3	35.3	84.5	84.4	83.3	85.4	74.1
	Non-Hisp. Black	68.0	39.1	87.5	76.3	71.9	80.3	90.3
	Hispanic	58.0	25.8	84.6	60.1	56.3	63.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	55.5	22.6	84.2	82.5	80.7	84.1	
	Non-Hisp. White Women	78.4	59.6	90.0	86.1	84.9	87.3	
	Non-Hisp. Black Men				73.1	65.0	79.9	
	Non-Hisp. Black Women				78.6	73.5	83.0	70.6
	Hispanic Men				59.7	53.8	65.3	78.2
	Hispanic Women				60.5	55.7	65.1	
AGE GROUP	18-44	45.1	20.2	72.7	64.7	62.5	66.9	67.2
	45-64	85.9	76.6	91.9	87.3	86.0	88.5	87.1
	65 & Older	94.8	86.8	98.0	93.2	92.2	94.2	95.2
EDUCATION LEVEL	<High School	23.1	6.4	56.9	62.0 *	57.9	65.9	71.2 *
	HS / Some College	74.8	61.0	84.9	70.6	68.0	73.1	77.3
	4+ Yrs. College	83.2	66.1	92.7	85.0	83.8	86.1	79.5
ANNUAL INCOME	<\$25,000	68.2	53.0	80.3	68.4	65.6	71.1	75.2
	\$25,000-\$49,999	60.1	39.3	77.8	75.8	73.4	78.1	72.8
	\$50,000 or More	58.4	20.2	88.6	86.3	84.8	87.8	88.1
MARITAL STATUS	Married/Couple	78.0	66.6	86.3	81.8	80.5	83.0	81.2
	Not Married/Couple	42.3	15.9	74.1	73.0	70.8	75.1	68.0

Percent of adults who have diagnosed high blood cholesterol.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	49.0	32.8	65.5	37.1	35.9	38.3	38.8
SEX	Men	43.0	24.1	64.1	38.9	37.0	40.9	48.5
	Women	56.0	32.7	76.9	35.4	34.0	36.9	31.7
RACE/ETHNICITY	Non-Hisp. White	44.7	28.2	62.4	38.7	37.4	40.0	44.8
	Non-Hisp. Black	25.5	7.0	60.8	29.7	25.8	33.9	15.0
	Hispanic				34.7	30.4	39.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.2	23.3	69.2	39.6	37.6	41.7	
	Non-Hisp. White Women	43.9	21.8	68.7	37.8	36.3	39.4	
	Non-Hisp. Black Men				34.1	26.9	42.0	
	Non-Hisp. Black Women				26.8	22.5	31.6	49.4
	Hispanic Men				38.8	32.0	46.2	39.9
	Hispanic Women				30.7	25.7	36.2	
AGE GROUP	18-44	45.2	18.5	75.0	23.0	20.8	25.4	22.1
	45-64	51.2	31.4	70.6	42.8	41.0	44.7	52.0
	65 & Older	53.5	26.2	78.8	49.8	48.0	51.6	64.7
EDUCATION LEVEL	<High School	63.3	41.4	80.8	45.5	41.1	50.1	48.2
	HS / Some College	58.4	37.0	77.1	37.8	35.6	40.0	35.4
	4+ Yrs. College	38.6	17.8	64.6	35.8	34.3	37.3	38.4
ANNUAL INCOME	<\$25,000	51.6	29.9	72.7	41.6	39.1	44.2	31.6
	\$25,000-\$49,999	54.9	35.2	73.1	37.9	35.7	40.3	44.4
	\$50,000 or More	37.7	15.8	66.2	33.4	31.5	35.3	36.1
MARITAL STATUS	Married/Couple	46.3	26.7	67.2	36.8	35.4	38.3	40.1
	Not Married/Couple	55.8	33.5	76.0	37.4	35.3	39.5	35.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Dental Care

Percent of adults who could not see a dentist in the past year because of cost.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	33.9	15.1	59.6	19.2	18.2	20.2	
SEX	Men	38.8	14.0	71.1	16.8	15.3	18.5	
	Women	23.8	10.6	45.1	21.4	20.2	22.7	
RACE/ETHNICITY	Non-Hisp. White	33.2	11.3	65.9	15.7	14.8	16.7	
	Non-Hisp. Black	39.7	17.6	67.0	23.7	20.4	27.4	
	Hispanic	36.5	10.6	73.6	28.3	25.0	31.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.5	11.3	77.0	13.9	12.5	15.5	
	Non-Hisp. White Women	18.1	9.7	31.4	17.5	16.3	18.8	
	Non-Hisp. Black Men				18.3	13.3	24.6	
	Non-Hisp. Black Women				27.2	23.0	32.0	
	Hispanic Men				25.4	20.5	31.1	
	Hispanic Women				31.3	27.2	35.8	
AGE GROUP	18-44	42.6	16.0	74.3	23.6	21.8	25.6	
	45-64	23.3	13.8	36.4	19.5	18.1	21.0	
	65 & Older	7.6	3.4	16.3	9.8	8.7	11.0	
EDUCATION LEVEL	<High School	75.3	39.4	93.5	33.9 *	30.2	37.7	
	HS / Some College	25.2	12.1	45.1	23.2	21.2	25.3	
	4+ Yrs. College	8.6	3.8	18.1	15.2	14.0	16.4	
ANNUAL INCOME	<\$25,000	42.9	26.7	60.9	36.7	34.1	39.4	
	\$25,000-\$49,999	17.6	7.8	35.1	21.5	19.6	23.6	
	\$50,000 or More	40.1	9.1	81.8	9.0	7.8	10.3	
MARITAL STATUS	Married/Couple	19.7	10.2	34.6	16.2	15.1	17.4	
	Not Married/Couple	52.6	19.2	83.8	24.4	22.5	26.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diagnosed diabetes.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	8.8	4.8	15.7	8.7	8.2	9.3	19.1
SEX	Men	10.2	4.4	22.2	9.4	8.6	10.3	10.9
	Women	6.5	3.9	10.6	8.1	7.5	8.9	26.3
RACE/ETHNICITY	Non-Hisp. White	7.9	3.9	15.5	9.0	8.4	9.6	10.1
	Non-Hisp. Black	12.0	4.4	28.6	12.4	10.4	14.8	52.0
	Hispanic	3.1	0.8	10.5	6.6	5.2	8.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.1	3.4	22.1	10.0	9.1	11.1	
	Non-Hisp. White Women	5.8	3.4	9.6	7.9	7.2	8.7	
	Non-Hisp. Black Men				11.2	8.3	14.8	
	Non-Hisp. Black Women				13.3	10.6	16.5	9.2
	Hispanic Men				6.8	4.8	9.5	11.3
	Hispanic Women				6.4	4.7	8.6	
AGE GROUP	18-44	1.3	0.3	5.0	2.4	1.9	3.1	19.4
	45-64	18.5	9.8	32.4	10.9	9.9	12.1	16.7
	65 & Older	22.5	7.7	50.2	18.5	17.2	19.9	21.9
EDUCATION LEVEL	<High School	6.2	1.8	19.3	14.4	12.3	16.7	21.7
	HS / Some College	12.2	5.6	24.5	9.5	8.4	10.7	28.2
	4+ Yrs. College	8.0	2.6	22.0	7.5	6.9	8.1	4.9
ANNUAL INCOME	<\$25,000	13.6	6.0	27.7	13.3	11.9	14.9	36.6
	\$25,000-\$49,999	17.1	6.0	40.1	8.5	7.6	9.5	7.9
	\$50,000 or More	3.7	1.4	9.9	5.9	5.2	6.7	7.6
MARITAL STATUS	Married/Couple	11.4	5.6	21.8	8.3	7.7	9.0	23.1
	Not Married/Couple	5.3	2.2	12.4	9.5	8.6	10.6	10.9

Percent of adults with diabetes who self-monitor blood glucose at least once a day on average.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	39.9	20.4	63.2	65.7	62.6	68.7	
SEX	Men				61.8	57.1	66.3	
	Women	69.5	54.8	81.1	70.0	66.0	73.7	
RACE/ETHNICITY	Non-Hisp. White	45.7	21.5	72.2	64.0	60.5	67.3	
	Non-Hisp. Black				62.0	52.6	70.6	
	Hispanic				79.3	68.4	87.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				59.9	54.7	64.8	
	Non-Hisp. White Women	71.3	55.7	83.0	69.1	64.6	73.2	
	Non-Hisp. Black Men				58.1	43.0	71.9	
	Non-Hisp. Black Women				64.4	52.3	74.9	
	Hispanic Men				78.2	59.5	89.7	
	Hispanic Women				80.4	67.8	88.9	
AGE GROUP	18-44				72.0	61.6	80.6	
	45-64	39.6	17.0	67.7	63.1	57.8	68.0	
	65 & Older				66.3	62.4	70.1	
EDUCATION LEVEL	<High School				67.3	58.8	74.8	
	HS / Some College	39.0	13.5	72.3	67.6	61.8	73.0	
	4+ Yrs. College				64.1	59.9	68.1	
ANNUAL INCOME	<\$25,000	32.0	11.0	64.2	69.0	63.7	73.9	
	\$25,000-\$49,999				65.9	60.5	70.9	
	\$50,000 or More				61.9	55.2	68.1	
MARITAL STATUS	Married/Couple	35.7	14.5	64.5	65.1	61.1	69.0	
	Not Married/Couple	53.0	29.5	75.3	66.5	61.5	71.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diabetes who had two A1C tests in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	69.8	37.7	89.8	71.2	67.7	74.4	
SEX	Men				68.0	62.5	73.0	
	Women	61.9	45.1	76.3	74.7	70.6	78.4	
RACE/ETHNICITY	Non-Hisp. White	88.2	72.5	95.5	73.3	69.6	76.7	
	Non-Hisp. Black				77.1	68.8	83.8	
	Hispanic				52.5	39.2	65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				70.3	64.7	75.4	
	Non-Hisp. White Women	71.9	54.3	84.7	76.8	72.6	80.6	
	Non-Hisp. Black Men				79.9	67.7	88.3	
	Non-Hisp. Black Women				75.3	63.7	84.2	
	Hispanic Men				41.5	25.5	59.5	
	Hispanic Women				66.0	48.6	80.0	
AGE GROUP	18-44				65.2	52.8	75.9	
	45-64	54.4	23.2	82.5	70.0	64.0	75.3	
	65 & Older				74.2	70.0	78.0	
EDUCATION LEVEL	<High School				63.9	54.2	72.6	
	HS / Some College	47.9	16.7	80.8	67.2	59.8	73.9	
	4+ Yrs. College				75.5	71.3	79.2	
ANNUAL INCOME	<\$25,000	50.5	14.2	86.3	66.7	59.7	73.1	
	\$25,000-\$49,999				72.8	67.2	77.7	
	\$50,000 or More				75.5	68.5	81.3	
MARITAL STATUS	Married/Couple	65.7	28.7	90.1	70.4	66.0	74.5	
	Not Married/Couple				72.8	66.9	77.9	

Percent of adults with diabetes who had an annual foot exam.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	68.0	39.6	87.3	75.6	72.6	78.4	
SEX	Men				77.0	72.4	81.0	
	Women	69.7	55.4	81.0	74.1	70.0	77.8	
RACE/ETHNICITY	Non-Hisp. White	82.8	66.0	92.2	75.0	71.8	78.0	
	Non-Hisp. Black				85.0	77.8	90.2	
	Hispanic				68.4	55.4	79.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				76.2	71.3	80.5	
	Non-Hisp. White Women	62.7	45.8	77.1	73.7	69.5	77.5	
	Non-Hisp. Black Men				83.3	70.4	91.2	
	Non-Hisp. Black Women				86.1	76.6	92.2	
	Hispanic Men				73.6	53.3	87.2	
	Hispanic Women				62.6	45.6	77.1	
AGE GROUP	18-44				70.9	59.8	80.0	
	45-64	53.6	24.4	80.6	74.5	69.3	79.1	
	65 & Older				78.0	74.1	81.4	
EDUCATION LEVEL	<High School				72.0	63.5	79.2	
	HS / Some College	42.5	15.5	74.8	71.4	64.8	77.2	
	4+ Yrs. College				79.1	75.6	82.3	
ANNUAL INCOME	<\$25,000	48.5	15.4	83.0	74.9	69.0	80.1	
	\$25,000-\$49,999				74.8	69.8	79.2	
	\$50,000 or More				79.5	73.8	84.2	
MARITAL STATUS	Married/Couple	65.5	30.3	89.3	75.6	71.9	78.9	
	Not Married/Couple	75.6	57.3	87.8	75.5	70.1	80.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diabetes who had an annual eye exam.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	61.3	34.6	82.6	77.4	74.7	80.0	
SEX	Men				78.5	74.5	82.0	
	Women	62.8	46.1	76.9	76.3	72.3	79.9	
RACE/ETHNICITY	Non-Hisp. White	53.0	25.9	78.5	75.9	72.7	78.9	
	Non-Hisp. Black				78.9	71.1	85.0	
	Hispanic				81.1	70.1	88.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				75.7	70.7	80.1	
	Non-Hisp. White Women	75.4	59.9	86.4	76.1	72.1	79.7	
	Non-Hisp. Black Men				79.5	66.9	88.1	
	Non-Hisp. Black Women				78.5	68.0	86.3	
	Hispanic Men				89.3	81.0	94.2	
	Hispanic Women				72.3	53.9	85.3	
AGE GROUP	18-44				60.9	48.8	71.8	
	45-64	72.2	48.0	87.9	75.0	70.7	78.8	
	65 & Older				83.6	80.1	86.7	
EDUCATION LEVEL	<High School				71.4	64.1	77.7	
	HS / Some College	73.1	43.3	90.6	74.2	68.5	79.2	
	4+ Yrs. College				81.1	77.5	84.3	
ANNUAL INCOME	<\$25,000	87.1	68.7	95.4	72.9	67.5	77.8	
	\$25,000-\$49,999				77.9	73.0	82.1	
	\$50,000 or More				81.0	75.9	85.3	
MARITAL STATUS	Married/Couple	59.1	26.2	85.5	79.4	76.2	82.2	
	Not Married/Couple	67.3	45.3	83.7	74.7	69.5	79.3	

Percent of adults with diabetes who ever had diabetes self-management education.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	45.5	22.9	70.1	51.4	48.2	54.6	
SEX	Men				50.5	45.8	55.2	
	Women	42.3	28.8	57.0	52.4	48.0	56.8	
RACE/ETHNICITY	Non-Hisp. White	56.7	31.4	78.9	53.2	49.6	56.8	
	Non-Hisp. Black				47.7	39.1	56.5	
	Hispanic				46.3	35.0	58.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				48.1	43.1	53.2	
	Non-Hisp. White Women	49.2	33.8	64.7	59.3	54.5	63.8	
	Non-Hisp. Black Men				49.9	36.0	63.7	
	Non-Hisp. Black Women				46.4	35.6	57.6	
	Hispanic Men				60.1	44.1	74.2	
	Hispanic Women				32.2	20.5	46.6	
AGE GROUP	18-44				52.8	40.6	64.6	
	45-64	37.5	17.0	63.8	53.6	48.4	58.7	
	65 & Older				49.4	45.3	53.4	
EDUCATION LEVEL	<High School				35.3	28.7	42.6	
	HS / Some College	40.4	15.0	72.3	52.3	46.2	58.4	
	4+ Yrs. College				55.7	51.3	60.0	
ANNUAL INCOME	<\$25,000	24.7	8.9	52.4	47.3	41.6	53.0	
	\$25,000-\$49,999				54.1	48.5	59.7	
	\$50,000 or More				57.0	50.5	63.3	
MARITAL STATUS	Married/Couple	53.8	23.5	81.6	52.7	48.6	56.8	
	Not Married/Couple	21.5	10.1	40.2	49.4 *	44.1	54.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	54.3	44.6	63.9	50.9	49.7	52.1	
SEX	Men				50.5	49.1	51.9	
	Women	48.1	41.9	54.3	51.4	49.4	53.4	
RACE/ETHNICITY	Non-Hisp. White	56.5	44.4	68.7	52.0	50.5	53.5	
	Non-Hisp. Black				50.4	47.9	52.9	
	Hispanic				46.6	43.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				51.9	50.3	53.5	
	Non-Hisp. White Women	48.8	44.5	53.1	52.2	49.5	54.9	
	Non-Hisp. Black Men				49.9	45.3	54.5	
	Non-Hisp. Black Women				50.7	47.7	53.6	
	Hispanic Men				44.6	41.6	47.6	
	Hispanic Women				48.8	42.8	54.9	
AGE GROUP	18-44				29.1	26.5	31.7	
	45-64	46.9	45.0	48.8	45.9	44.8	47.1	
	65 & Older				61.9	61.0	62.9	
EDUCATION LEVEL	<High School				52.3	49.7	54.9	
	HS / Some College	47.7	44.7	50.7	51.9	49.2	54.6	
	4+ Yrs. College				50.0	48.6	51.5	
ANNUAL INCOME	<\$25,000	49.3	45.7	52.9	51.9	49.9	53.8	
	\$25,000-\$49,999				50.9	49.0	52.8	
	\$50,000 or More				47.8	46.1	49.6	
MARITAL STATUS	Married/Couple	54.7	42.2	67.3	50.5	49.2	51.8	
	Not Married/Couple	52.8	46.2	59.5	51.6	49.3	53.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percent of adults who are limited in any way in any activities because of physical, mental, or emotional problems.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	33.6	19.3	51.8	17.8 *	17.1	18.6	
SEX	Men	34.0	15.5	59.2	16.9	15.7	18.1	
	Women	32.9	15.9	56.1	18.8	17.8	19.8	
RACE/ETHNICITY	Non-Hisp. White	30.5	15.0	52.2	19.7	18.8	20.6	
	Non-Hisp. Black	40.9	18.1	68.3	16.8	14.1	19.7	
	Hispanic	35.0	7.7	77.6	10.6	8.9	12.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	32.8	12.2	63.3	18.6	17.3	20.1	
	Non-Hisp. White Women	25.5	13.5	42.9	20.7	19.6	21.9	
	Non-Hisp. Black Men				14.8	10.9	19.7	
	Non-Hisp. Black Women				18.1	14.8	22.0	
	Hispanic Men				9.9	7.3	13.4	
	Hispanic Women				11.3	9.1	13.9	
AGE GROUP	18-44	27.3	9.6	57.0	10.3	9.2	11.4	
	45-64	46.0	30.7	62.1	21.7 *	20.4	23.1	
	65 & Older	39.8	17.6	67.2	27.6	26.0	29.2	
EDUCATION LEVEL	<High School	18.0	5.0	47.8	24.2	21.4	27.2	
	HS / Some College	35.2	18.5	56.4	19.6	18.0	21.2	
	4+ Yrs. College	45.2	22.1	70.6	16.1 *	15.2	17.1	
ANNUAL INCOME	<\$25,000	36.2	23.1	51.7	30.3	28.1	32.5	
	\$25,000-\$49,999	25.8	11.8	47.4	17.7	16.2	19.2	
	\$50,000 or More	29.3	8.2	65.6	10.8	9.8	11.8	
MARITAL STATUS	Married/Couple	46.6	29.1	65.0	15.5 *	14.6	16.4	
	Not Married/Couple	17.1	7.1	35.9	21.9	20.5	23.4	

Percent of adults who use special equipment because of a health problem.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	9.3	4.9	16.8	7.1	6.6	7.7	
SEX	Men	11.1	4.8	23.8	6.9	6.1	7.7	
	Women	5.8	3.5	9.7	7.4	6.8	8.0	
RACE/ETHNICITY	Non-Hisp. White	7.6	3.5	15.8	7.4	6.9	8.0	
	Non-Hisp. Black	21.1	6.4	51.3	8.1	6.4	10.1	
	Hispanic	5.0	1.0	21.0	5.1	3.7	6.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.5	3.0	21.9	6.8	6.1	7.7	
	Non-Hisp. White Women	5.8	3.4	9.7	8.0	7.3	8.7	
	Non-Hisp. Black Men				6.6	4.5	9.6	
	Non-Hisp. Black Women				9.1	6.8	12.0	
	Hispanic Men				5.9	3.7	9.4	
	Hispanic Women				4.3	3.0	6.1	
AGE GROUP	18-44	4.1	1.5	11.1	2.3	1.8	3.0	
	45-64	15.2	6.9	30.2	7.5	6.7	8.5	
	65 & Older	22.2	7.5	50.2	16.3	15.1	17.7	
EDUCATION LEVEL	<High School	4.5	1.2	14.9	12.0	10.0	14.2	
	HS / Some College	12.1	5.4	24.9	8.1	7.1	9.3	
	4+ Yrs. College	10.6	3.9	26.1	5.9	5.4	6.5	
ANNUAL INCOME	<\$25,000	14.8	6.8	29.2	13.8	12.4	15.3	
	\$25,000-\$49,999	13.3	3.5	39.4	6.6	5.7	7.6	
	\$50,000 or More	3.3	0.9	11.4	2.9	2.4	3.5	
MARITAL STATUS	Married/Couple	12.9	6.4	24.5	5.3 *	4.8	5.9	
	Not Married/Couple	4.7	2.0	10.7	10.3	9.3	11.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Folic Acid

Percent of adults who take a multivitamin.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	36.9	21.7	55.3	58.5 *	57.3	59.8	
SEX	Men	36.3	16.7	61.9	53.9	51.9	56.0	
	Women	38.1	21.6	58.0	62.9 *	61.3	64.4	
RACE/ETHNICITY	Non-Hisp. White	40.8	21.3	63.8	62.1	60.8	63.4	
	Non-Hisp. Black	36.4	15.1	64.9	52.6	48.1	57.1	
	Hispanic	16.6	5.1	42.6	47.7 *	43.7	51.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.9	14.1	67.7	58.2	56.1	60.3	
	Non-Hisp. White Women	50.2	30.3	70.1	65.9	64.3	67.5	
	Non-Hisp. Black Men				48.4	40.6	56.3	
	Non-Hisp. Black Women				55.4	50.0	60.8	
	Hispanic Men				41.8	35.7	48.2	
	Hispanic Women				53.7	48.8	58.6	
AGE GROUP	18-44	32.2	13.1	59.9	51.2	48.9	53.5	
	45-64	37.0	24.6	51.4	61.5 *	59.7	63.2	
	65 & Older	64.3	35.9	85.2	69.2	67.4	70.9	
EDUCATION LEVEL	<High School	13.2	3.5	38.7	43.5 *	39.4	47.6	
	HS / Some College	31.5	19.8	46.2	51.8 *	49.3	54.2	
	4+ Yrs. College	60.0	36.6	79.6	63.9	62.4	65.4	
ANNUAL INCOME	<\$25,000	31.1	19.7	45.4	53.2 *	50.4	56.0	
	\$25,000-\$49,999	48.0	29.5	67.1	58.1	55.7	60.5	
	\$50,000 or More	37.5	11.8	73.0	62.2	60.2	64.1	
MARITAL STATUS	Married/Couple	46.7	29.1	65.1	59.4	57.9	61.0	
	Not Married/Couple	24.0	8.9	50.4	57.1 *	54.9	59.3	

Percent of women under age 45 who take a multivitamin.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	35.2	14.4	63.9	56.4	53.5	59.2	
SEX	Men							
	Women	35.2	14.4	63.9	56.4	53.5	59.2	
RACE/ETHNICITY	Non-Hisp. White	65.0	43.8	81.6	59.9	56.6	63.1	
	Non-Hisp. Black				51.0	43.4	58.6	
	Hispanic				48.2	41.4	55.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	65.0	43.8	81.6	59.9	56.6	63.1	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				51.0	43.4	58.6	
	Hispanic Men							
	Hispanic Women				48.2	41.4	55.1	
AGE GROUP	18-44	35.1	14.2	63.8	56.2	53.3	59.1	
	45-64							
	65 & Older							
EDUCATION LEVEL	<High School				34.0	25.5	43.7	
	HS / Some College	14.0	4.5	35.9	44.8 *	39.2	50.6	
	4+ Yrs. College	64.8	33.6	87.0	63.6	60.3	66.8	
ANNUAL INCOME	<\$25,000	32.7	8.1	73.0	46.5	40.2	52.9	
	\$25,000-\$49,999	71.2	35.9	91.6	54.7	49.5	59.9	
	\$50,000 or More	52.5	34.1	70.2	63.6	59.2	67.8	
MARITAL STATUS	Married/Couple	19.1	7.4	41.2	59.2 *	55.8	62.5	
	Not Married/Couple	73.9	43.0	91.4	51.7	46.6	56.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Gastrointestinal Disease

Percent of adults who had diarrhea in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	32.4	13.7	59.2	14.1	13.3	15.0	
SEX	Men	35.3	11.2	70.2	13.8	12.6	15.2	
	Women	26.5	10.2	53.4	14.4	13.4	15.4	
RACE/ETHNICITY	Non-Hisp. White	32.6	10.9	65.6	15.6	14.7	16.6	
	Non-Hisp. Black	22.8	8.1	49.7	11.5	8.8	14.9	
	Hispanic	36.8	8.5	78.5	10.0	8.0	12.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.9	11.7	77.0	15.8	14.3	17.5	
	Non-Hisp. White Women	15.1	7.8	27.3	15.4	14.4	16.5	
	Non-Hisp. Black Men				6.8	4.7	9.7	
	Non-Hisp. Black Women				14.5	10.5	19.8	
	Hispanic Men				9.3	6.6	12.9	
	Hispanic Women				10.7	8.0	14.1	
AGE GROUP	18-44	41.2	14.7	74.0	14.6	13.1	16.1	
	45-64	21.8	12.9	34.2	14.0	12.8	15.2	
	65 & Older	6.8	2.7	15.8	13.4	12.2	14.6	
EDUCATION LEVEL	<High School	64.5	23.8	91.4	12.4 *	10.1	15.2	
	HS / Some College	24.6	9.0	51.7	13.6	12.2	15.1	
	4+ Yrs. College	13.6	6.6	25.7	14.6	13.5	15.7	
ANNUAL INCOME	<\$25,000	17.5	9.9	28.9	16.7	14.9	18.7	
	\$25,000-\$49,999	16.2	6.8	33.9	12.5	11.1	13.9	
	\$50,000 or More	42.6	11.1	81.6	14.8	13.5	16.3	
MARITAL STATUS	Married/Couple	18.0	7.4	37.5	13.9	12.9	14.9	
	Not Married/Couple	51.5	18.2	83.5	14.5 *	13.2	16.0	

Percent of adults who had diarrhea in the past 30 days and who visited a doctor.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	1.0	0.5	2.2	2.4	2.0	2.8	
SEX	Men	0.8	0.2	2.7	2.2	1.6	2.9	
	Women	1.5	0.8	3.1	2.6	2.2	3.0	
RACE/ETHNICITY	Non-Hisp. White	1.1	0.4	2.7	2.5	2.1	3.0	
	Non-Hisp. Black	2.9	0.6	12.6	2.2	1.4	3.6	
	Hispanic	0.4	0.0	2.9	2.1	1.3	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	0.9	0.2	3.5	2.2	1.6	3.1	
	Non-Hisp. White Women	1.7	0.8	3.5	2.7	2.3	3.2	
	Non-Hisp. Black Men				1.5	0.7	3.3	
	Non-Hisp. Black Women				2.7	1.5	4.8	
	Hispanic Men				2.3	1.0	5.0	
	Hispanic Women				2.0	1.2	3.3	
AGE GROUP	18-44	0.3	0.1	1.9	2.0	1.4	2.7	
	45-64	2.7	1.1	6.2	2.5	2.0	3.2	
	65 & Older	1.2	0.4	4.3	3.0	2.4	3.7	
EDUCATION LEVEL	<High School	1.3	0.2	6.7	2.3	1.6	3.2	
	HS / Some College	0.9	0.4	2.2	2.8	2.2	3.6	
	4+ Yrs. College	0.9	0.3	3.1	2.2	1.7	2.7	
ANNUAL INCOME	<\$25,000	1.9	0.7	5.5	3.5	2.7	4.4	
	\$25,000-\$49,999	1.8	0.5	5.8	2.8	2.1	3.7	
	\$50,000 or More	0.1	0.0	1.1	1.6 *	1.1	2.2	
MARITAL STATUS	Married/Couple	0.8	0.3	2.1	2.1	1.7	2.6	
	Not Married/Couple	1.3	0.4	4.4	2.8	2.2	3.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percent of adults with any type of health care insurance coverage.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	62.0	39.9	80.0	81.4 *	80.3	82.4	81.6
SEX	Men	54.9	27.3	79.7	80.3	78.5	82.0	78.4
	Women	74.2	54.1	87.5	82.4	81.0	83.7	84.5
RACE/ETHNICITY	Non-Hisp. White	66.3	36.6	87.0	87.8	86.9	88.7	81.2
	Non-Hisp. Black	52.5	27.2	76.6	77.2	72.9	81.1	88.4
	Hispanic	43.6	13.4	79.4	61.4	57.6	65.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	58.7	23.6	86.7	87.6	86.2	88.8	
	Non-Hisp. White Women	81.0	61.8	91.9	88.1	86.9	89.1	
	Non-Hisp. Black Men				74.9	67.0	81.5	
	Non-Hisp. Black Women				78.8	73.7	83.2	80.0
	Hispanic Men				57.7	51.8	63.5	82.7
	Hispanic Women				64.9	60.3	69.3	
AGE GROUP	18-44	46.6	21.3	73.8	72.4	70.3	74.4	79.5
	45-64	77.9	63.5	87.7	82.7	81.3	84.1	79.6
	65 & Older	98.1	90.6	99.7	97.3	96.5	97.9	95.1
EDUCATION LEVEL	<High School	21.6	6.1	53.9	60.8 *	56.8	64.6	65.3
	HS / Some College	67.2	48.5	81.6	73.8	71.3	76.1	83.7
	4+ Yrs. College	87.7	70.2	95.6	88.3	87.1	89.3	87.8
ANNUAL INCOME	<\$25,000	46.6	30.8	63.0	64.5	61.7	67.3	75.4
	\$25,000-\$49,999	64.5	42.6	81.6	79.0	76.8	81.0	82.1
	\$50,000 or More	64.5	20.8	92.6	93.2	91.8	94.3	90.1
MARITAL STATUS	Married/Couple	78.0	63.6	87.9	85.3	84.1	86.4	84.1
	Not Married/Couple	40.1	15.2	71.4	74.9 *	72.7	76.9	76.5

Percent of adults who have a personal doctor.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	67.0	42.8	84.6	77.1	75.9	78.2	83.9
SEX	Men	51.9	25.8	77.0	72.8	71.0	74.6	78.0
	Women	92.8	87.5	95.9	81.1 *	79.7	82.4	89.1
RACE/ETHNICITY	Non-Hisp. White	70.8	37.7	90.7	82.2	81.1	83.2	82.3
	Non-Hisp. Black	59.0	32.1	81.4	75.6	71.4	79.4	92.0
	Hispanic	53.6	21.4	83.0	61.7	58.0	65.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	58.5	23.3	86.7	77.9	76.0	79.7	
	Non-Hisp. White Women	94.4	89.8	97.0	86.3 *	85.0	87.4	
	Non-Hisp. Black Men				70.8	63.6	77.1	
	Non-Hisp. Black Women				78.8	73.5	83.3	78.3
	Hispanic Men				58.2	52.4	63.8	87.2
	Hispanic Women				65.2	60.5	69.5	
AGE GROUP	18-44	54.5	24.9	81.2	64.7	62.5	66.8	79.7
	45-64	79.6	65.2	89.1	83.3	81.9	84.6	88.1
	65 & Older	96.4	89.9	98.8	92.9	91.9	93.8	92.7
EDUCATION LEVEL	<High School	22.8	6.5	55.9	62.8 *	58.9	66.5	77.4 *
	HS / Some College	76.9	62.2	87.1	71.4	68.9	73.7	81.7
	4+ Yrs. College	92.8	84.5	96.8	82.1 *	80.8	83.4	90.5
ANNUAL INCOME	<\$25,000	61.5	45.0	75.6	66.8	64.1	69.4	82.0
	\$25,000-\$49,999	74.2	57.2	86.1	74.2	71.8	76.4	87.3
	\$50,000 or More	64.6	20.8	92.7	84.8	83.2	86.3	89.2
MARITAL STATUS	Married/Couple	79.8	68.2	87.9	80.6	79.3	81.8	88.2
	Not Married/Couple	49.4	17.7	81.5	71.1	68.9	73.2	75.2

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percent of adults who could not see a doctor at least once in the past year due to cost.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	19.6	11.0	32.2	15.1	14.2	16.0	
SEX	Men	13.3	6.4	25.6	13.3	11.9	14.7	
	Women	30.4	14.9	52.2	16.8	15.7	18.0	
RACE/ETHNICITY	Non-Hisp. White	14.0	6.7	27.0	11.5	10.8	12.4	
	Non-Hisp. Black	42.8	20.0	69.1	20.9	17.8	24.4	
	Hispanic	31.8	8.5	70.2	23.5	20.6	26.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.4	3.2	16.2	9.8	8.6	11.0	
	Non-Hisp. White Women	26.6	11.3	50.7	13.2	12.2	14.3	
	Non-Hisp. Black Men				16.7	12.2	22.6	
	Non-Hisp. Black Women				23.8	19.9	28.2	
	Hispanic Men				22.9	18.4	28.2	
	Hispanic Women				24.1	20.5	28.2	
AGE GROUP	18-44	14.9	6.0	32.4	19.9	18.3	21.6	
	45-64	37.3	21.0	57.0	15.8 *	14.5	17.2	
	65 & Older	2.5	0.7	9.0	4.5	3.7	5.3	
EDUCATION LEVEL	<High School	21.8	5.9	55.2	25.6	22.6	28.9	
	HS / Some College	23.9	11.3	43.5	19.0	17.1	21.0	
	4+ Yrs. College	14.2	4.4	37.5	11.7	10.7	12.8	
ANNUAL INCOME	<\$25,000	45.0	28.7	62.4	29.3	26.9	31.9	
	\$25,000-\$49,999	15.6	7.0	31.4	18.4	16.5	20.5	
	\$50,000 or More	8.7	1.7	35.1	6.3	5.4	7.4	
MARITAL STATUS	Married/Couple	22.8	11.7	39.9	12.7	11.8	13.8	
	Not Married/Couple	15.2	6.1	32.8	19.3	17.6	21.0	

Percent of adults who had a medical checkup in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	58.2	37.4	76.4	74.6	73.5	75.7	
SEX	Men	47.3	23.4	72.4	70.5	68.7	72.3	
	Women	76.9	56.3	89.5	78.5	77.1	79.8	
RACE/ETHNICITY	Non-Hisp. White	57.6	32.6	79.2	75.0	73.8	76.2	
	Non-Hisp. Black	24.9	12.2	44.3	82.7 *	79.0	85.9	
	Hispanic	67.5	35.8	88.6	70.1	66.5	73.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	50.4	21.0	79.6	71.0	69.1	72.9	
	Non-Hisp. White Women	71.4	47.3	87.4	78.8	77.3	80.2	
	Non-Hisp. Black Men				76.9	69.3	83.1	
	Non-Hisp. Black Women				86.8	83.3	89.6	
	Hispanic Men				66.0	60.2	71.3	
	Hispanic Women				74.3	70.0	78.3	
AGE GROUP	18-44	48.7	22.2	76.0	64.0	61.8	66.1	
	45-64	61.6	42.1	78.0	77.7	76.2	79.1	
	65 & Older	94.6	87.9	97.7	91.5	90.4	92.4	
EDUCATION LEVEL	<High School	19.3	5.6	49.2	71.4 *	67.6	74.9	
	HS / Some College	73.8	60.1	84.0	72.8	70.5	75.0	
	4+ Yrs. College	74.5	52.9	88.3	76.0	74.6	77.4	
ANNUAL INCOME	<\$25,000	67.3	51.8	79.7	73.0	70.4	75.3	
	\$25,000-\$49,999	61.2	43.0	76.8	72.4	70.1	74.5	
	\$50,000 or More	48.8	17.6	81.0	75.7	73.9	77.4	
MARITAL STATUS	Married/Couple	73.9	61.4	83.4	75.6	74.3	77.0	
	Not Married/Couple	37.1	14.4	67.3	73.1 *	71.0	75.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults with good to excellent overall health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	76.0	61.7	86.1	83.4	82.5	84.2	66.9
SEX	Men	83.2	69.2	91.6	83.8	82.4	85.1	75.5
	Women	64.0	41.7	81.5	82.9 *	81.8	84.0	59.2
RACE/ETHNICITY	Non-Hisp. White	84.3	73.6	91.2	85.8	85.0	86.6	77.0
	Non-Hisp. Black	56.7	30.2	79.9	80.8	77.5	83.7	35.2
	Hispanic	41.5	15.3	73.7	77.2 *	74.1	80.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	85.4	69.6	93.8	86.1	84.8	87.3	
	Non-Hisp. White Women	82.1	70.2	89.9	85.6	84.6	86.5	
	Non-Hisp. Black Men				84.0	79.6	87.6	
	Non-Hisp. Black Women				78.5	73.8	82.5	78.2
	Hispanic Men				77.5	72.5	81.7	75.5
	Hispanic Women				77.0	73.0	80.6	
AGE GROUP	18-44	79.2	55.4	92.1	89.5	88.1	90.8	71.5
	45-64	72.7	59.6	82.8	80.4	78.8	81.8	62.5
	65 & Older	67.8	42.3	85.8	75.2	73.6	76.8	57.5
EDUCATION LEVEL	<High School	82.3	54.1	94.8	66.1	62.5	69.4	47.5
	HS / Some College	57.9	37.3	76.2	79.0 *	77.1	80.8	62.3
	4+ Yrs. College	86.0	71.8	93.7	88.1	87.1	89.0	83.7
ANNUAL INCOME	<\$25,000	51.6	34.8	68.1	65.7	63.2	68.1	43.0
	\$25,000-\$49,999	76.6	56.0	89.4	83.9	82.3	85.4	79.2
	\$50,000 or More	96.2	90.9	98.4	93.3	92.2	94.2	89.9
MARITAL STATUS	Married/Couple	71.1	52.8	84.4	85.1	84.0	86.1	64.8
	Not Married/Couple	82.5	63.5	92.7	80.3	78.7	81.7	71.2

Percent of adults who are "very satisfied" or "satisfied" with their lives.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	92.7	80.8	97.5	94.2	93.6	94.8	
SEX	Men	96.0	90.9	98.3	94.0	92.9	94.9	
	Women	86.3	55.2	97.0	94.5	93.8	95.1	
RACE/ETHNICITY	Non-Hisp. White	92.7	76.3	98.0	94.9	94.3	95.4	
	Non-Hisp. Black	78.2	46.9	93.6	93.0	91.0	94.7	
	Hispanic	100.0			93.5	90.8	95.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	97.7	93.5	99.2	94.8	93.9	95.6	
	Non-Hisp. White Women	80.6	44.5	95.6	95.0	94.3	95.5	
	Non-Hisp. Black Men				90.3	85.9	93.4	
	Non-Hisp. Black Women				94.9	92.8	96.5	
	Hispanic Men				93.0	87.9	96.0	
	Hispanic Women				94.0	91.3	95.9	
AGE GROUP	18-44	98.7	95.6	99.6	94.6 *	93.4	95.6	
	45-64	75.2	46.7	91.3	92.7 *	91.7	93.6	
	65 & Older	96.5	89.5	98.9	95.8	95.0	96.5	
EDUCATION LEVEL	<High School	97.0	87.8	99.3	91.7	89.7	93.4	
	HS / Some College	93.9	87.4	97.1	92.7	91.1	94.1	
	4+ Yrs. College	88.3	57.2	97.7	95.3	94.6	95.9	
ANNUAL INCOME	<\$25,000	89.8	80.9	94.8	87.8	86.0	89.3	
	\$25,000-\$49,999	98.2	95.6	99.3	94.8	93.6	95.8	
	\$50,000 or More	91.3	59.9	98.7	97.2	96.2	98.0	
MARITAL STATUS	Married/Couple	96.4	92.3	98.4	96.4	95.7	96.9	
	Not Married/Couple	88.0	58.3	97.4	90.5	89.2	91.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults who always or usually receive the social and emotional support they need.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	77.0	62.5	87.0	77.9	76.8	79.0	
SEX	Men	81.4	66.3	90.7	76.6	74.7	78.3	
	Women	67.8	43.1	85.5	79.2	77.9	80.5	
RACE/ETHNICITY	Non-Hisp. White	86.7	77.0	92.7	82.3	81.3	83.3	
	Non-Hisp. Black	52.2	26.2	77.0	67.0	62.7	71.0	
	Hispanic				68.5	64.6	72.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.8	80.6	95.9	81.2	79.6	82.8	
	Non-Hisp. White Women	76.8	61.3	87.3	83.4	82.2	84.5	
	Non-Hisp. Black Men				65.3	58.1	71.9	
	Non-Hisp. Black Women				68.1	62.7	73.0	
	Hispanic Men				64.7	58.2	70.6	
	Hispanic Women				72.3	67.9	76.4	
AGE GROUP	18-44	79.7	57.3	92.0	78.2	76.1	80.1	
	45-64	69.0	53.0	81.5	78.1	76.5	79.6	
	65 & Older	79.5	63.3	89.7	77.4	75.9	78.9	
EDUCATION LEVEL	<High School	73.5	35.3	93.4	63.3	59.3	67.0	
	HS / Some College	60.8	39.6	78.6	71.9	69.5	74.2	
	4+ Yrs. College	93.7	87.2	97.0	82.9 *	81.6	84.1	
ANNUAL INCOME	<\$25,000	56.9	40.1	72.3	63.4	60.7	66.1	
	\$25,000-\$49,999	75.7	58.3	87.3	76.0	73.8	78.0	
	\$50,000 or More	95.6	88.6	98.4	87.1 *	85.6	88.5	
MARITAL STATUS	Married/Couple	74.0	55.7	86.5	83.1	81.9	84.3	
	Not Married/Couple	81.0	59.0	92.6	68.9	66.8	70.9	

Percent of adults with good physical health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	79.5	65.0	89.0	88.8	88.1	89.5	
SEX	Men	89.6	78.3	95.4	89.8	88.7	90.8	
	Women	62.3	39.8	80.6	87.8 *	86.9	88.7	
RACE/ETHNICITY	Non-Hisp. White	86.9	75.9	93.3	88.5	87.7	89.2	
	Non-Hisp. Black	60.0	32.7	82.2	88.0 *	85.5	90.1	
	Hispanic	47.4	17.1	79.7	90.6 *	88.5	92.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	91.0	77.6	96.7	89.6	88.4	90.7	
	Non-Hisp. White Women	78.8	61.1	89.8	87.4	86.4	88.4	
	Non-Hisp. Black Men				89.1	85.2	92.0	
	Non-Hisp. Black Women				87.3	83.9	90.0	
	Hispanic Men				91.4	87.8	94.0	
	Hispanic Women				89.8	87.3	91.9	
AGE GROUP	18-44	82.3	58.0	94.0	92.5	91.4	93.5	
	45-64	79.8	67.2	88.4	86.5	85.2	87.6	
	65 & Older	65.6	36.2	86.5	84.3	82.9	85.5	
EDUCATION LEVEL	<High School	85.3	58.3	96.0	82.6	80.1	84.8	
	HS / Some College	66.6	42.1	84.5	86.6 *	85.1	87.9	
	4+ Yrs. College	85.7	68.5	94.3	90.8	89.9	91.6	
ANNUAL INCOME	<\$25,000	63.8	44.4	79.5	80.3	78.5	82.0	
	\$25,000-\$49,999	76.5	54.4	89.8	89.1	87.7	90.3	
	\$50,000 or More	96.0	80.3	99.3	93.5	92.5	94.4	
MARITAL STATUS	Married/Couple	74.1	54.7	87.1	90.4 *	89.5	91.1	
	Not Married/Couple	86.6	69.7	94.8	86.1	84.8	87.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults with good mental health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	81.6	66.7	90.8	90.3	89.6	91.0	
SEX	Men	89.2	77.6	95.1	91.9	90.9	92.9	
	Women	67.6	42.0	85.8	88.7 *	87.7	89.7	
RACE/ETHNICITY	Non-Hisp. White	85.1	70.6	93.1	90.9	90.2	91.6	
	Non-Hisp. Black	85.1	49.7	97.1	87.2	83.8	90.0	
	Hispanic	69.6	22.3	94.8	89.8	87.4	91.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.4	76.7	96.4	92.2	91.2	93.2	
	Non-Hisp. White Women	73.4	47.6	89.3	89.7	88.7	90.5	
	Non-Hisp. Black Men				90.2	86.2	93.1	
	Non-Hisp. Black Women				85.2	80.1	89.2	
	Hispanic Men				92.0	88.2	94.6	
	Hispanic Women				87.7	84.2	90.5	
AGE GROUP	18-44	86.4	64.1	95.8	88.9	87.5	90.1	
	45-64	67.4	45.1	83.9	89.2 *	88.2	90.3	
	65 & Older	84.5	51.0	96.6	94.5	93.6	95.2	
EDUCATION LEVEL	<High School	90.9	70.8	97.6	84.2	81.0	87.0	
	HS / Some College	77.3	49.1	92.3	89.0	87.6	90.3	
	4+ Yrs. College	77.5	53.6	91.1	91.8	90.9	92.6	
ANNUAL INCOME	<\$25,000	84.3	73.3	91.3	83.9	81.9	85.8	
	\$25,000-\$49,999	77.9	54.7	91.2	88.7	87.1	90.1	
	\$50,000 or More	89.4	62.5	97.7	94.3	93.4	95.1	
MARITAL STATUS	Married/Couple	76.1	55.9	88.9	92.0 *	91.2	92.8	
	Not Married/Couple	89.4	74.0	96.2	87.2	85.8	88.5	

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.9	1.6	8.2	4.5	4.2	4.7	
SEX	Men	2.8	0.5	5.1	4.6	4.1	5.0	
	Women	8.2	2.4	14.0	4.4	4.1	4.7	
RACE/ETHNICITY	Non-Hisp. White	3.2	0.9	5.5	4.5	4.2	4.8	
	Non-Hisp. Black				4.5	3.7	5.3	
	Hispanic				3.9	3.1	4.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.1	0.2	4.1	4.6 *	4.1	5.1	
	Non-Hisp. White Women	5.5	1.1	10.0	4.3	4.0	4.7	
	Non-Hisp. Black Men				4.5	2.9	6.1	
	Non-Hisp. Black Women				4.5	3.6	5.5	
	Hispanic Men				3.7	2.3	5.0	
	Hispanic Women				4.0	3.1	5.0	
AGE GROUP	18-44	3.9	-0.6	8.4	3.4	3.0	3.9	
	45-64	5.2	2.5	7.9	5.1	4.7	5.6	
	65 & Older	11.0	1.2	20.9	5.8	5.2	6.4	
EDUCATION LEVEL	<High School	2.1	-1.0	5.2	6.2 *	5.2	7.1	
	HS / Some College	9.7	2.7	16.6	5.4	4.9	6.0	
	4+ Yrs. College	3.9	0.9	6.9	3.8	3.4	4.1	
ANNUAL INCOME	<\$25,000	11.7	4.7	18.6	7.5	6.8	8.2	
	\$25,000-\$49,999	3.7	1.1	6.2	4.4	3.9	4.9	
	\$50,000 or More	2.1	-0.5	4.7	2.5	2.2	2.8	
MARITAL STATUS	Married/Couple	6.4	1.8	10.9	4.0	3.7	4.3	
	Not Married/Couple	3.1	-0.1	6.4	5.2	4.7	5.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	6.6	3.2	10.0	3.6	3.4	3.8	
SEX	Men	3.8	1.6	6.0	3.3	3.0	3.6	
	Women	11.1	4.8	17.4	3.9 *	3.7	4.1	
RACE/ETHNICITY	Non-Hisp. White	4.3	2.2	6.5	3.7	3.5	3.8	
	Non-Hisp. Black	12.0	4.0	20.0	4.1	3.5	4.8	
	Hispanic				3.0	2.5	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.4	1.1	5.7	3.4	3.1	3.7	
	Non-Hisp. White Women	6.1	2.5	9.7	3.9	3.7	4.2	
	Non-Hisp. Black Men				3.4	2.5	4.3	
	Non-Hisp. Black Women				4.6	3.7	5.5	
	Hispanic Men				2.7	1.9	3.5	
	Hispanic Women				3.3	2.7	4.0	
AGE GROUP	18-44	5.9	0.8	11.1	2.7	2.4	2.9	
	45-64	6.5	3.6	9.4	4.2	3.9	4.5	
	65 & Older	9.9	2.0	17.7	4.8	4.4	5.1	
EDUCATION LEVEL	<High School	4.4	0.0	8.9	5.5	4.8	6.2	
	HS / Some College	10.3	3.5	17.2	4.3	3.9	4.7	
	4+ Yrs. College	5.1	2.0	8.3	3.1	2.9	3.3	
ANNUAL INCOME	<\$25,000	10.7	5.3	16.1	6.3	5.8	6.8	
	\$25,000-\$49,999	7.0	1.4	12.5	3.5	3.2	3.8	
	\$50,000 or More	2.4	0.5	4.2	2.3	2.0	2.5	
MARITAL STATUS	Married/Couple	8.2	3.4	13.1	3.2 *	3.0	3.4	
	Not Married/Couple	4.5	1.4	7.5	4.4	4.0	4.7	

Average number of unhealthy mental days in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	5.4	2.1	8.7	3.3	3.1	3.5	
SEX	Men	3.7	1.0	6.3	2.8	2.5	3.1	
	Women	8.4	2.2	14.6	3.7	3.4	4.0	
RACE/ETHNICITY	Non-Hisp. White	4.1	1.6	6.6	3.1	2.9	3.2	
	Non-Hisp. Black	4.9	-1.7	11.6	4.1	3.2	5.0	
	Hispanic				3.5	2.8	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.3	0.5	6.1	2.7	2.4	2.9	
	Non-Hisp. White Women	5.9	2.4	9.4	3.4	3.2	3.7	
	Non-Hisp. Black Men				3.3	2.3	4.3	
	Non-Hisp. Black Women				4.6	3.4	5.9	
	Hispanic Men				3.0	1.9	4.0	
	Hispanic Women				4.0	3.1	5.0	
AGE GROUP	18-44	4.5	-0.1	9.2	3.8	3.4	4.2	
	45-64	7.9	4.7	11.1	3.5 *	3.2	3.8	
	65 & Older	4.8	-1.7	11.3	1.8	1.6	2.0	
EDUCATION LEVEL	<High School	2.9	-0.9	6.8	5.2	4.3	6.1	
	HS / Some College	7.2	0.4	14.0	3.7	3.3	4.1	
	4+ Yrs. College	5.7	2.1	9.4	2.8	2.6	3.0	
ANNUAL INCOME	<\$25,000	4.8	2.4	7.3	5.2	4.6	5.7	
	\$25,000-\$49,999	7.1	1.3	12.9	3.6	3.2	4.0	
	\$50,000 or More	2.5	-0.1	5.1	2.2	1.9	2.4	
MARITAL STATUS	Married/Couple	6.9	2.4	11.4	2.7	2.5	2.9	
	Not Married/Couple	3.3	0.2	6.4	4.3	3.9	4.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percent of adults less than 65 years of age who have ever been tested for HIV.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	65.7	47.7	80.1	49.1	47.6	50.6	52.3
SEX	Men	67.2	43.9	84.2	46.4	44.0	48.8	44.1
	Women	61.9	40.8	79.2	51.8	50.0	53.7	59.6
RACE/ETHNICITY	Non-Hisp. White	71.7	52.0	85.6	45.3 *	43.6	47.0	44.2 *
	Non-Hisp. Black	65.2	38.8	84.7	68.4	63.9	72.6	79.6
	Hispanic				50.7	46.5	54.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	77.4	54.7	90.7	45.2 *	42.6	47.8	
	Non-Hisp. White Women	56.7	33.6	77.2	45.4	43.3	47.5	
	Non-Hisp. Black Men				61.9	53.8	69.5	
	Non-Hisp. Black Women				72.9	67.8	77.5	41.0
	Hispanic Men				44.2	37.8	50.8	48.3
	Hispanic Women				57.5	52.4	62.5	
AGE GROUP	18-44	73.8	51.8	88.0	58.5	56.3	60.7	64.2
	45-64	46.8	29.9	64.4	35.9	34.2	37.7	30.7
	65 & Older							
EDUCATION LEVEL	<High School	75.1	36.6	94.0	48.1	43.0	53.3	55.8
	HS / Some College	52.1	36.0	67.8	46.9	43.8	50.0	52.5
	4+ Yrs. College	69.2	45.5	85.8	50.2	48.4	52.1	50.7
ANNUAL INCOME	<\$25,000	55.9	37.9	72.4	54.1	50.5	57.7	64.6
	\$25,000-\$49,999	39.0	22.4	58.7	48.0	45.1	51.0	43.7
	\$50,000 or More	81.2	58.1	93.1	49.5 *	47.3	51.7	41.4 *
MARITAL STATUS	Married/Couple	56.5	38.0	73.3	47.7	45.9	49.5	53.2
	Not Married/Couple	75.6	47.3	91.4	51.7	48.9	54.4	50.8

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percent of adults with diagnosed hypertension.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	33.8	20.6	50.1	28.2	27.2	29.2	26.6
SEX	Men	25.3	12.9	43.6	28.8	27.2	30.4	28.1
	Women	48.4	28.8	68.6	27.6	26.4	28.8	25.3
RACE/ETHNICITY	Non-Hisp. White	31.6	17.4	50.3	30.4	29.3	31.5	26.8
	Non-Hisp. Black	43.7	20.7	69.7	32.5	28.9	36.3	16.0
	Hispanic	37.1	9.1	77.6	19.1	16.5	22.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.5	10.4	45.0	31.0	29.3	32.7	
	Non-Hisp. White Women	47.2	27.0	68.2	29.8	28.5	31.2	
	Non-Hisp. Black Men				30.9	25.4	37.1	
	Non-Hisp. Black Women				33.6	29.1	38.4	25.2
	Hispanic Men				20.9	16.7	25.9	28.9
	Hispanic Women				17.3	14.3	20.8	
AGE GROUP	18-44	13.2	4.0	35.9	11.6	10.3	13.1	9.5
	45-64	61.3	45.7	75.0	33.9 *	32.3	35.5	46.1
	65 & Older	68.8	39.0	88.4	53.5	51.8	55.3	55.6
EDUCATION LEVEL	<High School	10.5	3.1	29.9	31.9	28.7	35.3	35.2
	HS / Some College	44.2	26.9	63.0	29.5	27.6	31.3	24.7
	4+ Yrs. College	42.6	22.1	66.0	27.0	25.8	28.3	24.6
ANNUAL INCOME	<\$25,000	31.8	19.8	46.8	35.3	33.0	37.6	29.0
	\$25,000-\$49,999	28.4	14.6	47.8	29.2	27.3	31.1	27.4
	\$50,000 or More	29.4	10.5	59.8	23.2	21.7	24.8	22.2
MARITAL STATUS	Married/Couple	42.1	26.5	59.5	27.4	26.2	28.6	27.7
	Not Married/Couple	22.4	8.0	48.8	29.6	28.0	31.3	24.1

Percent of adults with hypertension who engage in blood pressure control measures.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	98.4	95.9	99.4	96.4	95.5	97.2	
SEX	Men	98.6	95.1	99.6	95.9	94.1	97.1	
	Women	98.3	93.0	99.6	97.0	95.9	97.8	
RACE/ETHNICITY	Non-Hisp. White	98.6	96.4	99.5	97.1	96.3	97.8	
	Non-Hisp. Black				96.0	91.9	98.1	
	Hispanic				94.6	89.1	97.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	98.2	93.5	99.5	97.0	95.7	97.9	
	Non-Hisp. White Women	99.0	96.8	99.7	97.3	96.0	98.1	
	Non-Hisp. Black Men				94.3	84.7	98.0	
	Non-Hisp. Black Women				97.1	92.6	98.9	
	Hispanic Men				93.1	83.0	97.4	
	Hispanic Women				96.4	91.1	98.6	
AGE GROUP	18-44				90.0	85.5	93.2	
	45-64	99.1	95.8	99.8	96.9	95.7	97.9	
	65 & Older	96.8	86.8	99.3	98.8	98.1	99.2	
EDUCATION LEVEL	<High School	90.9	69.3	97.8	94.3	90.6	96.6	
	HS / Some College	99.8	98.5	100.0	96.2 *	94.2	97.5	
	4+ Yrs. College	98.6	94.6	99.6	97.0	95.7	97.9	
ANNUAL INCOME	<\$25,000	98.7	96.1	99.6	96.2	94.1	97.6	
	\$25,000-\$49,999	98.0	88.9	99.7	97.1	95.4	98.2	
	\$50,000 or More	99.0	94.3	99.8	96.7	94.6	98.0	
MARITAL STATUS	Married/Couple	99.8	99.2	100.0	96.1 *	94.7	97.2	
	Not Married/Couple	94.9	84.4	98.4	96.9	95.5	97.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percent of adults with hypertension who were advised by a health care provider to engage in blood pressure control measures.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	97.3	90.7	99.2	95.5	94.4	96.4	
SEX	Men	95.5	82.9	98.9	95.6	94.1	96.7	
	Women	99.2	96.3	99.8	95.5	93.6	96.8	
RACE/ETHNICITY	Non-Hisp. White	98.9	96.3	99.7	96.3	95.4	97.1	
	Non-Hisp. Black				93.8	84.4	97.7	
	Hispanic				92.9	87.5	96.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	99.0	93.1	99.9	96.7	95.5	97.6	
	Non-Hisp. White Women	98.7	94.5	99.7	96.0	94.4	97.1	
	Non-Hisp. Black Men				96.1	91.1	98.3	
	Non-Hisp. Black Women				92.4	76.5	97.8	
	Hispanic Men				90.1	80.3	95.3	
	Hispanic Women				96.2	91.6	98.3	
AGE GROUP	18-44				89.8	84.5	93.5	
	45-64	98.3	92.8	99.6	96.3	94.8	97.4	
	65 & Older	99.4	97.3	99.9	97.2	96.2	98.0	
EDUCATION LEVEL	<High School	100.0			93.7	90.5	95.9	
	HS / Some College	95.1	80.9	98.9	95.5	92.3	97.4	
	4+ Yrs. College	99.3	96.1	99.9	95.8	94.5	96.9	
ANNUAL INCOME	<\$25,000	93.7	70.2	98.9	94.4	90.9	96.6	
	\$25,000-\$49,999	100.0			95.5	93.4	96.9	
	\$50,000 or More	99.3	94.8	99.9	96.4	94.6	97.6	
MARITAL STATUS	Married/Couple	97.4	85.8	99.6	95.7	94.4	96.8	
	Not Married/Couple	97.0	88.9	99.2	95.2	92.9	96.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults in high-risk groups who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	33.1	18.0	52.8	44.6	42.4	46.8	
SEX	Men	46.4	25.5	68.7	46.4	42.8	50.1	
	Women	20.0	8.6	40.1	43.2 *	40.6	45.9	
RACE/ETHNICITY	Non-Hisp. White	33.4	17.0	55.2	50.2	47.8	52.6	
	Non-Hisp. Black				24.7	19.5	30.8	
	Hispanic				34.1	26.8	42.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.2	25.1	72.1	50.3	46.3	54.4	
	Non-Hisp. White Women	19.7	7.8	41.5	50.1 *	47.3	52.9	
	Non-Hisp. Black Men				22.4	14.0	33.9	
	Non-Hisp. Black Women				25.6	19.4	33.0	
	Hispanic Men				39.9	27.4	53.9	
	Hispanic Women				29.9	21.8	39.5	
AGE GROUP	18-44	15.2	5.8	34.2	25.1	21.4	29.2	
	45-64	22.9	10.1	43.9	41.6	38.4	44.9	
	65 & Older	81.8	58.9	93.4	72.1	68.9	75.1	
EDUCATION LEVEL	<High School	19.6	8.0	40.4	34.6	28.9	40.9	
	HS / Some College	45.0	29.2	61.9	42.8	38.6	47.2	
	4+ Yrs. College	31.2	10.6	63.4	46.6	43.9	49.3	
ANNUAL INCOME	<\$25,000	25.7	14.4	41.5	41.8	37.6	46.2	
	\$25,000-\$49,999	64.5	32.2	87.4	44.1	40.1	48.1	
	\$50,000 or More	19.8	6.2	47.9	45.7	42.1	49.4	
MARITAL STATUS	Married/Couple	50.9	31.3	70.3	46.4	43.6	49.1	
	Not Married/Couple	16.0	6.6	33.9	42.0 *	38.5	45.6	

Percent of adults in high-risk groups who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	55.4	35.3	73.9	37.0	35.0	39.1	
SEX	Men	48.0	26.5	70.2	40.4	36.9	44.0	
	Women	62.7	32.6	85.4	34.7	32.3	37.1	
RACE/ETHNICITY	Non-Hisp. White	57.9	36.2	76.9	43.0	40.8	45.4	
	Non-Hisp. Black				20.9	16.1	26.8	
	Hispanic				21.8	16.3	28.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.8	25.2	72.9	45.3	41.4	49.4	
	Non-Hisp. White Women	66.2	35.2	87.7	41.2	38.6	43.9	
	Non-Hisp. Black Men				30.0	18.7	44.6	
	Non-Hisp. Black Women				17.4	13.0	22.8	
	Hispanic Men				19.3	11.9	29.7	
	Hispanic Women				23.6	16.3	32.7	
AGE GROUP	18-44	41.9	14.4	75.6	12.7	10.0	16.1	
	45-64	54.1	25.1	80.5	30.1	27.3	33.1	
	65 & Older	73.5	44.1	90.7	73.5	70.4	76.5	
EDUCATION LEVEL	<High School	48.2	17.4	80.4	38.8	32.3	45.8	
	HS / Some College	28.6	17.6	42.8	38.9	34.9	43.0	
	4+ Yrs. College	69.6	42.6	87.6	36.0 *	33.5	38.5	
ANNUAL INCOME	<\$25,000	49.8	28.9	70.8	41.6	37.5	45.9	
	\$25,000-\$49,999	48.0	15.1	82.8	41.1	37.2	45.1	
	\$50,000 or More	67.8	31.8	90.5	28.5	25.4	31.8	
MARITAL STATUS	Married/Couple	42.1	22.2	64.9	37.6	35.0	40.2	
	Not Married/Couple	68.4	39.0	88.0	36.3	33.2	39.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	17.0	10.3	26.8	32.7 *	31.7	33.7	21.5
SEX	Men	19.1	9.3	35.3	31.7	30.1	33.3	23.6
	Women	13.5	8.5	20.8	33.6 *	32.3	34.9	19.6
RACE/ETHNICITY	Non-Hisp. White	17.5	9.6	29.6	38.0 *	36.8	39.2	22.9
	Non-Hisp. Black	20.6	7.8	44.4	23.0	19.9	26.3	14.0
	Hispanic	3.7	1.1	11.7	20.6 *	17.9	23.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.6	7.8	38.0	36.5	34.7	38.4	
	Non-Hisp. White Women	15.3	9.4	23.8	39.4 *	37.9	40.9	
	Non-Hisp. Black Men				22.9	17.9	28.8	
	Non-Hisp. Black Women				23.0	19.3	27.1	22.6
	Hispanic Men				19.5	15.6	24.2	23.3
	Hispanic Women				21.7	18.2	25.7	
AGE GROUP	18-44	6.4	2.8	14.0	18.3 *	16.7	20.0	14.3
	45-64	21.2	12.0	34.8	30.6	29.1	32.2	18.9
	65 & Older	56.7	29.3	80.5	64.6	62.9	66.4	59.3
EDUCATION LEVEL	<High School	6.6	2.0	19.6	26.0 *	23.2	29.0	28.7
	HS / Some College	22.5	13.1	35.9	30.4	28.6	32.3	17.7
	4+ Yrs. College	20.3	9.5	38.2	34.8	33.5	36.2	22.3
ANNUAL INCOME	<\$25,000	20.5	11.4	34.1	33.8	31.5	36.3	21.9
	\$25,000-\$49,999	27.2	13.3	47.5	31.3	29.4	33.3	18.3
	\$50,000 or More	11.1	3.8	28.2	31.9 *	30.3	33.6	15.7
MARITAL STATUS	Married/Couple	21.5	12.6	34.2	33.3	32.0	34.6	18.8
	Not Married/Couple	11.0	4.6	24.2	31.8 *	30.0	33.6	27.2

Percent of adults age 65 and older who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	56.7	29.3	80.5	64.6	62.9	66.4	59.3
SEX	Men	85.1	65.9	94.4	65.9	63.1	68.5	
	Women	31.8	12.9	59.4	63.7 *	61.4	65.9	58.4
RACE/ETHNICITY	Non-Hisp. White	55.8	27.3	80.9	68.3	66.5	70.0	57.3
	Non-Hisp. Black				44.7	36.9	52.8	
	Hispanic				45.3	37.3	53.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.1	68.1	95.5	69.3	66.5	71.9	
	Non-Hisp. White Women	28.5	11.1	56.0	67.5 *	65.2	69.7	
	Non-Hisp. Black Men				44.4	32.4	57.2	
	Non-Hisp. Black Women				44.9	35.0	55.2	
	Hispanic Men				47.4	34.6	60.5	54.2
	Hispanic Women				43.7	33.9	54.1	
AGE GROUP	18-44							
	45-64							
	65 & Older	56.7	29.3	80.5	64.6	62.9	66.4	59.3
EDUCATION LEVEL	<High School	68.9	50.1	83.0	50.8	45.3	56.3	65.1
	HS / Some College	40.2	13.1	75.0	62.1	59.0	65.1	65.9
	4+ Yrs. College	66.2	24.1	92.4	69.4	67.1	71.6	
ANNUAL INCOME	<\$25,000	37.3	11.8	72.6	59.8	56.6	63.0	64.9
	\$25,000-\$49,999	77.5	45.2	93.5	63.7	60.4	67.0	
	\$50,000 or More				70.5	66.8	73.9	
MARITAL STATUS	Married/Couple	69.4	33.9	90.9	68.5	66.1	70.7	59.0
	Not Married/Couple	34.9	11.5	69.0	59.3	56.6	61.9	59.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	20.5	11.5	33.9	25.9	25.0	26.9	17.5
SEX	Men	17.6	7.8	35.1	25.6	24.1	27.2	16.2
	Women	24.7	11.5	45.5	26.2	25.0	27.4	18.6
RACE/ETHNICITY	Non-Hisp. White	23.9	12.1	41.8	30.0	28.9	31.1	19.6
	Non-Hisp. Black	1.9	0.5	6.6	17.5 *	14.9	20.5	8.5
	Hispanic	6.8	1.9	21.9	16.1	13.5	19.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	19.2	7.1	42.6	28.6	26.9	30.3	
	Non-Hisp. White Women	31.3	14.5	55.0	31.3	29.9	32.6	
	Non-Hisp. Black Men				20.1	15.6	25.6	
	Non-Hisp. Black Women				15.8	12.8	19.3	16.0
	Hispanic Men				17.3	13.1	22.5	23.7
	Hispanic Women				15.0	12.0	18.5	
AGE GROUP	18-44	7.9	2.9	19.7	11.4	10.0	13.0	5.2
	45-64	27.2	12.1	50.2	18.4	17.1	19.8	22.5
	65 & Older	54.4	27.7	78.7	63.0	61.2	64.8	58.4
EDUCATION LEVEL	<High School	11.7	3.0	36.5	25.1	22.4	28.1	30.0
	HS / Some College	16.2	9.6	26.0	27.7	25.8	29.8	15.5
	4+ Yrs. College	34.0	16.5	57.4	25.2	24.1	26.4	12.9
ANNUAL INCOME	<\$25,000	25.9	15.4	40.1	31.6	29.4	33.8	23.2
	\$25,000-\$49,999	22.6	9.2	45.9	26.8	25.0	28.6	13.2
	\$50,000 or More	18.7	5.2	49.4	19.5	18.1	21.1	7.3
MARITAL STATUS	Married/Couple	17.9	9.9	30.2	24.8	23.6	26.0	14.9
	Not Married/Couple	23.7	8.1	52.3	27.9	26.3	29.6	23.2

Percent of adults age 65 and older who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	54.4	27.7	78.7	63.0	61.2	64.8	58.4
SEX	Men	78.4	53.4	92.0	62.8	60.0	65.5	
	Women	33.3	13.4	61.7	63.2	60.8	65.4	67.2
RACE/ETHNICITY	Non-Hisp. White	54.6	26.5	80.1	67.7	65.9	69.4	60.3
	Non-Hisp. Black				44.8	36.9	53.0	
	Hispanic				33.4	26.3	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	82.6	58.8	94.0	67.0	64.3	69.6	
	Non-Hisp. White Women	30.0	11.5	58.6	68.2 *	65.9	70.5	
	Non-Hisp. Black Men				41.6	29.6	54.7	
	Non-Hisp. Black Women				46.6	36.4	57.1	
	Hispanic Men				33.4	22.6	46.4	65.3
	Hispanic Women				33.3	24.4	43.6	
AGE GROUP	18-44							
	45-64							
	65 & Older	54.4	27.7	78.7	63.0	61.2	64.8	58.4
EDUCATION LEVEL	<High School	54.9	35.1	73.3	51.3	45.8	56.8	58.2
	HS / Some College	39.9	13.0	74.8	61.3	58.1	64.3	70.6
	4+ Yrs. College	65.7	23.7	92.2	67.0	64.6	69.2	
ANNUAL INCOME	<\$25,000	40.6	12.4	76.8	60.2	56.8	63.4	60.0
	\$25,000-\$49,999	72.9	37.7	92.3	64.4	61.1	67.7	
	\$50,000 or More				64.2	60.3	67.9	
MARITAL STATUS	Married/Couple	67.6	32.9	89.9	64.4	62.0	66.8	60.6
	Not Married/Couple	31.7	10.5	64.7	61.0	58.3	63.7	55.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who were at risk and who have received a hepatitis B vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	25.2	6.9	60.5	43.8	37.6	50.2	
SEX	Men				43.1	35.4	51.1	
	Women				45.7	35.9	55.8	
RACE/ETHNICITY	Non-Hisp. White	25.5	6.1	64.2	44.2	37.1	51.6	
	Non-Hisp. Black				46.1	31.7	61.1	
	Hispanic				41.5	21.0	65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				42.3	33.6	51.6	
	Non-Hisp. White Women				50.8	41.5	60.0	
	Non-Hisp. Black Men				39.8	24.2	57.8	
	Non-Hisp. Black Women				51.6	29.2	73.4	
	Hispanic Men				47.5	21.9	74.5	
	Hispanic Women				18.9	6.8	42.9	
AGE GROUP	18-44				50.3	41.7	59.0	
	45-64				34.0	26.5	42.4	
	65 & Older				10.9	5.3	21.1	
EDUCATION LEVEL	<High School				46.1	28.9	64.4	
	HS / Some College				42.9	31.2	55.4	
	4+ Yrs. College				44.1	36.5	52.0	
ANNUAL INCOME	<\$25,000				36.5	26.8	47.4	
	\$25,000-\$49,999				46.5	36.0	57.4	
	\$50,000 or More				46.2	35.0	57.8	
MARITAL STATUS	Married/Couple				42.5	32.7	53.0	
	Not Married/Couple				44.6	36.9	52.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults who are overweight.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	36.1	22.1	52.9	38.0	36.8	39.2	34.7
SEX	Men	30.5	15.4	51.4	46.0	44.1	48.0	42.1
	Women	46.0	26.1	67.3	30.2	28.8	31.6	27.7
RACE/ETHNICITY	Non-Hisp. White	33.0	18.1	52.5	38.2	37.0	39.5	38.5
	Non-Hisp. Black	59.9	34.4	80.9	36.4	32.5	40.5	22.8
	Hispanic				37.5	33.8	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	25.1	10.9	47.7	46.3	44.3	48.4	
	Non-Hisp. White Women	48.8	27.9	70.1	30.2	28.7	31.7	
	Non-Hisp. Black Men				41.1	34.2	48.4	
	Non-Hisp. Black Women				33.1	28.7	37.8	43.0
	Hispanic Men				46.6	40.7	52.7	32.8
	Hispanic Women				28.2	24.3	32.4	
AGE GROUP	18-44	23.8	10.7	45.0	36.4	34.2	38.6	29.1
	45-64	53.9	36.5	70.4	38.4	36.7	40.2	42.8
	65 & Older	54.0	27.6	78.3	40.6	38.9	42.4	39.4
EDUCATION LEVEL	<High School	18.9	4.8	51.8	37.5	33.7	41.4	42.1
	HS / Some College	35.2	20.1	53.9	37.2	35.0	39.6	31.3
	4+ Yrs. College	48.9	26.3	71.9	38.4	36.9	39.9	35.3
ANNUAL INCOME	<\$25,000	45.5	28.5	63.5	34.9	32.3	37.5	31.9
	\$25,000-\$49,999	36.9	20.9	56.4	39.0	36.7	41.4	33.9
	\$50,000 or More	33.0	12.0	64.0	40.4	38.5	42.4	39.6
MARITAL STATUS	Married/Couple	48.1	31.0	65.7	40.2	38.7	41.7	34.5
	Not Married/Couple	20.3	6.8	47.1	34.2	32.2	36.2	34.7

Percent of adults who are obese.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	42.4	23.4	63.9	24.1	23.1	25.1	37.8
SEX	Men	56.6	32.2	78.2	25.2 *	23.6	26.9	35.5
	Women	17.5	10.3	28.3	23.0	21.8	24.3	39.9
RACE/ETHNICITY	Non-Hisp. White	50.0	28.1	72.0	22.3 *	21.3	23.3	30.0
	Non-Hisp. Black	32.7	14.5	58.2	34.7	30.9	38.8	67.5
	Hispanic				26.5	23.2	30.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	65.3	39.1	84.7	24.6 *	23.0	26.4	
	Non-Hisp. White Women	19.8	11.3	32.4	19.9	18.8	21.1	
	Non-Hisp. Black Men				28.5	22.7	35.1	
	Non-Hisp. Black Women				39.0	34.2	44.1	32.8
	Hispanic Men				26.9	21.7	32.8	26.2
	Hispanic Women				26.1	22.3	30.4	
AGE GROUP	18-44	52.9	25.3	78.8	23.1 *	21.3	25.0	40.9
	45-64	31.5	19.8	46.2	28.1	26.5	29.7	34.3
	65 & Older	17.8	9.0	32.3	20.6	19.2	22.0	33.0
EDUCATION LEVEL	<High School	71.0	31.9	92.8	30.7	27.2	34.4	29.2
	HS / Some College	26.7	16.5	40.2	24.8	22.9	26.8	47.7
	4+ Yrs. College	35.6	14.6	64.2	22.8	21.5	24.1	29.0
ANNUAL INCOME	<\$25,000	26.6	16.0	40.8	26.5	24.5	28.7	46.2
	\$25,000-\$49,999	33.9	20.0	51.4	25.7	23.6	27.9	40.4
	\$50,000 or More	60.4	28.7	85.2	22.6 *	21.0	24.3	21.6
MARITAL STATUS	Married/Couple	31.6	15.8	53.2	24.1	22.9	25.4	43.2
	Not Married/Couple	56.7	24.6	84.1	23.9	22.2	25.8	26.7

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults who are overweight or obese.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	78.5	64.4	88.1	62.1 *	60.9	63.2	72.5
SEX	Men	87.1	75.9	93.5	71.2 *	69.5	72.9	77.6
	Women	63.5	40.4	81.8	53.2	51.6	54.7	67.6
RACE/ETHNICITY	Non-Hisp. White	83.1	70.1	91.1	60.5 *	59.2	61.8	68.5
	Non-Hisp. Black	92.6	76.2	98.0	71.1 *	66.6	75.3	90.3
	Hispanic				64.0	60.2	67.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.4	79.7	95.8	71.0 *	69.1	72.8	
	Non-Hisp. White Women	68.6	46.6	84.5	50.1	48.5	51.7	
	Non-Hisp. Black Men				69.6	61.5	76.7	
	Non-Hisp. Black Women				72.1	66.8	76.9	75.8
	Hispanic Men				73.5	68.0	78.3	59.0
	Hispanic Women				54.3	49.4	59.2	
AGE GROUP	18-44	76.7	53.0	90.6	59.4	57.2	61.6	69.9
	45-64	85.5	76.3	91.5	66.5 *	64.8	68.2	77.1
	65 & Older	71.8	39.8	90.8	61.2	59.5	62.9	72.3
EDUCATION LEVEL	<High School	89.9	68.1	97.4	68.2	64.1	72.0	71.3
	HS / Some College	61.9	40.4	79.5	62.0	59.7	64.3	78.9
	4+ Yrs. College	84.5	68.0	93.3	61.2 *	59.7	62.6	64.3
ANNUAL INCOME	<\$25,000	72.1	54.2	84.9	61.4	58.7	64.0	78.2
	\$25,000-\$49,999	70.8	47.0	86.9	64.7	62.5	66.9	74.3
	\$50,000 or More	93.4	84.0	97.4	63.0 *	61.1	64.8	61.2 *
MARITAL STATUS	Married/Couple	79.7	61.7	90.5	64.3	62.9	65.7	77.7
	Not Married/Couple	77.0	51.1	91.5	58.1	56.0	60.2	61.4

Percent of adults whose body weight increased by five pounds or more in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	17.9	11.1	27.5	22.4	21.3	23.5	
SEX	Men	19.6	10.0	34.9	21.4	19.8	23.2	
	Women	15.0	8.4	25.1	23.3	22.0	24.7	
RACE/ETHNICITY	Non-Hisp. White	16.2	9.1	27.2	19.2	18.1	20.3	
	Non-Hisp. Black	56.3	30.0	79.5	34.9	30.7	39.4	
	Hispanic				27.0	23.7	30.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.5	7.3	33.1	19.0	17.3	20.7	
	Non-Hisp. White Women	15.6	8.2	27.5	19.4	18.1	20.7	
	Non-Hisp. Black Men				32.0	24.8	40.1	
	Non-Hisp. Black Women				37.0	32.1	42.2	
	Hispanic Men				26.3	21.3	32.1	
	Hispanic Women				27.6	23.7	31.9	
AGE GROUP	18-44	20.2	9.6	37.6	30.2	28.2	32.3	
	45-64	17.7	10.6	28.2	18.3	17.0	19.7	
	65 & Older	7.8	3.5	16.5	12.5	11.4	13.8	
EDUCATION LEVEL	<High School	12.0	3.1	36.7	27.7	23.9	32.0	
	HS / Some College	22.3	12.8	35.9	25.2	23.1	27.4	
	4+ Yrs. College	18.6	9.9	32.4	20.4	19.1	21.7	
ANNUAL INCOME	<\$25,000	31.2	18.8	46.9	23.0	20.8	25.3	
	\$25,000-\$49,999	32.4	18.4	50.4	24.7	22.5	27.1	
	\$50,000 or More	7.3	3.0	17.0	21.1 *	19.5	22.8	
MARITAL STATUS	Married/Couple	17.0	10.5	26.4	21.7	20.5	23.0	
	Not Married/Couple	19.1	7.6	40.5	23.5	21.6	25.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults whose body weight decreased by five pounds or more in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.3	11.2	36.8	23.0	22.0	24.1	
SEX	Men	10.7	5.3	20.4	22.5 *	20.9	24.2	
	Women	39.9	20.1	63.6	23.5	22.2	24.9	
RACE/ETHNICITY	Non-Hisp. White	16.0	7.8	30.1	22.7	21.6	23.8	
	Non-Hisp. Black	7.3	2.2	21.4	24.8 *	21.5	28.5	
	Hispanic				23.4	20.1	27.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.4	5.0	23.9	22.3	20.6	24.1	
	Non-Hisp. White Women	25.1	9.5	51.7	23.0	21.6	24.5	
	Non-Hisp. Black Men				23.7	18.3	30.1	
	Non-Hisp. Black Women				25.6	21.5	30.2	
	Hispanic Men				22.9	17.9	28.8	
	Hispanic Women				23.9	20.0	28.2	
AGE GROUP	18-44	19.7	7.1	44.2	22.9	21.0	24.9	
	45-64	30.9	15.1	53.0	23.7	22.2	25.2	
	65 & Older	7.5	3.5	15.5	22.6 *	21.1	24.1	
EDUCATION LEVEL	<High School	9.1	2.2	30.5	25.7	22.5	29.3	
	HS / Some College	38.6	20.4	60.6	22.1	20.2	24.1	
	4+ Yrs. College	15.5	4.8	39.8	23.1	21.7	24.5	
ANNUAL INCOME	<\$25,000	23.5	10.0	45.9	27.3	24.8	30.0	
	\$25,000-\$49,999	14.7	6.4	30.5	23.1	21.2	25.2	
	\$50,000 or More	15.0	4.5	39.9	20.5	19.0	22.1	
MARITAL STATUS	Married/Couple	25.5	12.7	44.4	21.4	20.1	22.7	
	Not Married/Couple	15.8	4.5	42.5	25.9	24.0	27.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who are sedentary.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	26.9	16.1	41.4	25.4	24.4	26.5	36.9
SEX	Men	18.5	9.3	33.6	22.5	20.9	24.1	24.5
	Women	41.4	23.2	62.3	28.1	26.8	29.6	47.9
RACE/ETHNICITY	Non-Hisp. White	21.4	11.8	35.6	21.3	20.3	22.3	28.0
	Non-Hisp. Black	27.5	10.8	54.3	32.0	28.0	36.3	74.8
	Hispanic	42.7	12.9	79.1	37.0	33.5	40.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.8	5.8	29.2	18.3	16.9	19.8	
	Non-Hisp. White Women	36.1	19.9	56.2	24.1	22.8	25.4	
	Non-Hisp. Black Men				29.2	22.5	36.9	
	Non-Hisp. Black Women				33.9	29.2	39.0	23.3
	Hispanic Men				33.1	28.0	38.7	33.7
	Hispanic Women				40.8	36.3	45.5	
AGE GROUP	18-44	17.2	6.4	38.8	22.8	21.0	24.8	33.5
	45-64	33.9	21.1	49.7	25.3	23.8	26.8	40.3
	65 & Older	56.9	30.8	79.7	30.9	29.3	32.5	42.7
EDUCATION LEVEL	<High School	15.9	4.6	42.4	49.2 *	45.3	53.0	47.1
	HS / Some College	46.0	28.4	64.7	33.6	31.4	35.8	44.5
	4+ Yrs. College	18.8	8.8	35.7	17.7	16.6	18.9	20.7
ANNUAL INCOME	<\$25,000	37.4	23.0	54.6	40.2	37.7	42.9	55.3
	\$25,000-\$49,999	35.2	19.4	55.0	28.3	26.2	30.5	24.9
	\$50,000 or More	10.5	3.8	26.1	13.9	12.5	15.3	20.7
MARITAL STATUS	Married/Couple	30.7	17.7	47.7	22.5	21.3	23.8	37.3
	Not Married/Couple	21.9	8.5	45.6	30.1	28.3	32.1	36.2

Percent of adults who are inactive at work.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	48.8	24.8	73.3	64.5	62.8	66.1	65.6
SEX	Men	37.3	14.0	68.6	58.4	55.9	60.9	49.8
	Women	77.7	49.1	92.6	71.5	69.4	73.4	80.9
RACE/ETHNICITY	Non-Hisp. White	49.9	21.5	78.3	67.3	65.5	69.1	62.2
	Non-Hisp. Black				64.5	59.1	69.5	
	Hispanic				56.9	52.1	61.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	42.3	13.1	78.1	61.7	59.0	64.4	
	Non-Hisp. White Women	71.1	40.1	90.1	73.9	71.7	76.0	
	Non-Hisp. Black Men				58.6	49.0	67.7	
	Non-Hisp. Black Women				68.7	62.5	74.3	51.7
	Hispanic Men				49.1	42.3	55.9	77.8
	Hispanic Women				67.6	61.4	73.2	
AGE GROUP	18-44	41.7	15.8	73.2	60.3	57.8	62.8	66.7
	45-64	65.4	46.1	80.7	69.6	67.5	71.6	62.9
	65 & Older				75.6	71.0	79.7	
EDUCATION LEVEL	<High School	9.7	2.0	35.8	50.2 *	43.4	57.1	
	HS / Some College	64.2	41.5	81.9	51.1	47.6	54.6	64.2
	4+ Yrs. College	75.1	50.2	90.0	71.1	69.1	72.9	73.8
ANNUAL INCOME	<\$25,000	32.0	16.4	53.0	52.7	48.0	57.4	75.2
	\$25,000-\$49,999	33.7	17.9	54.2	56.5	53.1	59.8	64.3
	\$50,000 or More	50.6	15.1	85.4	71.4	69.2	73.6	63.0
MARITAL STATUS	Married/Couple	66.7	47.7	81.4	66.2	64.2	68.1	69.4
	Not Married/Couple	27.4	7.0	65.5	61.0	58.0	64.0	55.3

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who consume at least five servings of fruits and vegetables a day.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	16.0	9.0	26.8	26.2	25.2	27.3	18.7
SEX	Men	11.3	5.6	21.6	21.9	20.4	23.6	17.8
	Women	25.3	11.8	46.2	30.3	28.9	31.7	19.6
RACE/ETHNICITY	Non-Hisp. White	12.8	6.9	22.3	26.9 *	25.8	28.1	18.1
	Non-Hisp. Black	19.8	5.9	49.5	28.2	24.6	32.1	18.4
	Hispanic	30.2	7.7	69.0	22.1	19.1	25.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.2	3.9	19.9	22.7 *	21.0	24.6	
	Non-Hisp. White Women	21.3	11.3	36.6	30.9	29.4	32.4	
	Non-Hisp. Black Men				26.4	20.7	33.1	
	Non-Hisp. Black Women				29.4	25.0	34.3	15.7
	Hispanic Men				17.1	13.1	22.0	21.1
	Hispanic Women				27.0	22.9	31.6	
AGE GROUP	18-44	14.0	5.5	31.3	25.1	23.2	27.0	15.8
	45-64	23.6	14.2	36.6	26.4	24.8	28.0	22.9
	65 & Older	10.0	5.0	18.7	28.3 *	26.8	29.9	21.7
EDUCATION LEVEL	<High School	12.1	3.1	37.6	19.3	16.4	22.5	16.2
	HS / Some College	25.4	12.3	45.3	24.0	21.9	26.2	12.6
	4+ Yrs. College	9.8	5.2	17.9	28.4 *	27.0	29.7	28.8 *
ANNUAL INCOME	<\$25,000	31.5	16.2	52.3	24.8	22.7	27.1	13.2
	\$25,000-\$49,999	23.6	12.3	40.6	25.6	23.6	27.6	25.9
	\$50,000 or More	5.4	2.1	13.0	27.3 *	25.6	29.0	15.2
MARITAL STATUS	Married/Couple	17.0	8.6	31.0	25.6	24.4	26.9	18.9
	Not Married/Couple	14.6	5.5	33.3	27.4	25.5	29.4	18.5

Percent of adults who meet moderate physical activity recommendations.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	28.7	17.1	44.0	34.6	33.5	35.8	31.8
SEX	Men	24.5	12.2	43.1	33.2	31.4	35.1	34.1
	Women	37.1	19.4	59.2	36.0	34.5	37.5	29.7
RACE/ETHNICITY	Non-Hisp. White	30.0	16.1	48.9	37.1	35.9	38.4	36.6
	Non-Hisp. Black	36.4	14.7	65.5	28.1	24.3	32.2	16.4
	Hispanic	24.3	4.6	68.0	27.7	24.3	31.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	27.0	11.6	51.1	35.6	33.6	37.5	
	Non-Hisp. White Women	37.1	19.7	58.6	38.6	37.1	40.2	
	Non-Hisp. Black Men				29.8	23.3	37.2	
	Non-Hisp. Black Women				27.0	22.6	31.8	37.6
	Hispanic Men				25.4	20.3	31.2	35.2
	Hispanic Women				30.0	25.8	34.5	
AGE GROUP	18-44	24.3	10.7	46.3	34.8	32.7	37.0	33.3
	45-64	30.2	19.7	43.4	35.7	34.0	37.5	30.5
	65 & Older	50.5	24.3	76.4	32.5	30.8	34.2	27.1
EDUCATION LEVEL	<High School	10.1	2.6	31.8	26.5	23.0	30.2	31.9
	HS / Some College	41.7	24.8	60.8	33.8	31.6	36.1	26.9
	4+ Yrs. College	33.0	16.3	55.5	36.2	34.8	37.7	38.2
ANNUAL INCOME	<\$25,000	45.4	28.8	63.2	31.2	28.8	33.8	26.5
	\$25,000-\$49,999	34.4	17.2	57.0	33.4	31.2	35.6	39.3
	\$50,000 or More	21.1	7.7	46.2	38.7	36.8	40.7	37.7
MARITAL STATUS	Married/Couple	31.0	18.2	47.4	35.3	33.8	36.7	28.6
	Not Married/Couple	25.7	9.3	53.9	33.5	31.5	35.6	37.8

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who meet vigorous physical activity recommendations.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.6	10.1	40.3	26.0	24.9	27.2	18.2
SEX	Men	25.7	9.9	52.0	29.6	27.7	31.5	25.0
	Women	13.1	4.5	32.6	22.7	21.4	24.2	12.1
RACE/ETHNICITY	Non-Hisp. White	25.0	10.6	48.6	26.9	25.7	28.2	20.5
	Non-Hisp. Black	28.4	8.9	61.7	21.3	17.8	25.2	7.1
	Hispanic				24.2	20.7	28.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	28.1	9.4	59.8	30.7	28.7	32.7	
	Non-Hisp. White Women	17.5	5.8	42.0	23.4	22.0	24.9	
	Non-Hisp. Black Men				25.1	19.4	31.8	
	Non-Hisp. Black Women				18.8	14.7	23.8	24.4
	Hispanic Men				28.7	23.0	35.1	15.7
	Hispanic Women				19.8	16.1	24.0	
AGE GROUP	18-44	25.0	8.8	53.8	34.5	32.3	36.7	23.7
	45-64	12.0	7.2	19.3	22.3 *	20.9	23.9	11.9
	65 & Older	24.0	5.5	63.1	14.0	12.8	15.3	8.9
EDUCATION LEVEL	<High School	4.6	1.1	17.9	16.1	12.9	20.0	10.5
	HS / Some College	13.5	7.7	22.8	20.6	18.6	22.8	17.7
	4+ Yrs. College	42.5	19.3	69.6	30.0	28.5	31.6	23.0
ANNUAL INCOME	<\$25,000	11.8	6.2	21.4	17.7	15.3	20.3	12.6
	\$25,000-\$49,999	25.4	10.1	50.7	23.3	21.3	25.5	23.9
	\$50,000 or More	28.8	7.9	65.6	33.7	31.8	35.7	21.5
MARITAL STATUS	Married/Couple	27.9	12.0	52.4	26.3	24.9	27.7	16.1
	Not Married/Couple	13.1	4.2	34.3	25.6	23.6	27.8	22.5

Sexual Violence

Percent of adults who had an unwanted sexual experience in the past 12 months.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.8	2.5	9.3	6.7	6.1	7.4	
SEX	Men	2.2	0.8	6.2	2.9	2.2	3.9	
	Women	11.1	5.3	21.7	10.3	9.4	11.2	
RACE/ETHNICITY	Non-Hisp. White	4.4	2.0	9.6	7.1	6.5	7.8	
	Non-Hisp. Black	15.6	3.3	50.3	7.2	5.2	9.7	
	Hispanic				4.5	2.8	7.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.2	0.4	4.1	2.9	2.2	3.8	
	Non-Hisp. White Women	12.2	5.4	25.1	11.2	10.2	12.3	
	Non-Hisp. Black Men				2.5	1.3	4.8	
	Non-Hisp. Black Women				10.4	7.4	14.4	
	Hispanic Men				3.2	1.0	9.2	
	Hispanic Women				5.8	3.9	8.7	
AGE GROUP	18-44	3.6	1.5	8.2	8.6	7.4	9.9	
	45-64	8.9	3.4	21.2	6.9	6.1	7.7	
	65 & Older	1.9	0.5	6.8	2.2	1.8	2.8	
EDUCATION LEVEL	<High School	4.9	0.8	24.1	4.5	3.3	6.1	
	HS / Some College	5.7	2.7	11.6	6.2	4.9	7.8	
	4+ Yrs. College	4.2	1.9	9.1	7.2	6.5	8.0	
ANNUAL INCOME	<\$25,000	5.6	2.6	11.6	8.3	6.9	9.9	
	\$25,000-\$49,999	10.3	3.6	26.1	7.0	6.0	8.1	
	\$50,000 or More	1.9	0.5	7.1	6.0	5.0	7.2	
MARITAL STATUS	Married/Couple	4.4	2.2	8.7	5.2	4.6	5.9	
	Not Married/Couple	5.4	1.6	16.4	9.3	8.0	10.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adults who are current smokers.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	22.3	13.6	34.5	19.3	18.3	20.3	26.7
SEX	Men	22.0	11.2	38.9	21.2	19.6	22.9	30.3
	Women	22.9	11.7	39.9	17.5	16.4	18.6	23.4
RACE/ETHNICITY	Non-Hisp. White	21.0	11.5	35.2	20.6	19.5	21.6	28.2
	Non-Hisp. Black	48.6	23.9	73.9	18.5 *	15.2	22.4	16.4
	Hispanic	19.7	4.8	54.3	16.0	13.2	19.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.5	8.0	37.3	21.5	19.8	23.3	
	Non-Hisp. White Women	25.8	12.6	45.6	19.7	18.5	20.9	
	Non-Hisp. Black Men				23.6	17.8	30.6	
	Non-Hisp. Black Women				15.0	11.3	19.6	28.1
	Hispanic Men				19.9	15.4	25.4	28.4
	Hispanic Women				12.0	9.4	15.3	
AGE GROUP	18-44	21.8	9.8	41.8	22.1	20.4	24.0	28.1
	45-64	25.4	15.7	38.4	22.0	20.6	23.4	29.6
	65 & Older	17.6	3.4	56.5	9.7	8.7	10.8	14.1
EDUCATION LEVEL	<High School	28.0	7.4	65.2	28.6	25.2	32.2	40.7
	HS / Some College	24.4	15.6	36.0	25.0	22.9	27.1	26.9
	4+ Yrs. College	16.7	6.5	36.7	15.3	14.2	16.4	18.8
ANNUAL INCOME	<\$25,000	34.9	21.9	50.5	25.0	22.8	27.3	33.9
	\$25,000-\$49,999	39.0	21.3	60.2	21.3	19.4	23.4	23.4
	\$50,000 or More	9.1	2.8	25.9	15.5	14.2	17.0	14.5
MARITAL STATUS	Married/Couple	21.9	13.0	34.5	16.6	15.5	17.7	20.9
	Not Married/Couple	22.8	8.8	47.4	24.1	22.4	25.9	39.0

Percent of adults who are former smokers.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	39.2	20.5	61.7	26.2	25.3	27.2	19.3
SEX	Men	44.7	19.8	72.5	28.9	27.4	30.5	30.3
	Women	28.5	12.2	53.4	23.7	22.5	24.9	9.6
RACE/ETHNICITY	Non-Hisp. White	42.1	20.3	67.4	31.5	30.4	32.6	22.9
	Non-Hisp. Black	8.8	2.2	29.1	12.4	10.2	14.9	6.4
	Hispanic	26.0	9.1	55.3	16.4	13.8	19.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.8	17.9	78.0	34.1	32.4	35.9	
	Non-Hisp. White Women	32.9	14.0	59.8	29.0	27.6	30.4	
	Non-Hisp. Black Men				16.2	12.2	21.1	
	Non-Hisp. Black Women				9.7	7.5	12.6	31.7
	Hispanic Men				16.8	13.1	21.3	12.0
	Hispanic Women				15.9	12.7	19.7	
AGE GROUP	18-44	38.1	11.6	74.3	14.7	13.3	16.3	11.0
	45-64	45.0	27.0	64.4	28.3	26.8	29.8	29.3
	65 & Older	30.8	13.1	56.8	46.5	44.7	48.2	33.0
EDUCATION LEVEL	<High School	60.2	19.8	90.3	21.1	18.4	24.0	26.5
	HS / Some College	25.7	15.4	39.6	25.0	23.3	26.8	19.0
	4+ Yrs. College	33.1	15.4	57.3	27.7	26.4	29.0	15.6
ANNUAL INCOME	<\$25,000	18.9	9.6	33.6	23.7	21.7	25.8	17.0
	\$25,000-\$49,999	32.6	17.1	53.2	26.4	24.6	28.2	20.3
	\$50,000 or More	54.2	21.8	83.4	27.4	25.8	29.0	21.8
MARITAL STATUS	Married/Couple	28.5	16.6	44.3	28.4	27.2	29.7	21.8
	Not Married/Couple	52.7	20.8	82.5	22.5	21.0	24.1	13.7 *

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adults who have never smoked.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.5	23.3	56.2	54.5	53.3	55.7	54.0
SEX	Men	33.3	15.3	58.0	49.9	48.0	51.8	39.4
	Women	48.6	30.1	67.5	58.8	57.4	60.3	67.0
RACE/ETHNICITY	Non-Hisp. White	36.9	20.0	57.9	47.9	46.7	49.2	48.9
	Non-Hisp. Black	42.6	20.7	67.8	69.1	65.0	72.9	77.2
	Hispanic	54.3	24.1	81.7	67.7	64.1	71.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	34.7	13.5	64.5	44.4	42.3	46.4	
	Non-Hisp. White Women	41.2	23.7	61.3	51.3	49.8	52.9	
	Non-Hisp. Black Men				60.2	52.9	67.0	
	Non-Hisp. Black Women				75.3	70.5	79.5	40.3
	Hispanic Men				63.3	57.4	68.7	59.6
	Hispanic Women				72.1	67.7	76.1	
AGE GROUP	18-44	40.0	17.0	68.5	63.1	61.0	65.2	60.9
	45-64	29.6	18.9	43.0	49.7 *	48.0	51.5	41.0
	65 & Older	51.5	25.7	76.6	43.8	42.1	45.6	52.9
EDUCATION LEVEL	<High School	11.8	3.6	32.7	50.3 *	46.5	54.2	32.8
	HS / Some College	49.9	34.9	65.0	50.0	47.7	52.3	54.1
	4+ Yrs. College	50.2	27.5	72.8	57.1	55.6	58.5	65.7
ANNUAL INCOME	<\$25,000	46.3	29.8	63.6	51.3	48.7	53.9	49.0
	\$25,000-\$49,999	28.4	17.5	42.5	52.3 *	49.9	54.6	56.3 *
	\$50,000 or More	36.7	12.7	69.8	57.1	55.2	59.0	63.7
MARITAL STATUS	Married/Couple	49.6	32.8	66.4	55.0	53.6	56.4	57.3
	Not Married/Couple	24.5	9.8	49.3	53.4 *	51.3	55.5	47.3

Percent of non-smoking adults who were exposed to secondhand smoke in the past seven days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	16.9	7.9	32.8	14.9	13.6	16.4	
SEX	Men	17.1	6.5	37.9	17.2	14.8	19.8	
	Women	16.7	4.4	46.4	13.1	11.7	14.8	
RACE/ETHNICITY	Non-Hisp. White	21.4	9.2	42.1	14.7	13.2	16.5	
	Non-Hisp. Black				19.2	15.1	24.1	
	Hispanic				13.3	10.2	17.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	19.8	6.7	45.9	17.6	14.8	20.8	
	Non-Hisp. White Women	24.7	7.3	57.9	12.4	10.9	14.1	
	Non-Hisp. Black Men				22.0	14.3	32.4	
	Non-Hisp. Black Women				17.6	13.3	23.0	
	Hispanic Men				14.3	9.6	20.7	
	Hispanic Women				12.4	8.7	17.4	
AGE GROUP	18-44	13.8	5.0	32.8	18.9	16.6	21.5	
	45-64	14.0	6.1	29.0	13.2	11.4	15.1	
	65 & Older	39.0	9.2	80.1	6.3 *	5.2	7.6	
EDUCATION LEVEL	<High School	3.4	1.0	11.4	13.3	9.9	17.6	
	HS / Some College	17.5	6.7	38.2	17.8	14.9	21.3	
	4+ Yrs. College	18.8	5.7	47.1	14.0	12.5	15.8	
ANNUAL INCOME	<\$25,000	17.1	5.5	42.5	16.0	13.1	19.3	
	\$25,000-\$49,999	12.2	5.3	25.8	16.8	14.0	19.9	
	\$50,000 or More	20.2	5.6	51.9	13.0	11.1	15.2	
MARITAL STATUS	Married/Couple	13.6	4.6	34.1	11.5	10.2	13.0	
	Not Married/Couple	27.7	13.7	48.0	21.2	18.4	24.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adult current smokers who tried to quit smoking at least once in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	63.9	47.5	77.6	53.2	50.4	56.0	58.7
SEX	Men	55.9	35.6	74.4	52.8	48.5	57.1	51.7
	Women	79.0	59.9	90.4	53.6 *	50.2	57.0	66.9
RACE/ETHNICITY	Non-Hisp. White	63.9	45.6	78.9	49.3	46.4	52.2	58.3
	Non-Hisp. Black				62.9	51.1	73.4	
	Hispanic				62.8	53.3	71.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.0	28.0	75.1	47.5	42.9	52.1	
	Non-Hisp. White Women	80.4	60.8	91.6	51.2 *	47.8	54.6	
	Non-Hisp. Black Men				58.7	42.5	73.2	
	Non-Hisp. Black Women				67.6	49.7	81.5	49.5
	Hispanic Men				68.1	55.6	78.5	69.1
	Hispanic Women				54.1	41.1	66.6	
AGE GROUP	18-44	62.0	38.1	81.2	58.3	53.7	62.9	58.3
	45-64	57.1	38.8	73.6	48.5	45.0	52.1	58.8
	65 & Older				45.0	39.1	51.1	
EDUCATION LEVEL	<High School	52.3	27.7	75.8	55.0	47.8	62.0	61.9
	HS / Some College	50.0	31.0	68.9	50.9	46.1	55.8	55.4
	4+ Yrs. College	93.8	81.9	98.0	54.2 *	50.4	58.1	61.7 *
ANNUAL INCOME	<\$25,000	61.3	38.5	80.0	54.0	48.8	59.1	59.7
	\$25,000-\$49,999	74.9	43.1	92.2	53.5	48.1	58.8	53.8
	\$50,000 or More				54.5	49.6	59.4	
MARITAL STATUS	Married/Couple	59.7	37.7	78.3	53.3	49.5	57.0	63.6
	Not Married/Couple	68.8	44.9	85.6	53.0	48.7	57.2	53.3

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Hepatitis B Groups	Those who have hemophilia and have received clotting factor concentrate, had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
High Risk Influenza Groups	Health care workers who routinely have direct contact with patients or adults who currently have health problems such as asthma, lung problems, heart problems, diabetes, kidney problems, weakened immune systems (caused by a chronic illness, such as cancer or HIV/AIDS, or medicines, such as steroids), or sickle cell anemia or other anemia.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Leisure-Time Physical Activity or Exercise	Engaging in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise, other than participation in these activities or exercise as part of a regular job.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Moderate Physical Activity	Engaging in activities such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate for at least 30 minutes per day on five or more days per week.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sedentary	Engaging in no leisure-time physical activity.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Vigorous Physical Activity	Engaging in vigorous activities, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate for at least 20 minutes per day on three or more days per week.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Alcohol Consumption

- 26-12. Reduce the average annual alcohol consumption.
- 26-13. Reduce the proportion of adults who exceed guidelines for low-risk drinking.
- 26-11. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages.

Arthritis

- 2-2. Reduce the proportion of adults with chronic joint symptoms who experience a limitation in activity due to arthritis.

Cancer Screening

- 3-11. Increase the proportion of women who receive a Pap test.
- 3-12. Increase the proportion of adults who receive a colorectal cancer screening examination.
- 3-13. Increase the proportion of women aged 40 years and older who have received a mammogram within the preceding 2 years.

Cholesterol Awareness

- 12-14. Reduce the proportion of adults with high total blood cholesterol levels.
- 12-15. Increase the proportion of adults who have had their blood cholesterol checked within the preceding 5 years.

Diabetes

- 5-3. Reduce the overall rate of diabetes that is clinically diagnosed.
- 5-13. Increase the proportion of adults with diabetes who have an annual dilated eye examination.
- 5-14. Increase the proportion of adults with diabetes who have at least an annual foot examination.
- 5-17. Increase the proportion of adults with diabetes who perform self-blood-glucose-monitoring at least once daily.
- 5-1. Increase the proportion of persons with diabetes who receive formal diabetes education.

Health Care Access & Coverage

- 1-5. Increase the proportion of persons with a usual primary care provider.
- 1-1. Increase the proportion of persons with health insurance.

Hypertension Awareness & Control

- 12-11. Increase the proportion of adults with high blood pressure who are taking action (for example, losing weight, increasing physical activity, or reducing sodium intake) to help control their blood pressure.
- 12-12. Increase the proportion of adults who have had their blood pressure measured within the preceding 2 years and can state whether their blood pressure was normal or high.
- 12-10. Increase the proportion of adults with high blood pressure whose blood pressure is under control.
- 12-9. Reduce the proportion of adults with high blood pressure.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Immunization

14-28. Increase hepatitis B vaccine coverage among high-risk groups.

14-29. Increase the proportion of adults who are vaccinated annually against influenza and ever vaccinated against pneumococcal disease.

Overweight & Obesity

19-2. Reduce the proportion of adults who are obese.

19-1. Increase the proportion of adults who are at a healthy weight.

Physical Activity & Nutrition

22-3. Increase the proportion of adults who engage in vigorous physical activity that promotes the development and maintenance of cardiorespiratory fitness 3 or more days per week for 20 or more minutes per occasion.

22-2. Increase the proportion of adults who engage regularly, preferably daily, in moderate physical activity for at least 30 minutes per day.

22-1. Reduce the proportion of adults who engage in no leisure-time physical activity.

19-5. Increase the proportion of persons aged 2 years and older who consume at least two daily servings of fruit.

19-6. Increase the proportion of persons aged 2 years and older who consume at least three daily servings of vegetables, with at least one-third being dark green or orange vegetables.

Sexual Violence

15-35. Reduce the annual rate of rape or attempted rape.

15-36. Reduce sexual assault other than rape.

Tobacco Use & Exposure

27-10. Reduce the proportion of non-smokers exposed to environmental tobacco smoke.

27-5. Increase smoking cessation attempts by adult smokers.

The Healthy People 2010 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Tammie M. Johnson, M.P.H.
Bo (Bonnie) Yu, M.A.S., M.A.
Melissa Murray, M.S.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org