

2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Charlie Crist
Governor

Ana M. Viamonte Ros, M.D., M.P.H.
State Surgeon General

**2007 Florida BRFSS Data Report
Table of Contents**

Introduction	i
Air Quality	1
Alcohol Consumption	1
Antibiotic Resistance	2
Arthritis	3
Asthma	4
Cancer Screening	5
Cardiovascular Disease	9
Cholesterol Awareness	10
Dental Care	11
Diabetes	12
Disability	16
Folic Acid	17
Gastrointestinal Disease	18
Health Care Access & Coverage	19
Health Status & Quality of Life	21
HIV/AIDS	25
Hypertension Awareness & Control	26
Immunization	28
Overweight & Obesity	32
Physical Activity & Nutrition	35
Sexual Violence	37
Tobacco Use & Exposure	38
Glossary	Appendix I
Healthy People 2010 Objectives	Appendix II

Sarasota

Completed Surveys: 833

County Adult Population: 326,907

The Florida Department of Health is pleased to release the 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The 2007 county-level BRFSS is the first since the initial county-level effort in 2002. The 2007 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county-developed questions and increase sample sizes. In addition, 2007 county-level questionnaires included all of the questions asked on a state level, unlike 2002 in which an abbreviated questionnaire was administered.

Over 39,000 interviews were completed in the 2007 calendar year, with a target sample size of 500 completed surveys in each county. Three counties provided funding to increase overall sample sizes: Duval, Highlands, and Sarasota. Through funding from the Hispanic Obesity Prevention Education Program (HOPE), larger samples of Hispanic populations were possible in eight counties: Collier, DeSoto, Hardee, Hendry, Miami-Dade, Okeechobee, Orange, and Osceola. Five counties provided county-added questions: Clay, Collier, Duval, Monroe, and Orange.

The 2007 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

These data can be used to: (1) determine priority health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2002 county-level survey are included for comparison purposes. Due to updated methods from the Centers for Disease Control and Prevention, some point estimates included in the 2002 BRFSS report may be slightly different than the 2002 measures in this report. The methods used to calculate the 2002 point estimates were updated to provide the best comparison between the two years. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology, Chronic Disease Epidemiology Section at (850) 245-4401.

Air Quality

Percent of adults who reduced or changed outdoor activity because the air quality was bad.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	20.7	16.7	25.3	19.2	18.2	20.3	
SEX	Men	15.0	9.7	22.3	16.7	15.1	18.4	
	Women	26.0	20.6	32.3	21.6	20.3	23.0	
RACE/ETHNICITY	Non-Hisp. White	19.3	15.3	23.9	20.4	19.2	21.5	
	Non-Hisp. Black				17.2	14.2	20.7	
	Hispanic	26.4	9.5	55.0	16.0	13.2	19.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.6	9.4	21.9	17.4	15.7	19.4	
	Non-Hisp. White Women	24.1	18.8	30.4	23.2	21.8	24.6	
	Non-Hisp. Black Men				11.8	8.5	16.0	
	Non-Hisp. Black Women				20.5	16.3	25.5	
	Hispanic Men				16.3	12.1	21.6	
	Hispanic Women	19.2	5.5	49.2	15.7	12.1	20.0	
AGE GROUP	18-44	20.3	12.5	31.2	20.1	18.2	22.1	
	45-64	25.2	18.4	33.4	21.0	19.6	22.6	
	65 & Older	16.8	12.1	22.7	14.8	13.6	16.2	
EDUCATION LEVEL	<High School	24.3	9.6	49.1	18.8	15.5	22.5	
	HS / Some College	19.3	13.0	27.7	18.5	16.4	20.7	
	4+ Yrs. College	20.9	16.0	26.8	19.7	18.4	21.0	
ANNUAL INCOME	<\$25,000	26.9	18.0	38.3	22.4	20.0	25.0	
	\$25,000-\$49,999	22.1	14.8	31.6	19.2	17.3	21.2	
	\$50,000 or More	18.0	12.2	25.7	18.0	16.5	19.6	
MARITAL STATUS	Married/Couple	21.1	16.2	27.0	19.4	18.2	20.7	
	Not Married/Couple	19.2	13.5	26.4	19.0	17.2	20.9	

Alcohol Consumption

Percent of adults who engage in heavy or binge drinking.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	13.4	10.3	17.2	16.2	15.3	17.2	13.7
SEX	Men	15.4	10.5	22.1	20.3	18.8	22.0	15.1
	Women	11.5	8.2	15.9	12.4	11.3	13.5	12.6
RACE/ETHNICITY	Non-Hisp. White	13.8	10.5	17.9	17.9	16.9	19.0	14.0
	Non-Hisp. Black				10.9	8.2	14.3	
	Hispanic	8.7	3.1	22.3	14.3	11.6	17.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.8	9.7	21.8	21.5	19.8	23.3	
	Non-Hisp. White Women	12.8	9.0	17.9	14.5	13.3	15.7	
	Non-Hisp. Black Men				13.5	9.4	19.1	
	Non-Hisp. Black Women				9.2	5.9	13.9	16.1
	Hispanic Men				20.1	15.5	25.6	12.2
	Hispanic Women	1.0	0.2	3.7	8.6 *	6.0	12.2	
AGE GROUP	18-44	18.4	11.6	27.8	21.6	19.8	23.5	18.2
	45-64	17.8	12.4	24.9	14.6	13.5	15.8	14.6
	65 & Older	5.3	3.1	9.0	7.7	6.9	8.7	9.2
EDUCATION LEVEL	<High School	2.8	1.2	6.3	13.6 *	10.9	16.8	12.8
	HS / Some College	18.6	11.9	28.0	15.8	14.1	17.7	6.5 *
	4+ Yrs. College	12.3	8.9	16.8	16.8	15.6	18.1	17.6
ANNUAL INCOME	<\$25,000	13.8	7.8	23.4	14.2	12.0	16.8	9.6
	\$25,000-\$49,999	13.0	7.7	21.1	14.7	13.1	16.5	16.2
	\$50,000 or More	13.4	8.9	19.7	19.9	18.4	21.4	17.1
MARITAL STATUS	Married/Couple	11.3	7.8	16.0	15.2	14.1	16.4	12.5
	Not Married/Couple	18.5	13.1	25.5	17.9	16.2	19.7	15.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Antibiotic Resistance

Percent of adults who have heard of antibiotic resistance infections.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	60.5	55.1	65.7	58.3	57.1	59.6	
SEX	Men	59.3	50.7	67.4	57.4	55.4	59.4	
	Women	61.7	55.0	67.9	59.2	57.6	60.7	
RACE/ETHNICITY	Non-Hisp. White	62.9	57.2	68.2	63.3	62.1	64.6	
	Non-Hisp. Black				42.3	38.0	46.7	
	Hispanic	40.5	20.9	63.8	49.0	45.1	52.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	59.8	50.7	68.3	63.6	61.6	65.5	
	Non-Hisp. White Women	66.0	59.2	72.3	63.1	61.5	64.7	
	Non-Hisp. Black Men				38.1	31.2	45.6	
	Non-Hisp. Black Women				45.0	39.8	50.4	
	Hispanic Men				43.4	37.4	49.6	
	Hispanic Women	22.7	7.6	51.0	54.6	49.8	59.4	
AGE GROUP	18-44	55.7	43.7	67.1	55.6	53.3	57.9	
	45-64	69.1	60.9	76.4	67.2	65.5	68.9	
	65 & Older	57.4	50.2	64.3	51.0	49.2	52.8	
EDUCATION LEVEL	<High School	46.5	27.4	66.8	33.3	29.7	37.0	
	HS / Some College	50.6	40.4	60.8	45.9	43.5	48.3	
	4+ Yrs. College	65.5	58.9	71.6	67.7	66.3	69.2	
ANNUAL INCOME	<\$25,000	40.3	29.7	51.9	46.3	43.5	49.1	
	\$25,000-\$49,999	58.8	49.2	67.9	55.1	52.7	57.5	
	\$50,000 or More	71.4	62.7	78.8	68.3	66.3	70.2	
MARITAL STATUS	Married/Couple	61.2	54.4	67.5	62.3	60.8	63.8	
	Not Married/Couple	58.7	50.2	66.6	51.3	49.1	53.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percent of adults who have been told they have some form of arthritis.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	29.9	25.7	34.5	24.3 *	23.4	25.2	
SEX	Men	28.3	21.9	35.8	20.8	19.5	22.1	
	Women	31.4	26.1	37.2	27.6	26.4	28.8	
RACE/ETHNICITY	Non-Hisp. White	31.2	26.6	36.2	27.5	26.5	28.5	
	Non-Hisp. Black				20.4	17.5	23.6	
	Hispanic	14.9	4.5	39.5	15.0	12.8	17.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.8	22.9	37.8	23.7	22.3	25.2	
	Non-Hisp. White Women	32.6	26.9	38.9	31.2	29.9	32.5	
	Non-Hisp. Black Men				17.6	13.2	23.0	
	Non-Hisp. Black Women				22.2	18.6	26.3	
	Hispanic Men				11.5	8.6	15.1	
AGE GROUP	Hispanic Women	18.9	4.5	53.5	18.5	15.3	22.2	
	18-44	6.3	2.9	13.2	8.9	7.9	10.1	
	45-64	30.9	23.8	39.1	29.7	28.2	31.3	
EDUCATION LEVEL	65 & Older	49.7	42.8	56.7	47.6	45.8	49.3	
	<High School	23.1	10.6	43.4	29.5	26.4	32.9	
	HS / Some College	26.4	19.3	35.0	25.2	23.5	27.0	
ANNUAL INCOME	4+ Yrs. College	32.0	26.7	37.8	23.1 *	22.0	24.2	
	<\$25,000	31.0	22.5	41.2	31.0	28.8	33.2	
	\$25,000-\$49,999	34.1	26.0	43.2	25.4	23.7	27.2	
MARITAL STATUS	\$50,000 or More	24.3	18.3	31.6	18.7	17.5	20.0	
	Married/Couple	28.1	23.0	33.9	23.3	22.2	24.4	
	Not Married/Couple	34.7	27.8	42.2	26.0 *	24.5	27.6	

Percent of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	10.7	8.1	13.9	12.5	11.8	13.2	
SEX	Men	9.5	6.0	14.8	10.4	9.5	11.4	
	Women	11.7	8.4	16.2	14.4	13.5	15.4	
RACE/ETHNICITY	Non-Hisp. White	11.3	8.4	14.9	13.2	12.5	14.0	
	Non-Hisp. Black				11.9	9.7	14.4	
	Hispanic	4.4	0.9	17.9	8.9	7.2	11.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.6	5.9	15.3	11.3	10.4	12.4	
	Non-Hisp. White Women	12.9	9.1	18.0	15.1	14.1	16.1	
	Non-Hisp. Black Men				8.4	5.8	11.9	
	Non-Hisp. Black Women				14.2	11.3	17.8	
	Hispanic Men				7.1	4.8	10.4	
AGE GROUP	Hispanic Women	2.0	0.3	12.3	10.7	8.4	13.6	
	18-44	4.5	1.7	11.5	5.7	4.9	6.6	
	45-64	15.2	9.8	22.9	17.2	16.0	18.6	
EDUCATION LEVEL	65 & Older	12.4	8.9	16.9	19.4 *	18.1	20.9	
	<High School	11.3	2.8	35.7	19.2	16.6	22.0	
	HS / Some College	8.9	5.3	14.6	13.2	11.9	14.6	
ANNUAL INCOME	4+ Yrs. College	11.2	8.0	15.4	11.1	10.4	11.9	
	<\$25,000	19.8	12.2	30.5	21.0	19.3	22.9	
	\$25,000-\$49,999	6.8	4.2	10.8	12.3 *	11.1	13.7	
MARITAL STATUS	\$50,000 or More	7.9	4.7	13.0	7.4	6.6	8.3	
	Married/Couple	8.2	5.6	11.9	11.0	10.2	11.9	
	Not Married/Couple	16.8	11.4	24.1	15.0	13.8	16.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percent of adults who had symptoms of pain, aching, or stiffness in or around a joint.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	41.2	36.2	46.4	37.2	36.1	38.4	
SEX	Men	38.0	30.3	46.3	35.9	34.2	37.7	
	Women	44.1	37.8	50.7	38.4	37.0	39.9	
RACE/ETHNICITY	Non-Hisp. White	41.5	36.1	47.1	40.4	39.2	41.7	
	Non-Hisp. Black				33.5	29.8	37.5	
	Hispanic	26.1	10.6	51.1	27.4	24.2	30.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.6	31.4	48.4	40.3	38.3	42.3	
	Non-Hisp. White Women	43.4	36.7	50.3	40.6	39.0	42.1	
	Non-Hisp. Black Men				26.0	20.8	32.0	
	Non-Hisp. Black Women				38.5	33.6	43.7	
	Hispanic Men				24.3	19.6	29.7	
	Hispanic Women	33.6	11.7	65.9	30.6	26.5	35.0	
AGE GROUP	18-44	32.0	21.9	44.0	27.1	25.2	29.1	
	45-64	42.9	34.9	51.3	43.7	42.0	45.5	
	65 & Older	48.1	41.2	55.1	48.4	46.6	50.2	
EDUCATION LEVEL	<High School	30.3	15.9	50.1	42.0	38.2	45.9	
	HS / Some College	39.6	30.4	49.7	38.0	35.8	40.2	
	4+ Yrs. College	42.7	36.5	49.2	36.2	34.8	37.7	
ANNUAL INCOME	<\$25,000	52.7	41.5	63.5	44.7	42.1	47.3	
	\$25,000-\$49,999	37.0	28.5	46.4	36.8	34.7	39.0	
	\$50,000 or More	38.8	30.8	47.6	33.4	31.6	35.2	
MARITAL STATUS	Married/Couple	38.0	31.9	44.6	36.7	35.3	38.2	
	Not Married/Couple	48.8	40.8	56.9	38.1 *	36.2	40.1	

Asthma

Percent of adults who currently have asthma.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	6.0	4.0	8.9	6.2	5.7	6.7	3.9
SEX	Men	3.5	1.6	7.7	4.9	4.1	5.7	1.7
	Women	8.2	5.1	12.8	7.4	6.7	8.1	5.9
RACE/ETHNICITY	Non-Hisp. White	6.2	4.0	9.4	6.4	5.8	7.0	3.9
	Non-Hisp. Black				7.6	5.8	9.9	
	Hispanic	5.8	0.8	30.7	4.8	3.6	6.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.8	1.7	8.3	5.2	4.3	6.2	
	Non-Hisp. White Women	8.6	5.2	13.8	7.5	6.8	8.3	
	Non-Hisp. Black Men				5.7	3.2	9.9	
	Non-Hisp. Black Women				9.0	6.7	11.9	1.2
	Hispanic Men				3.9	2.3	6.5	6.2
	Hispanic Women	9.3	1.3	43.6	5.7	4.1	7.8	
AGE GROUP	18-44	7.1	3.0	15.9	5.8	5.0	6.8	5.0
	45-64	5.2	2.6	10.0	6.7	6.0	7.6	5.4
	65 & Older	5.8	3.6	9.2	6.1	5.4	6.9	1.9
EDUCATION LEVEL	<High School	6.1	2.0	16.8	8.4	6.5	10.7	2.6
	HS / Some College	8.1	4.1	15.5	5.9	5.1	6.8	2.5
	4+ Yrs. College	5.1	3.0	8.8	6.0	5.3	6.7	4.8
ANNUAL INCOME	<\$25,000	12.0	5.6	24.0	7.8	6.8	8.9	3.7
	\$25,000-\$49,999	4.3	1.9	9.5	5.8	5.0	6.8	4.8
	\$50,000 or More	4.6	2.3	8.9	5.2	4.4	6.1	3.9
MARITAL STATUS	Married/Couple	5.9	3.6	9.5	5.7	5.1	6.4	3.6
	Not Married/Couple	6.1	2.9	12.5	7.0	6.1	7.9	4.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of women 40 years of age and older who received a mammogram in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	69.3	62.8	75.0	64.9	63.3	66.4	67.0
SEX	Men							
	Women	69.3	62.8	75.0	64.9	63.3	66.4	67.0
RACE/ETHNICITY	Non-Hisp. White	69.5	62.8	75.6	65.4	63.8	67.0	66.9
	Non-Hisp. Black				70.2	64.3	75.5	
	Hispanic				63.2	57.2	68.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	69.5	62.8	75.6	65.4	63.8	67.0	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.2	64.3	75.5	
	Hispanic Men							66.9
	Hispanic Women				63.2	57.2	68.9	
AGE GROUP	18-44				50.0	44.9	55.1	
	45-64	67.5	57.0	76.4	65.7	63.5	67.9	69.1
	65 & Older	75.3	67.9	81.5	70.0	67.7	72.2	68.6
EDUCATION LEVEL	<High School				61.3	56.0	66.4	
	HS / Some College	63.8	51.3	74.7	62.0	59.1	64.9	61.9
	4+ Yrs. College	71.5	63.5	78.3	66.9	64.8	68.8	65.1
ANNUAL INCOME	<\$25,000	56.1	42.2	69.2	57.6	54.3	60.9	66.5
	\$25,000-\$49,999	64.9	52.7	75.5	64.2	61.2	67.1	60.6
	\$50,000 or More	78.8	66.5	87.4	70.3	67.5	72.9	78.8
MARITAL STATUS	Married/Couple	76.6	68.1	83.4	67.9	65.7	70.0	72.4
	Not Married/Couple	53.0	43.5	62.2	60.4	58.1	62.7	61.7

Percent of women 18 years of age and older who had a clinical breast exam in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	72.3	66.1	77.7	65.0	63.4	66.5	
SEX	Men							
	Women	72.3	66.1	77.7	65.0	63.4	66.5	
RACE/ETHNICITY	Non-Hisp. White	72.8	66.2	78.5	67.3	65.7	68.8	
	Non-Hisp. Black				67.8	62.3	72.8	
	Hispanic	55.1	24.9	82.0	58.7	54.0	63.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	72.8	66.2	78.5	67.3	65.7	68.8	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				67.8	62.3	72.8	
	Hispanic Men							
	Hispanic Women	55.1	24.9	82.0	58.7	54.0	63.4	
AGE GROUP	18-44	70.7	55.4	82.3	63.5	60.7	66.3	
	45-64	70.2	59.5	79.1	69.4	67.1	71.5	
	65 & Older	75.5	67.8	81.9	62.1 *	59.7	64.4	
EDUCATION LEVEL	<High School	62.8	38.6	81.9	52.8	47.6	57.8	
	HS / Some College	59.5	47.2	70.7	57.5	54.6	60.5	
	4+ Yrs. College	78.6	71.5	84.2	70.2	68.3	72.0	
ANNUAL INCOME	<\$25,000	56.4	41.8	70.0	53.6	50.3	56.9	
	\$25,000-\$49,999	69.2	57.5	78.8	61.4	58.5	64.3	
	\$50,000 or More	83.9	73.3	90.9	75.9	73.5	78.2	
MARITAL STATUS	Married/Couple	75.5	67.4	82.2	68.6	66.6	70.5	
	Not Married/Couple	65.5	55.8	74.1	59.6	57.1	62.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of women 18 years of age and older who received a PAP test in the past year.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	63.9	55.7	71.4	64.8	63.0	66.5	71.2
SEX	Men							
	Women	63.9	55.7	71.4	64.8	63.0	66.5	71.2
RACE/ETHNICITY	Non-Hisp. White	64.8	56.1	72.6	64.4	62.4	66.3	71.6
	Non-Hisp. Black				70.9	64.7	76.4	
	Hispanic				64.5	59.4	69.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	64.8	56.1	72.6	64.4	62.4	66.3	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.9	64.7	76.4	
	Hispanic Men							71.6
	Hispanic Women				64.5	59.4	69.2	
AGE GROUP	18-44	65.4	49.3	78.6	69.1	66.3	71.8	73.4
	45-64	69.9	56.6	80.6	66.4	63.6	69.1	74.4
	65 & Older	55.8	44.3	66.8	48.0	44.7	51.3	62.6
EDUCATION LEVEL	<High School				51.9	45.5	58.2	
	HS / Some College	52.8	38.0	67.2	55.6	51.9	59.2	61.1
	4+ Yrs. College	67.3	57.2	76.0	70.4	68.3	72.4	75.4
ANNUAL INCOME	<\$25,000	49.0	32.0	66.2	53.6	49.4	57.6	65.7
	\$25,000-\$49,999	65.5	50.3	78.1	62.1	58.6	65.4	61.4
	\$50,000 or More	73.7	60.6	83.7	76.1	73.5	78.6	84.6
MARITAL STATUS	Married/Couple	69.9	59.4	78.6	69.4	67.2	71.5	69.2
	Not Married/Couple	51.8	38.9	64.4	57.7	54.6	60.8	73.1

Percent of men 50 years of age and older who received a PSA test in the past two years.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	79.4	71.0	85.9	72.3	70.2	74.4	
SEX	Men	79.4	71.0	85.9	72.3	70.2	74.4	
	Women							
RACE/ETHNICITY	Non-Hisp. White	80.0	71.4	86.6	74.6	72.4	76.6	
	Non-Hisp. Black				71.5	60.1	80.7	
	Hispanic				61.2	51.5	70.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	80.0	71.4	86.6	74.6	72.4	76.6	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				71.5	60.1	80.7	
	Non-Hisp. Black Women							
	Hispanic Men				61.2	51.5	70.1	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	67.1	52.6	79.0	64.5	61.2	67.7	
	65 & Older	89.2	80.0	94.5	81.4	78.9	83.6	
EDUCATION LEVEL	<High School				62.2	54.7	69.1	
	HS / Some College	71.7	51.0	86.1	61.6	56.9	66.1	
	4+ Yrs. College	86.8	78.3	92.3	77.6	75.1	80.0	
ANNUAL INCOME	<\$25,000	65.4	44.5	81.7	59.2	54.0	64.1	
	\$25,000-\$49,999	82.9	64.8	92.8	73.9	69.7	77.6	
	\$50,000 or More	90.3	80.0	95.6	78.5	75.2	81.4	
MARITAL STATUS	Married/Couple	83.0	73.3	89.7	75.6	73.1	78.0	
	Not Married/Couple	69.4	52.0	82.6	63.4	59.2	67.4	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.
 CI=Confidence Interval
 Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of men 50 years of age and older who received a digital rectal exam in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	69.6	60.9	77.1	56.3 *	54.0	58.5	
SEX	Men	69.6	60.9	77.1	56.3 *	54.0	58.5	
	Women							
RACE/ETHNICITY	Non-Hisp. White	69.4	60.4	77.1	59.1	56.8	61.3	
	Non-Hisp. Black				51.0	39.9	62.0	
	Hispanic				40.2	31.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.4	60.4	77.1	59.1	56.8	61.3	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				51.0	39.9	62.0	
	Non-Hisp. Black Women							
	Hispanic Men				40.2	31.2	50.0	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	65.0	51.2	76.7	50.1	46.8	53.5	
	65 & Older	73.1	61.6	82.2	63.4	60.5	66.2	
EDUCATION LEVEL	<High School				47.8	40.3	55.4	
	HS / Some College	61.9	41.5	78.8	47.0	42.5	51.5	
	4+ Yrs. College	75.3	66.0	82.8	60.8 *	58.1	63.5	
ANNUAL INCOME	<\$25,000	61.9	41.7	78.7	48.5	43.6	53.4	
	\$25,000-\$49,999	74.4	56.5	86.6	52.6	48.1	56.9	
	\$50,000 or More	74.1	61.8	83.5	62.5	58.9	65.9	
MARITAL STATUS	Married/Couple	76.0	65.8	83.9	59.0 *	56.2	61.7	
	Not Married/Couple	52.5	37.6	67.0	49.2	45.1	53.2	

Percent of adults 50 years of age and older who received a blood stool test in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	24.1	19.6	29.3	21.2	20.1	22.3	28.7
SEX	Men	26.1	18.9	34.8	23.7	21.9	25.5	29.0
	Women	22.3	17.0	28.7	19.1	17.8	20.5	28.4
RACE/ETHNICITY	Non-Hisp. White	24.3	19.5	29.7	23.3	22.1	24.6	29.0
	Non-Hisp. Black				21.7	17.1	27.1	
	Hispanic				8.7	6.1	12.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.7	19.2	35.7	26.0	24.1	28.1	
	Non-Hisp. White Women	21.9	16.4	28.7	21.0	19.5	22.5	
	Non-Hisp. Black Men				21.3	14.4	30.3	
	Non-Hisp. Black Women				22.0	16.2	29.1	29.6
	Hispanic Men				9.9	6.0	15.9	28.6
	Hispanic Women				7.8	4.7	12.9	
AGE GROUP	18-44							
	45-64	14.0	8.7	21.7	15.6	14.3	17.1	27.0
	65 & Older	30.9	24.6	38.0	27.1	25.5	28.8	29.8
EDUCATION LEVEL	<High School	13.9	4.7	34.6	20.0	16.2	24.3	
	HS / Some College	21.7	14.1	31.8	19.6	17.8	21.5	29.6
	4+ Yrs. College	25.9	20.2	32.5	22.1	20.7	23.6	30.6
ANNUAL INCOME	<\$25,000	14.2	7.1	26.5	20.1	18.0	22.3	14.2
	\$25,000-\$49,999	28.1	19.6	38.4	22.1	20.1	24.3	30.1
	\$50,000 or More	29.4	21.6	38.6	21.5	19.6	23.6	33.0
MARITAL STATUS	Married/Couple	24.8	19.0	31.7	22.0	20.6	23.5	33.2
	Not Married/Couple	22.8	16.5	30.5	19.9	18.2	21.6	22.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	61.7	55.9	67.1	53.7 *	52.3	55.1	41.5 *
SEX	Men	67.8	58.6	75.8	55.7 *	53.4	57.9	44.2 *
	Women	56.2	49.1	63.1	52.1	50.3	53.9	39.3
RACE/ETHNICITY	Non-Hisp. White	62.1	56.1	67.7	56.8	55.3	58.2	41.9 *
	Non-Hisp. Black				48.9	42.6	55.2	
	Hispanic				39.0	33.3	45.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.1	59.6	77.2	59.1	56.8	61.3	
	Non-Hisp. White Women	55.5	48.0	62.8	54.8	53.0	56.6	
	Non-Hisp. Black Men				50.4	39.4	61.4	
	Non-Hisp. Black Women				47.7	40.4	55.1	45.7
	Hispanic Men				37.9	29.1	47.6	38.8
	Hispanic Women				39.9	32.7	47.5	
AGE GROUP	18-44							
	45-64	48.1	38.8	57.5	46.6	44.5	48.7	28.1 *
	65 & Older	70.8	64.0	76.8	61.4 *	59.6	63.2	50.6 *
EDUCATION LEVEL	<High School	33.1	15.4	57.2	41.7	37.3	46.3	
	HS / Some College	52.0	41.2	62.7	51.3	48.8	53.8	42.0
	4+ Yrs. College	67.7	60.9	73.8	56.7 *	54.9	58.5	46.7 *
ANNUAL INCOME	<\$25,000	53.1	40.7	65.1	47.2	44.4	50.1	38.8
	\$25,000-\$49,999	56.7	45.9	67.0	50.7	48.0	53.4	37.8
	\$50,000 or More	69.0	59.7	76.9	59.7	57.2	62.1	46.8 *
MARITAL STATUS	Married/Couple	65.0	57.7	71.7	57.5	55.7	59.3	43.5 *
	Not Married/Couple	53.7	45.0	62.2	47.3	45.1	49.5	38.8

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percent of adults who have ever had a stroke.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	2.5	1.6	3.8	3.1	2.8	3.5	
SEX	Men	2.0	0.9	4.3	2.9	2.5	3.4	
	Women	2.9	1.7	4.9	3.4	2.9	3.8	
RACE/ETHNICITY	Non-Hisp. White	2.7	1.7	4.2	3.5	3.2	3.9	
	Non-Hisp. Black				3.7	2.4	5.5	
	Hispanic	1.7	0.2	11.3	1.4	0.9	2.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.2	1.0	4.6	3.4	2.8	4.0	
	Non-Hisp. White Women	3.1	1.8	5.5	3.6	3.2	4.2	
	Non-Hisp. Black Men				2.2	1.3	3.8	
	Non-Hisp. Black Women				4.7	2.8	7.7	
	Hispanic Men				1.1	0.5	2.5	
	Hispanic Women	2.7	0.4	17.7	1.6	0.9	2.8	
AGE GROUP	18-44	0.0			1.1	0.7	1.6	
	45-64	1.0	0.4	2.9	2.7	2.3	3.3	
	65 & Older	5.9	3.6	9.4	7.9	7.0	8.8	
EDUCATION LEVEL	<High School	1.9	0.4	8.4	6.0	4.6	7.8	
	HS / Some College	1.9	0.7	5.0	3.7	3.1	4.4	
	4+ Yrs. College	2.6	1.5	4.5	2.4	2.1	2.7	
ANNUAL INCOME	<\$25,000	3.2	1.4	6.9	5.7	4.8	6.7	
	\$25,000-\$49,999	4.3	2.2	8.3	3.6	2.9	4.5	
	\$50,000 or More	0.7	0.2	3.3	1.2	1.0	1.6	
MARITAL STATUS	Married/Couple	1.6	0.8	3.3	2.6	2.3	3.0	
	Not Married/Couple	4.2	2.4	7.4	4.0	3.5	4.6	

Percent of adults who have ever had a heart attack, angina, or coronary heart disease.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	9.8	7.6	12.7	9.3	8.7	9.8	
SEX	Men	13.2	9.2	18.6	10.3	9.5	11.2	
	Women	6.8	4.8	9.5	8.3	7.7	9.0	
RACE/ETHNICITY	Non-Hisp. White	10.2	7.9	13.1	10.6	10.0	11.3	
	Non-Hisp. Black				7.8	6.1	9.9	
	Hispanic	12.7	2.4	46.3	5.3	4.2	6.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.9	9.0	18.1	12.1	11.1	13.2	
	Non-Hisp. White Women	7.6	5.3	10.8	9.2	8.5	9.9	
	Non-Hisp. Black Men				6.0	4.1	8.9	
	Non-Hisp. Black Women				9.0	6.6	12.2	
	Hispanic Men				5.7	4.1	7.9	
	Hispanic Women	2.7	0.4	17.7	4.9	3.6	6.6	
AGE GROUP	18-44	2.9	0.8	10.3	2.2	1.7	2.8	
	45-64	8.0	4.8	13.1	9.1	8.2	10.1	
	65 & Older	17.5	13.2	22.9	23.9	22.5	25.4	
EDUCATION LEVEL	<High School	18.5	6.8	41.4	15.0	12.9	17.5	
	HS / Some College	11.3	7.0	17.7	10.5	9.4	11.6	
	4+ Yrs. College	8.2	5.9	11.3	7.8	7.2	8.4	
ANNUAL INCOME	<\$25,000	12.1	7.6	18.7	14.9	13.4	16.4	
	\$25,000-\$49,999	14.5	9.1	22.2	10.1	9.1	11.3	
	\$50,000 or More	4.5	2.4	8.3	5.1	4.5	5.8	
MARITAL STATUS	Married/Couple	8.0	5.5	11.6	8.8	8.1	9.5	
	Not Married/Couple	13.9	10.0	19.1	10.1	9.2	11.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percent of adults who had their cholesterol checked in the past five years.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	81.8	76.7	86.1	78.5	77.4	79.7	85.0
SEX	Men	84.2	76.2	89.9	76.7	74.9	78.5	83.9
	Women	79.7	72.5	85.4	80.2	78.8	81.6	86.1
RACE/ETHNICITY	Non-Hisp. White	84.2	78.8	88.4	84.4	83.3	85.4	87.1
	Non-Hisp. Black				76.3	71.9	80.3	
	Hispanic	56.1	33.6	76.3	60.1	56.3	63.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.6	79.1	93.0	82.5	80.7	84.1	
	Non-Hisp. White Women	80.8	73.2	86.6	86.1	84.9	87.3	
	Non-Hisp. Black Men				73.1	65.0	79.9	
	Non-Hisp. Black Women				78.6	73.5	83.0	87.1
	Hispanic Men				59.7	53.8	65.3	87.2
AGE GROUP	Hispanic Women	81.0	46.2	95.5	60.5	55.7	65.1	
	18-44	63.3	51.1	74.0	64.7	62.5	66.9	70.8
	45-64	84.7	77.3	90.1	87.3	86.0	88.5	86.6
	65 & Older	95.5	91.8	97.6	93.2	92.2	94.2	96.3
EDUCATION LEVEL	<High School	71.4	50.4	85.9	62.0	57.9	65.9	
	HS / Some College	76.0	65.3	84.1	70.6	68.0	73.1	80.5
	4+ Yrs. College	85.0	78.4	89.8	85.0	83.8	86.1	89.7
ANNUAL INCOME	<\$25,000	69.6	57.6	79.4	68.4	65.6	71.1	82.7
	\$25,000-\$49,999	83.5	73.4	90.3	75.8	73.4	78.1	87.0
	\$50,000 or More	84.1	74.3	90.6	86.3	84.8	87.8	85.5
MARITAL STATUS	Married/Couple	81.4	74.9	86.6	81.8	80.5	83.0	89.0
	Not Married/Couple	82.7	73.7	89.1	73.0	70.8	75.1	78.5

Percent of adults who have diagnosed high blood cholesterol.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.5	33.5	43.8	37.1	35.9	38.3	37.8
SEX	Men	38.6	30.6	47.3	38.9	37.0	40.9	41.6
	Women	38.4	32.6	44.7	35.4	34.0	36.9	34.6
RACE/ETHNICITY	Non-Hisp. White	39.0	33.7	44.6	38.7	37.4	40.0	39.3
	Non-Hisp. Black				29.7	25.8	33.9	
	Hispanic	25.3	8.8	54.5	34.7	30.4	39.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.2	30.9	48.2	39.6	37.6	41.7	
	Non-Hisp. White Women	38.8	32.5	45.4	37.8	36.3	39.4	
	Non-Hisp. Black Men				34.1	26.9	42.0	
	Non-Hisp. Black Women				26.8	22.5	31.6	43.5
	Hispanic Men				38.8	32.0	46.2	35.7
AGE GROUP	Hispanic Women				30.7	25.7	36.2	
	18-44	26.6	16.2	40.4	23.0	20.8	25.4	23.1
	45-64	39.7	31.7	48.3	42.8	41.0	44.7	48.1
	65 & Older	45.1	38.2	52.2	49.8	48.0	51.6	40.0
EDUCATION LEVEL	<High School	47.0	26.9	68.0	45.5	41.1	50.1	
	HS / Some College	39.9	30.2	50.5	37.8	35.6	40.0	35.4
	4+ Yrs. College	37.3	31.4	43.6	35.8	34.3	37.3	40.2
ANNUAL INCOME	<\$25,000	36.2	26.2	47.5	41.6	39.1	44.2	30.7
	\$25,000-\$49,999	46.1	36.7	55.8	37.9	35.7	40.3	42.8
	\$50,000 or More	30.0	22.9	38.3	33.4	31.5	35.3	36.7
MARITAL STATUS	Married/Couple	36.4	30.3	43.0	36.8	35.4	38.3	40.7
	Not Married/Couple	43.7	35.9	51.7	37.4	35.3	39.5	32.9

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Dental Care

Percent of adults who could not see a dentist in the past year because of cost.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	18.6	14.4	23.7	19.2	18.2	20.2	
SEX	Men	17.8	11.6	26.4	16.8	15.3	18.5	
	Women	19.3	14.2	25.7	21.4	20.2	22.7	
RACE/ETHNICITY	Non-Hisp. White	17.1	12.8	22.5	15.7	14.8	16.7	
	Non-Hisp. Black				23.7	20.4	27.4	
	Hispanic	39.6	20.0	63.2	28.3	25.0	31.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.9	9.7	25.0	13.9	12.5	15.5	
	Non-Hisp. White Women	18.2	13.0	25.0	17.5	16.3	18.8	
	Non-Hisp. Black Men				18.3	13.3	24.6	
	Non-Hisp. Black Women				27.2	23.0	32.0	
	Hispanic Men				25.4	20.5	31.1	
	Hispanic Women	28.1	10.4	56.9	31.3	27.2	35.8	
AGE GROUP	18-44	31.7	21.5	44.1	23.6	21.8	25.6	
	45-64	23.1	16.7	31.1	19.5	18.1	21.0	
	65 & Older	3.0	1.5	6.0	9.8 *	8.7	11.0	
EDUCATION LEVEL	<High School	34.7	17.0	57.8	33.9	30.2	37.7	
	HS / Some College	19.9	12.0	31.4	23.2	21.2	25.3	
	4+ Yrs. College	16.7	12.0	22.6	15.2	14.0	16.4	
ANNUAL INCOME	<\$25,000	41.1	29.7	53.5	36.7	34.1	39.4	
	\$25,000-\$49,999	13.2	7.8	21.4	21.5	19.6	23.6	
	\$50,000 or More	12.6	7.0	21.5	9.0	7.8	10.3	
MARITAL STATUS	Married/Couple	17.0	12.1	23.4	16.2	15.1	17.4	
	Not Married/Couple	22.8	15.7	31.8	24.4	22.5	26.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diagnosed diabetes.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.4	6.2	11.2	8.7	8.2	9.3	7.7
SEX	Men	10.2	6.6	15.4	9.4	8.6	10.3	9.1
	Women	6.7	4.6	9.8	8.1	7.5	8.9	6.4
RACE/ETHNICITY	Non-Hisp. White	8.0	5.8	10.9	9.0	8.4	9.6	7.9
	Non-Hisp. Black				12.4	10.4	14.8	
	Hispanic	9.2	2.1	32.1	6.6	5.2	8.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.4	6.6	15.9	10.0	9.1	11.1	
	Non-Hisp. White Women	5.6	3.6	8.6	7.9	7.2	8.7	
	Non-Hisp. Black Men				11.2	8.3	14.8	
	Non-Hisp. Black Women				13.3	10.6	16.5	9.4
	Hispanic Men				6.8	4.8	9.5	6.6
	Hispanic Women	14.2	3.0	46.4	6.4	4.7	8.6	
AGE GROUP	18-44	3.1	1.0	9.0	2.4	1.9	3.1	1.5
	45-64	6.7	3.7	11.7	10.9	9.9	12.1	5.1
	65 & Older	14.7	10.4	20.2	18.5	17.2	19.9	15.0
EDUCATION LEVEL	<High School	15.3	5.8	34.8	14.4	12.3	16.7	5.1
	HS / Some College	7.4	4.1	13.1	9.5	8.4	10.7	8.4
	4+ Yrs. College	8.2	5.7	11.6	7.5	6.9	8.1	7.7
ANNUAL INCOME	<\$25,000	10.2	5.7	17.5	13.3	11.9	14.9	11.5
	\$25,000-\$49,999	8.9	5.0	15.3	8.5	7.6	9.5	10.8
	\$50,000 or More	5.8	3.2	10.2	5.9	5.2	6.7	1.4
MARITAL STATUS	Married/Couple	7.6	5.1	11.1	8.3	7.7	9.0	8.8
	Not Married/Couple	10.4	6.8	15.6	9.5	8.6	10.6	6.2

Percent of adults with diabetes who self-monitor blood glucose at least once a day on average.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	58.1	43.3	71.6	65.7	62.6	68.7	
SEX	Men	68.2	46.8	83.9	61.8	57.1	66.3	
	Women	43.1	26.3	61.6	70.0 *	66.0	73.7	
RACE/ETHNICITY	Non-Hisp. White	60.0	43.7	74.3	64.0	60.5	67.3	
	Non-Hisp. Black				62.0	52.6	70.6	
	Hispanic				79.3	68.4	87.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	67.4	45.1	83.9	59.9	54.7	64.8	
	Non-Hisp. White Women	46.7	26.8	67.7	69.1	64.6	73.2	
	Non-Hisp. Black Men				58.1	43.0	71.9	
	Non-Hisp. Black Women				64.4	52.3	74.9	
	Hispanic Men				78.2	59.5	89.7	
	Hispanic Women				80.4	67.8	88.9	
AGE GROUP	18-44				72.0	61.6	80.6	
	45-64				63.1	57.8	68.0	
	65 & Older	53.8	36.3	70.3	66.3	62.4	70.1	
EDUCATION LEVEL	<High School				67.3	58.8	74.8	
	HS / Some College				67.6	61.8	73.0	
	4+ Yrs. College	54.7	36.7	71.6	64.1	59.9	68.1	
ANNUAL INCOME	<\$25,000				69.0	63.7	73.9	
	\$25,000-\$49,999				65.9	60.5	70.9	
	\$50,000 or More				61.9	55.2	68.1	
MARITAL STATUS	Married/Couple	58.4	38.6	75.8	65.1	61.1	69.0	
	Not Married/Couple	57.7	36.4	76.4	66.5	61.5	71.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diabetes who had two A1C tests in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	74.3	59.1	85.2	71.2	67.7	74.4	
SEX	Men	83.3	59.8	94.3	68.0	62.5	73.0	
	Women	59.4	39.6	76.6	74.7	70.6	78.4	
RACE/ETHNICITY	Non-Hisp. White	77.2	60.0	88.5	73.3	69.6	76.7	
	Non-Hisp. Black				77.1	68.8	83.8	
	Hispanic				52.5	39.2	65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				70.3	64.7	75.4	
	Non-Hisp. White Women	66.4	42.0	84.3	76.8	72.6	80.6	
	Non-Hisp. Black Men				79.9	67.7	88.3	
	Non-Hisp. Black Women				75.3	63.7	84.2	
	Hispanic Men				41.5	25.5	59.5	
	Hispanic Women				66.0	48.6	80.0	
AGE GROUP	18-44				65.2	52.8	75.9	
	45-64				70.0	64.0	75.3	
	65 & Older	83.8	69.5	92.2	74.2	70.0	78.0	
EDUCATION LEVEL	<High School				63.9	54.2	72.6	
	HS / Some College				67.2	59.8	73.9	
	4+ Yrs. College	82.3	64.7	92.2	75.5	71.3	79.2	
ANNUAL INCOME	<\$25,000				66.7	59.7	73.1	
	\$25,000-\$49,999				72.8	67.2	77.7	
	\$50,000 or More				75.5	68.5	81.3	
MARITAL STATUS	Married/Couple	84.0	65.4	93.6	70.4	66.0	74.5	
	Not Married/Couple	58.6	34.9	78.9	72.8	66.9	77.9	

Percent of adults with diabetes who had an annual foot exam.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	73.7	59.3	84.4	75.6	72.6	78.4	
SEX	Men	77.4	55.4	90.4	77.0	72.4	81.0	
	Women	68.9	49.2	83.6	74.1	70.0	77.8	
RACE/ETHNICITY	Non-Hisp. White	70.1	53.8	82.5	75.0	71.8	78.0	
	Non-Hisp. Black				85.0	77.8	90.2	
	Hispanic				68.4	55.4	79.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	75.8	52.9	89.7	76.2	71.3	80.5	
	Non-Hisp. White Women	60.3	37.6	79.2	73.7	69.5	77.5	
	Non-Hisp. Black Men				83.3	70.4	91.2	
	Non-Hisp. Black Women				86.1	76.6	92.2	
	Hispanic Men				73.6	53.3	87.2	
	Hispanic Women				62.6	45.6	77.1	
AGE GROUP	18-44				70.9	59.8	80.0	
	45-64				74.5	69.3	79.1	
	65 & Older	72.1	54.1	84.9	78.0	74.1	81.4	
EDUCATION LEVEL	<High School				72.0	63.5	79.2	
	HS / Some College				71.4	64.8	77.2	
	4+ Yrs. College	75.5	56.7	87.8	79.1	75.6	82.3	
ANNUAL INCOME	<\$25,000				74.9	69.0	80.1	
	\$25,000-\$49,999				74.8	69.8	79.2	
	\$50,000 or More				79.5	73.8	84.2	
MARITAL STATUS	Married/Couple	71.5	52.6	85.0	75.6	71.9	78.9	
	Not Married/Couple	78.1	54.1	91.5	75.5	70.1	80.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diabetes who had an annual eye exam.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	84.7	71.5	92.5	77.4	74.7	80.0	
SEX	Men	81.2	60.3	92.5	78.5	74.5	82.0	
	Women	89.5	73.5	96.4	76.3	72.3	79.9	
RACE/ETHNICITY	Non-Hisp. White	84.0	68.6	92.7	75.9	72.7	78.9	
	Non-Hisp. Black				78.9	71.1	85.0	
	Hispanic				81.1	70.1	88.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	80.8	58.7	92.6	75.7	70.7	80.1	
	Non-Hisp. White Women	89.7	67.9	97.3	76.1	72.1	79.7	
	Non-Hisp. Black Men				79.5	66.9	88.1	
	Non-Hisp. Black Women				78.5	68.0	86.3	
	Hispanic Men				89.3	81.0	94.2	
	Hispanic Women				72.3	53.9	85.3	
AGE GROUP	18-44				60.9	48.8	71.8	
	45-64				75.0	70.7	78.8	
	65 & Older	87.0	69.1	95.3	83.6	80.1	86.7	
EDUCATION LEVEL	<High School				71.4	64.1	77.7	
	HS / Some College				74.2	68.5	79.2	
	4+ Yrs. College	84.4	65.2	94.0	81.1	77.5	84.3	
ANNUAL INCOME	<\$25,000				72.9	67.5	77.8	
	\$25,000-\$49,999				77.9	73.0	82.1	
	\$50,000 or More				81.0	75.9	85.3	
MARITAL STATUS	Married/Couple	80.2	61.0	91.3	79.4	76.2	82.2	
	Not Married/Couple	92.7	78.7	97.8	74.7	69.5	79.3	

Percent of adults with diabetes who ever had diabetes self-management education.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	56.2	41.1	70.2	51.4	48.2	54.6	
SEX	Men	58.0	36.3	77.0	50.5	45.8	55.2	
	Women	53.7	34.6	71.8	52.4	48.0	56.8	
RACE/ETHNICITY	Non-Hisp. White	58.4	41.8	73.3	53.2	49.6	56.8	
	Non-Hisp. Black				47.7	39.1	56.5	
	Hispanic				46.3	35.0	58.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	56.6	34.3	76.6	48.1	43.1	53.2	
	Non-Hisp. White Women	61.6	40.4	79.2	59.3	54.5	63.8	
	Non-Hisp. Black Men				49.9	36.0	63.7	
	Non-Hisp. Black Women				46.4	35.6	57.6	
	Hispanic Men				60.1	44.1	74.2	
	Hispanic Women				32.2	20.5	46.6	
AGE GROUP	18-44				52.8	40.6	64.6	
	45-64				53.6	48.4	58.7	
	65 & Older	54.2	36.7	70.6	49.4	45.3	53.4	
EDUCATION LEVEL	<High School				35.3	28.7	42.6	
	HS / Some College				52.3	46.2	58.4	
	4+ Yrs. College	62.9	44.4	78.3	55.7	51.3	60.0	
ANNUAL INCOME	<\$25,000				47.3	41.6	53.0	
	\$25,000-\$49,999				54.1	48.5	59.7	
	\$50,000 or More				57.0	50.5	63.3	
MARITAL STATUS	Married/Couple	55.8	35.9	74.0	52.7	48.6	56.8	
	Not Married/Couple	56.9	35.8	75.8	49.4	44.1	54.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	56.2	50.9	61.4	50.9	49.7	52.1	
SEX	Men	53.1	45.6	60.6	50.5	49.1	51.9	
	Women	60.4	54.0	66.9	51.4 *	49.4	53.4	
RACE/ETHNICITY	Non-Hisp. White	57.2	51.2	63.1	52.0	50.5	53.5	
	Non-Hisp. Black				50.4	47.9	52.9	
	Hispanic				46.6	43.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.3	45.3	61.2	51.9	50.3	53.5	
	Non-Hisp. White Women	64.1	57.8	70.5	52.2 *	49.5	54.9	
	Non-Hisp. Black Men				49.9	45.3	54.5	
	Non-Hisp. Black Women				50.7	47.7	53.6	
	Hispanic Men				44.6	41.6	47.6	
	Hispanic Women				48.8	42.8	54.9	
AGE GROUP	18-44				29.1	26.5	31.7	
	45-64				45.9	44.8	47.1	
	65 & Older	64.3	59.7	68.9	61.9	61.0	62.9	
EDUCATION LEVEL	<High School				52.3	49.7	54.9	
	HS / Some College				51.9	49.2	54.6	
	4+ Yrs. College	58.6	52.9	64.3	50.0 *	48.6	51.5	
ANNUAL INCOME	<\$25,000				51.9	49.9	53.8	
	\$25,000-\$49,999				50.9	49.0	52.8	
	\$50,000 or More				47.8	46.1	49.6	
MARITAL STATUS	Married/Couple	54.9	48.5	61.4	50.5	49.2	51.8	
	Not Married/Couple	58.4	49.4	67.4	51.6	49.3	53.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percent of adults who are limited in any way in any activities because of physical, mental, or emotional problems.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	17.3	13.9	21.3	17.8	17.1	18.6	
SEX	Men	18.7	13.2	25.8	16.9	15.7	18.1	
	Women	16.0	12.2	20.7	18.8	17.8	19.8	
RACE/ETHNICITY	Non-Hisp. White	18.7	14.9	23.1	19.7	18.8	20.6	
	Non-Hisp. Black				16.8	14.1	19.7	
	Hispanic	7.9	2.7	20.9	10.6	8.9	12.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	19.5	13.7	27.1	18.6	17.3	20.1	
	Non-Hisp. White Women	17.8	13.5	23.2	20.7	19.6	21.9	
	Non-Hisp. Black Men				14.8	10.9	19.7	
	Non-Hisp. Black Women				18.1	14.8	22.0	
	Hispanic Men				9.9	7.3	13.4	
	Hispanic Women	4.1	1.0	15.8	11.3	9.1	13.9	
AGE GROUP	18-44	10.5	5.1	20.6	10.3	9.2	11.4	
	45-64	20.5	14.6	28.0	21.7	20.4	23.1	
	65 & Older	21.0	16.2	26.6	27.6	26.0	29.2	
EDUCATION LEVEL	<High School	20.1	8.4	40.8	24.2	21.4	27.2	
	HS / Some College	11.6	7.4	17.8	19.6 *	18.0	21.2	
	4+ Yrs. College	19.2	14.8	24.5	16.1	15.2	17.1	
ANNUAL INCOME	<\$25,000	29.1	20.2	39.9	30.3	28.1	32.5	
	\$25,000-\$49,999	12.0	8.0	17.6	17.7	16.2	19.2	
	\$50,000 or More	12.4	8.3	18.2	10.8	9.8	11.8	
MARITAL STATUS	Married/Couple	13.9	10.1	18.8	15.5	14.6	16.4	
	Not Married/Couple	25.8	19.5	33.3	21.9	20.5	23.4	

Percent of adults who use special equipment because of a health problem.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.3	5.1	10.4	7.1	6.6	7.7	
SEX	Men	8.8	5.0	15.0	6.9	6.1	7.7	
	Women	6.0	4.0	8.9	7.4	6.8	8.0	
RACE/ETHNICITY	Non-Hisp. White	8.1	5.6	11.6	7.4	6.9	8.0	
	Non-Hisp. Black				8.1	6.4	10.1	
	Hispanic	0.1	0.0	0.7	5.1 *	3.7	6.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.4	5.3	16.1	6.8	6.1	7.7	
	Non-Hisp. White Women	6.8	4.5	10.2	8.0	7.3	8.7	
	Non-Hisp. Black Men				6.6	4.5	9.6	
	Non-Hisp. Black Women				9.1	6.8	12.0	
	Hispanic Men				5.9	3.7	9.4	
	Hispanic Women	0.2	0.0	1.2	4.3 *	3.0	6.1	
AGE GROUP	18-44	5.0	1.5	15.0	2.3	1.8	3.0	
	45-64	5.5	2.6	11.2	7.5	6.7	8.5	
	65 & Older	10.7	7.5	15.2	16.3	15.1	17.7	
EDUCATION LEVEL	<High School	6.8	1.9	21.0	12.0	10.0	14.2	
	HS / Some College	5.4	2.8	10.1	8.1	7.1	9.3	
	4+ Yrs. College	8.1	5.2	12.4	5.9	5.4	6.5	
ANNUAL INCOME	<\$25,000	10.5	5.7	18.4	13.8	12.4	15.3	
	\$25,000-\$49,999	6.8	4.0	11.2	6.6	5.7	7.6	
	\$50,000 or More	4.0	1.9	8.1	2.9	2.4	3.5	
MARITAL STATUS	Married/Couple	5.7	3.2	9.8	5.3	4.8	5.9	
	Not Married/Couple	11.4	7.4	17.0	10.3	9.3	11.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Folic Acid

Percent of adults who take a multivitamin.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	58.9	53.4	64.3	58.5	57.3	59.8	
SEX	Men	53.5	44.7	62.1	53.9	51.9	56.0	
	Women	63.9	57.2	70.2	62.9	61.3	64.4	
RACE/ETHNICITY	Non-Hisp. White	60.8	54.8	66.5	62.1	60.8	63.4	
	Non-Hisp. Black				52.6	48.1	57.1	
	Hispanic	32.1	14.5	57.0	47.7	43.7	51.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	56.4	47.0	65.4	58.2	56.1	60.3	
	Non-Hisp. White Women	65.2	58.1	71.7	65.9	64.3	67.5	
	Non-Hisp. Black Men				48.4	40.6	56.3	
	Non-Hisp. Black Women				55.4	50.0	60.8	
	Hispanic Men				41.8	35.7	48.2	
AGE GROUP	Hispanic Women	48.2	21.8	75.6	53.7	48.8	58.6	
	18-44	41.0	29.8	53.2	51.2	48.9	53.5	
	45-64	57.5	49.0	65.7	61.5	59.7	63.2	
EDUCATION LEVEL	65 & Older	75.8	69.1	81.4	69.2	67.4	70.9	
	<High School	54.8	34.9	73.2	43.5	39.4	47.6	
	HS / Some College	51.2	40.8	61.5	51.8	49.3	54.2	
ANNUAL INCOME	4+ Yrs. College	62.2	55.3	68.7	63.9	62.4	65.4	
	<\$25,000	58.6	46.6	69.6	53.2	50.4	56.0	
	\$25,000-\$49,999	62.2	52.3	71.3	58.1	55.7	60.5	
MARITAL STATUS	\$50,000 or More	55.1	45.9	63.9	62.2	60.2	64.1	
	Married/Couple	55.4	48.5	62.2	59.4	57.9	61.0	
	Not Married/Couple	67.6	59.6	74.7	57.1 *	54.9	59.3	

Percent of women under age 45 who take a multivitamin.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	52.4	37.2	67.2	56.4	53.5	59.2	
SEX	Men							
	Women	52.4	37.2	67.2	56.4	53.5	59.2	
RACE/ETHNICITY	Non-Hisp. White	51.8	34.1	69.1	59.9	56.6	63.1	
	Non-Hisp. Black				51.0	43.4	58.6	
	Hispanic				48.2	41.4	55.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	51.8	34.1	69.1	59.9	56.6	63.1	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				51.0	43.4	58.6	
	Hispanic Men							
AGE GROUP	Hispanic Women				48.2	41.4	55.1	
	18-44	51.8	36.4	67.0	56.2	53.3	59.1	
	45-64							
EDUCATION LEVEL	65 & Older							
	<High School				34.0	25.5	43.7	
	HS / Some College				44.8	39.2	50.6	
ANNUAL INCOME	4+ Yrs. College	50.6	32.0	69.0	63.6	60.3	66.8	
	<\$25,000				46.5	40.2	52.9	
	\$25,000-\$49,999	47.6	25.3	71.0	54.7	49.5	59.9	
MARITAL STATUS	\$50,000 or More	41.1	17.4	69.7	63.6	59.2	67.8	
	Married/Couple	48.0	30.0	66.6	59.2	55.8	62.5	
	Not Married/Couple	62.1	37.0	82.0	51.7	46.6	56.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Gastrointestinal Disease

Percent of adults who had diarrhea in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	14.8	11.4	19.0	14.1	13.3	15.0	
SEX	Men	15.7	10.7	22.7	13.8	12.6	15.2	
	Women	13.9	9.8	19.3	14.4	13.4	15.4	
RACE/ETHNICITY	Non-Hisp. White	15.5	11.8	20.1	15.6	14.7	16.6	
	Non-Hisp. Black				11.5	8.8	14.9	
	Hispanic	7.1	1.4	29.8	10.0	8.0	12.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	16.0	10.7	23.2	15.8	14.3	17.5	
	Non-Hisp. White Women	15.1	10.4	21.2	15.4	14.4	16.5	
	Non-Hisp. Black Men				6.8	4.7	9.7	
	Non-Hisp. Black Women				14.5	10.5	19.8	
	Hispanic Men				9.3	6.6	12.9	
AGE GROUP	Hispanic Women	10.2	1.7	42.6	10.7	8.0	14.1	
	18-44	16.5	9.6	26.8	14.6	13.1	16.1	
	45-64	10.5	6.3	16.9	14.0	12.8	15.2	
	65 & Older	17.1	12.3	23.2	13.4	12.2	14.6	
EDUCATION LEVEL	<High School	6.5	2.4	16.5	12.4	10.1	15.2	
	HS / Some College	17.5	10.8	27.1	13.6	12.2	15.1	
	4+ Yrs. College	14.5	10.5	19.7	14.6	13.5	15.7	
ANNUAL INCOME	<\$25,000	15.7	8.6	26.7	16.7	14.9	18.7	
	\$25,000-\$49,999	13.8	8.4	21.9	12.5	11.1	13.9	
	\$50,000 or More	14.9	9.8	22.1	14.8	13.5	16.3	
MARITAL STATUS	Married/Couple	15.0	10.8	20.4	13.9	12.9	14.9	
	Not Married/Couple	14.4	9.7	20.9	14.5	13.2	16.0	

Percent of adults who had diarrhea in the past 30 days and who visited a doctor.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	1.5	0.7	2.9	2.4	2.0	2.8	
SEX	Men	1.3	0.4	4.5	2.2	1.6	2.9	
	Women	1.6	0.7	3.5	2.6	2.2	3.0	
RACE/ETHNICITY	Non-Hisp. White	1.5	0.7	3.1	2.5	2.1	3.0	
	Non-Hisp. Black				2.2	1.4	3.6	
	Hispanic	0.0			2.1	1.3	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.4	0.4	4.8	2.2	1.6	3.1	
	Non-Hisp. White Women	1.6	0.6	3.8	2.7	2.3	3.2	
	Non-Hisp. Black Men				1.5	0.7	3.3	
	Non-Hisp. Black Women				2.7	1.5	4.8	
	Hispanic Men				2.3	1.0	5.0	
AGE GROUP	Hispanic Women	0.0			2.0	1.2	3.3	
	18-44	0.0			2.0	1.4	2.7	
	45-64	0.1	0.0	0.3	2.5 *	2.0	3.2	
	65 & Older	4.0	2.0	7.8	3.0	2.4	3.7	
EDUCATION LEVEL	<High School	2.3	0.3	14.8	2.3	1.6	3.2	
	HS / Some College	2.8	0.9	8.3	2.8	2.2	3.6	
	4+ Yrs. College	0.9	0.3	2.1	2.2	1.7	2.7	
ANNUAL INCOME	<\$25,000	0.9	0.1	4.9	3.5	2.7	4.4	
	\$25,000-\$49,999	2.4	0.6	8.3	2.8	2.1	3.7	
	\$50,000 or More	0.9	0.3	2.4	1.6	1.1	2.2	
MARITAL STATUS	Married/Couple	1.5	0.6	3.6	2.1	1.7	2.6	
	Not Married/Couple	1.4	0.5	3.6	2.8	2.2	3.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percent of adults with any type of health care insurance coverage.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	83.1	78.3	87.0	81.4	80.3	82.4	87.4
SEX	Men	79.1	70.7	85.6	80.3	78.5	82.0	85.5
	Women	86.7	81.2	90.8	82.4	81.0	83.7	89.0
RACE/ETHNICITY	Non-Hisp. White	86.3	81.3	90.1	87.8	86.9	88.7	88.7
	Non-Hisp. Black				77.2	72.9	81.1	
	Hispanic	40.0	21.2	62.3	61.4	57.6	65.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	81.9	73.0	88.3	87.6	86.2	88.8	
	Non-Hisp. White Women	90.5	85.4	93.9	88.1	86.9	89.1	
	Non-Hisp. Black Men				74.9	67.0	81.5	
	Non-Hisp. Black Women				78.8	73.7	83.2	86.7
	Hispanic Men				57.7	51.8	63.5	90.4
AGE GROUP	Hispanic Women	55.1	26.7	80.5	64.9	60.3	69.3	
	18-44	68.9	56.9	78.7	72.4	70.3	74.4	77.9
	45-64	80.0	72.9	85.7	82.7	81.3	84.1	83.3
EDUCATION LEVEL	65 & Older	98.0	94.3	99.3	97.3	96.5	97.9	98.5
	<High School	63.8	43.1	80.4	60.8	56.8	64.6	96.2 *
	HS / Some College	78.9	68.4	86.6	73.8	71.3	76.1	80.1
ANNUAL INCOME	4+ Yrs. College	86.4	80.6	90.7	88.3	87.1	89.3	89.8
	<\$25,000	61.9	50.2	72.4	64.5	61.7	67.3	79.5
	\$25,000-\$49,999	83.8	74.6	90.1	79.0	76.8	81.0	82.2
MARITAL STATUS	\$50,000 or More	89.0	80.0	94.3	93.2	91.8	94.3	95.5
	Married/Couple	85.0	79.0	89.6	85.3	84.1	86.4	89.6
	Not Married/Couple	78.4	70.0	84.9	74.9	72.7	76.9	84.0

Percent of adults who have a personal doctor.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	80.5	75.5	84.7	77.1	75.9	78.2	81.7
SEX	Men	80.1	72.1	86.3	72.8	71.0	74.6	74.2
	Women	80.8	74.3	86.0	81.1	79.7	82.4	88.4
RACE/ETHNICITY	Non-Hisp. White	82.0	76.7	86.4	82.2	81.1	83.2	84.5
	Non-Hisp. Black				75.6	71.4	79.4	
	Hispanic	47.0	26.4	68.7	61.7	58.0	65.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	82.9	74.5	89.0	77.9	76.0	79.7	
	Non-Hisp. White Women	81.2	73.9	86.8	86.3	85.0	87.4	
	Non-Hisp. Black Men				70.8	63.6	77.1	
	Non-Hisp. Black Women				78.8	73.5	83.3	76.8
	Hispanic Men				58.2	52.4	63.8	91.2
AGE GROUP	Hispanic Women	62.0	32.6	84.6	65.2	60.5	69.5	
	18-44	63.9	52.0	74.2	64.7	62.5	66.8	65.2
	45-64	80.5	72.7	86.6	83.3	81.9	84.6	84.6
EDUCATION LEVEL	65 & Older	94.9	91.2	97.1	92.9	91.9	93.8	93.8
	<High School	52.1	33.3	70.4	62.8	58.9	66.5	78.0
	HS / Some College	81.3	70.8	88.6	71.4	68.9	73.7	76.3
ANNUAL INCOME	4+ Yrs. College	83.0	76.8	87.8	82.1	80.8	83.4	85.1
	<\$25,000	67.8	56.2	77.6	66.8	64.1	69.4	77.8
	\$25,000-\$49,999	83.2	74.4	89.3	74.2	71.8	76.4	81.8
MARITAL STATUS	\$50,000 or More	83.0	73.5	89.6	84.8	83.2	86.3	83.4
	Married/Couple	82.9	76.7	87.7	80.6	79.3	81.8	82.7
	Not Married/Couple	74.5	65.7	81.7	71.1	68.9	73.2	80.9

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percent of adults who could not see a doctor at least once in the past year due to cost.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	11.7	8.8	15.4	15.1	14.2	16.0	
SEX	Men	8.5	5.0	14.2	13.3	11.9	14.7	
	Women	14.5	10.4	20.0	16.8	15.7	18.0	
RACE/ETHNICITY	Non-Hisp. White	10.5	7.6	14.4	11.5	10.8	12.4	
	Non-Hisp. Black				20.9	17.8	24.4	
	Hispanic	34.3	16.5	58.0	23.5	20.6	26.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.8	3.7	12.1	9.8	8.6	11.0	
	Non-Hisp. White Women	14.2	9.7	20.2	13.2	12.2	14.3	
	Non-Hisp. Black Men				16.7	12.2	22.6	
	Non-Hisp. Black Women				23.8	19.9	28.2	
	Hispanic Men				22.9	18.4	28.2	
AGE GROUP	Hispanic Women	22.6	7.7	50.7	24.1	20.5	28.2	
	18-44	19.9	12.7	29.8	19.9	18.3	21.6	
	45-64	15.4	10.6	21.8	15.8	14.5	17.2	
	65 & Older	1.3	0.5	3.4	4.5 *	3.7	5.3	
EDUCATION LEVEL	<High School	31.8	15.8	53.8	25.6	22.6	28.9	
	HS / Some College	13.2	7.5	22.0	19.0	17.1	21.0	
	4+ Yrs. College	9.4	6.5	13.5	11.7	10.7	12.8	
ANNUAL INCOME	<\$25,000	32.9	22.8	44.8	29.3	26.9	31.9	
	\$25,000-\$49,999	11.4	6.5	19.2	18.4	16.5	20.5	
	\$50,000 or More	3.9	1.8	8.5	6.3	5.4	7.4	
MARITAL STATUS	Married/Couple	9.9	6.7	14.4	12.7	11.8	13.8	
	Not Married/Couple	16.1	10.6	23.8	19.3	17.6	21.0	

Percent of adults who had a medical checkup in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	72.3	67.1	77.0	74.6	73.5	75.7	
SEX	Men	70.8	62.3	78.0	70.5	68.7	72.3	
	Women	73.7	67.2	79.3	78.5	77.1	79.8	
RACE/ETHNICITY	Non-Hisp. White	75.3	69.9	80.0	75.0	73.8	76.2	
	Non-Hisp. Black				82.7	79.0	85.9	
	Hispanic	42.3	23.3	63.8	70.1 *	66.5	73.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.5	63.5	79.9	71.0	69.1	72.9	
	Non-Hisp. White Women	78.1	71.7	83.4	78.8	77.3	80.2	
	Non-Hisp. Black Men				76.9	69.3	83.1	
	Non-Hisp. Black Women				86.8	83.3	89.6	
	Hispanic Men				66.0	60.2	71.3	
AGE GROUP	Hispanic Women	49.0	22.7	75.9	74.3	70.0	78.3	
	18-44	50.2	38.6	61.8	64.0 *	61.8	66.1	
	45-64	73.0	65.3	79.5	77.7	76.2	79.1	
	65 & Older	91.0	86.3	94.2	91.5	90.4	92.4	
EDUCATION LEVEL	<High School	57.5	37.7	75.2	71.4	67.6	74.9	
	HS / Some College	71.7	61.2	80.3	72.8	70.5	75.0	
	4+ Yrs. College	73.8	67.3	79.3	76.0	74.6	77.4	
ANNUAL INCOME	<\$25,000	61.6	50.2	71.9	73.0	70.4	75.3	
	\$25,000-\$49,999	71.0	61.0	79.3	72.4	70.1	74.5	
	\$50,000 or More	74.0	64.9	81.5	75.7	73.9	77.4	
MARITAL STATUS	Married/Couple	71.7	65.0	77.6	75.6	74.3	77.0	
	Not Married/Couple	73.6	65.7	80.2	73.1	71.0	75.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults with good to excellent overall health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	85.8	81.7	89.0	83.4	82.5	84.2	85.6
SEX	Men	84.9	77.9	89.9	83.8	82.4	85.1	82.9
	Women	86.5	81.6	90.3	82.9	81.8	84.0	87.9
RACE/ETHNICITY	Non-Hisp. White	86.9	82.7	90.1	85.8	85.0	86.6	85.6
	Non-Hisp. Black				80.8	77.5	83.7	
	Hispanic	59.9	35.5	80.2	77.2	74.1	80.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	85.8	78.7	90.8	86.1	84.8	87.3	
	Non-Hisp. White Women	87.9	82.8	91.6	85.6	84.6	86.5	
	Non-Hisp. Black Men				84.0	79.6	87.6	
	Non-Hisp. Black Women				78.5	73.8	82.5	83.8
	Hispanic Men				77.5	72.5	81.7	87.2
	Hispanic Women	62.3	32.0	85.3	77.0	73.0	80.6	
AGE GROUP	18-44	82.2	71.5	89.4	89.5	88.1	90.8	95.6 *
	45-64	86.1	79.7	90.7	80.4	78.8	81.8	83.3
	65 & Older	88.4	83.8	91.7	75.2 *	73.6	76.8	79.0
EDUCATION LEVEL	<High School	55.3	35.7	73.5	66.1	62.5	69.4	74.4
	HS / Some College	84.8	74.6	91.4	79.0	77.1	80.8	87.3
	4+ Yrs. College	88.8	84.7	91.9	88.1	87.1	89.0	86.3
ANNUAL INCOME	<\$25,000	71.1	60.1	80.1	65.7	63.2	68.1	79.7
	\$25,000-\$49,999	84.9	76.4	90.7	83.9	82.3	85.4	82.1
	\$50,000 or More	91.8	84.8	95.7	93.3	92.2	94.2	94.8
MARITAL STATUS	Married/Couple	88.7	83.6	92.3	85.1	84.0	86.1	84.9
	Not Married/Couple	78.6	71.2	84.5	80.3	78.7	81.7	86.6

Percent of adults who are "very satisfied" or "satisfied" with their lives.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	93.7	90.4	95.9	94.2	93.6	94.8	
SEX	Men	93.5	87.8	96.6	94.0	92.9	94.9	
	Women	93.9	89.3	96.6	94.5	93.8	95.1	
RACE/ETHNICITY	Non-Hisp. White	93.4	89.7	95.8	94.9	94.3	95.4	
	Non-Hisp. Black				93.0	91.0	94.7	
	Hispanic	99.7	97.7	100.0	93.5 *	90.8	95.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	93.6	87.5	96.8	94.8	93.9	95.6	
	Non-Hisp. White Women	93.2	87.7	96.3	95.0	94.3	95.5	
	Non-Hisp. Black Men				90.3	85.9	93.4	
	Non-Hisp. Black Women				94.9	92.8	96.5	
	Hispanic Men				93.0	87.9	96.0	
	Hispanic Women	100.0			94.0	91.3	95.9	
AGE GROUP	18-44	93.4	84.4	97.4	94.6	93.4	95.6	
	45-64	90.0	82.9	94.3	92.7	91.7	93.6	
	65 & Older	96.9	93.4	98.6	95.8	95.0	96.5	
EDUCATION LEVEL	<High School	90.8	60.7	98.4	91.7	89.7	93.4	
	HS / Some College	94.5	87.9	97.6	92.7	91.1	94.1	
	4+ Yrs. College	93.7	89.4	96.3	95.3	94.6	95.9	
ANNUAL INCOME	<\$25,000	84.3	72.5	91.7	87.8	86.0	89.3	
	\$25,000-\$49,999	97.7	93.9	99.1	94.8	93.6	95.8	
	\$50,000 or More	95.5	89.9	98.1	97.2	96.2	98.0	
MARITAL STATUS	Married/Couple	96.4	92.8	98.2	96.4	95.7	96.9	
	Not Married/Couple	86.9	78.5	92.4	90.5	89.2	91.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults who always or usually receive the social and emotional support they need.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	81.7	77.0	85.6	77.9	76.8	79.0	
SEX	Men	81.0	73.0	87.1	76.6	74.7	78.3	
	Women	82.3	76.6	86.9	79.2	77.9	80.5	
RACE/ETHNICITY	Non-Hisp. White	82.2	77.1	86.4	82.3	81.3	83.3	
	Non-Hisp. Black				67.0	62.7	71.0	
	Hispanic	75.0	52.5	89.1	68.5	64.6	72.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	81.7	73.0	88.0	81.2	79.6	82.8	
	Non-Hisp. White Women	82.7	76.5	87.5	83.4	82.2	84.5	
	Non-Hisp. Black Men				65.3	58.1	71.9	
	Non-Hisp. Black Women				68.1	62.7	73.0	
	Hispanic Men				64.7	58.2	70.6	
AGE GROUP	Hispanic Women	78.7	45.6	94.2	72.3	67.9	76.4	
	18-44	77.7	66.0	86.1	78.2	76.1	80.1	
	45-64	82.0	74.5	87.6	78.1	76.5	79.6	
	65 & Older	85.4	79.7	89.7	77.4 *	75.9	78.9	
EDUCATION LEVEL	<High School	83.1	67.4	92.1	63.3 *	59.3	67.0	
	HS / Some College	78.2	67.6	86.0	71.9	69.5	74.2	
	4+ Yrs. College	82.9	77.1	87.5	82.9	81.6	84.1	
ANNUAL INCOME	<\$25,000	72.8	61.8	81.6	63.4	60.7	66.1	
	\$25,000-\$49,999	82.5	74.5	88.5	76.0	73.8	78.0	
	\$50,000 or More	86.2	78.1	91.6	87.1	85.6	88.5	
MARITAL STATUS	Married/Couple	84.8	78.8	89.4	83.1	81.9	84.3	
	Not Married/Couple	73.7	65.7	80.4	68.9	66.8	70.9	

Percent of adults with good physical health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	88.4	84.6	91.4	88.8	88.1	89.5	
SEX	Men	86.6	79.7	91.4	89.8	88.7	90.8	
	Women	90.1	85.6	93.3	87.8	86.9	88.7	
RACE/ETHNICITY	Non-Hisp. White	88.2	84.0	91.4	88.5	87.7	89.2	
	Non-Hisp. Black				88.0	85.5	90.1	
	Hispanic	85.3	60.4	95.6	90.6	88.5	92.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	86.3	78.9	91.4	89.6	88.4	90.7	
	Non-Hisp. White Women	90.1	85.3	93.4	87.4	86.4	88.4	
	Non-Hisp. Black Men				89.1	85.2	92.0	
	Non-Hisp. Black Women				87.3	83.9	90.0	
	Hispanic Men				91.4	87.8	94.0	
AGE GROUP	Hispanic Women	83.0	46.4	96.5	89.8	87.3	91.9	
	18-44	88.5	78.0	94.4	92.5	91.4	93.5	
	45-64	88.4	82.1	92.7	86.5	85.2	87.6	
	65 & Older	88.1	83.1	91.8	84.3	82.9	85.5	
EDUCATION LEVEL	<High School	89.3	74.8	95.9	82.6	80.1	84.8	
	HS / Some College	86.7	76.9	92.8	86.6	85.1	87.9	
	4+ Yrs. College	89.0	84.5	92.3	90.8	89.9	91.6	
ANNUAL INCOME	<\$25,000	79.8	69.3	87.4	80.3	78.5	82.0	
	\$25,000-\$49,999	89.5	82.5	94.0	89.1	87.7	90.3	
	\$50,000 or More	90.0	82.7	94.5	93.5	92.5	94.4	
MARITAL STATUS	Married/Couple	90.4	85.6	93.7	90.4	89.5	91.1	
	Not Married/Couple	83.6	76.4	88.9	86.1	84.8	87.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults with good mental health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	91.7	88.4	94.2	90.3	89.6	91.0	
SEX	Men	94.3	89.3	97.1	91.9	90.9	92.9	
	Women	89.4	84.4	93.0	88.7	87.7	89.7	
RACE/ETHNICITY	Non-Hisp. White	91.9	88.4	94.5	90.9	90.2	91.6	
	Non-Hisp. Black				87.2	83.8	90.0	
	Hispanic	82.2	56.4	94.3	89.8	87.4	91.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	94.2	88.8	97.1	92.2	91.2	93.2	
	Non-Hisp. White Women	89.7	84.3	93.4	89.7	88.7	90.5	
	Non-Hisp. Black Men				90.2	86.2	93.1	
	Non-Hisp. Black Women				85.2	80.1	89.2	
	Hispanic Men				92.0	88.2	94.6	
	Hispanic Women	76.4	41.6	93.6	87.7	84.2	90.5	
AGE GROUP	18-44	84.9	75.4	91.1	88.9	87.5	90.1	
	45-64	92.3	88.0	95.2	89.2	88.2	90.3	
	65 & Older	97.1	93.8	98.7	94.5	93.6	95.2	
EDUCATION LEVEL	<High School	87.0	65.4	96.0	84.2	81.0	87.0	
	HS / Some College	92.0	84.9	95.9	89.0	87.6	90.3	
	4+ Yrs. College	92.0	87.8	94.9	91.8	90.9	92.6	
ANNUAL INCOME	<\$25,000	76.9	65.1	85.6	83.9	81.9	85.8	
	\$25,000-\$49,999	93.4	88.0	96.5	88.7	87.1	90.1	
	\$50,000 or More	95.5	89.9	98.0	94.3	93.4	95.1	
MARITAL STATUS	Married/Couple	94.6	90.8	96.8	92.0	91.2	92.8	
	Not Married/Couple	84.6	76.9	90.1	87.2	85.8	88.5	

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.6	3.1	6.0	4.5	4.2	4.7	
SEX	Men	5.4	2.9	7.8	4.6	4.1	5.0	
	Women	3.8	2.2	5.4	4.4	4.1	4.7	
RACE/ETHNICITY	Non-Hisp. White	4.8	3.2	6.4	4.5	4.2	4.8	
	Non-Hisp. Black				4.5	3.7	5.3	
	Hispanic				3.9	3.1	4.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.3	2.8	7.9	4.6	4.1	5.1	
	Non-Hisp. White Women	4.2	2.3	6.1	4.3	4.0	4.7	
	Non-Hisp. Black Men				4.5	2.9	6.1	
	Non-Hisp. Black Women				4.5	3.6	5.5	
	Hispanic Men				3.7	2.3	5.0	
	Hispanic Women				4.0	3.1	5.0	
AGE GROUP	18-44	4.6	1.6	7.6	3.4	3.0	3.9	
	45-64	4.5	2.5	6.6	5.1	4.7	5.6	
	65 & Older	4.6	2.7	6.6	5.8	5.2	6.4	
EDUCATION LEVEL	<High School	4.2	-0.7	9.1	6.2	5.2	7.1	
	HS / Some College	2.1	1.0	3.3	5.4 *	4.9	6.0	
	4+ Yrs. College	5.5	3.5	7.4	3.8	3.4	4.1	
ANNUAL INCOME	<\$25,000	6.0	2.9	9.0	7.5	6.8	8.2	
	\$25,000-\$49,999	4.1	1.9	6.3	4.4	3.9	4.9	
	\$50,000 or More	4.5	2.0	7.1	2.5	2.2	2.8	
MARITAL STATUS	Married/Couple	3.5	1.8	5.1	4.0	3.7	4.3	
	Not Married/Couple	6.7	4.0	9.3	5.2	4.7	5.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	3.8	2.9	4.7	3.6	3.4	3.8	
SEX	Men	4.2	2.6	5.7	3.3	3.0	3.6	
	Women	3.4	2.4	4.5	3.9	3.7	4.1	
RACE/ETHNICITY	Non-Hisp. White	3.8	2.8	4.8	3.7	3.5	3.8	
	Non-Hisp. Black				4.1	3.5	4.8	
	Hispanic	5.0	-0.1	10.1	3.0	2.5	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.3	2.7	5.9	3.4	3.1	3.7	
	Non-Hisp. White Women	3.4	2.3	4.5	3.9	3.7	4.2	
	Non-Hisp. Black Men				3.4	2.5	4.3	
	Non-Hisp. Black Women				4.6	3.7	5.5	
	Hispanic Men				2.7	1.9	3.5	
	Hispanic Women	5.9	-1.4	13.1	3.3	2.7	4.0	
AGE GROUP	18-44	3.8	1.6	5.9	2.7	2.4	2.9	
	45-64	3.8	2.4	5.2	4.2	3.9	4.5	
	65 & Older	3.8	2.6	5.0	4.8	4.4	5.1	
EDUCATION LEVEL	<High School	3.5	0.5	6.6	5.5	4.8	6.2	
	HS / Some College	4.0	1.8	6.2	4.3	3.9	4.7	
	4+ Yrs. College	3.7	2.7	4.7	3.1	2.9	3.3	
ANNUAL INCOME	<\$25,000	6.6	4.0	9.2	6.3	5.8	6.8	
	\$25,000-\$49,999	3.5	2.0	5.0	3.5	3.2	3.8	
	\$50,000 or More	3.3	1.7	4.9	2.3	2.0	2.5	
MARITAL STATUS	Married/Couple	3.2	2.1	4.3	3.2	3.0	3.4	
	Not Married/Couple	5.2	3.4	7.0	4.4	4.0	4.7	

Average number of unhealthy mental days in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	2.9	2.1	3.7	3.3	3.1	3.5	
SEX	Men	2.3	1.3	3.4	2.8	2.5	3.1	
	Women	3.4	2.2	4.5	3.7	3.4	4.0	
RACE/ETHNICITY	Non-Hisp. White	2.9	2.0	3.8	3.1	2.9	3.2	
	Non-Hisp. Black				4.1	3.2	5.0	
	Hispanic	4.2	0.1	8.3	3.5	2.8	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.4	1.3	3.5	2.7	2.4	2.9	
	Non-Hisp. White Women	3.4	2.1	4.7	3.4	3.2	3.7	
	Non-Hisp. Black Men				3.3	2.3	4.3	
	Non-Hisp. Black Women				4.6	3.4	5.9	
	Hispanic Men				3.0	1.9	4.0	
	Hispanic Women	5.0	-0.7	10.7	4.0	3.1	5.0	
AGE GROUP	18-44	5.0	2.9	7.2	3.8	3.4	4.2	
	45-64	2.7	1.8	3.6	3.5	3.2	3.8	
	65 & Older	1.1	0.5	1.7	1.8	1.6	2.0	
EDUCATION LEVEL	<High School	4.6	0.3	8.8	5.2	4.3	6.1	
	HS / Some College	3.0	1.5	4.5	3.7	3.3	4.1	
	4+ Yrs. College	2.7	1.8	3.6	2.8	2.6	3.0	
ANNUAL INCOME	<\$25,000	7.4	4.5	10.2	5.2	4.6	5.7	
	\$25,000-\$49,999	2.2	1.1	3.3	3.6	3.2	4.0	
	\$50,000 or More	1.8	0.7	2.8	2.2	1.9	2.4	
MARITAL STATUS	Married/Couple	2.1	1.3	2.9	2.7	2.5	2.9	
	Not Married/Couple	4.8	3.0	6.6	4.3	3.9	4.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percent of adults less than 65 years of age who have ever been tested for HIV.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	47.6	40.1	55.1	49.1	47.6	50.6	41.6
SEX	Men	51.2	39.8	62.5	46.4	44.0	48.8	40.0
	Women	43.8	34.5	53.6	51.8	50.0	53.7	43.0
RACE/ETHNICITY	Non-Hisp. White	47.0	38.9	55.2	45.3	43.6	47.0	41.8
	Non-Hisp. Black				68.4	63.9	72.6	
	Hispanic	47.1	24.5	70.9	50.7	46.5	54.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.2	40.1	64.1	45.2	42.6	47.8	
	Non-Hisp. White Women	41.0	31.1	51.6	45.4	43.3	47.5	
	Non-Hisp. Black Men				61.9	53.8	69.5	
	Non-Hisp. Black Women				72.9	67.8	77.5	40.0
	Hispanic Men				44.2	37.8	50.8	43.4
	Hispanic Women				57.5	52.4	62.5	
AGE GROUP	18-44	55.6	43.4	67.1	58.5	56.3	60.7	57.2
	45-64	38.9	30.6	47.8	35.9	34.2	37.7	24.1
	65 & Older							
EDUCATION LEVEL	<High School	39.4	17.9	66.0	48.1	43.0	53.3	
	HS / Some College	40.5	27.4	55.2	46.9	43.8	50.0	42.5
	4+ Yrs. College	50.9	41.8	60.0	50.2	48.4	52.1	42.0
ANNUAL INCOME	<\$25,000	58.0	41.7	72.8	54.1	50.5	57.7	38.6
	\$25,000-\$49,999	42.0	29.5	55.7	48.0	45.1	51.0	46.7
	\$50,000 or More	47.2	35.8	58.8	49.5	47.3	51.7	40.2
MARITAL STATUS	Married/Couple	45.0	36.0	54.2	47.7	45.9	49.5	41.1
	Not Married/Couple	55.7	43.3	67.5	51.7	48.9	54.4	42.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percent of adults with diagnosed hypertension.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	29.3	25.3	33.8	28.2	27.2	29.2	30.4
SEX	Men	30.9	24.4	38.4	28.8	27.2	30.4	31.6
	Women	27.9	23.2	33.2	27.6	26.4	28.8	29.3
RACE/ETHNICITY	Non-Hisp. White	29.9	25.5	34.7	30.4	29.3	31.5	31.5
	Non-Hisp. Black				32.5	28.9	36.3	
	Hispanic	9.0	2.0	32.2	19.1	16.5	22.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	31.8	24.9	39.7	31.0	29.3	32.7	
	Non-Hisp. White Women	28.0	23.0	33.7	29.8	28.5	31.2	
	Non-Hisp. Black Men				30.9	25.4	37.1	
	Non-Hisp. Black Women				33.6	29.1	38.4	32.8
	Hispanic Men				20.9	16.7	25.9	30.4
	Hispanic Women	13.7	2.8	46.6	17.3	14.3	20.8	
AGE GROUP	18-44	3.5	1.4	8.3	11.6 *	10.3	13.1	12.0
	45-64	33.5	26.3	41.6	33.9	32.3	35.5	30.1
	65 & Older	48.9	42.1	55.8	53.5	51.8	55.3	45.9
EDUCATION LEVEL	<High School	30.5	16.5	49.4	31.9	28.7	35.3	21.2
	HS / Some College	31.4	23.8	40.2	29.5	27.6	31.3	35.4
	4+ Yrs. College	28.1	23.2	33.6	27.0	25.8	28.3	29.1
ANNUAL INCOME	<\$25,000	33.1	24.4	43.1	35.3	33.0	37.6	39.9
	\$25,000-\$49,999	28.9	21.7	37.3	29.2	27.3	31.1	33.6
	\$50,000 or More	25.8	19.6	33.2	23.2	21.7	24.8	16.1
MARITAL STATUS	Married/Couple	26.0	21.2	31.4	27.4	26.2	28.6	30.8
	Not Married/Couple	37.4	30.4	45.0	29.6	28.0	31.3	29.7

Percent of adults with hypertension who engage in blood pressure control measures.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	98.7	96.1	99.6	96.4	95.5	97.2	
SEX	Men	98.0	92.3	99.5	95.9	94.1	97.1	
	Women	99.3	97.0	99.9	97.0	95.9	97.8	
RACE/ETHNICITY	Non-Hisp. White	98.6	95.7	99.5	97.1	96.3	97.8	
	Non-Hisp. Black				96.0	91.9	98.1	
	Hispanic				94.6	89.1	97.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	97.9	91.9	99.5	97.0	95.7	97.9	
	Non-Hisp. White Women	99.2	96.5	99.8	97.3	96.0	98.1	
	Non-Hisp. Black Men				94.3	84.7	98.0	
	Non-Hisp. Black Women				97.1	92.6	98.9	
	Hispanic Men				93.1	83.0	97.4	
	Hispanic Women				96.4	91.1	98.6	
AGE GROUP	18-44				90.0	85.5	93.2	
	45-64	97.3	89.5	99.3	96.9	95.7	97.9	
	65 & Older	99.6	97.2	99.9	98.8	98.1	99.2	
EDUCATION LEVEL	<High School				94.3	90.6	96.6	
	HS / Some College	98.0	87.2	99.7	96.2	94.2	97.5	
	4+ Yrs. College	99.2	96.0	99.8	97.0	95.7	97.9	
ANNUAL INCOME	<\$25,000	98.0	86.9	99.7	96.2	94.1	97.6	
	\$25,000-\$49,999	100.0			97.1	95.4	98.2	
	\$50,000 or More	99.8	98.3	100.0	96.7 *	94.6	98.0	
MARITAL STATUS	Married/Couple	99.0	94.5	99.8	96.1	94.7	97.2	
	Not Married/Couple	98.2	92.8	99.6	96.9	95.5	97.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percent of adults with hypertension who were advised by a health care provider to engage in blood pressure control measures.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	96.3	91.4	98.4	95.5	94.4	96.4	
SEX	Men	95.1	85.7	98.5	95.6	94.1	96.7	
	Women	97.4	91.7	99.2	95.5	93.6	96.8	
RACE/ETHNICITY	Non-Hisp. White	96.5	91.2	98.6	96.3	95.4	97.1	
	Non-Hisp. Black				93.8	84.4	97.7	
	Hispanic				92.9	87.5	96.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	94.9	84.9	98.4	96.7	95.5	97.6	
	Non-Hisp. White Women	98.3	92.5	99.6	96.0	94.4	97.1	
	Non-Hisp. Black Men				96.1	91.1	98.3	
	Non-Hisp. Black Women				92.4	76.5	97.8	
	Hispanic Men				90.1	80.3	95.3	
	Hispanic Women				96.2	91.6	98.3	
AGE GROUP	18-44				89.8	84.5	93.5	
	45-64	93.2	82.2	97.6	96.3	94.8	97.4	
	65 & Older	98.0	89.6	99.6	97.2	96.2	98.0	
EDUCATION LEVEL	<High School				93.7	90.5	95.9	
	HS / Some College	99.8	99.1	100.0	95.5 *	92.3	97.4	
	4+ Yrs. College	94.6	87.6	97.8	95.8	94.5	96.9	
ANNUAL INCOME	<\$25,000	99.7	98.8	99.9	94.4 *	90.9	96.6	
	\$25,000-\$49,999	90.4	73.2	97.0	95.5	93.4	96.9	
	\$50,000 or More	96.7	89.7	99.0	96.4	94.6	97.6	
MARITAL STATUS	Married/Couple	94.7	87.2	97.9	95.7	94.4	96.8	
	Not Married/Couple	99.0	95.1	99.8	95.2	92.9	96.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults in high-risk groups who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
	ALL Overall	54.8	44.9	64.4	44.6	42.4	46.8	
	SEX Men	66.5	50.2	79.6	46.4 *	42.8	50.1	
	Women	45.6	33.6	58.2	43.2	40.6	45.9	
	RACE/ETHNICITY Non-Hisp. White	59.1	48.4	69.1	50.2	47.8	52.6	
	Non-Hisp. Black				24.7	19.5	30.8	
	Hispanic				34.1	26.8	42.3	
	SEX BY RACE/ETHNICITY Non-Hisp. White Men	66.2	49.5	79.6	50.3	46.3	54.4	
	Non-Hisp. White Women	52.6	38.7	66.1	50.1	47.3	52.9	
	Non-Hisp. Black Men				22.4	14.0	33.9	
	Non-Hisp. Black Women				25.6	19.4	33.0	
	Hispanic Men				39.9	27.4	53.9	
	Hispanic Women				29.9	21.8	39.5	
	AGE GROUP 18-44	24.3	10.4	47.1	25.1	21.4	29.2	
	45-64	46.7	30.7	63.5	41.6	38.4	44.9	
	65 & Older	81.0	69.9	88.7	72.1	68.9	75.1	
	EDUCATION LEVEL <High School				34.6	28.9	40.9	
	HS / Some College	48.6	30.4	67.2	42.8	38.6	47.2	
	4+ Yrs. College	57.5	45.5	68.6	46.6	43.9	49.3	
	ANNUAL INCOME <\$25,000	60.6	39.0	78.7	41.8	37.6	46.2	
	\$25,000-\$49,999	42.6	26.3	60.6	44.1	40.1	48.1	
	\$50,000 or More	54.0	37.8	69.3	45.7	42.1	49.4	
	MARITAL STATUS Married/Couple	53.9	40.9	66.5	46.4	43.6	49.1	
	Not Married/Couple	56.5	42.4	69.7	42.0	38.5	45.6	

Percent of adults in high-risk groups who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
	ALL Overall	48.0	38.4	57.8	37.0	35.0	39.1	
	SEX Men	61.6	45.3	75.6	40.4 *	36.9	44.0	
	Women	38.3	27.6	50.4	34.7	32.3	37.1	
	RACE/ETHNICITY Non-Hisp. White	50.3	39.9	60.7	43.0	40.8	45.4	
	Non-Hisp. Black				20.9	16.1	26.8	
	Hispanic				21.8	16.3	28.5	
	SEX BY RACE/ETHNICITY Non-Hisp. White Men	63.3	46.5	77.4	45.3	41.4	49.4	
	Non-Hisp. White Women	39.5	27.7	52.5	41.2	38.6	43.9	
	Non-Hisp. Black Men				30.0	18.7	44.6	
	Non-Hisp. Black Women				17.4	13.0	22.8	
	Hispanic Men				19.3	11.9	29.7	
	Hispanic Women				23.6	16.3	32.7	
	AGE GROUP 18-44				12.7	10.0	16.1	
	45-64	40.9	25.5	58.2	30.1	27.3	33.1	
	65 & Older	82.0	70.0	89.9	73.5	70.4	76.5	
	EDUCATION LEVEL <High School				38.8	32.3	45.8	
	HS / Some College	49.9	31.8	68.0	38.9	34.9	43.0	
	4+ Yrs. College	47.3	35.8	59.1	36.0	33.5	38.5	
	ANNUAL INCOME <\$25,000	43.0	25.1	63.0	41.6	37.5	45.9	
	\$25,000-\$49,999	52.7	34.2	70.4	41.1	37.2	45.1	
	\$50,000 or More	41.2	27.0	57.0	28.5	25.4	31.8	
	MARITAL STATUS Married/Couple	48.8	36.3	61.5	37.6	35.0	40.2	
	Not Married/Couple	46.4	32.6	60.7	36.3	33.2	39.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	42.2	37.3	47.2	32.7 *	31.7	33.7	33.6
SEX	Men	42.5	34.7	50.6	31.7 *	30.1	33.3	35.2
	Women	42.0	36.0	48.2	33.6 *	32.3	34.9	32.2
RACE/ETHNICITY	Non-Hisp. White	44.3	39.0	49.7	38.0	36.8	39.2	35.0
	Non-Hisp. Black				23.0	19.9	26.3	
	Hispanic	18.3	6.7	40.9	20.6	17.9	23.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	43.7	35.5	52.3	36.5	34.7	38.4	
	Non-Hisp. White Women	44.8	38.3	51.5	39.4	37.9	40.9	
	Non-Hisp. Black Men				22.9	17.9	28.8	
	Non-Hisp. Black Women				23.0	19.3	27.1	37.4
	Hispanic Men				19.5	15.6	24.2	32.9
AGE GROUP	Hispanic Women	23.2	7.0	54.8	21.7	18.2	25.7	
	18-44	17.3	10.3	27.7	18.3	16.7	20.0	12.4
	45-64	32.3	25.3	40.2	30.6	29.1	32.2	24.4
EDUCATION LEVEL	65 & Older	72.2	65.8	77.8	64.6	62.9	66.4	56.9
	<High School	25.7	13.0	44.6	26.0	23.2	29.0	20.1
	HS / Some College	36.7	28.3	46.0	30.4	28.6	32.3	34.6
ANNUAL INCOME	4+ Yrs. College	45.6	39.4	52.0	34.8 *	33.5	36.2	35.0
	<\$25,000	37.8	28.0	48.7	33.8	31.5	36.3	32.0
	\$25,000-\$49,999	37.3	29.1	46.3	31.3	29.4	33.3	37.1
MARITAL STATUS	\$50,000 or More	45.6	37.3	54.2	31.9 *	30.3	33.6	25.8 *
	Married/Couple	42.1	35.9	48.4	33.3 *	32.0	34.6	34.6
	Not Married/Couple	42.1	34.7	50.0	31.8 *	30.0	33.6	31.7

Percent of adults age 65 and older who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	72.2	65.8	77.8	64.6	62.9	66.4	56.9
SEX	Men	73.2	62.3	81.9	65.9	63.1	68.5	65.7
	Women	71.4	63.5	78.3	63.7	61.4	65.9	49.4
RACE/ETHNICITY	Non-Hisp. White	72.0	65.3	77.9	68.3	66.5	70.0	56.7
	Non-Hisp. Black				44.7	36.9	52.8	
	Hispanic				45.3	37.3	53.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.3	61.0	81.4	69.3	66.5	71.9	
	Non-Hisp. White Women	71.7	63.2	78.8	67.5	65.2	69.7	
	Non-Hisp. Black Men				44.4	32.4	57.2	
	Non-Hisp. Black Women				44.9	35.0	55.2	66.4
	Hispanic Men				47.4	34.6	60.5	48.8
AGE GROUP	Hispanic Women				43.7	33.9	54.1	
	18-44							
	45-64							
EDUCATION LEVEL	65 & Older	72.2	65.8	77.8	64.6	62.9	66.4	56.9
	<High School				50.8	45.3	56.3	
	HS / Some College	65.1	52.4	76.0	62.1	59.0	65.1	58.8
ANNUAL INCOME	4+ Yrs. College	76.1	68.2	82.6	69.4	67.1	71.6	64.9
	<\$25,000	55.1	40.4	68.9	59.8	56.6	63.0	44.8
	\$25,000-\$49,999	69.9	57.1	80.2	63.7	60.4	67.0	71.4
MARITAL STATUS	\$50,000 or More	82.0	70.2	89.8	70.5	66.8	73.9	
	Married/Couple	76.1	67.7	82.9	68.5	66.1	70.7	64.5
	Not Married/Couple	64.4	54.4	73.3	59.3	56.6	61.9	47.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	37.1	32.4	42.0	25.9 *	25.0	26.9	32.2
SEX	Men	37.5	30.0	45.6	25.6 *	24.1	27.2	28.1
	Women	36.7	31.0	42.8	26.2 *	25.0	27.4	35.7
RACE/ETHNICITY	Non-Hisp. White	38.5	33.5	43.8	30.0 *	28.9	31.1	33.6
	Non-Hisp. Black				17.5	14.9	20.5	
	Hispanic	26.6	10.4	53.1	16.1	13.5	19.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.6	30.7	47.1	28.6 *	26.9	30.3	
	Non-Hisp. White Women	38.5	32.3	45.0	31.3	29.9	32.6	
	Non-Hisp. Black Men				20.1	15.6	25.6	
	Non-Hisp. Black Women				15.8	12.8	19.3	29.0
	Hispanic Men				17.3	13.1	22.5	37.5
AGE GROUP	Hispanic Women	32.1	10.9	64.7	15.0	12.0	18.5	
	18-44	8.4	3.9	17.2	11.4	10.0	13.0	9.0
	45-64	23.4	17.0	31.4	18.4	17.1	19.8	12.8
	65 & Older	71.6	65.1	77.4	63.0 *	61.2	64.8	67.6
EDUCATION LEVEL	<High School	31.1	16.3	51.1	25.1	22.4	28.1	50.8
	HS / Some College	35.2	26.9	44.6	27.7	25.8	29.8	29.7
	4+ Yrs. College	38.0	32.2	44.2	25.2 *	24.1	26.4	30.6
ANNUAL INCOME	<\$25,000	31.0	22.5	41.1	31.6	29.4	33.8	41.8
	\$25,000-\$49,999	41.1	32.3	50.4	26.8 *	25.0	28.6	29.4
	\$50,000 or More	33.4	26.1	41.5	19.5 *	18.1	21.1	22.5
MARITAL STATUS	Married/Couple	36.3	30.5	42.6	24.8 *	23.6	26.0	30.5
	Not Married/Couple	38.7	31.4	46.5	27.9 *	26.3	29.6	34.8

Percent of adults age 65 and older who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	71.6	65.1	77.4	63.0 *	61.2	64.8	67.6
SEX	Men	73.8	62.4	82.7	62.8	60.0	65.5	58.8
	Women	70.0	61.9	77.0	63.2	60.8	65.4	74.6
RACE/ETHNICITY	Non-Hisp. White	73.0	66.2	78.9	67.7	65.9	69.4	67.3
	Non-Hisp. Black				44.8	36.9	53.0	
	Hispanic				33.4	26.3	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.7	63.0	83.6	67.0	64.3	69.6	
	Non-Hisp. White Women	71.7	63.1	78.9	68.2	65.9	70.5	
	Non-Hisp. Black Men				41.6	29.6	54.7	
	Non-Hisp. Black Women				46.6	36.4	57.1	58.4
	Hispanic Men				33.4	22.6	46.4	74.3
AGE GROUP	Hispanic Women				33.3	24.4	43.6	
	18-44							
	45-64							
	65 & Older	71.6	65.1	77.4	63.0 *	61.2	64.8	67.6
EDUCATION LEVEL	<High School				51.3	45.8	56.8	
	HS / Some College	58.5	45.5	70.5	61.3	58.1	64.3	64.4
	4+ Yrs. College	77.9	70.1	84.1	67.0 *	64.6	69.2	67.1
ANNUAL INCOME	<\$25,000	51.6	37.0	65.9	60.2	56.8	63.4	63.8
	\$25,000-\$49,999	76.0	63.7	85.1	64.4	61.1	67.7	65.3
	\$50,000 or More	80.2	67.8	88.6	64.2	60.3	67.9	
MARITAL STATUS	Married/Couple	72.9	64.1	80.2	64.4	62.0	66.8	65.2
	Not Married/Couple	68.9	59.1	77.2	61.0	58.3	63.7	70.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who were at risk and who have received a hepatitis B vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI	95% CI	Measure	95% CI	95% CI	
ALL	Overall	34.4	13.2	64.5	43.8	37.6	50.2	
SEX	Men				43.1	35.4	51.1	
	Women				45.7	35.9	55.8	
RACE/ETHNICITY	Non-Hisp. White	32.8	10.8	66.4	44.2	37.1	51.6	
	Non-Hisp. Black				46.1	31.7	61.1	
	Hispanic				41.5	21.0	65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				42.3	33.6	51.6	
	Non-Hisp. White Women				50.8	41.5	60.0	
	Non-Hisp. Black Men				39.8	24.2	57.8	
	Non-Hisp. Black Women				51.6	29.2	73.4	
	Hispanic Men				47.5	21.9	74.5	
	Hispanic Women				18.9	6.8	42.9	
AGE GROUP	18-44				50.3	41.7	59.0	
	45-64				34.0	26.5	42.4	
	65 & Older				10.9	5.3	21.1	
EDUCATION LEVEL	<High School				46.1	28.9	64.4	
	HS / Some College				42.9	31.2	55.4	
	4+ Yrs. College				44.1	36.5	52.0	
ANNUAL INCOME	<\$25,000				36.5	26.8	47.4	
	\$25,000-\$49,999				46.5	36.0	57.4	
	\$50,000 or More				46.2	35.0	57.8	
MARITAL STATUS	Married/Couple				42.5	32.7	53.0	
	Not Married/Couple	16.4	4.6	44.3	44.6	36.9	52.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults who are overweight.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	41.9	36.7	47.2	38.0	36.8	39.2	41.9
SEX	Men	54.9	46.6	63.0	46.0	44.1	48.0	48.0
	Women	29.6	24.1	35.8	30.2	28.8	31.6	36.2
RACE/ETHNICITY	Non-Hisp. White	42.6	37.1	48.4	38.2	37.0	39.5	42.1
	Non-Hisp. Black				36.4	32.5	40.5	
	Hispanic	22.0	10.1	41.5	37.5	33.8	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	55.1	46.4	63.5	46.3	44.3	48.4	
	Non-Hisp. White Women	29.9	24.1	36.5	30.2	28.7	31.7	
	Non-Hisp. Black Men				41.1	34.2	48.4	
	Non-Hisp. Black Women				33.1	28.7	37.8	48.0
	Hispanic Men				46.6	40.7	52.7	36.8
	Hispanic Women	15.8	4.5	42.5	28.2	24.3	32.4	
AGE GROUP	18-44	41.9	30.6	54.1	36.4	34.2	38.6	31.3
	45-64	46.3	38.1	54.7	38.4	36.7	40.2	46.7
	65 & Older	38.2	31.6	45.3	40.6	38.9	42.4	47.9
EDUCATION LEVEL	<High School	40.9	23.4	61.1	37.5	33.7	41.4	
	HS / Some College	39.4	29.9	49.8	37.2	35.0	39.6	38.2
	4+ Yrs. College	42.8	36.4	49.4	38.4	36.9	39.9	40.3
ANNUAL INCOME	<\$25,000	38.4	27.9	50.1	34.9	32.3	37.5	52.5
	\$25,000-\$49,999	41.6	32.5	51.2	39.0	36.7	41.4	39.2
	\$50,000 or More	44.6	36.0	53.6	40.4	38.5	42.4	35.8
MARITAL STATUS	Married/Couple	44.7	38.1	51.5	40.2	38.7	41.7	41.9
	Not Married/Couple	35.4	28.0	43.5	34.2	32.2	36.2	42.1

Percent of adults who are obese.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	17.2	13.6	21.5	24.1 *	23.1	25.1	15.2
SEX	Men	19.5	13.9	26.6	25.2	23.6	26.9	18.3
	Women	15.1	10.8	20.7	23.0 *	21.8	24.3	12.3
RACE/ETHNICITY	Non-Hisp. White	16.2	12.5	20.8	22.3 *	21.3	23.3	14.8
	Non-Hisp. Black				34.7	30.9	38.8	
	Hispanic	25.9	10.6	50.8	26.5	23.2	30.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.3	14.3	27.9	24.6	23.0	26.4	
	Non-Hisp. White Women	12.1	8.2	17.5	19.9 *	18.8	21.1	
	Non-Hisp. Black Men				28.5	22.7	35.1	
	Non-Hisp. Black Women				39.0	34.2	44.1	18.2
	Hispanic Men				26.9	21.7	32.8	11.7
	Hispanic Women	33.9	12.2	65.4	26.1	22.3	30.4	
AGE GROUP	18-44	18.8	11.2	29.8	23.1	21.3	25.0	16.1
	45-64	17.8	12.7	24.5	28.1 *	26.5	29.7	19.0
	65 & Older	15.5	10.8	21.6	20.6	19.2	22.0	11.7
EDUCATION LEVEL	<High School	16.8	8.1	31.6	30.7	27.2	34.4	
	HS / Some College	20.9	14.1	29.8	24.8	22.9	26.8	17.2
	4+ Yrs. College	15.8	11.5	21.4	22.8 *	21.5	24.1	14.6
ANNUAL INCOME	<\$25,000	19.0	11.5	29.7	26.5	24.5	28.7	12.7
	\$25,000-\$49,999	13.9	8.9	20.9	25.7 *	23.6	27.9	16.5
	\$50,000 or More	17.6	12.1	24.8	22.6	21.0	24.3	18.0
MARITAL STATUS	Married/Couple	14.6	10.6	19.8	24.1 *	22.9	25.4	17.8
	Not Married/Couple	23.0	16.4	31.4	23.9	22.2	25.8	11.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults who are overweight or obese.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	59.1	53.8	64.1	62.1	60.9	63.2	57.1
SEX	Men	74.4	66.8	80.8	71.2	69.5	72.9	66.3
	Women	44.7	38.2	51.3	53.2 *	51.6	54.7	48.5
RACE/ETHNICITY	Non-Hisp. White	58.9	53.3	64.2	60.5	59.2	61.8	57.0
	Non-Hisp. Black				71.1	66.6	75.3	
	Hispanic	47.9	26.3	70.4	64.0	60.2	67.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	75.3	67.5	81.8	71.0	69.1	72.8	
	Non-Hisp. White Women	42.0	35.3	49.0	50.1	48.5	51.7	
	Non-Hisp. Black Men				69.6	61.5	76.7	
	Non-Hisp. Black Women				72.1	66.8	76.9	66.2
	Hispanic Men				73.5	68.0	78.3	48.5
	Hispanic Women	49.7	22.6	77.0	54.3	49.4	59.2	
AGE GROUP	18-44	60.7	48.8	71.4	59.4	57.2	61.6	47.4
	45-64	64.1	56.0	71.5	66.5	64.8	68.2	65.7
	65 & Older	53.7	46.6	60.7	61.2	59.5	62.9	59.6
EDUCATION LEVEL	<High School	57.7	37.8	75.4	68.2	64.1	72.0	
	HS / Some College	60.3	50.3	69.6	62.0	59.7	64.3	55.5
	4+ Yrs. College	58.6	52.2	64.8	61.2	59.7	62.6	54.9
ANNUAL INCOME	<\$25,000	57.4	46.4	67.7	61.4	58.7	64.0	65.2
	\$25,000-\$49,999	55.4	45.6	64.8	64.7	62.5	66.9	55.8
	\$50,000 or More	62.2	53.5	70.2	63.0	61.1	64.8	53.8
MARITAL STATUS	Married/Couple	59.2	52.6	65.6	64.3	62.9	65.7	59.6
	Not Married/Couple	58.4	50.5	65.9	58.1	56.0	60.2	53.7

Percent of adults whose body weight increased by five pounds or more in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	18.4	14.5	23.1	22.4	21.3	23.5	
SEX	Men	15.8	10.4	23.2	21.4	19.8	23.2	
	Women	21.0	15.8	27.4	23.3	22.0	24.7	
RACE/ETHNICITY	Non-Hisp. White	18.1	13.9	23.2	19.2	18.1	20.3	
	Non-Hisp. Black				34.9	30.7	39.4	
	Hispanic	28.8	13.3	51.8	27.0	23.7	30.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.6	10.0	23.5	19.0	17.3	20.7	
	Non-Hisp. White Women	20.8	15.1	27.9	19.4	18.1	20.7	
	Non-Hisp. Black Men				32.0	24.8	40.1	
	Non-Hisp. Black Women				37.0	32.1	42.2	
	Hispanic Men				26.3	21.3	32.1	
	Hispanic Women	35.6	13.8	65.6	27.6	23.7	31.9	
AGE GROUP	18-44	28.4	19.0	40.2	30.2	28.2	32.3	
	45-64	15.8	10.9	22.3	18.3	17.0	19.7	
	65 & Older	11.8	8.1	16.9	12.5	11.4	13.8	
EDUCATION LEVEL	<High School	13.9	6.7	26.7	27.7	23.9	32.0	
	HS / Some College	29.3	20.5	39.9	25.2	23.1	27.4	
	4+ Yrs. College	14.8	10.5	20.4	20.4	19.1	21.7	
ANNUAL INCOME	<\$25,000	19.2	11.6	30.2	23.0	20.8	25.3	
	\$25,000-\$49,999	19.2	12.7	28.0	24.7	22.5	27.1	
	\$50,000 or More	19.0	12.7	27.5	21.1	19.5	22.8	
MARITAL STATUS	Married/Couple	19.0	14.1	25.0	21.7	20.5	23.0	
	Not Married/Couple	17.3	11.5	25.0	23.5	21.6	25.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults whose body weight decreased by five pounds or more in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	20.2	16.3	24.8	23.0	22.0	24.1	
SEX	Men	19.0	13.5	26.2	22.5	20.9	24.2	
	Women	21.4	16.2	27.5	23.5	22.2	24.9	
RACE/ETHNICITY	Non-Hisp. White	20.0	15.9	24.8	22.7	21.6	23.8	
	Non-Hisp. Black				24.8	21.5	28.5	
	Hispanic	9.8	2.9	28.3	23.4	20.1	27.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.0	14.1	27.6	22.3	20.6	24.1	
	Non-Hisp. White Women	19.9	14.9	26.1	23.0	21.6	24.5	
	Non-Hisp. Black Men				23.7	18.3	30.1	
	Non-Hisp. Black Women				25.6	21.5	30.2	
	Hispanic Men				22.9	17.9	28.8	
	Hispanic Women	9.8	1.7	41.4	23.9	20.0	28.2	
AGE GROUP	18-44	19.9	12.3	30.6	22.9	21.0	24.9	
	45-64	23.0	16.7	30.8	23.7	22.2	25.2	
	65 & Older	18.3	13.3	24.7	22.6	21.1	24.1	
EDUCATION LEVEL	<High School	15.6	6.3	33.8	25.7	22.5	29.3	
	HS / Some College	18.8	12.6	27.1	22.1	20.2	24.1	
	4+ Yrs. College	21.2	16.3	27.2	23.1	21.7	24.5	
ANNUAL INCOME	<\$25,000	25.9	17.3	36.9	27.3	24.8	30.0	
	\$25,000-\$49,999	24.3	17.0	33.6	23.1	21.2	25.2	
	\$50,000 or More	17.6	11.9	25.3	20.5	19.0	22.1	
MARITAL STATUS	Married/Couple	18.2	13.6	24.0	21.4	20.1	22.7	
	Not Married/Couple	24.6	18.2	32.5	25.9	24.0	27.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who are sedentary.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	19.3	15.8	23.5	25.4 *	24.4	26.5	20.6
SEX	Men	16.5	11.5	23.1	22.5	20.9	24.1	17.5
	Women	21.9	17.2	27.4	28.1	26.8	29.6	23.3
RACE/ETHNICITY	Non-Hisp. White	16.7	13.3	20.9	21.3	20.3	22.3	19.4
	Non-Hisp. Black				32.0	28.0	36.3	
	Hispanic	49.7	28.6	70.9	37.0	33.5	40.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.4	8.7	20.1	18.3	16.9	19.8	
	Non-Hisp. White Women	20.0	15.4	25.5	24.1	22.8	25.4	
	Non-Hisp. Black Men				29.2	22.5	36.9	
	Non-Hisp. Black Women				33.9	29.2	39.0	16.9
	Hispanic Men				33.1	28.0	38.7	21.6
	Hispanic Women	28.9	9.8	60.4	40.8	36.3	45.5	
AGE GROUP	18-44	18.5	11.3	28.7	22.8	21.0	24.8	20.6
	45-64	15.8	11.0	22.2	25.3 *	23.8	26.8	19.3
	65 & Older	23.3	18.2	29.4	30.9	29.3	32.5	21.8
EDUCATION LEVEL	<High School	51.7	32.9	70.0	49.2	45.3	53.0	22.2
	HS / Some College	23.3	15.8	32.8	33.6	31.4	35.8	19.8
	4+ Yrs. College	14.7	11.1	19.2	17.7	16.6	18.9	20.8
ANNUAL INCOME	<\$25,000	35.3	25.6	46.3	40.2	37.7	42.9	24.8
	\$25,000-\$49,999	22.3	15.6	31.0	28.3	26.2	30.5	17.2
	\$50,000 or More	10.4	6.2	17.0	13.9	12.5	15.3	16.0
MARITAL STATUS	Married/Couple	15.0	11.1	20.0	22.5 *	21.3	23.8	21.4
	Not Married/Couple	29.7	23.0	37.4	30.1	28.3	32.1	19.3

Percent of adults who are inactive at work.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	54.1	45.4	62.5	64.5 *	62.8	66.1	55.7
SEX	Men	46.2	34.0	58.7	58.4	55.9	60.9	50.8
	Women	63.4	51.8	73.6	71.5	69.4	73.4	60.7
RACE/ETHNICITY	Non-Hisp. White	53.1	43.9	62.2	67.3 *	65.5	69.1	58.2
	Non-Hisp. Black				64.5	59.1	69.5	
	Hispanic	46.6	19.2	76.2	56.9	52.1	61.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.8	33.9	60.1	61.7	59.0	64.4	
	Non-Hisp. White Women	61.3	48.6	72.5	73.9	71.7	76.0	
	Non-Hisp. Black Men				58.6	49.0	67.7	
	Non-Hisp. Black Women				68.7	62.5	74.3	52.7
	Hispanic Men				49.1	42.3	55.9	63.9
	Hispanic Women				67.6	61.4	73.2	
AGE GROUP	18-44	38.9	26.8	52.7	60.3 *	57.8	62.8	53.3
	45-64	70.3	59.7	79.2	69.6	67.5	71.6	58.4
	65 & Older	75.7	53.5	89.4	75.6	71.0	79.7	
EDUCATION LEVEL	<High School				50.2	43.4	57.1	
	HS / Some College	43.2	28.4	59.3	51.1	47.6	54.6	46.7
	4+ Yrs. College	59.6	49.0	69.4	71.1	69.1	72.9	63.4
ANNUAL INCOME	<\$25,000	47.3	28.2	67.3	52.7	48.0	57.4	44.6
	\$25,000-\$49,999	51.9	37.6	66.0	56.5	53.1	59.8	51.9
	\$50,000 or More	54.7	42.1	66.8	71.4 *	69.2	73.6	66.4
MARITAL STATUS	Married/Couple	54.1	43.6	64.2	66.2	64.2	68.1	60.8
	Not Married/Couple	53.4	39.6	66.7	61.0	58.0	64.0	47.7

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who consume at least five servings of fruits and vegetables a day.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	29.8	25.3	34.7	26.2	25.2	27.3	26.2
SEX	Men	26.4	19.8	34.2	21.9	20.4	23.6	24.2
	Women	32.9	27.1	39.2	30.3	28.9	31.7	27.9
RACE/ETHNICITY	Non-Hisp. White	28.7	24.0	33.9	26.9	25.8	28.1	25.6
	Non-Hisp. Black				28.2	24.6	32.1	
	Hispanic	32.4	14.9	56.9	22.1	19.1	25.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.5	19.5	34.8	22.7	21.0	24.6	
	Non-Hisp. White Women	30.9	25.0	37.5	30.9	29.4	32.4	
	Non-Hisp. Black Men				26.4	20.7	33.1	
	Non-Hisp. Black Women				29.4	25.0	34.3	24.1
	Hispanic Men				17.1	13.1	22.0	26.9
AGE GROUP	Hispanic Women	44.0	18.9	72.6	27.0	22.9	31.6	
	18-44	30.2	20.5	42.0	25.1	23.2	27.0	27.4
	45-64	25.7	19.6	32.9	26.4	24.8	28.0	22.9
EDUCATION LEVEL	65 & Older	32.0	25.8	38.9	28.3	26.8	29.9	26.7
	<High School	20.4	8.9	40.1	19.3	16.4	22.5	9.9
	HS / Some College	23.7	16.3	33.2	24.0	21.9	26.2	18.2
ANNUAL INCOME	4+ Yrs. College	33.0	27.3	39.2	28.4	27.0	29.7	32.6
	<\$25,000	25.9	16.7	37.9	24.8	22.7	27.1	25.4
	\$25,000-\$49,999	34.3	25.8	43.9	25.6	23.6	27.6	21.4
MARITAL STATUS	\$50,000 or More	29.3	22.4	37.4	27.3	25.6	29.0	27.8
	Married/Couple	29.8	24.3	36.1	25.6	24.4	26.9	26.3
	Not Married/Couple	29.3	22.4	37.2	27.4	25.5	29.4	25.5

Percent of adults who meet moderate physical activity recommendations.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	43.6	38.2	49.0	34.6 *	33.5	35.8	36.9
SEX	Men	45.8	37.4	54.5	33.2 *	31.4	35.1	37.3
	Women	41.4	35.0	48.2	36.0	34.5	37.5	36.5
RACE/ETHNICITY	Non-Hisp. White	44.6	38.9	50.4	37.1 *	35.9	38.4	38.0
	Non-Hisp. Black				28.1	24.3	32.2	
	Hispanic	25.3	9.9	51.1	27.7	24.3	31.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.5	38.6	56.5	35.6 *	33.6	37.5	
	Non-Hisp. White Women	41.5	34.7	48.7	38.6	37.1	40.2	
	Non-Hisp. Black Men				29.8	23.3	37.2	
	Non-Hisp. Black Women				27.0	22.6	31.8	37.4
	Hispanic Men				25.4	20.3	31.2	38.5
AGE GROUP	Hispanic Women	33.6	11.7	65.8	30.0	25.8	34.5	
	18-44	46.7	35.0	58.8	34.8	32.7	37.0	36.8
	45-64	40.7	32.6	49.4	35.7	34.0	37.5	44.7
EDUCATION LEVEL	65 & Older	42.9	35.9	50.3	32.5 *	30.8	34.2	30.1
	<High School	32.7	15.7	55.9	26.5	23.0	30.2	
	HS / Some College	42.7	32.9	53.1	33.8	31.6	36.1	38.6
ANNUAL INCOME	4+ Yrs. College	44.7	38.2	51.4	36.2 *	34.8	37.7	37.7
	<\$25,000	39.7	28.8	51.8	31.2	28.8	33.8	32.5
	\$25,000-\$49,999	38.0	29.1	47.9	33.4	31.2	35.6	37.4
MARITAL STATUS	\$50,000 or More	47.1	38.3	56.2	38.7	36.8	40.7	43.9
	Married/Couple	44.5	37.9	51.4	35.3 *	33.8	36.7	38.0
	Not Married/Couple	40.9	32.7	49.5	33.5	31.5	35.6	35.9

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who meet vigorous physical activity recommendations.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	23.0	18.9	27.6	26.0	24.9	27.2	24.0
SEX	Men	24.2	17.9	31.8	29.6	27.7	31.5	31.3
	Women	21.8	16.9	27.7	22.7	21.4	24.2	17.7
RACE/ETHNICITY	Non-Hisp. White	23.3	19.0	28.3	26.9	25.7	28.2	24.3
	Non-Hisp. Black				21.3	17.8	25.2	
	Hispanic	11.5	3.3	32.9	24.2	20.7	28.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.8	18.2	32.9	30.7	28.7	32.7	
	Non-Hisp. White Women	21.8	16.6	28.0	23.4	22.0	24.9	
	Non-Hisp. Black Men				25.1	19.4	31.8	
	Non-Hisp. Black Women				18.8	14.7	23.8	31.2
	Hispanic Men				28.7	23.0	35.1	18.3
	Hispanic Women	15.6	3.8	46.3	19.8	16.1	24.0	
AGE GROUP	18-44	21.1	13.6	31.3	34.5 *	32.3	36.7	37.1
	45-64	30.5	23.0	39.2	22.3	20.9	23.9	21.6
	65 & Older	18.0	13.2	24.0	14.0	12.8	15.3	15.0
EDUCATION LEVEL	<High School	8.8	3.1	22.4	16.1	12.9	20.0	
	HS / Some College	17.1	11.2	25.3	20.6	18.6	22.8	20.7
	4+ Yrs. College	26.5	21.2	32.6	30.0	28.5	31.6	27.2
ANNUAL INCOME	<\$25,000	17.0	10.8	25.7	17.7	15.3	20.3	16.1
	\$25,000-\$49,999	18.8	12.0	28.2	23.3	21.3	25.5	22.6
	\$50,000 or More	28.8	21.7	37.0	33.7	31.8	35.7	28.8
MARITAL STATUS	Married/Couple	22.6	17.6	28.6	26.3	24.9	27.7	24.5
	Not Married/Couple	23.9	17.8	31.4	25.6	23.6	27.8	23.7

Sexual Violence

Percent of adults who had an unwanted sexual experience in the past 12 months.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	6.2	4.2	9.2	6.7	6.1	7.4	
SEX	Men	1.2	0.4	3.8	2.9	2.2	3.9	
	Women	11.1	7.4	16.5	10.3	9.4	11.2	
RACE/ETHNICITY	Non-Hisp. White	5.9	3.7	9.1	7.1	6.5	7.8	
	Non-Hisp. Black				7.2	5.2	9.7	
	Hispanic	0.9	0.3	3.1	4.5	2.8	7.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	0.6	0.2	1.6	2.9 *	2.2	3.8	
	Non-Hisp. White Women	11.6	7.3	17.8	11.2	10.2	12.3	
	Non-Hisp. Black Men				2.5	1.3	4.8	
	Non-Hisp. Black Women				10.4	7.4	14.4	
	Hispanic Men				3.2	1.0	9.2	
	Hispanic Women	1.2	0.3	4.8	5.8	3.9	8.7	
AGE GROUP	18-44	7.0	3.0	15.4	8.6	7.4	9.9	
	45-64	9.1	5.9	13.9	6.9	6.1	7.7	
	65 & Older	2.5	1.0	6.2	2.2	1.8	2.8	
EDUCATION LEVEL	<High School	8.6	2.5	25.6	4.5	3.3	6.1	
	HS / Some College	8.2	4.3	15.1	6.2	4.9	7.8	
	4+ Yrs. College	5.4	3.1	9.1	7.2	6.5	8.0	
ANNUAL INCOME	<\$25,000	10.6	4.8	22.0	8.3	6.9	9.9	
	\$25,000-\$49,999	5.7	2.9	10.8	7.0	6.0	8.1	
	\$50,000 or More	3.8	1.6	8.5	6.0	5.0	7.2	
MARITAL STATUS	Married/Couple	4.2	2.4	7.4	5.2	4.6	5.9	
	Not Married/Couple	10.9	6.2	18.4	9.3	8.0	10.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adults who are current smokers.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	22.6	18.4	27.4	19.3	18.3	20.3	19.6
SEX	Men	25.3	18.6	33.4	21.2	19.6	22.9	20.2
	Women	20.1	15.2	26.0	17.5	16.4	18.6	19.0
RACE/ETHNICITY	Non-Hisp. White	23.8	19.3	29.1	20.6	19.5	21.6	19.5
	Non-Hisp. Black				18.5	15.2	22.4	
	Hispanic	15.8	4.1	44.9	16.0	13.2	19.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	25.2	18.2	33.6	21.5	19.8	23.3	
	Non-Hisp. White Women	22.5	17.0	29.2	19.7	18.5	20.9	
	Non-Hisp. Black Men				23.6	17.8	30.6	
	Non-Hisp. Black Women				15.0	11.3	19.6	20.9
	Hispanic Men				19.9	15.4	25.4	18.3
	Hispanic Women	0.4	0.1	2.0	12.0 *	9.4	15.3	
AGE GROUP	18-44	27.5	18.5	38.9	22.1	20.4	24.0	30.7
	45-64	33.2	25.7	41.7	22.0 *	20.6	23.4	22.2
	65 & Older	8.7	5.6	13.5	9.7	8.7	10.8	8.2
EDUCATION LEVEL	<High School	41.4	23.6	61.8	28.6	25.2	32.2	12.2
	HS / Some College	29.2	21.0	39.1	25.0	22.9	27.1	24.8
	4+ Yrs. College	18.4	13.7	24.2	15.3	14.2	16.4	18.0
ANNUAL INCOME	<\$25,000	35.0	25.0	46.7	25.0	22.8	27.3	16.1 *
	\$25,000-\$49,999	23.9	16.4	33.4	21.3	19.4	23.4	23.6
	\$50,000 or More	18.0	12.0	26.3	15.5	14.2	17.0	21.0
MARITAL STATUS	Married/Couple	19.6	14.7	25.8	16.6	15.5	17.7	16.9
	Not Married/Couple	29.8	22.8	37.9	24.1	22.4	25.9	23.5

Percent of adults who are former smokers.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	36.6	31.8	41.6	26.2 *	25.3	27.2	35.0
SEX	Men	43.4	35.5	51.7	28.9 *	27.4	30.5	39.9
	Women	30.4	25.0	36.5	23.7 *	22.5	24.9	30.8
RACE/ETHNICITY	Non-Hisp. White	39.0	33.8	44.4	31.5 *	30.4	32.6	36.1
	Non-Hisp. Black				12.4	10.2	14.9	
	Hispanic	25.2	11.2	47.4	16.4	13.8	19.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.0	36.6	53.7	34.1 *	32.4	35.9	
	Non-Hisp. White Women	33.1	27.0	39.7	29.0	27.6	30.4	
	Non-Hisp. Black Men				16.2	12.2	21.1	
	Non-Hisp. Black Women				9.7	7.5	12.6	41.8
	Hispanic Men				16.8	13.1	21.3	31.2
	Hispanic Women	17.5	3.8	53.3	15.9	12.7	19.7	
AGE GROUP	18-44	25.4	16.2	37.4	14.7	13.3	16.3	18.2
	45-64	30.1	23.4	37.8	28.3	26.8	29.8	38.3
	65 & Older	52.3	45.4	59.1	46.5	44.7	48.2	48.0
EDUCATION LEVEL	<High School	15.3	7.1	30.1	21.1	18.4	24.0	29.0
	HS / Some College	33.3	24.7	43.2	25.0	23.3	26.8	34.8
	4+ Yrs. College	40.0	34.0	46.4	27.7 *	26.4	29.0	36.1
ANNUAL INCOME	<\$25,000	25.7	18.0	35.4	23.7	21.7	25.8	36.7
	\$25,000-\$49,999	29.8	22.4	38.5	26.4	24.6	28.2	38.0
	\$50,000 or More	45.2	36.7	54.0	27.4 *	25.8	29.0	35.5
MARITAL STATUS	Married/Couple	36.5	30.5	43.0	28.4 *	27.2	29.7	40.8
	Not Married/Couple	36.5	29.3	44.3	22.5 *	21.0	24.1	26.9

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adults who have never smoked.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	40.9	35.9	46.0	54.5 *	53.3	55.7	45.4
SEX	Men	31.3	24.0	39.6	49.9 *	48.0	51.8	39.9
	Women	49.5	43.1	55.9	58.8 *	57.4	60.3	50.2
RACE/ETHNICITY	Non-Hisp. White	37.2	32.0	42.7	47.9 *	46.7	49.2	44.4
	Non-Hisp. Black				69.1	65.0	72.9	
	Hispanic	59.0	36.2	78.6	67.7	64.1	71.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.8	22.3	38.6	44.4 *	42.3	46.4	
	Non-Hisp. White Women	44.4	37.8	51.2	51.3	49.8	52.9	
	Non-Hisp. Black Men				60.2	52.9	67.0	
	Non-Hisp. Black Women				75.3	70.5	79.5	37.3
	Hispanic Men				63.3	57.4	68.7	50.5
	Hispanic Women	82.1	46.7	96.0	72.1	67.7	76.1	
AGE GROUP	18-44	47.1	35.8	58.7	63.1 *	61.0	65.2	51.1
	45-64	36.6	29.2	44.8	49.7 *	48.0	51.5	39.5
	65 & Older	39.0	32.5	45.8	43.8	42.1	45.6	43.8
EDUCATION LEVEL	<High School	43.3	26.2	62.2	50.3	46.5	54.2	58.9
	HS / Some College	37.5	28.7	47.3	50.0 *	47.7	52.3	40.4
	4+ Yrs. College	41.6	35.4	48.1	57.1 *	55.6	58.5	45.9
ANNUAL INCOME	<\$25,000	39.2	29.1	50.4	51.3	48.7	53.9	47.2
	\$25,000-\$49,999	46.3	37.1	55.7	52.3	49.9	54.6	38.4
	\$50,000 or More	36.7	28.9	45.4	57.1 *	55.2	59.0	43.6
MARITAL STATUS	Married/Couple	43.8	37.5	50.4	55.0 *	53.6	56.4	42.3
	Not Married/Couple	33.7	26.8	41.5	53.4 *	51.3	55.5	49.5

Percent of non-smoking adults who were exposed to secondhand smoke in the past seven days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	15.6	9.4	24.6	14.9	13.6	16.4	
SEX	Men	19.7	8.7	38.6	17.2	14.8	19.8	
	Women	13.1	7.1	22.9	13.1	11.7	14.8	
RACE/ETHNICITY	Non-Hisp. White	12.9	6.8	23.2	14.7	13.2	16.5	
	Non-Hisp. Black				19.2	15.1	24.1	
	Hispanic	16.6	4.7	44.3	13.3	10.2	17.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.4	9.2	42.2	17.6	14.8	20.8	
	Non-Hisp. White Women	7.0	3.1	15.1	12.4	10.9	14.1	
	Non-Hisp. Black Men				22.0	14.3	32.4	
	Non-Hisp. Black Women				17.6	13.3	23.0	
	Hispanic Men				14.3	9.6	20.7	
	Hispanic Women				12.4	8.7	17.4	
AGE GROUP	18-44	32.4	18.3	50.7	18.9	16.6	21.5	
	45-64	5.7	2.3	13.3	13.2	11.4	15.1	
	65 & Older	3.9	1.7	8.9	6.3	5.2	7.6	
EDUCATION LEVEL	<High School	9.6	2.3	32.0	13.3	9.9	17.6	
	HS / Some College	16.0	6.0	36.2	17.8	14.9	21.3	
	4+ Yrs. College	16.0	8.6	27.7	14.0	12.5	15.8	
ANNUAL INCOME	<\$25,000	27.7	12.0	51.7	16.0	13.1	19.3	
	\$25,000-\$49,999	14.4	6.1	30.4	16.8	14.0	19.9	
	\$50,000 or More	9.6	3.6	23.2	13.0	11.1	15.2	
MARITAL STATUS	Married/Couple	13.9	7.2	25.2	11.5	10.2	13.0	
	Not Married/Couple	20.7	10.0	37.9	21.2	18.4	24.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adult current smokers who tried to quit smoking at least once in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	57.5	46.0	68.2	53.2	50.4	56.0	72.6
SEX	Men	51.1	34.5	67.4	52.8	48.5	57.1	72.8
	Women	64.7	50.0	77.1	53.6	50.2	57.0	72.5
RACE/ETHNICITY	Non-Hisp. White	59.3	47.5	70.1	49.3	46.4	52.2	71.9
	Non-Hisp. Black				62.9	51.1	73.4	
	Hispanic				62.8	53.3	71.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.9	36.5	70.4	47.5	42.9	52.1	
	Non-Hisp. White Women	65.1	49.8	77.8	51.2	47.8	54.6	
	Non-Hisp. Black Men				58.7	42.5	73.2	
	Non-Hisp. Black Women				67.6	49.7	81.5	71.0
	Hispanic Men				68.1	55.6	78.5	72.8
	Hispanic Women				54.1	41.1	66.6	
AGE GROUP	18-44	68.0	46.8	83.7	58.3	53.7	62.9	83.3
	45-64	45.5	31.1	60.8	48.5	45.0	52.1	59.7
	65 & Older	64.4	42.8	81.4	45.0	39.1	51.1	
EDUCATION LEVEL	<High School				55.0	47.8	62.0	
	HS / Some College	73.9	56.5	86.0	50.9 *	46.1	55.8	73.6
	4+ Yrs. College	52.6	37.0	67.7	54.2	50.4	58.1	74.9
ANNUAL INCOME	<\$25,000	75.4	57.3	87.5	54.0	48.8	59.1	64.8
	\$25,000-\$49,999	34.6	18.9	54.6	53.5	48.1	58.8	75.5 *
	\$50,000 or More	63.9	42.7	80.8	54.5	49.6	59.4	
MARITAL STATUS	Married/Couple	57.1	41.3	71.6	53.3	49.5	57.0	79.4
	Not Married/Couple	58.1	42.5	72.2	53.0	48.7	57.2	65.3

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Hepatitis B Groups	Those who have hemophilia and have received clotting factor concentrate, had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
High Risk Influenza Groups	Health care workers who routinely have direct contact with patients or adults who currently have health problems such as asthma, lung problems, heart problems, diabetes, kidney problems, weakened immune systems (caused by a chronic illness, such as cancer or HIV/AIDS, or medicines, such as steroids), or sickle cell anemia or other anemia.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Leisure-Time Physical Activity or Exercise	Engaging in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise, other than participation in these activities or exercise as part of a regular job.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Moderate Physical Activity	Engaging in activities such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate for at least 30 minutes per day on five or more days per week.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sedentary	Engaging in no leisure-time physical activity.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Vigorous Physical Activity	Engaging in vigorous activities, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate for at least 20 minutes per day on three or more days per week.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Alcohol Consumption

- 26-12. Reduce the average annual alcohol consumption.
- 26-13. Reduce the proportion of adults who exceed guidelines for low-risk drinking.
- 26-11. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages.

Arthritis

- 2-2. Reduce the proportion of adults with chronic joint symptoms who experience a limitation in activity due to arthritis.

Cancer Screening

- 3-11. Increase the proportion of women who receive a Pap test.
- 3-12. Increase the proportion of adults who receive a colorectal cancer screening examination.
- 3-13. Increase the proportion of women aged 40 years and older who have received a mammogram within the preceding 2 years.

Cholesterol Awareness

- 12-14. Reduce the proportion of adults with high total blood cholesterol levels.
- 12-15. Increase the proportion of adults who have had their blood cholesterol checked within the preceding 5 years.

Diabetes

- 5-3. Reduce the overall rate of diabetes that is clinically diagnosed.
- 5-13. Increase the proportion of adults with diabetes who have an annual dilated eye examination.
- 5-14. Increase the proportion of adults with diabetes who have at least an annual foot examination.
- 5-17. Increase the proportion of adults with diabetes who perform self-blood-glucose-monitoring at least once daily.
- 5-1. Increase the proportion of persons with diabetes who receive formal diabetes education.

Health Care Access & Coverage

- 1-5. Increase the proportion of persons with a usual primary care provider.
- 1-1. Increase the proportion of persons with health insurance.

Hypertension Awareness & Control

- 12-11. Increase the proportion of adults with high blood pressure who are taking action (for example, losing weight, increasing physical activity, or reducing sodium intake) to help control their blood pressure.
- 12-12. Increase the proportion of adults who have had their blood pressure measured within the preceding 2 years and can state whether their blood pressure was normal or high.
- 12-10. Increase the proportion of adults with high blood pressure whose blood pressure is under control.
- 12-9. Reduce the proportion of adults with high blood pressure.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Immunization

14-28. Increase hepatitis B vaccine coverage among high-risk groups.

14-29. Increase the proportion of adults who are vaccinated annually against influenza and ever vaccinated against pneumococcal disease.

Overweight & Obesity

19-2. Reduce the proportion of adults who are obese.

19-1. Increase the proportion of adults who are at a healthy weight.

Physical Activity & Nutrition

22-3. Increase the proportion of adults who engage in vigorous physical activity that promotes the development and maintenance of cardiorespiratory fitness 3 or more days per week for 20 or more minutes per occasion.

22-2. Increase the proportion of adults who engage regularly, preferably daily, in moderate physical activity for at least 30 minutes per day.

22-1. Reduce the proportion of adults who engage in no leisure-time physical activity.

19-5. Increase the proportion of persons aged 2 years and older who consume at least two daily servings of fruit.

19-6. Increase the proportion of persons aged 2 years and older who consume at least three daily servings of vegetables, with at least one-third being dark green or orange vegetables.

Sexual Violence

15-35. Reduce the annual rate of rape or attempted rape.

15-36. Reduce sexual assault other than rape.

Tobacco Use & Exposure

27-10. Reduce the proportion of non-smokers exposed to environmental tobacco smoke.

27-5. Increase smoking cessation attempts by adult smokers.

The Healthy People 2010 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Tammie M. Johnson, M.P.H.
Bo (Bonnie) Yu, M.A.S., M.A.
Melissa Murray, M.S.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org