

2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Charlie Crist
Governor

Ana M. Viamonte Ros, M.D., M.P.H.
State Surgeon General

**2007 Florida BRFSS Data Report
Table of Contents**

Introduction	i
Air Quality	1
Alcohol Consumption	1
Antibiotic Resistance	2
Arthritis	3
Asthma	4
Cancer Screening	5
Cardiovascular Disease	9
Cholesterol Awareness	10
Dental Care	11
Diabetes	12
Disability	16
Folic Acid	17
Gastrointestinal Disease	18
Health Care Access & Coverage	19
Health Status & Quality of Life	21
HIV/AIDS	25
Hypertension Awareness & Control	26
Immunization	28
Overweight & Obesity	32
Physical Activity & Nutrition	35
Sexual Violence	37
Tobacco Use & Exposure	38
Glossary	Appendix I
Healthy People 2010 Objectives	Appendix II

Washington

Completed Surveys: 572

County Adult Population: 18,829

The Florida Department of Health is pleased to release the 2007 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The 2007 county-level BRFSS is the first since the initial county-level effort in 2002. The 2007 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county-developed questions and increase sample sizes. In addition, 2007 county-level questionnaires included all of the questions asked on a state level, unlike 2002 in which an abbreviated questionnaire was administered.

Over 39,000 interviews were completed in the 2007 calendar year, with a target sample size of 500 completed surveys in each county. Three counties provided funding to increase overall sample sizes: Duval, Highlands, and Sarasota. Through funding from the Hispanic Obesity Prevention Education Program (HOPE), larger samples of Hispanic populations were possible in eight counties: Collier, DeSoto, Hardee, Hendry, Miami-Dade, Okeechobee, Orange, and Osceola. Five counties provided county-added questions: Clay, Collier, Duval, Monroe, and Orange.

The 2007 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

These data can be used to: (1) determine priority health issues and identify populations at highest risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2002 county-level survey are included for comparison purposes. Due to updated methods from the Centers for Disease Control and Prevention, some point estimates included in the 2002 BRFSS report may be slightly different than the 2002 measures in this report. The methods used to calculate the 2002 point estimates were updated to provide the best comparison between the two years. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology, Chronic Disease Epidemiology Section at (850) 245-4401.

Air Quality

Percent of adults who reduced or changed outdoor activity because the air quality was bad.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	10.4	7.1	15.0	19.2 *	18.2	20.3	
SEX	Men	10.9	5.8	19.6	16.7	15.1	18.4	
	Women	9.8	6.7	14.3	21.6 *	20.3	23.0	
RACE/ETHNICITY	Non-Hisp. White	10.8	7.1	16.2	20.4 *	19.2	21.5	
	Non-Hisp. Black				17.2	14.2	20.7	
	Hispanic				16.0	13.2	19.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.2	6.8	24.0	17.4	15.7	19.4	
	Non-Hisp. White Women	8.5	5.7	12.6	23.2 *	21.8	24.6	
	Non-Hisp. Black Men				11.8	8.5	16.0	
	Non-Hisp. Black Women				20.5	16.3	25.5	
	Hispanic Men				16.3	12.1	21.6	
	Hispanic Women				15.7	12.1	20.0	
AGE GROUP	18-44	8.1	4.1	15.5	20.1 *	18.2	22.1	
	45-64	13.6	7.5	23.4	21.0	19.6	22.6	
	65 & Older	10.1	5.7	17.3	14.8	13.6	16.2	
EDUCATION LEVEL	<High School	13.8	7.5	24.0	18.8	15.5	22.5	
	HS / Some College	7.2	3.9	12.9	18.5 *	16.4	20.7	
	4+ Yrs. College	11.8	6.3	21.0	19.7	18.4	21.0	
ANNUAL INCOME	<\$25,000	12.4	7.5	19.9	22.4 *	20.0	25.0	
	\$25,000-\$49,999	13.4	7.0	24.3	19.2	17.3	21.2	
	\$50,000 or More	6.4	2.0	18.1	18.0	16.5	19.6	
MARITAL STATUS	Married/Couple	9.5	6.2	14.4	19.4 *	18.2	20.7	
	Not Married/Couple	12.3	6.0	23.5	19.0	17.2	20.9	

Alcohol Consumption

Percent of adults who engage in heavy or binge drinking.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	14.9	8.5	24.7	16.2	15.3	17.2	9.6
SEX	Men	22.0	11.2	38.7	20.3	18.8	22.0	12.0
	Women	7.1	3.8	13.1	12.4	11.3	13.5	7.4
RACE/ETHNICITY	Non-Hisp. White	9.6	6.5	14.0	17.9 *	16.9	19.0	9.0
	Non-Hisp. Black	13.4	3.0	43.9	10.9	8.2	14.3	0.0
	Hispanic				14.3	11.6	17.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.2	7.4	19.3	21.5 *	19.8	23.3	
	Non-Hisp. White Women	7.1	3.7	13.3	14.5	13.3	15.7	
	Non-Hisp. Black Men				13.5	9.4	19.1	
	Non-Hisp. Black Women				9.2	5.9	13.9	10.6
	Hispanic Men				20.1	15.5	25.6	7.5
	Hispanic Women				8.6	6.0	12.2	
AGE GROUP	18-44	21.5	9.8	40.9	21.6	19.8	23.5	14.8
	45-64	12.2	7.8	18.4	14.6	13.5	15.8	8.3
	65 & Older	3.6	1.4	9.0	7.7	6.9	8.7	2.2
EDUCATION LEVEL	<High School	6.9	2.5	17.7	13.6	10.9	16.8	16.2
	HS / Some College	13.5	8.4	21.0	15.8	14.1	17.7	9.4
	4+ Yrs. College	18.9	7.6	39.8	16.8	15.6	18.1	5.8
ANNUAL INCOME	<\$25,000	5.8	2.9	11.4	14.2 *	12.0	16.8	11.6
	\$25,000-\$49,999	15.1	8.4	25.7	14.7	13.1	16.5	5.9
	\$50,000 or More	24.4	10.2	47.8	19.9	18.4	21.4	11.1
MARITAL STATUS	Married/Couple	16.5	7.8	31.3	15.2	14.1	16.4	6.6
	Not Married/Couple	11.8	6.9	19.5	17.9	16.2	19.7	15.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Antibiotic Resistance

Percent of adults who have heard of antibiotic resistance infections.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	59.3	52.7	65.5	58.3	57.1	59.6	
SEX	Men	60.4	49.4	70.5	57.4	55.4	59.4	
	Women	58.0	51.4	64.4	59.2	57.6	60.7	
RACE/ETHNICITY	Non-Hisp. White	59.8	53.6	65.8	63.3	62.1	64.6	
	Non-Hisp. Black	36.0	18.1	58.8	42.3	38.0	46.7	
	Hispanic				49.0	45.1	52.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	60.5	50.2	69.9	63.6	61.6	65.5	
	Non-Hisp. White Women	59.2	51.8	66.1	63.1	61.5	64.7	
	Non-Hisp. Black Men				38.1	31.2	45.6	
	Non-Hisp. Black Women				45.0	39.8	50.4	
	Hispanic Men				43.4	37.4	49.6	
	Hispanic Women				54.6	49.8	59.4	
AGE GROUP	18-44	61.0	48.7	72.0	55.6	53.3	57.9	
	45-64	64.3	56.0	71.8	67.2	65.5	68.9	
	65 & Older	45.7	36.3	55.4	51.0	49.2	52.8	
EDUCATION LEVEL	<High School	35.9	23.7	50.3	33.3	29.7	37.0	
	HS / Some College	49.3	40.9	57.8	45.9	43.5	48.3	
	4+ Yrs. College	75.1	65.6	82.6	67.7	66.3	69.2	
ANNUAL INCOME	<\$25,000	41.5	32.7	50.9	46.3	43.5	49.1	
	\$25,000-\$49,999	59.6	48.5	69.7	55.1	52.7	57.5	
	\$50,000 or More	73.0	60.7	82.5	68.3	66.3	70.2	
MARITAL STATUS	Married/Couple	64.7	56.6	72.0	62.3	60.8	63.8	
	Not Married/Couple	48.5	38.7	58.4	51.3	49.1	53.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percent of adults who have been told they have some form of arthritis.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	36.5	30.8	42.6	24.3 *	23.4	25.2	
SEX	Men	35.9	26.8	46.1	20.8 *	19.5	22.1	
	Women	37.1	31.2	43.4	27.6 *	26.4	28.8	
RACE/ETHNICITY	Non-Hisp. White	38.1	32.5	44.2	27.5 *	26.5	28.5	
	Non-Hisp. Black	30.4	16.6	49.1	20.4	17.5	23.6	
	Hispanic				15.0	12.8	17.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.9	28.9	47.9	23.7 *	22.3	25.2	
	Non-Hisp. White Women	38.3	31.8	45.4	31.2	29.9	32.5	
	Non-Hisp. Black Men				17.6	13.2	23.0	
	Non-Hisp. Black Women				22.2	18.6	26.3	
	Hispanic Men				11.5	8.6	15.1	
	Hispanic Women				18.5	15.3	22.2	
AGE GROUP	18-44	20.5	13.3	30.4	8.9 *	7.9	10.1	
	45-64	40.7	33.1	48.8	29.7 *	28.2	31.3	
	65 & Older	66.1	57.3	73.9	47.6 *	45.8	49.3	
EDUCATION LEVEL	<High School	40.1	28.1	53.4	29.5	26.4	32.9	
	HS / Some College	39.6	31.8	48.0	25.2 *	23.5	27.0	
	4+ Yrs. College	32.7	23.9	42.9	23.1	22.0	24.2	
ANNUAL INCOME	<\$25,000	50.5	41.0	59.9	31.0 *	28.8	33.2	
	\$25,000-\$49,999	39.6	29.7	50.5	25.4 *	23.7	27.2	
	\$50,000 or More	22.8	14.4	34.2	18.7	17.5	20.0	
MARITAL STATUS	Married/Couple	34.9	27.9	42.7	23.3 *	22.2	24.4	
	Not Married/Couple	39.5	30.6	49.1	26.0 *	24.5	27.6	

Percent of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	20.5	16.2	25.6	12.5 *	11.8	13.2	
SEX	Men	21.2	14.4	30.1	10.4 *	9.5	11.4	
	Women	19.8	15.4	25.0	14.4 *	13.5	15.4	
RACE/ETHNICITY	Non-Hisp. White	21.5	16.8	27.1	13.2 *	12.5	14.0	
	Non-Hisp. Black	21.7	9.6	42.1	11.9	9.7	14.4	
	Hispanic				8.9	7.2	11.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.5	15.8	33.4	11.3 *	10.4	12.4	
	Non-Hisp. White Women	19.6	14.8	25.4	15.1	14.1	16.1	
	Non-Hisp. Black Men				8.4	5.8	11.9	
	Non-Hisp. Black Women				14.2	11.3	17.8	
	Hispanic Men				7.1	4.8	10.4	
	Hispanic Women				10.7	8.4	13.6	
AGE GROUP	18-44	16.5	9.7	26.6	5.7 *	4.9	6.6	
	45-64	24.1	18.5	30.7	17.2	16.0	18.6	
	65 & Older	23.8	16.9	32.4	19.4	18.1	20.9	
EDUCATION LEVEL	<High School	37.7	24.5	52.9	19.2 *	16.6	22.0	
	HS / Some College	18.2	12.6	25.5	13.2	11.9	14.6	
	4+ Yrs. College	16.7	11.5	23.5	11.1	10.4	11.9	
ANNUAL INCOME	<\$25,000	36.8	27.7	46.9	21.0 *	19.3	22.9	
	\$25,000-\$49,999	19.4	13.2	27.7	12.3	11.1	13.7	
	\$50,000 or More	8.5	4.5	15.7	7.4	6.6	8.3	
MARITAL STATUS	Married/Couple	17.2	12.8	22.7	11.0 *	10.2	11.9	
	Not Married/Couple	27.1	19.0	37.2	15.0 *	13.8	16.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percent of adults who had symptoms of pain, aching, or stiffness in or around a joint.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	48.2	41.6	54.8	37.2 *	36.1	38.4	
SEX	Men	46.7	35.9	57.8	35.9	34.2	37.7	
	Women	49.8	43.4	56.2	38.4 *	37.0	39.9	
RACE/ETHNICITY	Non-Hisp. White	51.0	44.9	57.1	40.4 *	39.2	41.7	
	Non-Hisp. Black	43.8	26.4	62.9	33.5	29.8	37.5	
	Hispanic				27.4	24.2	30.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.2	43.4	62.9	40.3 *	38.3	42.3	
	Non-Hisp. White Women	48.9	41.8	55.9	40.6	39.0	42.1	
	Non-Hisp. Black Men				26.0	20.8	32.0	
	Non-Hisp. Black Women				38.5	33.6	43.7	
	Hispanic Men				24.3	19.6	29.7	
	Hispanic Women				30.6	26.5	35.0	
AGE GROUP	18-44	40.3	29.3	52.3	27.1 *	25.2	29.1	
	45-64	53.7	45.6	61.5	43.7 *	42.0	45.5	
	65 & Older	57.3	47.6	66.4	48.4	46.6	50.2	
EDUCATION LEVEL	<High School	59.9	46.3	72.1	42.0 *	38.2	45.9	
	HS / Some College	47.7	39.5	56.1	38.0	35.8	40.2	
	4+ Yrs. College	44.7	34.0	56.0	36.2	34.8	37.7	
ANNUAL INCOME	<\$25,000	64.8	55.4	73.2	44.7 *	42.1	47.3	
	\$25,000-\$49,999	42.5	33.0	52.7	36.8	34.7	39.0	
	\$50,000 or More	39.7	27.5	53.3	33.4	31.6	35.2	
MARITAL STATUS	Married/Couple	45.1	36.9	53.5	36.7	35.3	38.2	
	Not Married/Couple	54.4	44.7	63.7	38.1 *	36.2	40.1	

Asthma

Percent of adults who currently have asthma.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	9.2	6.4	13.0	6.2	5.7	6.7	7.9
SEX	Men	9.6	5.5	16.3	4.9	4.1	5.7	5.8
	Women	8.7	5.6	13.2	7.4	6.7	8.1	9.8
RACE/ETHNICITY	Non-Hisp. White	10.6	7.3	15.3	6.4 *	5.8	7.0	8.9
	Non-Hisp. Black	0.6	0.1	4.6	7.6 *	5.8	9.9	0.0
	Hispanic				4.8	3.6	6.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.2	6.2	19.3	5.2 *	4.3	6.2	
	Non-Hisp. White Women	10.1	6.3	15.7	7.5	6.8	8.3	
	Non-Hisp. Black Men				5.7	3.2	9.9	
	Non-Hisp. Black Women	0.9	0.1	6.7	9.0	6.7	11.9	6.8
	Hispanic Men				3.9	2.3	6.5	10.9
	Hispanic Women				5.7	4.1	7.8	
AGE GROUP	18-44	9.3	4.7	17.4	5.8	5.0	6.8	8.5
	45-64	9.8	6.4	14.8	6.7	6.0	7.6	6.5
	65 & Older	8.0	4.3	14.3	6.1	5.4	6.9	9.0
EDUCATION LEVEL	<High School	9.5	4.2	20.1	8.4	6.5	10.7	9.8
	HS / Some College	10.1	5.6	17.4	5.9	5.1	6.8	8.0
	4+ Yrs. College	8.3	4.7	14.3	6.0	5.3	6.7	6.4
ANNUAL INCOME	<\$25,000	14.6	9.3	22.1	7.8 *	6.8	8.9	9.5
	\$25,000-\$49,999	9.1	3.7	20.6	5.8	5.0	6.8	4.9
	\$50,000 or More	2.8	1.1	6.8	5.2	4.4	6.1	4.4
MARITAL STATUS	Married/Couple	7.7	4.6	12.5	5.7	5.1	6.4	7.0
	Not Married/Couple	12.1	7.2	19.7	7.0	6.1	7.9	9.5

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of women 40 years of age and older who received a mammogram in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	61.0	54.2	67.4	64.9	63.3	66.4	57.9
SEX	Men							
	Women	61.0	54.2	67.4	64.9	63.3	66.4	57.9
RACE/ETHNICITY	Non-Hisp. White	59.8	52.4	66.8	65.4	63.8	67.0	56.4
	Non-Hisp. Black				70.2	64.3	75.5	
	Hispanic				63.2	57.2	68.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	59.8	52.4	66.8	65.4	63.8	67.0	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.2	64.3	75.5	
	Hispanic Men							56.4
	Hispanic Women				63.2	57.2	68.9	
AGE GROUP	18-44	36.2	22.4	52.7	50.0	44.9	55.1	28.1
	45-64	61.2	51.5	70.0	65.7	63.5	67.9	70.8
	65 & Older	73.5	62.9	81.9	70.0	67.7	72.2	57.4
EDUCATION LEVEL	<High School	59.7	44.2	73.4	61.3	56.0	66.4	39.5
	HS / Some College	56.4	44.7	67.3	62.0	59.1	64.9	62.4
	4+ Yrs. College	66.2	56.2	75.0	66.9	64.8	68.8	64.6
ANNUAL INCOME	<\$25,000	58.3	48.0	67.9	57.6	54.3	60.9	52.6
	\$25,000-\$49,999	56.3	41.0	70.5	64.2	61.2	67.1	67.0
	\$50,000 or More	70.8	56.8	81.7	70.3	67.5	72.9	
MARITAL STATUS	Married/Couple	61.2	52.1	69.5	67.9	65.7	70.0	55.8
	Not Married/Couple	60.6	51.0	69.4	60.4	58.1	62.7	61.1

Percent of women 18 years of age and older who had a clinical breast exam in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	66.7	60.3	72.4	65.0	63.4	66.5	
SEX	Men							
	Women	66.7	60.3	72.4	65.0	63.4	66.5	
RACE/ETHNICITY	Non-Hisp. White	68.4	61.6	74.5	67.3	65.7	68.8	
	Non-Hisp. Black				67.8	62.3	72.8	
	Hispanic				58.7	54.0	63.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	68.4	61.6	74.5	67.3	65.7	68.8	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				67.8	62.3	72.8	
	Hispanic Men							
	Hispanic Women				58.7	54.0	63.4	
AGE GROUP	18-44	65.9	54.3	75.8	63.5	60.7	66.3	
	45-64	66.8	56.9	75.3	69.4	67.1	71.5	
	65 & Older	67.2	56.0	76.7	62.1	59.7	64.4	
EDUCATION LEVEL	<High School	52.7	37.5	67.4	52.8	47.6	57.8	
	HS / Some College	59.4	48.5	69.4	57.5	54.6	60.5	
	4+ Yrs. College	78.2	70.0	84.7	70.2	68.3	72.0	
ANNUAL INCOME	<\$25,000	47.6	37.7	57.6	53.6	50.3	56.9	
	\$25,000-\$49,999	65.9	52.2	77.4	61.4	58.5	64.3	
	\$50,000 or More	91.1	83.3	95.5	75.9 *	73.5	78.2	
MARITAL STATUS	Married/Couple	72.4	64.6	79.0	68.6	66.6	70.5	
	Not Married/Couple	55.8	45.6	65.6	59.6	57.1	62.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of women 18 years of age and older who received a PAP test in the past year.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	62.2	53.7	70.0	64.8	63.0	66.5	66.8
SEX	Men							
	Women	62.2	53.7	70.0	64.8	63.0	66.5	66.8
RACE/ETHNICITY	Non-Hisp. White	63.8	54.5	72.2	64.4	62.4	66.3	63.7
	Non-Hisp. Black				70.9	64.7	76.4	
	Hispanic				64.5	59.4	69.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	63.8	54.5	72.2	64.4	62.4	66.3	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				70.9	64.7	76.4	
	Hispanic Men							63.7
	Hispanic Women				64.5	59.4	69.2	
AGE GROUP	18-44	60.4	47.0	72.4	69.1	66.3	71.8	72.8
	45-64	65.2	52.7	75.9	66.4	63.6	69.1	68.2
	65 & Older	58.2	37.4	76.4	48.0	44.7	51.3	41.3
EDUCATION LEVEL	<High School	38.3	21.6	58.2	51.9	45.5	58.2	45.9
	HS / Some College	51.4	36.8	65.8	55.6	51.9	59.2	70.1
	4+ Yrs. College	76.6	65.1	85.2	70.4	68.3	72.4	75.0
ANNUAL INCOME	<\$25,000	45.9	33.4	59.0	53.6	49.4	57.6	68.0
	\$25,000-\$49,999	56.6	38.3	73.2	62.1	58.6	65.4	68.1
	\$50,000 or More	86.3	69.7	94.5	76.1	73.5	78.6	74.9
MARITAL STATUS	Married/Couple	69.3	58.8	78.1	69.4	67.2	71.5	71.9
	Not Married/Couple	48.1	35.1	61.3	57.7	54.6	60.8	56.4

Percent of men 50 years of age and older who received a PSA test in the past two years.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	68.6	56.9	78.3	72.3	70.2	74.4	
SEX	Men	68.6	56.9	78.3	72.3	70.2	74.4	
	Women							
RACE/ETHNICITY	Non-Hisp. White	69.8	56.9	80.2	74.6	72.4	76.6	
	Non-Hisp. Black				71.5	60.1	80.7	
	Hispanic				61.2	51.5	70.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.8	56.9	80.2	74.6	72.4	76.6	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				71.5	60.1	80.7	
	Non-Hisp. Black Women							
	Hispanic Men				61.2	51.5	70.1	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	64.9	48.8	78.2	64.5	61.2	67.7	
	65 & Older	74.6	58.3	86.1	81.4	78.9	83.6	
EDUCATION LEVEL	<High School				62.2	54.7	69.1	
	HS / Some College	72.6	56.7	84.3	61.6	56.9	66.1	
	4+ Yrs. College	67.8	49.7	81.8	77.6	75.1	80.0	
ANNUAL INCOME	<\$25,000	47.8	30.1	66.0	59.2	54.0	64.1	
	\$25,000-\$49,999	84.0	68.9	92.6	73.9	69.7	77.6	
	\$50,000 or More	72.4	47.1	88.6	78.5	75.2	81.4	
MARITAL STATUS	Married/Couple	71.3	59.6	80.7	75.6	73.1	78.0	
	Not Married/Couple	62.2	35.5	83.2	63.4	59.2	67.4	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of men 50 years of age and older who received a digital rectal exam in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	52.4	41.4	63.2	56.3	54.0	58.5	
SEX	Men	52.4	41.4	63.2	56.3	54.0	58.5	
	Women							
RACE/ETHNICITY	Non-Hisp. White	54.4	41.9	66.3	59.1	56.8	61.3	
	Non-Hisp. Black				51.0	39.9	62.0	
	Hispanic				40.2	31.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	54.4	41.9	66.3	59.1	56.8	61.3	
	Non-Hisp. White Women							
	Non-Hisp. Black Men				51.0	39.9	62.0	
	Non-Hisp. Black Women							
	Hispanic Men				40.2	31.2	50.0	
	Hispanic Women							
AGE GROUP	18-44							
	45-64	46.1	31.8	61.1	50.1	46.8	53.5	
	65 & Older	62.7	47.4	75.8	63.4	60.5	66.2	
EDUCATION LEVEL	<High School				47.8	40.3	55.4	
	HS / Some College	47.0	31.9	62.6	47.0	42.5	51.5	
	4+ Yrs. College	54.5	37.6	70.4	60.8	58.1	63.5	
ANNUAL INCOME	<\$25,000	42.7	26.0	61.1	48.5	43.6	53.4	
	\$25,000-\$49,999	60.6	42.9	75.8	52.6	48.1	56.9	
	\$50,000 or More	58.0	34.4	78.3	62.5	58.9	65.9	
MARITAL STATUS	Married/Couple	53.3	41.7	64.5	59.0	56.2	61.7	
	Not Married/Couple	50.5	27.9	73.0	49.2	45.1	53.2	

Percent of adults 50 years of age and older who received a blood stool test in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.4	5.6	12.3	21.2 *	20.1	22.3	13.7
SEX	Men	9.1	5.0	16.0	23.7 *	21.9	25.5	12.9
	Women	7.7	4.6	12.5	19.1 *	17.8	20.5	14.4
RACE/ETHNICITY	Non-Hisp. White	7.1	4.5	10.8	23.3 *	22.1	24.6	14.9
	Non-Hisp. Black				21.7	17.1	27.1	
	Hispanic				8.7	6.1	12.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.6	3.3	12.9	26.0 *	24.1	28.1	
	Non-Hisp. White Women	7.5	4.2	12.9	21.0 *	19.5	22.5	
	Non-Hisp. Black Men				21.3	14.4	30.3	
	Non-Hisp. Black Women				22.0	16.2	29.1	13.5
	Hispanic Men				9.9	6.0	15.9	16.2
	Hispanic Women				7.8	4.7	12.9	
AGE GROUP	18-44							
	45-64	8.0	4.9	12.7	15.6 *	14.3	17.1	14.9
	65 & Older	8.9	4.6	16.6	27.1 *	25.5	28.8	12.2
EDUCATION LEVEL	<High School	12.4	4.5	29.9	20.0	16.2	24.3	13.3
	HS / Some College	6.6	3.4	12.3	19.6 *	17.8	21.5	16.9
	4+ Yrs. College	8.4	4.9	13.9	22.1 *	20.7	23.6	10.6
ANNUAL INCOME	<\$25,000	12.2	6.8	21.1	20.1	18.0	22.3	18.0
	\$25,000-\$49,999	6.6	2.8	14.8	22.1 *	20.1	24.3	7.0
	\$50,000 or More	6.7	3.2	13.7	21.5 *	19.6	23.6	14.8
MARITAL STATUS	Married/Couple	7.1	4.1	11.9	22.0 *	20.6	23.5	14.1
	Not Married/Couple	10.7	5.9	18.6	19.9	18.2	21.6	12.9

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening

Percent of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	47.4	40.5	54.4	53.7	52.3	55.1	41.8
SEX	Men	50.4	39.4	61.3	55.7	53.4	57.9	43.9
	Women	44.4	36.5	52.6	52.1	50.3	53.9	39.9
RACE/ETHNICITY	Non-Hisp. White	49.4	41.8	57.1	56.8	55.3	58.2	41.1
	Non-Hisp. Black				48.9	42.6	55.2	
	Hispanic				39.0	33.3	45.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.8	40.7	64.6	59.1	56.8	61.3	
	Non-Hisp. White Women	46.1	37.3	55.2	54.8	53.0	56.6	
	Non-Hisp. Black Men				50.4	39.4	61.4	
	Non-Hisp. Black Women				47.7	40.4	55.1	39.6
	Hispanic Men				37.9	29.1	47.6	42.5
	Hispanic Women				39.9	32.7	47.5	
AGE GROUP	18-44							
	45-64	40.7	31.1	51.0	46.6	44.5	48.7	38.5
	65 & Older	56.7	46.8	66.2	61.4	59.6	63.2	45.9
EDUCATION LEVEL	<High School	47.2	32.8	62.1	41.7	37.3	46.3	30.3
	HS / Some College	39.6	30.0	50.0	51.3	48.8	53.8	44.8
	4+ Yrs. College	53.2	42.5	63.7	56.7	54.9	58.5	46.2
ANNUAL INCOME	<\$25,000	44.5	34.7	54.6	47.2	44.4	50.1	44.7
	\$25,000-\$49,999	33.6	22.5	46.9	50.7 *	48.0	53.4	38.7
	\$50,000 or More	59.4	44.4	72.8	59.7	57.2	62.1	44.3
MARITAL STATUS	Married/Couple	46.7	38.7	54.8	57.5 *	55.7	59.3	43.1
	Not Married/Couple	48.7	36.1	61.4	47.3	45.1	49.5	39.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percent of adults who have ever had a stroke.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.2	2.7	6.5	3.1	2.8	3.5	
SEX	Men	3.6	1.8	7.1	2.9	2.5	3.4	
	Women	4.9	2.9	8.3	3.4	2.9	3.8	
RACE/ETHNICITY	Non-Hisp. White	4.3	2.6	6.9	3.5	3.2	3.9	
	Non-Hisp. Black	9.0	2.6	26.8	3.7	2.4	5.5	
	Hispanic				1.4	0.9	2.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.5	1.6	7.4	3.4	2.8	4.0	
	Non-Hisp. White Women	5.1	2.8	9.2	3.6	3.2	4.2	
	Non-Hisp. Black Men				2.2	1.3	3.8	
	Non-Hisp. Black Women	5.6	1.6	17.8	4.7	2.8	7.7	
	Hispanic Men				1.1	0.5	2.5	
	Hispanic Women				1.6	0.9	2.8	
AGE GROUP	18-44	2.0	0.6	6.2	1.1	0.7	1.6	
	45-64	4.3	2.1	8.3	2.7	2.3	3.3	
	65 & Older	9.7	5.5	16.3	7.9	7.0	8.8	
EDUCATION LEVEL	<High School	8.1	3.4	18.4	6.0	4.6	7.8	
	HS / Some College	3.8	2.1	6.8	3.7	3.1	4.4	
	4+ Yrs. College	3.1	1.4	6.4	2.4	2.1	2.7	
ANNUAL INCOME	<\$25,000	10.6	6.2	17.6	5.7	4.8	6.7	
	\$25,000-\$49,999	1.2	0.4	3.9	3.6	2.9	4.5	
	\$50,000 or More	0.9	0.3	3.2	1.2	1.0	1.6	
MARITAL STATUS	Married/Couple	3.1	1.7	5.7	2.6	2.3	3.0	
	Not Married/Couple	6.4	3.5	11.5	4.0	3.5	4.6	

Percent of adults who have ever had a heart attack, angina, or coronary heart disease.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	13.0	9.8	17.0	9.3 *	8.7	9.8	
SEX	Men	15.0	9.9	22.1	10.3	9.5	11.2	
	Women	10.7	7.7	14.7	8.3	7.7	9.0	
RACE/ETHNICITY	Non-Hisp. White	14.3	10.6	18.9	10.6	10.0	11.3	
	Non-Hisp. Black	12.8	4.9	29.7	7.8	6.1	9.9	
	Hispanic				5.3	4.2	6.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.0	11.1	25.1	12.1	11.1	13.2	
	Non-Hisp. White Women	11.4	7.9	16.2	9.2	8.5	9.9	
	Non-Hisp. Black Men				6.0	4.1	8.9	
	Non-Hisp. Black Women	8.4	2.8	22.3	9.0	6.6	12.2	
	Hispanic Men				5.7	4.1	7.9	
	Hispanic Women				4.9	3.6	6.6	
AGE GROUP	18-44	3.2	1.3	8.0	2.2	1.7	2.8	
	45-64	17.5	11.4	25.8	9.1 *	8.2	10.1	
	65 & Older	29.3	21.7	38.3	23.9	22.5	25.4	
EDUCATION LEVEL	<High School	18.8	11.3	29.5	15.0	12.9	17.5	
	HS / Some College	10.6	7.0	15.7	10.5	9.4	11.6	
	4+ Yrs. College	12.8	7.8	20.3	7.8	7.2	8.4	
ANNUAL INCOME	<\$25,000	20.0	14.0	27.6	14.9	13.4	16.4	
	\$25,000-\$49,999	10.6	6.2	17.5	10.1	9.1	11.3	
	\$50,000 or More	7.9	3.3	17.9	5.1	4.5	5.8	
MARITAL STATUS	Married/Couple	10.8	7.6	15.0	8.8	8.1	9.5	
	Not Married/Couple	17.3	11.1	26.0	10.1 *	9.2	11.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percent of adults who had their cholesterol checked in the past five years.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	71.4	63.0	78.5	78.5	77.4	79.7	74.3
SEX	Men	66.7	52.6	78.3	76.7	74.9	78.5	70.7
	Women	76.7	70.3	82.1	80.2	78.8	81.6	77.6
RACE/ETHNICITY	Non-Hisp. White	77.1	70.9	82.4	84.4 *	83.3	85.4	73.2
	Non-Hisp. Black	55.4	35.3	74.0	76.3	71.9	80.3	91.6 *
	Hispanic				60.1	56.3	63.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	75.7	64.9	84.0	82.5	80.7	84.1	
	Non-Hisp. White Women	78.6	72.0	84.0	86.1 *	84.9	87.3	
	Non-Hisp. Black Men				73.1	65.0	79.9	
	Non-Hisp. Black Women				78.6	73.5	83.0	70.1
	Hispanic Men				59.7	53.8	65.3	76.2
	Hispanic Women				60.5	55.7	65.1	
AGE GROUP	18-44	53.1	40.2	65.7	64.7	62.5	66.9	55.9
	45-64	86.7	79.2	91.7	87.3	86.0	88.5	86.6
	65 & Older	89.8	83.5	93.8	93.2	92.2	94.2	91.0
EDUCATION LEVEL	<High School	74.3	55.9	86.8	62.0	57.9	65.9	63.6
	HS / Some College	66.4	57.5	74.3	70.6	68.0	73.1	74.3
	4+ Yrs. College	74.4	57.0	86.5	85.0	83.8	86.1	80.9
ANNUAL INCOME	<\$25,000	65.7	54.8	75.1	68.4	65.6	71.1	69.7
	\$25,000-\$49,999	73.0	61.8	81.8	75.8	73.4	78.1	77.1
	\$50,000 or More	73.5	51.3	88.0	86.3	84.8	87.8	79.9
MARITAL STATUS	Married/Couple	74.6	62.6	83.8	81.8	80.5	83.0	76.3
	Not Married/Couple	65.0	53.8	74.7	73.0	70.8	75.1	70.7

Percent of adults who have diagnosed high blood cholesterol.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	40.2	34.7	46.0	37.1	35.9	38.3	33.3
SEX	Men	42.3	33.2	51.9	38.9	37.0	40.9	35.6
	Women	38.2	32.1	44.7	35.4	34.0	36.9	31.3
RACE/ETHNICITY	Non-Hisp. White	38.5	32.5	45.0	38.7	37.4	40.0	35.6
	Non-Hisp. Black	37.3	20.0	58.7	29.7	25.8	33.9	20.9
	Hispanic				34.7	30.4	39.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	41.0	31.1	51.6	39.6	37.6	41.7	
	Non-Hisp. White Women	36.0	29.4	43.2	37.8	36.3	39.4	
	Non-Hisp. Black Men				34.1	26.9	42.0	
	Non-Hisp. Black Women				26.8	22.5	31.6	39.7
	Hispanic Men				38.8	32.0	46.2	31.9
	Hispanic Women				30.7	25.7	36.2	
AGE GROUP	18-44	27.1	18.2	38.4	23.0	20.8	25.4	20.8
	45-64	44.8	36.5	53.4	42.8	41.0	44.7	34.0
	65 & Older	53.1	43.2	62.8	49.8	48.0	51.6	46.8
EDUCATION LEVEL	<High School	41.0	27.6	55.9	45.5	41.1	50.1	36.8
	HS / Some College	42.6	33.9	51.8	37.8	35.6	40.0	34.6
	4+ Yrs. College	38.4	30.3	47.1	35.8	34.3	37.3	30.1
ANNUAL INCOME	<\$25,000	48.8	38.1	59.5	41.6	39.1	44.2	31.2
	\$25,000-\$49,999	37.4	27.2	48.7	37.9	35.7	40.3	33.4
	\$50,000 or More	37.3	27.4	48.4	33.4	31.5	35.3	34.7
MARITAL STATUS	Married/Couple	38.3	31.9	45.2	36.8	35.4	38.3	37.1
	Not Married/Couple	44.4	34.1	55.2	37.4	35.3	39.5	25.1 *

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Dental Care

Percent of adults who could not see a dentist in the past year because of cost.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.9	17.3	27.3	19.2	18.2	20.2	
SEX	Men	19.9	13.1	29.0	16.8	15.3	18.5	
	Women	24.1	18.9	30.3	21.4	20.2	22.7	
RACE/ETHNICITY	Non-Hisp. White	21.8	16.9	27.5	15.7 *	14.8	16.7	
	Non-Hisp. Black	35.6	17.8	58.6	23.7	20.4	27.4	
	Hispanic				28.3	25.0	31.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.2	12.9	30.2	13.9	12.5	15.5	
	Non-Hisp. White Women	23.3	17.7	30.0	17.5	16.3	18.8	
	Non-Hisp. Black Men				18.3	13.3	24.6	
	Non-Hisp. Black Women				27.2	23.0	32.0	
	Hispanic Men				25.4	20.5	31.1	
	Hispanic Women				31.3	27.2	35.8	
AGE GROUP	18-44	27.7	19.0	38.6	23.6	21.8	25.6	
	45-64	19.8	14.4	26.5	19.5	18.1	21.0	
	65 & Older	12.8	7.1	21.8	9.8	8.7	11.0	
EDUCATION LEVEL	<High School	40.1	26.3	55.7	33.9	30.2	37.7	
	HS / Some College	20.7	14.6	28.5	23.2	21.2	25.3	
	4+ Yrs. College	16.9	11.5	24.2	15.2	14.0	16.4	
ANNUAL INCOME	<\$25,000	45.0	35.4	55.0	36.7	34.1	39.4	
	\$25,000-\$49,999	23.8	15.9	34.0	21.5	19.6	23.6	
	\$50,000 or More	6.1	2.8	12.6	9.0	7.8	10.3	
MARITAL STATUS	Married/Couple	16.9	12.3	22.8	16.2	15.1	17.4	
	Not Married/Couple	32.0	23.2	42.3	24.4	22.5	26.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diagnosed diabetes.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.8	6.7	11.7	8.7	8.2	9.3	13.1
SEX	Men	6.2	3.8	10.1	9.4	8.6	10.3	13.5
	Women	11.8	8.5	16.1	8.1	7.5	8.9	12.7
RACE/ETHNICITY	Non-Hisp. White	7.9	5.7	10.8	9.0	8.4	9.6	13.0
	Non-Hisp. Black	17.6	8.2	33.9	12.4	10.4	14.8	15.2
	Hispanic				6.6	5.2	8.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.2	3.0	8.9	10.0 *	9.1	11.1	
	Non-Hisp. White Women	10.7	7.3	15.4	7.9	7.2	8.7	
	Non-Hisp. Black Men				11.2	8.3	14.8	
	Non-Hisp. Black Women	15.6	7.0	31.3	13.3	10.6	16.5	12.4
	Hispanic Men				6.8	4.8	9.5	13.5
	Hispanic Women				6.4	4.7	8.6	
AGE GROUP	18-44	4.7	2.3	9.2	2.4	1.9	3.1	5.4
	45-64	9.0	6.0	13.2	10.9	9.9	12.1	17.3
	65 & Older	18.7	12.7	26.6	18.5	17.2	19.9	21.4
EDUCATION LEVEL	<High School	16.2	9.2	26.9	14.4	12.3	16.7	12.7
	HS / Some College	9.2	6.1	13.7	9.5	8.4	10.7	14.5
	4+ Yrs. College	5.8	3.5	9.5	7.5	6.9	8.1	11.7
ANNUAL INCOME	<\$25,000	17.5	12.0	24.7	13.3	11.9	14.9	13.6
	\$25,000-\$49,999	6.3	3.2	11.9	8.5	7.6	9.5	12.2
	\$50,000 or More	4.3	2.2	8.4	5.9	5.2	6.7	11.5
MARITAL STATUS	Married/Couple	7.5	5.1	10.9	8.3	7.7	9.0	14.9 *
	Not Married/Couple	11.3	7.4	16.7	9.5	8.6	10.6	9.8

Percent of adults with diabetes who self-monitor blood glucose at least once a day on average.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	61.2	47.0	73.6	65.7	62.6	68.7	
SEX	Men				61.8	57.1	66.3	
	Women	59.5	41.8	75.0	70.0	66.0	73.7	
RACE/ETHNICITY	Non-Hisp. White	53.0	37.0	68.4	64.0	60.5	67.3	
	Non-Hisp. Black				62.0	52.6	70.6	
	Hispanic				79.3	68.4	87.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				59.9	54.7	64.8	
	Non-Hisp. White Women	53.5	33.5	72.3	69.1	64.6	73.2	
	Non-Hisp. Black Men				58.1	43.0	71.9	
	Non-Hisp. Black Women				64.4	52.3	74.9	
	Hispanic Men				78.2	59.5	89.7	
	Hispanic Women				80.4	67.8	88.9	
AGE GROUP	18-44				72.0	61.6	80.6	
	45-64				63.1	57.8	68.0	
	65 & Older	72.6	51.6	86.8	66.3	62.4	70.1	
EDUCATION LEVEL	<High School				67.3	58.8	74.8	
	HS / Some College				67.6	61.8	73.0	
	4+ Yrs. College				64.1	59.9	68.1	
ANNUAL INCOME	<\$25,000	64.0	43.9	80.1	69.0	63.7	73.9	
	\$25,000-\$49,999				65.9	60.5	70.9	
	\$50,000 or More				61.9	55.2	68.1	
MARITAL STATUS	Married/Couple	67.7	48.7	82.2	65.1	61.1	69.0	
	Not Married/Couple	54.2	33.8	73.3	66.5	61.5	71.1	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diabetes who had two A1C tests in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	55.4	40.6	69.4	71.2	67.7	74.4	
SEX	Men				68.0	62.5	73.0	
	Women	53.7	35.6	70.8	74.7	70.6	78.4	
RACE/ETHNICITY	Non-Hisp. White	54.0	36.9	70.3	73.3	69.6	76.7	
	Non-Hisp. Black				77.1	68.8	83.8	
	Hispanic				52.5	39.2	65.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				70.3	64.7	75.4	
	Non-Hisp. White Women				76.8	72.6	80.6	
	Non-Hisp. Black Men				79.9	67.7	88.3	
	Non-Hisp. Black Women				75.3	63.7	84.2	
	Hispanic Men				41.5	25.5	59.5	
	Hispanic Women				66.0	48.6	80.0	
AGE GROUP	18-44				65.2	52.8	75.9	
	45-64				70.0	64.0	75.3	
	65 & Older				74.2	70.0	78.0	
EDUCATION LEVEL	<High School				63.9	54.2	72.6	
	HS / Some College				67.2	59.8	73.9	
	4+ Yrs. College				75.5	71.3	79.2	
ANNUAL INCOME	<\$25,000				66.7	59.7	73.1	
	\$25,000-\$49,999				72.8	67.2	77.7	
	\$50,000 or More				75.5	68.5	81.3	
MARITAL STATUS	Married/Couple				70.4	66.0	74.5	
	Not Married/Couple				72.8	66.9	77.9	

Percent of adults with diabetes who had an annual foot exam.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	82.7	71.6	90.1	75.6	72.6	78.4	
SEX	Men				77.0	72.4	81.0	
	Women	75.8	59.9	86.8	74.1	70.0	77.8	
RACE/ETHNICITY	Non-Hisp. White	75.8	60.8	86.3	75.0	71.8	78.0	
	Non-Hisp. Black				85.0	77.8	90.2	
	Hispanic				68.4	55.4	79.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				76.2	71.3	80.5	
	Non-Hisp. White Women	68.3	48.4	83.2	73.7	69.5	77.5	
	Non-Hisp. Black Men				83.3	70.4	91.2	
	Non-Hisp. Black Women				86.1	76.6	92.2	
	Hispanic Men				73.6	53.3	87.2	
	Hispanic Women				62.6	45.6	77.1	
AGE GROUP	18-44				70.9	59.8	80.0	
	45-64				74.5	69.3	79.1	
	65 & Older	80.8	63.0	91.3	78.0	74.1	81.4	
EDUCATION LEVEL	<High School				72.0	63.5	79.2	
	HS / Some College				71.4	64.8	77.2	
	4+ Yrs. College				79.1	75.6	82.3	
ANNUAL INCOME	<\$25,000	81.8	65.3	91.4	74.9	69.0	80.1	
	\$25,000-\$49,999				74.8	69.8	79.2	
	\$50,000 or More				79.5	73.8	84.2	
MARITAL STATUS	Married/Couple	82.1	64.8	92.0	75.6	71.9	78.9	
	Not Married/Couple	83.1	67.8	92.0	75.5	70.1	80.2	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percent of adults with diabetes who had an annual eye exam.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	61.0	46.4	73.8	77.4 *	74.7	80.0	
SEX	Men				78.5	74.5	82.0	
	Women	56.5	39.0	72.6	76.3	72.3	79.9	
RACE/ETHNICITY	Non-Hisp. White	55.6	38.9	71.0	75.9 *	72.7	78.9	
	Non-Hisp. Black				78.9	71.1	85.0	
	Hispanic				81.1	70.1	88.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				75.7	70.7	80.1	
	Non-Hisp. White Women	45.1	26.8	64.9	76.1 *	72.1	79.7	
	Non-Hisp. Black Men				79.5	66.9	88.1	
	Non-Hisp. Black Women				78.5	68.0	86.3	
	Hispanic Men				89.3	81.0	94.2	
	Hispanic Women				72.3	53.9	85.3	
AGE GROUP	18-44				60.9	48.8	71.8	
	45-64				75.0	70.7	78.8	
	65 & Older	60.1	38.2	78.6	83.6 *	80.1	86.7	
EDUCATION LEVEL	<High School				71.4	64.1	77.7	
	HS / Some College	62.1	41.3	79.2	74.2	68.5	79.2	
	4+ Yrs. College				81.1	77.5	84.3	
ANNUAL INCOME	<\$25,000	53.3	34.2	71.5	72.9	67.5	77.8	
	\$25,000-\$49,999				77.9	73.0	82.1	
	\$50,000 or More				81.0	75.9	85.3	
MARITAL STATUS	Married/Couple				79.4	76.2	82.2	
	Not Married/Couple	56.3	35.2	75.4	74.7	69.5	79.3	

Percent of adults with diabetes who ever had diabetes self-management education.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	48.7	35.5	62.1	51.4	48.2	54.6	
SEX	Men				50.5	45.8	55.2	
	Women	46.8	31.0	63.3	52.4	48.0	56.8	
RACE/ETHNICITY	Non-Hisp. White	46.1	31.3	61.7	53.2	49.6	56.8	
	Non-Hisp. Black				47.7	39.1	56.5	
	Hispanic				46.3	35.0	58.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				48.1	43.1	53.2	
	Non-Hisp. White Women	43.2	25.7	62.5	59.3	54.5	63.8	
	Non-Hisp. Black Men				49.9	36.0	63.7	
	Non-Hisp. Black Women				46.4	35.6	57.6	
	Hispanic Men				60.1	44.1	74.2	
	Hispanic Women				32.2	20.5	46.6	
AGE GROUP	18-44				52.8	40.6	64.6	
	45-64				53.6	48.4	58.7	
	65 & Older	51.9	32.3	71.0	49.4	45.3	53.4	
EDUCATION LEVEL	<High School				35.3	28.7	42.6	
	HS / Some College	43.7	25.0	64.5	52.3	46.2	58.4	
	4+ Yrs. College				55.7	51.3	60.0	
ANNUAL INCOME	<\$25,000	49.4	31.7	67.3	47.3	41.6	53.0	
	\$25,000-\$49,999				54.1	48.5	59.7	
	\$50,000 or More				57.0	50.5	63.3	
MARITAL STATUS	Married/Couple	54.0	35.7	71.3	52.7	48.6	56.8	
	Not Married/Couple	42.9	24.9	63.0	49.4	44.1	54.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed.

		2007 County			2007 State			2002 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	45.3	40.2	50.4	50.9	49.7	52.1	
SEX	Men				50.5	49.1	51.9	
	Women	45.4	39.1	51.7	51.4	49.4	53.4	
RACE/ETHNICITY	Non-Hisp. White	45.8	40.2	51.5	52.0	50.5	53.5	
	Non-Hisp. Black				50.4	47.9	52.9	
	Hispanic				46.6	43.2	50.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				51.9	50.3	53.5	
	Non-Hisp. White Women	45.6	38.1	53.1	52.2	49.5	54.9	
	Non-Hisp. Black Men				49.9	45.3	54.5	
	Non-Hisp. Black Women				50.7	47.7	53.6	
	Hispanic Men				44.6	41.6	47.6	
	Hispanic Women				48.8	42.8	54.9	
AGE GROUP	18-44				29.1	26.5	31.7	
	45-64				45.9	44.8	47.1	
	65 & Older				61.9	61.0	62.9	
EDUCATION LEVEL	<High School				52.3	49.7	54.9	
	HS / Some College				51.9	49.2	54.6	
	4+ Yrs. College				50.0	48.6	51.5	
ANNUAL INCOME	<\$25,000	41.8	34.4	49.2	51.9 *	49.9	53.8	
	\$25,000-\$49,999				50.9	49.0	52.8	
	\$50,000 or More				47.8	46.1	49.6	
MARITAL STATUS	Married/Couple				50.5	49.2	51.8	
	Not Married/Couple	45.7	38.1	53.2	51.6	49.3	53.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percent of adults who are limited in any way in any activities because of physical, mental, or emotional problems.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	25.3	20.8	30.4	17.8 *	17.1	18.6	
SEX	Men	24.1	17.2	32.6	16.9	15.7	18.1	
	Women	26.6	21.6	32.4	18.8 *	17.8	19.8	
RACE/ETHNICITY	Non-Hisp. White	25.8	21.1	31.2	19.7 *	18.8	20.6	
	Non-Hisp. Black	18.6	9.0	34.7	16.8	14.1	19.7	
	Hispanic				10.6	8.9	12.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.9	17.7	33.8	18.6	17.3	20.1	
	Non-Hisp. White Women	26.8	21.2	33.2	20.7	19.6	21.9	
	Non-Hisp. Black Men				14.8	10.9	19.7	
	Non-Hisp. Black Women				18.1	14.8	22.0	
	Hispanic Men				9.9	7.3	13.4	
	Hispanic Women				11.3	9.1	13.9	
AGE GROUP	18-44	16.3	10.7	24.1	10.3	9.2	11.4	
	45-64	34.1	26.7	42.3	21.7 *	20.4	23.1	
	65 & Older	29.8	22.4	38.4	27.6	26.0	29.2	
EDUCATION LEVEL	<High School	35.6	24.7	48.4	24.2	21.4	27.2	
	HS / Some College	24.3	18.4	31.3	19.6	18.0	21.2	
	4+ Yrs. College	22.7	15.8	31.5	16.1	15.2	17.1	
ANNUAL INCOME	<\$25,000	41.9	33.3	51.1	30.3 *	28.1	32.5	
	\$25,000-\$49,999	21.5	14.7	30.1	17.7	16.2	19.2	
	\$50,000 or More	13.5	7.2	23.9	10.8	9.8	11.8	
MARITAL STATUS	Married/Couple	22.1	17.0	28.1	15.5 *	14.6	16.4	
	Not Married/Couple	31.5	23.6	40.6	21.9 *	20.5	23.4	

Percent of adults who use special equipment because of a health problem.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	11.0	8.5	14.2	7.1 *	6.6	7.7	
SEX	Men	11.5	7.6	17.1	6.9	6.1	7.7	
	Women	10.5	7.7	14.1	7.4	6.8	8.0	
RACE/ETHNICITY	Non-Hisp. White	10.4	7.9	13.7	7.4	6.9	8.0	
	Non-Hisp. Black	5.4	1.8	14.7	8.1	6.4	10.1	
	Hispanic				5.1	3.7	6.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.2	6.5	15.7	6.8	6.1	7.7	
	Non-Hisp. White Women	10.6	7.6	14.8	8.0	7.3	8.7	
	Non-Hisp. Black Men				6.6	4.5	9.6	
	Non-Hisp. Black Women				9.1	6.8	12.0	
	Hispanic Men				5.9	3.7	9.4	
	Hispanic Women				4.3	3.0	6.1	
AGE GROUP	18-44	5.9	3.2	10.7	2.3 *	1.8	3.0	
	45-64	15.4	10.9	21.4	7.5 *	6.7	8.5	
	65 & Older	15.3	10.1	22.5	16.3	15.1	17.7	
EDUCATION LEVEL	<High School	18.8	11.4	29.3	12.0	10.0	14.2	
	HS / Some College	9.4	6.0	14.3	8.1	7.1	9.3	
	4+ Yrs. College	9.8	6.3	14.8	5.9	5.4	6.5	
ANNUAL INCOME	<\$25,000	24.0	17.6	31.9	13.8 *	12.4	15.3	
	\$25,000-\$49,999	7.7	3.8	15.1	6.6	5.7	7.6	
	\$50,000 or More	2.9	1.2	7.1	2.9	2.4	3.5	
MARITAL STATUS	Married/Couple	8.6	5.7	12.6	5.3	4.8	5.9	
	Not Married/Couple	15.9	11.4	21.7	10.3 *	9.3	11.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Folic Acid

Percent of adults who take a multivitamin.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	51.5	44.5	58.5	58.5	57.3	59.8	
SEX	Men	45.9	34.9	57.3	53.9	51.9	56.0	
	Women	57.6	50.9	64.0	62.9	61.3	64.4	
RACE/ETHNICITY	Non-Hisp. White	56.5	50.2	62.7	62.1	60.8	63.4	
	Non-Hisp. Black	34.9	18.3	56.1	52.6	48.1	57.1	
	Hispanic				47.7	43.7	51.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	52.0	41.9	62.0	58.2	56.1	60.3	
	Non-Hisp. White Women	60.9	53.6	67.8	65.9	64.3	67.5	
	Non-Hisp. Black Men				48.4	40.6	56.3	
	Non-Hisp. Black Women				55.4	50.0	60.8	
	Hispanic Men				41.8	35.7	48.2	
	Hispanic Women				53.7	48.8	58.6	
AGE GROUP	18-44	38.5	27.9	50.3	51.2	48.9	53.5	
	45-64	57.2	48.8	65.2	61.5	59.7	63.2	
	65 & Older	70.6	61.5	78.3	69.2	67.4	70.9	
EDUCATION LEVEL	<High School	46.2	32.8	60.2	43.5	39.4	47.6	
	HS / Some College	47.0	38.7	55.6	51.8	49.3	54.2	
	4+ Yrs. College	56.9	43.3	69.6	63.9	62.4	65.4	
ANNUAL INCOME	<\$25,000	44.7	35.6	54.2	53.2	50.4	56.0	
	\$25,000-\$49,999	54.2	43.4	64.7	58.1	55.7	60.5	
	\$50,000 or More	55.8	39.1	71.4	62.2	60.2	64.1	
MARITAL STATUS	Married/Couple	51.4	42.2	60.6	59.4	57.9	61.0	
	Not Married/Couple	51.7	41.7	61.6	57.1	54.9	59.3	

Percent of women under age 45 who take a multivitamin.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	46.0	34.9	57.5	56.4	53.5	59.2	
SEX	Men							
	Women	46.0	34.9	57.5	56.4	53.5	59.2	
RACE/ETHNICITY	Non-Hisp. White	49.6	36.8	62.5	59.9	56.6	63.1	
	Non-Hisp. Black				51.0	43.4	58.6	
	Hispanic				48.2	41.4	55.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men							
	Non-Hisp. White Women	49.6	36.8	62.5	59.9	56.6	63.1	
	Non-Hisp. Black Men							
	Non-Hisp. Black Women				51.0	43.4	58.6	
	Hispanic Men							
	Hispanic Women				48.2	41.4	55.1	
AGE GROUP	18-44	44.8	33.7	56.5	56.2	53.3	59.1	
	45-64							
	65 & Older							
EDUCATION LEVEL	<High School				34.0	25.5	43.7	
	HS / Some College	31.1	17.6	48.9	44.8	39.2	50.6	
	4+ Yrs. College	57.6	40.7	72.9	63.6	60.3	66.8	
ANNUAL INCOME	<\$25,000				46.5	40.2	52.9	
	\$25,000-\$49,999				54.7	49.5	59.9	
	\$50,000 or More	70.7	47.4	86.6	63.6	59.2	67.8	
MARITAL STATUS	Married/Couple	44.9	31.0	59.6	59.2	55.8	62.5	
	Not Married/Couple	47.9	30.6	65.7	51.7	46.6	56.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Gastrointestinal Disease

Percent of adults who had diarrhea in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	16.8	12.9	21.6	14.1	13.3	15.0	
SEX	Men	14.9	9.5	22.7	13.8	12.6	15.2	
	Women	18.8	13.9	24.9	14.4	13.4	15.4	
RACE/ETHNICITY	Non-Hisp. White	17.1	12.9	22.4	15.6	14.7	16.6	
	Non-Hisp. Black	16.9	6.4	37.6	11.5	8.8	14.9	
	Hispanic				10.0	8.0	12.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.6	7.9	22.4	15.8	14.3	17.5	
	Non-Hisp. White Women	20.6	15.0	27.6	15.4	14.4	16.5	
	Non-Hisp. Black Men				6.8	4.7	9.7	
	Non-Hisp. Black Women				14.5	10.5	19.8	
	Hispanic Men				9.3	6.6	12.9	
	Hispanic Women				10.7	8.0	14.1	
AGE GROUP	18-44	17.3	11.2	25.9	14.6	13.1	16.1	
	45-64	17.0	11.2	25.0	14.0	12.8	15.2	
	65 & Older	15.3	9.3	24.3	13.4	12.2	14.6	
EDUCATION LEVEL	<High School	25.1	15.0	39.0	12.4	10.1	15.2	
	HS / Some College	16.6	11.3	23.9	13.6	12.2	15.1	
	4+ Yrs. College	14.2	8.8	21.9	14.6	13.5	15.7	
ANNUAL INCOME	<\$25,000	22.4	15.7	30.8	16.7	14.9	18.7	
	\$25,000-\$49,999	19.9	12.4	30.4	12.5	11.1	13.9	
	\$50,000 or More	10.7	5.4	20.0	14.8	13.5	16.3	
MARITAL STATUS	Married/Couple	14.7	10.4	20.4	13.9	12.9	14.9	
	Not Married/Couple	20.9	14.0	30.1	14.5	13.2	16.0	

Percent of adults who had diarrhea in the past 30 days and who visited a doctor.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	2.7	1.5	4.9	2.4	2.0	2.8	
SEX	Men	3.6	1.6	7.8	2.2	1.6	2.9	
	Women	1.8	0.9	3.6	2.6	2.2	3.0	
RACE/ETHNICITY	Non-Hisp. White	2.3	1.1	4.6	2.5	2.1	3.0	
	Non-Hisp. Black	11.9	3.4	34.0	2.2	1.4	3.6	
	Hispanic				2.1	1.3	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.0	1.1	8.2	2.2	1.6	3.1	
	Non-Hisp. White Women	1.5	0.7	3.2	2.7	2.3	3.2	
	Non-Hisp. Black Men				1.5	0.7	3.3	
	Non-Hisp. Black Women				2.7	1.5	4.8	
	Hispanic Men				2.3	1.0	5.0	
	Hispanic Women				2.0	1.2	3.3	
AGE GROUP	18-44	1.6	0.5	4.9	2.0	1.4	2.7	
	45-64	2.5	0.8	7.3	2.5	2.0	3.2	
	65 & Older	5.7	2.4	12.8	3.0	2.4	3.7	
EDUCATION LEVEL	<High School	6.8	2.7	16.0	2.3	1.6	3.2	
	HS / Some College	2.0	0.7	5.8	2.8	2.2	3.6	
	4+ Yrs. College	2.0	0.7	5.6	2.2	1.7	2.7	
ANNUAL INCOME	<\$25,000	6.4	3.0	12.9	3.5	2.7	4.4	
	\$25,000-\$49,999	1.7	0.4	7.9	2.8	2.1	3.7	
	\$50,000 or More	0.7	0.2	2.7	1.6	1.1	2.2	
MARITAL STATUS	Married/Couple	2.7	1.3	5.7	2.1	1.7	2.6	
	Not Married/Couple	2.8	1.2	6.6	2.8	2.2	3.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percent of adults with any type of health care insurance coverage.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	78.5	72.9	83.3	81.4	80.3	82.4	76.4
SEX	Men	77.9	68.3	85.2	80.3	78.5	82.0	71.7
	Women	79.3	73.3	84.3	82.4	81.0	83.7	80.8
RACE/ETHNICITY	Non-Hisp. White	79.0	73.0	84.0	87.8 *	86.9	88.7	76.3
	Non-Hisp. Black	66.9	43.9	83.9	77.2	72.9	81.1	82.7
	Hispanic				61.4	57.6	65.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	77.6	67.0	85.6	87.6 *	86.2	88.8	
	Non-Hisp. White Women	80.5	74.1	85.6	88.1 *	86.9	89.1	
	Non-Hisp. Black Men				74.9	67.0	81.5	
	Non-Hisp. Black Women				78.8	73.7	83.2	72.7
	Hispanic Men				57.7	51.8	63.5	79.8
	Hispanic Women				64.9	60.3	69.3	
AGE GROUP	18-44	68.5	57.2	78.0	72.4	70.3	74.4	66.1
	45-64	81.9	75.9	86.6	82.7	81.3	84.1	74.7
	65 & Older	97.5	94.5	98.9	97.3	96.5	97.9	97.8
EDUCATION LEVEL	<High School	64.6	48.2	78.2	60.8	56.8	64.6	65.2
	HS / Some College	71.9	63.0	79.4	73.8	71.3	76.1	70.5
	4+ Yrs. College	89.0	82.6	93.3	88.3	87.1	89.3	90.1
ANNUAL INCOME	<\$25,000	67.4	56.4	76.8	64.5	61.7	67.3	59.7
	\$25,000-\$49,999	72.4	60.3	81.9	79.0	76.8	81.0	83.1
	\$50,000 or More	90.8	82.5	95.4	93.2	91.8	94.3	98.6
MARITAL STATUS	Married/Couple	82.3	75.7	87.3	85.3	84.1	86.4	79.2
	Not Married/Couple	71.2	60.7	79.8	74.9	72.7	76.9	71.1

Percent of adults who have a personal doctor.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	80.1	74.5	84.7	77.1	75.9	78.2	80.9
SEX	Men	76.3	66.7	83.7	72.8	71.0	74.6	74.5
	Women	84.4	78.5	88.9	81.1	79.7	82.4	87.0
RACE/ETHNICITY	Non-Hisp. White	79.4	73.4	84.4	82.2	81.1	83.2	81.8
	Non-Hisp. Black	73.5	49.4	88.7	75.6	71.4	79.4	80.6
	Hispanic				61.7	58.0	65.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.1	63.7	82.4	77.9	76.0	79.7	
	Non-Hisp. White Women	85.0	79.0	89.4	86.3	85.0	87.4	
	Non-Hisp. Black Men				70.8	63.6	77.1	
	Non-Hisp. Black Women	74.5	44.5	91.4	78.8	73.5	83.3	76.3
	Hispanic Men				58.2	52.4	63.8	87.3
	Hispanic Women				65.2	60.5	69.5	
AGE GROUP	18-44	69.0	57.7	78.3	64.7	62.5	66.8	73.7
	45-64	89.3	84.3	92.9	83.3	81.9	84.6	81.8
	65 & Older	91.6	86.0	95.1	92.9	91.9	93.8	93.4
EDUCATION LEVEL	<High School	73.0	55.3	85.5	62.8	58.9	66.5	73.8
	HS / Some College	74.9	66.1	82.0	71.4	68.9	73.7	79.0
	4+ Yrs. College	87.0	80.0	91.8	82.1	80.8	83.4	87.5
ANNUAL INCOME	<\$25,000	75.9	64.3	84.7	66.8	64.1	69.4	75.9
	\$25,000-\$49,999	79.1	66.7	87.7	74.2	71.8	76.4	82.1
	\$50,000 or More	85.0	75.6	91.2	84.8	83.2	86.3	89.9
MARITAL STATUS	Married/Couple	83.1	76.6	88.2	80.6	79.3	81.8	82.4
	Not Married/Couple	74.3	63.9	82.6	71.1	68.9	73.2	78.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percent of adults who could not see a doctor at least once in the past year due to cost.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.0	16.4	26.6	15.1 *	14.2	16.0	
SEX	Men	20.4	13.3	29.9	13.3	11.9	14.7	
	Women	21.8	16.9	27.7	16.8	15.7	18.0	
RACE/ETHNICITY	Non-Hisp. White	20.8	15.7	27.0	11.5 *	10.8	12.4	
	Non-Hisp. Black	25.4	11.7	46.6	20.9	17.8	24.4	
	Hispanic				23.5	20.6	26.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	20.4	12.5	31.6	9.8 *	8.6	11.0	
	Non-Hisp. White Women	21.1	15.9	27.6	13.2 *	12.2	14.3	
	Non-Hisp. Black Men				16.7	12.2	22.6	
	Non-Hisp. Black Women	19.4	7.5	41.4	23.8	19.9	28.2	
	Hispanic Men				22.9	18.4	28.2	
	Hispanic Women				24.1	20.5	28.2	
AGE GROUP	18-44	30.3	21.0	41.4	19.9	18.3	21.6	
	45-64	16.4	11.9	22.3	15.8	14.5	17.2	
	65 & Older	7.3	3.8	13.8	4.5	3.7	5.3	
EDUCATION LEVEL	<High School	32.3	18.7	49.8	25.6	22.6	28.9	
	HS / Some College	24.4	17.9	32.5	19.0	17.1	21.0	
	4+ Yrs. College	14.0	9.0	21.1	11.7	10.7	12.8	
ANNUAL INCOME	<\$25,000	38.8	28.9	49.8	29.3	26.9	31.9	
	\$25,000-\$49,999	21.5	13.4	32.7	18.4	16.5	20.5	
	\$50,000 or More	9.5	5.2	16.9	6.3	5.4	7.4	
MARITAL STATUS	Married/Couple	18.3	13.4	24.6	12.7	11.8	13.8	
	Not Married/Couple	26.4	17.8	37.3	19.3	17.6	21.0	

Percent of adults who had a medical checkup in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	67.2	59.1	74.3	74.6	73.5	75.7	
SEX	Men	61.6	48.6	73.2	70.5	68.7	72.3	
	Women	73.5	66.8	79.2	78.5	77.1	79.8	
RACE/ETHNICITY	Non-Hisp. White	71.8	65.4	77.4	75.0	73.8	76.2	
	Non-Hisp. Black	67.7	45.5	84.0	82.7	79.0	85.9	
	Hispanic				70.1	66.5	73.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	68.6	58.1	77.5	71.0	69.1	72.9	
	Non-Hisp. White Women	75.1	67.9	81.1	78.8	77.3	80.2	
	Non-Hisp. Black Men				76.9	69.3	83.1	
	Non-Hisp. Black Women	68.6	41.4	87.1	86.8	83.3	89.6	
	Hispanic Men				66.0	60.2	71.3	
	Hispanic Women				74.3	70.0	78.3	
AGE GROUP	18-44	50.3	37.8	62.8	64.0	61.8	66.1	
	45-64	81.6	75.4	86.5	77.7	76.2	79.1	
	65 & Older	84.4	73.6	91.4	91.5	90.4	92.4	
EDUCATION LEVEL	<High School	66.6	49.7	80.1	71.4	67.6	74.9	
	HS / Some College	58.6	49.8	66.8	72.8 *	70.5	75.0	
	4+ Yrs. College	74.1	57.0	86.1	76.0	74.6	77.4	
ANNUAL INCOME	<\$25,000	60.9	50.0	70.8	73.0	70.4	75.3	
	\$25,000-\$49,999	65.3	53.4	75.6	72.4	70.1	74.5	
	\$50,000 or More	70.9	50.4	85.4	75.7	73.9	77.4	
MARITAL STATUS	Married/Couple	66.0	55.2	75.4	75.6	74.3	77.0	
	Not Married/Couple	69.6	59.1	78.3	73.1	71.0	75.0	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults with good to excellent overall health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	78.4	73.0	83.0	83.4	82.5	84.2	70.5
SEX	Men	77.2	67.5	84.7	83.8	82.4	85.1	73.7
	Women	79.8	75.0	83.9	82.9	81.8	84.0	67.5 *
RACE/ETHNICITY	Non-Hisp. White	77.6	71.4	82.8	85.8 *	85.0	86.6	72.4
	Non-Hisp. Black	82.3	66.1	91.8	80.8	77.5	83.7	54.8
	Hispanic				77.2	74.1	80.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.5	63.5	83.1	86.1 *	84.8	87.3	
	Non-Hisp. White Women	80.8	75.5	85.2	85.6	84.6	86.5	
	Non-Hisp. Black Men				84.0	79.6	87.6	
	Non-Hisp. Black Women	84.8	69.7	93.1	78.5	73.8	82.5	73.9
	Hispanic Men				77.5	72.5	81.7	70.8
	Hispanic Women				77.0	73.0	80.6	
AGE GROUP	18-44	86.9	76.3	93.2	89.5	88.1	90.8	83.2
	45-64	71.8	63.6	78.7	80.4 *	78.8	81.8	63.2
	65 & Older	68.7	60.1	76.1	75.2	73.6	76.8	56.0
EDUCATION LEVEL	<High School	49.6	35.3	64.0	66.1	62.5	69.4	50.8
	HS / Some College	82.8	75.9	88.0	79.0	77.1	80.8	75.1
	4+ Yrs. College	85.7	78.2	90.9	88.1	87.1	89.0	77.4
ANNUAL INCOME	<\$25,000	57.2	46.8	67.0	65.7	63.2	68.1	56.5
	\$25,000-\$49,999	87.3	80.2	92.2	83.9	82.3	85.4	80.4
	\$50,000 or More	92.9	83.0	97.2	93.3	92.2	94.2	90.9
MARITAL STATUS	Married/Couple	86.2	81.6	89.8	85.1	84.0	86.1	75.3 *
	Not Married/Couple	63.2	52.5	72.8	80.3 *	78.7	81.7	61.1

Percent of adults who are "very satisfied" or "satisfied" with their lives.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	91.4	87.2	94.3	94.2	93.6	94.8	
SEX	Men	91.6	83.9	95.8	94.0	92.9	94.9	
	Women	91.1	86.4	94.3	94.5	93.8	95.1	
RACE/ETHNICITY	Non-Hisp. White	91.9	87.0	95.0	94.9	94.3	95.4	
	Non-Hisp. Black	90.8	66.9	98.0	93.0	91.0	94.7	
	Hispanic				93.5	90.8	95.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	93.6	83.3	97.8	94.8	93.9	95.6	
	Non-Hisp. White Women	90.2	84.6	93.9	95.0 *	94.3	95.5	
	Non-Hisp. Black Men				90.3	85.9	93.4	
	Non-Hisp. Black Women				94.9	92.8	96.5	
	Hispanic Men				93.0	87.9	96.0	
	Hispanic Women				94.0	91.3	95.9	
AGE GROUP	18-44	90.4	83.8	94.5	94.6	93.4	95.6	
	45-64	90.4	80.6	95.5	92.7	91.7	93.6	
	65 & Older	95.2	88.8	98.0	95.8	95.0	96.5	
EDUCATION LEVEL	<High School	88.6	76.6	94.8	91.7	89.7	93.4	
	HS / Some College	92.5	86.9	95.8	92.7	91.1	94.1	
	4+ Yrs. College	91.3	83.2	95.7	95.3	94.6	95.9	
ANNUAL INCOME	<\$25,000	86.1	78.9	91.1	87.8	86.0	89.3	
	\$25,000-\$49,999	89.8	80.8	94.8	94.8	93.6	95.8	
	\$50,000 or More	94.2	81.9	98.3	97.2	96.2	98.0	
MARITAL STATUS	Married/Couple	94.7	90.8	97.0	96.4	95.7	96.9	
	Not Married/Couple	84.7	74.7	91.2	90.5	89.2	91.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults who always or usually receive the social and emotional support they need.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	77.6	72.2	82.3	77.9	76.8	79.0	
SEX	Men	78.8	69.8	85.7	76.6	74.7	78.3	
	Women	76.4	69.9	81.8	79.2	77.9	80.5	
RACE/ETHNICITY	Non-Hisp. White	78.6	72.9	83.5	82.3	81.3	83.3	
	Non-Hisp. Black	53.5	32.4	73.5	67.0	62.7	71.0	
	Hispanic				68.5	64.6	72.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	80.4	70.7	87.4	81.2	79.6	82.8	
	Non-Hisp. White Women	77.0	69.7	83.0	83.4	82.2	84.5	
	Non-Hisp. Black Men				65.3	58.1	71.9	
	Non-Hisp. Black Women				68.1	62.7	73.0	
	Hispanic Men				64.7	58.2	70.6	
	Hispanic Women				72.3	67.9	76.4	
AGE GROUP	18-44	75.3	64.6	83.5	78.2	76.1	80.1	
	45-64	83.2	77.2	87.8	78.1	76.5	79.6	
	65 & Older	72.7	61.7	81.5	77.4	75.9	78.9	
EDUCATION LEVEL	<High School	59.5	43.9	73.3	63.3	59.3	67.0	
	HS / Some College	74.0	65.7	80.8	71.9	69.5	74.2	
	4+ Yrs. College	86.5	80.0	91.1	82.9	81.6	84.1	
ANNUAL INCOME	<\$25,000	59.7	49.4	69.2	63.4	60.7	66.1	
	\$25,000-\$49,999	77.1	65.9	85.4	76.0	73.8	78.0	
	\$50,000 or More	91.6	85.1	95.4	87.1	85.6	88.5	
MARITAL STATUS	Married/Couple	82.6	76.4	87.4	83.1	81.9	84.3	
	Not Married/Couple	67.5	57.5	76.2	68.9	66.8	70.9	

Percent of adults with good physical health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	83.9	79.2	87.7	88.8 *	88.1	89.5	
SEX	Men	83.7	75.6	89.5	89.8	88.7	90.8	
	Women	84.2	79.1	88.2	87.8	86.9	88.7	
RACE/ETHNICITY	Non-Hisp. White	82.8	77.4	87.1	88.5 *	87.7	89.2	
	Non-Hisp. Black	85.4	66.4	94.6	88.0	85.5	90.1	
	Hispanic				90.6	88.5	92.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	80.7	71.0	87.7	89.6 *	88.4	90.7	
	Non-Hisp. White Women	84.9	79.6	89.0	87.4	86.4	88.4	
	Non-Hisp. Black Men				89.1	85.2	92.0	
	Non-Hisp. Black Women				87.3	83.9	90.0	
	Hispanic Men				91.4	87.8	94.0	
	Hispanic Women				89.8	87.3	91.9	
AGE GROUP	18-44	89.4	81.8	94.0	92.5	91.4	93.5	
	45-64	77.3	68.6	84.1	86.5 *	85.2	87.6	
	65 & Older	81.7	73.8	87.6	84.3	82.9	85.5	
EDUCATION LEVEL	<High School	75.0	62.9	84.1	82.6	80.1	84.8	
	HS / Some College	83.9	76.1	89.5	86.6	85.1	87.9	
	4+ Yrs. College	87.3	79.5	92.4	90.8	89.9	91.6	
ANNUAL INCOME	<\$25,000	72.1	63.1	79.6	80.3	78.5	82.0	
	\$25,000-\$49,999	87.1	78.3	92.6	89.1	87.7	90.3	
	\$50,000 or More	94.0	82.8	98.1	93.5	92.5	94.4	
MARITAL STATUS	Married/Couple	88.8	84.3	92.1	90.4	89.5	91.1	
	Not Married/Couple	74.4	64.3	82.4	86.1 *	84.8	87.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percent of adults with good mental health.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	86.0	81.5	89.6	90.3	89.6	91.0	
SEX	Men	87.9	80.1	92.9	91.9	90.9	92.9	
	Women	83.9	78.6	88.1	88.7	87.7	89.7	
RACE/ETHNICITY	Non-Hisp. White	85.1	79.9	89.1	90.9 *	90.2	91.6	
	Non-Hisp. Black	93.1	73.0	98.5	87.2	83.8	90.0	
	Hispanic				89.8	87.4	91.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	88.1	78.7	93.7	92.2	91.2	93.2	
	Non-Hisp. White Women	81.9	75.7	86.8	89.7 *	88.7	90.5	
	Non-Hisp. Black Men				90.2	86.2	93.1	
	Non-Hisp. Black Women	100.0			85.2	80.1	89.2	
	Hispanic Men				92.0	88.2	94.6	
	Hispanic Women				87.7	84.2	90.5	
AGE GROUP	18-44	86.4	79.1	91.4	88.9	87.5	90.1	
	45-64	82.0	73.2	88.4	89.2	88.2	90.3	
	65 & Older	92.0	85.1	95.9	94.5	93.6	95.2	
EDUCATION LEVEL	<High School	79.9	67.8	88.3	84.2	81.0	87.0	
	HS / Some College	85.7	79.0	90.6	89.0	87.6	90.3	
	4+ Yrs. College	88.4	80.4	93.5	91.8	90.9	92.6	
ANNUAL INCOME	<\$25,000	77.3	69.0	83.9	83.9	81.9	85.8	
	\$25,000-\$49,999	85.2	75.3	91.5	88.7	87.1	90.1	
	\$50,000 or More	91.2	80.6	96.3	94.3	93.4	95.1	
MARITAL STATUS	Married/Couple	89.0	84.1	92.5	92.0	91.2	92.8	
	Not Married/Couple	80.0	70.4	87.1	87.2	85.8	88.5	

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	5.3	3.5	7.2	4.5	4.2	4.7	
SEX	Men	5.0	2.0	8.0	4.6	4.1	5.0	
	Women	5.7	3.8	7.6	4.4	4.1	4.7	
RACE/ETHNICITY	Non-Hisp. White	5.8	3.8	7.9	4.5	4.2	4.8	
	Non-Hisp. Black				4.5	3.7	5.3	
	Hispanic				3.9	3.1	4.7	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.9	2.2	9.6	4.6	4.1	5.1	
	Non-Hisp. White Women	5.8	3.7	7.9	4.3	4.0	4.7	
	Non-Hisp. Black Men				4.5	2.9	6.1	
	Non-Hisp. Black Women				4.5	3.6	5.5	
	Hispanic Men				3.7	2.3	5.0	
	Hispanic Women				4.0	3.1	5.0	
AGE GROUP	18-44	4.0	1.7	6.2	3.4	3.0	3.9	
	45-64	5.9	2.5	9.3	5.1	4.7	5.6	
	65 & Older	8.7	5.2	12.3	5.8	5.2	6.4	
EDUCATION LEVEL	<High School	6.8	3.1	10.6	6.2	5.2	7.1	
	HS / Some College	5.4	3.2	7.6	5.4	4.9	6.0	
	4+ Yrs. College	4.7	1.5	7.8	3.8	3.4	4.1	
ANNUAL INCOME	<\$25,000	8.0	5.2	10.9	7.5	6.8	8.2	
	\$25,000-\$49,999	4.1	1.4	6.8	4.4	3.9	4.9	
	\$50,000 or More	2.8	-1.1	6.7	2.5	2.2	2.8	
MARITAL STATUS	Married/Couple	4.6	2.6	6.6	4.0	3.7	4.3	
	Not Married/Couple	6.6	3.2	10.0	5.2	4.7	5.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.7	3.6	5.8	3.6	3.4	3.8	
SEX	Men	4.8	2.9	6.8	3.3	3.0	3.6	
	Women	4.6	3.6	5.6	3.9	3.7	4.1	
RACE/ETHNICITY	Non-Hisp. White	5.0	3.8	6.3	3.7	3.5	3.8	
	Non-Hisp. Black	5.6	1.4	9.8	4.1	3.5	4.8	
	Hispanic				3.0	2.5	3.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.7	3.4	7.9	3.4	3.1	3.7	
	Non-Hisp. White Women	4.3	3.3	5.4	3.9	3.7	4.2	
	Non-Hisp. Black Men				3.4	2.5	4.3	
	Non-Hisp. Black Women				4.6	3.7	5.5	
	Hispanic Men				2.7	1.9	3.5	
	Hispanic Women				3.3	2.7	4.0	
AGE GROUP	18-44	3.1	1.8	4.4	2.7	2.4	2.9	
	45-64	6.5	4.4	8.7	4.2	3.9	4.5	
	65 & Older	5.4	3.4	7.3	4.8	4.4	5.1	
EDUCATION LEVEL	<High School	6.9	4.4	9.3	5.5	4.8	6.2	
	HS / Some College	4.7	3.2	6.2	4.3	3.9	4.7	
	4+ Yrs. College	3.9	2.1	5.8	3.1	2.9	3.3	
ANNUAL INCOME	<\$25,000	7.7	5.7	9.6	6.3	5.8	6.8	
	\$25,000-\$49,999	3.6	2.0	5.3	3.5	3.2	3.8	
	\$50,000 or More	2.4	0.4	4.4	2.3	2.0	2.5	
MARITAL STATUS	Married/Couple	3.4	2.4	4.4	3.2	3.0	3.4	
	Not Married/Couple	7.3	4.9	9.7	4.4 *	4.0	4.7	

Average number of unhealthy mental days in the past 30 days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	4.5	3.3	5.6	3.3	3.1	3.5	
SEX	Men	4.1	2.2	6.0	2.8	2.5	3.1	
	Women	4.9	3.7	6.2	3.7	3.4	4.0	
RACE/ETHNICITY	Non-Hisp. White	4.5	3.2	5.8	3.1	2.9	3.2	
	Non-Hisp. Black	2.9	-0.4	6.3	4.1	3.2	5.0	
	Hispanic				3.5	2.8	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.6	1.4	5.8	2.7	2.4	2.9	
	Non-Hisp. White Women	5.4	3.9	6.9	3.4 *	3.2	3.7	
	Non-Hisp. Black Men				3.3	2.3	4.3	
	Non-Hisp. Black Women				4.6	3.4	5.9	
	Hispanic Men				3.0	1.9	4.0	
	Hispanic Women				4.0	3.1	5.0	
AGE GROUP	18-44	4.6	2.9	6.3	3.8	3.4	4.2	
	45-64	5.3	3.2	7.5	3.5	3.2	3.8	
	65 & Older	2.4	0.9	4.0	1.8	1.6	2.0	
EDUCATION LEVEL	<High School	6.1	3.2	8.9	5.2	4.3	6.1	
	HS / Some College	4.6	2.9	6.3	3.7	3.3	4.1	
	4+ Yrs. College	3.9	2.0	5.7	2.8	2.6	3.0	
ANNUAL INCOME	<\$25,000	6.7	4.6	8.8	5.2	4.6	5.7	
	\$25,000-\$49,999	4.9	2.6	7.2	3.6	3.2	4.0	
	\$50,000 or More	3.3	1.1	5.5	2.2	1.9	2.4	
MARITAL STATUS	Married/Couple	3.7	2.5	4.9	2.7	2.5	2.9	
	Not Married/Couple	6.0	3.6	8.5	4.3	3.9	4.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percent of adults less than 65 years of age who have ever been tested for HIV.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	44.2	36.5	52.2	49.1	47.6	50.6	44.8
SEX	Men	43.0	30.8	56.0	46.4	44.0	48.8	39.7
	Women	45.6	38.0	53.4	51.8	50.0	53.7	50.0
RACE/ETHNICITY	Non-Hisp. White	44.6	37.4	52.0	45.3	43.6	47.0	42.2
	Non-Hisp. Black				68.4	63.9	72.6	
	Hispanic				50.7	46.5	54.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.9	34.5	57.6	45.2	42.6	47.8	
	Non-Hisp. White Women	43.2	35.0	51.9	45.4	43.3	47.5	
	Non-Hisp. Black Men				61.9	53.8	69.5	
	Non-Hisp. Black Women				72.9	67.8	77.5	37.2
	Hispanic Men				44.2	37.8	50.8	47.4
	Hispanic Women				57.5	52.4	62.5	
AGE GROUP	18-44	52.4	39.1	65.4	58.5	56.3	60.7	52.7
	45-64	33.2	25.5	42.0	35.9	34.2	37.7	35.9
	65 & Older							
EDUCATION LEVEL	<High School	48.3	30.5	66.4	48.1	43.0	53.3	46.2
	HS / Some College	44.2	34.7	54.2	46.9	43.8	50.0	45.6
	4+ Yrs. College	43.1	30.7	56.5	50.2	48.4	52.1	43.3
ANNUAL INCOME	<\$25,000	55.2	43.1	66.8	54.1	50.5	57.7	53.2
	\$25,000-\$49,999	52.2	40.4	63.7	48.0	45.1	51.0	44.4
	\$50,000 or More	33.2	21.4	47.7	49.5	47.3	51.7	34.5
MARITAL STATUS	Married/Couple	38.3	29.4	48.0	47.7	45.9	49.5	41.1
	Not Married/Couple	56.6	44.3	68.1	51.7	48.9	54.4	53.1

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percent of adults with diagnosed hypertension.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	34.5	29.1	40.3	28.2	27.2	29.2	37.5
SEX	Men	34.5	25.9	44.2	28.8	27.2	30.4	37.0
	Women	34.5	28.7	40.8	27.6	26.4	28.8	37.9
RACE/ETHNICITY	Non-Hisp. White	35.8	30.3	41.8	30.4	29.3	31.5	37.5
	Non-Hisp. Black	40.2	23.1	60.0	32.5	28.9	36.3	41.3
	Hispanic				19.1	16.5	22.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.3	28.5	47.1	31.0	29.3	32.7	
	Non-Hisp. White Women	34.2	27.9	41.2	29.8	28.5	31.2	
	Non-Hisp. Black Men				30.9	25.4	37.1	
	Non-Hisp. Black Women	43.2	22.6	66.5	33.6	29.1	38.4	37.2
	Hispanic Men				20.9	16.7	25.9	37.8
	Hispanic Women				17.3	14.3	20.8	
AGE GROUP	18-44	19.8	12.6	29.8	11.6	10.3	13.1	20.6
	45-64	41.6	34.3	49.3	33.9	32.3	35.5	47.7
	65 & Older	58.5	49.4	67.0	53.5	51.8	55.3	54.4
EDUCATION LEVEL	<High School	44.7	31.0	59.2	31.9	28.7	35.3	34.9
	HS / Some College	36.3	28.9	44.5	29.5	27.6	31.3	35.3
	4+ Yrs. College	29.2	21.6	38.2	27.0	25.8	28.3	41.5
ANNUAL INCOME	<\$25,000	45.2	35.7	55.2	35.3	33.0	37.6	45.7
	\$25,000-\$49,999	44.8	34.4	55.6	29.2 *	27.3	31.1	30.8
	\$50,000 or More	20.2	13.4	29.4	23.2	21.7	24.8	31.9
MARITAL STATUS	Married/Couple	32.5	26.0	39.9	27.4	26.2	28.6	35.1
	Not Married/Couple	38.1	29.4	47.7	29.6	28.0	31.3	42.1

Percent of adults with hypertension who engage in blood pressure control measures.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	94.7	88.9	97.6	96.4	95.5	97.2	
SEX	Men	96.1	90.8	98.4	95.9	94.1	97.1	
	Women	93.2	80.6	97.8	97.0	95.9	97.8	
RACE/ETHNICITY	Non-Hisp. White	96.3	92.3	98.3	97.1	96.3	97.8	
	Non-Hisp. Black				96.0	91.9	98.1	
	Hispanic				94.6	89.1	97.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	96.6	90.1	98.9	97.0	95.7	97.9	
	Non-Hisp. White Women	96.1	89.3	98.6	97.3	96.0	98.1	
	Non-Hisp. Black Men				94.3	84.7	98.0	
	Non-Hisp. Black Women				97.1	92.6	98.9	
	Hispanic Men				93.1	83.0	97.4	
	Hispanic Women				96.4	91.1	98.6	
AGE GROUP	18-44	88.5	67.4	96.6	90.0	85.5	93.2	
	45-64	98.0	91.0	99.6	96.9	95.7	97.9	
	65 & Older	95.7	89.6	98.3	98.8	98.1	99.2	
EDUCATION LEVEL	<High School	98.6	90.4	99.8	94.3	90.6	96.6	
	HS / Some College	92.0	77.1	97.5	96.2	94.2	97.5	
	4+ Yrs. College	95.2	88.9	98.0	97.0	95.7	97.9	
ANNUAL INCOME	<\$25,000	94.1	86.1	97.7	96.2	94.1	97.6	
	\$25,000-\$49,999	93.2	72.2	98.6	97.1	95.4	98.2	
	\$50,000 or More	98.3	93.0	99.6	96.7	94.6	98.0	
MARITAL STATUS	Married/Couple	96.4	91.3	98.5	96.1	94.7	97.2	
	Not Married/Couple	91.9	76.9	97.5	96.9	95.5	97.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percent of adults with hypertension who were advised by a health care provider to engage in blood pressure control measures.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	95.6	91.0	97.9	95.5	94.4	96.4	
SEX	Men	94.9	88.2	97.9	95.6	94.1	96.7	
	Women	96.5	86.9	99.1	95.5	93.6	96.8	
RACE/ETHNICITY	Non-Hisp. White	95.5	89.8	98.1	96.3	95.4	97.1	
	Non-Hisp. Black				93.8	84.4	97.7	
	Hispanic				92.9	87.5	96.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	95.2	86.8	98.4	96.7	95.5	97.6	
	Non-Hisp. White Women	95.9	84.7	99.0	96.0	94.4	97.1	
	Non-Hisp. Black Men				96.1	91.1	98.3	
	Non-Hisp. Black Women				92.4	76.5	97.8	
	Hispanic Men				90.1	80.3	95.3	
	Hispanic Women				96.2	91.6	98.3	
AGE GROUP	18-44	94.7	79.0	98.8	89.8	84.5	93.5	
	45-64	96.3	88.4	98.9	96.3	94.8	97.4	
	65 & Older	95.5	85.9	98.7	97.2	96.2	98.0	
EDUCATION LEVEL	<High School	98.3	88.5	99.8	93.7	90.5	95.9	
	HS / Some College	93.9	82.4	98.0	95.5	92.3	97.4	
	4+ Yrs. College	95.9	88.7	98.6	95.8	94.5	96.9	
ANNUAL INCOME	<\$25,000	93.9	83.6	97.9	94.4	90.9	96.6	
	\$25,000-\$49,999	94.2	82.8	98.2	95.5	93.4	96.9	
	\$50,000 or More	100.0			96.4	94.6	97.6	
MARITAL STATUS	Married/Couple	94.6	87.3	97.8	95.7	94.4	96.8	
	Not Married/Couple	97.5	92.1	99.2	95.2	92.9	96.8	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults in high-risk groups who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	46.4	37.2	55.9	44.6	42.4	46.8	
SEX	Men	42.2	27.3	58.7	46.4	42.8	50.1	
	Women	49.7	39.4	60.0	43.2	40.6	45.9	
RACE/ETHNICITY	Non-Hisp. White	46.5	36.3	57.0	50.2	47.8	52.6	
	Non-Hisp. Black				24.7	19.5	30.8	
	Hispanic				34.1	26.8	42.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	45.9	28.1	64.8	50.3	46.3	54.4	
	Non-Hisp. White Women	47.0	36.0	58.3	50.1	47.3	52.9	
	Non-Hisp. Black Men				22.4	14.0	33.9	
	Non-Hisp. Black Women				25.6	19.4	33.0	
	Hispanic Men				39.9	27.4	53.9	
	Hispanic Women				29.9	21.8	39.5	
AGE GROUP	18-44	21.5	11.0	37.8	25.1	21.4	29.2	
	45-64	58.7	46.7	69.7	41.6 *	38.4	44.9	
	65 & Older	68.5	52.4	81.0	72.1	68.9	75.1	
EDUCATION LEVEL	<High School	44.8	24.3	67.3	34.6	28.9	40.9	
	HS / Some College	48.8	32.4	65.4	42.8	38.6	47.2	
	4+ Yrs. College	45.3	33.2	58.0	46.6	43.9	49.3	
ANNUAL INCOME	<\$25,000	46.2	32.2	60.9	41.8	37.6	46.2	
	\$25,000-\$49,999	46.6	27.7	66.6	44.1	40.1	48.1	
	\$50,000 or More	48.3	31.6	65.4	45.7	42.1	49.4	
MARITAL STATUS	Married/Couple	49.0	37.1	61.0	46.4	43.6	49.1	
	Not Married/Couple	43.2	29.6	57.8	42.0	38.5	45.6	

Percent of adults in high-risk groups who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.1	29.5	47.6	37.0	35.0	39.1	
SEX	Men	45.1	29.2	62.1	40.4	36.9	44.0	
	Women	32.6	23.9	42.5	34.7	32.3	37.1	
RACE/ETHNICITY	Non-Hisp. White	35.6	26.3	46.1	43.0	40.8	45.4	
	Non-Hisp. Black				20.9	16.1	26.8	
	Hispanic				21.8	16.3	28.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.9	28.6	66.2	45.3	41.4	49.4	
	Non-Hisp. White Women	27.1	18.9	37.2	41.2 *	38.6	43.9	
	Non-Hisp. Black Men				30.0	18.7	44.6	
	Non-Hisp. Black Women				17.4	13.0	22.8	
	Hispanic Men				19.3	11.9	29.7	
	Hispanic Women				23.6	16.3	32.7	
AGE GROUP	18-44	26.0	13.2	44.8	12.7	10.0	16.1	
	45-64	36.3	24.6	49.8	30.1	27.3	33.1	
	65 & Older	61.4	45.9	74.8	73.5	70.4	76.5	
EDUCATION LEVEL	<High School	33.6	17.1	55.3	38.8	32.3	45.8	
	HS / Some College	48.5	31.9	65.5	38.9	34.9	43.0	
	4+ Yrs. College	34.5	22.8	48.5	36.0	33.5	38.5	
ANNUAL INCOME	<\$25,000	45.6	31.6	60.4	41.6	37.5	45.9	
	\$25,000-\$49,999	45.1	25.4	66.6	41.1	37.2	45.1	
	\$50,000 or More	19.8	10.0	35.5	28.5	25.4	31.8	
MARITAL STATUS	Married/Couple	36.9	25.6	49.7	37.6	35.0	40.2	
	Not Married/Couple	39.8	26.8	54.4	36.3	33.2	39.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	27.1	22.6	32.2	32.7	31.7	33.7	23.3
SEX	Men	22.0	15.9	29.6	31.7 *	30.1	33.3	23.3
	Women	32.9	27.3	38.9	33.6	32.3	34.9	23.2
RACE/ETHNICITY	Non-Hisp. White	27.9	23.3	33.1	38.0 *	36.8	39.2	24.1
	Non-Hisp. Black	22.9	12.1	38.9	23.0	19.9	26.3	18.0
	Hispanic				20.6	17.9	23.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.2	16.9	30.9	36.5 *	34.7	38.4	
	Non-Hisp. White Women	32.8	26.7	39.6	39.4	37.9	40.9	
	Non-Hisp. Black Men				22.9	17.9	28.8	
	Non-Hisp. Black Women	27.2	13.9	46.3	23.0	19.3	27.1	24.2
	Hispanic Men				19.5	15.6	24.2	24.1
	Hispanic Women				21.7	18.2	25.7	
AGE GROUP	18-44	12.0	7.2	19.3	18.3	16.7	20.0	9.5
	45-64	29.0	22.8	36.2	30.6	29.1	32.2	21.2
	65 & Older	61.4	52.2	69.9	64.6	62.9	66.4	52.3
EDUCATION LEVEL	<High School	25.7	16.9	37.1	26.0	23.2	29.0	26.2
	HS / Some College	25.7	19.6	32.9	30.4	28.6	32.3	23.1
	4+ Yrs. College	28.5	21.0	37.5	34.8	33.5	36.2	21.7
ANNUAL INCOME	<\$25,000	33.0	25.2	41.9	33.8	31.5	36.3	24.6
	\$25,000-\$49,999	29.8	21.4	39.8	31.3	29.4	33.3	22.9
	\$50,000 or More	21.2	13.9	31.0	31.9	30.3	33.6	15.0
MARITAL STATUS	Married/Couple	27.2	21.3	33.9	33.3	32.0	34.6	21.3
	Not Married/Couple	27.1	20.6	34.7	31.8	30.0	33.6	27.1

Percent of adults age 65 and older who received a flu shot in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	61.4	52.2	69.9	64.6	62.9	66.4	52.3
SEX	Men	48.2	34.1	62.6	65.9 *	63.1	68.5	61.5
	Women	72.4	62.0	80.8	63.7	61.4	65.9	46.1 *
RACE/ETHNICITY	Non-Hisp. White	63.4	53.5	72.3	68.3	66.5	70.0	61.4
	Non-Hisp. Black				44.7	36.9	52.8	
	Hispanic				45.3	37.3	53.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	54.5	38.6	69.6	69.3	66.5	71.9	
	Non-Hisp. White Women	70.2	58.4	79.8	67.5	65.2	69.7	
	Non-Hisp. Black Men				44.4	32.4	57.2	
	Non-Hisp. Black Women				44.9	35.0	55.2	66.2
	Hispanic Men				47.4	34.6	60.5	57.3
	Hispanic Women				43.7	33.9	54.1	
AGE GROUP	18-44							
	45-64							
	65 & Older	61.4	52.2	69.9	64.6	62.9	66.4	52.3
EDUCATION LEVEL	<High School	53.7	36.0	70.5	50.8	45.3	56.3	48.8
	HS / Some College	68.8	54.7	80.2	62.1	59.0	65.1	52.3
	4+ Yrs. College	58.7	43.8	72.2	69.4	67.1	71.6	56.8
ANNUAL INCOME	<\$25,000	55.7	42.4	68.2	59.8	56.6	63.0	62.5
	\$25,000-\$49,999	71.0	47.4	86.9	63.7	60.4	67.0	
	\$50,000 or More				70.5	66.8	73.9	
MARITAL STATUS	Married/Couple	63.8	51.1	74.9	68.5	66.1	70.7	54.6
	Not Married/Couple	57.7	45.1	69.3	59.3	56.6	61.9	49.4

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	23.5	19.1	28.5	25.9	25.0	26.9	23.6
SEX	Men	20.4	14.2	28.3	25.6	24.1	27.2	22.3
	Women	26.8	21.5	32.9	26.2	25.0	27.4	24.7
RACE/ETHNICITY	Non-Hisp. White	24.0	19.4	29.3	30.0	28.9	31.1	25.8
	Non-Hisp. Black	39.1	22.2	59.1	17.5 *	14.9	20.5	4.3 *
	Hispanic				16.1	13.5	19.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.0	16.1	31.7	28.6	26.9	30.3	
	Non-Hisp. White Women	25.0	19.4	31.7	31.3	29.9	32.6	
	Non-Hisp. Black Men				20.1	15.6	25.6	
	Non-Hisp. Black Women	39.6	20.3	62.8	15.8 *	12.8	19.3	23.6
	Hispanic Men				17.3	13.1	22.5	27.7
	Hispanic Women				15.0	12.0	18.5	
AGE GROUP	18-44	12.3	7.2	20.4	11.4	10.0	13.0	8.5
	45-64	18.8	13.5	25.5	18.4	17.1	19.8	20.3
	65 & Older	56.5	47.2	65.4	63.0	61.2	64.8	53.9
EDUCATION LEVEL	<High School	25.7	16.2	38.1	25.1	22.4	28.1	24.7
	HS / Some College	22.1	16.2	29.4	27.7	25.8	29.8	19.1
	4+ Yrs. College	23.8	16.9	32.5	25.2	24.1	26.4	28.0
ANNUAL INCOME	<\$25,000	30.4	22.8	39.3	31.6	29.4	33.8	30.5
	\$25,000-\$49,999	26.6	17.6	38.1	26.8	25.0	28.6	20.0
	\$50,000 or More	14.3	8.9	22.2	19.5	18.1	21.1	9.6
MARITAL STATUS	Married/Couple	20.6	15.4	27.2	24.8	23.6	26.0	21.0
	Not Married/Couple	29.1	22.0	37.4	27.9	26.3	29.6	28.5

Percent of adults age 65 and older who have ever received a pneumonia vaccination.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	56.5	47.2	65.4	63.0	61.2	64.8	53.9
SEX	Men	49.6	35.3	64.0	62.8	60.0	65.5	65.6
	Women	62.3	50.8	72.5	63.2	60.8	65.4	46.3
RACE/ETHNICITY	Non-Hisp. White	57.5	47.2	67.2	67.7	65.9	69.4	63.0
	Non-Hisp. Black				44.8	36.9	53.0	
	Hispanic				33.4	26.3	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	49.9	34.1	65.7	67.0	64.3	69.6	
	Non-Hisp. White Women	63.4	50.7	74.5	68.2	65.9	70.5	
	Non-Hisp. Black Men				41.6	29.6	54.7	
	Non-Hisp. Black Women				46.6	36.4	57.1	71.4
	Hispanic Men				33.4	22.6	46.4	56.1
	Hispanic Women				33.3	24.4	43.6	
AGE GROUP	18-44							
	45-64							
	65 & Older	56.5	47.2	65.4	63.0	61.2	64.8	53.9
EDUCATION LEVEL	<High School	54.7	36.4	71.8	51.3	45.8	56.8	47.1
	HS / Some College	63.8	48.9	76.4	61.3	58.1	64.3	52.9
	4+ Yrs. College	49.8	35.5	64.1	67.0 *	64.6	69.2	64.7
ANNUAL INCOME	<\$25,000	47.3	34.6	60.4	60.2	56.8	63.4	58.8
	\$25,000-\$49,999	68.3	45.2	84.9	64.4	61.1	67.7	
	\$50,000 or More				64.2	60.3	67.9	
MARITAL STATUS	Married/Couple	54.9	41.8	67.3	64.4	62.0	66.8	57.2
	Not Married/Couple	59.1	46.7	70.4	61.0	58.3	63.7	49.9

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percent of adults who were at risk and who have received a hepatitis B vaccination.

	2007 County		2007 State		2002 County Measure
	Measure	95% CI	Measure	95% CI	
ALL Overall			43.8	37.6 50.2	
SEX Men			43.1	35.4 51.1	
Women			45.7	35.9 55.8	
RACE/ETHNICITY Non-Hisp. White			44.2	37.1 51.6	
Non-Hisp. Black			46.1	31.7 61.1	
Hispanic			41.5	21.0 65.4	
SEX BY RACE/ETHNICITY Non-Hisp. White Men			42.3	33.6 51.6	
Non-Hisp. White Women			50.8	41.5 60.0	
Non-Hisp. Black Men			39.8	24.2 57.8	
Non-Hisp. Black Women			51.6	29.2 73.4	
Hispanic Men			47.5	21.9 74.5	
Hispanic Women			18.9	6.8 42.9	
AGE GROUP 18-44			50.3	41.7 59.0	
45-64			34.0	26.5 42.4	
65 & Older			10.9	5.3 21.1	
EDUCATION LEVEL <High School			46.1	28.9 64.4	
HS / Some College			42.9	31.2 55.4	
4+ Yrs. College			44.1	36.5 52.0	
ANNUAL INCOME <\$25,000			36.5	26.8 47.4	
\$25,000-\$49,999			46.5	36.0 57.4	
\$50,000 or More			46.2	35.0 57.8	
MARITAL STATUS Married/Couple			42.5	32.7 53.0	
Not Married/Couple			44.6	36.9 52.6	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults who are overweight.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	39.1	33.1	45.5	38.0	36.8	39.2	36.1
SEX	Men	45.7	35.2	56.6	46.0	44.1	48.0	41.8
	Women	31.5	25.8	37.9	30.2	28.8	31.6	30.2
RACE/ETHNICITY	Non-Hisp. White	40.7	34.8	47.0	38.2	37.0	39.5	35.8
	Non-Hisp. Black	37.9	20.1	59.7	36.4	32.5	40.5	31.7
	Hispanic				37.5	33.8	41.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	47.7	37.8	57.6	46.3	44.3	48.4	
	Non-Hisp. White Women	33.4	27.0	40.5	30.2	28.7	31.7	
	Non-Hisp. Black Men				41.1	34.2	48.4	
	Non-Hisp. Black Women				33.1	28.7	37.8	41.3
	Hispanic Men				46.6	40.7	52.7	29.9
	Hispanic Women				28.2	24.3	32.4	
AGE GROUP	18-44	33.4	23.8	44.6	36.4	34.2	38.6	33.7
	45-64	43.8	35.8	52.1	38.4	36.7	40.2	42.5
	65 & Older	45.4	36.1	55.1	40.6	38.9	42.4	30.6
EDUCATION LEVEL	<High School	46.4	32.2	61.3	37.5	33.7	41.4	34.0
	HS / Some College	38.0	30.1	46.5	37.2	35.0	39.6	37.4
	4+ Yrs. College	37.4	27.9	48.1	38.4	36.9	39.9	35.9
ANNUAL INCOME	<\$25,000	35.8	26.7	46.0	34.9	32.3	37.5	30.6
	\$25,000-\$49,999	46.5	35.9	57.4	39.0	36.7	41.4	35.8
	\$50,000 or More	40.9	28.5	54.5	40.4	38.5	42.4	42.3
MARITAL STATUS	Married/Couple	38.5	31.0	46.5	40.2	38.7	41.7	38.3
	Not Married/Couple	40.4	30.9	50.7	34.2	32.2	36.2	32.2

Percent of adults who are obese.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	27.9	22.9	33.6	24.1	23.1	25.1	28.9
SEX	Men	25.0	17.6	34.3	25.2	23.6	26.9	29.7
	Women	31.3	25.6	37.6	23.0 *	21.8	24.3	28.2
RACE/ETHNICITY	Non-Hisp. White	28.5	23.1	34.6	22.3	21.3	23.3	27.7
	Non-Hisp. Black	33.7	19.4	51.9	34.7	30.9	38.8	37.4
	Hispanic				26.5	23.2	30.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	28.6	20.2	38.9	24.6	23.0	26.4	
	Non-Hisp. White Women	28.4	22.4	35.2	19.9 *	18.8	21.1	
	Non-Hisp. Black Men				28.5	22.7	35.1	
	Non-Hisp. Black Women				39.0	34.2	44.1	29.4
	Hispanic Men				26.9	21.7	32.8	25.8
	Hispanic Women				26.1	22.3	30.4	
AGE GROUP	18-44	27.3	18.6	38.0	23.1	21.3	25.0	27.0
	45-64	29.5	23.2	36.6	28.1	26.5	29.7	28.0
	65 & Older	27.1	19.6	36.1	20.6	19.2	22.0	34.7
EDUCATION LEVEL	<High School	34.3	21.7	49.7	30.7	27.2	34.4	36.2
	HS / Some College	30.5	23.2	38.9	24.8	22.9	26.8	28.8
	4+ Yrs. College	23.5	16.7	32.0	22.8	21.5	24.1	24.5
ANNUAL INCOME	<\$25,000	37.6	28.2	48.0	26.5	24.5	28.7	33.1
	\$25,000-\$49,999	28.1	19.3	39.0	25.7	23.6	27.9	30.5
	\$50,000 or More	19.3	12.4	28.8	22.6	21.0	24.3	16.9
MARITAL STATUS	Married/Couple	27.1	21.1	34.2	24.1	22.9	25.4	30.2
	Not Married/Couple	29.5	21.2	39.4	23.9	22.2	25.8	26.7

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults who are overweight or obese.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	67.1	59.3	73.9	62.1	60.9	63.2	65.0
SEX	Men	70.7	56.4	81.9	71.2	69.5	72.9	71.5
	Women	62.8	56.3	68.9	53.2 *	51.6	54.7	58.4
RACE/ETHNICITY	Non-Hisp. White	69.2	63.4	74.6	60.5 *	59.2	61.8	63.5
	Non-Hisp. Black	71.7	50.0	86.5	71.1	66.6	75.3	69.1
	Hispanic				64.0	60.2	67.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	76.3	66.9	83.6	71.0	69.1	72.8	
	Non-Hisp. White Women	61.8	54.5	68.6	50.1 *	48.5	51.7	
	Non-Hisp. Black Men				69.6	61.5	76.7	
	Non-Hisp. Black Women				72.1	66.8	76.9	70.7
	Hispanic Men				73.5	68.0	78.3	55.7
	Hispanic Women				54.3	49.4	59.2	
AGE GROUP	18-44	60.7	46.6	73.2	59.4	57.2	61.6	60.7
	45-64	73.3	66.0	79.5	66.5	64.8	68.2	70.5
	65 & Older	72.6	64.1	79.7	61.2 *	59.5	62.9	65.3
EDUCATION LEVEL	<High School	80.8	68.3	89.1	68.2	64.1	72.0	70.2
	HS / Some College	68.4	60.1	75.7	62.0	59.7	64.3	66.3
	4+ Yrs. College	60.9	47.2	73.1	61.2	59.7	62.6	60.3
ANNUAL INCOME	<\$25,000	73.4	64.0	81.1	61.4	58.7	64.0	63.6
	\$25,000-\$49,999	74.5	64.7	82.4	64.7	62.5	66.9	66.3
	\$50,000 or More	60.2	43.3	75.0	63.0	61.1	64.8	59.2
MARITAL STATUS	Married/Couple	65.6	55.0	74.9	64.3	62.9	65.7	68.5
	Not Married/Couple	69.9	60.8	77.6	58.1 *	56.0	60.2	58.9

Percent of adults whose body weight increased by five pounds or more in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	24.6	19.4	30.5	22.4	21.3	23.5	
SEX	Men	24.9	17.1	34.9	21.4	19.8	23.2	
	Women	24.1	18.6	30.7	23.3	22.0	24.7	
RACE/ETHNICITY	Non-Hisp. White	25.6	20.0	32.1	19.2	18.1	20.3	
	Non-Hisp. Black	33.7	17.9	54.2	34.9	30.7	39.4	
	Hispanic				27.0	23.7	30.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	26.4	17.8	37.3	19.0	17.3	20.7	
	Non-Hisp. White Women	24.7	18.4	32.3	19.4	18.1	20.7	
	Non-Hisp. Black Men				32.0	24.8	40.1	
	Non-Hisp. Black Women				37.0	32.1	42.2	
	Hispanic Men				26.3	21.3	32.1	
	Hispanic Women				27.6	23.7	31.9	
AGE GROUP	18-44	32.6	22.9	44.0	30.2	28.2	32.3	
	45-64	21.4	14.8	29.9	18.3	17.0	19.7	
	65 & Older	10.9	6.2	18.6	12.5	11.4	13.8	
EDUCATION LEVEL	<High School	33.4	19.8	50.4	27.7	23.9	32.0	
	HS / Some College	23.3	16.5	31.9	25.2	23.1	27.4	
	4+ Yrs. College	22.3	15.2	31.4	20.4	19.1	21.7	
ANNUAL INCOME	<\$25,000	25.8	16.6	37.7	23.0	20.8	25.3	
	\$25,000-\$49,999	32.0	22.3	43.5	24.7	22.5	27.1	
	\$50,000 or More	21.6	13.4	33.1	21.1	19.5	22.8	
MARITAL STATUS	Married/Couple	25.1	19.1	32.2	21.7	20.5	23.0	
	Not Married/Couple	23.6	14.9	35.2	23.5	21.6	25.5	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percent of adults whose body weight decreased by five pounds or more in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	27.8	20.9	36.1	23.0	22.0	24.1	
SEX	Men	29.8	18.4	44.3	22.5	20.9	24.2	
	Women	25.6	20.2	31.8	23.5	22.2	24.9	
RACE/ETHNICITY	Non-Hisp. White	24.1	19.2	29.8	22.7	21.6	23.8	
	Non-Hisp. Black	34.6	17.6	56.7	24.8	21.5	28.5	
	Hispanic				23.4	20.1	27.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.9	16.4	33.5	22.3	20.6	24.1	
	Non-Hisp. White Women	24.3	18.8	30.8	23.0	21.6	24.5	
	Non-Hisp. Black Men				23.7	18.3	30.1	
	Non-Hisp. Black Women				25.6	21.5	30.2	
	Hispanic Men				22.9	17.9	28.8	
	Hispanic Women				23.9	20.0	28.2	
AGE GROUP	18-44	33.0	20.3	48.9	22.9	21.0	24.9	
	45-64	22.4	16.9	29.2	23.7	22.2	25.2	
	65 & Older	24.1	17.2	32.6	22.6	21.1	24.1	
EDUCATION LEVEL	<High School	26.0	14.4	42.2	25.7	22.5	29.3	
	HS / Some College	28.4	21.5	36.5	22.1	20.2	24.1	
	4+ Yrs. College	27.8	15.5	44.7	23.1	21.7	24.5	
ANNUAL INCOME	<\$25,000	29.6	21.0	40.0	27.3	24.8	30.0	
	\$25,000-\$49,999	19.6	12.4	29.7	23.1	21.2	25.2	
	\$50,000 or More	33.6	18.6	52.9	20.5	19.0	22.1	
MARITAL STATUS	Married/Couple	25.5	16.2	37.6	21.4	20.1	22.7	
	Not Married/Couple	32.4	23.8	42.4	25.9	24.0	27.9	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who are sedentary.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	28.4	23.5	33.8	25.4	24.4	26.5	32.4
SEX	Men	24.8	17.6	33.7	22.5	20.9	24.1	30.8
	Women	32.5	27.0	38.4	28.1	26.8	29.6	34.0
RACE/ETHNICITY	Non-Hisp. White	27.8	22.9	33.2	21.3 *	20.3	22.3	30.0
	Non-Hisp. Black	39.9	22.3	60.6	32.0	28.0	36.3	44.1
	Hispanic				37.0	33.5	40.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.0	16.7	33.1	18.3	16.9	19.8	
	Non-Hisp. White Women	31.7	25.9	38.1	24.1 *	22.8	25.4	
	Non-Hisp. Black Men				29.2	22.5	36.9	
	Non-Hisp. Black Women	45.1	23.8	68.3	33.9	29.2	39.0	28.7
	Hispanic Men				33.1	28.0	38.7	31.3
	Hispanic Women				40.8	36.3	45.5	
AGE GROUP	18-44	21.2	14.3	30.1	22.8	21.0	24.8	26.3
	45-64	34.7	27.3	43.0	25.3 *	23.8	26.8	33.5
	65 & Older	35.1	27.0	44.0	30.9	29.3	32.5	43.5
EDUCATION LEVEL	<High School	40.0	27.3	54.2	49.2	45.3	53.0	42.9
	HS / Some College	33.1	25.9	41.0	33.6	31.4	35.8	34.7
	4+ Yrs. College	20.2	14.0	28.2	17.7	16.6	18.9	23.4
ANNUAL INCOME	<\$25,000	36.4	28.1	45.6	40.2	37.7	42.9	42.4
	\$25,000-\$49,999	33.8	24.5	44.7	28.3	26.2	30.5	25.1
	\$50,000 or More	15.9	9.2	26.0	13.9	12.5	15.3	10.5
MARITAL STATUS	Married/Couple	26.1	20.3	32.7	22.5	21.3	23.8	28.8
	Not Married/Couple	32.7	24.6	42.1	30.1	28.3	32.1	39.5

Percent of adults who are inactive at work.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	54.1	43.9	64.0	64.5	62.8	66.1	55.9
SEX	Men	50.1	34.4	65.8	58.4	55.9	60.9	49.7
	Women	60.3	50.5	69.3	71.5 *	69.4	73.4	64.4
RACE/ETHNICITY	Non-Hisp. White	53.6	44.8	62.2	67.3 *	65.5	69.1	55.7
	Non-Hisp. Black				64.5	59.1	69.5	
	Hispanic				56.9	52.1	61.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.6	34.2	59.5	61.7	59.0	64.4	
	Non-Hisp. White Women	63.0	52.5	72.4	73.9	71.7	76.0	
	Non-Hisp. Black Men				58.6	49.0	67.7	
	Non-Hisp. Black Women				68.7	62.5	74.3	48.7
	Hispanic Men				49.1	42.3	55.9	65.5
	Hispanic Women				67.6	61.4	73.2	
AGE GROUP	18-44	57.4	42.1	71.4	60.3	57.8	62.8	51.5
	45-64	46.3	36.3	56.7	69.6 *	67.5	71.6	65.4
	65 & Older				75.6	71.0	79.7	
EDUCATION LEVEL	<High School				50.2	43.4	57.1	42.0
	HS / Some College	48.4	37.5	59.5	51.1	47.6	54.6	50.7
	4+ Yrs. College	63.8	48.4	76.8	71.1	69.1	72.9	65.4
ANNUAL INCOME	<\$25,000	34.8	20.9	51.9	52.7	48.0	57.4	61.4
	\$25,000-\$49,999	49.3	34.9	63.8	56.5	53.1	59.8	44.7
	\$50,000 or More	66.0	50.5	78.7	71.4	69.2	73.6	67.1
MARITAL STATUS	Married/Couple	57.2	44.7	68.8	66.2	64.2	68.1	56.8
	Not Married/Couple	45.8	31.9	60.4	61.0	58.0	64.0	53.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who consume at least five servings of fruits and vegetables a day.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	22.2	17.8	27.2	26.2	25.2	27.3	22.3
SEX	Men	20.4	14.1	28.8	21.9	20.4	23.6	21.6
	Women	24.0	19.0	29.9	30.3	28.9	31.7	23.0
RACE/ETHNICITY	Non-Hisp. White	23.6	18.9	29.1	26.9	25.8	28.1	24.6
	Non-Hisp. Black	15.1	5.7	34.3	28.2	24.6	32.1	8.3
	Hispanic				22.1	19.1	25.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.9	14.8	31.1	22.7	21.0	24.6	
	Non-Hisp. White Women	25.2	19.5	31.9	30.9	29.4	32.4	
	Non-Hisp. Black Men				26.4	20.7	33.1	
	Non-Hisp. Black Women				29.4	25.0	34.3	24.0
	Hispanic Men				17.1	13.1	22.0	25.1
	Hispanic Women				27.0	22.9	31.6	
AGE GROUP	18-44	18.9	12.4	27.6	25.1	23.2	27.0	23.0
	45-64	27.3	20.4	35.4	26.4	24.8	28.0	18.9
	65 & Older	21.0	14.7	29.3	28.3	26.8	29.9	25.7
EDUCATION LEVEL	<High School	15.6	8.3	27.4	19.3	16.4	22.5	11.7
	HS / Some College	22.0	16.2	29.1	24.0	21.9	26.2	22.3
	4+ Yrs. College	24.7	17.4	33.9	28.4	27.0	29.7	28.9
ANNUAL INCOME	<\$25,000	23.4	16.9	31.5	24.8	22.7	27.1	20.0
	\$25,000-\$49,999	23.9	15.9	34.2	25.6	23.6	27.6	20.3
	\$50,000 or More	21.8	13.8	32.7	27.3	25.6	29.0	28.6
MARITAL STATUS	Married/Couple	21.8	16.6	28.2	25.6	24.4	26.9	22.2
	Not Married/Couple	22.8	15.9	31.6	27.4	25.5	29.4	22.6

Percent of adults who meet moderate physical activity recommendations.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	42.5	35.3	50.0	34.6	33.5	35.8	37.4
SEX	Men	50.0	38.3	61.6	33.2 *	31.4	35.1	42.3
	Women	34.2	28.3	40.7	36.0	34.5	37.5	32.7
RACE/ETHNICITY	Non-Hisp. White	40.7	34.7	47.0	37.1	35.9	38.4	39.8
	Non-Hisp. Black	41.2	22.6	62.6	28.1	24.3	32.2	21.5
	Hispanic				27.7	24.3	31.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.7	36.8	56.9	35.6	33.6	37.5	
	Non-Hisp. White Women	34.7	28.2	41.8	38.6	37.1	40.2	
	Non-Hisp. Black Men				29.8	23.3	37.2	
	Non-Hisp. Black Women				27.0	22.6	31.8	43.6
	Hispanic Men				25.4	20.3	31.2	36.0
	Hispanic Women				30.0	25.8	34.5	
AGE GROUP	18-44	49.2	36.4	62.1	34.8	32.7	37.0	39.2
	45-64	35.5	28.5	43.3	35.7	34.0	37.5	39.5
	65 & Older	38.0	28.8	48.0	32.5	30.8	34.2	30.6
EDUCATION LEVEL	<High School	37.2	23.6	53.3	26.5	23.0	30.2	36.4
	HS / Some College	42.6	34.4	51.3	33.8	31.6	36.1	35.7
	4+ Yrs. College	44.0	31.4	57.4	36.2	34.8	37.7	40.1
ANNUAL INCOME	<\$25,000	38.0	28.5	48.6	31.2	28.8	33.8	36.7
	\$25,000-\$49,999	34.0	24.7	44.6	33.4	31.2	35.6	38.4
	\$50,000 or More	55.2	40.7	68.8	38.7	36.8	40.7	44.5
MARITAL STATUS	Married/Couple	45.5	36.1	55.2	35.3	33.8	36.7	38.7
	Not Married/Couple	36.6	27.5	46.9	33.5	31.5	35.6	34.2

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Physical Activity & Nutrition

Percent of adults who meet vigorous physical activity recommendations.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	23.7	18.6	29.6	26.0	24.9	27.2	21.8
SEX	Men	29.9	21.2	40.4	29.6	27.7	31.5	27.5
	Women	17.0	12.3	22.9	22.7	21.4	24.2	16.7
RACE/ETHNICITY	Non-Hisp. White	24.1	18.7	30.4	26.9	25.7	28.2	22.9
	Non-Hisp. Black	29.5	12.7	54.7	21.3	17.8	25.2	14.9
	Hispanic				24.2	20.7	28.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	31.8	22.7	42.5	30.7	28.7	32.7	
	Non-Hisp. White Women	16.6	11.7	23.1	23.4	22.0	24.9	
	Non-Hisp. Black Men				25.1	19.4	31.8	
	Non-Hisp. Black Women				18.8	14.7	23.8	29.3
	Hispanic Men				28.7	23.0	35.1	16.8
	Hispanic Women				19.8	16.1	24.0	
AGE GROUP	18-44	31.5	21.7	43.3	34.5	32.3	36.7	29.3
	45-64	21.0	15.2	28.3	22.3	20.9	23.9	19.4
	65 & Older	10.3	6.1	17.0	14.0	12.8	15.3	12.5
EDUCATION LEVEL	<High School	29.8	16.6	47.4	16.1	12.9	20.0	18.2
	HS / Some College	19.7	13.4	28.0	20.6	18.6	22.8	20.7
	4+ Yrs. College	25.0	17.3	34.8	30.0	28.5	31.6	25.4
ANNUAL INCOME	<\$25,000	19.6	11.2	31.9	17.7	15.3	20.3	17.0
	\$25,000-\$49,999	24.1	15.7	35.3	23.3	21.3	25.5	25.1
	\$50,000 or More	29.0	19.1	41.3	33.7	31.8	35.7	29.1
MARITAL STATUS	Married/Couple	21.2	15.6	28.3	26.3	24.9	27.7	23.1
	Not Married/Couple	28.4	19.6	39.3	25.6	23.6	27.8	19.6

Sexual Violence

Percent of adults who had an unwanted sexual experience in the past 12 months.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	6.3	4.1	9.3	6.7	6.1	7.4	
SEX	Men	1.9	0.7	5.0	2.9	2.2	3.9	
	Women	11.2	7.3	16.8	10.3	9.4	11.2	
RACE/ETHNICITY	Non-Hisp. White	5.9	3.6	9.4	7.1	6.5	7.8	
	Non-Hisp. Black				7.2	5.2	9.7	
	Hispanic				4.5	2.8	7.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.1	0.3	3.5	2.9	2.2	3.8	
	Non-Hisp. White Women	10.8	6.6	17.3	11.2	10.2	12.3	
	Non-Hisp. Black Men				2.5	1.3	4.8	
	Non-Hisp. Black Women				10.4	7.4	14.4	
	Hispanic Men				3.2	1.0	9.2	
	Hispanic Women				5.8	3.9	8.7	
AGE GROUP	18-44	8.8	4.8	15.5	8.6	7.4	9.9	
	45-64	5.1	3.0	8.4	6.9	6.1	7.7	
	65 & Older	2.0	0.7	5.9	2.2	1.8	2.8	
EDUCATION LEVEL	<High School	0.4	0.1	2.9	4.5 *	3.3	6.1	
	HS / Some College	6.2	3.3	11.4	6.2	4.9	7.8	
	4+ Yrs. College	8.2	4.7	14.1	7.2	6.5	8.0	
ANNUAL INCOME	<\$25,000	8.0	4.5	13.7	8.3	6.9	9.9	
	\$25,000-\$49,999	6.6	2.9	14.5	7.0	6.0	8.1	
	\$50,000 or More	4.7	1.9	11.2	6.0	5.0	7.2	
MARITAL STATUS	Married/Couple	5.5	3.1	9.5	5.2	4.6	5.9	
	Not Married/Couple	7.9	4.3	13.8	9.3	8.0	10.7	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adults who are current smokers.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	24.1	19.8	29.1	19.3	18.3	20.3	29.6
SEX	Men	24.4	17.8	32.6	21.2	19.6	22.9	27.8
	Women	23.8	18.7	29.7	17.5 *	16.4	18.6	31.2
RACE/ETHNICITY	Non-Hisp. White	24.4	19.5	30.1	20.6	19.5	21.6	30.5
	Non-Hisp. Black	4.1	1.0	15.5	18.5	15.2	22.4	22.2
	Hispanic				16.0	13.2	19.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.8	16.3	33.4	21.5	19.8	23.3	
	Non-Hisp. White Women	25.1	19.5	31.6	19.7	18.5	20.9	
	Non-Hisp. Black Men				23.6	17.8	30.6	
	Non-Hisp. Black Women	3.2	0.4	20.0	15.0	11.3	19.6	26.8 *
	Hispanic Men				19.9	15.4	25.4	34.2
	Hispanic Women				12.0	9.4	15.3	
AGE GROUP	18-44	29.9	22.0	39.3	22.1	20.4	24.0	41.8
	45-64	23.9	18.0	31.0	22.0	20.6	23.4	27.6
	65 & Older	11.8	7.4	18.3	9.7	8.7	10.8	10.2
EDUCATION LEVEL	<High School	35.5	22.6	51.0	28.6	25.2	32.2	40.1
	HS / Some College	25.6	19.1	33.4	25.0	22.9	27.1	30.9
	4+ Yrs. College	18.0	13.0	24.3	15.3	14.2	16.4	21.4
ANNUAL INCOME	<\$25,000	35.7	26.4	46.1	25.0	22.8	27.3	43.6
	\$25,000-\$49,999	24.1	16.4	33.9	21.3	19.4	23.4	24.6
	\$50,000 or More	14.4	8.9	22.4	15.5	14.2	17.0	13.8
MARITAL STATUS	Married/Couple	20.5	15.8	26.1	16.6	15.5	17.7	24.4
	Not Married/Couple	30.7	22.4	40.5	24.1	22.4	25.9	39.6

Percent of adults who are former smokers.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	25.3	20.8	30.5	26.2	25.3	27.2	26.6
SEX	Men	34.7	26.9	43.4	28.9	27.4	30.5	35.6
	Women	15.5	11.8	20.2	23.7 *	22.5	24.9	18.2
RACE/ETHNICITY	Non-Hisp. White	26.2	21.0	32.0	31.5	30.4	32.6	27.4
	Non-Hisp. Black	21.3	10.0	39.7	12.4	10.2	14.9	19.4
	Hispanic				16.4	13.8	19.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.7	26.9	45.6	34.1	32.4	35.9	
	Non-Hisp. White Women	16.3	12.0	21.6	29.0 *	27.6	30.4	
	Non-Hisp. Black Men				16.2	12.2	21.1	
	Non-Hisp. Black Women	16.0	6.1	36.0	9.7	7.5	12.6	36.7
	Hispanic Men				16.8	13.1	21.3	18.2
	Hispanic Women				15.9	12.7	19.7	
AGE GROUP	18-44	17.8	11.1	27.2	14.7	13.3	16.3	14.7
	45-64	27.6	20.6	35.9	28.3	26.8	29.8	33.5
	65 & Older	38.3	29.8	47.6	46.5	44.7	48.2	37.6
EDUCATION LEVEL	<High School	30.4	18.0	46.6	21.1	18.4	24.0	19.1
	HS / Some College	23.3	17.3	30.7	25.0	23.3	26.8	28.4
	4+ Yrs. College	25.1	18.7	32.9	27.7	26.4	29.0	29.2
ANNUAL INCOME	<\$25,000	28.2	19.8	38.4	23.7	21.7	25.8	23.3
	\$25,000-\$49,999	24.5	16.5	34.7	26.4	24.6	28.2	33.6
	\$50,000 or More	24.7	16.8	34.9	27.4	25.8	29.0	32.7
MARITAL STATUS	Married/Couple	26.3	21.0	32.3	28.4	27.2	29.7	30.3
	Not Married/Couple	23.4	15.6	33.7	22.5	21.0	24.1	19.2

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adults who have never smoked.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	50.6	45.1	56.0	54.5	53.3	55.7	43.9
SEX	Men	40.9	32.6	49.7	49.9	48.0	51.8	36.6
	Women	60.7	54.4	66.7	58.8	57.4	60.3	50.6
RACE/ETHNICITY	Non-Hisp. White	49.4	43.3	55.5	47.9	46.7	49.2	42.0
	Non-Hisp. Black	74.6	56.1	87.1	69.1	65.0	72.9	58.4
	Hispanic				67.7	64.1	71.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	40.5	31.2	50.6	44.4	42.3	46.4	
	Non-Hisp. White Women	58.7	51.7	65.3	51.3	49.8	52.9	
	Non-Hisp. Black Men				60.2	52.9	67.0	
	Non-Hisp. Black Women	80.8	60.5	92.0	75.3	70.5	79.5	36.5 *
	Hispanic Men				63.3	57.4	68.7	47.5
	Hispanic Women				72.1	67.7	76.1	
AGE GROUP	18-44	52.3	42.6	61.8	63.1	61.0	65.2	43.5
	45-64	48.5	40.6	56.4	49.7	48.0	51.5	38.9
	65 & Older	49.9	40.7	59.1	43.8	42.1	45.6	52.2
EDUCATION LEVEL	<High School	34.0	22.9	47.3	50.3	46.5	54.2	40.8
	HS / Some College	51.0	42.8	59.2	50.0	47.7	52.3	40.6
	4+ Yrs. College	56.9	48.8	64.7	57.1	55.6	58.5	49.4
ANNUAL INCOME	<\$25,000	36.1	27.7	45.6	51.3 *	48.7	53.9	33.1
	\$25,000-\$49,999	51.4	40.8	61.9	52.3	49.9	54.6	41.8
	\$50,000 or More	60.9	50.6	70.2	57.1	55.2	59.0	53.5
MARITAL STATUS	Married/Couple	53.2	46.7	59.6	55.0	53.6	56.4	45.3
	Not Married/Couple	45.8	36.3	55.6	53.4	51.3	55.5	41.2

Percent of non-smoking adults who were exposed to secondhand smoke in the past seven days.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	21.9	15.4	30.1	14.9	13.6	16.4	
SEX	Men	21.4	11.2	36.9	17.2	14.8	19.8	
	Women	22.3	14.8	32.1	13.1 *	11.7	14.8	
RACE/ETHNICITY	Non-Hisp. White	18.3	11.9	27.1	14.7	13.2	16.5	
	Non-Hisp. Black				19.2	15.1	24.1	
	Hispanic				13.3	10.2	17.1	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.2	6.4	31.9	17.6	14.8	20.8	
	Non-Hisp. White Women	20.4	12.5	31.5	12.4	10.9	14.1	
	Non-Hisp. Black Men				22.0	14.3	32.4	
	Non-Hisp. Black Women				17.6	13.3	23.0	
	Hispanic Men				14.3	9.6	20.7	
	Hispanic Women				12.4	8.7	17.4	
AGE GROUP	18-44	30.3	19.0	44.6	18.9	16.6	21.5	
	45-64	13.1	7.4	22.3	13.2	11.4	15.1	
	65 & Older	15.9	5.7	37.1	6.3	5.2	7.6	
EDUCATION LEVEL	<High School	15.0	5.7	34.1	13.3	9.9	17.6	
	HS / Some College	26.1	15.4	40.5	17.8	14.9	21.3	
	4+ Yrs. College	20.3	11.9	32.5	14.0	12.5	15.8	
ANNUAL INCOME	<\$25,000	14.6	7.6	26.2	16.0	13.1	19.3	
	\$25,000-\$49,999	31.9	18.6	49.0	16.8	14.0	19.9	
	\$50,000 or More	18.8	9.6	33.5	13.0	11.1	15.2	
MARITAL STATUS	Married/Couple	22.0	14.5	32.0	11.5 *	10.2	13.0	
	Not Married/Couple	21.7	11.2	37.8	21.2	18.4	24.3	

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percent of adult current smokers who tried to quit smoking at least once in the past year.

		2007 County			2007 State			2002 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	58.8	48.0	68.9	53.2	50.4	56.0	55.6
SEX	Men	45.0	28.4	62.7	52.8	48.5	57.1	46.8
	Women	73.7	61.2	83.2	53.6 *	50.2	57.0	62.9
RACE/ETHNICITY	Non-Hisp. White	61.4	49.2	72.3	49.3	46.4	52.2	56.9
	Non-Hisp. Black				62.9	51.1	73.4	
	Hispanic				62.8	53.3	71.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.8	27.4	67.3	47.5	42.9	52.1	
	Non-Hisp. White Women	75.7	62.9	85.2	51.2 *	47.8	54.6	
	Non-Hisp. Black Men				58.7	42.5	73.2	
	Non-Hisp. Black Women				67.6	49.7	81.5	46.7
	Hispanic Men				68.1	55.6	78.5	65.0
	Hispanic Women				54.1	41.1	66.6	
AGE GROUP	18-44	68.4	52.4	81.0	58.3	53.7	62.9	56.4
	45-64	51.3	36.3	66.0	48.5	45.0	52.1	55.2
	65 & Older				45.0	39.1	51.1	
EDUCATION LEVEL	<High School				55.0	47.8	62.0	54.6
	HS / Some College	58.8	42.8	73.2	50.9	46.1	55.8	51.8
	4+ Yrs. College	49.0	33.0	65.1	54.2	50.4	58.1	63.1
ANNUAL INCOME	<\$25,000	63.8	47.4	77.6	54.0	48.8	59.1	66.4
	\$25,000-\$49,999	60.5	39.3	78.3	53.5	48.1	58.8	37.2
	\$50,000 or More				54.5	49.6	59.4	
MARITAL STATUS	Married/Couple	63.3	49.5	75.3	53.3	49.5	57.0	50.5
	Not Married/Couple	53.3	36.1	69.7	53.0	48.7	57.2	61.6

* Indicates that the difference observed compared to the 2007 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Hepatitis B Groups	Those who have hemophilia and have received clotting factor concentrate, had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
High Risk Influenza Groups	Health care workers who routinely have direct contact with patients or adults who currently have health problems such as asthma, lung problems, heart problems, diabetes, kidney problems, weakened immune systems (caused by a chronic illness, such as cancer or HIV/AIDS, or medicines, such as steroids), or sickle cell anemia or other anemia.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Leisure-Time Physical Activity or Exercise	Engaging in any physical activities or exercises such as running, calisthenics, golf, gardening, or walking for exercise, other than participation in these activities or exercise as part of a regular job.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Moderate Physical Activity	Engaging in activities such as brisk walking, bicycling, vacuuming, gardening, or anything else that causes some increase in breathing or heart rate for at least 30 minutes per day on five or more days per week.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sedentary	Engaging in no leisure-time physical activity.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Vigorous Physical Activity	Engaging in vigorous activities, such as running, aerobics, heavy yard work, or anything else that causes large increases in breathing or heart rate for at least 20 minutes per day on three or more days per week.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Alcohol Consumption

- 26-12. Reduce the average annual alcohol consumption.
- 26-13. Reduce the proportion of adults who exceed guidelines for low-risk drinking.
- 26-11. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages.

Arthritis

- 2-2. Reduce the proportion of adults with chronic joint symptoms who experience a limitation in activity due to arthritis.

Cancer Screening

- 3-11. Increase the proportion of women who receive a Pap test.
- 3-12. Increase the proportion of adults who receive a colorectal cancer screening examination.
- 3-13. Increase the proportion of women aged 40 years and older who have received a mammogram within the preceding 2 years.

Cholesterol Awareness

- 12-14. Reduce the proportion of adults with high total blood cholesterol levels.
- 12-15. Increase the proportion of adults who have had their blood cholesterol checked within the preceding 5 years.

Diabetes

- 5-3. Reduce the overall rate of diabetes that is clinically diagnosed.
- 5-13. Increase the proportion of adults with diabetes who have an annual dilated eye examination.
- 5-14. Increase the proportion of adults with diabetes who have at least an annual foot examination.
- 5-17. Increase the proportion of adults with diabetes who perform self-blood-glucose-monitoring at least once daily.
- 5-1. Increase the proportion of persons with diabetes who receive formal diabetes education.

Health Care Access & Coverage

- 1-5. Increase the proportion of persons with a usual primary care provider.
- 1-1. Increase the proportion of persons with health insurance.

Hypertension Awareness & Control

- 12-11. Increase the proportion of adults with high blood pressure who are taking action (for example, losing weight, increasing physical activity, or reducing sodium intake) to help control their blood pressure.
- 12-12. Increase the proportion of adults who have had their blood pressure measured within the preceding 2 years and can state whether their blood pressure was normal or high.
- 12-10. Increase the proportion of adults with high blood pressure whose blood pressure is under control.
- 12-9. Reduce the proportion of adults with high blood pressure.

2007 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2010 Objectives

Immunization

14-28. Increase hepatitis B vaccine coverage among high-risk groups.

14-29. Increase the proportion of adults who are vaccinated annually against influenza and ever vaccinated against pneumococcal disease.

Overweight & Obesity

19-2. Reduce the proportion of adults who are obese.

19-1. Increase the proportion of adults who are at a healthy weight.

Physical Activity & Nutrition

22-3. Increase the proportion of adults who engage in vigorous physical activity that promotes the development and maintenance of cardiorespiratory fitness 3 or more days per week for 20 or more minutes per occasion.

22-2. Increase the proportion of adults who engage regularly, preferably daily, in moderate physical activity for at least 30 minutes per day.

22-1. Reduce the proportion of adults who engage in no leisure-time physical activity.

19-5. Increase the proportion of persons aged 2 years and older who consume at least two daily servings of fruit.

19-6. Increase the proportion of persons aged 2 years and older who consume at least three daily servings of vegetables, with at least one-third being dark green or orange vegetables.

Sexual Violence

15-35. Reduce the annual rate of rape or attempted rape.

15-36. Reduce sexual assault other than rape.

Tobacco Use & Exposure

27-10. Reduce the proportion of non-smokers exposed to environmental tobacco smoke.

27-5. Increase smoking cessation attempts by adult smokers.

The Healthy People 2010 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Tammie M. Johnson, M.P.H.
Bo (Bonnie) Yu, M.A.S., M.A.
Melissa Murray, M.S.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org