


2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Rick Scott
Governor

H. Frank Farmer, Jr., M.D., Ph.D.
State Surgeon General

**2010 Florida BRFSS Data Report
Table of Contents**

Introduction	i
Alcohol Consumption	1
Arthritis	2
Asthma	3
Cancer Screening/Colorectal	4
Cancer Screening/Prostate	5
Cancer Screening/Women's Health	7
Cardiovascular Disease	9
Cholesterol Awareness	10
Diabetes	11
Disability	15
Family Planning	16
Health Care Access & Coverage	17
Health Status & Quality of Life	19
HIV/AIDS	23
Hypertension Awareness & Control	24
Immunization	25
Injury Prevention	27
Oral Health	29
Overweight & Obesity	31
Reactions To Race	32
Tobacco Use & Exposure	33
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

Introduction

The Florida Department of Health is pleased to release the 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey of Florida adults is the only source of state-specific, population-based estimates of the prevalence of various health and health risk behaviors. The purpose of this survey of Florida residents aged 18 and older is to gather information regarding personal health behaviors, selected medical conditions, and the prevalence of preventive health care practices among Florida adults.

The 2010 BRFSS is the third time the county-level survey has been conducted. It was previously conducted in 2002 and 2007. The 2010 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes.

Over 35,000 interviews were completed statewide in the 2010 calendar year, with a target sample size of 500 completed surveys in each county.

Hardee County has 28,282 adults in the county, and had 530 adults respond to the 2010 county-level BRFSS survey.

The 2010 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2007 county-level survey are included for comparison purposes. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

The prevalence rates in this report are adjusted, or "weighted" to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county as well as age and sex based on 2010 population estimates. Forty-four records were further adjusted during the weighting process.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	10.0	5.4	14.5	15.0	14.0	16.0	6.1
SEX	Men	14.6	7.0	22.2	19.8	18.0	21.6	6.7
	Women	3.7	1.3	6.0	10.5 *	9.6	11.4	5.3
RACE/ETHNICITY	Non-Hisp. White	8.5	4.0	13.0	16.4 *	15.3	17.5	6.0
	Non-Hisp. Black				8.2	5.8	10.6	0.0
	Hispanic	12.5	0.8	24.1	15.3	11.3	19.3	6.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.0	3.8	18.2	20.9 *	19.0	22.8	5.9
	Non-Hisp. White Women	4.9	1.5	8.3	12.2 *	11.1	13.3	6.2
	Non-Hisp. Black Men				12.2	7.3	17.0	
	Non-Hisp. Black Women				5.2	3.4	7.1	
	Hispanic Men				23.0	15.8	30.2	7.4
	Hispanic Women	1.8	0.0	4.3	7.8 *	4.7	10.9	4.7
AGE GROUP	18-44	18.8	8.7	28.9	20.9	18.8	23.1	7.3
	45-64	4.0	0.3	7.7	14.4 *	12.9	15.9	6.3
	65 & Older	4.2	0.7	7.7	6.8	6.0	7.6	2.1
EDUCATION LEVEL	<High School	9.3	0.0	20.5	11.6	8.6	14.6	6.1
	H.S. / GED	8.9	2.7	15.2	15.5	13.5	17.5	8.7
	>High School	11.6	4.1	19.1	15.2	14.0	16.5	4.2
ANNUAL INCOME	<\$25,000	10.7	1.3	20.2	12.1	10.0	14.2	3.6
	\$25,000-\$49,999	13.4	2.8	24.0	13.4	11.2	15.7	10.4
	\$50,000 or More	7.8	2.3	13.3	18.6 *	17.0	20.3	9.0
MARITAL STATUS	Married/Couple	10.6	4.7	16.6	14.7	13.5	15.9	6.3
	Not Married/Couple	9.0	2.0	16.0	15.5	13.6	17.3	5.4

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who have been told they have some form of arthritis

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	28.9	22.9	34.9	32.0	30.8	33.1	19.3
SEX	Men	22.5	13.2	31.8	26.5	24.8	28.1	14.3
	Women	37.6	31.0	44.1	37.0	35.6	38.5	26.1
RACE/ETHNICITY	Non-Hisp. White	36.8	29.2	44.4	36.4	35.1	37.6	30.2
	Non-Hisp. Black				25.0	21.2	28.8	34.5
	Hispanic	4.5	0.6	8.4	18.3 *	15.0	21.6	4.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.3	18.6	42.0	30.7	28.9	32.6	25.3
	Non-Hisp. White Women	46.1	38.2	54.0	41.6	40.0	43.2	35.0
	Non-Hisp. Black Men				20.2	14.1	26.2	
	Non-Hisp. Black Women				28.4	23.6	33.3	
	Hispanic Men				10.7	6.8	14.6	2.9
	Hispanic Women	10.0	1.5	18.5	25.5 *	20.6	30.5	7.3
AGE GROUP	18-44	5.8	1.2	10.4	11.9	10.3	13.4	5.3
	45-64	35.3	24.1	46.6	33.5	31.7	35.4	31.5
	65 & Older	59.5	51.5	67.5	59.6	57.9	61.4	43.7
EDUCATION LEVEL	<High School	26.1	14.2	38.0	36.9	32.2	41.7	21.7
	H.S. / GED	36.3	25.1	47.5	36.2	33.9	38.5	23.3
	>High School	23.0	16.1	29.9	29.9	28.6	31.2	15.1
ANNUAL INCOME	<\$25,000	30.2	20.7	39.7	39.6	37.1	42.1	16.0
	\$25,000-\$49,999	24.4	15.9	32.9	32.6	30.3	34.9	18.9
	\$50,000 or More	27.1	14.7	39.5	27.0	25.3	28.7	22.0
MARITAL STATUS	Married/Couple	29.8	21.7	37.9	31.6	30.2	33.1	22.6
	Not Married/Couple	28.5	20.3	36.6	32.7	30.9	34.5	14.6

Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	15.0	11.0	19.0	14.9	14.0	15.7	11.2
SEX	Men	11.8	6.0	17.6	12.6	11.4	13.8	8.1
	Women	19.4	14.4	24.4	17.0	15.9	18.1	15.5
RACE/ETHNICITY	Non-Hisp. White	18.9	13.6	24.3	16.3	15.4	17.2	16.6
	Non-Hisp. Black				13.2	10.4	15.9	22.2
	Hispanic	2.2	0.0	4.5	9.8 *	7.2	12.4	3.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.9	8.2	23.7	13.9	12.5	15.2	14.0
	Non-Hisp. White Women	23.3	16.9	29.6	18.7	17.5	19.9	19.2
	Non-Hisp. Black Men				9.5	6.0	12.9	
	Non-Hisp. Black Women				15.8	11.8	19.8	
	Hispanic Men				7.8	4.0	11.5	2.7
	Hispanic Women	5.2	0.0	10.4	11.8	8.3	15.3	5.7
AGE GROUP	18-44	3.6	0.0	7.6	4.9	3.9	6.0	3.2
	45-64	18.9	11.2	26.7	17.4	16.0	18.8	20.5
	65 & Older	28.1	21.1	35.2	25.9	24.3	27.6	23.2
EDUCATION LEVEL	<High School	16.5	5.9	27.0	21.1	17.3	24.9	15.4
	H.S. / GED	17.9	11.0	24.8	17.4	15.6	19.2	14.6
	>High School	11.3	6.3	16.2	13.2	12.3	14.2	6.7
ANNUAL INCOME	<\$25,000	21.5	13.0	29.9	23.1	21.1	25.1	12.2
	\$25,000-\$49,999	13.6	7.2	19.9	14.1	12.5	15.7	8.4
	\$50,000 or More	6.9	2.1	11.7	10.6	9.4	11.8	7.2
MARITAL STATUS	Married/Couple	14.1	8.9	19.3	13.6	12.6	14.6	12.3
	Not Married/Couple	17.4	10.9	23.9	17.2	15.8	18.6	9.9

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who currently have asthma

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.7	5.0	10.4	8.3	7.6	9.0	6.9
SEX	Men	1.5	0.0	3.4	6.5 *	5.4	7.6	3.8
	Women	16.3	11.0	21.7	10.0 *	9.2	10.9	11.2
RACE/ETHNICITY	Non-Hisp. White	9.0	5.4	12.5	8.3	7.6	9.0	8.9
	Non-Hisp. Black				8.0	5.8	10.1	14.6
	Hispanic	5.0	1.1	9.0	9.9	6.8	12.9	3.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.8	0.0	4.4	6.1 *	5.1	7.1	6.6
	Non-Hisp. White Women	20.0	12.9	27.2	10.3 *	9.3	11.3	11.3
	Non-Hisp. Black Men				4.7	2.1	7.3	
	Non-Hisp. Black Women				10.5	7.3	13.6	
	Hispanic Men				10.5	5.1	15.9	0.9
	Hispanic Women	10.7	2.5	18.9	9.2	6.3	12.2	8.9
AGE GROUP	18-44	8.3	3.1	13.5	8.8	7.3	10.4	5.3
	45-64	6.6	2.8	10.4	7.8	6.8	8.7	11.5
	65 & Older	9.0	4.8	13.2	8.5	7.5	9.4	5.4
EDUCATION LEVEL	<High School	7.4	2.7	12.1	11.2	8.8	13.6	9.2
	H.S. / GED	7.8	3.2	12.4	8.9	7.5	10.4	7.4
	>High School	7.8	3.2	12.3	7.8	6.9	8.7	5.5
ANNUAL INCOME	<\$25,000	10.8	5.9	15.6	12.9	10.9	14.9	6.0
	\$25,000-\$49,999	8.0	3.0	13.0	7.5	6.3	8.7	8.6
	\$50,000 or More	5.0	0.0	10.2	6.2	5.2	7.1	6.9
MARITAL STATUS	Married/Couple	5.5	2.8	8.2	7.0	6.2	7.8	7.5
	Not Married/Couple	12.6	6.4	18.8	10.7	9.4	12.1	6.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a blood stool test in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	10.3	7.0	13.7	14.7 *	13.8	15.7	14.8
SEX	Men	7.7	3.3	12.0	16.5 *	14.9	18.0	17.6
	Women	13.8	8.8	18.7	13.2	12.0	14.3	12.4
RACE/ETHNICITY	Non-Hisp. White	9.8	6.2	13.4	15.1 *	14.1	16.1	14.0
	Non-Hisp. Black				17.6	12.9	22.4	
	Hispanic				9.8	6.1	13.6	16.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.2	2.6	11.8	17.4 *	15.7	19.1	14.8
	Non-Hisp. White Women	13.1	7.7	18.5	13.0	11.9	14.1	13.4
	Non-Hisp. Black Men				13.3	8.3	18.3	
	Non-Hisp. Black Women				20.3	13.4	27.1	
	Hispanic Men				11.2	4.3	18.2	
	Hispanic Women				8.8	4.9	12.6	
AGE GROUP	45-64	5.7	2.3	9.0	11.3 *	10.0	12.6	11.9
	65 & Older	17.0	11.0	23.0	19.1	17.8	20.5	18.1
EDUCATION LEVEL	<High School	8.7	2.3	15.0	11.9	8.6	15.1	22.0
	H.S. / GED	7.1	2.6	11.7	15.4 *	13.5	17.3	12.7
	>High School	14.5	8.2	20.8	14.7	13.6	15.9	11.6
ANNUAL INCOME	<\$25,000	9.1	3.9	14.4	14.7	12.8	16.6	15.8
	\$25,000-\$49,999	14.2	6.9	21.6	15.8	14.0	17.7	10.9
	\$50,000 or More	8.9	2.8	14.9	13.7	12.1	15.4	7.2
MARITAL STATUS	Married/Couple	8.5	4.6	12.3	14.7 *	13.5	16.0	14.5
	Not Married/Couple	15.1	8.8	21.4	14.7	13.2	16.2	15.4

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	40.5	33.3	47.7	56.4 *	54.9	57.9	36.7
SEX	Men	34.2	23.7	44.7	57.3 *	54.9	59.7	35.4
	Women	48.5	40.9	56.1	55.6	53.7	57.4	37.8
RACE/ETHNICITY	Non-Hisp. White	44.2	36.2	52.1	57.6 *	56.1	59.0	36.8
	Non-Hisp. Black				57.3	51.0	63.6	
	Hispanic				48.8	41.9	55.7	17.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.8	26.8	50.9	58.8 *	56.4	61.2	33.0
	Non-Hisp. White Women	50.9	42.7	59.0	56.5	54.7	58.3	39.8
	Non-Hisp. Black Men				54.4	43.7	65.2	
	Non-Hisp. Black Women				59.1	51.4	66.9	
	Hispanic Men				52.8	40.9	64.7	
	Hispanic Women				45.7	37.6	53.8	
AGE GROUP	45-64	26.7	17.8	35.6	49.3 *	47.1	51.6	30.9
	65 & Older	59.8	52.2	67.4	65.3	63.7	67.0	43.4
EDUCATION LEVEL	<High School	25.3	12.3	38.4	45.4 *	39.3	51.5	31.5
	H.S. / GED	37.8	27.1	48.6	51.5 *	48.7	54.4	36.8
	>High School	52.2	40.7	63.6	59.7	57.9	61.5	41.1
ANNUAL INCOME	<\$25,000	35.5	23.8	47.2	46.4	43.6	49.3	34.0
	\$25,000-\$49,999	47.0	34.1	59.9	55.8	53.0	58.6	45.4
	\$50,000 or More	43.6	28.9	58.2	61.7 *	59.2	64.2	35.8
MARITAL STATUS	Married/Couple	38.0	29.2	46.9	59.0 *	57.1	60.9	37.3
	Not Married/Couple	47.1	36.6	57.5	51.6	49.3	53.8	35.8

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Prostate

Percentage of men 50 years of age and older who received a PSA test in the past two years

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	64.4	50.5	78.3	72.6	70.2	75.0	65.1
RACE/ETHNICITY	Non-Hisp. White	73.2	59.7	86.7	74.7	72.4	77.0	72.4
	Non-Hisp. Black				67.0	57.1	77.0	
	Hispanic				60.7	48.0	73.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	73.2	59.7	86.7	74.7	72.4	77.0	72.4
	Non-Hisp. Black Men				67.0	57.1	77.0	
	Hispanic Men				60.7	48.0	73.3	
AGE GROUP	45-64	51.4	32.2	70.6	63.9	60.2	67.5	59.7
	65 & Older	87.1	78.7	95.4	84.5	82.3	86.7	72.8
EDUCATION LEVEL	<High School				52.9	40.8	65.0	37.6
	H.S. / GED	57.8	37.1	78.5	68.4	63.6	73.3	70.1
	>High School	79.3	60.5	98.2	75.9	73.2	78.7	83.8
ANNUAL INCOME	<\$25,000	64.3	39.1	89.5	60.7	55.2	66.1	48.6
	\$25,000-\$49,999	69.4	47.4	91.5	75.4	71.5	79.3	70.2
	\$50,000 or More	70.2	48.5	91.8	77.3	73.8	80.8	78.5
MARITAL STATUS	Married/Couple	62.8	46.8	78.8	74.2	71.3	77.2	65.3
	Not Married/Couple	72.4	54.5	90.4	67.4	63.3	71.4	64.4

Percentage of men 50 years of age and older who received a digital rectal exam in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	33.9	22.6	45.2	48.5 *	46.1	50.8	38.8
RACE/ETHNICITY	Non-Hisp. White	34.5	22.5	46.5	50.4 *	48.0	52.9	38.8
	Non-Hisp. Black				41.9	31.3	52.4	
	Hispanic				39.8	29.0	50.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	34.5	22.5	46.5	50.4 *	48.0	52.9	38.8
	Non-Hisp. Black Men				41.9	31.3	52.4	
	Hispanic Men				39.8	29.0	50.6	
AGE GROUP	45-64	28.5	12.8	44.2	41.9	38.4	45.4	40.8
	65 & Older	43.6	30.8	56.4	57.7	55.1	60.3	35.9
EDUCATION LEVEL	<High School				31.8	23.4	40.2	34.7
	H.S. / GED	19.7	5.3	34.1	42.0 *	37.2	46.8	35.9
	>High School	46.5	28.6	64.4	52.3	49.4	55.1	46.8
ANNUAL INCOME	<\$25,000	29.2	7.3	51.2	36.3	31.7	40.9	37.0
	\$25,000-\$49,999	43.7	22.5	65.0	45.8	41.5	50.1	34.9
	\$50,000 or More	39.2	20.5	57.8	55.2	51.4	58.9	49.1
MARITAL STATUS	Married/Couple	33.9	21.2	46.5	50.3 *	47.4	53.1	41.2
	Not Married/Couple	34.3	10.4	58.3	42.9	38.7	47.2	29.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Prostate

Percentage of men 50 years of age and older who have been told they have prostate cancer

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Men	4.3	1.2	7.3	7.3	6.4	8.3	
RACE/ETHNICITY	Non-Hisp. White	3.9	0.7	7.1	7.7	6.6	8.7	
	Non-Hisp. Black				6.1	2.9	9.3	
	Hispanic				6.2	1.8	10.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.9	0.7	7.1	7.7	6.6	8.7	
	Non-Hisp. Black Men				6.1	2.9	9.3	
	Hispanic Men				6.2	1.8	10.6	
AGE GROUP	45-64				2.6	1.7	3.5	
	65 & Older	11.9	4.0	19.8	13.9	12.1	15.7	
EDUCATION LEVEL	<High School				4.8	2.5	7.2	
	H.S. / GED	4.7	0.0	10.3	6.4	4.7	8.1	
	>High School	6.3	0.6	12.0	7.9	6.7	9.2	
ANNUAL INCOME	<\$25,000	2.6	0.0	7.7	6.8	5.0	8.6	
	\$25,000-\$49,999	5.2	0.0	12.5	10.0	7.6	12.3	
	\$50,000 or More	6.1	0.5	11.8	6.3	4.9	7.6	
MARITAL STATUS	Married/Couple	4.2	0.9	7.5	6.8	5.8	7.9	
	Not Married/Couple	4.4	0.0	13.0	8.9	6.7	11.0	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Women's Health

Percentage of women 40 years of age and older who received a mammogram in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	46.1	38.8	53.5	61.9 *	60.2	63.5	48.2
RACE/ETHNICITY	Non-Hisp. White	47.5	39.4	55.6	61.8 *	60.1	63.4	53.7
	Non-Hisp. Black				66.6	60.2	72.9	
	Hispanic	41.8	21.6	61.9	59.8	53.1	66.5	25.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	47.5	39.4	55.6	61.8 *	60.1	63.4	53.7
	Non-Hisp. Black Women				66.6	60.2	72.9	
	Hispanic Women	41.8	21.6	61.9	59.8	53.1	66.5	25.3
AGE GROUP	18-44				47.1	41.7	52.5	26.8
	45-64	41.7	31.2	52.3	61.5 *	59.1	64.0	44.9
	65 & Older	60.5	51.3	69.7	68.8	66.9	70.7	64.1
EDUCATION LEVEL	<High School	33.3	18.8	47.8	53.9	47.4	60.3	35.3
	H.S. / GED	52.0	40.4	63.7	60.3	57.3	63.3	58.5
	>High School	49.1	37.6	60.7	63.6 *	61.6	65.7	46.2
ANNUAL INCOME	<\$25,000	39.6	27.9	51.3	51.3	48.1	54.6	42.1
	\$25,000-\$49,999	41.6	28.1	55.2	60.2 *	56.6	63.9	52.6
	\$50,000 or More	53.7	37.1	70.3	67.7	65.0	70.4	49.8
MARITAL STATUS	Married/Couple	48.9	38.9	59.0	64.1 *	62.0	66.3	48.9
	Not Married/Couple	41.8	31.3	52.4	58.3 *	55.8	60.7	47.1

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	48.9	41.9	56.0	61.5 *	59.9	63.0	56.2
RACE/ETHNICITY	Non-Hisp. White	52.9	44.9	60.8	62.3	60.7	63.8	56.7
	Non-Hisp. Black				63.9	58.5	69.3	
	Hispanic	33.9	20.5	47.3	59.5 *	54.0	65.0	53.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	52.9	44.9	60.8	62.3	60.7	63.8	56.7
	Non-Hisp. Black Women				63.9	58.5	69.3	
	Hispanic Women	33.9	20.5	47.3	59.5 *	54.0	65.0	53.9
AGE GROUP	18-44	54.4	41.3	67.5	56.6	53.6	59.6	61.9
	45-64	42.4	31.8	52.9	66.4 *	64.0	68.8	56.1
	65 & Older	49.6	40.0	59.1	59.9	57.9	62.0	45.3
EDUCATION LEVEL	<High School	37.6	21.6	53.7	41.3	35.4	47.2	49.7
	H.S. / GED	43.0	32.2	53.8	55.2	52.3	58.1	53.9
	>High School	64.3	54.1	74.4	66.4	64.5	68.2	64.7
ANNUAL INCOME	<\$25,000	43.5	31.5	55.5	48.2	45.2	51.2	45.0
	\$25,000-\$49,999	51.6	38.0	65.1	60.1	56.8	63.3	62.9
	\$50,000 or More	63.5	47.9	79.0	72.1	69.8	74.5	64.2
MARITAL STATUS	Married/Couple	51.0	42.2	59.8	64.8 *	62.8	66.7	59.3
	Not Married/Couple	46.1	34.5	57.6	56.1	53.7	58.6	51.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Women's Health

Percentage of women 18 years of age and older who received a Pap test in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	43.2	34.9	51.5	57.1 *	55.2	59.0	65.1 *
RACE/ETHNICITY	Non-Hisp. White	48.6	38.3	58.9	56.4	54.4	58.3	64.7
	Non-Hisp. Black				62.0	55.8	68.3	
	Hispanic	34.8	20.9	48.7	61.3 *	55.2	67.4	66.1 *
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	48.6	38.3	58.9	56.4	54.4	58.3	64.7
	Non-Hisp. Black Women				62.0	55.8	68.3	
	Hispanic Women	34.8	20.9	48.7	61.3 *	55.2	67.4	66.1 *
AGE GROUP	18-44	46.8	33.6	60.0	59.3	56.2	62.5	72.0 *
	45-64	42.0	29.1	55.0	63.0 *	60.0	66.0	49.9
	65 & Older	31.3	19.0	43.7	38.2	35.3	41.2	65.3
EDUCATION LEVEL	<High School	29.8	15.0	44.6	45.8	38.1	53.4	57.3
	H.S. / GED	46.5	32.9	60.2	48.3	44.6	52.1	68.8
	>High School	52.2	39.4	65.0	61.6	59.4	63.8	64.7
ANNUAL INCOME	<\$25,000	39.7	26.7	52.7	44.5	40.7	48.2	63.5
	\$25,000-\$49,999	36.6	21.7	51.6	54.9	50.9	58.9	66.5 *
	\$50,000 or More	60.7	42.0	79.3	67.5	64.7	70.4	66.0
MARITAL STATUS	Married/Couple	47.3	36.9	57.7	61.1 *	58.8	63.5	65.3
	Not Married/Couple	36.9	23.9	49.9	50.3	47.3	53.4	64.2

Percentage of women who have had a hysterectomy

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
SEX	Women	24.9	19.6	30.2	26.2	24.9	27.5	21.9
RACE/ETHNICITY	Non-Hisp. White	33.2	26.2	40.3	29.0	27.6	30.3	28.0
	Non-Hisp. Black				23.7	18.8	28.6	
	Hispanic	6.9	0.5	13.4	17.8 *	13.9	21.7	7.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Women	33.2	26.2	40.3	29.0	27.6	30.3	28.0
	Non-Hisp. Black Women				23.7	18.8	28.6	
	Hispanic Women	6.9	0.5	13.4	17.8 *	13.9	21.7	7.6
AGE GROUP	18-44	1.0	0.0	3.1	6.6 *	5.2	8.1	6.8 *
	45-64	34.4	24.2	44.7	29.6	27.3	31.9	36.1
	65 & Older	53.2	43.9	62.6	47.2	45.1	49.3	36.2
EDUCATION LEVEL	<High School	15.6	7.3	23.9	29.9 *	25.0	34.7	27.1
	H.S. / GED	30.9	21.4	40.5	30.3	28.0	32.7	17.3
	>High School	25.8	17.6	34.0	24.2	22.6	25.8	24.6
ANNUAL INCOME	<\$25,000	20.0	12.4	27.6	29.7	27.2	32.2	15.6
	\$25,000-\$49,999	25.2	15.0	35.5	28.5	25.6	31.4	25.1
	\$50,000 or More	24.5	12.6	36.4	22.0	20.0	24.0	19.4
MARITAL STATUS	Married/Couple	23.9	17.1	30.8	25.1	23.4	26.8	20.6
	Not Married/Couple	26.3	17.9	34.6	28.1	26.2	29.9	24.9

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	2.7	1.4	4.1	3.5	3.1	3.9	2.4
SEX	Men	1.9	0.3	3.6	3.8	3.2	4.5	2.6
	Women	3.8	1.7	6.0	3.3	2.8	3.8	2.2
RACE/ETHNICITY	Non-Hisp. White	3.4	1.6	5.3	3.8	3.3	4.2	4.3
	Non-Hisp. Black				4.0	2.4	5.6	5.3
	Hispanic	0.6	0.0	1.5	1.5	0.6	2.3	0.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	2.6	0.3	4.9	3.9	3.3	4.6	5.4
	Non-Hisp. White Women	4.7	1.7	7.7	3.6	3.0	4.2	3.2
	Non-Hisp. Black Men				3.7	1.5	6.0	
	Non-Hisp. Black Women				4.2	2.0	6.4	
	Hispanic Men				1.6	0.2	3.1	0.0
AGE GROUP	Hispanic Women	1.5	0.0	3.6	1.3	0.5	2.1	0.0
	18-44				1.0	0.5	1.4	0.6
	45-64	2.3	0.4	4.2	3.3	2.5	4.1	3.8
	65 & Older	9.8	4.4	15.3	8.1	7.1	9.0	6.1
EDUCATION LEVEL	<High School	1.1	0.0	2.3	7.3 *	4.8	9.8	4.2
	H.S. / GED	4.7	1.9	7.5	4.6	3.7	5.5	2.4
	>High School	1.8	0.0	3.7	2.7	2.3	3.1	1.6
ANNUAL INCOME	<\$25,000	4.6	1.5	7.6	6.1	5.0	7.3	2.8
	\$25,000-\$49,999	1.0	0.0	2.5	3.6 *	2.8	4.4	1.9
	\$50,000 or More	2.1	0.0	4.3	1.8	1.3	2.2	0.0
MARITAL STATUS	Married/Couple	1.8	0.6	3.1	3.1	2.6	3.5	1.5
	Not Married/Couple	4.9	1.6	8.1	4.4	3.6	5.1	3.8

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	8.2	5.9	10.5	10.2	9.5	10.8	12.2
SEX	Men	6.4	3.6	9.1	11.5 *	10.5	12.5	11.0
	Women	10.7	7.0	14.5	8.9	8.1	9.7	13.8
RACE/ETHNICITY	Non-Hisp. White	10.8	7.6	14.1	11.4	10.7	12.1	21.1
	Non-Hisp. Black				7.8	5.8	9.7	7.7
	Hispanic	0.7	0.0	1.7	6.0 *	4.1	7.8	1.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.6	4.7	12.4	13.0	11.9	14.1	22.0 *
	Non-Hisp. White Women	14.3	9.0	19.6	9.9	9.0	10.8	20.1
	Non-Hisp. Black Men				6.3	3.8	8.9	
	Non-Hisp. Black Women				8.9	6.0	11.7	
	Hispanic Men				6.7	3.6	9.7	0.0
AGE GROUP	Hispanic Women	1.8	0.0	4.0	5.3	3.1	7.5	3.9
	18-44	0.7	0.0	1.9	2.3	1.6	3.0	2.5
	45-64	7.1	3.6	10.5	8.9	7.9	10.0	13.7
	65 & Older	26.8	19.4	34.1	24.8	23.4	26.3	39.7
EDUCATION LEVEL	<High School	5.5	1.9	9.0	17.4 *	13.8	21.1	10.9
	H.S. / GED	11.1	6.5	15.7	11.8	10.5	13.1	17.1
	>High School	6.9	3.7	10.1	8.7	8.0	9.3	9.3
ANNUAL INCOME	<\$25,000	10.3	5.8	14.7	16.4 *	14.8	18.0	15.7
	\$25,000-\$49,999	6.0	2.5	9.5	11.2 *	9.9	12.4	9.2
	\$50,000 or More	6.9	2.8	11.0	5.6	4.9	6.3	8.7
MARITAL STATUS	Married/Couple	6.7	4.1	9.2	9.3	8.5	10.1	11.8
	Not Married/Couple	11.8	7.1	16.5	11.7	10.6	12.8	12.8

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percentage of adults who have diagnosed high blood cholesterol

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	44.3	37.3	51.3	38.6	37.4	39.8	44.9
SEX	Men	44.3	33.4	55.1	39.7	37.7	41.7	46.7
	Women	44.4	37.4	51.3	37.5	36.0	39.0	43.0
RACE/ETHNICITY	Non-Hisp. White	48.4	40.4	56.3	41.2	39.9	42.5	47.6
	Non-Hisp. Black				33.3	28.7	38.0	
	Hispanic	34.1	17.8	50.4	30.3	26.1	34.5	34.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	46.0	33.7	58.3	43.2	41.1	45.3	47.4
	Non-Hisp. White Women	51.8	43.7	59.8	39.4 *	37.8	40.9	47.8
	Non-Hisp. Black Men				31.4	23.8	38.9	
	Non-Hisp. Black Women				34.8	28.9	40.6	
	Hispanic Men				29.6	22.9	36.3	
	Hispanic Women	23.4	10.2	36.6	31.0	25.9	36.1	27.5
AGE GROUP	18-44	22.7	11.5	33.8	17.9	16.0	19.8	27.7
	45-64	50.5	39.1	62.0	43.7	41.6	45.8	52.4
	65 & Older	73.7	66.9	80.5	61.1 *	59.5	62.8	56.7
EDUCATION LEVEL	<High School	42.2	26.2	58.3	39.6	34.8	44.3	62.4
	H.S. / GED	52.9	41.5	64.2	39.6	37.2	42.0	38.2
	>High School	36.4	27.2	45.6	38.2	36.7	39.7	43.2
ANNUAL INCOME	<\$25,000	51.6	39.3	63.9	41.3	38.8	43.8	58.1
	\$25,000-\$49,999	33.3	22.9	43.8	39.3	36.7	41.8	36.1
	\$50,000 or More	45.5	32.5	58.5	36.6	34.6	38.5	40.1
MARITAL STATUS	Married/Couple	47.9	39.0	56.8	39.6	38.1	41.2	46.2
	Not Married/Couple	38.7	28.6	48.8	36.9	34.9	38.9	42.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diagnosed diabetes

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	16.9	12.5	21.3	10.4 *	9.8	11.1	13.1
SEX	Men	15.0	8.3	21.7	11.7	10.6	12.7	11.1
	Women	19.7	14.8	24.5	9.2 *	8.4	10.0	15.9
RACE/ETHNICITY	Non-Hisp. White	15.5	11.0	20.1	10.1 *	9.4	10.7	16.1
	Non-Hisp. Black				13.1	10.7	15.5	25.9
	Hispanic	18.9	7.2	30.7	9.6	7.2	12.1	7.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.6	7.2	20.0	12.0	10.9	13.2	16.3
	Non-Hisp. White Women	18.5	12.9	24.1	8.2 *	7.5	8.9	15.9
	Non-Hisp. Black Men				12.6	8.6	16.5	
	Non-Hisp. Black Women				13.5	10.6	16.4	
	Hispanic Men				9.5	5.9	13.1	5.5
AGE GROUP	Hispanic Women	19.0	8.7	29.3	9.8	6.5	13.0	10.0
	18-44	7.3	0.5	14.0	3.6	2.8	4.5	4.5
	45-64	21.7	14.0	29.4	11.6 *	10.4	12.7	24.6
	65 & Older	26.6	19.8	33.5	19.2	17.9	20.5	22.4
EDUCATION LEVEL	<High School	17.2	6.4	28.0	15.4	12.8	18.1	17.0
	H.S. / GED	21.3	13.6	29.0	11.7 *	10.5	13.0	16.0
	>High School	11.3	6.5	16.2	9.3	8.5	10.1	9.2
ANNUAL INCOME	<\$25,000	24.8	14.9	34.6	14.8	13.3	16.2	12.2
	\$25,000-\$49,999	12.3	6.8	17.9	11.2	9.7	12.7	10.8
	\$50,000 or More	13.4	6.0	20.8	7.3	6.4	8.3	13.2
MARITAL STATUS	Married/Couple	18.2	12.2	24.2	9.8 *	9.0	10.6	14.7
	Not Married/Couple	14.9	9.6	20.2	11.6	10.5	12.6	11.1

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	56.6	42.6	70.6	62.1	58.9	65.3	69.2
SEX	Men	48.1	24.3	71.9	57.2	52.4	61.9	73.2
	Women	65.9	52.7	79.2	68.0	64.1	71.8	65.5
RACE/ETHNICITY	Non-Hisp. White	55.8	40.1	71.5	62.7	59.4	66.1	66.6
	Non-Hisp. Black				65.7	56.7	74.7	
	Hispanic				54.9	42.1	67.8	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				58.2	53.2	63.1	74.2
	Non-Hisp. White Women	76.1	62.5	89.8	69.1	65.1	73.1	59.2
	Non-Hisp. Black Men				68.0	52.3	83.7	
	Non-Hisp. Black Women				64.1	53.4	74.8	
	Hispanic Men				39.6	21.6	57.5	
AGE GROUP	Hispanic Women				69.6	55.7	83.4	
	18-44				51.8	39.6	63.9	
	45-64	40.7	23.6	57.7	61.7	56.6	66.7	76.5 *
	65 & Older	73.8	60.7	86.8	65.6	62.1	69.2	59.8
EDUCATION LEVEL	<High School				61.3	52.4	70.3	66.9
	H.S. / GED	50.9	31.2	70.7	60.8	54.9	66.8	71.8
	>High School	47.0	26.1	68.0	62.9	58.7	67.0	67.3
ANNUAL INCOME	<\$25,000	62.3	40.9	83.7	70.5	66.1	75.0	74.8
	\$25,000-\$49,999				58.0	51.0	64.9	
	\$50,000 or More				56.6	50.0	63.2	
MARITAL STATUS	Married/Couple	49.3	31.2	67.5	61.7	57.4	66.1	71.8
	Not Married/Couple	75.8	62.4	89.3	62.6	58.1	67.2	64.3

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	79.7	67.1	92.3	75.6	72.6	78.6	70.9
SEX	Men	82.2	61.8	00.0	74.3	69.8	78.8	70.9
	Women	77.0	64.0	89.9	77.3	73.6	81.0	70.9
RACE/ETHNICITY	Non-Hisp. White	79.7	63.4	96.0	77.6	74.5	80.7	72.5
	Non-Hisp. Black				70.9	61.0	80.8	
	Hispanic				70.5	58.1	82.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				76.2	71.8	80.7	
	Non-Hisp. White Women	84.8	73.3	96.2	79.5	75.7	83.2	73.9
	Non-Hisp. Black Men				62.7	45.1	80.4	
	Non-Hisp. Black Women				77.2	67.6	86.8	
	Hispanic Men				67.3	48.5	86.1	
	Hispanic Women				74.0	58.8	89.1	
AGE GROUP	18-44				62.2	49.9	74.4	
	45-64	75.1	55.0	95.3	76.5	71.8	81.1	75.7
	65 & Older	83.0	70.0	95.9	79.3	76.1	82.5	78.5
EDUCATION LEVEL	<High School				68.6	58.9	78.3	
	H.S. / GED	74.4	54.3	94.5	72.0	66.3	77.8	85.1
	>High School	89.7	80.9	98.6	78.6	74.8	82.3	56.7 *
ANNUAL INCOME	<\$25,000	81.7	66.5	96.9	75.0	70.3	79.6	71.6
	\$25,000-\$49,999				76.0	69.5	82.4	
	\$50,000 or More				76.5	70.5	82.5	
MARITAL STATUS	Married/Couple	80.5	64.8	96.2	78.9	75.1	82.7	70.8
	Not Married/Couple	77.3	61.8	92.8	70.3	65.5	75.1	71.1

Percentage of adults with diabetes who had an annual foot exam

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	70.2	57.5	83.0	72.2	69.2	75.2	72.3
SEX	Men	77.5	57.0	98.1	73.9	69.6	78.2	73.3
	Women	62.2	48.6	75.9	70.2	66.2	74.1	71.4
RACE/ETHNICITY	Non-Hisp. White	71.6	56.1	87.2	73.6	70.5	76.7	69.5
	Non-Hisp. Black				76.5	67.9	85.2	
	Hispanic				59.8	47.1	72.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				76.2	71.9	80.6	
	Non-Hisp. White Women	77.1	64.7	89.4	69.9	65.8	74.0	72.3
	Non-Hisp. Black Men				70.1	53.5	86.7	
	Non-Hisp. Black Women				81.0	72.9	89.1	
	Hispanic Men				57.5	38.8	76.2	
	Hispanic Women				62.2	45.6	78.7	
AGE GROUP	18-44				63.4	52.0	74.8	
	45-64	64.4	45.3	83.5	72.3	67.5	77.1	74.6
	65 & Older	74.5	62.0	87.0	75.2	71.8	78.6	72.2
EDUCATION LEVEL	<High School				69.7	61.5	77.8	78.1
	H.S. / GED	70.9	52.5	89.2	65.8	60.1	71.4	89.5
	>High School	70.4	48.2	92.6	76.1	72.3	79.8	46.7
ANNUAL INCOME	<\$25,000	76.4	60.6	92.2	69.6	64.9	74.4	83.3
	\$25,000-\$49,999				68.9	62.3	75.5	
	\$50,000 or More				77.1	71.2	83.0	
MARITAL STATUS	Married/Couple	69.2	52.9	85.5	75.1	71.3	79.0	69.4
	Not Married/Couple	73.3	57.7	88.8	67.8	63.2	72.4	78.4

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	61.8	47.9	75.8	70.2	67.0	73.4	64.8
SEX	Men	59.1	34.6	83.5	72.8	68.6	77.1	67.7
	Women	64.7	51.9	77.4	67.1	62.3	71.9	62.2
RACE/ETHNICITY	Non-Hisp. White	64.3	48.7	79.8	70.8	67.5	74.1	55.7
	Non-Hisp. Black				72.3	64.0	80.5	
	Hispanic				63.4	49.8	77.0	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				72.1	67.4	76.9	
	Non-Hisp. White Women	63.4	47.2	79.6	68.9	64.7	73.2	49.7
	Non-Hisp. Black Men				72.2	58.5	86.0	
	Non-Hisp. Black Women				72.3	62.2	82.5	
	Hispanic Men				72.3	56.1	88.5	
	Hispanic Women				55.0	35.6	74.5	
AGE GROUP	18-44				58.3	47.0	69.6	
	45-64	56.2	36.3	76.2	64.3	58.8	69.8	57.2
	65 & Older	69.5	55.0	84.0	80.2	76.9	83.5	82.2
EDUCATION LEVEL	<High School				62.4	53.9	70.8	85.8
	H.S. / GED	49.4	29.7	69.1	64.5	58.9	70.1	62.0
	>High School	83.1	70.1	96.1	74.6	70.3	78.9	50.4 *
ANNUAL INCOME	<\$25,000	57.9	36.1	79.7	67.5	62.9	72.1	66.6
	\$25,000-\$49,999				67.3	59.1	75.6	
	\$50,000 or More				77.1	71.4	82.7	
MARITAL STATUS	Married/Couple	62.1	43.7	80.4	72.1	67.7	76.5	65.1
	Not Married/Couple	61.2	44.3	78.2	67.3	62.8	71.8	64.2

Percentage of adults with diabetes who ever had diabetes self-management education

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	44.1	30.5	57.8	55.1	51.9	58.3	32.7
SEX	Men	38.3	15.7	60.9	55.4	50.7	60.0	28.0
	Women	50.4	37.0	63.8	54.8	50.4	59.2	37.0
RACE/ETHNICITY	Non-Hisp. White	47.4	32.2	62.6	56.5	53.0	59.9	34.7
	Non-Hisp. Black				56.4	47.1	65.7	
	Hispanic				45.0	31.5	58.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				56.5	51.5	61.4	29.1
	Non-Hisp. White Women	51.4	34.8	67.9	56.5	52.0	60.9	40.6
	Non-Hisp. Black Men				57.8	41.8	73.8	
	Non-Hisp. Black Women				55.4	44.3	66.5	
	Hispanic Men				37.4	18.9	55.9	
	Hispanic Women				52.1	34.3	69.9	
AGE GROUP	18-44				53.8	41.7	65.8	
	45-64	47.5	29.1	65.8	58.1	52.8	63.3	36.7
	65 & Older	33.5	20.1	46.9	52.6 *	48.9	56.3	24.9
EDUCATION LEVEL	<High School				47.1	38.3	55.9	17.4
	H.S. / GED	48.6	29.3	67.9	46.9	41.4	52.4	36.4
	>High School	43.6	23.0	64.3	60.9	56.6	65.2	40.7
ANNUAL INCOME	<\$25,000	43.2	21.6	64.8	50.2	45.3	55.1	36.2
	\$25,000-\$49,999				54.9	47.9	62.0	
	\$50,000 or More				60.8	54.1	67.5	
MARITAL STATUS	Married/Couple	44.4	26.8	62.0	59.1	54.7	63.4	27.4
	Not Married/Couple	43.3	26.0	60.6	48.9	44.4	53.5	42.7

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	47.5	43.7	51.4	50.0	49.0	50.9	48.5
SEX	Men	45.6	40.1	51.1	50.2	48.7	51.6	51.8
	Women	49.7	44.9	54.5	49.7	48.4	51.0	45.3
RACE/ETHNICITY	Non-Hisp. White	50.3	45.9	54.6	51.9	50.8	53.0	50.9
	Non-Hisp. Black				44.8	42.0	47.7	
	Hispanic				45.3	42.3	48.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				51.7	50.1	53.2	53.6
	Non-Hisp. White Women	53.0	45.7	60.4	52.2	50.7	53.7	48.0
	Non-Hisp. Black Men				43.4	38.2	48.6	
	Non-Hisp. Black Women				45.8	42.7	48.9	
	Hispanic Men				45.9	41.0	50.7	
	Hispanic Women				44.8	41.0	48.6	
AGE GROUP	18-44				31.0	28.7	33.2	
	45-64	46.1	43.4	48.9	45.7	44.7	46.8	48.0
	65 & Older	62.6	59.0	66.3	60.4	59.4	61.4	58.5
EDUCATION LEVEL	<High School				49.4	46.6	52.2	48.3
	H.S. / GED	47.5	42.4	52.6	50.0	48.2	51.9	51.1
	>High School	51.6	47.1	56.1	50.1	48.8	51.3	45.4
ANNUAL INCOME	<\$25,000	43.9	37.6	50.2	50.0	48.4	51.6	47.3
	\$25,000-\$49,999				51.0	49.1	52.9	
	\$50,000 or More				48.0	46.1	50.0	
MARITAL STATUS	Married/Couple	46.4	42.1	50.7	49.3	48.1	50.5	49.2
	Not Married/Couple	50.6	43.1	58.1	50.9	49.4	52.5	47.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	20.8	15.9	25.8	24.3	23.3	25.3	17.1
SEX	Men	18.7	11.0	26.4	23.0	21.4	24.6	14.4
	Women	23.7	18.6	28.8	25.5	24.2	26.7	20.7
RACE/ETHNICITY	Non-Hisp. White	22.8	17.3	28.2	26.2	25.1	27.3	25.1
	Non-Hisp. Black				22.0	18.3	25.7	23.5
	Hispanic	15.4	2.7	28.0	17.2	13.8	20.6	6.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	18.5	10.8	26.3	24.3	22.6	25.9	23.0
	Non-Hisp. White Women	29.2	22.7	35.8	28.0	26.6	29.4	27.1
	Non-Hisp. Black Men				22.0	15.7	28.2	
	Non-Hisp. Black Women				22.0	17.6	26.4	
	Hispanic Men				17.1	11.3	22.9	6.1
AGE GROUP	Hispanic Women	9.1	0.8	17.4	17.3	13.7	21.0	8.0
	18-44	13.9	5.3	22.5	16.6	14.8	18.4	8.3
	45-64	21.1	13.3	28.8	26.6	25.0	28.3	26.9
	65 & Older	34.6	27.1	42.2	32.3	30.8	33.9	30.5
EDUCATION LEVEL	<High School	25.0	11.2	38.7	28.7	24.8	32.6	18.9
	H.S. / GED	21.6	14.6	28.7	25.3	23.4	27.2	21.7
	>High School	17.4	11.0	23.7	23.4	22.2	24.6	12.8
ANNUAL INCOME	<\$25,000	28.9	18.8	39.0	38.5	36.0	40.9	17.7
	\$25,000-\$49,999	23.5	13.8	33.1	23.6	21.6	25.6	17.2
	\$50,000 or More	10.1	4.7	15.4	16.2	14.9	17.5	11.3
MARITAL STATUS	Married/Couple	21.7	15.0	28.4	21.4	20.2	22.6	17.7
	Not Married/Couple	19.8	13.4	26.2	29.4 *	27.6	31.3	16.5

Percentage of adults who use special equipment because of a health problem

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	7.0	4.6	9.4	9.3	8.7	9.8	7.5
SEX	Men	4.6	1.3	7.9	9.0 *	8.1	9.9	6.6
	Women	10.4	7.0	13.8	9.5	8.7	10.2	8.8
RACE/ETHNICITY	Non-Hisp. White	8.4	5.1	11.7	10.0	9.3	10.6	11.5
	Non-Hisp. Black				12.0	9.3	14.7	11.8
	Hispanic	1.4	0.0	3.1	4.4	3.0	5.8	2.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.4	1.0	9.7	9.8	8.8	10.9	12.4
	Non-Hisp. White Women	13.1	8.4	17.8	10.1	9.3	10.9	10.7
	Non-Hisp. Black Men				12.0	7.8	16.2	
	Non-Hisp. Black Women				12.0	8.5	15.6	
	Hispanic Men				4.0	1.7	6.3	1.3
AGE GROUP	Hispanic Women	2.3	0.0	5.4	4.8	3.2	6.3	5.2
	18-44	0.4	0.0	1.3	3.1 *	2.4	3.8	2.3
	45-64	7.2	2.6	11.7	9.5	8.5	10.6	12.1
	65 & Older	21.2	14.6	27.7	18.7	17.4	19.9	16.9
EDUCATION LEVEL	<High School	9.7	2.5	16.9	12.8	10.5	15.0	7.9
	H.S. / GED	7.0	3.6	10.4	10.4	9.2	11.6	9.0
	>High School	4.7	2.3	7.1	8.4 *	7.7	9.1	6.1
ANNUAL INCOME	<\$25,000	13.0	6.8	19.3	17.1	15.5	18.7	6.7
	\$25,000-\$49,999	3.8	0.7	6.9	8.1 *	7.0	9.2	7.2
	\$50,000 or More	1.7	0.0	3.7	4.9 *	4.1	5.6	6.4
MARITAL STATUS	Married/Couple	5.4	2.4	8.4	7.6	6.9	8.2	6.7
	Not Married/Couple	10.7	6.6	14.9	12.3	11.2	13.4	8.8

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Family Planning

Percentage of females less than 45 years old or males less than 60 years old who report that they or their partner take measures to prevent pregnancy

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	50.9	40.5	61.4	56.2	54.1	58.4	
SEX	Men	46.0	33.0	59.1	51.3	48.5	54.1	
	Women	65.6	52.1	79.1	66.8	63.7	69.9	
RACE/ETHNICITY	Non-Hisp. White	43.9	31.4	56.4	57.7	55.3	60.0	
	Non-Hisp. Black				53.9	47.1	60.7	
	Hispanic	60.3	41.0	79.6	55.9	49.2	62.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.1	23.6	52.5	52.2	49.2	55.2	
	Non-Hisp. White Women	66.0	46.7	85.3	70.8	67.4	74.2	
	Non-Hisp. Black Men				49.9	40.4	59.5	
	Non-Hisp. Black Women				60.1	51.4	68.9	
	Hispanic Men				50.3	41.3	59.3	
	Hispanic Women				66.2	57.7	74.8	
AGE GROUP	18-44	58.6	46.0	71.2	60.6	57.9	63.3	
	45-64	38.2	21.1	55.4	47.3	43.4	51.2	
EDUCATION LEVEL	<High School	54.9	33.1	76.8	51.5	43.7	59.4	
	H.S. / GED	45.2	27.9	62.6	53.5	49.3	57.7	
	>High School	54.6	37.7	71.5	57.9	55.2	60.6	
ANNUAL INCOME	<\$25,000	55.8	36.4	75.2	46.8	42.2	51.4	
	\$25,000-\$49,999	59.3	38.4	80.1	56.7	52.0	61.4	
	\$50,000 or More	47.3	30.6	64.0	64.0	60.9	67.1	
MARITAL STATUS	Married/Couple	59.3	46.2	72.5	66.1	63.5	68.7	
	Not Married/Couple	35.9	19.0	52.7	38.8	35.2	42.4	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	71.5	65.2	77.8	83.0 *	81.9	84.1	74.8
SEX	Men	73.5	63.9	83.1	81.7	79.9	83.5	81.0
	Women	68.6	61.6	75.6	84.2 *	82.9	85.5	66.2
RACE/ETHNICITY	Non-Hisp. White	83.6	77.6	89.5	87.3	86.3	88.2	83.7
	Non-Hisp. Black				76.1	71.7	80.4	55.4
	Hispanic	44.2	29.2	59.2	70.3 *	66.1	74.6	65.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.7	74.9	92.6	85.4	83.8	87.1	87.4
	Non-Hisp. White Women	83.3	76.8	89.8	89.0	87.9	90.0	79.7
	Non-Hisp. Black Men				70.7	63.0	78.5	
	Non-Hisp. Black Women				80.1	75.4	84.8	
	Hispanic Men				72.0	65.0	78.9	76.5
AGE GROUP	Hispanic Women	37.9	24.9	50.9	68.7 *	63.6	73.8	42.2
	18-44	53.1	41.2	65.0	73.0 *	70.7	75.3	68.8
	45-64	78.0	69.9	86.0	83.4	81.8	85.0	71.4
	65 & Older	95.6	91.9	99.3	98.0	97.1	98.8	97.9
EDUCATION LEVEL	<High School	50.8	36.1	65.5	64.4	59.6	69.2	43.9
	H.S. / GED	69.3	59.5	79.2	76.5	74.3	78.8	74.9
	>High School	87.8	80.1	95.5	87.9	86.7	89.1	90.3
ANNUAL INCOME	<\$25,000	54.0	42.4	65.7	64.2	61.5	66.8	72.6
	\$25,000-\$49,999	71.0	58.3	83.7	81.7	79.4	84.1	70.9
	\$50,000 or More	90.2	82.2	98.1	95.4	94.5	96.3	88.3
MARITAL STATUS	Married/Couple	73.4	65.7	81.1	87.4 *	86.2	88.5	69.4
	Not Married/Couple	66.2	55.2	77.1	75.0	72.9	77.1	83.0

Percentage of adults who have a personal doctor

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	78.4	72.4	84.4	81.7	80.6	82.8	59.9
SEX	Men	76.5	67.0	86.0	78.7	76.9	80.5	47.9
	Women	81.0	75.6	86.5	84.5	83.3	85.8	76.1
RACE/ETHNICITY	Non-Hisp. White	86.2	80.6	91.7	84.6	83.6	85.6	84.1
	Non-Hisp. Black				79.2	75.1	83.3	76.3
	Hispanic	59.9	44.6	75.3	70.7	66.4	75.0	27.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	85.0	76.5	93.6	81.2	79.4	82.9	80.9
	Non-Hisp. White Women	87.9	82.5	93.3	87.9	86.8	89.0	87.4
	Non-Hisp. Black Men				75.5	68.5	82.6	
	Non-Hisp. Black Women				82.0	77.2	86.7	
	Hispanic Men				68.1	61.1	75.2	14.9
AGE GROUP	Hispanic Women	65.4	52.0	78.8	73.2	68.2	78.3	53.5
	18-44	64.6	52.6	76.5	67.5	65.2	69.9	41.6
	45-64	83.8	76.4	91.3	86.2	84.8	87.7	77.1
	65 & Older	96.0	93.7	98.4	96.0	95.4	96.6	90.0
EDUCATION LEVEL	<High School	69.5	55.4	83.6	68.0	63.2	72.8	47.2
	H.S. / GED	82.2	73.7	90.6	76.8	74.5	79.1	74.9
	>High School	80.6	70.8	90.4	85.3	84.1	86.6	55.3
ANNUAL INCOME	<\$25,000	75.0	63.9	86.0	71.0	68.4	73.6	41.9
	\$25,000-\$49,999	73.4	59.7	87.0	80.8	78.4	83.1	71.0
	\$50,000 or More	87.5	79.7	95.4	89.0	87.7	90.3	87.9
MARITAL STATUS	Married/Couple	79.6	72.2	87.1	85.3	84.1	86.5	71.0
	Not Married/Couple	78.8	70.1	87.5	75.3	73.2	77.4	43.5

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor at least once in the past year due to cost

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	19.2	14.0	24.3	17.3	16.2	18.3	38.3
SEX	Men	14.1	6.4	21.8	15.4	13.8	17.0	43.3
	Women	26.3	20.3	32.3	19.1	17.8	20.4	31.4
RACE/ETHNICITY	Non-Hisp. White	14.1	9.2	19.0	13.6	12.7	14.5	22.7
	Non-Hisp. Black				21.8	17.8	25.8	20.3
	Hispanic	31.2	17.6	44.8	29.5	25.3	33.7	60.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	9.6	2.8	16.4	12.1	10.7	13.6	20.8
	Non-Hisp. White Women	20.9	14.4	27.4	15.0	13.8	16.1	24.7
	Non-Hisp. Black Men				24.8	17.5	32.1	
	Non-Hisp. Black Women				19.6	15.4	23.7	
	Hispanic Men				24.3	17.7	30.9	67.7
	Hispanic Women	42.5	28.6	56.4	34.5	29.3	39.7	46.3
AGE GROUP	18-44	29.5	18.7	40.2	25.3	23.1	27.5	51.8
	45-64	15.1	8.8	21.3	17.6	16.1	19.1	25.1
	65 & Older	6.4	2.5	10.3	4.3	3.3	5.2	16.7
EDUCATION LEVEL	<High School	33.1	19.7	46.5	31.2	26.7	35.7	33.1
	H.S. / GED	13.0	7.5	18.5	21.7 *	19.5	23.9	24.0
	>High School	16.9	7.8	25.9	13.9	12.7	15.1	50.9
ANNUAL INCOME	<\$25,000	32.5	21.9	43.1	36.1	33.4	38.7	61.6
	\$25,000-\$49,999	24.1	12.6	35.6	18.6	16.5	20.7	27.5
	\$50,000 or More	3.1	0.6	5.7	6.0	5.0	7.0	8.5
MARITAL STATUS	Married/Couple	15.9	9.9	21.9	14.0	12.8	15.2	29.3 *
	Not Married/Couple	23.1	15.0	31.1	23.2	21.2	25.2	51.4

Percentage of adults who had a medical checkup in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	63.5	57.0	70.0	69.7	68.5	71.0	75.6
SEX	Men	60.7	50.5	70.9	66.5	64.5	68.5	77.0
	Women	67.3	60.8	73.8	72.8	71.3	74.3	73.6
RACE/ETHNICITY	Non-Hisp. White	69.9	62.6	77.1	71.6	70.4	72.9	76.1
	Non-Hisp. Black				71.9	67.5	76.2	74.7
	Hispanic	45.6	30.4	60.8	59.4	54.8	64.1	76.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	65.6	54.6	76.6	68.4	66.4	70.4	75.4
	Non-Hisp. White Women	76.4	69.4	83.3	74.7	73.3	76.1	76.9
	Non-Hisp. Black Men				64.6	57.1	72.1	
	Non-Hisp. Black Women				77.4	72.5	82.2	
	Hispanic Men				56.6	49.1	64.1	81.6
	Hispanic Women	41.4	28.0	54.7	62.2 *	56.7	67.7	65.9
AGE GROUP	18-44	52.0	40.2	63.8	53.8	51.3	56.2	73.0
	45-64	63.1	52.9	73.3	72.3	70.5	74.1	72.8
	65 & Older	89.2	84.9	93.5	90.3	89.4	91.2	88.0
EDUCATION LEVEL	<High School	61.1	47.0	75.3	59.9	55.1	64.6	62.5
	H.S. / GED	63.1	52.6	73.6	67.3	64.9	69.6	72.4
	>High School	66.1	55.7	76.4	71.9	70.4	73.4	84.4
ANNUAL INCOME	<\$25,000	59.8	48.5	71.1	63.0	60.4	65.7	79.1
	\$25,000-\$49,999	63.0	49.9	76.0	70.5	68.0	73.0	72.1
	\$50,000 or More	66.5	54.8	78.2	73.5	71.6	75.4	70.3
MARITAL STATUS	Married/Couple	63.8	55.6	72.0	72.0	70.5	73.5	69.3
	Not Married/Couple	61.5	50.8	72.1	65.6	63.4	67.8	85.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good to excellent overall health

		2010 County			2010 State			2007 County	
		Measure	95% CI		Measure	95% CI		Measure	
	ALL	Overall	76.7	71.6	81.9	82.9 *	82.0	83.7	79.3
	SEX	Men	82.3	74.8	89.8	83.5	82.1	84.9	83.5
		Women	69.0	62.9	75.1	82.3 *	81.2	83.4	73.4
	RACE/ETHNICITY	Non-Hisp. White	78.4	72.8	83.9	84.2	83.4	85.1	78.1
		Non-Hisp. Black				79.8	76.4	83.2	63.8
		Hispanic	76.2	64.3	88.2	79.3	76.1	82.6	82.7
	SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.4	75.6	91.1	84.4	83.0	85.7	80.0
		Non-Hisp. White Women	70.7	63.8	77.6	84.1 *	83.1	85.2	76.0
		Non-Hisp. Black Men				81.6	76.2	87.0	
		Non-Hisp. Black Women				78.4	74.1	82.7	
		Hispanic Men				81.8	76.9	86.8	88.8
		Hispanic Women	66.5	53.2	79.9	76.9	72.8	81.1	70.2
	AGE GROUP	18-44	77.5	67.7	87.2	89.6 *	88.3	91.0	88.6
		45-64	79.5	72.3	86.7	81.1	79.6	82.6	68.4
		65 & Older	68.2	60.7	75.7	75.3	73.8	76.8	66.6
	EDUCATION LEVEL	<High School	61.5	47.8	75.2	63.1	58.8	67.5	56.1
		H.S. / GED	77.0	69.5	84.5	76.6	74.6	78.5	78.4
		>High School	87.1	80.3	93.8	87.7	86.8	88.6	91.8
	ANNUAL INCOME	<\$25,000	63.5	52.9	74.1	66.4	64.1	68.7	75.7
		\$25,000-\$49,999	72.4	61.2	83.7	84.2	82.5	85.9	79.5
		\$50,000 or More	92.3	86.4	98.1	92.7	91.8	93.6	92.7
	MARITAL STATUS	Married/Couple	76.2	69.4	83.0	85.6 *	84.6	86.6	75.5
		Not Married/Couple	77.0	69.8	84.2	77.9	76.3	79.5	85.8

Percentage of adults who are "very satisfied" or "satisfied" with their lives

		2010 County			2010 State			2007 County	
		Measure	95% CI		Measure	95% CI		Measure	
	ALL	Overall	94.9	91.8	98.0	93.1	92.4	93.8	78.9
	SEX	Men	93.3	88.3	98.4	92.3	91.1	93.5	67.5
		Women	97.3	95.3	99.2	93.7 *	93.0	94.5	94.1
	RACE/ETHNICITY	Non-Hisp. White	94.8	91.4	98.3	93.0	92.2	93.7	93.6
		Non-Hisp. Black				92.1	89.2	94.9	93.0
		Hispanic	97.7	93.3	00.0	94.9	92.8	97.1	59.8 *
	SEX BY RACE/ETHNICITY	Non-Hisp. White Men	94.0	88.6	99.4	92.5	91.2	93.7	94.8
		Non-Hisp. White Women	96.1	93.3	98.9	93.4	92.5	94.4	92.5
		Non-Hisp. Black Men				90.5	85.2	95.8	
		Non-Hisp. Black Women				93.3	90.3	96.2	
		Hispanic Men				94.1	90.2	98.0	43.1
		Hispanic Women	100.0	00.0	00.0	95.8 *	94.0	97.5	95.9 *
	AGE GROUP	18-44	93.9	87.9	99.9	92.9	91.5	94.2	68.3
		45-64	94.7	90.1	99.3	91.3	90.1	92.5	91.1
		65 & Older	97.7	95.5	99.9	96.4	95.9	97.0	95.5
	EDUCATION LEVEL	<High School	92.5	84.3	00.0	86.6	83.1	90.0	94.4
		H.S. / GED	94.9	90.6	99.2	92.2	90.8	93.5	95.7
		>High School	96.5	92.0	00.0	94.1	93.3	94.9	57.8 *
	ANNUAL INCOME	<\$25,000	90.4	83.3	97.5	85.1	83.1	87.1	59.3
		\$25,000-\$49,999	96.0	88.8	00.0	94.1	92.7	95.5	95.4
		\$50,000 or More	98.6	96.7	00.0	97.0	96.3	97.7	99.3
	MARITAL STATUS	Married/Couple	94.8	90.6	99.0	95.7	95.1	96.4	95.9
		Not Married/Couple	95.1	91.1	99.0	88.1 *	86.6	89.7	54.6 *

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who always or usually receive the social and emotional support they need

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	68.7	61.7	75.7	79.5 *	78.4	80.6	73.0
SEX	Men	65.9	55.0	76.9	77.9	76.0	79.8	77.4
	Women	72.5	65.6	79.4	81.1 *	79.8	82.3	67.1
RACE/ETHNICITY	Non-Hisp. White	76.6	68.9	84.2	82.7	81.7	83.7	75.4
	Non-Hisp. Black				69.7	65.4	74.1	
	Hispanic	53.6	37.4	69.8	73.4	68.7	78.1	71.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.7	60.8	84.6	81.1	79.4	82.8	75.9
	Non-Hisp. White Women	82.3	76.4	88.2	84.1	83.0	85.3	74.9
	Non-Hisp. Black Men				70.2	62.8	77.6	
	Non-Hisp. Black Women				69.4	64.2	74.6	
	Hispanic Men				68.9	60.8	77.0	79.3
AGE GROUP	Hispanic Women	56.9	41.7	72.1	77.6 *	72.9	82.4	54.1
	18-44	64.8	52.6	76.9	79.4 *	77.2	81.7	76.2
	45-64	67.9	56.4	79.3	79.8	78.1	81.5	68.1
	65 & Older	80.0	73.6	86.4	79.4	77.8	80.9	69.0
EDUCATION LEVEL	<High School	42.8	27.7	58.0	58.2	53.3	63.2	43.0
	H.S. / GED	69.8	58.2	81.3	74.5	72.3	76.7	69.8
	>High School	83.5	75.7	91.4	83.8	82.5	85.1	90.2
ANNUAL INCOME	<\$25,000	47.3	35.2	59.4	63.8 *	61.2	66.4	71.7
	\$25,000-\$49,999	70.7	57.6	83.8	79.8	77.4	82.2	71.0
	\$50,000 or More	84.8	72.4	97.2	88.6	87.2	90.1	87.1
MARITAL STATUS	Married/Couple	70.6	61.5	79.8	84.6 *	83.4	85.9	70.9
	Not Married/Couple	63.0	52.1	73.8	70.2	68.1	72.3	75.9

Percentage of adults with good physical health

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	84.5	80.2	88.8	87.4	86.6	88.2	86.7
SEX	Men	89.9	84.5	95.4	88.4	87.2	89.6	91.4
	Women	77.0	70.6	83.3	86.5 *	85.5	87.4	80.1
RACE/ETHNICITY	Non-Hisp. White	86.1	81.9	90.4	87.0	86.2	87.8	80.8
	Non-Hisp. Black				87.6	84.6	90.5	84.8
	Hispanic	86.9	78.7	95.1	89.9	87.6	92.3	94.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.4	84.8	96.0	87.8	86.6	89.1	87.5
	Non-Hisp. White Women	79.6	73.5	85.7	86.2	85.2	87.3	73.7
	Non-Hisp. Black Men				86.6	81.5	91.7	
	Non-Hisp. Black Women				88.3	84.9	91.8	
	Hispanic Men				93.4	89.8	96.9	95.8
AGE GROUP	Hispanic Women	76.9	64.3	89.4	86.7	83.7	89.7	91.4
	18-44	86.6	78.5	94.8	92.4	91.2	93.6	93.2
	45-64	85.0	78.9	91.2	85.0	83.7	86.4	84.4
	65 & Older	78.4	71.2	85.6	83.8	82.6	84.9	68.9
EDUCATION LEVEL	<High School	75.9	62.6	89.3	78.5	75.2	81.9	82.4
	H.S. / GED	83.7	77.7	89.6	83.9	82.3	85.6	78.8
	>High School	89.9	84.3	95.4	89.7	88.9	90.6	95.0
ANNUAL INCOME	<\$25,000	70.1	59.7	80.6	76.1	74.0	78.2	81.4
	\$25,000-\$49,999	83.3	74.4	92.3	88.1	86.5	89.7	90.7
	\$50,000 or More	97.1	94.3	99.9	93.3 *	92.4	94.2	95.9
MARITAL STATUS	Married/Couple	86.3	81.3	91.3	89.5	88.7	90.4	88.5
	Not Married/Couple	80.0	71.7	88.2	83.5	82.0	85.0	84.4

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good mental health

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	85.6	81.1	90.1	88.2	87.4	89.0	90.2
SEX	Men	89.6	83.5	95.6	89.2	87.9	90.5	92.6
	Women	80.1	73.7	86.6	87.2	86.2	88.2	86.9
RACE/ETHNICITY	Non-Hisp. White	87.5	82.8	92.3	88.5	87.7	89.3	87.7
	Non-Hisp. Black				90.9	88.5	93.3	83.9
	Hispanic	88.1	80.0	96.2	85.3	81.9	88.6	93.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.8	84.4	97.3	89.7	88.4	90.9	92.8
	Non-Hisp. White Women	82.3	75.8	88.9	87.4	86.3	88.4	82.5
	Non-Hisp. Black Men				92.6	89.1	96.1	
	Non-Hisp. Black Women				89.6	86.2	92.9	
	Hispanic Men				86.6	81.1	92.1	93.2
AGE GROUP	Hispanic Women	84.9	74.7	95.1	84.0	80.1	87.8	94.4
	18-44	79.4	69.7	89.1	87.3	85.7	88.9	91.5
	45-64	88.1	82.5	93.6	86.5	85.2	87.8	85.7
	65 & Older	92.8	88.9	96.7	92.6	91.6	93.7	92.5
EDUCATION LEVEL	<High School	76.9	64.1	89.7	78.0	74.0	81.9	81.6
	H.S. / GED	87.7	82.1	93.3	86.4	84.8	88.1	91.1
	>High School	88.6	81.8	95.5	90.0	89.0	90.9	93.6
ANNUAL INCOME	<\$25,000	74.8	64.8	84.8	77.3	75.1	79.5	89.3
	\$25,000-\$49,999	82.1	71.4	92.8	88.8	87.2	90.4	87.3
	\$50,000 or More	96.1	92.3	99.8	93.9	92.9	94.8	94.4
MARITAL STATUS	Married/Couple	87.1	81.6	92.5	90.7	89.8	91.6	90.2
	Not Married/Couple	81.9	73.7	90.1	83.5	81.9	85.1	90.1

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	5.7	4.1	7.2	5.2	4.9	5.5	5.1
SEX	Men	4.1	1.8	6.4	5.6	5.0	6.2	4.7
	Women	7.5	5.1	10.0	4.9	4.5	5.2	5.4
RACE/ETHNICITY	Non-Hisp. White	5.1	3.2	7.0	5.0	4.7	5.3	6.0
	Non-Hisp. Black				5.3	4.1	6.6	
	Hispanic	4.7	1.7	7.6	5.8	4.6	6.9	3.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.4	1.5	7.3	5.3	4.8	5.9	5.2
	Non-Hisp. White Women	6.2	4.0	8.3	4.8	4.5	5.1	6.4
	Non-Hisp. Black Men				6.0	3.7	8.3	
	Non-Hisp. Black Women				4.9	3.5	6.3	
	Hispanic Men				6.9	4.6	9.3	
AGE GROUP	Hispanic Women	7.2	3.0	11.3	5.0	4.0	6.0	3.4
	18-44	5.3	2.0	8.5	3.8	3.3	4.4	3.1
	45-64	5.9	3.2	8.7	6.1	5.6	6.7	6.2
	65 & Older	5.9	3.5	8.4	5.7	5.2	6.1	8.0
EDUCATION LEVEL	<High School	6.9	1.9	11.9	7.7	6.4	9.0	7.5
	H.S. / GED	5.9	3.3	8.4	6.0	5.4	6.6	5.2
	>High School	4.5	2.6	6.3	4.5	4.1	4.9	3.3
ANNUAL INCOME	<\$25,000	9.5	5.8	13.2	8.3	7.6	9.0	7.5
	\$25,000-\$49,999	5.2	2.9	7.6	4.8	4.1	5.4	3.5
	\$50,000 or More	1.1	0.2	2.0	2.9*	2.6	3.3	1.0
MARITAL STATUS	Married/Couple	4.6	2.6	6.5	4.4	4.0	4.7	4.0
	Not Married/Couple	7.9	4.5	11.3	6.4	5.8	6.9	7.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	4.5	3.6	5.5	4.1	3.9	4.3	3.9
SEX	Men	3.2	1.9	4.5	3.8	3.5	4.1	2.6
	Women	6.4	4.8	8.0	4.4 *	4.2	4.6	5.7
RACE/ETHNICITY	Non-Hisp. White	4.3	3.2	5.4	4.2	4.0	4.4	5.7
	Non-Hisp. Black				4.0	3.2	4.7	3.9
	Hispanic	3.5	1.8	5.3	3.6	3.0	4.3	1.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.4	1.9	5.0	4.0	3.6	4.3	4.0
	Non-Hisp. White Women	5.6	4.2	7.1	4.5	4.2	4.7	7.5
	Non-Hisp. Black Men				4.1	2.8	5.4	
	Non-Hisp. Black Women				3.8	3.1	4.6	
	Hispanic Men				2.8	1.7	3.8	1.2
	Hispanic Women	6.1	3.4	8.8	4.4	3.7	5.2	2.7
AGE GROUP	18-44	3.9	2.0	5.8	2.8	2.5	3.2	2.2
	45-64	4.3	2.7	5.8	4.7	4.4	5.0	4.7
	65 & Older	6.5	4.6	8.4	5.1	4.8	5.4	8.2
EDUCATION LEVEL	<High School	7.3	3.6	11.0	6.6	5.8	7.5	5.2
	H.S. / GED	4.5	3.1	5.8	5.0	4.6	5.4	5.6
	>High School	3.2	2.0	4.3	3.5	3.3	3.7	2.0
ANNUAL INCOME	<\$25,000	8.1	5.4	10.9	7.2	6.7	7.7	4.9
	\$25,000-\$49,999	4.8	3.0	6.6	4.0	3.6	4.4	3.6
	\$50,000 or More	1.3	0.5	2.1	2.5 *	2.3	2.7	1.8
MARITAL STATUS	Married/Couple	4.0	2.8	5.2	3.5	3.3	3.7	3.7
	Not Married/Couple	5.9	3.7	8.0	5.2	4.9	5.6	4.2

Average number of unhealthy mental days in the past 30 days

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	4.3	3.1	5.4	3.8	3.6	4.0	3.1
SEX	Men	3.5	1.8	5.3	3.4	3.1	3.8	2.1
	Women	5.4	4.0	6.7	4.1	3.8	4.3	4.4
RACE/ETHNICITY	Non-Hisp. White	4.0	2.7	5.3	3.7	3.5	3.9	3.7
	Non-Hisp. Black				3.3	2.6	3.9	5.3
	Hispanic	3.5	1.6	5.4	4.2	3.4	5.0	2.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.3	1.4	5.3	3.4	3.1	3.7	2.3
	Non-Hisp. White Women	5.0	3.5	6.6	4.0	3.8	4.3	5.2
	Non-Hisp. Black Men				2.7	1.7	3.6	
	Non-Hisp. Black Women				3.7	2.9	4.6	
	Hispanic Men				3.5	2.3	4.8	1.8
	Hispanic Women	4.8	2.1	7.4	4.9	3.9	5.8	2.9
AGE GROUP	18-44	5.4	3.0	7.8	4.1	3.7	4.5	2.9
	45-64	4.2	2.6	5.7	4.3	3.9	4.6	4.1
	65 & Older	2.2	1.3	3.2	2.4	2.1	2.7	2.2
EDUCATION LEVEL	<High School	5.3	2.5	8.1	6.7	5.7	7.7	5.0
	H.S. / GED	4.3	2.7	5.9	4.3	3.9	4.7	3.1
	>High School	3.7	1.7	5.7	3.2	3.0	3.5	2.1
ANNUAL INCOME	<\$25,000	7.0	4.6	9.5	6.8	6.3	7.4	3.2
	\$25,000-\$49,999	5.1	2.1	8.0	3.7	3.2	4.1	4.1
	\$50,000 or More	1.8	0.6	3.0	2.2	2.0	2.4	2.0
MARITAL STATUS	Married/Couple	4.2	2.6	5.7	3.1	2.9	3.4	3.0
	Not Married/Couple	4.8	3.0	6.5	5.0	4.6	5.3	3.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percentage of adults less than 65 years of age who have ever been tested for HIV

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	35.8	28.2	43.3	48.4 *	46.8	50.0	32.6
SEX	Men	24.4	14.3	34.5	45.3 *	42.7	47.8	21.1
	Women	53.8	45.1	62.5	51.5	49.5	53.5	50.2
RACE/ETHNICITY	Non-Hisp. White	37.8	28.5	47.1	42.4	40.7	44.1	30.5
	Non-Hisp. Black				67.0	61.9	72.0	
	Hispanic	29.0	15.5	42.4	56.2 *	51.0	61.4	32.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.6	17.2	42.1	40.6	37.9	43.2	21.0
	Non-Hisp. White Women	52.6	41.8	63.5	44.4	42.2	46.5	40.9
	Non-Hisp. Black Men				58.6	49.7	67.5	
	Non-Hisp. Black Women				73.7	68.4	78.9	
	Hispanic Men				52.4	44.0	60.8	18.6
	Hispanic Women	51.9	36.9	66.8	59.9	53.7	66.1	62.1
AGE GROUP	18-44	40.4	28.9	51.9	57.0 *	54.5	59.6	36.8
	45-64	31.5	21.6	41.3	40.6	38.5	42.7	23.2
EDUCATION LEVEL	<High School	43.9	27.0	60.7	47.7	41.5	54.0	38.8
	H.S. / GED	24.7	14.6	34.7	43.8 *	40.7	46.9	45.5 *
	>High School	41.1	28.8	53.5	50.3	48.3	52.3	21.4
ANNUAL INCOME	<\$25,000	41.9	27.6	56.1	54.7	51.3	58.1	27.3
	\$25,000-\$49,999	41.3	25.7	57.0	51.5	48.0	55.1	45.9
	\$50,000 or More	32.2	20.0	44.4	46.1	43.7	48.5	27.7
MARITAL STATUS	Married/Couple	30.7	22.1	39.3	46.9 *	44.9	48.9	38.6
	Not Married/Couple	50.2	36.0	64.4	51.3	48.5	54.2	23.1

Percentage of adults less than 65 years who think they can get AIDS virus from mosquitos

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	27.4	19.7	35.2	19.2	17.8	20.6	
SEX	Men	22.1	11.4	32.7	20.6	18.4	22.8	
	Women	35.6	25.6	45.5	17.8 *	16.1	19.5	
RACE/ETHNICITY	Non-Hisp. White	21.1	13.3	29.0	17.4	16.0	18.9	
	Non-Hisp. Black				27.5	22.4	32.5	
	Hispanic	41.5	22.9	60.1	21.5	17.0	25.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.0	4.3	23.8	19.4	17.1	21.8	
	Non-Hisp. White Women	32.4	20.8	44.0	15.5 *	13.7	17.3	
	Non-Hisp. Black Men				30.9	21.6	40.2	
	Non-Hisp. Black Women				25.0	19.5	30.5	
	Hispanic Men				20.9	13.8	28.0	
	Hispanic Women	37.9	20.4	55.5	22.0	16.4	27.6	
AGE GROUP	18-44	34.0	21.2	46.7	20.9	18.6	23.1	
	45-64	21.2	12.5	29.8	17.8	16.1	19.6	
EDUCATION LEVEL	<High School	33.6	14.9	52.3	42.2	34.9	49.5	
	H.S. / GED	40.0	26.2	53.8	28.9	25.5	32.3	
	>High School	11.7	4.7	18.7	13.8	12.4	15.3	
ANNUAL INCOME	<\$25,000	40.2	24.2	56.2	31.2	27.7	34.7	
	\$25,000-\$49,999	19.4	6.8	32.0	21.1	18.0	24.2	
	\$50,000 or More	21.9	10.6	33.1	11.8	10.2	13.5	
MARITAL STATUS	Married/Couple	25.5	16.2	34.7	15.9	14.4	17.4	
	Not Married/Couple	33.0	18.7	47.4	25.3	22.5	28.0	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	38.9	32.2	45.7	34.3	33.1	35.4	27.5
SEX	Men	40.7	30.1	51.3	36.5	34.6	38.4	25.2
	Women	36.5	30.0	43.0	32.2	30.8	33.6	30.6
RACE/ETHNICITY	Non-Hisp. White	47.2	39.3	55.1	35.4 *	34.2	36.6	42.0
	Non-Hisp. Black				41.7	37.0	46.4	43.0
	Hispanic	15.3	5.0	25.6	24.8	21.0	28.6	7.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	50.5	38.3	62.7	38.2	36.2	40.1	43.9
	Non-Hisp. White Women	42.4	34.7	50.1	32.8 *	31.4	34.2	40.0
	Non-Hisp. Black Men				40.1	32.2	47.9	
	Non-Hisp. Black Women				42.9	37.1	48.7	
	Hispanic Men				26.9	20.6	33.2	6.9
	Hispanic Women	17.1	5.9	28.2	22.8	18.3	27.3	9.2
AGE GROUP	18-44	21.2	11.7	30.7	13.2	11.7	14.8	8.3
	45-64	42.8	31.3	54.2	36.8	34.9	38.8	41.3
	65 & Older	64.3	56.7	72.0	61.7	60.1	63.4	64.9
EDUCATION LEVEL	<High School	29.3	16.0	42.7	40.7	36.0	45.5	25.4
	H.S. / GED	48.2	36.7	59.7	38.5	36.2	40.8	35.8
	>High School	35.2	26.1	44.4	32.0	30.6	33.4	22.0
ANNUAL INCOME	<\$25,000	42.0	30.6	53.4	42.5	40.0	45.1	25.3
	\$25,000-\$49,999	32.0	21.4	42.7	36.4	34.0	38.8	25.8
	\$50,000 or More	39.4	26.3	52.5	28.0	26.3	29.8	32.2
MARITAL STATUS	Married/Couple	40.7	32.0	49.5	33.5	32.0	34.9	30.0
	Not Married/Couple	36.9	27.1	46.7	35.9	33.9	37.8	24.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who received a flu shot in the past year

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	30.2	24.8	35.7	36.5	35.4	37.7	41.7
SEX	Men	26.3	18.4	34.2	35.4	33.5	37.2	49.1
	Women	35.7	29.2	42.2	37.6	36.2	39.0	31.5
RACE/ETHNICITY	Non-Hisp. White	34.5	27.9	41.0	41.2	39.9	42.4	37.7
	Non-Hisp. Black				24.0	20.4	27.6	26.7
	Hispanic	15.9	5.8	26.1	25.2	21.2	29.3	49.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	30.6	21.1	40.1	38.7	36.7	40.7	38.3
	Non-Hisp. White Women	40.1	32.8	47.5	43.5	42.0	45.1	37.1
	Non-Hisp. Black Men				25.1	18.6	31.5	
	Non-Hisp. Black Women				23.2	19.1	27.2	
	Hispanic Men				26.7	20.0	33.4	61.7
	Hispanic Women	18.8	8.8	28.9	23.8	19.2	28.4	22.9
AGE GROUP	18-44	18.4	9.8	27.0	22.3	20.2	24.4	39.9
	45-64	25.8	17.4	34.2	32.9	31.1	34.7	29.7
	65 & Older	67.2	60.1	74.2	65.3	63.7	67.0	64.3
EDUCATION LEVEL	<High School	25.4	12.6	38.2	29.7	25.5	33.8	21.8
	H.S. / GED	28.3	20.2	36.4	32.8	30.7	34.9	30.2
	>High School	35.5	26.7	44.4	38.8	37.4	40.3	60.3
ANNUAL INCOME	<\$25,000	29.7	19.6	39.8	32.1	29.9	34.3	54.0
	\$25,000-\$49,999	32.0	21.6	42.5	38.0	35.5	40.5	27.3
	\$50,000 or More	33.0	22.7	43.4	37.3	35.4	39.2	29.5
MARITAL STATUS	Married/Couple	29.8	23.0	36.6	37.5	36.0	38.9	27.8
	Not Married/Couple	32.4	23.0	41.8	34.7	32.8	36.7	62.4

Percentage of adults age 65 and older who received a flu shot in the past year

		2010 County			2010 State			2007 County
		Measure	95% CI		Measure	95% CI		Measure
ALL	Overall	67.2	60.1	74.2	65.3	63.7	66.9	64.3
SEX	Men	74.8	63.9	85.6	67.0	64.4	69.6	55.6
	Women	60.3	51.3	69.3	64.1	62.0	66.1	72.3
RACE/ETHNICITY	Non-Hisp. White	66.0	58.4	73.7	69.6	68.1	71.1	67.2
	Non-Hisp. Black				41.3	32.8	49.9	
	Hispanic				44.5	34.6	54.4	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.5	60.2	84.8	70.6	68.2	73.0	58.7
	Non-Hisp. White Women	60.6	51.1	70.1	68.9	67.0	70.8	74.3
	Non-Hisp. Black Men				43.4	30.5	56.3	
	Non-Hisp. Black Women				40.2	29.1	51.3	
	Hispanic Men				50.5	34.1	66.9	
	Hispanic Women				38.9	28.1	49.7	
AGE GROUP	65 & Older	67.2	60.1	74.2	65.3	63.7	66.9	64.3
EDUCATION LEVEL	<High School	66.4	49.8	83.1	55.2	48.5	62.0	48.7
	H.S. / GED	65.6	54.7	76.4	61.8	58.8	64.9	62.9
	>High School	69.0	57.9	80.1	68.8	66.9	70.7	79.4
ANNUAL INCOME	<\$25,000	61.1	48.0	74.1	57.1	53.9	60.4	67.6
	\$25,000-\$49,999	72.8	61.3	84.2	66.9	63.8	70.0	60.5
	\$50,000 or More	74.2	58.4	89.9	71.1	68.1	74.0	
MARITAL STATUS	Married/Couple	68.7	59.1	78.3	67.3	65.1	69.5	61.9
	Not Married/Couple	64.8	54.7	74.9	62.4	60.0	64.7	68.0

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	24.0	19.2	28.9	30.6 *	29.5	31.7	19.8
SEX	Men	20.9	13.6	28.2	30.5 *	28.6	32.3	15.3
	Women	28.2	22.6	33.7	30.8	29.5	32.1	25.8
RACE/ETHNICITY	Non-Hisp. White	28.0	22.4	33.6	35.1 *	33.9	36.3	29.4
	Non-Hisp. Black				18.8	15.5	22.1	
	Hispanic	12.5	0.9	24.0	19.2	15.6	22.9	6.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	21.8	14.2	29.4	35.1 *	33.1	37.0	21.4
	Non-Hisp. White Women	36.3	29.2	43.4	35.2	33.8	36.6	37.3
	Non-Hisp. Black Men				14.2	9.1	19.2	
	Non-Hisp. Black Women				22.1	17.7	26.4	
	Hispanic Men				20.7	14.4	27.0	7.3
	Hispanic Women	4.0	0.1	7.9	17.8 *	14.0	21.7	5.9
AGE GROUP	18-44	12.9	4.4	21.5	14.3	12.4	16.2	7.3
	45-64	13.2	7.4	19.0	20.4	18.8	21.9	16.3
	65 & Older	68.5	61.1	75.9	69.9	68.4	71.5	59.5
EDUCATION LEVEL	<High School	15.9	7.1	24.8	32.7 *	28.4	37.1	19.6
	H.S. / GED	27.7	19.3	36.2	30.2	28.2	32.3	26.0
	>High School	25.5	18.0	33.0	30.5	29.2	31.9	15.5
ANNUAL INCOME	<\$25,000	24.4	16.3	32.5	36.7 *	34.2	39.1	18.4
	\$25,000-\$49,999	30.8	19.2	42.4	32.5	30.3	34.8	23.0
	\$50,000 or More	19.1	11.0	27.1	23.8	22.1	25.4	13.6
MARITAL STATUS	Married/Couple	24.1	17.7	30.5	29.0	27.7	30.4	19.9
	Not Married/Couple	25.0	17.9	32.0	33.6	31.7	35.6	19.2

Percentage of adults age 65 and older who have ever received a pneumonia vaccination

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	68.5	61.1	76.0	69.9	68.4	71.5	59.5
SEX	Men	65.1	52.4	77.9	69.4	66.9	71.9	42.6
	Women	71.5	63.4	79.7	70.3	68.4	72.3	74.7
RACE/ETHNICITY	Non-Hisp. White	69.4	61.5	77.2	72.9	71.4	74.3	61.9
	Non-Hisp. Black				49.1	40.0	58.2	
	Hispanic				57.5	47.6	67.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	66.4	52.5	80.2	71.6	69.2	74.0	44.6
	Non-Hisp. White Women	71.8	63.3	80.4	73.8	72.0	75.6	76.1
	Non-Hisp. Black Men				36.5	24.6	48.4	
	Non-Hisp. Black Women				55.3	44.0	66.6	
	Hispanic Men				68.7	54.4	82.9	
	Hispanic Women				48.0	35.9	60.1	
AGE GROUP	65 & Older	68.5	61.1	76.0	69.9	68.4	71.5	59.5
EDUCATION LEVEL	<High School	66.1	48.4	83.8	64.7	58.3	71.1	63.9
	H.S. / GED	79.9	71.1	88.7	67.2 *	64.3	70.0	65.5
	>High School	58.5	46.1	70.9	72.4	70.6	74.3	46.7
ANNUAL INCOME	<\$25,000	74.0	62.3	85.7	68.2	65.2	71.2	61.9
	\$25,000-\$49,999	66.8	53.1	80.5	70.4	67.6	73.3	58.5
	\$50,000 or More	57.1	36.9	77.2	70.7	67.7	73.7	
MARITAL STATUS	Married/Couple	65.0	54.9	75.1	70.4	68.3	72.4	49.0
	Not Married/Couple	74.1	63.2	85.0	69.4	67.1	71.6	75.6

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults who, in the past 30 days, drove a vehicle after consuming too many alcoholic beverages

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	1.9	0.1	3.6	1.9	1.5	2.3	
SEX	Men	1.9	0.0	4.5	3.0	2.2	3.9	
	Women	1.8	0.0	3.9	0.8	0.5	1.1	
RACE/ETHNICITY	Non-Hisp. White	1.9	0.0	3.9	2.1	1.7	2.6	
	Non-Hisp. Black				0.5	0.2	0.9	
	Hispanic	2.1	0.0	6.3	2.3	0.3	4.3	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	1.3	0.0	4.0	3.3	2.5	4.1	
	Non-Hisp. White Women	2.8	0.0	5.9	1.0	0.6	1.4	
	Non-Hisp. Black Men				0.7	0.0	1.4	
	Non-Hisp. Black Women				0.4	0.0	0.8	
	Hispanic Men				4.1	0.2	7.9	
	Hispanic Women				0.5	0.0	1.3	
AGE GROUP	18-44	2.7	0.0	6.0	3.1	2.0	4.2	
	45-64	1.9	0.0	4.7	1.6	1.1	2.1	
	65 & Older				0.5	0.3	0.8	
EDUCATION LEVEL	<High School				1.3	0.0	2.9	
	H.S. / GED	2.6	0.0	5.7	1.5	0.8	2.1	
	>High School	2.4	0.0	5.7	2.1	1.5	2.7	
ANNUAL INCOME	<\$25,000	2.5	0.0	6.2	2.0	0.7	3.3	
	\$25,000-\$49,999	0.8	0.0	2.3	1.1	0.7	1.6	
	\$50,000 or More	2.6	0.0	6.2	2.3	1.7	2.9	
MARITAL STATUS	Married/Couple	1.6	0.0	3.5	1.7	1.1	2.2	
	Not Married/Couple	2.6	0.0	6.3	2.3	1.6	3.0	

Percentage of adults 45 years of age and older who had a fall-related injury in the past 3 months

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	5.2	2.5	8.0	5.7	5.1	6.4	
SEX	Men	2.8	0.0	6.3	5.0	4.0	6.0	
	Women	8.8	4.5	13.0	6.3	5.5	7.1	
RACE/ETHNICITY	Non-Hisp. White	5.5	2.1	8.8	5.9	5.2	6.7	
	Non-Hisp. Black				5.7	3.1	8.2	
	Hispanic	2.3	0.0	5.5	2.8	1.5	4.2	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.1	0.0	7.3	5.1	4.0	6.2	
	Non-Hisp. White Women	9.2	3.9	14.5	6.7	5.8	7.6	
	Non-Hisp. Black Men				4.9	0.0	9.8	
	Non-Hisp. Black Women				6.2	3.4	8.9	
	Hispanic Men				1.4	0.0	2.9	
	Hispanic Women				3.9	1.9	6.0	
AGE GROUP	45-64	5.5	1.9	9.2	6.1	5.2	7.1	
	65 & Older	4.5	1.3	7.7	5.1	4.4	5.8	
EDUCATION LEVEL	<High School	3.9	0.2	7.7	9.1	5.5	12.7	
	H.S. / GED	4.7	1.0	8.4	6.7	5.3	8.2	
	>High School	6.6	0.8	12.4	5.0	4.3	5.6	
ANNUAL INCOME	<\$25,000	8.9	3.5	14.4	9.9	8.3	11.5	
	\$25,000-\$49,999	1.6	0.0	3.3	5.4 *	4.0	6.9	
	\$50,000 or More	4.1	0.0	9.3	3.7	2.8	4.5	
MARITAL STATUS	Married/Couple	3.6	0.5	6.7	5.0	4.2	5.7	
	Not Married/Couple	9.4	3.7	15.1	7.2	6.1	8.3	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults who "always" or "nearly always" used seat belts when driving or riding in a car

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	91.8	87.9	95.6	95.6	95.0	96.1	
SEX	Men	89.4	83.1	95.8	94.3	93.4	95.2	
	Women	95.0	92.3	97.8	96.8	96.1	97.4	
RACE/ETHNICITY	Non-Hisp. White	92.7	88.6	96.8	95.9	95.4	96.5	
	Non-Hisp. Black				93.9	92.0	95.9	
	Hispanic	88.6	78.3	98.9	96.2	94.4	97.9	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	90.4	83.7	97.0	94.4	93.5	95.4	
	Non-Hisp. White Women	96.1	93.5	98.6	97.3	96.8	97.8	
	Non-Hisp. Black Men				92.9	89.5	96.3	
	Non-Hisp. Black Women				94.7	92.5	96.9	
	Hispanic Men				96.3	94.4	98.2	
	Hispanic Women	93.4	85.4	00.0	96.0	93.0	99.0	
AGE GROUP	18-44	86.5	78.0	95.0	92.7	91.4	94.0	
	45-64	94.9	90.7	99.0	97.1	96.6	97.7	
	65 & Older	96.2	93.6	98.8	97.3	96.8	97.8	
EDUCATION LEVEL	<High School	95.9	91.9	99.9	90.4	87.5	93.3	
	H.S. / GED	91.8	85.1	98.6	93.9	92.7	95.1	
	>High School	88.9	81.8	96.1	96.8 *	96.2	97.4	
ANNUAL INCOME	<\$25,000	93.2	88.4	97.9	93.7	92.6	94.7	
	\$25,000-\$49,999	92.1	82.5	00.0	95.2	93.9	96.4	
	\$50,000 or More	88.4	80.2	96.7	97.0	96.2	97.8	
MARITAL STATUS	Married/Couple	91.2	85.9	96.5	96.4	95.8	97.0	
	Not Married/Couple	92.6	87.8	97.3	94.0	93.0	95.1	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who visited a dentist or a dental clinic in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	51.3	44.6	58.1	64.7 *	63.5	65.9	
SEX	Men	50.1	39.7	60.6	64.0 *	62.1	66.0	
	Women	53.0	46.2	59.8	65.3 *	63.8	66.8	
RACE/ETHNICITY	Non-Hisp. White	57.1	49.3	64.8	68.2 *	67.0	69.4	
	Non-Hisp. Black				55.2	50.7	59.7	
	Hispanic	40.5	25.8	55.2	58.1	53.6	62.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	54.1	42.3	65.9	66.4	64.5	68.4	
	Non-Hisp. White Women	61.5	54.1	68.9	69.9	68.4	71.3	
	Non-Hisp. Black Men				53.8	46.0	61.5	
	Non-Hisp. Black Women				56.3	50.9	61.7	
	Hispanic Men				61.9	54.8	69.0	
AGE GROUP	Hispanic Women	37.2	24.4	50.0	54.5	49.0	60.0	
	18-44	50.4	38.5	62.2	60.0	57.6	62.4	
	45-64	48.9	38.2	59.7	66.1 *	64.3	68.0	
	65 & Older	60.1	52.2	67.9	69.4	67.9	71.0	
EDUCATION LEVEL	<High School	31.0	18.4	43.7	36.3	31.7	40.9	
	H.S. / GED	47.9	37.2	58.5	54.1	51.8	56.5	
	>High School	68.7	58.8	78.5	72.3	70.8	73.7	
ANNUAL INCOME	<\$25,000	38.7	27.6	49.8	43.1	40.6	45.6	
	\$25,000-\$49,999	49.0	36.4	61.7	62.2	59.6	64.7	
	\$50,000 or More	66.2	53.3	79.1	78.8	77.0	80.5	
MARITAL STATUS	Married/Couple	50.6	42.1	59.0	69.0 *	67.6	70.5	
	Not Married/Couple	51.1	40.5	61.8	56.8	54.6	58.9	

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	59.3	52.6	66.1	53.0	51.7	54.2	
SEX	Men	57.4	46.9	68.0	51.8	49.7	53.8	
	Women	62.0	55.2	68.7	54.1	52.6	55.6	
RACE/ETHNICITY	Non-Hisp. White	53.1	45.2	60.9	52.1	50.8	53.4	
	Non-Hisp. Black				62.4	57.8	67.0	
	Hispanic	74.3	62.0	86.7	48.9 *	44.3	53.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	49.8	38.1	61.4	52.2	50.0	54.3	
	Non-Hisp. White Women	58.1	50.0	66.2	52.0	50.5	53.6	
	Non-Hisp. Black Men				58.2	50.4	65.9	
	Non-Hisp. Black Women				65.6	60.2	71.0	
	Hispanic Men				45.7	38.3	53.1	
AGE GROUP	Hispanic Women	63.7	50.4	77.1	52.1	46.6	57.6	
	18-44	45.1	33.2	57.0	34.5	32.2	36.8	
	45-64	62.0	51.2	72.9	56.0	54.0	58.1	
	65 & Older	83.9	78.5	89.3	77.2	75.8	78.7	
EDUCATION LEVEL	<High School	82.6	72.8	92.5	70.1	65.0	75.1	
	H.S. / GED	56.6	45.3	67.9	63.0	60.6	65.4	
	>High School	46.6	36.3	56.8	47.0	45.4	48.5	
ANNUAL INCOME	<\$25,000	78.8	70.2	87.5	68.4	65.8	71.0	
	\$25,000-\$49,999	56.3	43.6	69.1	60.2	57.5	62.9	
	\$50,000 or More	46.9	34.7	59.0	40.7	38.7	42.6	
MARITAL STATUS	Married/Couple	60.6	52.3	69.0	51.6	50.0	53.2	
	Not Married/Couple	58.8	47.7	69.9	55.6	53.4	57.8	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who had their teeth cleaned in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	47.9	41.2	54.6	60.9 *	59.6	62.1	
SEX	Men	49.7	39.2	60.1	59.5	57.5	61.5	
	Women	45.5	38.7	52.2	62.2 *	60.7	63.7	
RACE/ETHNICITY	Non-Hisp. White	52.3	44.6	60.0	64.2 *	63.0	65.4	
	Non-Hisp. Black				49.6	45.1	54.2	
	Hispanic	41.7	26.6	56.9	57.0	52.4	61.5	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	51.9	40.2	63.6	62.3	60.3	64.3	
	Non-Hisp. White Women	52.8	45.1	60.6	66.0 *	64.5	67.5	
	Non-Hisp. Black Men				45.5	37.8	53.2	
	Non-Hisp. Black Women				52.7	47.3	58.2	
	Hispanic Men				57.7	50.4	65.0	
	Hispanic Women	33.6	20.9	46.3	56.2 *	50.8	61.6	
AGE GROUP	18-44	47.9	36.0	59.8	57.3	54.9	59.7	
	45-64	45.5	34.9	56.0	62.0 *	60.1	63.9	
	65 & Older	53.9	46.0	61.8	64.3 *	62.6	65.9	
EDUCATION LEVEL	<High School	30.1	16.2	44.0	28.3	23.8	32.8	
	H.S. / GED	42.0	31.7	52.3	49.4	47.0	51.8	
	>High School	66.0	56.0	76.0	69.3	67.8	70.7	
ANNUAL INCOME	<\$25,000	36.2	24.6	47.8	35.7	33.2	38.2	
	\$25,000-\$49,999	43.7	31.4	56.0	58.2	55.6	60.8	
	\$50,000 or More	63.1	50.2	76.0	76.7	75.0	78.5	
MARITAL STATUS	Married/Couple	49.1	40.7	57.5	65.4 *	63.9	66.9	
	Not Married/Couple	43.3	32.7	53.9	52.6	50.4	54.7	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	35.9	29.3	42.5	37.8	36.6	39.0	48.1
SEX	Men	34.4	24.7	44.1	43.8	41.8	45.8	56.4
	Women	38.2	30.8	45.6	31.8	30.4	33.3	36.0
RACE/ETHNICITY	Non-Hisp. White	35.4	28.2	42.6	37.9	36.7	39.2	37.8
	Non-Hisp. Black				36.3	31.9	40.8	
	Hispanic	36.8	19.8	53.9	37.3	32.7	41.8	62.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	34.6	24.1	45.1	45.5	43.4	47.5	37.9
	Non-Hisp. White Women	36.5	28.4	44.6	30.5	29.0	31.9	37.5
	Non-Hisp. Black Men				34.9	27.8	41.9	
	Non-Hisp. Black Women				37.5	31.8	43.1	
	Hispanic Men				39.7	32.4	47.0	73.8
	Hispanic Women	39.1	22.8	55.5	34.8	29.4	40.2	36.7
AGE GROUP	18-44	46.1	33.6	58.7	33.8	31.5	36.2	52.6
	45-64	24.7	16.2	33.1	39.3 *	37.2	41.3	41.9 *
	65 & Older	40.0	32.2	47.7	41.5	39.8	43.1	42.7
EDUCATION LEVEL	<High School	38.6	22.3	54.9	31.7	27.5	35.9	35.9
	H.S. / GED	26.5	17.6	35.5	37.5	35.2	39.9	42.9
	>High School	44.3	33.9	54.7	38.7	37.1	40.2	57.6
ANNUAL INCOME	<\$25,000	28.7	17.1	40.4	34.5	32.1	37.0	57.5
	\$25,000-\$49,999	36.8	24.3	49.4	38.0	35.5	40.6	40.8
	\$50,000 or More	43.1	30.8	55.3	40.4	38.4	42.5	41.6
MARITAL STATUS	Married/Couple	36.1	27.8	44.5	40.2	38.6	41.7	38.0
	Not Married/Couple	36.8	26.2	47.4	33.5	31.5	35.5	63.0

Percentage of adults who are obese

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	46.1	39.2	53.1	27.2 *	26.1	28.4	33.6
SEX	Men	51.3	41.0	61.6	29.8 *	27.9	31.7	32.7
	Women	38.0	31.1	44.9	24.7 *	23.3	26.1	34.8
RACE/ETHNICITY	Non-Hisp. White	43.3	35.5	51.1	25.2 *	24.0	26.3	39.9
	Non-Hisp. Black				42.7	38.1	47.3	
	Hispanic	52.8	35.4	70.1	29.2 *	25.0	33.4	24.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	48.7	37.1	60.3	28.6 *	26.7	30.5	47.5
	Non-Hisp. White Women	34.6	27.1	42.0	21.8 *	20.5	23.1	31.5
	Non-Hisp. Black Men				45.3	37.5	53.0	
	Non-Hisp. Black Women				40.7	35.3	46.2	
	Hispanic Men				31.2	24.4	38.0	19.5
	Hispanic Women	46.2	29.1	63.2	27.2	22.1	32.3	36.2
AGE GROUP	18-44	37.6	25.6	49.6	26.9	24.7	29.0	29.8
	45-64	60.4	50.0	70.8	30.6 *	28.6	32.5	44.3
	65 & Older	31.6	24.4	38.8	22.2 *	20.8	23.7	30.0
EDUCATION LEVEL	<High School	50.9	34.5	67.4	37.7	33.1	42.3	45.2
	H.S. / GED	52.2	41.3	63.0	29.0 *	26.8	31.1	33.3
	>High School	36.8	26.6	46.9	25.4	24.0	26.8	28.3
ANNUAL INCOME	<\$25,000	56.7	44.7	68.7	31.7 *	29.3	34.0	30.3
	\$25,000-\$49,999	44.8	31.6	58.0	28.9 *	26.4	31.3	32.5
	\$50,000 or More	41.6	29.0	54.2	24.4 *	22.6	26.3	39.5
MARITAL STATUS	Married/Couple	47.9	39.1	56.6	27.4 *	25.9	28.8	42.9
	Not Married/Couple	40.3	29.6	51.0	27.0 *	25.2	28.9	20.7

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	82.0	77.3	86.7	65.0 *	63.8	66.2	81.7
SEX	Men	85.7	78.8	92.6	73.6 *	71.7	75.5	89.1
	Women	76.2	70.7	81.7	56.5 *	55.0	58.1	70.8
RACE/ETHNICITY	Non-Hisp. White	78.6	72.7	84.6	63.1 *	61.9	64.4	77.7
	Non-Hisp. Black				79.1	75.3	82.8	
	Hispanic	89.6	81.2	98.1	66.4 *	61.9	71.0	87.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.3	74.7	91.9	74.1	72.2	75.9	85.4
	Non-Hisp. White Women	71.1	64.3	77.8	52.2 *	50.6	53.9	69.0
	Non-Hisp. Black Men				80.1	74.1	86.2	
	Non-Hisp. Black Women				78.2	73.5	82.9	
	Hispanic Men				70.9	63.4	78.4	93.3
AGE GROUP	Hispanic Women	85.3	73.1	97.4	62.0 *	56.6	67.5	72.9
	18-44	83.7	75.3	92.1	60.7 *	58.2	63.2	82.3
	45-64	85.1	77.7	92.4	69.8 *	68.0	71.7	86.2
	65 & Older	71.6	64.6	78.5	63.7	62.2	65.3	72.7
EDUCATION LEVEL	<High School	89.5	82.5	96.4	69.4 *	64.6	74.2	81.2
	H.S. / GED	78.7	70.6	86.8	66.5 *	64.2	68.7	76.2
	>High School	81.1	73.1	89.0	64.1 *	62.5	65.6	85.9
ANNUAL INCOME	<\$25,000	85.4	78.9	91.9	66.2 *	63.7	68.7	87.7
	\$25,000-\$49,999	81.6	72.2	91.0	66.9 *	64.3	69.4	73.3
	\$50,000 or More	84.7	76.2	93.1	64.8 *	62.9	66.8	81.0
MARITAL STATUS	Married/Couple	84.0	78.9	89.1	67.5 *	66.1	69.0	80.9
	Not Married/Couple	77.1	67.3	86.9	60.5 *	58.4	62.7	83.7

Reactions to Race

Percentage of adults who think they would get better medical care if they belonged to a different race/ethnic group

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	19.3	13.4	25.2	10.8 *	9.9	11.7	
SEX	Men	19.1	10.2	27.9	10.8	9.3	12.2	
	Women	19.6	13.0	26.2	10.9 *	9.8	11.9	
RACE/ETHNICITY	Non-Hisp. White	17.2	11.2	23.3	8.0 *	7.2	8.7	
	Non-Hisp. Black				26.8	22.5	31.2	
	Hispanic	23.5	7.6	39.3	11.3	7.9	14.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.8	6.4	23.2	7.4	6.3	8.5	
	Non-Hisp. White Women	20.8	12.8	28.8	8.5 *	7.5	9.5	
	Non-Hisp. Black Men				31.7	23.8	39.7	
	Non-Hisp. Black Women				23.6	18.7	28.6	
	Hispanic Men				11.1	5.3	16.8	
AGE GROUP	Hispanic Women	16.5	2.5	30.6	11.4	7.9	14.9	
	18-44	30.7	18.2	43.1	13.7 *	11.9	15.5	
	45-64	12.9	5.4	20.5	11.2	9.8	12.6	
	65 & Older	12.4	7.3	17.5	5.6 *	4.7	6.5	
EDUCATION LEVEL	<High School	26.6	11.4	41.9	20.6	16.5	24.7	
	H.S. / GED	21.2	11.8	30.7	13.9	12.1	15.8	
	>High School	13.1	5.3	21.0	8.5	7.5	9.5	
ANNUAL INCOME	<\$25,000	20.6	11.0	30.1	21.2	18.6	23.8	
	\$25,000-\$49,999	23.7	9.6	37.9	11.7	9.9	13.5	
	\$50,000 or More	12.4	4.7	20.1	4.9	4.0	5.7	
MARITAL STATUS	Married/Couple	20.7	12.8	28.6	9.4 *	8.3	10.4	
	Not Married/Couple	17.3	9.3	25.2	13.5	11.8	15.1	

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	15.3	10.6	20.0	17.1	16.1	18.1	14.3
SEX	Men	12.9	5.9	20.0	18.4	16.7	20.0	12.2
	Women	18.5	13.2	23.9	16.0	14.9	17.0	17.3
RACE/ETHNICITY	Non-Hisp. White	16.3	11.1	21.5	18.4	17.4	19.5	16.7
	Non-Hisp. Black				13.7	10.9	16.5	25.7
	Hispanic	12.5	0.9	24.1	13.8	10.1	17.5	9.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.6	4.6	18.6	17.9	16.3	19.6	11.6
	Non-Hisp. White Women	23.5	16.4	30.7	18.9	17.6	20.2	22.1
	Non-Hisp. Black Men				19.0	13.4	24.5	
	Non-Hisp. Black Women				9.7	7.3	12.0	
	Hispanic Men				18.9	12.2	25.6	10.2
AGE GROUP	Hispanic Women	4.5	0.0	9.0	8.8	6.1	11.6	8.2
	18-44	20.8	11.7	29.9	20.5	18.4	22.5	12.8
	45-64	14.5	7.5	21.6	19.2	17.7	20.7	20.2
	65 & Older	5.1	2.3	7.9	8.4	7.5	9.3	9.6
EDUCATION LEVEL	<High School	20.5	7.9	33.1	28.3	24.4	32.3	24.7
	H.S. / GED	17.6	10.1	25.1	24.3	22.2	26.4	15.0
	>High School	9.4	4.2	14.6	12.9	11.8	14.0	8.2
ANNUAL INCOME	<\$25,000	21.9	12.7	31.1	26.5	24.2	28.8	13.5
	\$25,000-\$49,999	5.7	2.2	9.2	18.0 *	15.9	20.2	17.0 *
	\$50,000 or More	12.9	5.6	20.2	11.7	10.3	13.0	14.3
MARITAL STATUS	Married/Couple	13.9	8.0	19.9	14.3	13.2	15.4	13.1
	Not Married/Couple	18.8	11.1	26.5	22.3	20.4	24.1	16.3

Percentage of adults who are former smokers

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	19.2	14.6	23.9	29.8 *	28.7	30.9	20.6
SEX	Men	23.3	15.7	30.9	33.4 *	31.6	35.2	20.8
	Women	13.5	9.6	17.3	26.5 *	25.2	27.7	20.4
RACE/ETHNICITY	Non-Hisp. White	23.5	17.7	29.3	34.1 *	32.9	35.3	31.8
	Non-Hisp. Black				16.2	13.0	19.4	22.8
	Hispanic	6.1	0.0	12.7	22.0 *	18.3	25.7	7.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	27.0	17.9	36.1	36.7	34.8	38.7	35.0
	Non-Hisp. White Women	18.2	12.8	23.5	31.6 *	30.2	33.0	28.5
	Non-Hisp. Black Men				19.1	13.6	24.7	
	Non-Hisp. Black Women				13.9	10.1	17.7	
	Hispanic Men				28.3	21.8	34.8	6.8
AGE GROUP	Hispanic Women	4.6	0.0	9.9	15.8 *	12.4	19.2	8.0
	18-44	6.4	0.4	12.3	16.9 *	15.2	18.6	9.7
	45-64	21.2	13.1	29.4	30.8	29.0	32.7	26.6
	65 & Older	42.2	34.3	50.1	48.5	46.9	50.2	44.2
EDUCATION LEVEL	<High School	9.5	2.4	16.7	29.2 *	25.2	33.2	19.6
	H.S. / GED	18.8	11.9	25.6	29.9 *	27.9	32.0	31.7
	>High School	25.9	17.0	34.7	29.9	28.5	31.3	13.2
ANNUAL INCOME	<\$25,000	16.5	8.7	24.3	27.5 *	25.4	29.5	15.6
	\$25,000-\$49,999	27.0	16.1	37.8	31.2	29.0	33.5	28.0
	\$50,000 or More	18.6	10.2	26.9	30.7 *	28.9	32.5	21.8
MARITAL STATUS	Married/Couple	21.8	15.5	28.1	32.1 *	30.7	33.5	24.5
	Not Married/Couple	14.3	8.7	20.0	25.9 *	24.3	27.6	15.1

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	65.5	59.5	71.6	53.0 *	51.8	54.3	65.0
SEX	Men	63.8	54.3	73.2	48.2 *	46.2	50.3	67.0
	Women	68.0	61.9	74.1	57.6 *	56.1	59.1	62.3
RACE/ETHNICITY	Non-Hisp. White	60.2	53.0	67.3	47.5 *	46.2	48.8	51.5
	Non-Hisp. Black				70.1	66.1	74.1	51.5
	Hispanic	81.4	68.7	94.1	64.2	59.7	68.8	83.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	61.4	50.8	72.0	45.4 *	43.3	47.5	53.4
	Non-Hisp. White Women	58.3	50.6	66.0	49.5	47.9	51.0	49.4
	Non-Hisp. Black Men				61.9	54.7	69.0	
	Non-Hisp. Black Women				76.4	72.2	80.7	
	Hispanic Men				52.8	45.3	60.3	83.0
AGE GROUP	Hispanic Women	90.9	84.1	97.7	75.4 *	71.1	79.6	83.8
	18-44	72.8	62.6	83.0	62.6	60.3	65.0	77.4
	45-64	64.3	54.4	74.1	50.0 *	48.0	52.0	53.2
	65 & Older	52.7	44.8	60.5	43.0 *	41.4	44.7	46.1
EDUCATION LEVEL	<High School	70.0	56.5	83.5	42.4 *	37.6	47.3	55.7
	H.S. / GED	63.7	54.1	73.3	45.7 *	43.4	48.1	53.3
	>High School	64.7	55.2	74.3	57.2	55.7	58.8	78.6
ANNUAL INCOME	<\$25,000	61.6	50.7	72.5	46.0 *	43.5	48.6	70.8
	\$25,000-\$49,999	67.3	56.1	78.5	50.7 *	48.1	53.4	55.0
	\$50,000 or More	68.5	58.0	79.0	57.7	55.7	59.7	63.9
MARITAL STATUS	Married/Couple	64.3	56.5	72.1	53.6 *	52.1	55.2	62.3
	Not Married/Couple	66.9	57.8	76.0	51.8 *	49.7	53.9	68.6

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		2010 County			2010 State			2007 County Measure
		Measure	95% CI		Measure	95% CI		
ALL	Overall	67.0	52.2	81.9	60.1	57.0	63.2	49.2
SEX	Men				61.0	55.9	66.1	41.5
	Women	69.2	54.4	84.1	59.1	55.7	62.6	56.7
RACE/ETHNICITY	Non-Hisp. White	59.9	42.8	77.0	57.6	54.6	60.7	48.1
	Non-Hisp. Black				71.9	61.7	82.0	
	Hispanic				60.7	45.7	75.6	
SEX BY RACE/ETHNICITY	Non-Hisp. White Men				57.3	52.4	62.2	
	Non-Hisp. White Women	71.2	54.8	87.6	57.9	54.2	61.7	54.5
	Non-Hisp. Black Men				72.8	57.5	88.2	
	Non-Hisp. Black Women				70.4	59.7	81.1	
	Hispanic Men				60.7	39.7	81.8	
AGE GROUP	Hispanic Women				60.5	44.7	76.4	
	18-44				63.3	57.8	68.9	52.8
	45-64	68.7	46.0	91.5	58.8	54.7	62.9	47.2
	65 & Older				53.1	47.6	58.6	
EDUCATION LEVEL	<High School				61.2	53.6	68.7	30.7
	H.S. / GED	56.2	33.3	79.1	61.0	56.2	65.9	61.6
	>High School				59.1	54.5	63.8	56.8
ANNUAL INCOME	<\$25,000	80.6	63.8	97.3	63.7	59.0	68.3	37.2 *
	\$25,000-\$49,999				55.8	48.7	62.9	52.5
	\$50,000 or More				57.0	51.0	62.9	
MARITAL STATUS	Married/Couple	69.2	48.8	89.6	61.1	57.0	65.2	55.2
	Not Married/Couple	63.5	43.1	84.0	59.1	54.3	63.9	42.2

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

A1C Test	A blood test used as an indicator of an individual's average blood glucose level over the past three months.
Activities of Daily Living	Usual activities, such as self-care, work, and recreation.
Binge Drinking	Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion.
Blood Pressure Control Measures	Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure.
Blood Stool Test	A test that may use a special kit at home to determine whether the stool contains blood.
Body Mass Index (BMI)	A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight.
Chronic Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago.
Clinical Breast Exam	A medical exam where a doctor, nurse, or other health professional feels the breasts for lumps.
Current Smokers	Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days.
Digital Rectal Exam	An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland.
Former Smokers	Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days.
Health Insurance Coverage	Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare.
Healthy Weight	Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight.
Heavy Drinking (also called chronic drinking)	In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day.
High Risk Behavior Groups	Those who have had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed.
HIV	Human immunodeficiency virus (HIV) is a retrovirus that causes acquired immunodeficiency syndrome (AIDS), a condition in humans in which the immune system begins to fail, leading to life-threatening opportunistic infections.
Hysterectomy	An operation to remove the uterus (womb) in women.
Joint Symptoms	Experiencing pain, aching, or stiffness in or around a joint.
Mammogram	An x-ray of each breast to look for breast cancer.
Medical Checkup	A general physical exam, not an exam for a specific injury, illness, or condition.
Myocardial Infarction	Commonly known as a heart attack, is the interruption of blood supply to a part of the heart, causing heart cells to die.
Obese	Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

Overweight	Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight.
Overweight or Obese	Having a Body Mass Index (BMI) that is greater than or equal to 25.0.
Pap Test	A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.
PSA Test	A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer.
Retinopathy	A complication of diabetes that results from damage to the blood vessels of the light-sensitive tissue at the back of the eye (retina).
Secondhand Smoke	Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days.
Sigmoidoscopy/Colonoscopy	Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems.
Tobacco Cessation Services	Medical and/or psychobehavioral treatment that seeks to reduce or eliminate the use of tobacco products.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

AOCBC-11. Reduce hip fractures among older adults

AOCBC-9. Increase the proportion of adults with chronic joint symptoms who have seen a health care provider for their symptoms

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-3. Reduce stroke deaths

HDS-13. Increase the proportion of adults with elevated LDL cholesterol who have been advised by a health care provider regarding cholesterol-lowering management including lifestyle changes and, if indicated, medication

HDS-12. Increase the proportion of adults with hypertension whose blood pressure is under control

HDS-11. Increase the proportion of adults with hypertension who are taking the prescribed medications to lower their blood pressure

HDS-4. Increase the proportion of adults who have had their blood pressure measured within the preceding two years and can state whether their blood pressure was normal or high

HDS-2. Reduce coronary heart disease deaths

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-5. Reduce the proportion of persons in the population with hypertension

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Diabetes

- D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education
- V-5.2. Reduce visual impairment due to diabetic retinopathy
- D-1. Reduce the annual number of new cases of diagnosed diabetes in the population
- D-5. Improve glycemic control among the population with diagnosed diabetes
- D-8. Increase the proportion of persons with diagnosed diabetes who have at least an annual dental examination
- D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination
- D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination
- D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year
- D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

Disability

- DH-17. Increase the proportion of adults with disabilities who report sufficient social and emotional support

Exercise

- PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity
- PA-2. Increase the proportion of adults who meet current Federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Family Planning

- FP-1. Increase the proportion of pregnancies that are intended

Healthcare Access

- AHS-1. Increase the proportion of persons with health insurance
- AHS-3. Increase the proportion of persons with a usual primary care provider
- AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

HIV/AIDS

- HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Immunization

IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-1. Reduce, eliminate, or maintain elimination of cases of vaccine-preventable diseases

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

OA-11. Reduce the rate of emergency department visits due to falls among older adults

Oral Health

OH-4. Reduce the proportion of adults who have ever had a permanent tooth extracted because of dental caries or periodontal disease

OH-7. Increase the proportion of children, adolescents, and adults who used the oral health care system in the past year

Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

Sleep

SH-4. Increase the proportion of adults who get sufficient sleep

Substance Abuse

SA-19. Reduce the past-year nonmedical use of prescription drugs

Tobacco Use & Exposure

TU-6. Increase smoking cessation during pregnancy

TU-1. Reduce tobacco use by adults

TU-4. Increase smoking cessation attempts by adult smokers

TU-5. Increase recent smoking cessation success by adult smokers

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Bo (Bonnie) Yu, M.A.S., M.A
Kimberly Cohen, JD, MSW
Cizao Ren, M.D., M.S., PhD.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org