


2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) Data Report



Florida Department of Health
Division of Disease Control
Bureau of Epidemiology
Chronic Disease Epidemiology Section

Rick Scott
Governor

H. Frank Farmer, Jr., M.D., Ph.D.
State Surgeon General

**2010 Florida BRFSS Data Report
Table of Contents**

| | |
|---|--------------------|
| Introduction | i |
| Alcohol Consumption | 1 |
| Arthritis | 2 |
| Asthma | 3 |
| Cancer Screening/Colorectal | 4 |
| Cancer Screening/Prostate | 5 |
| Cancer Screening/Women's Health | 7 |
| Cardiovascular Disease | 9 |
| Cholesterol Awareness | 10 |
| Diabetes | 11 |
| Disability | 15 |
| Family Planning | 16 |
| Health Care Access & Coverage | 17 |
| Health Status & Quality of Life | 19 |
| HIV/AIDS | 23 |
| Hypertension Awareness & Control | 24 |
| Immunization | 25 |
| Injury Prevention | 27 |
| Oral Health | 29 |
| Overweight & Obesity | 31 |
| Reactions To Race | 32 |
| Tobacco Use & Exposure | 33 |
| Glossary | Appendix I |
| Healthy People 2020 Objectives | Appendix II |

Introduction

The Florida Department of Health is pleased to release the 2010 Florida Behavioral Risk Factor Surveillance System (BRFSS) State and County Data Report. This historic surveillance effort would not have been possible without the support of Florida's 67 County Health Departments (CHDs).

The Florida BRFSS has been collecting and reporting health behavior data since 1986. This statewide telephone survey of Florida adults is the only source of state-specific, population-based estimates of the prevalence of various health and health risk behaviors. The purpose of this survey of Florida residents aged 18 and older is to gather information regarding personal health behaviors, selected medical conditions, and the prevalence of preventive health care practices among Florida adults.

The 2010 BRFSS is the third time the county-level survey has been conducted. It was previously conducted in 2002 and 2007. The 2010 county-level survey was developed in collaboration with state and local representatives and better designed to meet the needs of CHD programs by offering options to add county developed questions and increase sample sizes.

Over 35,000 interviews were completed statewide in the 2010 calendar year, with a target sample size of 500 completed surveys in each county.

Sarasota County has 389,770 adults in the county, and had 610 adults respond to the 2010 county-level BRFSS survey.

The 2010 BRFSS provides counties and the state with a rich data source to estimate the prevalence of personal health behaviors that contribute to morbidity and mortality among adults in Florida. This report presents the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practice.

Because BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates. Available measures from the 2007 county-level survey are included for comparison purposes. The significance of measures with very wide 95% confidence intervals should be interpreted with caution.

The prevalence rates in this report are adjusted, or "weighted" to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent's probability of selection by county as well as age and sex based on 2010 population estimates. Forty-four records were further adjusted during the weighting process.

If any assistance is needed with interpretation or survey methods, please contact the Bureau of Epidemiology at (850) 245-4401.

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 16.4 | 11.7 | 21.1 | 15.0 | 14.0 | 16.0 | 13.4 |
| SEX | Men | 18.2 | 10.2 | 26.3 | 19.8 | 18.0 | 21.6 | 15.4 |
| | Women | 14.7 | 9.5 | 19.9 | 10.5 | 9.6 | 11.4 | 11.5 |
| RACE/ETHNICITY | Non-Hisp. White | 17.1 | 12.0 | 22.2 | 16.4 | 15.3 | 17.5 | 13.8 |
| | Non-Hisp. Black | | | | 8.2 | 5.8 | 10.6 | |
| | Hispanic | | | | 15.3 | 11.3 | 19.3 | 8.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 20.4 | 11.3 | 29.5 | 20.9 | 19.0 | 22.8 | 14.8 |
| | Non-Hisp. White Women | 14.3 | 9.0 | 19.7 | 12.2 | 11.1 | 13.3 | 12.8 |
| | Non-Hisp. Black Men | | | | 12.2 | 7.3 | 17.0 | |
| | Non-Hisp. Black Women | | | | 5.2 | 3.4 | 7.1 | |
| | Hispanic Men | | | | 23.0 | 15.8 | 30.2 | |
| | Hispanic Women | | | | 7.8 | 4.7 | 10.9 | 1.0 |
| AGE GROUP | 18-44 | 24.1 | 11.9 | 36.3 | 20.9 | 18.8 | 23.1 | 18.4 |
| | 45-64 | 16.6 | 9.8 | 23.4 | 14.4 | 12.9 | 15.9 | 17.8 |
| | 65 & Older | 9.3 | 6.1 | 12.4 | 6.8 | 6.0 | 7.6 | 5.3 |
| EDUCATION LEVEL | <High School | | | | 11.6 | 8.6 | 14.6 | 2.8 |
| | H.S. / GED | 15.0 | 6.8 | 23.3 | 15.5 | 13.5 | 17.5 | 18.6 |
| | >High School | 17.9 | 12.0 | 23.9 | 15.2 | 14.0 | 16.5 | 12.3 |
| ANNUAL INCOME | <\$25,000 | 17.4 | 8.0 | 26.9 | 12.1 | 10.0 | 14.2 | 13.8 |
| | \$25,000-\$49,999 | 11.8 | 4.6 | 19.1 | 13.4 | 11.2 | 15.7 | 13.0 |
| | \$50,000 or More | 17.5 | 10.9 | 24.0 | 18.6 | 17.0 | 20.3 | 13.4 |
| MARITAL STATUS | Married/Couple | 18.5 | 12.3 | 24.8 | 14.7 | 13.5 | 15.9 | 11.3 |
| | Not Married/Couple | 11.8 | 6.0 | 17.6 | 15.5 | 13.6 | 17.3 | 18.5 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Arthritis

Percentage of adults who have been told they have some form of arthritis

| | | 2010 County | | | 2010 State | | | 2007 County |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 40.1 | 34.6 | 45.6 | 32.0 * | 30.8 | 33.1 | 29.9 * |
| SEX | Men | 33.6 | 25.3 | 41.9 | 26.5 | 24.8 | 28.1 | 28.3 |
| | Women | 46.1 | 39.2 | 52.9 | 37.0 * | 35.6 | 38.5 | 31.4 * |
| RACE/ETHNICITY | Non-Hisp. White | 42.6 | 36.8 | 48.3 | 36.4 | 35.1 | 37.6 | 31.2 * |
| | Non-Hisp. Black | | | | 25.0 | 21.2 | 28.8 | |
| | Hispanic | | | | 18.3 | 15.0 | 21.6 | 14.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 37.9 | 28.8 | 47.0 | 30.7 | 28.9 | 32.6 | 29.8 |
| | Non-Hisp. White Women | 46.5 | 39.4 | 53.6 | 41.6 | 40.0 | 43.2 | 32.6 * |
| | Non-Hisp. Black Men | | | | 20.2 | 14.1 | 26.2 | |
| | Non-Hisp. Black Women | | | | 28.4 | 23.6 | 33.3 | |
| | Hispanic Men | | | | 10.7 | 6.8 | 14.6 | |
| | Hispanic Women | | | | 25.5 | 20.6 | 30.5 | 18.9 |
| AGE GROUP | 18-44 | 18.6 | 7.4 | 29.7 | 11.9 | 10.3 | 13.4 | 6.3 |
| | 45-64 | 40.3 | 31.8 | 48.8 | 33.5 | 31.7 | 35.4 | 30.9 |
| | 65 & Older | 57.6 | 51.7 | 63.5 | 59.6 | 57.9 | 61.4 | 49.7 |
| EDUCATION LEVEL | <High School | | | | 36.9 | 32.2 | 41.7 | 23.1 |
| | H.S. / GED | 46.7 | 34.7 | 58.8 | 36.2 | 33.9 | 38.5 | 26.4 |
| | >High School | 39.2 | 33.1 | 45.3 | 29.9 * | 28.6 | 31.2 | 32.0 |
| ANNUAL INCOME | <\$25,000 | 43.5 | 30.6 | 56.4 | 39.6 | 37.1 | 42.1 | 31.0 |
| | \$25,000-\$49,999 | 49.3 | 38.1 | 60.6 | 32.6 * | 30.3 | 34.9 | 34.1 |
| | \$50,000 or More | 34.8 | 27.2 | 42.4 | 27.0 | 25.3 | 28.7 | 24.3 |
| MARITAL STATUS | Married/Couple | 39.8 | 33.2 | 46.5 | 31.6 * | 30.2 | 33.1 | 28.1 |
| | Not Married/Couple | 40.9 | 31.1 | 50.8 | 32.7 | 30.9 | 34.5 | 34.7 |

Percentage of adults who are limited in any way in any usual activities because of arthritis or chronic joint symptoms

| | | 2010 County | | | 2010 State | | | 2007 County |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 16.2 | 12.4 | 20.1 | 14.9 | 14.0 | 15.7 | 10.7 |
| SEX | Men | 14.1 | 8.4 | 19.9 | 12.6 | 11.4 | 13.8 | 9.5 |
| | Women | 18.1 | 13.1 | 23.2 | 17.0 | 15.9 | 18.1 | 11.7 |
| RACE/ETHNICITY | Non-Hisp. White | 18.0 | 13.9 | 22.2 | 16.3 | 15.4 | 17.2 | 11.3 |
| | Non-Hisp. Black | | | | 13.2 | 10.4 | 15.9 | |
| | Hispanic | | | | 9.8 | 7.2 | 12.4 | 4.4 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 16.6 | 10.0 | 23.2 | 13.9 | 12.5 | 15.2 | 9.6 |
| | Non-Hisp. White Women | 19.3 | 13.9 | 24.6 | 18.7 | 17.5 | 19.9 | 12.9 |
| | Non-Hisp. Black Men | | | | 9.5 | 6.0 | 12.9 | |
| | Non-Hisp. Black Women | | | | 15.8 | 11.8 | 19.8 | |
| | Hispanic Men | | | | 7.8 | 4.0 | 11.5 | |
| | Hispanic Women | | | | 11.8 | 8.3 | 15.3 | 2.0 |
| AGE GROUP | 18-44 | 10.0 | 1.3 | 18.7 | 4.9 | 3.9 | 6.0 | 4.5 |
| | 45-64 | 16.4 | 10.4 | 22.3 | 17.4 | 16.0 | 18.8 | 15.2 |
| | 65 & Older | 21.2 | 16.4 | 26.0 | 25.9 | 24.3 | 27.6 | 12.4 |
| EDUCATION LEVEL | <High School | | | | 21.1 | 17.3 | 24.9 | 11.3 |
| | H.S. / GED | 18.1 | 10.2 | 25.9 | 17.4 | 15.6 | 19.2 | 8.9 |
| | >High School | 16.2 | 11.6 | 20.7 | 13.2 | 12.3 | 14.2 | 11.2 |
| ANNUAL INCOME | <\$25,000 | 17.4 | 9.9 | 24.9 | 23.1 | 21.1 | 25.1 | 19.8 |
| | \$25,000-\$49,999 | 24.8 | 14.2 | 35.4 | 14.1 | 12.5 | 15.7 | 6.8 * |
| | \$50,000 or More | 10.3 | 6.1 | 14.5 | 10.6 | 9.4 | 11.8 | 7.9 |
| MARITAL STATUS | Married/Couple | 16.4 | 11.4 | 21.5 | 13.6 | 12.6 | 14.6 | 8.2 |
| | Not Married/Couple | 15.8 | 10.4 | 21.1 | 17.2 | 15.8 | 18.6 | 16.8 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Asthma

Percentage of adults who currently have asthma

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 5.4 | 3.1 | 7.6 | 8.3 | 7.6 | 9.0 | 6.0 |
| SEX | Men | 4.8 | 1.2 | 8.4 | 6.5 | 5.4 | 7.6 | 3.5 |
| | Women | 5.9 | 3.1 | 8.7 | 10.0 * | 9.2 | 10.9 | 8.2 |
| RACE/ETHNICITY | Non-Hisp. White | 5.6 | 3.1 | 8.1 | 8.3 | 7.6 | 9.0 | 6.2 |
| | Non-Hisp. Black | | | | 8.0 | 5.8 | 10.1 | |
| | Hispanic | | | | 9.9 | 6.8 | 12.9 | 5.8 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 5.1 | 1.0 | 9.2 | 6.1 | 5.1 | 7.1 | 3.8 |
| | Non-Hisp. White Women | 6.0 | 3.0 | 9.0 | 10.3 * | 9.3 | 11.3 | 8.6 |
| | Non-Hisp. Black Men | | | | 4.7 | 2.1 | 7.3 | |
| | Non-Hisp. Black Women | | | | 10.5 | 7.3 | 13.6 | |
| | Hispanic Men | | | | 10.5 | 5.1 | 15.9 | |
| | Hispanic Women | | | | 9.2 | 6.3 | 12.2 | 9.3 |
| AGE GROUP | 18-44 | 3.8 | 0.0 | 9.0 | 8.8 | 7.3 | 10.4 | 7.1 |
| | 45-64 | 4.9 | 1.8 | 8.1 | 7.8 | 6.8 | 8.7 | 5.2 |
| | 65 & Older | 7.3 | 4.2 | 10.4 | 8.5 | 7.5 | 9.4 | 5.8 |
| EDUCATION LEVEL | <High School | | | | 11.2 | 8.8 | 13.6 | 6.1 |
| | H.S. / GED | 5.8 | 0.4 | 11.1 | 8.9 | 7.5 | 10.4 | 8.1 |
| | >High School | 4.5 | 2.5 | 6.5 | 7.8 * | 6.9 | 8.7 | 5.1 |
| ANNUAL INCOME | <\$25,000 | 11.0 | 2.7 | 19.2 | 12.9 | 10.9 | 14.9 | 12.0 |
| | \$25,000-\$49,999 | 3.2 | 0.4 | 6.0 | 7.5 * | 6.3 | 8.7 | 4.3 |
| | \$50,000 or More | 4.9 | 2.2 | 7.5 | 6.2 | 5.2 | 7.1 | 4.6 |
| MARITAL STATUS | Married/Couple | 3.3 | 1.6 | 5.1 | 7.0 * | 6.2 | 7.8 | 5.9 |
| | Not Married/Couple | 9.3 | 3.5 | 15.1 | 10.7 | 9.4 | 12.1 | 6.1 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Colorectal

Percentage of adults 50 years of age and older who received a blood stool test in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 16.3 | 12.4 | 20.2 | 14.7 | 13.8 | 15.7 | 24.1 |
| SEX | Men | 17.6 | 11.2 | 24.1 | 16.5 | 14.9 | 18.0 | 26.1 |
| | Women | 15.3 | 10.5 | 20.0 | 13.2 | 12.0 | 14.3 | 22.3 |
| RACE/ETHNICITY | Non-Hisp. White | 17.0 | 12.9 | 21.1 | 15.1 | 14.1 | 16.1 | 24.3 |
| | Non-Hisp. Black | | | | 17.6 | 12.9 | 22.4 | |
| | Hispanic | | | | 9.8 | 6.1 | 13.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 18.8 | 11.9 | 25.6 | 17.4 | 15.7 | 19.1 | 26.7 |
| | Non-Hisp. White Women | 15.6 | 10.6 | 20.6 | 13.0 | 11.9 | 14.1 | 21.9 |
| | Non-Hisp. Black Men | | | | 13.3 | 8.3 | 18.3 | |
| | Non-Hisp. Black Women | | | | 20.3 | 13.4 | 27.1 | |
| | Hispanic Men | | | | 11.2 | 4.3 | 18.2 | |
| | Hispanic Women | | | | 8.8 | 4.9 | 12.6 | |
| AGE GROUP | 45-64 | 12.4 | 5.8 | 18.9 | 11.3 | 10.0 | 12.6 | 14.0 |
| | 65 & Older | 19.0 | 14.3 | 23.8 | 19.1 | 17.8 | 20.5 | 30.9 * |
| EDUCATION LEVEL | <High School | | | | 11.9 | 8.6 | 15.1 | 13.9 |
| | H.S. / GED | 12.1 | 6.3 | 17.8 | 15.4 | 13.5 | 17.3 | 21.7 |
| | >High School | 17.5 | 12.6 | 22.4 | 14.7 | 13.6 | 15.9 | 25.9 |
| ANNUAL INCOME | <\$25,000 | 17.6 | 7.9 | 27.4 | 14.7 | 12.8 | 16.6 | 14.2 |
| | \$25,000-\$49,999 | 18.6 | 10.2 | 27.0 | 15.8 | 14.0 | 17.7 | 28.1 |
| | \$50,000 or More | 14.3 | 8.9 | 19.8 | 13.7 | 12.1 | 15.4 | 29.4 * |
| MARITAL STATUS | Married/Couple | 18.4 | 13.1 | 23.7 | 14.7 | 13.5 | 16.0 | 24.8 |
| | Not Married/Couple | 12.1 | 7.5 | 16.6 | 14.7 | 13.2 | 16.2 | 22.8 |

Percentage of adults 50 years of age and older who received a sigmoidoscopy or colonoscopy in the past five years

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 57.5 | 52.3 | 62.8 | 56.4 | 54.9 | 57.9 | 61.7 |
| SEX | Men | 52.2 | 43.6 | 60.8 | 57.3 | 54.9 | 59.7 | 67.8 |
| | Women | 61.7 | 55.3 | 68.1 | 55.6 | 53.7 | 57.4 | 56.2 |
| RACE/ETHNICITY | Non-Hisp. White | 58.6 | 53.2 | 63.9 | 57.6 | 56.1 | 59.0 | 62.1 |
| | Non-Hisp. Black | | | | 57.3 | 51.0 | 63.6 | |
| | Hispanic | | | | 48.8 | 41.9 | 55.7 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 52.2 | 43.4 | 61.0 | 58.8 | 56.4 | 61.2 | 69.1 |
| | Non-Hisp. White Women | 63.5 | 57.1 | 70.0 | 56.5 | 54.7 | 58.3 | 55.5 |
| | Non-Hisp. Black Men | | | | 54.4 | 43.7 | 65.2 | |
| | Non-Hisp. Black Women | | | | 59.1 | 51.4 | 66.9 | |
| | Hispanic Men | | | | 52.8 | 40.9 | 64.7 | |
| | Hispanic Women | | | | 45.7 | 37.6 | 53.8 | |
| AGE GROUP | 45-64 | 45.5 | 36.2 | 54.9 | 49.3 | 47.1 | 51.6 | 48.1 |
| | 65 & Older | 65.7 | 60.0 | 71.4 | 65.3 | 63.7 | 67.0 | 70.8 |
| EDUCATION LEVEL | <High School | | | | 45.4 | 39.3 | 51.5 | 33.1 |
| | H.S. / GED | 57.6 | 47.3 | 67.9 | 51.5 | 48.7 | 54.4 | 52.0 |
| | >High School | 57.3 | 51.1 | 63.6 | 59.7 | 57.9 | 61.5 | 67.7 |
| ANNUAL INCOME | <\$25,000 | 43.0 | 32.1 | 53.9 | 46.4 | 43.6 | 49.3 | 53.1 |
| | \$25,000-\$49,999 | 59.4 | 49.2 | 69.6 | 55.8 | 53.0 | 58.6 | 56.7 |
| | \$50,000 or More | 63.6 | 55.2 | 71.9 | 61.7 | 59.2 | 64.2 | 69.0 |
| MARITAL STATUS | Married/Couple | 59.7 | 52.9 | 66.5 | 59.0 | 57.1 | 60.9 | 65.0 |
| | Not Married/Couple | 52.6 | 45.0 | 60.1 | 51.6 | 49.3 | 53.8 | 53.7 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Prostate

Percentage of men 50 years of age and older who received a PSA test in the past two years

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|---------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| SEX | Men | 80.7 | 73.9 | 87.5 | 72.6 | 70.2 | 75.0 | 79.4 |
| RACE/ETHNICITY | Non-Hisp. White | 81.7 | 75.0 | 88.5 | 74.7 | 72.4 | 77.0 | 80.0 |
| | Non-Hisp. Black | | | | 67.0 | 57.1 | 77.0 | |
| | Hispanic | | | | 60.7 | 48.0 | 73.3 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 81.7 | 75.0 | 88.5 | 74.7 | 72.4 | 77.0 | 80.0 |
| | Non-Hisp. Black Men | | | | 67.0 | 57.1 | 77.0 | |
| | Hispanic Men | | | | 60.7 | 48.0 | 73.3 | |
| AGE GROUP | 45-64 | 71.9 | 58.2 | 85.6 | 63.9 | 60.2 | 67.5 | 67.1 |
| | 65 & Older | 86.3 | 79.7 | 93.0 | 84.5 | 82.3 | 86.7 | 89.2 |
| EDUCATION LEVEL | <High School | | | | 52.9 | 40.8 | 65.0 | |
| | H.S. / GED | | | | 68.4 | 63.6 | 73.3 | 71.7 |
| | >High School | 85.0 | 78.5 | 91.5 | 75.9 | 73.2 | 78.7 | 86.8 |
| ANNUAL INCOME | <\$25,000 | | | | 60.7 | 55.2 | 66.1 | 65.4 |
| | \$25,000-\$49,999 | 86.6 | 75.3 | 97.9 | 75.4 | 71.5 | 79.3 | 82.9 |
| | \$50,000 or More | 88.4 | 82.1 | 94.7 | 77.3 * | 73.8 | 80.8 | 90.3 |
| MARITAL STATUS | Married/Couple | 85.2 | 78.3 | 92.2 | 74.2 * | 71.3 | 77.2 | 83.0 |
| | Not Married/Couple | 63.1 | 46.6 | 79.6 | 67.4 | 63.3 | 71.4 | 69.4 |

Percentage of men 50 years of age and older who received a digital rectal exam in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|---------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| SEX | Men | 54.2 | 45.6 | 62.7 | 48.5 | 46.1 | 50.8 | 69.6 |
| RACE/ETHNICITY | Non-Hisp. White | 54.7 | 46.0 | 63.4 | 50.4 | 48.0 | 52.9 | 69.4 |
| | Non-Hisp. Black | | | | 41.9 | 31.3 | 52.4 | |
| | Hispanic | | | | 39.8 | 29.0 | 50.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 54.7 | 46.0 | 63.4 | 50.4 | 48.0 | 52.9 | 69.4 |
| | Non-Hisp. Black Men | | | | 41.9 | 31.3 | 52.4 | |
| | Hispanic Men | | | | 39.8 | 29.0 | 50.6 | |
| AGE GROUP | 45-64 | 47.6 | 32.2 | 63.1 | 41.9 | 38.4 | 45.4 | 65.0 |
| | 65 & Older | 58.5 | 48.7 | 68.4 | 57.7 | 55.1 | 60.3 | 73.1 |
| EDUCATION LEVEL | <High School | | | | 31.8 | 23.4 | 40.2 | |
| | H.S. / GED | | | | 42.0 | 37.2 | 46.8 | 61.9 |
| | >High School | 59.6 | 50.2 | 68.9 | 52.3 | 49.4 | 55.1 | 75.3 |
| ANNUAL INCOME | <\$25,000 | 43.3 | 22.8 | 63.8 | 36.3 | 31.7 | 40.9 | 61.9 |
| | \$25,000-\$49,999 | 50.6 | 34.1 | 67.1 | 45.8 | 41.5 | 50.1 | 74.4 |
| | \$50,000 or More | 61.9 | 49.9 | 73.9 | 55.2 | 51.4 | 58.9 | 74.1 |
| MARITAL STATUS | Married/Couple | 56.3 | 46.2 | 66.4 | 50.3 | 47.4 | 53.1 | 76.0 |
| | Not Married/Couple | 45.7 | 30.2 | 61.1 | 42.9 | 38.7 | 47.2 | 52.5 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Prostate

Percentage of men 50 years of age and older who have been told they have prostate cancer

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|---------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| SEX | Men | 9.8 | 5.5 | 14.2 | 7.3 | 6.4 | 8.3 | |
| RACE/ETHNICITY | Non-Hisp. White | 10.4 | 5.8 | 15.0 | 7.7 | 6.6 | 8.7 | |
| | Non-Hisp. Black | | | | 6.1 | 2.9 | 9.3 | |
| | Hispanic | | | | 6.2 | 1.8 | 10.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 10.4 | 5.8 | 15.0 | 7.7 | 6.6 | 8.7 | |
| | Non-Hisp. Black Men | | | | 6.1 | 2.9 | 9.3 | |
| | Hispanic Men | | | | 6.2 | 1.8 | 10.6 | |
| AGE GROUP | 45-64 | 2.7 | 0.0 | 7.8 | 2.6 | 1.7 | 3.5 | |
| | 65 & Older | 14.5 | 8.3 | 20.8 | 13.9 | 12.1 | 15.7 | |
| EDUCATION LEVEL | <High School | | | | 4.8 | 2.5 | 7.2 | |
| | H.S. / GED | | | | 6.4 | 4.7 | 8.1 | |
| | >High School | 10.9 | 5.9 | 16.0 | 7.9 | 6.7 | 9.2 | |
| ANNUAL INCOME | <\$25,000 | 12.0 | 0.0 | 24.7 | 6.8 | 5.0 | 8.6 | |
| | \$25,000-\$49,999 | 10.3 | 2.3 | 18.2 | 10.0 | 7.6 | 12.3 | |
| | \$50,000 or More | 9.7 | 3.5 | 15.9 | 6.3 | 4.9 | 7.6 | |
| MARITAL STATUS | Married/Couple | 8.5 | 3.5 | 13.5 | 6.8 | 5.8 | 7.9 | |
| | Not Married/Couple | 14.7 | 5.7 | 23.8 | 8.9 | 6.7 | 11.0 | |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Women's Health

Percentage of women 40 years of age and older who received a mammogram in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| SEX | Women | 70.6 | 64.8 | 76.5 | 61.9 * | 60.2 | 63.5 | 69.3 |
| RACE/ETHNICITY | Non-Hisp. White | 72.1 | 66.2 | 77.9 | 61.8 * | 60.1 | 63.4 | 69.5 |
| | Non-Hisp. Black | | | | 66.6 | 60.2 | 72.9 | |
| | Hispanic | | | | 59.8 | 53.1 | 66.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 72.1 | 66.2 | 77.9 | 61.8 * | 60.1 | 63.4 | 69.5 |
| | Non-Hisp. Black Women | | | | 66.6 | 60.2 | 72.9 | |
| | Hispanic Women | | | | 59.8 | 53.1 | 66.5 | |
| AGE GROUP | 18-44 | | | | 47.1 | 41.7 | 52.5 | |
| | 45-64 | 67.3 | 57.4 | 77.3 | 61.5 | 59.1 | 64.0 | 67.5 |
| | 65 & Older | 76.4 | 70.2 | 82.7 | 68.8 | 66.9 | 70.7 | 75.3 |
| EDUCATION LEVEL | <High School | | | | 53.9 | 47.4 | 60.3 | |
| | H.S. / GED | 64.8 | 53.2 | 76.4 | 60.3 | 57.3 | 63.3 | 63.8 |
| | >High School | 73.8 | 67.2 | 80.5 | 63.6 * | 61.6 | 65.7 | 71.5 |
| ANNUAL INCOME | <\$25,000 | 59.1 | 46.0 | 72.3 | 51.3 | 48.1 | 54.6 | 56.1 |
| | \$25,000-\$49,999 | 68.6 | 57.0 | 80.2 | 60.2 | 56.6 | 63.9 | 64.9 |
| | \$50,000 or More | 74.1 | 64.1 | 84.1 | 67.7 | 65.0 | 70.4 | 78.8 |
| MARITAL STATUS | Married/Couple | 75.8 | 68.0 | 83.6 | 64.1 * | 62.0 | 66.3 | 76.6 |
| | Not Married/Couple | 62.2 | 54.0 | 70.5 | 58.3 | 55.8 | 60.7 | 53.0 |

Percentage of women 18 years of age and older who had a clinical breast exam in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| SEX | Women | 70.3 | 63.8 | 76.8 | 61.5 * | 59.9 | 63.0 | 72.3 |
| RACE/ETHNICITY | Non-Hisp. White | 71.0 | 64.3 | 77.7 | 62.3 * | 60.7 | 63.8 | 72.8 |
| | Non-Hisp. Black | | | | 63.9 | 58.5 | 69.3 | |
| | Hispanic | | | | 59.5 | 54.0 | 65.0 | 55.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 71.0 | 64.3 | 77.7 | 62.3 * | 60.7 | 63.8 | 72.8 |
| | Non-Hisp. Black Women | | | | 63.9 | 58.5 | 69.3 | |
| | Hispanic Women | | | | 59.5 | 54.0 | 65.0 | 55.1 |
| AGE GROUP | 18-44 | 66.7 | 49.1 | 84.2 | 56.6 | 53.6 | 59.6 | 70.7 |
| | 45-64 | 77.6 | 68.8 | 86.4 | 66.4 | 64.0 | 68.8 | 70.2 |
| | 65 & Older | 66.9 | 59.9 | 73.9 | 59.9 | 57.9 | 62.0 | 75.5 |
| EDUCATION LEVEL | <High School | | | | 41.3 | 35.4 | 47.2 | 62.8 |
| | H.S. / GED | 58.0 | 44.8 | 71.1 | 55.2 | 52.3 | 58.1 | 59.5 |
| | >High School | 76.0 | 68.7 | 83.3 | 66.4 * | 64.5 | 68.2 | 78.6 |
| ANNUAL INCOME | <\$25,000 | 61.6 | 47.4 | 75.9 | 48.2 | 45.2 | 51.2 | 56.4 |
| | \$25,000-\$49,999 | 64.4 | 50.4 | 78.4 | 60.1 | 56.8 | 63.3 | 69.2 |
| | \$50,000 or More | 80.8 | 72.1 | 89.5 | 72.1 | 69.8 | 74.5 | 83.9 |
| MARITAL STATUS | Married/Couple | 75.4 | 66.9 | 83.9 | 64.8 * | 62.8 | 66.7 | 75.5 |
| | Not Married/Couple | 61.0 | 51.3 | 70.7 | 56.1 | 53.7 | 58.6 | 65.5 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cancer Screening/Women's Health

Percentage of women 18 years of age and older who received a Pap test in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| SEX | Women | 59.3 | 50.4 | 68.2 | 57.1 | 55.2 | 59.0 | 63.9 |
| RACE/ETHNICITY | Non-Hisp. White | 58.3 | 49.1 | 67.6 | 56.4 | 54.4 | 58.3 | 64.8 |
| | Non-Hisp. Black | | | | 62.0 | 55.8 | 68.3 | |
| | Hispanic | | | | 61.3 | 55.2 | 67.4 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 58.3 | 49.1 | 67.6 | 56.4 | 54.4 | 58.3 | 64.8 |
| | Non-Hisp. Black Women | | | | 62.0 | 55.8 | 68.3 | |
| | Hispanic Women | | | | 61.3 | 55.2 | 67.4 | |
| AGE GROUP | 18-44 | 68.2 | 49.4 | 86.9 | 59.3 | 56.2 | 62.5 | 65.4 |
| | 45-64 | 60.3 | 47.8 | 72.8 | 63.0 | 60.0 | 66.0 | 69.9 |
| | 65 & Older | 47.2 | 36.9 | 57.5 | 38.2 | 35.3 | 41.2 | 55.8 |
| EDUCATION LEVEL | <High School | | | | 45.8 | 38.1 | 53.4 | |
| | H.S. / GED | 43.3 | 25.6 | 61.1 | 48.3 | 44.6 | 52.1 | 52.8 |
| | >High School | 64.6 | 54.6 | 74.6 | 61.6 | 59.4 | 63.8 | 67.3 |
| ANNUAL INCOME | <\$25,000 | 51.8 | 31.2 | 72.3 | 44.5 | 40.7 | 48.2 | 49.0 |
| | \$25,000-\$49,999 | 50.8 | 31.4 | 70.2 | 54.9 | 50.9 | 58.9 | 65.5 |
| | \$50,000 or More | 71.2 | 60.3 | 82.1 | 67.5 | 64.7 | 70.4 | 73.7 |
| MARITAL STATUS | Married/Couple | 66.9 | 55.6 | 78.2 | 61.1 | 58.8 | 63.5 | 69.9 |
| | Not Married/Couple | 45.2 | 31.8 | 58.7 | 50.3 | 47.3 | 53.4 | 51.8 |

Percentage of women who have had a hysterectomy

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| SEX | Women | 33.4 | 27.4 | 39.4 | 26.2 | 24.9 | 27.5 | 29.7 |
| RACE/ETHNICITY | Non-Hisp. White | 33.9 | 27.7 | 40.0 | 29.0 | 27.6 | 30.3 | 31.8 |
| | Non-Hisp. Black | | | | 23.7 | 18.8 | 28.6 | |
| | Hispanic | | | | 17.8 | 13.9 | 21.7 | 16.5 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Women | 33.9 | 27.7 | 40.0 | 29.0 | 27.6 | 30.3 | 31.8 |
| | Non-Hisp. Black Women | | | | 23.7 | 18.8 | 28.6 | |
| | Hispanic Women | | | | 17.8 | 13.9 | 21.7 | 16.5 |
| AGE GROUP | 18-44 | 10.5 | 0.0 | 21.9 | 6.6 | 5.2 | 8.1 | 5.1 |
| | 45-64 | 34.5 | 24.1 | 44.8 | 29.6 | 27.3 | 31.9 | 33.4 |
| | 65 & Older | 48.6 | 41.4 | 55.8 | 47.2 | 45.1 | 49.3 | 46.0 |
| EDUCATION LEVEL | <High School | | | | 29.9 | 25.0 | 34.7 | 45.8 |
| | H.S. / GED | 42.6 | 30.4 | 54.9 | 30.3 | 28.0 | 32.7 | 32.3 |
| | >High School | 30.0 | 23.2 | 36.8 | 24.2 | 22.6 | 25.8 | 27.3 |
| ANNUAL INCOME | <\$25,000 | 37.7 | 25.2 | 50.2 | 29.7 | 27.2 | 32.2 | 21.1 |
| | \$25,000-\$49,999 | 36.6 | 24.3 | 49.0 | 28.5 | 25.6 | 31.4 | 34.3 |
| | \$50,000 or More | 28.6 | 18.3 | 38.9 | 22.0 | 20.0 | 24.0 | 20.6 |
| MARITAL STATUS | Married/Couple | 32.6 | 24.5 | 40.7 | 25.1 | 23.4 | 26.8 | 31.3 |
| | Not Married/Couple | 35.1 | 27.0 | 43.2 | 28.1 | 26.2 | 29.9 | 26.5 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cardiovascular Disease

Percentage of adults who have ever had a stroke

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|-----|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 5.1 | 3.0 | 7.1 | 3.5 | 3.1 | 3.9 | 2.5 |
| SEX | Men | 4.1 | 1.7 | 6.4 | 3.8 | 3.2 | 4.5 | 2.0 |
| | Women | 5.9 | 2.7 | 9.2 | 3.3 | 2.8 | 3.8 | 2.9 |
| RACE/ETHNICITY | Non-Hisp. White | 5.2 | 3.0 | 7.5 | 3.8 | 3.3 | 4.2 | 2.7 |
| | Non-Hisp. Black | | | | 4.0 | 2.4 | 5.6 | |
| | Hispanic | | | | 1.5 | 0.6 | 2.3 | 1.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.4 | 1.8 | 7.1 | 3.9 | 3.3 | 4.6 | 2.2 |
| | Non-Hisp. White Women | 5.9 | 2.5 | 9.4 | 3.6 | 3.0 | 4.2 | 3.1 |
| | Non-Hisp. Black Men | | | | 3.7 | 1.5 | 6.0 | |
| | Non-Hisp. Black Women | | | | 4.2 | 2.0 | 6.4 | |
| | Hispanic Men | | | | 1.6 | 0.2 | 3.1 | |
| | Hispanic Women | | | | 1.3 | 0.5 | 2.1 | 2.7 |
| AGE GROUP | 18-44 | 2.1 | 0.0 | 6.1 | 1.0 | 0.5 | 1.4 | 0.0 |
| | 45-64 | 4.1 | 1.0 | 7.1 | 3.3 | 2.5 | 4.1 | 1.0 |
| | 65 & Older | 8.6 | 5.3 | 12.0 | 8.1 | 7.1 | 9.0 | 5.9 |
| EDUCATION LEVEL | <High School | | | | 7.3 | 4.8 | 9.8 | 1.9 |
| | H.S. / GED | 8.0 | 2.5 | 13.5 | 4.6 | 3.7 | 5.5 | 1.9 |
| | >High School | 4.0 | 2.1 | 5.9 | 2.7 | 2.3 | 3.1 | 2.6 |
| ANNUAL INCOME | <\$25,000 | 10.8 | 3.6 | 17.9 | 6.1 | 5.0 | 7.3 | 3.2 |
| | \$25,000-\$49,999 | 4.6 | 1.1 | 8.0 | 3.6 | 2.8 | 4.4 | 4.3 |
| | \$50,000 or More | 2.2 | 0.3 | 4.2 | 1.8 | 1.3 | 2.2 | 0.7 |
| MARITAL STATUS | Married/Couple | 5.1 | 2.3 | 7.8 | 3.1 | 2.6 | 3.5 | 1.6 |
| | Not Married/Couple | 5.1 | 2.4 | 7.8 | 4.4 | 3.6 | 5.1 | 4.2 |

Percentage of adults who have ever had a heart attack, angina, or coronary heart disease

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 15.2 | 11.9 | 18.4 | 10.2 * | 9.5 | 10.8 | 9.8 |
| SEX | Men | 16.4 | 11.3 | 21.6 | 11.5 | 10.5 | 12.5 | 13.2 |
| | Women | 14.0 | 9.8 | 18.2 | 8.9 * | 8.1 | 9.7 | 6.8 * |
| RACE/ETHNICITY | Non-Hisp. White | 16.5 | 12.8 | 20.1 | 11.4 * | 10.7 | 12.1 | 10.2 |
| | Non-Hisp. Black | | | | 7.8 | 5.8 | 9.7 | |
| | Hispanic | | | | 6.0 | 4.1 | 7.8 | 12.7 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 18.8 | 12.9 | 24.7 | 13.0 | 11.9 | 14.1 | 12.9 |
| | Non-Hisp. White Women | 14.5 | 10.0 | 19.0 | 9.9 | 9.0 | 10.8 | 7.6 |
| | Non-Hisp. Black Men | | | | 6.3 | 3.8 | 8.9 | |
| | Non-Hisp. Black Women | | | | 8.9 | 6.0 | 11.7 | |
| | Hispanic Men | | | | 6.7 | 3.6 | 9.7 | |
| | Hispanic Women | | | | 5.3 | 3.1 | 7.5 | 2.7 |
| AGE GROUP | 18-44 | 2.1 | 0.0 | 6.1 | 2.3 | 1.6 | 3.0 | 2.9 |
| | 45-64 | 10.2 | 5.0 | 15.5 | 8.9 | 7.9 | 10.0 | 8.0 |
| | 65 & Older | 31.1 | 25.6 | 36.6 | 24.8 | 23.4 | 26.3 | 17.5 * |
| EDUCATION LEVEL | <High School | | | | 17.4 | 13.8 | 21.1 | 18.5 |
| | H.S. / GED | 15.1 | 8.5 | 21.7 | 11.8 | 10.5 | 13.1 | 11.3 |
| | >High School | 15.5 | 11.6 | 19.4 | 8.7 * | 8.0 | 9.3 | 8.2 * |
| ANNUAL INCOME | <\$25,000 | 23.0 | 13.5 | 32.5 | 16.4 | 14.8 | 18.0 | 12.1 |
| | \$25,000-\$49,999 | 20.1 | 12.8 | 27.3 | 11.2 * | 9.9 | 12.4 | 14.5 |
| | \$50,000 or More | 10.2 | 6.2 | 14.2 | 5.6 | 4.9 | 6.3 | 4.5 |
| MARITAL STATUS | Married/Couple | 15.4 | 11.1 | 19.7 | 9.3 * | 8.5 | 10.1 | 8.0 |
| | Not Married/Couple | 14.6 | 10.0 | 19.2 | 11.7 | 10.6 | 12.8 | 13.9 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Cholesterol Awareness

Percentage of adults who have diagnosed high blood cholesterol

| | | 2010 County | | | 2010 State | | | 2007 County |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 41.4 | 35.8 | 47.0 | 38.6 | 37.4 | 39.8 | 38.5 |
| SEX | Men | 45.3 | 35.6 | 55.0 | 39.7 | 37.7 | 41.7 | 38.6 |
| | Women | 37.8 | 31.5 | 44.1 | 37.5 | 36.0 | 39.0 | 38.4 |
| RACE/ETHNICITY | Non-Hisp. White | 43.1 | 37.3 | 48.9 | 41.2 | 39.9 | 42.5 | 39.0 |
| | Non-Hisp. Black | | | | 33.3 | 28.7 | 38.0 | |
| | Hispanic | | | | 30.3 | 26.1 | 34.5 | 25.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 49.1 | 38.8 | 59.4 | 43.2 | 41.1 | 45.3 | 39.2 |
| | Non-Hisp. White Women | 38.2 | 31.6 | 44.7 | 39.4 | 37.8 | 40.9 | 38.8 |
| | Non-Hisp. Black Men | | | | 31.4 | 23.8 | 38.9 | |
| | Non-Hisp. Black Women | | | | 34.8 | 28.9 | 40.6 | |
| | Hispanic Men | | | | 29.6 | 22.9 | 36.3 | |
| | Hispanic Women | | | | 31.0 | 25.9 | 36.1 | |
| AGE GROUP | 18-44 | 17.3 | 6.7 | 27.9 | 17.9 | 16.0 | 19.8 | 26.6 |
| | 45-64 | 42.1 | 33.3 | 50.9 | 43.7 | 41.6 | 45.8 | 39.7 |
| | 65 & Older | 60.8 | 54.9 | 66.6 | 61.1 | 59.5 | 62.8 | 45.1 * |
| EDUCATION LEVEL | <High School | | | | 39.6 | 34.8 | 44.3 | 47.0 |
| | H.S. / GED | 35.2 | 24.6 | 45.7 | 39.6 | 37.2 | 42.0 | 39.9 |
| | >High School | 44.9 | 38.4 | 51.4 | 38.2 | 36.7 | 39.7 | 37.3 |
| ANNUAL INCOME | <\$25,000 | 47.3 | 33.6 | 61.0 | 41.3 | 38.8 | 43.8 | 36.2 |
| | \$25,000-\$49,999 | 44.5 | 33.4 | 55.6 | 39.3 | 36.7 | 41.8 | 46.1 |
| | \$50,000 or More | 41.6 | 33.4 | 49.8 | 36.6 | 34.6 | 38.5 | 30.0 |
| MARITAL STATUS | Married/Couple | 43.6 | 36.7 | 50.5 | 39.6 | 38.1 | 41.2 | 36.4 |
| | Not Married/Couple | 36.2 | 27.2 | 45.2 | 36.9 | 34.9 | 38.9 | 43.7 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diagnosed diabetes

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 8.6 | 6.1 | 11.1 | 10.4 | 9.8 | 11.1 | 8.4 |
| SEX | Men | 10.5 | 6.5 | 14.5 | 11.7 | 10.6 | 12.7 | 10.2 |
| | Women | 6.9 | 3.6 | 10.2 | 9.2 | 8.4 | 10.0 | 6.7 |
| RACE/ETHNICITY | Non-Hisp. White | 8.6 | 5.9 | 11.3 | 10.1 | 9.4 | 10.7 | 8.0 |
| | Non-Hisp. Black | | | | 13.1 | 10.7 | 15.5 | |
| | Hispanic | | | | 9.6 | 7.2 | 12.1 | 9.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 11.3 | 6.8 | 15.8 | 12.0 | 10.9 | 13.2 | 10.4 |
| | Non-Hisp. White Women | 6.3 | 2.9 | 9.7 | 8.2 | 7.5 | 8.9 | 5.6 |
| | Non-Hisp. Black Men | | | | 12.6 | 8.6 | 16.5 | |
| | Non-Hisp. Black Women | | | | 13.5 | 10.6 | 16.4 | |
| | Hispanic Men | | | | 9.5 | 5.9 | 13.1 | |
| | Hispanic Women | | | | 9.8 | 6.5 | 13.0 | 14.2 |
| AGE GROUP | 18-44 | 2.1 | 0.0 | 6.1 | 3.6 | 2.8 | 4.5 | 3.1 |
| | 45-64 | 9.3 | 4.6 | 14.0 | 11.6 | 10.4 | 12.7 | 6.7 |
| | 65 & Older | 13.8 | 9.7 | 17.8 | 19.2 * | 17.9 | 20.5 | 14.7 |
| EDUCATION LEVEL | <High School | | | | 15.4 | 12.8 | 18.1 | 15.3 |
| | H.S. / GED | 7.9 | 2.3 | 13.6 | 11.7 | 10.5 | 13.0 | 7.4 |
| | >High School | 9.3 | 6.5 | 12.2 | 9.3 | 8.5 | 10.1 | 8.2 |
| ANNUAL INCOME | <\$25,000 | 13.6 | 5.5 | 21.8 | 14.8 | 13.3 | 16.2 | 10.2 |
| | \$25,000-\$49,999 | 8.1 | 3.7 | 12.6 | 11.2 | 9.7 | 12.7 | 8.9 |
| | \$50,000 or More | 7.7 | 4.3 | 11.1 | 7.3 | 6.4 | 8.3 | 5.8 |
| MARITAL STATUS | Married/Couple | 8.2 | 4.9 | 11.5 | 9.8 | 9.0 | 10.6 | 7.6 |
| | Not Married/Couple | 9.5 | 5.7 | 13.3 | 11.6 | 10.5 | 12.6 | 10.4 |

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 58.7 | 44.1 | 73.2 | 62.1 | 58.9 | 65.3 | 58.1 |
| SEX | Men | 47.8 | 29.2 | 66.5 | 57.2 | 52.4 | 61.9 | 68.2 |
| | Women | 73.4 | 54.9 | 92.0 | 68.0 | 64.1 | 71.8 | 43.1 |
| RACE/ETHNICITY | Non-Hisp. White | 60.6 | 45.1 | 76.1 | 62.7 | 59.4 | 66.1 | 60.0 |
| | Non-Hisp. Black | | | | 65.7 | 56.7 | 74.7 | |
| | Hispanic | | | | 54.9 | 42.1 | 67.8 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 47.1 | 27.5 | 66.7 | 58.2 | 53.2 | 63.1 | 67.4 |
| | Non-Hisp. White Women | | | | 69.1 | 65.1 | 73.1 | 46.7 |
| | Non-Hisp. Black Men | | | | 68.0 | 52.3 | 83.7 | |
| | Non-Hisp. Black Women | | | | 64.1 | 53.4 | 74.8 | |
| | Hispanic Men | | | | 39.6 | 21.6 | 57.5 | |
| | Hispanic Women | | | | 69.6 | 55.7 | 83.4 | |
| AGE GROUP | 18-44 | | | | 51.8 | 39.6 | 63.9 | |
| | 45-64 | | | | 61.7 | 56.6 | 66.7 | |
| | 65 & Older | 60.0 | 44.0 | 76.0 | 65.6 | 62.1 | 69.2 | 53.8 |
| EDUCATION LEVEL | <High School | | | | 61.3 | 52.4 | 70.3 | |
| | H.S. / GED | | | | 60.8 | 54.9 | 66.8 | |
| | >High School | 53.4 | 37.5 | 69.2 | 62.9 | 58.7 | 67.0 | 54.7 |
| ANNUAL INCOME | <\$25,000 | | | | 70.5 | 66.1 | 75.0 | |
| | \$25,000-\$49,999 | | | | 58.0 | 51.0 | 64.9 | |
| | \$50,000 or More | | | | 56.6 | 50.0 | 63.2 | |
| MARITAL STATUS | Married/Couple | 64.5 | 45.7 | 83.3 | 61.7 | 57.4 | 66.1 | 58.4 |
| | Not Married/Couple | 48.1 | 28.9 | 67.2 | 62.6 | 58.1 | 67.2 | 57.7 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 73.8 | 61.4 | 86.2 | 75.6 | 72.6 | 78.6 | 74.3 |
| SEX | Men | 70.5 | 52.8 | 88.3 | 74.3 | 69.8 | 78.8 | 83.3 |
| | Women | | | | 77.3 | 73.6 | 81.0 | 59.4 |
| RACE/ETHNICITY | Non-Hisp. White | 76.4 | 63.9 | 88.9 | 77.6 | 74.5 | 80.7 | 77.2 |
| | Non-Hisp. Black | | | | 70.9 | 61.0 | 80.8 | |
| | Hispanic | | | | 70.5 | 58.1 | 82.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 72.1 | 53.4 | 90.8 | 76.2 | 71.8 | 80.7 | |
| | Non-Hisp. White Women | | | | 79.5 | 75.7 | 83.2 | 66.4 |
| | Non-Hisp. Black Men | | | | 62.7 | 45.1 | 80.4 | |
| | Non-Hisp. Black Women | | | | 77.2 | 67.6 | 86.8 | |
| | Hispanic Men | | | | 67.3 | 48.5 | 86.1 | |
| AGE GROUP | Hispanic Women | | | | 74.0 | 58.8 | 89.1 | |
| | 18-44 | | | | 62.2 | 49.9 | 74.4 | |
| | 45-64 | | | | 76.5 | 71.8 | 81.1 | |
| | 65 & Older | 74.5 | 60.5 | 88.4 | 79.3 | 76.1 | 82.5 | 83.8 |
| EDUCATION LEVEL | <High School | | | | 68.6 | 58.9 | 78.3 | |
| | H.S. / GED | | | | 72.0 | 66.3 | 77.8 | |
| | >High School | 73.7 | 60.3 | 87.1 | 78.6 | 74.8 | 82.3 | 82.3 |
| ANNUAL INCOME | <\$25,000 | | | | 75.0 | 70.3 | 79.6 | |
| | \$25,000-\$49,999 | | | | 76.0 | 69.5 | 82.4 | |
| | \$50,000 or More | | | | 76.5 | 70.5 | 82.5 | |
| MARITAL STATUS | Married/Couple | 82.8 | 68.4 | 97.2 | 78.9 | 75.1 | 82.7 | 84.0 |
| | Not Married/Couple | 54.9 | 34.2 | 75.6 | 70.3 | 65.5 | 75.1 | 58.6 |

Percentage of adults with diabetes who had an annual foot exam

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 74.1 | 61.3 | 86.8 | 72.2 | 69.2 | 75.2 | 73.7 |
| SEX | Men | 68.6 | 51.2 | 86.0 | 73.9 | 69.6 | 78.2 | 77.4 |
| | Women | 82.0 | 64.8 | 99.2 | 70.2 | 66.2 | 74.1 | 68.9 |
| RACE/ETHNICITY | Non-Hisp. White | 80.2 | 68.5 | 92.0 | 73.6 | 70.5 | 76.7 | 70.1 |
| | Non-Hisp. Black | | | | 76.5 | 67.9 | 85.2 | |
| | Hispanic | | | | 59.8 | 47.1 | 72.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 75.2 | 58.2 | 92.1 | 76.2 | 71.9 | 80.6 | 75.8 |
| | Non-Hisp. White Women | | | | 69.9 | 65.8 | 74.0 | 60.3 |
| | Non-Hisp. Black Men | | | | 70.1 | 53.5 | 86.7 | |
| | Non-Hisp. Black Women | | | | 81.0 | 72.9 | 89.1 | |
| | Hispanic Men | | | | 57.5 | 38.8 | 76.2 | |
| AGE GROUP | Hispanic Women | | | | 62.2 | 45.6 | 78.7 | |
| | 18-44 | | | | 63.4 | 52.0 | 74.8 | |
| | 45-64 | | | | 72.3 | 67.5 | 77.1 | |
| | 65 & Older | 71.7 | 56.5 | 86.8 | 75.2 | 71.8 | 78.6 | 72.1 |
| EDUCATION LEVEL | <High School | | | | 69.7 | 61.5 | 77.8 | |
| | H.S. / GED | | | | 65.8 | 60.1 | 71.4 | |
| | >High School | 74.0 | 59.6 | 88.3 | 76.1 | 72.3 | 79.8 | 75.5 |
| ANNUAL INCOME | <\$25,000 | | | | 69.6 | 64.9 | 74.4 | |
| | \$25,000-\$49,999 | | | | 68.9 | 62.3 | 75.5 | |
| | \$50,000 or More | | | | 77.1 | 71.2 | 83.0 | |
| MARITAL STATUS | Married/Couple | 81.8 | 66.8 | 96.7 | 75.1 | 71.3 | 79.0 | 71.5 |
| | Not Married/Couple | 59.0 | 38.7 | 79.3 | 67.8 | 63.2 | 72.4 | 78.1 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Percentage of adults with diabetes who had an annual eye exam

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 67.4 | 51.4 | 83.3 | 70.2 | 67.0 | 73.4 | 84.7 |
| SEX | Men | 67.5 | 49.3 | 85.7 | 72.8 | 68.6 | 77.1 | 81.2 |
| | Women | 67.1 | 38.8 | 95.5 | 67.1 | 62.3 | 71.9 | 89.5 |
| RACE/ETHNICITY | Non-Hisp. White | 70.3 | 53.1 | 87.6 | 70.8 | 67.5 | 74.1 | 84.0 |
| | Non-Hisp. Black | | | | 72.3 | 64.0 | 80.5 | |
| | Hispanic | | | | 63.4 | 49.8 | 77.0 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 69.7 | 51.0 | 88.3 | 72.1 | 67.4 | 76.9 | 80.8 |
| | Non-Hisp. White Women | | | | 68.9 | 64.7 | 73.2 | 89.7 |
| | Non-Hisp. Black Men | | | | 72.2 | 58.5 | 86.0 | |
| | Non-Hisp. Black Women | | | | 72.3 | 62.2 | 82.5 | |
| | Hispanic Men | | | | 72.3 | 56.1 | 88.5 | |
| AGE GROUP | Hispanic Women | | | | 55.0 | 35.6 | 74.5 | |
| | 18-44 | | | | 58.3 | 47.0 | 69.6 | |
| | 45-64 | | | | 64.3 | 58.8 | 69.8 | |
| EDUCATION LEVEL | 65 & Older | 77.4 | 62.9 | 91.8 | 80.2 | 76.9 | 83.5 | 87.0 |
| | <High School | | | | 62.4 | 53.9 | 70.8 | |
| | H.S. / GED | | | | 64.5 | 58.9 | 70.1 | |
| | >High School | 77.2 | 63.1 | 91.3 | 74.6 | 70.3 | 78.9 | 84.4 |
| ANNUAL INCOME | <\$25,000 | | | | 67.5 | 62.9 | 72.1 | |
| | \$25,000-\$49,999 | | | | 67.3 | 59.1 | 75.6 | |
| | \$50,000 or More | | | | 77.1 | 71.4 | 82.7 | |
| MARITAL STATUS | Married/Couple | 68.9 | 46.7 | 91.1 | 72.1 | 67.7 | 76.5 | 80.2 |
| | Not Married/Couple | 64.5 | 44.3 | 84.7 | 67.3 | 62.8 | 71.8 | 92.7 |

Percentage of adults with diabetes who ever had diabetes self-management education

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 61.2 | 47.4 | 74.9 | 55.1 | 51.9 | 58.3 | 56.2 |
| SEX | Men | 58.4 | 40.8 | 76.0 | 55.4 | 50.7 | 60.0 | 58.0 |
| | Women | 64.9 | 43.5 | 86.4 | 54.8 | 50.4 | 59.2 | 53.7 |
| RACE/ETHNICITY | Non-Hisp. White | 63.2 | 48.7 | 77.7 | 56.5 | 53.0 | 59.9 | 58.4 |
| | Non-Hisp. Black | | | | 56.4 | 47.1 | 65.7 | |
| | Hispanic | | | | 45.0 | 31.5 | 58.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 64.0 | 46.6 | 81.5 | 56.5 | 51.5 | 61.4 | 56.6 |
| | Non-Hisp. White Women | | | | 56.5 | 52.0 | 60.9 | 61.6 |
| | Non-Hisp. Black Men | | | | 57.8 | 41.8 | 73.8 | |
| | Non-Hisp. Black Women | | | | 55.4 | 44.3 | 66.5 | |
| | Hispanic Men | | | | 37.4 | 18.9 | 55.9 | |
| AGE GROUP | Hispanic Women | | | | 52.1 | 34.3 | 69.9 | |
| | 18-44 | | | | 53.8 | 41.7 | 65.8 | |
| | 45-64 | | | | 58.1 | 52.8 | 63.3 | |
| EDUCATION LEVEL | 65 & Older | 64.1 | 50.0 | 78.3 | 52.6 | 48.9 | 56.3 | 54.2 |
| | <High School | | | | 47.1 | 38.3 | 55.9 | |
| | H.S. / GED | | | | 46.9 | 41.4 | 52.4 | |
| | >High School | 63.8 | 49.5 | 78.0 | 60.9 | 56.6 | 65.2 | 62.9 |
| ANNUAL INCOME | <\$25,000 | | | | 50.2 | 45.3 | 55.1 | |
| | \$25,000-\$49,999 | | | | 54.9 | 47.9 | 62.0 | |
| | \$50,000 or More | | | | 60.8 | 54.1 | 67.5 | |
| MARITAL STATUS | Married/Couple | 68.7 | 51.1 | 86.3 | 59.1 | 54.7 | 63.4 | 55.8 |
| | Not Married/Couple | 47.5 | 28.1 | 66.8 | 48.9 | 44.4 | 53.5 | 56.9 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Diabetes

Average age at which diabetes was diagnosed

| | | 2010 County | | | 2010 State | | | 2007 County |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 57.2 | 52.3 | 62.1 | 50.0 * | 49.0 | 50.9 | 56.2 |
| SEX | Men | 60.1 | 55.4 | 64.7 | 50.2 * | 48.7 | 51.6 | 53.1 |
| | Women | 53.0 | 43.6 | 62.4 | 49.7 | 48.4 | 51.0 | 60.4 |
| RACE/ETHNICITY | Non-Hisp. White | 57.7 | 52.1 | 63.2 | 51.9 | 50.8 | 53.0 | 57.2 |
| | Non-Hisp. Black | | | | 44.8 | 42.0 | 47.7 | |
| | Hispanic | | | | 45.3 | 42.3 | 48.4 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 61.2 | 56.5 | 65.9 | 51.7 * | 50.1 | 53.2 | 53.3 |
| | Non-Hisp. White Women | | | | 52.2 | 50.7 | 53.7 | 64.1 |
| | Non-Hisp. Black Men | | | | 43.4 | 38.2 | 48.6 | |
| | Non-Hisp. Black Women | | | | 45.8 | 42.7 | 48.9 | |
| | Hispanic Men | | | | 45.9 | 41.0 | 50.7 | |
| | Hispanic Women | | | | 44.8 | 41.0 | 48.6 | |
| AGE GROUP | 18-44 | | | | 31.0 | 28.7 | 33.2 | |
| | 45-64 | | | | 45.7 | 44.7 | 46.8 | |
| | 65 & Older | 64.8 | 61.2 | 68.4 | 60.4 | 59.4 | 61.4 | 64.3 |
| EDUCATION LEVEL | <High School | | | | 49.4 | 46.6 | 52.2 | |
| | H.S. / GED | | | | 50.0 | 48.2 | 51.9 | |
| | >High School | 60.0 | 56.0 | 64.1 | 50.1 * | 48.8 | 51.3 | 58.6 |
| ANNUAL INCOME | <\$25,000 | | | | 50.0 | 48.4 | 51.6 | |
| | \$25,000-\$49,999 | | | | 51.0 | 49.1 | 52.9 | |
| | \$50,000 or More | | | | 48.0 | 46.1 | 50.0 | |
| MARITAL STATUS | Married/Couple | 55.6 | 48.6 | 62.6 | 49.3 | 48.1 | 50.5 | 54.9 |
| | Not Married/Couple | 60.4 | 55.2 | 65.7 | 50.9 * | 49.4 | 52.5 | 58.4 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 21.5 | 17.1 | 25.8 | 24.3 | 23.3 | 25.3 | 17.3 |
| SEX | Men | 20.2 | 13.5 | 26.9 | 23.0 | 21.4 | 24.6 | 18.7 |
| | Women | 22.6 | 17.0 | 28.1 | 25.5 | 24.2 | 26.7 | 16.0 |
| RACE/ETHNICITY | Non-Hisp. White | 22.3 | 17.8 | 26.8 | 26.2 | 25.1 | 27.3 | 18.7 |
| | Non-Hisp. Black | | | | 22.0 | 18.3 | 25.7 | |
| | Hispanic | | | | 17.2 | 13.8 | 20.6 | 7.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 22.5 | 15.1 | 29.9 | 24.3 | 22.6 | 25.9 | 19.5 |
| | Non-Hisp. White Women | 22.2 | 16.7 | 27.6 | 28.0 | 26.6 | 29.4 | 17.8 |
| | Non-Hisp. Black Men | | | | 22.0 | 15.7 | 28.2 | |
| | Non-Hisp. Black Women | | | | 22.0 | 17.6 | 26.4 | |
| | Hispanic Men | | | | 17.1 | 11.3 | 22.9 | |
| | Hispanic Women | | | | 17.3 | 13.7 | 21.0 | 4.1 |
| AGE GROUP | 18-44 | 18.0 | 7.2 | 28.8 | 16.6 | 14.8 | 18.4 | 10.5 |
| | 45-64 | 20.2 | 14.2 | 26.1 | 26.6 | 25.0 | 28.3 | 20.5 |
| | 65 & Older | 25.7 | 20.6 | 30.9 | 32.3 | 30.8 | 33.9 | 21.0 |
| EDUCATION LEVEL | <High School | | | | 28.7 | 24.8 | 32.6 | 20.1 |
| | H.S. / GED | 28.5 | 18.6 | 38.3 | 25.3 | 23.4 | 27.2 | 11.6 * |
| | >High School | 19.3 | 14.5 | 24.2 | 23.4 | 22.2 | 24.6 | 19.2 |
| ANNUAL INCOME | <\$25,000 | 30.6 | 19.5 | 41.7 | 38.5 | 36.0 | 40.9 | 29.1 |
| | \$25,000-\$49,999 | 27.0 | 17.0 | 37.1 | 23.6 | 21.6 | 25.6 | 12.0 |
| | \$50,000 or More | 14.4 | 9.2 | 19.7 | 16.2 | 14.9 | 17.5 | 12.4 |
| MARITAL STATUS | Married/Couple | 19.2 | 14.0 | 24.4 | 21.4 | 20.2 | 22.6 | 13.9 |
| | Not Married/Couple | 26.3 | 18.3 | 34.3 | 29.4 | 27.6 | 31.3 | 25.8 |

Percentage of adults who use special equipment because of a health problem

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 8.8 | 6.5 | 11.1 | 9.3 | 8.7 | 9.8 | 7.3 |
| SEX | Men | 7.5 | 4.0 | 10.9 | 9.0 | 8.1 | 9.9 | 8.8 |
| | Women | 10.0 | 7.0 | 13.0 | 9.5 | 8.7 | 10.2 | 6.0 |
| RACE/ETHNICITY | Non-Hisp. White | 9.4 | 6.9 | 11.8 | 10.0 | 9.3 | 10.6 | 8.1 |
| | Non-Hisp. Black | | | | 12.0 | 9.3 | 14.7 | |
| | Hispanic | | | | 4.4 | 3.0 | 5.8 | 0.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 8.9 | 4.8 | 13.0 | 9.8 | 8.8 | 10.9 | 9.4 |
| | Non-Hisp. White Women | 9.7 | 6.8 | 12.7 | 10.1 | 9.3 | 10.9 | 6.8 |
| | Non-Hisp. Black Men | | | | 12.0 | 7.8 | 16.2 | |
| | Non-Hisp. Black Women | | | | 12.0 | 8.5 | 15.6 | |
| | Hispanic Men | | | | 4.0 | 1.7 | 6.3 | |
| | Hispanic Women | | | | 4.8 | 3.2 | 6.3 | 0.2 |
| AGE GROUP | 18-44 | | | | 3.1 | 2.4 | 3.8 | 5.0 |
| | 45-64 | 7.9 | 4.0 | 11.7 | 9.5 | 8.5 | 10.6 | 5.5 |
| | 65 & Older | 17.5 | 12.9 | 22.1 | 18.7 | 17.4 | 19.9 | 10.7 |
| EDUCATION LEVEL | <High School | | | | 12.8 | 10.5 | 15.0 | 6.8 |
| | H.S. / GED | 11.2 | 6.3 | 16.0 | 10.4 | 9.2 | 11.6 | 5.4 |
| | >High School | 8.1 | 5.5 | 10.8 | 8.4 | 7.7 | 9.1 | 8.1 |
| ANNUAL INCOME | <\$25,000 | 14.8 | 8.3 | 21.3 | 17.1 | 15.5 | 18.7 | 10.5 |
| | \$25,000-\$49,999 | 9.6 | 4.5 | 14.7 | 8.1 | 7.0 | 9.2 | 6.8 |
| | \$50,000 or More | 4.5 | 1.9 | 7.1 | 4.9 | 4.1 | 5.6 | 4.0 |
| MARITAL STATUS | Married/Couple | 6.7 | 4.1 | 9.3 | 7.6 | 6.9 | 8.2 | 5.7 |
| | Not Married/Couple | 13.4 | 8.8 | 18.0 | 12.3 | 11.2 | 13.4 | 11.4 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Family Planning

Percentage of females less than 45 years old or males less than 60 years old who report that they or their partner take measures to prevent pregnancy

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 59.5 | 46.7 | 72.3 | 56.2 | 54.1 | 58.4 | |
| SEX | Men | 47.8 | 31.4 | 64.3 | 51.3 | 48.5 | 54.1 | |
| | Women | 83.4 | 70.7 | 96.1 | 66.8 * | 63.7 | 69.9 | |
| RACE/ETHNICITY | Non-Hisp. White | 62.2 | 49.0 | 75.5 | 57.7 | 55.3 | 60.0 | |
| | Non-Hisp. Black | | | | 53.9 | 47.1 | 60.7 | |
| | Hispanic | | | | 55.9 | 49.2 | 62.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 49.2 | 31.1 | 67.3 | 52.2 | 49.2 | 55.2 | |
| | Non-Hisp. White Women | | | | 70.8 | 67.4 | 74.2 | |
| | Non-Hisp. Black Men | | | | 49.9 | 40.4 | 59.5 | |
| | Non-Hisp. Black Women | | | | 60.1 | 51.4 | 68.9 | |
| | Hispanic Men | | | | 50.3 | 41.3 | 59.3 | |
| | Hispanic Women | | | | 66.2 | 57.7 | 74.8 | |
| AGE GROUP | 18-44 | 62.8 | 46.9 | 78.7 | 60.6 | 57.9 | 63.3 | |
| | 45-64 | 49.4 | 30.6 | 68.2 | 47.3 | 43.4 | 51.2 | |
| EDUCATION LEVEL | <High School | | | | 51.5 | 43.7 | 59.4 | |
| | H.S. / GED | | | | 53.5 | 49.3 | 57.7 | |
| | >High School | 70.1 | 58.2 | 82.0 | 57.9 | 55.2 | 60.6 | |
| ANNUAL INCOME | <\$25,000 | | | | 46.8 | 42.2 | 51.4 | |
| | \$25,000-\$49,999 | | | | 56.7 | 52.0 | 61.4 | |
| | \$50,000 or More | 66.0 | 49.5 | 82.6 | 64.0 | 60.9 | 67.1 | |
| MARITAL STATUS | Married/Couple | 74.5 | 62.9 | 86.0 | 66.1 | 63.5 | 68.7 | |
| | Not Married/Couple | 28.5 | 9.3 | 47.7 | 38.8 | 35.2 | 42.4 | |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

| | | 2010 County | | | 2010 State | | | 2007 County |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 81.3 | 75.6 | 87.1 | 83.0 | 81.9 | 84.1 | 83.1 |
| SEX | Men | 77.5 | 67.5 | 87.6 | 81.7 | 79.9 | 83.5 | 79.1 |
| | Women | 84.7 | 78.9 | 90.5 | 84.2 | 82.9 | 85.5 | 86.7 |
| RACE/ETHNICITY | Non-Hisp. White | 84.6 | 79.4 | 89.8 | 87.3 | 86.3 | 88.2 | 86.3 |
| | Non-Hisp. Black | | | | 76.1 | 71.7 | 80.4 | |
| | Hispanic | | | | 70.3 | 66.1 | 74.6 | 40.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 83.8 | 75.0 | 92.7 | 85.4 | 83.8 | 87.1 | 81.9 |
| | Non-Hisp. White Women | 85.2 | 79.2 | 91.2 | 89.0 | 87.9 | 90.0 | 90.5 |
| | Non-Hisp. Black Men | | | | 70.7 | 63.0 | 78.5 | |
| | Non-Hisp. Black Women | | | | 80.1 | 75.4 | 84.8 | |
| | Hispanic Men | | | | 72.0 | 65.0 | 78.9 | |
| | Hispanic Women | | | | 68.7 | 63.6 | 73.8 | 55.1 |
| AGE GROUP | 18-44 | 67.2 | 52.9 | 81.4 | 73.0 | 70.7 | 75.3 | 68.9 |
| | 45-64 | 75.5 | 66.7 | 84.4 | 83.4 | 81.8 | 85.0 | 80.0 |
| | 65 & Older | 98.8 | 97.5 | 00.0 | 98.0 | 97.1 | 98.8 | 98.0 |
| EDUCATION LEVEL | <High School | | | | 64.4 | 59.6 | 69.2 | 63.8 |
| | H.S. / GED | 74.2 | 62.6 | 85.8 | 76.5 | 74.3 | 78.8 | 78.9 |
| | >High School | 87.4 | 81.8 | 93.0 | 87.9 | 86.7 | 89.1 | 86.4 |
| ANNUAL INCOME | <\$25,000 | 64.8 | 50.9 | 78.8 | 64.2 | 61.5 | 66.8 | 61.9 |
| | \$25,000-\$49,999 | 77.1 | 64.7 | 89.4 | 81.7 | 79.4 | 84.1 | 83.8 |
| | \$50,000 or More | 92.3 | 86.8 | 97.8 | 95.4 | 94.5 | 96.3 | 89.0 |
| MARITAL STATUS | Married/Couple | 80.7 | 73.7 | 87.6 | 87.4 | 86.2 | 88.5 | 85.0 |
| | Not Married/Couple | 82.7 | 72.4 | 93.0 | 75.0 | 72.9 | 77.1 | 78.4 |

Percentage of adults who have a personal doctor

| | | 2010 County | | | 2010 State | | | 2007 County |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 79.2 | 73.3 | 85.2 | 81.7 | 80.6 | 82.8 | 80.5 |
| SEX | Men | 72.1 | 61.7 | 82.5 | 78.7 | 76.9 | 80.5 | 80.1 |
| | Women | 85.7 | 80.1 | 91.2 | 84.5 | 83.3 | 85.8 | 80.8 |
| RACE/ETHNICITY | Non-Hisp. White | 82.1 | 76.5 | 87.7 | 84.6 | 83.6 | 85.6 | 82.0 |
| | Non-Hisp. Black | | | | 79.2 | 75.1 | 83.3 | |
| | Hispanic | | | | 70.7 | 66.4 | 75.0 | 47.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 77.4 | 67.4 | 87.3 | 81.2 | 79.4 | 82.9 | 82.9 |
| | Non-Hisp. White Women | 86.1 | 80.4 | 91.9 | 87.9 | 86.8 | 89.0 | 81.2 |
| | Non-Hisp. Black Men | | | | 75.5 | 68.5 | 82.6 | |
| | Non-Hisp. Black Women | | | | 82.0 | 77.2 | 86.7 | |
| | Hispanic Men | | | | 68.1 | 61.1 | 75.2 | |
| | Hispanic Women | | | | 73.2 | 68.2 | 78.3 | 62.0 |
| AGE GROUP | 18-44 | 59.2 | 44.7 | 73.8 | 67.5 | 65.2 | 69.9 | 63.9 |
| | 45-64 | 80.4 | 72.0 | 88.8 | 86.2 | 84.8 | 87.7 | 80.5 |
| | 65 & Older | 95.7 | 93.3 | 98.0 | 96.0 | 95.4 | 96.6 | 94.9 |
| EDUCATION LEVEL | <High School | | | | 68.0 | 63.2 | 72.8 | 52.1 |
| | H.S. / GED | 69.2 | 55.9 | 82.5 | 76.8 | 74.5 | 79.1 | 81.3 |
| | >High School | 86.5 | 81.7 | 91.3 | 85.3 | 84.1 | 86.6 | 83.0 |
| ANNUAL INCOME | <\$25,000 | 64.3 | 49.9 | 78.7 | 71.0 | 68.4 | 73.6 | 67.8 |
| | \$25,000-\$49,999 | 71.8 | 59.0 | 84.5 | 80.8 | 78.4 | 83.1 | 83.2 |
| | \$50,000 or More | 91.0 | 86.1 | 95.9 | 89.0 | 87.7 | 90.3 | 83.0 |
| MARITAL STATUS | Married/Couple | 83.0 | 76.8 | 89.2 | 85.3 | 84.1 | 86.5 | 82.9 |
| | Not Married/Couple | 71.1 | 58.8 | 83.4 | 75.3 | 73.2 | 77.4 | 74.5 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Care Access & Coverage

Percentage of adults who could not see a doctor at least once in the past year due to cost

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 18.1 | 12.4 | 23.8 | 17.3 | 16.2 | 18.3 | 11.7 |
| SEX | Men | 18.9 | 9.1 | 28.8 | 15.4 | 13.8 | 17.0 | 8.5 |
| | Women | 17.3 | 11.1 | 23.6 | 19.1 | 17.8 | 20.4 | 14.5 |
| RACE/ETHNICITY | Non-Hisp. White | 15.3 | 10.3 | 20.4 | 13.6 | 12.7 | 14.5 | 10.5 |
| | Non-Hisp. Black | | | | 21.8 | 17.8 | 25.8 | |
| | Hispanic | | | | 29.5 | 25.3 | 33.7 | 34.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 15.5 | 7.0 | 24.1 | 12.1 | 10.7 | 13.6 | 6.8 |
| | Non-Hisp. White Women | 15.2 | 9.2 | 21.2 | 15.0 | 13.8 | 16.1 | 14.2 |
| | Non-Hisp. Black Men | | | | 24.8 | 17.5 | 32.1 | |
| | Non-Hisp. Black Women | | | | 19.6 | 15.4 | 23.7 | |
| | Hispanic Men | | | | 24.3 | 17.7 | 30.9 | |
| | Hispanic Women | | | | 34.5 | 29.3 | 39.7 | 22.6 |
| AGE GROUP | 18-44 | 33.6 | 19.3 | 47.9 | 25.3 | 23.1 | 27.5 | 19.9 |
| | 45-64 | 19.7 | 11.4 | 27.9 | 17.6 | 16.1 | 19.1 | 15.4 |
| | 65 & Older | 3.0 | 1.1 | 4.8 | 4.3 | 3.3 | 5.2 | 1.3 |
| EDUCATION LEVEL | <High School | | | | 31.2 | 26.7 | 35.7 | 31.8 |
| | H.S. / GED | 24.5 | 13.2 | 35.8 | 21.7 | 19.5 | 23.9 | 13.2 |
| | >High School | 13.3 | 7.6 | 19.1 | 13.9 | 12.7 | 15.1 | 9.4 |
| ANNUAL INCOME | <\$25,000 | 41.3 | 27.3 | 55.3 | 36.1 | 33.4 | 38.7 | 32.9 |
| | \$25,000-\$49,999 | 19.6 | 7.6 | 31.6 | 18.6 | 16.5 | 20.7 | 11.4 |
| | \$50,000 or More | 5.0 | 1.4 | 8.5 | 6.0 | 5.0 | 7.0 | 3.9 |
| MARITAL STATUS | Married/Couple | 16.4 | 9.7 | 23.1 | 14.0 | 12.8 | 15.2 | 9.9 |
| | Not Married/Couple | 21.8 | 11.1 | 32.6 | 23.2 | 21.2 | 25.2 | 16.1 |

Percentage of adults who had a medical checkup in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 70.7 | 64.5 | 76.9 | 69.7 | 68.5 | 71.0 | 72.3 |
| SEX | Men | 65.2 | 54.6 | 75.7 | 66.5 | 64.5 | 68.5 | 70.8 |
| | Women | 75.7 | 69.3 | 82.0 | 72.8 | 71.3 | 74.3 | 73.7 |
| RACE/ETHNICITY | Non-Hisp. White | 72.1 | 66.0 | 78.3 | 71.6 | 70.4 | 72.9 | 75.3 |
| | Non-Hisp. Black | | | | 71.9 | 67.5 | 76.2 | |
| | Hispanic | | | | 59.4 | 54.8 | 64.1 | 42.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 69.5 | 58.9 | 80.2 | 68.4 | 66.4 | 70.4 | 72.5 |
| | Non-Hisp. White Women | 74.3 | 67.6 | 81.0 | 74.7 | 73.3 | 76.1 | 78.1 |
| | Non-Hisp. Black Men | | | | 64.6 | 57.1 | 72.1 | |
| | Non-Hisp. Black Women | | | | 77.4 | 72.5 | 82.2 | |
| | Hispanic Men | | | | 56.6 | 49.1 | 64.1 | |
| | Hispanic Women | | | | 62.2 | 56.7 | 67.7 | 49.0 |
| AGE GROUP | 18-44 | 49.3 | 34.9 | 63.6 | 53.8 | 51.3 | 56.2 | 50.2 |
| | 45-64 | 70.4 | 61.5 | 79.2 | 72.3 | 70.5 | 74.1 | 73.0 |
| | 65 & Older | 89.9 | 86.5 | 93.3 | 90.3 | 89.4 | 91.2 | 91.0 |
| EDUCATION LEVEL | <High School | | | | 59.9 | 55.1 | 64.6 | 57.5 |
| | H.S. / GED | 62.1 | 49.2 | 75.1 | 67.3 | 64.9 | 69.6 | 71.7 |
| | >High School | 75.8 | 69.5 | 82.1 | 71.9 | 70.4 | 73.4 | 73.8 |
| ANNUAL INCOME | <\$25,000 | 62.5 | 48.5 | 76.6 | 63.0 | 60.4 | 65.7 | 61.6 |
| | \$25,000-\$49,999 | 66.8 | 54.8 | 78.9 | 70.5 | 68.0 | 73.0 | 71.0 |
| | \$50,000 or More | 78.3 | 71.1 | 85.6 | 73.5 | 71.6 | 75.4 | 74.0 |
| MARITAL STATUS | Married/Couple | 73.4 | 66.3 | 80.5 | 72.0 | 70.5 | 73.5 | 71.7 |
| | Not Married/Couple | 64.6 | 52.9 | 76.4 | 65.6 | 63.4 | 67.8 | 73.6 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good to excellent overall health

| | | 2010 County | | | 2010 State | | | 2007 County Measure | |
|--|------------------------------|-----------------------|--------|------|------------|--------|------|---------------------|--------|
| | | Measure | 95% CI | | Measure | 95% CI | | | |
| | ALL | Overall | 88.4 | 85.5 | 91.4 | 82.9 * | 82.0 | 83.7 | 85.8 |
| | SEX | Men | 89.2 | 84.4 | 93.9 | 83.5 | 82.1 | 84.9 | 84.9 |
| | | Women | 87.8 | 84.2 | 91.3 | 82.3 * | 81.2 | 83.4 | 86.5 |
| | RACE/ETHNICITY | Non-Hisp. White | 89.1 | 86.3 | 91.9 | 84.2 * | 83.4 | 85.1 | 86.9 |
| | | Non-Hisp. Black | | | | 79.8 | 76.4 | 83.2 | |
| | | Hispanic | | | | 79.3 | 76.1 | 82.6 | 59.9 |
| | SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 88.8 | 83.9 | 93.8 | 84.4 | 83.0 | 85.7 | 85.8 |
| | | Non-Hisp. White Women | 89.4 | 86.3 | 92.4 | 84.1 * | 83.1 | 85.2 | 87.9 |
| | | Non-Hisp. Black Men | | | | 81.6 | 76.2 | 87.0 | |
| | | Non-Hisp. Black Women | | | | 78.4 | 74.1 | 82.7 | |
| | | Hispanic Men | | | | 81.8 | 76.9 | 86.8 | |
| | | Hispanic Women | | | | 76.9 | 72.8 | 81.1 | 62.3 |
| | AGE GROUP | 18-44 | 95.1 | 89.5 | 00.0 | 89.6 | 88.3 | 91.0 | 82.2 * |
| | | 45-64 | 87.9 | 82.7 | 93.0 | 81.1 * | 79.6 | 82.6 | 86.1 |
| | | 65 & Older | 82.9 | 78.7 | 87.2 | 75.3 * | 73.8 | 76.8 | 88.4 |
| | EDUCATION LEVEL | <High School | | | | 63.1 | 58.8 | 67.5 | 55.3 |
| | | H.S. / GED | 86.7 | 80.7 | 92.8 | 76.6 * | 74.6 | 78.5 | 84.8 |
| | | >High School | 89.9 | 86.8 | 93.1 | 87.7 | 86.8 | 88.6 | 88.8 |
| | ANNUAL INCOME | <\$25,000 | 75.2 | 66.0 | 84.5 | 66.4 | 64.1 | 68.7 | 71.1 |
| | | \$25,000-\$49,999 | 90.9 | 85.2 | 96.7 | 84.2 | 82.5 | 85.9 | 84.9 |
| | | \$50,000 or More | 92.0 | 88.1 | 95.9 | 92.7 | 91.8 | 93.6 | 91.8 |
| | MARITAL STATUS | Married/Couple | 90.7 | 87.3 | 94.1 | 85.6 * | 84.6 | 86.6 | 88.7 |
| | | Not Married/Couple | 83.8 | 78.2 | 89.5 | 77.9 | 76.3 | 79.5 | 78.6 |

Percentage of adults who are "very satisfied" or "satisfied" with their lives

| | | 2010 County | | | 2010 State | | | 2007 County Measure | |
|--|------------------------------|-----------------------|--------|------|------------|--------|------|---------------------|--------|
| | | Measure | 95% CI | | Measure | 95% CI | | | |
| | ALL | Overall | 96.3 | 94.4 | 98.1 | 93.1 * | 92.4 | 93.8 | 93.7 |
| | SEX | Men | 97.6 | 95.8 | 99.4 | 92.3 * | 91.1 | 93.5 | 93.5 |
| | | Women | 95.0 | 91.9 | 98.2 | 93.7 | 93.0 | 94.5 | 93.9 |
| | RACE/ETHNICITY | Non-Hisp. White | 95.8 | 93.8 | 97.9 | 93.0 * | 92.2 | 93.7 | 93.4 |
| | | Non-Hisp. Black | | | | 92.1 | 89.2 | 94.9 | |
| | | Hispanic | | | | 94.9 | 92.8 | 97.1 | 99.7 |
| | SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 97.2 | 95.2 | 99.3 | 92.5 * | 91.2 | 93.7 | 93.6 |
| | | Non-Hisp. White Women | 94.7 | 91.3 | 98.0 | 93.4 | 92.5 | 94.4 | 93.2 |
| | | Non-Hisp. Black Men | | | | 90.5 | 85.2 | 95.8 | |
| | | Non-Hisp. Black Women | | | | 93.3 | 90.3 | 96.2 | |
| | | Hispanic Men | | | | 94.1 | 90.2 | 98.0 | |
| | | Hispanic Women | | | | 95.8 | 94.0 | 97.5 | 00.0 |
| | AGE GROUP | 18-44 | 97.8 | 94.5 | 00.0 | 92.9 * | 91.5 | 94.2 | 93.4 |
| | | 45-64 | 93.0 | 88.5 | 97.5 | 91.3 | 90.1 | 92.5 | 90.0 |
| | | 65 & Older | 97.6 | 96.0 | 99.1 | 96.4 | 95.9 | 97.0 | 96.9 |
| | EDUCATION LEVEL | <High School | | | | 86.6 | 83.1 | 90.0 | 90.8 |
| | | H.S. / GED | 96.7 | 94.1 | 99.2 | 92.2 * | 90.8 | 93.5 | 94.5 |
| | | >High School | 96.8 | 94.7 | 98.8 | 94.1 | 93.3 | 94.9 | 93.7 |
| | ANNUAL INCOME | <\$25,000 | 87.9 | 79.9 | 95.8 | 85.1 | 83.1 | 87.1 | 84.3 |
| | | \$25,000-\$49,999 | 96.3 | 93.0 | 99.7 | 94.1 | 92.7 | 95.5 | 97.7 |
| | | \$50,000 or More | 99.8 | 99.4 | 00.0 | 97.0 * | 96.3 | 97.7 | 95.5 * |
| | MARITAL STATUS | Married/Couple | 97.8 | 95.9 | 99.6 | 95.7 | 95.1 | 96.4 | 96.4 |
| | | Not Married/Couple | 92.8 | 88.3 | 97.2 | 88.1 | 86.6 | 89.7 | 86.9 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults who always or usually receive the social and emotional support they need

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 86.2 | 82.4 | 90.0 | 79.5 * | 78.4 | 80.6 | 81.7 |
| SEX | Men | 85.5 | 79.0 | 91.9 | 77.9 | 76.0 | 79.8 | 81.0 |
| | Women | 86.9 | 82.6 | 91.2 | 81.1 * | 79.8 | 82.3 | 82.3 |
| RACE/ETHNICITY | Non-Hisp. White | 85.2 | 81.1 | 89.3 | 82.7 | 81.7 | 83.7 | 82.2 |
| | Non-Hisp. Black | | | | 69.7 | 65.4 | 74.1 | |
| | Hispanic | | | | 73.4 | 68.7 | 78.1 | 75.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 84.1 | 76.9 | 91.3 | 81.1 | 79.4 | 82.8 | 81.7 |
| | Non-Hisp. White Women | 86.2 | 81.6 | 90.7 | 84.1 | 83.0 | 85.3 | 82.7 |
| | Non-Hisp. Black Men | | | | 70.2 | 62.8 | 77.6 | |
| | Non-Hisp. Black Women | | | | 69.4 | 64.2 | 74.6 | |
| | Hispanic Men | | | | 68.9 | 60.8 | 77.0 | |
| | Hispanic Women | | | | 77.6 | 72.9 | 82.4 | 78.7 |
| AGE GROUP | 18-44 | 90.3 | 81.1 | 99.5 | 79.4 | 77.2 | 81.7 | 77.7 |
| | 45-64 | 87.8 | 82.3 | 93.4 | 79.8 * | 78.1 | 81.5 | 82.0 |
| | 65 & Older | 81.4 | 76.7 | 86.1 | 79.4 | 77.8 | 80.9 | 85.4 |
| EDUCATION LEVEL | <High School | | | | 58.2 | 53.3 | 63.2 | 83.1 |
| | H.S. / GED | 80.3 | 70.2 | 90.4 | 74.5 | 72.3 | 76.7 | 78.2 |
| | >High School | 88.5 | 85.0 | 91.9 | 83.8 | 82.5 | 85.1 | 82.9 |
| ANNUAL INCOME | <\$25,000 | 82.4 | 74.6 | 90.3 | 63.8 * | 61.2 | 66.4 | 72.8 |
| | \$25,000-\$49,999 | 79.9 | 71.3 | 88.5 | 79.8 | 77.4 | 82.2 | 82.5 |
| | \$50,000 or More | 90.9 | 85.0 | 96.9 | 88.6 | 87.2 | 90.1 | 86.2 |
| MARITAL STATUS | Married/Couple | 86.8 | 81.7 | 91.8 | 84.6 | 83.4 | 85.9 | 84.8 |
| | Not Married/Couple | 85.0 | 80.1 | 89.9 | 70.2 * | 68.1 | 72.3 | 73.7 |

Percentage of adults with good physical health

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 91.3 | 88.9 | 93.8 | 87.4 * | 86.6 | 88.2 | 88.4 |
| SEX | Men | 91.5 | 87.9 | 95.1 | 88.4 | 87.2 | 89.6 | 86.6 |
| | Women | 91.1 | 87.8 | 94.5 | 86.5 * | 85.5 | 87.4 | 90.1 |
| RACE/ETHNICITY | Non-Hisp. White | 90.7 | 88.0 | 93.4 | 87.0 * | 86.2 | 87.8 | 88.2 |
| | Non-Hisp. Black | | | | 87.6 | 84.6 | 90.5 | |
| | Hispanic | | | | 89.9 | 87.6 | 92.3 | 85.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 89.9 | 85.7 | 94.1 | 87.8 | 86.6 | 89.1 | 86.3 |
| | Non-Hisp. White Women | 91.3 | 87.9 | 94.8 | 86.2 * | 85.2 | 87.3 | 90.1 |
| | Non-Hisp. Black Men | | | | 86.6 | 81.5 | 91.7 | |
| | Non-Hisp. Black Women | | | | 88.3 | 84.9 | 91.8 | |
| | Hispanic Men | | | | 93.4 | 89.8 | 96.9 | |
| | Hispanic Women | | | | 86.7 | 83.7 | 89.7 | 83.0 |
| AGE GROUP | 18-44 | 97.4 | 93.8 | 00.0 | 92.4 * | 91.2 | 93.6 | 88.5 |
| | 45-64 | 89.0 | 84.1 | 93.9 | 85.0 | 83.7 | 86.4 | 88.4 |
| | 65 & Older | 87.7 | 84.0 | 91.5 | 83.8 | 82.6 | 84.9 | 88.1 |
| EDUCATION LEVEL | <High School | | | | 78.5 | 75.2 | 81.9 | 89.3 |
| | H.S. / GED | 89.2 | 83.6 | 94.9 | 83.9 | 82.3 | 85.6 | 86.7 |
| | >High School | 92.3 | 89.7 | 94.9 | 89.7 | 88.9 | 90.6 | 89.0 |
| ANNUAL INCOME | <\$25,000 | 84.7 | 77.6 | 91.9 | 76.1 | 74.0 | 78.2 | 79.8 |
| | \$25,000-\$49,999 | 93.0 | 89.3 | 96.7 | 88.1 | 86.5 | 89.7 | 89.5 |
| | \$50,000 or More | 91.9 | 87.9 | 96.0 | 93.3 | 92.4 | 94.2 | 90.0 |
| MARITAL STATUS | Married/Couple | 93.2 | 90.3 | 96.1 | 89.5 | 88.7 | 90.4 | 90.4 |
| | Not Married/Couple | 87.5 | 82.7 | 92.2 | 83.5 | 82.0 | 85.0 | 83.6 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Percentage of adults with good mental health

| | | 2010 County | | | 2010 State | | | 2007 County |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 92.9 | 90.2 | 95.5 | 88.2 * | 87.4 | 89.0 | 91.7 |
| SEX | Men | 96.2 | 93.7 | 98.6 | 89.2 * | 87.9 | 90.5 | 94.3 |
| | Women | 89.9 | 85.6 | 94.3 | 87.2 | 86.2 | 88.2 | 89.4 |
| RACE/ETHNICITY | Non-Hisp. White | 92.4 | 89.5 | 95.2 | 88.5 * | 87.7 | 89.3 | 91.9 |
| | Non-Hisp. Black | | | | 90.9 | 88.5 | 93.3 | |
| | Hispanic | | | | 85.3 | 81.9 | 88.6 | 82.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 95.6 | 92.8 | 98.4 | 89.7 * | 88.4 | 90.9 | 94.2 |
| | Non-Hisp. White Women | 89.6 | 85.0 | 94.2 | 87.4 | 86.3 | 88.4 | 89.7 |
| | Non-Hisp. Black Men | | | | 92.6 | 89.1 | 96.1 | |
| | Non-Hisp. Black Women | | | | 89.6 | 86.2 | 92.9 | |
| | Hispanic Men | | | | 86.6 | 81.1 | 92.1 | |
| | Hispanic Women | | | | 84.0 | 80.1 | 87.8 | 76.4 |
| AGE GROUP | 18-44 | 92.6 | 86.1 | 99.1 | 87.3 | 85.7 | 88.9 | 84.9 |
| | 45-64 | 90.5 | 85.9 | 95.1 | 86.5 | 85.2 | 87.8 | 92.3 |
| | 65 & Older | 95.1 | 93.0 | 97.2 | 92.6 | 91.6 | 93.7 | 97.1 |
| EDUCATION LEVEL | <High School | | | | 78.0 | 74.0 | 81.9 | 87.0 |
| | H.S. / GED | 89.4 | 84.1 | 94.8 | 86.4 | 84.8 | 88.1 | 92.0 |
| | >High School | 94.6 | 91.6 | 97.7 | 90.0 * | 89.0 | 90.9 | 92.0 |
| ANNUAL INCOME | <\$25,000 | 83.9 | 76.2 | 91.5 | 77.3 | 75.1 | 79.5 | 76.9 |
| | \$25,000-\$49,999 | 95.6 | 92.2 | 99.1 | 88.8 * | 87.2 | 90.4 | 93.4 |
| | \$50,000 or More | 96.1 | 93.1 | 99.0 | 93.9 | 92.9 | 94.8 | 95.5 |
| MARITAL STATUS | Married/Couple | 94.3 | 91.1 | 97.5 | 90.7 | 89.8 | 91.6 | 94.6 |
| | Not Married/Couple | 89.5 | 84.9 | 94.2 | 83.5 | 81.9 | 85.1 | 84.6 |

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days

| | | 2010 County | | | 2010 State | | | 2007 County |
|------------------------------|-----------------------|-------------|--------|-----|------------|--------|-----|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 3.4 | 2.3 | 4.6 | 5.2 * | 4.9 | 5.5 | 4.6 |
| SEX | Men | 3.8 | 1.8 | 5.8 | 5.6 | 5.0 | 6.2 | 5.4 |
| | Women | 3.2 | 1.8 | 4.6 | 4.9 | 4.5 | 5.2 | 3.8 |
| RACE/ETHNICITY | Non-Hisp. White | 3.8 | 2.5 | 5.0 | 5.0 | 4.7 | 5.3 | 4.8 |
| | Non-Hisp. Black | | | | 5.3 | 4.1 | 6.6 | |
| | Hispanic | | | | 5.8 | 4.6 | 6.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.6 | 2.3 | 6.9 | 5.3 | 4.8 | 5.9 | 5.3 |
| | Non-Hisp. White Women | 3.2 | 1.7 | 4.7 | 4.8 | 4.5 | 5.1 | 4.2 |
| | Non-Hisp. Black Men | | | | 6.0 | 3.7 | 8.3 | |
| | Non-Hisp. Black Women | | | | 4.9 | 3.5 | 6.3 | |
| | Hispanic Men | | | | 6.9 | 4.6 | 9.3 | |
| | Hispanic Women | | | | 5.0 | 4.0 | 6.0 | |
| AGE GROUP | 18-44 | 1.8 | 0.0 | 3.8 | 3.8 | 3.3 | 4.4 | 4.6 |
| | 45-64 | 5.7 | 3.4 | 8.1 | 6.1 | 5.6 | 6.7 | 4.5 |
| | 65 & Older | 3.3 | 2.0 | 4.6 | 5.7 * | 5.2 | 6.1 | 4.6 |
| EDUCATION LEVEL | <High School | | | | 7.7 | 6.4 | 9.0 | 4.2 |
| | H.S. / GED | 5.5 | 2.5 | 8.5 | 6.0 | 5.4 | 6.6 | 2.2 |
| | >High School | 2.5 | 1.5 | 3.4 | 4.5 * | 4.1 | 4.9 | 5.4 * |
| ANNUAL INCOME | <\$25,000 | 6.0 | 3.2 | 8.8 | 8.3 | 7.6 | 9.0 | 6.0 |
| | \$25,000-\$49,999 | 2.2 | 0.7 | 3.6 | 4.8 * | 4.1 | 5.4 | 4.1 |
| | \$50,000 or More | 3.0 | 0.9 | 5.2 | 2.9 | 2.6 | 3.3 | 4.5 |
| MARITAL STATUS | Married/Couple | 2.7 | 1.4 | 4.1 | 4.4 | 4.0 | 4.7 | 3.5 |
| | Not Married/Couple | 4.8 | 2.7 | 6.9 | 6.4 | 5.8 | 6.9 | 6.7 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Health Status & Quality of Life

Average number of unhealthy physical days in the past 30 days

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|-----|------------|--------|-----|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 3.0 | 2.4 | 3.7 | 4.1 * | 3.9 | 4.3 | 3.8 |
| SEX | Men | 2.7 | 1.8 | 3.6 | 3.8 | 3.5 | 4.1 | 4.2 |
| | Women | 3.3 | 2.4 | 4.3 | 4.4 | 4.2 | 4.6 | 3.4 |
| RACE/ETHNICITY | Non-Hisp. White | 3.1 | 2.4 | 3.9 | 4.2 * | 4.0 | 4.4 | 3.8 |
| | Non-Hisp. Black | | | | 4.0 | 3.2 | 4.7 | |
| | Hispanic | | | | 3.6 | 3.0 | 4.3 | 4.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 3.0 | 1.9 | 4.1 | 4.0 | 3.6 | 4.3 | 4.3 |
| | Non-Hisp. White Women | 3.3 | 2.3 | 4.3 | 4.5 | 4.2 | 4.7 | 3.4 |
| | Non-Hisp. Black Men | | | | 4.1 | 2.8 | 5.4 | |
| | Non-Hisp. Black Women | | | | 3.8 | 3.1 | 4.6 | |
| | Hispanic Men | | | | 2.8 | 1.7 | 3.8 | |
| | Hispanic Women | | | | 4.4 | 3.7 | 5.2 | 5.9 |
| AGE GROUP | 18-44 | 1.3 | 0.1 | 2.4 | 2.8 * | 2.5 | 3.2 | 3.7 |
| | 45-64 | 3.8 | 2.5 | 5.1 | 4.7 | 4.4 | 5.0 | 3.8 |
| | 65 & Older | 4.0 | 3.0 | 5.0 | 5.1 | 4.8 | 5.4 | 3.8 |
| EDUCATION LEVEL | <High School | | | | 6.6 | 5.8 | 7.5 | 3.5 |
| | H.S. / GED | 3.6 | 2.1 | 5.1 | 5.0 | 4.6 | 5.4 | 4.0 |
| | >High School | 2.7 | 2.0 | 3.5 | 3.5 | 3.3 | 3.7 | 3.7 |
| ANNUAL INCOME | <\$25,000 | 5.0 | 3.2 | 6.9 | 7.2 | 6.7 | 7.7 | 6.5 |
| | \$25,000-\$49,999 | 2.4 | 1.4 | 3.3 | 4.0 * | 3.6 | 4.4 | 3.5 |
| | \$50,000 or More | 2.9 | 1.7 | 4.1 | 2.5 | 2.3 | 2.7 | 3.3 |
| MARITAL STATUS | Married/Couple | 2.6 | 1.8 | 3.4 | 3.5 | 3.3 | 3.7 | 3.2 |
| | Not Married/Couple | 3.9 | 2.7 | 5.1 | 5.2 | 4.9 | 5.6 | 5.2 |

Average number of unhealthy mental days in the past 30 days

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|-----|------------|--------|-----|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 2.4 | 1.8 | 3.1 | 3.8 * | 3.6 | 4.0 | 2.8 |
| SEX | Men | 1.8 | 1.0 | 2.6 | 3.4 * | 3.1 | 3.8 | 2.3 |
| | Women | 3.0 | 2.0 | 4.1 | 4.1 | 3.8 | 4.3 | 3.3 |
| RACE/ETHNICITY | Non-Hisp. White | 2.6 | 1.9 | 3.4 | 3.7 * | 3.5 | 3.9 | 2.9 |
| | Non-Hisp. Black | | | | 3.3 | 2.6 | 3.9 | |
| | Hispanic | | | | 4.2 | 3.4 | 5.0 | 4.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 2.0 | 1.1 | 2.9 | 3.4 * | 3.1 | 3.7 | 2.4 |
| | Non-Hisp. White Women | 3.2 | 2.0 | 4.4 | 4.0 | 3.8 | 4.3 | 3.4 |
| | Non-Hisp. Black Men | | | | 2.7 | 1.7 | 3.6 | |
| | Non-Hisp. Black Women | | | | 3.7 | 2.9 | 4.6 | |
| | Hispanic Men | | | | 3.5 | 2.3 | 4.8 | |
| | Hispanic Women | | | | 4.9 | 3.9 | 5.8 | 5.0 |
| AGE GROUP | 18-44 | 2.9 | 1.2 | 4.6 | 4.1 | 3.7 | 4.5 | 5.0 |
| | 45-64 | 3.1 | 1.9 | 4.4 | 4.3 | 3.9 | 4.6 | 2.7 |
| | 65 & Older | 1.5 | 1.0 | 2.0 | 2.4 * | 2.1 | 2.7 | 1.1 |
| EDUCATION LEVEL | <High School | | | | 6.7 | 5.7 | 7.7 | 4.5 |
| | H.S. / GED | 3.1 | 1.8 | 4.5 | 4.3 | 3.9 | 4.7 | 3.0 |
| | >High School | 2.1 | 1.3 | 3.0 | 3.2 * | 3.0 | 3.5 | 2.7 |
| ANNUAL INCOME | <\$25,000 | 4.4 | 2.6 | 6.2 | 6.8 * | 6.3 | 7.4 | 7.2 |
| | \$25,000-\$49,999 | 2.1 | 1.0 | 3.2 | 3.7 * | 3.2 | 4.1 | 2.2 |
| | \$50,000 or More | 1.4 | 0.7 | 2.0 | 2.2 * | 2.0 | 2.4 | 1.8 |
| MARITAL STATUS | Married/Couple | 2.1 | 1.3 | 2.9 | 3.1 | 2.9 | 3.4 | 2.1 |
| | Not Married/Couple | 3.2 | 1.9 | 4.5 | 5.0 * | 4.6 | 5.3 | 4.8 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

HIV/AIDS

Percentage of adults less than 65 years of age who have ever been tested for HIV

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 42.1 | 33.4 | 50.7 | 48.4 | 46.8 | 50.0 | 47.6 |
| SEX | Men | 39.1 | 26.2 | 52.1 | 45.3 | 42.7 | 47.8 | 51.2 |
| | Women | 45.1 | 34.3 | 56.0 | 51.5 | 49.5 | 53.5 | 43.8 |
| RACE/ETHNICITY | Non-Hisp. White | 41.1 | 32.1 | 50.2 | 42.4 | 40.7 | 44.1 | 47.0 |
| | Non-Hisp. Black | | | | 67.0 | 61.9 | 72.0 | |
| | Hispanic | | | | 56.2 | 51.0 | 61.4 | 47.1 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 35.9 | 22.2 | 49.6 | 40.6 | 37.9 | 43.2 | 52.2 |
| | Non-Hisp. White Women | 45.9 | 34.5 | 57.3 | 44.4 | 42.2 | 46.5 | 41.0 |
| | Non-Hisp. Black Men | | | | 58.6 | 49.7 | 67.5 | |
| | Non-Hisp. Black Women | | | | 73.7 | 68.4 | 78.9 | |
| | Hispanic Men | | | | 52.4 | 44.0 | 60.8 | |
| | Hispanic Women | | | | 59.9 | 53.7 | 66.1 | |
| AGE GROUP | 18-44 | 53.2 | 37.9 | 68.6 | 57.0 | 54.5 | 59.6 | 55.6 |
| | 45-64 | 30.7 | 22.3 | 39.0 | 40.6 | 38.5 | 42.7 | 38.9 |
| EDUCATION LEVEL | <High School | | | | 47.7 | 41.5 | 54.0 | 39.4 |
| | H.S. / GED | 45.0 | 28.3 | 61.6 | 43.8 | 40.7 | 46.9 | 40.5 |
| | >High School | 42.8 | 32.8 | 52.9 | 50.3 | 48.3 | 52.3 | 50.9 |
| ANNUAL INCOME | <\$25,000 | 47.3 | 26.9 | 67.8 | 54.7 | 51.3 | 58.1 | 58.0 |
| | \$25,000-\$49,999 | 48.3 | 30.0 | 66.5 | 51.5 | 48.0 | 55.1 | 42.0 |
| | \$50,000 or More | 38.5 | 27.1 | 49.9 | 46.1 | 43.7 | 48.5 | 47.2 |
| MARITAL STATUS | Married/Couple | 40.4 | 30.4 | 50.3 | 46.9 | 44.9 | 48.9 | 45.0 |
| | Not Married/Couple | 46.4 | 28.6 | 64.2 | 51.3 | 48.5 | 54.2 | 55.7 |

Percentage of adults less than 65 years who think they can get AIDS virus from mosquitos

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 16.0 | 9.7 | 22.4 | 19.2 | 17.8 | 20.6 | |
| SEX | Men | 17.4 | 8.2 | 26.6 | 20.6 | 18.4 | 22.8 | |
| | Women | 14.8 | 5.9 | 23.7 | 17.8 | 16.1 | 19.5 | |
| RACE/ETHNICITY | Non-Hisp. White | 14.6 | 7.9 | 21.2 | 17.4 | 16.0 | 18.9 | |
| | Non-Hisp. Black | | | | 27.5 | 22.4 | 32.5 | |
| | Hispanic | | | | 21.5 | 17.0 | 25.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 15.0 | 5.6 | 24.4 | 19.4 | 17.1 | 21.8 | |
| | Non-Hisp. White Women | 14.2 | 4.7 | 23.6 | 15.5 | 13.7 | 17.3 | |
| | Non-Hisp. Black Men | | | | 30.9 | 21.6 | 40.2 | |
| | Non-Hisp. Black Women | | | | 25.0 | 19.5 | 30.5 | |
| | Hispanic Men | | | | 20.9 | 13.8 | 28.0 | |
| | Hispanic Women | | | | 22.0 | 16.4 | 27.6 | |
| AGE GROUP | 18-44 | 12.8 | 2.6 | 22.9 | 20.9 | 18.6 | 23.1 | |
| | 45-64 | 19.0 | 11.3 | 26.8 | 17.8 | 16.1 | 19.6 | |
| EDUCATION LEVEL | <High School | | | | 42.2 | 34.9 | 49.5 | |
| | H.S. / GED | 23.5 | 9.4 | 37.6 | 28.9 | 25.5 | 32.3 | |
| | >High School | 11.0 | 4.6 | 17.5 | 13.8 | 12.4 | 15.3 | |
| ANNUAL INCOME | <\$25,000 | 28.9 | 11.7 | 46.1 | 31.2 | 27.7 | 34.7 | |
| | \$25,000-\$49,999 | 16.5 | 1.0 | 32.0 | 21.1 | 18.0 | 24.2 | |
| | \$50,000 or More | 8.8 | 2.1 | 15.6 | 11.8 | 10.2 | 13.5 | |
| MARITAL STATUS | Married/Couple | 14.2 | 7.0 | 21.3 | 15.9 | 14.4 | 17.4 | |
| | Not Married/Couple | 21.4 | 7.9 | 34.9 | 25.3 | 22.5 | 28.0 | |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Hypertension Awareness & Control

Percentage of adults with diagnosed hypertension

| | | 2010 County | | | 2010 State | | | 2007 County |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|-------------|
| | | Measure | 95% CI | | Measure | 95% CI | | Measure |
| ALL | Overall | 37.1 | 31.4 | 42.7 | 34.3 | 33.1 | 35.4 | 29.3 |
| SEX | Men | 41.6 | 31.9 | 51.2 | 36.5 | 34.6 | 38.4 | 30.9 |
| | Women | 33.0 | 26.9 | 39.1 | 32.2 | 30.8 | 33.6 | 27.9 |
| RACE/ETHNICITY | Non-Hisp. White | 38.5 | 32.6 | 44.3 | 35.4 | 34.2 | 36.6 | 29.9 |
| | Non-Hisp. Black | | | | 41.7 | 37.0 | 46.4 | |
| | Hispanic | | | | 24.8 | 21.0 | 28.6 | 9.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 46.2 | 36.0 | 56.5 | 38.2 | 36.2 | 40.1 | 31.8 |
| | Non-Hisp. White Women | 32.0 | 25.8 | 38.2 | 32.8 | 31.4 | 34.2 | 28.0 |
| | Non-Hisp. Black Men | | | | 40.1 | 32.2 | 47.9 | |
| | Non-Hisp. Black Women | | | | 42.9 | 37.1 | 48.7 | |
| | Hispanic Men | | | | 26.9 | 20.6 | 33.2 | |
| | Hispanic Women | | | | 22.8 | 18.3 | 27.3 | 13.7 |
| AGE GROUP | 18-44 | 19.9 | 6.1 | 33.8 | 13.2 | 11.7 | 14.8 | 3.5 |
| | 45-64 | 32.3 | 23.9 | 40.8 | 36.8 | 34.9 | 38.8 | 33.5 |
| | 65 & Older | 55.2 | 49.3 | 61.1 | 61.7 | 60.1 | 63.4 | 48.9 |
| EDUCATION LEVEL | <High School | | | | 40.7 | 36.0 | 45.5 | 30.5 |
| | H.S. / GED | 45.4 | 32.9 | 57.9 | 38.5 | 36.2 | 40.8 | 31.4 |
| | >High School | 34.9 | 29.0 | 40.9 | 32.0 | 30.6 | 33.4 | 28.1 |
| ANNUAL INCOME | <\$25,000 | 43.2 | 30.1 | 56.4 | 42.5 | 40.0 | 45.1 | 33.1 |
| | \$25,000-\$49,999 | 39.5 | 29.1 | 50.0 | 36.4 | 34.0 | 38.8 | 28.9 |
| | \$50,000 or More | 30.0 | 22.4 | 37.7 | 28.0 | 26.3 | 29.8 | 25.8 |
| MARITAL STATUS | Married/Couple | 33.4 | 27.1 | 39.8 | 33.5 | 32.0 | 34.9 | 26.0 |
| | Not Married/Couple | 45.3 | 34.4 | 56.3 | 35.9 | 33.9 | 37.8 | 37.4 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who received a flu shot in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 38.8 | 33.7 | 44.0 | 36.5 | 35.4 | 37.7 | 42.2 |
| SEX | Men | 30.7 | 23.2 | 38.2 | 35.4 | 33.5 | 37.2 | 42.5 |
| | Women | 46.3 | 39.8 | 52.9 | 37.6 * | 36.2 | 39.0 | 42.0 |
| RACE/ETHNICITY | Non-Hisp. White | 41.1 | 35.7 | 46.6 | 41.2 | 39.9 | 42.4 | 44.3 |
| | Non-Hisp. Black | | | | 24.0 | 20.4 | 27.6 | |
| | Hispanic | | | | 25.2 | 21.2 | 29.3 | 18.3 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 33.6 | 25.4 | 41.8 | 38.7 | 36.7 | 40.7 | 43.7 |
| | Non-Hisp. White Women | 47.5 | 40.7 | 54.4 | 43.5 | 42.0 | 45.1 | 44.8 |
| | Non-Hisp. Black Men | | | | 25.1 | 18.6 | 31.5 | |
| | Non-Hisp. Black Women | | | | 23.2 | 19.1 | 27.2 | |
| | Hispanic Men | | | | 26.7 | 20.0 | 33.4 | |
| | Hispanic Women | | | | 23.8 | 19.2 | 28.4 | 23.2 |
| AGE GROUP | 18-44 | 7.6 | 0.7 | 14.4 | 22.3 * | 20.2 | 24.4 | 17.3 |
| | 45-64 | 34.0 | 25.7 | 42.4 | 32.9 | 31.1 | 34.7 | 32.3 |
| | 65 & Older | 69.6 | 64.1 | 75.2 | 65.3 | 63.7 | 67.0 | 72.2 |
| EDUCATION LEVEL | <High School | | | | 29.7 | 25.5 | 33.8 | 25.7 |
| | H.S. / GED | 25.1 | 17.4 | 32.8 | 32.8 | 30.7 | 34.9 | 36.7 |
| | >High School | 46.1 | 39.9 | 52.4 | 38.8 | 37.4 | 40.3 | 45.6 |
| ANNUAL INCOME | <\$25,000 | 30.4 | 20.5 | 40.2 | 32.1 | 29.9 | 34.3 | 37.8 |
| | \$25,000-\$49,999 | 42.6 | 31.8 | 53.5 | 38.0 | 35.5 | 40.5 | 37.3 |
| | \$50,000 or More | 41.2 | 33.4 | 49.1 | 37.3 | 35.4 | 39.2 | 45.6 |
| MARITAL STATUS | Married/Couple | 39.4 | 32.9 | 45.8 | 37.5 | 36.0 | 38.9 | 42.1 |
| | Not Married/Couple | 37.0 | 28.5 | 45.5 | 34.7 | 32.8 | 36.7 | 42.1 |

Percentage of adults age 65 and older who received a flu shot in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 69.6 | 64.1 | 75.2 | 65.3 | 63.7 | 66.9 | 72.2 |
| SEX | Men | 64.5 | 55.2 | 73.9 | 67.0 | 64.4 | 69.6 | 73.2 |
| | Women | 73.7 | 67.1 | 80.3 | 64.1 * | 62.0 | 66.1 | 71.4 |
| RACE/ETHNICITY | Non-Hisp. White | 71.9 | 66.3 | 77.4 | 69.6 | 68.1 | 71.1 | 72.0 |
| | Non-Hisp. Black | | | | 41.3 | 32.8 | 49.9 | |
| | Hispanic | | | | 44.5 | 34.6 | 54.4 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 65.8 | 56.3 | 75.3 | 70.6 | 68.2 | 73.0 | 72.3 |
| | Non-Hisp. White Women | 76.7 | 70.3 | 83.1 | 68.9 | 67.0 | 70.8 | 71.7 |
| | Non-Hisp. Black Men | | | | 43.4 | 30.5 | 56.3 | |
| | Non-Hisp. Black Women | | | | 40.2 | 29.1 | 51.3 | |
| | Hispanic Men | | | | 50.5 | 34.1 | 66.9 | |
| | Hispanic Women | | | | 38.9 | 28.1 | 49.7 | |
| AGE GROUP | 65 & Older | 69.6 | 64.1 | 75.2 | 65.3 | 63.7 | 66.9 | 72.2 |
| EDUCATION LEVEL | <High School | | | | 55.2 | 48.5 | 62.0 | |
| | H.S. / GED | 58.8 | 46.8 | 70.9 | 61.8 | 58.8 | 64.9 | 65.1 |
| | >High School | 74.7 | 68.7 | 80.8 | 68.8 | 66.9 | 70.7 | 76.1 |
| ANNUAL INCOME | <\$25,000 | 57.9 | 45.4 | 70.4 | 57.1 | 53.9 | 60.4 | 55.1 |
| | \$25,000-\$49,999 | 71.5 | 61.2 | 81.8 | 66.9 | 63.8 | 70.0 | 69.9 |
| | \$50,000 or More | 74.2 | 65.2 | 83.1 | 71.1 | 68.1 | 74.0 | 82.0 |
| MARITAL STATUS | Married/Couple | 69.6 | 62.2 | 77.0 | 67.3 | 65.1 | 69.5 | 76.1 |
| | Not Married/Couple | 69.1 | 61.0 | 77.3 | 62.4 | 60.0 | 64.7 | 64.4 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Immunization

Percentage of adults who have ever received a pneumonia vaccination

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 43.6 | 37.8 | 49.4 | 30.6 * | 29.5 | 31.7 | 37.1 |
| SEX | Men | 45.0 | 34.9 | 55.1 | 30.5 * | 28.6 | 32.3 | 37.5 |
| | Women | 42.5 | 35.9 | 49.0 | 30.8 * | 29.5 | 32.1 | 36.7 |
| RACE/ETHNICITY | Non-Hisp. White | 42.9 | 37.4 | 48.5 | 35.1 * | 33.9 | 36.3 | 38.5 |
| | Non-Hisp. Black | | | | 18.8 | 15.5 | 22.1 | |
| | Hispanic | | | | 19.2 | 15.6 | 22.9 | 26.6 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 42.0 | 32.7 | 51.2 | 35.1 | 33.1 | 37.0 | 38.6 |
| | Non-Hisp. White Women | 43.7 | 36.8 | 50.5 | 35.2 * | 33.8 | 36.6 | 38.5 |
| | Non-Hisp. Black Men | | | | 14.2 | 9.1 | 19.2 | |
| | Non-Hisp. Black Women | | | | 22.1 | 17.7 | 26.4 | |
| | Hispanic Men | | | | 20.7 | 14.4 | 27.0 | |
| | Hispanic Women | | | | 17.8 | 14.0 | 21.7 | 32.1 |
| AGE GROUP | 18-44 | 21.2 | 5.8 | 36.6 | 14.3 | 12.4 | 16.2 | 8.4 |
| | 45-64 | 22.1 | 13.2 | 31.1 | 20.4 | 18.8 | 21.9 | 23.4 |
| | 65 & Older | 76.2 | 71.1 | 81.3 | 69.9 | 68.4 | 71.5 | 71.6 |
| EDUCATION LEVEL | <High School | | | | 32.7 | 28.4 | 37.1 | 31.1 |
| | H.S. / GED | 44.1 | 31.3 | 57.0 | 30.2 | 28.2 | 32.3 | 35.2 |
| | >High School | 41.9 | 36.1 | 47.7 | 30.5 * | 29.2 | 31.9 | 38.0 |
| ANNUAL INCOME | <\$25,000 | 49.4 | 35.6 | 63.2 | 36.7 | 34.2 | 39.1 | 31.0 |
| | \$25,000-\$49,999 | 43.2 | 31.4 | 55.0 | 32.5 | 30.3 | 34.8 | 41.1 |
| | \$50,000 or More | 40.3 | 32.5 | 48.0 | 23.8 * | 22.1 | 25.4 | 33.4 |
| MARITAL STATUS | Married/Couple | 41.4 | 34.7 | 48.0 | 29.0 * | 27.7 | 30.4 | 36.3 |
| | Not Married/Couple | 47.8 | 36.6 | 59.0 | 33.6 * | 31.7 | 35.6 | 38.7 |

Percentage of adults age 65 and older who have ever received a pneumonia vaccination

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 76.2 | 71.1 | 81.3 | 69.9 | 68.4 | 71.5 | 71.6 |
| SEX | Men | 71.0 | 62.0 | 80.0 | 69.4 | 66.9 | 71.9 | 73.8 |
| | Women | 80.4 | 74.8 | 85.9 | 70.3 * | 68.4 | 72.3 | 70.0 |
| RACE/ETHNICITY | Non-Hisp. White | 77.4 | 72.3 | 82.6 | 72.9 | 71.4 | 74.3 | 73.0 |
| | Non-Hisp. Black | | | | 49.1 | 40.0 | 58.2 | |
| | Hispanic | | | | 57.5 | 47.6 | 67.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 73.0 | 63.9 | 82.0 | 71.6 | 69.2 | 74.0 | 74.7 |
| | Non-Hisp. White Women | 81.0 | 75.4 | 86.6 | 73.8 | 72.0 | 75.6 | 71.7 |
| | Non-Hisp. Black Men | | | | 36.5 | 24.6 | 48.4 | |
| | Non-Hisp. Black Women | | | | 55.3 | 44.0 | 66.6 | |
| | Hispanic Men | | | | 68.7 | 54.4 | 82.9 | |
| | Hispanic Women | | | | 48.0 | 35.9 | 60.1 | |
| AGE GROUP | 65 & Older | 76.2 | 71.1 | 81.3 | 69.9 | 68.4 | 71.5 | 71.6 |
| EDUCATION LEVEL | <High School | | | | 64.7 | 58.3 | 71.1 | |
| | H.S. / GED | 71.7 | 60.6 | 82.8 | 67.2 | 64.3 | 70.0 | 58.5 |
| | >High School | 77.9 | 72.2 | 83.7 | 72.4 | 70.6 | 74.3 | 77.9 |
| ANNUAL INCOME | <\$25,000 | 75.8 | 65.2 | 86.4 | 68.2 | 65.2 | 71.2 | 51.6 |
| | \$25,000-\$49,999 | 71.9 | 61.2 | 82.7 | 70.4 | 67.6 | 73.3 | 76.0 |
| | \$50,000 or More | 77.8 | 69.3 | 86.4 | 70.7 | 67.7 | 73.7 | 80.2 |
| MARITAL STATUS | Married/Couple | 76.7 | 69.9 | 83.6 | 70.4 | 68.3 | 72.4 | 72.9 |
| | Not Married/Couple | 74.9 | 67.5 | 82.3 | 69.4 | 67.1 | 71.6 | 68.9 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults who, in the past 30 days, drove a vehicle after consuming too many alcoholic beverages

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|-----|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 2.3 | 0.4 | 4.1 | 1.9 | 1.5 | 2.3 | |
| SEX | Men | 3.4 | 0.0 | 7.1 | 3.0 | 2.2 | 3.9 | |
| | Women | 1.2 | 0.0 | 2.5 | 0.8 | 0.5 | 1.1 | |
| RACE/ETHNICITY | Non-Hisp. White | 2.3 | 0.3 | 4.3 | 2.1 | 1.7 | 2.6 | |
| | Non-Hisp. Black | | | | 0.5 | 0.2 | 0.9 | |
| | Hispanic | | | | 2.3 | 0.3 | 4.3 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 4.1 | 0.0 | 8.4 | 3.3 | 2.5 | 4.1 | |
| | Non-Hisp. White Women | 0.8 | 0.0 | 1.7 | 1.0 | 0.6 | 1.4 | |
| | Non-Hisp. Black Men | | | | 0.7 | 0.0 | 1.4 | |
| | Non-Hisp. Black Women | | | | 0.4 | 0.0 | 0.8 | |
| | Hispanic Men | | | | 4.1 | 0.2 | 7.9 | |
| | Hispanic Women | | | | 0.5 | 0.0 | 1.3 | |
| AGE GROUP | 18-44 | 5.8 | 0.2 | 11.4 | 3.1 | 2.0 | 4.2 | |
| | 45-64 | 0.8 | 0.0 | 2.0 | 1.6 | 1.1 | 2.1 | |
| | 65 & Older | 0.4 | 0.0 | 0.9 | 0.5 | 0.3 | 0.8 | |
| EDUCATION LEVEL | <High School | | | | 1.3 | 0.0 | 2.9 | |
| | H.S. / GED | 2.5 | 0.0 | 7.4 | 1.5 | 0.8 | 2.1 | |
| | >High School | 2.3 | 0.5 | 4.2 | 2.1 | 1.5 | 2.7 | |
| ANNUAL INCOME | <\$25,000 | 5.7 | 0.0 | 12.8 | 2.0 | 0.7 | 3.3 | |
| | \$25,000-\$49,999 | | | | 1.1 | 0.7 | 1.6 | |
| | \$50,000 or More | 2.6 | 0.1 | 5.1 | 2.3 | 1.7 | 2.9 | |
| MARITAL STATUS | Married/Couple | 1.3 | 0.0 | 2.7 | 1.7 | 1.1 | 2.2 | |
| | Not Married/Couple | 4.3 | 0.0 | 9.3 | 2.3 | 1.6 | 3.0 | |

Percentage of adults 45 years of age and older who had a fall-related injury in the past 3 months

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 5.7 | 3.2 | 8.3 | 5.7 | 5.1 | 6.4 | |
| SEX | Men | 5.1 | 1.4 | 8.9 | 5.0 | 4.0 | 6.0 | |
| | Women | 6.3 | 2.8 | 9.7 | 6.3 | 5.5 | 7.1 | |
| RACE/ETHNICITY | Non-Hisp. White | 6.4 | 3.6 | 9.2 | 5.9 | 5.2 | 6.7 | |
| | Non-Hisp. Black | | | | 5.7 | 3.1 | 8.2 | |
| | Hispanic | | | | 2.8 | 1.5 | 4.2 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 5.9 | 1.6 | 10.1 | 5.1 | 4.0 | 6.2 | |
| | Non-Hisp. White Women | 6.8 | 3.1 | 10.5 | 6.7 | 5.8 | 7.6 | |
| | Non-Hisp. Black Men | | | | 4.9 | 0.0 | 9.8 | |
| | Non-Hisp. Black Women | | | | 6.2 | 3.4 | 8.9 | |
| | Hispanic Men | | | | 1.4 | 0.0 | 2.9 | |
| | Hispanic Women | | | | 3.9 | 1.9 | 6.0 | |
| AGE GROUP | 45-64 | 4.0 | 0.3 | 7.7 | 6.1 | 5.2 | 7.1 | |
| | 65 & Older | 7.3 | 3.8 | 10.8 | 5.1 | 4.4 | 5.8 | |
| EDUCATION LEVEL | <High School | | | | 9.1 | 5.5 | 12.7 | |
| | H.S. / GED | 4.1 | 0.7 | 7.5 | 6.7 | 5.3 | 8.2 | |
| | >High School | 6.6 | 3.3 | 9.9 | 5.0 | 4.3 | 5.6 | |
| ANNUAL INCOME | <\$25,000 | 10.0 | 2.1 | 17.9 | 9.9 | 8.3 | 11.5 | |
| | \$25,000-\$49,999 | 4.6 | 0.0 | 9.6 | 5.4 | 4.0 | 6.9 | |
| | \$50,000 or More | 3.7 | 1.0 | 6.5 | 3.7 | 2.8 | 4.5 | |
| MARITAL STATUS | Married/Couple | 5.9 | 2.5 | 9.2 | 5.0 | 4.2 | 5.7 | |
| | Not Married/Couple | 5.6 | 2.3 | 9.0 | 7.2 | 6.1 | 8.3 | |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Injury Prevention

Percentage of adults who "always" or "nearly always" used seat belts when driving or riding in a car

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 97.4 | 95.8 | 99.0 | 95.6 | 95.0 | 96.1 | |
| SEX | Men | 95.9 | 92.7 | 99.0 | 94.3 | 93.4 | 95.2 | |
| | Women | 98.9 | 98.0 | 99.7 | 96.8 * | 96.1 | 97.4 | |
| RACE/ETHNICITY | Non-Hisp. White | 97.2 | 95.4 | 99.0 | 95.9 | 95.4 | 96.5 | |
| | Non-Hisp. Black | | | | 93.9 | 92.0 | 95.9 | |
| | Hispanic | | | | 96.2 | 94.4 | 97.9 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 95.1 | 91.4 | 98.8 | 94.4 | 93.5 | 95.4 | |
| | Non-Hisp. White Women | 99.0 | 98.1 | 99.8 | 97.3 * | 96.8 | 97.8 | |
| | Non-Hisp. Black Men | | | | 92.9 | 89.5 | 96.3 | |
| | Non-Hisp. Black Women | | | | 94.7 | 92.5 | 96.9 | |
| | Hispanic Men | | | | 96.3 | 94.4 | 98.2 | |
| | Hispanic Women | | | | 96.0 | 93.0 | 99.0 | |
| AGE GROUP | 18-44 | 98.8 | 96.5 | 00.0 | 92.7 * | 91.4 | 94.0 | |
| | 45-64 | 97.2 | 93.5 | 00.0 | 97.1 | 96.6 | 97.7 | |
| | 65 & Older | 96.6 | 94.6 | 98.7 | 97.3 | 96.8 | 97.8 | |
| EDUCATION LEVEL | <High School | | | | 90.4 | 87.5 | 93.3 | |
| | H.S. / GED | 97.4 | 95.2 | 99.6 | 93.9 * | 92.7 | 95.1 | |
| | >High School | 98.2 | 96.9 | 99.6 | 96.8 | 96.2 | 97.4 | |
| ANNUAL INCOME | <\$25,000 | 98.2 | 96.4 | 99.9 | 93.7 * | 92.6 | 94.7 | |
| | \$25,000-\$49,999 | 98.9 | 97.6 | 00.0 | 95.2 * | 93.9 | 96.4 | |
| | \$50,000 or More | 96.8 | 93.4 | 00.0 | 97.0 | 96.2 | 97.8 | |
| MARITAL STATUS | Married/Couple | 98.3 | 96.5 | 00.0 | 96.4 | 95.8 | 97.0 | |
| | Not Married/Couple | 95.7 | 92.7 | 98.7 | 94.0 | 93.0 | 95.1 | |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who visited a dentist or a dental clinic in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|--|------------------------------|-----------------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| | ALL | Overall | 73.7 | 68.2 | 79.2 | 64.7 * | 63.5 | 65.9 |
| | SEX | Men | 74.1 | 65.0 | 83.2 | 64.0 | 62.1 | 66.0 |
| | | Women | 73.3 | 66.8 | 79.8 | 65.3 | 63.8 | 66.8 |
| | RACE/ETHNICITY | Non-Hisp. White | 77.6 | 72.8 | 82.4 | 68.2 * | 67.0 | 69.4 |
| | | Non-Hisp. Black | | | | 55.2 | 50.7 | 59.7 |
| | | Hispanic | | | | 58.1 | 53.6 | 62.6 |
| | SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 78.9 | 71.7 | 86.0 | 66.4 * | 64.5 | 68.4 |
| | | Non-Hisp. White Women | 76.5 | 70.1 | 83.0 | 69.9 | 68.4 | 71.3 |
| | | Non-Hisp. Black Men | | | | 53.8 | 46.0 | 61.5 |
| | | Non-Hisp. Black Women | | | | 56.3 | 50.9 | 61.7 |
| | | Hispanic Men | | | | 61.9 | 54.8 | 69.0 |
| | | Hispanic Women | | | | 54.5 | 49.0 | 60.0 |
| | AGE GROUP | 18-44 | 63.9 | 50.0 | 77.9 | 60.0 | 57.6 | 62.4 |
| | | 45-64 | 77.2 | 68.9 | 85.5 | 66.1 * | 64.3 | 68.0 |
| | | 65 & Older | 79.0 | 74.2 | 83.8 | 69.4 * | 67.9 | 71.0 |
| | EDUCATION LEVEL | <High School | | | | 36.3 | 31.7 | 40.9 |
| | | H.S. / GED | 62.0 | 50.2 | 73.8 | 54.1 | 51.8 | 56.5 |
| | | >High School | 82.3 | 77.4 | 87.2 | 72.3 * | 70.8 | 73.7 |
| | ANNUAL INCOME | <\$25,000 | 46.9 | 34.1 | 59.8 | 43.1 | 40.6 | 45.6 |
| | | \$25,000-\$49,999 | 71.4 | 60.1 | 82.8 | 62.2 | 59.6 | 64.7 |
| | | \$50,000 or More | 87.9 | 82.0 | 93.8 | 78.8 * | 77.0 | 80.5 |
| | MARITAL STATUS | Married/Couple | 77.5 | 71.2 | 83.7 | 69.0 * | 67.6 | 70.5 |
| | | Not Married/Couple | 65.7 | 55.2 | 76.2 | 56.8 | 54.6 | 58.9 |

Percentage of adults who had a permanent tooth removed because of tooth decay or gum disease

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|--|------------------------------|-----------------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| | ALL | Overall | 57.0 | 51.1 | 62.9 | 53.0 | 51.7 | 54.2 |
| | SEX | Men | 58.4 | 48.4 | 68.4 | 51.8 | 49.7 | 53.8 |
| | | Women | 55.8 | 49.0 | 62.6 | 54.1 | 52.6 | 55.6 |
| | RACE/ETHNICITY | Non-Hisp. White | 55.8 | 49.8 | 61.8 | 52.1 | 50.8 | 53.4 |
| | | Non-Hisp. Black | | | | 62.4 | 57.8 | 67.0 |
| | | Hispanic | | | | 48.9 | 44.3 | 53.6 |
| | SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 59.3 | 49.2 | 69.5 | 52.2 | 50.0 | 54.3 |
| | | Non-Hisp. White Women | 52.9 | 45.8 | 60.0 | 52.0 | 50.5 | 53.6 |
| | | Non-Hisp. Black Men | | | | 58.2 | 50.4 | 65.9 |
| | | Non-Hisp. Black Women | | | | 65.6 | 60.2 | 71.0 |
| | | Hispanic Men | | | | 45.7 | 38.3 | 53.1 |
| | | Hispanic Women | | | | 52.1 | 46.6 | 57.6 |
| | AGE GROUP | 18-44 | 38.7 | 24.5 | 52.8 | 34.5 | 32.2 | 36.8 |
| | | 45-64 | 56.2 | 47.4 | 65.1 | 56.0 | 54.0 | 58.1 |
| | | 65 & Older | 73.8 | 68.8 | 78.8 | 77.2 | 75.8 | 78.7 |
| | EDUCATION LEVEL | <High School | | | | 70.1 | 65.0 | 75.1 |
| | | H.S. / GED | 54.9 | 42.5 | 67.4 | 63.0 | 60.6 | 65.4 |
| | | >High School | 58.2 | 51.9 | 64.5 | 47.0 * | 45.4 | 48.5 |
| | ANNUAL INCOME | <\$25,000 | 65.4 | 51.2 | 79.7 | 68.4 | 65.8 | 71.0 |
| | | \$25,000-\$49,999 | 66.3 | 55.5 | 77.1 | 60.2 | 57.5 | 62.9 |
| | | \$50,000 or More | 48.8 | 40.4 | 57.1 | 40.7 | 38.7 | 42.6 |
| | MARITAL STATUS | Married/Couple | 59.0 | 52.2 | 65.9 | 51.6 | 50.0 | 53.2 |
| | | Not Married/Couple | 52.4 | 41.6 | 63.2 | 55.6 | 53.4 | 57.8 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Oral Health

Percentage of adults who had their teeth cleaned in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 68.0 | 62.3 | 73.7 | 60.9 * | 59.6 | 62.1 | |
| SEX | Men | 65.8 | 56.4 | 75.3 | 59.5 | 57.5 | 61.5 | |
| | Women | 70.0 | 63.3 | 76.8 | 62.2 | 60.7 | 63.7 | |
| RACE/ETHNICITY | Non-Hisp. White | 71.7 | 66.3 | 77.0 | 64.2 * | 63.0 | 65.4 | |
| | Non-Hisp. Black | | | | 49.6 | 45.1 | 54.2 | |
| | Hispanic | | | | 57.0 | 52.4 | 61.5 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 70.0 | 61.4 | 78.6 | 62.3 | 60.3 | 64.3 | |
| | Non-Hisp. White Women | 73.1 | 66.3 | 79.8 | 66.0 | 64.5 | 67.5 | |
| | Non-Hisp. Black Men | | | | 45.5 | 37.8 | 53.2 | |
| | Non-Hisp. Black Women | | | | 52.7 | 47.3 | 58.2 | |
| | Hispanic Men | | | | 57.7 | 50.4 | 65.0 | |
| | Hispanic Women | | | | 56.2 | 50.8 | 61.6 | |
| AGE GROUP | 18-44 | 57.6 | 43.3 | 72.0 | 57.3 | 54.9 | 59.7 | |
| | 45-64 | 72.6 | 63.9 | 81.3 | 62.0 | 60.1 | 63.9 | |
| | 65 & Older | 72.8 | 67.5 | 78.2 | 64.3 * | 62.6 | 65.9 | |
| EDUCATION LEVEL | <High School | | | | 28.3 | 23.8 | 32.8 | |
| | H.S. / GED | 57.4 | 45.3 | 69.5 | 49.4 | 47.0 | 51.8 | |
| | >High School | 76.6 | 71.1 | 82.0 | 69.3 * | 67.8 | 70.7 | |
| ANNUAL INCOME | <\$25,000 | 38.3 | 26.6 | 50.1 | 35.7 | 33.2 | 38.2 | |
| | \$25,000-\$49,999 | 62.6 | 50.8 | 74.4 | 58.2 | 55.6 | 60.8 | |
| | \$50,000 or More | 84.4 | 78.0 | 90.8 | 76.7 | 75.0 | 78.5 | |
| MARITAL STATUS | Married/Couple | 71.2 | 64.5 | 77.9 | 65.4 | 63.9 | 66.9 | |
| | Not Married/Couple | 61.4 | 50.8 | 71.9 | 52.6 | 50.4 | 54.7 | |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 36.7 | 31.1 | 42.3 | 37.8 | 36.6 | 39.0 | 41.9 |
| SEX | Men | 44.6 | 35.2 | 54.0 | 43.8 | 41.8 | 45.8 | 54.9 |
| | Women | 29.3 | 22.7 | 35.9 | 31.8 | 30.4 | 33.3 | 29.6 |
| RACE/ETHNICITY | Non-Hisp. White | 36.8 | 31.1 | 42.4 | 37.9 | 36.7 | 39.2 | 42.6 |
| | Non-Hisp. Black | | | | 36.3 | 31.9 | 40.8 | |
| | Hispanic | | | | 37.3 | 32.7 | 41.8 | 22.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 44.6 | 35.0 | 54.1 | 45.5 | 43.4 | 47.5 | 55.1 |
| | Non-Hisp. White Women | 29.9 | 22.9 | 36.9 | 30.5 | 29.0 | 31.9 | 29.9 |
| | Non-Hisp. Black Men | | | | 34.9 | 27.8 | 41.9 | |
| | Non-Hisp. Black Women | | | | 37.5 | 31.8 | 43.1 | |
| | Hispanic Men | | | | 39.7 | 32.4 | 47.0 | |
| | Hispanic Women | | | | 34.8 | 29.4 | 40.2 | 15.8 |
| AGE GROUP | 18-44 | 31.1 | 18.4 | 43.8 | 33.8 | 31.5 | 36.2 | 41.9 |
| | 45-64 | 42.9 | 33.3 | 52.4 | 39.3 | 37.2 | 41.3 | 46.3 |
| | 65 & Older | 36.4 | 30.7 | 42.0 | 41.5 | 39.8 | 43.1 | 38.2 |
| EDUCATION LEVEL | <High School | | | | 31.7 | 27.5 | 35.9 | 40.9 |
| | H.S. / GED | 34.5 | 23.2 | 45.9 | 37.5 | 35.2 | 39.9 | 39.4 |
| | >High School | 38.2 | 31.8 | 44.6 | 38.7 | 37.1 | 40.2 | 42.8 |
| ANNUAL INCOME | <\$25,000 | 23.5 | 13.5 | 33.6 | 34.5 | 32.1 | 37.0 | 38.4 |
| | \$25,000-\$49,999 | 42.3 | 30.4 | 54.2 | 38.0 | 35.5 | 40.6 | 41.6 |
| | \$50,000 or More | 42.3 | 34.0 | 50.6 | 40.4 | 38.4 | 42.5 | 44.6 |
| MARITAL STATUS | Married/Couple | 40.7 | 33.7 | 47.8 | 40.2 | 38.6 | 41.7 | 44.7 |
| | Not Married/Couple | 28.6 | 20.7 | 36.5 | 33.5 | 31.5 | 35.5 | 35.4 |

Percentage of adults who are obese

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 20.8 | 15.7 | 25.9 | 27.2 * | 26.1 | 28.4 | 17.2 |
| SEX | Men | 28.7 | 19.6 | 37.8 | 29.8 | 27.9 | 31.7 | 19.5 |
| | Women | 13.4 | 9.2 | 17.5 | 24.7 * | 23.3 | 26.1 | 15.1 |
| RACE/ETHNICITY | Non-Hisp. White | 20.5 | 15.1 | 25.8 | 25.2 | 24.0 | 26.3 | 16.2 |
| | Non-Hisp. Black | | | | 42.7 | 38.1 | 47.3 | |
| | Hispanic | | | | 29.2 | 25.0 | 33.4 | 25.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 31.5 | 21.5 | 41.4 | 28.6 | 26.7 | 30.5 | 20.3 |
| | Non-Hisp. White Women | 10.8 | 7.2 | 14.3 | 21.8 * | 20.5 | 23.1 | 12.1 |
| | Non-Hisp. Black Men | | | | 45.3 | 37.5 | 53.0 | |
| | Non-Hisp. Black Women | | | | 40.7 | 35.3 | 46.2 | |
| | Hispanic Men | | | | 31.2 | 24.4 | 38.0 | |
| | Hispanic Women | | | | 27.2 | 22.1 | 32.3 | 33.9 |
| AGE GROUP | 18-44 | 25.6 | 12.2 | 39.0 | 26.9 | 24.7 | 29.0 | 18.8 |
| | 45-64 | 17.8 | 11.2 | 24.3 | 30.6 * | 28.6 | 32.5 | 17.8 |
| | 65 & Older | 19.2 | 14.7 | 23.8 | 22.2 | 20.8 | 23.7 | 15.5 |
| EDUCATION LEVEL | <High School | | | | 37.7 | 33.1 | 42.3 | 16.8 |
| | H.S. / GED | 28.2 | 15.8 | 40.6 | 29.0 | 26.8 | 31.1 | 20.9 |
| | >High School | 17.4 | 12.6 | 22.3 | 25.4 * | 24.0 | 26.8 | 15.8 |
| ANNUAL INCOME | <\$25,000 | 24.5 | 14.9 | 34.2 | 31.7 | 29.3 | 34.0 | 19.0 |
| | \$25,000-\$49,999 | 27.0 | 16.4 | 37.6 | 28.9 | 26.4 | 31.3 | 13.9 |
| | \$50,000 or More | 15.2 | 8.7 | 21.6 | 24.4 * | 22.6 | 26.3 | 17.6 |
| MARITAL STATUS | Married/Couple | 18.4 | 13.0 | 23.8 | 27.4 * | 25.9 | 28.8 | 14.6 |
| | Not Married/Couple | 26.0 | 15.4 | 36.6 | 27.0 | 25.2 | 28.9 | 23.0 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Overweight & Obesity

Percentage of adults who are overweight or obese

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 57.5 | 51.6 | 63.4 | 65.0 * | 63.8 | 66.2 | 59.1 |
| SEX | Men | 73.3 | 63.8 | 82.8 | 73.6 | 71.7 | 75.5 | 74.4 |
| | Women | 42.6 | 35.7 | 49.6 | 56.5 * | 55.0 | 58.1 | 44.7 |
| RACE/ETHNICITY | Non-Hisp. White | 57.2 | 51.3 | 63.1 | 63.1 | 61.9 | 64.4 | 58.9 |
| | Non-Hisp. Black | | | | 79.1 | 75.3 | 82.8 | |
| | Hispanic | | | | 66.4 | 61.9 | 71.0 | 47.9 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 76.0 | 66.9 | 85.1 | 74.1 | 72.2 | 75.9 | 75.3 |
| | Non-Hisp. White Women | 40.7 | 33.5 | 47.8 | 52.2 * | 50.6 | 53.9 | 42.0 |
| | Non-Hisp. Black Men | | | | 80.1 | 74.1 | 86.2 | |
| | Non-Hisp. Black Women | | | | 78.2 | 73.5 | 82.9 | |
| | Hispanic Men | | | | 70.9 | 63.4 | 78.4 | |
| | Hispanic Women | | | | 62.0 | 56.6 | 67.5 | 49.7 |
| AGE GROUP | 18-44 | 56.7 | 41.8 | 71.5 | 60.7 | 58.2 | 63.2 | 60.7 |
| | 45-64 | 60.6 | 51.8 | 69.4 | 69.8 | 68.0 | 71.7 | 64.1 |
| | 65 & Older | 55.6 | 49.8 | 61.4 | 63.7 * | 62.2 | 65.3 | 53.7 |
| EDUCATION LEVEL | <High School | | | | 69.4 | 64.6 | 74.2 | 57.7 |
| | H.S. / GED | 62.7 | 51.2 | 74.3 | 66.5 | 64.2 | 68.7 | 60.3 |
| | >High School | 55.6 | 49.1 | 62.2 | 64.1 * | 62.5 | 65.6 | 58.6 |
| ANNUAL INCOME | <\$25,000 | 48.0 | 35.0 | 61.1 | 66.2 * | 63.7 | 68.7 | 57.4 |
| | \$25,000-\$49,999 | 69.3 | 59.2 | 79.4 | 66.9 | 64.3 | 69.4 | 55.4 |
| | \$50,000 or More | 57.4 | 49.2 | 65.7 | 64.8 | 62.9 | 66.8 | 62.2 |
| MARITAL STATUS | Married/Couple | 59.2 | 52.2 | 66.2 | 67.5 | 66.1 | 69.0 | 59.2 |
| | Not Married/Couple | 54.6 | 43.8 | 65.3 | 60.5 | 58.4 | 62.7 | 58.4 |

Reactions to Race

Percentage of adults who think they would get better medical care if they belonged to a different race/ethnic group

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 9.0 | 4.5 | 13.5 | 10.8 | 9.9 | 11.7 | |
| SEX | Men | 12.1 | 3.8 | 20.4 | 10.8 | 9.3 | 12.2 | |
| | Women | 6.1 | 2.5 | 9.7 | 10.9 * | 9.8 | 11.9 | |
| RACE/ETHNICITY | Non-Hisp. White | 6.2 | 3.4 | 9.0 | 8.0 | 7.2 | 8.7 | |
| | Non-Hisp. Black | | | | 26.8 | 22.5 | 31.2 | |
| | Hispanic | | | | 11.3 | 7.9 | 14.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 6.0 | 2.0 | 10.0 | 7.4 | 6.3 | 8.5 | |
| | Non-Hisp. White Women | 6.3 | 2.5 | 10.2 | 8.5 | 7.5 | 9.5 | |
| | Non-Hisp. Black Men | | | | 31.7 | 23.8 | 39.7 | |
| | Non-Hisp. Black Women | | | | 23.6 | 18.7 | 28.6 | |
| | Hispanic Men | | | | 11.1 | 5.3 | 16.8 | |
| | Hispanic Women | | | | 11.4 | 7.9 | 14.9 | |
| AGE GROUP | 18-44 | 13.9 | 1.6 | 26.2 | 13.7 | 11.9 | 15.5 | |
| | 45-64 | 11.8 | 5.6 | 18.0 | 11.2 | 9.8 | 12.6 | |
| | 65 & Older | 2.6 | 0.6 | 4.6 | 5.6 * | 4.7 | 6.5 | |
| EDUCATION LEVEL | <High School | | | | 20.6 | 16.5 | 24.7 | |
| | H.S. / GED | 6.4 | 1.4 | 11.4 | 13.9 * | 12.1 | 15.8 | |
| | >High School | 7.0 | 3.4 | 10.5 | 8.5 | 7.5 | 9.5 | |
| ANNUAL INCOME | <\$25,000 | 23.7 | 7.8 | 39.5 | 21.2 | 18.6 | 23.8 | |
| | \$25,000-\$49,999 | 6.1 | 0.0 | 12.5 | 11.7 | 9.9 | 13.5 | |
| | \$50,000 or More | 2.6 | 0.0 | 5.3 | 4.9 | 4.0 | 5.7 | |
| MARITAL STATUS | Married/Couple | 7.4 | 3.5 | 11.2 | 9.4 | 8.3 | 10.4 | |
| | Not Married/Couple | 12.5 | 1.5 | 23.6 | 13.5 | 11.8 | 15.1 | |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who are current smokers

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 18.8 | 13.2 | 24.4 | 17.1 | 16.1 | 18.1 | 22.6 |
| SEX | Men | 20.5 | 10.8 | 30.2 | 18.4 | 16.7 | 20.0 | 25.3 |
| | Women | 17.3 | 11.3 | 23.3 | 16.0 | 14.9 | 17.0 | 20.1 |
| RACE/ETHNICITY | Non-Hisp. White | 17.7 | 12.2 | 23.1 | 18.4 | 17.4 | 19.5 | 23.8 |
| | Non-Hisp. Black | | | | 13.7 | 10.9 | 16.5 | |
| | Hispanic | | | | 13.8 | 10.1 | 17.5 | 15.8 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 17.8 | 8.7 | 26.9 | 17.9 | 16.3 | 19.6 | 25.2 |
| | Non-Hisp. White Women | 17.5 | 11.1 | 23.9 | 18.9 | 17.6 | 20.2 | 22.5 |
| | Non-Hisp. Black Men | | | | 19.0 | 13.4 | 24.5 | |
| | Non-Hisp. Black Women | | | | 9.7 | 7.3 | 12.0 | |
| | Hispanic Men | | | | 18.9 | 12.2 | 25.6 | |
| | Hispanic Women | | | | 8.8 | 6.1 | 11.6 | 0.4 |
| AGE GROUP | 18-44 | 31.7 | 17.3 | 46.1 | 20.5 | 18.4 | 22.5 | 27.5 |
| | 45-64 | 21.5 | 14.2 | 28.8 | 19.2 | 17.7 | 20.7 | 33.2 |
| | 65 & Older | 5.0 | 2.7 | 7.4 | 8.4 * | 7.5 | 9.3 | 8.7 |
| EDUCATION LEVEL | <High School | | | | 28.3 | 24.4 | 32.3 | 41.4 |
| | H.S. / GED | 22.3 | 11.7 | 33.0 | 24.3 | 22.2 | 26.4 | 29.2 |
| | >High School | 14.2 | 8.6 | 19.9 | 12.9 | 11.8 | 14.0 | 18.4 |
| ANNUAL INCOME | <\$25,000 | 27.4 | 13.4 | 41.5 | 26.5 | 24.2 | 28.8 | 35.0 |
| | \$25,000-\$49,999 | 10.3 | 2.5 | 18.1 | 18.0 | 15.9 | 20.2 | 23.9 |
| | \$50,000 or More | 17.4 | 9.9 | 25.0 | 11.7 | 10.3 | 13.0 | 18.0 |
| MARITAL STATUS | Married/Couple | 19.9 | 13.1 | 26.7 | 14.3 | 13.2 | 15.4 | 19.6 |
| | Not Married/Couple | 16.6 | 6.7 | 26.4 | 22.3 | 20.4 | 24.1 | 29.8 |

Percentage of adults who are former smokers

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 35.0 | 29.9 | 40.0 | 29.8 | 28.7 | 30.9 | 36.6 |
| SEX | Men | 34.9 | 26.7 | 43.1 | 33.4 | 31.6 | 35.2 | 43.4 |
| | Women | 35.0 | 28.9 | 41.1 | 26.5 * | 25.2 | 27.7 | 30.4 |
| RACE/ETHNICITY | Non-Hisp. White | 37.6 | 32.3 | 43.0 | 34.1 | 32.9 | 35.3 | 39.0 |
| | Non-Hisp. Black | | | | 16.2 | 13.0 | 19.4 | |
| | Hispanic | | | | 22.0 | 18.3 | 25.7 | 25.2 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 38.9 | 30.0 | 47.9 | 36.7 | 34.8 | 38.7 | 45.0 |
| | Non-Hisp. White Women | 36.5 | 30.2 | 42.9 | 31.6 | 30.2 | 33.0 | 33.1 |
| | Non-Hisp. Black Men | | | | 19.1 | 13.6 | 24.7 | |
| | Non-Hisp. Black Women | | | | 13.9 | 10.1 | 17.7 | |
| | Hispanic Men | | | | 28.3 | 21.8 | 34.8 | |
| | Hispanic Women | | | | 15.8 | 12.4 | 19.2 | 17.5 |
| AGE GROUP | 18-44 | 19.9 | 9.5 | 30.2 | 16.9 | 15.2 | 18.6 | 25.4 |
| | 45-64 | 30.8 | 23.1 | 38.5 | 30.8 | 29.0 | 32.7 | 30.1 |
| | 65 & Older | 52.3 | 46.6 | 58.1 | 48.5 | 46.9 | 50.2 | 52.3 |
| EDUCATION LEVEL | <High School | | | | 29.2 | 25.2 | 33.2 | 15.3 |
| | H.S. / GED | 31.2 | 21.2 | 41.3 | 29.9 | 27.9 | 32.0 | 33.3 |
| | >High School | 38.7 | 32.8 | 44.6 | 29.9 * | 28.5 | 31.3 | 40.0 |
| ANNUAL INCOME | <\$25,000 | 29.4 | 19.4 | 39.3 | 27.5 | 25.4 | 29.5 | 25.7 |
| | \$25,000-\$49,999 | 40.4 | 29.7 | 51.2 | 31.2 | 29.0 | 33.5 | 29.8 |
| | \$50,000 or More | 37.7 | 30.0 | 45.5 | 30.7 | 28.9 | 32.5 | 45.2 |
| MARITAL STATUS | Married/Couple | 35.5 | 29.2 | 41.7 | 32.1 | 30.7 | 33.5 | 36.5 |
| | Not Married/Couple | 34.2 | 25.8 | 42.6 | 25.9 | 24.3 | 27.6 | 36.5 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

Tobacco Use & Exposure

Percentage of adults who have never smoked

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 46.2 | 40.4 | 52.0 | 53.0 | 51.8 | 54.3 | 40.9 |
| SEX | Men | 44.6 | 34.9 | 54.3 | 48.2 | 46.2 | 50.3 | 31.3 |
| | Women | 47.7 | 40.9 | 54.5 | 57.6 * | 56.1 | 59.1 | 49.5 |
| RACE/ETHNICITY | Non-Hisp. White | 44.7 | 38.8 | 50.6 | 47.5 | 46.2 | 48.8 | 37.2 |
| | Non-Hisp. Black | | | | 70.1 | 66.1 | 74.1 | |
| | Hispanic | | | | 64.2 | 59.7 | 68.8 | 59.0 |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | 43.3 | 33.3 | 53.2 | 45.4 | 43.3 | 47.5 | 29.8 |
| | Non-Hisp. White Women | 45.9 | 38.9 | 52.9 | 49.5 | 47.9 | 51.0 | 44.4 |
| | Non-Hisp. Black Men | | | | 61.9 | 54.7 | 69.0 | |
| | Non-Hisp. Black Women | | | | 76.4 | 72.2 | 80.7 | |
| | Hispanic Men | | | | 52.8 | 45.3 | 60.3 | |
| | Hispanic Women | | | | 75.4 | 71.1 | 79.6 | 82.1 |
| AGE GROUP | 18-44 | 48.5 | 34.1 | 62.8 | 62.6 | 60.3 | 65.0 | 47.1 |
| | 45-64 | 47.7 | 38.6 | 56.8 | 50.0 | 48.0 | 52.0 | 36.6 |
| | 65 & Older | 42.6 | 36.9 | 48.3 | 43.0 | 41.4 | 44.7 | 39.0 |
| EDUCATION LEVEL | <High School | | | | 42.4 | 37.6 | 47.3 | 43.3 |
| | H.S. / GED | 46.4 | 34.1 | 58.7 | 45.7 | 43.4 | 48.1 | 37.5 |
| | >High School | 47.1 | 40.7 | 53.5 | 57.2 * | 55.7 | 58.8 | 41.6 |
| ANNUAL INCOME | <\$25,000 | 43.2 | 30.6 | 55.8 | 46.0 | 43.5 | 48.6 | 39.2 |
| | \$25,000-\$49,999 | 49.2 | 37.7 | 60.8 | 50.7 | 48.1 | 53.4 | 46.3 |
| | \$50,000 or More | 44.8 | 36.5 | 53.2 | 57.7 * | 55.7 | 59.7 | 36.7 |
| MARITAL STATUS | Married/Couple | 44.7 | 37.7 | 51.6 | 53.6 * | 52.1 | 55.2 | 43.8 |
| | Not Married/Couple | 49.3 | 38.9 | 59.7 | 51.8 | 49.7 | 53.9 | 33.7 |

Percentage of adult current smokers who tried to quit smoking at least once in the past year

| | | 2010 County | | | 2010 State | | | 2007 County Measure |
|------------------------------|-----------------------|-------------|--------|------|------------|--------|------|---------------------|
| | | Measure | 95% CI | | Measure | 95% CI | | |
| ALL | Overall | 65.9 | 52.2 | 79.6 | 60.1 | 57.0 | 63.2 | 57.5 |
| SEX | Men | | | | 61.0 | 55.9 | 66.1 | 51.1 |
| | Women | 58.9 | 40.6 | 77.1 | 59.1 | 55.7 | 62.6 | 64.7 |
| RACE/ETHNICITY | Non-Hisp. White | 66.6 | 52.0 | 81.2 | 57.6 | 54.6 | 60.7 | 59.3 |
| | Non-Hisp. Black | | | | 71.9 | 61.7 | 82.0 | |
| | Hispanic | | | | 60.7 | 45.7 | 75.6 | |
| SEX BY RACE/ETHNICITY | Non-Hisp. White Men | | | | 57.3 | 52.4 | 62.2 | 53.9 |
| | Non-Hisp. White Women | 61.4 | 42.4 | 80.5 | 57.9 | 54.2 | 61.7 | 65.1 |
| | Non-Hisp. Black Men | | | | 72.8 | 57.5 | 88.2 | |
| | Non-Hisp. Black Women | | | | 70.4 | 59.7 | 81.1 | |
| | Hispanic Men | | | | 60.7 | 39.7 | 81.8 | |
| | Hispanic Women | | | | 60.5 | 44.7 | 76.4 | |
| AGE GROUP | 18-44 | | | | 63.3 | 57.8 | 68.9 | 68.0 |
| | 45-64 | 51.4 | 32.1 | 70.7 | 58.8 | 54.7 | 62.9 | 45.5 |
| | 65 & Older | | | | 53.1 | 47.6 | 58.6 | 64.4 |
| EDUCATION LEVEL | <High School | | | | 61.2 | 53.6 | 68.7 | |
| | H.S. / GED | | | | 61.0 | 56.2 | 65.9 | 73.9 |
| | >High School | 68.5 | 51.8 | 85.2 | 59.1 | 54.5 | 63.8 | 52.6 |
| ANNUAL INCOME | <\$25,000 | | | | 63.7 | 59.0 | 68.3 | 75.4 |
| | \$25,000-\$49,999 | | | | 55.8 | 48.7 | 62.9 | 34.6 |
| | \$50,000 or More | | | | 57.0 | 51.0 | 62.9 | 63.9 |
| MARITAL STATUS | Married/Couple | 70.4 | 54.8 | 86.0 | 61.1 | 57.0 | 65.2 | 57.1 |
| | Not Married/Couple | 48.5 | 26.7 | 70.4 | 59.1 | 54.3 | 63.9 | 58.1 |

* Indicates that the difference observed compared to the 2010 county measure is statistically significant.

CI=Confidence Interval

Missing values result from either unavailable measures or data suppression due to low respondent counts.

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

| | |
|--|--|
| A1C Test | A blood test used as an indicator of an individual's average blood glucose level over the past three months. |
| Activities of Daily Living | Usual activities, such as self-care, work, and recreation. |
| Binge Drinking | Consuming four or more alcoholic drinks for women and five or more alcoholic drinks for men on one occasion. |
| Blood Pressure Control Measures | Taking prescribed medication, altering diet, exercising, and reducing body weight to control blood pressure. |
| Blood Stool Test | A test that may use a special kit at home to determine whether the stool contains blood. |
| Body Mass Index (BMI) | A measure used to estimate the amount of excess body weight. BMI is calculated using self-reported height and weight. |
| Chronic Joint Symptoms | Experiencing pain, aching, or stiffness in or around a joint that first began more than three months ago. |
| Clinical Breast Exam | A medical exam where a doctor, nurse, or other health professional feels the breasts for lumps. |
| Current Smokers | Adults who have ever smoked at least 100 cigarettes and who smoked on some or all days in the previous 30 days. |
| Digital Rectal Exam | An exam in which a doctor, nurse, or other health professional places a gloved finger into the rectum to feel the size, shape, and hardness of the prostate gland. |
| Former Smokers | Adults who have ever smoked at least 100 cigarettes, but did not smoke on any of the previous 30 days. |
| Health Insurance Coverage | Includes health insurance, prepaid plans such as HMOs, and government plans such as Medicare. |
| Healthy Weight | Having a Body Mass Index (BMI) between 18.5 and 24.9. BMI is calculated using self-reported height and weight. |
| Heavy Drinking (also called chronic drinking) | In the previous 30 days, women consuming an average of one or more alcoholic drinks per day or men consuming an average of two or more alcoholic drinks per day. |
| High Risk Behavior Groups | Those who have had sex with a man who has had sex with other men, used intravenous street drugs, traded sex for money or drugs, tested positive for HIV, had two or more sex partners in the past year, or who had sex with anyone who would be categorized in any of these groups listed. |
| HIV | Human immunodeficiency virus (HIV) is a retrovirus that causes acquired immunodeficiency syndrome (AIDS), a condition in humans in which the immune system begins to fail, leading to life-threatening opportunistic infections. |
| Hysterectomy | An operation to remove the uterus (womb) in women. |
| Joint Symptoms | Experiencing pain, aching, or stiffness in or around a joint. |
| Mammogram | An x-ray of each breast to look for breast cancer. |
| Medical Checkup | A general physical exam, not an exam for a specific injury, illness, or condition. |
| Myocardial Infarction | Commonly known as a heart attack, is the interruption of blood supply to a part of the heart, causing heart cells to die. |
| Obese | Having a Body Mass Index (BMI) that is greater than or equal to 30.0. BMI is calculated using self-reported height and weight. |

2010 Florida Behavioral Risk Factor Surveillance System Data Report

GLOSSARY

| | |
|-----------------------------------|--|
| Overweight | Having a Body Mass Index (BMI) ranging from 25.0 to 29.9. BMI is calculated using self-reported height and weight. |
| Overweight or Obese | Having a Body Mass Index (BMI) that is greater than or equal to 25.0. |
| Pap Test | A cervical cancer screening test in which surface cells from the cervix are examined for cancer or pre-cancer characteristics. |
| Poor Mental Health | Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days. |
| Poor Physical Health | Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days. |
| PSA Test | A Prostate-Specific Antigen test, also called a PSA test, is a blood test used to detect prostate cancer. |
| Retinopathy | A complication of diabetes that results from damage to the blood vessels of the light-sensitive tissue at the back of the eye (retina). |
| Secondhand Smoke | Being exposed to someone else's tobacco smoke in a room (at work or home) during the past seven days. |
| Sigmoidoscopy/Colonoscopy | Exams in which a tube is inserted in the rectum to view the colon for signs of cancer or other health problems. |
| Tobacco Cessation Services | Medical and/or psychobehavioral treatment that seeks to reduce or eliminate the use of tobacco products. |

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

Arthritis

AOCBC-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

AOCBC-11. Reduce hip fractures among older adults

AOCBC-9. Increase the proportion of adults with chronic joint symptoms who have seen a health care provider for their symptoms

Asthma

RD-6. Increase the proportion of persons with current asthma who receive formal patient education

RD-7. Increase the proportion of persons with current asthma who receive appropriate asthma care according to National Asthma Education and Prevention Program (NAEPP) guidelines

Cancer Screening

C-15. Increase the proportion of women who receive a cervical cancer screening based on the most recent guidelines

C-16. Increase the proportion of adults who receive a colorectal cancer screening based on the most recent guidelines

C-17. Increase the proportion of women who receive a breast cancer screening based on the most recent guidelines

Cardiovascular Disease

HDS-3. Reduce stroke deaths

HDS-13. Increase the proportion of adults with elevated LDL cholesterol who have been advised by a health care provider regarding cholesterol-lowering management including lifestyle changes and, if indicated, medication

HDS-12. Increase the proportion of adults with hypertension whose blood pressure is under control

HDS-11. Increase the proportion of adults with hypertension who are taking the prescribed medications to lower their blood pressure

HDS-4. Increase the proportion of adults who have had their blood pressure measured within the preceding two years and can state whether their blood pressure was normal or high

HDS-2. Reduce coronary heart disease deaths

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

HDS-5. Reduce the proportion of persons in the population with hypertension

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Diabetes

- D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education
- V-5.2. Reduce visual impairment due to diabetic retinopathy
- D-1. Reduce the annual number of new cases of diagnosed diabetes in the population
- D-5. Improve glycemic control among the population with diagnosed diabetes
- D-8. Increase the proportion of persons with diagnosed diabetes who have at least an annual dental examination
- D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination
- D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination
- D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year
- D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

Disability

- DH-17. Increase the proportion of adults with disabilities who report sufficient social and emotional support

Exercise

- PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity
- PA-2. Increase the proportion of adults who meet current Federal physical activity guidelines for aerobic physical activity and for muscle-strengthening activity

Family Planning

- FP-1. Increase the proportion of pregnancies that are intended

Healthcare Access

- AHS-1. Increase the proportion of persons with health insurance
- AHS-3. Increase the proportion of persons with a usual primary care provider
- AHS-6. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care, dental care, or prescription medicines

HIV/AIDS

- HIV-14. Increase the proportion of adolescents and adults who have been tested for HIV in the past 12 months

2010 Florida Behavioral Risk Factor Surveillance System Data Report

Healthy People 2020 Objectives

Immunization

IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-1. Reduce, eliminate, or maintain elimination of cases of vaccine-preventable diseases

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

OA-11. Reduce the rate of emergency department visits due to falls among older adults

Oral Health

OH-4. Reduce the proportion of adults who have ever had a permanent tooth extracted because of dental caries or periodontal disease

OH-7. Increase the proportion of children, adolescents, and adults who used the oral health care system in the past year

Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

Sleep

SH-4. Increase the proportion of adults who get sufficient sleep

Substance Abuse

SA-19. Reduce the past-year nonmedical use of prescription drugs

Tobacco Use & Exposure

TU-6. Increase smoking cessation during pregnancy

TU-1. Reduce tobacco use by adults

TU-4. Increase smoking cessation attempts by adult smokers

TU-5. Increase recent smoking cessation success by adult smokers

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented in this report.



Prepared by:

Bo (Bonnie) Yu, M.A.S., M.A
Kimberly Cohen, JD, MSW
Cizao Ren, M.D., M.S., PhD.
Youjie Huang, M.D., Dr.P.H., M.P.H.

If you have any questions or comments
please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, Florida 32399-1720

Phone: 850-245-4401
Fax: 850-922-9299
Email: chronicdisease@doh.state.fl.us
Web: floridachronicdisease.org