



Florida Behavioral Risk Factor Surveillance System (BRFSS) 2015 Data Book

Published in September 2016

Rick Scott
Governor

Celeste Philip, MD, MPH
State Surgeon General and Secretary

Introduction

The Florida Department of Health is pleased to release the 2015 Florida Behavioral Risk Factor Surveillance System (BRFSS) State Data. The Florida BRFSS has been collecting and reporting health behavior data since 1986. The 2015 BRFSS Survey interviewed 9,739 Florida adults aged 18 years and older.

This statewide telephone survey is the only source of state-specific, population-based estimates of the prevalence of various health conditions and related risk behaviors among Florida residents aged 18 and older. The purpose of this survey is to gather information regarding personal health and risk behaviors, selected medical conditions, and preventive health care practices among Florida adults. These data can be used to: (1) determine priority health issues and identify populations at risk for illness, disability, and death; (2) plan and evaluate prevention programs; (3) educate the community and policy makers about disease prevention; and (4) support community policies that promote health and prevent disease.

The following data tables present the survey data on a variety of issues related to health status, health care access, lifestyle, chronic illnesses, and disease prevention practices. Each indicator was analyzed by sex, race/ethnicity, age, education, income, and marital status.

Since BRFSS respondents are randomly selected, measures of prevalence and mean are subject to random sample errors. Each measure listed in the data tables includes the 95% confidence interval (CI). If the CIs overlap between subpopulations (e.g., males compared to females), there is no statistically significant difference in the prevalence rates. However, if the CIs do not overlap, there is a statistically significant difference. For example, if the CI for men is 21.4% - 24.5% and the CI for women is 29.4% - 32.5%, then there is a statistically higher prevalence of women having that particular indicator compared to men as the two CIs do not overlap.

The CIs are determined by many factors, sample size in particular. As the data are divided for analysis by race/ethnicity, age, etc., the sample size for each group becomes smaller, the CIs become larger, and the estimates become less reliable. The significance of measures with very wide CIs should be interpreted with caution. Measures of prevalence and mean are excluded from the tables for any subpopulation with a sample size less than 30, which would yield statistically unreliable estimates.

The prevalence rates are adjusted, or “weighted,” by the Centers for Disease Control and Prevention (CDC) to represent all Florida adults. Weighting is a procedure that adjusts for the chance of an adult being selected to complete the survey and for discrepancies between the adults who completed the survey and the overall population of Florida adults. The data were weighted to the respondent’s probability of selection by county, as well as age, sex, marital status, race/ethnicity, education level, and housing type.

Due to a change in weighting methodology and the inclusion of cellular telephone responses starting in 2011, data from 2015 may not be comparable to data collected before 2011.

2015 Florida BRFSS Data Table of Contents

Health Status	
Arthritis	1
Asthma	2
Cancer Prevalence	3
Cardiovascular Disease.....	4
Cholesterol Awareness.....	6
Chronic Obstructive Pulmonary Disease (COPD)	8
Depression	9
Diabetes	10
Disability	14
Hypertension Awareness & Control.....	15
Kidney Disease.....	16
Overweight & Obesity	17
Vision Impairment.....	19
Health-Related Behaviors	
Alcohol Consumption.....	20
Tobacco Use & Exposure	21
Physical Activity & Nutrition	24
Health-Related Prevention	
HIV/AIDS Screening	26
Immunization	27
Injury Prevention.....	29
Health-Related Quality of Life	
Health Status & Quality of Life	30
Health Care	
Health Care Access & Coverage	34
Glossary	Appendix I
Healthy People 2020 Objectives	Appendix II

2015 Florida BRFSS Data

Arthritis

Percentage of adults who have been told they have some form of arthritis, rheumatoid arthritis, gout, lupus, or fibromyalgia

		Measure	95% CI
ALL	Overall	25.9	24.8 - 27.0
SEX	Men	21.4	19.8 - 23.0
	Women	30.1	28.5 - 31.7
RACE/ETHNICITY	Non-Hisp. White	31.1	29.7 - 32.5
	Non-Hisp. Black	22.6	19.1 - 26.2
	Hispanic	17.1	14.5 - 19.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	27.1	25.0 - 29.1
	Non-Hisp. White Women	35.0	33.1 - 36.9
	Non-Hisp. Black Men	16.2	11.3 - 21.1
	Non-Hisp. Black Women	27.9	22.9 - 32.8
	Hispanic Men	11.1	7.9 - 14.3
	Hispanic Women	22.8	18.8 - 26.7
AGE GROUP	18-44	6.4	5.2 - 7.6
	45-64	31.1	29.0 - 33.2
	65 & Older	51.7	49.6 - 53.8
EDUCATION LEVEL	<High School	29.3	25.2 - 33.5
	High School / GED	29.7	27.4 - 32.0
	>High School	22.9	21.7 - 24.2
ANNUAL INCOME	<\$25,000	32.0	29.5 - 34.6
	\$25,000-\$49,999	26.3	23.8 - 28.7
	\$50,000 or More	20.6	19.0 - 22.2
MARITAL STATUS	Married/Couple	25.9	24.3 - 27.4
	Not Married/Couple	25.9	24.2 - 27.6

Percentage of adults who are limited in any way in any usual activities because of arthritis

		Measure	95% CI
ALL	Overall	12.5	11.6 - 13.3
SEX	Men	9.9	8.8 - 11.0
	Women	14.9	13.7 - 16.2
RACE/ETHNICITY	Non-Hisp. White	14.6	13.5 - 15.6
	Non-Hisp. Black	11.2	8.5 - 13.9
	Hispanic	8.9	6.9 - 10.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	12.3	10.9 - 13.7
	Non-Hisp. White Women	16.8	15.3 - 18.3
	Non-Hisp. Black Men	8.5	4.7 - 12.3
	Non-Hisp. Black Women	13.5	9.7 - 17.2
	Hispanic Men	4.9	2.5 - 7.2
	Hispanic Women	12.9	9.7 - 16.1
AGE GROUP	18-44	3.0	2.2 - 3.8
	45-64	16.9	15.2 - 18.6
	65 & Older	23.6	21.6 - 25.5
EDUCATION LEVEL	<High School	17.3	13.9 - 20.7
	High School / GED	13.9	12.2 - 15.6
	>High School	10.5	9.6 - 11.4
ANNUAL INCOME	<\$25,000	19.3	17.2 - 21.5
	\$25,000-\$49,999	12.0	10.4 - 13.7
	\$50,000 or More	8.2	7.2 - 9.3
MARITAL STATUS	Married/Couple	11.5	10.4 - 12.6
	Not Married/Couple	13.6	12.3 - 14.9

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Asthma

Percentage of adults who currently have asthma

		Measure	95% CI
ALL	Overall	7.4	6.7 - 8.2
SEX	Men	5.3	4.4 - 6.1
	Women	9.5	8.4 - 10.6
RACE/ETHNICITY	Non-Hisp. White	7.9	7.1 - 8.8
	Non-Hisp. Black	6.5	4.5 - 8.5
	Hispanic	6.7	5.0 - 8.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.5	4.4 - 6.6
	Non-Hisp. White Women	10.2	8.9 - 11.5
	Non-Hisp. Black Men	5.4	2.7 - 8.0
	Non-Hisp. Black Women	7.4	4.6 - 10.3
	Hispanic Men	3.9	2.0 - 5.9
	Hispanic Women	9.4	6.6 - 12.2
AGE GROUP	18-44	7.4	6.1 - 8.7
	45-64	8.4	7.2 - 9.5
	65 & Older	6.7	5.7 - 7.6
EDUCATION LEVEL	<High School	8.0	5.6 - 10.4
	High School / GED	7.7	6.4 - 9.1
	>High School	7.2	6.3 - 8.0
ANNUAL INCOME	<\$25,000	9.7	8.2 - 11.3
	\$25,000-\$49,999	7.9	6.3 - 9.5
	\$50,000 or More	6.5	5.4 - 7.6
MARITAL STATUS	Married/Couple	6.9	6.0 - 7.8
	Not Married/Couple	8.0	6.9 - 9.2

Percentage of adults who have ever been told they had asthma

		Measure	95% CI
ALL	Overall	12.5	11.6 - 13.5
SEX	Men	10.5	9.2 - 11.8
	Women	14.4	13.0 - 15.7
RACE/ETHNICITY	Non-Hisp. White	12.5	11.4 - 13.6
	Non-Hisp. Black	11.6	8.6 - 14.6
	Hispanic	12.9	10.5 - 15.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.5	9.0 - 12.1
	Non-Hisp. White Women	14.4	12.9 - 15.9
	Non-Hisp. Black Men	11.2	6.8 - 15.6
	Non-Hisp. Black Women	12.0	7.9 - 16.0
	Hispanic Men	9.1	6.1 - 12.1
	Hispanic Women	16.6	12.9 - 20.3
AGE GROUP	18-44	13.8	12.0 - 15.6
	45-64	12.5	11.1 - 14.0
	65 & Older	10.8	9.4 - 12.1
EDUCATION LEVEL	<High School	12.0	9.0 - 15.0
	High School / GED	12.8	11.0 - 14.5
	>High School	12.5	11.3 - 13.7
ANNUAL INCOME	<\$25,000	14.4	12.5 - 16.3
	\$25,000-\$49,999	12.5	10.5 - 14.6
	\$50,000 or More	10.8	9.4 - 12.2
MARITAL STATUS	Married/Couple	11.6	10.4 - 12.8
	Not Married/Couple	13.5	12.0 - 15.0

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Cancer Prevalence

Percentage of adults who have ever been told they have had skin cancer

		Measure	95% CI
ALL	Overall	9.2	8.6 - 9.8
SEX	Men	9.8	8.8 - 10.7
	Women	8.6	7.8 - 9.4
RACE/ETHNICITY	Non-Hisp. White	14.7	13.7 - 15.7
	Non-Hisp. Black	0.4	0.0 - 0.7
	Hispanic	2.2	1.3 - 3.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	15.5	14.0 - 17.0
	Non-Hisp. White Women	13.9	12.7 - 15.1
	Non-Hisp. Black Men	0.5	0.0 - 1.2
	Non-Hisp. Black Women	0.3	0.0 - 0.6
	Hispanic Men	2.4	1.1 - 3.7
	Hispanic Women	2.0	0.7 - 3.2
AGE GROUP	18-44	1.1	0.6 - 1.6
	45-64	8.1	7.0 - 9.2
	65 & Older	24.5	22.8 - 26.1
EDUCATION LEVEL	<High School	5.8	4.1 - 7.6
	High School / GED	9.1	7.9 - 10.3
	>High School	10.1	9.3 - 10.9
ANNUAL INCOME	<\$25,000	6.6	5.6 - 7.7
	\$25,000-\$49,999	10.1	8.7 - 11.5
	\$50,000 or More	10.9	9.9 - 12.0
MARITAL STATUS	Married/Couple	10.7	9.8 - 11.6
	Not Married/Couple	7.5	6.7 - 8.3

Percentage of adults who have ever been told they had any other type of cancer except skin cancer

		Measure	95% CI
ALL	Overall	7.4	6.8 - 8.0
SEX	Men	6.6	5.8 - 7.4
	Women	8.1	7.2 - 8.9
RACE/ETHNICITY	Non-Hisp. White	9.9	9.1 - 10.7
	Non-Hisp. Black	3.5	2.4 - 4.6
	Hispanic	4.2	2.9 - 5.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.6	7.5 - 9.7
	Non-Hisp. White Women	11.2	9.9 - 12.4
	Non-Hisp. Black Men	3.7	2.0 - 5.3
	Non-Hisp. Black Women	3.4	1.9 - 4.9
	Hispanic Men	3.5	1.7 - 5.4
	Hispanic Women	4.7	3.1 - 6.4
AGE GROUP	18-44	1.8	1.1 - 2.4
	45-64	7.2	6.1 - 8.2
	65 & Older	17.5	16.0 - 19.0
EDUCATION LEVEL	<High School	6.0	4.0 - 8.0
	High School / GED	8.4	7.2 - 9.6
	>High School	7.2	6.6 - 7.9
ANNUAL INCOME	<\$25,000	8.3	6.9 - 9.7
	\$25,000-\$49,999	6.6	5.5 - 7.7
	\$50,000 or More	7.2	6.3 - 8.1
MARITAL STATUS	Married/Couple	7.6	6.8 - 8.4
	Not Married/Couple	7.1	6.3 - 8.0

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Cardiovascular Disease

Percentage of adults who have ever been told they had angina or coronary heart disease

		Measure	95% CI
ALL	Overall	4.7	4.2 - 5.2
SEX	Men	5.5	4.7 - 6.2
	Women	4.0	3.4 - 4.6
RACE/ETHNICITY	Non-Hisp. White	6.2	5.5 - 6.8
	Non-Hisp. Black	2.8	1.5 - 4.0
	Hispanic	2.6	1.6 - 3.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	7.6	6.5 - 8.7
	Non-Hisp. White Women	4.8	4.0 - 5.6
	Non-Hisp. Black Men	1.5	0.1 - 2.9
	Non-Hisp. Black Women	3.8	1.9 - 5.7
	Hispanic Men	2.8	1.4 - 4.2
	Hispanic Women	2.4	1.2 - 3.6
AGE GROUP	18-44	0.6	0.3 - 1.0
	45-64	4.9	4.0 - 5.9
	65 & Older	11.4	10.2 - 12.7
EDUCATION LEVEL	<High School	5.9	4.0 - 7.8
	High School / GED	5.1	4.2 - 6.0
	>High School	4.2	3.6 - 4.7
ANNUAL INCOME	<\$25,000	6.7	5.5 - 7.9
	\$25,000-\$49,999	4.7	3.6 - 5.7
	\$50,000 or More	3.7	3.1 - 4.4
MARITAL STATUS	Married/Couple	4.5	3.9 - 5.1
	Not Married/Couple	5.0	4.2 - 5.7

Percentage of adults who have ever been told they had a heart attack

		Measure	95% CI
ALL	Overall	5.1	4.6 - 5.7
SEX	Men	6.6	5.7 - 7.5
	Women	3.8	3.1 - 4.4
RACE/ETHNICITY	Non-Hisp. White	6.4	5.7 - 7.1
	Non-Hisp. Black	2.3	1.3 - 3.2
	Hispanic	4.3	2.8 - 5.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.6	7.4 - 9.8
	Non-Hisp. White Women	4.3	3.6 - 5.0
	Non-Hisp. Black Men	1.4	0.5 - 2.3
	Non-Hisp. Black Women	3.0	1.4 - 4.5
	Hispanic Men	4.8	2.7 - 7.0
	Hispanic Women	3.8	1.8 - 5.8
AGE GROUP	18-44	0.7	0.3 - 1.1
	45-64	5.8	4.7 - 6.9
	65 & Older	12.0	10.5 - 13.4
EDUCATION LEVEL	<High School	9.3	6.7 - 11.8
	High School / GED	5.7	4.7 - 6.7
	>High School	3.8	3.3 - 4.3
ANNUAL INCOME	<\$25,000	8.2	6.7 - 9.7
	\$25,000-\$49,999	5.0	3.8 - 6.2
	\$50,000 or More	3.4	2.8 - 4.0
MARITAL STATUS	Married/Couple	4.8	4.1 - 5.5
	Not Married/Couple	5.6	4.7 - 6.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Cardiovascular Disease

Percentage of adults who have ever been told they had a stroke

		Measure	95% CI
ALL	Overall	3.1	2.7 - 3.5
SEX	Men	2.9	2.3 - 3.5
	Women	3.3	2.8 - 3.8
RACE/ETHNICITY	Non-Hisp. White	4.0	3.4 - 4.5
	Non-Hisp. Black	2.9	1.7 - 4.1
	Hispanic	1.2	0.6 - 1.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.0	3.1 - 4.9
	Non-Hisp. White Women	3.9	3.2 - 4.6
	Non-Hisp. Black Men	2.0	0.6 - 3.3
	Non-Hisp. Black Women	3.6	1.7 - 5.5
	Hispanic Men	0.6	0.1 - 1.1
	Hispanic Women	1.8	0.7 - 2.9
AGE GROUP	18-44	0.6	0.2 - 0.9
	45-64	3.7	2.9 - 4.5
	65 & Older	6.6	5.7 - 7.5
EDUCATION LEVEL	<High School	3.9	2.4 - 5.4
	High School / GED	3.7	2.9 - 4.4
	>High School	2.6	2.2 - 3.0
ANNUAL INCOME	<\$25,000	5.3	4.3 - 6.3
	\$25,000-\$49,999	3.3	2.5 - 4.2
	\$50,000 or More	1.6	1.1 - 2.0
MARITAL STATUS	Married/Couple	2.3	1.9 - 2.8
	Not Married/Couple	3.9	3.2 - 4.6

Percentage of adults who have ever been told they had coronary heart disease, heart attack, or stroke

		Measure	95% CI
ALL	Overall	9.4	8.7 - 10.1
SEX	Men	10.6	9.5 - 11.7
	Women	8.3	7.4 - 9.2
RACE/ETHNICITY	Non-Hisp. White	11.8	10.9 - 12.8
	Non-Hisp. Black	6.2	4.5 - 8.0
	Hispanic	6.3	4.6 - 7.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.2	12.7 - 15.7
	Non-Hisp. White Women	9.6	8.5 - 10.7
	Non-Hisp. Black Men	3.7	1.8 - 5.5
	Non-Hisp. Black Women	8.2	5.5 - 11.0
	Hispanic Men	6.3	4.0 - 8.7
	Hispanic Women	6.2	3.9 - 8.6
AGE GROUP	18-44	1.6	1.0 - 2.2
	45-64	10.4	9.0 - 11.8
	65 & Older	21.5	19.8 - 23.2
EDUCATION LEVEL	<High School	13.2	10.3 - 16.2
	High School / GED	10.9	9.5 - 12.2
	>High School	7.7	7.0 - 8.4
ANNUAL INCOME	<\$25,000	14.3	12.5 - 16.1
	\$25,000-\$49,999	9.8	8.2 - 11.4
	\$50,000 or More	6.5	5.7 - 7.3
MARITAL STATUS	Married/Couple	8.9	8.0 - 9.7
	Not Married/Couple	10.1	9.0 - 11.2

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Cholesterol Awareness

Percentage of adults who had their cholesterol checked in the past five years

		Measure	95% CI
ALL	Overall	79.7	78.4 - 81.0
SEX	Men	77.0	74.9 - 79.1
	Women	82.2	80.5 - 83.9
RACE/ETHNICITY	Non-Hisp. White	83.9	82.4 - 85.4
	Non-Hisp. Black	76.3	72.2 - 80.4
	Hispanic	72.1	68.7 - 75.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.0	80.7 - 85.3
	Non-Hisp. White Women	84.8	82.9 - 86.7
	Non-Hisp. Black Men	72.7	65.9 - 79.4
	Non-Hisp. Black Women	79.3	74.2 - 84.3
	Hispanic Men	65.4	60.1 - 70.8
	Hispanic Women	78.6	74.4 - 82.8
AGE GROUP	18-44	62.9	60.3 - 65.6
	45-64	88.0	86.4 - 89.7
	65 & Older	96.2	95.3 - 97.1
EDUCATION LEVEL	<High School	69.6	64.7 - 74.5
	High School / GED	75.4	72.8 - 78.0
	>High School	84.7	83.3 - 86.1
ANNUAL INCOME	<\$25,000	71.6	68.7 - 74.5
	\$25,000-\$49,999	79.5	76.7 - 82.3
	\$50,000 or More	86.8	84.9 - 88.8
MARITAL STATUS	Married/Couple	84.9	83.3 - 86.5
	Not Married/Couple	73.3	71.1 - 75.5

Percentage of adults who had their cholesterol checked in the past two years

		Measure	95% CI
ALL	Overall	74.6	73.2 - 76.0
SEX	Men	71.7	69.5 - 73.9
	Women	77.3	75.6 - 79.1
RACE/ETHNICITY	Non-Hisp. White	78.7	77.2 - 80.3
	Non-Hisp. Black	72.6	68.4 - 76.9
	Hispanic	67.1	63.5 - 70.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	78.0	75.6 - 80.4
	Non-Hisp. White Women	79.4	77.4 - 81.4
	Non-Hisp. Black Men	67.3	60.3 - 74.2
	Non-Hisp. Black Women	77.0	71.8 - 82.1
	Hispanic Men	61.1	55.7 - 66.5
	Hispanic Women	72.9	68.4 - 77.5
AGE GROUP	18-44	56.1	53.4 - 58.8
	45-64	82.6	80.8 - 84.4
	65 & Older	94.3	93.3 - 95.3
EDUCATION LEVEL	<High School	66.6	61.6 - 71.6
	High School / GED	71.3	68.7 - 74.0
	>High School	78.5	76.9 - 80.1
ANNUAL INCOME	<\$25,000	66.5	63.5 - 69.4
	\$25,000-\$49,999	74.7	71.7 - 77.6
	\$50,000 or More	81.4	79.3 - 83.5
MARITAL STATUS	Married/Couple	80.0	78.3 - 81.7
	Not Married/Couple	68.0	65.8 - 70.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Cholesterol Awareness

Percentage of adults who have ever been told that they have high blood cholesterol (among all adults)

		Measure	95% CI
ALL	Overall	31.7	30.4 - 33.0
SEX	Men	31.7	29.8 - 33.6
	Women	31.7	30.1 - 33.4
RACE/ETHNICITY	Non-Hisp. White	36.1	34.6 - 37.6
	Non-Hisp. Black	26.6	22.8 - 30.4
	Hispanic	26.0	23.0 - 29.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	36.1	33.8 - 38.4
	Non-Hisp. White Women	36.0	34.0 - 38.0
	Non-Hisp. Black Men	23.9	18.3 - 29.6
	Non-Hisp. Black Women	28.7	23.5 - 33.9
	Hispanic Men	26.7	21.9 - 31.4
	Hispanic Women	25.4	21.5 - 29.4
AGE GROUP	18-44	11.3	9.7 - 13.0
	45-64	41.0	38.7 - 43.3
	65 & Older	53.0	50.9 - 55.1
EDUCATION LEVEL	<High School	32.0	27.5 - 36.4
	High School / GED	33.9	31.4 - 36.3
	>High School	30.6	29.1 - 32.0
ANNUAL INCOME	<\$25,000	32.1	29.5 - 34.7
	\$25,000-\$49,999	31.9	29.2 - 34.5
	\$50,000 or More	32.7	30.7 - 34.8
MARITAL STATUS	Married/Couple	34.9	33.1 - 36.6
	Not Married/Couple	28.2	26.3 - 30.0

Percentage of adults who have ever been told that they have high blood cholesterol (among adults who had their cholesterol checked within the past five years)

		Measure	95% CI
ALL	Overall	38.8	37.3 - 40.2
SEX	Men	39.9	37.6 - 42.1
	Women	37.8	35.9 - 39.7
RACE/ETHNICITY	Non-Hisp. White	42.1	40.4 - 43.7
	Non-Hisp. Black	34.4	29.7 - 39.1
	Hispanic	34.5	30.6 - 38.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	42.6	40.1 - 45.1
	Non-Hisp. White Women	41.6	39.4 - 43.7
	Non-Hisp. Black Men	32.3	25.1 - 39.5
	Non-Hisp. Black Women	35.9	29.6 - 42.1
	Hispanic Men	38.0	31.8 - 44.3
	Hispanic Women	31.6	26.8 - 36.4
AGE GROUP	18-44	16.2	13.9 - 18.6
	45-64	45.5	43.1 - 48.0
	65 & Older	54.9	52.8 - 57.0
EDUCATION LEVEL	<High School	44.1	38.4 - 49.8
	High School / GED	43.5	40.6 - 46.4
	>High School	35.5	33.8 - 37.2
ANNUAL INCOME	<\$25,000	44.0	40.7 - 47.2
	\$25,000-\$49,999	38.6	35.5 - 41.7
	\$50,000 or More	36.9	34.7 - 39.1
MARITAL STATUS	Married/Couple	40.0	38.1 - 41.9
	Not Married/Couple	37.5	35.2 - 39.7

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Chronic Obstructive Pulmonary Disease (COPD)

Percentage of adults who have ever been told they had chronic obstructive pulmonary disease, emphysema, or chronic bronchitis

		Measure	95% CI
ALL	Overall	7.0	6.4 - 7.6
SEX	Men	6.0	5.2 - 6.9
	Women	7.8	7.0 - 8.7
RACE/ETHNICITY	Non-Hisp. White	9.0	8.2 - 9.9
	Non-Hisp. Black	4.9	3.2 - 6.7
	Hispanic	3.5	2.3 - 4.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	8.0	6.8 - 9.1
	Non-Hisp. White Women	10.1	8.9 - 11.2
	Non-Hisp. Black Men	4.0	1.7 - 6.3
	Non-Hisp. Black Women	5.7	3.1 - 8.2
	Hispanic Men	2.6	0.9 - 4.2
	Hispanic Women	4.3	2.6 - 6.1
AGE GROUP	18-44	2.2	1.5 - 3.0
	45-64	8.3	7.2 - 9.5
	65 & Older	13.4	12.0 - 14.9
EDUCATION LEVEL	<High School	10.4	7.9 - 12.9
	High School / GED	8.5	7.3 - 9.7
	>High School	5.3	4.7 - 5.8
ANNUAL INCOME	<\$25,000	12.0	10.5 - 13.6
	\$25,000-\$49,999	6.5	5.3 - 7.7
	\$50,000 or More	3.6	2.9 - 4.3
MARITAL STATUS	Married/Couple	5.6	4.9 - 6.3
	Not Married/Couple	8.5	7.5 - 9.6

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Depression

Percentage of adults who have ever been told they had a depressive disorder

		Measure	95% CI
ALL	Overall	16.5	15.4 - 17.6
SEX	Men	12.5	10.9 - 14.0
	Women	20.3	18.8 - 21.8
RACE/ETHNICITY	Non-Hisp. White	17.9	16.6 - 19.2
	Non-Hisp. Black	13.1	10.1 - 16.0
	Hispanic	16.3	13.5 - 19.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.5	11.8 - 15.3
	Non-Hisp. White Women	22.0	20.2 - 23.8
	Non-Hisp. Black Men	10.0	5.7 - 14.3
	Non-Hisp. Black Women	15.6	11.6 - 19.6
	Hispanic Men	11.7	7.7 - 15.7
	Hispanic Women	20.7	16.8 - 24.5
AGE GROUP	18-44	14.6	12.6 - 16.5
	45-64	20.4	18.6 - 22.2
	65 & Older	15.0	13.4 - 16.6
EDUCATION LEVEL	<High School	23.7	19.4 - 28.0
	High School / GED	15.9	14.0 - 17.7
	>High School	15.1	13.9 - 16.3
ANNUAL INCOME	<\$25,000	24.9	22.5 - 27.3
	\$25,000-\$49,999	16.6	14.2 - 18.9
	\$50,000 or More	11.5	10.0 - 13.0
MARITAL STATUS	Married/Couple	13.3	12.0 - 14.5
	Not Married/Couple	20.2	18.5 - 22.0

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Diabetes

Percentage of adults who have ever been told they had diabetes

		Measure	95% CI
ALL	Overall	11.3	10.5 - 12.1
SEX	Men	11.7	10.5 - 12.9
	Women	10.9	9.7 - 12.0
RACE/ETHNICITY	Non-Hisp. White	11.8	10.9 - 12.7
	Non-Hisp. Black	13.2	10.5 - 15.9
	Hispanic	9.3	7.4 - 11.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.6	12.1 - 15.1
	Non-Hisp. White Women	10.1	9.0 - 11.2
	Non-Hisp. Black Men	9.2	5.7 - 12.7
	Non-Hisp. Black Women	16.5	12.5 - 20.4
	Hispanic Men	9.1	6.2 - 12.0
	Hispanic Women	9.5	6.8 - 12.3
AGE GROUP	18-44	2.2	1.4 - 2.9
	45-64	14.1	12.4 - 15.7
	65 & Older	23.0	21.1 - 24.8
EDUCATION LEVEL	<High School	16.4	13.1 - 19.7
	High School / GED	13.0	11.4 - 14.5
	>High School	9.1	8.2 - 9.9
ANNUAL INCOME	<\$25,000	16.3	14.2 - 18.3
	\$25,000-\$49,999	10.7	9.0 - 12.4
	\$50,000 or More	8.4	7.3 - 9.5
MARITAL STATUS	Married/Couple	11.5	10.4 - 12.6
	Not Married/Couple	11.0	9.8 - 12.2

Percentage of adults with diabetes who self-monitor blood glucose at least once a day on average

		Measure	95% CI
ALL	Overall	63.4	57.9 - 69.0
SEX	Men	58.5	50.7 - 66.2
	Women	68.7	60.8 - 76.6
RACE/ETHNICITY	Non-Hisp. White	58.2	51.9 - 64.6
	Non-Hisp. Black	70.3	57.6 - 83.1
	Hispanic	69.4	53.8 - 85.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	53.6	44.9 - 62.2
	Non-Hisp. White Women	65.3	56.2 - 74.3
	Non-Hisp. Black Men	NA	
	Non-Hisp. Black Women	70.0	53.7 - 86.2
	Hispanic Men	NA	
	Hispanic Women	69.5	49.2 - 89.7
AGE GROUP	18-44	NA	
	45-64	55.8	45.7 - 66.0
	65 & Older	68.8	62.8 - 74.7
EDUCATION LEVEL	<High School	68.8	55.3 - 82.3
	High School / GED	65.6	55.9 - 75.2
	>High School	59.1	51.3 - 66.8
ANNUAL INCOME	<\$25,000	72.3	64.0 - 80.5
	\$25,000-\$49,999	56.8	44.0 - 69.6
	\$50,000 or More	45.4	34.2 - 56.6
MARITAL STATUS	Married/Couple	59.7	52.1 - 67.3
	Not Married/Couple	67.8	60.0 - 75.7

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Diabetes

Percentage of adults with diabetes who had two A1C tests in the past year

		Measure	95% CI
ALL	Overall	77.4	72.7 - 82.2
SEX	Men	76.2	69.4 - 83.0
	Women	78.8	72.3 - 85.4
RACE/ETHNICITY	Non-Hisp. White	77.8	72.0 - 83.6
	Non-Hisp. Black	79.6	68.3 - 90.9
	Hispanic	73.3	60.3 - 86.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	77.7	70.0 - 85.5
	Non-Hisp. White Women	78.0	69.5 - 86.4
	Non-Hisp. Black Men	NA	
	Non-Hisp. Black Women	80.6	66.7 - 94.4
	Hispanic Men	NA	
	Hispanic Women	79.2	63.8 - 94.7
AGE GROUP	18-44	NA	
	45-64	75.1	66.8 - 83.5
	65 & Older	79.5	73.8 - 85.2
EDUCATION LEVEL	<High School	64.8	51.0 - 78.7
	High School / GED	83.5	76.6 - 90.4
	>High School	78.2	71.6 - 84.8
ANNUAL INCOME	<\$25,000	76.7	69.1 - 84.3
	\$25,000-\$49,999	69.8	57.7 - 81.8
	\$50,000 or More	78.4	69.2 - 87.6
MARITAL STATUS	Married/Couple	77.3	70.7 - 83.8
	Not Married/Couple	76.8	69.7 - 83.8

Percentage of adults with diabetes who had an annual foot exam

		Measure	95% CI
ALL	Overall	65.1	59.3 - 70.8
SEX	Men	66.2	58.6 - 73.8
	Women	63.8	55.1 - 72.5
RACE/ETHNICITY	Non-Hisp. White	68.2	62.1 - 74.3
	Non-Hisp. Black	80.0	67.0 - 93.0
	Hispanic	50.6	34.3 - 66.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.2	61.1 - 77.3
	Non-Hisp. White Women	66.7	57.5 - 75.9
	Non-Hisp. Black Men	NA	
	Non-Hisp. Black Women	76.4	58.2 - 94.6
	Hispanic Men	NA	
	Hispanic Women	53.6	32.4 - 74.8
AGE GROUP	18-44	NA	
	45-64	60.5	50.7 - 70.3
	65 & Older	74.9	69.1 - 80.7
EDUCATION LEVEL	<High School	64.2	50.4 - 78.1
	High School / GED	68.5	59.3 - 77.6
	>High School	62.7	54.3 - 71.2
ANNUAL INCOME	<\$25,000	60.0	50.1 - 70.0
	\$25,000-\$49,999	66.1	54.1 - 78.1
	\$50,000 or More	67.6	56.6 - 78.5
MARITAL STATUS	Married/Couple	65.2	57.6 - 72.8
	Not Married/Couple	64.6	55.6 - 73.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Diabetes

Percentage of adults with diabetes who had an annual eye exam

		Measure	95% CI
ALL	Overall	71.0	65.6 - 76.4
SEX	Men	71.5	64.0 - 79.1
	Women	70.5	62.6 - 78.3
RACE/ETHNICITY	Non-Hisp. White	73.4	67.5 - 79.2
	Non-Hisp. Black	68.9	55.7 - 82.2
	Hispanic	63.1	47.2 - 78.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	74.1	66.2 - 82.0
	Non-Hisp. White Women	72.3	63.6 - 81.0
	Non-Hisp. Black Men	NA	
	Non-Hisp. Black Women	67.8	51.0 - 84.6
	Hispanic Men	NA	
	Hispanic Women	67.9	47.8 - 87.9
AGE GROUP	18-44	NA	
	45-64	60.7	50.7 - 70.8
	65 & Older	81.4	76.2 - 86.5
EDUCATION LEVEL	<High School	71.5	58.8 - 84.3
	High School / GED	72.6	63.0 - 82.3
	>High School	69.0	61.6 - 76.5
ANNUAL INCOME	<\$25,000	79.4	72.7 - 86.2
	\$25,000-\$49,999	57.7	44.6 - 70.8
	\$50,000 or More	58.9	46.9 - 70.8
MARITAL STATUS	Married/Couple	69.8	62.2 - 77.4
	Not Married/Couple	71.7	64.1 - 79.3

Percentage of adults with diabetes who ever had diabetes self-management education

		Measure	95% CI
ALL	Overall	46.1	40.4 - 51.9
SEX	Men	44.1	36.4 - 51.8
	Women	48.3	39.8 - 56.8
RACE/ETHNICITY	Non-Hisp. White	46.7	40.5 - 53.0
	Non-Hisp. Black	60.2	46.0 - 74.3
	Hispanic	31.6	17.7 - 45.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	42.3	33.9 - 50.7
	Non-Hisp. White Women	53.6	44.4 - 62.8
	Non-Hisp. Black Men	NA	
	Non-Hisp. Black Women	57.5	39.6 - 75.3
	Hispanic Men	NA	
	Hispanic Women	26.7	9.1 - 44.2
AGE GROUP	18-44	NA	
	45-64	43.8	34.0 - 53.5
	65 & Older	45.9	39.2 - 52.6
EDUCATION LEVEL	<High School	32.6	20.0 - 45.1
	High School / GED	45.3	35.4 - 55.2
	>High School	54.0	46.2 - 61.8
ANNUAL INCOME	<\$25,000	43.1	33.6 - 52.7
	\$25,000-\$49,999	43.6	31.8 - 55.3
	\$50,000 or More	52.6	41.1 - 64.1
MARITAL STATUS	Married/Couple	43.6	36.4 - 50.9
	Not Married/Couple	48.3	39.4 - 57.2

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Diabetes

Percentage of adults who have ever been told they had pre-diabetes

		Measure	95% CI
ALL	Overall	7.0	6.1 - 8.0
SEX	Men	6.6	5.1 - 8.0
	Women	7.5	6.2 - 8.8
RACE/ETHNICITY	Non-Hisp. White	7.4	6.2 - 8.5
	Non-Hisp. Black	7.3	4.8 - 9.8
	Hispanic	6.5	3.9 - 9.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.6	5.1 - 8.2
	Non-Hisp. White Women	8.1	6.5 - 9.8
	Non-Hisp. Black Men	7.4	3.1 - 11.8
	Non-Hisp. Black Women	7.2	4.4 - 10.1
	Hispanic Men	6.4	2.3 - 10.4
	Hispanic Women	6.6	3.4 - 9.8
AGE GROUP	18-44	3.9	2.4 - 5.4
	45-64	9.6	7.6 - 11.6
	65 & Older	7.6	6.3 - 8.9
EDUCATION LEVEL	<High School	9.5	5.8 - 13.1
	High School / GED	6.3	4.6 - 8.0
	>High School	6.7	5.6 - 7.8
ANNUAL INCOME	<\$25,000	7.5	5.6 - 9.3
	\$25,000-\$49,999	7.1	5.0 - 9.3
	\$50,000 or More	6.9	5.4 - 8.5
MARITAL STATUS	Married/Couple	7.6	6.1 - 9.0
	Not Married/Couple	6.5	5.2 - 7.8

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Disability

Percentage of adults who are limited in any way in any activities because of physical, mental, or emotional problems

		Measure	95% CI
ALL	Overall	20.7	19.6 - 21.8
SEX	Men	19.9	18.2 - 21.5
	Women	21.5	20.1 - 23.0
RACE/ETHNICITY	Non-Hisp. White	24.0	22.6 - 25.3
	Non-Hisp. Black	17.3	14.0 - 20.6
	Hispanic	15.0	12.6 - 17.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	24.5	22.3 - 26.6
	Non-Hisp. White Women	23.5	21.7 - 25.2
	Non-Hisp. Black Men	13.4	8.8 - 18.0
	Non-Hisp. Black Women	20.5	15.8 - 25.2
	Hispanic Men	11.7	8.4 - 15.0
	Hispanic Women	18.3	14.7 - 21.9
AGE GROUP	18-44	11.8	10.2 - 13.5
	45-64	26.1	24.1 - 28.1
	65 & Older	28.8	26.8 - 30.7
EDUCATION LEVEL	<High School	30.4	26.0 - 34.8
	High School / GED	21.1	19.0 - 23.1
	>High School	18.1	16.9 - 19.3
ANNUAL INCOME	<\$25,000	32.5	29.8 - 35.2
	\$25,000-\$49,999	18.3	16.2 - 20.4
	\$50,000 or More	13.9	12.5 - 15.3
MARITAL STATUS	Married/Couple	17.6	16.2 - 18.9
	Not Married/Couple	24.2	22.4 - 26.0

Percentage of adults who use special equipment because of a health problem

		Measure	95% CI
ALL	Overall	9.0	8.3 - 9.7
SEX	Men	8.6	7.5 - 9.6
	Women	9.4	8.4 - 10.4
RACE/ETHNICITY	Non-Hisp. White	10.2	9.3 - 11.0
	Non-Hisp. Black	10.4	7.9 - 13.0
	Hispanic	5.8	4.2 - 7.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.2	8.9 - 11.5
	Non-Hisp. White Women	10.1	9.1 - 11.2
	Non-Hisp. Black Men	8.2	4.7 - 11.7
	Non-Hisp. Black Women	12.2	8.6 - 15.8
	Hispanic Men	4.8	2.6 - 7.0
	Hispanic Women	6.8	4.5 - 9.2
AGE GROUP	18-44	2.3	1.5 - 3.1
	45-64	10.3	9.0 - 11.6
	65 & Older	18.2	16.6 - 19.9
EDUCATION LEVEL	<High School	15.8	12.5 - 19.0
	High School / GED	9.7	8.3 - 11.0
	>High School	6.8	6.2 - 7.5
ANNUAL INCOME	<\$25,000	15.8	13.9 - 17.8
	\$25,000-\$49,999	7.7	6.4 - 9.0
	\$50,000 or More	4.7	3.9 - 5.5
MARITAL STATUS	Married/Couple	6.9	6.1 - 7.7
	Not Married/Couple	11.1	9.9 - 12.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Hypertension Awareness & Control

Percentage of adults who have ever been told they had hypertension

		Measure	95% CI
ALL	Overall	33.5	32.2 - 34.8
SEX	Men	35.6	33.6 - 37.6
	Women	31.5	29.9 - 33.2
RACE/ETHNICITY	Non-Hisp. White	35.8	34.4 - 37.3
	Non-Hisp. Black	38.4	34.2 - 42.7
	Hispanic	26.9	23.7 - 30.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	38.8	36.5 - 41.2
	Non-Hisp. White Women	33.0	31.1 - 34.9
	Non-Hisp. Black Men	37.4	30.8 - 44.0
	Non-Hisp. Black Women	39.3	33.8 - 44.8
	Hispanic Men	29.0	23.9 - 34.1
	Hispanic Women	24.9	21.0 - 28.9
AGE GROUP	18-44	13.6	11.8 - 15.5
	45-64	38.7	36.4 - 40.9
	65 & Older	60.5	58.5 - 62.5
EDUCATION LEVEL	<High School	41.1	36.2 - 45.9
	High School / GED	36.0	33.5 - 38.4
	>High School	30.3	28.8 - 31.8
ANNUAL INCOME	<\$25,000	38.6	35.9 - 41.3
	\$25,000-\$49,999	35.2	32.4 - 38.0
	\$50,000 or More	29.2	27.2 - 31.2
MARITAL STATUS	Married/Couple	33.5	31.7 - 35.2
	Not Married/Couple	33.8	31.8 - 35.8

Percentage of adults with hypertension who currently take high blood pressure medicine

		Measure	95% CI
ALL	Overall	80.3	78.2 - 82.3
SEX	Men	76.3	73.0 - 79.6
	Women	84.5	82.2 - 86.8
RACE/ETHNICITY	Non-Hisp. White	82.9	81.0 - 84.9
	Non-Hisp. Black	80.0	74.2 - 85.8
	Hispanic	74.1	67.4 - 80.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	81.0	78.0 - 84.0
	Non-Hisp. White Women	85.1	82.6 - 87.7
	Non-Hisp. Black Men	71.8	61.4 - 82.1
	Non-Hisp. Black Women	86.5	80.5 - 92.5
	Hispanic Men	66.7	55.9 - 77.5
	Hispanic Women	82.4	75.9 - 88.9
AGE GROUP	18-44	38.3	31.4 - 45.2
	45-64	82.9	80.2 - 85.6
	65 & Older	93.9	92.9 - 95.0
EDUCATION LEVEL	<High School	78.1	71.2 - 85.0
	High School / GED	84.3	81.1 - 87.5
	>High School	78.3	75.8 - 80.9
ANNUAL INCOME	<\$25,000	82.0	78.7 - 85.3
	\$25,000-\$49,999	78.4	74.0 - 82.8
	\$50,000 or More	80.1	76.3 - 83.9
MARITAL STATUS	Married/Couple	83.9	81.5 - 86.3
	Not Married/Couple	76.0	72.7 - 79.4

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Kidney Disease

Percentage of adults who have ever been told they had kidney disease

		Measure	95% CI
ALL	Overall	3.0	2.5 - 3.5
SEX	Men	3.0	2.2 - 3.8
	Women	3.1	2.5 - 3.7
RACE/ETHNICITY	Non-Hisp. White	3.2	2.7 - 3.7
	Non-Hisp. Black	1.1	0.6 - 1.6
	Hispanic	4.4	2.7 - 6.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.0	2.3 - 3.7
	Non-Hisp. White Women	3.3	2.6 - 4.0
	Non-Hisp. Black Men	0.8	0.2 - 1.4
	Non-Hisp. Black Women	1.3	0.5 - 2.1
	Hispanic Men	4.6	1.7 - 7.6
	Hispanic Women	4.2	2.3 - 6.0
AGE GROUP	18-44	1.5	0.6 - 2.4
	45-64	2.9	2.2 - 3.6
	65 & Older	5.7	4.8 - 6.6
EDUCATION LEVEL	<High School	5.2	2.7 - 7.6
	High School / GED	3.2	2.3 - 4.0
	>High School	2.4	2.0 - 2.9
ANNUAL INCOME	<\$25,000	4.0	3.0 - 5.1
	\$25,000-\$49,999	2.6	1.9 - 3.3
	\$50,000 or More	2.5	1.5 - 3.5
MARITAL STATUS	Married/Couple	2.6	2.1 - 3.1
	Not Married/Couple	3.6	2.7 - 4.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Overweight & Obesity

Percentage of adults who are overweight

		Measure	95% CI
ALL	Overall	37.3	35.8 - 38.7
SEX	Men	42.5	40.3 - 44.7
	Women	32.0	30.1 - 33.9
RACE/ETHNICITY	Non-Hisp. White	35.9	34.3 - 37.5
	Non-Hisp. Black	35.4	31.0 - 39.9
	Hispanic	42.2	38.4 - 45.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	41.2	38.7 - 43.8
	Non-Hisp. White Women	30.4	28.3 - 32.5
	Non-Hisp. Black Men	39.2	32.3 - 46.2
	Non-Hisp. Black Women	32.2	26.4 - 37.9
	Hispanic Men	47.5	41.9 - 53.1
	Hispanic Women	36.7	31.7 - 41.7
AGE GROUP	18-44	35.3	32.6 - 38.0
	45-64	37.6	35.2 - 40.0
	65 & Older	40.2	38.1 - 42.3
EDUCATION LEVEL	<High School	39.7	34.5 - 44.9
	High School / GED	36.8	34.1 - 39.6
	>High School	36.9	35.1 - 38.6
ANNUAL INCOME	<\$25,000	34.8	31.8 - 37.7
	\$25,000-\$49,999	38.1	34.9 - 41.2
	\$50,000 or More	39.5	37.1 - 41.8
MARITAL STATUS	Married/Couple	40.3	38.4 - 42.3
	Not Married/Couple	33.8	31.6 - 36.0

Percentage of adults who are obese

		Measure	95% CI
ALL	Overall	26.8	25.5 - 28.1
SEX	Men	27.7	25.7 - 29.6
	Women	25.9	24.1 - 27.7
RACE/ETHNICITY	Non-Hisp. White	26.0	24.5 - 27.5
	Non-Hisp. Black	35.3	30.9 - 39.7
	Hispanic	26.1	22.8 - 29.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	28.0	25.8 - 30.3
	Non-Hisp. White Women	23.9	22.0 - 25.9
	Non-Hisp. Black Men	29.1	22.7 - 35.4
	Non-Hisp. Black Women	40.7	34.7 - 46.7
	Hispanic Men	29.0	24.0 - 34.0
	Hispanic Women	23.1	18.8 - 27.4
AGE GROUP	18-44	23.2	20.9 - 25.5
	45-64	32.2	29.9 - 34.4
	65 & Older	25.9	23.9 - 27.8
EDUCATION LEVEL	<High School	28.7	24.1 - 33.3
	High School / GED	29.0	26.4 - 31.5
	>High School	25.2	23.6 - 26.8
ANNUAL INCOME	<\$25,000	29.7	27.0 - 32.4
	\$25,000-\$49,999	28.9	26.1 - 31.8
	\$50,000 or More	25.1	23.1 - 27.2
MARITAL STATUS	Married/Couple	28.0	26.2 - 29.8
	Not Married/Couple	25.3	23.4 - 27.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Overweight & Obesity

Percentage of adults who are overweight or obese

		Measure	95% CI
ALL	Overall	64.1	62.6 - 65.5
SEX	Men	70.1	68.0 - 72.2
	Women	57.9	56.0 - 59.9
RACE/ETHNICITY	Non-Hisp. White	61.9	60.3 - 63.6
	Non-Hisp. Black	70.8	66.4 - 75.2
	Hispanic	68.2	64.7 - 71.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.3	66.8 - 71.8
	Non-Hisp. White Women	54.3	52.1 - 56.6
	Non-Hisp. Black Men	68.3	61.6 - 75.0
	Non-Hisp. Black Women	72.9	67.1 - 78.7
	Hispanic Men	76.5	71.7 - 81.3
	Hispanic Women	59.8	54.8 - 64.8
AGE GROUP	18-44	58.5	55.8 - 61.3
	45-64	69.7	67.6 - 71.9
	65 & Older	66.1	64.1 - 68.0
EDUCATION LEVEL	<High School	68.4	63.4 - 73.3
	High School / GED	65.8	63.1 - 68.5
	>High School	62.1	60.3 - 63.8
ANNUAL INCOME	<\$25,000	64.4	61.6 - 67.3
	\$25,000-\$49,999	67.0	64.0 - 70.0
	\$50,000 or More	64.6	62.3 - 66.9
MARITAL STATUS	Married/Couple	68.3	66.5 - 70.2
	Not Married/Couple	59.1	56.9 - 61.4

Percentage of adults who are a healthy weight (BMI from 18.5 to 24.9)

		Measure	95% CI
ALL	Overall	33.9	32.5 - 35.3
SEX	Men	28.6	26.5 - 30.7
	Women	39.2	37.2 - 41.2
RACE/ETHNICITY	Non-Hisp. White	36.3	34.6 - 38.0
	Non-Hisp. Black	27.7	23.4 - 32.0
	Hispanic	28.7	25.3 - 32.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	29.8	27.3 - 32.3
	Non-Hisp. White Women	43.0	40.7 - 45.2
	Non-Hisp. Black Men	29.9	23.4 - 36.4
	Non-Hisp. Black Women	25.8	20.1 - 31.6
	Hispanic Men	21.3	16.7 - 25.9
	Hispanic Women	36.2	31.3 - 41.0
AGE GROUP	18-44	38.7	36.0 - 41.4
	45-64	28.8	26.7 - 30.9
	65 & Older	32.4	30.4 - 34.4
EDUCATION LEVEL	<High School	29.4	24.6 - 34.2
	High School / GED	31.2	28.6 - 33.8
	>High School	36.4	34.7 - 38.2
ANNUAL INCOME	<\$25,000	32.6	29.8 - 35.4
	\$25,000-\$49,999	31.5	28.6 - 34.5
	\$50,000 or More	34.1	31.8 - 36.4
MARITAL STATUS	Married/Couple	30.5	28.7 - 32.4
	Not Married/Couple	37.7	35.5 - 40.0

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Vision Impairment

Percentage of adults who are blind or have serious difficulty seeing, even when wearing glasses

		Measure	95% CI
ALL	Overall	5.2	4.5 - 5.8
SEX	Men	4.3	3.4 - 5.1
	Women	6.0	5.0 - 7.0
RACE/ETHNICITY	Non-Hisp. White	4.1	3.5 - 4.7
	Non-Hisp. Black	6.8	4.4 - 9.1
	Hispanic	7.0	5.1 - 8.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.7	2.8 - 4.7
	Non-Hisp. White Women	4.5	3.6 - 5.3
	Non-Hisp. Black Men	5.7	2.5 - 8.9
	Non-Hisp. Black Women	7.6	4.3 - 10.9
	Hispanic Men	4.4	2.3 - 6.5
	Hispanic Women	9.5	6.4 - 12.6
AGE GROUP	18-44	3.3	2.3 - 4.4
	45-64	6.5	5.4 - 7.7
	65 & Older	6.4	5.2 - 7.7
EDUCATION LEVEL	<High School	12.3	9.2 - 15.4
	High School / GED	5.6	4.3 - 6.8
	>High School	3.1	2.6 - 3.7
ANNUAL INCOME	<\$25,000	10.2	8.4 - 12.0
	\$25,000-\$49,999	4.0	2.7 - 5.2
	\$50,000 or More	1.7	1.2 - 2.2
MARITAL STATUS	Married/Couple	3.6	2.9 - 4.4
	Not Married/Couple	6.9	5.8 - 8.0

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Alcohol Consumption

Percentage of adults who engage in heavy or binge drinking

		Measure	95% CI
ALL	Overall	17.4	16.2 - 18.7
SEX	Men	21.9	19.9 - 23.9
	Women	13.4	12.0 - 14.8
RACE/ETHNICITY	Non-Hisp. White	18.7	17.2 - 20.2
	Non-Hisp. Black	13.5	10.1 - 17.0
	Hispanic	16.3	13.3 - 19.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	22.0	19.6 - 24.4
	Non-Hisp. White Women	15.6	13.8 - 17.4
	Non-Hisp. Black Men	17.8	11.8 - 23.9
	Non-Hisp. Black Women	10.1	6.3 - 13.9
	Hispanic Men	23.5	18.4 - 28.6
	Hispanic Women	9.5	6.4 - 12.5
AGE GROUP	18-44	24.4	21.9 - 26.8
	45-64	16.2	14.4 - 18.0
	65 & Older	7.9	6.8 - 9.0
EDUCATION LEVEL	<High School	15.1	10.8 - 19.4
	High School / GED	18.0	15.7 - 20.3
	>High School	17.7	16.2 - 19.1
ANNUAL INCOME	<\$25,000	14.4	12.1 - 16.6
	\$25,000-\$49,999	16.2	13.7 - 18.7
	\$50,000 or More	23.2	21.0 - 25.4
MARITAL STATUS	Married/Couple	15.3	13.8 - 16.9
	Not Married/Couple	20.1	18.1 - 22.1

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Tobacco Use & Exposure

Percentage of adults who are current smokers

		Measure	95% CI
ALL	Overall	15.8	14.7 - 16.9
SEX	Men	17.4	15.6 - 19.2
	Women	14.3	12.9 - 15.7
RACE/ETHNICITY	Non-Hisp. White	17.4	16.0 - 18.8
	Non-Hisp. Black	14.0	10.8 - 17.3
	Hispanic	13.0	10.3 - 15.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	17.3	15.1 - 19.4
	Non-Hisp. White Women	17.5	15.7 - 19.3
	Non-Hisp. Black Men	20.4	14.3 - 26.4
	Non-Hisp. Black Women	8.9	5.9 - 11.8
	Hispanic Men	16.1	11.8 - 20.5
	Hispanic Women	9.9	6.9 - 13.0
AGE GROUP	18-44	17.4	15.3 - 19.6
	45-64	19.4	17.6 - 21.3
	65 & Older	8.4	7.3 - 9.6
EDUCATION LEVEL	<High School	22.9	18.4 - 27.3
	High School / GED	19.5	17.3 - 21.7
	>High School	12.1	11.0 - 13.3
ANNUAL INCOME	<\$25,000	23.7	21.1 - 26.2
	\$25,000-\$49,999	15.6	13.3 - 18.0
	\$50,000 or More	11.4	9.7 - 13.2
MARITAL STATUS	Married/Couple	11.9	10.6 - 13.2
	Not Married/Couple	20.5	18.6 - 22.4

Percentage of adults who are former smokers

		Measure	95% CI
ALL	Overall	28.0	26.7 - 29.2
SEX	Men	31.4	29.5 - 33.4
	Women	24.8	23.2 - 26.3
RACE/ETHNICITY	Non-Hisp. White	36.2	34.6 - 37.8
	Non-Hisp. Black	11.0	8.4 - 13.6
	Hispanic	20.4	17.5 - 23.4
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	39.3	36.9 - 41.7
	Non-Hisp. White Women	33.2	31.2 - 35.2
	Non-Hisp. Black Men	13.3	8.9 - 17.7
	Non-Hisp. Black Women	9.1	6.1 - 12.1
	Hispanic Men	24.4	19.7 - 29.1
	Hispanic Women	16.6	12.9 - 20.3
AGE GROUP	18-44	16.4	14.4 - 18.5
	45-64	29.2	27.0 - 31.3
	65 & Older	45.8	43.7 - 47.9
EDUCATION LEVEL	<High School	23.8	19.7 - 27.8
	High School / GED	30.3	27.9 - 32.7
	>High School	27.9	26.4 - 29.3
ANNUAL INCOME	<\$25,000	24.9	22.5 - 27.3
	\$25,000-\$49,999	30.8	28.0 - 33.6
	\$50,000 or More	30.7	28.6 - 32.8
MARITAL STATUS	Married/Couple	31.8	30.1 - 33.5
	Not Married/Couple	23.6	21.8 - 25.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Tobacco Use & Exposure

Percentage of adults who have never smoked

		Measure	95% CI
ALL	Overall	56.2	54.8 - 57.7
SEX	Men	51.2	49.0 - 53.4
	Women	60.9	59.0 - 62.8
RACE/ETHNICITY	Non-Hisp. White	46.4	44.8 - 48.1
	Non-Hisp. Black	75.0	71.1 - 78.8
	Hispanic	66.6	63.0 - 70.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	43.4	40.9 - 46.0
	Non-Hisp. White Women	49.3	47.1 - 51.5
	Non-Hisp. Black Men	66.3	59.5 - 73.1
	Non-Hisp. Black Women	82.0	77.9 - 86.1
	Hispanic Men	59.4	53.9 - 65.0
	Hispanic Women	73.5	69.1 - 77.8
AGE GROUP	18-44	66.1	63.5 - 68.7
	45-64	51.4	49.0 - 53.8
	65 & Older	45.8	43.7 - 47.9
EDUCATION LEVEL	<High School	53.4	48.2 - 58.5
	High School / GED	50.2	47.4 - 53.0
	>High School	60.0	58.3 - 61.7
ANNUAL INCOME	<\$25,000	51.4	48.4 - 54.4
	\$25,000-\$49,999	53.5	50.4 - 56.7
	\$50,000 or More	57.9	55.5 - 60.2
MARITAL STATUS	Married/Couple	56.3	54.4 - 58.2
	Not Married/Couple	55.9	53.7 - 58.2

Percentage of non-smoking adults who live with someone who smokes inside their home

		Measure	95% CI
ALL	Overall	3.6	2.6 - 4.6
SEX	Men	5.1	3.2 - 7.1
	Women	2.2	1.4 - 3.0
RACE/ETHNICITY	Non-Hisp. White	4.0	2.5 - 5.4
	Non-Hisp. Black	3.8	0.8 - 6.8
	Hispanic	2.3	0.7 - 4.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	5.9	3.2 - 8.7
	Non-Hisp. White Women	2.0	1.0 - 3.1
	Non-Hisp. Black Men	5.3	0.0 - 11.1
	Non-Hisp. Black Women	2.4	0.1 - 4.7
	Hispanic Men	3.4	0.0 - 6.8
	Hispanic Women	1.5	0.3 - 2.7
AGE GROUP	18-44	5.3	2.9 - 7.7
	45-64	3.5	2.1 - 4.8
	65 & Older	1.5	0.8 - 2.3
EDUCATION LEVEL	<High School	2.8	0.0 - 5.9
	High School / GED	4.2	2.3 - 6.2
	>High School	3.5	2.1 - 4.8
ANNUAL INCOME	<\$25,000	2.5	1.3 - 3.8
	\$25,000-\$49,999	4.2	2.0 - 6.4
	\$50,000 or More	3.9	2.0 - 5.8
MARITAL STATUS	Married/Couple	2.9	1.8 - 4.0
	Not Married/Couple	4.4	2.5 - 6.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Tobacco Use & Exposure

Percentage of adult current smokers who tried to quit smoking at least once in the past year

		Measure	95% CI
ALL	Overall	64.9	61.0 - 68.7
SEX	Men	64.5	58.8 - 70.3
	Women	65.2	60.3 - 70.2
RACE/ETHNICITY	Non-Hisp. White	59.9	55.4 - 64.4
	Non-Hisp. Black	75.9	66.1 - 85.7
	Hispanic	74.5	63.3 - 85.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	57.8	50.8 - 64.7
	Non-Hisp. White Women	61.8	56.1 - 67.6
	Non-Hisp. Black Men	84.5	74.3 - 94.7
	Non-Hisp. Black Women	59.7	42.4 - 77.0
	Hispanic Men	70.3	54.1 - 86.5
	Hispanic Women	81.3	69.8 - 92.8
AGE GROUP	18-44	66.9	60.0 - 73.9
	45-64	66.2	61.4 - 71.1
	65 & Older	56.1	49.2 - 62.9
EDUCATION LEVEL	<High School	63.8	52.4 - 75.3
	High School / GED	65.1	59.1 - 71.1
	>High School	65.3	60.5 - 70.1
ANNUAL INCOME	<\$25,000	65.2	59.5 - 70.8
	\$25,000-\$49,999	68.2	60.2 - 76.2
	\$50,000 or More	61.6	53.3 - 69.8
MARITAL STATUS	Married/Couple	62.6	56.6 - 68.5
	Not Married/Couple	66.5	61.5 - 71.5

Percentage of adults who currently use e-cigarettes

		Measure	95% CI
ALL	Overall	5.8	4.7 - 6.9
SEX	Men	6.9	5.0 - 8.8
	Women	4.8	3.5 - 6.0
RACE/ETHNICITY	Non-Hisp. White	6.6	5.1 - 8.0
	Non-Hisp. Black	3.8	1.0 - 6.6
	Hispanic	5.4	2.7 - 8.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.8	4.6 - 9.0
	Non-Hisp. White Women	6.4	4.5 - 8.3
	Non-Hisp. Black Men	5.1	0.0 - 10.5
	Non-Hisp. Black Women	2.6	0.4 - 4.7
	Hispanic Men	8.2	3.2 - 13.2
	Hispanic Women	2.8	0.4 - 5.2
AGE GROUP	18-44	7.6	5.2 - 9.9
	45-64	6.4	4.7 - 8.2
	65 & Older	2.1	1.2 - 2.9
EDUCATION LEVEL	<High School	5.8	2.8 - 8.8
	High School / GED	7.7	5.0 - 10.4
	>High School	4.9	3.7 - 6.1
ANNUAL INCOME	<\$25,000	6.8	4.6 - 9.0
	\$25,000-\$49,999	4.3	2.1 - 6.5
	\$50,000 or More	6.1	4.1 - 8.1
MARITAL STATUS	Married/Couple	5.1	3.7 - 6.5
	Not Married/Couple	6.7	4.9 - 8.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Physical Activity & Nutrition

Percentage of adults who are sedentary

		Measure	95% CI
ALL	Overall	26.2	24.9 - 27.6
SEX	Men	25.4	23.4 - 27.5
	Women	26.9	25.2 - 28.7
RACE/ETHNICITY	Non-Hisp. White	23.5	22.0 - 24.9
	Non-Hisp. Black	33.8	29.1 - 38.5
	Hispanic	31.1	27.5 - 34.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	23.7	21.4 - 26.0
	Non-Hisp. White Women	23.3	21.5 - 25.1
	Non-Hisp. Black Men	24.1	17.5 - 30.6
	Non-Hisp. Black Women	41.8	35.4 - 48.1
	Hispanic Men	32.2	26.6 - 37.7
	Hispanic Women	30.1	25.4 - 34.7
AGE GROUP	18-44	20.7	18.4 - 23.1
	45-64	31.0	28.6 - 33.3
	65 & Older	29.0	27.0 - 31.0
EDUCATION LEVEL	<High School	42.5	37.2 - 47.8
	High School / GED	30.8	28.1 - 33.4
	>High School	19.9	18.5 - 21.3
ANNUAL INCOME	<\$25,000	36.6	33.5 - 39.6
	\$25,000-\$49,999	27.4	24.5 - 30.2
	\$50,000 or More	17.1	15.3 - 18.9
MARITAL STATUS	Married/Couple	24.3	22.5 - 26.1
	Not Married/Couple	28.3	26.2 - 30.4

Percentage of adults who meet aerobic recommendations

		Measure	95% CI
ALL	Overall	51.6	50.1 - 53.2
SEX	Men	52.1	49.7 - 54.4
	Women	51.2	49.2 - 53.3
RACE/ETHNICITY	Non-Hisp. White	55.8	54.1 - 57.6
	Non-Hisp. Black	42.7	37.8 - 47.7
	Hispanic	43.5	39.6 - 47.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	56.1	53.4 - 58.8
	Non-Hisp. White Women	55.6	53.3 - 57.9
	Non-Hisp. Black Men	51.3	43.5 - 59.1
	Non-Hisp. Black Women	35.7	29.6 - 41.7
	Hispanic Men	40.4	34.7 - 46.1
	Hispanic Women	46.6	41.3 - 52.0
AGE GROUP	18-44	52.3	49.4 - 55.2
	45-64	47.4	44.9 - 49.9
	65 & Older	56.8	54.6 - 59.0
EDUCATION LEVEL	<High School	35.9	30.5 - 41.3
	High School / GED	47.5	44.5 - 50.4
	>High School	57.5	55.6 - 59.3
ANNUAL INCOME	<\$25,000	44.7	41.5 - 47.9
	\$25,000-\$49,999	48.7	45.4 - 52.0
	\$50,000 or More	58.9	56.4 - 61.3
MARITAL STATUS	Married/Couple	53.6	51.5 - 55.6
	Not Married/Couple	49.4	47.0 - 51.8

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Physical Activity & Nutrition

Percentage of adults who consumed five or more servings of fruits or vegetables per day

		Measure	95% CI
ALL	Overall	18.0	16.8 - 19.2
SEX	Men	14.3	12.6 - 16.0
	Women	21.4	19.8 - 23.1
RACE/ETHNICITY	Non-Hisp. White	17.8	16.4 - 19.2
	Non-Hisp. Black	17.0	13.6 - 20.5
	Hispanic	17.7	14.7 - 20.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	14.2	12.2 - 16.2
	Non-Hisp. White Women	21.2	19.3 - 23.1
	Non-Hisp. Black Men	12.9	8.2 - 17.7
	Non-Hisp. Black Women	20.4	15.6 - 25.3
	Hispanic Men	14.7	10.2 - 19.1
	Hispanic Women	20.6	16.5 - 24.7
AGE GROUP	18-44	20.0	17.7 - 22.3
	45-64	17.2	15.5 - 19.0
	65 & Older	15.3	13.9 - 16.8
EDUCATION LEVEL	<High School	14.0	9.9 - 18.1
	High School / GED	14.2	12.2 - 16.3
	>High School	20.8	19.3 - 22.3
ANNUAL INCOME	<\$25,000	16.0	13.8 - 18.1
	\$25,000-\$49,999	17.2	14.6 - 19.8
	\$50,000 or More	20.4	18.4 - 22.4
MARITAL STATUS	Married/Couple	18.9	17.4 - 20.5
	Not Married/Couple	17.0	15.1 - 18.8

Percentage of adults who meet muscle strengthening recommendations

		Measure	95% CI
ALL	Overall	31.9	30.4 - 33.3
SEX	Men	37.1	34.8 - 39.4
	Women	26.9	25.1 - 28.7
RACE/ETHNICITY	Non-Hisp. White	32.5	30.8 - 34.2
	Non-Hisp. Black	30.4	25.9 - 34.9
	Hispanic	29.8	26.1 - 33.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	37.3	34.6 - 40.0
	Non-Hisp. White Women	27.9	25.8 - 29.9
	Non-Hisp. Black Men	38.6	31.0 - 46.2
	Non-Hisp. Black Women	23.6	18.5 - 28.7
	Hispanic Men	34.7	29.0 - 40.4
	Hispanic Women	25.0	20.4 - 29.6
AGE GROUP	18-44	41.2	38.3 - 44.0
	45-64	25.9	23.8 - 28.1
	65 & Older	24.6	22.8 - 26.4
EDUCATION LEVEL	<High School	25.3	20.0 - 30.7
	High School / GED	26.1	23.5 - 28.7
	>High School	36.5	34.7 - 38.3
ANNUAL INCOME	<\$25,000	24.3	21.5 - 27.2
	\$25,000-\$49,999	29.2	26.3 - 32.2
	\$50,000 or More	39.6	37.1 - 42.0
MARITAL STATUS	Married/Couple	29.9	28.0 - 31.7
	Not Married/Couple	34.3	31.9 - 36.6

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

HIV/AIDS Screening

Percentage of adults who have ever been tested for HIV

		Measure	95% CI
ALL	Overall	42.2	40.6 - 43.8
SEX	Men	41.3	38.9 - 43.6
	Women	43.1	41.0 - 45.2
RACE/ETHNICITY	Non-Hisp. White	35.4	33.6 - 37.1
	Non-Hisp. Black	65.5	60.7 - 70.2
	Hispanic	47.3	43.3 - 51.2
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.5	32.8 - 38.1
	Non-Hisp. White Women	35.2	32.9 - 37.6
	Non-Hisp. Black Men	65.1	57.6 - 72.6
	Non-Hisp. Black Women	65.8	59.8 - 71.8
	Hispanic Men	44.4	38.6 - 50.2
	Hispanic Women	50.1	44.7 - 55.4
AGE GROUP	18-44	55.8	52.9 - 58.7
	45-64	45.1	42.6 - 47.6
	65 & Older	16.4	14.6 - 18.1
EDUCATION LEVEL	<High School	38.8	33.3 - 44.3
	High School / GED	35.0	32.1 - 37.9
	>High School	46.9	45.0 - 48.7
ANNUAL INCOME	<\$25,000	44.4	41.2 - 47.6
	\$25,000-\$49,999	44.8	41.4 - 48.1
	\$50,000 or More	43.5	41.0 - 45.9
MARITAL STATUS	Married/Couple	39.4	37.4 - 41.5
	Not Married/Couple	45.4	43.0 - 47.8

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Immunization

Percentage of adults who received a flu shot in the past year

		Measure	95% CI
ALL	Overall	31.4	30.1 - 32.7
SEX	Men	29.6	27.7 - 31.5
	Women	33.0	31.3 - 34.8
RACE/ETHNICITY	Non-Hisp. White	37.3	35.7 - 38.9
	Non-Hisp. Black	23.1	19.2 - 27.0
	Hispanic	21.7	18.7 - 24.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	35.2	32.8 - 37.6
	Non-Hisp. White Women	39.3	37.2 - 41.4
	Non-Hisp. Black Men	21.0	15.0 - 27.1
	Non-Hisp. Black Women	24.9	19.7 - 30.0
	Hispanic Men	20.0	15.7 - 24.3
	Hispanic Women	23.4	19.1 - 27.8
AGE GROUP	18-44	21.7	19.5 - 24.0
	45-64	28.3	26.2 - 30.3
	65 & Older	51.4	49.2 - 53.6
EDUCATION LEVEL	<High School	24.7	20.4 - 29.1
	High School / GED	28.8	26.4 - 31.2
	>High School	34.3	32.6 - 35.9
ANNUAL INCOME	<\$25,000	28.0	25.3 - 30.7
	\$25,000-\$49,999	30.3	27.6 - 33.1
	\$50,000 or More	34.7	32.6 - 36.9
MARITAL STATUS	Married/Couple	33.7	31.9 - 35.5
	Not Married/Couple	28.7	26.7 - 30.7

Percentage of adults 65 years of age and older who received a flu shot in the past year

		Measure	95% CI
ALL	Overall	51.4	49.2 - 53.6
SEX	Men	53.4	50.0 - 56.8
	Women	49.7	46.9 - 52.5
RACE/ETHNICITY	Non-Hisp. White	54.8	52.6 - 56.9
	Non-Hisp. Black	42.9	33.3 - 52.5
	Hispanic	35.9	27.5 - 44.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	56.2	52.8 - 59.5
	Non-Hisp. White Women	53.5	50.8 - 56.3
	Non-Hisp. Black Men	45.2	29.7 - 60.8
	Non-Hisp. Black Women	41.4	29.3 - 53.4
	Hispanic Men	36.9	21.8 - 52.0
	Hispanic Women	35.2	25.5 - 44.9
AGE GROUP	65 & Older	51.4	49.2 - 53.6
EDUCATION LEVEL	<High School	43.2	35.3 - 51.1
	High School / GED	49.0	45.2 - 52.9
	>High School	55.3	52.9 - 57.7
ANNUAL INCOME	<\$25,000	47.6	43.0 - 52.2
	\$25,000-\$49,999	49.4	45.2 - 53.7
	\$50,000 or More	59.2	55.8 - 62.7
MARITAL STATUS	Married/Couple	53.4	50.5 - 56.3
	Not Married/Couple	48.8	45.4 - 52.1

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Immunization

Percentage of adults who have ever received a pneumonia vaccination

		Measure	95% CI
ALL	Overall	35.4	34.0 - 36.9
SEX	Men	36.5	34.3 - 38.8
	Women	34.4	32.5 - 36.3
RACE/ETHNICITY	Non-Hisp. White	39.7	38.1 - 41.4
	Non-Hisp. Black	28.2	23.8 - 32.5
	Hispanic	28.3	24.5 - 32.1
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	40.0	37.4 - 42.6
	Non-Hisp. White Women	39.5	37.4 - 41.6
	Non-Hisp. Black Men	29.9	23.0 - 36.8
	Non-Hisp. Black Women	26.8	21.2 - 32.4
	Hispanic Men	31.0	25.1 - 36.9
	Hispanic Women	25.8	21.0 - 30.6
AGE GROUP	18-44	21.0	18.4 - 23.6
	45-64	25.8	23.7 - 28.0
	65 & Older	68.4	66.3 - 70.6
EDUCATION LEVEL	<High School	35.4	30.1 - 40.6
	High School / GED	36.5	33.8 - 39.3
	>High School	34.9	33.2 - 36.6
ANNUAL INCOME	<\$25,000	38.2	35.2 - 41.3
	\$25,000-\$49,999	35.2	32.2 - 38.2
	\$50,000 or More	32.2	30.0 - 34.4
MARITAL STATUS	Married/Couple	35.1	33.2 - 37.0
	Not Married/Couple	35.6	33.3 - 37.9

Percentage of adults 65 years of age and older who have ever received a pneumonia vaccination

		Measure	95% CI
ALL	Overall	68.4	66.3 - 70.6
SEX	Men	68.0	64.6 - 71.4
	Women	68.8	66.1 - 71.5
RACE/ETHNICITY	Non-Hisp. White	71.3	69.3 - 73.2
	Non-Hisp. Black	58.1	48.1 - 68.0
	Hispanic	57.3	48.0 - 66.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	69.5	66.3 - 72.7
	Non-Hisp. White Women	72.8	70.3 - 75.3
	Non-Hisp. Black Men	66.8	52.2 - 81.4
	Non-Hisp. Black Women	52.0	39.3 - 64.8
	Hispanic Men	54.6	38.0 - 71.3
	Hispanic Women	58.9	48.4 - 69.5
AGE GROUP	65 & Older	68.4	66.3 - 70.6
EDUCATION LEVEL	<High School	63.8	55.8 - 71.8
	High School / GED	67.1	63.5 - 70.8
	>High School	70.8	68.5 - 73.2
ANNUAL INCOME	<\$25,000	65.5	61.1 - 69.9
	\$25,000-\$49,999	67.6	63.2 - 72.1
	\$50,000 or More	72.6	69.5 - 75.7
MARITAL STATUS	Married/Couple	71.2	68.5 - 73.9
	Not Married/Couple	64.7	61.3 - 68.1

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Injury Prevention

Percentage of adults who always or nearly always use a seatbelt when riding in a car

		Measure	95% CI
ALL	Overall	94.0	93.1 - 94.9
SEX	Men	91.7	90.1 - 93.3
	Women	96.1	95.2 - 97.0
RACE/ETHNICITY	Non-Hisp. White	95.8	95.0 - 96.6
	Non-Hisp. Black	89.5	86.0 - 93.0
	Hispanic	92.3	89.6 - 95.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	94.4	93.1 - 95.8
	Non-Hisp. White Women	97.1	96.2 - 97.9
	Non-Hisp. Black Men	85.9	79.6 - 92.2
	Non-Hisp. Black Women	92.5	89.0 - 95.9
	Hispanic Men	87.9	83.0 - 92.8
	Hispanic Women	96.5	94.6 - 98.4
AGE GROUP	18-44	92.4	90.6 - 94.2
	45-64	94.7	93.4 - 96.1
	65 & Older	95.5	94.5 - 96.5
EDUCATION LEVEL	<High School	88.4	84.1 - 92.7
	High School / GED	92.8	91.1 - 94.4
	>High School	95.9	95.1 - 96.8
ANNUAL INCOME	<\$25,000	93.1	91.3 - 94.9
	\$25,000-\$49,999	92.4	90.4 - 94.4
	\$50,000 or More	95.1	93.6 - 96.6
MARITAL STATUS	Married/Couple	95.1	94.0 - 96.3
	Not Married/Couple	92.7	91.3 - 94.1

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Health Status & Quality of Life

Percentage of adults who said their overall health was "good" to "excellent"

		Measure	95% CI
ALL	Overall	81.6	80.5 - 82.7
SEX	Men	82.4	80.8 - 84.1
	Women	80.8	79.3 - 82.3
RACE/ETHNICITY	Non-Hisp. White	83.8	82.6 - 84.9
	Non-Hisp. Black	79.8	76.4 - 83.3
	Hispanic	76.2	73.2 - 79.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	83.1	81.2 - 85.0
	Non-Hisp. White Women	84.4	82.9 - 85.9
	Non-Hisp. Black Men	83.0	77.9 - 88.1
	Non-Hisp. Black Women	77.3	72.6 - 82.0
	Hispanic Men	79.0	74.6 - 83.4
	Hispanic Women	73.5	69.3 - 77.8
AGE GROUP	18-44	88.6	86.9 - 90.3
	45-64	76.2	74.1 - 78.2
	65 & Older	77.1	75.2 - 79.0
EDUCATION LEVEL	<High School	60.1	55.2 - 64.9
	High School / GED	79.4	77.3 - 81.4
	>High School	88.3	87.4 - 89.3
ANNUAL INCOME	<\$25,000	66.5	63.8 - 69.2
	\$25,000-\$49,999	83.5	81.2 - 85.8
	\$50,000 or More	92.1	90.9 - 93.3
MARITAL STATUS	Married/Couple	84.1	82.7 - 85.6
	Not Married/Couple	78.8	77.1 - 80.5

Percentage of adults who had poor physical health on 14 or more of the past 30 days

		Measure	95% CI
ALL	Overall	14.0	13.0 - 15.0
SEX	Men	13.3	11.8 - 14.8
	Women	14.7	13.3 - 16.0
RACE/ETHNICITY	Non-Hisp. White	14.1	12.9 - 15.2
	Non-Hisp. Black	13.4	10.1 - 16.6
	Hispanic	15.2	12.5 - 17.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	13.9	12.1 - 15.8
	Non-Hisp. White Women	14.2	12.7 - 15.6
	Non-Hisp. Black Men	11.6	7.1 - 16.1
	Non-Hisp. Black Women	14.8	10.2 - 19.4
	Hispanic Men	13.1	9.3 - 16.9
	Hispanic Women	17.1	13.5 - 20.8
AGE GROUP	18-44	10.1	8.4 - 11.8
	45-64	16.8	15.1 - 18.5
	65 & Older	17.1	15.3 - 18.8
EDUCATION LEVEL	<High School	28.5	23.9 - 33.2
	High School / GED	14.8	13.0 - 16.6
	>High School	10.2	9.2 - 11.2
ANNUAL INCOME	<\$25,000	25.2	22.7 - 27.8
	\$25,000-\$49,999	12.7	10.7 - 14.7
	\$50,000 or More	6.8	5.6 - 7.9
MARITAL STATUS	Married/Couple	12.4	11.1 - 13.7
	Not Married/Couple	15.7	14.1 - 17.3

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Health Status & Quality of Life

Percentage of adults who had poor mental health on 14 or more of the past 30 days

		Measure	95% CI
ALL	Overall	13.0	12.0 - 14.1
SEX	Men	12.0	10.4 - 13.6
	Women	14.0	12.6 - 15.4
RACE/ETHNICITY	Non-Hisp. White	12.1	10.9 - 13.3
	Non-Hisp. Black	11.6	8.8 - 14.5
	Hispanic	16.8	13.8 - 19.8
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	10.7	8.9 - 12.5
	Non-Hisp. White Women	13.5	12.0 - 15.1
	Non-Hisp. Black Men	10.0	5.9 - 14.1
	Non-Hisp. Black Women	12.9	9.0 - 16.9
	Hispanic Men	17.0	12.3 - 21.6
	Hispanic Women	16.7	12.9 - 20.4
AGE GROUP	18-44	14.3	12.3 - 16.2
	45-64	14.9	13.2 - 16.7
	65 & Older	8.5	7.0 - 9.9
EDUCATION LEVEL	<High School	22.4	17.9 - 27.0
	High School / GED	14.3	12.3 - 16.3
	>High School	10.0	8.9 - 11.1
ANNUAL INCOME	<\$25,000	21.4	19.0 - 23.8
	\$25,000-\$49,999	13.0	10.6 - 15.4
	\$50,000 or More	8.3	6.8 - 9.8
MARITAL STATUS	Married/Couple	10.3	9.0 - 11.6
	Not Married/Couple	16.1	14.4 - 17.9

Average number of unhealthy physical days in the past 30 days

		Measure	95% CI
ALL	Overall	4.4	4.2 - 4.7
SEX	Men	4.2	3.8 - 4.5
	Women	4.7	4.3 - 5.0
RACE/ETHNICITY	Non-Hisp. White	4.4	4.1 - 4.7
	Non-Hisp. Black	4.1	3.4 - 4.8
	Hispanic	4.7	4.0 - 5.3
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	4.3	3.9 - 4.8
	Non-Hisp. White Women	4.5	4.2 - 4.9
	Non-Hisp. Black Men	3.6	2.5 - 4.6
	Non-Hisp. Black Women	4.5	3.5 - 5.5
	Hispanic Men	4.0	3.0 - 5.0
	Hispanic Women	5.3	4.5 - 6.2
AGE GROUP	18-44	3.2	2.8 - 3.6
	45-64	5.3	4.9 - 5.8
	65 & Older	5.3	4.9 - 5.7
EDUCATION LEVEL	<High School	8.2	7.1 - 9.3
	High School / GED	4.6	4.1 - 5.1
	>High School	3.4	3.2 - 3.7
ANNUAL INCOME	<\$25,000	7.5	6.9 - 8.1
	\$25,000-\$49,999	3.8	3.4 - 4.3
	\$50,000 or More	2.5	2.2 - 2.8
MARITAL STATUS	Married/Couple	4.0	3.7 - 4.3
	Not Married/Couple	4.9	4.5 - 5.2

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Health Status & Quality of Life

Average number of unhealthy mental days in the past 30 days

		Measure	95% CI
ALL	Overall	4.1	3.8 - 4.4
SEX	Men	3.7	3.3 - 4.1
	Women	4.5	4.1 - 4.8
RACE/ETHNICITY	Non-Hisp. White	3.9	3.6 - 4.2
	Non-Hisp. Black	3.8	3.1 - 4.5
	Hispanic	5.0	4.2 - 5.7
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	3.4	3.0 - 3.8
	Non-Hisp. White Women	4.4	4.0 - 4.8
	Non-Hisp. Black Men	3.4	2.5 - 4.4
	Non-Hisp. Black Women	4.1	3.0 - 5.1
	Hispanic Men	4.9	3.7 - 6.0
	Hispanic Women	5.1	4.2 - 6.0
AGE GROUP	18-44	4.5	4.0 - 5.0
	45-64	4.7	4.2 - 5.1
	65 & Older	2.7	2.3 - 3.1
EDUCATION LEVEL	<High School	6.5	5.4 - 7.6
	High School / GED	4.4	3.9 - 4.9
	>High School	3.4	3.1 - 3.6
ANNUAL INCOME	<\$25,000	6.6	6.0 - 7.2
	\$25,000-\$49,999	3.8	3.2 - 4.3
	\$50,000 or More	2.9	2.5 - 3.3
MARITAL STATUS	Married/Couple	3.3	3.0 - 3.6
	Not Married/Couple	5.0	4.6 - 5.5

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Health Status & Quality of Life

Average number of days where poor mental or physical health interfered with activities of daily living in the past 30 days (among adults who have had at least one day of poor mental or physical health)

		Measure	95% CI
ALL	Overall	5.6	5.2 - 5.9
SEX	Men	5.9	5.3 - 6.5
	Women	5.3	4.9 - 5.8
RACE/ETHNICITY	Non-Hisp. White	5.8	5.3 - 6.2
	Non-Hisp. Black	5.5	4.4 - 6.5
	Hispanic	5.1	4.2 - 5.9
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	6.3	5.5 - 7.1
	Non-Hisp. White Women	5.3	4.8 - 5.8
	Non-Hisp. Black Men	4.9	3.3 - 6.5
	Non-Hisp. Black Women	5.9	4.4 - 7.4
	Hispanic Men	5.2	3.9 - 6.5
	Hispanic Women	4.9	3.9 - 6.0
AGE GROUP	18-44	4.0	3.4 - 4.6
	45-64	7.2	6.6 - 7.9
	65 & Older	6.1	5.5 - 6.8
EDUCATION LEVEL	<High School	8.6	7.3 - 10.0
	High School / GED	5.9	5.2 - 6.6
	>High School	4.4	4.1 - 4.8
ANNUAL INCOME	<\$25,000	8.2	7.4 - 8.9
	\$25,000-\$49,999	4.9	4.1 - 5.6
	\$50,000 or More	3.5	3.0 - 4.0
MARITAL STATUS	Married/Couple	4.7	4.2 - 5.1
	Not Married/Couple	6.5	5.9 - 7.0

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Health Care Access & Coverage

Percentage of adults with any type of health care insurance coverage

		Measure	95% CI
ALL	Overall	83.6	82.4 - 84.9
SEX	Men	81.1	79.2 - 83.1
	Women	86.0	84.4 - 87.5
RACE/ETHNICITY	Non-Hisp. White	89.4	88.3 - 90.6
	Non-Hisp. Black	76.1	72.0 - 80.3
	Hispanic	74.1	70.7 - 77.5
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	87.4	85.5 - 89.3
	Non-Hisp. White Women	91.4	90.0 - 92.9
	Non-Hisp. Black Men	70.7	63.9 - 77.5
	Non-Hisp. Black Women	80.4	75.3 - 85.5
	Hispanic Men	71.8	66.7 - 76.9
	Hispanic Women	76.3	71.9 - 80.8
AGE GROUP	18-44	75.5	73.1 - 77.9
	45-64	83.6	81.7 - 85.4
	65 & Older	97.1	96.1 - 98.1
EDUCATION LEVEL	<High School	64.1	59.0 - 69.1
	High School / GED	81.0	78.6 - 83.4
	>High School	90.0	88.9 - 91.1
ANNUAL INCOME	<\$25,000	71.7	68.8 - 74.5
	\$25,000-\$49,999	83.7	81.1 - 86.4
	\$50,000 or More	93.6	92.1 - 95.1
MARITAL STATUS	Married/Couple	87.6	86.1 - 89.0
	Not Married/Couple	79.0	76.9 - 81.0

Percentage of adults who have a personal doctor

		Measure	95% CI
ALL	Overall	77.9	76.6 - 79.2
SEX	Men	73.5	71.4 - 75.5
	Women	82.0	80.4 - 83.6
RACE/ETHNICITY	Non-Hisp. White	82.3	80.8 - 83.8
	Non-Hisp. Black	76.0	71.9 - 80.2
	Hispanic	68.3	64.9 - 71.6
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	78.9	76.5 - 81.3
	Non-Hisp. White Women	85.5	83.8 - 87.3
	Non-Hisp. Black Men	71.0	64.3 - 77.7
	Non-Hisp. Black Women	80.1	75.1 - 85.1
	Hispanic Men	61.4	56.1 - 66.6
	Hispanic Women	74.8	70.6 - 79.1
AGE GROUP	18-44	62.4	59.8 - 65.0
	45-64	84.2	82.4 - 85.9
	65 & Older	95.5	94.6 - 96.4
EDUCATION LEVEL	<High School	68.6	63.7 - 73.4
	High School / GED	75.9	73.4 - 78.5
	>High School	81.4	79.9 - 82.8
ANNUAL INCOME	<\$25,000	69.6	66.8 - 72.5
	\$25,000-\$49,999	76.1	73.2 - 79.1
	\$50,000 or More	85.8	84.0 - 87.5
MARITAL STATUS	Married/Couple	81.9	80.3 - 83.6
	Not Married/Couple	73.1	71.0 - 75.2

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida BRFSS Data

Health Care Access & Coverage

Percentage of adults who could not see a doctor in the past year due to cost

		Measure	95% CI
ALL	Overall	17.1	15.9 - 18.2
SEX	Men	14.1	12.5 - 15.7
	Women	19.8	18.1 - 21.5
RACE/ETHNICITY	Non-Hisp. White	13.8	12.5 - 15.1
	Non-Hisp. Black	21.3	17.3 - 25.3
	Hispanic	21.2	18.3 - 24.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	11.6	9.8 - 13.5
	Non-Hisp. White Women	15.8	14.0 - 17.5
	Non-Hisp. Black Men	12.6	7.5 - 17.8
	Non-Hisp. Black Women	28.3	22.6 - 34.1
	Hispanic Men	20.2	16.1 - 24.3
	Hispanic Women	22.1	18.1 - 26.1
AGE GROUP	18-44	21.4	19.2 - 23.7
	45-64	20.7	18.7 - 22.8
	65 & Older	5.0	4.0 - 6.0
EDUCATION LEVEL	<High School	28.7	24.1 - 33.4
	High School / GED	17.1	15.0 - 19.2
	>High School	14.1	12.8 - 15.4
ANNUAL INCOME	<\$25,000	29.5	26.7 - 32.2
	\$25,000-\$49,999	18.6	15.9 - 21.3
	\$50,000 or More	8.6	7.1 - 10.0
MARITAL STATUS	Married/Couple	14.5	13.0 - 16.0
	Not Married/Couple	19.9	18.1 - 21.8

Percentage of adults who had a medical checkup in the past year

		Measure	95% CI
ALL	Overall	73.5	72.2 - 74.9
SEX	Men	68.9	66.8 - 71.1
	Women	77.8	76.2 - 79.5
RACE/ETHNICITY	Non-Hisp. White	75.1	73.6 - 76.6
	Non-Hisp. Black	76.7	72.8 - 80.6
	Hispanic	68.5	65.1 - 72.0
SEX BY RACE/ETHNICITY	Non-Hisp. White Men	72.2	69.7 - 74.6
	Non-Hisp. White Women	77.9	76.0 - 79.8
	Non-Hisp. Black Men	73.7	67.4 - 80.0
	Non-Hisp. Black Women	79.1	74.2 - 83.9
	Hispanic Men	60.1	54.7 - 65.5
	Hispanic Women	76.6	72.6 - 80.7
AGE GROUP	18-44	62.5	59.9 - 65.1
	45-64	74.3	72.3 - 76.4
	65 & Older	90.8	89.8 - 91.9
EDUCATION LEVEL	<High School	70.7	66.0 - 75.5
	High School / GED	71.1	68.5 - 73.7
	>High School	75.6	74.0 - 77.1
ANNUAL INCOME	<\$25,000	68.7	65.9 - 71.5
	\$25,000-\$49,999	71.7	68.8 - 74.6
	\$50,000 or More	77.1	75.0 - 79.2
MARITAL STATUS	Married/Couple	75.9	74.2 - 77.6
	Not Married/Couple	70.6	68.5 - 72.7

CI=Confidence Interval

NA=Not available due to respondent counts of less than 30.

2015 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

A1C	Medical test that sums up how much glucose has been sticking to the hemoglobin molecule in the bloodstream during the past three to four months.
Activities of Daily Living	Usual activities, such as self-care, work, or recreation.
Adult	Individual aged 18 years or older.
Aerobic Recommendations*	Performance of at least 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Angina	Most common symptom of coronary artery disease (CAD); chest pain or discomfort that occurs if an area of the heart muscle does not get enough oxygen-rich blood.
Arthritis	Joint inflammation; term used in the public health field to describe more than 100 rheumatic diseases and conditions that affect joints, the tissues which surround the joint, and other connective tissue; pattern, severity, and location of symptoms can vary.
Asthma	Disease that affects the lungs; causes repeated episodes of wheezing, breathlessness, chest tightness, and nighttime or early morning coughing.
Binge Drinking*	For women, consumption of 4 or more drinks during a single occasion in the past 30 days; for men, consumption of 5 or more drinks during a single occasion in the past 30 days.
Blood Glucose	Also called blood sugar; refers to the level of glucose, the main sugar the body makes from the food we eat, that is found in the bloodstream.
Blood Pressure	The force of the blood against the artery walls; two levels of blood pressure measured, the highest, or systolic, occurs when the heart pumps blood into the blood vessels, and the lowest, or diastolic, occurs when the heart rests.
Blood Sugar	See Blood Glucose
Body Mass Index (BMI)	A number calculated from a person's height and weight; provides a reliable indicator of body fatness for most people; used to screen for weight categories that may lead to health problems.
Cancer	General name for a group of diseases; when cells in a part of the body begin to grow out of control, forming new, abnormal cells and sometimes invading (growing into) other tissues.
Cholesterol	A substance the body uses to produce hormones, vitamin D, and food-digesting acids. Too much cholesterol in the blood over an extended period can increase the risk of coronary heart disease, heart attack, or angina.
Chronic Bronchitis	A long-term condition in which the airways that carry air to the lungs become inflamed and produce too much mucus, making it difficult to get air into and out of the lungs.
Chronic Diseases	Diseases of long duration and generally slow progression (e.g., heart disease, stroke, cancer, diabetes); represent the leading causes of mortality worldwide.
Chronic Obstructive Pulmonary Disease (COPD)	Term that refers to a group of diseases that cause airflow blockage and breathing-related problems, including emphysema and chronic bronchitis.
Coronary Artery Disease (CAD)	Most common type of heart disease; occurs when a substance called plaque builds up on the inner walls of the arteries that supply blood to the heart, called coronary arteries; most common cause of a heart attack.
Coronary Heart Disease (CHD)	See Coronary Artery Disease (CAD)
Current Smoker*	Combination of everyday smoker and some days smoker.

*This term is defined using BRFSS standards.

2015 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

Depressive Disorders	Mental illnesses characterized by a profound and persistent feeling of sadness or despair and/or a loss of interest in things that once were pleasurable; disturbance in sleep, appetite, and mental processes are a common accompaniment.
Diabetes	General term for diabetes mellitus; disease in which blood glucose levels are above normal.
E-Cigarettes	An e-cigarette, also known as an electronic cigarette, is a device that allows a user to inhale nicotine and other vapors.
Emphysema	Long-term, progressive disease of the lungs that primarily causes shortness of breath; tissues necessary to support the physical shape and function of the lungs are destroyed. See also Chronic Obstructive Pulmonary Disease (COPD)
Everyday Smoker*	Adults who reported smoking at least 100 cigarettes in their lifetimes and reported smoking everyday now.
Exercise	See Physical Activity
Fibromyalgia	A musculoskeletal condition causing widespread muscle and joint pain and fatigue.
Flu	Contagious respiratory illness caused by influenza viruses; can cause mild to severe illness, and at times can lead to death.
Flu Shot	Influenza vaccine; an inactivated vaccine (containing killed virus) that is given with a needle, usually in the arm. The flu vaccine can also be administered as an attenuated vaccine (containing weakened, live virus) by a spray, mist, or drop in the nose.
Former Smoker	Adults who reported smoking at least 100 cigarettes in their lifetimes but reported not smoking now.
Gout	A form of arthritis caused by too much uric acid in the blood that causes pain, stiffness, and swelling of a joint.
Health Behavior	An action taken by a person to maintain, attain, or regain good health and to prevent illness.
Health Care Coverage	Health insurance, pre-paid plans such as HMO's, government plans such as Medicare.
Health Care Provider	A person who by education, training, certification, or licensure is qualified to and is engaged in providing health care to patients (e.g., medical doctor, nurse practitioner, physician assistant, registered nurse).
Health Risk Behavior	An action taken by a person that is associated with higher than average rates of morbidity or mortality (e.g., lack of physical activity, poor nutrition, tobacco use, excessive alcohol consumption).
Healthy Weight	Having a body mass index (BMI) ranging from 18.5 to 24.9; BMI is calculated using self-reported height and weight.
Heart Attack	Most commonly caused by coronary artery disease (CAD); occurs when a section of the heart muscle dies or gets damaged because of reduced blood supply.
Heavy Drinking*	For women, consumption of more than 1 drink per day on average in the past 30 days; for men, consumption of more than 2 drinks per day on average in the past 30 days.
High Blood Cholesterol	Condition where there is too much cholesterol in the blood for an extended period of time; increases the risk of coronary heart disease, heart attack, or angina.
High Blood Pressure	Condition where the blood circulates through the arteries with too much force; tires the heart, harms the arteries, and increases the risk of heart attack, stroke, and kidney problems.

*This term is defined using BRFSS standards.

2015 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

Hispanic	Adults of Cuban, Mexican, Puerto Rican, South or Central American, or other Spanish culture or origin, regardless of race; self-reported demographic variable.
HIV	Human immunodeficiency virus (HIV) damages a person's body by destroying immune system cells, which are crucial to helping the body fight diseases; can lead to acquired immune deficiency syndrome (AIDS).
Hypertension	See High Blood Pressure
Inactive*	No leisure-time physical activity, performance of aerobic activity for less than 10 minutes at a time, or performance of only non-aerobic activities in the past 30 days.
Influenza	See Flu
Insufficiently Active*	Performance of less than 150 minutes of moderate aerobic activity or 75 minutes of vigorous aerobic activity per week in the past 30 days.
Kidney Disease	Also called renal disease; general term for any damage that reduces the functioning of the kidney.
Lupus	A chronic inflammatory disease resulting from an attack by the body's own immune system.
Mental Health	A state of well-being in which the individual realizes his or her own abilities, can cope with the normal stresses of life, can work productively and fruitfully, and is able to make a contribution to his or her community.
Muscle Strengthening Recommendations*	Performance of muscle-strengthening activities, such as activities using body weight, weight machines, free weights, or elastic bands, at least two times per week in the past 30 days.
Never Smoked*	Adults who reported smoking less than 100 cigarettes in their lifetime.
Non-Hispanic Black	Adults not of Hispanic culture or origins reporting membership in only the black race category; self-reported demographic variable.
Non-Hispanic White	Adults not of Hispanic culture or origins reporting membership in only the white race category; self-reported demographic variable.
Non-Smoker*	Combination of former smoker and never smoked.
Obese	Having a body mass index (BMI) that is greater than or equal to 30.0; BMI is calculated using self-reported height and weight.
Obesity	A condition characterized by being obese.
Overweight	Having a body mass index (BMI) ranging from 25.0 to 29.9; BMI is calculated using self-reported height and weight.
Personal Doctor	A health care provider that an adult identifies as their personal health care provider.
Physical Activity	Any bodily movement produced by the contraction of skeletal muscle that increases energy expenditure above basal level and that enhances or maintains physical fitness and overall health and wellness.
Pneumococcal Vaccination	Vaccine given with a needle, usually in the arm, to prevent pneumococcal pneumonia.
Pneumonia	Infection of the lungs, usually caused by bacteria or viruses, that can cause mild to severe illness.
Poor Mental Health	Adults who report that their mental health, which includes stress, depression, and problems with emotions, was not good on 14 or more of the previous 30 days.
Poor Physical Health	Adults who report that their physical health, which includes physical illness and injury, was not good on 14 or more of the previous 30 days.

*This term is defined using BRFSS standards.

2015 Florida Behavioral Risk Factor Surveillance System Data

GLOSSARY

Pre-Diabetes	A condition in which an individual's blood sugar is high, but not high enough to be diagnosed as diabetes.
Race/Ethnicity	A measure that combines an adult's ethnicity status (Hispanic/non-Hispanic) and race status (e.g., white; black; other); self-reported demographic variable.
Routine Checkup	A general physical exam; does not include exams conducted for a specific injury, illness, or condition.
Sedentary*	Participating in no leisure-time physical activity in the past 30 days.
Sex	The condition or character of being male or female; self-reported demographic variable.
Smoking	Inhalation of the smoke (gases and hydrocarbon vapors) generated by slowly burning tobacco.
Some Days Smoking*	Adults who reported smoking at least 100 cigarettes in their lifetime and reported smoking some days now.
Stroke	Sometimes called a brain attack; occurs when a clot blocks the blood supply to the brain or when a blood vessel in the brain bursts.

*This term is defined using BRFSS standards.

2015 Florida Behavioral Risk Factor Surveillance System Data

Healthy People 2020 Objectives

Alcohol Consumption

SA-14. Reduce the proportion of persons engaging in binge drinking of alcoholic beverages

SA-15. Reduce the proportion of adults who drank excessively in the previous 30 days

Arthritis

AOCBD-2. Reduce the proportion of adults with doctor-diagnosed arthritis who experience a limitation in activity due to arthritis or joint symptoms

Cardiovascular Disease

HDS-1. (Developmental) Increase overall cardiovascular health in the U.S. population

Cholesterol Awareness

HDS-7. Reduce the proportion of adults with high total blood cholesterol levels

Diabetes

D-9. Increase the proportion of adults with diabetes who have at least an annual foot examination

D-10. Increase the proportion of adults with diabetes who have an annual dilated eye examination

D-11. Increase the proportion of adults with diabetes who have a glycosylated hemoglobin (A1C) measurement at least twice a year

D-13. Increase the proportion of adults with diabetes who perform self-blood glucose-monitoring at least once daily

D-14. Increase the proportion of persons with diagnosed diabetes who receive formal diabetes education

Health Care Access & Coverage

AHS-1. Increase the proportion of persons with medical insurance

AHS-3. Increase the proportion of persons with a usual primary care provider

AHS-6.2. Reduce the proportion of individuals who are unable to obtain or delay in obtaining necessary medical care

Health Status & Quality of Life

HRQOL/WB-1.1. Increase the proportion of adults who self-report good or better physical health

HRQOL/WB-1.2. Increase the proportion of adults who self-report good or better mental health

HIV/AIDS Screening

HIV-14.1. Increase the proportion of adolescents and adults who have ever been tested for HIV

Hypertension Awareness & Control

HDS-5.1. Reduce the proportion of adults with hypertension

2015 Florida Behavioral Risk Factor Surveillance System Data

Healthy People 2020 Objectives

Immunization

IID-12.7. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated annually against seasonal influenza

IID-12.12. Increase the percentage of children and adults who are vaccinated annually against seasonal influenza

IID-13. Increase the percentage of adults who are vaccinated against pneumococcal disease

IID-13.1. Increase the percentage of noninstitutionalized adults aged 65 years and older who are vaccinated against pneumococcal disease

Injury Prevention

IVP-15. Increase use of safety belts

Kidney Disease

CKD-1. Reduce the proportion of the U.S. population with chronic kidney disease

Overweight & Obesity

NWS-8. Increase the proportion of adults who are at a healthy weight

NWS-9. Reduce the proportion of adults who are obese

Physical Activity & Nutrition

PA-1. Reduce the proportion of adults who engage in no leisure-time physical activity

NWS-14. Increase the contribution of fruits to the diets of the population aged 2 years and older

NWS-15. Increase the variety and contribution of vegetables to the diets of the population aged 2 years and older

PA-2.1. Increase the proportion of adults who engage in aerobic physical activity of at least moderate intensity for at least 150 minutes/week, or 75 minutes/week of vigorous intensity, or an equivalent combination

PA-2.3. Increase the proportion of adults who perform muscle-strengthening activities on 2 or more days of the week

Tobacco Use & Exposure

TU-1.1. Reduce cigarette smoking by adults

TU-4. Increase smoking cessation attempts by adult smokers

Vision Impairment

V-5. Reduce visual impairment

The Healthy People 2020 objectives listed in this appendix are directly or indirectly related to the data presented.



Prepared by:

Alyssa Cohen, MPH
Bo (Bonnie) Yu, MAS, MA

If you have any questions or comments
please contact:

Florida Department of Health
Division of Community Health Promotion
Public Health Research
4052 Bald Cypress Way, Bin A-24
Tallahassee, Florida 32399-1744

Phone: 850-245-4585

Web: <http://www.floridahealth.gov/statistics-and-data/survey-data/index.html>