2009

Data Report



Florida Pregnancy Risk Assessment Monitoring System (PRAMS)



Helping Mothers.

Protecting Infants.



FLORIDA PREGNANCY RISK ASSESSMENT MONITORING SYSTEM:

2009 SURVEILLANCE DATA REPORT

Florida 2009 PRAMS Surveillance Data Report

This data report presents findings from the 2009 Florida Pregnancy Risk Assessment Monitoring System (PRAMS), an ongoing, population-based survey. This data report contains detailed statistics presented in three sections:

- 1. Maternal Health and Behaviors
- 2. Prenatal and Postpartum Care
- 3. Infant Health

The 2009 Florida PRAMS sample size of 2,465 represents 221,391 live births born to Florida residents during 2009. Of the 2,465 new moms invited to participate in PRAMS, 1,489 completed the survey. The response rate is 61.4%.

These data provide state-level estimates about factors pertaining to maternal and child health. PRAMS survey data are adjusted, or "weighted," so that the resulting estimates can be generalized to the state population of pregnancies that resulted in a live birth during the year (excluding those that resulted in pluralities of four or greater).

A series of tables and charts are shown in this report, presenting major maternal and child health issues by race/ethnicity, maternal age, maternal education, household income, Medicaid recipient status, and marital status. In every table, state-level estimates derived from the 2009 Florida PRAMS survey datasets are provided so that comparisons may be made between two or more subpopulations within the demographic groups or between two or more variables.

An overview of the Florida PRAMS project and the methods used in the analysis of the 2009 data are presented in Appendix A of this report.

If you have any questions or comments, please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, FL 32399-1720

Phone: (850)245-4401 Fax: (850)922-9299


Email: chronicdisease@doh.state.fl.us
Web: www.floridachronicdisease.org

Table of Contents

| Maternal Health and Behaviors | |
|--|-----|
| Health Behaviors Before Pregnancy | 1 |
| Uninsured Before Pregnancy | 9 |
| WIC Participation During Pregnancy | 10 |
| Pre-Pregnancy Weight | 11 |
| Cigarette Use | 14 |
| Alcohol Consumption | 19 |
| Folic Acid | 23 |
| Discussions with Healthcare Provider Before Pregnancy | 24 |
| Physical Abuse | |
| HIV Testing During Pregnancy | |
| Stress and Pregnancy | 39 |
| Maternal Morbidity Before Pregnancy | |
| Birth History | |
| Pregnancy Intent | |
| · 6 · · · , | |
| Prenatal and Postpartum Care | |
| Birth Control Use at the Time of Conception | 69 |
| Postpartum Birth Control Use | |
| Late Diagnosis of Pregnancy | |
| Late Entry into Prenatal Care | |
| Prenatal Care Payment Source | |
| Discussions with Healthcare Provider During Prenatal Care Visits | |
| Discussions with Healthcare Provider About Metal Exposure | |
| Maternal Morbidity During Pregnancy | |
| Delivery Type | |
| Delivery Payment Source | |
| Postpartum Depression | |
| Postpartum Services | |
| 1 ostpurtum bei vices | 177 |
| Infant Health | |
| Low Birth Weight | 147 |
| Preterm Births | |
| Neonatal Intensive Care | |
| Hospital Stay | |
| Breastfeeding | |
| Exposure to Second-Hand Cigarette Smoke | |
| Sleep Positions | |
| Pacifier Use During Sleep | |
| Bed Sharing | |
| Well-Baby Check Ups | |
| Well-Baby Clieck Ops | 101 |
| Annandiaga | |
| Appendices Appendix A: Florida PRAMS Overview and Methods | - |
| Appendix A: Florida PRAMS Overview and Methods | |
| Appendix B: Survey Definitions | |
| Appendix C: Birth Certificate Variables and Definitions | |
| Appendix D: Interpreting the Data from the 2009 Florida PRAMS Data Rep | |
| Appendix E: The Florida PRAMS 2009 Survey Sample | V |

Prevalence of new moms in Florida who were dieting before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, were you dieting (changing your eating habits) to lose weight? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 29.4 | 26.7 – 32.3 |
| RACE/ETHNICITY | Non-Hisp. White | 34.5 | 30.4 – 38.9 |
| | Non-Hisp. Black | 24.2 | 18.3 – 31.3 |
| | Hispanic | 26.7 | 22.1 – 31.8 |
| AGE GROUP | 19 & Under | 12.2 | 6.8 - 20.8 |
| | 20-24 | 22.3 | 17.5 – 27.9 |
| | 25-34 | 35.0 | 31.0 – 39.2 |
| | 35 & Older | 33.6 | 26.8 – 41.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>16.5</th><th>11.5 – 23.1</th></high> | 16.5 | 11.5 – 23.1 |
| | H.S. | 29.3 | 24.5 – 34.6 |
| | >High School | 34.0 | 30.1 – 38.1 |
| HOUSEHOLD INCOME | <\$15,000 | 20.3 | 16.2 – 25.1 |
| | \$15,000-\$34,999 | 32.2 | 26.6 – 38.2 |
| | \$35,000 or More | 36.8 | 32.1 – 41.8 |
| MEDICAID RECIPIENT | Yes | 25.5 | 22.0 – 29.3 |
| | No | 34.6 | 30.3 – 39.1 |
| MARITAL STATUS | Married | 34.5 | 30.7 – 38.6 |
| | Not Married | 23.8 | 20.1 – 28.0 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida who exercised before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days out of the week? Answer: Yes.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 41.2 | 38.2 – 44.3 |
| RACE/ETHNICITY | Non-Hisp. White | 45.1 | 40.7 – 49.6 |
| | Non-Hisp. Black | 36.9 | 29.8 – 44.6 |
| | Hispanic | 38.9 | 33.6 – 44.4 |
| AGE GROUP | 19 & Under | 30.8 | 21.7 – 41.6 |
| | 20-24 | 39.2 | 33.2 – 45.5 |
| | 25-34 | 44.0 | 39.7 – 48.3 |
| | 35 & Older | 41.9 | 34.5 – 49.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>30.4</th><th>23.7 – 38.0</th></high> | 30.4 | 23.7 – 38.0 |
| | H.S. | 39.9 | 34.6 – 45.5 |
| | >High School | 45.8 | 41.6 – 50.1 |
| HOUSEHOLD INCOME | <\$15,000 | 37.3 | 32.1 – 42.9 |
| | \$15,000-\$34,999 | 33.7 | 28.1 – 39.9 |
| | \$35,000 or More | 50.8 | 45.7 – 55.8 |
| MEDICAID RECIPIENT | Yes | 35.2 | 31.3 – 39.4 |
| | No | 48.9 | 44.3 – 53.6 |
| MARITAL STATUS | Married | 45.4 | 41.2 – 49.6 |
| | Not Married | 36.6 | 32.2 – 41.2 |

2

Prevalence of new moms in Florida who regularly used prescription medications before pregnancy


PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? Answer: Yes.



| MATERNAL DEM | MOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI | |
|------------------------|---|---------|-------------|---|
| ALL | Overall | 15.7 | 13.6 – 18.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 20.5 | 17.2 – 24.3 | |
| | Non-Hisp. Black | 15.0 | 10.3 – 21.4 | |
| | Hispanic | 9.6 | 6.9 - 13.4 | |
| AGE GROUP | 19 & Under | 8.6 | 4.2 - 17.0 | |
| | 20-24 | 9.1 | 6.1 – 13.3 | |
| | 25-34 | 18.3 | 15.2 – 21.8 | |
| | 35 & Older | 22.4 | 16.8 – 29.3 | |
| EDUCATION LEVEL | <high school<="" td=""><td>13.3</td><td>8.8 - 19.6</td><td></td></high> | 13.3 | 8.8 - 19.6 | |
| | H.S. | 11.9 | 8.8 - 15.9 | |
| | >High School | 19.2 | 16.1 – 22.7 | |
| HOUSEHOLD INCOME | <\$15,000 | 12.4 | 9.2 - 16.4 | |
| | \$15,000-\$34,999 | 12.5 | 9.0 - 17.2 | |
| | \$35,000 or More | 21.4 | 17.6 – 25.7 | |
| MEDICAID RECIPIENT | Yes | 12.6 | 10.1 – 15.6 | |
| | No | 19.8 | 16.4 – 23.7 | · |
| MARITAL STATUS | Married | 18.1 | 15.2 – 21.5 | |
| | Not Married | 13.1 | 10.3 – 16.4 | |

Prevalence of new moms in Florida who were being checked or treated for diabetes before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, have you visited a health care worker to be checked or treated for diabetes? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 9.8 | 8.1 - 11.9 |
| RACE/ETHNICITY | Non-Hisp. White | 7.3 | 5.3 - 10.0 |
| | Non-Hisp. Black | 17.2 | 12.0 – 23.9 |
| | Hispanic | 8.6 | 5.9 - 12.3 |
| AGE GROUP | 19 & Under | 15.8 | 9.2 - 25.7 |
| | 20-24 | 9.5 | 6.4 - 13.9 |
| | 25-34 | 9.5 | 7.2 – 12.4 |
| | 35 & Older | 7.4 | 4.2 – 12.8 |
| EDUCATION LEVEL | <high school<="" td=""><td>13.3</td><td>8.8 - 19.8</td></high> | 13.3 | 8.8 - 19.8 |
| | H.S. | 11.7 | 8.6 - 15.8 |
| | >High School | 7.4 | 5.4 - 10.0 |
| HOUSEHOLD INCOME | <\$15,000 | 14.4 | 10.9 – 18.8 |
| | \$15,000-\$34,999 | 8.7 | 5.8 - 12.8 |
| | \$35,000 or More | 5.8 | 3.8 - 8.8 |
| MEDICAID RECIPIENT | Yes | 11.5 | 9.1 – 14.5 |
| | No | 7.5 | 5.3 - 10.5 |
| MARITAL STATUS | Married | 8.1 | 6.0 - 10.7 |
| | Not Married | 11.7 | 9.0 - 15.1 |

Prevalence of new moms in Florida who were being checked or treated for high blood pressure before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, have you visited a health care worker to be checked or treated for high blood pressure? Answer: Yes.



| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 12.3 | 10.4 – 14.6 |
| RACE/ETHNICITY | Non-Hisp. White | 8.4 | 6.3 – 11.3 |
| | Non-Hisp. Black | 24.9 | 18.8 – 32.3 |
| | Hispanic | 9.8 | 7.0 – 13.6 |
| AGE GROUP | 19 & Under | 21.2 | 13.4 – 31.8 |
| | 20-24 | 10.9 | 7.6 – 15.6 |
| | 25-34 | 10.7 | 8.3 - 13.7 |
| | 35 & Older | 14.3 | 9.7 - 20.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>20.7</td><td>15.1 – 27.8</td></high> | 20.7 | 15.1 – 27.8 |
| | H.S. | 12.3 | 9.1 – 16.5 |
| | >High School | 9.5 | 7.2 – 12.4 |
| HOUSEHOLD INCOME | <\$15,000 | 16.7 | 13.0 – 21.3 |
| | \$15,000-\$34,999 | 11.0 | 7.6 – 15.6 |
| | \$35,000 or More | 8.8 | 6.2 -12.2 |
| MEDICAID RECIPIENT | Yes | 14.6 | 11.8 – 17.8 |
| | No | 9.7 | 7.2 – 12.9 |
| MARITAL STATUS | Married | 9.3 | 7.1 – 12.0 |
| | Not Married | 15.7 | 12.6 – 19.4 |

Prevalence of new moms in Florida who were being checked or treated for depression or anxiety before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, have you visited a health care worker to be checked or treated for depression or anxiety? Answer: Yes.



| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 9.6 | 7.9 – 11.6 |
| RACE/ETHNICITY | Non-Hisp. White | 12.8 | 10.1 – 16.2 |
| | Non-Hisp. Black | 9.8 | 6.1 – 15.3 |
| | Hispanic | 4.1 | 2.4 - 7.0 |
| AGE GROUP | 19 & Under | 8.6 | 4.3 - 16.6 |
| | 20-24 | 10.0 | 6.8 - 14.6 |
| | 25-34 | 9.2 | 7.0 – 12.0 |
| | 35 & Older | 10.7 | 6.7 – 16.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>9.5</td><td>5.9 – 15.1</td></high> | 9.5 | 5.9 – 15.1 |
| | H.S. | 10.4 | 7.5 – 14.3 |
| | >High School | 9.1 | 6.9 -11.9 |
| HOUSEHOLD INCOME | <\$15,000 | 10.1 | 7.3 – 13.9 |
| | \$15,000-\$34,999 | 10.7 | 7.4 – 15.2 |
| | \$35,000 or More | 7.8 | 5.5 – 11.0 |
| MEDICAID RECIPIENT | Yes | 9.9 | 7.7 – 12.7 |
| | No | 9.4 | 7.0 – 12.5 |
| MARITAL STATUS | Married | 8.2 | 6.2 - 10.8 |
| | Not Married | 11.1 | 8.5 - 14.3 |

Prevalence of new moms in Florida who were having discussions about family medical history with a health care worker before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, have you talked to a health care worker about your family medical history? Answer: Yes.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 23.4 | 20.9 – 26.1 |
| RACE/ETHNICITY | Non-Hisp. White | 23.7 | 20.2 – 27.6 |
| | Non-Hisp. Black | 26.2 | 20.1 – 33.5 |
| | Hispanic | 19.1 | 15.2 – 23.9 |
| AGE GROUP | 19 & Under | 22.1 | 14.4 – 32.4 |
| | 20-24 | 18.5 | 14.1 – 23.9 |
| | 25-34 | 24.5 | 21.1 – 28.4 |
| | 35 & Older | 28.0 | 21.6 – 35.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>19.5</td><td>14.0 – 26.5</td></high> | 19.5 | 14.0 – 26.5 |
| | H.S. | 20.8 | 16.7 – 25.6 |
| | >High School | 26.6 | 23.0 – 30.5 |
| HOUSEHOLD INCOME | <\$15,000 | 21.5 | 17.3 – 26.4 |
| | \$15,000-\$34,999 | 22.4 | 17.6 – 27.9 |
| | \$35,000 or More | 27.7 | 23.4 – 32.4 |
| MEDICAID RECIPIENT | Yes | 19.7 | 16.6 – 23.2 |
| | No | 28.5 | 24.5 – 32.9 |
| MARITAL STATUS | Married | 25.2 | 21.8 – 28.9 |
| | Not Married | 21.4 | 17.8 – 25.4 |

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida having dental cleanings before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, have you had your teeth cleaned by a dentist or dental hygienist? Answer: Yes.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 44.6 | 41.5 – 47.7 |
| RACE/ETHNICITY | Non-Hisp. White | 50.8 | 46.3 – 55.2 |
| | Non-Hisp. Black | 39.8 | 32.5 – 47.6 |
| | Hispanic | 39.4 | 34.1 – 45.0 |
| AGE GROUP | 19 & Under | 34.2 | 24.8 – 45.1 |
| | 20-24 | 31.2 | 25.6 – 37.3 |
| | 25-34 | 51.2 | 46.9 – 55.5 |
| | 35 & Older | 50.9 | 43.1 – 58.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>28.1</th><th>21.6 – 35.7</th></high> | 28.1 | 21.6 – 35.7 |
| | H.S. | 34.8 | 29.7 – 40.3 |
| | >High School | 56.9 | 52.6 - 61.0 |
| HOUSEHOLD INCOME | <\$15,000 | 27.0 | 22.4 – 32.2 |
| | \$15,000-\$34,999 | 39.5 | 33.5 – 45.7 |
| | \$35,000 or More | 67.3 | 62.4 – 71.9 |
| MEDICAID RECIPIENT | Yes | 30.8 | 27.0 – 34.8 |
| | No | 62.8 | 58.1 – 67.2 |
| MARITAL STATUS | Married | 54.8 | 50.6 – 58.9 |
| | Not Married | 33.4 | 29.2 – 37.9 |

Uninsured Before Pregnancy

Prevalence of new moms in Florida who were uninsured before pregnancy

PRAMS Question: During the month before you got pregnant with your new baby, were you covered by any of these health insurance plans? Answer: I did not have any health insurance before I got pregnant.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 32.9 | 30.0 – 35.9 |
| RACE/ETHNICITY | Non-Hisp. White | 25.4 | 21.6 – 29.6 |
| | Non-Hisp. Black | 25.1 | 19.1 – 32.3 |
| | Hispanic | 47.1 | 41.7 – 52.6 |
| AGE GROUP | 19 & Under | 33.5 | 24.2 – 44.3 |
| | 20-24 | 44.5 | 38.4 – 50.8 |
| | 25-34 | 29.0 | 25.2 – 33.1 |
| | 35 & Older | 26.5 | 20.1 – 34.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>47.9</th><th>40.2 – 55.6</th></high> | 47.9 | 40.2 – 55.6 |
| | H.S. | 43.8 | 38.4 – 49.3 |
| | >High School | 20.4 | 17.1 – 24.1 |
| HOUSEHOLD INCOME | <\$15,000 | 49.9 | 44.4 – 55.3 |
| | \$15,000-\$34,999 | 42.0 | 36.0 – 48.3 |
| | \$35,000 or More | 7.6 | 5.3 - 10.8 |
| MEDICAID RECIPIENT | Yes | 50.7 | 46.5 – 54.9 |
| | No | 8.5 | 6.2 -11.7 |
| MARITAL STATUS | Married | 23.3 | 19.9 – 27.2 |
| | Not Married | 43.3 | 38.8 – 47.9 |

WIC Participation During Pregnancy

Prevalence of new moms in Florida participating in the special supplemental nutrition program for women, infants, and children (WIC) during pregnancy

PRAMS Question: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? Answer: Yes.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 58.2 | 55.2 – 61.1 |
| RACE/ETHNICITY | Non-Hisp. White | 43.5 | 39.1 – 48.0 |
| | Non-Hisp. Black | 84.5 | 78.4 – 89.1 |
| | Hispanic | 66.4 | 61.0 – 71.4 |
| AGE GROUP | 19 & Under | 87.3 | 78.5 – 92.9 |
| | 20-24 | 79.9 | 74.4 – 84.4 |
| | 25-34 | 47.9 | 43.6 – 52.2 |
| | 35 & Older | 39.0 | 31.6 – 47.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>85.1</td><td>78.8 – 89.8</td></high> | 85.1 | 78.8 – 89.8 |
| | H.S. | 77.5 | 72.6 – 81.8 |
| | >High School | 36.2 | 32.2 – 40.4 |
| HOUSEHOLD INCOME | <\$15,000 | 87.0 | 82.9 – 90.2 |
| | \$15,000-\$34,999 | 75.2 | 69.5 – 80.1 |
| | \$35,000 or More | 15.3 | 11.8 – 19.4 |
| MEDICAID RECIPIENT | Yes | 86.4 | 83.4 – 89.0 |
| | No | 19.8 | 16.3 – 23.9 |
| MARITAL STATUS | Married | 37.9 | 33.9 – 42.1 |
| | Not Married | 80.3 | 76.5 – 83.6 |

Pre-Pregnancy Weight

Prevalence of new moms in Florida who were underweight before recent pregnancy

PRAMS Questions: Just before you got pregnant with your new baby, how much did you weigh? How tall are you without shoes? (Underweight is based on a Body Mass Index (BMI) of less than 18.5.)




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 10.6 | 8.9 - 12.7 |
| RACE/ETHNICITY | Non-Hisp. White | 8.6 | 6.4 - 11.5 |
| | Non-Hisp. Black | 10.6 | 6.9 - 16.1 |
| | Hispanic | 12.4 | 9.2 - 16.4 |
| AGE GROUP | 19 & Under | 10.8 | 5.9 - 18.7 |
| | 20-24 | 12.6 | 9.1 – 17.3 |
| | 25-34 | 9.9 | 7.6 – 12.8 |
| | 35 & Older | 9.6 | 5.8 - 15.5 |
| EDUCATION LEVEL | <high school<="" td=""><th>16.2</th><td>11.3 – 22.6</td></high> | 16.2 | 11.3 – 22.6 |
| | H.S. | 11.8 | 8.7 – 15.7 |
| | >High School | 7.9 | 5.9 - 10.6 |
| HOUSEHOLD INCOME | <\$15,000 | 14.3 | 11.0 – 18.4 |
| | \$15,000-\$34,999 | 8.2 | 5.4 – 12.3 |
| | \$35,000 or More | 7.0 | 4.7 – 10.1 |
| MEDICAID RECIPIENT | Yes | 14.1 | 11.5 – 17.2 |
| | No | 6.1 | 4.2 - 8.8 |
| MARITAL STATUS | Married | 8.9 | 6.8 - 11.7 |
| | Not Married | 12.4 | 9.7 – 15.7 |

Pre-Pregnancy Weight

Prevalence of new moms in Florida who were overweight before recent pregnancy

PRAMS Questions: Just before you got pregnant with your new baby, how much did you weigh? How tall are you without shoes? (Overweight is based on a Body Mass Index (BMI) between 25.0 and 29.9.)




| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 21.9 | 19.5 – 24.6 |
| RACE/ETHNICITY | Non-Hisp. White | 23.8 | 20.2 – 27.8 |
| | Non-Hisp. Black | 19.0 | 13.8 – 25.6 |
| | Hispanic | 21.4 | 17.3 – 26.2 |
| AGE GROUP | 19 & Under | 15.8 | 9.7 - 24.6 |
| | 20-24 | 20.9 | 16.2 – 26.5 |
| | 25-34 | 23.8 | 20.4 – 27.6 |
| | 35 & Older | 21.4 | 15.6 – 28.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>19.4</td><td>14.1 – 26.2</td></high> | 19.4 | 14.1 – 26.2 |
| | H.S. | 23.1 | 18.9 – 28.1 |
| | >High School | 21.9 | 18.6 – 25.6 |
| HOUSEHOLD INCOME | <\$15,000 | 18.7 | 14.8 – 23.3 |
| | \$15,000-\$34,999 | 25.7 | 20.7 – 31.4 |
| | \$35,000 or More | 21.6 | 17.7 – 26.1 |
| MEDICAID RECIPIENT | Yes | 22.6 | 19.3 – 26.3 |
| | No | 21.2 | 17.7 – 25.3 |
| MARITAL STATUS | Married | 22.4 | 19.1 – 26.0 |
| | Not Married | 21.5 | 18.0 – 25.4 |

Pre-Pregnancy Weight

Prevalence of new moms in Florida who were obese before pregnancy

PRAMS Questions: Just before you got pregnant with your new baby, how much did you weigh? How tall are you without shoes? (Obesity is based on a Body Mass Index (BMI) of 30.0 or more.)



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 17.5 | 15.2 – 19.9 |
| RACE/ETHNICITY | Non-Hisp. White | 14.6 | 11.8 – 18.0 |
| | Non-Hisp. Black | 24.1 | 18.2 – 31.2 |
| | Hispanic | 17.7 | 13.9 – 22.4 |
| AGE GROUP | 19 & Under | 9.2 | 4.5 - 18.1 |
| | 20-24 | 17.4 | 13.1 – 22.7 |
| | 25-34 | 18.8 | 15.7 – 22.4 |
| | 35 & Older | 18.4 | 13.1 – 25.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>23.2</td><td>17.2 – 30.5</td></high> | 23.2 | 17.2 – 30.5 |
| | H.S. | 17.8 | 14.0 – 22.3 |
| | >High School | 15.3 | 12.5 – 18.6 |
| HOUSEHOLD INCOME | <\$15,000 | 20.9 | 16.8 – 25.7 |
| | \$15,000-\$34,999 | 18.1 | 13.8 – 23.4 |
| | \$35,000 or More | 14.4 | 11.2 – 18.3 |
| MEDICAID RECIPIENT | Yes | 18.8 | 15.8 – 22.3 |
| | No | 15.1 | 12.0 – 18.7 |
| MARITAL STATUS | Married | 17.0 | 14.1 – 20.4 |
| | Not Married | 17.9 | 14.7 – 21.7 |

Prevalence of new moms in Florida who smoked cigarettes before pregnancy


PRAMS Question: In the three months before you got pregnant, how many cigarettes did you smoke on an average day? (This chart shows the prevalence of any smoking before pregnancy.)



| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 25.4 | 22.8 – 28.2 |
| RACE/ETHNICITY | Non-Hisp. White | 36.7 | 32.4 – 41.1 |
| | Non-Hisp. Black | 21.2 | 15.6 – 28.2 |
| | Hispanic | 13.4 | 10.0 – 17.6 |
| AGE GROUP | 19 & Under | 22.5 | 15.0 – 32.4 |
| | 20-24 | 32.4 | 26.8 – 38.5 |
| | 25-34 | 24.6 | 21.0 – 28.5 |
| | 35 & Older | 18.3 | 13.0 – 25.2 |
| EDUCATION LEVEL | <high school<="" td=""><th>27.2</th><td>20.8 – 34.7</td></high> | 27.2 | 20.8 – 34.7 |
| | H.S. | 28.9 | 24.2 – 34.2 |
| | >High School | 22.5 | 19.2 – 26.3 |
| HOUSEHOLD INCOME | <\$15,000 | 28.8 | 24.1 – 34.0 |
| | \$15,000-\$34,999 | 31.7 | 26.3 – 37.7 |
| | \$35,000 or More | 18.4 | 14.7 – 22.7 |
| MEDICAID RECIPIENT | Yes | 31.9 | 28.2 – 35.9 |
| | No | 16.7 | 13.5 – 20.4 |
| MARITAL STATUS | Married | 17.6 | 14.6 – 21.0 |
| | Not Married | 34.0 | 29.8 – 38.4 |

Prevalence of new moms in Florida who smoked cigarettes during pregnancy

PRAMS Question: In the last three months of your pregnancy, how many cigarettes did you smoke on an average day? (This chart shows the prevalence of any smoking during pregnancy.)



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 9.6 | 7.9 – 11.6 |
| RACE/ETHNICITY | Non-Hisp. White | 15.5 | 12.5 – 19.1 |
| | Non-Hisp. Black | 9.2 | 5.7 – 14.7 |
| | Hispanic | 2.0 | 1.0 - 4.2 |
| AGE GROUP | 19 & Under | 10.1 | 5.5 – 17.9 |
| | 20-24 | 9.5 | 6.5 – 13.8 |
| | 25-34 | 10.4 | 8.0 - 13.4 |
| | 35 & Older | 6.7 | 3.8 -11.6 |
| EDUCATION LEVEL | <high school<="" td=""><td>13.6</td><td>9.1 - 19.7</td></high> | 13.6 | 9.1 - 19.7 |
| | H.S. | 10.7 | 7.8 – 14.6 |
| | >High School | 7.6 | 5.6 - 10.1 |
| HOUSEHOLD INCOME | <\$15,000 | 14.0 | 10.7 – 18.2 |
| | \$15,000-\$34,999 | 11.0 | 7.7 – 15.4 |
| | \$35,000 or More | 4.2 | 2.6 - 6.7 |
| MEDICAID RECIPIENT | Yes | 13.8 | 11.2 – 16.8 |
| | No | 4.1 | 2.6 - 6.3 |
| MARITAL STATUS | Married | 5.3 | 3.7 - 7.5 |
| | Not Married | 14.3 | 11.4 – 17.7 |

Prevalence of new moms in Florida who smoked cigarettes after recent pregnancy

PRAMS Question: How many cigarettes do you smoke on an average day now? (This chart shows the prevalence of any smoking after pregnancy.)




| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI | |
|------------------------|--|---------|-------------|--|
| ALL | Overall | 16.7 | 14.5 – 19.2 | |
| RACE/ETHNICITY | Non-Hisp. White | 23.3 | 19.6 – 27.4 | |
| | Non-Hisp. Black | 17.4 | 12.3 – 24.0 | |
| | Hispanic | 7.5 | 5.1 – 11.1 | |
| AGE GROUP | 19 & Under | 18.6 | 11.7 – 28.2 | |
| | 20-24 | 22.4 | 17.6 – 28.1 | |
| | 25-34 | 15.2 | 12.3 – 18.7 | |
| | 35 & Older | 11.1 | 7.1 – 17.1 | |
| EDUCATION LEVEL | <high school<="" td=""><td>24.1</td><td>18.1 – 31.4</td><td></td></high> | 24.1 | 18.1 – 31.4 | |
| | H.S. | 18.9 | 15.0 – 23.6 | |
| | >High School | 12.9 | 10.2 – 16.1 | |
| HOUSEHOLD INCOME | <\$15,000 | 23.2 | 18.8 – 28.1 | |
| | \$15,000-\$34,999 | 21.6 | 17.0 – 27.2 | |
| | \$35,000 or More | 7.3 | 5.0 - 10.5 | |
| MEDICAID RECIPIENT | Yes | 23.5 | 20.1 – 27.2 | |
| | No | 7.6 | 5.5 - 10.5 | |
| MARITAL STATUS | Married | 8.2 | 6.2 - 10.9 | |
| | Not Married | 26.1 | 22.3 – 30.3 | |

¹⁶

Prevalence of new moms in Florida who quit smoking during recent pregnancy


PRAMS Question: Did you quit smoking around the time of your most recent pregnancy? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 67.9 | 61.8 – 73.5 |
| RACE/ETHNICITY | Non-Hisp. White | 61.1 | 53.2 – 68.4 |
| | Non-Hisp. Black | 69.2 | 51.9 – 82.4 |
| | Hispanic | 88.2 | 74.4 – 95.1 |
| AGE GROUP | 19 & Under | 62.3 | 39.8 – 80.5 |
| | 20-24 | 79.6 | 69.3 – 87.1 |
| | 25-34 | 61.9 | 52.8 – 70.2 |
| | 35 & Older | 64.9 | 45.4 – 80.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>58.3</th><th>43.4 – 71.8</th></high> | 58.3 | 43.4 – 71.8 |
| | H.S. | 68.3 | 57.6 – 77.3 |
| | >High School | 71.8 | 62.8 – 79.3 |
| HOUSEHOLD INCOME | <\$15,000 | 60.7 | 50.2 – 70.3 |
| | \$15,000-\$34,999 | 64.6 | 53.6 – 74.3 |
| | \$35,000 or More | 86.4 | 75.8 – 92.8 |
| MEDICAID RECIPIENT | Yes | 63.0 | 55.4 – 69.9 |
| | No | 80.7 | 69.9 – 88.2 |
| MARITAL STATUS | Married | 76.3 | 66.7 – 83.9 |
| | Not Married | 63.2 | 55.2 – 70.6 |

Prevalence of new moms in Florida living in homes that do not allow cigarette smoking


PRAMS Question: Which of the following statements best describes the rules about smoking inside your home now? Answer: No one is allowed to smoke anywhere inside my home.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 96.2 | 94.8 – 97.3 |
| RACE/ETHNICITY | Non-Hisp. White | 96.1 | 93.9 – 97.6 |
| | Non-Hisp. Black | 91.6 | 86.1 – 95.0 |
| | Hispanic | 99.0 | 97.3 – 99.6 |
| AGE GROUP | 19 & Under | 91.8 | 83.4 – 96.1 |
| | 20-24 | 96.6 | 93.6 – 98.3 |
| | 25-34 | 96.1 | 93.9 – 97.5 |
| | 35 & Older | 98.7 | 95.4 – 99.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>93.2</th><th>87.7 – 96.3</th></high> | 93.2 | 87.7 – 96.3 |
| | H.S. | 94.5 | 91.4 – 96.6 |
| | >High School | 98.3 | 96.8 – 99.1 |
| HOUSEHOLD INCOME | <\$15,000 | 92.8 | 89.4 – 95.2 |
| | \$15,000-\$34,999 | 95.7 | 92.3 – 97.6 |
| | \$35,000 or More | 99.3 | 97.4 – 99.8 |
| MEDICAID RECIPIENT | Yes | 94.8 | 92.6 – 96.4 |
| | No | 98.0 | 95.9 – 99.0 |
| MARITAL STATUS | Married | 97.4 | 95.6 – 98.5 |
| | Not Married | 94.8 | 92.3 – 96.6 |

Prevalence of new moms in Florida who drank alcohol before pregnancy


PRAMS Question: During the three months before you got pregnant, how many alcoholic drinks did you have in an average week? (This chart shows the prevalence of any drinking before pregnancy.)



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 52.4 | 49.3 – 55.5 |
| RACE/ETHNICITY | Non-Hisp. White | 69.0 | 64.6 – 73.1 |
| | Non-Hisp. Black | 39.2 | 32.0 – 47.0 |
| | Hispanic | 39.8 | 34.4 – 45.5 |
| AGE GROUP | 19 & Under | 23.5 | 15.5 – 34.0 |
| | 20-24 | 53.4 | 47.0 – 59.6 |
| | 25-34 | 57.9 | 53.6 – 62.2 |
| | 35 & Older | 51.2 | 43.2 – 59.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>24.1</th><th>18.0 – 31.5</th></high> | 24.1 | 18.0 – 31.5 |
| | H.S. | 47.7 | 42.2 – 53.4 |
| | >High School | 65.3 | 61.1 – 69.4 |
| HOUSEHOLD INCOME | <\$15,000 | 35.7 | 30.6 – 41.2 |
| | \$15,000-\$34,999 | 53.0 | 46.6 – 59.3 |
| | \$35,000 or More | 70.6 | 65.6 – 75.0 |
| MEDICAID RECIPIENT | Yes | 44.6 | 40.5 – 48.9 |
| | No | 63.3 | 58.6 – 67.8 |
| MARITAL STATUS | Married | 58.5 | 54.2 – 62.6 |
| | Not Married | 45.8 | 41.2 – 50.5 |

Prevalence of new moms in Florida drinking more than four alcoholic drinks in one sitting (binge drinking) before pregnancy


PRAMS Question: During the three months before you got pregnant, how many times did you drink four alcoholic drinks or more in one sitting? (This chart shows the prevalence of any binge drinking before pregnancy.)



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 25.1 | 22.4 – 28.1 |
| RACE/ETHNICITY | Non-Hisp. White | 34.1 | 29.7 – 38.7 |
| | Non-Hisp. Black | 16.6 | 11.5 – 23.4 |
| | Hispanic | 19.7 | 15.4 – 24.9 |
| AGE GROUP | 19 & Under | 3.2 | 1.4 - 7.4 |
| | 20-24 | 30.9 | 25.1 – 37.4 |
| | 25-34 | 27.9 | 24.0 – 32.1 |
| | 35 & Older | 19.5 | 13.7 – 27.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>13.0</th><th>8.4 - 19.5</th></high> | 13.0 | 8.4 - 19.5 |
| | H.S. | 23.9 | 19.3 – 29.2 |
| | >High School | 30.4 | 26.4 – 34.7 |
| HOUSEHOLD INCOME | <\$15,000 | 21.3 | 17.0 – 26.4 |
| | \$15,000-\$34,999 | 25.8 | 20.4 – 32.0 |
| | \$35,000 or More | 30.2 | 25.5 – 35.3 |
| MEDICAID RECIPIENT | Yes | 23.7 | 20.2 – 27.7 |
| | No | 27.6 | 23.4 – 32.2 |
| MARITAL STATUS | Married | 26.9 | 23.2 – 31.0 |
| | Not Married | 23.2 | 19.4 – 27.5 |

Prevalence of new moms in Florida who drank alcohol during pregnancy


PRAMS Question: During the last three months of your pregnancy, how many alcoholic drinks did you have in an average week? (This chart shows the prevalence of any drinking during pregnancy.)



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 7.2 | 5.8 - 9.0 |
| RACE/ETHNICITY | Non-Hisp. White | 8.7 | 6.5 – 11.5 |
| | Non-Hisp. Black | 4.9 | 2.5 - 9.4 |
| | Hispanic | 7.4 | 4.9 - 10.9 |
| AGE GROUP | 19 & Under | 3.2 | 0.9 - 10.2 |
| | 20-24 | 4.5 | 2.5 - 7.9 |
| | 25-34 | 8.8 | 6.6 - 11.6 |
| | 35 & Older | 9.2 | 5.5 - 14.8 |
| EDUCATION LEVEL | <high school<="" td=""><td>2.5</td><td>1.0 - 6.3</td></high> | 2.5 | 1.0 - 6.3 |
| | H.S. | 6.0 | 3.9 - 9.4 |
| | >High School | 9.7 | 7.5 – 12.6 |
| HOUSEHOLD INCOME | <\$15,000 | 4.1 | 2.4 - 6.9 |
| | \$15,000-\$34,999 | 7.4 | 4.7 – 11.5 |
| | \$35,000 or More | 10.8 | 8.0 -14.3 |
| MEDICAID RECIPIENT | Yes | 6.2 | 4.4 - 8.5 |
| | No | 8.9 | 6.6 -11.9 |
| MARITAL STATUS | Married | 8.1 | 6.1 -10.6 |
| | Not Married | 6.4 | 4.4 - 9.0 |

Prevalence of new moms in Florida drinking more than four alcoholic drinks in one sitting (binge drinking) during pregnancy

PRAMS Question: During the last three months of your pregnancy, how many times did you drink four alcoholic drinks or more in one sitting? (This chart shows the prevalence of any binge drinking during pregnancy.)




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 3.2 | 1.9 - 5.5 |
| RACE/ETHNICITY | Non-Hisp. White | 3.0 | 1.2 - 7.6 |
| | Non-Hisp. Black | 3.7 | 1.3 – 10.5 |
| | Hispanic | 3.6 | 1.6 - 7.8 |
| AGE GROUP | 19 & Under | 0.3 | 0.0 - 1.9 |
| | 20-24 | 4.2 | 1.6 - 10.7 |
| | 25-34 | 4.1 | 2.1 - 7.9 |
| | 35 & Older | 1.8 | 0.3 -11.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>1.2</td><td>0.2 - 6.3</td></high> | 1.2 | 0.2 - 6.3 |
| | H.S. | 4.1 | 1.9 - 8.7 |
| | >High School | 3.8 | 1.7 - 8.3 |
| HOUSEHOLD INCOME | <\$15,000 | 3.4 | 1.6 - 7.2 |
| | \$15,000-\$34,999 | 1.0 | 0.1 - 6.6 |
| | \$35,000 or More | 4.0 | 1.5 – 10.3 |
| MEDICAID RECIPIENT | Yes | 3.8 | 2.1 - 6.8 |
| | No | 2.1 | 0.7 - 6.4 |
| MARITAL STATUS | Married | 2.5 | 1.0 - 5.9 |
| | Not Married | 3.9 | 2.0 - 7.4 |

Folic Acid

Prevalence of new moms in Florida taking a multivitamin containing folic acid before becoming pregnant


PRAMS Question: During the month before you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or folic acid vitamin? Answer: I took a multivitamin at least 1 per week.



| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 42.9 | 39.8 – 45.9 |
| RACE/ETHNICITY | Non-Hisp. White | 48.0 | 43.6 – 52.4 |
| | Non-Hisp. Black | 32.8 | 26.0 – 40.4 |
| | Hispanic | 41.1 | 35.8 – 46.6 |
| AGE GROUP | 19 & Under | 23.1 | 15.1 – 33.5 |
| | 20-24 | 31.2 | 25.7 – 37.3 |
| | 25-34 | 48.5 | 44.3 – 52.8 |
| | 35 & Older | 55.8 | 47.9 – 63.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>30.2</td><td>23.5 – 37.8</td></high> | 30.2 | 23.5 – 37.8 |
| | H.S. | 35.2 | 30.1 – 40.6 |
| | >High School | 52.4 | 48.2 – 56.6 |
| HOUSEHOLD INCOME | <\$15,000 | 28.1 | 23.5 – 33.3 |
| | \$15,000-\$34,999 | 39.2 | 33.3 – 45.4 |
| | \$35,000 or More | 60.8 | 55.7 – 65.7 |
| MEDICAID RECIPIENT | Yes | 32.3 | 28.5 – 36.3 |
| | No | 57.5 | 52.9 – 62.1 |
| MARITAL STATUS | Married | 53.5 | 49.3 – 57.7 |
| | Not Married | 31.2 | 27.0 – 35.6 |

Prevalence of new moms in Florida hearing about folic acid from a healthcare provider before becoming pregnant


PRAMS Question: Before you got pregnant with you new baby, did a doctor, nurse, or other health care worker talk with you about taking vitamins with folic acid before pregnancy? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 78.0 | 72.9 – 82.4 |
| RACE/ETHNICITY | Non-Hisp. White | 84.7 | 77.7 – 89.8 |
| | Non-Hisp. Black | 66.5 | 51.7 – 78.6 |
| | Hispanic | 73.1 | 62.8 – 81.4 |
| AGE GROUP | 19 & Under | 56.7 | 35.9 – 75.4 |
| | 20-24 | 64.6 | 52.1 – 75.3 |
| | 25-34 | 83.1 | 76.4 – 88.2 |
| | 35 & Older | 90.1 | 78.9 – 95.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>58.9</th><th>44.9 – 71.6</th></high> | 58.9 | 44.9 – 71.6 |
| | H.S. | 66.1 | 55.0 – 75.7 |
| | >High School | 90.3 | 84.6 – 94.0 |
| HOUSEHOLD INCOME | <\$15,000 | 58.4 | 47.6 – 68.5 |
| | \$15,000-\$34,999 | 76.3 | 64.1 – 85.3 |
| | \$35,000 or More | 92.1 | 86.0 – 95.7 |
| MEDICAID RECIPIENT | Yes | 67.8 | 59.6 – 75.0 |
| | No | 87.6 | 81.3 – 92.0 |
| MARITAL STATUS | Married | 86.9 | 81.0 – 91.1 |
| | Not Married | 63.7 | 54.2 – 72.1 |

Prevalence of new moms in Florida having discussions of healthy weight before pregnancy with a healthcare worker before becoming pregnant


PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about being a healthy weight before pregnancy? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 66.9 | 61.5 – 71.9 |
| RACE/ETHNICITY | Non-Hisp. White | 58.4 | 50.5 – 65.9 |
| | Non-Hisp. Black | 74.1 | 60.2 – 84.4 |
| | Hispanic | 72.6 | 62.3 – 80.9 |
| AGE GROUP | 19 & Under | 72.6 | 51.5 – 86.9 |
| | 20-24 | 70.1 | 57.9 – 80.1 |
| | 25-34 | 64.3 | 56.9 – 71.1 |
| | 35 & Older | 67.8 | 54.7 – 78.6 |
| EDUCATION LEVEL | <high school<="" td=""><td>80.8</td><td>68.7 – 88.9</td></high> | 80.8 | 68.7 – 88.9 |
| | H.S. | 64.0 | 52.8 – 73.8 |
| | >High School | 63.8 | 56.6 – 70.4 |
| HOUSEHOLD INCOME | <\$15,000 | 74.3 | 64.2 – 82.3 |
| | \$15,000-\$34,999 | 76.3 | 64.2 – 85.2 |
| | \$35,000 or More | 57.0 | 48.8 – 64.8 |
| MEDICAID RECIPIENT | Yes | 76.9 | 69.4 – 83.1 |
| | No | 57.1 | 49.5 – 64.4 |
| MARITAL STATUS | Married | 60.2 | 53.3 – 66.8 |
| | Not Married | 77.7 | 69.2 – 84.4 |

Prevalence of new moms in Florida having discussions with a healthcare worker about getting vaccines updated before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about getting vaccines updated before pregnancy? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 38.5 | 33.1 – 44.1 |
| RACE/ETHNICITY | Non-Hisp. White | 23.4 | 17.3 – 31.0 |
| | Non-Hisp. Black | 51.9 | 37.6 – 65.9 |
| | Hispanic | 49.0 | 38.7 – 59.5 |
| AGE GROUP | 19 & Under | 47.7 | 27.7 – 68.5 |
| | 20-24 | 44.7 | 33.0 – 57.1 |
| | 25-34 | 35.0 | 28.1 – 42.6 |
| | 35 & Older | 36.6 | 25.0 – 50.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>58.6</td><td>44.5 – 71.4</td></high> | 58.6 | 44.5 – 71.4 |
| | H.S. | 43.0 | 32.5 – 54.2 |
| | >High School | 29.6 | 23.2 – 36.8 |
| HOUSEHOLD INCOME | <\$15,000 | 56.7 | 45.8 – 67.0 |
| | \$15,000-\$34,999 | 45.9 | 34.0 – 58.2 |
| | \$35,000 or More | 22.9 | 16.7 – 30.6 |
| MEDICAID RECIPIENT | Yes | 53.6 | 45.2 – 61.8 |
| | No | 23.8 | 17.9 – 30.9 |
| MARITAL STATUS | Married | 28.9 | 23.0 – 35.6 |
| | Not Married | 54.0 | 44.5 – 63.3 |

26

Prevalence of new moms in Florida having discussions with a healthcare worker about visiting a dentist or dental hygienist before becoming pregnant


PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about visiting a dentist or dental hygienist before pregnancy? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 39.0 | 33.7 – 44.5 |
| RACE/ETHNICITY | Non-Hisp. White | 29.4 | 22.8 – 37.0 |
| | Non-Hisp. Black | 60.4 | 45.9 – 73.3 |
| | Hispanic | 43.2 | 33.3 – 53.7 |
| AGE GROUP | 19 & Under | 45.2 | 25.7 – 66.2 |
| | 20-24 | 40.5 | 29.3 – 52.9 |
| | 25-34 | 38.0 | 30.9 – 45.6 |
| | 35 & Older | 37.0 | 25.5 – 50.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>40.0</td><td>27.3 – 54.1</td></high> | 40.0 | 27.3 – 54.1 |
| | H.S. | 44.5 | 33.9 – 55.6 |
| | >High School | 35.8 | 29.1 – 43.1 |
| HOUSEHOLD INCOME | <\$15,000 | 43.8 | 33.5 – 54.6 |
| | \$15,000-\$34,999 | 45.7 | 34.0 – 57.9 |
| | \$35,000 or More | 30.6 | 23.6 – 38.6 |
| MEDICAID RECIPIENT | Yes | 45.5 | 37.4 – 53.8 |
| | No | 32.3 | 25.7 – 39.7 |
| MARITAL STATUS | Married | 38.0 | 31.5 – 44.9 |
| | Not Married | 40.6 | 31.7 – 50.1 |

Prevalence of new moms in Florida having discussions with a healthcare worker about getting counseling for any genetic diseases that run in your family before becoming pregnant


PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about getting counseling for any genetic diseases that run in your family? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 38.5 | 33.1 – 44.1 |
| RACE/ETHNICITY | Non-Hisp. White | 31.8 | 24.9 – 39.5 |
| | Non-Hisp. Black | 42.6 | 29.0 – 57.4 |
| | Hispanic | 45.0 | 34.9 – 55.6 |
| AGE GROUP | 19 & Under | 43.6 | 24.4 – 65.0 |
| | 20-24 | 36.0 | 25.1 – 48.6 |
| | 25-34 | 34.3 | 27.5 – 41.8 |
| | 35 & Older | 51.7 | 38.7 – 64.4 |
| EDUCATION LEVEL | <high school<="" td=""><td>42.8</td><td>29.7 – 57.0</td></high> | 42.8 | 29.7 – 57.0 |
| | H.S. | 42.6 | 32.1 – 53.7 |
| | >High School | 34.9 | 28.3 – 42.2 |
| HOUSEHOLD INCOME | <\$15,000 | 42.3 | 32.1 – 53.3 |
| | \$15,000-\$34,999 | 36.7 | 25.8 – 49.0 |
| | \$35,000 or More | 34.8 | 27.5 – 43.1 |
| MEDICAID RECIPIENT | Yes | 41.4 | 33.4 – 49.8 |
| | No | 35.3 | 28.4 – 42.9 |
| MARITAL STATUS | Married | 38.4 | 31.8 – 45.3 |
| | Not Married | 38.7 | 29.8 – 48.3 |

Prevalence of new moms in Florida having discussions with a healthcare worker about controlling any medical conditions such as diabetes and high blood pressure before becoming pregnant


PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about controlling any medical conditions such as diabetes and high blood pressure? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 36.2 | 31.0 – 41.8 |
| RACE/ETHNICITY | Non-Hisp. White | 26.7 | 20.2 – 34.3 |
| | Non-Hisp. Black | 47.5 | 33.5 – 61.8 |
| | Hispanic | 42.8 | 32.7 – 53.4 |
| AGE GROUP | 19 & Under | 53.5 | 32.8 – 73.0 |
| | 20-24 | 40.2 | 28.8 – 52.7 |
| | 25-34 | 28.4 | 22.0 – 35.8 |
| | 35 & Older | 46.9 | 34.2 – 60.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>44.3</th><th>31.1 – 58.5</th></high> | 44.3 | 31.1 – 58.5 |
| | H.S. | 46.4 | 35.7 – 57.5 |
| | >High School | 28.4 | 22.2 – 35.5 |
| HOUSEHOLD INCOME | <\$15,000 | 49.0 | 38.4 – 59.6 |
| | \$15,000-\$34,999 | 44.5 | 32.9 – 56.8 |
| | \$35,000 or More | 21.4 | 15.5 – 29.0 |
| MEDICAID RECIPIENT | Yes | 50.4 | 42.1 – 58.7 |
| | No | 23.2 | 17.4 – 30.2 |
| MARITAL STATUS | Married | 30.2 | 24.2 – 37.0 |
| | Not Married | 46.2 | 36.9 – 55.7 |

Prevalence of new moms in Florida having discussions with a healthcare worker about controlling any medical conditions such as depression or anxiety before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about getting counseling or treatment for depression or anxiety? Answer: Yes.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 25.4 | 20.8 – 30.7 |
| RACE/ETHNICITY | Non-Hisp. White | 18.6 | 13.2 – 25.7 |
| | Non-Hisp. Black | 39.9 | 26.6 – 54.9 |
| | Hispanic | 30.0 | 21.2 – 40.5 |
| AGE GROUP | 19 & Under | 36.5 | 18.8 – 58.7 |
| | 20-24 | 33.0 | 22.3 – 45.7 |
| | 25-34 | 21.7 | 16.0 – 28.7 |
| | 35 & Older | 22.4 | 13.2 – 35.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>35.9</td><td>23.7 – 50.3</td></high> | 35.9 | 23.7 – 50.3 |
| | H.S. | 33.6 | 23.9 – 45.0 |
| | >High School | 18.1 | 13.0 – 24.5 |
| HOUSEHOLD INCOME | <\$15,000 | 35.5 | 25.9 – 46.4 |
| | \$15,000-\$34,999 | 32.3 | 21.8 – 44.9 |
| | \$35,000 or More | 12.1 | 7.8 – 18.3 |
| MEDICAID RECIPIENT | Yes | 38.2 | 30.4 – 46.7 |
| | No | 13.7 | 9.3 – 19.7 |
| MARITAL STATUS | Married | 19.9 | 14.8 – 26.1 |
| | Not Married | 34.7 | 26.1 – 44.3 |

³⁰

Prevalence of new moms in Florida having discussions with a healthcare worker about the safety of using prescription or over-the-counter medicines before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about the safety of using prescription or over-the-counter medicines during pregnancy? Answer: Yes.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 65.9 | 60.4 – 70.9 |
| RACE/ETHNICITY | Non-Hisp. White | 57.0 | 49.2 – 64.6 |
| | Non-Hisp. Black | 83.9 | 71.7 – 91.4 |
| | Hispanic | 70.0 | 59.4 – 78.8 |
| AGE GROUP | 19 & Under | 92.2 | 71.6 – 98.2 |
| | 20-24 | 66.7 | 54.3 – 77.1 |
| | 25-34 | 62.4 | 54.9 – 69.4 |
| | 35 & Older | 62.0 | 48.6 – 73.9 |
| EDUCATION LEVEL | <high school<="" td=""><th>78.9</th><td>66.1 – 87.8</td></high> | 78.9 | 66.1 – 87.8 |
| | H.S. | 70.6 | 59.7 – 79.6 |
| | >High School | 59.2 | 51.9 – 66.1 |
| HOUSEHOLD INCOME | <\$15,000 | 79.5 | 69.9 – 86.6 |
| | \$15,000-\$34,999 | 71.4 | 59.3 – 81.1 |
| | \$35,000 or More | 53.2 | 45.0 – 61.2 |
| MEDICAID RECIPIENT | Yes | 77.8 | 70.3 – 83.8 |
| | No | 54.2 | 46.6 – 61.6 |
| MARITAL STATUS | Married | 59.6 | 52.7 – 66.2 |
| | Not Married | 76.0 | 67.2 – 83.0 |

³¹

Prevalence of new moms in Florida having discussions with a healthcare worker about how smoking during pregnancy can affect a baby before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy can affect a baby? Answer: Yes.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 68.5 | 63.1 – 73.5 |
| RACE/ETHNICITY | Non-Hisp. White | 60.2 | 52.3 – 67.6 |
| | Non-Hisp. Black | 84.2 | 71.0 – 92.1 |
| | Hispanic | 75.7 | 65.4 – 83.8 |
| AGE GROUP | 19 & Under | 85.8 | 62.6 – 95.6 |
| | 20-24 | 82.1 | 70.6 – 89.8 |
| | 25-34 | 61.9 | 54.4 – 68.9 |
| | 35 & Older | 63.7 | 50.3 – 75.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>93.9</td><td>84.5 – 97.7</td></high> | 93.9 | 84.5 – 97.7 |
| | H.S. | 73.7 | 62.6 – 82.5 |
| | >High School | 57.8 | 50.5 – 64.8 |
| HOUSEHOLD INCOME | <\$15,000 | 88.7 | 79.8 – 94.0 |
| | \$15,000-\$34,999 | 79.7 | 68.5 – 87.7 |
| | \$35,000 or More | 46.9 | 38.9 – 55.0 |
| MEDICAID RECIPIENT | Yes | 84.3 | 77.4 – 89.4 |
| | No | 53.7 | 46.1 – 61.1 |
| MARITAL STATUS | Married | 57.2 | 50.3 – 63.9 |
| | Not Married | 87.4 | 79.6 – 92.5 |

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about how drinking alcohol during pregnancy can affect a baby before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy can affect a baby? Answer: Yes.




| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 69.9 | 64.6 – 74.7 |
| RACE/ETHNICITY | Non-Hisp. White | 60.2 | 52.3 – 67.6 |
| | Non-Hisp. Black | 84.4 | 71.2 – 92.2 |
| | Hispanic | 79.8 | 69.9 – 87.0 |
| AGE GROUP | 19 & Under | 86.8 | 62.8 – 96.3 |
| | 20-24 | 82.3 | 71.1 – 89.7 |
| | 25-34 | 63.1 | 55.6 – 70.1 |
| | 35 & Older | 66.9 | 53.5 – 78.0 |
| EDUCATION LEVEL | <high school<="" td=""><th>95.7</th><td>88.4 – 98.5</td></high> | 95.7 | 88.4 – 98.5 |
| | H.S. | 74.3 | 63.4 – 82.9 |
| | >High School | 59.3 | 52.0 - 66.3 |
| HOUSEHOLD INCOME | <\$15,000 | 87.5 | 78.5 – 93.1 |
| | \$15,000-\$34,999 | 80.2 | 69.1 – 88.0 |
| | \$35,000 or More | 50.3 | 42.1 – 58.4 |
| MEDICAID RECIPIENT | Yes | 84.6 | 77.8 – 89.6 |
| | No | 55.8 | 48.2 – 63.2 |
| MARITAL STATUS | Married | 59.8 | 52.9 – 66.3 |
| | Not Married | 86.5 | 78.6 – 91.8 |

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about how illegal drugs during pregnancy can affect a baby before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how illegal drugs during pregnancy can affect a baby? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 66.0 | 60.5 – 71.0 |
| RACE/ETHNICITY | Non-Hisp. White | 55.2 | 47.3 – 62.9 |
| | Non-Hisp. Black | 79.5 | 65.6 – 88.7 |
| | Hispanic | 77.1 | 67.1 – 84.8 |
| AGE GROUP | 19 & Under | 82.7 | 59.5 – 94.0 |
| | 20-24 | 78.9 | 67.2 – 87.3 |
| | 25-34 | 58.2 | 50.6 – 65.4 |
| | 35 & Older | 65.4 | 52.1 – 76.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>91.0</th><th>80.6 – 96.1</th></high> | 91.0 | 80.6 – 96.1 |
| | H.S. | 70.2 | 59.0 – 79.3 |
| | >High School | 55.7 | 48.4 – 62.8 |
| HOUSEHOLD INCOME | <\$15,000 | 85.9 | 76.7 – 91.9 |
| | \$15,000-\$34,999 | 75.0 | 63.3 – 83.9 |
| | \$35,000 or More | 45.7 | 37.8 – 53.9 |
| MEDICAID RECIPIENT | Yes | 81.7 | 74.5 – 87.3 |
| | No | 50.8 | 43.3 – 58.3 |
| MARITAL STATUS | Married | 56.0 | 49.1 – 62.7 |
| | Not Married | 82.3 | 73.9 – 88.4 |

Physical Abuse

Prevalence of new moms in Florida who were physically abused by a husband or partner before becoming pregnant

During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 3.6 | 2.6 - 4.9 |
| RACE/ETHNICITY | Non-Hisp. White | 3.6 | 2.2 - 5.9 |
| | Non-Hisp. Black | 5.5 | 3.0 - 10.0 |
| | Hispanic | 2.2 | 1.1 - 4.6 |
| AGE GROUP | 19 & Under | 3.1 | 1.1 - 8.7 |
| | 20-24 | 5.3 | 3.1 - 9.0 |
| | 25-34 | 3.6 | 2.3 - 5.6 |
| | 35 & Older | 1.1 | 0.2 - 4.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>2.5</td><td>1.0 - 6.3</td></high> | 2.5 | 1.0 - 6.3 |
| | H.S. | 5.1 | 3.1 - 8.1 |
| | >High School | 2.7 | 1.6 - 4.6 |
| HOUSEHOLD INCOME | <\$15,000 | 4.6 | 2.8 - 7.4 |
| | \$15,000-\$34,999 | 4.2 | 2.3 - 7.6 |
| | \$35,000 or More | 2.4 | 1.2 - 4.7 |
| MEDICAID RECIPIENT | Yes | 4.7 | 3.2 - 6.8 |
| | No | 2.2 | 1.1 - 4.1 |
| MARITAL STATUS | Married | 2.1 | 1.2 - 3.8 |
| | Not Married | 5.2 | 3.5 - 7.6 |

Physical Abuse

Prevalence of new moms in Florida who were physically abused by a husband or partner during pregnancy

PRAMS Question: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 2.9 | 2.0 - 4.1 |
| RACE/ETHNICITY | Non-Hisp. White | 3.3 | 2.0 - 5.4 |
| | Non-Hisp. Black | 2.8 | 1.2 - 6.2 |
| | Hispanic | 2.3 | 1.1 - 4.6 |
| AGE GROUP | 19 & Under | 1.2 | 0.6 - 2.4 |
| | 20-24 | 4.3 | 2.4 - 7.9 |
| | 25-34 | 2.9 | 1.7 - 4.8 |
| | 35 & Older | 1.5 | 0.4 - 5.4 |
| EDUCATION LEVEL | <high school<="" td=""><td>2.0</td><td>0.7 - 5.3</td></high> | 2.0 | 0.7 - 5.3 |
| | H.S. | 4.3 | 2.5 - 7.1 |
| | >High School | 2.3 | 1.3 - 4.0 |
| HOUSEHOLD INCOME | <\$15,000 | 4.2 | 2.5 - 6.9 |
| | \$15,000-\$34,999 | 3.0 | 1.5 - 6.0 |
| | \$35,000 or More | 1.6 | 0.7 - 3.6 |
| MEDICAID RECIPIENT | Yes | 3.6 | 2.4 - 5.4 |
| | No | 1.9 | 1.0 - 3.9 |
| MARITAL STATUS | Married | 1.8 | 0.9 - 3.5 |
| | Not Married | 4.1 | 2.7 - 6.2 |

HIV Testing During Pregnancy

Prevalence of new moms in Florida tested for HIV during pregnancy

PRAMS Question: At any time during your most recent pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 86.6 | 84.3 – 88.5 |
| RACE/ETHNICITY | Non-Hisp. White | 80.0 | 76.1 – 83.4 |
| | Non-Hisp. Black | 94.0 | 89.3 – 96.7 |
| | Hispanic | 91.2 | 87.5 – 93.9 |
| AGE GROUP | 19 & Under | 87.1 | 78.5 – 92.6 |
| | 20-24 | 88.8 | 84.2 – 92.2 |
| | 25-34 | 86.9 | 83.8 – 89.5 |
| | 35 & Older | 81.3 | 74.1 – 86.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>91.8</th><th>86.6 – 95.1</th></high> | 91.8 | 86.6 – 95.1 |
| | H.S. | 86.6 | 82.2 – 90.0 |
| | >High School | 84.7 | 81.4 – 87.5 |
| HOUSEHOLD INCOME | <\$15,000 | 93.1 | 90.0 – 95.4 |
| | \$15,000-\$34,999 | 87.5 | 82.7 – 91.1 |
| | \$35,000 or More | 78.5 | 74.0 – 82.5 |
| MEDICAID RECIPIENT | Yes | 91.0 | 88.3 – 93.1 |
| | No | 80.0 | 76.0 – 83.5 |
| MARITAL STATUS | Married | 82.5 | 79.0 – 85.5 |
| | Not Married | 91.0 | 88.0 – 93.3 |

HIV Testing During Pregnancy

Prevalence of new moms in Florida having been offered a blood test for HIV during pregnancy or delivery but turned down the HIV test


PRAMS Question: Were you offered an HIV test during your most recent pregnancy or delivery? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | E 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 42.5 | 35.2 – 50.1 |
| RACE/ETHNICITY | Non-Hisp. White | 44.3 | 35.3 – 53.7 |
| | Non-Hisp. Black | ۸ | |
| | Hispanic | 34.2 | 20.9 – 50.4 |
| AGE GROUP | 19 & Under | ٨ | |
| | 20-24 | 41.8 | 26.4 – 59.0 |
| | 25-34 | 41.3 | 31.4 – 51.9 |
| | 35 & Older | 49.0 | 33.1 – 65.1 |
| EDUCATION LEVEL | <high school<="" td=""><td>53.8</td><td>32.6 – 73.8</td></high> | 53.8 | 32.6 – 73.8 |
| | H.S. | 36.8 | 24.3 – 51.4 |
| | >High School | 43.7 | 34.4 – 53.5 |
| HOUSEHOLD INCOME | <\$15,000 | 29.4 | 16.0 – 47.5 |
| | \$15,000-\$34,999 | 30.8 | 18.6 – 46.6 |
| | \$35,000 or More | 49.6 | 39.3 – 59.9 |
| MEDICAID RECIPIENT | Yes | 37.0 | 26.1 – 49.3 |
| | No | 46.4 | 36.9 – 56.1 |
| MARITAL STATUS | Married | 46.8 | 37.8 – 56.0 |
| | Not Married | 34.2 | 22.8 – 47.8 |

Prevalence of new moms in Florida having a close family member hospitalized during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did a close family member become very sick and have to go into the hospital? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 21.1 | 18.7 – 23.8 |
| RACE/ETHNICITY | Non-Hisp. White | 24.6 | 20.9 – 28.6 |
| | Non-Hisp. Black | 25.1 | 19.0 – 32.4 |
| | Hispanic | 16.0 | 12.3 – 20.5 |
| AGE GROUP | 19 & Under | 26.3 | 17.8 – 37.0 |
| | 20-24 | 20.0 | 15.4 – 25.5 |
| | 25-34 | 20.3 | 17.1 – 24.0 |
| | 35 & Older | 22.3 | 16.4 – 29.6 |
| EDUCATION LEVEL | <high school<="" td=""><th>21.0</th><td>15.2 – 28.3</td></high> | 21.0 | 15.2 – 28.3 |
| | H.S. | 20.3 | 16.2 – 25.1 |
| | >High School | 21.8 | 18.5 – 25.6 |
| HOUSEHOLD INCOME | <\$15,000 | 19.9 | 15.9 – 24.7 |
| | \$15,000-\$34,999 | 23.6 | 18.7 – 29.3 |
| | \$35,000 or More | 20.2 | 16.4 – 24.6 |
| MEDICAID RECIPIENT | Yes | 21.6 | 18.3 – 25.2 |
| | No | 20.3 | 16.9 – 24.3 |
| MARITAL STATUS | Married | 20.0 | 16.9 – 23.6 |
| | Not Married | 22.3 | 18.7 – 26.5 |

Prevalence of new moms in Florida going through a divorce or separation during the 12-month prenatal period


PRAMS Question: During the 12 months before your new baby was born, were you separated or divorced from your husband or partner? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 11.2 | 9.3 - 13.4 |
| RACE/ETHNICITY | Non-Hisp. White | 9.0 | 6.7 – 12.1 |
| | Non-Hisp. Black | 13.3 | 8.8 - 19.4 |
| | Hispanic | 13.3 | 9.9 – 17.5 |
| AGE GROUP | 19 & Under | 9.6 | 4.7 – 18.4 |
| | 20-24 | 13.1 | 9.4 – 18.1 |
| | 25-34 | 11.2 | 8.7 – 14.4 |
| | 35 & Older | 8.9 | 5.2 – 14.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>11.2</td><td>7.0 – 17.3</td></high> | 11.2 | 7.0 – 17.3 |
| | H.S. | 16.6 | 12.8 – 21.2 |
| | >High School | 7.7 | 5.7 - 10.3 |
| HOUSEHOLD INCOME | <\$15,000 | 15.5 | 11.9 – 20.0 |
| | \$15,000-\$34,999 | 12.6 | 9.0 - 17.4 |
| | \$35,000 or More | 5.3 | 3.3 - 8.3 |
| MEDICAID RECIPIENT | Yes | 14.6 | 11.9 – 17.9 |
| | No | 6.5 | 4.4 - 9.3 |
| MARITAL STATUS | Married | 6.2 | 4.4 - 8.6 |
| | Not Married | 16.7 | 13.5 – 20.5 |

Prevalence of new moms in Florida who have had a change of home address during the 12-month prenatal period


PRAMS Question: During the 12 months before your new baby was born, did you move to a new address? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 40.0 | 37.0 – 43.1 |
| RACE/ETHNICITY | Non-Hisp. White | 42.7 | 38.3 – 47.2 |
| | Non-Hisp. Black | 46.4 | 38.8 – 54.2 |
| | Hispanic | 34.1 | 29.0 – 39.6 |
| AGE GROUP | 19 & Under | 45.3 | 34.7 – 56.3 |
| | 20-24 | 52.2 | 45.9 – 58.5 |
| | 25-34 | 37.4 | 33.3 – 41.7 |
| | 35 & Older | 25.4 | 19.1 – 32.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>45.2</th><th>37.4 – 53.2</th></high> | 45.2 | 37.4 – 53.2 |
| | H.S. | 45.4 | 39.9 – 51.0 |
| | >High School | 34.7 | 30.7 – 38.9 |
| HOUSEHOLD INCOME | <\$15,000 | 49.4 | 43.9 – 54.9 |
| | \$15,000-\$34,999 | 47.6 | 41.4 – 53.8 |
| | \$35,000 or More | 26.2 | 22.0 – 30.9 |
| MEDICAID RECIPIENT | Yes | 49.5 | 45.3 – 53.7 |
| | No | 27.6 | 23.6 – 32.0 |
| MARITAL STATUS | Married | 32.9 | 29.0 – 37.0 |
| | Not Married | 47.9 | 43.3 – 52.6 |

Prevalence of new moms in Florida who were homeless during the 12-month prenatal period


PRAMS Question: During the 12 months before your new baby was born, were you homeless? Answer: Yes.



| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 3.3 | 2.3 - 4.6 |
| RACE/ETHNICITY | Non-Hisp. White | 1.5 | 0.7 - 3.2 |
| | Non-Hisp. Black | 4.5 | 2.4 - 8.5 |
| | Hispanic | 5.4 | 3.4 - 8.6 |
| AGE GROUP | 19 & Under | 1.1 | 0.5 - 2.2 |
| | 20-24 | 4.0 | 2.1 - 7.4 |
| | 25-34 | 3.5 | 2.2 - 5.5 |
| | 35 & Older | 2.7 | 1.0 - 6.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>4.9</td><td>2.5 - 9.3</td></high> | 4.9 | 2.5 - 9.3 |
| | H.S. | 5.4 | 3.4 - 8.5 |
| | >High School | 1.3 | 0.6 - 2.8 |
| HOUSEHOLD INCOME | <\$15,000 | 6.7 | 4.4 - 9.9 |
| | \$15,000-\$34,999 | 1.5 | 0.6 - 3.8 |
| | \$35,000 or More | 0.4 | 0.1 - 1.8 |
| MEDICAID RECIPIENT | Yes | 5.1 | 3.5 - 7.2 |
| | No | 0.9 | 0.3 - 2.4 |
| MARITAL STATUS | Married | 1.7 | 0.9 - 3.3 |
| | Not Married | 5.0 | 3.4 - 7.3 |

Prevalence of new moms in Florida having an unemployed husband or partner during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did your husband or partner lose his job? Answer: Yes.



| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 21.5 | 19.0 – 24.2 |
| RACE/ETHNICITY | Non-Hisp. White | 19.8 | 16.4 – 23.7 |
| | Non-Hisp. Black | 19.9 | 14.3 – 27.0 |
| | Hispanic | 25.1 | 20.5 – 30.2 |
| AGE GROUP | 19 & Under | 32.1 | 22.7 – 43.2 |
| | 20-24 | 28.0 | 22.7 – 34.0 |
| | 25-34 | 16.9 | 13.9 – 20.5 |
| | 35 & Older | 19.4 | 13.8 – 26.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>25.8</td><td>19.5 – 33.3</td></high> | 25.8 | 19.5 – 33.3 |
| | H.S. | 27.8 | 23.1 – 33.2 |
| | >High School | 15.9 | 13.0 – 19.4 |
| HOUSEHOLD INCOME | <\$15,000 | 33.0 | 28.0 – 38.4 |
| | \$15,000-\$34,999 | 25.6 | 20.5 – 31.4 |
| | \$35,000 or More | 8.7 | 6.2 - 12.1 |
| MEDICAID RECIPIENT | Yes | 28.5 | 24.9 – 32.5 |
| | No | 11.8 | 9.1 – 15.3 |
| MARITAL STATUS | Married | 16.3 | 13.4 – 19.7 |
| | Not Married | 27.3 | 23.3 – 31.7 |

⁴³

Prevalence of new moms in Florida who were unemployed during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 16.6 | 14.4 – 19.1 |
| RACE/ETHNICITY | Non-Hisp. White | 12.0 | 9.3 – 15.3 |
| | Non-Hisp. Black | 20.1 | 14.5 – 27.1 |
| | Hispanic | 20.5 | 16.3 – 25.5 |
| AGE GROUP | 19 & Under | 26.5 | 17.8 – 37.5 |
| | 20-24 | 17.5 | 13.2 – 22.8 |
| | 25-34 | 14.0 | 11.2 – 17.4 |
| | 35 & Older | 17.5 | 12.2 – 24.6 |
| EDUCATION LEVEL | <high school<="" td=""><td>17.2</td><td>12.0 – 24.1</td></high> | 17.2 | 12.0 – 24.1 |
| | H.S. | 23.5 | 19.1 – 28.7 |
| | >High School | 11.9 | 9.3 - 15.0 |
| HOUSEHOLD INCOME | <\$15,000 | 25.5 | 20.9 – 30.7 |
| | \$15,000-\$34,999 | 15.8 | 11.8 – 20.9 |
| | \$35,000 or More | 9.1 | 6.5 – 12.5 |
| MEDICAID RECIPIENT | Yes | 22.7 | 19.3 – 26.5 |
| | No | 8.3 | 6.0 -11.4 |
| MARITAL STATUS | Married | 9.5 | 7.3 – 12.3 |
| | Not Married | 24.4 | 20.6 – 28.6 |

Prevalence of new moms in Florida experiencing excessive arguing with a husband or partner during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 28.4 | 25.6 – 31.3 |
| RACE/ETHNICITY | Non-Hisp. White | 25.4 | 21.6 – 29.5 |
| | Non-Hisp. Black | 40.4 | 33.0 – 48.2 |
| | Hispanic | 26.9 | 22.2 – 32.2 |
| AGE GROUP | 19 & Under | 42.7 | 32.4 – 53.7 |
| | 20-24 | 33.5 | 27.8 – 39.7 |
| | 25-34 | 25.6 | 22.0 – 29.6 |
| | 35 & Older | 20.0 | 14.5 – 27.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>37.7</th><th>30.3 – 45.8</th></high> | 37.7 | 30.3 – 45.8 |
| | H.S. | 31.4 | 26.4 – 36.8 |
| | >High School | 23.2 | 19.7 – 27.0 |
| HOUSEHOLD INCOME | <\$15,000 | 37.8 | 32.6 – 43.4 |
| | \$15,000-\$34,999 | 27.4 | 22.2 – 33.3 |
| | \$35,000 or More | 20.3 | 16.4 – 24.8 |
| MEDICAID RECIPIENT | Yes | 34.7 | 30.8 – 38.9 |
| | No | 20.2 | 16.7 – 24.3 |
| MARITAL STATUS | Married | 19.3 | 16.2 – 22.9 |
| | Not Married | 38.5 | 34.0 – 43.1 |

Prevalence of new moms in Florida experiencing open admission of unwanted pregnancy by a husband or partner during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did your husband or partner say that he did not want you to be pregnant? Answer: Yes.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 9.8 | 8.0 -11.9 |
| RACE/ETHNICITY | Non-Hisp. White | 8.2 | 6.0 - 11.2 |
| | Non-Hisp. Black | 16.7 | 11.6 – 23.3 |
| | Hispanic | 9.2 | 6.4 - 13.0 |
| AGE GROUP | 19 & Under | 11.9 | 6.4 - 21.1 |
| | 20-24 | 14.6 | 10.6 – 19.8 |
| | 25-34 | 7.6 | 5.6 - 10.3 |
| | 35 & Older | 7.8 | 4.5 - 13.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>11.5</td><td>7.3 – 17.7</td></high> | 11.5 | 7.3 – 17.7 |
| | H.S. | 13.7 | 10.2 – 18.1 |
| | >High School | 6.7 | 4.8 - 9.2 |
| HOUSEHOLD INCOME | <\$15,000 | 16.8 | 13.1 – 21.4 |
| | \$15,000-\$34,999 | 10.4 | 7.1 – 15.0 |
| | \$35,000 or More | 3.8 | 2.2 - 6.3 |
| MEDICAID RECIPIENT | Yes | 13.6 | 10.9 – 16.8 |
| | No | 4.5 | 2.9 - 7.0 |
| MARITAL STATUS | Married | 4.3 | 2.8 - 6.4 |
| | Not Married | 15.9 | 12.8 – 19.6 |

⁴⁶

Prevalence of new moms in Florida experiencing financial difficulties during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did you have a lot of bills you could not pay? Answer: Yes.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 28.2 | 25.4 – 31.1 |
| RACE/ETHNICITY | Non-Hisp. White | 25.2 | 21.5 – 29.3 |
| | Non-Hisp. Black | 33.5 | 26.6 – 41.1 |
| | Hispanic | 30.7 | 25.8 – 36.1 |
| AGE GROUP | 19 & Under | 19.9 | 12.5 – 30.1 |
| | 20-24 | 33.2 | 27.6 – 39.4 |
| | 25-34 | 28.5 | 24.7 – 32.6 |
| | 35 & Older | 24.0 | 17.9 – 31.4 |
| EDUCATION LEVEL | <high school<="" td=""><td>23.1</td><td>17.1 – 30.3</td></high> | 23.1 | 17.1 – 30.3 |
| | H.S. | 35.6 | 30.5 – 41.2 |
| | >High School | 25.0 | 21.5 – 28.9 |
| HOUSEHOLD INCOME | <\$15,000 | 34.4 | 29.4 – 39.8 |
| | \$15,000-\$34,999 | 42.2 | 36.2 – 48.5 |
| | \$35,000 or More | 13.3 | 10.2 – 17.1 |
| MEDICAID RECIPIENT | Yes | 35.7 | 31.7 – 39.8 |
| | No | 18.0 | 14.6 – 21.9 |
| MARITAL STATUS | Married | 21.8 | 18.5 – 25.5 |
| | Not Married | 35.2 | 30.9 – 39.8 |

⁴⁷

Prevalence of new moms in Florida involved in a physical fight during the 12-month prenatal period


PRAMS Question: During the 12 months before your new baby was born, were you in a physical fight? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|------------|
| ALL | Overall | 4.0 | 3.0 - 5.5 |
| RACE/ETHNICITY | Non-Hisp. White | 3.1 | 1.9 - 5.3 |
| | Non-Hisp. Black | 7.0 | 4.1 – 11.9 |
| | Hispanic | 3.8 | 2.2 - 6.5 |
| AGE GROUP | 19 & Under | 6.9 | 3.2 - 14.1 |
| | 20-24 | 7.1 | 4.5 – 11.1 |
| | 25-34 | 3.1 | 1.8 - 5.1 |
| | 35 & Older | 0.4 | 0.1 - 1.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>7.0</td><td>3.9 – 12.3</td></high> | 7.0 | 3.9 – 12.3 |
| | H.S. | 5.5 | 3.5 - 8.6 |
| | >High School | 2.1 | 1.1 - 3.8 |
| HOUSEHOLD INCOME | <\$15,000 | 7.5 | 5.0 - 10.9 |
| | \$15,000-\$34,999 | 3.3 | 1.7 - 6.3 |
| | \$35,000 or More | 1.2 | 0.5 - 3.0 |
| MEDICAID RECIPIENT | Yes | 6.1 | 4.4 - 8.5 |
| | No | 1.2 | 0.5 - 2.8 |
| MARITAL STATUS | Married | 1.8 | 0.9 - 3.4 |
| | Not Married | 6.5 | 4.6 - 9.2 |

Prevalence of maternal or paternal incarceration during the 12-month prenatal period in Florida

PRAMS Question: During the 12 months before your new baby was born, did your husband or partner or yourself go to jail? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 6.5 | 5.1 - 8.3 |
| RACE/ETHNICITY | Non-Hisp. White | 4.5 | 2.9 - 6.9 |
| | Non-Hisp. Black | 15.0 | 10.2 – 21.7 |
| | Hispanic | 5.2 | 3.2 - 8.4 |
| AGE GROUP | 19 & Under | 14.0 | 7.8 – 23.7 |
| | 20-24 | 9.7 | 6.6 - 14.1 |
| | 25-34 | 5.1 | 3.5 - 7.5 |
| | 35 & Older | 1.3 | 0.3 - 4.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>9.8</td><td>5.8 - 16.0</td></high> | 9.8 | 5.8 - 16.0 |
| | H.S. | 9.9 | 7.0 – 13.7 |
| | >High School | 3.3 | 2.0 - 5.3 |
| HOUSEHOLD INCOME | <\$15,000 | 10.8 | 7.8 – 14.8 |
| | \$15,000-\$34,999 | 7.9 | 5.1 – 12.1 |
| | \$35,000 or More | 2.1 | 1.0 - 4.5 |
| MEDICAID RECIPIENT | Yes | 9.3 | 7.1 – 12.1 |
| | No | 2.8 | 1.5 - 5.2 |
| MARITAL STATUS | Married | 1.5 | 0.7 - 3.0 |
| | Not Married | 12.1 | 9.3 – 15.5 |

Prevalence of new moms in Florida having a very close acquaintaince experience substance abuse during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did someone very close to you have a problem with drinking or drugs? Answer: Yes.




| MATERNAL DEM | MOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 10.1 | 8.3 - 12.1 |
| RACE/ETHNICITY | Non-Hisp. White | 12.0 | 9.3 – 15.2 |
| | Non-Hisp. Black | 12.8 | 8.4 - 19.1 |
| | Hispanic | 6.8 | 4.4 - 10.2 |
| AGE GROUP | 19 & Under | 12.9 | 7.2 – 22.1 |
| | 20-24 | 12.3 | 8.7 – 17.1 |
| | 25-34 | 10.1 | 7.8 – 13.1 |
| | 35 & Older | 4.3 | 2.1 - 8.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>12.1</td><td>7.8 – 18.4</td></high> | 12.1 | 7.8 – 18.4 |
| | H.S. | 12.7 | 9.4 - 17.0 |
| | >High School | 7.6 | 5.7 - 10.2 |
| HOUSEHOLD INCOME | <\$15,000 | 13.2 | 9.9 - 17.4 |
| | \$15,000-\$34,999 | 8.5 | 5.6 - 12.6 |
| | \$35,000 or More | 7.5 | 5.2 - 10.6 |
| MEDICAID RECIPIENT | Yes | 13.1 | 10.5 – 16.2 |
| | No | 6.1 | 4.2 - 8.7 |
| MARITAL STATUS | Married | 7.8 | 5.9 - 10.4 |
| | Not Married | 12.5 | 9.7 – 15.9 |

CI=Confidence Interval

⁵⁰

Prevalence of new moms in Florida experiencing the death of a very close acquaintance during the 12-month prenatal period


PRAMS Question: During the 12 months before your new baby was born, did someone very close to you die? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 16.9 | 14.6 – 19.4 |
| RACE/ETHNICITY | Non-Hisp. White | 15.4 | 12.5 – 19.0 |
| | Non-Hisp. Black | 25.0 | 18.9 – 32.4 |
| | Hispanic | 15.2 | 11.5 – 19.7 |
| AGE GROUP | 19 & Under | 25.1 | 16.7 – 35.9 |
| | 20-24 | 15.8 | 11.8 – 20.9 |
| | 25-34 | 15.3 | 12.4 – 18.7 |
| | 35 & Older | 18.5 | 13.1 – 25.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>22.8</th><th>16.8 – 30.3</th></high> | 22.8 | 16.8 – 30.3 |
| | H.S. | 20.1 | 15.9 – 24.9 |
| | >High School | 12.8 | 10.2 – 15.9 |
| HOUSEHOLD INCOME | <\$15,000 | 21.0 | 16.8 – 25.9 |
| | \$15,000-\$34,999 | 19.0 | 14.6 – 24.4 |
| | \$35,000 or More | 11.3 | 8.5 – 15.0 |
| MEDICAID RECIPIENT | Yes | 19.5 | 16.4 – 23.1 |
| | No | 13.2 | 10.4 – 16.7 |
| MARITAL STATUS | Married | 13.1 | 10.5 – 16.2 |
| | Not Married | 21.0 | 17.4 – 25.1 |

Prevalence of new moms in Florida diagnosed with Type 1 or Type 2 diabetes


PRAMS Question: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes? Answer: Yes.



| MATERNAL DEM | IOODADUIC CHADACTERICTICS | MEACURE | 05% 61 |
|------------------------|--|---------|------------|
| | OGRAPHIC CHARACTERISTICS | MEASURE | |
| ALL | Overall | 2.8 | 2.0 – 4.1 |
| RACE/ETHNICITY | Non-Hisp. White | 1.6 | 0.8 - 3.1 |
| | Non-Hisp. Black | 4.2 | 2.0 - 8.6 |
| | Hispanic | 3.3 | 1.8 - 6.0 |
| AGE GROUP | 19 & Under | 3.5 | 1.1 - 10.4 |
| | 20-24 | 3.2 | 1.6 - 6.2 |
| | 25-34 | 2.7 | 1.6 - 4.5 |
| | 35 & Older | 2.4 | 0.9 - 6.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>3.5</td><td>1.6 - 7.4</td></high> | 3.5 | 1.6 - 7.4 |
| | H.S. | 3.6 | 2.0 - 6.3 |
| | >High School | 2.1 | 1.2 - 3.8 |
| HOUSEHOLD INCOME | <\$15,000 | 4.2 | 2.5 - 7.1 |
| | \$15,000-\$34,999 | 3.4 | 1.8 - 6.5 |
| | \$35,000 or More | 1.1 | 0.4 - 2.6 |
| MEDICAID RECIPIENT | Yes | 3.5 | 2.3 - 5.4 |
| | No | 1.4 | 0.6 - 3.0 |
| MARITAL STATUS | Married | 2.6 | 1.5 – 4.3 |
| | Not Married | 3.2 | 1.9 - 5.2 |

Prevalence of new moms in Florida having asthma during the 3-month prenatal period


PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have asthma? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 7.0 | 5.6 - 8.8 |
| RACE/ETHNICITY | Non-Hisp. White | 7.0 | 5.0 - 9.7 |
| | Non-Hisp. Black | 13.2 | 8.7 – 19.6 |
| | Hispanic | 4.0 | 2.3 - 7.0 |
| AGE GROUP | 19 & Under | 18.4 | 11.4 – 28.4 |
| | 20-24 | 8.0 | 5.2 – 12.2 |
| | 25-34 | 5.1 | 3.5 - 7.5 |
| | 35 & Older | 4.4 | 2.2 - 8.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>7.1</td><td>3.9 – 12.3</td></high> | 7.1 | 3.9 – 12.3 |
| | H.S. | 8.8 | 6.0 - 12.6 |
| | >High School | 5.9 | 4.1 – 8.3 |
| HOUSEHOLD INCOME | <\$15,000 | 9.7 | 6.8 - 13.5 |
| | \$15,000-\$34,999 | 8.6 | 5.6 -12.8 |
| | \$35,000 or More | 4.0 | 2.4 - 6.6 |
| MEDICAID RECIPIENT | Yes | 8.8 | 6.6 – 11.5 |
| | No | 4.8 | 3.1 - 7.3 |
| MARITAL STATUS | Married | 4.1 | 2.7 - 6.1 |
| | Not Married | 10.2 | 7.7 – 13.4 |

Prevalence of new moms in Florida having high blood pressure (hypertension) during the 3-month prenatal period


PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have high blood pressure (hypertension)? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI | |
|------------------------|---|---------|------------|--|
| ALL | Overall | 2.8 | 2.0 - 4.0 | |
| RACE/ETHNICITY | Non-Hisp. White | 2.2 | 1.2 - 3.9 | |
| | Non-Hisp. Black | 7.7 | 4.6 - 12.8 | |
| | Hispanic | 1.1 | 0.4 - 2.9 | |
| AGE GROUP | 19 & Under | 4.1 | 1.3 – 11.9 | |
| | 20-24 | 2.2 | 1.0 - 4.9 | |
| | 25-34 | 2.7 | 1.7 - 4.5 | |
| | 35 & Older | 3.4 | 1.5 - 7.1 | |
| EDUCATION LEVEL | <high school<="" td=""><td>4.3</td><td>2.2 - 8.2</td><td></td></high> | 4.3 | 2.2 - 8.2 | |
| | H.S. | 3.7 | 2.0 - 6.5 | |
| | >High School | 1.8 | 1.0 - 3.2 | |
| HOUSEHOLD INCOME | <\$15,000 | 4.8 | 2.9 - 7.7 | |
| | \$15,000-\$34,999 | 2.1 | 0.9 - 4.7 | |
| | \$35,000 or More | 1.9 | 1.0 - 3.7 | |
| MEDICAID RECIPIENT | Yes | 3.8 | 2.5 - 5.7 | |
| | No | 1.5 | 0.8 - 3.0 | |
| MARITAL STATUS | Married | 1.8 | 1.0 - 3.3 | |
| | Not Married | 3.9 | 2.5 - 6.0 | |

Prevalence of new moms in Florida having anemia (poor blood, low iron) during the 3-month prenatal period


PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have anemia (poor blood, low iron)? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE 95% | 6 CI |
|------------------------|---|-------------|--------|
| ALL | Overall | 13.1 11.1 - | - 15.4 |
| RACE/ETHNICITY | Non-Hisp. White | 9.6 7.2 - | - 12.6 |
| | Non-Hisp. Black | 26.7 20.5 - | - 34.0 |
| | Hispanic | 11.5 8.4 - | - 15.5 |
| AGE GROUP | 19 & Under | 18.9 11.9 - | - 28.8 |
| | 20-24 | 18.2 13.8 - | - 23.5 |
| | 25-34 | 10.2 7.8 - | - 13.1 |
| | 35 & Older | 11.1 7.0 - | - 17.1 |
| EDUCATION LEVEL | <high school<="" td=""><td>19.8 14.4 -</td><td>- 26.7</td></high> | 19.8 14.4 - | - 26.7 |
| | H.S. | 13.6 10.3 - | - 17.9 |
| | >High School | 10.5 8.1 - | - 13.5 |
| HOUSEHOLD INCOME | <\$15,000 | 19.4 15.4 - | - 24.1 |
| | \$15,000-\$34,999 | 13.6 9.8 - | - 18.4 |
| | \$35,000 or More | 5.5 3.6 - | - 8.3 |
| MEDICAID RECIPIENT | Yes | 16.4 13.5 - | - 19.7 |
| | No | 8.1 5.9 - | - 11.1 |
| MARITAL STATUS | Married | 8.4 6.3 - | - 11.1 |
| | Not Married | 18.3 15.0 - | - 22.1 |

Prevalence of new moms in Florida having heart problems during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have heart problems? Answer: Yes.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 1.9 | 1.3 - 3.0 |
| RACE/ETHNICITY | Non-Hisp. White | 2.5 | 1.4 - 4.4 |
| | Non-Hisp. Black | 2.9 | 1.2 - 6.8 |
| | Hispanic | 0.5 | 0.2 - 1.9 |
| AGE GROUP | 19 & Under | 2.5 | 0.7 - 8.9 |
| | 20-24 | 2.7 | 1.3 - 5.7 |
| | 25-34 | 1.6 | 0.8 - 3.1 |
| | 35 & Older | 1.5 | 0.4 - 5.1 |
| EDUCATION LEVEL | <high school<="" td=""><td>1.4</td><td>0.4 - 4.9</td></high> | 1.4 | 0.4 - 4.9 |
| | H.S. | 2.0 | 0.9 - 4.2 |
| | >High School | 1.9 | 1.0 - 3.5 |
| HOUSEHOLD INCOME | <\$15,000 | 1.9 | 0.8 - 4.2 |
| | \$15,000-\$34,999 | 1.5 | 0.6 - 3.9 |
| | \$35,000 or More | 2.4 | 1.3 - 4.5 |
| MEDICAID RECIPIENT | Yes | 2.0 | 1.1 - 3.6 |
| | No | 1.9 | 1.0 - 3.6 |
| MARITAL STATUS | Married | 2.1 | 1.2 - 3.7 |
| | Not Married | 1.8 | 0.9 - 3.5 |

⁵⁶

Prevalence of new moms in Florida having epilepsy during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have epilepsy (seizures)? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 0.9 | 0.5 - 1.7 |
| RACE/ETHNICITY | Non-Hisp. White | 1.3 | 0.6 - 2.6 |
| | Non-Hisp. Black | 0.2 | 0.1 - 0.7 |
| | Hispanic | 0.7 | 0.2 - 2.5 |
| AGE GROUP | 19 & Under | 0.4 | 0.1 - 1.3 |
| | 20-24 | 0.4 | 0.1 - 2.9 |
| | 25-34 | 1.0 | 0.5 - 2.3 |
| | 35 & Older | 1.9 | 0.6 - 5.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>0.9</td><td>0.2 - 3.4</td></high> | 0.9 | 0.2 - 3.4 |
| | H.S. | 0.3 | 0.0 - 2.4 |
| | >High School | 1.4 | 0.7 - 2.8 |
| HOUSEHOLD INCOME | <\$15,000 | 0.5 | 0.1 - 2.0 |
| | \$15,000-\$34,999 | 1.6 | 0.6 - 4.2 |
| | \$35,000 or More | 1.1 | 0.4 - 2.6 |
| MEDICAID RECIPIENT | Yes | 1.0 | 0.4 - 2.1 |
| | No | 0.9 | 0.4 - 2.4 |
| MARITAL STATUS | Married | 1.5 | 0.8 - 2.9 |
| | Not Married | 0.3 | 0.1 – 1.3 |

Prevalence of new moms in Florida having thyroid problems during the 3-month prenatal period


PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have thyroid problems? Answer: Yes.



| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 3.5 | 2.5 - 4.8 |
| RACE/ETHNICITY | Non-Hisp. White | 4.4 | 2.9 - 6.5 |
| | Non-Hisp. Black | 3.4 | 1.4 - 7.7 |
| | Hispanic | 2.7 | 1.4 - 5.2 |
| AGE GROUP | 19 & Under | 0.1 | 0.0 - 1.0 |
| | 20-24 | 1.4 | 0.5 - 4.0 |
| | 25-34 | 4.5 | 3.0 - 6.7 |
| | 35 & Older | 5.5 | 3.0 - 10.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>0.7</td><td>0.1 - 4.8</td></high> | 0.7 | 0.1 - 4.8 |
| | H.S. | 1.9 | 0.9 - 4.0 |
| | >High School | 5.6 | 3.9 - 7.9 |
| HOUSEHOLD INCOME | <\$15,000 | 1.1 | 0.4 - 3.2 |
| | \$15,000-\$34,999 | 2.3 | 1.0 - 5.1 |
| | \$35,000 or More | 7.4 | 5.1 – 10.5 |
| MEDICAID RECIPIENT | Yes | 1.4 | 0.7 - 2.9 |
| | No | 6.4 | 4.5 - 9.0 |
| MARITAL STATUS | Married | 5.3 | 3.7 - 7.5 |
| | Not Married | 1.5 | 0.7 - 3.1 |

Prevalence of new moms in Florida having depression during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have depression? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|------------|
| ALL | Overall | 7.3 | 5.9 - 9.1 |
| RACE/ETHNICITY | Non-Hisp. White | 7.2 | 5.2 - 9.8 |
| | Non-Hisp. Black | 9.9 | 6.3 - 15.4 |
| | Hispanic | 6.4 | 4.3 - 9.6 |
| AGE GROUP | 19 & Under | 7.0 | 3.6 - 13.1 |
| | 20-24 | 9.8 | 6.7 - 14.3 |
| | 25-34 | 7.2 | 5.3 - 9.7 |
| | 35 & Older | 3.8 | 1.9 - 7.6 |
| EDUCATION LEVEL | <high school<="" td=""><td>7.3</td><td>4.5 – 11.6</td></high> | 7.3 | 4.5 – 11.6 |
| | H.S. | 9.3 | 6.6 - 13.0 |
| | >High School | 6.1 | 4.3 - 8.5 |
| HOUSEHOLD INCOME | <\$15,000 | 8.8 | 6.2 - 12.2 |
| | \$15,000-\$34,999 | 7.7 | 5.0 –11.6 |
| | \$35,000 or More | 4.8 | 3.0 - 7.4 |
| MEDICAID RECIPIENT | Yes | 8.8 | 6.8 - 11.4 |
| | No | 5.3 | 3.5 - 7.7 |
| MARITAL STATUS | Married | 6.0 | 4.3 - 8.4 |
| | Not Married | 8.8 | 6.6 – 11.5 |

Prevalence of new moms in Florida having anxiety during the 3-month prenatal period


PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have anxiety? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 9.4 | 7.8 – 11.3 |
| RACE/ETHNICITY | Non-Hisp. White | 13.1 | 10.3 – 16.4 |
| | Non-Hisp. Black | 7.2 | 4.2 – 12.1 |
| | Hispanic | 6.5 | 4.3 - 9.8 |
| AGE GROUP | 19 & Under | 3.8 | 1.5 - 9.2 |
| | 20-24 | 11.2 | 7.8 – 15.8 |
| | 25-34 | 10.3 | 8.0 - 13.3 |
| | 35 & Older | 6.6 | 3.8 - 11.3 |
| EDUCATION LEVEL | <high school<="" td=""><th>7.0</th><td>4.1 – 11.5</td></high> | 7.0 | 4.1 – 11.5 |
| | H.S. | 11.8 | 8.7 - 15.9 |
| | >High School | 8.7 | 6.6 -11.4 |
| HOUSEHOLD INCOME | <\$15,000 | 9.0 | 6.4 - 12.5 |
| | \$15,000-\$34,999 | 12.9 | 9.3 – 17.7 |
| | \$35,000 or More | 8.2 | 5.9 - 11.4 |
| MEDICAID RECIPIENT | Yes | 10.5 | 8.3 – 13.3 |
| | No | 8.2 | 6.0 - 11.1 |
| MARITAL STATUS | Married | 7.8 | 5.9 - 10.4 |
| | Not Married | 11.1 | 8.6 - 14.3 |

Prevalence of new moms in Florida having previous live births


PRAMS Question: Before you got pregnant with your new baby, did you ever have any other babies who were born alive? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI | |
|------------------------|--|---------|-------------|---|
| ALL | Overall | 55.6 | 52.5 – 58.7 | |
| RACE/ETHNICITY | Non-Hisp. White | 54.3 | 49.9 – 58.7 | |
| | Non-Hisp. Black | 52.0 | 44.3 – 59.6 | |
| | Hispanic | 58.1 | 52.5 – 63.4 | |
| AGE GROUP | 19 & Under | 19.9 | 12.4 – 30.4 | |
| | 20-24 | 45.1 | 38.9 – 51.4 | |
| | 25-34 | 62.9 | 58.7 – 67.0 | |
| | 35 & Older | 70.7 | 63.1 – 77.3 | |
| EDUCATION LEVEL | <high school<="" td=""><td>58.7</td><td>50.8 – 66.2</td><td></td></high> | 58.7 | 50.8 – 66.2 | |
| | H.S. | 55.2 | 49.6 – 60.6 | |
| | >High School | 54.6 | 50.4 – 58.8 | |
| HOUSEHOLD INCOME | <\$15,000 | 53.5 | 47.9 – 58.9 | |
| | \$15,000-\$34,999 | 56.7 | 50.5 – 62.8 | |
| | \$35,000 or More | 55.6 | 50.5 – 60.5 | |
| MEDICAID RECIPIENT | Yes | 58.6 | 54.4 – 62.6 | · |
| | No | 51.1 | 46.4 – 55.7 | · |
| MARITAL STATUS | Married | 61.4 | 57.3 – 65.4 | |
| | Not Married | 49.3 | 44.7 – 53.9 | · |

Prevalence of new moms in Florida having a previous normal birth weight infant


PRAMS Question: Did the baby born just before your new one weigh more than five pounds, eight ounces (2,500 kilos) at birth? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 88.1 | 85.1 – 90.5 |
| RACE/ETHNICITY | Non-Hisp. White | 90.1 | 85.7 – 93.2 |
| | Non-Hisp. Black | 84.2 | 75.6 – 90.2 |
| | Hispanic | 88.8 | 83.4 – 92.6 |
| AGE GROUP | 19 & Under | ۸ | |
| | 20-24 | 85.8 | 78.2 – 91.1 |
| | 25-34 | 88.8 | 84.9 – 91.8 |
| | 35 & Older | 88.3 | 80.6 – 93.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>82.4</th><th>73.2 – 88.9</th></high> | 82.4 | 73.2 – 88.9 |
| | H.S. | 87.7 | 82.1 – 91.7 |
| | >High School | 90.8 | 86.9 – 93.6 |
| HOUSEHOLD INCOME | <\$15,000 | 84.7 | 78.7 – 89.3 |
| | \$15,000-\$34,999 | 88.8 | 82.5 – 93.0 |
| | \$35,000 or More | 91.3 | 86.6 – 94.5 |
| MEDICAID RECIPIENT | Yes | 87.1 | 83.1 – 90.3 |
| | No | 89.6 | 84.8 – 93.0 |
| MARITAL STATUS | Married | 90.4 | 86.8 – 93.2 |
| | Not Married | 84.8 | 79.6 – 88.9 |

Prevalence of new moms in Florida having a previous premature birth


PRAMS Question: Was the baby just before your new one born more than 3 weeks before his or her due date? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 16.1 | 13.2 – 19.4 |
| RACE/ETHNICITY | Non-Hisp. White | 14.2 | 10.4 – 19.2 |
| | Non-Hisp. Black | 16.6 | 10.3 – 25.6 |
| | Hispanic | 17.7 | 12.8 – 23.9 |
| AGE GROUP | 19 & Under | ۸ | |
| | 20-24 | 19.0 | 12.7 – 27.4 |
| | 25-34 | 15.5 | 12.0 – 20.0 |
| | 35 & Older | 15.9 | 10.0 – 24.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>15.5</td><td>9.6 -24.1</td></high> | 15.5 | 9.6 -24.1 |
| | H.S. | 18.8 | 13.6 – 25.4 |
| | >High School | 14.0 | 10.4 – 18.6 |
| HOUSEHOLD INCOME | <\$15,000 | 16.7 | 11.9 – 22.9 |
| | \$15,000-\$34,999 | 18.9 | 13.2 – 26.4 |
| | \$35,000 or More | 13.8 | 9.7 - 19.4 |
| MEDICAID RECIPIENT | Yes | 16.9 | 13.2 – 21.3 |
| | No | 14.9 | 10.7 – 20.3 |
| MARITAL STATUS | Married | 15.0 | 11.5 – 19.4 |
| | Not Married | 17.5 | 13.1 – 22.9 |

Prevalence of new moms in Florida having a previous cesarean delivery


PRAMS Question: Before you had your new baby, did you ever have a baby by cesarean delivery or c-section (when a doctor cuts through the mother's belly to bring out the baby)? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 31.2 | 27.4 – 35.2 |
| RACE/ETHNICITY | Non-Hisp. White | 29.5 | 24.2 – 35.4 |
| | Non-Hisp. Black | 30.3 | 21.5 – 40.9 |
| | Hispanic | 35.6 | 28.9 – 42.9 |
| AGE GROUP | 19 & Under | ٨ | |
| | 20-24 | 30.2 | 22.2 – 39.7 |
| | 25-34 | 31.9 | 27.0 – 37.3 |
| | 35 & Older | 32.1 | 24.1 – 41.4 |
| EDUCATION LEVEL | <high school<="" td=""><th>26.4</th><td>18.3 – 36.4</td></high> | 26.4 | 18.3 – 36.4 |
| | H.S. | 31.7 | 25.1 – 39.2 |
| | >High School | 32.4 | 27.2 – 38.0 |
| HOUSEHOLD INCOME | <\$15,000 | 27.8 | 21.6 – 35.1 |
| | \$15,000-\$34,999 | 33.5 | 26.0 – 41.8 |
| | \$35,000 or More | 34.2 | 28.0 – 41.1 |
| MEDICAID RECIPIENT | Yes | 27.6 | 23.0 – 32.8 |
| | No | 35.9 | 29.8 – 42.5 |
| MARITAL STATUS | Married | 32.6 | 27.7 – 37.9 |
| | Not Married | 29.2 | 23.5 – 35.5 |

Prevalence of new moms in Florida with unintended pregnancies

PRAMS Question: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? Answer: I wanted to be pregnant later, or I did not want to be pregnant then or at any time in the future.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 47.6 | 44.5 – 50.7 |
| RACE/ETHNICITY | Non-Hisp. White | 41.9 | 37.5 – 46.4 |
| | Non-Hisp. Black | 72.4 | 65.2 – 78.7 |
| | Hispanic | 46.2 | 40.7 – 51.7 |
| AGE GROUP | 19 & Under | 83.1 | 73.8 – 89.6 |
| | 20-24 | 62.0 | 55.8 – 67.9 |
| | 25-34 | 39.9 | 35.7 – 44.2 |
| | 35 & Older | 26.1 | 19.7 – 33.7 |
| EDUCATION LEVEL | <high school<="" td=""><th>57.4</th><td>49.5 – 64.9</td></high> | 57.4 | 49.5 – 64.9 |
| | H.S. | 56.8 | 51.2 – 62.2 |
| | >High School | 38.3 | 34.2 – 42.6 |
| HOUSEHOLD INCOME | <\$15,000 | 64.8 | 59.4 – 69.8 |
| | \$15,000-\$34,999 | 49.7 | 43.5 – 55.9 |
| | \$35,000 or More | 27.4 | 23.0 – 32.3 |
| MEDICAID RECIPIENT | Yes | 60.1 | 55.9 – 64.1 |
| | No | 30.8 | 26.6 – 35.4 |
| MARITAL STATUS | Married | 30.5 | 26.7 – 34.6 |
| | Not Married | 66.0 | 61.6 – 70.2 |

⁶⁵

Prevalence of new moms in Florida with mistimed pregnancies

PRAMS Question: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? Answer: I wanted to be pregnant later.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 35.2 | 32.2 – 38.2 |
| RACE/ETHNICITY | Non-Hisp. White | 30.7 | 26.7 – 35.1 |
| | Non-Hisp. Black | 48.9 | 41.2 – 56.6 |
| | Hispanic | 36.8 | 31.6 – 42.3 |
| AGE GROUP | 19 & Under | 70.7 | 60.1 – 79.4 |
| | 20-24 | 50.6 | 44.3 – 56.9 |
| | 25-34 | 28.0 | 24.2 – 32.1 |
| | 35 & Older | 9.9 | 6.1 – 15.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>42.2</th><th>34.7 – 50.2</th></high> | 42.2 | 34.7 – 50.2 |
| | H.S. | 42.8 | 37.3 – 48.4 |
| | >High School | 27.8 | 24.1 – 31.9 |
| HOUSEHOLD INCOME | <\$15,000 | 49.6 | 44.1 – 55.2 |
| | \$15,000-\$34,999 | 37.0 | 31.2 – 43.2 |
| | \$35,000 or More | 18.6 | 14.9 – 23.1 |
| MEDICAID RECIPIENT | Yes | 44.7 | 40.5 – 48.9 |
| | No | 22.4 | 18.6 – 26.6 |
| MARITAL STATUS | Married | 20.8 | 17.5 – 24.5 |
| | Not Married | 50.7 | 46.1 – 55.3 |

⁶⁶

Prevalence of new moms in Florida with unwanted pregnancies


PRAMS Question: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? Answer: I didn't want to be pregnant then or at any time in the future.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 12.5 | 10.5 – 14.7 |
| RACE/ETHNICITY | Non-Hisp. White | 11.1 | 8.5 - 14.4 |
| | Non-Hisp. Black | 23.6 | 17.7 – 30.7 |
| | Hispanic | 9.3 | 6.5 – 13.1 |
| AGE GROUP | 19 & Under | 12.4 | 6.9 - 21.6 |
| | 20-24 | 11.4 | 7.9 – 16.2 |
| | 25-34 | 11.9 | 9.3 - 15.0 |
| | 35 & Older | 16.2 | 11.1 – 23.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>15.2</td><td>10.3 – 21.9</td></high> | 15.2 | 10.3 – 21.9 |
| | H.S. | 14.0 | 10.5 – 18.3 |
| | >High School | 10.5 | 8.2 - 13.5 |
| HOUSEHOLD INCOME | <\$15,000 | 15.2 | 11.6 – 19.6 |
| | \$15,000-\$34,999 | 12.7 | 9.1 – 17.5 |
| | \$35,000 or More | 8.8 | 6.3 -12.2 |
| MEDICAID RECIPIENT | Yes | 15.4 | 12.6 – 18.8 |
| | No | 8.4 | 6.1 – 11.5 |
| MARITAL STATUS | Married | 9.8 | 7.5 – 12.6 |
| | Not Married | 15.3 | 12.3 – 19.0 |

Prevalence of new moms in Florida not trying to get pregnant


PRAMS Question: When you got pregnant with your new baby, were you trying to get pregnant? Answer: No.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 58.9 | 55.9 – 61.9 |
| RACE/ETHNICITY | Non-Hisp. White | 51.1 | 46.6 – 55.5 |
| | Non-Hisp. Black | 82.0 | 75.5 – 87.1 |
| | Hispanic | 60.7 | 55.3 – 65.9 |
| AGE GROUP | 19 & Under | 90.2 | 81.7 – 95.0 |
| | 20-24 | 71.3 | 65.4 – 76.6 |
| | 25-34 | 51.0 | 46.7 – 55.3 |
| | 35 & Older | 45.1 | 37.5 – 53.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>75.3</th><th>68.0 – 81.4</th></high> | 75.3 | 68.0 – 81.4 |
| | H.S. | 65.5 | 60.0 – 70.5 |
| | >High School | 48.9 | 44.7 – 53.2 |
| HOUSEHOLD INCOME | <\$15,000 | 76.2 | 71.3 – 80.6 |
| | \$15,000-\$34,999 | 63.9 | 57.7 – 69.6 |
| | \$35,000 or More | 35.5 | 30.7 – 40.5 |
| MEDICAID RECIPIENT | Yes | 73.0 | 69.1 – 76.5 |
| | No | 40.0 | 35.5 – 44.7 |
| MARITAL STATUS | Married | 40.8 | 36.7 – 45.0 |
| | Not Married | 78.6 | 74.6 – 82.1 |

Prevalence of new moms in Florida using an ineffective method of birth control at time of conception


PRAMS Question: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 48.1 | 44.0 – 52.3 |
| RACE/ETHNICITY | Non-Hisp. White | 49.1 | 42.8 – 55.5 |
| | Non-Hisp. Black | 46.1 | 37.7 – 54.8 |
| | Hispanic | 50.1 | 43.0 – 57.1 |
| AGE GROUP | 19 & Under | 44.6 | 33.7 – 56.1 |
| | 20-24 | 50.8 | 43.3 – 58.1 |
| | 25-34 | 50.3 | 44.2 – 56.4 |
| | 35 & Older | 37.7 | 27.2 – 49.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>37.1</th><th>28.9 – 46.1</th></high> | 37.1 | 28.9 – 46.1 |
| | H.S. | 53.7 | 46.8 – 60.5 |
| | >High School | 49.3 | 43.1 – 55.5 |
| HOUSEHOLD INCOME | <\$15,000 | 46.9 | 40.6 – 53.2 |
| | \$15,000-\$34,999 | 47.2 | 39.5 – 55.0 |
| | \$35,000 or More | 50.4 | 41.8 – 59.0 |
| MEDICAID RECIPIENT | Yes | 47.5 | 42.6 – 52.5 |
| | No | 49.9 | 42.5 – 57.4 |
| MARITAL STATUS | Married | 48.6 | 42.0 – 55.3 |
| | Not Married | 47.9 | 42.7 – 53.1 |

Prevalence of new moms in Florida not using birth control at time of conception among those moms with unintended pregnancies

PRAMS Question: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (Among new moms with unintended pregnancies.) Answer: No.



| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 51.3 | 47.1 – 55.5 |
| RACE/ETHNICITY | Non-Hisp. White | 52.2 | 45.7 – 58.7 |
| | Non-Hisp. Black | 52.7 | 44.0 – 61.2 |
| | Hispanic | 47.7 | 40.3 – 55.2 |
| AGE GROUP | 19 & Under | 51.6 | 40.3 – 62.8 |
| | 20-24 | 43.7 | 36.3 – 51.3 |
| | 25-34 | 52.6 | 46.3 – 58.9 |
| | 35 & Older | 67.8 | 55.2 – 78.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>61.5</th><th>52.2 – 70.1</th></high> | 61.5 | 52.2 – 70.1 |
| | H.S. | 43.8 | 37.0 – 50.8 |
| | >High School | 52.5 | 46.1 – 58.9 |
| HOUSEHOLD INCOME | <\$15,000 | 51.7 | 45.2 – 58.1 |
| | \$15,000-\$34,999 | 53.4 | 45.4 – 61.2 |
| | \$35,000 or More | 49.1 | 40.3 – 58.0 |
| MEDICAID RECIPIENT | Yes | 52.0 | 47.0 – 57.1 |
| | No | 48.9 | 41.2 – 56.6 |
| MARITAL STATUS | Married | 52.5 | 45.6 – 59.3 |
| | Not Married | 50.7 | 45.3 – 56.0 |

Prevalence of new moms in Florida not using birth control at time of conception among those moms not trying to become pregnant


PRAMS Question: When you got pregnant with your new baby, were you or your husband doing anything to keep from getting pregnant? (Among new moms not trying to become pregnant.) Answer: No.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 48.6 | 44.5 – 52.7 |
| RACE/ETHNICITY | Non-Hisp. White | 49.6 | 43.3 – 55.9 |
| | Non-Hisp. Black | 52.8 | 44.2 – 61.3 |
| | Hispanic | 42.9 | 36.1 – 50.1 |
| AGE GROUP | 19 & Under | 53.4 | 41.9 – 64.5 |
| | 20-24 | 42.0 | 34.8 – 49.4 |
| | 25-34 | 49.0 | 43.0 – 55.1 |
| | 35 & Older | 58.6 | 46.8 – 69.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>59.3</td><td>50.2 – 67.8</td></high> | 59.3 | 50.2 – 67.8 |
| | H.S. | 41.8 | 35.3 – 48.7 |
| | >High School | 48.9 | 42.7 – 55.1 |
| HOUSEHOLD INCOME | <\$15,000 | 49.4 | 43.1 – 55.7 |
| | \$15,000-\$34,999 | 50.3 | 42.5 – 58.0 |
| | \$35,000 or More | 46.4 | 38.0 – 55.0 |
| MEDICAID RECIPIENT | Yes | 49.7 | 44.8 – 54.7 |
| | No | 45.5 | 38.2 – 53.0 |
| MARITAL STATUS | Married | 49.1 | 42.5 – 55.8 |
| | Not Married | 48.3 | 43.2 – 53.5 |

Prevalence of new moms in Florida not using birth control at time of conception because they did not mind becoming pregnant

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: I did not mind if I got pregnant.



| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 41.7 | 36.3 – 47.3 |
| RACE/ETHNICITY | Non-Hisp. White | 46.4 | 37.9 – 55.2 |
| | Non-Hisp. Black | 41.0 | 30.3 – 52.7 |
| | Hispanic | 34.9 | 26.1 – 44.9 |
| AGE GROUP | 19 & Under | 31.4 | 19.2 – 46.7 |
| | 20-24 | 33.1 | 24.0 – 43.6 |
| | 25-34 | 47.1 | 38.8 – 55.6 |
| | 35 & Older | 54.8 | 40.1 – 68.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>36.4</th><th>26.3 – 47.7</th></high> | 36.4 | 26.3 – 47.7 |
| | H.S. | 35.4 | 26.7 – 45.3 |
| | >High School | 50.0 | 41.5 – 58.5 |
| HOUSEHOLD INCOME | <\$15,000 | 35.6 | 27.9 – 44.2 |
| | \$15,000-\$34,999 | 43.8 | 33.7 – 54.6 |
| | \$35,000 or More | 55.0 | 43.0 – 66.4 |
| MEDICAID RECIPIENT | Yes | 37.4 | 31.1 – 44.1 |
| | No | 50.8 | 40.6 – 61.0 |
| MARITAL STATUS | Married | 49.7 | 40.8 – 58.6 |
| | Not Married | 37.1 | 30.5 – 44.3 |

Prevalence of new moms in Florida not using birth control at time of conception because she thought she could not become pregnant at that time

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: I thought I could not get pregnant at that time.



| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 31.4 | 26.4 – 36.8 |
| RACE/ETHNICITY | Non-Hisp. White | 23.9 | 17.3 – 32.1 |
| | Non-Hisp. Black | 25.6 | 17.1 – 36.3 |
| | Hispanic | 43.9 | 34.3 – 54.0 |
| AGE GROUP | 19 & Under | 37.6 | 24.5 – 52.9 |
| | 20-24 | 26.9 | 18.7 – 37.1 |
| | 25-34 | 28.2 | 21.2 – 36.5 |
| | 35 & Older | 42.9 | 29.2 – 57.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>33.3</td><td>23.7 – 44.5</td></high> | 33.3 | 23.7 – 44.5 |
| | H.S. | 34.2 | 25.6 – 44.0 |
| | >High School | 28.0 | 20.9 – 36.4 |
| HOUSEHOLD INCOME | <\$15,000 | 36.6 | 28.8 – 45.2 |
| | \$15,000-\$34,999 | 29.4 | 20.7 – 40.1 |
| | \$35,000 or More | 19.3 | 11.6 – 30.5 |
| MEDICAID RECIPIENT | Yes | 32.7 | 26.7 – 39.3 |
| | No | 26.4 | 18.3 – 36.6 |
| MARITAL STATUS | Married | 29.1 | 21.5 – 38.0 |
| | Not Married | 32.7 | 26.4 – 39.7 |

Prevalence of new moms in Florida not using birth control at time of conception because of the undesirable side effects

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: I had side effects from birth control method




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 11.0 | 7.9 – 15.0 |
| RACE/ETHNICITY | Non-Hisp. White | 14.4 | 9.3 – 21.7 |
| | Non-Hisp. Black | 7.3 | 3.2 - 16.1 |
| | Hispanic | 10.6 | 5.8 - 18.5 |
| AGE GROUP | 19 & Under | 6.1 | 1.9 – 18.3 |
| | 20-24 | 7.4 | 3.5 – 14.9 |
| | 25-34 | 14.9 | 9.8 - 22.0 |
| | 35 & Older | 11.7 | 5.0 - 25.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>11.7</td><td>6.3 - 20.9</td></high> | 11.7 | 6.3 - 20.9 |
| | H.S. | 10.5 | 5.8 - 18.4 |
| | >High School | 10.9 | 6.7 - 17.4 |
| HOUSEHOLD INCOME | <\$15,000 | 8.0 | 4.5 - 14.0 |
| | \$15,000-\$34,999 | 15.1 | 9.0 -24.5 |
| | \$35,000 or More | 12.6 | 6.6 - 22.8 |
| MEDICAID RECIPIENT | Yes | 10.4 | 6.9 - 15.2 |
| | No | 11.6 | 6.5 - 19.9 |
| MARITAL STATUS | Married | 12.3 | 7.5 – 19.5 |
| | Not Married | 10.2 | 6.6 - 15.4 |

CI=Confidence Interval

74

Prevalence of new moms in Florida not using birth control at time of conception because she had problems acquiring birth control

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: I had problems getting birth control.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 10.9 | 7.8 – 15.0 |
| RACE/ETHNICITY | Non-Hisp. White | 11.8 | 7.1 – 19.0 |
| | Non-Hisp. Black | 13.9 | 7.6 – 24.2 |
| | Hispanic | 8.4 | 4.3 - 15.8 |
| AGE GROUP | 19 & Under | 12.2 | 5.3 - 25.6 |
| | 20-24 | 17.8 | 11.0 – 27.5 |
| | 25-34 | 8.6 | 4.8 - 14.8 |
| | 35 & Older | 2.4 | 0.3 - 15.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>16.6</td><td>9.8 -26.7</td></high> | 16.6 | 9.8 -26.7 |
| | H.S. | 11.5 | 6.5 – 19.3 |
| | >High School | 6.7 | 3.4 - 12.8 |
| HOUSEHOLD INCOME | <\$15,000 | 14.8 | 9.7 - 22.0 |
| | \$15,000-\$34,999 | 12.1 | 6.6 -21.2 |
| | \$35,000 or More | 3.1 | 0.6 - 13.5 |
| MEDICAID RECIPIENT | Yes | 14.2 | 10.1 – 19.6 |
| | No | 2.4 | 0.5 - 9.9 |
| MARITAL STATUS | Married | 6.1 | 2.8 -12.6 |
| | Not Married | 13.7 | 9.4 - 19.4 |

Prevalence of new moms in Florida not using birth control at time of conception because she thought husband or partner or she was sterile

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: I thought my husband/parner or I was sterile.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 11.9 | 8.7 - 16.0 |
| RACE/ETHNICITY | Non-Hisp. White | 11.1 | 6.6 - 18.0 |
| | Non-Hisp. Black | 11.2 | 5.8 - 20.5 |
| | Hispanic | 13.4 | 8.0 -21.8 |
| AGE GROUP | 19 & Under | 11.9 | 5.5 - 24.1 |
| | 20-24 | 15.3 | 9.1 - 24.7 |
| | 25-34 | 8.2 | 4.6 - 14.4 |
| | 35 & Older | 16.0 | 7.8 - 30.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>17.1</td><td>10.4 – 27.0</td></high> | 17.1 | 10.4 – 27.0 |
| | H.S. | 11.8 | 6.9 - 19.6 |
| | >High School | 8.4 | 4.6 - 14.9 |
| HOUSEHOLD INCOME | <\$15,000 | 17.7 | 12.1 – 25.2 |
| | \$15,000-\$34,999 | 5.8 | 2.5 - 13.0 |
| | \$35,000 or More | 9.9 | 4.7 - 20.0 |
| MEDICAID RECIPIENT | Yes | 11.8 | 8.1 – 16.8 |
| | No | 10.0 | 5.2 - 18.3 |
| MARITAL STATUS | Married | 10.1 | 5.7 - 17.2 |
| | Not Married | 12.9 | 8.9 - 18.4 |

Prevalence of new moms in Florida not using birth control at time of conception because husband or partner did not want to use birth control


PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: My husband/partner did not want to use anything.



| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 21.3 | 17.0 – 26.4 |
| RACE/ETHNICITY | Non-Hisp. White | 19.0 | 12.9 – 27.0 |
| | Non-Hisp. Black | 30.1 | 20.5 – 41.8 |
| | Hispanic | 18.2 | 11.5 – 27.4 |
| AGE GROUP | 19 & Under | 32.5 | 19.9 – 48.3 |
| | 20-24 | 25.8 | 17.6 – 36.0 |
| | 25-34 | 17.3 | 11.7 – 24.9 |
| | 35 & Older | 11.8 | 5.0 - 25.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>28.1</td><td>18.9 – 39.6</td></high> | 28.1 | 18.9 – 39.6 |
| | H.S. | 20.1 | 13.3 – 29.0 |
| | >High School | 18.1 | 12.2 – 26.0 |
| HOUSEHOLD INCOME | <\$15,000 | 23.1 | 16.6 – 31.1 |
| | \$15,000-\$34,999 | 23.6 | 15.6 – 34.0 |
| | \$35,000 or More | 12.4 | 6.2 -23.4 |
| MEDICAID RECIPIENT | Yes | 25.9 | 20.4 – 32.4 |
| | No | 10.3 | 5.4 - 18.9 |
| MARITAL STATUS | Married | 12.1 | 7.2 – 19.6 |
| | Not Married | 26.7 | 20.8 – 33.6 |

Prevalence of new moms in Florida using postpartum birth control


PRAMS Question: Are you or your husband or partner doing anything now to keep from getting pregnant? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 83.4 | 80.9 – 85.6 |
| RACE/ETHNICITY | Non-Hisp. White | 83.7 | 80.2 – 86.8 |
| | Non-Hisp. Black | 86.3 | 80.1 – 90.8 |
| | Hispanic | 81.9 | 77.2 – 85.8 |
| AGE GROUP | 19 & Under | 84.9 | 75.5 – 91.1 |
| | 20-24 | 87.0 | 82.2 – 90.7 |
| | 25-34 | 82.5 | 78.9 – 85.5 |
| | 35 & Older | 79.3 | 72.0 – 85.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>75.2</th><th>67.8 – 81.4</th></high> | 75.2 | 67.8 – 81.4 |
| | H.S. | 84.2 | 79.7 – 87.9 |
| | >High School | 85.4 | 82.1 – 88.1 |
| HOUSEHOLD INCOME | <\$15,000 | 80.6 | 75.8 – 84.6 |
| | \$15,000-\$34,999 | 86.4 | 81.5 – 90.2 |
| | \$35,000 or More | 84.7 | 80.7 – 87.9 |
| MEDICAID RECIPIENT | Yes | 81.5 | 78.0 – 84.6 |
| | No | 85.5 | 82.0 – 88.4 |
| MARITAL STATUS | Married | 84.9 | 81.6 – 87.7 |
| | Not Married | 81.7 | 77.8 – 85.0 |

Prevalence of new moms in Florida not using postpartum birth control


PRAMS Question: Are you or your husband or partner doing anything now to keep from getting pregnant? Answer: No.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 16.6 | 14.4 – 19.1 |
| RACE/ETHNICITY | Non-Hisp. White | 16.3 | 13.2 – 19.8 |
| | Non-Hisp. Black | 13.7 | 9.2 - 19.9 |
| | Hispanic | 18.1 | 14.2 – 22.8 |
| AGE GROUP | 19 & Under | 15.1 | 8.9 - 24.5 |
| | 20-24 | 13.0 | 9.3 - 17.8 |
| | 25-34 | 17.5 | 14.5 – 21.1 |
| | 35 & Older | 20.7 | 14.9 – 28.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>24.8</th><th>18.6 – 32.2</th></high> | 24.8 | 18.6 – 32.2 |
| | H.S. | 15.8 | 12.1 – 20.3 |
| | >High School | 14.6 | 11.9 – 17.9 |
| HOUSEHOLD INCOME | <\$15,000 | 19.4 | 15.4 – 24.2 |
| | \$15,000-\$34,999 | 13.6 | 9.8 - 18.5 |
| | \$35,000 or More | 15.3 | 12.1 – 19.3 |
| MEDICAID RECIPIENT | Yes | 18.5 | 15.4 – 22.0 |
| | No | 14.5 | 11.6 – 18.0 |
| MARITAL STATUS | Married | 15.1 | 12.3 – 18.4 |
| | Not Married | 18.3 | 15.0 – 22.2 |

Prevalence of new moms in Florida not using postpartum birth control due to abstinence


PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: I am not having sex.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 36.7 | 29.8 – 44.2 |
| RACE/ETHNICITY | Non-Hisp. White | 24.5 | 16.4 – 34.9 |
| | Non-Hisp. Black | 62.2 | 42.0 – 78.9 |
| | Hispanic | 41.6 | 29.8 – 54.3 |
| AGE GROUP | 19 & Under | 63.2 | 36.2 – 83.8 |
| | 20-24 | 35.3 | 21.2 – 52.7 |
| | 25-34 | 37.7 | 28.3 – 48.1 |
| | 35 & Older | 24.2 | 12.8 – 41.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>45.6</td><td>31.2 – 60.7</td></high> | 45.6 | 31.2 – 60.7 |
| | H.S. | 30.3 | 19.5 – 44.0 |
| | >High School | 36.3 | 26.4 – 47.5 |
| HOUSEHOLD INCOME | <\$15,000 | 38.4 | 27.3 – 50.9 |
| | \$15,000-\$34,999 | 33.1 | 19.6 – 50.0 |
| | \$35,000 or More | 29.6 | 19.4 – 42.4 |
| MEDICAID RECIPIENT | Yes | 37.9 | 29.1 – 47.6 |
| | No | 34.6 | 24.2 – 46.7 |
| MARITAL STATUS | Married | 25.8 | 17.7 – 36.0 |
| | Not Married | 46.9 | 36.6 – 57.5 |

Prevalence of new moms in Florida not using postpartum birth control because she wanted to become pregnant


PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: I want to get pregnant.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 14.2 | 9.8 - 20.1 |
| RACE/ETHNICITY | Non-Hisp. White | 22.9 | 15.0 – 33.3 |
| | Non-Hisp. Black | 11.8 | 3.8 - 31.1 |
| | Hispanic | 3.1 | 0.9 - 9.8 |
| AGE GROUP | 19 & Under | 2.9 | 0.9 - 9.6 |
| | 20-24 | 4.1 | 1.1 – 13.7 |
| | 25-34 | 15.7 | 9.7 – 24.5 |
| | 35 & Older | 24.9 | 13.1 – 42.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>10.1</td><td>4.1 - 22.9</td></high> | 10.1 | 4.1 - 22.9 |
| | H.S. | 12.0 | 5.5 – 24.1 |
| | >High School | 18.4 | 11.5 – 28.3 |
| HOUSEHOLD INCOME | <\$15,000 | 11.3 | 5.6 -21.4 |
| | \$15,000-\$34,999 | 6.9 | 1.9 - 22.3 |
| | \$35,000 or More | 26.4 | 16.8 – 38.9 |
| MEDICAID RECIPIENT | Yes | 10.6 | 6.0 - 18.0 |
| | No | 20.8 | 12.8 – 32.0 |
| MARITAL STATUS | Married | 18.9 | 12.1 – 28.4 |
| | Not Married | 9.8 | 5.1 – 18.0 |

Prevalence of new moms in Florida not using postpartum birth control because she did not want to use birth control

PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: I do not want to use birth control.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 24.2 | 18.4 – 31.2 |
| RACE/ETHNICITY | Non-Hisp. White | 28.7 | 20.0 – 39.3 |
| | Non-Hisp. Black | 7.9 | 2.3 -23.9 |
| | Hispanic | 25.0 | 15.5 – 37.8 |
| AGE GROUP | 19 & Under | 23.8 | 7.2 – 55.7 |
| | 20-24 | 23.6 | 12.3 – 40.6 |
| | 25-34 | 26.5 | 18.6 – 36.3 |
| | 35 & Older | 18.9 | 9.0 - 35.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>20.2</th><th>10.7 – 34.9</th></high> | 20.2 | 10.7 – 34.9 |
| | H.S. | 20.5 | 11.7 – 33.5 |
| | >High School | 29.5 | 20.5 – 40.6 |
| HOUSEHOLD INCOME | <\$15,000 | 16.5 | 9.3 – 27.7 |
| | \$15,000-\$34,999 | 32.6 | 19.3 – 49.4 |
| | \$35,000 or More | 33.2 | 22.3 – 46.2 |
| MEDICAID RECIPIENT | Yes | 20.1 | 13.6 – 28.7 |
| | No | 31.7 | 21.6 – 43.9 |
| MARITAL STATUS | Married | 30.2 | 21.5 – 40.6 |
| | Not Married | 18.7 | 11.7 – 28.4 |

⁸²

Prevalence of new moms in Florida not using postpartum birth control because husband or partner did not want to use it


PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: My husband/partner does not want to use anything.



| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 12.5 | 8.3 - 18.6 |
| RACE/ETHNICITY | Non-Hisp. White | 14.3 | 8.1 -24.0 |
| | Non-Hisp. Black | 12.3 | 3.9 - 32.5 |
| | Hispanic | 8.7 | 3.6 - 19.7 |
| AGE GROUP | 19 & Under | 16.7 | 4.7 – 45.3 |
| | 20-24 | 12.2 | 4.6 - 28.7 |
| | 25-34 | 12.6 | 7.1 – 21.4 |
| | 35 & Older | 10.7 | 3.6 - 27.6 |
| EDUCATION LEVEL | <high school<="" td=""><td>12.1</td><td>5.3 - 25.2</td></high> | 12.1 | 5.3 - 25.2 |
| | H.S. | 15.9 | 8.1 - 28.8 |
| | >High School | 10.2 | 5.0 - 19.7 |
| HOUSEHOLD INCOME | <\$15,000 | 12.8 | 6.5 - 23.8 |
| | \$15,000-\$34,999 | 10.4 | 3.8 - 25.5 |
| | \$35,000 or More | 14.6 | 7.4 – 26.6 |
| MEDICAID RECIPIENT | Yes | 14.8 | 9.1 – 23.1 |
| | No | 8.6 | 3.8 – 18.3 |
| MARITAL STATUS | Married | 10.9 | 5.8 - 19.6 |
| | Not Married | 14.1 | 8.1 - 23.5 |

Prevalence of new moms in Florida not using postpartum birth control because she cannot afford


PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: I cannot pay for birth control.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 13.3 | 9.1 - 19.2 |
| RACE/ETHNICITY | Non-Hisp. White | 11.2 | 5.9 - 20.4 |
| | Non-Hisp. Black | 12.0 | 3.9 - 31.2 |
| | Hispanic | 18.1 | 10.4 – 29.5 |
| AGE GROUP | 19 & Under | 3.8 | 1.3 - 10.9 |
| | 20-24 | 22.0 | 11.1 – 38.8 |
| | 25-34 | 15.4 | 9.4 - 24.4 |
| | 35 & Older | 3.4 | 0.5 - 20.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>19.1</td><td>10.1 – 33.2</td></high> | 19.1 | 10.1 – 33.2 |
| | H.S. | 14.8 | 7.6 - 26.7 |
| | >High School | 8.7 | 4.1 - 17.6 |
| HOUSEHOLD INCOME | <\$15,000 | 16.3 | 9.3 - 27.0 |
| | \$15,000-\$34,999 | 19.3 | 9.4 - 35.5 |
| | \$35,000 or More | 5.9 | 2.1 - 15.8 |
| MEDICAID RECIPIENT | Yes | 15.5 | 9.9 - 23.5 |
| | No | 9.4 | 4.3 - 19.2 |
| MARITAL STATUS | Married | 7.0 | 3.2 - 14.6 |
| | Not Married | 19.3 | 12.4 – 28.8 |

Prevalence of new moms in Florida not using postpartum birth control because she believed she was sterile


PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: I do not think I can get pregnant (sterile).



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 3.2 | 1.6 - 6.3 |
| RACE/ETHNICITY | Non-Hisp. White | 4.5 | 1.7 – 11.5 |
| | Non-Hisp. Black | 2.1 | 0.7 - 6.6 |
| | Hispanic | 0.9 | 0.3 - 2.5 |
| AGE GROUP | 19 & Under | 0.9 | 0.1 - 6.2 |
| | 20-24 | 0.5 | 0.1 - 3.5 |
| | 25-34 | 2.2 | 0.7 - 6.3 |
| | 35 & Older | 9.4 | 3.5 - 22.8 |
| EDUCATION LEVEL | <high school<="" td=""><td>1.7</td><td>0.7 - 4.3</td></high> | 1.7 | 0.7 - 4.3 |
| | H.S. | 2.7 | 0.7 - 10.3 |
| | >High School | 4.4 | 1.6 –11.2 |
| HOUSEHOLD INCOME | <\$15,000 | 3.1 | 1.1 - 8.5 |
| | \$15,000-\$34,999 | 0.0 | |
| | \$35,000 or More | 5.9 | 2.2 - 14.9 |
| MEDICAID RECIPIENT | Yes | 1.9 | 0.7 - 5.3 |
| | No | 5.4 | 2.1 - 13.2 |
| MARITAL STATUS | Married | 2.7 | 0.9 - 7.6 |
| | Not Married | 3.6 | 1.4 - 8.9 |

Prevalence of new moms in Florida who had their tubes tied as a method of postpartum birth control


PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Tubes tied (sterilization).



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 13.8 | 11.6 – 16.3 |
| RACE/ETHNICITY | Non-Hisp. White | 13.2 | 10.2 – 17.0 |
| | Non-Hisp. Black | 13.6 | 9.0 - 20.1 |
| | Hispanic | 14.6 | 10.7 – 19.5 |
| AGE GROUP | 19 & Under | 0.0 | |
| | 20-24 | 5.4 | 3.1 - 9.5 |
| | 25-34 | 16.3 | 13.1 – 20.3 |
| | 35 & Older | 29.1 | 21.8 – 37.8 |
| EDUCATION LEVEL | <high school<="" td=""><td>15.0</td><td>9.6 - 22.8</td></high> | 15.0 | 9.6 - 22.8 |
| | H.S. | 13.9 | 10.2 – 18.6 |
| | >High School | 13.4 | 10.5 – 16.9 |
| HOUSEHOLD INCOME | <\$15,000 | 12.5 | 9.0 - 17.1 |
| | \$15,000-\$34,999 | 18.0 | 13.4 – 23.7 |
| | \$35,000 or More | 12.1 | 8.9 - 16.4 |
| MEDICAID RECIPIENT | Yes | 16.3 | 13.2 – 20.0 |
| | No | 10.8 | 8.0 -14.4 |
| MARITAL STATUS | Married | 15.2 | 12.2 – 18.9 |
| | Not Married | 12.1 | 9.2 - 15.9 |

Prevalence of new moms in Florida whose partner or husband had a vasectomy as a method of postpartum birth control


PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Vasectomy (sterilization).



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 1.8 | 1.1 - 2.9 |
| RACE/ETHNICITY | Non-Hisp. White | 2.8 | 1.6 - 5.0 |
| | Non-Hisp. Black | 1.0 | 0.2 - 4.4 |
| | Hispanic | 0.9 | 0.3 - 3.1 |
| AGE GROUP | 19 & Under | 0.0 | |
| | 20-24 | 1.1 | 0.3 - 4.4 |
| | 25-34 | 2.1 | 1.1 - 3.8 |
| | 35 & Older | 3.1 | 1.1 - 8.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>0.2</th><th>0.1 - 0.9</th></high> | 0.2 | 0.1 - 0.9 |
| | H.S. | 2.2 | 1.0 - 5.1 |
| | >High School | 1.9 | 1.0 - 3.6 |
| HOUSEHOLD INCOME | <\$15,000 | 0.5 | 0.1 - 2.8 |
| | \$15,000-\$34,999 | 1.4 | 0.4 - 4.2 |
| | \$35,000 or More | 3.6 | 2.0 - 6.2 |
| MEDICAID RECIPIENT | Yes | 1.0 | 0.4 - 2.4 |
| | No | 2.8 | 1.6 - 5.1 |
| MARITAL STATUS | Married | 3.0 | 1.8 - 4.9 |
| | Not Married | 0.4 | 0.1 - 1.9 |

Prevalence of new moms in Florida using oral contraceptives as a method of postpartum birth control


PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Pill (Oral Contraceptive).



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 22.7 | 20.0 – 25.6 |
| RACE/ETHNICITY | Non-Hisp. White | 28.3 | 24.2 – 32.9 |
| | Non-Hisp. Black | 12.4 | 8.0 - 18.7 |
| | Hispanic | 22.4 | 17.7 – 28.0 |
| AGE GROUP | 19 & Under | 23.1 | 14.8 – 34.2 |
| | 20-24 | 24.7 | 19.4 – 31.0 |
| | 25-34 | 23.8 | 20.0 – 28.0 |
| | 35 & Older | 14.7 | 9.6 -21.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>15.2</th><th>9.8 - 22.8</th></high> | 15.2 | 9.8 - 22.8 |
| | H.S. | 21.1 | 16.6 – 26.4 |
| | >High School | 25.5 | 21.7 – 29.7 |
| HOUSEHOLD INCOME | <\$15,000 | 19.4 | 14.9 – 24.7 |
| | \$15,000-\$34,999 | 20.9 | 16.1 – 26.8 |
| | \$35,000 or More | 28.0 | 23.4 – 33.2 |
| MEDICAID RECIPIENT | Yes | 19.9 | 16.4 – 23.8 |
| | No | 26.4 | 22.3 – 31.1 |
| MARITAL STATUS | Married | 24.7 | 21.1 – 28.8 |
| | Not Married | 20.3 | 16.5 – 24.7 |

Prevalence of new moms in Florida using condoms as a method of postpartum birth control


PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Condoms.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 37.9 | 34.7 – 41.3 |
| RACE/ETHNICITY | Non-Hisp. White | 34.1 | 29.6 – 38.8 |
| | Non-Hisp. Black | 36.4 | 28.7 – 44.8 |
| | Hispanic | 41.5 | 35.6 – 47.7 |
| AGE GROUP | 19 & Under | 46.2 | 34.8 – 58.1 |
| | 20-24 | 41.7 | 35.1 – 48.5 |
| | 25-34 | 36.4 | 32.0 – 41.1 |
| | 35 & Older | 30.6 | 23.2 – 39.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>39.2</th><th>30.7 – 48.3</th></high> | 39.2 | 30.7 – 48.3 |
| | H.S. | 41.2 | 35.4 – 47.3 |
| | >High School | 35.3 | 31.0 – 39.9 |
| HOUSEHOLD INCOME | <\$15,000 | 39.3 | 33.5 – 45.4 |
| | \$15,000-\$34,999 | 37.2 | 30.9 – 43.9 |
| | \$35,000 or More | 36.1 | 31.0 – 41.6 |
| MEDICAID RECIPIENT | Yes | 36.0 | 31.7 – 40.6 |
| | No | 40.1 | 35.2 – 45.1 |
| MARITAL STATUS | Married | 37.5 | 33.2 – 42.0 |
| | Not Married | 38.4 | 33.5 – 43.5 |

Prevalence of new moms in Florida using Depo-Provera® Injection as a method of postpartum birth control


PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Depo-Provera® Injection.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 8.7 | 7.0 - 10.9 |
| RACE/ETHNICITY | Non-Hisp. White | 6.7 | 4.5 - 9.7 |
| | Non-Hisp. Black | 15.1 | 10.2 – 22.0 |
| | Hispanic | 8.1 | 5.3 - 12.1 |
| AGE GROUP | 19 & Under | 19.6 | 11.9 – 30.5 |
| | 20-24 | 13.1 | 9.2 - 18.4 |
| | 25-34 | 6.7 | 4.6 - 9.6 |
| | 35 & Older | 0.6 | 0.2 - 1.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>19.3</td><td>13.1 – 27.5</td></high> | 19.3 | 13.1 – 27.5 |
| | H.S. | 10.6 | 7.4 – 14.8 |
| | >High School | 4.4 | 2.8 - 6.8 |
| HOUSEHOLD INCOME | <\$15,000 | 14.0 | 10.3 – 18.8 |
| | \$15,000-\$34,999 | 9.5 | 6.2 - 14.4 |
| | \$35,000 or More | 2.0 | 0.9 - 4.1 |
| MEDICAID RECIPIENT | Yes | 12.8 | 10.0 – 16.2 |
| | No | 3.2 | 1.8 - 5.7 |
| MARITAL STATUS | Married | 3.7 | 2.3 - 5.9 |
| | Not Married | 14.5 | 11.2 – 18.6 |

Prevalence of new moms in Florida using the withdrawal method as a means of postpartum birth control

PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Withdrawal.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 16.9 | 14.6 – 19.6 |
| RACE/ETHNICITY | Non-Hisp. White | 15.3 | 12.2 – 19.0 |
| | Non-Hisp. Black | 15.8 | 10.6 – 22.9 |
| | Hispanic | 19.0 | 14.6 – 24.2 |
| AGE GROUP | 19 & Under | 13.7 | 7.6 – 23.6 |
| | 20-24 | 12.1 | 8.4 – 17.1 |
| | 25-34 | 20.6 | 17.1 – 24.7 |
| | 35 & Older | 14.9 | 9.6 - 22.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>14.1</td><td>8.9 -21.6</td></high> | 14.1 | 8.9 -21.6 |
| | H.S. | 15.3 | 11.5 – 20.0 |
| | >High School | 18.7 | 15.4 – 22.6 |
| IOUSEHOLD INCOME | <\$15,000 | 15.3 | 11.5 – 20.2 |
| | \$15,000-\$34,999 | 18.7 | 14.1 – 24.5 |
| | \$35,000 or More | 18.9 | 15.0 – 23.6 |
| MEDICAID RECIPIENT | Yes | 15.9 | 12.8 – 19.6 |
| | No | 18.0 | 14.5 – 22.2 |
| MARITAL STATUS | Married | 18.5 | 15.2 – 22.3 |
| | Not Married | 15.1 | 11.9 – 19.1 |

Prevalence of new moms in Florida using alternative methods of postpartum birth control

PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: others except Tubes tied, Vasectomy, Pill, Condoms, Depo-Provera Injection, Withdrawal.




| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 34.0 | 30.8 – 37.3 |
| RACE/ETHNICITY | Non-Hisp. White | 30.5 | 26.2 – 35.1 |
| | Non-Hisp. Black | 46.8 | 38.6 – 55.1 |
| | Hispanic | 33.2 | 27.7 – 39.2 |
| AGE GROUP | 19 & Under | 38.5 | 27.7 – 50.6 |
| | 20-24 | 44.1 | 37.5 – 50.9 |
| | 25-34 | 29.8 | 25.7 – 34.3 |
| | 35 & Older | 27.7 | 20.6 – 36.1 |
| EDUCATION LEVEL | <high school<="" td=""><th>28.9</th><td>21.3 – 37.9</td></high> | 28.9 | 21.3 – 37.9 |
| | H.S. | 34.8 | 29.3 – 40.8 |
| | >High School | 35.2 | 30.9 – 39.8 |
| HOUSEHOLD INCOME | <\$15,000 | 37.5 | 31.8 – 43.6 |
| | \$15,000-\$34,999 | 30.3 | 24.5 – 36.8 |
| | \$35,000 or More | 33.0 | 28.0 – 38.3 |
| MEDICAID RECIPIENT | Yes | 33.9 | 29.7 – 38.5 |
| | No | 33.4 | 28.8 – 38.4 |
| MARITAL STATUS | Married | 28.8 | 24.8 – 33.1 |
| | Not Married | 40.0 | 35.1 – 45.2 |

Late Diagnosis of Pregnancy

Prevalence of new moms in Florida who were unaware of pregnancy until after first trimester


PRAMS Question: How many weeks or months pregnant were you when you were sure you were pregnant? Answer: 13 weeks or more.



| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 10.5 | 8.6 – 12.6 |
| RACE/ETHNICITY | Non-Hisp. White | 5.6 | 3.8 - 8.1 |
| | Non-Hisp. Black | 21.1 | 15.3 – 28.4 |
| | Hispanic | 11.2 | 8.0 - 15.5 |
| AGE GROUP | 19 & Under | 20.8 | 13.1 – 31.4 |
| | 20-24 | 15.2 | 11.0 – 20.6 |
| | 25-34 | 8.0 | 5.8 - 10.8 |
| | 35 & Older | 4.4 | 2.0 - 9.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>20.8</td><td>15.0 – 28.2</td></high> | 20.8 | 15.0 – 28.2 |
| | H.S. | 11.6 | 8.4 – 15.9 |
| | >High School | 6.3 | 4.4 - 8.9 |
| HOUSEHOLD INCOME | <\$15,000 | 18.2 | 14.2 – 23.0 |
| | \$15,000-\$34,999 | 9.3 | 6.1 – 13.9 |
| | \$35,000 or More | 2.9 | 1.5 - 5.5 |
| MEDICAID RECIPIENT | Yes | 15.3 | 12.4 – 18.7 |
| | No | 3.7 | 2.2 - 6.2 |
| MARITAL STATUS | Married | 3.2 | 1.9 - 5.2 |
| | Not Married | 18.6 | 15.1 – 22.7 |

Prevalence of new moms in Florida not having prenatal care (PNC) during first trimester of pregnancy


PRAMS Question: How many weeks or months pregnant were you when you had your first visit for prenatal care? Answer: 13 weeks or more.



| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI | |
|------------------------|--|---------|-------------|--|
| ALL | Overall | 25.6 | 23.0 – 28.5 | |
| RACE/ETHNICITY | Non-Hisp. White | 18.8 | 15.4 – 22.7 | |
| | Non-Hisp. Black | 41.7 | 34.3 – 49.6 | |
| | Hispanic | 27.0 | 22.3 – 32.3 | |
| AGE GROUP | 19 & Under | 43.1 | 32.8 – 54.0 | |
| | 20-24 | 34.5 | 28.7 – 40.8 | |
| | 25-34 | 20.6 | 17.2 – 24.4 | |
| | 35 & Older | 16.5 | 11.3 – 23.4 | |
| EDUCATION LEVEL | <high school<="" td=""><td>47.8</td><td>40.1 – 55.7</td><td></td></high> | 47.8 | 40.1 – 55.7 | |
| | H.S. | 28.1 | 23.3 – 33.5 | |
| | >High School | 16.3 | 13.3 – 19.9 | |
| HOUSEHOLD INCOME | <\$15,000 | 40.8 | 35.4 – 46.4 | |
| | \$15,000-\$34,999 | 26.2 | 21.0 – 32.2 | |
| | \$35,000 or More | 8.7 | 6.1 - 12.2 | |
| MEDICAID RECIPIENT | Yes | 37.1 | 33.1 – 41.3 | |
| | No | 8.9 | 6.5 - 12.2 | |
| MARITAL STATUS | Married | 14.9 | 12.0 – 18.2 | |
| | Not Married | 37.5 | 33.1 – 42.1 | |

Prevalence of new moms in Florida not having prenatal care (PNC) as early as she wanted

PRAMS Question: Did you get prenatal care as early in your pregnancy as you wanted? Answer: No.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 22.4 | 19.9 – 25.1 |
| RACE/ETHNICITY | Non-Hisp. White | 21.3 | 17.9 – 25.3 |
| | Non-Hisp. Black | 28.1 | 21.7 – 35.5 |
| | Hispanic | 22.0 | 17.8 – 26.9 |
| AGE GROUP | 19 & Under | 35.8 | 26.2 – 46.7 |
| | 20-24 | 28.8 | 23.4 – 34.9 |
| | 25-34 | 19.2 | 16.0 – 22.9 |
| | 35 & Older | 13.9 | 9.4 - 20.1 |
| EDUCATION LEVEL | <high school<="" td=""><th>31.2</th><td>24.4 – 38.8</td></high> | 31.2 | 24.4 – 38.8 |
| | H.S. | 24.4 | 20.0 – 29.5 |
| | >High School | 18.1 | 15.0 – 21.7 |
| HOUSEHOLD INCOME | <\$15,000 | 32.0 | 27.1 – 37.4 |
| | \$15,000-\$34,999 | 21.3 | 16.6 – 26.8 |
| | \$35,000 or More | 13.2 | 10.1 – 17.1 |
| MEDICAID RECIPIENT | Yes | 30.2 | 26.5 – 34.2 |
| | No | 12.1 | 9.4 - 15.6 |
| MARITAL STATUS | Married | 16.2 | 13.3 – 19.6 |
| | Not Married | 29.1 | 25.1 – 33.4 |

⁹⁵

Prevalence of new moms in Florida not having early prenatal care (EPNC) because she could not get an earlier appointment

PRAMS Question: Did being unable to get an appointment when you wanted one keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 40.0 | 33.8 – 46.6 |
| RACE/ETHNICITY | Non-Hisp. White | 41.0 | 31.8 – 50.9 |
| | Non-Hisp. Black | 23.1 | 13.2 – 37.1 |
| | Hispanic | 50.2 | 38.7 – 61.7 |
| AGE GROUP | 19 & Under | 37.2 | 22.6 – 54.6 |
| | 20-24 | 30.1 | 20.7 – 41.7 |
| | 25-34 | 45.3 | 35.6 – 55.5 |
| | 35 & Older | 54.7 | 35.1 – 72.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>42.5</td><td>30.0 – 56.0</td></high> | 42.5 | 30.0 – 56.0 |
| | H.S. | 36.1 | 26.1 – 47.5 |
| | >High School | 41.9 | 32.3 – 52.1 |
| HOUSEHOLD INCOME | <\$15,000 | 35.3 | 26.6 – 45.2 |
| | \$15,000-\$34,999 | 37.5 | 25.6 – 51.0 |
| | \$35,000 or More | 48.5 | 35.0 – 62.2 |
| MEDICAID RECIPIENT | Yes | 36.8 | 29.7 – 44.4 |
| | No | 54.3 | 40.9 – 67.2 |
| MARITAL STATUS | Married | 49.2 | 38.9 – 59.6 |
| | Not Married | 34.4 | 26.8 – 42.8 |

96

Prevalence of new moms in Florida not having early prenatal care (EPNC) because of insufficient money or insurance


PRAMS Question: Did not having enough money or insurance to pay for your visits keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 48.3 | 41.8 – 54.9 |
| RACE/ETHNICITY | Non-Hisp. White | 47.5 | 37.8 – 57.3 |
| | Non-Hisp. Black | 34.9 | 22.5 – 49.7 |
| | Hispanic | 58.0 | 46.3 – 68.9 |
| AGE GROUP | 19 & Under | 39.4 | 24.2 – 57.0 |
| | 20-24 | 50.9 | 39.4 – 62.3 |
| | 25-34 | 49.2 | 39.3 – 59.2 |
| | 35 & Older | 51.4 | 32.3 – 70.1 |
| EDUCATION LEVEL | <high school<="" td=""><td>50.9</td><td>37.7 – 63.8</td></high> | 50.9 | 37.7 – 63.8 |
| | H.S. | 49.6 | 38.6 – 60.6 |
| | >High School | 45.7 | 35.7 – 56.0 |
| HOUSEHOLD INCOME | <\$15,000 | 50.8 | 41.2 – 60.3 |
| | \$15,000-\$34,999 | 62.5 | 49.1 – 74.1 |
| | \$35,000 or More | 25.4 | 14.7 – 40.1 |
| MEDICAID RECIPIENT | Yes | 57.0 | 49.4 – 64.3 |
| | No | 18.5 | 10.1 – 31.4 |
| MARITAL STATUS | Married | 53.0 | 42.6 – 63.2 |
| | Not Married | 45.5 | 37.2 – 53.9 |

Prevalence of new moms in Florida not having early prenatal care (EPNC) because of lack of transportation


PRAMS Question: Did having no transportation to get to the clinic or doctor's office keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 18.0 | 13.3 – 23.9 |
| RACE/ETHNICITY | Non-Hisp. White | 12.2 | 6.9 - 20.5 |
| | Non-Hisp. Black | 24.4 | 13.7 – 39.7 |
| | Hispanic | 23.0 | 14.5 – 34.5 |
| AGE GROUP | 19 & Under | 37.7 | 22.8 – 55.4 |
| | 20-24 | 16.0 | 9.1 – 26.6 |
| | 25-34 | 15.6 | 9.3 - 24.9 |
| | 35 & Older | 1.7 | 0.5 - 5.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>33.1</td><td>21.7 – 46.9</td></high> | 33.1 | 21.7 – 46.9 |
| | H.S. | 19.8 | 12.2 – 30.5 |
| | >High School | 6.6 | 2.8 - 14.7 |
| HOUSEHOLD INCOME | <\$15,000 | 27.7 | 19.7 – 37.4 |
| | \$15,000-\$34,999 | 12.3 | 5.6 - 25.0 |
| | \$35,000 or More | 2.8 | 0.5 - 14.7 |
| MEDICAID RECIPIENT | Yes | 19.7 | 14.3 – 26.7 |
| | No | 13.3 | 6.0 - 26.8 |
| MARITAL STATUS | Married | 7.8 | 3.5 – 16.5 |
| | Not Married | 24.0 | 17.4 – 32.1 |

Prevalence of new moms in Florida not having early prenatal care (EPNC) because doctor or health plan would not start earlier


PRAMS Question: Did having a doctor or health plan that would not start care as early as you wanted keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 22.7 | 17.7 – 28.6 |
| RACE/ETHNICITY | Non-Hisp. White | 21.4 | 14.5 – 30.3 |
| | Non-Hisp. Black | 13.0 | 6.5 - 24.6 |
| | Hispanic | 29.9 | 20.2 – 41.8 |
| AGE GROUP | 19 & Under | 8.7 | 3.2 – 21.3 |
| | 20-24 | 24.6 | 15.9 – 36.0 |
| | 25-34 | 24.8 | 17.0 – 34.5 |
| | 35 & Older | 31.6 | 16.5 – 51.8 |
| EDUCATION LEVEL | <high school<="" td=""><td>17.5</td><td>9.5 - 29.9</td></high> | 17.5 | 9.5 - 29.9 |
| | H.S. | 20.2 | 12.7 – 30.6 |
| | >High School | 28.1 | 20.0 – 38.1 |
| HOUSEHOLD INCOME | <\$15,000 | 21.9 | 15.0 – 30.9 |
| | \$15,000-\$34,999 | 17.8 | 9.9 – 29.9 |
| | \$35,000 or More | 29.2 | 18.0 – 43.6 |
| MEDICAID RECIPIENT | Yes | 21.0 | 15.6 – 27.7 |
| | No | 31.2 | 19.9 – 45.3 |
| MARITAL STATUS | Married | 32.6 | 23.5 – 43.1 |
| | Not Married | 16.7 | 11.4 – 23.8 |

Prevalence of new moms in Florida not having early prenatal care (EPNC) due to not having a Medicaid card

PRAMS Question: Did having no Medicaid card keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 40.3 | 33.9 – 46.9 |
| RACE/ETHNICITY | Non-Hisp. White | 33.7 | 25.0 – 43.6 |
| | Non-Hisp. Black | 32.2 | 20.1 – 47.3 |
| | Hispanic | 53.0 | 41.4 – 64.3 |
| AGE GROUP | 19 & Under | 42.8 | 27.0 – 60.3 |
| | 20-24 | 41.7 | 30.7 – 53.6 |
| | 25-34 | 40.1 | 30.6 – 50.3 |
| | 35 & Older | 32.5 | 17.1 – 52.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>47.8</td><td>34.8 – 61.2</td></high> | 47.8 | 34.8 – 61.2 |
| | H.S. | 37.2 | 27.2 – 48.5 |
| | >High School | 38.2 | 28.7 – 48.8 |
| HOUSEHOLD INCOME | <\$15,000 | 47.4 | 37.8 – 57.2 |
| | \$15,000-\$34,999 | 44.3 | 31.9 – 57.5 |
| | \$35,000 or More | 23.8 | 13.6 – 38.3 |
| MEDICAID RECIPIENT | Yes | 48.2 | 40.7 – 55.8 |
| | No | 14.4 | 6.9 - 27.6 |
| MARITAL STATUS | Married | 39.6 | 29.8 – 50.3 |
| | Not Married | 40.7 | 32.6 – 49.2 |

100

Prevalence of new moms in Florida not having early prenatal care (EPNC) because of lack of childcare for other children

PRAMS Question: Did having no one to take care of your children keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 7.0 | 4.2 - 11.5 |
| RACE/ETHNICITY | Non-Hisp. White | 5.7 | 2.4 - 12.9 |
| | Non-Hisp. Black | 7.4 | 2.5 – 19.9 |
| | Hispanic | 9.0 | 4.0 - 18.9 |
| AGE GROUP | 19 & Under | 7.1 | 2.0 - 22.0 |
| | 20-24 | 5.7 | 2.1 -14.6 |
| | 25-34 | 8.4 | 4.0 - 16.6 |
| | 35 & Older | 5.2 | 0.7 - 29.0 |
| EDUCATION LEVEL | <high school<="" td=""><td>14.0</td><td>6.8 - 26.6</td></high> | 14.0 | 6.8 - 26.6 |
| | H.S. | 9.5 | 4.5 – 18.8 |
| | >High School | 0.3 | 0.1 - 1.2 |
| HOUSEHOLD INCOME | <\$15,000 | 9.7 | 5.1 - 17.6 |
| | \$15,000-\$34,999 | 6.7 | 2.3 - 17.6 |
| | \$35,000 or More | 0.6 | 0.1 - 2.4 |
| MEDICAID RECIPIENT | Yes | 8.3 | 4.9 - 13.8 |
| | No | 2.7 | 0.4 - 16.6 |
| MARITAL STATUS | Married | 4.4 | 1.5 – 12.4 |
| | Not Married | 8.5 | 4.8 - 14.8 |

CI=Confidence Interval

101

Prevalence of new moms in Florida not having early prenatal care (EPNC) because she was too busy

PRAMS Question: Did having too many other things going on keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 18.1 | 13.5 – 23.9 |
| RACE/ETHNICITY | Non-Hisp. White | 16.0 | 10.0 – 24.6 |
| | Non-Hisp. Black | 24.2 | 13.7 – 39.0 |
| | Hispanic | 16.7 | 9.6 - 27.4 |
| AGE GROUP | 19 & Under | 24.2 | 12.3 – 42.2 |
| | 20-24 | 14.9 | 8.3 - 25.4 |
| | 25-34 | 14.8 | 8.9 - 23.7 |
| | 35 & Older | 31.3 | 16.5 – 51.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>25.0</td><td>15.0 – 38.6</td></high> | 25.0 | 15.0 – 38.6 |
| | H.S. | 13.7 | 7.7 – 23.3 |
| | >High School | 17.8 | 11.2 – 27.1 |
| HOUSEHOLD INCOME | <\$15,000 | 22.3 | 15.1 – 31.7 |
| | \$15,000-\$34,999 | 11.3 | 5.4 - 22.1 |
| | \$35,000 or More | 18.5 | 9.8 - 32.3 |
| MEDICAID RECIPIENT | Yes | 16.7 | 11.7 – 23.2 |
| | No | 22.7 | 12.8 – 37.1 |
| MARITAL STATUS | Married | 14.3 | 8.3 -23.4 |
| | Not Married | 20.4 | 14.4 – 28.2 |

CI=Confidence Interval

¹⁰²

Prenatal Care Payment Source

Prevalence of new moms in Florida whose prenatal care was paid by Medicaid

PRAMS Question: Did any of these health insurance plans help you pay for your prenatal care? Answer: Medicaid.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 49.5 | 46.4 – 52.6 |
| RACE/ETHNICITY | Non-Hisp. White | 41.5 | 37.2 – 46.1 |
| | Non-Hisp. Black | 74.2 | 67.0 – 80.3 |
| | Hispanic | 49.6 | 44.1 – 55.2 |
| AGE GROUP | 19 & Under | 74.5 | 63.9 – 82.8 |
| | 20-24 | 69.4 | 63.3 – 74.9 |
| | 25-34 | 40.1 | 35.9 – 44.4 |
| | 35 & Older | 31.6 | 24.7 – 39.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>75.9</th><th>68.5 – 82.0</th></high> | 75.9 | 68.5 – 82.0 |
| | H.S. | 64.4 | 58.9 – 69.5 |
| | >High School | 30.5 | 26.7 – 34.6 |
| HOUSEHOLD INCOME | <\$15,000 | 76.8 | 71.8 – 81.2 |
| | \$15,000-\$34,999 | 60.2 | 53.9 – 66.2 |
| | \$35,000 or More | 9.7 | 7.1 – 13.2 |
| MEDICAID RECIPIENT | Yes | 86.3 | 83.1 – 88.9 |
| | No | 0.0 | |
| MARITAL STATUS | Married | 29.2 | 25.4 – 33.2 |
| | Not Married | 71.4 | 67.0 – 75.3 |


CI=Confidence Interval

¹⁰³

Prenatal Care Payment Source

Prevalence of new moms in Florida who did not have health insurance to help pay for prenatal care

PRAMS Question: Did any of these health insurance plans help you pay for your prenatal care? Answer: I did not have health insurance to help pay for my prenatal care.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|------------|
| ALL | Overall | 5.2 | 3.9 - 6.7 |
| RACE/ETHNICITY | Non-Hisp. White | 3.6 | 2.3 - 5.7 |
| | Non-Hisp. Black | 2.0 | 0.7 - 5.9 |
| | Hispanic | 8.8 | 6.1 – 12.6 |
| AGE GROUP | 19 & Under | 1.2 | 0.2 - 6.7 |
| | 20-24 | 4.7 | 2.6 - 8.3 |
| | 25-34 | 6.2 | 4.4 - 8.7 |
| | 35 & Older | 5.0 | 2.5 - 9.8 |
| EDUCATION LEVEL | <high school<="" td=""><td>6.5</td><td>3.5 – 11.6</td></high> | 6.5 | 3.5 – 11.6 |
| | H.S. | 5.9 | 3.8 - 9.1 |
| | >High School | 4.2 | 2.8 - 6.4 |
| HOUSEHOLD INCOME | <\$15,000 | 7.7 | 5.2 -11.3 |
| | \$15,000-\$34,999 | 4.9 | 2.8 - 8.4 |
| | \$35,000 or More | 2.9 | 1.6 - 5.1 |
| MEDICAID RECIPIENT | Yes | 4.3 | 2.9 - 6.3 |
| | No | 6.1 | 4.2 - 8.9 |
| MARITAL STATUS | Married | 4.5 | 3.0 - 6.7 |
| | Not Married | 5.8 | 4.0 - 8.4 |

Prenatal Care Payment Source

Prevalence of new moms in Florida whose prenatal care was paid by health insurance from job

PRAMS Question: Did any of these health insurance plans help you pay for your prenatal care? Answer: Health Insurance from job or not from a job.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 42.3 | 39.3 – 45.4 |
| RACE/ETHNICITY | Non-Hisp. White | 53.5 | 49.0 – 57.9 |
| | Non-Hisp. Black | 28.2 | 21.8 – 35.6 |
| | Hispanic | 32.5 | 27.6 – 38.0 |
| AGE GROUP | 19 & Under | 18.3 | 11.2 – 28.3 |
| | 20-24 | 21.7 | 17.0 – 27.3 |
| | 25-34 | 52.1 | 47.7 – 56.4 |
| | 35 & Older | 59.2 | 51.3 – 66.8 |
| EDUCATION LEVEL | <high school<="" td=""><td>9.2</td><td>5.5 – 15.1</td></high> | 9.2 | 5.5 – 15.1 |
| | H.S. | 27.4 | 22.7 – 32.6 |
| | >High School | 63.8 | 59.6 – 67.9 |
| HOUSEHOLD INCOME | <\$15,000 | 10.0 | 7.1 – 13.9 |
| | \$15,000-\$34,999 | 33.8 | 28.1 – 39.9 |
| | \$35,000 or More | 84.2 | 80.1 – 87.6 |
| MEDICAID RECIPIENT | Yes | 11.9 | 9.4 - 14.9 |
| | No | 83.4 | 79.5 – 86.6 |
| MARITAL STATUS | Married | 62.0 | 57.8 – 66.0 |
| | Not Married | 21.1 | 17.6 – 25.1 |


CI=Confidence Interval

¹⁰⁵

Prenatal Care Payment Source

Prevalence of new moms in Florida whose prenatal care was paid by TRICARE

PRAMS Question: Did any of these health insurance plans help you pay for your prenatal care? Answer: Tricare.




| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 3.1 | 2.2 - 4.3 |
| RACE/ETHNICITY | Non-Hisp. White | 4.3 | 2.8 - 6.5 |
| | Non-Hisp. Black | 3.1 | 1.3 - 7.0 |
| | Hispanic | 1.7 | 0.7 - 4.0 |
| AGE GROUP | 19 & Under | 0.1 | 0.0 - 0.9 |
| | 20-24 | 4.0 | 2.2 - 7.4 |
| | 25-34 | 3.5 | 2.2 - 5.4 |
| | 35 & Older | 1.9 | 0.6 - 5.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>1.3</td><td>0.3 - 5.1</td></high> | 1.3 | 0.3 - 5.1 |
| | H.S. | 2.2 | 1.1 - 4.6 |
| | >High School | 4.0 | 2.7 - 6.0 |
| HOUSEHOLD INCOME | <\$15,000 | 1.3 | 0.5 - 3.4 |
| | \$15,000-\$34,999 | 2.9 | 1.4 - 5.9 |
| | \$35,000 or More | 5.2 | 3.3 - 8.0 |
| MEDICAID RECIPIENT | Yes | 0.6 | 0.2 - 1.7 |
| | No | 6.4 | 4.4 - 9.1 |
| MARITAL STATUS | Married | 5.4 | 3.8 - 7.7 |
| | Not Married | 0.5 | 0.2 - 1.7 |

Prenatal Care Payment Source

Prevalence of new moms in Florida whose prenatal care was paid by Medipass

PRAMS Question: Did any of these health insurance plans help you pay for your prenatal care? Answer: Medipass.



| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 1.3 | 0.8 - 2.3 |
| RACE/ETHNICITY | Non-Hisp. White | 0.7 | 0.2 - 2.1 |
| | Non-Hisp. Black | 2.8 | 1.1 - 6.9 |
| | Hispanic | 1.5 | 0.6 - 3.5 |
| AGE GROUP | 19 & Under | 5.7 | 2.4 - 13.1 |
| | 20-24 | 1.6 | 0.6 - 4.2 |
| | 25-34 | 0.7 | 0.3 - 1.9 |
| | 35 & Older | 0.0 | |
| EDUCATION LEVEL | <high school<="" td=""><td>3.7</td><td>1.6 - 8.1</td></high> | 3.7 | 1.6 - 8.1 |
| | H.S. | 1.5 | 0.6 - 3.5 |
| | >High School | 0.4 | 0.1 - 1.5 |
| HOUSEHOLD INCOME | <\$15,000 | 3.5 | 2.0 - 6.2 |
| | \$15,000-\$34,999 | 0.4 | 0.1 - 2.2 |
| | \$35,000 or More | 0.0 | |
| MEDICAID RECIPIENT | Yes | 2.2 | 1.2 - 3.8 |
| | No | 0.2 | 0.0 - 1.4 |
| MARITAL STATUS | Married | 0.4 | 0.1 - 1.4 |
| | Not Married | 2.3 | 1.3 - 4.1 |

Prevalence of new moms in Florida having prenatal care discussions about the effects of smoking during pregnancy


PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 75.6 | 72.9 – 78.2 |
| RACE/ETHNICITY | Non-Hisp. White | 71.9 | 67.7 – 75.7 |
| | Non-Hisp. Black | 83.3 | 76.5 – 88.5 |
| | Hispanic | 77.7 | 72.6 – 82.0 |
| AGE GROUP | 19 & Under | 81.1 | 70.5 – 88.5 |
| | 20-24 | 87.8 | 83.1 – 91.4 |
| | 25-34 | 69.7 | 65.6 – 73.6 |
| | 35 & Older | 71.7 | 64.1 – 78.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>91.1</td><td>85.1 – 94.8</td></high> | 91.1 | 85.1 – 94.8 |
| | H.S. | 79.4 | 74.4 – 83.6 |
| | >High School | 67.8 | 63.7 – 71.7 |
| HOUSEHOLD INCOME | <\$15,000 | 84.8 | 80.3 – 88.5 |
| | \$15,000-\$34,999 | 80.8 | 75.3 – 85.3 |
| | \$35,000 or More | 62.9 | 57.9 – 67.7 |
| MEDICAID RECIPIENT | Yes | 84.1 | 80.7 – 87.0 |
| | No | 63.9 | 59.3 – 68.3 |
| MARITAL STATUS | Married | 68.4 | 64.3 – 72.2 |
| | Not Married | 83.5 | 79.7 – 86.7 |

Prevalence of new moms in Florida having prenatal care discussions about breastfeeding

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 84.3 | 81.9 – 86.4 |
| RACE/ETHNICITY | Non-Hisp. White | 79.7 | 76.0 – 83.1 |
| | Non-Hisp. Black | 92.2 | 86.4 – 95.6 |
| | Hispanic | 86.8 | 82.6 – 90.2 |
| AGE GROUP | 19 & Under | 90.9 | 81.5 – 95.7 |
| | 20-24 | 92.5 | 88.4 – 95.2 |
| | 25-34 | 80.3 | 76.7 – 83.5 |
| | 35 & Older | 80.0 | 73.1 – 85.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>94.0</td><td>88.6 – 96.9</td></high> | 94.0 | 88.6 – 96.9 |
| | H.S. | 84.7 | 80.1 – 88.3 |
| | >High School | 80.8 | 77.3 – 83.8 |
| HOUSEHOLD INCOME | <\$15,000 | 93.6 | 90.2 – 95.8 |
| | \$15,000-\$34,999 | 87.0 | 82.1 – 90.7 |
| | \$35,000 or More | 73.1 | 68.4 – 77.4 |
| MEDICAID RECIPIENT | Yes | 91.6 | 88.9 – 93.7 |
| | No | 74.3 | 70.0 – 78.1 |
| MARITAL STATUS | Married | 78.2 | 74.5 – 81.5 |
| | Not Married | 90.9 | 87.8 – 93.3 |

Prevalence of new moms in Florida having prenatal care discussions about the effects of drinking alcohol during pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy could affect your baby? Answer: Yes.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 75.6 | 72.9 – 78.2 |
| RACE/ETHNICITY | Non-Hisp. White | 70.9 | 66.7 – 74.8 |
| | Non-Hisp. Black | 85.3 | 78.7 – 90.1 |
| | Hispanic | 78.2 | 73.2 – 82.5 |
| AGE GROUP | 19 & Under | 85.1 | 75.1 – 91.5 |
| | 20-24 | 88.6 | 84.0 – 92.0 |
| | 25-34 | 69.1 | 64.9 – 73.0 |
| | 35 & Older | 70.1 | 62.4 – 76.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>91.0</th><th>85.2 – 94.7</th></high> | 91.0 | 85.2 – 94.7 |
| | H.S. | 77.8 | 72.8 – 82.2 |
| | >High School | 68.9 | 64.8 – 72.7 |
| HOUSEHOLD INCOME | <\$15,000 | 85.4 | 80.9 – 88.9 |
| | \$15,000-\$34,999 | 77.2 | 71.4 – 82.1 |
| | \$35,000 or More | 64.0 | 59.0 – 68.8 |
| MEDICAID RECIPIENT | Yes | 82.9 | 79.5 – 85.9 |
| | No | 65.5 | 60.9 – 69.8 |
| MARITAL STATUS | Married | 68.1 | 64.0 – 71.9 |
| | Not Married | 83.8 | 80.1 – 87.0 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida having prenatal care discussions about using seat belts during pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about using a seat belt during your pregnancy? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 53.9 | 50.8 – 56.9 |
| RACE/ETHNICITY | Non-Hisp. White | 46.5 | 42.1 – 51.0 |
| | Non-Hisp. Black | 68.0 | 60.3 – 74.9 |
| | Hispanic | 55.8 | 50.1 – 61.3 |
| AGE GROUP | 19 & Under | 57.8 | 46.8 – 68.1 |
| | 20-24 | 63.3 | 56.9 – 69.2 |
| | 25-34 | 49.1 | 44.8 – 53.4 |
| | 35 & Older | 51.8 | 43.9 – 59.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>69.5</th><th>61.6 – 76.4</th></high> | 69.5 | 61.6 – 76.4 |
| | H.S. | 54.3 | 48.7 – 59.8 |
| | >High School | 48.1 | 43.8 – 52.4 |
| HOUSEHOLD INCOME | <\$15,000 | 60.8 | 55.2 – 66.1 |
| | \$15,000-\$34,999 | 54.3 | 48.0 – 60.6 |
| | \$35,000 or More | 45.1 | 40.1 – 50.2 |
| MEDICAID RECIPIENT | Yes | 58.5 | 54.3 – 62.6 |
| | No | 47.2 | 42.6 – 51.9 |
| MARITAL STATUS | Married | 47.8 | 43.6 – 52.0 |
| | Not Married | 60.4 | 55.8 – 64.9 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida having prenatal care discussions about pregnancy-safe medicines

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about medicines that are safe to take during your pregnancy? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 89.0 | 86.8 – 90.8 |
| RACE/ETHNICITY | Non-Hisp. White | 91.5 | 88.7 – 93.7 |
| | Non-Hisp. Black | 90.6 | 84.8 – 94.3 |
| | Hispanic | 84.2 | 79.6 – 87.9 |
| AGE GROUP | 19 & Under | 89.7 | 80.5 – 94.8 |
| | 20-24 | 87.0 | 82.1 – 90.8 |
| | 25-34 | 89.6 | 86.6 – 92.0 |
| | 35 & Older | 89.7 | 83.7 – 93.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>89.6</th><th>83.4 – 93.6</th></high> | 89.6 | 83.4 – 93.6 |
| | H.S. | 86.7 | 82.4 – 90.1 |
| | >High School | 90.3 | 87.4 – 92.5 |
| HOUSEHOLD INCOME | <\$15,000 | 86.7 | 82.4 – 90.1 |
| | \$15,000-\$34,999 | 90.4 | 86.0 – 93.5 |
| | \$35,000 or More | 90.4 | 86.9 – 93.0 |
| MEDICAID RECIPIENT | Yes | 88.8 | 85.8 – 91.2 |
| | No | 89.1 | 85.8 – 91.7 |
| MARITAL STATUS | Married | 89.4 | 86.5 – 91.8 |
| | Not Married | 88.5 | 85.1 – 91.1 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida having prenatal care discussions about the effects of using illegal drugs during pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how using illegal drugs could affect your baby? Answer: Yes.



| MATERNAL DEN | MOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 68.9 | 65.9 – 71.7 |
| RACE/ETHNICITY | Non-Hisp. White | 63.2 | 58.8 – 67.3 |
| | Non-Hisp. Black | 80.9 | 73.9 – 86.3 |
| | Hispanic | 71.0 | 65.5 – 75.8 |
| AGE GROUP | 19 & Under | 80.2 | 69.9 – 87.6 |
| | 20-24 | 81.3 | 75.8 – 85.7 |
| | 25-34 | 63.2 | 58.9 – 67.3 |
| | 35 & Older | 60.0 | 52.0 – 67.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>87.9</td><td>81.5 – 92.2</td></high> | 87.9 | 81.5 – 92.2 |
| | H.S. | 72.1 | 66.8 – 76.8 |
| | >High School | 60.2 | 55.9 – 64.3 |
| HOUSEHOLD INCOME | <\$15,000 | 81.3 | 76.5 – 85.3 |
| | \$15,000-\$34,999 | 72.2 | 66.1 – 77.5 |
| | \$35,000 or More | 53.8 | 48.7 – 58.8 |
| MEDICAID RECIPIENT | Yes | 78.3 | 74.6 – 81.6 |
| | No | 55.8 | 51.1 – 60.4 |
| MARITAL STATUS | Married | 58.7 | 54.5 – 62.9 |
| | Not Married | 79.9 | 75.9 – 83.3 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida having prenatal care discussions about screening for birth defects and diseases

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about doing tests to screen for birth defects or diseases that run in your family? Answer: Yes.



| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 86.0 | 83.6 – 88.0 |
| RACE/ETHNICITY | Non-Hisp. White | 87.3 | 84.0 – 90.0 |
| | Non-Hisp. Black | 88.3 | 82.2 – 92.5 |
| | Hispanic | 82.9 | 78.3 – 86.8 |
| AGE GROUP | 19 & Under | 85.1 | 75.7 – 91.3 |
| | 20-24 | 83.8 | 78.5 – 88.0 |
| | 25-34 | 85.5 | 82.1 – 88.3 |
| | 35 & Older | 92.0 | 86.5 – 95.4 |
| EDUCATION LEVEL | <high school<="" td=""><td>83.8</td><td>76.9 – 88.9</td></high> | 83.8 | 76.9 – 88.9 |
| | H.S. | 85.2 | 80.8 – 88.8 |
| | >High School | 87.1 | 84.0 – 89.8 |
| HOUSEHOLD INCOME | <\$15,000 | 83.8 | 79.2 – 87.4 |
| | \$15,000-\$34,999 | 84.3 | 79.1 – 88.4 |
| | \$35,000 or More | 90.0 | 86.6 – 92.7 |
| MEDICAID RECIPIENT | Yes | 83.3 | 79.9 – 86.2 |
| | No | 89.5 | 86.2 – 92.0 |
| MARITAL STATUS | Married | 87.4 | 84.3 – 90.0 |
| | Not Married | 84.4 | 80.7 – 87.5 |

Prevalence of new moms in Florida having prenatal care discussions about about the signs and symptoms of preterm labor during pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about the signs and symptoms of preterm labor (labor more than three weeks before the baby is due). Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 78.6 | 75.9 – 81.0 |
| RACE/ETHNICITY | Non-Hisp. White | 79.5 | 75.7 – 82.8 |
| | Non-Hisp. Black | 84.8 | 78.4 – 89.5 |
| | Hispanic | 74.8 | 69.6 – 79.3 |
| AGE GROUP | 19 & Under | 82.2 | 72.7 – 88.9 |
| | 20-24 | 83.6 | 78.4 – 87.7 |
| | 25-34 | 76.7 | 72.8 – 80.2 |
| | 35 & Older | 74.3 | 66.8 – 80.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>82.3</th><th>75.5 – 87.6</th></high> | 82.3 | 75.5 – 87.6 |
| | H.S. | 78.4 | 73.4 – 82.6 |
| | >High School | 77.4 | 73.6 – 80.7 |
| HOUSEHOLD INCOME | <\$15,000 | 80.1 | 75.3 – 84.2 |
| | \$15,000-\$34,999 | 81.7 | 76.4 – 86.1 |
| | \$35,000 or More | 74.5 | 69.9 – 78.7 |
| MEDICAID RECIPIENT | Yes | 80.7 | 77.2 – 83.8 |
| | No | 75.6 | 71.4 – 79.4 |
| MARITAL STATUS | Married | 77.3 | 73.6 – 80.7 |
| | Not Married | 80.0 | 76.0 – 83.4 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida having prenatal care discussions about how to respond to early labor


PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about what to do if your labor starts early? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 83.1 | 80.7 – 85.3 |
| RACE/ETHNICITY | Non-Hisp. White | 84.4 | 81.0 – 87.3 |
| | Non-Hisp. Black | 87.5 | 81.5 – 91.8 |
| | Hispanic | 78.0 | 73.0 – 82.3 |
| AGE GROUP | 19 & Under | 90.7 | 82.8 – 95.2 |
| | 20-24 | 87.4 | 82.6 – 91.0 |
| | 25-34 | 81.3 | 77.7 – 84.5 |
| | 35 & Older | 77.2 | 69.9 – 83.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>84.3</td><td>77.4 – 89.3</td></high> | 84.3 | 77.4 – 89.3 |
| | H.S. | 84.1 | 79.7 – 87.7 |
| | >High School | 82.0 | 78.5 – 85.0 |
| HOUSEHOLD INCOME | <\$15,000 | 83.9 | 79.4 – 87.5 |
| | \$15,000-\$34,999 | 87.5 | 82.8 – 91.1 |
| | \$35,000 or More | 80.4 | 76.1 – 84.1 |
| MEDICAID RECIPIENT | Yes | 84.5 | 81.2 – 87.3 |
| | No | 81.1 | 77.2 – 84.5 |
| MARITAL STATUS | Married | 81.6 | 78.1 – 84.7 |
| | Not Married | 84.8 | 81.2 – 87.8 |

Prevalence of new moms in Florida having prenatal care discussions about getting tested for HIV


PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other healthcare worker talk with you about getting tested for HIV (the virus that causes AIDS)? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 84.9 | 82.5 – 87.0 |
| RACE/ETHNICITY | Non-Hisp. White | 81.5 | 77.9 – 84.7 |
| | Non-Hisp. Black | 91.1 | 85.5 – 94.7 |
| | Hispanic | 85.4 | 80.9 – 89.0 |
| AGE GROUP | 19 & Under | 88.5 | 79.2 – 94.0 |
| | 20-24 | 88.4 | 83.5 – 91.9 |
| | 25-34 | 83.9 | 80.5 – 86.8 |
| | 35 & Older | 80.1 | 73.0 – 85.8 |
| EDUCATION LEVEL | <high school<="" td=""><td>91.7</td><td>85.8 – 95.3</td></high> | 91.7 | 85.8 – 95.3 |
| | H.S. | 86.4 | 82.1 – 89.8 |
| | >High School | 81.6 | 78.0 – 84.6 |
| HOUSEHOLD INCOME | <\$15,000 | 92.2 | 88.7 – 94.6 |
| | \$15,000-\$34,999 | 86.0 | 80.9 – 89.9 |
| | \$35,000 or More | 78.3 | 73.8 – 82.2 |
| MEDICAID RECIPIENT | Yes | 88.6 | 85.5 – 91.0 |
| | No | 79.9 | 75.9 – 83.3 |
| MARITAL STATUS | Married | 80.5 | 76.9 – 83.6 |
| | Not Married | 89.7 | 86.5 – 92.2 |

Prevalence of new moms in Florida having prenatal care discussions about what to if you feel depressed during or after pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other healthcare worker talk with you about what to do if you feel depressed during your pregnancy or after your baby is born? Answer: Yes.




| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 63.5 | 60.5 – 66.5 |
| RACE/ETHNICITY | Non-Hisp. White | 62.8 | 58.4 – 67.0 |
| | Non-Hisp. Black | 72.5 | 65.0 – 78.9 |
| | Hispanic | 59.6 | 53.9 – 65.0 |
| AGE GROUP | 19 & Under | 73.8 | 63.1 – 82.3 |
| | 20-24 | 70.2 | 64.0 – 75.7 |
| | 25-34 | 60.3 | 55.9 – 64.4 |
| | 35 & Older | 57.1 | 49.0 – 64.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>81.6</td><td>74.7 – 87.0</td></high> | 81.6 | 74.7 – 87.0 |
| | H.S. | 63.6 | 58.1 – 68.9 |
| | >High School | 57.4 | 53.1 – 61.6 |
| HOUSEHOLD INCOME | <\$15,000 | 72.5 | 67.3 – 77.2 |
| | \$15,000-\$34,999 | 63.8 | 57.4 – 69.6 |
| | \$35,000 or More | 55.0 | 49.9 – 60.0 |
| MEDICAID RECIPIENT | Yes | 69.2 | 65.2 – 73.0 |
| | No | 55.6 | 50.9 – 60.2 |
| MARITAL STATUS | Married | 57.1 | 52.8 – 61.2 |
| | Not Married | 70.6 | 66.2 – 74.6 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida having prenatal care discussions about domestic physical abuse

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other healthcare worker talk with you about physical abuse to women by their husbands or partners? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 49.3 | 46.2 – 52.5 |
| RACE/ETHNICITY | Non-Hisp. White | 41.9 | 37.6 – 46.4 |
| | Non-Hisp. Black | 69.5 | 61.9 – 76.1 |
| | Hispanic | 48.1 | 42.5 – 53.8 |
| AGE GROUP | 19 & Under | 61.9 | 50.7 – 71.9 |
| | 20-24 | 59.9 | 53.5 – 66.0 |
| | 25-34 | 42.8 | 38.6 – 47.2 |
| | 35 & Older | 46.1 | 38.3 – 54.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>71.7</th><th>63.9 – 78.4</th></high> | 71.7 | 63.9 – 78.4 |
| | H.S. | 51.4 | 45.9 – 57.0 |
| | >High School | 40.6 | 36.5 – 44.9 |
| HOUSEHOLD INCOME | <\$15,000 | 63.4 | 57.8 – 68.6 |
| | \$15,000-\$34,999 | 52.1 | 45.8 – 58.4 |
| | \$35,000 or More | 33.6 | 28.9 – 38.6 |
| MEDICAID RECIPIENT | Yes | 58.8 | 54.6 – 62.9 |
| | No | 36.5 | 32.1 – 41.1 |
| MARITAL STATUS | Married | 39.7 | 35.7 – 44.0 |
| | Not Married | 59.8 | 55.2 – 64.3 |


CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider About Metal Exposure

Prevalence of new moms in Florida having prenatal care discussions about lead exposures in your environment

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how you and your family can be exposed to lead in your environment? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 23.5 | 20.9 – 26.3 |
| RACE/ETHNICITY | Non-Hisp. White | 19.1 | 15.7 – 23.0 |
| | Non-Hisp. Black | 36.4 | 29.2 – 44.3 |
| | Hispanic | 22.2 | 17.7 – 27.4 |
| AGE GROUP | 19 & Under | 25.4 | 17.0 – 36.2 |
| | 20-24 | 29.1 | 23.6 – 35.4 |
| | 25-34 | 22.0 | 18.6 – 26.0 |
| | 35 & Older | 17.3 | 11.9 – 24.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>36.1</th><th>28.4 – 44.4</th></high> | 36.1 | 28.4 – 44.4 |
| | H.S. | 26.2 | 21.6 – 31.5 |
| | >High School | 17.8 | 14.6 – 21.4 |
| HOUSEHOLD INCOME | <\$15,000 | 32.0 | 26.9 – 37.5 |
| | \$15,000-\$34,999 | 26.2 | 20.9 – 32.2 |
| | \$35,000 or More | 11.9 | 9.0 - 15.6 |
| MEDICAID RECIPIENT | Yes | 31.1 | 27.2 – 35.3 |
| | No | 13.3 | 10.4 – 16.8 |
| MARITAL STATUS | Married | 17.0 | 14.0 – 20.5 |
| | Not Married | 30.8 | 26.5 – 35.4 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider About Metal Exposure

Prevalence of new moms in Florida having prenatal care discussions about preventing you and your family from being exposed to lead

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about what steps you can take to prevent you and your family from being exposed to lead? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 22.7 | 20.1 – 25.5 |
| RACE/ETHNICITY | Non-Hisp. White | 17.8 | 14.5 – 21.6 |
| | Non-Hisp. Black | 35.5 | 28.4 – 43.4 |
| | Hispanic | 22.2 | 17.7 – 27.5 |
| AGE GROUP | 19 & Under | 30.3 | 21.1 – 41.4 |
| | 20-24 | 27.8 | 22.3 – 33.9 |
| | 25-34 | 20.4 | 17.1 – 24.3 |
| | 35 & Older | 17.0 | 11.6 – 24.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>39.0</td><td>31.1 – 47.5</td></high> | 39.0 | 31.1 – 47.5 |
| | H.S. | 23.9 | 19.4 – 29.1 |
| | >High School | 17.0 | 13.9 – 20.6 |
| HOUSEHOLD INCOME | <\$15,000 | 31.8 | 26.7 – 37.4 |
| | \$15,000-\$34,999 | 24.8 | 19.6 – 30.8 |
| | \$35,000 or More | 11.3 | 8.5 - 15.0 |
| MEDICAID RECIPIENT | Yes | 30.6 | 26.7 – 34.8 |
| | No | 12.3 | 9.5 – 15.7 |
| MARITAL STATUS | Married | 16.4 | 13.5 – 19.9 |
| | Not Married | 29.8 | 25.6 – 34.4 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider About Metal Exposure

Prevalence of new moms in Florida having prenatal care discussions about the effects that eating fish containing high levels of mercury can have on the baby

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how eating fish containing high levels of mercury could affect your baby? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 60.0 | 56.8 – 63.1 |
| RACE/ETHNICITY | Non-Hisp. White | 61.0 | 56.5 – 65.3 |
| | Non-Hisp. Black | 72.5 | 65.0 – 79.0 |
| | Hispanic | 53.7 | 47.9 – 59.5 |
| AGE GROUP | 19 & Under | 73.7 | 62.9 – 82.3 |
| | 20-24 | 64.1 | 57.6 – 70.0 |
| | 25-34 | 57.1 | 52.7 – 61.5 |
| | 35 & Older | 53.9 | 45.7 – 61.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>66.6</td><td>58.2 – 74.1</td></high> | 66.6 | 58.2 – 74.1 |
| | H.S. | 62.1 | 56.5 – 67.5 |
| | >High School | 56.6 | 52.2 – 60.8 |
| HOUSEHOLD INCOME | <\$15,000 | 61.2 | 55.5 – 66.6 |
| | \$15,000-\$34,999 | 62.6 | 56.3 – 68.6 |
| | \$35,000 or More | 57.5 | 52.4 – 62.4 |
| MEDICAID RECIPIENT | Yes | 62.2 | 57.9 – 66.3 |
| | No | 57.1 | 52.3 – 61.7 |
| MARITAL STATUS | Married | 57.0 | 52.7 – 61.2 |
| | Not Married | 63.4 | 58.7 – 67.9 |

¹²²

Prevalence of new moms in Florida experiencing vaginal bleeding during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did you have vaginal bleeding? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 17.7 | 15.5 – 20.2 |
| RACE/ETHNICITY | Non-Hisp. White | 15.8 | 12.8 – 19.3 |
| | Non-Hisp. Black | 22.8 | 17.0 – 30.0 |
| | Hispanic | 17.4 | 13.6 – 21.9 |
| AGE GROUP | 19 & Under | 23.4 | 15.4 – 34.0 |
| | 20-24 | 17.8 | 13.6 – 23.0 |
| | 25-34 | 18.2 | 15.1 – 21.8 |
| | 35 & Older | 12.2 | 8.1 – 18.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>13.6</th><th>9.1 - 19.8</th></high> | 13.6 | 9.1 - 19.8 |
| | H.S. | 18.2 | 14.4 – 22.9 |
| | >High School | 18.9 | 15.7 – 22.4 |
| HOUSEHOLD INCOME | <\$15,000 | 17.5 | 13.8 – 22.0 |
| | \$15,000-\$34,999 | 17.2 | 13.0 – 22.5 |
| | \$35,000 or More | 17.8 | 14.2 – 22.0 |
| MEDICAID RECIPIENT | Yes | 19.0 | 15.9 – 22.4 |
| | No | 15.9 | 12.8 – 19.6 |
| MARITAL STATUS | Married | 14.9 | 12.2 – 18.1 |
| | Not Married | 20.8 | 17.4 – 24.8 |

CI=Confidence Interval

123

Prevalence of new moms in Florida experiencing a kidney or bladder (urinary tract) infection during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did you have a kidney or bladder (urinary tract) infection? Answer: Yes.



| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 22.2 | 19.7 – 24.9 |
| RACE/ETHNICITY | Non-Hisp. White | 20.8 | 17.4 – 24.8 |
| | Non-Hisp. Black | 27.6 | 21.2 – 35.0 |
| | Hispanic | 21.2 | 17.0 – 26.2 |
| AGE GROUP | 19 & Under | 36.0 | 26.3 – 47.1 |
| | 20-24 | 26.5 | 21.2 – 32.4 |
| | 25-34 | 19.4 | 16.2 – 23.1 |
| | 35 & Older | 15.6 | 10.7 – 22.1 |
| EDUCATION LEVEL | <high school<="" th=""><th>34.2</th><th>27.1 – 42.2</th></high> | 34.2 | 27.1 – 42.2 |
| | H.S. | 21.8 | 17.6 – 26.7 |
| | >High School | 18.5 | 15.4 – 22.1 |
| HOUSEHOLD INCOME | <\$15,000 | 28.8 | 24.0 – 34.1 |
| | \$15,000-\$34,999 | 22.8 | 18.0 – 28.5 |
| | \$35,000 or More | 14.4 | 11.2 – 18.4 |
| MEDICAID RECIPIENT | Yes | 27.7 | 24.1 – 31.7 |
| | No | 15.2 | 12.1 – 18.9 |
| MARITAL STATUS | Married | 15.3 | 12.5 – 18.5 |
| | Not Married | 29.8 | 25.7 – 34.3 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida experiencing severe nausea, vomiting, or dehydration during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did you have severe nausea, vomiting, or dehydration? Answer: Yes.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 28.2 | 25.5 – 31.1 |
| RACE/ETHNICITY | Non-Hisp. White | 25.4 | 21.7 – 29.5 |
| | Non-Hisp. Black | 38.5 | 31.4 – 46.2 |
| | Hispanic | 27.8 | 23.1 – 33.1 |
| AGE GROUP | 19 & Under | 37.5 | 27.6 – 48.6 |
| | 20-24 | 32.3 | 26.7 – 38.4 |
| | 25-34 | 27.1 | 23.4 – 31.1 |
| | 35 & Older | 19.3 | 13.8 – 26.4 |
| EDUCATION LEVEL | <high school<="" th=""><th>37.3</th><th>30.0 – 45.3</th></high> | 37.3 | 30.0 – 45.3 |
| | H.S. | 32.2 | 27.2 – 37.6 |
| | >High School | 22.6 | 19.3 – 26.4 |
| HOUSEHOLD INCOME | <\$15,000 | 34.1 | 29.1 – 39.5 |
| | \$15,000-\$34,999 | 31.2 | 25.7 – 37.2 |
| | \$35,000 or More | 19.9 | 16.1 – 24.3 |
| MEDICAID RECIPIENT | Yes | 35.0 | 31.1 – 39.1 |
| | No | 19.1 | 15.7 – 23.0 |
| MARITAL STATUS | Married | 20.8 | 17.6 – 24.4 |
| | Not Married | 36.4 | 32.0 – 41.0 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida having their cervix sewn shut during most recent pregnancy


PRAMS Question: During your most recent pregnancy, did your cervix have to be sewn shut (cerclage for incompetent cervix)? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI | |
|------------------------|---|---------|------------|--|
| ALL | Overall | 2.3 | 1.5 - 3.4 | |
| RACE/ETHNICITY | Non-Hisp. White | 1.1 | 0.4 - 2.5 | |
| | Non-Hisp. Black | 5.5 | 2.8 - 10.5 | |
| | Hispanic | 1.8 | 0.8 - 3.8 | |
| AGE GROUP | 19 & Under | 5.1 | 1.8 – 13.9 | |
| | 20-24 | 3.5 | 1.8 - 6.7 | |
| | 25-34 | 1.1 | 0.5 - 2.2 | |
| | 35 & Older | 2.5 | 1.0 - 6.5 | |
| EDUCATION LEVEL | <high school<="" td=""><td>3.9</td><td>1.8 - 8.6</td><td></td></high> | 3.9 | 1.8 - 8.6 | |
| | H.S. | 3.2 | 1.8 - 5.9 | |
| | >High School | 1.1 | 0.5 - 2.4 | |
| HOUSEHOLD INCOME | <\$15,000 | 2.6 | 1.3 - 5.2 | |
| | \$15,000-\$34,999 | 3.1 | 1.5 - 6.2 | |
| | \$35,000 or More | 0.9 | 0.3 - 2.1 | |
| MEDICAID RECIPIENT | Yes | 3.0 | 1.8 - 4.9 | |
| | No | 1.1 | 0.5 - 2.4 | |
| MARITAL STATUS | Married | 1.5 | 0.8 - 3.0 | |
| | Not Married | 3.1 | 1.8 - 5.2 | |

Prevalence of new moms in Florida experiencing high blood pressure (hypertension) during most recent pregnancy


PRAMS Question: During your most recent pregnancy, did you have high blood pressure, hypertension (including pregnancy-induced hypertension [PIH], preeclampsia or toxemia)? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 12.5 | 10.7 – 14.7 |
| RACE/ETHNICITY | Non-Hisp. White | 15.7 | 12.7 – 19.2 |
| | Non-Hisp. Black | 19.1 | 13.9 – 25.6 |
| | Hispanic | 5.6 | 3.7 - 8.3 |
| AGE GROUP | 19 & Under | 13.8 | 7.8 – 23.1 |
| | 20-24 | 13.9 | 10.2 – 18.7 |
| | 25-34 | 11.5 | 9.2 - 14.4 |
| | 35 & Older | 12.9 | 8.6 - 18.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>10.7</th><th>6.8 - 16.4</th></high> | 10.7 | 6.8 - 16.4 |
| | H.S. | 15.1 | 11.7 – 19.3 |
| | >High School | 11.5 | 9.2 - 14.4 |
| HOUSEHOLD INCOME | <\$15,000 | 10.8 | 7.9 – 14.5 |
| | \$15,000-\$34,999 | 12.8 | 9.3 - 17.4 |
| | \$35,000 or More | 13.9 | 10.8 – 17.6 |
| MEDICAID RECIPIENT | Yes | 12.7 | 10.3 – 15.7 |
| | No | 12.0 | 9.4 - 15.2 |
| MARITAL STATUS | Married | 11.4 | 9.1 - 14.2 |
| | Not Married | 13.8 | 11.0 – 17.2 |

Prevalence of new moms in Florida experiencing placental problems during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did you have problems with the placenta, (such as abruptio placentae or placenta previa)? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 6.0 | 4.7 - 7.6 |
| RACE/ETHNICITY | Non-Hisp. White | 7.2 | 5.2 - 9.8 |
| | Non-Hisp. Black | 5.4 | 2.9 - 9.8 |
| | Hispanic | 4.8 | 2.9 - 7.9 |
| AGE GROUP | 19 & Under | 4.3 | 1.6 -11.4 |
| | 20-24 | 6.2 | 3.8 – 10.0 |
| | 25-34 | 5.9 | 4.2 - 8.2 |
| | 35 & Older | 6.9 | 3.9 - 11.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>4.2</td><td>2.0 - 8.4</td></high> | 4.2 | 2.0 - 8.4 |
| | H.S. | 8.6 | 5.9 – 12.2 |
| | >High School | 4.8 | 3.3 - 6.8 |
| HOUSEHOLD INCOME | <\$15,000 | 5.9 | 3.7 - 9.0 |
| | \$15,000-\$34,999 | 5.6 | 3.4 - 9.1 |
| | \$35,000 or More | 6.0 | 4.0 - 8.7 |
| MEDICAID RECIPIENT | Yes | 6.4 | 4.6 - 8.8 |
| | No | 5.5 | 3.8 - 7.9 |
| MARITAL STATUS | Married | 7.6 | 5.7 – 10.2 |
| | Not Married | 4.1 | 2.7 - 6.2 |

Prevalence of new moms in Florida experiencing labor pains more than three weeks before scheduled due date of most recent pregnancy


PRAMS Question: During your most recent pregnancy, did you have labor pains more than three weeks before your baby was due (premature or early labor)? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 20.4 | 18.0 – 22.9 |
| RACE/ETHNICITY | Non-Hisp. White | 18.6 | 15.4 – 22.2 |
| | Non-Hisp. Black | 27.5 | 21.3 – 34.6 |
| | Hispanic | 19.4 | 15.4 – 24.1 |
| AGE GROUP | 19 & Under | 25.4 | 17.3 – 35.5 |
| | 20-24 | 17.2 | 13.1 – 22.2 |
| | 25-34 | 21.1 | 17.8 – 24.7 |
| | 35 & Older | 20.0 | 14.5 – 27.1 |
| EDUCATION LEVEL | <high school<="" td=""><td>23.6</td><td>17.7 – 30.8</td></high> | 23.6 | 17.7 – 30.8 |
| | H.S. | 20.7 | 16.6 – 25.4 |
| | >High School | 18.9 | 15.8 – 22.3 |
| HOUSEHOLD INCOME | <\$15,000 | 19.5 | 15.7 – 24.0 |
| | \$15,000-\$34,999 | 21.5 | 16.9 – 27.0 |
| | \$35,000 or More | 18.9 | 15.3 – 23.1 |
| MEDICAID RECIPIENT | Yes | 23.1 | 19.8 – 26.7 |
| | No | 16.6 | 13.4 – 20.2 |
| MARITAL STATUS | Married | 17.1 | 14.2 – 20.5 |
| | Not Married | 23.9 | 20.3 – 27.9 |

Prevalence of new moms in Florida experiencing premature rupture of membranes during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did your water break more than three weeks before your baby was due (premature rupture of membranes [PROM])? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 4.4 | 3.5 - 5.4 |
| RACE/ETHNICITY | Non-Hisp. White | 4.3 | 3.1 - 6.0 |
| | Non-Hisp. Black | 6.5 | 4.3 - 9.8 |
| | Hispanic | 3.3 | 2.0 - 5.3 |
| AGE GROUP | 19 & Under | 5.0 | 2.5 - 9.7 |
| | 20-24 | 4.1 | 2.6 - 6.3 |
| | 25-34 | 4.0 | 2.9 - 5.5 |
| | 35 & Older | 5.7 | 3.1 – 10.1 |
| EDUCATION LEVEL | <high school<="" td=""><td>5.5</td><td>3.3 - 9.2</td></high> | 5.5 | 3.3 - 9.2 |
| | H.S. | 3.9 | 2.6 - 5.8 |
| | >High School | 4.3 | 3.1 - 5.9 |
| HOUSEHOLD INCOME | <\$15,000 | 4.6 | 3.2 - 6.6 |
| | \$15,000-\$34,999 | 3.0 | 1.9 - 4.9 |
| | \$35,000 or More | 5.1 | 3.5 - 7.4 |
| MEDICAID RECIPIENT | Yes | 4.8 | 3.7 - 6.3 |
| | No | 3.5 | 2.3 - 5.2 |
| MARITAL STATUS | Married | 3.7 | 2.6 - 5.2 |
| | Not Married | 5.1 | 3.8 - 6.8 |

Prevalence of new moms in Florida having blood transfusions during most recent pregnancy


PRAMS Question: During your most recent pregnancy, did you have a blood transfusion? Answer: Yes.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 1.1 | 0.6 - 1.8 |
| RACE/ETHNICITY | Non-Hisp. White | 0.3 | 0.1 - 1.1 |
| | Non-Hisp. Black | 2.5 | 1.0 - 5.9 |
| | Hispanic | 1.1 | 0.5 - 2.7 |
| AGE GROUP | 19 & Under | 2.1 | 0.4 - 9.5 |
| | 20-24 | 0.4 | 0.2 - 0.8 |
| | 25-34 | 1.1 | 0.5 - 2.4 |
| | 35 & Older | 1.2 | 0.4 - 3.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>1.1</td><td>0.3 - 3.9</td></high> | 1.1 | 0.3 - 3.9 |
| | H.S. | 0.9 | 0.3 - 2.6 |
| | >High School | 1.1 | 0.5 - 2.4 |
| HOUSEHOLD INCOME | <\$15,000 | 1.6 | 0.7 - 3.6 |
| | \$15,000-\$34,999 | 1.4 | 0.5 - 3.5 |
| | \$35,000 or More | 0.5 | 0.2 - 1.4 |
| MEDICAID RECIPIENT | Yes | 1.2 | 0.6 - 2.3 |
| | No | 0.9 | 0.4 - 2.3 |
| MARITAL STATUS | Married | 0.9 | 0.4 - 2.0 |
| | Not Married | 1.2 | 0.6 - 2.6 |

Prevalence of new moms in Florida injured in an automobile accident during most recent pregnancy

PRAMS Question: During your most recent pregnancy, were you hurt in a car accident? Answer: Yes.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 1.8 | 1.2 - 2.9 |
| RACE/ETHNICITY | Non-Hisp. White | 1.2 | 0.5 - 2.7 |
| | Non-Hisp. Black | 3.1 | 1.3 - 6.9 |
| | Hispanic | 2.3 | 1.1 - 4.7 |
| AGE GROUP | 19 & Under | 0.3 | 0.1 - 1.0 |
| | 20-24 | 1.6 | 0.6 - 4.2 |
| | 25-34 | 2.2 | 1.2 - 3.9 |
| | 35 & Older | 2.2 | 0.7 - 6.4 |
| EDUCATION LEVEL | <high school<="" td=""><td>1.4</td><td>0.3 - 5.3</td></high> | 1.4 | 0.3 - 5.3 |
| | H.S. | 2.0 | 0.9 - 4.3 |
| | >High School | 1.9 | 1.0 - 3.5 |
| HOUSEHOLD INCOME | <\$15,000 | 2.2 | 1.1 - 4.6 |
| | \$15,000-\$34,999 | 2.0 | 0.9 - 4.6 |
| | \$35,000 or More | 1.6 | 0.7 - 3.7 |
| MEDICAID RECIPIENT | Yes | 2.7 | 1.6 - 4.4 |
| | No | 0.7 | 0.3 - 2.0 |
| MARITAL STATUS | Married | 1.5 | 0.7 - 3.1 |
| | Not Married | 2.2 | 1.2 - 4.0 |

CI=Confidence Interval

ns.

Prevalence of new moms in Florida with gestational diabetes during most recent pregnancy

PRAMS Question: During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes (diabetes that started during this pregnancy)? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|------------|
| ALL | Overall | 8.9 | 7.3 – 10.8 |
| RACE/ETHNICITY | Non-Hisp. White | 7.6 | 5.6 - 10.2 |
| | Non-Hisp. Black | 7.9 | 4.6 – 13.1 |
| | Hispanic | 10.1 | 7.2 – 14.0 |
| AGE GROUP | 19 & Under | 3.6 | 1.2 - 9.9 |
| | 20-24 | 7.3 | 4.6 - 11.4 |
| | 25-34 | 9.6 | 7.3 – 12.5 |
| | 35 & Older | 12.5 | 8.2 - 18.7 |
| EDUCATION LEVEL | <high school<="" th=""><th>9.9</th><th>6.2 - 15.6</th></high> | 9.9 | 6.2 - 15.6 |
| | H.S. | 8.7 | 6.0 -12.5 |
| | >High School | 8.7 | 6.6 - 11.3 |
| HOUSEHOLD INCOME | <\$15,000 | 10.5 | 7.6 – 14.4 |
| | \$15,000-\$34,999 | 9.2 | 6.2 - 13.5 |
| | \$35,000 or More | 7.6 | 5.3 - 10.6 |
| MEDICAID RECIPIENT | Yes | 8.9 | 6.8 - 11.6 |
| | No | 8.8 | 6.5 - 11.8 |
| MARITAL STATUS | Married | 9.8 | 7.6 – 12.6 |
| | Not Married | 7.8 | 5.7 - 10.7 |

CI=Confidence Interval

¹³³

Delivery Type

Prevalence of new moms in Florida having vaginal deliveries

Birth Record Data: Type of Delivery: Vaginal.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 61.9 | 58.8 – 64.8 |
| RACE/ETHNICITY | Non-Hisp. White | 63.4 | 59.1 – 67.6 |
| | Non-Hisp. Black | 63.7 | 56.2 – 70.7 |
| | Hispanic | 57.6 | 52.1 – 63.0 |
| AGE GROUP | 19 & Under | 79.7 | 70.1 – 86.8 |
| | 20-24 | 63.7 | 57.4 – 69.5 |
| | 25-34 | 61.6 | 57.3 – 65.7 |
| | 35 & Older | 48.4 | 40.7 – 56.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>71.9</td><td>64.3 – 78.4</td></high> | 71.9 | 64.3 – 78.4 |
| | H.S. | 59.2 | 53.7 – 64.5 |
| | >High School | 60.3 | 56.1 – 64.4 |
| HOUSEHOLD INCOME | <\$15,000 | 64.2 | 58.8 – 69.3 |
| | \$15,000-\$34,999 | 58.6 | 52.4 – 64.6 |
| | \$35,000 or More | 59.9 | 54.8 – 64.7 |
| MEDICAID RECIPIENT | Yes | 64.2 | 60.1 – 68.1 |
| | No | 58.6 | 54.0 – 63.1 |
| MARITAL STATUS | Married | 60.9 | 56.7 – 64.9 |
| | Not Married | 63.0 | 58.4 – 67.3 |

Delivery Type

Prevalence of new moms in Florida having cesarean section (C-section) deliveries

Birth Record Data: Type of Delivery: Cesarean Section.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 38.1 | 35.2 – 41.2 |
| RACE/ETHNICITY | Non-Hisp. White | 36.6 | 32.4 – 40.9 |
| | Non-Hisp. Black | 36.3 | 29.3 – 43.8 |
| | Hispanic | 42.4 | 37.0 – 47.9 |
| AGE GROUP | 19 & Under | 20.3 | 13.2 – 29.9 |
| | 20-24 | 36.3 | 30.5 – 42.6 |
| | 25-34 | 38.4 | 34.3 – 42.7 |
| | 35 & Older | 51.6 | 43.8 – 59.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>28.1</td><td>21.6 – 35.7</td></high> | 28.1 | 21.6 – 35.7 |
| | H.S. | 40.8 | 35.5 – 46.3 |
| | >High School | 39.7 | 35.6 – 43.9 |
| HOUSEHOLD INCOME | <\$15,000 | 35.8 | 30.7 – 41.2 |
| | \$15,000-\$34,999 | 41.4 | 35.4 – 47.6 |
| | \$35,000 or More | 40.1 | 35.3 – 45.2 |
| MEDICAID RECIPIENT | Yes | 35.8 | 31.9 – 39.9 |
| | No | 41.4 | 36.9 – 46.0 |
| MARITAL STATUS | Married | 39.1 | 35.1 – 43.3 |
| | Not Married | 37.0 | 32.7 – 41.6 |

¹³⁵

Prevalence of new moms in Florida having recent delivery paid for by Medicaid

PRAMS Question: Did any of these health insurance plans help you pay for the delivery of your new baby? Answer: Medicaid.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 54.7 | 51.7 – 57.8 |
| RACE/ETHNICITY | Non-Hisp. White | 44.4 | 39.9 – 48.9 |
| | Non-Hisp. Black | 79.4 | 72.5 – 84.9 |
| | Hispanic | 58.8 | 53.2 – 64.1 |
| AGE GROUP | 19 & Under | 78.2 | 67.7 – 86.0 |
| | 20-24 | 76.6 | 70.8 – 81.5 |
| | 25-34 | 45.3 | 41.0 – 49.6 |
| | 35 & Older | 35.7 | 28.5 – 43.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>79.3</th><th>72.0 – 85.0</th></high> | 79.3 | 72.0 – 85.0 |
| | H.S. | 73.8 | 68.5 – 78.4 |
| | >High School | 33.9 | 29.9 – 38.0 |
| HOUSEHOLD INCOME | <\$15,000 | 84.5 | 80.0 – 88.1 |
| | \$15,000-\$34,999 | 67.8 | 61.8 – 73.3 |
| | \$35,000 or More | 12.9 | 9.8 - 16.8 |
| MEDICAID RECIPIENT | Yes | 95.7 | 93.5 – 97.1 |
| | No | 0.0 | |
| MARITAL STATUS | Married | 31.3 | 27.5 – 35.4 |
| | Not Married | 80.7 | 76.8 – 84.1 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prevalence of new moms in Florida not having health insurance to pay for recent delivery


PRAMS Question: Did any of these health insurance plans help you pay for the delivery of your new baby? Answer: I did not have health insurance to help pay for my delivery.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|------------|
| ALL | Overall | 4.0 | 2.9 - 5.5 |
| RACE/ETHNICITY | Non-Hisp. White | 2.6 | 1.5 – 4.4 |
| | Non-Hisp. Black | 1.8 | 0.6 - 5.8 |
| | Hispanic | 7.0 | 4.5 – 10.5 |
| AGE GROUP | 19 & Under | 5.0 | 1.8 – 12.7 |
| | 20-24 | 2.8 | 1.2 - 6.0 |
| | 25-34 | 4.0 | 2.6 - 6.2 |
| | 35 & Older | 5.6 | 2.9 - 10.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>9.6</td><td>5.8 - 15.5</td></high> | 9.6 | 5.8 - 15.5 |
| | H.S. | 2.9 | 1.5 - 5.6 |
| | >High School | 2.9 | 1.8 - 4.8 |
| HOUSEHOLD INCOME | <\$15,000 | 6.0 | 3.8 - 9.3 |
| | \$15,000-\$34,999 | 3.3 | 1.7 - 6.4 |
| | \$35,000 or More | 1.5 | 0.7 - 3.1 |
| MEDICAID RECIPIENT | Yes | 1.2 | 0.5 - 2.7 |
| | No | 7.4 | 5.2 - 10.3 |
| MARITAL STATUS | Married | 3.8 | 2.4 - 5.9 |
| | Not Married | 4.3 | 2.7 - 6.7 |

Prevalence of new moms in Florida having recent delivery paid for by health insurance from job

PRAMS Question: Did any of these health insurance plans help you pay for the delivery of your new baby? Answer: Health Insurance from job or not from a job.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 39.7 | 36.8 – 42.7 |
| RACE/ETHNICITY | Non-Hisp. White | 51.9 | 47.4 – 56.3 |
| | Non-Hisp. Black | 21.8 | 16.2 – 28.7 |
| | Hispanic | 30.3 | 25.4 – 35.6 |
| AGE GROUP | 19 & Under | 12.4 | 6.8 -21.5 |
| | 20-24 | 18.3 | 14.0 – 23.6 |
| | 25-34 | 50.6 | 46.3 – 54.8 |
| | 35 & Older | 55.7 | 47.8 – 63.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>9.2</th><th>5.5 - 14.9</th></high> | 9.2 | 5.5 - 14.9 |
| | H.S. | 23.1 | 18.7 – 28.1 |
| | >High School | 61.2 | 57.0 – 65.3 |
| HOUSEHOLD INCOME | <\$15,000 | 7.6 | 5.2 -11.1 |
| | \$15,000-\$34,999 | 29.1 | 23.8 – 35.0 |
| | \$35,000 or More | 83.2 | 79.1 – 86.7 |
| MEDICAID RECIPIENT | Yes | 7.1 | 5.3 - 9.6 |
| | No | 83.8 | 80.0 – 87.0 |
| MARITAL STATUS | Married | 59.9 | 55.7 – 64.0 |
| | Not Married | 17.3 | 14.1 – 21.1 |

CI=Confidence Interval

¹³⁸

Prevalence of new moms in Florida having recent delivery paid for by TRICARE


PRAMS Question: Did any of these health insurance plans help you pay for the delivery of your new baby? Answer: Tricare.



| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 2.8 | 1.9 - 4.0 |
| RACE/ETHNICITY | Non-Hisp. White | 4.0 | 2.6 - 6.2 |
| | Non-Hisp. Black | 3.0 | 1.3 - 6.9 |
| | Hispanic | 1.3 | 0.5 - 3.6 |
| AGE GROUP | 19 & Under | 1.7 | 0.3 - 9.9 |
| | 20-24 | 3.7 | 1.9 - 7.0 |
| | 25-34 | 2.8 | 1.7 – 4.5 |
| | 35 & Older | 2.0 | 0.7 - 5.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>0.2</td><td>0.0 - 0.7</td></high> | 0.2 | 0.0 - 0.7 |
| | H.S. | 2.7 | 1.3 - 5.3 |
| | >High School | 3.5 | 2.3 - 5.4 |
| HOUSEHOLD INCOME | <\$15,000 | 0.8 | 0.3 - 2.3 |
| | \$15,000-\$34,999 | 2.7 | 1.3 - 5.7 |
| | \$35,000 or More | 5.3 | 3.4 - 8.1 |
| MEDICAID RECIPIENT | Yes | 0.1 | 0.0 - 0.3 |
| | No | 6.5 | 4.5 - 9.3 |
| MARITAL STATUS | Married | 5.2 | 3.6 - 7.4 |
| | Not Married | 0.1 | 0.1 - 0.3 |

Prevalence of new moms in Florida having recent delivery paid for by Medipass

PRAMS Question: Did any of these health insurance plans help you pay for the delivery of your new baby? Answer: Medipass.



| MATERNAL DEN | MOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 1.2 | 0.7 - 2.0 |
| RACE/ETHNICITY | Non-Hisp. White | 0.5 | 0.1 - 1.9 |
| | Non-Hisp. Black | 2.4 | 0.9 - 6.0 |
| | Hispanic | 1.3 | 0.5 - 3.1 |
| AGE GROUP | 19 & Under | 2.8 | 0.9 - 8.7 |
| | 20-24 | 2.1 | 0.9 - 4.9 |
| | 25-34 | 0.8 | 0.3 - 1.9 |
| | 35 & Older | 0.0 | |
| EDUCATION LEVEL | <high school<="" td=""><td>2.8</td><td>1.2 - 6.4</td></high> | 2.8 | 1.2 - 6.4 |
| | H.S. | 1.1 | 0.4 - 3.1 |
| | >High School | 0.7 | 0.2 - 2.0 |
| HOUSEHOLD INCOME | <\$15,000 | 2.8 | 1.5 - 5.2 |
| | \$15,000-\$34,999 | 0.8 | 0.2 - 3.1 |
| | \$35,000 or More | 0.0 | |
| MEDICAID RECIPIENT | Yes | 1.7 | 0.9 - 3.1 |
| | No | 0.5 | 0.1 - 1.9 |
| MARITAL STATUS | Married | 0.7 | 0.3 - 1.8 |
| | Not Married | 1.7 | 0.9 - 3.4 |


CI=Confidence Interval

¹⁴⁰

Postpartum Depression

Prevalence of new moms in Florida feeling down, depressed, or sad after new baby was born

PRAMS Question: Since your new baby was born, how often have you felt down, depressed, or sad? Answer: (always, often, sometimes, rarely).




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 66.4 | 63.3 – 69.3 |
| RACE/ETHNICITY | Non-Hisp. White | 70.2 | 65.9 – 74.2 |
| | Non-Hisp. Black | 58.3 | 50.5 – 65.8 |
| | Hispanic | 65.2 | 59.5 – 70.5 |
| AGE GROUP | 19 & Under | 71.5 | 60.4 – 80.5 |
| | 20-24 | 63.2 | 56.7 – 69.1 |
| | 25-34 | 67.6 | 63.3 – 71.5 |
| | 35 & Older | 64.4 | 56.3 – 71.7 |
| EDUCATION LEVEL | <high school<="" td=""><td>58.9</td><td>50.5 – 66.8</td></high> | 58.9 | 50.5 – 66.8 |
| | H.S. | 64.8 | 59.3 – 70.0 |
| | >High School | 69.9 | 65.8 – 73.7 |
| HOUSEHOLD INCOME | <\$15,000 | 63.4 | 57.7 – 68.6 |
| | \$15,000-\$34,999 | 66.0 | 59.7 – 71.7 |
| | \$35,000 or More | 71.1 | 66.3 – 75.5 |
| MEDICAID RECIPIENT | Yes | 63.3 | 59.1 – 67.4 |
| | No | 71.0 | 66.6 – 75.1 |
| MARITAL STATUS | Married | 69.6 | 65.5 – 73.4 |
| | Not Married | 62.8 | 58.1 – 67.2 |

Postpartum Depression

Prevalence of new moms in Florida feeling hopeless after new baby was born

PRAMS Question: Since your new baby was born, how often have you felt hopeless? Answer: (always, often, sometimes, rarely).



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 34.9 | 31.9 – 38.0 |
| RACE/ETHNICITY | Non-Hisp. White | 38.6 | 34.3 – 43.1 |
| | Non-Hisp. Black | 33.5 | 26.5 – 41.2 |
| | Hispanic | 31.1 | 25.9 – 36.7 |
| AGE GROUP | 19 & Under | 49.2 | 38.2 – 60.2 |
| | 20-24 | 32.1 | 26.4 – 38.4 |
| | 25-34 | 33.5 | 29.5 – 37.8 |
| | 35 & Older | 34.9 | 27.6 – 43.0 |
| EDUCATION LEVEL | <high school<="" th=""><th>39.3</th><th>31.4 – 47.9</th></high> | 39.3 | 31.4 – 47.9 |
| | H.S. | 33.7 | 28.6 – 39.2 |
| | >High School | 34.3 | 30.3 – 38.5 |
| HOUSEHOLD INCOME | <\$15,000 | 37.5 | 32.2 – 43.2 |
| | \$15,000-\$34,999 | 34.7 | 28.9 – 40.9 |
| | \$35,000 or More | 33.2 | 28.5 – 38.2 |
| MEDICAID RECIPIENT | Yes | 36.7 | 32.6 – 40.9 |
| | No | 33.2 | 28.9 – 37.8 |
| MARITAL STATUS | Married | 33.9 | 30.0 – 38.1 |
| | Not Married | 35.9 | 31.5 – 40.6 |


CI=Confidence Interval

142

Postpartum Depression

Prevalence of new moms in Florida feeling slowed down after new baby was born

PRAMS Question: Since your new baby was born, how often have you felt slowed down? Answer: (always, often, sometimes, rarely).



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 62.6 | 59.5 – 65.6 |
| RACE/ETHNICITY | Non-Hisp. White | 69.4 | 65.0 – 73.4 |
| | Non-Hisp. Black | 54.9 | 47.1 – 62.5 |
| | Hispanic | 56.5 | 50.7 – 62.2 |
| AGE GROUP | 19 & Under | 58.5 | 47.3 – 68.9 |
| | 20-24 | 52.9 | 46.4 – 59.3 |
| | 25-34 | 66.7 | 62.3 – 70.7 |
| | 35 & Older | 67.7 | 59.7 – 74.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>50.6</th><th>42.3 – 58.9</th></high> | 50.6 | 42.3 – 58.9 |
| | H.S. | 56.6 | 50.9 – 62.1 |
| | >High School | 70.4 | 66.3 – 74.2 |
| HOUSEHOLD INCOME | <\$15,000 | 50.8 | 45.1 – 56.4 |
| | \$15,000-\$34,999 | 66.6 | 60.4 – 72.3 |
| | \$35,000 or More | 72.5 | 67.7 – 76.8 |
| MEDICAID RECIPIENT | Yes | 57.3 | 53.0 – 61.6 |
| | No | 69.8 | 65.3 – 73.9 |
| MARITAL STATUS | Married | 69.5 | 65.4 – 73.4 |
| | Not Married | 54.9 | 50.1 – 59.6 |


CI=Confidence Interval

¹⁴³

Postpartum Services

Prevalence of new moms in Florida using parenting classes after new baby was born

PRAMS Question: Since your new baby was born, have you used any parenting classes? Answer: Yes.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 7.9 | 6.4 - 9.8 |
| RACE/ETHNICITY | Non-Hisp. White | 5.0 | 3.4 - 7.3 |
| | Non-Hisp. Black | 11.0 | 6.9 - 17.1 |
| | Hispanic | 10.2 | 7.3 – 14.1 |
| AGE GROUP | 19 & Under | 17.5 | 10.6 – 27.5 |
| | 20-24 | 7.8 | 5.0 - 12.0 |
| | 25-34 | 6.2 | 4.4 - 8.7 |
| | 35 & Older | 7.8 | 4.5 - 13.2 |
| EDUCATION LEVEL | <high school<="" th=""><th>13.0</th><th>8.4 - 19.6</th></high> | 13.0 | 8.4 - 19.6 |
| | H.S. | 7.3 | 4.9 - 10.8 |
| | >High School | 6.7 | 4.8 - 9.2 |
| HOUSEHOLD INCOME | <\$15,000 | 11.9 | 8.7 – 16.1 |
| | \$15,000-\$34,999 | 7.1 | 4.4 - 11.2 |
| | \$35,000 or More | 5.0 | 3.2 - 7.7 |
| MEDICAID RECIPIENT | Yes | 9.5 | 7.3 – 12.3 |
| | No | 6.0 | 4.1 - 8.8 |
| MARITAL STATUS | Married | 6.1 | 4.3 - 8.4 |
| | Not Married | 10.1 | 7.6 – 13.3 |

¹⁴⁴

Postpartum Services

Prevalence of new moms in Florida receiving home visits by a nurse or other health care worker since new baby was born

PRAMS Question: Since your new baby was born, have you had any visits to your home by a nurse or other health care worker? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 12.2 | 10.2 – 14.4 |
| RACE/ETHNICITY | Non-Hisp. White | 8.3 | 6.1 – 11.1 |
| | Non-Hisp. Black | 27.1 | 20.4 – 35.0 |
| | Hispanic | 10.0 | 7.1 – 13.9 |
| AGE GROUP | 19 & Under | 30.8 | 21.3 – 42.3 |
| | 20-24 | 12.7 | 9.0 – 17.5 |
| | 25-34 | 8.7 | 6.6 - 11.6 |
| | 35 & Older | 10.8 | 6.8 - 16.8 |
| EDUCATION LEVEL | <high school<="" th=""><th>21.5</th><th>15.3 – 29.2</th></high> | 21.5 | 15.3 – 29.2 |
| | H.S. | 13.2 | 9.8 - 17.4 |
| | >High School | 8.5 | 6.4 – 11.3 |
| HOUSEHOLD INCOME | <\$15,000 | 20.4 | 16.2 – 25.4 |
| | \$15,000-\$34,999 | 9.0 | 5.9 - 13.3 |
| | \$35,000 or More | 6.6 | 4.5 - 9.5 |
| MEDICAID RECIPIENT | Yes | 15.9 | 13.0 – 19.4 |
| | No | 7.0 | 5.0 - 9.8 |
| MARITAL STATUS | Married | 7.7 | 5.8 - 10.3 |
| | Not Married | 17.1 | 13.8 – 21.1 |

CI=Confidence Interval

¹⁴⁵

Postpartum Services

Prevalence of new moms in Florida receiving counseling for depression or anxiety since new baby was born

PRAMS Question: Since your new baby was born, have you had any counseling for depression or anxiety? Answer: Yes.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|------------|
| ALL | Overall | 5.5 | 4.2 - 7.1 |
| RACE/ETHNICITY | Non-Hisp. White | 6.2 | 4.3 - 8.8 |
| | Non-Hisp. Black | 8.1 | 4.7 - 13.6 |
| | Hispanic | 4.0 | 2.3 - 6.9 |
| AGE GROUP | 19 & Under | 6.2 | 2.5 – 14.7 |
| | 20-24 | 6.5 | 3.9 - 10.6 |
| | 25-34 | 4.1 | 2.7 - 6.2 |
| | 35 & Older | 8.2 | 4.8 - 13.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>5.2</td><td>2.6 - 10.2</td></high> | 5.2 | 2.6 - 10.2 |
| | H.S. | 5.2 | 3.2 - 8.4 |
| | >High School | 5.8 | 4.0 - 8.2 |
| HOUSEHOLD INCOME | <\$15,000 | 6.4 | 4.1 - 9.7 |
| | \$15,000-\$34,999 | 6.4 | 4.0 - 10.3 |
| | \$35,000 or More | 4.4 | 2.7 - 7.1 |
| MEDICAID RECIPIENT | Yes | 6.6 | 4.7 - 9.0 |
| | No | 4.2 | 2.6 - 6.6 |
| MARITAL STATUS | Married | 4.5 | 3.0 - 6.7 |
| | Not Married | 6.6 | 4.6 - 9.3 |

¹⁴⁶

Low Birth Weight

Prevalence of low birth weight (LBW) infants in Florida

Birth Record Data: Birth Weight: (Infant born weighing less than or equal to 2,500 grams, or five pounds, eight ounces).




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-------------|
| ALL | Overall | 7.8 | 7.7 – 7.9 |
| RACE/ETHNICITY | Non-Hisp. White | 6.4 | 5.9 - 6.8 |
| | Non-Hisp. Black | 13.7 | 11.9 – 15.8 |
| | Hispanic | 6.7 | 5.8 - 7.8 |
| AGE GROUP | 19 & Under | 12.5 | 9.6 - 16.2 |
| | 20-24 | 7.8 | 6.6 - 9.3 |
| | 25-34 | 7.1 | 6.4 - 7.8 |
| | 35 & Older | 7.3 | 5.8 - 9.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>10.4</td><td>8.6 - 12.6</td></high> | 10.4 | 8.6 - 12.6 |
| | H.S. | 8.6 | 7.5 - 9.8 |
| | >High School | 6.4 | 5.7 - 7.1 |
| HOUSEHOLD INCOME | <\$15,000 | 9.1 | 8.0 -10.3 |
| | \$15,000-\$34,999 | 8.1 | 6.9 - 9.5 |
| | \$35,000 or More | 6.5 | 5.7 - 7.4 |
| MEDICAID RECIPIENT | Yes | 9.0 | 8.3 - 9.7 |
| | No | 6.3 | 5.6 - 7.1 |
| MARITAL STATUS | Married | 6.2 | 5.6 - 6.8 |
| | Not Married | 9.6 | 8.8 - 10.5 |
| | | | |

¹⁴⁷

Low Birth Weight

Prevalence of very low birth weight (VLBW) infants in Florida

Birth Record Data: Birth Weight: (Infant born weighing less than or equal to 1,500 grams, or three pounds, five ounces).



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 1.2 | 1.0 - 1.5 |
| RACE/ETHNICITY | Non-Hisp. White | 0.8 | 0.6 - 1.2 |
| | Non-Hisp. Black | 2.5 | 1.8 - 3.6 |
| | Hispanic | 1.2 | 0.8 - 1.7 |
| AGE GROUP | 19 & Under | 1.3 | 0.7 - 2.4 |
| | 20-24 | 1.2 | 0.8 - 1.8 |
| | 25-34 | 1.2 | 0.9 - 1.6 |
| | 35 & Older | 1.4 | 0.9 - 2.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>1.9</td><td>1.3 - 2.8</td></high> | 1.9 | 1.3 - 2.8 |
| | H.S. | 1.2 | 0.9 - 1.7 |
| | >High School | 1.0 | 0.8 - 1.4 |
| HOUSEHOLD INCOME | <\$15,000 | 1.4 | 1.0 - 1.9 |
| | \$15,000-\$34,999 | 1.3 | 0.9 - 2.0 |
| | \$35,000 or More | 1.1 | 0.8 - 1.6 |
| MEDICAID RECIPIENT | Yes | 1.5 | 1.2 - 1.9 |
| | No | 0.9 | 0.7 - 1.3 |
| MARITAL STATUS | Married | 1.0 | 0.7 - 1.3 |
| | Not Married | 1.5 | 1.2 - 2.0 |

¹⁴⁸

Preterm Births

Prevalence of preterm births infants in Florida

Birth Record Data: Gestational Age at Birth: (Infant born at less than 37 weeks gestational age).




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|------------|
| ALL | Overall | 9.2 | 8.0 - 10.6 |
| RACE/ETHNICITY | Non-Hisp. White | 9.4 | 7.5 – 11.6 |
| | Non-Hisp. Black | 12.5 | 9.5 - 16.3 |
| | Hispanic | 7.5 | 5.7 - 9.9 |
| AGE GROUP | 19 & Under | 8.6 | 5.5 - 13.2 |
| | 20-24 | 7.4 | 5.6 - 9.8 |
| | 25-34 | 9.6 | 7.8 – 11.7 |
| | 35 & Older | 11.2 | 7.6 – 16.2 |
| EDUCATION LEVEL | <high school<="" td=""><th>12.2</th><td>8.8 - 16.6</td></high> | 12.2 | 8.8 - 16.6 |
| | H.S. | 8.7 | 6.7 - 11.1 |
| | >High School | 8.5 | 6.9 - 10.5 |
| HOUSEHOLD INCOME | <\$15,000 | 9.2 | 7.2 –11.8 |
| | \$15,000-\$34,999 | 7.5 | 5.6 -10.0 |
| | \$35,000 or More | 11.3 | 8.9 - 14.2 |
| MEDICAID RECIPIENT | Yes | 9.6 | 8.0 - 11.5 |
| | No | 8.6 | 6.8 - 10.8 |
| MARITAL STATUS | Married | 9.3 | 7.5 – 11.5 |
| | Not Married | 9.1 | 7.5 – 11.0 |

Neonatal Intensive Care

Prevalence of infants in Florida admitted into a neonatal intensive care unit (NICU)

PRAMS Question: After your baby was born, was he or she put in an intensive care unit? Answer: Yes.




| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE 95% CI | |
|------------------------|--|------------------|--|
| ALL | Overall | 13.1 11.4 – 15.1 | |
| RACE/ETHNICITY | Non-Hisp. White | 13.6 11.1 – 16.7 | |
| | Non-Hisp. Black | 13.8 10.2 – 18.5 | |
| | Hispanic | 12.6 9.6 – 16.2 | |
| AGE GROUP | 19 & Under | 14.5 9.3 – 21.9 | |
| | 20-24 | 11.7 8.7 – 15.7 | |
| | 25-34 | 13.8 11.3 – 16.7 | |
| | 35 & Older | 12.3 8.5 – 17.6 | |
| EDUCATION LEVEL | <high school<="" td=""><td>15.8 11.5 – 21.5</td><td></td></high> | 15.8 11.5 – 21.5 | |
| | H.S. | 12.0 9.2 – 15.4 | |
| | >High School | 13.0 10.6 – 15.8 | |
| HOUSEHOLD INCOME | <\$15,000 | 12.9 10.0 – 16.4 | |
| | \$15,000-\$34,999 | 12.7 9.5 – 16.8 | |
| | \$35,000 or More | 12.9 10.1 – 16.2 | |
| MEDICAID RECIPIENT | Yes | 14.7 12.3 – 17.5 | |
| | No | 11.2 8.9 – 14.1 | |
| MARITAL STATUS | Married | 12.0 9.8 – 14.7 | |
| | Not Married | 14.3 11.8 – 17.4 | |

Hospital Stay

Prevalence of infants in Florida staying in the hospital three or more days after birth

PRAMS Question: After your baby was born, how long did he or she stay in the hospital? (Among infants born in a hospital.) Answer: Three days or more.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 40.3 | 37.3 – 43.4 |
| RACE/ETHNICITY | Non-Hisp. White | 36.1 | 31.9 – 40.5 |
| | Non-Hisp. Black | 49.8 | 42.1 – 57.5 |
| | Hispanic | 42.4 | 37.0 – 48.0 |
| AGE GROUP | 19 & Under | 37.8 | 28.2 – 48.5 |
| | 20-24 | 37.1 | 31.2 – 43.4 |
| | 25-34 | 40.6 | 36.4 – 44.9 |
| | 35 & Older | 46.5 | 38.7 – 54.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>38.0</td><td>30.8 – 45.8</td></high> | 38.0 | 30.8 – 45.8 |
| | H.S. | 43.3 | 37.8 – 48.9 |
| | >High School | 39.1 | 35.0 – 43.4 |
| HOUSEHOLD INCOME | <\$15,000 | 43.2 | 37.8 – 48.7 |
| | \$15,000-\$34,999 | 42.5 | 36.5 – 48.9 |
| | \$35,000 or More | 35.9 | 31.2 – 40.9 |
| MEDICAID RECIPIENT | Yes | 43.3 | 39.2 – 47.5 |
| | No | 36.4 | 32.0 – 41.0 |
| MARITAL STATUS | Married | 37.2 | 33.2 – 41.4 |
| | Not Married | 43.7 | 39.2 – 48.4 |


CI=Confidence Interval

151

Breastfeeding

Prevalence of new moms in Florida who breastfed her new baby

PRAMS Question: Did you ever breastfeed or pump breast milk to feed your new baby after delivery, even for a short period of time? Answer: Yes.




| MATERNAL DEN | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 84.3 | 81.8 – 86.5 |
| RACE/ETHNICITY | Non-Hisp. White | 82.5 | 78.7 – 85.7 |
| | Non-Hisp. Black | 72.3 | 64.6 – 78.8 |
| | Hispanic | 92.1 | 88.5 – 94.6 |
| AGE GROUP | 19 & Under | 79.2 | 68.8 – 86.8 |
| | 20-24 | 77.7 | 71.9 – 82.6 |
| | 25-34 | 87.8 | 84.6 – 90.4 |
| | 35 & Older | 86.4 | 80.0 – 90.9 |
| EDUCATION LEVEL | <high school<="" td=""><td>77.7</td><td>70.4 – 83.6</td></high> | 77.7 | 70.4 – 83.6 |
| | H.S. | 78.0 | 73.0 – 82.4 |
| | >High School | 90.5 | 87.7 – 92.7 |
| HOUSEHOLD INCOME | <\$15,000 | 78.7 | 73.7 – 82.9 |
| | \$15,000-\$34,999 | 83.8 | 78.8 – 87.9 |
| | \$35,000 or More | 90.8 | 87.2 – 93.4 |
| MEDICAID RECIPIENT | Yes | 79.0 | 75.3 – 82.2 |
| | No | 91.5 | 88.5 – 93.8 |
| MARITAL STATUS | Married | 89.8 | 87.0 – 92.2 |
| | Not Married | 78.1 | 74.0 – 81.7 |

Breastfeeding

Prevalence of new moms in Florida who breastfed her new baby for four or more weeks

PRAMS Question: How many weeks or months did you breastfeed or pump milk to feed your new baby? Answer: Four weeks or more.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 67.2 | 64.2 – 70.1 |
| RACE/ETHNICITY | Non-Hisp. White | 68.1 | 63.7 – 72.2 |
| | Non-Hisp. Black | 48.9 | 41.1 – 56.8 |
| | Hispanic | 74.1 | 68.9 – 78.7 |
| AGE GROUP | 19 & Under | 52.8 | 41.8 – 63.5 |
| | 20-24 | 57.4 | 50.9 – 63.5 |
| | 25-34 | 73.0 | 69.0 – 76.7 |
| | 35 & Older | 73.1 | 65.6 – 79.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>59.9</th><th>51.8 – 67.4</th></high> | 59.9 | 51.8 – 67.4 |
| | H.S. | 59.9 | 54.2 – 65.3 |
| | >High School | 74.6 | 70.6 – 78.2 |
| HOUSEHOLD INCOME | <\$15,000 | 59.5 | 54.0 – 64.9 |
| | \$15,000-\$34,999 | 61.6 | 55.3 – 67.4 |
| | \$35,000 or More | 79.3 | 74.8 – 83.1 |
| MEDICAID RECIPIENT | Yes | 59.9 | 55.6 – 64.0 |
| | No | 77.4 | 73.2 – 81.1 |
| MARITAL STATUS | Married | 75.8 | 72.0 – 79.2 |
| | Not Married | 57.7 | 53.0 – 62.3 |


CI=Confidence Interval

¹⁵³

Breastfeeding

Prevalence of new moms in Florida who breastfed for at least three months

PRAMS Question: How many weeks or months did you breastfeed or pump milk to feed your new baby? Answer: 12 weeks or more.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 49.0 | 45.8 – 52.1 |
| RACE/ETHNICITY | Non-Hisp. White | 49.3 | 44.8 – 53.8 |
| | Non-Hisp. Black | 27.6 | 21.2 – 35.1 |
| | Hispanic | 57.8 | 52.2 – 63.2 |
| AGE GROUP | 19 & Under | 29.3 | 20.4 – 40.2 |
| | 20-24 | 38.6 | 32.6 – 45.0 |
| | 25-34 | 55.1 | 50.7 – 59.4 |
| | 35 & Older | 57.9 | 50.0 – 65.5 |
| EDUCATION LEVEL | <high school<="" th=""><th>39.9</th><th>32.3 – 47.9</th></high> | 39.9 | 32.3 – 47.9 |
| | H.S. | 43.4 | 37.9 – 49.1 |
| | >High School | 55.6 | 51.3 – 59.8 |
| HOUSEHOLD INCOME | <\$15,000 | 42.8 | 37.4 – 48.4 |
| | \$15,000-\$34,999 | 41.7 | 35.7 – 48.0 |
| | \$35,000 or More | 61.2 | 56.1 – 66.1 |
| MEDICAID RECIPIENT | Yes | 41.1 | 37.0 – 45.3 |
| | No | 59.7 | 55.0 – 64.2 |
| MARITAL STATUS | Married | 59.2 | 54.9 – 63.3 |
| | Not Married | 37.6 | 33.2 – 42.3 |


CI=Confidence Interval

¹⁵⁴

Exposure to Second-Hand Cigarette Smoke

Prevalence of new infants in Florida exposured to second-hand cigarette smoke

PRAMS Question: About how many hours a day, on average, is your new baby in the same room or vehicle with someone who is smoking? Answer: more than one hour per day.




| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|--|---------|-----------|
| ALL | Overall | 1.4 | 0.8 - 2.5 |
| RACE/ETHNICITY | Non-Hisp. White | 1.0 | 0.4 - 2.6 |
| | Non-Hisp. Black | 2.6 | 0.9 - 7.1 |
| | Hispanic | 1.1 | 0.4 - 3.4 |
| AGE GROUP | 19 & Under | 3.3 | 1.0 -10.4 |
| | 20-24 | 2.1 | 0.9 - 5.1 |
| | 25-34 | 0.7 | 0.2 - 2.2 |
| | 35 & Older | 1.6 | 0.4 - 6.3 |
| EDUCATION LEVEL | <high school<="" td=""><td>1.9</td><td>0.5 - 6.8</td></high> | 1.9 | 0.5 - 6.8 |
| | H.S. | 2.3 | 1.1 - 4.7 |
| | >High School | 0.7 | 0.2 - 2.2 |
| HOUSEHOLD INCOME | <\$15,000 | 2.4 | 1.2 - 5.0 |
| | \$15,000-\$34,999 | 1.5 | 0.5 - 4.2 |
| | \$35,000 or More | 0.3 | 0.0 - 2.3 |
| MEDICAID RECIPIENT | Yes | 2.2 | 1.2 - 3.9 |
| | No | 0.3 | 0.0 - 1.9 |
| MARITAL STATUS | Married | 0.5 | 0.2 - 1.7 |
| | Not Married | 2.5 | 1.4 - 4.6 |

Sleep Positions

Prevalence of new infants in Florida placed on their backs to sleep

PRAMS Question: In which one position do you most often lay your baby down to sleep now? Answer: Back.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 61.3 | 58.2 – 64.3 |
| RACE/ETHNICITY | Non-Hisp. White | 70.8 | 66.4 – 74.8 |
| | Non-Hisp. Black | 48.2 | 40.4 – 56.2 |
| | Hispanic | 56.0 | 50.4 – 61.6 |
| AGE GROUP | 19 & Under | 43.6 | 33.1 – 54.7 |
| | 20-24 | 57.6 | 51.1 – 63.8 |
| | 25-34 | 62.9 | 58.6 – 67.1 |
| | 35 & Older | 73.5 | 65.9 – 79.9 |
| EDUCATION LEVEL | <high school<="" th=""><th>53.9</th><th>45.8 – 61.8</th></high> | 53.9 | 45.8 – 61.8 |
| | H.S. | 53.2 | 47.5 – 58.8 |
| | >High School | 69.5 | 65.4 – 73.3 |
| HOUSEHOLD INCOME | <\$15,000 | 55.9 | 50.3 – 61.4 |
| | \$15,000-\$34,999 | 58.5 | 52.2 – 64.6 |
| | \$35,000 or More | 71.6 | 66.7 – 76.1 |
| MEDICAID RECIPIENT | Yes | 55.6 | 51.3 – 59.8 |
| | No | 68.9 | 64.4 – 73.2 |
| MARITAL STATUS | Married | 64.6 | 60.4 – 68.5 |
| | Not Married | 57.7 | 53.0 – 62.3 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Sleep Positions

Prevalence of new infants in Florida placed on their side to sleep

PRAMS Question: In which one position do you most often lay your baby down to sleep now? Answer: Side.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 17.1 | 14.8 – 19.7 |
| RACE/ETHNICITY | Non-Hisp. White | 11.0 | 8.4 - 14.2 |
| | Non-Hisp. Black | 20.7 | 15.0 – 27.9 |
| | Hispanic | 22.7 | 18.3 – 27.8 |
| AGE GROUP | 19 & Under | 24.9 | 16.5 – 35.7 |
| | 20-24 | 17.2 | 12.8 – 22.6 |
| | 25-34 | 17.1 | 14.0 – 20.7 |
| | 35 & Older | 12.2 | 7.8 – 18.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>21.7</td><td>15.7 – 29.2</td></high> | 21.7 | 15.7 – 29.2 |
| | H.S. | 21.1 | 16.8 – 26.2 |
| | >High School | 13.0 | 10.3 – 16.2 |
| HOUSEHOLD INCOME | <\$15,000 | 18.4 | 14.4 – 23.1 |
| | \$15,000-\$34,999 | 20.0 | 15.3 – 25.6 |
| | \$35,000 or More | 11.7 | 8.7 - 15.6 |
| MEDICAID RECIPIENT | Yes | 20.2 | 17.0 – 23.9 |
| | No | 13.0 | 10.0 – 16.6 |
| MARITAL STATUS | Married | 16.8 | 13.8 – 20.4 |
| | Not Married | 17.5 | 14.2 – 21.4 |

¹⁵⁷

Sleep Positions

Prevalence of new infants in Florida placed on their stomach to sleep

PRAMS Question: In which one position do you most often lay your baby down to sleep now? Answer: Stomach.




| MATERNAL DEM | IOGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 16.3 | 14.1 – 18.8 |
| RACE/ETHNICITY | Non-Hisp. White | 16.0 | 12.9 – 19.7 |
| | Non-Hisp. Black | 21.8 | 15.9 – 29.1 |
| | Hispanic | 14.2 | 10.7 – 18.7 |
| AGE GROUP | 19 & Under | 22.5 | 14.5 – 33.2 |
| | 20-24 | 21.1 | 16.3 – 26.8 |
| | 25-34 | 15.1 | 12.2 – 18.5 |
| | 35 & Older | 8.9 | 5.3 - 14.5 |
| EDUCATION LEVEL | <high school<="" td=""><td>15.9</td><td>10.7 – 22.9</td></high> | 15.9 | 10.7 – 22.9 |
| | H.S. | 20.1 | 15.9 – 25.1 |
| | >High School | 13.5 | 10.9 – 16.8 |
| HOUSEHOLD INCOME | <\$15,000 | 17.7 | 13.8 – 22.4 |
| | \$15,000-\$34,999 | 16.5 | 12.3 – 21.8 |
| | \$35,000 or More | 14.2 | 11.0 – 18.2 |
| MEDICAID RECIPIENT | Yes | 17.7 | 14.6 – 21.3 |
| | No | 14.7 | 11.7 – 18.4 |
| MARITAL STATUS | Married | 15.3 | 12.4 – 18.6 |
| | Not Married | 17.5 | 14.2 – 21.4 |

158

Pacifier Use During Sleep

Prevalence of infants in Florida using a pacifier during hours of sleep

PRAMS Question: How often does your new baby go to sleep with a pacifier? Answer: Always, often, sometime and rarely.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 66.4 | 63.4 – 69.4 |
| RACE/ETHNICITY | Non-Hisp. White | 68.1 | 63.7 – 72.2 |
| | Non-Hisp. Black | 72.2 | 64.5 – 78.7 |
| | Hispanic | 64.2 | 58.7 – 69.4 |
| AGE GROUP | 19 & Under | 67.2 | 56.1 – 76.6 |
| | 20-24 | 68.6 | 62.2 – 74.3 |
| | 25-34 | 66.6 | 62.3 – 70.6 |
| | 35 & Older | 61.9 | 53.9 – 69.3 |
| EDUCATION LEVEL | <high school<="" th=""><th>69.1</th><th>61.1 – 76.0</th></high> | 69.1 | 61.1 – 76.0 |
| | H.S. | 64.8 | 59.2 – 70.0 |
| | >High School | 66.8 | 62.5 – 70.8 |
| HOUSEHOLD INCOME | <\$15,000 | 64.0 | 58.5 – 69.2 |
| | \$15,000-\$34,999 | 70.3 | 64.2 – 75.9 |
| | \$35,000 or More | 67.1 | 62.1 – 71.8 |
| MEDICAID RECIPIENT | Yes | 65.0 | 60.8 – 69.0 |
| | No | 68.3 | 63.8 – 72.5 |
| MARITAL STATUS | Married | 64.1 | 59.9 – 68.1 |
| | Not Married | 69.0 | 64.4 – 73.2 |


CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Bed Sharing

Prevalence of infants in Florida sleeping in bed with parent or anyone else

PRAMS Question: How often does your new baby sleep in the same bed with you or anyone else? Answer: Always, often, sometimes and rarely.




| MATERNAL DEN | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 62.3 | 59.2 – 65.2 |
| RACE/ETHNICITY | Non-Hisp. White | 55.7 | 51.2 – 60.1 |
| | Non-Hisp. Black | 84.9 | 78.4 – 89.7 |
| | Hispanic | 58.4 | 52.8 – 63.8 |
| AGE GROUP | 19 & Under | 78.9 | 68.6 – 86.4 |
| | 20-24 | 65.8 | 59.5 – 71.5 |
| | 25-34 | 60.4 | 56.1 – 64.6 |
| | 35 & Older | 52.3 | 44.4 – 60.2 |
| EDUCATION LEVEL | <high school<="" td=""><td>63.4</td><td>55.3 – 70.7</td></high> | 63.4 | 55.3 – 70.7 |
| | H.S. | 64.6 | 59.0 – 69.8 |
| | >High School | 60.2 | 56.0 – 64.3 |
| HOUSEHOLD INCOME | <\$15,000 | 68.8 | 63.4 – 73.7 |
| | \$15,000-\$34,999 | 60.0 | 53.7 – 65.9 |
| | \$35,000 or More | 56.9 | 51.8 – 61.9 |
| MEDICAID RECIPIENT | Yes | 66.1 | 62.0 – 70.0 |
| | No | 56.8 | 52.1 – 61.4 |
| MARITAL STATUS | Married | 56.9 | 52.7 – 61.0 |
| | Not Married | 68.3 | 63.8 – 72.5 |

Well-Baby Check Ups

Prevalence of infants in Florida being seen by healthcare provider within one week after leaving hospital

PRAMS Question: Was your new baby seen by a doctor, nurse, or other health care worker for a one week check-up after he or she was born? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 95.1 | 93.6 – 96.4 |
| RACE/ETHNICITY | Non-Hisp. White | 94.8 | 92.3 – 96.5 |
| | Non-Hisp. Black | 96.3 | 91.9 – 98.4 |
| | Hispanic | 94.8 | 91.6 – 96.8 |
| AGE GROUP | 19 & Under | 92.4 | 84.1 – 96.5 |
| | 20-24 | 95.4 | 91.8 – 97.5 |
| | 25-34 | 94.8 | 92.4 – 96.4 |
| | 35 & Older | 97.7 | 93.4 – 99.2 |
| EDUCATION LEVEL | <high school<="" td=""><th>93.0</th><td>87.6 – 96.1</td></high> | 93.0 | 87.6 – 96.1 |
| | H.S. | 94.2 | 90.8 – 96.4 |
| | >High School | 96.5 | 94.5 – 97.7 |
| HOUSEHOLD INCOME | <\$15,000 | 94.4 | 91.2 – 96.5 |
| | \$15,000-\$34,999 | 93.8 | 89.7 – 96.3 |
| | \$35,000 or More | 96.9 | 94.7 – 98.2 |
| MEDICAID RECIPIENT | Yes | 94.6 | 92.2 – 96.2 |
| | No | 95.8 | 93.4 – 97.4 |
| MARITAL STATUS | Married | 95.1 | 92.8 – 96.7 |
| | Not Married | 95.2 | 92.7 – 96.8 |


CI=Confidence Interval

¹⁶¹

Well-Baby Check Ups

Prevalence of infants in Florida having at least one well-baby checkup

PRAMS Question: Has your new baby had a well-baby checkup? Answer: Yes.



| MATERNAL DEM | OGRAPHIC CHARACTERISTICS | MEASURE | 95% CI |
|------------------------|---|---------|-------------|
| ALL | Overall | 97.5 | 96.2 – 98.3 |
| RACE/ETHNICITY | Non-Hisp. White | 97.5 | 95.5 – 98.7 |
| | Non-Hisp. Black | 96.5 | 91.5 – 98.6 |
| | Hispanic | 97.7 | 95.2 – 98.9 |
| AGE GROUP | 19 & Under | 96.3 | 88.1 – 98.9 |
| | 20-24 | 95.8 | 92.2 – 97.8 |
| | 25-34 | 98.2 | 96.6 – 99.1 |
| | 35 & Older | 98.5 | 94.5 – 99.6 |
| EDUCATION LEVEL | <high school<="" th=""><th>93.2</th><th>87.5 – 96.4</th></high> | 93.2 | 87.5 – 96.4 |
| | H.S. | 97.4 | 94.9 – 98.7 |
| | >High School | 99.0 | 97.6 – 99.6 |
| HOUSEHOLD INCOME | <\$15,000 | 96.2 | 93.3 – 97.9 |
| | \$15,000-\$34,999 | 97.6 | 94.6 – 99.0 |
| | \$35,000 or More | 99.5 | 98.1 – 99.9 |
| MEDICAID RECIPIENT | Yes | 96.7 | 94.6 – 97.9 |
| | No | 98.6 | 96.8 – 99.4 |
| MARITAL STATUS | Married | 98.2 | 96.5 – 99.1 |
| | Not Married | 96.7 | 94.4 – 98.1 |

CI=Confidence Interval

^{^ -} The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Appendix - A

Florida PRAMS Overview and Methods

The Pregnancy Risk Assessment Monitoring System (PRAMS) is a population-based surveillance system of maternal behaviors and experiences before and during a woman's pregnancy, and during the early infancy of her baby. In 1987, the U.S. Centers for Disease Control and Prevention (CDC) developed the PRAMS project initially with five states. The decision to develop the PRAMS surveillance system was based on research that showed the United States infant mortality rate was no longer declining as rapidly as it had in past years. The prevalence of low birthweight was showing little change and maternal behaviors, such as smoking, drug and alcohol use, and limited use of prenatal and pediatric care were contributing to the slow rate of decline. With the previously stated factors, the Florida PRAMS surveillance project was initiated in June 1993.

Purpose of PRAMS

The overall goal of PRAMS is to reduce infant morbidity and mortality by changing maternal behaviors both before and during pregnancy and during early infancy. PRAMS is designed to establish and maintain state-specific, population-based surveillance of selected maternal behaviors that occur before and during pregnancy and during early infancy and to generate state-specific data for planning and evaluating maternal and child health programs. PRAMS was designed to supplement data from vital records and to generate data for planning and assessing perinatal health programs in each participating state, as well as to allow comparisons among states.

Survey Protocol

Florida residents who gave birth to live-born infants within two to five months were randomly selected to participate in PRAMS. Florida's sampling strategy included four strata: 1) low birth weight among Whites, 2) low birth weight among non-Whites, 3) normal birth weight among Whites, 5) normal birth weight among non-Whites.

Methods

Data collection for Florida PRAMS was the result of joint efforts between the Centers for Disease Control and Prevention (CDC) and the Florida Department of Health. PRAMS is a mail/telephone surveillance system that includes mailing surveys to selected respondents two to five months after they give birth. Questionnaires are mailed to selected participants a maximum of three times. Participants who do not complete a mailed questionnaire are followed-up by telephone. For 2009, the state-level Florida PRAMS had a response rate of 61.4 percent.

The weighted Florida PRAMS datasets were analyzed using SAS Version 9.3 and SUDAAN 10.0.1. The point estimates and 95 percent confidence intervals (95% CI) were calculated using the SUDAAN procedure, "PROC CROSSTAB". All missing and unknown response values were excluded from individual calculations where applicable. No statistic was provided if the unweighted sample size of the total number of respondents within a demographic level of response was less than 30.

Survey Estimates

PRAMS survey data are adjusted, or "weighted," so that the resulting estimates can be generalized to the entire state population of pregnancies which resulted in a live birth during the year (excluding those that resulted in pluralities of four or greater). For PRAMS, we want to be able to infer behaviors among the entire group of women in Florida who delivered a live born baby within a specified period of calendar time and who were residents of Florida. This group of women forms the *population* of interest; the individual women who were randomly selected were known as a *sample* from this population.

Strengths and Limitations of the PRAMS

To use PRAMS correctly, users should be aware of the strengths and limitations of the data. The major strengths of PRAMS include:

- 1. It is flexible and relatively inexpensive method of collecting public health data.
- 2. It is a population-based survey, allowing the data to be generalized to overall state-level populations.
- 3. The PRAMS survey has been conducted in a majority of states for many years. Thus, states can compare their data with each other, as well as analyze the data for trends over time.

However, PRAMS has limitations, including:

- The data collected consists of self-reported information that has not been verified.
- 2. The survey has a limited number of completed interviews, and the sample size may be too small for analysis on some sub-populations.
- 3. The sample is restricted to: (a) include only one infant from pregnancies that resulted in twins or triplets; and (b) exclude infants from pregnancies that resulted in pluralities of four or greater. Because of these restrictions, estimates of low birth weight and preterm delivery are lower than the rates reported from Vital Statistics. Population statistics for these birth outcomes can be obtained from Florida CHARTS (Community Health Assessment Resource Tool Set) at http://www.floridacharts.com/charts/BirthQuery.aspx.

Appendix - B

Survey Definitions

Medicaid Recipient - A woman was defined as a Medicaid recipient if she received Medicaid just before pregnancy, or if her prenatal care was paid by Medicaid, or if delivery was paid by Medicaid.

Underweight is based on a Body Mass Index (BMI) of less than 18.5. Overweight is based on a Body Mass Index (BMI) between 25.0 and 29.9. Obesity is based on a Body Mass Index (BMI) of 30.0 or more. BMI is calculated as follows: weight (kg)/height (m)² or BMI = [weight (lb.)/height (in)²] x 703).

Unintended pregnancy is defined as either being wanted later or not being wanted then or at any time in the future. Mistimed pregnancy is defined as being wanted later. Unwanted pregnancy is defined as not being wanted then or at any time in the future.

Some Florida PRAMS 2009 survey questions allowed the respondent to choose multiple answers. In these cases, all response options were analyzed for this report. The following Florida PRAMS survey questions fall under this category.

- During the month before you got pregnant with your new baby, were you covered by any of these insurance plans? Check <u>all</u> that apply.
- What were your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant? Check all that apply.
- When you got pregnant with your new baby, what were you or your husband or partner using to keep from getting pregnant? Check all that apply.
- Did any of these health insurance plans help you pay for your prenatal care?
 Check <u>all</u> that apply.
- What was the reason that your new baby was born by cesarean section? Check <u>all</u> that apply.
- Did any of these health insurance plans help you pay for the delivery of your new baby? Check <u>all</u> that apply.
- What kind of birth control are you or your husband or partner using now to keep from getting pregnant? Check <u>all</u> that apply.

Appendix - C

Birth Certificate Variables and Definitions

While the majority of the information in this report was based on direct responses to the Florida PRAMS survey questionnaire, other variables, such as the maternal demographics, were acquired from the Florida Certificate of Live Birth Records portion of the PRAMS dataset, which reflected the following birth certificate text fields:

- Race White, Black or African American, American Indian or Alaska Native, Asian Indian, Chinese, Japanese, Filipino, Korean, Vietnamese, Other Asian, Native Hawaiian, Guamanian or Chamorro, Samoan, Other Pacific Isl.
- Ethnicity Hispanic or Haitian origin? (Specify No or Yes. If Yes, specify Mexican, Puerto Rican, Cuban, Central/South American, Haitian, Other Unknown Hispanic)
- Age date of birth
- Education (Specify only highest degree or level of school completed)
- Marital status Is mother married?
- Preterm births/gestational age Clinical estimate of gestation (Weeks)
- Birth weight (Specify in grams only)
- Prenatal care Month health care began during pregnancy (First, second, third or no prenatal care)
- Method of delivery (Check all that apply with an (X)): Vaginal, vaginal birth after previous c-section, primary c-section, repeat c-section, forceps, vacuum.
- Vaginal Delivery The analysis of vaginal delivery among women in Florida includes all vaginal deliveries: unassisted, assisted, and after a previous C-Section
- Delivery by c-section The analysis of c-section delivery among women in Florida includes all c-sections: primary or repeat.

Appendix - D

Interpreting the Data from the 2009 Florida PRAMS Data Report

As noted in Appendix A, a prevalence or percentage from the PRAMS survey is an estimate of the real population prevalence. When a percentage is derived from a sample rather than a census of a population, sampling errors occur. Because sampling errors are inherent in these types of surveys, we calculate 95% confidence intervals (CI) for each prevalence estimate to determine the accuracy of that estimate. Simply, a 95% confidence interval is the range in which the real population prevalence is likely to be found 95% of the time. Further, the smaller the confidence interval, the more accurate the estimated prevalence. For example, the table below shows that during 2009, 8.6% of new moms in Florida reported cigarette smoking during the last three months of their pregnancy. The confidence interval is 6.8% to 10.4% (6.8 – 10.4), suggesting that the real population prevalence is very likely to be within the narrow range and close to the estimate of 8.6%.

| Maternal Demographic | Measure | 95% CI |
|----------------------|---------|-------------|
| Overall | 8.6 | 6.8 ~ 10.4 |
| Race/Ethnicity | | |
| Non-Hispanic whites | 14.3 | 11.1 ~ 17.6 |
| Non-Hispanic blacks | 3.9 | 0.7 ~ 7.1 |
| Hispanics | 2.6 | 0.8 ~ 4.4 |

The confidence intervals are determined by many factors, in particular the sample size. Compare the confidence intervals for non-Hispanic whites, non-Hispanic blacks, and Hispanics in the table above. As we divide the data for analysis by race/ethnicity, age, etc., the sample size for each group becomes smaller, the confidence intervals become larger, and the estimates become less reliable.

In addition to estimating the accuracy of the prevalence estimates, the confidence intervals are used to compare populations. As a rule, the difference in prevalence between two populations is statistically significant if the confidence intervals of the two population estimates do not overlap. From the above example, we can see that the confidence interval for non-Hispanic whites (11.1 – 17.6) and the confidence interval for non-Hispanic blacks (0.7 – 7.1) do not overlap. We can thus conclude that there is a significant difference in the prevalence of cigarette smoking during pregnancy between non-Hispanic whites and non-Hispanic backs and that the prevalence of this behavior among non-Hispanic whites is higher than among non-Hispanic blacks.

Comparisons of confidence intervals are not a true test of statistical significance, however, and it is possible for the difference between two estimates to be statistically significant even when the confidence intervals overlap. While it is beyond the scope of this report to test for whether the difference between these two estimates are actually statistically significant, data users may contact the **PRAMS Project Coordinator** or **Data Analyst** for technical assistance.

Appendix - E

The Florida PRAMS 2009 Survey Sample

Survey respondents' demographics by race/ethnicity (sample frequency, weighted numbers, and weighted percentages), Florida PRAMS 2009*

| | Statewide | | |
|--------------------------|------------------------------------|--------------------|---------------------|
| Maternal Demographic | Frequency (completed survey) | Weighted Number | Weighted Percent |
| Totals | 1489 | 216390 | 100 |
| Race/Ethnicity | | | |
| non-Hispanic whites | 682 | 96829 | 44.9 |
| non-Hispanic blacks | 297 | 37623 | 17.5 |
| Hispanics | 449 | 72441 | 33.6 |
| All Others* | 57 | 8828 | 4.0 |
| Age Distribution | | | |
| 19 Years and Under | 160 | 21135 | 9.8 |
| 20 to 24 Years | 359 | 53428 | 24.7 |
| 25 to 34 Years | 744 | 109513 | 50.6 |
| 35 Years and Over | 226 | 32314 | 14.9 |
| Education | | | |
| Less Than 12 Years | 264 | 37363 | 17.3 |
| 12 Years | 484 | 72041 | 33.4 |
| 13 Years or More | 736 | 106398 | 49.3 |
| Annual Household Incom | ne | | |
| <\$15,000 | 496 | 73021 | 36.3 |
| \$15,000 to \$34,999 | 370 | 54010 | 26.8 |
| \$35,000 or more | 528 | 74099 | 36.8 |
| Medicaid Recipient Statu | ıs | | |
| Medicaid Recipient: Yes | 853 | 123687 | 57.9 |
| Medicaid Recipient: No | 621 | 89914 | 42.1 |
| Marital Status | | | |
| Married: Yes | 774 | 112910 | 52.2 |
| Married: No | 1276 | 103480 | 47.8 |

^{*}Due to small sample size and non-homogeneous characteristics, statistical results from the individual analysis of the race/ethnicity category of "All Others" is excluded from this document. However, this group is included in all other calculations.



Prepared by:

Bonnie Yu, MA, MAS Cizao Ren, MD, MS, PhD Avalon Adams-Thames, MPH, CHES Youjie Huang, MD, MPH, Dr. PH

If you have any questions or comments, please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, FL 32399-1720

Phone: (850) 245-4401 Fax: (850) 922-9299

Email: chronicdisease@doh.state.fl.us Web: www.floridachronicdisease.org/