


2010

Data Report



Florida Pregnancy Risk Assessment Monitoring System (PRAMS)



**Helping Mothers.
Protecting Infants.**



FLORIDA PREGNANCY RISK ASSESSMENT MONITORING SYSTEM: 2010 SURVEILLANCE DATA REPORT

Rick Scott
Governor

John H. Armstrong, MD
State Surgeon General

Florida 2010 PRAMS Surveillance Data Report

This data report presents findings from the 2010 Florida Pregnancy Risk Assessment Monitoring System (PRAMS), an ongoing, population-based survey. This data report contains detailed statistics presented in three sections:

1. Maternal Health and Behaviors
2. Prenatal and Postpartum Care
3. Infant Health

The 2010 Florida PRAMS sample size of 2,400 represents 214,519 live births born to Florida residents during 2010. Of the 2,400 new moms invited to participate in PRAMS, 1,400 completed the survey. The response rate is 60.5%.

These data provide state-level estimates about factors pertaining to maternal and child health. PRAMS survey data are adjusted, or “weighted,” so that the resulting estimates can be generalized to the state population of pregnancies that resulted in a live birth during the year (excluding those that resulted in pluralities of four or greater).

A series of tables and charts are shown in this report, presenting major maternal and child health issues by race/ethnicity, maternal age, maternal education, household income, Medicaid recipient status, and marital status. In every table, state-level estimates derived from the 2010 Florida PRAMS survey datasets are provided so that comparisons may be made between two or more subpopulations within the demographic groups or between two or more variables.

An overview of the Florida PRAMS project and the methods used in the analysis of the 2010 data are presented in Appendix A of this report.

If you have any questions or comments, please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, FL 32399-1720

Phone: (850)245-4401
Fax: (850)922-9299
Email: chronicdisease@doh.state.fl.us
Web: www.floridachronicdisease.org

Table of Contents

Maternal Health and Behaviors

Health Behaviors Before Pregnancy	1
Uninsured Before Pregnancy	9
WIC Participation During Pregnancy	10
Pre-Pregnancy Weight	11
Cigarette Use	14
Alcohol Consumption	19
Folic Acid	23
Discussions with Healthcare Provider Before Pregnancy	24
Physical Abuse	35
HIV Testing During Pregnancy	37
Stress and Pregnancy	39
Maternal Morbidity Before Pregnancy	52
Birth History	61
Pregnancy Intent	65

Prenatal and Postpartum Care

Birth Control Use at the Time of Conception	69
Postpartum Birth Control Use	78
Late Diagnosis of Pregnancy	93
Late Entry into Prenatal Care	94
Prenatal Care Payment Source	103
Discussions with Healthcare Provider During Prenatal Care Visits	108
Discussions with Healthcare Provider About Metal Exposure	120
Maternal Morbidity During Pregnancy	123
Delivery Type	134
Delivery Payment Source	136
Postpartum Depression	141
Postpartum Services	144

Infant Health

Low Birth Weight	147
Preterm Births	149
Neonatal Intensive Care	150
Hospital Stay	151
Breastfeeding	152
Exposure to Second-Hand Cigarette Smoke	155
Sleep Positions	156
Pacifier Use During Sleep	159
Bed Sharing	160
Well-Baby Check Ups	161


Appendices

Appendix A: Florida PRAMS Overview and Methods	I
Appendix B: Survey Definitions	II
Appendix C: Birth Certificate Variables and Definitions	III
Appendix D: Interpreting the Data from the 2010 Florida PRAMS Data Report	IV
Appendix E: The Florida PRAMS 2010 Survey Sample	V

Health Behaviors Before Pregnancy

Prevalence of new moms in Florida who were dieting before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, were you dieting (changing your eating habits) to lose weight? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	29.5	26.7 – 32.4
	Non-Hisp. White	32.8	28.7 – 37.2
	Non-Hisp. Black	23.1	17.3 – 30.2
	Hispanic	28.4	23.5 – 33.8
AGE GROUP	19 & Under	12.6	7.1 – 21.4
	20-24	25.4	20.1 – 31.6
	25-34	32.4	28.5 – 36.6
	35 & Older	35.7	28.3 – 43.8
EDUCATION LEVEL	<High School	17.5	12.1 – 24.7
	H.S.	28.5	23.5 – 34.1
	>High School	33.7	29.8 – 37.7
HOUSEHOLD INCOME	<\$15,000	22.0	17.8 – 26.9
	\$15,000-\$34,999	31.1	25.3 – 37.6
	\$35,000 or More	36.1	31.3 – 41.1
MEDICAID RECIPIENT	Yes	24.4	20.9 – 28.2
	No	36.6	32.1 – 41.2
MARITAL STATUS	Married	36.4	32.5 – 40.6
	Not Married	21.3	17.7 – 25.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Health Behaviors Before Pregnancy

Prevalence of new moms in Florida who exercised before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, were you exercising 3 or more days out of the week? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	42.0	38.9 – 45.1
	Non-Hisp. White	48.3	43.8 – 52.8
	Non-Hisp. Black	30.2	23.7 – 37.7
	Hispanic	40.6	35.0 – 46.3
AGE GROUP	19 & Under	39.5	29.6 – 50.3
	20-24	40.1	33.8 – 46.8
	25-34	41.1	37.0 – 45.4
	35 & Older	49.7	41.7 – 57.7
EDUCATION LEVEL	<High School	32.6	25.3 – 40.8
	H.S.	37.0	31.5 – 42.9
	>High School	47.8	43.7 – 51.9
HOUSEHOLD INCOME	<\$15,000	33.0	28.0 – 38.3
	\$15,000-\$34,999	44.5	38.1 – 51.2
	\$35,000 or More	49.4	44.4 – 54.5
MEDICAID RECIPIENT	Yes	35.7	31.8 – 39.9
	No	50.1	45.4 – 54.8
MARITAL STATUS	Married	46.0	41.8 – 50.2
	Not Married	37.3	32.8 – 42.0


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Health Behaviors Before Pregnancy

Prevalence of new moms in Florida who regularly used prescription medications before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, were you regularly taking prescription medicines other than birth control? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	16.2	14.1 – 18.6
	Non-Hisp. White	21.3	17.8 – 25.2
	Non-Hisp. Black	14.7	10.0 – 21.0
	Hispanic	11.6	8.4 – 15.8
AGE GROUP	19 & Under	12.6	6.9 – 21.7
	20-24	9.1	6.0 – 13.6
	25-34	17.7	14.6 – 21.1
	35 & Older	24.5	18.3 – 31.9
EDUCATION LEVEL	<High School	13.0	8.4 – 19.5
	H.S.	14.1	10.5 – 18.6
	>High School	18.4	15.4 – 21.9
HOUSEHOLD INCOME	<\$15,000	12.7	9.5 – 16.8
	\$15,000-\$34,999	11.1	7.5 – 16.0
	\$35,000 or More	23.5	19.5 – 28.1
MEDICAID RECIPIENT	Yes	12.3	9.9 – 15.4
	No	21.5	17.9 – 25.6
MARITAL STATUS	Married	19.1	16.0 – 22.6
	Not Married	12.8	10.0 – 16.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Health Behaviors Before Pregnancy

Prevalence of new moms in Florida who were being checked or treated for diabetes before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, have you visited a health care worker to be checked or treated for diabetes? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	7.9	6.3 – 9.8
	Non-Hisp. White	3.2	2.0 – 5.1
	Non-Hisp. Black	18.6	13.3 – 25.3
	Hispanic	8.8	6.0 – 12.7
AGE GROUP	19 & Under	10.3	5.2 – 19.1
	20-24	7.4	4.6 – 11.9
	25-34	6.9	5.0 – 9.5
	35 & Older	10.6	6.4 – 16.9
EDUCATION LEVEL	<High School	12.7	8.1 – 19.3
	H.S.	11.2	8.0 – 15.6
	>High School	4.5	3.1 – 6.5
HOUSEHOLD INCOME	<\$15,000	8.7	6.0 – 12.4
	\$15,000-\$34,999	8.8	5.6 – 13.5
	\$35,000 or More	3.6	2.2 – 6.0
MEDICAID RECIPIENT	Yes	9.3	7.1 – 12.1
	No	5.5	3.7 – 8.2
MARITAL STATUS	Married	6.1	4.3 – 8.5
	Not Married	10.0	7.4 – 13.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Health Behaviors Before Pregnancy

Prevalence of new moms in Florida who were being checked or treated for high blood pressure before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, have you visited a health care worker to be checked or treated for high blood pressure? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	9.7	8.0 – 11.8
RACE/ETHNICITY	Non-Hisp. White	4.7	3.2 – 7.0
	Non-Hisp. Black	24.1	18.1 – 31.3
	Hispanic	9.4	6.5 – 13.4
AGE GROUP	19 & Under	13.9	7.9 – 23.4
	20-24	10.0	6.6 – 14.9
	25-34	8.7	6.5 – 11.5
	35 & Older	10.5	6.5 – 16.7
EDUCATION LEVEL	<High School	12.1	7.7 – 18.5
	H.S.	14.1	10.4 – 18.8
	>High School	6.2	4.5 – 8.5
HOUSEHOLD INCOME	<\$15,000	12.0	8.8 – 16.0
	\$15,000-\$34,999	9.1	5.9 – 13.8
	\$35,000 or More	5.8	3.9 – 8.6
MEDICAID RECIPIENT	Yes	11.0	8.6 – 13.9
	No	7.6	5.4 – 10.5
MARITAL STATUS	Married	7.2	5.3 – 9.7
	Not Married	12.7	9.8 – 16.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Health Behaviors Before Pregnancy

Prevalence of new moms in Florida who were being checked or treated for depression or anxiety before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, have you visited a health care worker to be checked or treated for depression or anxiety? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	8.9	7.3 – 10.9
RACE/ETHNICITY	Non-Hisp. White	11.9	9.3 – 15.1
	Non-Hisp. Black	8.3	4.9 – 13.7
	Hispanic	6.1	3.8 – 9.6
AGE GROUP	19 & Under	6.1	2.7 – 13.6
	20-24	9.1	6.0 – 13.5
	25-34	8.8	6.6 – 11.5
	35 & Older	10.9	6.7 – 17.2
EDUCATION LEVEL	<High School	9.4	5.5 – 15.4
	H.S.	11.5	8.3 – 15.8
	>High School	7.2	5.4 – 9.7
HOUSEHOLD INCOME	<\$15,000	8.7	6.1 – 12.2
	\$15,000-\$34,999	7.0	4.3 – 11.3
	\$35,000 or More	8.7	6.3 – 12.1
MEDICAID RECIPIENT	Yes	7.9	5.9 – 10.4
	No	10.1	7.5 – 13.3
MARITAL STATUS	Married	8.6	6.5 – 11.3
	Not Married	9.3	6.9 – 12.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Health Behaviors Before Pregnancy

Prevalence of new moms in Florida who were having discussions about family medical history with a health care worker before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, have you talked to a health care worker about your family medical history? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	22.3	19.8 – 25.0
RACE/ETHNICITY	Non-Hisp. White	22.8	19.3 – 26.8
	Non-Hisp. Black	27.7	21.4 – 35.0
	Hispanic	18.0	14.1 – 22.9
AGE GROUP	19 & Under	16.1	9.5 – 25.9
	20-24	16.6	12.3 – 22.2
	25-34	24.0	20.5 – 27.9
	35 & Older	28.8	22.1 – 36.6
EDUCATION LEVEL	<High School	23.9	17.5 – 31.7
	H.S.	17.9	13.9 – 22.9
	>High School	24.4	21.0 – 28.2
HOUSEHOLD INCOME	<\$15,000	19.8	15.8 – 24.6
	\$15,000-\$34,999	13.9	10.0 – 19.0
	\$35,000 or More	29.3	24.9 – 34.2
MEDICAID RECIPIENT	Yes	18.2	15.1 – 21.7
	No	27.3	23.4 – 31.7
MARITAL STATUS	Married	27.0	23.4 – 30.9
	Not Married	16.8	13.5 – 20.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Health Behaviors Before Pregnancy

Prevalence of new moms in Florida having dental cleanings before pregnancy

PRAMS Question: At anytime during the 12 months before you got pregnant with your new baby, have you had your teeth cleaned by a dentist or dental hygienist? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	46.2	43.0 – 49.3
RACE/ETHNICITY	Non-Hisp. White	50.3	45.8 – 54.7
	Non-Hisp. Black	40.8	33.4 – 48.5
	Hispanic	43.5	37.9 – 49.2
AGE GROUP	19 & Under	36.8	27.2 – 47.6
	20-24	39.5	33.2 – 46.2
	25-34	46.0	41.7 – 50.3
	35 & Older	63.2	55.1 – 70.6
EDUCATION LEVEL	<High School	37.5	29.8 – 45.9
	H.S.	33.3	28.0 – 39.1
	>High School	56.5	52.3 – 60.6
HOUSEHOLD INCOME	<\$15,000	30.1	25.3 – 35.4
	\$15,000-\$34,999	42.5	36.2 – 49.2
	\$35,000 or More	64.7	59.7 – 69.4
MEDICAID RECIPIENT	Yes	32.9	29.1 – 37.1
	No	63.8	59.2 – 68.3
MARITAL STATUS	Married	55.5	51.3 – 59.7
	Not Married	35.2	30.8 – 39.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Uninsured Before Pregnancy

Prevalence of new moms in Florida who were uninsured before pregnancy

PRAMS Question: During the month before you got pregnant with your new baby, were you covered by any of these health insurance plans? Answer: I did not have any health insurance before I got pregnant.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	31.0	28.2 – 34.0
	Non-Hisp. White	25.5	21.8 – 29.7
	Non-Hisp. Black	20.0	14.7 – 26.7
	Hispanic	44.1	38.5 – 49.8
AGE GROUP	19 & Under	24.4	16.4 – 34.6
	20-24	43.7	37.3 – 50.4
	25-34	30.4	26.5 – 34.5
	35 & Older	17.5	12.1 – 24.6
EDUCATION LEVEL	<High School	40.6	32.8 – 49.0
	H.S.	42.4	36.7 – 48.3
	>High School	21.3	18.1 – 24.9
HOUSEHOLD INCOME	<\$15,000	44.0	38.6 – 49.5
	\$15,000-\$34,999	44.5	38.0 – 51.1
	\$35,000 or More	7.7	5.4 – 10.9
MEDICAID RECIPIENT	Yes	47.8	43.5 – 52.0
	No	8.3	6.0 – 11.5
MARITAL STATUS	Married	21.8	18.5 – 25.6
	Not Married	41.8	37.2 – 46.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

WIC Participation During Pregnancy

Prevalence of new moms in Florida participating in the special supplemental nutrition program for women, infants, and children (WIC) during pregnancy

PRAMS Question: During your most recent pregnancy, were you on WIC (the Special Supplemental Nutrition Program for Women, Infants, and Children)? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	58.5	55.5 – 61.4
	Non-Hisp. White	40.5	36.2 – 45.0
	Non-Hisp. Black	76.9	69.9 – 82.7
	Hispanic	73.6	68.3 – 78.3
AGE GROUP	19 & Under	84.0	74.5 – 90.4
	20-24	81.3	75.7 – 85.9
	25-34	51.4	47.2 – 55.6
	35 & Older	31.8	24.7 – 39.8
EDUCATION LEVEL	<High School	88.7	82.4 – 92.9
	H.S.	77.7	72.5 – 82.1
	>High School	38.2	34.3 – 42.2
HOUSEHOLD INCOME	<\$15,000	88.7	84.8 – 91.8
	\$15,000-\$34,999	73.8	67.7 – 79.1
	\$35,000 or More	16.5	13.0 – 20.7
MEDICAID RECIPIENT	Yes	86.3	83.2 – 88.9
	No	20.8	17.2 – 24.9
MARITAL STATUS	Married	37.9	33.9 – 42.0
	Not Married	82.5	78.7 – 85.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Pre-Pregnancy Weight

Prevalence of new moms in Florida who were underweight before recent pregnancy

PRAMS Questions: Just before you got pregnant with your new baby, how much did you weigh? How tall are you without shoes? (Underweight is based on a Body Mass Index (BMI) of less than 18.5.)



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	8.5	6.9 – 10.4
	Non-Hisp. White	8.7	6.4 – 11.5
	Non-Hisp. Black	9.1	5.5 – 14.7
	Hispanic	7.8	5.2 – 11.6
AGE GROUP	19 & Under	11.7	6.3 – 20.6
	20-24	10.1	6.7 – 14.8
	25-34	8.0	5.9 – 10.7
	35 & Older	5.9	3.2 – 10.6
EDUCATION LEVEL	<High School	15.0	10.0 – 21.9
	H.S.	8.9	6.1 – 12.8
	>High School	6.3	4.6 – 8.7
HOUSEHOLD INCOME	<\$15,000	11.8	8.7 – 15.7
	\$15,000-\$34,999	6.5	3.9 – 10.7
	\$35,000 or More	4.5	2.8 – 7.1
MEDICAID RECIPIENT	Yes	10.6	8.2 – 13.5
	No	5.7	3.9 – 8.3
MARITAL STATUS	Married	6.9	5.0 – 9.4
	Not Married	10.4	7.8 – 13.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Pre-Pregnancy Weight

Prevalence of new moms in Florida who were overweight before recent pregnancy

PRAMS Questions: Just before you got pregnant with your new baby, how much did you weigh? How tall are you without shoes? (Overweight is based on a Body Mass Index (BMI) between 25.0 and 29.9.)



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	25.7	23.0 – 28.5
RACE/ETHNICITY	Non-Hisp. White	22.4	18.9 – 26.4
	Non-Hisp. Black	29.1	22.5 – 36.6
	Hispanic	29.4	24.4 – 34.9
AGE GROUP	19 & Under	22.2	14.5 – 32.3
	20-24	22.6	17.4 – 28.7
	25-34	27.2	23.5 – 31.2
	35 & Older	27.3	20.6 – 35.2
EDUCATION LEVEL	<High School	32.5	25.1 – 40.8
	H.S.	28.6	23.5 – 34.2
	>High School	21.7	18.5 – 25.3
HOUSEHOLD INCOME	<\$15,000	27.4	22.7 – 32.6
	\$15,000-\$34,999	31.2	25.4 – 37.7
	\$35,000 or More	20.7	16.9 – 25.2
MEDICAID RECIPIENT	Yes	28.8	25.1 – 32.8
	No	21.6	18.0 – 25.7
MARITAL STATUS	Married	25.0	21.5 – 28.9
	Not Married	26.4	22.4 – 30.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Pre-Pregnancy Weight

Prevalence of new moms in Florida who were obese before pregnancy

PRAMS Questions: Just before you got pregnant with your new baby, how much did you weigh? How tall are you without shoes? (Obesity is based on a Body Mass Index (BMI) of 30.0 or more.)




MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	20.3	17.9 – 23.0
RACE/ETHNICITY	Non-Hisp. White	22.1	18.5 – 26.1
	Non-Hisp. Black	25.8	19.7 – 33.0
	Hispanic	17.3	13.4 – 22.2
AGE GROUP	19 & Under	14.4	8.4 – 23.6
	20-24	21.6	16.6 – 27.5
	25-34	20.6	17.3 – 24.3
	35 & Older	21.0	15.1 – 28.5
EDUCATION LEVEL	<High School	20.8	14.8 – 28.3
	H.S.	23.1	18.5 – 28.5
	>High School	18.5	15.5 – 21.9
HOUSEHOLD INCOME	<\$15,000	21.1	17.0 – 25.9
	\$15,000-\$34,999	21.9	16.9 – 27.9
	\$35,000 or More	18.3	14.7 – 22.6
MEDICAID RECIPIENT	Yes	22.6	19.2 – 26.4
	No	17.3	14.0 – 21.1
MARITAL STATUS	Married	20.8	17.6 – 24.5
	Not Married	19.7	16.2 – 23.7

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Cigarette Use**Prevalence of new moms in Florida who smoked cigarettes before pregnancy**

PRAMS Question: In the three months before you got pregnant, how many cigarettes did you smoke on an average day? (This chart shows the prevalence of any smoking before pregnancy.)




MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	22.2	19.7 – 24.9
	Non-Hisp. White	30.9	26.8 – 35.2
	Non-Hisp. Black	17.8	12.6 – 24.6
	Hispanic	14.2	10.5 – 18.8
AGE GROUP	19 & Under	30.3	21.4 – 41.1
	20-24	32.9	27.0 – 39.3
	25-34	18.2	15.2 – 21.8
	35 & Older	14.3	9.5 – 21.0
EDUCATION LEVEL	<High School	30.5	23.6 – 38.6
	H.S.	29.0	24.1 – 34.5
	>High School	15.5	12.7 – 18.8
HOUSEHOLD INCOME	<\$15,000	32.2	27.4 – 37.4
	\$15,000-\$34,999	19.5	14.9 – 25.0
	\$35,000 or More	14.2	10.9 – 18.2
MEDICAID RECIPIENT	Yes	29.2	25.5 – 33.1
	No	12.6	9.8 – 16.1
MARITAL STATUS	Married	12.9	10.3 – 15.9
	Not Married	33.1	28.9 – 37.7

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Cigarette Use**Prevalence of new moms in Florida who smoked cigarettes during pregnancy**

PRAMS Question: In the last three months of your pregnancy, how many cigarettes did you smoke on an average day? (This chart shows the prevalence of any smoking during pregnancy.)



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	8.1	6.6 – 9.9
RACE/ETHNICITY	Non-Hisp. White	13.5	10.7 – 16.8
	Non-Hisp. Black	5.2	2.7 – 9.7
	Hispanic	3.2	1.7 – 6.0
AGE GROUP	19 & Under	4.3	1.8 – 10.1
	20-24	11.1	7.7 – 15.7
	25-34	8.2	6.2 – 10.8
	35 & Older	5.3	2.7 – 10.4
EDUCATION LEVEL	<High School	11.0	7.1 – 16.7
	H.S.	11.0	8.0 – 15.0
	>High School	5.3	3.7 – 7.5
HOUSEHOLD INCOME	<\$15,000	14.0	10.7 – 18.0
	\$15,000-\$34,999	7.2	4.6 – 11.1
	\$35,000 or More	3.6	2.1 – 6.1
MEDICAID RECIPIENT	Yes	11.5	9.2 – 14.3
	No	3.7	2.3 – 5.9
MARITAL STATUS	Married	5.7	4.0 – 8.0
	Not Married	11.0	8.5 – 14.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Cigarette Use

Prevalence of new moms in Florida who smoked cigarettes after recent pregnancy

PRAMS Question: How many cigarettes do you smoke on an average day now? (This chart shows the prevalence of any smoking after pregnancy.)





MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	14.4	12.3 – 16.7
	Non-Hisp. White	20.4	17.1 – 24.3
	Non-Hisp. Black	11.8	7.7 – 17.7
	Hispanic	8.8	5.9 – 12.8
AGE GROUP	19 & Under	13.3	7.7 – 22.0
	20-24	24.5	19.4 – 30.6
	25-34	11.9	9.4 – 14.9
	35 & Older	7.8	4.4 – 13.3
EDUCATION LEVEL	<High School	21.8	15.9 – 29.1
	H.S.	19.0	14.9 – 23.9
	>High School	9.2	7.0 – 11.9
HOUSEHOLD INCOME	<\$15,000	25.1	20.8 – 30.0
	\$15,000-\$34,999	10.7	7.4 – 15.2
	\$35,000 or More	6.5	4.4 – 9.6
MEDICAID RECIPIENT	Yes	20.1	17.0 – 23.6
	No	6.5	4.5 – 9.2
MARITAL STATUS	Married	7.7	5.7 – 10.2
	Not Married	22.2	18.6 – 26.3

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Cigarette Use**Prevalence of new moms in Florida who quit smoking during recent pregnancy**

PRAMS Question: Did you quit smoking around the time of your most recent pregnancy? Answer: Yes.

By Race/Ethnicity**By Age**


MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	66.7	60.1 – 72.8
RACE/ETHNICITY	Non-Hisp. White	62.3	54.1 – 69.8
	Non-Hisp. Black	64.7	43.8 – 81.2
	Hispanic	80.3	64.4 – 90.2
AGE GROUP	19 & Under	81.7	61.4 – 92.7
	20-24	67.8	56.2 – 77.6
	25-34	62.2	52.1 – 71.4
	35 & Older	^	
EDUCATION LEVEL	<High School	56.1	40.7 – 70.4
	H.S.	66.9	56.4 – 76.0
	>High School	73.5	62.9 – 81.9
HOUSEHOLD INCOME	<\$15,000	54.9	45.2 – 64.2
	\$15,000-\$34,999	76.1	62.3 – 86.0
	\$35,000 or More	81.7	68.2 – 90.3
MEDICAID RECIPIENT	Yes	62.5	54.6 – 69.8
	No	78.3	65.4 – 87.4
MARITAL STATUS	Married	65.0	53.3 – 75.2
	Not Married	67.6	59.4 – 74.9

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Cigarette Use**Prevalence of new moms in Florida living in homes that do not allow cigarette smoking**

PRAMS Question: Which of the following statements best describes the rules about smoking inside your home now? Answer: No one is allowed to smoke anywhere inside my home.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	97.7	96.5 – 98.5
RACE/ETHNICITY	Non-Hisp. White	97.8	96.0 – 98.8
	Non-Hisp. Black	95.1	90.2 – 97.6
	Hispanic	99.1	96.7 – 99.7
AGE GROUP	19 & Under	94.0	85.8 – 97.6
	20-24	96.6	93.2 – 98.3
	25-34	98.5	97.0 – 99.3
	35 & Older	98.9	94.2 – 99.8
EDUCATION LEVEL	<High School	96.3	91.6 – 98.4
	H.S.	96.6	93.7 – 98.2
	>High School	98.8	97.4 – 99.4
HOUSEHOLD INCOME	<\$15,000	96.0	93.3 – 97.6
	\$15,000-\$34,999	98.6	95.9 – 99.5
	\$35,000 or More	99.3	97.3 – 99.8
MEDICAID RECIPIENT	Yes	96.3	94.3 – 97.6
	No	99.6	98.0 – 99.9
MARITAL STATUS	Married	99.1	97.7 – 99.6
	Not Married	96.1	93.7 – 97.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Alcohol Consumption

Prevalence of new moms in Florida who drank alcohol before pregnancy

PRAMS Question: During the three months before you got pregnant, how many alcoholic drinks did you have in an average week? (This chart shows the prevalence of any drinking before pregnancy.)



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	52.0	48.9 – 55.1
	Non-Hisp. White	68.2	63.8 – 72.3
	Non-Hisp. Black	35.1	28.1 – 42.8
	Hispanic	40.1	34.5 – 45.9
AGE GROUP	19 & Under	31.3	22.2 – 42.2
	20-24	52.4	45.8 – 58.9
	25-34	54.4	50.0 – 58.7
	35 & Older	55.6	47.4 – 63.5
EDUCATION LEVEL	<High School	32.6	25.3 – 40.9
	H.S.	43.6	37.9 – 49.5
	>High School	63.0	58.8 – 66.9
HOUSEHOLD INCOME	<\$15,000	39.7	34.4 – 45.1
	\$15,000-\$34,999	44.3	37.9 – 50.9
	\$35,000 or More	71.6	66.8 – 76.1
MEDICAID RECIPIENT	Yes	42.7	38.6 – 47.0
	No	64.7	60.0 – 69.1
MARITAL STATUS	Married	58.2	53.9 – 62.3
	Not Married	44.8	40.2 – 49.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Alcohol Consumption

Prevalence of new moms in Florida drinking more than four alcoholic drinks in one sitting (binge drinking) before pregnancy

PRAMS Question: During the three months before you got pregnant, how many times did you drink four alcoholic drinks or more in one sitting? (This chart shows the prevalence of any binge drinking before pregnancy.)



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	24.4	21.7 – 27.4
	Non-Hisp. White	33.0	28.6 – 37.7
	Non-Hisp. Black	14.9	9.8 – 21.9
	Hispanic	18.5	14.2 – 23.8
AGE GROUP	19 & Under	18.1	10.7 – 29.0
	20-24	29.4	23.3 – 36.2
	25-34	25.3	21.5 – 29.5
	35 & Older	17.3	11.8 – 24.7
EDUCATION LEVEL	<High School	22.0	15.6 – 30.3
	H.S.	21.1	16.5 – 26.5
	>High School	27.2	23.4 – 31.4
HOUSEHOLD INCOME	<\$15,000	21.8	17.4 – 27.0
	\$15,000-\$34,999	19.6	14.6 – 25.8
	\$35,000 or More	29.0	24.3 – 34.2
MEDICAID RECIPIENT	Yes	21.6	18.1 – 25.6
	No	28.3	24.0 – 33.0
MARITAL STATUS	Married	24.0	20.4 – 28.0
	Not Married	24.9	20.8 – 29.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Alcohol Consumption

Prevalence of new moms in Florida who drank alcohol during pregnancy

PRAMS Question: During the last three months of your pregnancy, how many alcoholic drinks did you have in an average week? (This chart shows the prevalence of any drinking during pregnancy.)



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	6.1	4.8 – 7.8
RACE/ETHNICITY	Non-Hisp. White	7.6	5.5 – 10.4
	Non-Hisp. Black	5.7	3.0 – 10.6
	Hispanic	5.0	3.0 – 8.2
AGE GROUP	19 & Under	5.7	2.1 – 14.2
	20-24	3.8	1.9 – 7.1
	25-34	6.5	4.6 – 9.0
	35 & Older	9.1	5.4 – 14.7
EDUCATION LEVEL	<High School	2.4	0.8 – 7.2
	H.S.	5.3	3.2 – 8.7
	>High School	7.8	5.8 – 10.3
HOUSEHOLD INCOME	<\$15,000	5.2	3.3 – 8.3
	\$15,000-\$34,999	4.3	2.4 – 7.8
	\$35,000 or More	8.6	6.1 – 12.0
MEDICAID RECIPIENT	Yes	4.3	2.8 – 6.4
	No	8.7	6.3 – 11.7
MARITAL STATUS	Married	6.2	4.5 – 8.6
	Not Married	6.0	4.1 – 8.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Alcohol Consumption

Prevalence of new moms in Florida drinking more than four alcoholic drinks in one sitting (binge drinking) during pregnancy

PRAMS Question: During the last three months of your pregnancy, how many times did you drink four alcoholic drinks or more in one sitting? (This chart shows the prevalence of any binge drinking during pregnancy.)





MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	1.9	0.9 – 3.7
	Non-Hisp. White	3.4	1.3 – 8.4
	Non-Hisp. Black	0.3	0.1 – 1.3
	Hispanic	2.0	0.6 – 6.0
AGE GROUP	19 & Under	0.0	
	20-24	1.1	0.2 – 7.6
	25-34	2.7	1.2 – 6.0
	35 & Older	1.7	0.2 – 10.9
EDUCATION LEVEL	<High School	0.0	
	H.S.	2.4	0.8 – 6.8
	>High School	2.5	1.0 – 6.2
HOUSEHOLD INCOME	<\$15,000	1.3	0.4 – 4.1
	\$15,000-\$34,999	0.0	
	\$35,000 or More	4.6	1.7 – 11.7
MEDICAID RECIPIENT	Yes	1.2	0.5 – 3.3
	No	3.3	1.2 – 8.5
MARITAL STATUS	Married	1.8	0.6 – 5.2
	Not Married	1.9	0.8 – 4.8

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Folic Acid**Prevalence of new moms in Florida taking a multivitamin containing folic acid before becoming pregnant**

PRAMS Question: During the month before you got pregnant with your new baby, how many times a week did you take a multivitamin, a prenatal vitamin, or folic acid vitamin? Answer: I took a multivitamin at least 1 per week.

By Race/Ethnicity**By Age**

MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	41.8	38.7 – 44.9
RACE/ETHNICITY	Non-Hisp. White	49.3	44.8 – 53.8
	Non-Hisp. Black	32.7	25.9 – 40.3
	Hispanic	36.8	31.5 – 42.5
AGE GROUP	19 & Under	27.3	18.9 – 37.8
	20-24	30.5	24.7 – 37.0
	25-34	43.5	39.3 – 47.8
	35 & Older	62.4	54.3 – 69.9
EDUCATION LEVEL	<High School	28.6	21.7 – 36.7
	H.S.	29.0	24.0 – 34.7
	>High School	53.2	49.1 – 57.3
HOUSEHOLD INCOME	<\$15,000	28.6	23.9 – 33.8
	\$15,000-\$34,999	32.4	26.5 – 38.8
	\$35,000 or More	61.4	56.3 – 66.2
MEDICAID RECIPIENT	Yes	27.5	23.9 – 31.5
	No	61.2	56.5 – 65.7
MARITAL STATUS	Married	54.0	49.8 – 58.2
	Not Married	27.3	23.3 – 31.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida hearing about folic acid from a healthcare provider before becoming pregnant

PRAMS Question: Before you got pregnant with you new baby, did a doctor, nurse, or other health care worker talk with you about taking vitamins with folic acid before pregnancy? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	74.2	68.8 – 78.9
RACE/ETHNICITY	Non-Hisp. White	83.8	76.8 – 88.9
	Non-Hisp. Black	56.1	43.1 – 68.3
	Hispanic	73.2	62.6 – 81.6
AGE GROUP	19 & Under	33.3	17.2 – 54.6
	20-24	64.4	51.4 – 75.5
	25-34	78.1	70.8 – 83.9
	35 & Older	94.3	84.0 – 98.1
EDUCATION LEVEL	<High School	51.4	36.1 – 66.4
	H.S.	61.3	49.5 – 72.0
	>High School	86.0	80.3 – 90.3
HOUSEHOLD INCOME	<\$15,000	52.8	41.4 – 63.9
	\$15,000-\$34,999	72.2	58.5 – 82.7
	\$35,000 or More	88.9	82.6 – 93.1
MEDICAID RECIPIENT	Yes	55.7	46.8 – 64.3
	No	89.1	83.3 – 93.1
MARITAL STATUS	Married	81.1	74.9 – 86.1
	Not Married	61.2	51.0 – 70.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions of healthy weight before pregnancy with a healthcare worker before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about being a healthy weight before pregnancy? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	62.7	57.0 – 68.1
	Non-Hisp. White	61.4	53.2 – 69.0
	Non-Hisp. Black	58.6	45.7 – 70.5
	Hispanic	65.5	54.8 – 74.9
AGE GROUP	19 & Under	52.2	32.0 – 71.7
	20-24	70.7	58.0 – 80.8
	25-34	62.4	54.6 – 69.6
	35 & Older	58.9	45.5 – 71.1
EDUCATION LEVEL	<High School	68.7	53.1 – 80.9
	H.S.	65.5	53.6 – 75.7
	>High School	59.9	52.7 – 66.7
HOUSEHOLD INCOME	<\$15,000	64.2	52.7 – 74.4
	\$15,000-\$34,999	71.1	57.5 – 81.7
	\$35,000 or More	59.8	51.8 – 67.4
MEDICAID RECIPIENT	Yes	61.0	52.1 – 69.2
	No	63.8	56.3 – 70.7
MARITAL STATUS	Married	62.3	55.4 – 68.7
	Not Married	63.5	53.4 – 72.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about getting vaccines updated before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about getting vaccines updated before pregnancy? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	40.5	35.1 – 46.3
	Non-Hisp. White	28.9	22.1 – 36.7
	Non-Hisp. Black	52.9	40.2 – 65.2
	Hispanic	49.7	39.2 – 60.3
AGE GROUP	19 & Under	58.4	37.5 – 76.6
	20-24	54.3	41.7 – 66.4
	25-34	32.3	25.5 – 39.9
	35 & Older	40.0	27.9 – 53.5
EDUCATION LEVEL	<High School	57.2	41.8 – 71.3
	H.S.	48.4	37.0 – 60.0
	>High School	32.5	26.3 – 39.5
HOUSEHOLD INCOME	<\$15,000	56.0	44.5 – 66.9
	\$15,000-\$34,999	39.8	27.5 – 53.5
	\$35,000 or More	32.5	25.5 – 40.3
MEDICAID RECIPIENT	Yes	49.0	40.3 – 57.9
	No	33.2	26.6 – 40.6
MARITAL STATUS	Married	32.6	26.5 – 39.4
	Not Married	55.5	45.4 – 65.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about visiting a dentist or dental hygienist before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about visiting a dentist or dental hygienist before pregnancy? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	41.8	36.3 – 47.5
	Non-Hisp. White	33.3	26.1 – 41.3
	Non-Hisp. Black	40.9	29.2 – 53.9
	Hispanic	54.4	43.7 – 64.7
AGE GROUP	19 & Under	31.2	15.5 – 52.8
	20-24	44.7	32.7 – 57.5
	25-34	41.2	33.8 – 49.0
	35 & Older	45.0	32.4 – 58.3
EDUCATION LEVEL	<High School	41.0	27.0 – 56.7
	H.S.	48.4	36.9 – 60.0
	>High School	39.1	32.4 – 46.2
HOUSEHOLD INCOME	<\$15,000	40.5	29.9 – 52.1
	\$15,000-\$34,999	51.1	37.7 – 64.3
	\$35,000 or More	38.0	30.7 – 46.0
MEDICAID RECIPIENT	Yes	45.6	36.9 – 54.5
	No	38.4	31.4 – 45.8
MARITAL STATUS	Married	39.3	32.8 – 46.2
	Not Married	46.5	36.7 – 56.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about getting counseling for any genetic diseases that run in your family before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about getting counseling for any genetic diseases that run in your family? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	31.5	26.4 – 37.0
RACE/ETHNICITY	Non-Hisp. White	25.2	18.9 – 32.8
	Non-Hisp. Black	26.6	17.1 – 38.9
	Hispanic	44.4	34.1 – 55.2
AGE GROUP	19 & Under	20.2	8.4 – 41.2
	20-24	37.1	25.8 – 50.1
	25-34	26.6	20.3 – 33.9
	35 & Older	44.7	32.1 – 58.0
EDUCATION LEVEL	<High School	35.4	22.3 – 51.1
	H.S.	31.7	21.9 – 43.5
	>High School	30.3	24.2 – 37.3
HOUSEHOLD INCOME	<\$15,000	29.8	20.5 – 41.0
	\$15,000-\$34,999	36.7	24.7 – 50.5
	\$35,000 or More	29.6	22.9 – 37.3
MEDICAID RECIPIENT	Yes	32.0	24.3 – 40.7
	No	31.3	24.8 – 38.6
MARITAL STATUS	Married	29.4	23.5 – 36.1
	Not Married	35.4	26.5 – 45.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about controlling any medical conditions such as diabetes and high blood pressure before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about controlling any medical conditions such as diabetes and high blood pressure? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	34.3	29.0 – 39.9
RACE/ETHNICITY	Non-Hisp. White	24.6	18.3 – 32.2
	Non-Hisp. Black	42.8	30.9 – 55.7
	Hispanic	40.1	30.1 – 50.9
AGE GROUP	19 & Under	40.8	22.7 – 61.8
	20-24	45.9	33.6 – 58.7
	25-34	28.0	21.6 – 35.5
	35 & Older	36.1	24.3 – 49.9
EDUCATION LEVEL	<High School	39.9	26.1 – 55.6
	H.S.	51.2	39.5 – 62.7
	>High School	25.1	19.5 – 31.8
HOUSEHOLD INCOME	<\$15,000	46.7	35.6 – 58.1
	\$15,000-\$34,999	45.4	32.3 – 59.1
	\$35,000 or More	22.3	16.4 – 29.4
MEDICAID RECIPIENT	Yes	42.7	34.2 – 51.6
	No	27.7	21.5 – 34.9
MARITAL STATUS	Married	27.9	22.1 – 34.5
	Not Married	46.6	36.6 – 56.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about controlling any medical conditions such as depression or anxiety before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about getting counseling or treatment for depression or anxiety? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	20.5	16.2 – 25.6
	Non-Hisp. White	14.7	9.9 – 21.4
	Non-Hisp. Black	17.8	10.0 – 29.6
	Hispanic	31.6	22.4 – 42.5
AGE GROUP	19 & Under	19.1	7.6 – 40.5
	20-24	31.2	20.8 – 44.0
	25-34	14.6	9.9 – 21.1
	35 & Older	25.9	15.7 – 39.5
EDUCATION LEVEL	<High School	30.6	18.2 – 46.6
	H.S.	30.0	20.5 – 41.6
	>High School	13.5	9.3 – 19.1
HOUSEHOLD INCOME	<\$15,000	29.0	19.8 – 40.5
	\$15,000-\$34,999	28.3	17.8 – 41.9
	\$35,000 or More	10.5	6.5 – 16.4
MEDICAID RECIPIENT	Yes	27.4	20.3 – 36.0
	No	15.1	10.4 – 21.5
MARITAL STATUS	Married	16.7	12.0 – 22.7
	Not Married	27.8	19.7 – 37.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about the safety of using prescription or over-the-counter medicines before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about the safety of using prescription or over-the-counter medicines during pregnancy? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	63.8	58.2 – 69.1
	Non-Hisp. White	63.4	55.3 – 70.9
	Non-Hisp. Black	63.1	50.1 – 74.4
	Hispanic	64.1	53.5 – 73.5
AGE GROUP	19 & Under	67.2	45.3 – 83.5
	20-24	75.9	63.7 – 85.0
	25-34	57.3	49.5 – 64.8
	35 & Older	66.9	53.7 – 77.9
EDUCATION LEVEL	<High School	73.5	57.9 – 84.8
	H.S.	70.8	58.8 – 80.4
	>High School	58.2	51.0 – 65.1
HOUSEHOLD INCOME	<\$15,000	75.8	64.8 – 84.2
	\$15,000-\$34,999	66.6	52.6 – 78.3
	\$35,000 or More	55.6	47.6 – 63.3
MEDICAID RECIPIENT	Yes	69.7	60.9 – 77.2
	No	58.7	51.2 – 65.8
MARITAL STATUS	Married	58.7	51.7 – 65.3
	Not Married	73.5	63.6 – 81.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about how smoking during pregnancy can affect a baby before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy can affect a baby? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	67.4	62.0 – 72.5
RACE/ETHNICITY	Non-Hisp. White	57.6	49.4 – 65.4
	Non-Hisp. Black	80.3	68.2 – 88.5
	Hispanic	75.2	65.4 – 83.0
AGE GROUP	19 & Under	99.3	95.4 – 99.9
	20-24	84.0	72.8 – 91.1
	25-34	59.9	52.1 – 67.2
	35 & Older	55.1	42.0 – 67.6
EDUCATION LEVEL	<High School	93.4	82.2 – 97.7
	H.S.	81.2	70.2 – 88.8
	>High School	54.4	47.2 – 61.3
HOUSEHOLD INCOME	<\$15,000	89.8	80.5 – 95.0
	\$15,000-\$34,999	70.6	56.7 – 81.5
	\$35,000 or More	51.8	43.9 – 59.6
MEDICAID RECIPIENT	Yes	83.7	76.1 – 89.2
	No	54.0	46.6 – 61.3
MARITAL STATUS	Married	56.1	49.2 – 62.8
	Not Married	88.7	81.0 – 93.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about how drinking alcohol during pregnancy can affect a baby before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy can affect a baby? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	69.3	63.9 – 74.2
RACE/ETHNICITY	Non-Hisp. White	59.5	51.3 – 67.2
	Non-Hisp. Black	82.1	70.1 – 90.0
	Hispanic	75.6	65.7 – 83.4
AGE GROUP	19 & Under	98.7	94.7 – 99.7
	20-24	81.8	70.1 – 89.5
	25-34	63.1	55.4 – 70.2
	35 & Older	58.8	45.6 – 70.9
EDUCATION LEVEL	<High School	90.8	77.8 – 96.6
	H.S.	82.2	71.6 – 89.5
	>High School	57.7	50.5 – 64.5
HOUSEHOLD INCOME	<\$15,000	89.7	80.4 – 94.9
	\$15,000-\$34,999	74.4	60.8 – 84.5
	\$35,000 or More	55.2	47.3 – 62.9
MEDICAID RECIPIENT	Yes	83.2	75.5 – 88.8
	No	57.7	50.2 – 64.9
MARITAL STATUS	Married	58.9	51.9 – 65.4
	Not Married	88.8	81.0 – 93.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider Before Pregnancy

Prevalence of new moms in Florida having discussions with a healthcare worker about how illegal drugs during pregnancy can affect a baby before becoming pregnant

PRAMS Question: Before you got pregnant with your new baby, did a doctor, nurse, or other health care worker talk with you about how illegal drugs during pregnancy can affect a baby? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	63.9	58.3 – 69.1
	Non-Hisp. White	56.6	48.4 – 64.4
	Non-Hisp. Black	74.9	62.4 – 84.3
	Hispanic	68.8	58.4 – 77.6
AGE GROUP	19 & Under	94.1	72.2 – 99.0
	20-24	76.5	64.2 – 85.5
	25-34	57.3	49.5 – 64.7
	35 & Older	54.6	41.5 – 67.1
EDUCATION LEVEL	<High School	82.3	67.2 – 91.4
	H.S.	81.1	70.2 – 88.6
	>High School	51.1	44.0 – 58.2
HOUSEHOLD INCOME	<\$15,000	86.5	76.4 – 92.7
	\$15,000-\$34,999	66.9	53.1 – 78.3
	\$35,000 or More	48.7	40.8 – 56.6
MEDICAID RECIPIENT	Yes	78.8	70.6 – 85.2
	No	51.6	44.2 – 59.0
MARITAL STATUS	Married	52.7	45.9 – 59.5
	Not Married	85.0	76.3 – 90.9

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Physical Abuse


Prevalence of new moms in Florida who were physically abused by a husband or partner before becoming pregnant

During the 12 months before you got pregnant with your new baby, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? Answer: Yes.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	3.2	2.3 – 4.5
RACE/ETHNICITY	Non-Hisp. White	2.7	1.6 – 4.6
	Non-Hisp. Black	3.5	1.6 – 7.3
	Hispanic	3.9	2.1 – 7.0
AGE GROUP	19 & Under	4.9	2.0 – 11.6
	20-24	5.2	2.9 – 9.1
	25-34	2.4	1.4 – 4.1
	35 & Older	1.9	0.5 – 7.0
EDUCATION LEVEL	<High School	3.2	1.4 – 7.4
	H.S.	4.5	2.6 – 7.7
	>High School	2.5	1.5 – 4.2
HOUSEHOLD INCOME	<\$15,000	5.3	3.4 – 8.3
	\$15,000-\$34,999	5.0	2.7 – 8.8
	\$35,000 or More	0.4	0.1 – 1.6
MEDICAID RECIPIENT	Yes	4.7	3.2 – 6.8
	No	1.3	0.6 – 2.9
MARITAL STATUS	Married	1.5	0.8 – 3.1
	Not Married	5.2	3.5 – 7.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Physical Abuse

Prevalence of new moms in Florida who were physically abused by a husband or partner during pregnancy

PRAMS Question: During your most recent pregnancy, did your husband or partner push, hit, slap, kick, choke, or physically hurt you in any other way? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	2.7	1.9 – 4.0
RACE/ETHNICITY	Non-Hisp. White	2.2	1.2 – 3.9
	Non-Hisp. Black	4.3	2.1 – 8.5
	Hispanic	2.4	1.1 – 5.0
AGE GROUP	19 & Under	4.9	2.0 – 11.6
	20-24	3.6	1.8 – 6.9
	25-34	2.5	1.5 – 4.3
	35 & Older	0.9	0.1 – 6.2
EDUCATION LEVEL	<High School	3.1	1.3 – 7.3
	H.S.	2.5	1.2 – 5.0
	>High School	2.5	1.4 – 4.2
HOUSEHOLD INCOME	<\$15,000	4.5	2.7 – 7.4
	\$15,000-\$34,999	2.7	1.2 – 5.8
	\$35,000 or More	1.3	0.6 – 3.1
MEDICAID RECIPIENT	Yes	3.6	2.3 – 5.5
	No	1.6	0.7 – 3.3
MARITAL STATUS	Married	0.9	0.4 – 2.2
	Not Married	4.9	3.2 – 7.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

HIV Testing During Pregnancy

Prevalence of new moms in Florida tested for HIV during pregnancy

PRAMS Question: At any time during your most recent pregnancy or delivery, did you have a test for HIV (the virus that causes AIDS)? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	89.1	86.9 – 90.9
	Non-Hisp. White	86.2	82.7 – 89.1
	Non-Hisp. Black	94.7	90.1 – 97.2
	Hispanic	89.9	85.7 – 92.9
AGE GROUP	19 & Under	96.5	91.2 – 98.7
	20-24	91.1	86.4 – 94.3
	25-34	87.8	84.6 – 90.4
	35 & Older	86.0	79.2 – 90.7
EDUCATION LEVEL	<High School	92.3	86.3 – 95.8
	H.S.	92.1	88.4 – 94.7
	>High School	86.3	83.0 – 89.0
HOUSEHOLD INCOME	<\$15,000	93.4	90.1 – 95.6
	\$15,000-\$34,999	90.3	85.7 – 93.6
	\$35,000 or More	83.5	79.1 – 87.0
MEDICAID RECIPIENT	Yes	93.0	90.4 – 94.9
	No	83.9	80.0 – 87.2
MARITAL STATUS	Married	85.7	82.4 – 88.5
	Not Married	93.0	90.1 – 95.0


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

HIV Testing During Pregnancy

Prevalence of new moms in Florida having been offered a blood test for HIV during pregnancy or delivery but turned down the HIV test

PRAMS Question: Were you offered an HIV test during your most recent pregnancy or delivery? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	39.2	31.6 – 47.4
RACE/ETHNICITY	Non-Hisp. White	45.2	34.8 – 56.1
	Non-Hisp. Black	^	
	Hispanic	28.2	17.0 – 42.9
AGE GROUP	19 & Under	^	
	20-24	47.4	28.4 – 67.1
	25-34	37.5	28.1 – 47.9
	35 & Older	32.8	17.6 – 52.8
EDUCATION LEVEL	<High School	^	
	H.S.	29.2	16.2 – 46.9
	>High School	39.7	30.5 – 49.7
HOUSEHOLD INCOME	<\$15,000	25.9	14.1 – 42.5
	\$15,000-\$34,999	56.4	38.8 – 72.6
	\$35,000 or More	35.7	25.5 – 47.4
MEDICAID RECIPIENT	Yes	41.7	30.0 – 54.4
	No	37.2	27.7 – 47.9
MARITAL STATUS	Married	41.0	31.9 – 50.7
	Not Married	35.1	22.4 – 50.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida having a close family member hospitalized during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did a close family member become very sick and have to go into the hospital? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	24.4	21.8 – 27.3
	Non-Hisp. White	27.9	24.0 – 32.1
	Non-Hisp. Black	27.9	21.4 – 35.5
	Hispanic	19.0	14.9 – 24.0
AGE GROUP	19 & Under	36.2	26.5 – 47.2
	20-24	24.0	18.8 – 30.1
	25-34	23.0	19.6 – 26.9
	35 & Older	23.1	17.0 – 30.6
EDUCATION LEVEL	<High School	26.4	19.6 – 34.5
	H.S.	23.8	19.1 – 29.2
	>High School	24.0	20.6 – 27.7
HOUSEHOLD INCOME	<\$15,000	27.2	22.6 – 32.4
	\$15,000-\$34,999	19.0	14.4 – 24.7
	\$35,000 or More	26.1	21.9 – 30.9
MEDICAID RECIPIENT	Yes	25.2	21.6 – 29.1
	No	23.3	19.6 – 27.5
MARITAL STATUS	Married	24.1	20.7 – 27.9
	Not Married	24.9	21.0 – 29.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida going through a divorce or separation during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, were you separated or divorced from your husband or partner? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	10.1	8.4 – 12.2
RACE/ETHNICITY	Non-Hisp. White	7.2	5.2 – 9.8
	Non-Hisp. Black	13.0	8.5 – 19.3
	Hispanic	12.8	9.4 – 17.3
AGE GROUP	19 & Under	9.2	4.5 – 17.7
	20-24	14.7	10.5 – 20.1
	25-34	9.4	7.1 – 12.3
	35 & Older	6.2	3.2 – 11.8
EDUCATION LEVEL	<High School	10.1	6.0 – 16.6
	H.S.	12.7	9.2 – 17.4
	>High School	8.6	6.6 – 11.3
HOUSEHOLD INCOME	<\$15,000	16.4	12.6 – 20.9
	\$15,000-\$34,999	10.5	7.1 – 15.2
	\$35,000 or More	3.3	1.9 – 5.6
MEDICAID RECIPIENT	Yes	14.2	11.4 – 17.5
	No	4.8	3.1 – 7.3
MARITAL STATUS	Married	5.4	3.8 – 7.7
	Not Married	15.8	12.6 – 19.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida who have had a change of home address during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did you move to a new address? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	37.8	34.8 – 40.9
RACE/ETHNICITY	Non-Hisp. White	41.3	36.9 – 45.8
	Non-Hisp. Black	33.3	26.4 – 40.9
	Hispanic	35.5	30.1 – 41.3
AGE GROUP	19 & Under	42.3	32.1 – 53.1
	20-24	49.8	43.2 – 56.4
	25-34	35.1	31.1 – 39.3
	35 & Older	26.0	19.6 – 33.7
EDUCATION LEVEL	<High School	40.7	32.8 – 49.1
	H.S.	42.3	36.6 – 48.3
	>High School	34.5	30.7 – 38.6
HOUSEHOLD INCOME	<\$15,000	45.8	40.4 – 51.2
	\$15,000-\$34,999	40.6	34.3 – 47.2
	\$35,000 or More	28.8	24.4 – 33.6
MEDICAID RECIPIENT	Yes	45.0	40.8 – 49.2
	No	28.5	24.5 – 33.0
MARITAL STATUS	Married	31.4	27.6 – 35.4
	Not Married	45.5	40.8 – 50.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida who were homeless during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, were you homeless? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	3.9	2.9 – 5.4
RACE/ETHNICITY	Non-Hisp. White	1.5	0.7 – 3.1
	Non-Hisp. Black	5.3	2.8 – 9.8
	Hispanic	7.1	4.6 – 10.9
AGE GROUP	19 & Under	6.7	2.8 – 15.5
	20-24	3.3	1.7 – 6.5
	25-34	4.5	3.0 – 6.8
	35 & Older	1.2	0.3 – 5.3
EDUCATION LEVEL	<High School	8.4	4.7 – 14.5
	H.S.	5.2	3.1 – 8.6
	>High School	2.0	1.1 – 3.5
HOUSEHOLD INCOME	<\$15,000	7.6	5.2 – 11.1
	\$15,000-\$34,999	2.9	1.3 – 6.2
	\$35,000 or More	0.7	0.2 – 2.6
MEDICAID RECIPIENT	Yes	5.8	4.1 – 8.2
	No	1.5	0.7 – 3.4
MARITAL STATUS	Married	2.5	1.4 – 4.3
	Not Married	5.7	3.8 – 8.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida having an unemployed husband or partner during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did your husband or partner lose his job? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	19.6	17.1 – 22.2
	Non-Hisp. White	18.8	15.5 – 22.5
	Non-Hisp. Black	14.1	9.5 – 20.4
	Hispanic	23.9	19.2 – 29.3
AGE GROUP	19 & Under	20.6	13.2 – 30.6
	20-24	21.7	16.7 – 27.8
	25-34	17.8	14.7 – 21.3
	35 & Older	22.0	15.8 – 29.7
EDUCATION LEVEL	<High School	27.4	20.6 – 35.6
	H.S.	20.4	16.0 – 25.7
	>High School	16.8	13.9 – 20.1
HOUSEHOLD INCOME	<\$15,000	28.7	23.9 – 33.9
	\$15,000-\$34,999	19.7	15.0 – 25.5
	\$35,000 or More	11.6	8.8 – 15.3
MEDICAID RECIPIENT	Yes	24.5	21.0 – 28.4
	No	13.0	10.1 – 16.6
MARITAL STATUS	Married	17.8	14.8 – 21.4
	Not Married	21.6	18.0 – 25.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida who were unemployed during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did you lose your job even though you wanted to go on working? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	15.4	13.2 – 17.9
RACE/ETHNICITY	Non-Hisp. White	13.2	10.4 – 16.5
	Non-Hisp. Black	15.6	10.8 – 22.2
	Hispanic	18.8	14.6 – 23.9
AGE GROUP	19 & Under	15.6	9.1 – 25.4
	20-24	20.8	15.9 – 26.8
	25-34	13.3	10.6 – 16.7
	35 & Older	14.0	9.2 – 20.6
EDUCATION LEVEL	<High School	15.6	10.4 – 22.8
	H.S.	21.3	16.8 – 26.7
	>High School	12.1	9.6 – 15.1
HOUSEHOLD INCOME	<\$15,000	25.2	20.7 – 30.3
	\$15,000-\$34,999	12.1	8.5 – 17.1
	\$35,000 or More	7.2	4.9 – 10.4
MEDICAID RECIPIENT	Yes	21.5	18.2 – 25.2
	No	7.4	5.2 – 10.4
MARITAL STATUS	Married	11.2	8.7 – 14.3
	Not Married	20.3	16.8 – 24.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida experiencing excessive arguing with a husband or partner during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did you argue with your husband or partner more than usual? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	27.3	24.5 – 30.2
	Non-Hisp. White	22.6	19.1 – 26.6
	Non-Hisp. Black	40.9	33.5 – 48.7
	Hispanic	27.6	22.7 – 33.1
AGE GROUP	19 & Under	35.5	25.7 – 46.6
	20-24	37.1	30.9 – 43.8
	25-34	23.6	20.1 – 27.4
	35 & Older	20.2	14.4 – 27.5
EDUCATION LEVEL	<High School	31.3	24.1 – 39.6
	H.S.	28.8	23.6 – 34.5
	>High School	25.1	21.6 – 28.8
HOUSEHOLD INCOME	<\$15,000	34.6	29.6 – 40.1
	\$15,000-\$34,999	27.1	21.7 – 33.4
	\$35,000 or More	19.1	15.4 – 23.4
MEDICAID RECIPIENT	Yes	32.1	28.3 – 36.3
	No	20.9	17.3 – 25.1
MARITAL STATUS	Married	21.8	18.4 – 25.5
	Not Married	33.8	29.4 – 38.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida experiencing open admission of unwanted pregnancy by a husband or partner during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did your husband or partner say that he did not want you to be pregnant? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	9.1	7.4 – 11.1
	Non-Hisp. White	7.3	5.3 – 9.9
	Non-Hisp. Black	7.4	4.3 – 12.4
	Hispanic	11.7	8.4 – 16.1
AGE GROUP	19 & Under	12.1	6.7 – 20.7
	20-24	14.3	10.2 – 19.7
	25-34	7.4	5.4 – 10.0
	35 & Older	5.1	2.5 – 10.3
EDUCATION LEVEL	<High School	7.4	4.1 – 13.0
	H.S.	12.1	8.7 – 16.7
	>High School	7.9	5.9 – 10.4
HOUSEHOLD INCOME	<\$15,000	13.8	10.4 – 18.1
	\$15,000-\$34,999	8.0	5.1 – 12.3
	\$35,000 or More	5.0	3.2 – 7.8
MEDICAID RECIPIENT	Yes	10.8	8.4 – 13.8
	No	6.7	4.7 – 9.6
MARITAL STATUS	Married	4.8	3.3 – 7.0
	Not Married	14.1	11.1 – 17.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida experiencing financial difficulties during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did you have a lot of bills you could not pay? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	28.7	25.9 – 31.7
	Non-Hisp. White	23.6	20.0 – 27.6
	Non-Hisp. Black	33.2	26.3 – 41.0
	Hispanic	34.7	29.4 – 40.4
AGE GROUP	19 & Under	19.3	11.9 – 29.6
	20-24	33.5	27.5 – 40.0
	25-34	28.5	24.7 – 32.6
	35 & Older	27.8	21.1 – 35.7
EDUCATION LEVEL	<High School	26.2	19.5 – 34.3
	H.S.	35.3	29.8 – 41.2
	>High School	25.9	22.4 – 29.7
HOUSEHOLD INCOME	<\$15,000	39.5	34.3 – 45.0
	\$15,000-\$34,999	31.4	25.7 – 37.9
	\$35,000 or More	15.8	12.4 – 19.9
MEDICAID RECIPIENT	Yes	37.5	33.5 – 41.8
	No	17.2	13.9 – 21.1
MARITAL STATUS	Married	24.4	20.9 – 28.3
	Not Married	33.9	29.5 – 38.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida involved in a physical fight during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, were you in a physical fight? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	4.6	3.4 – 6.3
RACE/ETHNICITY	Non-Hisp. White	1.7	0.9 – 3.4
	Non-Hisp. Black	8.3	5.0 – 13.6
	Hispanic	7.0	4.4 – 10.9
AGE GROUP	19 & Under	11.3	5.8 – 21.0
	20-24	4.9	2.7 – 8.7
	25-34	3.9	2.5 – 6.0
	35 & Older	3.0	1.0 – 8.3
EDUCATION LEVEL	<High School	8.7	4.9 – 15.0
	H.S.	5.9	3.6 – 9.6
	>High School	2.7	1.7 – 4.5
HOUSEHOLD INCOME	<\$15,000	8.3	5.7 – 11.9
	\$15,000-\$34,999	5.6	3.1 – 9.8
	\$35,000 or More	1.0	0.4 – 3.0
MEDICAID RECIPIENT	Yes	7.1	5.2 – 9.8
	No	1.3	0.6 – 2.9
MARITAL STATUS	Married	1.4	0.7 – 2.9
	Not Married	8.5	6.1 – 11.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of maternal or paternal incarceration during the 12-month prenatal period in Florida

PRAMS Question: During the 12 months before your new baby was born, did your husband or partner or yourself go to jail?
 Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	6.8	5.3 – 8.6
	Non-Hisp. White	5.8	4.0 – 8.3
	Non-Hisp. Black	9.7	5.9 – 15.5
	Hispanic	6.3	4.0 – 9.9
AGE GROUP	19 & Under	11.6	6.2 – 20.9
	20-24	12.0	8.2 – 17.2
	25-34	5.0	3.4 – 7.2
	35 & Older	2.0	0.6 – 7.0
EDUCATION LEVEL	<High School	11.2	6.8 – 17.8
	H.S.	8.9	6.0 – 12.9
	>High School	4.3	2.9 – 6.3
HOUSEHOLD INCOME	<\$15,000	13.2	9.8 – 17.4
	\$15,000-\$34,999	5.2	3.0 – 8.9
	\$35,000 or More	2.1	1.0 – 4.2
MEDICAID RECIPIENT	Yes	10.7	8.3 – 13.7
	No	1.5	0.7 – 3.2
MARITAL STATUS	Married	3.6	2.3 – 5.7
	Not Married	10.5	7.9 – 13.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida having a very close acquaintance experience substance abuse during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did someone very close to you have a problem with drinking or drugs? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	13.3	11.3 – 15.5
	Non-Hisp. White	17.2	14.0 – 20.8
	Non-Hisp. Black	12.7	8.3 – 19.0
	Hispanic	9.5	6.6 – 13.6
AGE GROUP	19 & Under	22.4	14.6 – 32.7
	20-24	21.0	16.1 – 26.9
	25-34	9.4	7.2 – 12.2
	35 & Older	9.4	5.6 – 15.3
EDUCATION LEVEL	<High School	18.1	12.6 – 25.4
	H.S.	15.3	11.6 – 20.0
	>High School	10.4	8.1 – 13.2
HOUSEHOLD INCOME	<\$15,000	20.6	16.6 – 25.4
	\$15,000-\$34,999	10.0	6.7 – 14.5
	\$35,000 or More	8.9	6.4 – 12.2
MEDICAID RECIPIENT	Yes	17.1	14.1 – 20.5
	No	8.3	6.0 – 11.2
MARITAL STATUS	Married	9.2	7.0 – 12.0
	Not Married	18.1	14.7 – 22.0


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Stress and Pregnancy

Prevalence of new moms in Florida experiencing the death of a very close acquaintance during the 12-month prenatal period

PRAMS Question: During the 12 months before your new baby was born, did someone very close to you die? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	16.2	13.9 – 18.6
	Non-Hisp. White	14.5	11.7 – 18.0
	Non-Hisp. Black	24.6	18.4 – 32.1
	Hispanic	14.7	11.1 – 19.3
AGE GROUP	19 & Under	26.1	17.5 – 37.0
	20-24	18.3	13.7 – 24.0
	25-34	14.1	11.3 – 17.4
	35 & Older	14.3	9.5 – 21.0
EDUCATION LEVEL	<High School	18.9	13.1 – 26.4
	H.S.	17.4	13.3 – 22.4
	>High School	14.7	12.0 – 17.9
HOUSEHOLD INCOME	<\$15,000	19.5	15.5 – 24.3
	\$15,000-\$34,999	13.8	9.9 – 18.9
	\$35,000 or More	13.1	10.0 – 16.9
MEDICAID RECIPIENT	Yes	18.9	15.8 – 22.6
	No	12.6	9.8 – 16.0
MARITAL STATUS	Married	13.7	11.0 – 16.9
	Not Married	19.1	15.6 – 23.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity Before Pregnancy

Prevalence of new moms in Florida diagnosed with Type 1 or Type 2 diabetes

PRAMS Question: Before you got pregnant with your new baby, were you ever told by a doctor, nurse, or other health care worker that you had Type 1 or Type 2 diabetes? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	3.0	2.1 – 4.4
RACE/ETHNICITY	Non-Hisp. White	1.9	1.0 – 3.6
	Non-Hisp. Black	7.0	3.9 – 12.2
	Hispanic	2.0	0.9 – 4.6
AGE GROUP	19 & Under	3.3	1.0 – 10.8
	20-24	2.1	0.8 – 5.1
	25-34	3.1	1.9 – 5.0
	35 & Older	4.1	1.8 – 9.3
EDUCATION LEVEL	<High School	4.3	1.9 – 9.1
	H.S.	3.7	2.0 – 6.8
	>High School	2.3	1.3 – 3.9
HOUSEHOLD INCOME	<\$15,000	2.7	1.4 – 5.2
	\$15,000-\$34,999	3.3	1.6 – 7.0
	\$35,000 or More	2.3	1.2 – 4.5
MEDICAID RECIPIENT	Yes	3.0	1.8 – 4.9
	No	3.1	1.8 – 5.3
MARITAL STATUS	Married	3.4	2.1 – 5.4
	Not Married	2.6	1.4 – 4.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity Before Pregnancy

Prevalence of new moms in Florida having asthma during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have asthma? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	7.6	6.1 – 9.4
RACE/ETHNICITY	Non-Hisp. White	7.8	5.7 – 10.6
	Non-Hisp. Black	13.4	9.0 – 19.5
	Hispanic	5.1	3.1 – 8.4
AGE GROUP	19 & Under	21.7	14.0 – 32.1
	20-24	6.5	4.0 – 10.4
	25-34	7.1	5.2 – 9.7
	35 & Older	2.0	0.7 – 5.4
EDUCATION LEVEL	<High School	9.4	5.7 – 15.2
	H.S.	8.6	5.8 – 12.6
	>High School	6.4	4.6 – 8.8
HOUSEHOLD INCOME	<\$15,000	9.6	6.9 – 13.3
	\$15,000-\$34,999	4.3	2.3 – 7.7
	\$35,000 or More	6.6	4.4 – 9.7
MEDICAID RECIPIENT	Yes	8.8	6.7 – 11.5
	No	6.0	4.1 – 8.7
MARITAL STATUS	Married	6.3	4.5 – 8.7
	Not Married	9.1	6.7 – 12.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity Before Pregnancy

Prevalence of new moms in Florida having high blood pressure (hypertension) during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have high blood pressure (hypertension)? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	5.1	3.9 – 6.7
RACE/ETHNICITY	Non-Hisp. White	4.5	3.0 – 6.8
	Non-Hisp. Black	11.9	7.6 – 18.1
	Hispanic	3.0	1.5 – 5.7
AGE GROUP	19 & Under	8.3	3.9 – 16.6
	20-24	4.9	2.6 – 8.9
	25-34	3.6	2.3 – 5.6
	35 & Older	9.1	5.3 – 15.2
EDUCATION LEVEL	<High School	7.5	4.2 – 13.2
	H.S.	5.5	3.3 – 9.0
	>High School	4.0	2.6 – 5.9
HOUSEHOLD INCOME	<\$15,000	7.7	5.2 – 11.2
	\$15,000-\$34,999	3.3	1.6 – 6.5
	\$35,000 or More	3.4	1.9 – 5.8
MEDICAID RECIPIENT	Yes	5.6	4.0 – 8.0
	No	4.5	2.8 – 7.0
MARITAL STATUS	Married	5.0	3.4 – 7.1
	Not Married	5.3	3.5 – 8.0


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity Before Pregnancy

Prevalence of new moms in Florida having anemia (poor blood, low iron) during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have anemia (poor blood, low iron)? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	11.8	10.0 – 14.0
RACE/ETHNICITY	Non-Hisp. White	8.9	6.7 – 11.8
	Non-Hisp. Black	24.5	18.4 – 31.7
	Hispanic	9.9	6.9 – 13.9
AGE GROUP	19 & Under	24.7	16.5 – 35.1
	20-24	14.0	10.0 – 19.3
	25-34	9.7	7.4 – 12.6
	35 & Older	8.1	4.7 – 13.6
EDUCATION LEVEL	<High School	18.3	12.7 – 25.6
	H.S.	14.6	10.9 – 19.3
	>High School	8.0	6.1 – 10.5
HOUSEHOLD INCOME	<\$15,000	17.8	14.0 – 22.4
	\$15,000-\$34,999	11.5	7.9 – 16.5
	\$35,000 or More	6.2	4.2 – 9.1
MEDICAID RECIPIENT	Yes	15.7	12.8 – 19.0
	No	6.7	4.7 – 9.5
MARITAL STATUS	Married	6.7	4.9 – 9.0
	Not Married	17.9	14.5 – 21.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity Before Pregnancy

Prevalence of new moms in Florida having heart problems during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have heart problems? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	1.1	0.7 – 1.9
RACE/ETHNICITY	Non-Hisp. White	1.7	0.9 – 3.4
	Non-Hisp. Black	0.6	0.3 – 1.3
	Hispanic	0.5	0.1 – 1.9
AGE GROUP	19 & Under	1.4	0.3 – 6.5
	20-24	1.5	0.6 – 4.0
	25-34	0.8	0.3 – 1.8
	35 & Older	1.8	0.6 – 5.4
EDUCATION LEVEL	<High School	1.0	0.3 – 3.6
	H.S.	0.5	0.1 – 1.9
	>High School	1.5	0.8 – 3.0
HOUSEHOLD INCOME	<\$15,000	0.7	0.3 – 2.2
	\$15,000-\$34,999	0.7	0.2 – 2.5
	\$35,000 or More	1.4	0.6 – 3.1
MEDICAID RECIPIENT	Yes	1.0	0.5 – 2.1
	No	1.3	0.6 – 2.9
MARITAL STATUS	Married	1.7	0.9 – 3.1
	Not Married	0.5	0.2 – 1.3

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity Before Pregnancy

Prevalence of new moms in Florida having epilepsy during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have epilepsy (seizures)?

Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	0.8	0.4 – 1.6
	Non-Hisp. White	1.4	0.7 – 3.0
	Non-Hisp. Black	1.0	0.2 – 4.6
	Hispanic	0.0	
AGE GROUP	19 & Under	2.7	0.7 – 9.8
	20-24	0.4	0.1 – 3.0
	25-34	0.9	0.4 – 2.0
	35 & Older	0.0	
EDUCATION LEVEL	<High School	1.6	0.4 – 5.8
	H.S.	0.7	0.2 – 2.5
	>High School	0.6	0.2 – 1.8
HOUSEHOLD INCOME	<\$15,000	1.0	0.4 – 2.9
	\$15,000-\$34,999	0.6	0.2 – 2.6
	\$35,000 or More	0.6	0.1 – 2.3
MEDICAID RECIPIENT	Yes	0.9	0.4 – 2.1
	No	0.7	0.2 – 2.2
MARITAL STATUS	Married	1.0	0.4 – 2.2
	Not Married	0.6	0.2 – 2.0


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity Before Pregnancy

Prevalence of new moms in Florida having thyroid problems during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have thyroid problems? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	3.4	2.5 – 4.7
RACE/ETHNICITY	Non-Hisp. White	5.7	3.9 – 8.2
	Non-Hisp. Black	0.3	0.1 – 0.9
	Hispanic	1.7	0.8 – 3.7
AGE GROUP	19 & Under	2.3	0.6 – 8.3
	20-24	1.5	0.5 – 4.5
	25-34	3.5	2.2 – 5.3
	35 & Older	7.0	3.9 – 12.3
EDUCATION LEVEL	<High School	3.5	1.6 – 7.6
	H.S.	1.6	0.7 – 3.8
	>High School	4.5	3.1 – 6.5
HOUSEHOLD INCOME	<\$15,000	1.9	0.9 – 4.1
	\$15,000-\$34,999	1.9	0.8 – 4.3
	\$35,000 or More	5.9	3.9 – 8.8
MEDICAID RECIPIENT	Yes	1.6	0.8 – 2.9
	No	5.9	4.1 – 8.5
MARITAL STATUS	Married	5.4	3.8 – 7.6
	Not Married	1.1	0.5 – 2.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity Before Pregnancy

Prevalence of new moms in Florida having depression during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have depression? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	8.2	6.6 – 10.1
RACE/ETHNICITY	Non-Hisp. White	9.6	7.3 – 12.6
	Non-Hisp. Black	6.4	3.5 – 11.4
	Hispanic	7.8	5.1 – 11.7
AGE GROUP	19 & Under	13.8	7.8 – 23.2
	20-24	9.1	6.0 – 13.8
	25-34	7.2	5.3 – 9.8
	35 & Older	6.9	3.7 – 12.5
EDUCATION LEVEL	<High School	12.7	8.1 – 19.4
	H.S.	10.7	7.6 – 14.9
	>High School	5.4	3.8 – 7.6
HOUSEHOLD INCOME	<\$15,000	11.7	8.6 – 15.6
	\$15,000-\$34,999	6.4	3.8 – 10.6
	\$35,000 or More	4.7	2.9 – 7.4
MEDICAID RECIPIENT	Yes	9.9	7.6 – 12.7
	No	6.1	4.1 – 8.9
MARITAL STATUS	Married	5.6	3.9 – 7.8
	Not Married	11.3	8.6 – 14.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity Before Pregnancy

Prevalence of new moms in Florida having anxiety during the 3-month prenatal period

PRAMS Question: During the 3 months before you got pregnant with your new baby, did you have anxiety? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	10.2	8.5 – 12.3
RACE/ETHNICITY	Non-Hisp. White	14.9	12.0 – 18.5
	Non-Hisp. Black	3.6	1.5 – 8.1
	Hispanic	7.7	5.1 – 11.5
AGE GROUP	19 & Under	13.0	7.3 – 21.9
	20-24	10.8	7.4 – 15.6
	25-34	9.1	7.0 – 11.9
	35 & Older	11.7	7.4 – 18.1
EDUCATION LEVEL	<High School	9.6	5.8 – 15.4
	H.S.	12.6	9.2 – 16.9
	>High School	9.1	6.9 – 11.8
HOUSEHOLD INCOME	<\$15,000	11.1	8.3 – 14.8
	\$15,000-\$34,999	7.9	5.0 – 12.4
	\$35,000 or More	9.7	7.0 – 13.2
MEDICAID RECIPIENT	Yes	9.9	7.7 – 12.6
	No	10.8	8.1 – 14.2
MARITAL STATUS	Married	9.9	7.7 – 12.7
	Not Married	10.6	8.1 – 13.9

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth History


Prevalence of new moms in Florida having previous live births

PRAMS Question: Before you got pregnant with your new baby, did you ever have any other babies who were born alive?
 Answer: Yes.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	53.5	50.4 – 56.7
RACE/ETHNICITY	Non-Hisp. White	47.8	43.3 – 52.3
	Non-Hisp. Black	59.7	51.9 – 67.0
	Hispanic	57.2	51.4 – 62.8
AGE GROUP	19 & Under	20.6	13.0 – 30.9
	20-24	39.4	33.1 – 46.1
	25-34	61.2	56.9 – 65.3
	35 & Older	68.7	60.9 – 75.7
EDUCATION LEVEL	<High School	60.0	51.7 – 67.8
	H.S.	55.8	49.8 – 61.6
	>High School	50.2	46.0 – 54.4
HOUSEHOLD INCOME	<\$15,000	52.8	47.3 – 58.3
	\$15,000-\$34,999	57.5	50.9 – 63.9
	\$35,000 or More	52.4	47.3 – 57.5
MEDICAID RECIPIENT	Yes	56.7	52.4 – 60.8
	No	49.1	44.4 – 53.8
MARITAL STATUS	Married	58.4	54.2 – 62.5
	Not Married	47.9	43.1 – 52.6

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth History


Prevalence of new moms in Florida having a previous normal birth weight infant

PRAMS Question: Did the baby born just before your new one weigh more than five pounds, eight ounces (2,500 kilos) at birth? Answer: Yes.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	88.8	85.9 – 91.2
RACE/ETHNICITY	Non-Hisp. White	92.3	88.3 – 95.0
	Non-Hisp. Black	85.0	77.0 – 90.5
	Hispanic	86.8	80.8 – 91.1
AGE GROUP	19 & Under	^	
	20-24	85.1	76.3 – 91.0
	25-34	90.0	86.2 – 92.8
	35 & Older	88.2	80.3 – 93.2
EDUCATION LEVEL	<High School	88.8	81.0 – 93.7
	H.S.	87.4	81.4 – 91.7
	>High School	89.7	85.6 – 92.8
HOUSEHOLD INCOME	<\$15,000	84.3	78.4 – 88.8
	\$15,000-\$34,999	92.7	87.0 – 96.0
	\$35,000 or More	91.8	87.0 – 94.9
MEDICAID RECIPIENT	Yes	86.0	81.8 – 89.4
	No	93.0	88.8 – 95.7
MARITAL STATUS	Married	89.3	85.4 – 92.2
	Not Married	88.1	83.1 – 91.7

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth History


Prevalence of new moms in Florida having a previous premature birth

PRAMS Question: Was the baby just before your new one born more than 3 weeks before his or her due date? Answer: Yes.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	13.3	10.7 – 16.4
RACE/ETHNICITY	Non-Hisp. White	11.3	7.9 – 16.0
	Non-Hisp. Black	15.9	10.2 – 23.9
	Hispanic	14.0	9.6 – 19.9
AGE GROUP	19 & Under	^	
	20-24	18.9	11.9 – 28.5
	25-34	11.7	8.7 – 15.5
	35 & Older	11.6	6.9 – 18.9
EDUCATION LEVEL	<High School	11.0	6.1 – 18.9
	H.S.	14.0	9.6 – 20.1
	>High School	13.8	10.3 – 18.3
HOUSEHOLD INCOME	<\$15,000	15.7	11.1 – 21.8
	\$15,000-\$34,999	9.4	5.7 – 15.2
	\$35,000 or More	13.5	9.4 – 19.2
MEDICAID RECIPIENT	Yes	13.6	10.3 – 17.7
	No	13.1	9.2 – 18.3
MARITAL STATUS	Married	12.6	9.5 – 16.7
	Not Married	14.3	10.3 – 19.6

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth History


Prevalence of new moms in Florida having a previous cesarean delivery

PRAMS Question: Before you had your new baby, did you ever have a baby by cesarean delivery or c-section (when a doctor cuts through the mother's belly to bring out the baby)? Answer: Yes.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS

MEASURE 95% CI

ALL	Overall	35.7	31.6 – 40.0
RACE/ETHNICITY	Non-Hisp. White	34.5	28.6 – 41.1
	Non-Hisp. Black	36.1	27.0 – 46.3
	Hispanic	35.8	28.8 – 43.5
AGE GROUP	19 & Under	^	
	20-24	35.9	26.2 – 46.8
	25-34	34.4	29.2 – 39.9
	35 & Older	37.0	28.1 – 46.9
EDUCATION LEVEL	<High School	43.4	33.0 – 54.4
	H.S.	31.0	24.2 – 38.7
	>High School	35.7	30.2 – 41.7
HOUSEHOLD INCOME	<\$15,000	39.6	32.4 – 47.2
	\$15,000-\$34,999	31.5	23.8 – 40.4
	\$35,000 or More	35.7	29.1 – 42.8
MEDICAID RECIPIENT	Yes	35.9	30.5 – 41.5
	No	35.8	29.6 – 42.5
MARITAL STATUS	Married	36.5	31.3 – 42.1
	Not Married	34.5	28.2 – 41.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Pregnancy Intent

Prevalence of new moms in Florida with unintended pregnancies

PRAMS Question: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? Answer: I wanted to be pregnant later, or I did not want to be pregnant then or at any time in the future.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	47.1	43.9 – 50.2
	Non-Hisp. White	39.0	34.7 – 43.5
	Non-Hisp. Black	64.7	57.0 – 71.6
	Hispanic	49.2	43.5 – 55.1
AGE GROUP	19 & Under	84.4	74.7 – 90.8
	20-24	63.7	57.2 – 69.8
	25-34	39.9	35.7 – 44.2
	35 & Older	22.3	16.2 – 29.8
EDUCATION LEVEL	<High School	56.6	48.0 – 64.7
	H.S.	59.5	53.6 – 65.1
	>High School	36.8	32.9 – 40.9
HOUSEHOLD INCOME	<\$15,000	61.5	56.0 – 66.7
	\$15,000-\$34,999	52.4	45.7 – 59.0
	\$35,000 or More	28.6	24.1 – 33.4
MEDICAID RECIPIENT	Yes	60.3	56.1 – 64.4
	No	29.2	25.1 – 33.7
MARITAL STATUS	Married	33.6	29.7 – 37.7
	Not Married	62.7	58.0 – 67.2

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Pregnancy Intent


Prevalence of new moms in Florida with mistimed pregnancies

PRAMS Question: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? Answer: I wanted to be pregnant later.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	36.7	33.7 – 39.8
	Non-Hisp. White	30.4	26.4 – 34.7
	Non-Hisp. Black	45.8	38.2 – 53.6
	Hispanic	40.8	35.2 – 46.6
AGE GROUP	19 & Under	70.4	59.6 – 79.3
	20-24	54.2	47.6 – 60.7
	25-34	30.7	26.8 – 34.8
	35 & Older	8.6	5.0 – 14.3
EDUCATION LEVEL	<High School	42.1	34.0 – 50.6
	H.S.	46.9	41.1 – 52.8
	>High School	29.1	25.5 – 33.1
HOUSEHOLD INCOME	<\$15,000	48.2	42.8 – 53.8
	\$15,000-\$34,999	43.5	37.0 – 50.2
	\$35,000 or More	20.6	16.7 – 25.1
MEDICAID RECIPIENT	Yes	47.0	42.8 – 51.3
	No	22.7	18.9 – 26.9
MARITAL STATUS	Married	26.1	22.5 – 30.0
	Not Married	49.0	44.2 – 53.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Pregnancy Intent

Prevalence of new moms in Florida with unwanted pregnancies

PRAMS Question: Thinking back to just before you got pregnant with your new baby, how did you feel about becoming pregnant? Answer: I didn't want to be pregnant then or at any time in the future.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	10.4	8.6 – 12.5
RACE/ETHNICITY	Non-Hisp. White	8.6	6.4 – 11.5
	Non-Hisp. Black	18.9	13.5 – 25.8
	Hispanic	8.5	5.7 – 12.3
AGE GROUP	19 & Under	14.0	7.9 – 23.5
	20-24	9.5	6.2 – 14.2
	25-34	9.3	7.0 – 12.1
	35 & Older	13.7	8.9 – 20.4
EDUCATION LEVEL	<High School	14.5	9.4 – 21.6
	H.S.	12.6	9.2 – 16.9
	>High School	7.7	5.7 – 10.2
HOUSEHOLD INCOME	<\$15,000	13.3	9.9 – 17.5
	\$15,000-\$34,999	8.9	5.9 – 13.4
	\$35,000 or More	7.9	5.5 – 11.2
MEDICAID RECIPIENT	Yes	13.3	10.7 – 16.5
	No	6.5	4.5 – 9.3
MARITAL STATUS	Married	7.5	5.5 – 10.1
	Not Married	13.7	10.8 – 17.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Pregnancy Intent

Prevalence of new moms in Florida not trying to get pregnant

PRAMS Question: When you got pregnant with your new baby, were you trying to get pregnant? Answer: No.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	56.6	53.5 – 59.6
	Non-Hisp. White	48.9	44.4 – 53.4
	Non-Hisp. Black	78.0	71.1 – 83.7
	Hispanic	56.6	50.9 – 62.3
AGE GROUP	19 & Under	87.6	78.4 – 93.2
	20-24	70.5	64.1 – 76.2
	25-34	51.5	47.3 – 55.8
	35 & Older	33.6	26.4 – 41.7
EDUCATION LEVEL	<High School	70.6	62.3 – 77.7
	H.S.	70.2	64.6 – 75.3
	>High School	44.3	40.3 – 48.5
HOUSEHOLD INCOME	<\$15,000	74.5	69.5 – 79.0
	\$15,000-\$34,999	64.2	57.6 – 70.3
	\$35,000 or More	34.1	29.4 – 39.1
MEDICAID RECIPIENT	Yes	71.4	67.4 – 75.1
	No	36.4	32.0 – 41.1
MARITAL STATUS	Married	39.7	35.6 – 43.9
	Not Married	76.4	72.1 – 80.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth Control Use at the Time of Conception

Prevalence of new moms in Florida using an ineffective method of birth control at time of conception

PRAMS Question: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	50.3	46.1 – 54.6
RACE/ETHNICITY	Non-Hisp. White	46.7	40.3 – 53.1
	Non-Hisp. Black	45.6	37.1 – 54.4
	Hispanic	58.0	50.2 – 65.5
AGE GROUP	19 & Under	50.2	38.8 – 61.6
	20-24	53.2	45.3 – 61.0
	25-34	47.5	41.4 – 53.6
	35 & Older	56.8	42.8 – 69.7
EDUCATION LEVEL	<High School	47.4	37.7 – 57.4
	H.S.	44.5	37.6 – 51.6
	>High School	57.4	51.1 – 63.5
HOUSEHOLD INCOME	<\$15,000	46.1	39.8 – 52.5
	\$15,000-\$34,999	58.3	50.0 – 66.1
	\$35,000 or More	49.2	40.4 – 58.1
MEDICAID RECIPIENT	Yes	48.4	43.4 – 53.5
	No	55.3	47.4 – 63.0
MARITAL STATUS	Married	54.7	47.9 – 61.3
	Not Married	47.7	42.3 – 53.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth Control Use at the Time of Conception

Prevalence of new moms in Florida not using birth control at time of conception among those moms with unintended pregnancies

PRAMS Question: When you got pregnant with your new baby, were you or your husband or partner doing anything to keep from getting pregnant? (Among new moms with unintended pregnancies.) Answer: No.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	49.5	45.3 – 53.8
	Non-Hisp. White	52.9	46.4 – 59.3
	Non-Hisp. Black	55.5	46.5 – 64.1
	Hispanic	41.3	33.8 – 49.1
AGE GROUP	19 & Under	51.7	40.2 – 63.0
	20-24	46.2	38.4 – 54.1
	25-34	51.7	45.6 – 57.8
	35 & Older	45.1	31.6 – 59.4
EDUCATION LEVEL	<High School	55.1	44.8 – 64.9
	H.S.	55.2	48.0 – 62.1
	>High School	41.5	35.5 – 47.8
HOUSEHOLD INCOME	<\$15,000	55.3	48.8 – 61.6
	\$15,000-\$34,999	41.7	33.6 – 50.2
	\$35,000 or More	49.1	40.4 – 57.8
MEDICAID RECIPIENT	Yes	51.6	46.5 – 56.6
	No	44.3	36.6 – 52.3
MARITAL STATUS	Married	42.7	36.3 – 49.3
	Not Married	54.1	48.5 – 59.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth Control Use at the Time of Conception

Prevalence of new moms in Florida not using birth control at time of conception among those moms not trying to become pregnant

PRAMS Question: When you got pregnant with your new baby, were you or your husband doing anything to keep from getting pregnant? (Among new moms not trying to become pregnant.) Answer: No.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	48.6	44.4 – 52.8
	Non-Hisp. White	52.8	46.4 – 59.2
	Non-Hisp. Black	52.7	43.9 – 61.3
	Hispanic	40.6	33.2 – 48.4
AGE GROUP	19 & Under	50.7	39.3 – 61.9
	20-24	45.8	38.1 – 53.7
	25-34	50.8	44.7 – 56.8
	35 & Older	42.6	29.7 – 56.6
EDUCATION LEVEL	<High School	51.9	42.0 – 61.7
	H.S.	54.1	47.0 – 61.0
	>High School	41.5	35.5 – 47.8
HOUSEHOLD INCOME	<\$15,000	53.5	47.1 – 59.8
	\$15,000-\$34,999	39.0	31.3 – 47.2
	\$35,000 or More	50.6	41.7 – 59.4
MEDICAID RECIPIENT	Yes	50.3	45.3 – 55.3
	No	44.1	36.4 – 52.0
MARITAL STATUS	Married	44.4	37.8 – 51.2
	Not Married	51.2	45.7 – 56.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth Control Use at the Time of Conception

Prevalence of new moms in Florida not using birth control at time of conception because they did not mind becoming pregnant

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: I did not mind if I got pregnant.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	43.3	37.6 – 49.2
	Non-Hisp. White	51.8	43.2 – 60.4
	Non-Hisp. Black	30.3	20.7 – 42.1
	Hispanic	42.6	31.7 – 54.2
AGE GROUP	19 & Under	15.7	7.1 – 31.2
	20-24	39.2	28.8 – 50.6
	25-34	52.0	43.8 – 60.1
	35 & Older	51.7	32.6 – 70.4
EDUCATION LEVEL	<High School	33.9	22.8 – 47.1
	H.S.	39.3	30.6 – 48.6
	>High School	54.3	44.9 – 63.4
HOUSEHOLD INCOME	<\$15,000	37.3	29.5 – 45.8
	\$15,000-\$34,999	48.2	36.1 – 60.6
	\$35,000 or More	52.1	40.0 – 64.0
MEDICAID RECIPIENT	Yes	38.6	32.2 – 45.5
	No	56.9	45.3 – 67.7
MARITAL STATUS	Married	60.0	50.2 – 69.0
	Not Married	34.3	27.6 – 41.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth Control Use at the Time of Conception

Prevalence of new moms in Florida not using birth control at time of conception because she thought she could not become pregnant at that time

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: I thought I could not get pregnant at that time.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	27.9	22.9 – 33.5
RACE/ETHNICITY	Non-Hisp. White	23.0	16.6 – 31.1
	Non-Hisp. Black	34.4	24.0 – 46.4
	Hispanic	32.6	22.7 – 44.3
AGE GROUP	19 & Under	23.9	13.1 – 39.7
	20-24	27.0	18.1 – 38.2
	25-34	29.6	22.6 – 37.8
	35 & Older	26.7	13.1 – 46.9
EDUCATION LEVEL	<High School	31.3	20.6 – 44.6
	H.S.	31.7	23.7 – 41.1
	>High School	21.5	14.8 – 30.2
HOUSEHOLD INCOME	<\$15,000	36.3	28.5 – 44.9
	\$15,000-\$34,999	14.9	8.2 – 25.6
	\$35,000 or More	19.1	11.1 – 30.7
MEDICAID RECIPIENT	Yes	31.0	24.9 – 37.7
	No	19.0	11.6 – 29.4
MARITAL STATUS	Married	21.5	14.4 – 30.7
	Not Married	31.3	24.8 – 38.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth Control Use at the Time of Conception

Prevalence of new moms in Florida not using birth control at time of conception because of the undesirable side effects

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: I had side effects from birth control method.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	7.8	5.2 – 11.6
RACE/ETHNICITY	Non-Hisp. White	8.0	4.3 – 14.2
	Non-Hisp. Black	9.3	4.5 – 18.5
	Hispanic	7.3	3.1 – 16.4
AGE GROUP	19 & Under	11.5	4.5 – 26.6
	20-24	9.3	4.5 – 18.0
	25-34	6.4	3.4 – 11.9
	35 & Older	5.0	0.9 – 24.6
EDUCATION LEVEL	<High School	8.8	3.6 – 19.9
	H.S.	6.6	3.2 – 12.9
	>High School	8.7	4.7 – 15.7
HOUSEHOLD INCOME	<\$15,000	7.8	4.3 – 13.7
	\$15,000-\$34,999	9.0	4.1 – 18.6
	\$35,000 or More	6.8	2.6 – 16.4
MEDICAID RECIPIENT	Yes	9.4	6.1 – 14.3
	No	3.2	1.0 – 10.1
MARITAL STATUS	Married	6.7	3.2 – 13.5
	Not Married	8.4	5.1 – 13.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth Control Use at the Time of Conception

Prevalence of new moms in Florida not using birth control at time of conception because she had problems acquiring birth control

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: I had problems getting birth control.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	9.1	6.2 – 13.0
RACE/ETHNICITY	Non-Hisp. White	8.2	4.6 – 14.4
	Non-Hisp. Black	9.5	4.6 – 18.8
	Hispanic	11.1	5.6 – 20.7
AGE GROUP	19 & Under	16.2	7.4 – 31.6
	20-24	12.5	6.9 – 21.6
	25-34	5.7	2.9 – 11.0
	35 & Older	6.1	0.9 – 32.3
EDUCATION LEVEL	<High School	11.2	5.3 – 22.2
	H.S.	10.4	6.0 – 17.4
	>High School	6.3	3.0 – 12.9
HOUSEHOLD INCOME	<\$15,000	10.6	6.5 – 16.9
	\$15,000-\$34,999	9.3	4.1 – 19.6
	\$35,000 or More	5.1	1.7 – 14.2
MEDICAID RECIPIENT	Yes	11.1	7.4 – 16.2
	No	3.2	0.9 – 10.5
MARITAL STATUS	Married	5.9	2.7 – 12.4
	Not Married	10.8	7.0 – 16.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth Control Use at the Time of Conception

Prevalence of new moms in Florida not using birth control at time of conception because she thought husband or partner or she was sterile

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: I thought my husband/partner or I was sterile.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	8.7	6.0 – 12.5
RACE/ETHNICITY	Non-Hisp. White	11.0	6.6 – 17.7
	Non-Hisp. Black	9.8	4.7 – 19.4
	Hispanic	5.7	2.4 – 12.8
AGE GROUP	19 & Under	5.0	1.4 – 16.7
	20-24	11.5	6.0 – 21.1
	25-34	6.4	3.5 – 11.6
	35 & Older	21.2	9.3 – 41.2
EDUCATION LEVEL	<High School	11.0	5.3 – 21.5
	H.S.	8.1	4.3 – 14.6
	>High School	7.9	4.2 – 14.6
HOUSEHOLD INCOME	<\$15,000	8.6	5.0 – 14.5
	\$15,000-\$34,999	3.0	1.0 – 8.7
	\$35,000 or More	11.0	5.4 – 21.3
MEDICAID RECIPIENT	Yes	9.5	6.2 – 14.2
	No	6.4	2.8 – 14.2
MARITAL STATUS	Married	5.0	2.3 – 10.6
	Not Married	10.7	7.0 – 16.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Birth Control Use at the Time of Conception

Prevalence of new moms in Florida not using birth control at time of conception because husband or partner did not want to use birth control

PRAMS Question: What were your or your husband's/partner's reasons for not doing anything to keep from getting pregnant? (Among moms who were neither trying to get pregnant nor using birth control.) Answer: My husband/partner did not want to use anything.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	19.7	15.4 – 24.8
RACE/ETHNICITY	Non-Hisp. White	14.1	9.1 – 21.2
	Non-Hisp. Black	26.6	17.5 – 38.2
	Hispanic	20.4	12.6 – 31.4
AGE GROUP	19 & Under	36.1	22.4 – 52.5
	20-24	22.5	14.3 – 33.6
	25-34	12.8	8.2 – 19.3
	35 & Older	25.2	11.4 – 46.8
EDUCATION LEVEL	<High School	32.2	21.3 – 45.6
	H.S.	22.9	16.1 – 31.6
	>High School	8.4	4.5 – 15.1
HOUSEHOLD INCOME	<\$15,000	20.9	14.9 – 28.6
	\$15,000-\$34,999	19.0	10.8 – 31.1
	\$35,000 or More	13.5	7.1 – 24.3
MEDICAID RECIPIENT	Yes	20.3	15.3 – 26.4
	No	18.0	10.5 – 29.2
MARITAL STATUS	Married	13.1	7.6 – 21.5
	Not Married	23.3	17.6 – 30.1

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use


Prevalence of new moms in Florida using postpartum birth control

PRAMS Question: Are you or your husband or partner doing anything now to keep from getting pregnant? Answer: Yes.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	84.5	82.0 – 86.7
RACE/ETHNICITY	Non-Hisp. White	87.2	83.9 – 89.9
	Non-Hisp. Black	82.2	75.3 – 87.5
	Hispanic	82.6	77.7 – 86.7
AGE GROUP	19 & Under	77.9	67.0 – 86.0
	20-24	85.7	80.2 – 89.9
	25-34	86.8	83.6 – 89.5
	35 & Older	78.3	70.9 – 84.3
EDUCATION LEVEL	<High School	83.1	75.5 – 88.6
	H.S.	81.2	76.0 – 85.5
	>High School	86.8	83.7 – 89.3
HOUSEHOLD INCOME	<\$15,000	82.4	77.7 – 86.2
	\$15,000-\$34,999	84.1	78.6 – 88.5
	\$35,000 or More	87.6	83.9 – 90.5
MEDICAID RECIPIENT	Yes	83.6	80.1 – 86.6
	No	85.6	82.0 – 88.6
MARITAL STATUS	Married	85.2	81.9 – 88.0
	Not Married	83.7	79.8 – 87.0


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida not using postpartum birth control

PRAMS Question: Are you or your husband or partner doing anything now to keep from getting pregnant? Answer: No.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	15.5	13.3 – 18.0
RACE/ETHNICITY	Non-Hisp. White	12.8	10.1 – 16.1
	Non-Hisp. Black	17.8	12.5 – 24.7
	Hispanic	17.4	13.3 – 22.3
AGE GROUP	19 & Under	22.1	14.0 – 33.0
	20-24	14.3	10.1 – 19.8
	25-34	13.2	10.5 – 16.4
	35 & Older	21.7	15.7 – 29.1
EDUCATION LEVEL	<High School	16.9	11.4 – 24.5
	H.S.	18.8	14.5 – 24.0
	>High School	13.2	10.7 – 16.3
HOUSEHOLD INCOME	<\$15,000	17.6	13.8 – 22.3
	\$15,000-\$34,999	15.9	11.5 – 21.4
	\$35,000 or More	12.4	9.5 – 16.1
MEDICAID RECIPIENT	Yes	16.4	13.4 – 19.9
	No	14.4	11.4 – 18.0
MARITAL STATUS	Married	14.8	12.0 – 18.1
	Not Married	16.3	13.0 – 20.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida not using postpartum birth control due to abstinence

PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: I am not having sex.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	25.3	18.9 – 32.9
	Non-Hisp. White	23.5	14.7 – 35.5
	Non-Hisp. Black	30.9	16.7 – 49.8
	Hispanic	24.8	14.4 – 39.1
AGE GROUP	19 & Under	^	
	20-24	43.5	27.1 – 61.5
	25-34	22.0	13.7 – 33.4
	35 & Older	16.8	7.8 – 32.8
EDUCATION LEVEL	<High School	31.4	15.9 – 52.6
	H.S.	28.1	17.6 – 41.7
	>High School	20.5	12.8 – 31.1
HOUSEHOLD INCOME	<\$15,000	26.9	16.9 – 39.9
	\$15,000-\$34,999	32.9	19.5 – 49.7
	\$35,000 or More	16.5	8.4 – 30.0
MEDICAID RECIPIENT	Yes	30.9	22.0 – 41.6
	No	16.5	9.4 – 27.2
MARITAL STATUS	Married	17.4	10.5 – 27.4
	Not Married	33.4	23.4 – 45.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida not using postpartum birth control because she wanted to become pregnant

PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: I want to get pregnant.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	15.4	10.6 – 21.9
RACE/ETHNICITY	Non-Hisp. White	26.0	16.7 – 38.1
	Non-Hisp. Black	12.3	4.5 – 29.2
	Hispanic	7.5	2.7 – 18.9
AGE GROUP	19 & Under	^	
	20-24	7.4	2.2 – 22.2
	25-34	12.7	7.0 – 21.9
	35 & Older	30.3	17.2 – 47.7
EDUCATION LEVEL	<High School	11.2	3.4 – 31.2
	H.S.	6.8	2.6 – 16.4
	>High School	24.2	15.8 – 35.2
HOUSEHOLD INCOME	<\$15,000	8.5	3.6 – 18.5
	\$15,000-\$34,999	13.2	5.5 – 28.2
	\$35,000 or More	31.5	19.9 – 45.9
MEDICAID RECIPIENT	Yes	9.6	5.0 – 17.7
	No	24.4	15.6 – 36.1
MARITAL STATUS	Married	21.9	14.3 – 32.1
	Not Married	8.7	4.2 – 17.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida not using postpartum birth control because she did not want to use birth control

PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: I do not want to use birth control.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	25.2	18.9 – 32.7
	Non-Hisp. White	30.9	20.8 – 43.2
	Non-Hisp. Black	17.8	7.6 – 36.2
	Hispanic	20.5	11.4 – 34.0
AGE GROUP	19 & Under	^	
	20-24	22.0	10.7 – 39.9
	25-34	26.1	17.2 – 37.5
	35 & Older	33.7	19.6 – 51.4
EDUCATION LEVEL	<High School	16.0	5.9 – 36.8
	H.S.	30.4	19.6 – 43.8
	>High School	24.5	16.1 – 35.6
HOUSEHOLD INCOME	<\$15,000	19.8	11.5 – 31.9
	\$15,000-\$34,999	27.8	15.5 – 44.7
	\$35,000 or More	32.7	20.8 – 47.3
MEDICAID RECIPIENT	Yes	18.7	11.9 – 28.2
	No	35.2	24.5 – 47.7
MARITAL STATUS	Married	36.4	26.6 – 47.6
	Not Married	13.5	7.5 – 23.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida not using postpartum birth control because husband or partner did not want to use it

PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: My husband/partner does not want to use anything.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	12.9	8.3 – 19.5
RACE/ETHNICITY	Non-Hisp. White	9.2	4.2 – 19.2
	Non-Hisp. Black	10.8	3.7 – 27.7
	Hispanic	20.2	10.9 – 34.3
AGE GROUP	19 & Under	^	
	20-24	9.0	2.6 – 27.0
	25-34	3.0	1.1 – 7.8
	35 & Older	17.7	8.1 – 34.5
EDUCATION LEVEL	<High School	30.6	15.2 – 52.0
	H.S.	14.2	7.1 – 26.3
	>High School	4.9	1.8 – 12.4
HOUSEHOLD INCOME	<\$15,000	17.9	9.8 – 30.5
	\$15,000-\$34,999	0.9	0.2 – 3.5
	\$35,000 or More	15.1	7.2 – 28.9
MEDICAID RECIPIENT	Yes	11.2	6.0 – 20.1
	No	15.5	8.3 – 27.1
MARITAL STATUS	Married	11.2	5.8 – 20.3
	Not Married	14.8	8.0 – 25.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida not using postpartum birth control because she cannot afford

PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: I cannot pay for birth control.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	16.1	10.9 – 23.1
	Non-Hisp. White	12.6	6.4 – 23.3
	Non-Hisp. Black	16.4	6.8 – 34.5
	Hispanic	20.3	11.1 – 34.2
AGE GROUP	19 & Under	^	
	20-24	19.2	8.5 – 37.7
	25-34	17.8	10.4 – 28.7
	35 & Older	7.1	2.1 – 21.0
EDUCATION LEVEL	<High School	15.4	5.4 – 36.5
	H.S.	17.5	9.3 – 30.7
	>High School	15.2	8.7 – 25.3
HOUSEHOLD INCOME	<\$15,000	20.6	12.0 – 33.0
	\$15,000-\$34,999	22.2	11.3 – 38.9
	\$35,000 or More	2.5	0.4 – 13.4
MEDICAID RECIPIENT	Yes	22.9	15.2 – 32.9
	No	5.6	1.9 – 15.6
MARITAL STATUS	Married	11.9	6.2 – 21.4
	Not Married	20.5	12.5 – 31.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida not using postpartum birth control because she believed she was sterile

PRAMS Question: What are your or your husband's/partner's reasons for not doing anything to keep from getting pregnant now? (Among moms who are not doing anything to keep from getting pregnant now) Answer: I do not think I can get pregnant (sterile).



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	6.1	3.2 – 11.4
RACE/ETHNICITY	Non-Hisp. White	4.2	1.4 – 12.4
	Non-Hisp. Black	4.1	0.6 – 24.1
	Hispanic	7.8	2.8 – 19.9
AGE GROUP	19 & Under	^	
	20-24	8.6	2.4 – 26.8
	25-34	5.7	2.1 – 15.0
	35 & Older	7.9	2.6 – 21.6
EDUCATION LEVEL	<High School	5.3	0.9 – 25.6
	H.S.	7.1	2.4 – 19.2
	>High School	5.6	2.3 – 12.9
HOUSEHOLD INCOME	<\$15,000	6.3	2.1 – 17.4
	\$15,000-\$34,999	3.5	0.5 – 21.0
	\$35,000 or More	9.0	3.7 – 20.2
MEDICAID RECIPIENT	Yes	5.7	2.2 – 13.9
	No	6.7	2.9 – 15.0
MARITAL STATUS	Married	6.5	2.8 – 14.3
	Not Married	5.7	2.0 – 14.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida who had their tubes tied as a method of postpartum birth control

PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Tubes tied (sterilization).



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	12.6	10.5 – 15.1
RACE/ETHNICITY	Non-Hisp. White	12.2	9.4 – 15.8
	Non-Hisp. Black	11.1	6.8 – 17.6
	Hispanic	13.6	9.8 – 18.6
AGE GROUP	19 & Under	0.0	
	20-24	6.0	3.4 – 10.5
	25-34	13.0	10.2 – 16.5
	35 & Older	30.4	22.7 – 39.3
EDUCATION LEVEL	<High School	10.0	5.8 – 16.7
	H.S.	14.2	10.2 – 19.6
	>High School	12.6	9.9 – 15.9
HOUSEHOLD INCOME	<\$15,000	12.9	9.4 – 17.5
	\$15,000-\$34,999	11.6	7.7 – 17.1
	\$35,000 or More	13.9	10.5 – 18.1
MEDICAID RECIPIENT	Yes	13.9	11.0 – 17.4
	No	11.1	8.3 – 14.7
MARITAL STATUS	Married	15.1	12.1 – 18.7
	Not Married	9.7	7.0 – 13.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida whose partner or husband had a vasectomy as a method of postpartum birth control

PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Vasectomy (sterilization).



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	2.3	1.5 – 3.6
	Non-Hisp. White	3.3	1.9 – 5.5
	Non-Hisp. Black	1.5	0.4 – 5.7
	Hispanic	1.8	0.7 – 4.3
AGE GROUP	19 & Under	0.0	
	20-24	1.2	0.3 – 4.7
	25-34	1.9	1.0 – 3.5
	35 & Older	7.6	4.0 – 14.0
EDUCATION LEVEL	<High School	1.2	0.2 – 6.4
	H.S.	0.8	0.2 – 3.2
	>High School	3.5	2.2 – 5.6
HOUSEHOLD INCOME	<\$15,000	0.9	0.2 – 3.1
	\$15,000-\$34,999	1.2	0.3 – 4.0
	\$35,000 or More	4.8	3.0 – 7.8
MEDICAID RECIPIENT	Yes	1.0	0.4 – 2.4
	No	4.2	2.6 – 6.7
MARITAL STATUS	Married	3.7	2.4 – 5.9
	Not Married	0.6	0.2 – 2.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida using oral contraceptives as a method of postpartum birth control

PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Pill (Oral Contraceptive).



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	22.4	19.7 – 25.4
RACE/ETHNICITY	Non-Hisp. White	25.7	21.7 – 30.1
	Non-Hisp. Black	16.3	11.1 – 23.4
	Hispanic	20.4	15.8 – 26.0
AGE GROUP	19 & Under	24.4	15.8 – 35.7
	20-24	22.8	17.4 – 29.2
	25-34	23.7	20.0 – 27.8
	35 & Older	15.4	9.8 – 23.3
EDUCATION LEVEL	<High School	15.8	10.1 – 23.7
	H.S.	21.5	16.6 – 27.3
	>High School	24.8	21.2 – 28.9
HOUSEHOLD INCOME	<\$15,000	12.8	9.4 – 17.3
	\$15,000-\$34,999	29.3	23.2 – 36.2
	\$35,000 or More	27.2	22.6 – 32.3
MEDICAID RECIPIENT	Yes	17.1	14.0 – 20.9
	No	29.0	24.6 – 33.9
MARITAL STATUS	Married	23.6	19.9 – 27.7
	Not Married	20.9	17.1 – 25.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida using condoms as a method of postpartum birth control

PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Condoms.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	36.0	32.8 – 39.4
	Non-Hisp. White	35.5	31.0 – 40.2
	Non-Hisp. Black	40.0	31.9 – 48.6
	Hispanic	34.3	28.6 – 40.6
AGE GROUP	19 & Under	53.8	41.9 – 65.4
	20-24	40.4	33.6 – 47.6
	25-34	33.6	29.3 – 38.1
	35 & Older	27.1	19.7 – 35.9
EDUCATION LEVEL	<High School	44.5	35.7 – 53.7
	H.S.	35.1	29.1 – 41.6
	>High School	33.9	29.8 – 38.3
HOUSEHOLD INCOME	<\$15,000	41.0	35.3 – 47.1
	\$15,000-\$34,999	33.6	27.2 – 40.7
	\$35,000 or More	34.9	29.9 – 40.3
MEDICAID RECIPIENT	Yes	36.7	32.4 – 41.3
	No	35.2	30.5 – 40.2
MARITAL STATUS	Married	35.9	31.6 – 40.4
	Not Married	36.1	31.3 – 41.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida using Depo-Provera® Injection as a method of postpartum birth control

PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Depo-Provera® Injection.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	11.5	9.5 – 13.9
	Non-Hisp. White	8.7	6.3 – 11.9
	Non-Hisp. Black	23.7	17.1 – 31.8
	Hispanic	10.2	6.9 – 14.8
AGE GROUP	19 & Under	36.0	25.3 – 48.2
	20-24	13.1	8.9 – 18.7
	25-34	8.9	6.6 – 12.0
	35 & Older	4.2	1.7 – 9.9
EDUCATION LEVEL	<High School	27.8	20.4 – 36.6
	H.S.	12.5	8.8 – 17.6
	>High School	6.4	4.5 – 9.0
HOUSEHOLD INCOME	<\$15,000	18.6	14.4 – 23.7
	\$15,000-\$34,999	10.6	6.9 – 15.8
	\$35,000 or More	3.5	1.9 – 6.2
MEDICAID RECIPIENT	Yes	17.2	14.0 – 21.0
	No	4.1	2.5 – 6.7
MARITAL STATUS	Married	6.3	4.4 – 9.0
	Not Married	17.8	14.1 – 22.1

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use


Prevalence of new moms in Florida using the withdrawal method as a means of postpartum birth control

PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: Withdrawal.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	17.9	15.5 – 20.7
RACE/ETHNICITY	Non-Hisp. White	21.4	17.7 – 25.6
	Non-Hisp. Black	15.0	9.8 – 22.2
	Hispanic	15.9	11.9 – 20.9
AGE GROUP	19 & Under	25.3	16.4 – 37.0
	20-24	19.6	14.6 – 25.8
	25-34	17.4	14.2 – 21.1
	35 & Older	12.7	7.8 – 20.0
EDUCATION LEVEL	<High School	17.0	11.2 – 25.0
	H.S.	14.8	10.8 – 19.9
	>High School	19.9	16.6 – 23.7
HOUSEHOLD INCOME	<\$15,000	15.6	11.8 – 20.4
	\$15,000-\$34,999	21.7	16.4 – 28.2
	\$35,000 or More	17.9	14.1 – 22.4
MEDICAID RECIPIENT	Yes	17.1	13.9 – 20.8
	No	18.8	15.2 – 23.1
MARITAL STATUS	Married	18.6	15.3 – 22.3
	Not Married	17.1	13.6 – 21.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Birth Control Use

Prevalence of new moms in Florida using alternative methods of postpartum birth control

PRAMS Question: What kind of birth control are you or your husband or partner using now to keep from getting pregnant? (Among new moms using birth control.) Answer: others except Tubes tied, Vasectomy, Pill, Condoms, Depo-Provera Injection, Withdrawal.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	29.6	26.5 – 32.8
	Non-Hisp. White	25.6	21.6 – 30.0
	Non-Hisp. Black	36.0	28.3 – 44.5
	Hispanic	32.1	26.5 – 38.3
AGE GROUP	19 & Under	26.3	16.9 – 38.4
	20-24	37.6	31.0 – 44.8
	25-34	27.3	23.4 – 31.6
	35 & Older	26.7	19.4 – 35.5
EDUCATION LEVEL	<High School	28.2	20.7 – 37.2
	H.S.	29.2	23.6 – 35.5
	>High School	30.2	26.3 – 34.5
HOUSEHOLD INCOME	<\$15,000	32.6	27.2 – 38.4
	\$15,000-\$34,999	30.0	23.9 – 36.9
	\$35,000 or More	25.9	21.3 – 30.9
MEDICAID RECIPIENT	Yes	32.2	28.0 – 36.7
	No	26.2	22.0 – 31.0
MARITAL STATUS	Married	25.4	21.7 – 29.6
	Not Married	34.5	29.8 – 39.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Late Diagnosis of Pregnancy

Prevalence of new moms in Florida who were unaware of pregnancy until after first trimester

PRAMS Question: How many weeks or months pregnant were you when you were sure you were pregnant? Answer: 13 weeks or more.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	9.0	7.3 – 11.1
RACE/ETHNICITY	Non-Hisp. White	3.5	2.2 – 5.6
	Non-Hisp. Black	20.9	15.0 – 28.2
	Hispanic	10.4	7.3 – 14.8
AGE GROUP	19 & Under	23.5	15.3 – 34.4
	20-24	13.0	9.0 – 18.4
	25-34	5.5	3.8 – 7.9
	35 & Older	6.8	3.5 – 12.6
EDUCATION LEVEL	<High School	18.5	12.7 – 26.2
	H.S.	12.0	8.6 – 16.6
	>High School	4.3	2.9 – 6.4
HOUSEHOLD INCOME	<\$15,000	16.2	12.4 – 20.9
	\$15,000-\$34,999	7.4	4.6 – 11.9
	\$35,000 or More	2.3	1.2 – 4.6
MEDICAID RECIPIENT	Yes	12.9	10.2 – 16.2
	No	3.9	2.4 – 6.4
MARITAL STATUS	Married	3.9	2.5 – 6.1
	Not Married	15.2	12.0 – 19.0


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Late Entry into Prenatal Care

Prevalence of new moms in Florida not having prenatal care (PNC) during first trimester of pregnancy

PRAMS Question: How many weeks or months pregnant were you when you had your first visit for prenatal care? Answer: 13 weeks or more.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	21.4	18.9 – 24.1
	Non-Hisp. White	13.0	10.3 – 16.3
	Non-Hisp. Black	36.1	29.0 – 44.0
	Hispanic	24.2	19.5 – 29.7
AGE GROUP	19 & Under	46.8	36.1 – 57.7
	20-24	27.2	21.7 – 33.6
	25-34	16.6	13.6 – 20.2
	35 & Older	13.7	8.9 – 20.5
EDUCATION LEVEL	<High School	42.9	34.8 – 51.3
	H.S.	26.0	21.1 – 31.6
	>High School	12.0	9.6 – 15.0
HOUSEHOLD INCOME	<\$15,000	35.0	29.9 – 40.5
	\$15,000-\$34,999	20.2	15.5 – 26.0
	\$35,000 or More	6.5	4.4 – 9.6
MEDICAID RECIPIENT	Yes	30.0	26.2 – 34.0
	No	9.8	7.3 – 13.1
MARITAL STATUS	Married	12.8	10.2 – 16.0
	Not Married	31.4	27.1 – 35.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Late Entry into Prenatal Care

Prevalence of new moms in Florida not having prenatal care (PNC) as early as she wanted

PRAMS Question: Did you get prenatal care as early in your pregnancy as you wanted? Answer: No.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	22.2	19.6 – 24.9
	Non-Hisp. White	19.6	16.3 – 23.4
	Non-Hisp. Black	27.8	21.4 – 35.2
	Hispanic	22.5	17.9 – 27.8
AGE GROUP	19 & Under	46.3	35.8 – 57.2
	20-24	29.0	23.4 – 35.4
	25-34	18.0	14.9 – 21.6
	35 & Older	11.3	7.1 – 17.7
EDUCATION LEVEL	<High School	29.9	22.9 – 38.1
	H.S.	29.9	24.8 – 35.5
	>High School	15.0	12.3 – 18.3
HOUSEHOLD INCOME	<\$15,000	33.8	28.8 – 39.2
	\$15,000-\$34,999	21.3	16.5 – 27.1
	\$35,000 or More	9.6	6.9 – 13.1
MEDICAID RECIPIENT	Yes	29.2	25.5 – 33.2
	No	12.7	9.8 – 16.2
MARITAL STATUS	Married	13.6	10.9 – 16.8
	Not Married	32.0	27.8 – 36.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Late Entry into Prenatal Care

Prevalence of new moms in Florida not having early prenatal care (EPNC) because she could not get an earlier appointment

PRAMS Question: Did being unable to get an appointment when you wanted one keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	32.0	26.0 – 38.6
	Non-Hisp. White	38.6	29.2 – 49.0
	Non-Hisp. Black	19.3	10.7 – 32.2
	Hispanic	36.6	25.5 – 49.5
AGE GROUP	19 & Under	30.3	17.9 – 46.4
	20-24	36.1	25.4 – 48.4
	25-34	32.1	23.1 – 42.6
	35 & Older	^	
EDUCATION LEVEL	<High School	38.1	24.2 – 54.2
	H.S.	24.7	16.8 – 34.9
	>High School	37.6	27.8 – 48.4
HOUSEHOLD INCOME	<\$15,000	34.8	26.4 – 44.3
	\$15,000-\$34,999	32.2	20.8 – 46.2
	\$35,000 or More	28.3	16.1 – 44.7
MEDICAID RECIPIENT	Yes	34.6	27.5 – 42.4
	No	24.6	14.8 – 38.1
MARITAL STATUS	Married	31.2	21.5 – 42.8
	Not Married	32.5	25.2 – 40.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Late Entry into Prenatal Care

Prevalence of new moms in Florida not having early prenatal care (EPNC) because of insufficient money or insurance

PRAMS Question: Did not having enough money or insurance to pay for your visits keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	48.8	42.0 – 55.6
	Non-Hisp. White	56.4	46.2 – 66.1
	Non-Hisp. Black	35.5	22.9 – 50.4
	Hispanic	50.4	38.3 – 62.5
AGE GROUP	19 & Under	23.3	12.5 – 39.3
	20-24	57.0	44.5 – 68.7
	25-34	55.2	44.8 – 65.2
	35 & Older	^	
EDUCATION LEVEL	<High School	42.4	28.3 – 57.8
	H.S.	53.2	42.6 – 63.6
	>High School	47.9	37.3 – 58.6
HOUSEHOLD INCOME	<\$15,000	43.1	34.1 – 52.6
	\$15,000-\$34,999	75.9	62.7 – 85.5
	\$35,000 or More	26.7	14.9 – 43.1
MEDICAID RECIPIENT	Yes	52.1	44.3 – 59.8
	No	38.8	26.4 – 52.7
MARITAL STATUS	Married	56.7	45.2 – 67.5
	Not Married	44.7	36.5 – 53.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Late Entry into Prenatal Care

Prevalence of new moms in Florida not having early prenatal care (EPNC) because of lack of transportation

PRAMS Question: Did having no transportation to get to the clinic or doctor's office keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	16.4	11.9 – 22.3
RACE/ETHNICITY	Non-Hisp. White	11.3	6.2 – 19.7
	Non-Hisp. Black	23.1	13.0 – 37.6
	Hispanic	15.4	8.2 – 27.2
AGE GROUP	19 & Under	33.1	20.3 – 49.1
	20-24	16.8	9.3 – 28.5
	25-34	11.6	6.1 – 20.7
	35 & Older	^	
EDUCATION LEVEL	<High School	34.6	21.5 – 50.4
	H.S.	17.1	10.4 – 26.9
	>High School	5.8	2.3 – 13.6
HOUSEHOLD INCOME	<\$15,000	23.8	16.6 – 32.8
	\$15,000-\$34,999	9.5	3.7 – 22.3
	\$35,000 or More	1.9	0.3 – 12.6
MEDICAID RECIPIENT	Yes	17.7	12.4 – 24.6
	No	12.5	5.5 – 26.2
MARITAL STATUS	Married	8.8	3.8 – 19.0
	Not Married	20.4	14.4 – 28.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Late Entry into Prenatal Care

Prevalence of new moms in Florida not having early prenatal care (EPNC) because doctor or health plan would not start earlier

PRAMS Question: Did having a doctor or health plan that would not start care as early as you wanted keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	22.2	17.1 – 28.3
RACE/ETHNICITY	Non-Hisp. White	23.0	15.4 – 32.9
	Non-Hisp. Black	21.6	12.1 – 35.4
	Hispanic	22.7	13.9 – 34.7
AGE GROUP	19 & Under	13.5	5.5 – 29.4
	20-24	28.4	18.8 – 40.4
	25-34	24.7	16.9 – 34.7
	35 & Older	^	
EDUCATION LEVEL	<High School	15.7	7.3 – 30.7
	H.S.	19.6	12.5 – 29.4
	>High School	28.8	20.2 – 39.4
HOUSEHOLD INCOME	<\$15,000	20.7	14.1 – 29.4
	\$15,000-\$34,999	20.1	11.2 – 33.5
	\$35,000 or More	32.1	19.2 – 48.5
MEDICAID RECIPIENT	Yes	23.6	17.5 – 30.9
	No	18.2	10.2 – 30.5
MARITAL STATUS	Married	18.1	10.9 – 28.6
	Not Married	24.3	17.8 – 32.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Late Entry into Prenatal Care

Prevalence of new moms in Florida not having early prenatal care (EPNC) due to not having a Medicaid card

PRAMS Question: Did having no Medicaid card keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	31.4	25.4 – 38.2
RACE/ETHNICITY	Non-Hisp. White	33.7	24.7 – 44.0
	Non-Hisp. Black	18.4	9.6 – 32.4
	Hispanic	37.9	26.7 – 50.7
	^	^	^
AGE GROUP	19 & Under	16.9	8.1 – 32.2
	20-24	38.8	27.5 – 51.5
	25-34	32.2	23.2 – 42.8
	35 & Older	^	^
EDUCATION LEVEL	<High School	25.0	13.9 – 40.6
	H.S.	39.2	29.2 – 50.1
	>High School	25.0	16.9 – 35.4
HOUSEHOLD INCOME	<\$15,000	27.9	20.2 – 37.3
	\$15,000-\$34,999	54.0	40.3 – 67.2
	\$35,000 or More	9.9	3.7 – 23.9
MEDICAID RECIPIENT	Yes	38.9	31.5 – 46.8
	No	8.0	2.9 – 20.5
MARITAL STATUS	Married	33.4	23.4 – 45.2
	Not Married	30.4	23.2 – 38.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Late Entry into Prenatal Care

Prevalence of new moms in Florida not having early prenatal care (EPNC) because of lack of childcare for other children

PRAMS Question: Did having no one to take care of your children keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	6.4	3.6 – 11.0
RACE/ETHNICITY	Non-Hisp. White	2.6	0.7 – 9.0
	Non-Hisp. Black	8.1	2.7 – 21.5
	Hispanic	8.9	3.7 – 19.6
AGE GROUP	19 & Under	3.5	0.9 – 13.2
	20-24	10.3	4.4 – 22.3
	25-34	6.1	2.5 – 14.4
	35 & Older	^	
EDUCATION LEVEL	<High School	12.5	5.0 – 27.7
	H.S.	7.7	3.4 – 16.5
	>High School	1.7	0.3 – 8.1
HOUSEHOLD INCOME	<\$15,000	8.1	4.0 – 15.6
	\$15,000-\$34,999	5.7	1.6 – 17.9
	\$35,000 or More	4.1	0.6 – 23.7
MEDICAID RECIPIENT	Yes	5.8	3.0 – 11.1
	No	8.2	2.7 – 22.3
MARITAL STATUS	Married	7.3	2.8 – 17.4
	Not Married	5.9	2.9 – 11.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Late Entry into Prenatal Care

Prevalence of new moms in Florida not having early prenatal care (EPNC) because she was too busy

PRAMS Question: Did having too many other things going on keep you from getting prenatal care at all or as early as you wanted? (Among new moms who didn't get early prenatal care.) Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	18.7	13.9 – 24.6
RACE/ETHNICITY	Non-Hisp. White	16.6	10.3 – 25.7
	Non-Hisp. Black	20.5	11.0 – 34.8
	Hispanic	19.2	11.3 – 30.9
AGE GROUP	19 & Under	24.0	13.1 – 39.8
	20-24	16.8	9.3 – 28.4
	25-34	18.2	11.4 – 27.8
	35 & Older	^	
EDUCATION LEVEL	<High School	24.6	13.7 – 40.3
	H.S.	19.0	12.0 – 28.8
	>High School	15.3	9.0 – 24.9
HOUSEHOLD INCOME	<\$15,000	23.2	16.1 – 32.1
	\$15,000-\$34,999	13.7	6.8 – 25.6
	\$35,000 or More	11.7	4.5 – 27.2
MEDICAID RECIPIENT	Yes	18.9	13.5 – 25.9
	No	18.2	9.8 – 31.5
MARITAL STATUS	Married	13.0	6.8 – 23.3
	Not Married	21.6	15.5 – 29.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prenatal Care Payment Source

Prevalence of new moms in Florida whose prenatal care was paid by Medicaid

PRAMS Question: Did any of these health insurance plans help you pay for your prenatal care? Answer: Medicaid.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	51.3	48.2 – 54.4
	Non-Hisp. White	40.6	36.2 – 45.1
	Non-Hisp. Black	67.7	60.2 – 74.3
	Hispanic	59.9	54.3 – 65.4
AGE GROUP	19 & Under	86.8	77.7 – 92.6
	20-24	71.1	64.8 – 76.7
	25-34	43.6	39.4 – 47.9
	35 & Older	25.6	19.1 – 33.4
EDUCATION LEVEL	<High School	86.8	80.1 – 91.5
	H.S.	70.2	64.6 – 75.4
	>High School	29.8	26.1 – 33.7
HOUSEHOLD INCOME	<\$15,000	84.0	79.5 – 87.6
	\$15,000-\$34,999	61.3	54.6 – 67.5
	\$35,000 or More	10.8	7.9 – 14.5
MEDICAID RECIPIENT	Yes	89.8	86.9 – 92.2
	No	0.0	
MARITAL STATUS	Married	28.1	24.4 – 32.1
	Not Married	78.5	74.4 – 82.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prenatal Care Payment Source

Prevalence of new moms in Florida who did not have health insurance to help pay for prenatal care

PRAMS Question: Did any of these health insurance plans help you pay for your prenatal care? Answer: I did not have health insurance to help pay for my prenatal care.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	4.9	3.6 – 6.5
RACE/ETHNICITY	Non-Hisp. White	2.5	1.4 – 4.4
	Non-Hisp. Black	2.6	0.9 – 6.8
	Hispanic	7.9	5.3 – 11.7
AGE GROUP	19 & Under	3.0	0.9 – 9.8
	20-24	5.8	3.3 – 10.1
	25-34	4.5	3.0 – 6.8
	35 & Older	5.8	2.9 – 11.2
EDUCATION LEVEL	<High School	3.9	1.7 – 8.9
	H.S.	6.1	3.7 – 9.8
	>High School	4.2	2.8 – 6.3
HOUSEHOLD INCOME	<\$15,000	4.9	3.0 – 8.0
	\$15,000-\$34,999	7.6	4.6 – 12.2
	\$35,000 or More	2.7	1.4 – 4.9
MEDICAID RECIPIENT	Yes	3.2	2.0 – 5.1
	No	7.2	5.0 – 10.2
MARITAL STATUS	Married	5.0	3.4 – 7.4
	Not Married	4.7	3.0 – 7.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prenatal Care Payment Source

Prevalence of new moms in Florida whose prenatal care was paid by health insurance from job

PRAMS Question: Did any of these health insurance plans help you pay for your prenatal care? Answer: Health Insurance from job or not from a job.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	42.2	39.2 – 45.3
	Non-Hisp. White	56.2	51.7 – 60.6
	Non-Hisp. Black	31.6	25.0 – 39.1
	Hispanic	28.4	23.7 – 33.6
AGE GROUP	19 & Under	14.6	8.5 – 23.9
	20-24	21.6	16.7 – 27.4
	25-34	48.8	44.6 – 53.1
	35 & Older	68.2	60.1 – 75.3
EDUCATION LEVEL	<High School	5.7	3.0 – 10.8
	H.S.	21.9	17.5 – 27.1
	>High School	65.1	61.0 – 68.9
HOUSEHOLD INCOME	<\$15,000	9.9	7.1 – 13.7
	\$15,000-\$34,999	31.5	25.7 – 37.9
	\$35,000 or More	84.5	80.4 – 87.9
MEDICAID RECIPIENT	Yes	9.6	7.4 – 12.3
	No	85.5	81.8 – 88.6
MARITAL STATUS	Married	62.7	58.5 – 66.7
	Not Married	18.3	15.0 – 22.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prenatal Care Payment Source

Prevalence of new moms in Florida whose prenatal care was paid by TRICARE

PRAMS Question: Did any of these health insurance plans help you pay for your prenatal care? Answer: Tricare.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	3.1	2.2 – 4.3
	Non-Hisp. White	3.8	2.4 – 5.9
	Non-Hisp. Black	3.7	1.7 – 7.9
	Hispanic	1.4	0.6 – 3.3
AGE GROUP	19 & Under	2.2	0.6 – 8.5
	20-24	4.6	2.5 – 8.2
	25-34	2.8	1.7 – 4.5
	35 & Older	2.3	0.8 – 6.5
EDUCATION LEVEL	<High School	0.6	0.1 – 4.4
	H.S.	1.8	0.8 – 4.2
	>High School	4.6	3.1 – 6.7
HOUSEHOLD INCOME	<\$15,000	1.9	0.9 – 4.0
	\$15,000-\$34,999	2.9	1.3 – 5.9
	\$35,000 or More	4.7	3.0 – 7.4
MEDICAID RECIPIENT	Yes	0.5	0.2 – 1.7
	No	6.5	4.5 – 9.2
MARITAL STATUS	Married	5.1	3.6 – 7.3
	Not Married	0.7	0.2 – 2.0

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Prenatal Care Payment Source


Prevalence of new moms in Florida whose prenatal care was paid by Medipass

PRAMS Question: Did any of these health insurance plans help you pay for your prenatal care? Answer: Medipass.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	1.2	0.7 – 2.2
RACE/ETHNICITY	Non-Hisp. White	0.9	0.4 – 2.4
	Non-Hisp. Black	2.7	1.0 – 6.8
	Hispanic	1.0	0.3 – 3.2
AGE GROUP	19 & Under	1.8	0.4 – 8.9
	20-24	1.7	0.6 – 4.8
	25-34	1.0	0.4 – 2.4
	35 & Older	0.9	0.2 – 4.1
EDUCATION LEVEL	<High School	3.0	1.2 – 7.2
	H.S.	2.1	0.9 – 4.7
	>High School	0.2	0.0 – 1.3
HOUSEHOLD INCOME	<\$15,000	1.6	0.7 – 3.8
	\$15,000-\$34,999	2.1	0.8 – 5.5
	\$35,000 or More	0.4	0.1 – 1.7
MEDICAID RECIPIENT	Yes	1.7	0.8 – 3.2
	No	0.6	0.2 – 2.1
MARITAL STATUS	Married	0.8	0.3 – 2.2
	Not Married	1.6	0.8 – 3.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about the effects of smoking during pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how smoking during pregnancy could affect your baby? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	73.2	70.3 – 75.9
	Non-Hisp. White	67.4	63.0 – 71.5
	Non-Hisp. Black	81.7	75.1 – 86.8
	Hispanic	75.8	70.5 – 80.5
AGE GROUP	19 & Under	84.7	74.9 – 91.1
	20-24	85.3	80.0 – 89.3
	25-34	69.0	64.8 – 72.8
	35 & Older	62.4	54.1 – 69.9
EDUCATION LEVEL	<High School	82.1	74.6 – 87.8
	H.S.	80.4	75.3 – 84.7
	>High School	66.3	62.2 – 70.1
HOUSEHOLD INCOME	<\$15,000	82.8	78.3 – 86.6
	\$15,000-\$34,999	74.4	68.1 – 79.9
	\$35,000 or More	62.2	57.1 – 67.0
MEDICAID RECIPIENT	Yes	78.8	75.1 – 82.1
	No	65.7	61.1 – 70.0
MARITAL STATUS	Married	67.9	63.8 – 71.7
	Not Married	79.5	75.4 – 83.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about breastfeeding

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about breastfeeding your baby? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	84.5	82.1 – 86.6
RACE/ETHNICITY	Non-Hisp. White	80.7	76.9 – 84.1
	Non-Hisp. Black	91.5	86.3 – 94.9
	Hispanic	84.4	79.7 – 88.1
AGE GROUP	19 & Under	93.7	86.0 – 97.3
	20-24	89.0	84.0 – 92.6
	25-34	82.0	78.5 – 85.1
	35 & Older	80.7	73.5 – 86.3
EDUCATION LEVEL	<High School	92.5	86.6 – 95.9
	H.S.	88.8	84.6 – 92.1
	>High School	79.6	76.0 – 82.7
HOUSEHOLD INCOME	<\$15,000	89.6	85.8 – 92.5
	\$15,000-\$34,999	86.4	81.1 – 90.3
	\$35,000 or More	77.5	73.0 – 81.5
MEDICAID RECIPIENT	Yes	89.3	86.4 – 91.7
	No	78.0	73.9 – 81.7
MARITAL STATUS	Married	79.2	75.6 – 82.5
	Not Married	90.7	87.6 – 93.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about the effects of drinking alcohol during pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how drinking alcohol during pregnancy could affect your baby? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	76.4	73.6 – 78.9
	Non-Hisp. White	70.5	66.2 – 74.5
	Non-Hisp. Black	82.3	75.8 – 87.4
	Hispanic	79.9	74.8 – 84.1
AGE GROUP	19 & Under	82.2	72.2 – 89.1
	20-24	83.3	77.8 – 87.7
	25-34	73.9	69.9 – 77.5
	35 & Older	70.6	62.7 – 77.4
EDUCATION LEVEL	<High School	86.9	80.1 – 91.6
	H.S.	79.8	74.6 – 84.1
	>High School	71.2	67.2 – 74.8
HOUSEHOLD INCOME	<\$15,000	83.9	79.4 – 87.5
	\$15,000-\$34,999	77.4	71.3 – 82.6
	\$35,000 or More	67.4	62.4 – 72.0
MEDICAID RECIPIENT	Yes	81.6	78.0 – 84.7
	No	69.4	64.9 – 73.5
MARITAL STATUS	Married	72.2	68.2 – 75.8
	Not Married	81.2	77.2 – 84.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about using seat belts during pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about using a seat belt during your pregnancy? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	52.2	49.0 – 55.3
RACE/ETHNICITY	Non-Hisp. White	46.3	41.8 – 50.9
	Non-Hisp. Black	59.2	51.5 – 66.5
	Hispanic	56.4	50.5 – 62.1
AGE GROUP	19 & Under	64.7	53.6 – 74.4
	20-24	55.3	48.6 – 61.8
	25-34	50.0	45.7 – 54.4
	35 & Older	47.2	39.1 – 55.4
EDUCATION LEVEL	<High School	62.4	53.8 – 70.3
	H.S.	62.4	56.5 – 67.9
	>High School	43.1	39.0 – 47.3
HOUSEHOLD INCOME	<\$15,000	59.0	53.4 – 64.3
	\$15,000-\$34,999	55.6	48.9 – 62.2
	\$35,000 or More	41.1	36.2 – 46.3
MEDICAID RECIPIENT	Yes	58.9	54.6 – 63.1
	No	43.0	38.4 – 47.8
MARITAL STATUS	Married	46.3	42.1 – 50.6
	Not Married	59.0	54.2 – 63.6


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about pregnancy-safe medicines

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about medicines that are safe to take during your pregnancy? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	86.3	84.0 – 88.4
RACE/ETHNICITY	Non-Hisp. White	87.3	84.0 – 90.1
	Non-Hisp. Black	86.6	80.5 – 91.1
	Hispanic	85.6	81.0 – 89.3
AGE GROUP	19 & Under	87.0	77.4 – 92.9
	20-24	89.8	85.1 – 93.1
	25-34	84.4	80.9 – 87.3
	35 & Older	87.6	81.4 – 91.9
EDUCATION LEVEL	<High School	91.3	85.5 – 95.0
	H.S.	84.9	80.0 – 88.7
	>High School	85.7	82.5 – 88.4
HOUSEHOLD INCOME	<\$15,000	86.1	81.8 – 89.5
	\$15,000-\$34,999	87.3	82.0 – 91.2
	\$35,000 or More	85.8	81.7 – 89.0
MEDICAID RECIPIENT	Yes	86.0	82.7 – 88.7
	No	86.7	83.2 – 89.7
MARITAL STATUS	Married	86.3	83.1 – 89.0
	Not Married	86.4	82.7 – 89.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about the effects of using illegal drugs during pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how using illegal drugs could affect your baby? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	68.8	65.8 – 71.6
	Non-Hisp. White	59.2	54.7 – 63.6
	Non-Hisp. Black	80.5	73.9 – 85.8
	Hispanic	75.7	70.4 – 80.3
AGE GROUP	19 & Under	80.9	70.8 – 88.1
	20-24	78.2	72.3 – 83.1
	25-34	65.1	60.9 – 69.1
	35 & Older	59.5	51.3 – 67.3
EDUCATION LEVEL	<High School	82.7	75.3 – 88.3
	H.S.	78.6	73.4 – 83.0
	>High School	58.9	54.7 – 62.9
HOUSEHOLD INCOME	<\$15,000	80.3	75.6 – 84.2
	\$15,000-\$34,999	72.8	66.5 – 78.4
	\$35,000 or More	53.5	48.3 – 58.6
MEDICAID RECIPIENT	Yes	77.8	74.1 – 81.2
	No	56.7	51.9 – 61.3
MARITAL STATUS	Married	61.8	57.6 – 65.8
	Not Married	76.9	72.7 – 80.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about screening for birth defects and diseases

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about doing tests to screen for birth defects or diseases that run in your family? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	84.7	82.3 – 86.9
	Non-Hisp. White	89.5	86.4 – 91.9
	Non-Hisp. Black	84.4	77.9 – 89.2
	Hispanic	79.0	73.8 – 83.4
AGE GROUP	19 & Under	82.5	72.7 – 89.2
	20-24	83.8	78.3 – 88.1
	25-34	84.1	80.6 – 87.1
	35 & Older	90.0	84.1 – 93.9
EDUCATION LEVEL	<High School	82.9	75.7 – 88.3
	H.S.	81.3	76.2 – 85.6
	>High School	87.2	84.1 – 89.7
HOUSEHOLD INCOME	<\$15,000	82.0	77.3 – 85.9
	\$15,000-\$34,999	83.9	78.3 – 88.2
	\$35,000 or More	88.1	84.3 – 91.2
MEDICAID RECIPIENT	Yes	82.6	79.1 – 85.6
	No	87.5	84.0 – 90.3
MARITAL STATUS	Married	84.1	80.7 – 87.1
	Not Married	85.4	81.7 – 88.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about the signs and symptoms of preterm labor during pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about the signs and symptoms of preterm labor (labor more than three weeks before the baby is due). Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	78.6	75.9 – 81.1
	Non-Hisp. White	79.8	75.9 – 83.2
	Non-Hisp. Black	82.2	75.5 – 87.3
	Hispanic	74.8	69.4 – 79.5
AGE GROUP	19 & Under	84.0	74.3 – 90.5
	20-24	82.6	77.0 – 87.0
	25-34	77.1	73.2 – 80.6
	35 & Older	74.5	66.8 – 81.0
EDUCATION LEVEL	<High School	79.3	71.5 – 85.4
	H.S.	78.9	73.7 – 83.4
	>High School	78.2	74.6 – 81.5
HOUSEHOLD INCOME	<\$15,000	80.1	75.3 – 84.1
	\$15,000-\$34,999	80.4	74.5 – 85.2
	\$35,000 or More	76.3	71.7 – 80.4
MEDICAID RECIPIENT	Yes	79.6	75.9 – 82.9
	No	77.2	73.0 – 80.9
MARITAL STATUS	Married	76.7	72.8 – 80.1
	Not Married	80.9	76.9 – 84.4


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about how to respond to early labor

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about what to do if your labor starts early? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	83.7	81.2 – 85.9
	Non-Hisp. White	84.5	80.9 – 87.4
	Non-Hisp. Black	87.5	81.8 – 91.7
	Hispanic	81.1	76.2 – 85.3
AGE GROUP	19 & Under	85.3	75.8 – 91.5
	20-24	87.0	82.0 – 90.8
	25-34	83.1	79.6 – 86.1
	35 & Older	79.4	72.2 – 85.1
EDUCATION LEVEL	<High School	85.6	78.7 – 90.5
	H.S.	83.9	79.1 – 87.8
	>High School	83.0	79.6 – 85.9
HOUSEHOLD INCOME	<\$15,000	83.9	79.5 – 87.4
	\$15,000-\$34,999	85.3	79.9 – 89.4
	\$35,000 or More	81.7	77.4 – 85.3
MEDICAID RECIPIENT	Yes	83.7	80.3 – 86.6
	No	83.5	79.8 – 86.7
MARITAL STATUS	Married	83.7	80.3 – 86.6
	Not Married	83.6	79.8 – 86.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about getting tested for HIV

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other healthcare worker talk with you about getting tested for HIV (the virus that causes AIDS)? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	86.5	84.2 – 88.6
RACE/ETHNICITY	Non-Hisp. White	85.5	82.0 – 88.4
	Non-Hisp. Black	89.6	83.8 – 93.5
	Hispanic	85.6	81.1 – 89.2
AGE GROUP	19 & Under	95.8	88.6 – 98.5
	20-24	91.1	86.4 – 94.2
	25-34	84.0	80.6 – 86.9
	35 & Older	82.8	75.8 – 88.1
EDUCATION LEVEL	<High School	94.2	88.6 – 97.1
	H.S.	89.0	84.8 – 92.2
	>High School	82.8	79.4 – 85.8
HOUSEHOLD INCOME	<\$15,000	89.7	85.9 – 92.6
	\$15,000-\$34,999	90.2	85.5 – 93.6
	\$35,000 or More	80.0	75.5 – 83.8
MEDICAID RECIPIENT	Yes	90.1	87.3 – 92.4
	No	81.7	77.8 – 85.1
MARITAL STATUS	Married	83.2	79.8 – 86.2
	Not Married	90.4	87.3 – 92.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about what to do if you feel depressed during or after pregnancy

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other healthcare worker talk with you about what to do if you feel depressed during your pregnancy or after your baby is born? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	61.3	58.2 – 64.4
RACE/ETHNICITY	Non-Hisp. White	59.9	55.3 – 64.2
	Non-Hisp. Black	68.2	60.6 – 75.0
	Hispanic	60.1	54.3 – 65.7
AGE GROUP	19 & Under	74.3	63.7 – 82.7
	20-24	69.4	63.0 – 75.2
	25-34	58.3	54.0 – 62.5
	35 & Older	51.1	42.9 – 59.2
EDUCATION LEVEL	<High School	65.6	57.2 – 73.2
	H.S.	69.0	63.3 – 74.3
	>High School	55.4	51.2 – 59.6
HOUSEHOLD INCOME	<\$15,000	66.5	61.1 – 71.5
	\$15,000-\$34,999	67.3	60.7 – 73.2
	\$35,000 or More	52.6	47.4 – 57.7
MEDICAID RECIPIENT	Yes	66.2	62.0 – 70.1
	No	54.7	49.9 – 59.3
MARITAL STATUS	Married	55.8	51.5 – 60.0
	Not Married	67.8	63.1 – 72.0


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider During Prenatal Care Visits

Prevalence of new moms in Florida having prenatal care discussions about domestic physical abuse

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other healthcare worker talk with you about physical abuse to women by their husbands or partners? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	50.7	47.5 – 53.9
	Non-Hisp. White	43.0	38.6 – 47.6
	Non-Hisp. Black	64.4	56.7 – 71.4
	Hispanic	54.4	48.5 – 60.1
AGE GROUP	19 & Under	66.9	56.0 – 76.3
	20-24	59.2	52.5 – 65.5
	25-34	46.2	41.9 – 50.6
	35 & Older	43.3	35.3 – 51.6
EDUCATION LEVEL	<High School	71.2	63.0 – 78.2
	H.S.	59.9	53.9 – 65.6
	>High School	39.2	35.2 – 43.4
HOUSEHOLD INCOME	<\$15,000	63.5	58.0 – 68.6
	\$15,000-\$34,999	55.2	48.5 – 61.8
	\$35,000 or More	32.8	28.2 – 37.8
MEDICAID RECIPIENT	Yes	60.0	55.7 – 64.1
	No	38.2	33.7 – 42.9
MARITAL STATUS	Married	41.9	37.8 – 46.2
	Not Married	60.9	56.2 – 65.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider About Metal Exposure

Prevalence of new moms in Florida having prenatal care discussions about lead exposures in your environment

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how you and your family can be exposed to lead in your environment? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	25.9	23.2 – 28.8
RACE/ETHNICITY	Non-Hisp. White	19.7	16.3 – 23.5
	Non-Hisp. Black	35.0	27.9 – 42.8
	Hispanic	29.3	24.1 – 35.1
AGE GROUP	19 & Under	32.0	22.6 – 43.2
	20-24	32.7	26.7 – 39.4
	25-34	22.1	18.7 – 26.0
	35 & Older	25.0	18.5 – 32.9
EDUCATION LEVEL	<High School	35.6	27.7 – 44.2
	H.S.	31.4	26.1 – 37.3
	>High School	19.8	16.7 – 23.4
HOUSEHOLD INCOME	<\$15,000	33.4	28.3 – 38.9
	\$15,000-\$34,999	32.1	26.2 – 38.7
	\$35,000 or More	15.0	11.7 – 19.1
MEDICAID RECIPIENT	Yes	31.3	27.4 – 35.5
	No	18.8	15.3 – 22.8
MARITAL STATUS	Married	22.0	18.6 – 25.8
	Not Married	30.5	26.2 – 35.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider About Metal Exposure

Prevalence of new moms in Florida having prenatal care discussions about preventing you and your family from being exposed to lead

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about what steps you can take to prevent you and your family from being exposed to lead? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	25.1	22.4 – 28.0
RACE/ETHNICITY	Non-Hisp. White	19.2	15.9 – 23.0
	Non-Hisp. Black	34.9	27.9 – 42.7
	Hispanic	27.8	22.7 – 33.5
AGE GROUP	19 & Under	33.2	23.6 – 44.3
	20-24	31.8	25.8 – 38.4
	25-34	21.2	17.8 – 25.0
	35 & Older	23.5	17.2 – 31.3
EDUCATION LEVEL	<High School	36.9	29.0 – 45.6
	H.S.	32.2	26.8 – 38.0
	>High School	17.4	14.4 – 20.8
HOUSEHOLD INCOME	<\$15,000	33.3	28.2 – 38.8
	\$15,000-\$34,999	31.3	25.4 – 37.9
	\$35,000 or More	12.9	9.8 – 16.7
MEDICAID RECIPIENT	Yes	31.5	27.6 – 35.8
	No	16.6	13.3 – 20.4
MARITAL STATUS	Married	19.7	16.5 – 23.4
	Not Married	31.4	27.0 – 36.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Discussions with Healthcare Provider About Metal Exposure

Prevalence of new moms in Florida having prenatal care discussions about the effects that eating fish containing high levels of mercury can have on the baby

PRAMS Question: During any of your prenatal care visits, did a doctor, nurse, or other health care worker talk with you about how eating fish containing high levels of mercury could affect your baby? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	67.1	64.0 – 70.1
	Non-Hisp. White	67.9	63.5 – 72.0
	Non-Hisp. Black	69.4	61.7 – 76.2
	Hispanic	65.3	59.4 – 70.8
AGE GROUP	19 & Under	63.9	52.8 – 73.7
	20-24	77.8	71.7 – 83.0
	25-34	65.1	60.8 – 69.2
	35 & Older	59.4	51.0 – 67.2
EDUCATION LEVEL	<High School	62.0	53.4 – 69.9
	H.S.	71.2	65.3 – 76.4
	>High School	66.5	62.4 – 70.4
HOUSEHOLD INCOME	<\$15,000	66.1	60.6 – 71.2
	\$15,000-\$34,999	73.8	67.4 – 79.3
	\$35,000 or More	64.0	58.9 – 68.8
MEDICAID RECIPIENT	Yes	69.5	65.3 – 73.4
	No	64.0	59.3 – 68.4
MARITAL STATUS	Married	65.0	60.8 – 69.0
	Not Married	69.6	64.9 – 73.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy

Prevalence of new moms in Florida experiencing vaginal bleeding during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did you have vaginal bleeding? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	17.0	14.8 – 19.5
RACE/ETHNICITY	Non-Hisp. White	15.8	12.8 – 19.3
	Non-Hisp. Black	18.1	13.0 – 24.7
	Hispanic	18.8	14.7 – 23.7
AGE GROUP	19 & Under	24.5	16.3 – 35.2
	20-24	15.4	11.3 – 20.6
	25-34	16.1	13.3 – 19.5
	35 & Older	18.0	12.7 – 25.0
EDUCATION LEVEL	<High School	18.4	12.9 – 25.7
	H.S.	15.3	11.6 – 20.0
	>High School	17.6	14.7 – 20.9
HOUSEHOLD INCOME	<\$15,000	17.3	13.6 – 21.7
	\$15,000-\$34,999	16.2	11.9 – 21.7
	\$35,000 or More	16.8	13.4 – 20.8
MEDICAID RECIPIENT	Yes	16.9	14.0 – 20.2
	No	17.3	14.1 – 21.1
MARITAL STATUS	Married	15.3	12.6 – 18.5
	Not Married	19.0	15.6 – 22.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy

Prevalence of new moms in Florida experiencing a kidney or bladder (urinary tract) infection during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did you have a kidney or bladder (urinary tract) infection? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	21.7	19.1 – 24.4
RACE/ETHNICITY	Non-Hisp. White	21.5	18.0 – 25.4
	Non-Hisp. Black	23.0	17.2 – 30.2
	Hispanic	21.1	16.7 – 26.3
AGE GROUP	19 & Under	47.0	36.4 – 57.8
	20-24	26.5	21.1 – 32.7
	25-34	16.9	13.8 – 20.4
	35 & Older	15.7	10.7 – 22.3
EDUCATION LEVEL	<High School	35.7	28.0 – 44.2
	H.S.	22.9	18.3 – 28.2
	>High School	16.8	13.9 – 20.1
HOUSEHOLD INCOME	<\$15,000	29.2	24.5 – 34.4
	\$15,000-\$34,999	16.8	12.6 – 22.2
	\$35,000 or More	16.6	13.1 – 20.9
MEDICAID RECIPIENT	Yes	27.2	23.6 – 31.2
	No	14.3	11.3 – 18.0
MARITAL STATUS	Married	14.8	12.1 – 18.1
	Not Married	29.7	25.5 – 34.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy

Prevalence of new moms in Florida experiencing severe nausea, vomiting, or dehydration during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did you have severe nausea, vomiting, or dehydration? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	30.1	27.3 – 33.1
RACE/ETHNICITY	Non-Hisp. White	27.1	23.3 – 31.3
	Non-Hisp. Black	36.1	29.2 – 43.7
	Hispanic	32.4	27.2 – 38.1
AGE GROUP	19 & Under	39.9	29.8 – 50.9
	20-24	36.2	30.1 – 42.7
	25-34	28.3	24.5 – 32.3
	35 & Older	21.3	15.4 – 28.6
EDUCATION LEVEL	<High School	39.3	31.4 – 47.8
	H.S.	30.7	25.6 – 36.4
	>High School	26.8	23.3 – 30.7
HOUSEHOLD INCOME	<\$15,000	36.2	31.2 – 41.6
	\$15,000-\$34,999	30.5	24.8 – 36.9
	\$35,000 or More	21.5	17.6 – 26.1
MEDICAID RECIPIENT	Yes	36.8	32.8 – 41.0
	No	21.3	17.7 – 25.4
MARITAL STATUS	Married	26.2	22.6 – 30.1
	Not Married	34.8	30.5 – 39.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy

Prevalence of new moms in Florida having their cervix sewn shut during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did your cervix have to be sewn shut (cerclage for incompetent cervix)?
 Answer: Yes.




MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	1.4	0.9 – 2.3
RACE/ETHNICITY	Non-Hisp. White	0.6	0.2 – 1.7
	Non-Hisp. Black	3.0	1.4 – 6.4
	Hispanic	1.6	0.7 – 3.6
AGE GROUP	19 & Under	1.9	0.4 – 8.8
	20-24	0.7	0.2 – 2.6
	25-34	1.5	0.8 – 2.8
	35 & Older	2.0	0.7 – 5.6
EDUCATION LEVEL	<High School	2.0	0.6 – 6.4
	H.S.	1.1	0.4 – 3.0
	>High School	1.4	0.8 – 2.6
HOUSEHOLD INCOME	<\$15,000	1.4	0.6 – 3.3
	\$15,000-\$34,999	0.8	0.3 – 2.6
	\$35,000 or More	1.7	0.8 – 3.6
MEDICAID RECIPIENT	Yes	1.7	0.9 – 3.1
	No	1.1	0.5 – 2.4
MARITAL STATUS	Married	1.3	0.7 – 2.5
	Not Married	1.6	0.8 – 3.2

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy**Prevalence of new moms in Florida experiencing high blood pressure (hypertension) during most recent pregnancy**

PRAMS Question: During your most recent pregnancy, did you have high blood pressure, hypertension (including pregnancy-induced hypertension [PIH], preeclampsia or toxemia)? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	15.0	12.9 – 17.3
RACE/ETHNICITY	Non-Hisp. White	16.4	13.4 – 20.0
	Non-Hisp. Black	18.1	13.0 – 24.5
	Hispanic	12.2	8.9 – 16.4
AGE GROUP	19 & Under	14.5	8.7 – 23.2
	20-24	19.3	14.5 – 25.1
	25-34	12.3	9.8 – 15.3
	35 & Older	18.5	13.1 – 25.4
EDUCATION LEVEL	<High School	11.8	7.5 – 18.1
	H.S.	16.3	12.5 – 21.0
	>High School	15.0	12.3 – 18.1
HOUSEHOLD INCOME	<\$15,000	15.1	11.6 – 19.4
	\$15,000-\$34,999	15.4	11.4 – 20.6
	\$35,000 or More	14.3	11.2 – 18.1
MEDICAID RECIPIENT	Yes	15.2	12.5 – 18.4
	No	14.7	11.8 – 18.3
MARITAL STATUS	Married	14.6	11.9 – 17.7
	Not Married	15.5	12.5 – 19.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy

Prevalence of new moms in Florida experiencing placental problems during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did you have problems with the placenta, (such as abruptio placentae or placenta previa)? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	5.8	4.5 – 7.4
RACE/ETHNICITY	Non-Hisp. White	6.7	4.8 – 9.3
	Non-Hisp. Black	4.4	2.2 – 8.4
	Hispanic	5.3	3.3 – 8.5
AGE GROUP	19 & Under	7.4	3.2 – 15.8
	20-24	5.4	3.1 – 9.1
	25-34	5.6	4.0 – 7.9
	35 & Older	6.3	3.4 – 11.2
EDUCATION LEVEL	<High School	3.9	1.7 – 8.7
	H.S.	5.0	3.0 – 8.2
	>High School	6.9	5.1 – 9.2
HOUSEHOLD INCOME	<\$15,000	5.5	3.5 – 8.5
	\$15,000-\$34,999	5.9	3.5 – 9.8
	\$35,000 or More	6.4	4.4 – 9.2
MEDICAID RECIPIENT	Yes	5.7	4.1 – 8.0
	No	6.0	4.2 – 8.5
MARITAL STATUS	Married	5.7	4.1 – 7.9
	Not Married	5.9	4.1 – 8.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy

Prevalence of new moms in Florida experiencing labor pains more than three weeks before scheduled due date of most recent pregnancy

PRAMS Question: During your most recent pregnancy, did you have labor pains more than three weeks before your baby was due (premature or early labor)? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	19.3	17.0 – 21.9
	Non-Hisp. White	19.7	16.5 – 23.4
	Non-Hisp. Black	19.0	13.8 – 25.4
	Hispanic	19.3	15.1 – 24.2
AGE GROUP	19 & Under	30.3	21.5 – 41.0
	20-24	25.8	20.5 – 31.8
	25-34	16.3	13.4 – 19.7
	35 & Older	13.3	8.9 – 19.4
EDUCATION LEVEL	<High School	25.7	19.2 – 33.4
	H.S.	24.4	19.8 – 29.7
	>High School	14.4	11.8 – 17.5
HOUSEHOLD INCOME	<\$15,000	24.6	20.3 – 29.4
	\$15,000-\$34,999	17.9	13.5 – 23.3
	\$35,000 or More	14.4	11.3 – 18.3
MEDICAID RECIPIENT	Yes	24.1	20.8 – 27.8
	No	12.9	10.1 – 16.3
MARITAL STATUS	Married	15.1	12.4 – 18.3
	Not Married	24.3	20.6 – 28.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy

Prevalence of new moms in Florida experiencing premature rupture of membranes during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did your water break more than three weeks before your baby was due (premature rupture of membranes [PROM])? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	5.6	4.5 – 6.9
RACE/ETHNICITY	Non-Hisp. White	4.8	3.4 – 6.6
	Non-Hisp. Black	7.2	4.7 – 10.8
	Hispanic	4.7	3.0 – 7.2
AGE GROUP	19 & Under	5.1	2.6 – 9.7
	20-24	7.7	5.1 – 11.3
	25-34	4.1	3.0 – 5.7
	35 & Older	7.8	4.7 – 12.7
EDUCATION LEVEL	<High School	4.4	3.0 – 6.6
	H.S.	8.8	6.2 – 12.2
	>High School	4.0	2.9 – 5.6
HOUSEHOLD INCOME	<\$15,000	5.1	3.6 – 7.0
	\$15,000-\$34,999	7.2	4.6 – 11.1
	\$35,000 or More	4.8	3.2 – 7.0
MEDICAID RECIPIENT	Yes	5.8	4.4 – 7.5
	No	5.3	3.7 – 7.6
MARITAL STATUS	Married	4.4	3.2 – 6.0
	Not Married	7.0	5.2 – 9.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy

Prevalence of new moms in Florida having blood transfusions during most recent pregnancy

PRAMS Question: During your most recent pregnancy, did you have a blood transfusion? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	1.8	1.2 – 2.8
RACE/ETHNICITY	Non-Hisp. White	1.4	0.7 – 2.8
	Non-Hisp. Black	2.7	1.1 – 6.5
	Hispanic	1.8	0.8 – 4.0
AGE GROUP	19 & Under	2.8	0.9 – 8.4
	20-24	2.8	1.2 – 6.1
	25-34	1.3	0.6 – 2.7
	35 & Older	1.5	0.5 – 4.1
EDUCATION LEVEL	<High School	2.2	0.8 – 5.7
	H.S.	2.9	1.5 – 5.6
	>High School	1.1	0.5 – 2.2
HOUSEHOLD INCOME	<\$15,000	3.6	2.1 – 6.2
	\$15,000-\$34,999	1.7	0.7 – 4.2
	\$35,000 or More	0.4	0.2 – 0.7
MEDICAID RECIPIENT	Yes	2.9	1.8 – 4.7
	No	0.4	0.2 – 0.6
MARITAL STATUS	Married	1.4	0.7 – 2.8
	Not Married	2.3	1.3 – 4.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy

Prevalence of new moms in Florida injured in an automobile accident during most recent pregnancy

PRAMS Question: During your most recent pregnancy, were you hurt in a car accident? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	2.1	1.4 – 3.3
RACE/ETHNICITY	Non-Hisp. White	2.1	1.2 – 3.9
	Non-Hisp. Black	1.0	0.2 – 4.4
	Hispanic	2.4	1.1 – 5.1
AGE GROUP	19 & Under	2.3	0.6 – 8.6
	20-24	2.7	1.2 – 6.3
	25-34	2.0	1.1 – 3.6
	35 & Older	1.8	0.5 – 6.4
EDUCATION LEVEL	<High School	2.8	1.0 – 7.7
	H.S.	2.0	0.9 – 4.5
	>High School	2.1	1.1 – 3.7
HOUSEHOLD INCOME	<\$15,000	1.9	0.8 – 4.2
	\$15,000-\$34,999	3.9	2.0 – 7.6
	\$35,000 or More	1.6	0.7 – 3.5
MEDICAID RECIPIENT	Yes	2.6	1.5 – 4.4
	No	1.5	0.7 – 3.2
MARITAL STATUS	Married	2.3	1.3 – 4.1
	Not Married	2.0	1.0 – 3.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Maternal Morbidity During Pregnancy

Prevalence of new moms in Florida with gestational diabetes during most recent pregnancy

PRAMS Question: During your most recent pregnancy, were you told by a doctor, nurse, or other health care worker that you had gestational diabetes (diabetes that started during this pregnancy)? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	10.4	8.6 – 12.5
	Non-Hisp. White	9.8	7.4 – 12.9
	Non-Hisp. Black	13.0	8.6 – 19.2
	Hispanic	9.5	6.6 – 13.4
AGE GROUP	19 & Under	9.5	4.8 – 17.8
	20-24	9.3	6.0 – 14.0
	25-34	9.7	7.5 – 12.6
	35 & Older	15.0	10.1 – 21.9
EDUCATION LEVEL	<High School	12.7	8.1 – 19.3
	H.S.	10.8	7.6 – 15.0
	>High School	9.3	7.1 – 12.0
HOUSEHOLD INCOME	<\$15,000	13.6	10.3 – 17.8
	\$15,000-\$34,999	6.1	3.7 – 10.0
	\$35,000 or More	9.7	7.0 – 13.2
MEDICAID RECIPIENT	Yes	11.6	9.1 – 14.6
	No	8.8	6.5 – 11.9
MARITAL STATUS	Married	10.3	8.0 – 13.2
	Not Married	10.5	7.9 – 13.8

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Delivery Type


Prevalence of new moms in Florida having vaginal deliveries

Birth Record Data: Type of Delivery: Vaginal.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS

MEASURE 95% CI

RACE/ETHNICITY	ALL Overall	57.8	54.7 – 60.9
	Non-Hisp. White	58.7	54.2 – 63.1
	Non-Hisp. Black	58.9	51.1 – 66.3
	Hispanic	56.3	50.5 – 62.0
AGE GROUP	19 & Under	69.7	59.1 – 78.6
	20-24	66.3	59.8 – 72.3
	25-34	56.9	52.5 – 61.1
	35 & Older	40.5	32.8 – 48.6
EDUCATION LEVEL	<High School	57.4	49.0 – 65.4
	H.S.	59.6	53.7 – 65.3
	>High School	56.8	52.6 – 60.9
HOUSEHOLD INCOME	<\$15,000	62.2	56.8 – 67.3
	\$15,000-\$34,999	56.7	50.0 – 63.1
	\$35,000 or More	55.4	50.2 – 60.4
MEDICAID RECIPIENT	Yes	59.1	54.9 – 63.3
	No	56.0	51.3 – 60.6
MARITAL STATUS	Married	55.2	51.0 – 59.4
	Not Married	60.9	56.2 – 65.4

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Delivery Type


Prevalence of new moms in Florida having cesarean section (C-section) deliveries

Birth Record Data: Type of Delivery: Cesarean Section.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS

MEASURE 95% CI

RACE/ETHNICITY	ALL Overall	42.2	39.1 – 45.3
	Non-Hisp. White	41.3	36.9 – 45.8
	Non-Hisp. Black	41.1	33.7 – 48.9
	Hispanic	43.7	38.0 – 49.5
AGE GROUP	19 & Under	30.3	21.4 – 40.9
	20-24	33.7	27.7 – 40.2
	25-34	43.1	38.9 – 47.5
	35 & Older	59.5	51.4 – 67.2
EDUCATION LEVEL	<High School	42.6	34.6 – 51.0
	H.S.	40.4	34.7 – 46.3
	>High School	43.2	39.1 – 47.4
HOUSEHOLD INCOME	<\$15,000	37.8	32.7 – 43.2
	\$15,000-\$34,999	43.3	36.9 – 50.0
	\$35,000 or More	44.6	39.6 – 49.8
MEDICAID RECIPIENT	Yes	40.9	36.7 – 45.1
	No	44.0	39.4 – 48.7
MARITAL STATUS	Married	44.8	40.6 – 49.0
	Not Married	39.1	34.6 – 43.8


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Delivery Payment Source

Prevalence of new moms in Florida having recent delivery paid for by Medicaid

PRAMS Question: Did any of these health insurance plans help you pay for the delivery of your new baby? Answer: Medicaid.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	54.9	51.8 – 57.9
	Non-Hisp. White	41.8	37.4 – 46.2
	Non-Hisp. Black	70.5	63.0 – 77.0
	Hispanic	66.9	61.4 – 72.0
AGE GROUP	19 & Under	83.2	73.3 – 89.9
	20-24	74.1	68.0 – 79.5
	25-34	48.1	43.8 – 52.4
	35 & Older	31.5	24.5 – 39.5
EDUCATION LEVEL	<High School	90.8	85.1 – 94.4
	H.S.	74.3	68.7 – 79.1
	>High School	33.0	29.2 – 36.9
HOUSEHOLD INCOME	<\$15,000	86.1	81.9 – 89.5
	\$15,000-\$34,999	68.1	61.6 – 73.9
	\$35,000 or More	12.8	9.7 – 16.6
MEDICAID RECIPIENT	Yes	96.2	94.2 – 97.5
	No	0.0	
MARITAL STATUS	Married	33.0	29.2 – 37.2
	Not Married	80.8	76.8 – 84.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Delivery Payment Source

Prevalence of new moms in Florida not having health insurance to pay for recent delivery

PRAMS Question: Did any of these health insurance plans help you pay for the delivery of your new baby? Answer: I did not have health insurance to help pay for my delivery.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	3.4	2.4 – 4.8
	Non-Hisp. White	2.3	1.2 – 4.1
	Non-Hisp. Black	1.0	0.2 – 4.6
	Hispanic	5.4	3.3 – 8.7
AGE GROUP	19 & Under	5.5	2.2 – 13.3
	20-24	3.3	1.5 – 6.9
	25-34	3.2	2.0 – 5.2
	35 & Older	3.0	1.2 – 7.3
EDUCATION LEVEL	<High School	4.0	1.8 – 8.7
	H.S.	4.2	2.3 – 7.5
	>High School	2.8	1.7 – 4.6
HOUSEHOLD INCOME	<\$15,000	3.1	1.6 – 5.6
	\$15,000-\$34,999	4.3	2.2 – 8.1
	\$35,000 or More	2.4	1.2 – 4.7
MEDICAID RECIPIENT	Yes	1.2	0.5 – 2.6
	No	6.4	4.3 – 9.2
MARITAL STATUS	Married	3.4	2.1 – 5.4
	Not Married	3.4	2.0 – 5.7


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Delivery Payment Source

Prevalence of new moms in Florida having recent delivery paid for by health insurance from job

PRAMS Question: Did any of these health insurance plans help you pay for the delivery of your new baby? Answer: Health Insurance from job or not from a job.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	40.7	37.7 – 43.7
RACE/ETHNICITY	Non-Hisp. White	55.2	50.7 – 59.6
	Non-Hisp. Black	29.5	23.0 – 36.9
	Hispanic	26.0	21.4 – 31.1
AGE GROUP	19 & Under	9.5	4.7 – 18.1
	20-24	19.5	14.9 – 25.2
	25-34	48.3	44.1 – 52.6
	35 & Older	65.8	57.8 – 73.1
EDUCATION LEVEL	<High School	4.3	2.0 – 9.2
	H.S.	19.5	15.4 – 24.5
	>High School	63.9	59.8 – 67.7
HOUSEHOLD INCOME	<\$15,000	6.8	4.6 – 10.1
	\$15,000-\$34,999	30.7	25.0 – 37.0
	\$35,000 or More	83.4	79.2 – 86.9
MEDICAID RECIPIENT	Yes	6.7	4.9 – 9.1
	No	85.9	82.1 – 88.9
MARITAL STATUS	Married	61.5	57.3 – 65.5
	Not Married	16.1	13.0 – 19.7

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Delivery Payment Source


Prevalence of new moms in Florida having recent delivery paid for by TRICARE

PRAMS Question: Did any of these health insurance plans help you pay for the delivery of your new baby? Answer: Tricare.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	3.2	2.3 – 4.5
RACE/ETHNICITY	Non-Hisp. White	4.1	2.6 – 6.3
	Non-Hisp. Black	3.8	1.7 – 8.0
	Hispanic	1.5	0.6 – 3.3
AGE GROUP	19 & Under	2.2	0.6 – 8.5
	20-24	4.2	2.2 – 7.7
	25-34	3.0	1.9 – 4.8
	35 & Older	3.1	1.3 – 7.4
EDUCATION LEVEL	<High School	0.6	0.1 – 4.3
	H.S.	1.9	0.8 – 4.2
	>High School	4.8	3.3 – 6.9
HOUSEHOLD INCOME	<\$15,000	2.1	1.0 – 4.3
	\$15,000-\$34,999	2.4	1.1 – 5.3
	\$35,000 or More	5.1	3.3 – 7.8
MEDICAID RECIPIENT	Yes	0.6	0.2 – 1.7
	No	6.7	4.7 – 9.5
MARITAL STATUS	Married	5.2	3.6 – 7.4
	Not Married	0.9	0.4 – 2.3

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Delivery Payment Source


Prevalence of new moms in Florida having recent delivery paid for by Medipass

PRAMS Question: Did any of these health insurance plans help you pay for the delivery of your new baby? Answer: Medipass.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	1.5	0.9 – 2.6
RACE/ETHNICITY	Non-Hisp. White	0.9	0.4 – 2.4
	Non-Hisp. Black	2.6	0.9 – 6.9
	Hispanic	1.9	0.8 – 4.5
AGE GROUP	19 & Under	2.9	0.8 – 9.8
	20-24	2.3	0.9 – 5.7
	25-34	1.3	0.6 – 2.8
	35 & Older	0.3	0.1 – 1.0
EDUCATION LEVEL	<High School	4.8	2.3 – 9.9
	H.S.	2.1	0.9 – 4.8
	>High School	0.2	0.0 – 1.3
HOUSEHOLD INCOME	<\$15,000	2.4	1.2 – 4.9
	\$15,000-\$34,999	2.1	0.8 – 5.4
	\$35,000 or More	0.4	0.1 – 1.7
MEDICAID RECIPIENT	Yes	2.0	1.1 – 3.7
	No	0.8	0.3 – 2.4
MARITAL STATUS	Married	0.9	0.4 – 2.4
	Not Married	2.2	1.1 – 4.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Depression

Prevalence of new moms in Florida feeling down, depressed, or sad after new baby was born

PRAMS Question: Since your new baby was born, how often have you felt down, depressed, or sad? Answer: (always, often, sometimes, rarely).



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	67.6	64.6 – 70.6
RACE/ETHNICITY	Non-Hisp. White	69.9	65.6 – 73.9
	Non-Hisp. Black	63.5	55.6 – 70.7
	Hispanic	66.5	60.7 – 71.8
AGE GROUP	19 & Under	71.8	61.0 – 80.6
	20-24	65.0	58.4 – 71.1
	25-34	68.5	64.3 – 72.4
	35 & Older	66.3	58.1 – 73.7
EDUCATION LEVEL	<High School	60.9	52.4 – 68.8
	H.S.	62.6	56.6 – 68.2
	>High School	72.4	68.5 – 76.0
HOUSEHOLD INCOME	<\$15,000	65.7	60.3 – 70.8
	\$15,000-\$34,999	63.7	57.1 – 69.9
	\$35,000 or More	72.7	67.8 – 77.0
MEDICAID RECIPIENT	Yes	65.5	61.3 – 69.5
	No	70.4	65.9 – 74.6
MARITAL STATUS	Married	72.1	68.1 – 75.8
	Not Married	62.4	57.6 – 66.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Depression

Prevalence of new moms in Florida feeling hopeless after new baby was born

PRAMS Question: Since your new baby was born, how often have you felt hopeless? Answer: (always, often, sometimes, rarely).



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	33.0	30.0 – 36.1
RACE/ETHNICITY	Non-Hisp. White	31.6	27.6 – 36.0
	Non-Hisp. Black	33.9	26.8 – 41.7
	Hispanic	33.2	27.9 – 39.0
AGE GROUP	19 & Under	46.5	35.8 – 57.5
	20-24	35.3	29.2 – 42.0
	25-34	32.2	28.2 – 36.4
	35 & Older	23.6	17.4 – 31.3
EDUCATION LEVEL	<High School	35.0	27.3 – 43.6
	H.S.	36.1	30.5 – 42.1
	>High School	30.4	26.7 – 34.4
HOUSEHOLD INCOME	<\$15,000	40.9	35.6 – 46.5
	\$15,000-\$34,999	29.3	23.7 – 35.7
	\$35,000 or More	27.2	22.9 – 32.1
MEDICAID RECIPIENT	Yes	36.7	32.6 – 41.0
	No	28.2	24.1 – 32.7
MARITAL STATUS	Married	28.4	24.7 – 32.4
	Not Married	38.4	33.8 – 43.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Depression

Prevalence of new moms in Florida feeling slowed down after new baby was born

PRAMS Question: Since your new baby was born, how often have you felt slowed down? Answer: (always, often, sometimes, rarely).



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	61.6	58.4 – 64.7
RACE/ETHNICITY	Non-Hisp. White	68.8	64.4 – 72.8
	Non-Hisp. Black	56.7	48.7 – 64.3
	Hispanic	52.4	46.5 – 58.3
AGE GROUP	19 & Under	57.7	46.6 – 68.1
	20-24	59.5	52.8 – 65.9
	25-34	62.3	57.9 – 66.4
	35 & Older	64.9	56.6 – 72.4
EDUCATION LEVEL	<High School	51.6	43.0 – 60.1
	H.S.	56.4	50.3 – 62.3
	>High School	67.3	63.2 – 71.1
HOUSEHOLD INCOME	<\$15,000	57.8	52.2 – 63.1
	\$15,000-\$34,999	55.3	48.5 – 61.8
	\$35,000 or More	70.3	65.4 – 74.8
MEDICAID RECIPIENT	Yes	58.3	53.9 – 62.5
	No	65.8	61.1 – 70.2
MARITAL STATUS	Married	64.2	60.0 – 68.2
	Not Married	58.4	53.6 – 63.1

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Services


Prevalence of new moms in Florida using parenting classes after new baby was born

PRAMS Question: Since your new baby was born, have you used any parenting classes? Answer: Yes.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	9.9	8.1 – 12.0
RACE/ETHNICITY	Non-Hisp. White	7.8	5.7 – 10.6
	Non-Hisp. Black	17.4	12.1 – 24.3
	Hispanic	8.5	5.8 – 12.4
AGE GROUP	19 & Under	24.0	15.7 – 34.8
	20-24	7.7	4.8 – 12.1
	25-34	7.8	5.8 – 10.4
	35 & Older	12.2	7.7 – 18.9
EDUCATION LEVEL	<High School	15.0	9.9 – 22.1
	H.S.	8.1	5.3 – 12.2
	>High School	9.4	7.2 – 12.1
HOUSEHOLD INCOME	<\$15,000	11.6	8.5 – 15.8
	\$15,000-\$34,999	9.0	5.9 – 13.5
	\$35,000 or More	8.1	5.7 – 11.3
MEDICAID RECIPIENT	Yes	10.3	7.9 – 13.2
	No	9.4	6.9 – 12.5
MARITAL STATUS	Married	9.0	6.9 – 11.9
	Not Married	10.9	8.3 – 14.3


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Services

Prevalence of new moms in Florida receiving home visits by a nurse or other health care worker since new baby was born

PRAMS Question: Since your new baby was born, have you had any visits to your home by a nurse or other health care worker? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	12.0	10.1 – 14.3
	Non-Hisp. White	9.0	6.7 – 11.9
	Non-Hisp. Black	21.1	15.2 – 28.7
	Hispanic	11.9	8.6 – 16.3
AGE GROUP	19 & Under	25.9	17.5 – 36.6
	20-24	12.6	8.7 – 17.8
	25-34	9.7	7.4 – 12.7
	35 & Older	10.9	6.7 – 17.3
EDUCATION LEVEL	<High School	20.1	14.0 – 27.9
	H.S.	15.7	11.7 – 20.6
	>High School	7.6	5.7 – 10.1
HOUSEHOLD INCOME	<\$15,000	17.8	13.8 – 22.6
	\$15,000-\$34,999	13.1	9.2 – 18.2
	\$35,000 or More	5.1	3.3 – 7.8
MEDICAID RECIPIENT	Yes	15.6	12.6 – 19.1
	No	7.4	5.3 – 10.4
MARITAL STATUS	Married	6.5	4.7 – 9.0
	Not Married	18.7	15.1 – 22.8

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Postpartum Services


Prevalence of new moms in Florida receiving counseling for depression or anxiety since new baby was born

PRAMS Question: Since your new baby was born, have you had any counseling for depression or anxiety? Answer: Yes.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	6.2	4.8 – 8.0
RACE/ETHNICITY	Non-Hisp. White	5.6	3.9 – 8.2
	Non-Hisp. Black	4.7	2.2 – 9.4
	Hispanic	7.3	4.7 – 11.2
AGE GROUP	19 & Under	4.6	1.7 – 11.5
	20-24	5.5	3.1 – 9.4
	25-34	6.1	4.2 – 8.6
	35 & Older	9.1	5.3 – 15.3
EDUCATION LEVEL	<High School	7.7	4.2 – 13.6
	H.S.	7.0	4.4 – 10.9
	>High School	5.3	3.7 – 7.6
HOUSEHOLD INCOME	<\$15,000	6.5	4.3 – 9.8
	\$15,000-\$34,999	6.5	3.8 – 11.0
	\$35,000 or More	4.7	2.9 – 7.5
MEDICAID RECIPIENT	Yes	7.0	5.1 – 9.6
	No	5.3	3.5 – 8.0
MARITAL STATUS	Married	5.2	3.6 – 7.5
	Not Married	7.5	5.3 – 10.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Low Birth Weight

Prevalence of low birth weight (LBW) infants in Florida

Birth Record Data: Birth Weight: (Infant born weighing less than or equal to 2,500 grams, or five pounds, eight ounces).



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	8.0	7.7 – 8.3
RACE/ETHNICITY	Non-Hisp. White	6.1	5.6 – 6.6
	Non-Hisp. Black	12.7	10.9 – 14.8
	Hispanic	8.0	6.7 – 9.4
AGE GROUP	19 & Under	10.0	7.4 – 13.3
	20-24	7.3	6.0 – 8.8
	25-34	7.5	6.7 – 8.4
	35 & Older	9.5	7.6 – 11.8
EDUCATION LEVEL	<High School	9.6	7.7 – 12.0
	H.S.	9.2	7.8 – 10.9
	>High School	6.6	6.0 – 7.2
HOUSEHOLD INCOME	<\$15,000	8.9	7.7 – 10.4
	\$15,000-\$34,999	8.3	6.9 – 9.9
	\$35,000 or More	6.6	5.7 – 7.5
MEDICAID RECIPIENT	Yes	9.3	8.5 – 10.1
	No	6.2	5.5 – 7.0
MARITAL STATUS	Married	6.4	5.8 – 7.1
	Not Married	9.8	8.8 – 10.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Low Birth Weight

Prevalence of very low birth weight (VLBW) infants in Florida

Birth Record Data: Birth Weight: (Infant born weighing less than or equal to 1,500 grams, or three pounds, five ounces).



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	1.6	1.3 – 1.9
RACE/ETHNICITY	Non-Hisp. White	1.1	0.8 – 1.5
	Non-Hisp. Black	3.2	2.3 – 4.4
	Hispanic	1.4	1.0 – 1.9
AGE GROUP	19 & Under	2.9	1.7 – 4.6
	20-24	1.3	0.9 – 2.1
	25-34	1.4	1.1 – 1.8
	35 & Older	1.8	1.1 – 2.9
EDUCATION LEVEL	<High School	1.4	0.8 – 2.4
	H.S.	1.8	1.3 – 2.5
	>High School	1.4	1.1 – 1.8
HOUSEHOLD INCOME	<\$15,000	2.0	1.5 – 2.6
	\$15,000-\$34,999	1.4	0.9 – 2.2
	\$35,000 or More	1.3	0.9 – 1.8
MEDICAID RECIPIENT	Yes	1.8	1.5 – 2.3
	No	1.2	0.9 – 1.7
MARITAL STATUS	Married	1.3	1.0 – 1.7
	Not Married	1.9	1.5 – 2.5


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Preterm Births

Prevalence of preterm births infants in Florida

Birth Record Data: Gestational Age at Birth: (Infant born at less than 37 weeks gestational age).



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	9.2	8.0 – 10.6
	Non-Hisp. White	8.6	6.9 – 10.6
	Non-Hisp. Black	10.7	8.1 – 14.0
	Hispanic	9.4	7.1 – 12.4
AGE GROUP	19 & Under	6.3	4.4 – 8.8
	20-24	8.9	6.4 – 12.4
	25-34	8.5	6.9 – 10.4
	35 & Older	14.3	10.3 – 19.5
EDUCATION LEVEL	<High School	9.2	6.3 – 13.2
	H.S.	12.4	9.6 – 15.8
	>High School	7.2	5.9 – 8.9
HOUSEHOLD INCOME	<\$15,000	9.1	7.1 – 11.6
	\$15,000-\$34,999	8.5	6.1 – 11.8
	\$35,000 or More	9.4	7.3 – 11.9
MEDICAID RECIPIENT	Yes	9.4	7.8 – 11.3
	No	9.0	7.1 – 11.2
MARITAL STATUS	Married	8.5	6.9 – 10.4
	Not Married	10.0	8.1 – 12.3

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Neonatal Intensive Care


Prevalence of infants in Florida admitted into a neonatal intensive care unit (NICU)

PRAMS Question: After your baby was born, was he or she put in an intensive care unit? Answer: Yes.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	14.6	12.7 – 16.7
RACE/ETHNICITY	Non-Hisp. White	13.7	11.1 – 16.7
	Non-Hisp. Black	15.4	11.2 – 20.9
	Hispanic	16.1	12.5 – 20.4
AGE GROUP	19 & Under	20.6	13.6 – 30.0
	20-24	15.2	11.2 – 20.2
	25-34	13.2	10.8 – 16.0
	35 & Older	15.4	11.0 – 21.2
EDUCATION LEVEL	<High School	15.3	10.6 – 21.7
	H.S.	17.5	13.7 – 21.9
	>High School	12.8	10.5 – 15.5
HOUSEHOLD INCOME	<\$15,000	16.0	12.7 – 20.1
	\$15,000-\$34,999	14.9	11.2 – 19.6
	\$35,000 or More	12.2	9.6 – 15.4
MEDICAID RECIPIENT	Yes	16.1	13.4 – 19.1
	No	12.7	10.2 – 15.8
MARITAL STATUS	Married	12.3	10.1 – 15.0
	Not Married	17.4	14.3 – 20.9

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.


Hospital Stay

Prevalence of infants in Florida staying in the hospital three or more days after birth


PRAMS Question: After your baby was born, how long did he or she stay in the hospital? (Among infants born in a hospital.)

Answer: Three days or more.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS

MEASURE 95% CI



ALL	Overall	43.6	40.5 – 46.7
RACE/ETHNICITY	Non-Hisp. White	38.5	34.3 – 43.0
	Non-Hisp. Black	50.4	42.6 – 58.1
	Hispanic	48.3	42.5 – 54.2
AGE GROUP	19 & Under	44.2	33.8 – 55.1
	20-24	46.6	40.0 – 53.3
	25-34	42.0	37.8 – 46.3
	35 & Older	44.1	36.2 – 52.3
EDUCATION LEVEL	<High School	57.0	48.4 – 65.1
	H.S.	42.7	37.0 – 48.7
	>High School	39.9	35.9 – 44.0
HOUSEHOLD INCOME	<\$15,000	47.9	42.4 – 53.4
	\$15,000-\$34,999	40.3	34.1 – 46.9
	\$35,000 or More	38.1	33.3 – 43.2
MEDICAID RECIPIENT	Yes	48.1	43.8 – 52.4
	No	37.6	33.2 – 42.3
MARITAL STATUS	Married	39.4	35.3 – 43.6
	Not Married	48.5	43.7 – 53.3

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Breastfeeding**Prevalence of new moms in Florida who breastfed her new baby**

PRAMS Question: Did you ever breastfeed or pump breast milk to feed your new baby after delivery, even for a short period of time? Answer: Yes.

By Race/Ethnicity**By Age**



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	85.5	83.1 – 87.7
RACE/ETHNICITY	Non-Hisp. White	86.9	83.6 – 89.7
	Non-Hisp. Black	71.1	63.2 – 77.9
	Hispanic	89.7	85.3 – 92.8
AGE GROUP	19 & Under	80.3	70.1 – 87.6
	20-24	79.8	73.8 – 84.7
	25-34	88.3	85.1 – 90.8
	35 & Older	88.0	81.4 – 92.4
EDUCATION LEVEL	<High School	77.3	69.6 – 83.6
	H.S.	76.9	71.4 – 81.6
	>High School	92.8	90.4 – 94.7
HOUSEHOLD INCOME	<\$15,000	77.3	72.3 – 81.6
	\$15,000-\$34,999	86.7	81.4 – 90.7
	\$35,000 or More	92.5	89.2 – 94.8
MEDICAID RECIPIENT	Yes	79.6	75.8 – 82.9
	No	93.2	90.4 – 95.2
MARITAL STATUS	Married	92.3	89.7 – 94.3
	Not Married	77.3	72.9 – 81.1

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Breastfeeding**Prevalence of new moms in Florida who breastfed her new baby for four or more weeks**

PRAMS Question: How many weeks or months did you breastfeed or pump milk to feed your new baby? Answer: Four weeks or more.

By Race/Ethnicity**By Age**



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	66.3	63.2 – 69.3
RACE/ETHNICITY	Non-Hisp. White	67.8	63.4 – 71.9
	Non-Hisp. Black	45.7	38.0 – 53.7
	Hispanic	72.7	67.1 – 77.6
AGE GROUP	19 & Under	54.2	43.3 – 64.8
	20-24	56.4	49.6 – 63.0
	25-34	70.8	66.6 – 74.6
	35 & Older	73.4	65.6 – 80.0
EDUCATION LEVEL	<High School	53.8	45.3 – 62.0
	H.S.	56.0	49.9 – 61.9
	>High School	75.9	72.2 – 79.3
HOUSEHOLD INCOME	<\$15,000	54.6	49.0 – 60.0
	\$15,000-\$34,999	65.1	58.6 – 71.2
	\$35,000 or More	78.2	73.6 – 82.1
MEDICAID RECIPIENT	Yes	56.6	52.2 – 60.9
	No	78.9	74.8 – 82.6
MARITAL STATUS	Married	77.5	73.7 – 80.8
	Not Married	52.8	47.9 – 57.6

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Breastfeeding**Prevalence of new moms in Florida who breastfed for at least three months**

PRAMS Question: How many weeks or months did you breastfeed or pump milk to feed your new baby? Answer: 12 weeks or more.

By Race/Ethnicity**By Age**

MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	44.4	41.2 – 47.6
	Non-Hisp. White	47.3	42.8 – 51.9
	Non-Hisp. Black	28.9	22.3 – 36.6
	Hispanic	45.9	40.1 – 51.8
AGE GROUP	19 & Under	27.2	18.5 – 38.0
	20-24	28.4	22.7 – 34.8
	25-34	52.6	48.2 – 56.9
	35 & Older	50.7	42.5 – 58.8
EDUCATION LEVEL	<High School	33.3	25.7 – 41.8
	H.S.	33.9	28.4 – 39.9
	>High School	53.6	49.4 – 57.7
HOUSEHOLD INCOME	<\$15,000	31.5	26.6 – 36.9
	\$15,000-\$34,999	41.3	34.9 – 48.1
	\$35,000 or More	57.8	52.7 – 62.8
MEDICAID RECIPIENT	Yes	34.4	30.4 – 38.7
	No	57.4	52.7 – 62.0
MARITAL STATUS	Married	55.3	51.0 – 59.5
	Not Married	31.2	26.9 – 35.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Exposure to Second-Hand Cigarette Smoke

Prevalence of new infants in Florida exposed to second-hand cigarette smoke

PRAMS Question: About how many hours a day, on average, is your new baby in the same room or vehicle with someone who is smoking? Answer: more than one hour per day.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	0.9	0.5 – 1.9
	Non-Hisp. White	0.9	0.3 – 2.4
	Non-Hisp. Black	3.0	1.2 – 7.6
	Hispanic	0.0	
AGE GROUP	19 & Under	3.8	1.2 – 11.4
	20-24	0.5	0.1 – 3.1
	25-34	0.9	0.4 – 2.4
	35 & Older	0.0	
EDUCATION LEVEL	<High School	0.7	0.1 – 4.8
	H.S.	1.6	0.6 – 4.3
	>High School	0.6	0.2 – 1.9
HOUSEHOLD INCOME	<\$15,000	2.0	0.9 – 4.4
	\$15,000-\$34,999	1.0	0.2 – 3.8
	\$35,000 or More	0.0	
MEDICAID RECIPIENT	Yes	1.5	0.7 – 3.1
	No	0.3	0.0 – 1.8
MARITAL STATUS	Married	0.2	0.0 – 1.4
	Not Married	1.9	0.9 – 3.8

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Sleep Positions


Prevalence of new infants in Florida placed on their backs to sleep

PRAMS Question: In which one position do you most often lay your baby down to sleep now? Answer: Back.

By Race/Ethnicity



By Age



MATERNAL DEMOGRAPHIC CHARACTERISTICS

MEASURE 95% CI

RACE/ETHNICITY	ALL Overall	65.1	62.0 – 68.1
	Non-Hisp. White	76.6	72.5 – 80.2
	Non-Hisp. Black	45.4	37.5 – 53.5
	Hispanic	57.2	51.3 – 62.9
AGE GROUP	19 & Under	54.5	43.4 – 65.1
	20-24	64.7	58.0 – 70.8
	25-34	67.5	63.3 – 71.5
	35 & Older	63.6	55.3 – 71.2
EDUCATION LEVEL	<High School	58.1	49.6 – 66.3
	H.S.	62.4	56.4 – 68.1
	>High School	68.7	64.7 – 72.4
HOUSEHOLD INCOME	<\$15,000	60.3	54.7 – 65.6
	\$15,000-\$34,999	65.6	58.9 – 71.7
	\$35,000 or More	70.8	65.9 – 75.2
MEDICAID RECIPIENT	Yes	59.9	55.6 – 64.1
	No	71.8	67.4 – 75.9
MARITAL STATUS	Married	69.7	65.6 – 73.5
	Not Married	59.6	54.7 – 64.2


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Sleep Positions

Prevalence of new infants in Florida placed on their side to sleep

PRAMS Question: In which one position do you most often lay your baby down to sleep now? Answer: Side.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	16.7	14.5 – 19.3
	Non-Hisp. White	7.6	5.5 – 10.3
	Non-Hisp. Black	22.6	16.5 – 30.2
	Hispanic	27.0	22.1 – 32.6
AGE GROUP	19 & Under	20.4	13.0 – 30.6
	20-24	13.2	9.2 – 18.6
	25-34	17.2	14.1 – 20.9
	35 & Older	18.4	12.8 – 25.9
EDUCATION LEVEL	<High School	22.6	16.2 – 30.6
	H.S.	19.3	14.9 – 24.6
	>High School	13.6	10.9 – 16.7
HOUSEHOLD INCOME	<\$15,000	20.9	16.6 – 25.9
	\$15,000-\$34,999	17.3	12.8 – 23.1
	\$35,000 or More	12.9	9.8 – 16.8
MEDICAID RECIPIENT	Yes	20.1	16.8 – 23.9
	No	12.4	9.5 – 15.9
MARITAL STATUS	Married	14.9	12.1 – 18.3
	Not Married	19.0	15.4 – 23.2

CI=Confidence Interval


^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Sleep Positions


Prevalence of new infants in Florida placed on their stomach to sleep

PRAMS Question: In which one position do you most often lay your baby down to sleep now? Answer: Stomach.

By Race/Ethnicity



By Age




MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	13.9	11.9 – 16.3
RACE/ETHNICITY	Non-Hisp. White	13.2	10.4 – 16.6
	Non-Hisp. Black	26.5	20.1 – 34.1
	Hispanic	9.5	6.6 – 13.5
AGE GROUP	19 & Under	21.0	13.2 – 31.7
	20-24	17.9	13.3 – 23.6
	25-34	12.1	9.5 – 15.3
	35 & Older	10.1	6.2 – 15.9
EDUCATION LEVEL	<High School	11.1	6.8 – 17.6
	H.S.	13.0	9.4 – 17.6
	>High School	15.4	12.6 – 18.7
HOUSEHOLD INCOME	<\$15,000	13.0	9.6 – 17.2
	\$15,000-\$34,999	14.7	10.6 – 20.1
	\$35,000 or More	13.9	10.7 – 17.9
MEDICAID RECIPIENT	Yes	14.3	11.5 – 17.7
	No	13.5	10.6 – 17.0
MARITAL STATUS	Married	12.6	10.0 – 15.6
	Not Married	15.6	12.4 – 19.5

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Pacifier Use During Sleep**Prevalence of infants in Florida using a pacifier during hours of sleep**

PRAMS Question: How often does your new baby go to sleep with a pacifier? Answer: Always, often, sometime and rarely.





MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	67.3	64.2 – 70.3
	Non-Hisp. White	68.4	63.9 – 72.5
	Non-Hisp. Black	74.6	66.8 – 81.1
	Hispanic	64.6	58.7 – 70.1
AGE GROUP	19 & Under	70.3	59.2 – 79.4
	20-24	78.0	71.8 – 83.1
	25-34	62.8	58.4 – 67.0
	35 & Older	65.5	57.2 – 72.9
EDUCATION LEVEL	<High School	62.2	53.3 – 70.2
	H.S.	67.8	61.9 – 73.3
	>High School	68.6	64.5 – 72.4
HOUSEHOLD INCOME	<\$15,000	67.2	61.6 – 72.3
	\$15,000-\$34,999	66.8	60.2 – 72.8
	\$35,000 or More	68.1	63.1 – 72.8
MEDICAID RECIPIENT	Yes	67.4	63.1 – 71.4
	No	67.4	62.7 – 71.8
MARITAL STATUS	Married	65.5	61.3 – 69.5
	Not Married	69.6	64.8 – 73.9

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Bed Sharing**Prevalence of infants in Florida sleeping in bed with parent or anyone else**

PRAMS Question: How often does your new baby sleep in the same bed with you or anyone else? Answer: Always, often, sometimes and rarely.

By Race/Ethnicity**By Age**

MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	59.7	56.6 – 62.8
RACE/ETHNICITY	Non-Hisp. White	53.7	49.1 – 58.2
	Non-Hisp. Black	75.0	67.4 – 81.3
	Hispanic	58.2	52.4 – 63.9
AGE GROUP	19 & Under	74.2	63.6 – 82.5
	20-24	66.5	59.9 – 72.5
	25-34	57.2	52.8 – 61.4
	35 & Older	49.2	41.1 – 57.4
EDUCATION LEVEL	<High School	61.9	53.3 – 69.7
	H.S.	60.0	54.0 – 65.8
	>High School	59.0	54.8 – 63.0
HOUSEHOLD INCOME	<\$15,000	65.7	60.2 – 70.8
	\$15,000-\$34,999	61.3	54.7 – 67.6
	\$35,000 or More	52.6	47.4 – 57.7
MEDICAID RECIPIENT	Yes	63.7	59.5 – 67.7
	No	54.7	50.0 – 59.4
MARITAL STATUS	Married	53.3	49.0 – 57.5
	Not Married	67.5	62.8 – 71.9


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Well-Baby Check Ups

Prevalence of infants in Florida being seen by healthcare provider within one week after leaving hospital

PRAMS Question: Was your new baby seen by a doctor, nurse, or other health care worker for a one week check-up after he or she was born? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
RACE/ETHNICITY	ALL Overall	93.2	91.4 – 94.7
	Non-Hisp. White	95.0	92.6 – 96.6
	Non-Hisp. Black	89.0	82.7 – 93.2
	Hispanic	93.9	90.3 – 96.2
AGE GROUP	19 & Under	92.4	83.9 – 96.6
	20-24	92.4	87.9 – 95.3
	25-34	93.3	90.7 – 95.3
	35 & Older	94.7	89.3 – 97.5
EDUCATION LEVEL	<High School	89.7	83.2 – 93.9
	H.S.	93.1	89.2 – 95.6
	>High School	94.4	92.0 – 96.0
HOUSEHOLD INCOME	<\$15,000	90.7	86.9 – 93.5
	\$15,000-\$34,999	95.7	92.0 – 97.7
	\$35,000 or More	94.2	91.2 – 96.2
MEDICAID RECIPIENT	Yes	92.1	89.3 – 94.2
	No	94.7	92.1 – 96.5
MARITAL STATUS	Married	94.5	92.1 – 96.1
	Not Married	91.7	88.5 – 94.1


CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Well-Baby Check Ups

Prevalence of infants in Florida having at least one well-baby checkup

PRAMS Question: Has your new baby had a well-baby checkup? Answer: Yes.



MATERNAL DEMOGRAPHIC CHARACTERISTICS		MEASURE	95% CI
ALL	Overall	99.1	98.2 – 99.5
RACE/ETHNICITY	Non-Hisp. White	99.4	98.3 – 99.8
	Non-Hisp. Black	98.9	95.3 – 99.7
	Hispanic	99.4	97.6 – 99.9
AGE GROUP	19 & Under	99.5	98.4 – 99.8
	20-24	99.9	99.4 – 100.0
	25-34	98.9	97.5 – 99.5
	35 & Older	98.1	93.5 – 99.5
EDUCATION LEVEL	<High School	97.7	93.5 – 99.2
	H.S.	98.9	96.9 – 99.6
	>High School	99.6	98.4 – 99.9
HOUSEHOLD INCOME	<\$15,000	98.2	96.0 – 99.2
	\$15,000-\$34,999	99.4	97.1 – 99.9
	\$35,000 or More	100.0	
MEDICAID RECIPIENT	Yes	98.6	97.1 – 99.3
	No	99.8	98.3 – 100.0
MARITAL STATUS	Married	99.1	97.8 – 99.6
	Not Married	99.0	97.6 – 99.6

CI=Confidence Interval

^ - The measures are unavailable, not appropriate for the table, or were suppressed due to low respondent counts.

Appendix - A

Florida PRAMS Overview and Methods

The Pregnancy Risk Assessment Monitoring System (PRAMS) is a population-based surveillance system of maternal behaviors and experiences before and during a woman's pregnancy and during the early infancy of her baby. In 1987, the U.S. Centers for Disease Control and Prevention (CDC) developed the PRAMS project initially with five states. The decision to develop the PRAMS surveillance system was based on research that showed the United States infant mortality rate was no longer declining as rapidly as it had in past years, the prevalence of low birthweight was showing little change, and maternal behaviors such as smoking, drug and alcohol use, and limited use of prenatal and pediatric care were contributing to the slow rate of decline. The Florida PRAMS surveillance project was initiated in June 1993.

Purpose of PRAMS

The overall goal of PRAMS is to reduce infant morbidity and mortality by changing maternal behaviors both before and during pregnancy and during early infancy. PRAMS is designed to establish and maintain state-specific, population-based surveillance of selected maternal behaviors that occur before and during pregnancy and during early infancy and to generate state-specific data for planning and evaluating maternal and child health programs. PRAMS was designed to supplement data from vital records and to generate data for planning and assessing perinatal health programs in each participating state, as well as to allow comparisons among states.

Survey Protocol

Florida residents who gave birth to live-born infants within two to five months were randomly selected to participate in PRAMS. Florida's sampling strategy included four strata: 1) low birth weight among Whites, 2) low birth weight among non-Whites, 3) normal birth weight among Whites, 5) normal birth weight among non-Whites.

Methods

Data collection for Florida PRAMS was the result of joint efforts between the Centers for Disease Control and Prevention (CDC) and the Florida Department of Health. PRAMS is a mail/telephone surveillance system that includes mailing surveys to selected respondents two to five months after they have given birth. Questionnaires are mailed to selected participants a maximum of three times. Participants who did not complete a mailed questionnaire are followed up by telephone. For 2010, the state-level Florida PRAMS had a response rate of 60.5 percent.

The weighted Florida PRAMS datasets were analyzed using SAS Version 9.3 and SUDAAN 10.0.1. The point estimates and 95 percent confidence intervals (95% CI) were calculated using the SUDAAN procedure, "PROC CROSSTAB". All missing and unknown response values were excluded from individual calculations where applicable. No statistic was provided if the unweighted sample size of the total number of respondents within a demographic level of response was less than 30.

Survey Estimates

PRAMS survey data are adjusted, or “weighted,” so that the resulting estimates can be generalized to the entire state population of pregnancies which resulted in a live birth during the year (excluding those that resulted in pluralities of four or greater). For PRAMS, we want to be able to infer behaviors among the entire group of women in Florida who delivered a live born baby within a specified period of calendar time and who were residents of Florida. This group of women forms the *population* of interest; the individual women who were randomly selected were known as a *sample* from this population.

Strengths and Limitations of the PRAMS

To use PRAMS correctly, users should be aware of the strengths and limitations of the data. The major strengths of PRAMS include:

1. It is flexible and relatively inexpensive method of collecting public health data.
2. It is a population-based survey, allowing the data to be generalized to overall state-level populations.
3. The PRAMS survey has been conducted in a majority of states for many years. Thus, states can compare their data with each other, as well as analyze the data for trends over time.

However, PRAMS has limitations, including:

1. The data collected consists of self-reported information that has not been verified.
2. The survey has a limited number of completed interviews, and the sample size may be too small for analysis on some sub-populations.
3. The sample is restricted to: (a) include only one infant from pregnancies that resulted in twins or triplets; and (b) exclude infants from pregnancies that resulted in pluralities of four or greater. Because of these restrictions, estimates of low birth weight and preterm delivery are lower than the rates reported from Vital Statistics. Population statistics for these birth outcomes can be obtained from Florida CHARTS (Community Health Assessment Resource Tool Set) at <http://www.floridacharts.com/charts/BirthQuery.aspx>.

Appendix - B

Survey Definitions

Medicaid Recipient - A woman was defined as a Medicaid recipient if she received Medicaid just before pregnancy, or if her prenatal care was paid by Medicaid, or if delivery was paid by Medicaid.

Underweight is based on a Body Mass Index (BMI) of less than 18.5. Overweight is based on a Body Mass Index (BMI) between 25.0 and 29.9. Obesity is based on a Body Mass Index (BMI) of 30.0 or more. BMI is calculated as follows: $\text{weight (kg)}/\text{height (m)}^2$ or $\text{BMI} = [\text{weight (lb)}/\text{height (in)}^2] \times 703$.

Unintended pregnancy is defined as either being wanted later or not being wanted then or at any time in the future. Mistimed pregnancy is defined as being wanted later. Unwanted pregnancy is defined as not being wanted then or at any time in the future.

Some Florida PRAMS 2010 survey questions allowed the respondent to choose multiple answers. In these cases, all response options were analyzed for this report. The following Florida PRAMS survey questions fall under this category.

- During the month before you got pregnant with your new baby, were you covered by any of these insurance plans? Check all that apply.
- What were your reasons or your husband's or partner's reasons for not doing anything to keep from getting pregnant? Check all that apply.
- When you got pregnant with your new baby, what were you or your husband or partner using to keep from getting pregnant? Check all that apply.
- Did any of these health insurance plans help you pay for your prenatal care? Check all that apply.
- What was the reason that your new baby was born by cesarean section? Check all that apply.
- Did any of these health insurance plans help you pay for the delivery of your new baby? Check all that apply.
- What kind of birth control are you or your husband or partner using now to keep from getting pregnant? Check all that apply.

Appendix - C

Birth Certificate Variables and Definitions

While the majority of the information in this report was based on direct responses to the Florida PRAMS survey questionnaire, other variables, such as the maternal demographics, were acquired from the Florida Certificate of Live Birth Records portion of the PRAMS dataset, which reflected the following birth certificate text fields:

- Race – White, Black or African American, American Indian or Alaska Native, Asian Indian, Chinese, Japanese, Filipino, Korean, Vietnamese, Other Asian, Native Hawaiian, Guamanian or Chamorro, Samoan, Other Pacific Isl.
- Ethnicity – Hispanic or Haitian origin? (Specify No or Yes. If Yes, specify Mexican, Puerto Rican, Cuban, Central/South American, Haitian, Other Unknown Hispanic)
- Age – date of birth
- Education – (Specify only highest degree or level of school completed)
- Marital status – Is mother married?
- Preterm births/gestational age – Clinical estimate of gestation (Weeks)
- Birth weight – (Specify in grams only)
- Prenatal care – Month of pregnancy prenatal care began – First, second, third or no prenatal care
- Method of delivery (Check all that apply with an (X)): Vaginal, vaginal birth after previous c-section, primary c-section, repeat c-section, forceps, vacuum.
- Vaginal Delivery – The analysis of vaginal delivery among women in Florida includes all vaginal deliveries: unassisted, assisted, and after a previous C-Section
- Delivery by c-section – The analysis of c-section delivery among women in Florida includes all c-sections: primary or repeat.

Appendix - D

Interpreting the Data from the 2010 Florida PRAMS Data Report

As noted in Appendix A, a prevalence or percentage from the PRAMS survey is an estimate of the real population prevalence. When a percentage is derived from a sample rather than a census of a population, sampling errors occur. Because sampling errors are inherent in these types of surveys, we calculate 95% confidence intervals (CI) for each prevalence estimate to determine the accuracy of that estimate. Simply, a 95% confidence interval is the range in which the real population prevalence is likely to be found 95% of the time. Further, the smaller the confidence interval, the more accurate the estimated prevalence. For example, the table below shows that during 2010, 8.6% of new moms in Florida reported cigarette smoking during the last three months of their pregnancy. The confidence interval is 6.8% to 10.4% (6.8 – 10.4), suggesting that the real population prevalence is very likely to be within the narrow range and close to the estimate of 8.6%.

Maternal Demographic	Measure	95% CI
Overall	8.6	6.8 ~ 10.4
Race/Ethnicity		
Non-Hispanic whites	14.3	11.1 ~ 17.6
Non-Hispanic blacks	3.9	0.7 ~ 7.1
Hispanics	2.6	0.8 ~ 4.4

The confidence intervals are determined by many factors, in particular the sample size. Compare the confidence intervals for non-Hispanic whites, non-Hispanic blacks, and Hispanics in the table above. As we divide the data for analysis by race/ethnicity, age, etc., the sample size for each group becomes smaller, the confidence intervals become larger, and the estimates become less reliable.

In addition to estimating the accuracy of the prevalence estimates, the confidence intervals are used to compare populations. As a rule, the difference in prevalence between two populations is statistically significant if the confidence intervals of the two population estimates do not overlap. From the above example, we can see that the confidence interval for non-Hispanic whites (11.1 – 17.6) and the confidence interval for non-Hispanic blacks (0.7 – 7.1) do not overlap. We can thus conclude that there is a significant difference in the prevalence of cigarette smoking during pregnancy between non-Hispanic whites and non-Hispanic blacks and that the prevalence of this behavior among non-Hispanic whites is higher than among non-Hispanic blacks.

Comparisons of confidence intervals are not a true test of statistical significance, however, and it is possible for the difference between two estimates to be statistically significant even when the confidence intervals overlap. While it is beyond the scope of this report to test for whether the difference between these two estimates are actually statistically significant, data users may contact the PRAMS Project Coordinator or Data Analyst for technical assistance.

Appendix - E

The Florida PRAMS 2010 Survey Sample

Survey respondents' demographics by race/ethnicity (unweighted numbers, weight numbers, and weighted percentages), Florida PRAMS 2010*

Maternal Demographic	Statewide		
	Frequency (completed survey)	Weighted Number	Weighted Percent
Totals	1400	209822	100
Race/Ethnicity			
non-Hispanic whites	638	93659	44.8
non-Hispanic blacks	264	37419	17.9
Hispanics	437	68869	32.9
All Others*	57	9114	4.3
Age Distribution			
19 Years and Under	133	19220	9.2
20 to 24 Years	308	48576	23.1
25 to 34 Years	734	111636	53.2
35 Years and Over	225	30390	14.5
Education			
Less Than 12 Years	215	33455	16.0
12 Years	425	65275	31.2
13 Years or More	752	110586	52.8
Annual Household Income			
<\$15,000	479	74458	38.0
\$15,000 to \$34,999	328	47635	24.3
\$35,000 or more	501	73910	37.7
Medicaid Recipient Status			
Medicaid Recipient: Yes	809	120320	57.5
Medicaid Recipient: No	586	88918	42.5
Marital Status			
Married: Yes	737	113027	53.9
Married: No	663	96795	46.1

*Due to small sample size and non-homogeneous characteristics, statistical results from the individual analysis of the race/ethnicity category of "All Others" is excluded from this document. However, this group is included in all other calculations.



Prepared by:

Bonnie Yu, MA, MAS
Avalon Adams-Thames, MPH, CHES
Cizao Ren, MD, MS, PhD
Youjie Huang, MD, MPH, Dr. PH

If you have any questions or comments, please contact:

Florida Department of Health
Bureau of Epidemiology
Chronic Disease Evaluation and Surveillance
4052 Bald Cypress Way, Bin A-12
Tallahassee, FL 32399-1720

Phone: (850) 245-4401
Fax: (850) 922-9299
Email: chronicdisease@doh.state.fl.us
Web: www.floridachronicdisease.org/

The Florida PRAMS project is supported by grant number 5UR6 DP000541 from the Centers for Disease Control and Prevention (CDC).