

Mission:

To protect, promote and improve the health of all people in Florida through integrated state, county, and community efforts.



Ron DeSantis
Governor

Joseph A. Ladapo, MD, PhD
State Surgeon General

Vision: To be the Healthiest State in the Nation

FLDOH – BUREAU OF PUBLIC HEALTH LABS-JACKSONVILLE SEROLOGY DEPARTMENT

QFT-TB TESTING SPECIMEN SUBMISSION FORM

Tuberculosis is a communicable disease caused by infection with *M. tuberculosis* complex organisms. QFT-TB Plus is an indirect test for *M. tuberculosis* infection. QFT-Plus measures the cell-mediated immune (CMI) responses to peptide antigens that simulate mycobacterial proteins.

Specimen must be received at the lab within 16 hours of collection for QFT tubes and within 48 hours for LI-HEP tubes.

Facility Name (CHD, etc.): _____

Patient Name: _____ **DOB:** _____

Date of Collection: _____ / _____ / 20_____ **Time of Collection:** _____ AM / PM (Circle one)

Temperature of the Room During Collection: _____ °C **Acceptable Range:** 17–25°C (62.6–77°F)

Was the specimen stored prior to delivery to the lab? Yes No (Circle one)

If yes, what temperature was it stored? _____

(QFT tubes: 17–25°C max of 16 hours. LI-HEP: 17–25°C max of 12 hours or 2–8°C max of 48 hours)

Printed Name _____

Signature _____

Date _____

IMPORTANT: Submit this form with your shipment to comply with the company's package insert requirements and CMS compliance requirements.

Lab Use Only

Date Received: _____ / _____ / 20_____ **Time Received:** _____ AM / PM (Circle one)

Temperature Upon Arrival: _____ °C **Collection Tube(s):** QFT or LI-HEP (Circle one)
(QFT tubes: 17–25°C max of 16 hours. LI-HEP: 17–25°C max of 12 hours or 2–8°C max of 48 hours)

Printed Name _____

Signature _____

Performing Tech Initials _____

Florida Department of Health
Bureau of Public Health Laboratories
1217 N Pearl Street Jacksonville, FL 32202
PHONE: 904-791-1540 • FAX: 904-791-1542

FloridaHealth.gov



Accredited Health Department
Public Health Accreditation Board

Version 2.0, 05/2025