



PMP AWA^Rx^E®

Requestor User Support Manual

Florida Prescription Drug Monitoring Program

May 2022
Version 3.0



Table of Contents

1 Document Overview	1
1.1 What is a Requestor?	1
2 E-FORCSE[®] Overview	2
2.1 Florida’s PDMP Overview	2
3 Registration	4
3.1 Registration Overview	4
3.2 Registering for an Account	4
3.3 Verifying Your Email Address	14
3.4 Account Approval	15
3.5 Adding Delegates	16
4 Basic System Functions	17
4.1 Log In to PMP AWARe	17
4.2 My Dashboard	18
4.2.1 Patient Alerts	18
4.2.2 Recent Requests	19
4.2.3 Delegates/Supervisors	19
4.2.4 Announcements and Quick Links	20
4.3 Send a Notice to the State Administrator	20
4.4 Log Out of PMP AWARe	22
5 RxSearch	23
5.1 Creating a Patient Request	23
5.1.1 Multiple Patients Identified	27
5.1.2 Partial Search Results	28
5.1.3 No Results Found	29
5.3.1 Shared Reports	32
5.4.1 Viewing Bulk Patient Search Results	36
5.4.2 Incomplete Bulk Patient Search Results	38
5.4.3 No Prescriptions Found in Bulk Patient Search	39
6 User Profile	42

6.1	My Profile	42
6.2	Designee Management.....	45
6.2.1	Approving and Rejecting Designees.....	45
6.2.2	Adding a New Supervisor to a Delegate Account	45
6.2.3	Adding a Delegate to a Supervisor’s Account	46
6.2.4	Removing/Deactivating Designees	47
6.3	Password Management.....	48
6.3.1	Updating a Current Password	48
6.3.2	Resetting a Forgotten Password	49
6.4	Interstate Patient Rx Searches.....	53
6.4.1	Setting Default PMP InterConnect States	53
6.4.2	Using PMP InterConnect with a Patient Rx Search	53
6.4.3	Using RxCheck with a Patient Rx Search	54
7	Mandatory Use Compliance	55
7.1	Mandatory Use – Prescriber Reports	55
7.2	Mandatory Use – My Mandatory Use Compliance Report.....	56
7.3	Exemptions to Reviewing	57
8	Assistance and Support	58
8.1	Technical Assistance	58
8.2	Administrative Assistance.....	58
9	Document Information.....	59
9.1	Disclaimer	59
9.2	Change Log	59
	Appendix A: NarxCare	61
	Introduction to NarxCare	61
	NarxCare Layout	61
	NarxCare Report Details.....	64
	Prescription Detail	70
	Provider and Pharmacy Detail	70
	Other Tools/Metrics.....	71
	Narx Scores.....	72
	Narx Score Algorithm	73

Clinical Application	79
Overdose Risk Score	82
ORS Algorithm.....	82
Clinical Application	83
Additional Risk Indicators.....	86
Clinical Application	86
Appendix B: Communications Module	88
Accessing Your Inbox.....	88
Clinician-to-Clinician Messaging.....	92
Creating a New Message	92
View a Message Thread.....	94
Responding to an Existing Message.....	95
Care Notes.....	96
Adding a New Care Note	97
Editing a Care Note	99
Deleting a Care Note.....	103
Flagging a Message/Care Note as Inappropriate	106

1 Document Overview

The PMP AWAxR Requestor User Support Manual provides step-by-step instructions for healthcare professionals requesting data from the Electronic-Florida Online Reporting of Controlled Substances Evaluation (E-FORCSE®) database. It includes such topics as:

- Registering for an account
- Creating patient requests
- Viewing request status
- Viewing patient reports
- Appointing a designee to request and receive information on behalf of a prescriber or dispenser
- Managing your account

1.1 What is a Requestor?

A requestor is a PMP AWAxR account type that is used to review a patient's prescription history. A complete list of available roles is provided below:

Healthcare Professionals

- Dentist
- Medical Resident
- Naturopathic Physician
- Nurse Practitioner/Clinical Nurse Specialist
- Optometrist
- Pharmacist
- Pharmacist's Delegate - Unlicensed
- Physician (MD, DO)
- Physician Assistant
- Podiatrist (DPM)
- Prescriber Delegate - Unlicensed
- Prescriber without DEA

2 E-FORCSE® Overview

2.1 Florida's PDMP Overview

The Electronic-Florida Online Reporting of Controlled Substances Evaluation program (E-FORCSE®) is Florida's Prescription Drug Monitoring Program (PDMP). The purpose of E-FORCSE® is to collect and store dispensing information for controlled substances listed in schedules II, III, IV, and V, as defined in section 893.03, Florida Statute, and provide the information maintained in the system to healthcare practitioners to guide their clinical decision making.

Section 893.055, Florida Statute, requires dispensers to report specific information to E-FORCSE® each time a controlled substance is dispensed to an individual. For the purposes of this guide, the term “dispenser” means a pharmacy, dispensing pharmacist, or dispensing healthcare practitioner who is subject to licensure or regulation by the Florida Department of Health (DOH) under chapters 458, 459, 461, 462, 463, 464, 465, or 466, Florida Statutes, and is authorized to dispense controlled substances. This definition includes mail order and internet pharmacies as well as dispensing healthcare practitioners registered with their regulatory board.

Section 893.055(8) of Florida Statute requires that a prescriber or dispenser or a designee of a prescriber or dispenser must consult the system to review a patient's controlled substance dispensing history before prescribing or dispensing a controlled substance for a patient age 16 or older. This requirement does not apply when:

- prescribing or dispensing a nonopioid controlled substance listed in Schedule V of s. 893.03 or 21 U.S.C. 812 or prescribing or dispensing a controlled substance to a patient who has been admitted to hospice pursuant to s. 400.6095. For purposes of this subsection, a “nonopioid controlled substance” is a controlled substance that does not contain any amount of a substance listed as an opioid in s. 893.03 or 21 U.S.C. 812.
- the system is determined by the department to be nonoperational; or
- the system cannot be accessed by the prescriber or dispenser or a designee of the prescriber or dispenser because of a temporary technological or electrical failure.

A prescriber or dispenser or designee of a prescriber or dispenser who does not consult the system under this subsection shall document the reason he or she did not consult the system in the patient's medical record or prescription record and shall not prescribe or dispense greater than a 3-day supply of a controlled substance to the patient.

The department shall issue a non-disciplinary citation to any prescriber or dispenser who fails to consult the system as required by this subsection for an initial offense. Each subsequent offense is subject to disciplinary action pursuant to section 456.073, Florida Statutes.

Section 893.055(7), Florida Statute, provides that a person who accesses the system inappropriately commits a felony of the third degree, punishable as provided in section 775.082, 775.083, or 775.084, Florida Statute.

This guide has been customized to target the specific training needs of Florida dispensers. It is intended for use by all dispensers in the State of Florida (or dispensers dispensing into the State of Florida) required to report dispensing of controlled substances.

3 Registration

This chapter provides an overview of the PMP AWARe registration process as well as detailed instructions for registering for an account and registering for a designee account.

3.1 Registration Overview

E-FORCSE requires that every individual register as a separate user, using their email address as their username within the system. A user can register as a designee (referred to as “Prescriber Delegate – Unlicensed” or Pharmacist Delegate – Unlicensed” in PMP AWARe), a role that is designed to allow the user to generate reports on the behalf of another, current user; for example, a nurse at a small doctor’s office could be assigned to act as a designee to the physician to create Patient Reports for the patients whom the physician would be seeing that day. All queries run by the designee are attributed to the prescriber for whom they run the report.

The registration process comprises four sections: Register for an Account, User Role Selection, User Demographics, and Review Profile Details. All sections must be completed before your registration is successfully submitted for processing.


Some requestor roles may also require you to upload of a copy of a current government-issued photo ID, such as a driver’s license or a passport, or notarized validation documents. If required, you must submit this documentation before your account can be approved. Digital copies of these documents can be submitted through PMP AWARe after you have completed the registration pages.

3.2 Registering for an Account

To request a new account in PMP AWARe:

1. Navigate to <https://florida.pmpaware.net>.

The Log In page is displayed.



2. Click **Create an Account**.

The Register for an Account page is displayed.

Registration Process Tutorial
Can't View This File? Get Adobe Acrobat Reader

Register for an Account

Please create your own account and do not create an account on behalf of someone else.

Email Confirm Email

Password Confirm Password

Password Must:

- Minimum of 8 characters
- Contain one upper case letter
- Contain one lower case letter
- Contain one special character (! @ # \$ etc.)
- Maximum of 72 characters

[Continue](#) [Already have an account? Log In](#)

[Need Help?](#)

Note: A tutorial describing the complete registration process is available by clicking the **Registration Process Tutorial** link located in the top right corner of the page.

3. Enter your current, valid email address in the **Email** field, then re-enter it in the **Confirm Email** field. The email address you provide will be your username for logging in to the system.

Note: If the email addresses you entered do not match, an error message is displayed.

Email Confirm Email

The email addresses you entered do not match.

4. Enter a password in the **Password** field, using the password requirements provided below, then re-enter it in the **Password Confirmation** field.

Passwords must contain:

- At least ten (10) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) special character such as !, @, #, \$, etc.
- No more than 72 characters

Note that a checkmark appears next to each requirement as it is met.

Password

Password Confirmation

Password Must:

- Minimum of 8 characters
- ✓ Contain one upper case letter
- ✓ Contain one lower case letter
- ✓ Contain one special character (! @ # \$ etc.)
- ✓ Maximum of 72 characters

If the passwords you entered do not match, an error message is displayed.

Password

Confirm Password

.....

.....

! The passwords you entered do not match.

5. Click **Continue**.

The Account Registration: User Role Selection page is displayed.

Registration Process Tutorial
Can't View This File? Get Adobe Acrobat Reader

Account Registration

Tell us about your role

I am:

- a Healthcare Professional or Delegate
- an Agency Administration
- a Restricted Admin
- in Law Enforcement
- an Other Professional

Log out, Complete Later **Continue**

Note: At this point in the registration process, you may click **Log Out, Complete Later** to save your login credentials and complete your registration at a later time. When you are ready to complete your registration, navigate to <https://florida.pmpaware.net>, then enter the username and password you established in the previous steps.

6. Click to select the user role category that best describes your user role type (e.g., Healthcare Professional or Delegate, Law Enforcement, etc.).

The list of available user roles in that category is displayed.

Account Registration

Tell us about your role

I am:

- a Healthcare Professional or Delegate
- an Agency Administration
- a Restricted Admin
- in Law Enforcement
- an Other Professional

Select a specific role from below

- Physician (MD, DO)
- Homeopathic Physician
- Naturopathic Physician
- Dispensing Physician
- Prescriber without DEA
- Prescriber Delegate

Notes:

- The roles displayed on this page may vary depending on your state's configurations.
- If you are registering as a designee, please ensure that you select the appropriate user role (e.g., Prescriber Delegate, Pharmacist Delegate, etc.).
- If you do not see an applicable role for your profession, the State Administrator has not configured a role of that type and potentially may not allow users in that profession access to PMP AWARe. Please contact your State Administrator for more information.

7. Click to select your user role, then click **Continue**.

The Account Registration: User Demographics page is displayed.

Account Registration

Role category: **Healthcare Professional**
Role: **Physician (MD, DO)** | Change

Professional Details * Indicates Required Field

DEA Number [?] *

Add

National Provider ID

Autofill Form
Autofill the remainder of this form with the information associated with your national provider id number.

AutoFill Form

Notes:

- If you selected the wrong user role, you may click **Change**, located at the top of the page next to the user role you selected, at any time to return to the previous page and select the correct user role. Please be aware that changing your user role will cause you to lose any information you entered on the registration form.
 - The information you are required to enter on this page may vary by state. Required fields for your state are marked with a red asterisk (*). You may use the information provided below as a guideline; however, the same fields will not be displayed or required for every user role.
- a. The Professional Details section of this page allows you to enter such information as your DEA number, NPI number, professional license number, license type, and healthcare specialty.

The screenshot shows the 'Professional Details' section of a registration form. At the top right, there is a legend: '* Indicates Required Field'. The form is divided into several sections:


- DEA Number:** A text input field with a red asterisk, a help icon, and an 'Add' button.
- National Provider ID:** A text input field with an 'Autofill Form' button. To the right, text reads: 'Autofill Form: Autofill the remainder of this form with the information associated with your national provider id number.'
- Professional License Number:** A text input field with a red asterisk and a help icon.
- License Type:** A dropdown menu with a red asterisk.
- Add a Healthcare Specialty:** A search input field with a red asterisk and a 'Browse All' link. Below the search field, it says 'Search by keyword (e.g. Allergy, Internal, Sports, Clinical, etc)'. A legend below indicates '★ Designates Primary Specialty'.

- To add your DEA number, enter it in the **DEA Number** field, and then click **Add**. You may add multiple DEA numbers, if permitted by your state, by repeating this process for each DEA number you wish to add. Once you click **Add**, the DEA number is displayed beneath the **DEA Number** field. If necessary, you may click **Remove** next to a DEA number to remove it.

This screenshot shows the 'DEA Number' field after a number has been entered. The input field contains 'MD1234567' and the 'Add' button is visible. Below the input field, there is a section titled 'DEA Numbers Added' which contains a list of the entered number 'MD1234567' with a 'Remove' button next to it.

Note: Please enter all active DEA numbers, if applicable.

- If you have an NPI number, you can enter it in the **National Provider ID** field, then click **Autofill Form** to auto-populate the form with the demographic information associated with your NPI number.
- To search for your specialty, begin typing it in the **Add a Healthcare Specialty** field. A list of specialties matching your search criteria is displayed. Click to select your specialty from the list. You may repeat this process to select multiple specialties.




Once you have selected your specialty from the list, it is displayed beneath the **Add a Healthcare Specialty** field. If necessary, you may click the “x” to remove it.



- b. The Personal Information section of this page allows you to enter your personal contact information such as first and last name, date of birth, last four digits of your Social Security Number (SSN), primary contact phone number, and mobile phone number.

Note: The Mobile Phone Number field enables the Password Reset Text Option, providing you with email or text reset capability. If a Mobile Phone Number is a required field for your state and you do not have a mobile phone number, enter ten 5s in that field; for example, (555) 555-5555.



- c. The Employer Information section of this page allows you to enter information about your employer such as DEA number, NPI number, name, address, phone number, and fax number.

The screenshot shows the 'Employer Information' section of a registration form. It contains several input fields: 'Employer DEA Number(s)' with an 'Add' button, 'Employer National Provider ID(s)' with an 'Add' button, 'Employer Name', 'Address', 'Address Line 2', 'City', 'State' (a dropdown menu), 'Zip Code', 'Phone' (with a placeholder '(###) ###-####'), and 'Fax' (with a placeholder '(###) ###-####').

- To add your employer’s DEA or NPI number, enter it in the appropriate field, and then click **Add**. You may add multiple DEA and/or NPI numbers, if permitted by your state, by repeating this process for each DEA/NPI number you wish to add. Once you click **Add**, the DEA/NPI number is displayed beneath the appropriate field. If necessary, you may click **Remove** next to a DEA/NPI number to remove it.

This screenshot shows the 'Employer Information' form after two DEA numbers have been added. The 'Employer DEA Number(s)' field now contains 'MD0000000'. Below it, a table titled 'DEA Numbers Added' lists the entered numbers and their removal options:

DEA Number	Action
MD9876543	Remove
MD0000000	Remove

- d. If you selected a delegate user role (e.g., Prescriber Delegate, Pharmacist Delegate, etc.), you must add your supervisor(s) in the Delegate section of this page. *Note that this section is only displayed if you selected a delegate user role.*

The screenshot shows the 'Delegate' section of the form. It includes a heading 'Delegate' and a sub-heading 'I am a delegate for the following people... *'. Below this is an 'Email' input field with an 'Add' button. At the bottom, there is a section labeled 'Selected Supervisors' which is currently empty.

- To add a supervisor, enter their current, valid email address in the **Email** field, and then click **Add**. You may add multiple supervisors by repeating this process. Once you click **Add**, the supervisor’s email address is displayed beneath the **Email** field. If necessary, you may click the “x” to remove it.

I am a delegate for the following people... *

Email **Add**

Selected Supervisors

Email: rweaver@appriss.com **X**

Notes:

- *The supervisor must already have a registered account with E-FORCSE.*
- *Ensure that you enter the supervisor’s email address they registered with correctly and that it is a valid email address.*
- *You will not be able to perform Patient Requests on behalf of a supervisor until that supervisor has approved you as a delegate.*

8. Once you have entered all required information, click **Continue**.

Note: At this point in the registration process, you may click **Log Out, Complete Later** to save your login credentials and complete your registration at a later time. When you are ready to complete your registration, navigate to <https://florida.pmpaware.net>, then enter the username and password you established in the previous steps.

The Account Registration: Review Profile Details page is displayed.

← Back Registration Process Tutorial
Can't View This File? Get Adobe Acrobat Reader

Account Registration

Review Profile Details

Please take a moment to review the information below before submitting.

Role category: **Healthcare Professional**
Role: **Physician (MD, DO)** | Change

DEA Number(s): MD1234567
National Provider ID:
Professional License Number: 12345 License Type: MD
Healthcare Specialty: Allopathic & Osteopathic Physicians(Family Medicine)

Personal Information [Edit](#)

First Name: TEST
Middle Name:
Last Name: USER
Date of Birth: 02/03/1983
Last 4 digits of SSN: 1234
Primary Contact Phone:
Mobile Phone Number: (555) 555-5555
Employer DEA Number(s): MD9876543, MD0000000
Employer National Provider ID(s):
Employer Name:
Address:
Address Line 2:
City:
State:
Zip Code:
Phone:
Fax:

9. Review your information to ensure it is correct before submitting your registration.
 - a. If you need to change your user role, click **Change**, located at the top of the page next to the role you selected. *Note that changing your user role will cause you to lose any information you entered on the registration form.*
 - b. If you need to edit your personal information, click **Edit** next to the **Personal Information** section header.
10. If all information is correct, click **Submit & Continue**.

Once you have submitted your registration, you will be notified of your account status (Access Granted, Pending Approval, or Not Complete – Additional Documents Needed) and instructed to [verify your email address](#).

Note: *If you are a designee, you must also be approved by any supervisors you have selected before you can perform a Patient Request.*

- a. **Access Granted:** Certain user roles will be immediately granted access to the application provided their personal DEA numbers and professional license numbers as entered are valid and found within the registry. If you are approved, you will be routed to your dashboard and can begin using the application.

Notes:

- *If you are a designee, you must be approved by any supervisors you have selected before you can perform a Patient Request.*
- *If configured by your state, upon logging in, you may be presented with the End User License Agreement that you must review and accept prior to using the application.*


End User License Agreement

TERMS AND CONDITIONS FOR USE OF THE Appriss PMP AWARxE Demo (APAD)
(Test Updated 09/22/2018)


By logging in to and using the Appriss PMP AWARxE Demo ("APAD"), you agree to abide by the requirements governing the Prescription Monitoring Program at 105 CMR 700.012 and any other applicable requirements, including, but not necessarily limited to:

- 1) Where applicable - You attest that you are a duly licensed practitioner, pharmacist or other licensed health care professional authorized to prescribe or dispense controlled substances in the Commonwealth of Kentucky.
- 2) Where applicable - You further attest that you are duly registered with the Kentucky Department of Public Health, Office of Prescription Monitoring and Drug Control, to prescribe controlled substances in at least one of the Schedules II through V or duly registered with the Board of Registration in Pharmacy to dispense controlled substances in at least one of the Schedules II through V. You also agree to promptly notify the Department of any change or proposed change in licensure or registration status.
- 3) Where applicable – You attest that you are a member of law enforcement authorized by your state or federal agency and the Kentucky Department of Public Health to access APAD, and that you are aware of and intend to comply with the restrictions on

- b. **Pending Approval:** If your account requires manual approval to complete your registration, your registration status will be "Pending Approval." You may click the plus sign (+) next to **Registration Details** to view the information you submitted. *Note that your information may not be edited at this time.* Refer to [Account Approval](#) for more information.




- c. **Not Complete – Additional Documents Required:** If your user role requires that you upload validation documents to complete your registration, your registration status will be “Not Complete – Additional Documents Required,” and the Account Registration page displays the list of required documents.



- Click **Choose File** to upload the required document(s) to your account, then click **Submit Documents**;
- Or
- Click **Log Out, Complete Later** to return at a later time and upload the required document(s). When you are ready to complete your registration, navigate to <https://florida.pmpaware.net>, then enter the username and password you established in the previous steps.

Once you have submitted your documents, you will be notified that your account is pending approval and instructed to [verify your email address](#). You may click the plus sign (+) next to **Verification Documents** and **Registration**


Details to view the information you submitted. *Note that your information may not be edited at this time.* Refer to [Account Approval](#) for more information.




3.3 Verifying Your Email Address

Once you have submitted your registration, PMP AWARxE sends an email to the supplied email address for verification of an active email address.

Note: If you did not receive the email containing the verification link, you may click **Resend Email** from the Account Registration page. If you still do not receive the email, check your email's SPAM/junk folder.



When you receive the email, it will contain a link to verify your email address. Click the **verify your email** link.



Notes:


- *The link contained within the email is only valid for 20 minutes. In the event that time has expired, clicking the link will result in a new email verification notification being sent to you. Click the link in the new email to verify your email address.*
- *If you are not able to receive HTML-formatted emails or emails with hyperlinks, please contact the help desk.*

Once you click the link, you are directed to PMP AWARDx E, and a message is displayed indicating that your email address has been validated.

Note: *If your account requires approval, you will not have full access to PMP AWARDx E functionality, including performing Patient Requests, until your account is approved. Please refer to [Account Approval](#) for more information.*

3.4 Account Approval

Once the State Administrator has determined that all you have met all account requirements and has approved your account, you will receive an email stating that your account has been approved and is now active.



Once you receive the account approval email, you can log in to PMP AWARDx E using the email address and password you created when you registered.

Notes:

- *If you no longer have the password, you can reset it by following the instructions in the [Reset Password](#) section of this document.*
- *If you are a designee, you must be approved by any supervisors you have selected before you can perform a Patient Request.*

- *If configured by your state, upon logging in, you may be presented with the End User License Agreement that you must review and accept prior to using the application.*

End User License Agreement

TERMS AND CONDITIONS FOR USE OF THE Appriss PMP AwarxE Demo (APAD)
(Test Updated 09/22/2018)

By logging in to and using the Appriss PMP AwarxE Demo ("APAD"), you agree to abide by the requirements governing the Prescription Monitoring Program at 105 CMR 700.012 and any other applicable requirements, including, but not necessarily limited to:

- 1) Where applicable - You attest that you are a duly licensed practitioner, pharmacist or other licensed health care professional authorized to prescribe or dispense controlled substances in the Commonwealth of Kentucky.
- 2) Where applicable - You further attest that you are duly registered with the Kentucky Department of Public Health, Office of Prescription Monitoring and Drug Control, to prescribe controlled substances in at least one of the Schedules II through V or duly registered with the Board of Registration in Pharmacy to dispense controlled substances in at least one of the Schedules II through V. You also agree to promptly notify the Department of any change or proposed change in licensure or registration status.
- 3) Where applicable - You attest that you are a member of law enforcement authorized by your state or federal agency and the Kentucky Department of Public Health to access APAD, and that you are aware of and intend to comply with the restrictions on

3.5 Adding Delegates

1. Log in to PMP AwarxE.
2. Navigate to **Menu > User Profile > Delegate Management**.
3. Select names appearing in your Dashboard to approve or reject the request. You can also select the **Add** button to add a new delegate.

Add Delegate ×

Email

Selected Delegates

Note: *The email address entered for a new delegate must be a registered user of the E-FORSCE system and have a role type of Delegate.*


4 Basic System Functions

This chapter describes how to log in to PMP AWARxE, the Requestor Dashboard that is displayed upon logging in, and how to log out.

4.1 Log In to PMP AWARxE

1. Navigate to <https://florida.pmpaware.net>.

The Log In page is displayed.



2. Enter the email address you provided when you registered in the **Email** field.
3. Enter your password in the **Password** field.

Note: If you have forgotten your password, click **Reset Password**. You will be prompted to enter the email address registered to your account. Once you have entered a valid, registered email address, you will receive an email with a link to reset your password.

4. Click **Log In**.

The My Dashboard page is displayed. Please refer to the [My Dashboard](#) section for a complete description of the dashboard.

4.2 My Dashboard

Upon logging in to PMP AWARxE with an approved account, the requestor dashboard (My Dashboard) is displayed. This dashboard provides a quick summary of pertinent items within PMP AWARxE, including State Administrator announcements, your recent patient searches, patient alerts, and, if applicable, your designee's or supervisor's status. My Dashboard can be accessed at any time by clicking **Menu > Dashboard** (located under **Home**).

My Dashboard

Patient Alerts

PATIENT ALERTS

Patient Full Name	DOB	Alert Date	Alert Letter
DAVE PATIENT	01/01/1985	11/08/2017	Download PDF

Recent Requests

RECENT REQUESTS

Patient Name	DOB	Status	Request Date	Delegate
test one	01/01/1901	Complete	11/28/2017 6:08 PM	Jordan Delegate
DAVE PATIENT	01/01/1985	Complete	11/27/2017 4:16 PM	
test patient	01/01/1900	Complete	10/31/2017 2:23 PM	James Delegate
bob testpatient	01/01/1900	Complete	10/31/2017 2:10 PM	
mic_jor	01/05/1941	Complete	10/27/2017 2:08 PM	

[View Requests History](#)

Delegates

DELEGATES

Delegate Name	Status	Request Date
NEW James Delegate	pending	12/01/2017
Jordan Delegate	approved	04/25/2017

My Favorites

[RxSearch - Patient Request](#)

PMP Announcements

Message for Physicians 10/13/2017

Test announcement

Exciting changes are coming to AWARxE! 09/20/2017

We are pleased to announce that later this year, we will be performing a systemwide update on AWARxE.

When you log in to AWA... [more](#)

[View all Announcements](#)

Quick Links

[PMP Support](#)

4.2.1 Patient Alerts

This section displays the most recent patient alerts.

Note: This section is user role dependent, meaning that certain roles will be unable to view this section.

- New alerts (i.e., those that have not been viewed) are displayed in **bold** with the word **“NEW”** next to them.
- You can download the letter associated with the alert by clicking **Download PDF**.
- You can view the Patient Request associated with a patient by clicking the patient's name.
- You can click **Patient Alerts**, located at the top of the section, to access a full listing of patient alerts. You can also access patient alerts at any time by clicking **Menu > Patient Alerts** (located under **Rx Search**).

4.2.2 Recent Requests

This section displays your most recent patient searches, including those performed by one of your designees.

- You can view the Patient Report by clicking the patient’s name.
- You can view a list of all past requests by clicking **View Requests History**. You can also access your request history at any time by clicking **Menu > Requests History** (located under **Rx Search**).

Notes:

- *The report that is displayed when you click the patient’s name is a historical report, meaning that it contains the data that was viewed when the report was initially run. For instructions on performing new patient Rx history searches, please refer to the [Creating a Patient Request](#) section.*
- *Any recent requests created using PMP InterConnect or RxSearch are displayed with the appropriate indicator in this section of your Dashboard.*

The screenshot shows a dashboard section titled 'My Dashboard' with a 'Recent Requests' widget. The widget contains a table of requests. Two red arrows point to the 'Status' column, highlighting 'PMPi' and 'Rx ✓' indicators. A red text label 'PMP InterConnect and RxCheck indicators' is positioned above the arrows.

Patient Name	DOB	Status	Request Date	Delegate
Test Patient	01/01/1900	Complete PMPi	03/27/2019 3:52 PM	
Test Patient	01/01/1900	Complete Rx ✓	03/27/2019 3:16 PM	
Bob TestPatient	01/01/1900	Needs Consolidation	05/29/2018 3:04 PM	
Test Patient	01/01/1900	Complete	05/29/2018 2:44 PM	
Bob TestPatient	01/01/1900	Complete	05/29/2018 2:44 PM	

4.2.3 Delegates/Supervisors

This section displays your designees or supervisors, depending on your user role.

- If you are a supervisor, you can quickly change a designee’s status from the dashboard by clicking the designee’s name. Once you click the designee’s name, the Delegate Management page is displayed, and you can approve, reject, or remove a designee from your profile.
- You can click **Delegates**, located at the top of the section, to access the Delegate Management page. The Delegate Management page can also be accessed at any time by clicking **Menu > Delegate Management** (located under **My Profile**). For additional information regarding designee management, please refer to the [Designee Management](#) section.

4.2.4 Announcements and Quick Links

This section displays announcements from your State Administrator as well as links to webpages outside of AWAxE that may be of use to you.


- The quick view only displays the first few lines of text; however, you can click **PMP Announcements**, located at the top of the section, to display the full announcement text. You can access the Announcements page at any time by clicking **Menu > Announcements** (located under **Home**).
- The announcements displayed in this section are configured by your State Administrator. Announcements can be configured as role-specific, meaning that a user whose role is “physician” may see an announcement, whereas a user whose role is “designee” may not.
- Quick links are also configured by your State Administrator. Any links configured will be visible toward the bottom right of the dashboard in the Quick Links section.

4.3 Send a Notice to the State Administrator

This feature allows you to send notices to your State Administrator. These notices are only viewable to the State Administrator and are limited to 500 characters.

To send a notice to your State Administrator:

1. [Log in to PMP AWAxE](#).
2. Click **Menu > Notices**.



The Notices page is displayed as shown in the following page. *Note that this page contains two tabs: **New Notice** and **Sent Notices**. The **New Notice** tab is displayed by default.*

3. Enter the subject of your notice in the **Subject** field.
4. Type your message in the **Message** field. *Recall that messages are limited to 500 characters.*
5. Click **Send**.

A message is displayed indicating that your notice was sent to the State Administrator.




6. You can view your sent notices at any time by clicking the **Sent Notices** tab.

Date/Time Sent	Subject	Message
06/06/2019 09:30:08 AM UTC	more notices	and more and more and more
06/06/2019 09:29:51 AM UTC	Another test notice	123 this is a test notice
06/06/2019 09:29:12 AM UTC	Thursday	As always
06/04/2019 11:36:11 AM UTC	Pigs	All the pigs are all lined up
06/04/2019 11:35:19 AM UTC	March	of the pigs
06/04/2019 11:34:16 AM UTC	You shall not pass	and also, you underestimate my power hhh
06/04/2019 11:33:23 AM UTC	testing	Release the Kraken!!!
06/04/2019 11:32:21 AM UTC	happy kitty	sleepy kitty purr purr purr
06/04/2019 11:32:04 AM UTC	soft kitty	warm kitty little ball of fur
06/04/2019 11:31:13 AM UTC	Coffee	I like coffee

4.4 Log Out of PMP AWARxE

To log out of the system, click the arrow next to your username (located in the top right corner of the page), and then click **Log Out**.




5 RxSearch

The RxSearch section of the PMP AWARxE menu contains the query functions available to you. These functions may include:

- [Creating a patient request](#)
- [Viewing patient reports](#)
- [Performing a bulk patient search](#)
- [Viewing historical requests](#)
- [Viewing a report of prescriptions attributed to you](#)

Note: You may not have access to all of the reports listed above. The functions available under **RxSearch** may vary depending on your user role and the settings enabled by your State Administrator. If you do not have access to a report and you think you should, please contact your State Administrator.




5.1 Creating a Patient Request

The Patient Request allows you to create a report that displays the prescription drug activity for a specific patient for the specified timeline.

1. [Log in to PMP AWARxE.](#)
2. Click **Menu > Patient Request.**

The Patient Request page is displayed.

A screenshot of the 'Patient Request' form. The form is titled 'Patient Request' and includes a 'Patient Rx Request Tutorial' link. It contains several input fields: 'First Name*' and 'Last Name*' (both with 'Partial Spelling' checkboxes), 'Date of Birth*' (with a calendar icon and MM/DD/YYYY format), and 'Prescription Fill Dates' (with 'From' and 'To' fields, both with calendar icons and MM/DD/YYYY format). A 'Search' button is located at the bottom left of the form. A note at the top right states: 'Can't view the file? Get Adobe Acrobat Reader. Required fields are marked with an asterisk *. Required format for date fields is MM/DD/YYYY'.

Note: A tutorial describing the complete patient request creation process is available by clicking the **Patient Rx Request Tutorial** link located in the top right corner of the page.

3. Enter the required information, noting that required fields are marked with a red asterisk (*). At a minimum, you must complete the following fields:

Field Name	Notes
Patient Info	
First Name	Enter the patient’s complete first and last name; Or Click the Partial Spelling checkbox to search by a partial first and/or last name. This option can be helpful when searching hyphenated names or names that are often abbreviated, such as “Will” vs. “William.” Note: The Partial Spelling function requires at least three letters. If the patient’s name contains only one or two letters, please do not attempt a partial search.
Last Name	
Date of Birth	Use the MM/DD/YYYY format or click the calendar icon to select a date.
Prescription Fill Dates	
From	Use the MM/DD/YYYY format or click the calendar icon to select a date.
To	

Note: If you are a designee, you must select a supervisor from the **Supervisor** field, located above the Patient Info section of the page.



If no supervisors are available, please contact your supervisor(s) to approve your account or add the supervisor under My Profile. Current supervisors and their statuses are displayed on your dashboard. Refer to the [Delegates/Supervisors](#) section of My Dashboard or the [My Profile](#) section for further instructions.

4. If desired, you may enter additional patient information in the Patient Location section of the page, including the patient's state and ZIP code; however, it is recommended that you *do not* use the ZIP code to search.
5. If you require information from other states, scroll down to the Also Search section of the page. If you utilize both PMP InterConnect and RxCheck, the **PMP InterConnect** tab is displayed by default.

Note: PMP InterConnect and RxCheck cannot be used simultaneously (i.e., you cannot select PMP InterConnect states and RxCheck states in the same search).

The screenshot shows the 'Also Search' section of the application. At the top, there are three radio buttons: 'PMP Interconnect' (selected), 'RxCheck', and 'None'. Below this, a text prompt reads: 'To search in other states as well as your home state for patient information, select the states you wish to include in your search.' A list of states follows, each with a checkbox: Arizona, Colorado, Connecticut, Idaho, Kansas, Massachusetts, Michigan, New York, Ohio PMP, Pennsylvania, Rhode Island, Tennessee CSMD, Utah, and Vermont. At the bottom, there is a line of text: 'By clicking search, you agree to the terms and conditions.' and a purple 'Search' button.

- a. To search using PMP InterConnect, click the checkbox next to the desired state(s).

Note: More information on PMP InterConnect is provided in the [Setting Default PMP InterConnect States](#) section of this document.

Or

- b. To search using RxCheck, click the radio button next to **RxCheck** to display the available RxCheck states, then select the desired state.

This screenshot shows the 'Also Search' section with the 'RxCheck' radio button selected and highlighted by a red box. The 'PMP Interconnect' and 'None' radio buttons are unselected. Below the radio buttons, the text prompt is: 'To search in another state as well as your home state for patient information, select the state you wish to include in your search.' Underneath, the state 'K' (Kansas) is listed with a checked checkbox. At the bottom, there is a line of text: 'By clicking search, you agree to the terms and conditions.' and a purple 'Search' button.


Notes:

- **Partial search is not available when searching other states.** If you have selected partial search, the Also Search section will be removed from the bottom of the page.
- If a state is not included on the list, data sharing with that state is not currently in place, or your user role does not allow for data sharing. Please contact your

State Administrator using the information provided in [Administrative Assistance](#) for more information.

- When your results are displayed, the report does not separate prescription information on a state-by-state basis. It incorporates all information from all sources into a single report.


6. Once you have entered all the required search criteria, click **Search**.
 - a. If your search results return a single patient, the Patient Report is displayed. Refer to the [Viewing a Patient Report](#) section for more details regarding the Patient Report.



Note: If you need a PDF or CSV version of the report, you can click **Download PDF** or **Download CSV**, located in the top right corner of the report.

- b. If the search could not determine a single patient match, a message is displayed indicating that multiple patients were found.
 - If you searched for an exact patient name and multiple patients were found, refer to the [Multiple Patients Identified](#) section.
 - If you searched for a partial patient name and multiple patients were found, refer to the [Partial Search Results](#) section.
- c. If your search does not return any results, a message is displayed indicating that either no patient matching your search criteria could be identified or the patient was identified but no prescriptions were found. Refer to the [No Results Found](#) section for more information.
- d. If you are a designee for an indirect user, your request will be forwarded to your supervisor for review. Your request must be approved by your supervisor before you can view the results.

Note: HCP designees are automatically approved.



5.1.1 Multiple Patients Identified

1. If you searched for an exact patient name and multiple patients were found, a message is displayed indicating that multiple patients matching your search criteria have been identified.

Multiple Patients Found Why do I see this?

We identified multiple patients who match the criteria you provided. You have the following options:

- Refine your search by providing additional search information.
- Select any patient group to run a report.
- If you believe more than one group identifies your patient, select them to run a report.

Patient 2614


Name	DOB	Gender	Address
Test Patient	1900-01-01	male	9701 MONROVIA ST, OVERLAND PARK, KS 66215
test patient	1901-01-01	male	10401 LINN STATION RD, LOUISVILLE, KY 40223
test patient	1900-01-01	unknown	10401 LINN STATION RD, LOUISVILLE, KY 40223
TEST PATIENT	1900-01-01	unknown	555 FAKE DR, PHOENIX, AZ 85001
Test Patient	1900-01-01	male	10401 LINN STATION RD, LOUISVILLE, KY 40223

Patient 2615

Name	DOB	Gender	Address
Test Patient	1900-01-01	male	123 Main Street , Maineville, MN 12345

2. From this window, you can:
 - a. Click **Refine Search Criteria** to return to the Patient Request page, refine your search criteria, and re-run the report;Or
 - b. Select one or more of the patient groups displayed, and then click **Run Report**.

The Patient Report for the patient group(s) you selected is displayed.



5.1.2 Partial Search Results

1. If you searched for a partial patient name and multiple patients were found, a message is displayed indicating that multiple patients match your search criteria.

Results
4 matching patient records found [Refine Search](#)


Select patient(s) to include in the report

<input type="checkbox"/> Test Patient	DOB: 1900-01-01	Gender: unknown	MELODY JUNCTION 4 LA VERNE CO 1307005
<input type="checkbox"/> Test Patient	DOB: 1900-01-01	Gender: male	10401 LINN STATION RD LOUISVILLE KY 40223
<input type="checkbox"/> Test Patient	DOB: 1900-01-01	Gender: male	10401 Linn Station Road Louisville KY 40223
<input type="checkbox"/> Test Patient	DOB: 1900-01-01	Gender: male	123 Main Street Maineville MN 12345

[Run Report](#)

2. From this window, you can:
 - a. Click **Refine Search** to return to the Patient Request page, refine your search criteria, and re-run the report;
 - Or
 - b. Select one or more of the patients displayed, and then click **Run Report**.

The Patient Report for the patient(s) you selected is displayed.




5.1.3 No Results Found

1. If your search criteria could not be matched to any patient records, a message is displayed indicating that no matching patient could be identified.



Or

2. If your search criteria matches a patient record but the patient has no prescriptions within the specified timeframe, a message is displayed indicating that the patient was found but no prescriptions were found.



3. Click **Change Date Range** to return to the Patient Request page, enter a different date range, and re-run the report.

Notes:

- *Be sure to verify that all information entered on the request was entered correctly (e.g., verify that the first and last names were entered in the correct fields, verify the patient's birthdate, etc.).*
- *If **Partial Search** was not originally selected, you can click the **Partial Search** checkbox to expand your search results.*

5.2 Viewing a Narx Report

If your search results return a single patient, or if your search returned multiple patients and you have selected the patient(s) for whom you wish to run the report, the Narx Report is automatically displayed. For complete information on the Narx Reports, and for more information on the NarxCare system, please refer to [Appendix A: NarxCare](#).

You may also access your previously requested Narx Reports at any time by clicking **Menu > Requests History**. Refer to the [Requests History](#) section for more information.

5.3 Requests History

- To view a previously created Patient Report, click **Menu > Requests History**.

The Requests History page is displayed.

The screenshot shows the 'Requests History' page with a search bar and a table of request records. The table has columns for Patient First Name, Patient Last Name, Requestor, Requestor Role, Requested For, Request Type, Status, and Date Requested. The data rows are as follows:

Patient First Name	Patient Last Name	Requestor	Requestor Role	Requested For	Request Type	Status	Date Requested
John	Smith	JSM	Physician (MD, DO)		AWARxE	Complete	06/17/2021 7:25 PM
John	Smith	JSM	Physician (MD, DO)		AWARxE	Complete	06/17/2021 3:54 AM
John	Smith	JSM	Physician (MD, DO)		AWARxE	Complete	06/17/2021 3:53 AM
John	Smith	JSM	Physician (MD, DO)		AWARxE	Complete	06/16/2021 9:16 PM
John	Smith	JSM	Physician (MD, DO)		AWARxE	Complete	06/15/2021 4:51 AM

Notes:

- You can only view Patient Reports you or your designee(s) have created.
- All requests created using PMP InterConnect or RxSearch are displayed with the appropriate indicator.

The screenshot shows the 'Requests History' page with a search bar and a table of request records. Red arrows point to the 'Status' column, highlighting 'PMP' and 'Rx' indicators. The data rows are as follows:

Patient First Name	Patient Last Name	Requestor	Requestor Role	Requested For	Request Type	Status	Date Requested
Test	Patient	You	Physician (MD, DO)		AWARxE	Complete PMP	03/27/2019 3:52 PM
Test	Patient	You	Physician (MD, DO)		AWARxE	Complete Rx	03/27/2019 3:16 PM
Bob	TestPatient	You	Physician (MD, DO)		AWARxE	Needs Consolidation	05/29/2018 3:04 PM
Test	Patient	You	Physician (MD, DO)		AWARxE	Complete	05/29/2018 2:44 PM
Bob	TestPatient	You	Physician (MD, DO)		AWARxE	Complete	05/29/2018 2:44 PM
Test	Patient	You	Physician (MD, DO)		AWARxE	Pending	05/29/2018 2:14 PM

2. From this page, you can:
 - a. Click **Advanced Options** to filter the list of requests.

- b. Click **Download PDF** or **Download CSV** to export your search history.

Note: If you export your Requests History to PDF or CSV, the interstate search type indicators are also displayed on those reports.

PDF:

CSV:

9	Bob	TestPatient	ROBYN WEAVER		AWARxE	complete	2018-05-24 20:33:13 UTC
10	Bob	TestPatient	ROBYN WEAVER		AWARxE	needs_consolidation	2018-05-29 12:50:35 UTC
11	Bob	TestPatient	ROBYN WEAVER		AWARxE	needs_consolidation	2018-05-29 13:10:55 UTC
12	Bob	TestPatient	ROBYN WEAVER		AWARxE	pending	2018-05-29 14:14:55 UTC
13	Test	Patient	ROBYN WEAVER		AWARxE	pending	2018-05-29 14:14:55 UTC
14	Bob	TestPatient	ROBYN WEAVER		AWARxE	complete	2018-05-29 14:44:20 UTC
15	Test	Patient	ROBYN WEAVER		AWARxE	complete	2018-05-29 14:44:20 UTC
16	Bob	TestPatient	ROBYN WEAVER		AWARxE	needs_consolidation	2018-05-29 15:04:12 UTC
17	Test	Patient	ROBYN WEAVER		AWARxE	complete (RxCheck)	2019-03-27 15:16:02 UTC
18	Test	Patient	ROBYN WEAVER		AWARxE	complete (PMPi)	2019-03-27 15:52:46 UTC
19							

- c. Click a patient name to view the details of that request in a detail card at the bottom of the page.

- Click **View** to display the results of the previously submitted request. Refer to [Viewing a Patient Report](#) for details regarding Patient Reports.

Note: The results of previous requests are not updated with new information. The results displayed are the results at the time the original

search was performed. If a prescription is edited or deleted, the requests will not be updated unless a new Patient Report is generated.

- Click **Refresh** to generate a new Patient Report for the selected patient. The Patient Request page will be displayed with the patient's information automatically populated. Refer to [Creating a Patient Request](#) for complete instructions on generating new requests.

5.3.1 Shared Reports

PMP Administrators have the ability to share reports with other users. If E-FORCSE® Administrator has shared a report with you, you will receive an email notification, including instructions on how to view the report.

Shared reports can also be viewed in Requests History, using the instructions provided below.

1. [Log in to PMP AWAxRxE](#).
2. Click **Menu > Requests History**.
The Requests History page is displayed.
3. Click **Advanced Options**.
The search options are displayed.

The screenshot shows the 'Advanced Options' section of the Requests History page. It includes a 'SHARED REPORT' radio button which is selected, and a 'Search' button. Below this are 'Common Search Options' with fields for First Name, Last Name, Patient Date of Birth, Request Begin Date, and Request End Date. There are also checkboxes for 'Requestor Name', 'Patient Name', and 'Shared Report'. To the right, there is a table with columns for 'type', 'Status', and 'Date Requested'. The table contains four rows, all with a status of 'Complete' and a date of '04/10/2018 10:47 AM'. There are also 'Download PDF' and 'Download CSV' buttons.

4. Click the **Shared Report** radio button, and then click **Search**.
Your Requests History page is filtered to display only shared reports.

5.4 Bulk Patient Search

The Bulk Patient Search functionality is similar to the Patient Request functionality; however, it allows you to enter multiple patients at once rather than one at a time. You can enter patient names manually or via CSV file upload.

To perform a Bulk Patient Search:

1. Click **Menu > Bulk Patient Search**.

The Bulk Patient Search page is displayed.

Bulk Patient Search Bulk Patient History

Bulk Patient Search Required fields are marked with an asterisk *
Required format for date fields is MM/DD/YYYY

How do you want to enter patients?

Manual Entry
 File Upload

Manual Entry

First Name* Last Name* Date of Birth* Zip Code

 MM/DD/YYYY **Add +**

Name Grouping

Enter a name for this search session. This will make it easy to distinguish between searches in the history

Group Name*

Prescription Fill Dates

No earlier than 11 years and 10 months from today

From * To *

06/23/2019 06/22/2021

Search

- a. If you wish to enter patients manually, continue to step 2;
Or
 - b. If you wish to enter patients via CSV file upload, continue to step 6.
2. Ensure that **Manual Entry** is selected in the **How do you want to enter patients?** field at the top of the page.

Bulk Patient Search

How do you want to enter patients?

Manual Entry
 File Upload

The Manual Entry search is displayed.

Manual Entry

First Name* Last Name* Date of Birth* Zip Code

 MM/DD/YYYY **Add +**

Name Grouping

Enter a name for this search session. This will make it easy to distinguish between searches in the history

Group Name*

Prescription Fill Dates

No earlier than 11 years and 10 months from today

From * To *

06/23/2019 06/22/2021

3. Complete the following required fields:
 - **First Name** – enter the patient’s complete first name
 - **Last Name** – enter the patient’s complete last name

- **DOB** – enter the patient’s date of birth using the *MM/DD/YYYY* format, or select a date from the calendar that is displayed when you click in this field

Note: You may also enter the patient’s ZIP code; however, it is not recommended.

4. Once you have entered the patient’s information, click **Add** to add an additional patient.
5. Repeat steps 2–3 until all patients have been entered.

Note: Once you have finished entering patients, continue to [step 14](#).

6. To enter patients via CSV file upload, click the **File Upload** radio button in the **How do you want to enter patients?** field at the top of the page.

Bulk Patient Search

How do you want to enter patients?

Manual Entry

File Upload


The File Upload search is displayed.

File Upload

Upload a CSV file that includes patients by first name, last name and date of birth. [View Sample file](#)

Choose a file

7. Click **View Sample File** to download the sample CSV file.
8. Open the sample CSV file and complete the required fields.



Notes:

- The patient’s complete first name, last name, and date of birth (using the *MM/DD/YYYY* format) are required.
 - You may enter the patient’s ZIP code; however, it is not recommended.
9. Once you have entered all patient information, save the file to your computer.

Note: When naming your file, do not include spaces.

10. Click **Choose File**, then select the file you created in step 9.

11. Click **Validate Format** to download a validation report and ensure all records were entered correctly.
12. Once you open the validation report, any errors in your data will be listed in the **Errors** column. Please correct the errors and resubmit the corrected file. Note that if the **Errors** column is blank, the data is acceptable.

Examples:

- *File with errors:*

first_name	last_name	birthdate	postal_code	errors
john		1/1/1950		Last name can't be blank
	smith	1/1/1960		First name can't be blank
sally	smith			Birthdate can't be blank
ronald	smith	1/1/1970		

- *File with no errors:*


first_name	last_name	birthdate	postal_code	errors
john	smith	1/1/1950		
adam	smith	1/1/1960		
sally	smith	1/1/1970		

13. Repeat steps 10–12 until all errors have been corrected. Once all errors have been corrected and your file is validated, or if your file has no errors, continue to step 14.
14. Enter a name for your search session in the **Group Name** field.

Note: Providing a group name will help you more easily distinguish between searches in the Bulk Patient History tab.

15. Enter the timeframe for which you wish to search in the **From** and **To** fields using the **MM/DD/YYYY** format.
16. If you wish to include other states in your search, click the checkbox next to the desired state(s) in the PMP Interconnect Search section of the page.
17. Click **Search**.

A message is displayed indicating that your search is being processed.



5.4.1 Viewing Bulk Patient Search Results

1. To obtain the results of a Bulk Patient Search, or to view previous searches, click the **Bulk Search History** tab (**Menu > Bulk Patient Search > Bulk Patient History**).



Bulk Patient Search Bulk Patient History

Bulk Patient Search

How do you want to enter patients?

Manual Entry
 File Upload

The Bulk Search History page is displayed.



Bulk Patient Search Bulk Patient History

Bulk Search History

Select a group name to view reports run in that session.

Bulk Search Name	Number of Patients	Date Requested	Processing	Incomplete	Ready
Test Group 2 052918	2	05-29-2018	2	0	0
Test Group 52918	2	05-29-2018	0	0	0

Notes:

- The **Number of Patients** column provides the total number of patients included in your search.
 - The **Processing** column provides the total number of searches remaining to be processed. If the number is "0," your search is complete.
 - The **Incomplete** column provides the number of patient records that could not be found.
 - The **Ready** column provides the number of patient search results available.
2. Click the **Bulk Search Name** to view the results of that search.
The Bulk Patient Summary is displayed.

Bulk Patient Search | Bulk Patient History

← Back Download PDF

Group Name

7.13 Patients

Prescription Fill Dates: 07/13/2017 - 07/13/2018
PMP InterConnect States:
Report Prepared: 07/13/2018 03:19 PM

Bulk Patient Summary
Select a patient to view the report

Patient Full Name	DOB	Prescribers	Dispensers	Prescriptions	Supervisor	Status
alex doe	01/01/1900	9	2	9		Incomplete
alice testpatient	01/01/1900	4	3	10		Ready
bob testpatient	01/01/1900	6	7	15		Incomplete
dave testpatient	01/01/1900	7	6	26		Ready
john doe	01/01/1900	1	1	1		Ready

3. From this page, you can:

- Click **Download PDF** to export the Bulk Patient Summary. *Note that only the Bulk Patient Summary can be downloaded from this page. Individual Patient Reports must be exported from the Patient Report page.*
- If the **Status** column for an individual patient indicates **Ready**, click that patient's name to display the search details.

The search details are displayed below the table.

Bulk Patient Summary
Select a patient to view the report

Patient Full Name	DOB	Prescribers	Dispensers	Prescriptions	Supervisor	Status
bob testpatient	01/01/1900	6	6	11		Ready
john doe	01/01/1900	0	0	0		No RXs Found

bob testpatient Refresh View

Date of Birth: 01/01/1900
Location:
PMPi States:
Reason:
Prescription Fill Dates: January 13, 2018 until July 13, 2018

When viewing the search details, you can:

- Click **View** to display the Patient Report.

Note: For more information on viewing report results, please refer to [Viewing a Patient Report](#).

- Click **Refresh** if you are reviewing a previous report and wish to run a current report.

5.4.2 Incomplete Bulk Patient Search Results

The **Status** column for an individual patient may indicate **Incomplete** for two reasons: **No Matching Patient Identified** or **Multiple Patient**. Upon clicking the patient's name, the reason is listed in the **Reason** field of the search details.

Bulk Patient Summary
Select a patient to view the report

Patient Full Name	DOB	Prescribers	Dispensers	Prescriptions	Supervisor	Status
adam doe	01/01/1900	0	0	0		Incomplete
dave testpatient	01/01/1900	7	6	26		Ready

adam doe Try Again

Date of Birth: 01/01/1900
Location:
PMPi States:
Reason: No Matching Patient Identified 
Prescription Fill Dates: July 13, 2017 until July 13, 2018

1. **No Matching Patient Identified.** The system was not able to locate a patient matching your search criteria. Click **Try Again** to open the Patient Request page where you can perform a partial search or modify your search criteria.
2. **Multiple Patient.** The system identified multiple patients matching your search criteria. Click **Try Again** to open the Patient Request page, then click **Search** at the bottom of the page. The Multiple Patients Found window will display prompting you to select the patients for whom you wish to run a report. The Multiple Patients Found window is shown on the following page.

Multiple Patients Found Why do I see this?

We identified multiple patients who match the criteria you provided. You have the following options:

- Refine your search by providing additional search information.
- Select any patient group to run a report.
- If you believe more than one group identifies your patient, select them to run a report.

Patient 2786

Name	DOB	Gender	Address
BOB TESTPATIENT	1900-01-01	female	1023 NOT REAL ST, WITCHITA, KS 67203

Patient 2787

Name	DOB	Gender	Address
BOB TESTPATIENT	1900-01-01	male	1023 NOT REAL ST , WITCHITA, KS 67203
BOB TESTPATIENT	1900-01-01	female	1023 NOT REAL ST, WITCHITA, KS 67203
BOB TESTPATIENT	1900-01-01	male	1023 NOT REAL ST, WITCHITA, KS 67203
Bob Testpatient	1900-01-01	unknown	1023 NOT REAL STREET , WITCHITA, KS 67203

Refine Search Criteria
Run Report

Select the correct patient(s), and then click **Run Report** to view the Patient Report. For more information on viewing report results, please refer to [Viewing a Patient Report](#).

5.4.3 No Prescriptions Found in Bulk Patient Search

If the **Status** column indicates **No RXs Found** for a patient, the patient exists in the database, but no prescriptions were reported for the patient in your report timeframe. Upon clicking the patient's name, **No Prescriptions Found in Date Range** will be indicated in the **Reason** field.

Patient Full Name	DOB	Prescribers	Dispensers	Prescriptions	Supervisor	Status
bob testpatient	01/01/1900	6	6	11		Ready
john doe	01/01/1900	0	0	0		No RXs Found

john doe Refresh View

Date of Birth: 01/01/1900
Location:
PMPi States:
Reason: No Prescriptions Found in Date Range
Prescription Fill Dates: January 13, 2018 until July 15, 2018

You may click **View** if you need to export the blank report, or you may click **Refresh** to display the Patient Request page where you can change the date range and run a new report.

5.5 My Rx

If you have a DEA number associated with your AWARxE account, My Rx allows you to run a report that displays the filled prescriptions for which you were listed as the prescriber.

Note: This functionality is only available if you have a DEA number associated with your user profile.

To run the My Rx report:

1. Click **Menu > My Rx**.

The My Rx search page is displayed.

MyRx Request MyRx History

My Rx

Required fields are marked with an asterisk *
Required format for date fields is MM/DD/YYYY

Prescriptions Written

From* To*

MM/DD/YYYY MM/DD/YYYY

DEA Numbers

Generic Drug Name (Optional)

Drug Name

Search

2. Enter the date range for your search in the **From** and **To** fields using the **MM/DD/YYYY** format.
3. Click the checkbox next to the DEA number(s) for which you wish to run a report.
4. If you wish to search for a specific drug, enter the generic drug name in the **Drug Name** field.
5. Click **Search**.

Your report results are displayed as shown on the following page. If configured by your PMP Administrator, you may click **Download PDF** or **Download CSV** to export your report results.

5.6 Patient Alerts

This function displays your available patient alerts.

Notes:

- This section is user role dependent, meaning that certain roles will be unable to view this section.
- If you have access to the NarxCare system and Narx Reports, please refer to the [Additional Indicators](#) section of Appendix A for more information on the types of alerts you may receive.

To access these alerts, click **Menu > Patient Alerts**.

The Patient Alerts page is displayed.

Patient Alerts
Select a patient to view more information.

Patient Full Name	DOB	Alert Date	Alert Letter	Delivery Method
Adam Smith	01/01/1900	01/01/1900	Download PDF	Patient Alerts and Email
Adam Smith	01/01/1900	01/01/1900	Download PDF	Patient Alerts and Email
Adam Smith	01/01/1900	01/01/1900	Download PDF	Patient Alerts and Email
Adam Smith	01/01/1900	01/01/1900	Download PDF	Patient Alerts and Email
Adam Smith	01/01/1900	01/01/1900	Download PDF	Patient Alerts and Email

- New alerts (i.e., those that have not been viewed) are displayed in **bold** with the word “**NEW**” next to them.
- You can download the letter associated with the alert by clicking **Download PDF**.
- You can view the Patient Request associated with a patient by clicking the patient’s name.

6 User Profile

The User Profile section of the PMP AWARxE menu allows you to manage your AWARxE user profile, including:

- [Viewing and updating your profile information](#)
- [Managing your designee account\(s\)](#)
- [Updating or resetting your password](#)

6.1 My Profile

My Profile allows you to view your account demographics, including user role, license numbers, employer details, etc. as well as update your address, email address, healthcare specialty, time zone, mobile phone number, and supervisor(s) (if you are a designee).

Note: If you need to update your personal or employer identifiers (including DEA/NPI/NCPDP numbers), please contact your State Administrator.

To update your account:

1. Click **Menu > My Profile**.

The My Profile page is displayed.

My Profile

Profile Info [Edit](#)

Name: Jordan Doctor (ACTIVE: 04/03/2018) DOB: 01/01/1970 Primary Contact: 502-867-5309 DEA Number(s): JR1111119 Professional License #: 25235242534 Type: MD	Employer DEA(s): Employer: Appriss Health 10401 Linn Station Rd Louisville, KY 40223 Employer Phone: 502-867-5309 Employer Fax: Role: Physician (MD, DO)
---	---

Specialty

Add a Healthcare Specialty * [Browse All](#)

★ Designates Primary Specialty

★ Allopathic & Osteopathic Physicians
Allergy & Immunology

Setting

Time Zone

Contact Information

Change email address associated with this profile

Current Email: doctorjordan@appriss.com

New Email Address

Re-enter New Email Address

[Save Changes](#)

2. Update your information as necessary. The following notes may be helpful in updating your information:
 - **Updating Employer Information:** To update your employer information, click **Edit**, located next to the **Profile Info** header. When the Edit Profile Info window is displayed, update the information, and then click **Update**.

Edit Profile Info - [REDACTED]

Only the following information can be updated on your profile. Contact your state administrator if you need to update any profile information not shown below.

Employer Name
Appriss

Street Address
10401 Linn Station Rd

Address Line 2

City
Louisville

State
Kentucky

Zip Code
40223

Employer Phone
5028551234

Employer Fax

Cancel Update

- **Healthcare Specialty:** You can add or update your healthcare specialty in the Specialty section of the page. Search for your specialty by typing a few characters into the **Healthcare Specialty** field or click **Browse All** to view all available specialties and select yours from the list. If you have multiple specialties, you can designate your primary specialty by clicking the star icon to the left of the specialty. To remove a specialty, click the “x” button to the right of the specialty.

Specialty

Add a Healthcare Specialty [Browse All](#)

Search by keyword (e.g. Allergy, Internal, Sports, Clinical, etc)

★ Designates Primary Specialty

★ Allopathic & Osteopathic Physicians
Dermatology

- **Updating Time Zone:** To update your time zone, select the correct time zone from the **Time Zone** drop-down.
- **Adding Supervisors:** If you are a designee, you may add supervisors to or remove supervisors from your account in the Supervisors section of the page. To add a supervisor, enter the supervisor’s email address, and then click **Add**. To remove a supervisor, click the “x” button next to the supervisor.

Supervisors

I am a delegate for the following people... *

Email
doctorsam@clinic.com x Add

Selected Supervisors

Email: doctorjordan@clinic.com x

Save Changes

- **Contact Information:** You may update the email address and mobile phone number associated with your account in the Contact Information section of the page.

To update the email address associated with your account, enter the new email address in the **New Email Address** field, then re-enter it in the **Re-enter Email Address** field. Once your changes have been saved, you will receive an email asking you to verify the new email address. Please ensure that you click the link in the verification email to verify your new email address. *Note that the verification link is only valid for 20 minutes. If you click the verification link after it has expired, you will be sent a new link.*

To update the mobile phone number associated with your account, enter the new phone number in the **New Mobile Phone Number** field, then re-enter it in the **Re-enter New Mobile Phone Number** field.

Note: *If Mobile Phone Number is a required field for your state and you do not have a mobile phone number, enter ten 5s in that field; for example, (555) 555-5555.*

Contact Information

Change email address or mobile phone number associated with this profile

Current Email: apprisstester+peer_reviewer@gmail.com

New Email Address Re-enter New Email Address

Current Mobile Phone Number:

New Mobile Phone Number Re-enter New Mobile Phone Number

(###) ### ##### (###) ### #####

6.2 Designee Management

If you are a supervisor, the Delegate Management function allows you to approve or reject new designees or remove existing designees from your account.

6.2.1 Approving and Rejecting Designees

If a user registers as a designee and selects you as their supervisor, you will receive an email notification that a designee account is pending your approval.

Note: If the request is not acted upon, the system will send weekly follow-up emails advising you that action is still required.

Once you have received the email notification:

1. [Log in to PMP AWARe](#).
2. Click **Menu > Delegate Management**.

The Delegate Management page is displayed.

Delegate Management					
Select a delegate to review details.					
First	Last	Role	Delegate Status	Date Requested	Date Verified
Jordan	Delegate	Prescriber Delegate - Unlicensed	Pending	04/06/2018	
Adam	Delegate	Prescriber Delegate - Unlicensed	Approved	04/06/2018	04/11/2018

Note: New designees are identified with a status of "Pending."

3. Click the designee's name to display their information in the detail card at the bottom of the page.

Jordan Delegate

Role: Prescriber Delegate - Unlicensed
 Phone: 5028155584
 Email: jrcrawford23@yahoo.com (Unverified)
 Address: 10401 Linn Station Rd
 Louisville, KY 40223
 Date of Birth: 01/01/1901

Approve

Reject

Delegate (pending)

Personal DEA

National provider (invalid)

4 Supervisors

- Jordan Crawford (pending)
- jrcrawford@aprriss.com
- Jordan Admin (rejected)
- jrcrawford+admin2@ameriks.com

4. Click **Approve** to approve the designee;
- Or
5. Click **Reject** to reject the designee. If rejected, the designee will be removed.

6.2.2 Adding a New Supervisor to a Delegate Account

1. Log into your PMP AWARe account that is registered with a Delegate role.

Note: Some states or jurisdictions allow delegates to have the ability to add new supervisors, while other states or jurisdictions do not allow this feature.


2. Once logged in, click on your name in the upper righthand corner to reveal a dropdown menu.
3. Click **My Profile**.
4. Navigate to the section titled **Supervisors**.
5. Type in your supervisor's PMP AWARe email address in the **Email** field.

Note: If you do not have a section titled **Supervisors**, please contact your state administrator.


6. After you enter your supervisor's email address, click **Add**. An email will be sent to your supervisor notifying them they have a delegate pending approval.

6.2.3 Adding a Delegate to a Supervisor's Account

1. Log into your PMP AWARe account registered with a Supervisor role.
2. Once logged in, click on your name in the upper righthand corner to reveal a dropdown menu.
3. Click **Delegate Management**.
4. Click the **Add** button, if available.




5. Enter the Delegate's PMP AWARe account email address in the **Email** field.



6. Click **Add**.


Note:

- If a Supervisor attempts to add or approve any Delegate that will exceed their state or jurisdiction's implemented limit, they will receive the error, "No more delegates can be added."



- If the Supervisor attempts to add a delegate that does not have a registered PMP AWARXE account or has a role that is not configured to be a delegate, the Supervisor will receive an error message indicating, “The address provided cannot be specified as a delegate.”

7. Confirm the information in the **Selected Delegates** section matches the delegate’s information you would like to add and click **Save**.



8. The Delegate is now added to the Supervisor’s account.

6.2.4 Removing/Deactivating Designees

If you need to deactivate a designee from your account:

1. Click **Menu > Delegate Management**.

The Delegate Management page is displayed.

Delegate Management					
Select a delegate to review details.					
First	Last	Role	Delegate Status	Date Requested	Date Verified
Jordan	Delegate	Prescriber Delegate - Unlicensed	Pending	04/06/2018	
Adam	Delegate	Prescriber Delegate - Unlicensed	Approved	04/06/2018	04/11/2018

2. Click the designee’s name to display their information in the detail card at the bottom of the page.

3. Click **Remove**.

Upon removal, the designee’s status will be returned to “Pending.” The designee is not removed from your designee list.

Notes:

- If you need to add the user again at a later date, select the former designee, then click **Approve** to add them to your account.
- If you need to completely remove a designee from your account, select the former designee, then click **Reject**. Rejecting a designee will remove them from your account.
- You are responsible for queries made by your designees. It is your responsibility to regularly maintain your designee list and remove access if it is no longer necessary.

6.3 Password Management

Your AWARe password expires every 90 days. There are two ways you can manage your password:

1. You can proactively change your password within the application before it expires by [updating your current password](#).
2. If your password has already expired, or if you have forgotten your password, you can [reset your password](#). Note that you can reset your password via email or mobile phone.

6.3.1 Updating a Current Password


If your password has not expired, but you would like to proactively reset it, you can do so within the AWARe application.

Note: This functionality requires that you know your current password and are logged into PMP AWARe.

To update your password:

1. Click **Menu > Password Reset**.

The Change Password page is displayed.



The screenshot shows a 'Change Password' form with the following fields:

- Current Password:** A text input field with a password icon (asterisk) on the left.
- New Password:** A text input field with a password icon (asterisk) on the left.
- New Password Confirmation:** A text input field with a password icon (asterisk) on the left.

At the bottom of the form is a purple button labeled 'Change'.

2. Enter your current password in the **Current Password** field.
3. Enter a new password in the **New Password** field, then re-enter it in the **New Password Confirmation** field. The password guidelines are provided below.

Passwords must contain:

- At least ten (10) characters
- One (1) uppercase letter
- One (1) lowercase letter
- One (1) special character such as !, @, #, \$, etc.

Note that a checkmark appears next to each requirement as it is met.

Password

Password Confirmation

Password Must:

- Minimum of 8 characters
- ✓ Contain one upper case letter
- ✓ Contain one lower case letter
- Contain one special character (! @ # \$ etc.)
- ✓ Maximum of 72 characters

4. Click **Change**.

Your password is updated, and you will use the new password the next time you log in to the system.

6.3.2 Resetting a Forgotten Password

1. If you have forgotten your password or your password has expired, navigate to <https://florida.pmpaware.net>.

The Log In page is displayed.

Log In

Email

Password

Reset Password

Log In

Create an Account

2. Click **Reset Password**.

The Reset Password page is displayed.

3. Enter the email address associated with your account, then click **Continue**. You will be prompted to select how you want to reset your password.

4. Select whether you would like to reset your password via a code texted to your mobile phone or via an email containing a link to reset the password.

Note: Resetting your password via mobile phone requires that you have a mobile phone number stored in the system. Please refer to [My Profile](#) for information on adding your mobile phone number to your account. If you do not have a mobile phone number stored in the system, and you cannot remember your password or it has expired, please select the email option.

5. Click **Continue**.
 - a. If you selected the mobile phone option, a verification code is sent to your mobile phone, and you are prompted to enter that code.

Once you have received the verification code, enter it, then click **Continue**.

OR

- b. If you selected the email option and the email address you provided is valid and registered, you will receive an email containing a link to reset your password. Once you have received the email, click the link.

Once you have entered the verification code or clicked the link in the email, the Change Password page is displayed.

6. Enter a new password in the **New Password** field, then re-enter it in the **New Password Confirmation** field. The password guidelines are provided below.

Passwords must contain:

- *At least ten (10) characters*
- *One (1) uppercase letter*
- *One (1) lowercase letter*
- *One (1) special character such as !, @, #, \$, etc.*

Note that a checkmark appears next to each requirement as it is met.

7. Click **Change**.

Your password is updated, and you will use the new password the next time you log in to the system.

Notes:

- *The password reset link is only active for 20 minutes. After the time has expired, you will need to repeat steps 1–5 to generate a new password reset email.*
- *If you use the mobile reset option, the validation code is only active for 20 minutes. In addition, only the most recent code is valid (e.g., if you requested a validation code twice, only the second code would be valid).*
- *Per our security protocol, PMP AWARe will not confirm the existence of an account. If you do not receive an email at the email address provided, follow the steps below:*
 1. *Ensure you entered a valid email address.*
 2. *Check your Junk, Spam, or other filtered folders for the email.*
 3. *If the email address is correct but you have not received the email, contact your PMP Administrator to request a new password or determine what email address is associated with your account.*
- *Add the following email addresses and domains to your contacts list, or contact your organization's IT support to have them added as safe senders:*
 1. no-reply-pmpaware@globalnotifications.com
 2. [globalnotifications.com](https://www.globalnotifications.com)
 3. [amazonses.com](https://www.amazonses.com)

6.4 Interstate Patient Rx Searches

E-FORCSE® is configured to integrate with PMP InterConnect and RxCheck to expand your search capabilities to other states' controlled substance dispensing information when researching a patient's prescription history.

6.4.1 Setting Default PMP InterConnect States

This feature allows you to configure states to be selected by default when performing a Patient Request. To set your default PMP InterConnect states:

1. Click **Menu > Default PMPi States**.

The Default InterConnect PMPs page is displayed.



Default InterConnect PMPs

- Alabama
- Alaska
- California
- Delaware
- Florida
- Kentucky

[Update Defaults](#)

2. Click the checkbox next to the state(s) you would like to be selected by default when performing a Patient Request.
3. Click **Update Defaults**.

Your selections are saved and will be selected by default when you create a Patient Request.

Note: You can de-select default states as necessary—selecting default states does not require you to search for those states every time.

6.4.2 Using PMP InterConnect with a Patient Rx Search

1. When creating a new Patient Request, the list of available PMP InterConnect states is provided at the bottom of the page.



PMP InterConnect Search

To search in other states as well as your home state for patient information, select the states you wish to include in your search

- A** Arizona
- C** Colorado Connecticut
- I** Idaho
- K** Kansas
- M** Massachusetts Michigan Minnesota
- N** New York
- O** Ohio PMP
- R** Rhode Island
- T** Tennessee CSMD
- V** Vermont

[Search](#)

Note: Available states are dependent upon your state's configurations and your user role.

2. Click to select the state(s) from which you wish to obtain results. You may also click **Select All** to select all available states.

3. Once you click **Search**, the request is submitted to the selected states' PMP InterConnect systems. Results from those states are then blended into the final Patient Report.

Notes:

- *The report does not separate prescription information on a state-by-state basis. It incorporates all information from all sources into a single report.*
- *Only an exact name match will return results from interstate searches. There will not be a multiple patient pick list displayed for patients who do not have an exact name match.*

6.4.3 Using RxCheck with a Patient Rx Search

1. To utilize the RxCheck functionality, select RxSearch under **Also Search**.

Also Search

PMP
 Interconnect
 RxCheck
 None

To search in another state as well as your home state for patient information, select the state you wish to include in your search.

Kentucky
 Maryland
 Nebraska
 Pennsylvania
 Washington
 New York

Search

2. Once you have selected RxCheck, you will then choose the state you would like to search within.
3. Continue to complete a Patient Search as outlined in [Section 4](#) above.

Note: You cannot search for more than one state's data at the same time using the RxCheck functionality. You would have to run another Patient Search and select the

7 Mandatory Use Compliance

The Mandatory Use Compliance Module allows you to request a report on patients that were prescribed scheduled II, III, and IV drugs for more than a three-day supply and were not queried by you or your delegate(s).


Note: A role(s) can be configured to request a report on which patient(s) were not requested in the PMP or Gateway where a prescription was made by a specific prescriber or filled by a specific pharmacist by **Provider DEA Number** and **Fill Date** range.

7.1 Mandatory Use – Prescriber Reports

Prescriber Reports will allow an Admin to query individual Prescribers and will return a report of all patients with prescriptions and results of whether they were queried or not.

To view **Prescriber Reports**:

1. Click **Data > Mandatory Use**.
2. Click the **Prescriber Reports** tab.



3. Enter your DEA number and the below report will appear.

Note: If you have more than one personal DEA number associated with your profile, select the DEA for which you would like to generate a report.

Mandatory Use Compliance

Overall Compliance Rate: 100%

Report Parameters:
 -Days before search 30 - including 30 day
 -Hospice exempt
 -Drug schedules II - IV
 -Drug categories: Buprenorphine, Opioid, Stimulant, and Sedative
 View all

Patient Search Rate: 0.00% to 100.00%

Provider Summary

Prescriber ...	DEA	Prescriber Npi	Dispensations	Search Count	Search Rate
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]

Patient Detail

Patient Name	Patient Birthdate	Dispensations	Search Count	Search Rate
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]

Dispensations

Dispensation Id	Search	RX #	Written At	Filled Date	Drug Code	Days Supply	Daily MME	Total MME
[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]	[Redacted]


4. Select **Written** and/or **Fill Date** as a timeframe for the report in order to see your results.

7.2 Mandatory Use – My Mandatory Use Compliance Report

A role or user can be configured to request an automated report, which will report all healthcare providers, or a configured subset of healthcare providers by role, and their count of missed patients per Mandatory Use Patient Request match to Prescriber History on a monthly basis.


To view **My Mandatory Use Compliance Report**:

1. Navigate to **Data > Mandatory Use > My Mandatory Use Compliance Report**.



2. The user will select the month and year (required) for the report and the roles of the Prescribers included in the report.
3. Click **Generate**.

The report will be exportable in PDF and CSV format.



7.3 Exemptions to Reviewing

You may be exempt from reviewing prescription history under AS 17.30.200(k). However, this function does not allow filtering by specialties that may be exempt from reviewing (e.g., emergency physician) or for practice locations that also allow exemptions (e.g., inpatient facilities).

Note: Pharmacists are not required to review, because they do not hold DEA registration numbers. Therefore, this functionality is not available to pharmacists.

8 Assistance and Support

8.1 Technical Assistance

If you need additional help with any of the procedures outlined in this guide, you can:

- Contact Appriss Health at 1-877-719-3120;
OR
- Create a support request at the following URL:
<https://pmpawarxe.zendesk.com/hc/en-us/>

8.2 Administrative Assistance

If you have non-technical questions regarding E-FORCSE®, please contact:

E-FORCSE®, Florida Prescription Drug Monitoring Program
4052 Bald Cypress Way
Bin C16
Tallahassee, FL 32399

Phone: 1-850-245-4797

Fax: 1-850-617-6430

Email: e-forcse@flhealth.gov

9 Document Information

9.1 Disclaimer

Appriss has made every effort to ensure the accuracy of the information in this document at the time of printing; however, information is subject to change.

9.2 Change Log

Version	Date	Chapter/Section	Change Made
1.0		N/A	N/A; initial publication
2.0	12/12/2018	Global	Updated to current document template
		5.1/My Profile	Added instructions for adding a mobile phone number to account profile
		5.4/Resetting a Forgotten Password	Added instructions for resetting a password via mobile phone
2.1	08/26/2019	3.3/Send a Notice to the State Administrator	Added new section
2.2	05/19/2020	3.2.2/Recent Requests	Updated to reflect RxCheck integration
		4.1/Creating a Patient Request	
		4.3/Requests History	
		5.4/Setting Default PMP InterConnect States	Added new section
2.3	06/09/2020	Appendix B/Communications Module	Added new appendix with information about the Communications Module
2.4	04/07/2021	2/Registration	Replaced registration instructions with updated registration process
		Appendix A/Additional Indicators	Renamed the section “Additional Indicators” (previously “Additional Risk Indicators”) to reflect the addition of the Clinical Alerts feature
			Added information about Clinical Alerts and how to view detailed information regarding those alerts
2.5	06/23/2021	Global	Updated screenshots as necessary to reflect updates made to the system to ensure that it is ADA compliant

2.6	11/10/2021	4/RxSearch	Updated screenshots and information within to reflect the new tiles layout
		6.4.3/Using RxCheck with a Patient RxSearch	Added New section
		Appendix A/NarxCare	Updated screenshot and information within the appendix to reflect the new tiles layout
2.7	02/23/2022	7/Mandatory Use	Added new section for mandatory use
		8/Assistance and Support	Updated Zendesk link
3.0	5/18/2022	Global	Updated guide to reflect Bamboo Health branding
		3.5/Adding Delegates	Added new section
		6.2.2/Adding a New Supervisor to a Delegate Account	Added new section
		6.2.3/Adding a Delegate to a Supervisor's Account	Added new section

Appendix A: NarxCare

Introduction to NarxCare

All approved users have access to an advanced patient support tool called NarxCare. In addition to the existing functionality and the current patient PMP report, NarxCare offers a representation of the data in an interactive format to help physicians, pharmacists, and care teams' access and more quickly and easily comprehend the data to aid in clinical decisions and provide improved patient safety and outcomes. NarxCare also provides tools and resources that support patients' needs and connect them to treatment, when appropriate.

With this platform, healthcare providers have access to all of the features and functions of NarxCare with a consistent look and feel for users who access the solution through the web portal. It also enables delivery of NarxCare within Electronic Health Record (EHR) and Pharmacy Management Systems for those prescribers and dispensers in who choose to access NarxCare through integration within their healthcare IT system.

This appendix is intended to provide an overview of the NarxCare platform that provides a breakdown of the report.

Why NarxCare?

NarxCare is a platform to help clinicians identify, prevent, and manage substance use disorder (SUD). We know that safe prescribing practices must be part of a multi-dimensional response to this public health crisis. The NarxCare platform allows providers and pharmacies to identify patients who may be at risk for prescription drug addiction and provides resources that clinicians can utilize to ensure that patients can be provided with the care they need. The NarxCare platform is user friendly, fast, easily integrated into a patient's electronic medical record, and interoperable with other states. We view NarxCare as an important component in our response to the current opioid crisis.

How Does NarxCare Work?

NarxCare aggregates historical and active prescription data and presents color-coded, interactive, visual representations of the data. In addition, the NarxCare report has a **Resources** section that includes a Medical Assistance Treatment (MAT) locator and CDC educational resources. These resources can be used to help patients in need at the right time, in a meaningful way, and quickly and easily at the point of care.

Who Has Access to NarxCare?

NarxCare is available to the end user, whether accessing via the web portal or integrated EHR system or pharmacy software.

NarxCare Layout

The NarxCare report interface is displayed as tiles containing specific prescription information. The tiles displayed may vary depending on the display configured by your PMP administrator. The following overview provides common tiles you may see on your report.

Header

[REDACTED], 17M

Date of Birth: [REDACTED] Recent Address: [REDACTED] Louisville, KY 40212 [View Linked Records \(6\)](#)

Messages

Messages Showing 1 item < 1 of 1 >

[3/11/2021 1:11:10 AM EST] — from [REDACTED] (Dentist) to [REDACTED] (Cardiologist)
This patient has a treatment agreement. Please see agreement attached
[Treatment Agreement.pdf \(134.54 KB\)](#)

Care Notes

Care Notes Showing 1 item < 1 of 1 >

[7/8/2019 9:12:32 AM EDT] — from [REDACTED] (Dentist)
This patient has a treatment agreement. Please see agreement attached
[Treatment Agreement.pdf \(134.54 KB\)](#)

Person Picking UP Prescriptions

Person Picking Up Prescriptions Total: 3 Showing 1-3 of 3 items View 15 items < 1 of 1 >

DS ID	Name	Relationship	ID Number	ID Type
A	[REDACTED]	Parent/Legal Guardian	[REDACTED]	Driver License
B	[REDACTED]	Parent/Legal Guardian	[REDACTED]	Driver License
C	[REDACTED]	Parent/Legal Guardian	[REDACTED]	Driver License

Scores & Indicators

Narx Scores **Overdose Risk Score** **State Indicators (4)**

Narcotic 794	Sedative 391	Stimulant 221	993 (Range 000-999)	<ul style="list-style-type: none"> ! Patient is participating in a specialized docket to address a diagnosed substance use disorder. ! Hx of previous overdose (3) ! Daily Active MME >= 115 ! Overlapping Opioid & Benzodiazepine
Explanation and Guidance				

RX Graph



RX Summary

<p>Morphine Milligram Equivalent Prescribed Over Time</p> <p>Last 30 Days Last 60 Days Last 90 Days Last 1 Year Last 2 Years</p> <p style="text-align: right;">34 MME per Day Avg 340 MME per Rx</p>	<p>Lorazepam MgEq (LME) Prescribed Over Time</p> <p>Last 30 Days Last 60 Days Last 90 Days Last 1 Year Last 2 Years</p> <p style="text-align: right;">0.5 LME Per Day Avg 15 LME mg Per Rx</p>																								
<p>Buprenorphine (mg) Prescribed Over Time</p> <p>Last 30 Days Last 60 Days Last 90 Days Last 1 Year Last 2 Years</p> <p style="text-align: right;">2 mg Per Day Avg 60 Avg mg Per Rx</p>	<p>RX Summary</p> <table border="0"> <tr> <th>Summary</th> <th>Opioids* (excluding Buprenorphine)</th> <th>Buprenorphine*</th> </tr> <tr> <td>Total Prescriptions</td> <td>70</td> <td>137</td> </tr> <tr> <td>Total Private Pay</td> <td>3</td> <td>55.00</td> </tr> <tr> <td>Total Prescribers</td> <td>8</td> <td>32.50</td> </tr> <tr> <td>Total Pharmacies</td> <td>8</td> <td>30 Day Avg mg/day</td> </tr> <tr> <td></td> <td>Current Qty</td> <td>Current Qty</td> </tr> <tr> <td></td> <td>Current MME/day</td> <td>Current mg/day</td> </tr> <tr> <td></td> <td>30 Day Avg MME/day</td> <td>30 Day Avg mg/day</td> </tr> </table>	Summary	Opioids* (excluding Buprenorphine)	Buprenorphine*	Total Prescriptions	70	137	Total Private Pay	3	55.00	Total Prescribers	8	32.50	Total Pharmacies	8	30 Day Avg mg/day		Current Qty	Current Qty		Current MME/day	Current mg/day		30 Day Avg MME/day	30 Day Avg mg/day
Summary	Opioids* (excluding Buprenorphine)	Buprenorphine*																							
Total Prescriptions	70	137																							
Total Private Pay	3	55.00																							
Total Prescribers	8	32.50																							
Total Pharmacies	8	30 Day Avg mg/day																							
	Current Qty	Current Qty																							
	Current MME/day	Current mg/day																							
	30 Day Avg MME/day	30 Day Avg mg/day																							

RX Summary
Expanded

RX Summary Expanded					
Narcotics (excluding Buprenorphine)	Buprenorphine		Sedatives	Stimulants	
30 Day Avg. MME	34.00	30 Day Avg. mg/day	2.00	30 Day Avg. mg/day	0.00
90 Day Avg. MME	25.72	90 Day Avg. mg/day	1.29	90 Day Avg. mg/day	0.00
Rx Count/12 Months	3	Rx Count/12 Months	1	Rx Count/12 Months	1
Prescriber #/6 Months	3	Prescriber #/6 Months	1	Prescriber #/6 Months	1
Pharmacy #/6 Months	2	Pharmacy #/6 Months	1	Pharmacy #/6 Months	1
Current Quantity	137	Current Quantity	48	Current Quantity	9

Prescription Detail

Prescriptions Column Settings

Total: 70 | Private Pay: 3 Showing 1-15 of 70 Items | View 15 Items | 1 of 5

Filled	Written	ID	Drug	QTY	Days	Prescriber	RX #	Dispenser	Refill	Daily Dose*	Pymt Type	PMP
11/13/2014	11/08/2014	4	Oxycodone-Acetaminophen 5-325	80.00	40	We Tes		Cos (3475)	0	15.00 MME	-	CO
11/01/2014	11/01/2014	6	Hydrocodone-Acetamin 10-325 Mg	90.00	30	Tr Par		Wal (2435)	1	30.00 MME	-	CO
10/31/2014	10/26/2014	6	Vyvanse 60 Mg Capsule	30.00	30	Tr Par		Wal (2435)	0		-	CO
10/10/2014	10/10/2014	6	Buprenorphine 2 Mg Tablet Sl	90.00	90	Sh Mar		Kp (F123)	0	2.00 mg	-	IN
10/05/2014	10/05/2014	6	Hydrocodone-Acetamin 10-325 Mg	90.00	90	Tr Par		Wal (2435)	0	10.00 MME	-	CO
09/17/2014	09/17/2014	6	Oxycodone-Acetaminophen 5-325	30.00	3	Tr Par		Wal (2435)	0	75.00 MME	-	CO
09/17/2014	09/17/2014	6	Phentermine 37.5 Mg Tablet	30.00	30	Tr Par		Wal (2435)	0		-	CO
09/13/2014	09/08/2014	4	Oxycodone-Acetaminophen 5-325	30.00	10	Ke Mcc		Cos (3475)	0	22.50 MME	-	CO
09/12/2014	09/10/2014	2	Slk-Oxycodone/apap 5/325 Tab	90.00	22	Ma Sto		Wal (6992)	1	30.68 MME	Military/VA	CO

Providers

Providers Column Settings

Total: 8 Showing 1-8 of 8 Items | View 15 Items | 1 of 1

Name	Address	City	State	Zipcode	Phone
Some-Care Pharmacy, BBC	252 Eastport Hwy Ste C	North Park	CO	41113	(225) 212-4800
Walgreens #5261 (6992)	19028 Lincoln Ave	South Park	CO	80134	(303) 805-4021
Walgreen Co. (2435)	Db: Walgreens # 05261, 100 Main Street	South Park	CO	80134	-
Costco Pharmacy 1022 (3475)	Costco Wholesale Corporation, 18414 Cottonwood Drive	South Park	CO	80134	-
Walgreen Co. (2435)	Db: Walgreens # 05261, 19028 Lincoln Ave	South Park	CO	80134	-
Dan's Pharm. (4444)	Db: Dans Pharm # 123	East Park	CO	80444	(123) 123-4122
Bill's Pharm. (2888)	Db: Bills Pharm # 523	East Park	CO	80441	(532) 223-4122
Kp (F123)	Wholepaycheck	Sodosopa	CO	80445	-

Pharmacies

Pharmacies Column Settings

Total: 8 Showing 1-8 of 8 Items | View 15 Items | 1 of 1

Name	Address	City	State	Zipcode	Phone
Some-Care Pharmacy, BBC (2682)	252 Eastport Hwy Ste C	North Park	CO	43621	(225) 212-4800
Walgreens #5261 (6992)	19028 Lincoln Ave	South Park	CO	80134	(303) 805-4021
Walgreen Co. (2435)	Db: Walgreens # 05261, 100 Main Street	South Park	CO	80134	-
Costco Pharmacy 1022 (3475)	Costco Wholesale Corporation, 18414 Cottonwood Drive	South Park	CO	80134	-
Walgreen Co. (2435)	Db: Walgreens # 05261, 19028 Lincoln Ave	South Park	CO	80134	-
Dan's Pharm. (4444)	Db: Dans Pharm # 123	East Park	CO	80444	(123) 123-4122
Bill's Pharm. (2888)	Db: Bills Pharm # 523	East Park	CO	80441	(532) 223-4122
Kp (F123)	Wholepaycheck	Sodosopa	CO	80445	-

NarxCare helps providers make better-informed decisions when it comes to identifying, preventing, and managing substance use disorders. An overview of each section can be found below.

Note: All the sections in the above layout may not appear in your state's NarxCare report.

NarxCare Report Details


Report Header

The NarxCare Report page heading contains several report and account-level controls:


- Drop-down menu bar:** Clicking **Menu** allows you to navigate to all functional areas of AWARxE. For NarxCare users, the menu, which is shown on the following page, contains additional training links as well as a link to the NarxCare user guide. You can click your username for quick access to account management options such as **My Profile**, **Delegate Management**, and **Password Reset**.




- Patient identifying information:** The patient’s name, age in years, and gender are displayed as the report header above the report tiles. Additional patient information, such as date of birth and address, can be found below this header. This information will remain visible as you scroll through the report.




You can click **View Linked Records** to display all records linked to the selected patient.



- **Other Tools/Metrics:** You can click on the **Other Tools/Metrics** drop-down, located on the right side of the page, to display the **Resources** link, which contains links to MAT providers and State & CDC resources that may be useful in managing patient referrals or reviewing CDC guidelines. Please refer to the [Other Tools/Metrics](#) section of this appendix for more information on these resources.



- **Report download links:** If you need to download a PDF or CSV version of the report, click the **Export** drop-down, then click **Download PDF** or **Download CSV**.



Report Body

The body of the NarxCare Report information is aimed at rapidly raising awareness of risk and prescription use patterns, and when required, individual prescription detail. This information is presented as tiles, many of which are interactive and will display additional information upon clicking or hovering over links and graphs within the individual tiles.

Note: The list of tiles described below is not comprehensive; it provides a list of the most common tiles. You may not see all of the tiles described below; however, you may also see additional tiles not described below. The tiles displayed to you are configured by your PMP administrator.

Scores and additional risk indicators: The NarxCare Report includes a series of type-specific use scores, NarxCare Scores, Overdose Risk Score, and Additional Risk Indicators, which are located in the Risk Indicators section of the report. These scores and other elements are often automatically returned to the requesting system as discrete data. Requesting systems receiving such data can choose to display the scores within the native electronic health record or pharmacy management system, and many systems choose to display these data in the patient header, face sheet, or alongside patient vital signs.


Note: Please refer to the [NarxCare Scores](#), [Overdose Risk Score](#), and [Additional Risk Indicators](#) sections of this document for more information on those scores and indicators.



State Indicators: The State Indicators tile displays Clinical Alerts as configured by your PMP Administrator. The Clinical Alerts feature delivers custom alerts and notifications to prescribers to alert them when patients meet or exceed the specified thresholds. *Note that the alerts that are available to you and the thresholds associated with those alerts are configured by your PMP Administrator.* The Clinical Alerts that may be displayed in this section are listed in the table below.

Alert Type	Description
Prescriber & Dispenser Thresholds	Generates an alert when the number of prescribers and dispensers specified by your PMP Administrator is met or exceeded within a set time period
Daily Active MME Threshold	Generates an alert when the daily active morphine milligram equivalent (MME) is greater than or equal to the value specified by your PMP Administrator
Opioid & Benzodiazepine Threshold	Generates an alert when opioids and benzodiazepines are prescribed within the time period set by your PMP Administrator
Daily Active Methadone Threshold	Generates an alert when the daily active MME for methadone is greater than or equal to the value specified by your PMP Administrator
Opioid Consecutive Days Threshold	Generates an alert when opioids have been received daily for longer than the time period set by your PMP Administrator

If configured by your PMP Administrator, this section may also display below-threshold alerts indicating that the patient has not met or exceeded the thresholds associated with that alert. Alerts for thresholds that have been met or exceeded are displayed in **red**. Alerts for thresholds that have not been met (below-threshold alerts) are displayed in **gray**.



You can view a detailed description of the Clinical Alerts displayed in this section by clicking the **Details** link located below the alerts. Once you click this link, the alert details module is displayed.

Additional Indicators Print

An additional risk indicator assessment reveals the following concerns for [REDACTED]

<p>Exceeds Daily Active MME Threshold</p>	<p>Description Please note that this person has received controlled substances prescriptions equal to or greater than 115 MME/D. This equals or exceeds the threshold of 45 MME/D.</p> <table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;">Patient's Counts 115</td> <td style="width: 50%;">Alert Thresholds 45</td> </tr> </table> <p>Alert Date: 8/23/2021</p>	Patient's Counts 115	Alert Thresholds 45
Patient's Counts 115	Alert Thresholds 45		
<p>Exceeds Opioid & Benzodiazepine Threshold</p>	<p>Description Please note that this person has received controlled substances prescriptions for both an Opioid and a Benzodiazepine within the same time period.</p> <p>Below Daily Active Methadone Threshold</p> <p>Prescription Counts Opioid: 4 Benzodiazepine: 1</p> <p>Alert Date: 8/23/2021</p>		

Close

Notes:

If configured by your PMP Administrator, this module may also display an Explanation section containing additional information, provided by the PMP Administrator, about why you are receiving this alert.


These alerts and indicators may corroborate any concerns raised by the patient’s prescription information. In all cases, if a provider determines that inappropriate risk exists for a patient, they should seek additional information, discuss the risk concern with the patient, and choose appropriate medical care options that are in the best interest of the patient.

Rx Graph: The Rx Graph tile allows you to rapidly see important patterns and levels of use.




- Prescriptions are color coded and can be selected or deselected at the top of the graph.
 - Narcotics (opioids) = **red**
 - Buprenorphines = **purple**
 - Sedatives (benzodiazepines, sleep aids, etc.) = **blue**
 - Stimulants = **green**
 - Other = **grey**

- The Rx Graph is reverse time ordered, meaning that the most recent prescriptions are displayed on the left side of the graph and the oldest are displayed on the right.
- Each pixel in the graph represents one day; therefore, a 30-day prescription is represented by a rectangle about 1 cm wide and a 1–3-day prescription appears as a narrow vertical bar.





- The Rx Graph is interactive. You can click on a prescription to view information for that prescription, or you can click and drag over multiple prescriptions to view information for the selected prescriptions.




Other graphs: If configured by your PMP administrator, the Morphine Milligram Equivalent Prescribed Over Time, Buprenorphine (mg) Prescribed Over Time, and Lorazepam MgEq (LME) Prescribed Over Time tiles may also be included on the report. These tiles contain graphs that provide a quick longitudinal view of daily MME, buprenorphine, and LME. Abrupt changes in these factors are often due to overlapping prescriptions.





You can hover over the timeline in all of these graphs to display information for a specific day.



You can customize the length of time for which you wish to view information by clicking **Last 30 Days** (displayed by default), **Last 60 Days**, **Last 90 Days**, **Last 1 Year**, or **Last 2 Years** at the top of each graph.

Prescription Detail

Each prescription dispensed to the patient is presented in the Prescriptions tile. If desired, you can use the arrows next to each column header (↕) to sort the table by that column. You can also hover your cursor over a prescriber or pharmacy to view additional information such as prescriber or pharmacy full name, address, and DEA number.

Prescriptions												Column Settings
Total: 70 Private Pay: 3												
Showing 1-15 of 70 Items												View 15 Items
												1 of 5
Filled	Written	ID	Drug	QTY	Days	Prescriber	RX #	Dispenser	Refill	Daily Dose*	Pymt Type	PMP
11/13/2014	11/08/2014	4	Oxycodone-Acetaminophen 5-325	80.00	40	We Tes	1582288	Cos (3475)	0	15.00 MME	-	CO
11/01/2014	11/01/2014	6	Hydrocodone-Acetaminophen 10-325 Mg	90.00	30	Tr Par	1582288	Wal (2435)	1	30.00 MME	-	CO
10/31/2014	10/26/2014	6	Vyvanse 60 Mg Capsule	30.00	30	Tr Par	1582288	Wal (2435)	0		-	CO
10/10/2014	10/10/2014	6	Buprenorphine 2 Mg Tablet Sl	90.00	90	Sh Mar	1582288	Kp (F123)	0	2.00 mg	-	IN
10/05/2014	10/05/2014	6	Hydrocodone-Acetaminophen 10-325 Mg	90.00	90	Tr Par	1582288	Wal (2435)	0	10.00 MME	-	CO
09/17/2014	09/17/2014	6	Oxycodone-Acetaminophen 5-325	30.00	3	Tr Par	1582288	Wal (2435)	0	75.00 MME	-	CO
09/17/2014	09/17/2014	6	Phentermine 37.5 Mg Tablet	30.00	30	Tr Par	1582288	Wal (2435)	0		-	CO
09/13/2014	09/08/2014	4	Oxycodone-Acetaminophen 5-325	30.00	10	Ke Mcc	1582288	Cos (3475)	0	22.50 MME	-	CO
09/12/2014	09/10/2014	2	Sk-Oxycodone/apap 5/325 Tab	90.00	22	Ma Sto	1582288	Wal (6992)	1	30.68 MME	Military/VA	CO
08/28/2014	08/28/2014	1	Suboxone 8 Mg-2 Mg Sl Film	4.00	4	M Mac	1582288	Som (2682)	0	8.00 mg	Private Pay	CO
07/30/2014	07/30/2014	4	Oxycodone-Acetaminophen 5-325	30.00	15	Ra Mar	1582288	Cos (3475)	0	15.00 MME	Military/VA	CO
07/12/2014	07/12/2014	6	Oxycodone-Acetaminophen 5-325	30.00	30	Tr Par	1582288	Wal (6992)	0	7.50 MME	-	CO
07/02/2014	06/29/2014	6	Hydrocodon-Acetaminophin 10-325	90.00	15	Tr Par	1582288	Wal (6992)	0	60.00 MME	Indian Nat	CO
06/30/2014	06/08/2014	6	Vyvanse 60 Mg Capsule	30.00	30	Tr Par	1582288	Wal (6992)	0		Other	CO
06/07/2014	05/08/2014	6	Hydrocodon-Acetaminophin 10-325	90.00	15	Tr Par	1582288	Wal (6992)	1	60.00 MME	Comm Ins	CO

Provider and Pharmacy Detail

Provider and pharmacy information, including full name, address, and DEA number (if applicable), is presented in the Providers and Pharmacies tiles.

Providers						Column Settings
Total: 8						
Showing 1-8 of 8 Items						View 15 Items
						1 of 1
Name	Address	City	State	Zipcode	Phone	
1582288	1582288	North Park	CO	41113	1582288	
1582288	1582288	South Park	CO	80134	1582288	
1582288	1582288	South Park	CO	80134	-	
1582288	1582288	North Park	CO	85134	-	
1582288	1582288	South Park	CO	80434	-	
1582288	1582288	South Park	CO	80134-4321	-	
1582288	1582288	South Park	CO	80134	1582288	
1582288	1582288	South Park	CO	80134	-	

Pharmacies						Column Settings
Total: 8						
Showing 1-8 of 8 Items						View 15 Items < 1 of 1 >
Name	Address	City	State	Zipcode	Phone	
North Park Pharmacy, LLC (2012)	200 Westpark Blvd, Ste C	North Park	CO	43621	(303) 712-8888	
Pharmacy (2011 - 2012)	16001 South Park	South Park	CO	80134	(303) 385-8821	
Pharmacy (2012)	16001 South Park	South Park	CO	80134	-	
Pharmacy (2012 - 2015)	16001 South Park	South Park	CO	80134	-	
Pharmacy (2012)	16001 South Park	South Park	CO	80134	-	
East Park Pharmacy (2012)	16001 South Park	East Park	CO	80444	(303) 320-8822	
East Park Pharmacy (2012)	16001 South Park	East Park	CO	80441	(303) 320-8822	
Pharmacy (2012)	16001 South Park	Sodosopa	CO	80445	-	

Other Tools/Metrics

Resources

The **Resources** link provides easy access to treatment locators and State & CDC documents.

The screenshot shows the NarxCare dashboard for a patient. At the top, it displays 'Patient: 17M' and 'Recent Address: Louisville, KY 40212'. Below this, there are four main sections: 'Narx Scores' (Narcotic: 794, Sedative: 391, Stimulant: 221), 'Overdose Risk Score' (993), 'State Indicators (4)' (listing indicators like 'Patient is participating in a specialized docket to address a diagnosed substance use disorder'), and 'Other Health Information' (with a 'Resources (2)' dropdown menu). The 'Resources (2)' dropdown is highlighted with a red box, showing 'MAT Providers' and 'State & CDC Resources'.

MAT Providers: The MAT Providers pop-up window locates the 30 closest providers who are listed in the Substance Abuse and Mental Health Services Administration (SAMHSA) buprenorphine treatment locator database.

MAT Providers ✕

Find the 30 closest MAT providers for this patient. The patient's zip code is pre-populated if available.
[View more information about the treatment locator.](#)

Zip Code

The patient's zip code is pre-populated but can be edited. Click **Submit** to generate a PDF that can be viewed and printed.



This data is provided by the Substance Abuse and Mental Health Services Administration (SAMHSA). View more information about the treatment locator [here](#).

State & CDC Resources: The State & CDC Resources pop-up window, which is shown on the following page, provides a series of State & CDC documents pertaining to both providers and patients that can be referenced quickly.



State & CDC Resources

Click the associated link and print.
View more information about resources.

<p>What You Need to Know</p>  <p>Prescription Opioids: What You Need to Know (PDF)</p>	<p>Opioids and Chronic Pain</p>  <p>Promoting Safer and More Effective Pain Management (PDF)</p>	<p>Pregnancy and Opioids</p>  <p>Pregnancy and Opioids Pain Management (PDF)</p>
<p>Pocket Guide: Tapering</p> 	<p>Fact Sheet</p> 	<p>Checklist *</p> 

To assist providers in educating their patients, printable CDC pamphlets are also available. In addition to CDC-provided resources, specific resources, in coordination with the Bureau of Substance Addiction Services ([BSAS](#)), will also be available. More information about the CDC resources can be found [here](#).

Narx Scores

The NarxCare application delivers several elements of discrete data and a visually enhanced, interactive PDMP report. Contained on the report, and delivered as discrete data, are three type-specific *use* scores called Narx Scores. These Narx Scores numerically represent the PDMP data for a patient.

Narx Scores are calculated for narcotics (opioids), sedatives, and stimulants and have the following characteristics:

1. Each score consists of three digits ranging from 000–999.
2. The last digit of each score represents the number of active prescriptions of that type. For example, a Narx Score of 504 indicates the patient should have four active narcotic prescriptions according to dispensation information in the PDMP.
3. The scores correspond to the number of literature-based risk factors that exist within the PDMP data. These risk factors include:
 - a. The number of prescribers
 - b. The number of pharmacies
 - c. The amount of medication dispensed (often measured in milligram equivalencies)
 - d. The number of times prescriptions of a similar type overlap from different prescribers

4. The time elapsed for any risk factor serves to decrease its contribution to the score. For example, 1,000 MME dispensed within the last month will elevate the score *more than* 1,000 MME dispensed one year ago.
5. The distribution of Narx Scores for patients found in a PDMP is approximated as follows:
 - a. 75% score less than 200
 - b. 5% score more than 500
 - c. 1% score more than 650

The Narx Scores were designed such that:

6. Patients who use small amounts of medication with limited provider and pharmacy usage will have **low scores**.
7. Patients who use large amounts of medications in accordance with recommended guidelines (single provider, single pharmacy, etc.) will have **mid-range scores**.
8. Patients who use large amounts of medications while using many providers and pharmacies, and with frequently overlapping prescriptions, will have **high scores**.

Narx Score Algorithm

Relative Scoring

Narx Scores represent a *relative scoring* system wherein the risk factors representing use within a PDMP report are counted and then converted to a reference value that ranges from 0–99.

These reference values correlate with a percentile measurement of that use within the PDMP population.


A single point measurement of total MME in the last 60 days can be used to illustrate this concept further using the following three patients:

• Patient A:	160 MME
• Patient B:	4,800 MME
• Patient C:	1,050 MME

If we were to place these three patients on a line of relative risk, we could intuit a linear relationship based on MME, which could be depicted as follows:



This depiction has no boundaries to the left or right so these patients could just as easily be drawn as follows:



The NarxCare algorithm uses a unique strategy to establish boundaries of use by converting all measured variables, such as 60-day MME, to a scaled value between 0 and 99. This was done by evaluating a large PDMP population and measuring the 60-day MME value for every patient.

This set of data was then used to create a reference table roughly equating to a percentile in the population. If we add the scaled value to each example patient’s 60-day MME we get:

• Patient A:	160 MME		20
• Patient B:	4,800 MME		90
• Patient C:	1,050 MME		65

If we apply these new scaled values to our risk diagram and create a left and right boundary of 0 and 99, we get:



Interestingly, the population-based scaled values indicate that Patient B and C are closer to each other than might otherwise be suspected. In this case, we can also say that Patient B has used more MME in the last 60 days than 90% of the rest of the PDMP population.

Time Periods

The NarxCare algorithm evaluates a PDMP record using four different, overlapping time periods. In each time period, the risk factor being evaluated is tabulated and then converted to a scaled value. An example provider reference table is provided below.

Prescribers	2mo Scaled	6mo Scaled	1yr Scaled	2yr Scaled
0	0	0	0	0
1	19	12	8	6
2	36	22	16	11
3	51	32	23	16
4	64	41	30	21
5	75	49	37	26
6	85	57	43	30
And so on ...				


These reference tables exist for all the risk factors being evaluated and cover all four time periods. In general, as the raw value count (i.e., number of prescribers) increases, so does the reference value (up to 99 maximum). As the time period increases, the scaled value decreases. Some examples are provided below.

Prescriber Count	2mo Scaled	6mo Scaled	1 yr Scaled	2yr Scaled
0	0	0	0	0
1	19	12	8	6
2	36	22	16	11
3	51	32	23	16
4	64	41	30	21
5	75	49	37	26
6	85	57	43	30
And so on ...				

Pharmacy Count	2mo Scaled	6mo Scaled	1 yr Scaled	2yr Scaled
0	0	0	0	0
1	25	16	13	10
2	45	31	25	19
3	63	44	35	27
4	78	56	45	35
5	90	67	54	42
6	99	76	62	49
And so on ...				
Sedative LME	2mo Scaled	6mo Scaled	1 yr Scaled	2yr Scaled
0	0	0	0	0
1-4	4	6	8	10
5 - 9	8	10	13	16
10 - 14	10	12	16	19
15 - 19	20	20	23	26
20 - 24	23	23	26	29
25 - 29	24	23	26	30
And so on ...				
Overlap Days	2mo Scaled	6mo Scaled	1 yr Scaled	2yr Scaled
0	0	0	0	0
1	3	2	1	1
2	6	4	3	2
3	9	5	4	3
4	11	7	6	4
5	14	9	7	5
6	16	10	8	6
And so on ...				

Weighting

A Narx Score is calculated as a weighted average of the scaled values. A 50% weighting is applied to the milligram equivalencies with the remaining risk factors making up the other 50%.



This type of weighting results in several reliable relationships. If we think of milligram equivalency as *consumption* and the combination of providers, pharmacies, and overlaps collectively as *behaviors*, we can intuit the following score categories.

	<u>Consumption</u>	<u>Behaviors</u>	<u>Narx Score</u>
Patient A	Low	Low	Low
Patient B	Low	High	Mid
Patient C	High	Low	Mid
Patient D	High	High	High

It is important to understand that there are several different patterns of use that can result in the same score. It is always necessary to look at the actual PDMP data to determine what use patterns exist that have resulted in the Narx Score presented.

Algorithm and Score Computation

The following steps are involved with calculating a Narx Score:

1. Determine the raw values for all time periods for all variables.
2. Convert all raw values to scaled values.
3. Average the scaled values for each risk factor for all time periods.
4. Determine the weighted average.
5. Add (concatenate) the number of active prescriptions.

Using a sample patient as an example to illustrate the calculation of a Narcotic Score:

1. Determine the raw values for all time periods for all variables.

	60 days	6 mos.	1 year	2 years
Prescribers	6	9	15	15
Pharmacies	4	4	6	6
MME	1640	5408	7358	7364
LME	0	0	0	0
Overlaps	17	55	65	65

2. Convert all raw values to scaled values.

	60 days	6 mos.	1 year	2 years
Prescribers	85	76	84	64
Pharmacies	78	56	62	49
Morphine milligram eq	74	87	88	87
Lorazepam milligram eq	0	0	0	0
Overlaps	41	70	64	52

3. Average the scaled value for each risk factor for all time periods.

	60 days	6 mos.	1 year	2 years	Avg
Prescribers	85	76	84	64	77
Pharmacies	78	56	62	49	61
MME	74	87	88	87	84
LME	0	0	0	0	0
Overlaps	41	70	64	52	57

4. Calculate the weighted average.

	60 days	6 mos.	1 year	2 years	Avg	Wt.	
Prescribers	85	76	84	64	77	1	77
Pharmacies	78	56	62	49	61	1	61
MME	74	87	88	87	84	3	252
LME	0	0	0	0	0	1	0
Overlaps	41	70	64	52	56	2	114
Weighted Average (sum/8)							63

5. Add (concatenate) the number of active prescriptions

	60 days	6 mos.	1 year	2 years	Avg	Wt.		
Prescribers	85	76	84	64	77	1	77	
Pharmacies	78	56	62	49	61	1	61	
MME	74	87	88	87	84	3	252	
LME	0	0	0	0	0	1	0	
Overlaps	41	70	64	52	56	2	114	
Weighted Average (sum/8)								63
Number of Active Narcotic Prescriptions								<u>2</u>
Narcotic Score								<u>632</u>

Clinical Application

In-Workflow Use

Narx Scores are intended to be automatically delivered into the clinical workflow as discrete data and be easily viewable within a patient’s record. Many systems choose to place the scores in the patient header or alongside the patient’s vital signs.

Narx Scores are best viewed at the beginning of a patient encounter, and as such, they should be obtained at or near the time a patient is registered.

General Considerations

The primary purpose of providing Narx Scores is to raise provider awareness of the associated PDMP data available for review.

Concerning Narx Scores are intended to trigger a *discussion*, **not a decision**. If a Narx Score raises concern, the recommended course of action is to evaluate the PDMP data, review any additional pertinent data, and discuss any concerns with the patient.

Just as there is no single blood pressure that can be considered *normal* for all people, there is no Narx Score that is *normal*. A Narx Score must be applied to the clinical scenario before evaluating appropriateness. For example, a blood pressure of 120/80 can simultaneously be:

- Inappropriate for a 2-month-old infant
- Appropriate for a 20-year-old woman
- Inappropriate for an elderly patient with an average daily blood pressure of 200/100

Narx Scores are distributed within the PDMP population as follows:

- 75% of patients score below 200
- 5% of patients score above 500
- 1% of patients score above 650

Example Use Cases

Narx Scores can be used to great effect in certain clinical scenarios. Again, the recommended course of action is to seek additional information and discuss concerns with the patient.

Case A – A 17-year-old male basketball player with other significant history presents with a severe ankle sprain. His Narx Scores are:

<u>Narcotic</u>	<u>Sedative</u>	<u>Stimulant</u>
000	000	000

Important consideration: If considered for an opioid due to the severity of injury, this may be the patient's first exposure to the effects of an opioid. Recommend thorough review of the risks and benefits with the patient and consideration of an informed consent process.

Case B – an 81-year-old female presents with decreased level of consciousness following a fall where she suffered a closed head injury. Her Narx Scores are:

<u>Narcotic</u>	<u>Sedative</u>	<u>Stimulant</u>
341	501	000

Important Consideration: Many elderly patients are on chronic opioids and benzodiazepines. The use of opioids and benzodiazepines for this patient may have contributed to her fall. The patient may be taking enough medication to develop anxiety seizures due to benzodiazepine withdrawal, complicating the medical picture.

Case C – A 36-year-old male patient with mild chronic back pain frequently treated with opioids presents for a medication refill. On review of the PDMP record, the patient has been to 17 different prescribers in the last year. His Narx Scores are:

<u>Narcotic</u>	<u>Sedative</u>	<u>Stimulant</u>
671	240	000

Important Consideration: Many patients obtain medications through multiple different providers. This can be due to the patient being seen in a clinic that is staffed by different providers, or it can be due to *access to care* issues requiring visits to urgent care centers or emergency departments.

Score-Based Guidance

Score/Range	Notes	Recommendations
000	This may be the first prescription of this type for the patient.	Discuss risks/benefits of using a controlled substance. Consider informed consent.
010–200	Approximately 75% of scores fall in this range. Occasionally, patients in this score range have a remote history of high usage (> 1 year ago).	Review use patterns for unsafe conditions. Discuss any concerns with patient. See guidance below. If previously high usage exists with recent abstinence, consider risk/benefits of new prescriptions.
201–650	Approximately 24% of scores fall in this range.	Review use patterns for unsafe conditions. Discuss any concerns with patient. See guidance below.
> 650	Approximately 1% of scores fall in this range. Some patient records may have a score in this range and <i>still be within prescriber expectations</i> . Many patient records include some level of multiple provider episodes, overlapping prescriptions, or elevated milligram equivalency.	Review use patterns for unsafe conditions. If multiple providers involved in unsafe prescribing, discuss concern with patient and consider contacting other providers directly. If multiple pharmacies involved in unsafe prescribing, discuss concern with patient and consider pharmacy lock-in program. If overlapping medications of same or different type, discuss concern with patient and consider taper to lower dose and/or discontinuation of potentiating medications. If patient has evidence of a substance use disorder, consider inpatient admit or referral for outpatient evaluation and treatment.

Overdose Risk Score

The NarxCare application delivers several elements of discrete data and a visually enhanced, interactive PDMP report. Contained on the report, and delivered as discrete data, is an Overdose Risk Score (ORS). This score numerically represents the risk of unintentional overdose death.

The ORS has the following characteristics:

1. The score is three digits and ranges from 000–999.
2. Risk approximately doubles for every 100-point increase in the score.
3. Using patients who score 0–199 as a reference group, the odds ratio associated with successive 100-point bins is as follows:

ORS	Odds Ratio of Unintentional Overdose Death
000–199	1
200–299	10
300–399	12
400–499	25
500–599	44
600–699	85
700–799	141
800–899	194
900–999	329

ORS Algorithm

The ORS algorithm was derived using machine learning and other predictive techniques applied to a large case series of over 5,000 unintentional overdosedeadths. For the first version of the score, more than 70 PDMP variables were evaluated with 12 chosen for the final model.


Subsequent revisions of the model have included evaluation of thousands of variables. A specific characterization of the current variables and coefficients is beyond the scope of this document. In general, the variables that have shown to be predictive of unintentional overdose death include:

- The number of pharmacies visited per unit time
- Maximum morphine milligram equivalency (MME) in the last year
- The number of prescribers in the last two years
- Various slopes of opioid and sedative use
- Various slopes of prescriber usage

This section will be updated if new types of variables are incorporated and/or new sets of data are included.

Clinical Application

The ORS is intended to eventually provide a holistic estimate of overdose risk. The risk assessment does not incorporate any data other than PDMP usage. This aligns the clinical application of the score with other sources of overdose risk assessment based on PDMP data such as number of pharmacies visited in the last 90 days or daily morphine equivalent dose (MED). The ORS performs much better than estimates using only one variable. For example, when comparing the utility of average MED in the last 60 days to the ORS, one can easily see that while MED does have a dose response curve, the ORS has markedly higher performance.



The absolute risk of death from unintentional overdose is very low in the population of patients found in a PDMP. Even though the annual unintentional overdose death rate is unacceptably high, measured in the thousands for many states, the number of people using controlled substances in those same states are in the multiple millions. Patients on elevated doses of medication are also prevalent and have a low overall incidence of unintentional overdose death. For example, in evaluating average daily MED over a period of 60 days in one state, the following death rates were found:

60-day MED avg	Decedents	Living	Death Rate
90 MED	1,008	162,231	0.6%
150 MED	722	94,681	0.8%
480 MED	144	13,693	1.0%

The results of this analysis equate the CDC-recommended maximum 90 MED for chronic opioid use to an expected death rate of just 0.6%. It isn't until you get to an average MED of 480 that the death rate reaches 1%, and at that level, there are over 13,000 patients in the PDMP database.

One method of incorporating the ORS into clinical practice is to use a value of 650 as a threshold approximately equivalent to the CDC's recommended maximum of 90 MED. Just as patients who are above 90 MED are often evaluated for dose reduction, patients above a score of 650 may similarly be considered for:

1. Substance Use Disorder evaluation and treatment (if appropriate)
2. Discontinuation of potentiating drugs (if present)
3. Dose reduction
4. Provider lock-in
5. Pharmacy lock-in
6. Consideration of non-opioid therapy

Score-Based Guidance

The ORS can be applied to clinical practice in a manner analogous to daily MED. The CDC opioid prescribing guidelines recommend naloxone be considered at 50 MED and that most patients should be treated at a dose of 90 MED or less. Using an equivalent population methodology, the following ORS ranges can be associated with CDC MED-based guidance.

Score	Approximate CDC MED Equivalent	Guidance
< 010–440	< 50 MED	Consider other sources of risk beyond PDMP data. See below
450–650	50 MED (or more)	Consider naloxone prescription. See below.
> 650	90 MED (or more)	Consider naloxone prescription. Review use patterns for unsafe conditions. If multiple providers involved in unsafe prescribing, discuss concern with patient and consider contacting other providers directly. If multiple pharmacies involved in unsafe prescribing, discuss concern with patient and consider pharmacy lock-in program. If overlapping medications of same or different type, discuss concern with patient and consider taper to lower dose and/or discontinuation of potentiating medications. If patient has evidence of a substance use disorder, consider inpatient admit or referral for outpatient evaluation and treatment.

Additional Risk Indicators

The NarxCare application delivers several elements of discrete data and a visually enhanced, interactive PDMP report. Contained on the report, and delivered as discrete data, are a set of Additional Risk Indicators. These indicators may be determined by the state PDMP and are felt to have stand-alone value.

This section is intended to aggregate important information from multiple sources of data.

There are currently three PDMP based indicators:

- More than 5 providers in any 365-day period
- More than 4 pharmacies in any 90-day period
- More than 40 MED average and more than 100 MME total at any time in the previous 2years

These indicators are based on the following literature:

Provider red flag: Hall AJ, Logan JE, Toblin RL, et al. Patterns of Abuse Among Unintentional Pharmaceutical Overdose Fatalities. *JAMA*. 2008;300(22): 2613–2620. doi:10.1001/jama.2008.802.

Pharmacy red flag: Yang Z, Wilsey B, Bohm M, et al. Defining Risk of Prescription Opioid Overdose: Pharmacy Shopping and Overlapping Prescriptions Among Long-Term Opioid Users in Medicaid. *The Journal of Pain*. 16(5): 445–453.

40 MED red flag: Paulozzi L, Kilbourne E, Shah N, et. al. A History of Being Prescribed Controlled Substances and Risk of Drug Overdose Death. *Pain Medicine*. 2012;13(1): 87–95. doi: 10.1111/j.1526-4637.2011.01260.x.

Clinical Application

PDMP-based indicators typically corroborate any concerns raised by the Narx Scores and ORS.

When available, additional risk indicators sourced from non-PDMP data sources may represent other dimensions of risk such as past heroin use, substance use disorder, previous overdose, etc.

In all cases, if a provider determines that inappropriate risk exists for a patient, they should seek additional information, discuss the risk concern with the patient, and choose appropriate medical care options that are in the best interest of the patient.

Indicator-Based Guidance

Indicator	Guidance
More than 5 providers in any year (365 days)	Review use patterns for unsafe conditions. If multiple providers involved in unsafe prescribing, discuss concern with patient and consider contacting other providers directly.
More than 4 pharmacies in any 90-day period	Review use patterns for unsafe conditions. If multiple pharmacies involved in unsafe prescribing, discuss concern with patient and consider pharmacy lock-in program.
More than 40 MED per day average and more than 100 MME total	Review use patterns for unsafe conditions. Consider taper to lower dose and/or discontinuation of potentiating medications.
If all 3 indicators present	Review use patterns for unsafe conditions. If multiple providers involved in unsafe prescribing, discuss concern with patient and consider contacting other providers directly. If multiple pharmacies involved in unsafe prescribing, discuss concern with patient and consider pharmacy lock-in program. If overlapping medications of same or different type, discuss concern with patient and consider taper to lower dose and/or discontinuation of potentiating medications. If patient has evidence of a substance use disorder, consider inpatient admit or referral for outpatient evaluation and treatment.

Appendix B: Communications Module

Clinicians need the ability to recognize and call attention to important medical events, such as mitigating or exacerbating factors, on a patient's PMP report. The NarxCare system's Communications Module is designed to meet this need. When this module is enabled, clinician-to-clinician messaging and the ability to add Care Notes to a record are available within the NarxCare Report.

Clinician-to-clinician messaging allows clinicians to securely communicate and share information regarding a patient in their care. This direct messaging feature is available only in NarxCare, not in the PMPs themselves, and permits the exchange of information between verified PMP users regarding a single patient under the care of multiple clinicians.

Care Notes is a clinician-only feature that allows specific, clinically relevant notes or events to be appended to a patient's PMP record. These notes are visible only on the PMP report and to clinicians who have the Communications Module enabled.

Note: To have the Communications Module enabled, clinicians must meet specific requirements such as having a unique personal ID (e.g., DEA number) and not sharing that ID with other clinicians (e.g., within an institutional setting).


This appendix describes how to create and view Care Notes and clinician-to-clinician messages within the NarxCare Report.

Accessing Your Inbox

Clinician-to-clinician messages and Care Notes are stored in your inbox, which can be accessed by:

- Clicking **Inbox** from the Messages/My Care Notes section of your dashboard; or
- Clicking the **Communications** link on the menu bar.

New messages and/or Care Notes are indicated by a number (i.e., the number of new messages) next to the **Inbox** link in the Messages/My Care Notes section of your dashboard and on the **Communications** link on the menu bar.



Once you have clicked either link, your inbox is displayed.

Date/Time Received	Patient	From	Message
05/07/2020 07:17:30 PM UTC	Patient Name	John - Health (Denise - General Practice)	a reply back
05/01/2020 04:02:01 PM UTC	Patient Name	John - Health (Denise - General Practice)	Can I send a message.
04/30/2020 06:15:45 PM UTC	Patient Name	John - Health (Denise - General Practice)	message. flag me test.2005a... editing flagged message.
04/30/2020 05:57:45 PM UTC	Patient Name	John - Health (Denise - General Practice)	message to michael.
04/30/2020 03:38:18 PM UTC	Patient Name	John - Health (Denise - General Practice)	Replying back to Michael about patient.


Your inbox contains three tabs: [Messages](#), [Sent Messages](#), and [My Care Notes](#). The **Messages** tab is displayed by default. Note that both messages and Care Notes are contained within the NarxCare Report; therefore, when viewing messages/Care Notes, you are accessing the NarxCare Report for the patient indicated in the **Patient** column.

You can manage how many messages or Care Notes are displayed at any given time by changing the number in the **View** field at the bottom of the list. You can also use the arrows to navigate through your messages/Care Notes.

Messages. The **Messages** tab displays the date and time the message was received, the patient who is the subject of the message, the user who sent the message, and a preview of the message text. Messages are displayed in descending time order, with the most current messages at the top. New messages are displayed in **bold** until viewed.

Click the link in the **Message** column to view the message.

The NarxCare Report for that patient is displayed, and you are automatically directed to the Messages section of the report.




Refer to [Clinician-to-Clinician Messaging](#) for information on responding to messages and creating new messages.

Sent Messages. Click the **Sent Messages** tab to display a list of messages you sent to other clinicians. This tab displays the date and time the message was received, the patient who is the subject of the message, the user to whom you sent the message, and a preview of the message text. Messages are displayed in descending time order, with the most current messages at the top.

Click the link in the **Message** column to view the message.

The Narx Report for that patient is displayed, and you are automatically directed to the Communication section of the report. Click **Sent Messages** to view your list of sent messages.



My Care Notes

Click the **My Care Notes** tab to display your Care Notes.

Date/Time Last Updated	Patient	Care Note
05/07/2020 08:43:06 PM UTC	[Redacted]	[Edited] - View Edits - 2005a note test: I think What about Patient has a pain co...
05/07/2020 07:13:04 PM UTC	[Redacted]	Can add a care note qaTest.
05/05/2020 03:51:08 PM UTC	[Redacted]	notes added today!
04/30/2020 07:53:19 PM UTC	[Redacted]	[Edited] - View Edits - Patient has a pain contract 2005a note test: What about T...
04/30/2020 07:50:05 PM UTC	[Redacted]	[Edited] - View Edits - care note with no attachments. editing while state define...

The **My Care Notes** tab displays the date and time the care note was last updated, the patient who is the subject of the note, and a preview of the note text. Care Notes are displayed in descending order, with the most current notes at the top. New Care Notes are displayed in **bold** until viewed.

Click the link in the **Care Note** column to view the note.

The NarxCare Report for that patient is displayed, and you are automatically directed to the Care Notes section of the report.

Refer to [Care Notes](#) for information on adding new Care Notes to a patient record.

Clinician-to-Clinician Messaging

Creating a New Message

You can send a message regarding a specific patient to another clinician who is also treating that patient from within the NarxCare Report.

Note: This function should be used for messages that are not critically time sensitive, as there may be a time lag before the recipient views any sent message. For time sensitive communications, Appriss recommends direct communication with the desired recipient outside of the PMP.


To send a new message:

1. Generate a NarxCare Report for the patient using the instructions provided in the [Creating a Patient Request](#) section of this document.

The NarxCare Report is displayed.

The screenshot displays the NarxCare Report interface for a patient. At the top, the patient's name and ID (70U) are shown, along with navigation tabs for 'NarxCare Report', 'Resources', and 'OpenBeds'. The report date is 5/14/2020. Below this, there are sections for 'Messages' and 'Sent Messages'. The 'Messages' section shows a list of messages with timestamps and sender information (e.g., 'Advanced Practice Nurse to Cardiology'). The 'Sent Messages' section shows messages sent by the user to other clinicians. Below the messages, there is a 'Care Notes' section with a list of notes and their timestamps. At the bottom, there are three summary cards: 'NARX SCORES' (Narcotic: 080, Sedative: 050, Stimulant: 000), 'OVERDOSE RISK SCORE' (140, Range 000-999), and 'STATE CLINICAL ALERTS (5)' (Below Daily Active Methadone Threshold, Below Daily Active MME Threshold, Below Opioid & Benzodiazepine Threshold, Below Opioid Consecutive Day Threshold, Below Prescriber & Dispensary Threshold).

2. Scroll down to the Prescribers section of the Rx Graph. Available prescribers are indicated by hyperlinked names.



3. Click the prescriber's name to send a message regarding the patient.

Note: If the prescriber's name is not a hyperlink, that prescriber is not available for messages. Prescribers may be unavailable for messages based on a number of factors, including being located out of state or having an invalid identifier.

The Message Creation window is displayed.

The screenshot shows the 'New Message to' window. At the top, it says 'New Message to [Redacted]' with a close button. Below that, it states: 'This patient report includes multiple demographics. Communications must be appended to a specific patient demographic. Please make the appropriate selection to append this communication to an accurate patient record.' Under 'Search criteria:', it shows 'Name: [Redacted]' and 'DOB: [Redacted]'. The question 'What's the most recent and accurate address for this patient?' is followed by three radio button options:

- [Redacted] Atlanta, GA 30341
- [Redacted] Louisville, KY 40029
- [Redacted] Atlanta, GA 30341

 Below the address selection, it shows 'From: [Redacted] (Cardiology) - [Redacted] Nashville, TN 37232' and 'To: [Redacted] (Nurse Practitioner Family Health) - [Redacted] New York, NJ 10014'. There is a 'Message...' text area and an 'Add Attachments' button. At the bottom right, it says 'Characters Left: 1000'. At the very bottom, there are 'Cancel' and 'Save' buttons. A 'Messaging Guidelines' section at the bottom states: 'This message function allows prescription drug monitoring program (PDMP) users to communicate with each other through the NarxCare interface. This function should be used for messages that are not critically time sensitive, as there may be a time lag before the recipient views any sent message. For time sensitive communications, direct communication with the desired recipient is recommended.'

4. If multiple demographics exist for the patient, you must select the most recent and accurate demographic to ensure that your message is attached to the correct patient record.

Note: If multiple demographics do not exist, you can skip this step.

5. Type your message in the **Message** field.
6. If you need to add an attachment to the message, click **Add Attachments** and select the file(s) you wish to attach.


7. Click **Send**.

The message is sent, and the prescriber will be able to view it the next time they log in to AWARxE.

View a Message Thread


The Communication section of the Narx Report organizes your messages into threads. To view a message thread:

1. Navigate to the Communication section of the Narx Report using the instructions provided in the [Accessing Your Inbox](#) section of this guide.




2. Click the arrow icon (>) located to the right of the message you wish to view.

The Message Details page is displayed.



3. Click **View Message Thread** to view all messages in this conversation.



4. From this page, you can:
 - a. Click **Reply** to add another message to the thread (see [Responding to an Existing Message](#) for more details);
 - b. Click **View More Messages** to view more messages in the thread; or


- c. Click **Back to Messages** to return to the **Messages** tab.

Responding to an Existing Message

If a prescriber has sent you a message, it will be available in your inbox. To read and respond to a message:


1. Open the message using the instructions provided in the [Accessing Your Inbox](#) section of this guide.

The NarxCare Report is generated and displayed, and you are automatically directed to the Messages section of the report.



2. Click the arrow icon (>) located to the right of the message to which you are responding.

The Message Details page is displayed.



3. Click **Reply**.

The Reply window is displayed as shown on the following page.

Reply to [Patient Name]

This patient report includes multiple demographics. Communications must be appended to a specific patient demographic. Please make the appropriate selection to append this communication to an accurate patient record.

Search criteria:
Name: [Patient Name] **DOB:** [Patient DOB]

What's the most recent and accurate address for this patient?

- [Patient Name] Atlanta, GA 30341
- [Patient Name] Louisville, KY 40029
- [Patient Name] Atlanta, GA 30341

From: [Provider Name] (Cardiology) - [Address] Nashville, TN 37232
To: [Recipient Name] (Dentist General Practice) - [Address] Snellville, GA 30039

Message...

Add Attachments Characters Left: 1000

Messaging Guidelines: This message function allows prescription drug monitoring program (PDMP) users to communicate with each other through the NarxCare interface. This function should be used for messages that are not critically time sensitive, as there may be a time lag before the recipient views any sent message. For time sensitive communications, direct communication with the desired recipient is recommended.

Cancel Save

4. If multiple demographics exist for the patient, you must select the most recent and accurate demographic to ensure that your message is attached to the correct patient record.

Note: If multiple demographics do not exist, you can skip this step.

5. Type your response in the **Message** field.
6. If you need to add an attachment to the message, click **Add Attachments** and select the file(s) you wish to attach.
7. Click **Send**.

The message is sent, and the prescriber will be able to view it the next time they log in to AWARxE.

Care Notes

The Care Notes feature allows you to add specific, clinically relevant notes or events to a patient's PMP record (e.g., "the patient has a pain contract") to be viewed by any provider who views the patient's record. You can also edit and/or delete Care Notes that you added to the patient's record.

Note: This function should be used for messages that are not critically time sensitive, as there may be a time lag before the recipient views any sent message. For time sensitive communications, Appriss recommends direct communication with the desired recipient outside the PMP.

Adding a New Care Note

To add a new Care Note to a patient's record:

1. Generate a NarxCare Report for the patient using the instructions provided in the [Creating a Patient Request](#) section of this document.

The NarxCare Report is displayed.

The screenshot displays the NarxCare interface for a patient named [REDACTED], 70U. The interface is powered by NarxCare and includes navigation tabs for 'NarxCare Report', 'Resources', and 'OpenBeds'. The date is 5/14/2020, and there are options to 'Download CSV' and 'Download PDF'.


The main content area is divided into three sections:

- Communication:** A list of messages under the 'Sent Messages' tab. The messages include:
 - [5/14/2020 10:09:25 AM EDT] — from [REDACTED] (Advanced Practice Nurse) to [REDACTED] (Cardiology): Hi Michael, thanks for the note I'll discuss with the patient.
 - [5/7/2020 3:17:30 PM EDT] — from [REDACTED] (Dentist General Practice) to [REDACTED] (Cardiology): a reply back
 - [4/30/2020 2:15:45 PM EDT] — from [REDACTED] (Dentist General Practice) to [REDACTED] (Cardiology): message. flag me test.2005a. editing flagged message.
 - [4/30/2020 1:57:45 PM EDT] — from [REDACTED] (Dentist General Practice) to [REDACTED] (Cardiology): message to michael.
 - [4/30/2020 11:38:18 AM EDT] — from [REDACTED] (Dentist General Practice) to [REDACTED] (Cardiology): Replying back to Michael about patient.
- Care Notes:** A list of care notes under the 'Add Note' tab. The notes include:
 - [5/14/2020 11:23:01 AM EDT] — from [REDACTED] (Cardiology): Treatment Plan: Pain Contract Test 2
 - [5/13/2020 1:07:06 PM EDT] — from [REDACTED] (Cardiology): Regression Test Care Note-Shelley
 - [5/14/2020 8:31:50 AM EDT] — from [REDACTED] (Cardiology): 2005a note test. I think Patient has a pain contract
 - [5/7/2020 3:19:00 PM EDT] — from [REDACTED] (Dentist General Practice): Creating a care note to then edit! Can edit!
 - [5/5/2020 11:51:08 AM EDT] — from [REDACTED] (Cardiology): notes added today!
- Risk Indicators:** A summary of risk scores and alerts:
 - NARX SCORES:** Narcotic: 080, Sedative: 050, Stimulant: 000.
 - OVERDOSE RISK SCORE:** 140 (Range 000-999).
 - STATE CLINICAL ALERTS (5):**
 - Below Daily Active Methadone Threshold
 - Below Daily Active MME Threshold
 - Below Opioid & Benzodiazepine Threshold
 - Below Opioid Consecutive Day Threshold
 - Below Prescriber & Dispensary Threshold

2. Click **Add Note** in the Care Notes section of the page.
The Care Note creation window is displayed.




Note: If configured by your PMP administrator, you may be required to select from a list of pre-defined Care Notes. These notes are defined by your PMP administrator and will vary by PMP. In this case, your Care Note creation window will display similar to the following example:




To create a Care Note, select the type of note from the **Type of Care Note** field, then click the checkbox next to the Care Note that should be added to the patient's record. If you have questions regarding the available Care Notes, please contact your PMP administrator.

3. Type your note in the **Write a Care Note** field. Note that Care Notes are limited to 1000 characters.
4. If you need to attach a document to the Care Note (e.g., care plans, pain contracts, etc.), click **Add Attachment** and select the file you wish to attach. Note that HTML attachments cannot be accepted for security purposes. In addition, inappropriate content, either in text form or document or photo attachments, should not be posted. If you notice inappropriate use of the Communications Module, you can flag inappropriate content by following the instructions in the [Flagging a Message/Care Note as Inappropriate](#) section of this document.
5. In the **Expiration** field, use the drop-down menu to select when the Care Note should expire.



The screenshot shows the 'Expiration' section of a form. It includes a label 'Expiration', a text input field 'This care note should', and a dropdown menu currently set to 'expire after custom months'. Below the dropdown is another text input field labeled 'Expire after' followed by 'Months'. A dropdown menu is open, showing the following options: 'never expire', 'expire after 3 months', 'expire after 6 months', 'expire after 12 months', and 'expire after custom months'. There is also some faint text below the dropdown: 'Care Note Guidelines: This NarxCare interface. This fur sent message. For time ser'.

- You can choose to have the Care Note never expire or to expire after 3 months, 6 months, 12 months, or a custom number of months.
- If you choose the **expire after custom months** option, you will be prompted to enter the number of months after which the Care Note should expire. The maximum allowed is 99 months.



The screenshot shows the 'Expiration' section of a form. It includes a label 'Expiration', a text input field 'This care note should', and a dropdown menu currently set to 'expire after custom months'. Below the dropdown is a text input field labeled 'Expire after' followed by 'Months. (Maximum allowed is 99 months)'.

6. If you are adding a Care Note to a patient report via an EHR integration, the **Share Note** field will be displayed. Use this field to indicate whether the Care Note should be shared externally with any authorized PMP user or internally with your organization only.
7. Click **Save**.
The Care Note is saved and immediately appended to the patient's record.

Editing a Care Note

Note: You can only edit Care Notes added by you. Your State Administrator may also edit your Care Note, if necessary.


To edit your Care Note:

1. Generate a NarxCare Report for the patient using the instructions provided in the Creating a Patient Request section of this document.

The NarxCare Report is displayed.

The screenshot displays the NarxCare interface for a patient with ID 70U. The interface includes a top navigation bar with 'NarxCare Report', 'Resources', and 'OpenBeds' tabs. Below the navigation bar, there are options to 'Download CSV' and 'Download PDF'. The main content area is divided into several sections: 'Messages' (with a sub-section for 'Sent Messages'), 'Care Notes', and 'Risk Indicators'. The 'Messages' section shows a list of messages with dates, times, and senders. The 'Care Notes' section shows a list of notes with dates, times, and senders. The 'Risk Indicators' section includes 'NARX SCORES' (Narcotic: 080, Sedative: 050, Stimulant: 000), 'OVERDOSE RISK SCORE' (140, Range 000-999), and 'STATE CLINICAL ALERTS (5)' (Below Daily Active Methadone Threshold, Below Daily Active MME Threshold, Below Opioid & Benzodiazepine Threshold, Below Opioid Consecutive Day Threshold, Below Prescriber & Dispensary Threshold).

2. In the Care Notes section of the page, locate the note you wish to edit.
3. Click the **Actions** drop-down for the note and select **Edit Note**. *Note that this option is only available on notes created by you. You cannot edit Care Notes created by other clinicians.*



The Edit Care Note window is displayed.

A screenshot of the 'Edit Care Note' window. The title bar says 'Edit Care Note for [blurred]'. Below the title bar is a close button (X) and a help icon (?). The main content area contains a text field with placeholder text: 'Create a care note that will remain with the patient's report. A care note created by you can only be edited/deleted by the you or an admin. Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequat. Duis autem vel eum inure dolor in'. Below the text field is an attachment section showing 'A_Doc_Upload 12345678.pdf (40.3KB)' with a close button (X) and the text 'Uploaded Jan 23, 2017 2:30 PM EST'. Below the attachment is an 'Add Attachment' button. The 'Expiration' section has a dropdown menu with 'never expire' selected. The 'Share Note' section has two radio buttons: 'Externally with any authorized user of the PDMP' (unselected) and 'Internal to my organization only' (selected). The 'Reason for Edit' section has two checkboxes: 'Correct errors/wrong information' (unselected) and 'Update outdated information' (unselected). At the bottom right are 'Cancel' and 'Save' buttons. A 'Characters Left: xxx' indicator is visible on the right side.

4. Edit the Care Note as necessary. You may refer to steps 3-6 of the [Adding a New Care Note](#) section of this document for more information about the fields displayed on this window.
5. Once you have finished editing the Care Note, select the reason for editing the note in the **Reason for Edit** field. You may add any additional comments regarding the edit in the **Additional Comments** field. *Note that if you select **Other** as the reason for your edit, you must complete the **Additional Comments** field.*

A screenshot of the 'Reason for Edit' and 'Additional Comments' fields. The 'Reason for Edit' section has the text 'Please share your reason for editing this care note.' and three checkboxes: 'Correct errors/wrong information' (unselected), 'Update outdated information' (unselected), and 'Other' (unselected). Below this is the 'Additional Comments' section with a text input field and a 'Characters Left: xxx' indicator at the bottom right.

6. Click **Save**.
 - Your edits are saved, and the Care Note is immediately updated on the patient's record.
 - Care Notes that have been edited by you or by the State Administrator are indicated with **[Edited]** next to the Care Note description in your inbox.

Messages		My Care Notes
<h3>My Care Notes</h3> <div style="text-align: right;">Search <input type="text"/></div>		
Date/Time Last Updated	Patient	Care Note
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur cletuer adipiscing elit,adipiscing elit, sed diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Deleted] - View Reason- Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sctetuer adipiscing elit,ed diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sctetuer adipiscing elit,d diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Edited] - View Edits - Lorem ipsum dolor sit amet, consectetur adipiscing elit, sctetuer....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Expired] - View Note -Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elitctetuer adipiscing elit,, sed diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing cletuer adipiscing elit,elit, sed diam....

You may click **View Edits** to view the Care Note’s edit history. Note that the edit history is only viewable by you and your State Administrator.

Edited Care Note ✕

This note has been edited multiple times. [View History of Edits](#)


Edited on 11/21/2017
 [11/21/2017 2:24:00 PM CST] — Lorem ipsuelit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit loborti
The care note was edited due to the following reasons: Offensive Language, Other

Edited on 11/22/2017
 [11/22/2017 2:24:00 PM CST] — Lorem ipsuelit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequaniam ad minim veniam, , sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisl ut aliquip ex ea commodo consequaniam ad minim veniam,
The care note was edited due to the following reasons: Offensive Language, Other

Additional Comments:
 Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut

[Close](#)

If the Care Note has been edited multiple times, you can click **View History of Edits** to view the entire edit history.



The screenshot shows a dialog box titled "Edited Care Note" with a close button (X) in the top right corner. At the top, a grey bar contains the text "This note has been edited multiple times. Hide History of Edits". Below this, the "Original Care Note" is displayed, followed by three "Edited on" entries. Each entry shows a timestamp, a truncated version of the original note, and the reasons for the edit: "Offensive Language, Other". A "Close" button is located at the bottom right of the dialog box.

Deleting a Care Note

Note: You can only delete Care Notes added by you. Your State Administrator may also delete your Care Note, if necessary.

To delete your Care Note:

1. Generate a NarxCare Report for the patient using the instructions provided in the [Creating a Patient Request](#) section of this document.

The NarxCare Report is displayed as shown on the following page.

The screenshot displays the NarxCare interface for a user with ID 70U. The top navigation bar includes 'NarxCare Report', 'Resources', and 'OpenBeds'. The main content area is divided into three sections:

- Messages:** A list of sent messages with details such as date, time, sender (e.g., 'Advanced Practice Nurse'), and recipient (e.g., 'Cardiology').
- Care Notes:** A list of care notes with details such as date, time, sender, and content (e.g., 'Treatment Plan: Pain Contract Test 2'). Each note has an 'Actions' dropdown menu.
- Risk Indicators:** A summary of risk scores and clinical alerts.

NARX SCORES			OVERDOSE RISK SCORE	STATE CLINICAL ALERTS (5)
Narcotic	Sedative	Stimulant	140 (Range 000-999)	Below Daily Active Methadone Threshold
080	050	000		Below Daily Active MME Threshold
				Below Opioid & Benzodiazepine Threshold
				Below Opioid Consecutive Day Threshold
				Below Prescriber & Dispensary Threshold

- In the Care Notes section of the page, locate the note you wish to delete.
- Click the **Actions** drop-down for the note and select **Delete Note**. *Note that this option is only available on notes created by you. You cannot delete Care Notes created by other clinicians.*




The Delete Care Note window is displayed.

4. Select the reason you are deleting the Care Note. You may add any additional comments regarding the deletion in the **Additional Comments** field. *Note that if you select **Other** as the reason for your deletion, you must complete the **Additional Comments** field.*
5. Click **Submit**.
 - The Care Note is immediately removed from the patient’s record and will no longer be visible to you or any other prescriber.
 - Care Notes that have been deleted by you or by the State Administrator are indicated with **[Deleted]** next to the Care Note description in your inbox.

Date/Time Last Updated	Patient	Care Note
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur cletuer adipiscing elit,adipiscing elit, sed diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Deleted] -View Reason- Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sctetuer adipiscing elit,ed diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit, sctetuer adipiscing elit,d diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Edited] - View Edits - Lorem ipsum dolor sit amet, consectetur adipiscing elit, sctetuer....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	[Expired] - View Note -Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing elit,tetuer adipiscing elit,, sed diam....
11/21/2017 2:24:00 PM CST	Taylorson, Anthony	Lorem ipsum dolor sit amet, consectetur adipiscing cletuer adipiscing elit,elit, sed diam....

- You may click **View Reason** to view the Care Note's edit history and reason for deletion. Note that the edit history is only viewable by you and your State Administrator.



Deleted Care Note [Close]

Original Care Note:
[11/21/2017 2:24:00 PM CST] — Lorem ipsuelit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisi ut aliquip ex ea commodo consequat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisi ut aliquip ex ea commodo consequat.

Edited on 11/21/2017
[11/21/2017 2:24:00 PM CST] — Lorem ipsuelit, sed diam nonummy nibh euismod tincidunt ut laoreet dolore magna aliquam erat volutpat. Ut wisi enim ad minim veniam, quis nostrud exerci tation ullamcorper suscipit lobortis nisi ut aliquip ex ea commodo consequat.

The care note was edited due to the following reasons: Offensive Language, Other

Deleted on 11/21/2017
The care note was deleted due to the following reasons: Offensive Language, Other

Additional Comments:
Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed diam nonummy nibh euismod tincidunt ut

[Close]


Flagging a Message/Care Note as Inappropriate

If you have received an inappropriate message and/or Care Note, you can flag it for review by the State Administrator. To flag a message or Care Note for review:

- From the **Messages** or **Care Notes** section of the NarxCare Report, click the **Actions** dropdown and select **Flag as Inappropriate**.



The Flag as Inappropriate window is displayed.



Flag as Inappropriate [Close]

Please share your reason for flagging this item as inappropriate.

Offensive Language
 Sexual Content
 Spam
 Other

Additional Comments

[Cancel] [Submit]

- Select the reason you are flagging the message or Care Note as inappropriate. You may add any additional comments regarding your reason in the **Additional Comments** field. *Note*

*that if you select **Other** as the reason for flagging the message or Care Note, you must complete the **Additional Comments** field.*

3. Click **Submit**.

The message or Care Note is flagged and sent to the State Administrator for review.